



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



Über dieses Buch

Dies ist ein digitales Exemplar eines Buches, das seit Generationen in den Regalen der Bibliotheken aufbewahrt wurde, bevor es von Google im Rahmen eines Projekts, mit dem die Bücher dieser Welt online verfügbar gemacht werden sollen, sorgfältig gescannt wurde.

Das Buch hat das Urheberrecht überdauert und kann nun öffentlich zugänglich gemacht werden. Ein öffentlich zugängliches Buch ist ein Buch, das niemals Urheberrechten unterlag oder bei dem die Schutzfrist des Urheberrechts abgelaufen ist. Ob ein Buch öffentlich zugänglich ist, kann von Land zu Land unterschiedlich sein. Öffentlich zugängliche Bücher sind unser Tor zur Vergangenheit und stellen ein geschichtliches, kulturelles und wissenschaftliches Vermögen dar, das häufig nur schwierig zu entdecken ist.

Gebrauchsspuren, Anmerkungen und andere Randbemerkungen, die im Originalband enthalten sind, finden sich auch in dieser Datei – eine Erinnerung an die lange Reise, die das Buch vom Verleger zu einer Bibliothek und weiter zu Ihnen hinter sich gebracht hat.

Nutzungsrichtlinien

Google ist stolz, mit Bibliotheken in partnerschaftlicher Zusammenarbeit öffentlich zugängliches Material zu digitalisieren und einer breiten Masse zugänglich zu machen. Öffentlich zugängliche Bücher gehören der Öffentlichkeit, und wir sind nur ihre Hüter. Nichtsdestotrotz ist diese Arbeit kostspielig. Um diese Ressource weiterhin zur Verfügung stellen zu können, haben wir Schritte unternommen, um den Missbrauch durch kommerzielle Parteien zu verhindern. Dazu gehören technische Einschränkungen für automatisierte Abfragen.


Wir bitten Sie um Einhaltung folgender Richtlinien:

- + *Nutzung der Dateien zu nichtkommerziellen Zwecken* Wir haben Google Buchsuche für Endanwender konzipiert und möchten, dass Sie diese Dateien nur für persönliche, nichtkommerzielle Zwecke verwenden.
- + *Keine automatisierten Abfragen* Senden Sie keine automatisierten Abfragen irgendwelcher Art an das Google-System. Wenn Sie Recherchen über maschinelle Übersetzung, optische Zeichenerkennung oder andere Bereiche durchführen, in denen der Zugang zu Text in großen Mengen nützlich ist, wenden Sie sich bitte an uns. Wir fördern die Nutzung des öffentlich zugänglichen Materials für diese Zwecke und können Ihnen unter Umständen helfen.
- + *Beibehaltung von Google-Markenelementen* Das "Wasserzeichen" von Google, das Sie in jeder Datei finden, ist wichtig zur Information über dieses Projekt und hilft den Anwendern weiteres Material über Google Buchsuche zu finden. Bitte entfernen Sie das Wasserzeichen nicht.
- + *Bewegen Sie sich innerhalb der Legalität* Unabhängig von Ihrem Verwendungszweck müssen Sie sich Ihrer Verantwortung bewusst sein, sicherzustellen, dass Ihre Nutzung legal ist. Gehen Sie nicht davon aus, dass ein Buch, das nach unserem Dafürhalten für Nutzer in den USA öffentlich zugänglich ist, auch für Nutzer in anderen Ländern öffentlich zugänglich ist. Ob ein Buch noch dem Urheberrecht unterliegt, ist von Land zu Land verschieden. Wir können keine Beratung leisten, ob eine bestimmte Nutzung eines bestimmten Buches gesetzlich zulässig ist. Gehen Sie nicht davon aus, dass das Erscheinen eines Buchs in Google Buchsuche bedeutet, dass es in jeder Form und überall auf der Welt verwendet werden kann. Eine Urheberrechtsverletzung kann schwerwiegende Folgen haben.

Über Google Buchsuche


Das Ziel von Google besteht darin, die weltweiten Informationen zu organisieren und allgemein nutzbar und zugänglich zu machen. Google Buchsuche hilft Lesern dabei, die Bücher dieser Welt zu entdecken, und unterstützt Autoren und Verleger dabei, neue Zielgruppen zu erreichen. Den gesamten Buchtext können Sie im Internet unter <http://books.google.com> durchsuchen.

Bot 5.2



DEPOSITED IN
THE LIBRARY OF
THE BIOLOGICAL LABORATORIES





°
**ICONUM BOTANICARUM
INDEX**

LOCUPLETISSIMUS.

**DIE ABBILDUNGEN
SICHTBAR BLÜHENDER PFLANZEN UND
FARNKRÄUTER**

AUS DER

BOTANISCHEN UND GARTENLITERATUR DES XVIII. UND XIX. JAHRHUNDERTS

IN ALPHABETISCHER FOLGE ZUSAMMENGESTELLT

VON

DR. G. A. PRITZEL.

Spurious edition; see Journ. Roy. Soc. Hort., vol. 45, pp. 14-21.

ZWEITE AUSGABE.

**BERLIN ,
NICOLAISCHE VERLAGSBUCHHANDLUNG.**

(G. PARTHEY.)

1861.

~~Bot 5.2~~

1863. Aug. 21.

\$4.14

Gray Pencil.

Kd

p93

1861

2069
53-2

VORWORT.

Ich übergebe hiermit den Botanikern, so wie den gebildeten Freunden und Pflegern der Gärten ein Werk, welches sich die Aufgabe gestellt hat, alle werthvollen Abbildungen sichtbar blühender Pflanzen und Farnkräuter auf möglichst einfache Art nachzuweisen. Aus der vorlinneischen Periode haben nur einige wenige Epoche machenden Autoren eine Stelle gefunden.

Die Redaktion eines Buches, für welches ein Muster in der botanischen Literatur nicht vorlag, war mit manchen Schwierigkeiten verknüpft. Möglichste Vollständigkeit mußte erstrebt werden; und durch erfreuliche Zeugnisse von Seiten wohl bewanderter Monographen bin ich unterrichtet von dem Maße, in welchem dieses Ziel erreicht worden ist. Für diejenigen Beurtheiler, welche im Stande sind, die botanische Literatur zu überblicken, wird es nichts Befremdendes haben, zu hören, daß dennoch weit über hunderttausend Abbildungen wegen ihrer Werthlosigkeit ausgeschieden werden mußten. Daß sich unter einer so ungeheuren Menge eine Anzahl finden müsse, deren Erwähnung dem einen oder dem andern Benutzer dieses Buchs für seine besonderen Zwecke wünschenswerth gewesen wäre, ist eben so wenig in Abrede zu stellen, als daß umgekehrt eine beträchtliche Anzahl Abbildungen aufgenommen worden sind, welche Andern, zumal den wissenschaftlich gebildeten Botanikern, äußerst entbehrlich scheinen werden. Ich habe diese so verschiedenen Ansprüche wohl erwogen, und mich mit Ernst bemüht, jedem so weit gerecht zu werden, als er mir es zu verdienen schien. Ich zweifle sehr, daß irgend Jemand Verlangen trägt, die tausend und aber tausend Bilderchen in Deakin Florigraphia, Denisse Flore d'Amérique, Miss Jackson Pictorial Flora, Morris Flora conspicua, Loudon Encyclopaedia, die noch schlimmern Fabrikate unsrer biedern sächsischen Landsleute ganz zu verschweigen, kennen zu lernen. Für einen wesentlichen Mangel meiner Arbeit aber halte ich, im vollen Einverständniß mit meinem verehrten Freunde von Schlechtendal, den Umstand, daß einzelne gute Originalabbildungen aus Werken, wie Loudon's Arboretum, Berg's Charakteristik der Pflanzengenera, Le Maout's Leçons élémentaires, Franz Schmidt's Oestreichs Baumzucht, Kerner's Oekonomischen Gewächsen, und anderen, unerwähnt geblieben sind. Ich vermag dieses nur durch die consequente Durchführung des von mir angenommenen Grundsatzes zu erklären, die zur Benutzung einmal ausgewählten Werke immer vollständig zu excerptiren, welches bei den genannten Büchern wegen ihrer bei weitem zum größten Theil entbehrlichen Darstellungen nicht angemessen erschien. Bei der

VORWORT.

Bearbeitung eines der neuen Publikationen wegen ohnehin unerläßlichen Supplements werde ich indeß durch nachträgliches Citiren der erwähnenswerthen Abbildungen diesem Mangel abzuhelpen nicht unterlassen. Dort soll auch anderen übersehenen, gröfsten theils vereinzelt Tafeln aus besonders seltenen Werkchen oder bisher unerlangbaren Zeitschriften und akademischen Abhandlungen ihr Recht widerfahren. Meine zahlreichen Freunde und Correspondenten, denen ich bei der nicht eben mühelosen Bearbeitung dieses Buches schon so viele erspriefsliche Theilnahme zu verdanken habe, werden mich durch fernere Hülfe bei Ausfüllung der von ihnen wahrgenommenen Lücken aufs Neue lebhaft verpflichten. Ich werde zu diesem Ende nicht versäumen, durch die Botanische Zeitung eine kleine Liste der mir unzugänglichen seltenen Bücher, in welchen sich Pflanzenabbildungen befinden, zu ihrer Kenntniß zu bringen.

Um vieles einfacher als die Entscheidung zwischen dem Aufzunehmenden und Auszuschließenden war die Wahl der inneren Einrichtung des Buches. Die alphabetische Anordnung mit Beibehaltung der Namen, unter denen die Abbildungen veröffentlicht wurden, erwies sich hierbei als die zweckmäfsigste Methode. Eine durchgreifende Berichtigung der Synonymik wäre eine Aufgabe für Jahrzehnte gewesen, und hätte nur von einem der wenigen unterrichteten Systemkenner, welche wir noch besitzen, gelöst werden können. Einige Tausend solcher Berichtigungen vorzunehmen, welches ich sehr wohl im Stande gewesen wäre, und die große Masse unberührt liegen zu lassen, schien mir ein Mißgriff, zu dessen Unterlassung ich mir Glück wünsche. Anders verhielt es sich natürlich mit der Nomenklatur einiger älteren Autoren, wie Rheede, Rumpf, Kaempfer, bei deren Berichtigung die vorhandenen Commentare und die Citate neuerer Schriftsteller gute Dienste leisteten.

Eine Uebersicht der hauptsächlichsten excerptirten Werke habe ich dem Buche vorangeschickt, damit man sich leichter in den Citaten zurechtfinde. Die erste gedruckte Zahl vor dem Komma bezeichnet den Band, die folgende kleinere die Tafel. Bloße Analysendarstellungen sind durch ein †, Monstrositäten durch ein ! ausgezeichnet worden.

Die Ausführung dieses Unternehmens lag mir nach jahrelanger Beschäftigung mit der botanischen Literatur um so näher, als mir meine bevorzugte Stellung an der Königlichen Bibliothek zu Berlin, welche in Fache der Botanik mit den berühmten Bibliotheken Delessert's und des Wiener Gartens erfolgreich wetteifert, nicht nur die Gelegenheit bot, weit über 80,000 Abbildungen nach Autopsie zu verzeichnen, sondern mir auch die Pflicht nahe legte, so reiche Schätze durch Verzeichnung derselben der wissenschaftlichen Benutzung noch zugänglicher zu machen.

Nur etwa 6000 in hier nicht vorhandenen Werken befindliche Abbildungen habe ich theils in Wien selbst verzeichnet, theils verdanke ich sie den gütigen Bemühungen verehrter Freunde in Paris und London.

GEORG PRITZEL.

HERRN
HEINRICH SCHOTT

DIREKTOR DES KAISERLICHEN GARTENS ZU SCHÖNBRUNN

ALS EIN ZEICHEN

SEINER AUFRICHTIGEN VEREHRUNG UND ERGEBENHEIT

ZUGEEIGNET

VOM HERAUSGEBER.

ÜBERSICHT

DER VORZÜGLICHSTEN CITIRTEN WERKE.

- Abh. Acad. Berl. = (Sammlung der) Abhandlungen der Kön. Akademie der Wissenschaften zu Berlin in den Jahren 1788—1853. Berlin 1793—1854. 4°. (15 Arten.)
- Acad. Brux. = Nouveaux Mémoires de l'académie royale des sciences de Bruxelles. Tome 1—27. Bruxelles 1820—1853. 4°. (58 Arten.)
- Acad. Neap. = Atti della reale academia delle scienze. Vol. 1—6. Napoli 1819—1852. 4°. (28 Arten.)
- Acad. Pet. = Mémoires de l'acad. des sc. de Petersbourg. (Sixième Série.) Tome 1—8. Petersbourg 1831—49. 4°. (127 Arten.) (Die ältere Serie, Band 1—11. Petersburg 1809—1830. 4° mit 77 Arten wird zur Unterscheidung nur „Pet.“ oder „Petersb.“ citirt.)
- Acta Acad. hung. = A' Magyar Tudós Társág Evkönyvei. Vol. 1—7. Pesth 1833—1846. 4°. (22 Arten.)
- Acta Leop. = Nova Acta Academiae Car. Leop. Nat. Cur. Vol. 9—24. Vrat. et Bonnae 1809—1854. 4°. (286 Arten.) (Die Acta werden citirt nach Band und Abtheilung und Supplement: z. B. 9. I, 1.)
- Acta palat. = Acta Academiae Theodoro-Palatinae. Tomus 1—6. Mannheim 1766—1790. 4°. (24 Arten.)
- All. Fl. ped. = Allione, Flora pedemontana. Aug. Taur. 1785. 3 voll. folio. (226 Arten auf 92 Kupfertafeln. Pritzel, Thes. no. 159.)
- Anales de hist. nat. = Anales de historia natural. Vol. 1—7. Madrid 1799—1804. 8°. (54 Arten auf 49 Tafeln.)
- Andr. Rep. = Andrews, The Botanists Repository. London 1797—1811. 10 voll. 4°. (tab. col. 1—664: 633 Arten. Pritzel, Thes. no. 220.)
- Annales de Gand = Annales de la société royale d'agriculture et de botanique de Gand, rédigées par Charles Morren. Vol. 1—4. Gand et Bruxelles 1845—1848. 8°. (Tab. col. 1—231: 234 Arten. Wird nach der Jahreszahl der Bände citirt; für einige Tafeln des vierten Bandes gilt eine neue Zählung von 1 an. Pritzel, Thes. no. 7228⁴.)
- Ann. gen. = Annales générales des sciences physiques, par Bory de St. Vincent, Drapiez et van Mons. Vol. 1—8. Bruxelles 1819—1821. 8°. (54 Arten.)
- Ann. sc. nat. = Annales des sciences naturelles. (Série I. II. III.) Paris 1824—1854. 70 voll. 8°.
- | | | |
|----------------------------|------------|-----------|
| I. vol. 1—30. 1824—1833. | 585 Tafeln | 153 Arten |
| II. vol. 1—20. 1834—1843. | 580 | 206 |
| III. vol. 1—20. 1844—1854. | 443 | 304 |
- 1608 Tafeln 663 Arten.
- Ann. Mus. = Annales du Muséum d'histoire naturelle. (Vgl. Mem. Mus. und N. Ann. Mus.) Tome 1—20. Paris 1802—1813. 4°. (322 Arten auf 641 schwarzen Kupfertafeln.)
- Antoine Conif. = Antoine, die Coniferen nach Lambert, London u. A. frei bearbeitet. Wien 1840—1846. folio. (84 Arten auf 53 colorirten Tafeln. Pritzel, Thes. no. 245.)
- Arch. Mus. = Archives du Muséum d'histoire naturelle. Tome 1—6. Paris 1839—1852. 4°. (149 Arten auf 183 schwarzen u. colorirten Kupfertafeln.)
- Ard. Anim. = Arduino, Animadversionum botanicarum specimen II. Patavii 1763. 4°. (tab. 1—20. 21 Arten. Pritzel, Thes. no. 275.)
- Asiat. Res. = Asiatick Researches. Vol. 1—6. 12—20. London 1799—1801. Calcutta 1816—1839. 4°. (Vol. 7—11. sind von mir nicht excerptirt. 29 Arten.)
- Asso Arag. = (Asso) Synopsis stirpium Aragoniae. Massiliae 1779—1781. 4°. (tab. 1—11. 23 Arten. Pritzel, Thes. no. 321.)
- Aubert Iles d'Afrique = Aubert du Petit-Thouars, Histoire des végétaux des îles australes d'Afrique. Paris 1806. 4°. (Tab. col. 1—24: 28 Arten. Pritzel, Thes. no. 328.)
- Aubert Orchid. = Aubert du Petit-Thouars, Histoire des Orchidées des trois îles d'Afrique. Paris 1822. 4°. (110 tab. nigr. 85 Arten. Pritzel, Thes. no. 341.)
- Aublet Guiana = Aublet, Histoire des plantes de la Guianae française. Londres et Paris 1775. 4°. 4 voll. (Tab. nigr. 1—392. 406 Arten. Pritzel, Thes. no. 345.)
- Barton Med. = Barton, Vegetable Materia medica of the United States. Philad. 1817—1818. 4°. (Tab. col. 1—50: 50 Arten. Pritzel, Thes. no. 526.)
- Bateman Orchid. = Bateman, The Orchidaceae of Mexico and Guatemala. London (1837—1843.) folio eleph. (Tab. pulch. col. 1—40: 40 Arten. Pritzel, Thes. no. 549. Bot. Museum in Wien.)
- Bauer Illustr. = Ferd. Bauer, Illustrationes Florae Novae Hollandiae. Londini 1813. folio. (Tab. nigr. 1—15: 15 Arten. Pritzel, Thes. no. 570.)
- Bauer Orchid. = Franz Bauer and John Lindley, Illustrations of Orchidaceous plants. London 1830—1838. folio. (Tab. col. 1—15, 1—20, mit 31 Arten. Prachtvolle Zeichnungen, lithographirt von Gauci. Ich citire: 1—15, und Genera 1—20. Pritzel, Thes. no. 575.)
- Baxter Brit. Bot. = Baxter, British phaenogamous Botany. Vol. 1—6. London 1834—1843. gr. 8°. (Tab. col. 1—509: 507 Arten. Pritzel, Thes. no. 610.)
- Bél. Ind. or. = Bélanger, Voyage aux Indes orientales. Paris s. a. (nach 1830.) 4°. (15 unsignirte Tafeln Phanerogamen mit 19 Arten, und 16 Tafeln (sign. 1—16) Kryptogamen, von denen auf Tafel

- 1—8 und 16 zusammen 12 Filices dargestellt sind. Pritzel, Thes. no. 670.)
- Bennett Java** = Bennett et Robert Brown, *Plantae javanicae rariores, quas in insula Java legit Thomas Horsfield. Londini 1838—1852. folio.*
- I: 1838. tab. col. 1—25.
 II: 1840. tab. col. 26—40.
 III: 1844. tab. col. 41—45.
 IV: 1852. tab. col. 46—50.
 (50 Arten. Pritzel, Thes. no. 709.)
- Bentham Sulphur** = Bentham, *The Botany of the Voyage of H. M. S. Sulphur. London 1844. 4°.* (Tab. nigr. 1—60: 63 Arten. Zeichnungen mit Analysen auf Stein von Miss Drake; Druck von Hullmandel und Walton. Pritzel, Thes. no. 722.)
- Bigelow Med.** = Bigelow, *American Medical Botany. Vol. 1—3. Boston 1817—1820. 4° min.* (Tab. col. 1—60: 60 Arten. Pritzel, Thes. no. 873.)
- Bill. Nov. Holl.** = De La Billardière, *Novae Hollandiae plantarum specimen. Parisiis 1804—1806. 2 voll. gr. 4°.* (Tab. 1—265: 259 Arten. Schwarze Kupferstiche von Plée; Zeichnungen mit Analysen von Turpin und Poiteau. Die Tafeln 253—262 enthalten Moose u. Algen. Vol. 1: 1804. tab. 1—142. Vol. 2: 1806. tab. 143—265. (Pritzel, Thes. no. 2348.)
- Bill. Syr.** = De La Billardière, *Icones plantarum Syriae rariorum. Paris 1791—1812. 4°.*
- Decas I: 1791. tab. 1—10.
 „ II: 1791. tab. 1—10.
 „ III: 1809. tab. 1—10.
 „ IV: 1812. tab. 1—10.
 „ V: 1812. tab. 1—10.
 (56 Arten. Schwarze Kupferstiche mit Analysen nach Zeichnungen von Redouté u. Poiteau. Dien sc. Pritzel, Thes. no. 2349.)
- Bill. Sertum** = De La Billardière, *Sertum austro-caledonicum. Pars 1. 2. Parisiis 1824—1825. 4°.*
- I: 1824. tab. nigr. 1—41.
 II: 1825. tab. nigr. 42—80.
 (79 Arten. Zeichnungen mit Analysen von Turpin. Pritzel, Thes. no. 2350.)
- Blume Java** = Blume, *Flora Javae. Fasc. 1—42. Bruxellis 1828—1852. folio. Citantur secundum XII Monographias ordine alphabetico:*
1. Anonaceae, p. 1—108, tab. 1—53. (compl.)
 2. Balsamiferae, p. 1—12, tab. 1—2. (compl.)
 3. Chloranthaceae, p. 1—14, tab. 1—2. (compl.?)
 4. Cupuliferae, p. 1—46, tab. 1—24. (compl.)
 5. Dipterocarpeae, p. 1—24, tab. 1—6. (compl.)
 6. Filices, p. 1—196, tab. 1—94. (incompl.)
 7. Juglandaceae, p. 1—16, tab. 1—5. (compl.)
 8. Loranthaceae, p. 1—40, tab. 1—28. (incompl.)
 9. Magnoliaceae, p. 1—40, tab. 1—12. (compl.)
 10. Myricaceae, p. 1—8, tab. 1. (compl.)
 11. Rhizanthaceae, p. 1—26, tab. 1—6. (compl.)
 12. Schizandreae, p. 1—18, tab. 1—5. (compl.)
- (247 Arten auf 238 fast durchweg colorirten Tafeln. Pritzel, Thes. no. 956.)
- Blume Mus.** = Blume, *Museum botanicum Lugduno-Batavum. Tom. 1. Lugd. Bat. 1849—1851. 8°.* (Tab. nigr. (1—24), sign. Species 1—60. Schöne Analysenzeichnungen von Blume und Decaisne. Pritzel, Thes. no. 958⁴.)
- Blume Rumphia** = Blume, *Rumphia. Lugd. Bat. 1835—1848. 4 voll. folio. (210 tab. col. sign. 1—200⁴. 246 Arten.)*
- I: 1835. tab. 1—70.
 II: 1836. tab. 71—137.
 III: 1847. tab. 138—173.
 IV: 1848. tab. 174—200⁴.
 (Schöne Zeichnungen mit Analysen; colorirte Litho-

- graphien; einzelne schwarze Tafeln und Vegetationsansichten. Pritzel, Thes. no. 958.)
- Boiss. Esp.** = Boissier, *Voyage botanique dans le midi de l'Espagne. Paris 1839—1845. 4°.* (208 von Heyland gezeichnete u. von Borromée gestochene, schön colorirte Tafeln, mit der Signatur 1—181: 239 Arten. Pritzel, Thes. no. 1061.)
- Bonpl. Malm.** = Bonpland, *Description des plantes rares cultivées à Malmaison et à Navarre. Paris 1813. folio. (Tab. col. 1—64: 64 Arten. Sehr schöne von Redouté gemalte Kupferstiche mit Analysen. Pritzel, Thes. no. 1109.)*
- Bory Coq.** = Bory de St. Vincent, *Botanique (Cryptogamie) du Voyage de la Coquille, par Duperrey. Paris 1828. folio. (38 Tafeln mit 21 Arten. Tafel 1—24 sind colorirt und enthalten Algen; Tafel 25—38 Filices. Pritzel, Thes. no. 1149.)*
- Bory Iles d'Afrique** = Bory, *Voyage dans les quatre principales Iles d'Afrique. Paris 1804. 8°.* et Atlas. (16 botanische Tafeln in schwarzem Kupferstich mit 15 Arten. Pritzel, Thes. no. 1145.)
- Bory Iles fort.** = Bory, *Essais sur les Iles fortunées. Paris 1803. 4°.* (7 Tafeln mit 2 Arten. Pritzel, Thes. no. 1146.)
- Bory Morée** = Bory de St. Vincent et Brongniart, *Expédition scientifique de Morée. Atlas. Botanique. Paris 1831—1835. folio. (Tab. nigr. 1—37⁴: 48 Arten. Schwarze Kupferstiche mit Analysen, gezeichnet von Eug. Delile, gestochen von Georges, Coignet, Coignus u. A. Pritzel, Thes. no. 1151.)*
- Bot. Mag.** = Curtis, *Botanical Magazine. Vol. 1—80. London 1783—1854. 8°.*
- Series I: vol. 1—42.
 „ II: vol. 43—53.
 „ III: vol. 54—70.
 „ IV: vol. 71—80.
 (Gute colorirte Tafeln, sign. 1—4824, mit 4680 Arten; in den neueren Bänden auch Analysen. Ich citire nach der Bandzahl 1—80. Pritzel, Thes. no. 2091.)
- Bot. Reg.** = Edwards (and inde a vol. 14. Lindley) *The Botanical Register. Vol. 1—33. London 1815—1847. gr. 8°.*
- Vol. 1—23. tab. col. 1—2014.
 Vol. 24. 1838. tab. 1—68.
 Vol. 25. 1839. tab. 1—69.
 Vol. 26. 1840. tab. 1—71.
 Vol. 27. 1841. tab. 1—70.
 Vol. 28. 1842. tab. 1—69.
 Vol. 29. 1843. tab. 1—66.
 Vol. 30. 1844. tab. 1—67.
 Vol. 31. 1845. tab. 1—69.
 Vol. 32. 1846. tab. 1—69.
 Vol. 33. 1847. tab. 1—70.
 Zusammen 2702 Tafeln.
 (Pritzel, Thes. no. 2911.)
- Bot. Zeitung** = Botanische Zeitung, von Mohl und von Schlechtendal. Jahrg. 1843—1854. 4°. (Etwa 40 Arten; wird nach dem Jahrgange citirt.)
- Brandt und Ratzeb.** = Brandt und Ratzeburg, *Deutschland's phanerogamische Giftgewächse. Berlin 1838. 4°.* (Tab. col. 1—48: 57 Arten. Schöne color. Kupferstiche mit vielen Analysen. Pritzel, Thes. no. 1237.)
- Breda Orchid. Javae** = Breda, *Genera et species Orchidearum et Asclepiadearum Javae. Vol. 1. Fasc. 1—3. Gandavi 1827. folio. (Tab. col. 1—15: 16 Arten. Pritzel, Thes. no. 1249. Kais. Hofbibliothek in Wien.)*

- Brongniart Coquille = Brongniart, Botanique (Phanérogamie) du Voyage de la Coquille par Duperrey. Paris 1829. 4° et folio. (67 schwarze Kupfertafeln, sign. 1—78, mit 83 Arten. Die Tafeln 23^a. 55. 57. 58. 63. 65. 66. 67. 72. 73. 74. 76. sind noch nicht erschienen. Pritzels, Thes. no. 1324.)
- Brot. Phytogr. = Brotero, Phytographia Lusitanae selectior. Olisipone 1816—1827. 2 voll. folio. (Tab. nigr. 1—82, 83—181: 192 Arten. Der erste Fascikel mit 8 Tafeln erschien schon früher einmal i. J. 1801. Pritzels, Thes. no. 1341.)
- Bull. Mosc. = Bulletin de la société des naturalistes à Moscou. Moscou 1837—1853. 8°. (Etwa 50 Arten.)
- Bull. philom. = Bulletin des sciences de la société philomatique de Paris. Vol. 1—3. Paris 1791—1797. 1800. 1811. 4°. Nouveau Bulletin. Tome 1—10. Paris 1807—1826. 4°. (Wird nach Jahrgängen citirt. 27 Arten.)
- Burm. Fl. ind. = Burmann, Flora indica. Lugd. Batav. 1768. 4°. (Tab. nigr. 1—67. Schwarze Kupferstiche ohne Analysen. Pritzels, Thes. no. 1585.)
- Bury Hex. pl. = Bury, A selection of Hexandrian plants. London (1831—1834). folio max. (Tab. col. 1—51: 54 Arten. In der Privatbibliothek Kaiser Franz II. Pritzels, Thes. no. 1593.)
- Calcutta Journal = Calcutta Journal of natural history, by John Mac Clelland. Vol. 1—7. Calcutta 1841—1847. 8°. (Wird nach der Jahreszahl citirt. 66 Arten.)
- Cav. Diss. = Cavanilles, Monadelphiae classis dissertationes decem. Matriti 1790. 4°. (Tab. 1—296: 512 Arten. Schwarze Kupferstiche mit kleinen Analysen, nach Zeichnungen von Cavanilles. Pritzels, Thes. no. 1762.)
- Cav. Ic. = Cavanilles, Icones et descriptiones plantarum. Vol. 1—6. Matriti 1791—1801. folio. (Tab. 1—600, 500^b: 696 Arten. Schwarze Kupferstiche mit Analysen; in jedem Bande 100 Tafeln. Pritzels, Thes. no. 1765.)
- Ces. St. ital. = Cesati, Stirpes italiacae rariores vel novae. Mediolani 1840. folio max. (24 schöne schwarze Kupfertafeln mit Analysen ohne Nummerung; sie sind sämtlich mit x bezeichnet. In der Link'schen und von Schlechtendal'schen Bibliothek. Pritzels, Thes. no. 1786.)
- Cir. Pl. rar. = Cirillo, Plantarum rariorum regni Neapolitani Fasciculus 1—2. Neapoli 1788. 1792. folio. (24 colorirte Kupfertafeln mit Analysen, sign. 1, 1—12. 2, 1—12. 27 Arten. Pritzels, Thes. no. 1858.)
- Colla Hort. Rip. = Colla, Hortus ripulensis. Aug. Taur. 1824. 4°. (Schwarze lithographirte Tafeln, sign. 1—40, mit 40 Arten. Die Appendices zum Hortus ripulensis erschienen in Act. Taur. und sind dort citirt. Bibliothek des K. Herbariums. Pritzels, Thes. no. 1903.)
- Coll. Cass. = Colladon, Histoire naturelle des Casses. Montpellier 1816. 4°. (20 tab.: 24 Arten. Pritzels, Thes. no. 1916.)
- Comm. Gott. = Commentationes soc. reg. sc. Gottingensis. Vol. 1—16. Gott. 1779—1808. 4°. (87 Arten. Vergl. Comm. Gott. rec. und N. Comm. Gott.)
- Comm. Gott. rec. = Commentationes soc. reg. sc. Gottingenses recentiores. Vol. 1—8. Gottingae 1811—1841. 4°. (36 Arten.)
- Cosson Atlas = Cosson et Germain, Atlas de la Flore des environs de Paris. Paris 1845. 8°. (42 schwarze Kupfertafeln, sign. 1—41, 18^b. Vor-
- zügliche Zeichnungen mit Analysen von Riocreux. Pritzels, Thes. no. 2009.)
- Curt. Lond. = Curtis, Flora Londinensis. New edition by Graves and W. J. Hooker. London 1817—1828. 5 voll. folio.
- vol. I. 1817. tab. col. 1—149.
- „ II. 1821. tab. col. 1—137.
- „ III. 1826. tab. col. 1—143.
- „ IV. 1821. tab. col. 1—144.
- „ V. 1828. tab. col. 145—216.
- (645 schön colorirte Kupfertafeln mit 594 Arten; enthält auch Kryptogamen. Pritzels, Thes. no. 2090.)
- DC. Camp. = Alph. De Candolle, Monographie des Campanulées. Paris 1830. 4°. (20 schwarze Kupfertafeln mit 34 Arten. Pritzels, Thes. no. 2176.)
- DC. Pl. gr. = De Candolle et Redouté, Plantes grasses. Fasc. 1—31. Paris 1799—1829. gr. folio. Das Werk enthält compl. 186 von Redouté gezeichnete, gestochene und colorirte Tafeln, ohne Signatur, wobei 9 Tafeln, 68, 125, 126, 137, 140, 141 u. 143 doppelt, 138 dreifach vorkommen. Ich citire die Tafeln unter den Nummern 1—177. In den ersten 28 Lieferungen befinden sich 168 Tafeln (citirt 1—159) nebst Text; in den Lieferungen 29—31 sind 18 Tafeln ohne Text, welche ich unter den Nummern 160—177 citire. Pritzels, Thes. no. 2185.)
- DC. Astr. = De Candolle, Astragalologia. Parisiis 1802. folio. (50 schwarze von Redouté gezeichnete Kupferstiche mit 50 Arten. Pritzels, Thes. no. 2200.)
- DC. Hort. genev. = De Candolle, Plantes rares du jardin de Genève. Genève (1825—) 1829. 4°. (24 schöne colorirte Kupferstiche mit Analysen, nach Zeichnungen von Heyland; mit 23 Arten. Pritzels, Thes. no. 2287.)
- DC. Ic. Gall. = De Candolle, Icones plantarum Galliae rariorum. Parisiis 1808. folio. (50 schwarze von Turpin und Poiteau gezeichnete, von Plée dem Jüngern vorzüglich gestochene Kupfertafeln mit 51 Arten. Pritzels, Thes. no. 2214.)
- DC. Legum. = De Candolle, Mémoires sur la famille des Légumineuses. Paris 1825. 4°. (71 schwarze Kupfertafeln nach Zeichnungen von Heyland, mit 60 Arten. Pritzels, Thes. no. 2260.)
- Dela R. Eryng. = Dela Roche, Eryngiorum Historia. Parisiis 1808. folio. (32 schwarze Kupferstiche mit 33 Arten. Pritzels, Thes. no. 2396.)
- Del. Ic. = Delessert, Icones selectae plantarum. Paris 1820—1846. 5 voll. folio.
- vol. 1. 1820. tab. 1—100.
- vol. 2. 1823. tab. 1—100.
- vol. 3. 1837. tab. 1—100.
- vol. 4. 1839. tab. 1—100.
- vol. 5. 1846. tab. 1—101.
- (Zeichnungen von Turpin, Riocreux, Heyland und Decaisne mit vielen Analysen; auf jeder Tafel in der Regel nur eine Art. Wird mit Angabe der Bandzahl citirt. 508 Arten. Pritzels, Thes. no. 2414.)
- Delile Egypte = Raffeneau Delile, Description de l'Egypte. Botanique. Paris 1817. gr. folio. (62 schwarze Kupfertafeln mit Analysen, nach Zeichnungen von Redouté u. A., mit 155 Arten. Pritzels, Thes. no. 8305.)
- Desc. Ant. = Descourtilz, Flore médicale des Antilles. Paris 1821—1829. 8 voll. 8°. (Tab. col. 1—600. Sehr mittelmäßig gezeichnete und colorirte Kupferstiche ohne Werth. Bei dem Citat ist der Band angegeben. Pritzels, Thes. no. 2486.)

- Desf. Choix = Desfontaines, Choix des plantes du Corollaire des Instituts de Tournefort. Paris 1808. 4°. (Tab. 1—70. Aubriet del. Lambert sc. Es giebt schwarze u. colorirte Exemplare. Pritzel, Thes. no. 2494.)
- Desf. Fl. atl. = Desfontaines, Flora atlantica. Parisiis anno VIII. (1800.) 4°. (261 schwarze Kupfertafeln mit 270 Arten. Tafel 76^{bis} und 1 Tafel ohne Signatur: *Atractylis flava*. Tafel 258—261 enthalten niedere Kryptogamen. Zeichnungen von Redouté, Marechal u. A. Kupferstich von Sellier. Pritzel, Thes. no. 2492.)
- Desv. Journ. = Desvieux, Journal de botanique. Vol. 1—6. Paris 1808—16. 8°. (65 schwarze Tafeln mit 62 Arten; wird nach der Bandzahl citirt. Band 5, tab. 27—30 ist nicht excerptirt. Pritzel, Thes. no. 2529—2530.)
- Dict. sc. nat. = Dictionnaire des sciences naturelles. Botanique, par Turpin. Paris 1816—1829. 8°. Fougères. tab. 76—103. Monocotyledones. tab. 1—82. Dicotyledones. tab. 1—313. (423 col. Tafeln mit 403 Arten. Pritzel, Thes. no. 11, 630.)
- Dietr. Fl. bor. = Dietrich, Flora regni borussici. Vol. 1—12. Berlin 1833—1844. 8° max. (864 colorirte lithogr. Tafeln ohnd Analysen, mit 418 Arten. 50 Tafeln Pilze von Klotzsch bearbeitet fallen aus. Pritzel, Thes. no. 2590.)
- D'Orb. Voyage = D'Orbigny, Voyage dans l'Amérique méridionale. Paris 1839—47. gr. 4°. (5 tab. nigr. Phanerogamia, sign. 8. 9. 10. 11. 13. et 32 tab. col. „Palmetum Orbignianum, autore Martius“ sign. 1—32. Pritzel, Thes. no. 2690.)
- Dreves = Dreves und Hayne, Bot. Bilderbuch. Leipzig 1794—1801. 4°. (Tab. col. 1—152: 153 Arten. Pritzel, Thes. no. 2727.)
- Dumort. Gramin. = Dumortier, Agrostographiae belgicae tentamen. Observations... Tournay 1823. 8°. (16 lithographirte colorirte Tafeln mit 60 Gattungsanalysen. Pritzel, Thes. no. 2804.)
- Dun. Anon. = Dunal, Monographie de la famille des Anonacées. Paris 1817. 4°. (35 schwarze Kupfertafeln: 35 Arten. Pritzel, Thes. no. 2818.)
- Eichw. Cauc. = Eichwald, Plantarum novarum vel minus cognitarum itineris caspio-caucasicum fasciculi duo. Vilnae 1831—1833. folio. (40 schwarze lith. Tafeln mit 38 Arten. Pritzel, Thes. no. 2946.)
- Emerson Rep. Mass. = (Emerson) Report on the trees... of Massachusetts. Boston 1846. 8°. (17 schwarze Tafeln mit 16 Arten. Pritzel, Thes. no. 2977^b.)
- Endl. Atacta = Endlicher, Atacta botanica. Vindobonae 1833. folio. (35 schwarze Kupfertafeln mit der Signatur 1—40. Zeichnungen mit vielen Analysen von Zehner und Ferd. Bauer. Tafel 10. 26. 28. 37. 38. existiren nicht; 32 Arten. Pritzel, Thes. no. 2987.)
- Endl. Bras. = Endlicher et Martius, Flora brasiliensis. Fasc. 1—12. Vindobonae et Lipsiae 1840—1853. folio. (214 tab. nigr. sign. 1—8, 1—14, 1—30, 1—19, 1—22, 1—50 nebst 32^b, 1—70. Schöne schwarze Lithographien mit vielen Analysen; 298 Arten. Wird citirt mit Angabe des Fascikels. Pritzel, Thes. no. 2995.)
- Endl. Iconogr. = Endlicher, Iconographia generum plantarum. Vindobonae 1838 (1837—1840). 4°. (125 schwarze von Gebhart gestochene Kupfertafeln mit vielen Analysen. Zeichnungen von Ferd. Bauer; 120 Arten. Pritzel, Thes. no. 2990.)
- Engl. Bot. = Smith and Sowerby, English Botany. Vol. 1—36. London 1790—1814. gr. 8°. tab. col. 1—2592. — Supplement, by W. J. Hooker, al. Vol. 1—4. London 1831—1849. tab. col. 2593—2960. (2960 gut colorirte Kupferstiche mit Analysen, 1734 phanerogamische Arten enthaltend. Die Tafeln des Supplements werden nach der Nummer allein, ohne Angabe des Bandes, citirt. Pritzel, Thes. no. 9711.)
- Explor. Alger. = Exploration scientifique de l'Algérie. Botanique, par Bory de St. Vincent et Durieu de Maisson-neuve. Paris 1846—1851. 4°. (90 colorirte Kupfertafeln, bez. 1—22, 22^b, 23—56, 45^b, 58—69, 71—90. mit 102 Arten. Tafel 1—35 enthalten niedere Kryptogamen. Pritzel, Thes. no. 11, 641.)
- Fée Fil. = Fée, Mémoires sur la famille des Fougères. Strassburg 1844—1845. folio. (Tab. 1—2, 1—64. — Mém. III—IV. ib. 1851. tab. 1—5. Mém. V. ib. 1850—1852. 32 tab. sign. 1—30. Zusammen 103 lithographirte Tafeln mit 286 Arten. Pritzel, Thes. no. 3146.)
- Ferr. Abyss. = Ferret et Galinier, Voyage en Abyssinie. Paris 1847—1848. 3 voll. 8° et Atlas. (In dem Atlas sind 17 botanische Tafeln in schwarzem Kupferstich, 18 phanerogamische Pflanzen darstellend, sign. 1—17. Kupferstiche von Delile, Zeichnungen mit Analysen von Lebrun.)
- Field. Sertum = Fielding and Gardner, Sertum plantarum. London 1844. 8°. (75 gute schwarze Lithographien mit Analysen, 68 Arten darstellend. Im Botanischen Museum zu Wien. Pritzel, Thes. no. 3185.)
- Fisch. et M. Sert. petrop. = Fischer et C. A. Meyer, Sertum petropolitanum. Petropoli 1847. gr. folio. (10 schön col. Tafeln mit Analysen. Pritzel, Thes. no. 3209^b.)
- Fl. d. serres = Flore de serres et jardins de l'Europe. Gand, Van Houtte. 1845—1853. 9 voll. gr. 8°. Gut color. Lithographien mit Analysen. Ich citire 1, 1—56. 2, 1—78. 2, 143—182. 3, 183—302. 4, 303—424. 5, 425—539. 6, 540—646. 7, 647—751. 8, 752—856. 9, 857—922. Pritzel, Thes. no. 5745.)
- Fl. dan. = Oeder, Flora danica. Havniae 1761—1845. 14 voll. folio. tab. col. 1—2490. (Von ungleichem Werth; erst die neueren Bände enthalten Analysen; Phanerogamen und Kryptogamen gemischt. Die Bandzahl ist citirt. Pritzel, Thes. no. 7601.)
- Flora = Flora oder Regensb. Zeitung. Jahrgang 1818—1854. 8°. (Die Tafeln werden citirt mit Angabe des Jahrgangs und Bandes: 72 Arten.)
- Forst. Charact. = Forster, Characteres generum plantarum. Londini 1776. folio. (78 schwarze Kupfertafeln, sign. 1—75; nur Analysen der Blüten und Fruchtheile. Pritzel, Thes. no. 3289.)
- Freycinet Voyage = Freycinet, Voyage des corvettes L'Uranie et La Physicienne. Botanique par Gaudichaud. Paris 1826. folio. tab. nigr. 1—120. (120 von A. Poiret gezeichnete und gestochene Tafeln mit Analysen, 127 Arten darstellend. Auf Tafel 1. und 2. sind Kryptogamen abgebildet. Pritzel, Thes. no. 3537.)
- Gaertn. Carp. = Gaertner, De fructibus et seminibus plantarum. Stuttgartiae 1788—1807. 4°. (225 schwarze Kupfertafeln von J. G. Sturm mit 1629 analyt. Darst. Pritzel, Thes. no. 3466.)
- Gaudichaud Bonite = Voyage de la Bonite par Vaillant, Botanique par Gaudichaud. Paris 1839—1852. folio. (150 schwarze Kupfertafeln mit vielen Analysen und anatomischen Darstellungen von 173 phan. Arten. Tafel 136—150 enthalten Acoyledonen. Pritzel, Thes. no. 10,618.)

- Gay Chile = Claudio Gay, *Historia física y política de Chile. Botanica, Phanerogamia*. Paris 1846—1853. (86 vorzügliche von Riocreux gezeichnete color. Kupferstiche, sign. 1—83, 32 bis, 32 ter, 52 bis. Pritzel, Thes. no. 3541.)
- Gouan Illustr. = Gouan, *Illustrationes et observationes botanicae*. Tiguri 1773. folio. (26 schwarze Kupfertafeln mit 42 Arten. Pritzel, Thes. no. 3797.)
- Gray Gen. = Gray and Sprague, *Genera Florae Americae boreali-orientalis illustrata*. Boston and New York 1848—1849. gr. 8°. tab. 1—186. (Schöne Lithographien mit vielen Analysen, von Isaac Sprague gezeichnet. Die Tafeln sind doppelt verzeichnet, als Typus der Gattung, und als Habitusbild der Species. Pritzel, Thes. no. 3852.)
- Griffith Palms = Griffith, *Palms of British East India*. Calcutta 1850. folio. (139 schwarze lithographirte Tafeln mit der Signatur 175—242, 92 Arten darstellend. Aus der Bibliothek des Gartens zu Herrenhausen. Pritzel, Thes. no. 3887.)
- Guill. Austr. = Guillemain, *Icones lithographicae plantarum Australasiae rariorum*. Paris 1827. gr. 4°. (Tab. nigr. 1—20: 22 Arten. Pritzel, Thes. no. 3973.)
- Guill. Seneg. = Guillemain, Perrottet et Richard, *Florae Senegambiae tentamen*. Paris 1830—1833. 4°. (72 schwarze lithographirte Tafeln mit 75 Arten; Zeichnungen u. Analysen von Decaisne. Pritzel, Thes. no. 3974.)
- Guill. Arch. = Guillemain, *Archives de botanique*. Tom. 1. 2. Paris 1833. 8°. (20 schwarze Kupfertafeln mit Analysen; 14 Arten. Pritzel, Thes. no. 3976.)
- Guimp. Holzgew. = Guimpel, Willdenow und Hayne, *Abbildung der deutschen Holzarten*. Berlin 1815—1820. 2 voll. 4°. (216 colorirte Kupferstiche mit wenig Analysen; die in Hartig wiederkehrenden Tafeln sind nicht citirt. Pritzel, Thes. no. 3978.)
- Guimp. Fr. Holzgew. = Guimpel, Otto und Hayne, *Abbildung fremder Holzarten*. Berlin 1825. 4°. (144 col. Kupfertafeln mit Analysen. Pritzel, Thes. no. 3979.)
- Guimp. et Schl. = Guimpel und von Schlechtendal, *Abbildung u. Beschreibung aller Gewächse in der Pharmacopoea borussica*. Berlin 1830—1837. 3 voll. (53 Hefte.) 4°. (Tab. col. 1—308: 282 Arten, welche mit sehr wenigen Ausnahmen in anderen Kupferwerken sich schon vorfinden. Pritzel, Thes. no. 3980.)
- Guimp. et Kl. = Guimpel et Klotzsch, *Abbildungen officineller Gewächse*. Band 1. Berlin 1838. 4°. (24 colorirte vorzügliche Kupfertafeln mit Analysen: 23 Arten darstellend. Pritzel, Thes. no. 3981.)
- Guss. Pl. rar. = Gussone, *Plantae rariores, quas per regiones Samnii et Aprutii legit*. Neapoli 1826. 4°. (66 gute schwarze Kupfertafeln mit Analysen; 79 Arten darstellend. Pritzel, Thes. no. 3990.)
- Guss. Fl. sic. = Gussone, *Flora sicula*. Vol. 1. Neapoli 1829. folio. (6 colorirte Kupfertafeln, sign. 1—5. 14. Pritzel, Thes. no. 3993.)
- Hartig = Hartig, *Naturgeschichte der forstl. Culturpflanzen Deutschlands*. Berlin (1840—) 1841. 4°. (120 colorirte Kupfertafeln, sign. 1—104, größtentheils noch von F. Guimpel, mit 114 Arten. Pritzel, Thes. no. 4158.)
- Hart. Parad. = Hartinger, *Paradisus vindobonensis*. Wien 1844—1851. Vol. 1—2. (Fasc. 1—20.) folio max. (78 sehr schöne Tafeln in Farbendruck ohne Analysen, sign. 1—80, mit 86 Arten. Biblio-

thek des botanischen Museums in Wien. Pritzel, Thes. no. 4167.)

- Hayne = Hayne, *Getreue Darstellung und Beschreibung der Arzneigewächse*. Berlin 1805—1846. 14 voll. 4°. (648 colorirte Kupfertafeln mit 645 Arten. In jedem Bande sind 58 Tafeln. Pritzel, Thes. no. 4227. Das unter no. 4228 des Thes. lit. bot. aufgeführte Werk enthält nur Wiederholungen derselben Tafeln in andrer Ordnung, und ist deshalb nicht berücksichtigt worden.)
- Hedw. Fil. = Hedwig, *Filicum genera et species*. Lipsiae 1799—1803. folio. (24 colorirte Kupfertafeln mit 30 Arten; Zeichnungen u. Analysen von Romanus Hedwig. Pritzel, Thes. no. 4261.)
- Herb. amat. = Mordant de Launay, *Loiselleur ... Herbar général de l'amateur*. Vol. 1—5. Paris 1816—1821. 4°. tab. col. 1—356. (Gute color. Kupferstiche mit einigen Analysen; größtentheils Copieen. Die Fortsetzungen sind nicht verzeichnet, und in Berlin nicht vorhanden. Pritzel, Thes. no. 6238.)
- Herbert Amar. = Herbert, *Amarylloideae*. London 1837. gr. 8°. (48 schwarze Kupfertafeln mit 180 Arten. Pritzel, Thes. no. 4382.)
- Hill Decade = Hill, *A Decade of curious ... plants*. London 1773. folio max. (10 große sehr schöne color. Kupfertafeln mit 10 Arten. Pritzel, Thes. no. 4485.)
- Hoeven Tijdschr. = Hoeven en Vriese, *Tijdschrift voor natuurlijke Geschiedenis en physiologie*. Deel 1—12. Amsterdam 1834—Leiden 1845. 8°. (Schwarze Lithographien mit und ohne Analysen, 33 Arten darstellend.)
- Hoffm. Lk. Fl. port. = Hoffmannsegg et Link, *Flora portugaise*. Berlin 1809—1840. folio. (111 vorzügliche, größtentheils von Völcker gezeichnete und gemalte Kupfertafeln, sign. 1—109; 111 Arten darstellend. Pritzel, Thes. no. 4606.)
- Hook. Fl. ant. = J. D. Hooker, *Flora antarctica*. London 1844—1847. 4°. (200 sehr schöne von Fitch und Hooker gezeichnete colorirte Lithographien mit großen Analysen, signirt 1—198; 121 phanerogamische Arten darstellend. Tafel 57—80 und 151—198 enthalten Kryptogamen. Pritzel, Thes. no. 4638.)
- Hook. Rhod. = Joseph Dalton Hooker, *The Rhododendrons of Sikkim-Himalaya*. Part 1. 2. 3. London 1849. 1851. 1851. folio. (30 nach J. D. Hooker's Zeichnungen von Fitch lithographirte vorzüglich colorirte Tafeln. Pritzel, Thes. no. 4639.)
- Hook. Exot. Fl. = Hooker, *Exotic Flora*. Edinburgh 1823—1827. 3 voll. gr. 8°. tab. col. 1—232. und tab. 163*. (233 schöne Kupfertafeln mit Analysen, ebenso viel Arten enthaltend. Pritzel, Thes. no. 4651.)
- Hook. Ic. Fil. = Hooker and Greville, *Icones Filicum*. Vol. 1. 2. Londini 1829—1831. folio. tab. col. 1—240. (Colorirte Lithographien mit Analysen. Pritzel, Thes. no. 4655.)
- Hook. Bot. Misc. = Hooker, *Botanical Miscellany*. London 1830—1833. 3 voll. 8°. tab. 1—112. (112 schön gezeichnete größtentheils schwarze Kupferstiche mit Analysen, 90 phanerogamische Arten darstellend; 27 Tafeln enthalten Kryptogamen. Die 40 Supplementtafeln werden citirt: Wight Illustr. in Hook. 1—41. Pritzel, Thes. no. 4656.)
- Hook. Journ. = Hooker, *Journal of botany*. Vol. 1—4. London 1834—1842. 8°. London *Journal of botany*, vol. 1—7. ib. 1842—1848. 8°. *Journal of botany and Kew Garden Miscellany*, vol. 1—5. ib. 1849—1853. 8°. (320 Tafeln mit 221 Arten Phanerogamen. Pritzel, Thes. no. 4657 u. 4658.)

- Hook. Comp. = Hooker, Companion to the Botanical Magazine. Vol. 1—2. London 1835—1836. gr. 8°. (32 schwarze und colorirte Tafeln mit 28 Arten. Pritzel, Thes. no. 4661.)
- Hook. Bor. Am. = Hooker, Flora boreali-americana. London 1833—1840. 2 voll. 4°. tab. 1—238. (238 schön gezeichnete schwarze Kupfertafeln mit guten Analysen; 256 Arten enthaltend. Pritzel, Thes. no. 4662.)
- Hook. Ic. pl. = Hooker, Icones plantarum. Vol. 1—10. London 1836—1854. 8°. tab. nigr. 1—1000. (1000 schwarze Lithographien mit Analysen, 887 Phanerogamen und Farne darstellend. Die niedern Kryptogamen sind nicht excerptirt. Pritzel, Thes. no. 4663.)
- Hook. Gen. Fil. = Hooker and Bauer, Genera Filicum. London 1842. (1838—1842.) 8° max. tab. col. 1—120. (120 schön colorirte Lithographien, nach Zeichnungen von Franz Bauer, 186 Arten darstellend. Pritzel, Thes. no. 4666.)
- Hook. Sp. Fil. = Hooker, Species Filicum. Vol. 1. Part 1—4. Vol. 2. Part 1. 2. London 1844—1853. 8°. tab. nigr. 1—110. (Gezeichnet und lithographirt von Fitch; 273 Arten. Pritzel, Thes. no. 4668.)
- Hook. Niger Fl. = Hooker, Niger Flora. London 1849. 8°. (50 schwarze lithogr. Tafeln, welche sich im 8. Bande der Icones plantarum wiederholen; 42 Arten. Pritzel, Thes. no. 4669*.)
- Horae berol. = Nees von Esenbeck, Horae physicae berolinenses. Bonn 1820. folio. (27 Tafeln mit 14 Arten. Pritzel, Thes. no. 7421.)
- Hortic. Transact. = Transactions of the Horticultural Society of London. Volume 1—7. London (1812.) 1820—1830. Second Series. Vol. 1—3. London 1835—1848. 4°. (173 Tafeln, welche 50 Arten darstellen. Vorzügliche Zeichnungen und Analysen in Kupferstich; die meisten sehr schön colorirt; ich citire die 3 Bände des Supplements als 8—10.)
- Host Gram. = Host, Icones et descriptiones graminum austriacorum. Vindob. 1801—1809. 4 voll. folio. 400 tab. col. (Große colorirte Kupferstiche mit Analysen; in jedem Bande 100 Tafeln; ich citire 1—400 ohne Angabe der Bandzahl. Pritzel, Thes. no. 4722.)
- Humb. Pl. aeq. = Humboldt et Bonpland, Plantae aequinoctiales. Tomus 1—2. Paris 1808—1809. folio. (143 schwarze Kupfertafeln mit Analysen, sign. 1—140. Zwei Tafeln Fucus. Pritzel, Thes. no. 4774.)
- Humb. Melast. = Humboldt et Bonpland, Monographia Melastomacearum. Paris 1806—1823. 2 voll. folio. 120 tab. col.
Melastomae. 1816. tab. col. 1—60.
Rhexiaeae. 1823. tab. col. 1—60.
(Schöne Kupferstiche mit Analysen, nach Zeichnungen von Turpin. Colorirte u. schwarze Exemplare. Pritzel, Thes. no. 4775.)
- H. B. K. Nov. Gen. = Humboldt, Bonpland, Kunth, Nova genera et species plantarum. Vol. 1—7. Paris 1815—1825. folio. tab. col. 1—700.
(Schöne Kupferstiche mit Analysen, nach Zeichnungen von Turpin, 714 Arten darstellend. Colorirte und schwarze Ausgaben. Einige Tafeln mit Kryptogamen nicht verzeichnet. Pritzel, Thes. no. 4776.)
- Humb. Mim. = Humboldt, Mimosaes etc. décrites par Kunth. Paris 1819. folio. tab. col. 1—60.
(Sehr schöne Zeichnungen, gestochen und colorirt von Turpin. Pritzel, Thes. no. 4777.)
- Humb. Gram. = Revision (Distribution méthodique) de la famille des Graminées décrites dans les Nova Genera et species de Humboldt, par Kunth. Paris 1829. (1835.) folio. (220 vorzüglich gezeichnete colorirte Kupfertafeln mit Analysen, 215 Arten darstellend. Pritzel, Thes. no. 4778.)
- Jacquemont Ind. = Jacquemont, Voyage dans l'Inde. (Plantae rariores, quas in India orientali collegit Victor Jacquemont, auctore J. Cambes-sèdes.) Paris 1844. gr. 4°. tab. nigr. 1—180. (180 schön gezeichnete Kupfertafeln mit Analysen von A. Riocreux; 184 Arten. Tafel 180 enthält 4 Arten Lichenen. Pritzel, Thes. no. 4814.)
- Jacq. Ecl. pl. = Jacquin, Eclogae plantarum. Vol. 1—2. Vindobonae 1811—1844. folio. tab. col. 1—169.
vol. 1. tab. col. 1—100. 1811—1816.
vol. 2. tab. col. 101—169. (1844.)
(Sehr schön colorirte Kupferstiche mit Analysen. 165 Arten. Pritzel, Thes. no. 4820.)
- Jacq. Ecl. Gram. = Jacquin, Eclogae Graminum rariorum. Vindob. 1813—1844. folio. 48 tab. col., sign. 1—45, 47—49. (Schöne große color. Kupferstiche mit Analysen. Pritzel, Thes. no. 4821.)
- Jacq. Observ. = Jacquin, Observationum botanicarum Pars 1—4. Vindob. 1764—1771. folio. tab. nigr. 1—100. (Schwarze Kupferstiche ohne Analysen; 103 Arten. Pritzel, Thes. no. 4829.)
- Jacq. Vind. = Jacquin, Hortus botanicus vindobonensis. Vindobonae 1770—1776. 3 voll. folio.
vol. 1. 1770. tab. col. 1—100.
vol. 2. 1772. tab. col. 101—200.
vol. 3. 1776. tab. col. 1—100.
(Colorirte Kupferstiche ohne (oder mit geringen) Analysen. Der Name der Pflanze fehlt auf den Tafeln. Pritzel, Thes. no. 4830.)
- Jacq. Fl. austr. = Jacquin, Florae austriacae Icones. Viennae 1773—1778. 5 voll. folio. tab. col. 1—450, 1—50. (Colorirte Kupferstiche ohne Analysen, 486 Arten darstellend. Wird mit Angabe des Bandes citirt. Pritzel, Thes. no. 4832.)
- Jacq. Misc. = Jacquin, Miscellanea austriaca ad botanicam etc. spectantia. Vindobonae 1778—1781. 3 voll. 4°. (21 und 23 schwarze und col. Kupfertafeln mit 24 Arten. Pritzel, Thes. no. 4833.)
- Jacq. Ic. = Jacquin, Icones plantarum rariorum. Vindobonae 1781—1793. 3 voll. folio. tab. col. 1—648.
vol. 1. 1781—1786. tab. col. 1—200.
vol. 2. 1786—1793. tab. col. 201—454.
vol. 3. 1786—1793. tab. col. 455—648.
(Colorirte Kupferstiche mit wenig Analysen; tab. 647—648: Tremella. Es giebt Exemplare der ersten 100 Tafeln mit anderer Numerirung. Pritzel, Thes. no. 4834.)
- Jacq. Collect. = Jacquin, Collectanea ad botanicam etc. spectantia. Vol. 1—5. Vindob. 1786—1796. 4°. (106 theils schwarze, theils colorirte Kupfertafeln mit 102 Arten. Pritzel, Thes. no. 4836.)
- Jacquin Oxalis = Jacquin, Oxalis. Viennae 1794. 4°. tab. col. 1—75. 81. nigr. 76—80. (Gute Kupferstiche mit Analysen; 88 Arten. Pritzel, Thes. no. 4837.)
- Jacq. Schoenbr. = Jacquin, Plantarum rariorum horti Schoenbrunnensis descriptiones et icones. Viennae 1797—1804. Vol. 1—4. folio. tab. col. 1—500.
(Gute große col. Kupferstiche; hin und wieder Analysen; die letzten drei Tafeln ohne Namen. 487 Arten. Pritzel, Thes. no. 4838.)
- Jacq. Fragm. = Jacquin, Fragmenta botanica. Viennae (1800—) 1809. folio. tab. col. 1—138
(Colorirte Kupferstiche mit Analysen und einzelnen Pflanzentheilen; 236 Arten. Pritzel, Thes. no. 4841.)

- Jacq. Hist. Stirp. am. = Jacquin, *Selectarum stirpium americanarum historia*. (Viennae 1780.) folio max. (264 col. Handzeichnungen. Pritzel, Thes. no. 4828.)
- Jacquin *Stapeliae* = Jacquin, *Stapeliarum cultarum descriptiones figuris coloratis illustratae*. Vin-dobonae 1806. folio. (64 colorirte Kupfertafeln mit 59 Arten. Pritzel, Thes. no. 4839.)
- Jard. Annals = Jardine, Selby, Johnston, Hooker and Taylor, *Annals of natural history, or Magazine of zoology, botany and geology*. Vol. 1—20. 2, 1—11. London 1838—1853. 8°. (Gute Lithographien mit Analysen; bisweilen colorirt. 50 Arten. Voran gehen zwei Bände Jard. Mag. London 1837—1838. 8°.)
- Jaub. Illustr. = Jaubert et Spach, *Illustrationes plantarum orientarium*. Vol. 1—4. Parisii 1842—1853. 4°. tab. 1—400. (Schöne schwarze Kupfer-tafeln mit Analysen, nach Zeichnungen von Mme. Spach u. A. Jeder Band enthält 100 Tafeln. 404 Arten. Pritzel, Thes. no. 4865.)
- Ic. pl. Chin. = *Icones plantarum sponte China na-scentium e Bibl. Braamiana excerptae*. London 1821. folio. (30) tab. col. (Tafeln ohne Namen der Pflan-zen und ohne Text; nur wenige sind als unidentbar nicht citirt. Pritzel, Thes. no. 11,847.)
- Jord. Obs. = Jordan, *Observations sur . . plantes . . de la France*. Fragment 1—6. Lyon 1846—1847. 8°. (28 Tafeln mit 93 Arten. Pritzel, Thes. no. 4945.)
- Journ. Hort. Soc. = *The Journal of the Horticul-tural Society of London*. Vol. 1—8, 1. London 1846—1853. 8°. (Die Holzschnitte werden mit An-gabe der Seitenzahl, auf welcher sie sich finden, ci-tirt. Wenig colorirte Tafeln. Das 4te Heft des 2ten Bandes nicht gesehen; 90 Arten.)
- Journ. sc. and arts = *The Journal of science and the arts*. Vol. 1—22. London 1816—1827. 8°. (21 Arten.)
- Kaempf. Jap. = *Icones selectae plantarum quas in Japonia legit et delineavit E. Kaempfer*. Londini 1791. folio. tab. 1—59. (Schöne Zeichnungen ohne Analysen, von Mackenzie in Kupfer gestochen: 47 Arten. Pritzel, Thes. no. 5083.)
- Karsten Ausw. = Karsten, *Auswahl neuer und schönblühender Gewächse Venezuela's*. Heft 1. 2. Berlin 1848. 4°. (12 sehr schöne von C. F. Schmidt lithographirte col. Tafeln mit 12 Arten. Pritzel, Thes. no. 5144.)
- Kerner Hort. = Kerner, *Hortus sempervirens*. Stuttgartiae 1795—1830. 71 voll. gr. folio. tab. col. 1—851. (Jeder Band enthält 12 colorirte aus den besten Kupferwerken copirte Tafeln; mit zusammen 814 Arten. Sehr viele Abbildungen die-ses unnützen und theuren Buches, dessen Preis elf-tehalbtausend Thaler betrug, sind nur in Hand-zeichnungen vorhanden, die übrigen sind in Kupfer gestochen. Befindet sich unvollständig in der Biblio-thek Weil. Kaiser Franz II. von Oestreich und voll-ständig in der Delessert'schen Bibliothek in Paris. Pritzel, Thes. no. 5182.)
- Kerner Gen. = Kerner, *Genera plantarum*. Stutt-gardiae 1811—1828. 9 voll. gr. folio. tab. col. 1—220. (Schöne colorirte Handzeichnungen, wel-che die Charactere von 153 Gattungen darstellen; fast durchgehends Copien. In der Privatbibliothek Kaiser Franz II. in Wien. Pritzel, Thes. no. 5186.)
- Knapp Gram. = Knapp, *Gramina britannica*. Lon-don 1804. 4°. (119 colorirte Kupfertafeln mit un-bedeutenden Analysen, eben so viele Arten darstel-lend. Pritzel, Thes. no. 5276.)
- Knowles et Westcott = Knowles and West-

- cott, *Floral Cabinet*. London 1837—1840. 3 voll. 4°. tab. col. 1—137. (137 sehr schöne colorirte lithograph. Tafeln mit eben so viel Arten. Pritzel, Thes. no. 5302.)
- König Annals = König and Sims, *Annals of bo-tany*. Vol. 1. 2. London 1805—6. 8°. (30 schwarze Kupfertafeln mit 36 Arten. Pritzel, Thes. 5355.)
- Korth. Bot. = Korthals, *Botanie in Temminck, Verhandelungen over de natuurl. gesch. der neder-landsche overzeesche bezittingen*. Leiden 1839—1842. folio. tab. col. 1—70. (70 schön colorirte Lithographien mit Analysen, 78 Arten enthaltend. Pritzel, Thes. no. 5361.)
- Kunze *Analecta* = Kunze, *Analecta pteridogra-phica*. Lipsiae 1837. folio. tab. nigr. 1—30. (Schön gezeichnete Kupferstiche mit Analysen. 41 Arten. Pritzel, Thes. no. 5468.)
- Kunze Fil. = Kunze, *Farnkräuter*. Vol. 1. u. 2. tab. col. 1—140. Leipzig 1840—1851. 4°. (Gute colorirte Kupfertafeln mit 166 Arten. Pritzel, Thes. no. 5469.)
- Kunze Car. = Kunze, *Supplemente zu Schkuhr's Riedgräsern*. Erster Band. Leipzig 1840—1850. gr. 8°. tab. col. 1—50. (Gut color. Kupferstiche mit Ana-lysen: 58 Arten. Pritzel, Thes. no. 5470.)
- Lam. Encycl. = (De la Marck) *Recueil de planches de botanique de l'Encyclopédie*. Partie 1—4. Paris 1823. 4°. tab. 1—1000. (Die Mehrzahl der Abbil-dungen sind als Analysen bezeichnet; bisweilen ist nur die Gattung citirt; etwa 2500 Arten. Pritzel, Thes. no. 2377.)
- Lamb. Pinus = Lambert, *A description of the genus Pinus*. London 1828—1837. 3 voll. gr. folio. 97 tab. col. sign. 1—51. (Prachtvoll col. Kupfer-stiche, größtentheils nach Zeichnungen von Ferd. Bauer. 82 Arten. Pritzel, Thes. no. 5510.)
- Langsd. et Fisch. = Langsdorf et Fischer, *Icones Filicum*. Tübingen 1810—1818. folio. (30 schwarze Kupfertafeln: 30 Arten. Pritzel, Thes. no. 5554.)
- Ledeb. Ic. = Ledebour, *Icones plantarum, Floram rossicam, imprimis altaicam illustrantes*. Vol. 1—5. Rigae 1829. 1830. 1831. 1833. 1834. folio. tab. col. 1—500. (Sehr schöne von W. Krüger, E. Bommer, u. A. gezeichnete, von Siegrist in Mün-chen gestochene Tafeln, mit guten Analysen; 494 Arten. In jedem Bande 100 Tafeln. Pritzel, Thes. no. 5612.)
- Lehm. Prim. = Lehmann, *Monographia generis Primularum*. Lips. 1817. 4°. (9 schwarze Kupfer-tafeln mit wenigen Analysen; 20 Arten. Pritzel, Thes. no. 5700.)
- Lehm. Asperif. = Lehmann, *Icones rar. pl. e familia Asperifoliarum*. Hamburgi 1821. folio. tab. nigr. 1—50. (Kupferstiche mit wenig Analysen. 50 Arten. Pritzel, Thes. no. 5705.)
- Lehm. Pot. = Lehmann, *Monographia Potentilla-rum*. Hamburgi 1820—1835. 4°. (30 schwarze Kupfertafeln ohne Analysen, sign. 1—20, 1—10, mit 34 Arten. Pritzel, Thes. no. 5704. 5709.)
- Lem. Jard. fl. = Lemaire, *Le Jardin fleuriste*. Vol. 1—4. Gand 1851—1854. 8°. tab. col. 1—430. (Geschlossen.) (Gute lith. color. Abbildungen mit Analysen. 435 Arten. Im Besitz des Hrn. Eduard Haenel in Berlin.)
- L'her. Stirp. = L'héritier, *Stirpes novae*. Parisii 1784—1785. folio. (91 schwarze Kupfertafeln sign. 1—84, mit 88 Arten. Pritzel, Thes. no. 5841.)
- L'her. Geran. = L'héritier, *Geraniologia*. Parisii 1787—1788. gr. fol. tab. 1—44. (Zeichnun-gen mit Analysen von Redouté; Kupferstiche. 42 Arten. Pritzel, Thes. no. 5842.)

- L'her. Sertum = L'héritier, Sertum anglicum. Paris 1788. folio. tab. nigr. 1—34. (Schwarze Kupferstiche mit Analysen. 35 Arten. Pritzel, Thes. no. 5844.)
- Libosch. Pet. = Liboschitz et Trinius, Flore de St. Petersburg et de Moscou. Petersburg 1811. 4°. (40 nicht numerirte col. Kupferstiche ohne Analysen, mit 38 Arten. Pritzel, Thes. no. 5856.)
- Lindley Monogr. = Lindley, Rosarum Monographia. London 1820. 8°. (19 schöne colorirte Kupferstiche, mit 19 Arten. Pritzel, Thes. no. 5922.)
- Lindley Dig. = Lindley, Digitalium monographia. Londini 1821. folio. (28 vorzügliche von Ferdinand Bauer gezeichnete colorirte Kupfertafeln mit 24 Arten. Pritzel, Thes. no. 5923.)
- Lindley Collect. = Lindley, Collectanea botanica. London 1821. folio. tab. col. 1—41. (Sehr schöne Zeichnungen mit Analysen von Lindley, Ferd. Bauer und Hart; gestochen von Weddell; vorzüglich colorirt. Tafel 41 ist schwarz. 43 Arten. Pritzel, Thes. no. 5924.)
- Lindley Sertum = Lindley, Sertum orchidaceum. London 1838. (1837—1842.) folio. (50 vorzügl. von Mißs Drake gezeichnete, von Gauci lithogr. col. Tafeln mit 61 Arten. Pritzel, Thes. no. 5943.)
- Lindley Swan River = Lindley, Swan River. London 1840. 8°. tab. col. 1—9. (Schön colorirte Lithographien; 18 Arten. Pritzel, Thes. no. 4947.)
- Link Ic. I. = Link et Otto, Icones plantarum selectarum horti regii berolinensis. Abbildungen ... Fasc. 1—10. Berolini 1820—1828. 4°. tab. col. 1—60. (Colorirte Kupferstiche mit Analysen. 60 Arten. Pritzel, Thes. no. 5962.)
- Link Ic. II. = Link et Otto, Icones plantarum rariorum horti regii berolinensis. Abbildungen Pars I. Fasc. 1—8. Berolini 1828 (—1831). 4°. tab. col. 1—48. (Zeichnungen mit Analysen von G. Röthig; colorirte Kupferstiche von Fr. Guimpel. 48 Arten. Pritzel, Thes. no. 5963.)
- Link Ic. III. = Link, Klotzsch et Otto, Icones plantarum rariorum horti regii berolinensis. Abbildungen Fasc. 1—8. Berolini 1841—1844. 4°. tab. col. 1—48. (Colorirte Kupferstiche mit Analysen; von Schmidt gezeichnet. 48 Arten. Pritzel, Thes. no. 5972.)
- Linnaea = von Schlechtendal, Linnaea. Band 1—25. Halle 1826—1853. 8°. (110 Arten.)
- Linn. Transact. = Transactions of the Linnean Society. Vol. 1—21. London 1791—1854. 4°. (576 theils schwarze theils colorirte vorzügliche Kupfertafeln, etwa 300 Arten darstellend.)
- Lodd. Cab. = Loddiges, The Botanical Cabinet. Vol. 1—20. London 1818—1833. 8°. tab. semicol. 1—2000. (Halbcolorirte Kupfertafeln ohne Analysen mit 1937 Arten und 63 Varietäten. Pritzel, Thes. no. 6207.)
- Lois. Fl. gall. Lois. Notice = Loiseleur, Flora gallica. Lutet. 1806—1807. 8°. 21 tab. nigr. — Id. Notice des plantes à ajouter. ib. 1810. 8°. 6 tab. nigr. (27 schwarze Kupfertafeln ohne Analysen mit 40 Arten. Die zweite Ausgabe mit 31 Tafeln habe ich nicht gesehn. Pritzel, Thes. no. 6235.)
- Mag. naturf. Fr. = Magazin der Gesellschaft naturforschender Freunde zu Berlin. Band 1—8. Berlin 1807—1818. 4°. (Enthält Abbildungen von 97 Pflanzenarten. Die früheren Schriften enthalten wenig botanische Abbildungen, und sind citirt als: Schr. naturf. Fr. und N. Schr. naturf. Fr.)
- Marsch. Cent. = Marschall von Bieberstein, Centuria plantarum rariorum Rossiae meridionalis. Pars 1: tab. col. 1—50. Chark. 1810. folio. Pars 2: tab. col. 51—80. Petrop. 1832—43. folio. (80 colorirte Kupfertafeln mit 80 Arten, größtentheils ohne Analysen. Pritzel, Thes. no. 6533.)
- Mart. Palm. = Martius, Genera et species Palmarum. Lipsiae 1823—1848. folio. 48 tab. col. et nigr. sign. A—Z²²; in vol. 2—3: tab. col. 1—180, ferner 6^a, 11^a, 18^a, 50^a, 59^a, 73^a, 73^b, 73^c, 73^d, 77^a. (238 schöne colorirte Kupfertafeln mit 245 Arten. Pritzel, Thes. no. 6585.)
- Mart. Bras. = Martius, Nova genera et species plantarum, quas in itinere per Brasiliam collegit. Monachii 1824—1832. 3 voll. folio. tab. col. 1—300. Vol. 1: 1824. tab. col. 1—100. Vol. 2: 1826. tab. col. 101—200. Vol. 3: 1829—32. tab. col. 201—300. (Zeichnungen mit Analysen von Prof. Gottlieb Bischoff, Manz, Minsinger und Prestele; Lithographien von Prestele und Siegrist; Colorirung von Seb. Minsinger. Pritzel, Thes. no. 6586.)
- Mart. Crypt. bras. = Martius, Icones plantarum cryptogamicarum .. Brasiliae. Monachii 1828—1834. folio min. tab. col. 1—76. (Tab. 1—19 niedere Kryptogamen; tab. 29—36 anatomisch-physiologische Darstellungen. Colorirte Lithographien mit vielen Analysen. 51 Arten. Pritzel, Thes. no. 6594.)
- Martyn Hist. = John Martyn, Historia plantarum rariorum. Londini 1728. folio. tab. col. 1—50. germanice vert. Panzer. Nürnberg. 1797. folio. tab. col. 1—50. (Schön color. Kupfertafeln ohne Analysen; 49 Arten. Pritzel, Thes. no. 6619.)
- Masson Stapeliae = Masson, Stapeliae novae; or a collection of several new species of that genus, discovered in the interior parts of Africa. London 1796. folio. (41 colorirte Kupfertafeln mit 41 Arten. Pritzel, Thes. no. 6644.)
- Maund Bot. = Maund, The Botanist. London 1839 sqq. 5 voll. 4°. tab. col. 1—250. (Gute Abbildungen, nur eine auf jeder Tafel; größtentheils Originale. Bibliothek des Botanischen Museums in Wien. Pritzel, Thes. no. 6674.)
- Meerb. Pl. sel. = Meerburgh, Plantarum selectarum icones pictae. Lugd. Bat. 1798. folio. tab. col. 1—28. (Mittelmäßige Kupfertafeln ohne Analysen; 28 Arten. Pritzel, Thes. no. 6735.)
- Mem. Ac. Berl. = Histoire de l'academie royale de Berlin, année 1745—1769. Vol. 1—25. 4°. Nouv. Mémoires, année 1770—1804. 29 voll. 4°. (38 Arten.)
- Mem. Genev. = Mémoires de la société de physique et d'hist. nat. de Genève. Tome 1—11. Genève 1821—1848. 4°. (228 Arten.)
- Mem. hist. nat. Par. = Mémoires de la société d'histoire naturelle de Paris. Tome 1—4. Paris 1823—1828. 4°. (80) tab. nigr. (Gute schwarze Kupferstiche mit vielen Analysen; 55 Arten. Unter demselben Titel wird citirt ein Band mit 4 Pflanzenabbildungen vom Jahr 1799.)
- Mem. Instit. = Mémoires de l'institut national des sciences et arts. Sciences mathématiques et physiques. Tome 1—14. Paris an VI—1818. 4°. Tome 1—23. ib. 1816—1853. 4°. (Wird nach dem Jahrgange citirt; 67 Arten.)
- Mem. Mod. = Memoria di mat. e fisica della società italiana (residente in Modena). Tom. 1—23. Verona 1782—1799. Modena 1800—1846. 4°. (52 Arten auf 26 Tafeln.)
- Mem. Mosc. = Mémoires des naturalistes de Moscou. Tom. 1—11. 13—15. Moscou 1806—1851. 4°. (Série I, vol. 1—6. Nouv. Mém. vol. 1—9.) (108 Arten.)
- Mem. Mus. = Mémoires du Muséum d'histoire naturelle. Tome 1—20. Paris 1815—1832. 4°.

- (465 gute schwarze Kupfertafeln mit Analysen; 315 Arten.)
- Mem. sav. étr. = Mémoires présentés par divers savans à l'Académie ... de Paris. T. 1. 2. Paris 1805. 1811. — Tom. 1—13. ib. 1827—1852. 4°. (4 Arten.)
- Mem. soc. Linn. Par. = Mémoires de la société Linnéenne de Paris. Vol. 1—6. Paris 1822—1827. 8°. (75) tab. nigr. (Gute schwarze Kupferstiche mit Analysen; 29 Arten. Der letzte Band heisst Annales.)
- Mem. Strassb. = Mémoires de la société d'histoire naturelle de Strassbourg. Vol. 1—4. Strassbourg 1830—1853. 4°. (Gute schwarze Lithographien mit Analysen; 58 Arten. Einige Tafeln colorirt.)
- Mem. Tur. = Mémoires de l'academie royale des sciences à Turin. Tom. 1—40. Turin 1786—1838. 4°. Dann: Memorie della Reale Accademia delle scienze di Torino. Serie II. Tomo 1—12. Torino 1839—1852. 4°. (200 Arten.)
- Michaux Fl. = Michaux, Flora boreali-americana. Paris 1803. 2 voll. 8°. Tab. 1—51. (51 schwarze Kupfertafeln mit 53 Arten. Pritzel, Thes. no. 6906.)
- Michaux Arb. = Michaux, Histoire des arbres forestiers de l'Amérique. Paris 1810—1813. 3 voll. 4°. 138 tab. col. (Colorirte Kupferstiche ohne Analysen; in Band III. beginnt die Zählung bei jedem Genus von vorn; 143 Arten. Pritzel, Thes. no. 6910.)
- Miers Illustr. = Miers Illustrations of South American plants. Part 1—4. London 1846—1849. 4°. (22 schwarze lithographirte Tafeln mit vorzüglichen Analysen, 38 Arten darstellend. Bibliothek des Botanischen Museums in Wien. Pritzel, Thes. no. 6923.)
- Miquel Illustr. Pip. = Miquel, Illustrationes Piperacearum. Vrat. et Bonnae 1846. 4°. tab. nigr. 1—92. (Acta Leop. XXI. Supplementum.) (Schwarze Lithographien nach Zeichnungen von Ver Huell, mit guten Analysen; 100 Arten. Werden unter Acta Leop. nicht citirt.)
- Miquel Sertum = Miquel, Sertum exoticum. Livr. 1. Rotterdam 1845. 4°. (5 Arten auf 5 schwarzen Kupfertafeln Pritzel, Thes. no. 6968.)
- Miquel Surinam = Miquel, Stirpes surinamenses selectae. Lugd. Bat. 1850. 4°. tab. nigr. 1—65. (Naturk. Verhandlungen van de Holl. maats. der wetensch. te Haarlem, Deel VII.) (Schwarze Lithographien mit Analysen; 74 Arten.)
- Misc. Taur. = Miscellanea taurinensia. Vol. 1—5. Taurini 1759—1773. 4°. (8 Arten.)
- Moric. Pl. Am. = Moricand, Plantes nouvelles d'Amérique. Genève 1833—1846. gr. 4°. tab. nigr. 1—100. (Gute schwarze Lithographien mit Analysen; 100 Arten. Bibliothek des Botanischen Museums in Wien. Pritzel, Thes. no. 7182.)
- Moris Fl. sard. = Moris, Flora sardoa. Vol. 1—2. Taurini 1837—1843. 4°. (96 gute schwarze Kupferstiche mit Analysen, sign. 1—93, 33^b, 77^b, 78^b, 98 Arten darstellend. Pritzel, Thes. no. 7194.)
- Münchn. Abh. = Abhandlungen der mathem. phys. Classe der Kön. bair. Akademie der Wissenschaften. Band 1—6. München 1832—1852. 4°. (Schwarze Kupfertafeln mit 83 Arten.)
- Münchn. Denkschr. = Denkschriften der Königl. Akademie der Wissenschaften zu München für das Jahr 1808—1824. Band 1—9. München 1809—1825. 4°. (Schwarze Kupfertafeln mit 70 Arten.)
- Mutel Fl. fr. = Mutel, Flore française. Planches. Paris 1834. 4° obl. 95 tab. nigr., sign. 1—92, Suppl. 1—3. (Gute Lithographien, vorzugsweise Analysen von Blüten und Fruchtheilen, von denen etwa 240 citirt werden. Pritzel, Thes. no. 7353.)
- N. Ann. Mus. = Nouvelles Annales du Muséum d'histoire naturelle. Tome 1—4. Paris 1832—1835. 4°. (84 schöne schwarze Kupferstiche, welche 15 Pflanzenarten mit vielen Analysen darstellen.)
- Nees Düsseld. = Nees von Esenbeck, Weihe, Wolter und Funke, Plantae medicinales, oder Sammlung officineller Pflanzen. Band I. II. Düsseldorf 1828. folio. (432 tab. col., sign.: Nees Düsseld. 1—430. — Erster Supplementband mit 120 col. tab. Düsseld. 1833. folio. sign.: Nees Düsseld. Suppl. 1—120. — Colorirte Lithographien; die des Supplements weit vorzüglicher mit vielen Analysen. 523 Arten. Pritzel, Thes. no. 7440.)
- Nees Gen. = Nees von Esenbeck, Spenner, Endlicher, Putterlick, Schnizlein, Bischoff, Caspary, Genera plantarum Florae germanicae, iconibus et descriptionibus illustrata. Fasc. 1—27. Bonnae 1843—1853. 8°. (540) tab. nigr. (Schwarze Lithographien, bisweilen mit Habitusbildern; sämtlich als Analysen bezeichnet; 780 Arten. Ich citire Band 1. 2. 4. 5. 6. mit Tafelnummern, Band 3. ohne Nummern, den Ueberschufs X, x. Pritzel, Thes. no. 7445.)
- Newm. = Newman, History of british ferns. London 1844. 8°. (Die sehr guten Holzschnitte, etwa 70—80, werden nach der Seitenzahl citirt. Pritzel, Thes. no. 7471.)
- Nocca et Balb. Fl. tic. = Nocca et Balbis, Flora ticinensis. Ticini 1816. 1821. 4°. Vol. 1. 1816. tab. 1—10. Vol. 2. 1821. tab. 11—27. (26 mittelmässige schwarze Kupfertafeln mit 19 Arten. Auf Tafel 20—27 sind niedere Kryptogamen dargestellt. Pritzel, Thes. no. 7538.)
- Nouveau Du Hamel = Duhamel, Traité des arbres et arbustes, que l'on cultive en France en pleine terre. Seconde édition (par Loiseleur, Mirbel, Poiret et autres.) Vol. 1—7. Paris 1801—1819. folio. 60, 71, 58, 63, 84, 80, 72 tab. col. (Nachstehende Tafeln, welche mir nicht zu Gesicht kamen, sind noch nicht citirt: Band 4, tab. 19—24. Band 5, tab. 41—84. Band 6, tab. 1—80. Band 7, tab. 1—72.
- Im Ganzen 488 von Redouté und Bessa gezeichnete, colorirte Kupfertafeln. Pritzel, Thes. no. 2788.)
- N. C. Bon. = Novi Commentarii academiae Bononiensis. Tom. 1—10. Bononiae 1834—1849. 4°. (195 Arten.)
- N. Comm. Gott. = Novi Commentarii soc. reg. sc. Gottingensis. Vol. 1—8. Gott. 1771—1777. 4°. (42 Arten.)
- Opusc. sc. Bon. = Opuscoli scientifici. Tom. 1—4. Bologna 1817—1823. 4°. (13 Arten.)
- Otto, Garten Z. = Otto und Dietrich, Allgemeine deutsche Garten-Zeitung. Jahrgang 1—20. Berlin 1833—1854. 4°. (15 Arten auf 27 Tafeln.)
- Pal. Fl. d'Ow. = Palisot de Beauvois, Flore d'Oware et de Benin en Afrique. Paris 1804—1807. 2 vol. folio. tab. col. 1—120. (Erschienen von 1804—1820 in 20 fasc. Auf dem Titel des 1. Bandes, tab. 1—60, steht 1804, auf dem des zweiten, tab. 61—120, steht 1807. 120 colorirte Kupferstiche mit Analysen, 123 Arten darstellend. Einige Tafeln enthalten Kryptogamen. Pritzel, Thes. no. 7705.)
- Pall. Fl. ross. = Pallas, Flora rossica. Tom. I. pars 1. 2. Petropoli 1784—1788. folio. tab. col. 1—100. Tom. II. pars 3. ined. tab. col. 101—125.

- (Gute große col. Kupferstiche ohne Analysen; 136 Arten. Ich citire die ersten 100 Tafeln ohne Angabe des Bandes, die unedirten als 3, 101 u. s. w. Pritzel, Thes. no. 7717.)
- Pall. Astr. = Pallas, Species Astragalorum. Lipsiae 1800. folio. 99 tab. col., sign. 1—91. (Colorirte Kupferstiche mit wenig Analysen; 96 Arten. Pritzel, Thes. no. 7721.)
- Pall. Ill. = Pallas, Illustrationes plantarum. Lipsiae 1803. folio. tab. col. 1—59. (Colorirte Kupferstiche mit wenigen Analysen; 53 Arten. Pritzel, Thes. no. 7722.)
- Paxt. Mag. = Paxton, Magazine of botany. London 1834—1849. 16 voll. 8°. (Geschlossen.) (Jeder Band mit 48 gut color. Kupferstichen ohne Analysen; wird nach Band und Seitenzahl citirt. 750 Arten. In der Bibliothek des Herrn E. Hänel in Berlin. Pritzel, Thes. no. 7832.)
- Paxt. Fl. G. = Paxton, Flower Garden. No. 1—30. London 1850—1852. 8°. (90 colorirte Tafeln mit ebenso viel Arten. Die Fortsetzung ist noch nicht citirt. Bibliothek des botanischen Museums in Wien.)
- Peters Mossamb. (Unter diesem Titel werden die ersten 48 Tafeln aus dem noch unedirten Werke von Klotzsch über die von Wilhelm Peters aus Mossambique zurückgebrachten neuen Pflanzen citirt.)
- Petersb. = Mémoires de l'ac. des sc. de Petersbourg. Tom. 1—11. Petersbourg 1809—1830. 4°. (77 Arten. Vergl. Acad. Pet.)
- Pfeiffer Cact. = Pfeiffer und Otto, Abbildung und Beschreibung blühender Cacteen. Kassel 1843—1848. 4°. tab. col. 1—60. (Halb colorirte Lithographien; 62 Arten. Pritzel, Thes. no. 7976.)
- Picot Pyren. = Picot De la Peyrouse, Figures de la Flore des Pyrénées. Tom. 1. Paris 1795—1801. folio. tab. col. 1—43. (43 sehr schöne Kupferstiche nach Zeichnungen von Redouté u. A. Blieb unvollendet. 38 Arten. Pritzel, Thes. no. 2386.)
- Pinetum Woburnense = (Bedford and Forbes) Pinetum Woburnense. London 1839. gr. 8°. (tab. col. 1—67; 62 Arten. Pritzel, Thes. no. 3268.)
- Plée Types = Plée, Types de chaque famille et des principaux genres de plantes. Livr. 1—60. Paris 1844—1853. 4°. (60 colorirte Kupfertafeln mit 54 analytischen Erläuterungen phanerogamischer Gattungen; 6 Tafeln Pilze. Wird fortgesetzt. Pritzel, Thes. no. 8067.)
- Poepp. et Endl. = Poeppig et Endlicher, Nova genera et species plantarum, quas in regno chilensi, peruviano etc. Vol. 1—3. Lipsiae 1835—1845. fol. tab. col. 1—300.
Vol. 1. 1835. tab. 1—100.
Vol. 2. 1838. tab. 101—200.
Vol. 3. 1845. tab. 201—300.
(Colorirte Kupferstiche; Zeichnungen mit Analysen von Poeppig. 322 Arten. Pritzel, Thes. no. 8098.)
- Pohl Bras. = Pohl, Plantarum Brasiliae icones. Vindobonae 1827—1831. 2 voll. folio. tab. col. 1—200.
Vol. 1. 1827. tab. col. 1—100.
Vol. 2. 1831. tab. col. 101—200.
(Lithographien; col. und schwarze Ausgaben. Die erste Hälfte des ersten Bandes ohne Analysen. 200 Arten. Pritzel, Thes. no. 8108.)
- Prag. Abh. = Abhandlungen der kön. böhmischen Gesellschaft der Wissenschaften. Fünfte Folge. Band 1—6. Prag 1841—1851. 4°. (44 Arten.)
- Presl Rel. = Presl, Reliquiae Haenkeanae. Fasc. 1—7. Praeae 1825—1836. folio. tab. nigr. 1—72.
Fasc. 1. 1825. tab. 1—12.
" 2. 1827. tab. 13—25.
Fasc. 3. 1828. tab. 26—36.
" 4. 5. 1830. tab. 37—48.
" 6. 1831. tab. 49—60.
" 7. 1835. tab. 61—72.
(Zeichnungen u. Analysen von F. Fieber; schwarze Kupferstiche von Joseph Skala; 117 Arten. Pritzel, Thes. no. 8205.)
- Presl Symb. = Presl, Symbolae botanicae. Praeae 1832—1833. folio. Fasc. 1—7. tab. 1—70. (Schwarze Kupferstiche von Skala, mit Analysen; Zeichnungen von F. X. Fieber; 70 Arten. Pritzel, Thes. no. 8206.)
- Preuss. Garten-Verein = Verhandlungen des Vereins zur Beförderung des Gartenbaus in den Königl. Preussischen Staaten. Band 1—21. Berlin 1824—1853. 4°. (45 Arten auf 102 theils schwarzen theils colorirten Tafeln.)
- Prinz Waldemar Him. (Unter diesem Titel werden 92 Tafeln aus dem noch unedirten Werke von Klotzsch über die von Sr. K. H. Prinz Waldemar von Preussen aus dem Himalaya zurückgebrachten Pflanzen citirt. Sie tragen die Signaturen 1—88. 94. 96. 97. 98 und stellen 99 neue Arten dar. Acht Tafeln sind noch unvollendet.)
- Pursh Fl. = Pursh, Flora Americae septentrionalis. London 1814. 2 voll. 8°. (24 Kupfertafeln mit 28 Arten; schwarze u. colorirte Exemplare. Pritzel, Thes. no. 8258.)
- Raddi Fil. = Raddi, Plantarum brasiliensium nova genera. Pars 1. Filices. Florentiae 1825. folio. (97 schlechte von Dilettanten gezeichnete Lithographien, sign. 1—84, mit 119 Arten. Pritzel, Thes. no. 8298.)
- Raf. Med. = Rafinesque, Medical Flora of the United States. Philad. 1828—30. 8°. tab. 1—100. (Schlechte Holzschnitte; nur 37 citirt. Pritzel, Thes. no. 8326.)
- Ramon Cuba = Ramon de la Sagra, Historia fisica, politica y natural de la isla de Cuba. Paris 1838—1853. folio. (Die vorhandenen 79 Lieferungen enthalten folgende Tafeln: 1—23. 25—59. 61—64. 66. 69. 70. 71. 73. 74. 77—80. 82. 85. [12⁶, 44¹. 44². 44³. 47⁶. 49⁶. 55. 56.] zusammen 82 Tafeln. (Schöne schwarze Kupferstiche mit guten Analysen, 82 Arten darstellend. Pritzel, Thes. no. 8341.)
- Raoul Nouv. Zel. = Raoul, Choix de Plantes de la Nouvelle-Zélande. Paris 1846. gr. 4°. (30 schwarze Kupfertafeln mit 33 Arten. Sehr schöne Zeichnungen mit Analysen von Alfred Riocreux; gestochen von Eugénie Tailland. Pritzel, Thes. no. 8351.)
- Red. Lil. = Redouté, Les Liliacées. Vol. 1—8. Paris 1802—1816. folio. tab. col. 1—486. (Sehr schön gemalte Kupferstiche; seltene Analysen; 472 Arten. Pritzel, Thes. no. 8411.)
- Reg. Denkschr. = Regensburger Denkschriften. Regensburg 1815—1841. 3 voll. 4°.
Vol. 1. 1815. tab. col. 1—4.
Vol. 2. 1818. tab. col. 1—2, nigr. 3—6.
Vol. 3. 1841. tab. nigr. 1—11.
Zusammen 21 Tafeln mit 24 Arten.
- Regel Gartenfl. = Regel, Gartenflora. Band 1—2. Zürich 1852—53. 4°. (72 gute bald schwarze bald color. Tafeln mit Originalabbildungen von 64 Arten.)
- Rchb. Monogr. Ac. = Reichenbach, Monographia generis Aconiti. Lipsiae 1820. folio. (19 sehr schlecht colorirte lithographirte Tafeln, sign. A. und 1—18, mit 31 Arten. Pritzel, Thes. no. 8437.)
- Rchb. Mag. = Reichenbach, Magazin der ästhetischen Botanik. Leipzig 1821—1826. 4°. tab. col. 1—96. (96 mittelmäßige colorirte Kupferstiche mit 129 Arten. Pritzel, Thes. no. 8439.)

- Rchb. Ill. Ac.** = Reichenbach, *Illustratio specierum Aconiti*. Lipsiae 1823—1827. folio. tab. col. 1—72. (72 colorirte Kupferstiche mit 64 Arten; die Zeichnungen von Reichenbach. Pritzel, Thes. no. 8442.)
- Rchb. Exot.** = Reichenbach, *Flora exotica*. Leipzig 1834—1836. 5 voll. folio. (360 colorirte Lithographien, mit 368 Arten; fast durchgängig Kopien mit wenig oder gar keinen Analysen. Der Text ist signirt 1—360, und so werden auch die unsignirten Tafeln citirt. Pritzel, Thes. no. 8451.)
- Rchb. Fl. germ.** = Reichenbach, *Icones Florae germanicae*. Vol. 1—16. Lipsiae 1834—1854. 4°. (Colorirte und schwarze, auch halbcolorirte Kupferstiche mit Analysen. Band 13—16 sind von H. Rchb. fil. bearbeitet. Die halbcolorirte Ausgabe hat eine abweichende Anordnung der Bände. Band 13—14 (Orchideae) wird nur als 13 citirt. Die letzte citirte Tafel ist 16, 1011. Zusammen 3162 Arten. Pritzel, Thes. no. 8444.)
- Rchb. Hort.** = Reichenbach, *Iconographia botanica exotica sive Hortus botanicus*. (Vol. 1—3.) Lipsiae 1827—1830. 4°. tab. 1—250. (Gute Zeichnungen mit Analysen von L. Reichenbach u. A. Kupferstich von Ch. Schnorr, Hilscher, Harzer, Hase u. A. Schwarze und color. Exemplare; 247 Arten. Pritzel, Thes. no. 8446.)
- Rchb. Pl. v. Ic. crit.** = Reichenbach, *Iconographia botanica, seu Plantae criticae*. Vol. 1—10. Lipsiae 1823—1832. 4°. tab. col. 1—1000. (Gute colorirte Kupferstiche mit 1003 Arten. Pritzel, Thes. no. 8443.)
- Rel. Lehm.** = *Icones plantarum novarum vel minus cognitarum, quas in prima parte operis: Alexandri Lehmann Reliquiae botanicae sive Enumeratio plantarum in itinere per deserta Asiae mediae ab A. Lehmann annis 1839—1842 collectarum descripsit A. Bunge* (in Arbeiten des naturf. Vereins zu Riga, I Bd. 1848: p. 115—253). (1851.) folio. (15 schwarze lith. Tafeln mit 27 Arten. Pritzel, Thes. no. 1556^b.)
- Retz. Observ.** = Retzius, *Observationes botanicae*. Lipsiae 1791. folio. 19 tab. col. (19 col. Kupferstiche ohne Analysen mit 19 Arten. Pritzel, Thes. no. 8497.)
- Rheede Hort. mal.** = Rheede, *Hortus indicus malabaricus*. Amstelodami 1678—1703. 12 voll. folio. (794) tab. (Die systematischen Namen der 696 Arten sind durchweg nach Angabe von Dillwyn Review, Swansea 1839. 8°. citirt. Pritzel, Thes. no. 8540.)
- Richard Abyssin.** = Richard, *Tentamen Florae abyssinicae*. Icones. Parisiis (1847—1851). folio. 103 botanische Tafeln, sign. 1—102 und 53^{bis}; die Nummern 84 und 86 sind doppelt und bedeuten 85 und 87. Schwarze Kupferstiche mit Analysen; 104 Arten. Gehört zu Lefebure, *Voyage en Abyssinie*. Pritzel, Thes. no. 8558^b.)
- Richard Astrolabe** = Dumont d'Urville, *Voyage au Pole Sud. Botanique par Richard*. Paris 1832 sqq. folio. (39 schwarze Kupfertafeln mit schönen Zeichnungen von Borromée, Riocreux u. A., signirt: Filices 1—5, 3^b; Monocotyledons 1—4, Dicotyledons 1—17, 19—22, 24—28, 27^b, 30, 31. Zusammen 92 Arten. Pritzel, Thes. no. 8557.)
- Richard Conif.** = L. C. Richard, *Commentatio de Conifereis et Cycadeis*. Stuttg. 1826. gr. 4°. (30 schöne von C. L. Richard gezeichnete, von Plée gestochene schwarze Kupfert. mit 40 Arten. Pritzel, Thes. no. 8564.)
- Rivinus, Opus ined.** = Rivinus, *Ordo plantarum etc.* Lipsiae s. a. folio. (Pritzel, Thes. no. 8614—8615. Citirt wird eine Auswahl von 84 gut gezeichneten seltenen Arten.)

- Rochel Banat.** = Rochel, *Plantae Banatus rariores*. Pestini 1828. folio. (40 sehr gute schwarze Lithographien mit Analysen; 84 Arten. Pritzel, Thes. no. 8648.)
- Roem. Archiv** = Roemer, *Archiv für die Botanik*. Leipzig 1796—1805. 3 voll. 4°. (50 phanerogamische Arten auf 39 Kupfertafeln. Pritzel, Thes. no. 8687.)
- Roemer Fl. eur.** = Roemer, *Flora europaea*. Fasc. 1—14. Norimb. 1797—1811. 8°. (112 colorirte Kupfertafeln mit 108 phanerogam. Arten. Pritzel, Thes. no. 8670.)
- Roscoe Scitam.** = Monandrian plants of the order Scitamineae. Liverpool 1828. gr. folio. (112 schöne colorirte Kupfertafeln ohne Signatur mit eben so viel Arten. Pritzel, Thes. no. 8720.)
- Rousseau Bot.** = La Botanique de J. J. Rousseau ornée de 65 planches d'après Redouté. Paris 1805. folio. (46 schöne Tafeln in Farbendruck, mit 41 Arten. Pritzel, Thes. no. 8412.)
- Roxb. Corom.** = Roxburgh, *Plants of the coast of Coromandel*. London 1795—1819. 3 voll. gr. folio.
- Vol. 1. 1795. tab. col. 1—100.
Vol. 2. 1798. tab. col. 101—200.
Vol. 3. 1819. tab. col. 201—300.
- (Schöne colorirte Kupferstiche mit Analysen, von Mackenzie, Weddell, Girtin und Peake gestochen. Pritzel, Thes. no. 8786.)
- Royle Illustr.** = Royle, *Illustrations of botany of the Himalaya and Cashmere*. London 1839. folio. (100 colorirte Lithographien, sign. 1—97, wovon tab. 11—97 Pflanzen, gewöhnlich 2—3 auf einer Tafel, darstellen; zusammen 197 Arten. Pritzel, Thes. no. 8803.)
- Rudge Pl. Guianae** = Rudge, *Plantarum Guianae rariorum icones et descriptiones*. Londini 1805. fol. (50 sehr schöne von Anna Rudge mit Analysen gezeichnete, von Warner gestochene Kupfertafeln, 50 Arten darstellend. Pritzel, Thes. no. 8836.)
- Ruiz et Pav. Prodr.** = Ruiz et Pavon, *Florae chilensis et peruvianae Prodromus*. Madrid 1794. folio. (37 schwarze Kupfertafeln mit Analysenzeichnungen von 133 Arten. Pritzel, Thes. no. 8855.)
- Ruiz et Pav. Fl.** = Ruiz et Pavon, *Flora peruviana et chilensis*. Vol. 1—3. Matriti 1798—1802. folio.
- Vol. 1. 1798. tab. 1—106.
Vol. 2. 1799. tab. 107—222.
Vol. 3. 1802. tab. 223—325.
Vol. 4. ineditum: 37 tab.
- (362 schwarze Kupfertafeln mit 636 Arten. Pritzel, Thes. no. 8859.)
- Rumpf Amb.** = Rumpf, *Herbarium amboinense*. Vol. 1—6. et Auctuarium. Amstelodami 1741—55. folio. (689 schwarze Kupfertafeln, von denen die bestimmbareren Arten, an der Zahl 606, citirt werden. Pritzel, Thes. no. 8874—75.)
- Russegger Reise** = *Abbildungen seltner Pflanzen aus Syrien etc.* von Ed. Fenzl. Stuttgart 1843. folio. (20 schwarze Kupfertafeln mit 23 Arten. Pritzel, Thes. no. 5371.)
- St. Hil. Pl. rem.** = Saint-Hilaire, *Histoire des plantes les plus remarquables du Brésil et du Paraguay*. Tom. I. Paris 1824. 4°. (30 schwarze Kupfertafeln mit 51 Arten. Pritzel, Thes. no. 8940.)
- St. Hil. Pl. us.** = Saint-Hilaire, *Plantes usuelles des Brasiiliens*. Paris 1827. (1824—1828.) 4°. tab. nigr. 1—70. (Zeichnungen mit Analysen von E. Blanchard; lithogr. von Langlumé; 70 Arten. Pritzel, Thes. no. 8941.)

St. Hil. Fl. Bras. = Saint-Hilaire, Flora Brasiliæ meridionalis. Vol. 1—3. Paris 1825—33. folio.

Vol. 1. 1825. tab. 1—94.

Vol. 2. 1829. tab. 95—159.

Vol. 3. 1832—33. tab. 161—192.

(Schöne Zeichnungen von Turpin und Andern, mit Analysen; colorirte Kupferstiche. Gewöhnlicher sind Quartoausgaben mit schwarzen Tafeln. 200 Arten. Pritzel, Thes. no. 8942.)

Salisb. Parad. = Salisbury, Paradisus londinensis. London 1805—1808. 4°. (119 color. schöne Kupfertafeln mit Analysen, von Sir William Hooker gezeichnet. Pritzel, Thes. no. 8962.)

Salm Monogr. = Salm, Monographie des genres Aloe et Mesembrianthemum. Düsseldorf 1836—1849. 4°. Fasc. 1—5: 265 tab. nigr. c. sing. part. col. (285 lithographirte Tafeln; einzelne Blüten u. Blätter colorirt. Wird nach §. und Tafeln citirt. Pritzel, Thes. no. 8971.)

Savi Fl. ital. = Savi, Flora italiana. Pisa 1818—1824. 3 voll. gr. folio. (120 schön colorirte Tafeln ohne Analysen, 118 Arten Gartenpflanzen darstellend. In der Privatbibliothek Weiland Kaiser Franz II. Pritzel, Thes. no. 9025.)

Schk. Handb. = Schkuhr, Botanisches Handbuch. 2te (mit 39 Tafeln Carices vermehrte) Auflage. Leipzig 1808. 8°. (455 colorirte Kupfertafeln, sign. 1—358, mit 1172 Arten. Hierin sind zugleich Schkuhr's Riedgräser 54 + 39 tab. komplett enthalten. Diese Tafeln wurden von Schkuhr schon in den Jahren 1787—1803 gestochen; nur die 2te Hälfte der Riedgräser, 39 tab., erschien erst 1806. Die erste Ausgabe enthält ganz dieselben Tafeln, nur 39 Tafeln Carices weniger, also 446 Tafeln. Pritzel, Thes. no. 9137.)

Schk. Fil. = Schkuhr, Vierundzwanzigste Klasse. Erster Band, Farrenkräuter. Wittenberg 1809. 4°. (Mit 222 colorirten Tafeln, sign. 1—173, welche 257 Arten darstellen. Vorzüglich treue Abbildungen in Kupferstich mit vergrößerten Fructificationstheilen. Pritzel, Thes. no. 9140.)

Schlechtendal Fil. = Schlechtendal, Adumbrationes plantarum. Sectio 1: Filices capenses. Fasc. 1—5. Berolini 1825—1832. 4°. (30 schwarze von F. Guimpel gestochne Tafeln. Schöne Zeichnungen mit Analysen. Pritzel, Thes. no. 9147.)

Schlechtendal Hort. = Schlechtendal, Hortus halensis. Fasc. 1—3. Halae 1841—1853. 4°. (12 schöne color. Tafeln mit ebenso viel Arten. Pritzel, Thes. no. 9149.)

Schmid. Ic. = Schmidel, Icones plantarum et analyses partium. Ed. 2. Erlangen 1793—1797. folio. tab. col. 1—75. (75 schöne colorirte Kupferstiche mit vielen Analysen; die größere Hälfte sind Kryptogamen. 30 Arten Phanerogamen. Pritzel, Thes. no. 9183.)

Schneev. Ic. = Schneevoogt, Icones plantarum rariorum. Harlem 1793—1794. folio. tab. col. 1—42. (42 colorirte Kupferstiche mit wenigen Analysen. Pritzel, Thes. no. 9225.)

Schnizl. Iconogr. = Schnizlein, Iconographia familiarum naturalium regni vegetabilis. Band 1. 2. Bonn 1843—1853. 4°. (115 halbcolorirte Kupfertafeln mit Analysen. Fernere Tafeln mit der Signatur 116—276 sind zur Aufnahme in die folgenden Bände bestimmt, und werden ohne Angabe der Bandzahl citirt. Pritzel, Thes. no. 9232.)

Schott et Endl. Melet. = Schott et Endlicher, Meletemata botanica. Vindobonae 1832. folio. (5 sehr schöne von Fahrmbacher gestochne schwarze Kupfertafeln; Zeichnungen mit Analysen von Zehner. Pritzel, Thes. no. 9258.)

Schott Rutac. = Schott, Rutaceae. Vindobonae 1834. folio. (7 sehr schöne schwarze Kupferstiche mit Analysen. Pritzel, Thes. no. 9259.)

Schott Gen. Fil. = Schott, Genera Filicum. Vindobonae 1834. 4°. obl. (20 schwarze Kupferstiche von Fahrmbacher, nach Analysenzeichnungen von Heinrich Schott. Pritzel, Thes. no. 9260.)

Schott Blendl. = Schott, Wilde Blendlinge österreichischer Primeln. Wien 1852. 8°. (6 schwarze lithographirte Tafeln von N. Zehner.)

Schott Aroid. = Schott, Aroideae. I. Vindobonae, typ. C. Gerold et filii. 1853. folio. 4 p., tab. nigr. 1—10. (Sehr schöne Lithographien mit Analysen; 10 Arten.)

Schreb. Gräser = Schreber, Beschreibung der Gräser. Leipzig 1766—1810. folio. (54 colorirte Kupfertafeln mit Analysen; 69 Arten. Pritzel, Thes. no. 9328.)

Schw. Denkschr. = Neue Denkschriften der Allg. Schweizerischen Gesellschaft für d. ges. Naturwissenschaften. Band 1—13. Neuchatel 1837—1853. 4°. (31 Arten.)

Seemann Herald = Berthold Seemann, The Botany of the Voyage of H. M. S. Herald. Part 1—4. London 1852—1854. 4°. (40 schwarze lithographirte Tafeln mit 37 Arten; vorzügliche Zeichnungen mit Analysen von J. D. Hooker.)

Sibth. Fl. gr. = Sibthorp, Flora graeca. Vol. I—10. Londini 1806—1840. folio. tab. col. 1—966. (966 prachtvolle von Ferdinand Bauer gezeichnete colorirte Kupfertafeln mit eben so vielen Arten. Pritzel, Thes. no. 9618.)

Sieb. Fl. Japon. = Siebold et Zuccarini, Flora japonica. Lugd. Bat. 1835—1844. folio. (129 colorirte Tafeln mit Analysen, sign. 1—127, 124 bis et 137; 121 Arten. Pritzel, Thes. no. 9634.)

Silliman Journ. = The American Journal of science and arts. Conducted by Silliman. Vol. 1—50. New Haven 1819—1845. 8°. Second series. Vol. 1—16. ib. 1846—1853. 8°. (93 Arten.)

Sitgreaves Expedition = Sitgreaves, Report of an Expedition down the Zuni and Colorado Rivers. Washington 1853. 8°. (20 von Torrey beschriebne Arten auf 21 Tafeln.)

Smith Ic. Linn. = Smith, Plantarum icones ineditae plerumque ex herbario Linneano. Fasc. 1—3. London 1789—1791. folio. tab. nigr. 1—75. (75 schwarze Kupferstiche mit 74 Arten. Pritzel, Thes. no. 9709.)

Smith Ic. pict. = Smith, Icones pictae plantarum rariorum. Fasc. 1—3. Londini 1790—1793. folio max. tab. col. 1—18. (18 schöne colorirte Kupferstiche mit eben so vielen Arten. Pritzel, Thes. no. 9710.)

Smith Exot. Bot. = Smith, Exotic Botany. Vol. 1. 2. London 1804—1805. (1808.) 4°. tab. col. 1—120. (Die schönen Zeichnungen von James Sowerby; colorirte Kupferstiche mit Analysen; 117 Arten. Pritzel, Thes. no. 9720.)

Smith New Holl. = Smith, A specimen of the Botany of New Holland. Vol. 1. London 1793. 4°. tab. col. 1—16. (16 gute colorirte Kupferstiche mit Analysen von James Sowerby; 16 Arten. Pritzel, Thes. no. 9715.)

Smith Spicil. = Smith, Spicilegium botanicum. London 1791—1792. folio. tab. col. 1—24. (24 color. Kupferstiche mit Analysen. 23 Arten. Pritzel, Thes. no. 9713.)

Smiths. Contrib. = Smithsonian Contributions to Knowledge. Vol. 1—6. Washington 1848—1854. 4°. (29 Arten auf 26 Tafeln. Die Tafeln

- im 5. Bande mit der Signatur 11—14. werden „13. 14. 15. 16.“ citirt.)
- Sond. Hel. = Sonder, Revision der Heliophileen. (Hamburg 1846.) 4°. (13 Tafeln mit der Signatur 17—29, mit 16 Arten. Pritzel, Thes. no. 9745.)
- Spach Suites = Spach, Histoire naturelle des végétaux. Suites à Buffon. Paris 1834—1848. 8°. (152 colorirte Stahlstiche mit vielen Analysen von ungleichem Werthe; 235 Arten. Die Buchstaben A—E sind reservirt. Pritzel, Thes. no. 9775.)
- Sternberg Revisio = Sternberg, Revisio Saxifragarum iconibus illustrata. Ratisbonae 1810. folio. tab. 1—31. Suppl. 1: ib. 1822. folio. tab. col. 1—10. Suppl. 2: Pragae 1831. folio. tab. col. 11—26. (57 colorirte Kupfertafeln mit 122 Arten. Die Tafeln des Supplements werden durch eine vor die Tafelzahl gestellte „2.“ unterschieden. Pritzel, Thes. no. 9914.)
- Sturm Flora = Sturm, Deutschlands Flora in Abbildungen nach der Natur. 1. Abtheilung. Phanerogamen. Bändchen 1—20 oder Heft 1—94. Leipz. 1798—1849. 8°. tab. col. 1—1504. 2. Abtheilung. (nur die Farrnkrauter.) Bändchen 1—5, oder Heft 1—18. ib. 1798—1833. 8°. tab. col. 1—35. (Sehr gute aber verkleinerte Abbildungen mit Analysen. Die erste Abtheilung wird citirt nur nach Band- und Heftzahl; die zweite Abtheilung (mit vorge-setzter II.) nach Band- u. Tafelzahl. Pritzel, Thes. no. 9979.)
- Sv. Bot. = Svensk Botanik, utgifven af Palmstruch, Venus, Billberg, Quensel, Swartz, Wahlenberg et Wahlberg. Vol. 1—11. (Fasc. 1—129.) Stockholm 1802—1838. gr. 8°. tab. col. 1—774. (Gut gezeichnete und vortrefflich colorirte Kupferstiche mit Analysen; 743 Arten. Etwa 50 Tafeln enthalten niedere Kryptogamen. Pritzel, Thes. no. 11,827.)
- Svensk Acad. = Kongl. Vetenskaps Academiens Handlingar. År 1739—1852. Stockholm 1739—1854. 8°. (Wird nach der Jahreszahl citirt; enthält etwa 100 Arten.)
- Sw. Ic. Ind. occ. = Swartz, Icones plantarum Indiae occidentalis. Erlangae 1794. folio. (13 color. Kupferstiche mit Analysen. Pritzel, Thes. no. 10,008.)
- Sw. Fl. Ind. occ. = Swartz, Flora Indiae occidentalis. Erlangen 1797—1806. 3 voll. 8°. tab. 1—29. (62 Gattungsanalysen, 2—3 auf einer Tafel. Pritzel, Thes. no. 10,009.)
- Sweet Geran. = Sweet, Geraniaceae. London 1820—1830. 5 voll. gr. 8°. tab. col. 1—500. (500 gut colorirte lithographirte Tafeln, von denen je 100 in einem Bande sind. Die Tafeln 301—500 sind, da mir diese Bände nicht zugänglich waren, aus Walpers Rep. I. 461. citirt. Pritzel, Thes. no. 10,020.)
- Sweet Fl. G. = Sweet, The british Flower Garden. 3 voll. London 1823—1829. 8°. tab. col. 1—300. — Series II. 4 voll. ib. 1831—1838. 8°. tab. col. 1—452. (712 grell colorirte Kupfertafeln mit eben so vielen Arten. Die Tafeln der 2ten Reihe sind bei dem Citiren durch eine vorgesetzte „2.“ unterschieden. Pritzel, Thes. no. 10,021.)
- Sweet Cist. = Sweet, Cistineae. London 1825—1830. gr. 8°. tab. col. 1—112. (112 gut colorirte lithographirte Tafeln ohne Analysen; 112 Arten. Pritzel, Thes. no. 10,023.)
- Sweet Austr. = Sweet, Flora australasica. London 1827—1828. gr. 8°. tab. col. 1—56. (56 colorirte Kupferstiche mit Analysen; 56 Arten. Pritzel, Thes. no. 10,025.)
- Tenore Fl. nap. = Tenore, Flora napolitana. Napoli 1811—1836. gr. folio. tab. col. 1—250. (250 mittelmäßig gezeichnete und colorirte Tafeln, mit 368 Arten. Pritzel, Thes. no. 10,098.)
- Thunb. Fl. jap. = Thunberg, Flora japonica. Lips. 1784. 8°. c. tab. 1—39. in folio. (39 schlechte Kupferstiche ohne Analysen, mit 36 Arten. Pritzel, Thes. no. 10,231.)
- Thunb. Ic. jap. = Thunberg, Icones plantarum japonicarum. Decas 1—5. Ups. 1794—1805. folio. tab. 1—50. (50 nicht numerirte Kupferstiche ohne Analysen; 50 Arten. Pritzel, Thes. no. 10,232.)
- Torrey New York = Torrey, Flora of the State of New York. Vol. 1—2. Albany 1843. 4°. tab. col. 1—72, 73—161, et 144^a. (162 colorirte lithographirte Tafeln mit Analysen; 171 Arten. Pritzel, Thes. no. 10,374.)
- Tratt. Thes. = Trattinick, Thesaurus botanicus. Viennae 1819. folio. tab. col. 1—80. (80 colorirte von Hanauer, Weber, Sommer u. A. gestochene Tafeln mit 79 Arten. Pritzel, Thes. no. 10,407.)
- Tratt. Archiv = Trattinick, Ausgemalte Tafeln aus dem Archiv der Gewächskunde. Band 1—4. Wien 1812—1814. 4°. tab. col. 1—400. (Schön colorirte Kupferstiche, mit wenig Analysen; 383 Arten. Jeder Band hat 100 Tafeln. Die schwarzen Tafeln des Archivs sind dieselben, aber anders geordnet, und werden nicht citirt. Viel Kopien. Pritzel, Thes. no. 10,411.)
- Tratt. Fl. = Trattinick, Flora des östr. Kaiserthums. Wien 1816—1822. 4°. 221 tab. col. (Nur die 100 Tafeln des 1. Bandes sind citirt. Pritzel, Thes. no. 10,412.)
- Trautv. Imag. = Plantarum imagines et descriptiones, Floram russicam illustrantes. Confecit E. R. Trautvetter. Fasc. 1—8. Monachii 1844—1846. 4°. tab. nigr. 1—40. (Schwarze Lithographien, vom Autor gezeichnet, mit Analysen und Text; auf jeder Tafel eine Pflanze; 40 Arten. Pritzel, Thes. no. 10,436.)
- Trew Pl. rar. = Trew, Plantae rariores. Decas 1—3. Norimbergae 1763—1784. folio. tab. col. 1—30. (30 colorirte von Keller gestochene Kupfertafeln mit 32 Arten. Pritzel, Thes. no. 10,452.)
- Trin. Sp. Gr. = Trinius, Species Graminum. Vol. 1—3. Petropoli (1823)—1836. 4°. 360 tab. nigr. (360 schwarze Lithographien mit Analysen; die unbezeichneten Tafeln werden citirt nach Bandzahl und der Nummer, welche sie in den Lieferungen führten. 360 Arten. Pritzel, Thes. no. 10,480.)
- Tuss. Ant. = Tussac, Flora Antillarum. Parisiis 1808—1827. 4 voll. folio.
vol. 1: 1808. tab. col. 1—30.
vol. 2: 1818. tab. col. 1—34.
vol. 3: 1824. tab. col. 1—37.
vol. 4: 1827. tab. col. 1—37.
- (138 schön colorirte Kupferstiche mit Analysen, nach Zeichnungen von Redouté, Poiteau u. A. 136 Arten. Pritzel, Thes. no. 10,560.)
- Vahl Symb. = Vahl, Symbolae botanicae. Pars 1—3. Havniae 1790—1794. folio. tab. nigr. 1—75.
Pars 1: 1790. tab. 1—25.
Pars 2: 1791. tab. 26—50.
Pars 3: 1794. tab. 51—75.
- (75 schwarze Kupferstiche, mit einzelnen vergrößerten Blüthentheilen; ohne Unterschriften. 75 Arten. Pritzel, Thes. no. 10,614.)
- Vahl Eclogae = Vahl, Eclogae americanae. Fasc. 1—3. Havniae 1796—1807. folio. tab. nigr. 1—30.
Fasc. 1: 1796. tab. 1—10.
Fasc. 2: 1798. tab. 11—20.
Fasc. 3: 1807. tab. 21—30.
- (30 schwarze Kupfertafeln mit einzelnen Analysen; 41 Arten. Pritzel, Thes. no. 10,615.)

- Vahl Ic. = Vahl, Icones illustrationi plantarum americanarum in Eclogis descriptionum inservientes. Decas 1—3. Havniae 1798—1799. folio. tab. nigr. 1—30. (30 schwarze Kupferstiche mit einzelnen unbedeutenden Analysen; 30 Arten. Pritzel, Thes. no. 10,616.)
- Vent. Cels = Ventenat, Description des plantes nouvelles ... du jardin de Cels. Paris 1800. folio. tab. nigr. 1—100. (100 gute schwarze Kupferstiche mit Analysen, nach Zeichnungen von Redouté; 100 Arten. Pritzel, Thes. no. 10,700.)
- Vent. Choix = Ventenat, Choix de plantes ... du jardin de Cels. Paris 1803. folio. tab. nigr. 1—60. (60 gute schwarze Kupferstiche mit Analysen, nach Zeichnungen von Ventenat. 60 Arten. Pritzel, Thes. no. 10,702.)
- Vent. Malm. = Ventenat, Jardin de la Malmaison. Paris 1803—1804. 2 voll. folio. tab. col. 1—60, 61—120. (120 sehr schön colorirte Kupferstiche mit Analysen; gezeichnet und gemalt von Redouté; 120 Arten. Pritzel, Thes. no. 10,703.)
- Vill. Dauph. = Villars, Histoire des plantes du Dauphiné. Grenoble 1786—1789. 8^o. tab. nigr. 1—55. (55 schwarze Kupfertafeln mit 139 Arten. Pritzel, Thes. no. 10,747.)
- Vis. Dalm. = Visiani, Flora dalmatica. Vol. 1—3. Lipsiae 1842—1852. 4^o. (57 schwarze Kupfertafeln, sign. 1—55. 10^o. mit 86 Arten. Pritzel, Thes. no. 10,775.)
- Viv. Lib. = Viviani, Florae libycae specimen. Genuae 1824. folio. tab. nigr. 1—27. (Zeichnungen mit Analysen von Viviani; mehrere Arten auf derselben Tafel. 87 Arten. Pritzel, Thes. no. 10,790.)
- W. et Kit. = Waldstein et Kitaibel, Descriptiones et icones plantarum rariorum Hungariae. Tom. 1—3. Viennae 1802—1812. folio. tab. col. 1—280.
Vol. 1: 1802. tab. 1—100.
Vol. 2: 1805. tab. 101—200.
Vol. 3: 1812. tab. 201—280.
(280 colorirte Kupferstiche mit wenigen kleinen Analysen; 280 Arten. Pritzel, Thes. no. 10,919.)
- Wagner = Wagner, Pharmaceutisch-med. Botanik. Wien 1828. gr. folio. tab. col. 1—249. (Gewöhnliche colorirte Lithographien mit Analysen; 235 Arten. Pritzel, Thes. no. 10,873.)
- Wallace Palms = Wallace, Palm trees of the Amazon. London 1853. 8^o. tab. nigr. 1—48. (48 schwarze Lithographien mit 42 größtentheils neuen Arten. Pritzel, Thes. no. 10,924^b.)
- Wall. as. = Wallich, Plantae asiaticae rariores. London 1830—1832. 3 voll. folio. (295 colorirte Tafeln mit Analysen; 295 Arten. Pritzel, Thes. no. 10,943.)
- Webb Canar. = Webb, Phytographia canariensis. Sectio 1—2. Phanerogamia. Paris 1836—1850. gr. 4^o. (279 vorzüglich gezeichnete und lithographirte Tafeln, signirt 1—252, mit vielen u. großen Analysen; gez. von Mme. Gay, Dlle. Legendre, Heyland, Riocreux, Chazal, Thiolat u. Andern; 295 Arten. Pritzel, Thes. no. 10,999.)
- Webb Otia = Webb, Otia hispanica. Paris 1853.

- folio. tab. 1—45. (45 sehr schöne schwarze Kupferstiche nach Zeichnungen von Riocreux, gestochen von Mlle. Taillant. Tafel 1—5 erschienen schon 1839; Tafel 6—10 enthalten Algen. 43 Arten. Pritzel, Thes. no. 11,001 u. 41,001^a.)
- Weddell Hist. = Weddell, Histoire naturelle des Quinquinas. Paris 1849. folio. (32 schwarze Kupfertafeln, sign. 1—30. Schöne Zeichnungen mit Analysen von Riocreux und Steinheil. tab. 1—2. enthalten Anatomisches; tab. 28—30. sind colorirt und stellen Rinden dar.)
- Wendland Ericae = Wendland, Ericarum icones et descriptiones. Vol. 1—3, 25—27. Hannover 1798—1823. 4^o. 162 tab. col. sign. 1, 1—72. 2, 1—72. 3, 1—18. (Schlecht colorirte Kupferstiche mit wenig Analysen; 162 Arten. Pritzel, Thes. no. 11,158.)
- Wendl. Collect. = Wendland, Collectio plantarum. Hannover 1808—1819. 4^o. tab. col. 1—84. (84 colorirte Kupferstiche mit Analysen, mit eben so vielen Arten. Pritzel, Thes. no. 11,159.)
- Wight Illustr. in Hook. = Wight, Illustrations of Indian Botany. Glasgow 1831. 4^o. tab. col. 1—19, 21—41. (Ex Hooker, Bot. Misc. vol. 2. 3.) (40 schöne colorirte Kupfertafeln mit 40 Arten. Pritzel, Thes. no. 11,217.)
- Wight Illustr. = Wight, Illustrations of Indian Botany. Vol. 1. et 2. Madras 1838—1848 (?). 4^o. tab. col. sign. 1—182. (182 colorirte Lithographien mit Analysen; 411 Arten. Pritzel, Thes. no. 11,221.)
- Wight Ic. pl. Ind. or. = Wight, Icones plantarum Indiae orientalis. Vol. 1—6. Madras 1838—1853. 4^o. (2105 schwarze lithographirte Tafeln, sign. 1—2101, mit 2203 Arten. Pritzel, Thes. no. 11,222.)
- Wight Spicil. = Wight, Spicilegium neilgherrense. Madras 1846—1851. 4^o. (151 colorirte lithographirte Tafeln, sign. 1—151. Tafel 74 u. 75 existiren nicht. 148 Arten. Pritzel, Thes. no. 11,223.)
- Willd. Hortus = Willdenow, Hortus berolinensis. Berolini (1803—) 1816. folio. (108 colorirte Kupfertafeln, sign. 1—108, und 2 Pläne des Gartens. Erschienen in 9 Heften zu 12 Tafeln. Die Tafeln sind von P. Haas, F. Guimpel u. A. in Kupfer gestochen, und enthalten hin und wieder Analysen; 108 Arten. Pritzel, Thes. no. 11,265.)
- Willkomm Ic. Hisp. = Willkomm, Icones et descriptiones plantarum Hispaniae. Tomus 1. Lipsiae 1852—1854. 4^o. (46 colorirte Stahlstiche mit sehr großen trefflich ausgeführten analytischen Zeichnungen; 59 Arten.)
- Woodv. Med. = Woodville and Hooker, Medical Botany. Vol. 1—5. London 1832. 4^o. tab. col. 1—274, 1—39. (Sehr unbedeutende colorirte Lithographien mit 330 Arten. Wird signirt nach Bandzahl: 1. 2. 3. 4, 1—274. 5, 1—39. Pritzel, Thes. no. 11,358.)
- Zenk. Pl. ind. = Zenker, Plantae indicae, quas in montibus Neilgherries collegit Bernh. Schmid. Decas 1 et 2. Jenae 1835. folio. tab. col. 1—20. (20 color. Kupferstiche; Zeichnungen mit Analysen von Schmid; 19 Arten. Pritzel, Thes. no. 11,426.)

† *Abacopteris Philippinarum* Fée. Fée Fil. 5, 18.
Abama ossifraga Adans. Red. Lil. 4, 218.
 — — — Tratt. Archiv. 54.
 † *Abatia* Rz. et P. Rz. et Pav. Prodr. 14.
 † — *parviflora* Rz. et P. Hook. Lond. J. 1845, 16.
 — *verbascifolia* H. B. K. H. B. K. Nov. Gen. 5, 486.
 † *Abelia* R. Br. Wight Illustr. 121.
 — *floribunda* Decne. Bot. Reg. 33, 55.
 — — — Bot. Mag. 73, 4316.
 — — — Fl. d. serres 2, 4.
 — *rupestris* Ldl. Bot. Reg. 32, 8.
 — *serrata* Sieb. Z. Sieb. Fl. Jap. 34.
 — *spathulata* Sieb. Z. Sieb. Fl. Jap. 34.
 — *triflora* R. Br. Wall. Pl. as. rar. 15.
 — — — Paxt. Fl. Garden 91.
 — — — Lem. Jard. fl. 3, 319.
 — *uniflora* R. Br. Bot. Mag. 79, 4694.
Abelmoschus angulosus Wall. Wight Spic. 17.
 — — — Wight Ic. pl. Ind. 3, 951.
 — *crinitus* Wall. Wall. Pl. as. rar. 44.
 — *ficulneus* Wight et A. Wight Ic. pl. Ind. 1, 154.
 — *moschatus* Moench. Wight Ic. pl. Ind. 2, 399.
 † — *periphrastus* Van Houtte Hort. 5.
Abermoa guianensis Aubl. Aubl. Guian. 245.
 † *Abies* Lk. Nees Gen. 4, 8.
 † — (Phyllulae et pulvini.) Sieb. Fl. Jap. 137.
 † — (Amentum.) Rich. Conif. 12.
 ! — (Ramus.) Rich. Conif. 14.
 — *alba* Poir. Michaux Arbres for. 1, 12.
 † — — — Rich. Conif. 22.
 — — — Pinetum Woburnense 33.
 — *amabilis* Dougl. Pinetum Woburnense 44.
 † — *balsamea* Ait. Rich. Conif. 16.
 — — — Pinetum Woburnense 37.
 — *balsamifera* Michx. Michaux Arbres for. 1, 14.
 — *bisida* Sieb. Z. Sieb. Fl. Jap. 109.
 — *canadensis* Poir. Michaux Arbres for. 1, 13.
 † — — — Rich. Conif. 17.
 † — *Cedrus* Poir. Rich. Conif. 14, 17.
 — *cephalonica* Loud. Pinetum Woburnense 42.
 — *Douglasii* Sab. Pinetum Woburnense 45.
 † — *excelsa* DC. Rich. Conif. 14, 15.
 — — — Hartig Forstgew. 1.
 — — — Rchb. Fl. germ. 11, 532.
 — *firma* Sieb. Z. Sieb. Fl. Jap. 107.
 — *Fraseri* Poir. Pinetum Woburnense 38.
 — *grandis* Dougl. Pinetum Woburnense 43.
 — *homolepis* Sieb. Z. Sieb. Fl. Jap. 108.
 — *jezoensis* Sieb. Z. Sieb. Fl. Jap. 110.
 † — *Larix* Poir. Lam. Encycl. 785.
 — — — Rich. Conif. 13, 22.
 — *leptolepis* Sieb. Z. Sieb. Fl. Jap. 105.
 — *Menziesii* Dougl. Pinetum Woburnense 32.
 — *nigra* Poir. Michaux Arbres for. 1, 11.

Abies nigra Poir. Pinetum Woburnense 1, 34.
 — *nobilis* Ldl. Pinetum Woburnense 1, 40.
 — *orientalis* Poir. Jaub. Illustr. 14.
 † — *pectinata* DC. Rich. Conif. 16.
 — — — Nees Duss. Suppl. 75.
 — — — Hartig Forstgew. 2.
 — — — Rchb. Fl. germ. 11, 533.
 † — *Picea* Mill. Ann. sc. nat. 16, 22.
 — *Pichta* Fisch. Pinetum Woburnense 39.
 — *Pindrow* Royle. Royle Illustr. 86.
 — *Pinsapo* Boiss. Boiss. Espagne 167 — 169.
 — *polita* Sieb. Z. Sieb. Fl. Jap. 111.
 — *rubra* Mill. Pinetum Woburnense 35.
 — *sibirica* Led. Ledeb. Ic. pl. ross. 500.
 — *Smithana* Loud. Pinetum Woburnense 36.
 — *Tsuga* Sieb. Z. Sieb. Fl. Jap. 106.
 — *vulgaris* Poir. Lam. Encycl. 785.
 — *Webbiana* Wall. Pinetum Woburnense 41.
Abildgaardia barbata Pal. Pal. Fl. d'Ow. 86.
 — *polycephala* Brugn. Brongn. Coq. 32.
Ablania guianensis Aubl. Aubl. Guian. 234.
 — — — Lam. Encycl. 479.
Abolboda barbata Lam. Lam. Encycl. 905.
 — *pulchella* H. B. Humb. Pl. aeq. 114.
 † *Abrodictyon Cumingii* Presl. Prag. Abh. 3, 7.
Abroma augusta L. fil. Bot. Reg. 6, 518.
 — — — Lam. Encycl. 636, 637.
 — *fastuosa* Jacq. Jacq. Vind. 3, 1.
 † — — — Gaertn. Gaertn. Carp. 64.
 — — — Salisb. Parad. 102.
 — *Mariae* Mart. Reg. Denkschr. 3, 8, 9.
Abronia arenaria Menz. Hook. Exot. Fl. 193.
 — *mellifera* Dougl. Bot. Mag. 56, 2879.
 — *parviflora* H. B. K. H. B. K. Nov. Gen. 2, 128.
 † — *rotundifolia* Gaertn. Gaertn. Carp. 214.
 — *umbellata* Lam. Lam. Encycl. 105.
 — — — Cav. Ic. 326.
 — — — Kerner Hort. 725.
 — — — Hook. Exot. Fl. 194.
 — — — Paxt. Mag. 16, 36.
 — — — Journ. Hort. Soc. 4, 82.
Abrus fruticosus Wall. Wight Ic. pl. Ind. 1, 33.
 — *precatorius* L. Rheede Hort. mal. 8, 39.
 — — — Rumpf Amb. 5, 32.
 † — — — Gaertn. Carp. 151.
 † — — — Kerner Gen. 213.
 — — — Lam. Encycl. 608.
 — — — Tussac Ant. 4, 18.
 — — — Desc. Ant. 4, 275.
 — — — Dict. sc. nat. 250.
Absinthium glaciale Gaertn. Lam. Encycl. 695.
 — *officinale* N. v. E. Nees Dusseld. 234.
 — *tanacetifolium* Gaertn. Lam. Encycl. 695.
 † — *vulgare* Lam. Gaertn. Carp. 164.

- † *Absinthium vulgare* Lam. Lam. Encycl. 695.
Abuta amara Aubl. Aubl. Guian. 231.
 — *concolor* P. et E. Poepp. et Endl. 188.
 — *rufescens* Aubl. Aubl. Guian. 250.
 † *Abutilon* L. Gray Gen. 125, 126.
 — *albidum* Webb. Webb Can. 2.
 — *americanum* Martyn Hist. 31.
 † — *Avicennae* Gaertn. Gaertn. Carp. 135.
 — — — Rchb. Fl. germ. 5, 166.
 — *crispum* G. Don. Wight Ic. pl. Ind. 1, 68.
 — — — Gray Gen. 126.
 — *esculentum* Juss. St. Hil. Pl. us. 51.
 — *geminiflorum* H. B. K. H. B. K. Nov. Gen. 5, 474.
 — *glechomaefolium* St. Hil. St. Hil. Fl. Bras. 41.
 — *graveolens* Wight. Hook. Comp. 2.
 — *inaequilaterum* St. Hil. St. Hil. Fl. Bras. 40.
 — *indicum* G. Don. Wight Ic. pl. Ind. 1, 12.
 — *insigne* Planch. Fl. d. serres 6, 551.
 — *macropodon* Guill. Guill. Seneg. 14.
 — *microphyllum* Rich. Rich. Fl. Abyss. 15.
 — *palustre* Desc. Desc. Ant. 5, 325.
 — *populifolium* G. Don. Rheede Hort. mal. 6, 45.
 — *pulchellum* Don. Sweet Fl. Gard. 2, 287.
 — *rufinerve* Juss. St. Hil. Fl. Bras. 42.
 — *striatum* Dicks. Paxt. Mag. 7, 53.
 — — — Maund Botanist 3, 144.
 — *trichodum* Rich. Ramon Cuba 17.
 — *velutinum* Gray. Gray Gen. 125.
 — *venosum* Ch. Lem. Fl. d. serres 2, 25.
 — *vitifolium* DC. Bot. Reg. 30, 57.
Acacia *acanthocarpa* Willd. Reichenb. Hort. 63.
 — *acapulcensis* H. B. Humb. Mim. 24.
 — *alata* R. Br. Bot. Reg. 5, 396.
 — — — Wendl. Acac. 1.
 — — — Reichenb. Mag. 88.
 — — — Colla Hort. Rip. 17.
 — *albicans* H. B. Humb. Mim. 27.
 — *albida* Del. Delile Egypt. 52.
 — — — Ldl. Bot. Reg. 16, 1317.
 — *ambena* Wendl. Wendl. Acac. 4.
 — *anceps* Hook. Hook. Ic. pl. 167.
 — *angustifolia* Wendl. Lodd. Cab. 763.
 — *arabica* Willd. Hayne 10, 32.
 — — — Wagner 177.
 — — — Nees Düssel. 331.
 — *argyrophylla* Hook. Bot. Mag. 74, 4384.
 — *armata* R. Br. Bonpl. Malm. 55.
 — — — Bot. Mag. 40, 1653.
 — — — Lodd. Cab. 49.
 — — — Reichenb. Mag. 89.
 — *biflora* R. Br. Wendl. Acac. 2.
 — — — Paxt. Mag. 9, 221.
 — — — Reichenb. Mag. 12.
 — *bossiacoides* Cunn. Seemann Acac. 1.
 — *brevifolia* Lodd. Lodd. Cab. 1235.
 — *brevipes* Cunn. Bot. Mag. 61, 3358.
 — *Brownii* Lodd. Lodd. Cab. 1333.
 — *buxifolia* Cunn. Hook. Ic. pl. 164.
 — *calamifolia* Sweet. Lodd. Cab. 909.
 — — — Bot. Reg. 10, 839.
 — *callosa* Bert. Nov. Comm. Bon. 3, 27.
 — *Catechu* L. Hayne 7, 48.
 — — — Guimp. et Schl. 151.
 — — — Willd. Nees Düssel. 335.
 — *Cavenia* Colla. Mem. Tur. 37, 12.
 — *celastrifolia* Benth. Bot. Mag. 73, 4306.
 — *cinerascens* Sieb. Bot. Mag. 59, 3174.
 — *cochliacantha* H. B. Humb. Mim. 29.
 — *crassiuscula* Wendl. Wendl. Ac. 8.
 — *cultriformis* Cunn. Hook. Ic. pl. 170.
 — — — Paxt. Mag. 11, 123.

- Acacia* *Cunninghamii* Hook. Hook. Ic. pl. 165.
 — *curvifolia* Bonpl. Bonpl. Malm. 40.
 — — — Rchb. Exot. 320.
 — *Cycnorum* Benth. Bot. Mag. 78, 4633.
 — *dealbata* Lk. Knowl. et Westc. 103.
 — — — Lodd. Cab. 1928.
 — *decipiens* R. Br. Bot. Mag. 42, 1745.
 — — — 60, 3244.
 — — — Kern. Hort. 572.
 — — — Rchb. Mag. 12, 88.
 — *decora* Rchb. Rchb. Hort. 199.
 — *decurrens* Willd. β. Bot. Reg. 6, 371.
 — *dentifera* Benth. Bot. Mag. 69, 4032.
 — — — Maund Bot. 4, 179.
 — *diffusa* Ker. Bot. Reg. 8, 634.
 — — — Bot. Mag. 50, 2417.
 — *diptera* Ldl. var. Bot. Mag. 68, 3939.
 — — — Hook. Ic. pl. 369.
 — *discolor* Willd. Bot. Mag. 42, 1750.
 — — — Lodd. Cab. 601.
 — *dodonaeifolia* Pers. Rchb. Mag. 91.
 — — — Kern. Hort. 756.
 — — — Colla Hort. Rip. 27.
 — *dolabriformis* Cunn. Hook. Ic. pl. 169.
 — *Ehrenbergiana* Hayne. Hayne 10, 29.
 — — — Guimp. et Schl. 160.
 — *Ehrenbergii* N. v. E. Nees Düssel. 332.
 — *elongata* DC. Bot. Mag. 61, 3337.
 — *falcata* Willd. Wendl. Ac. 14.
 — — — Lodd. Cab. 1115.
 — *fasciculata* H. B. Humb. Mim. 23.
 — *formosa* H. B. Humb. Mim. 32.
 — *Fraseri* Hook. Hook. Ic. pl. 171.
 — *fulgens* Lab. Bill. Sert. 67.
 — *glaucescens* Willd. Willd. Hort. 101.
 — *grandiflora* Willd. Kern. Hort. 532.
 — — — Colla Hort. Rip. 9.
 — *grandis* Hort. Lem. Jard. fl. 154.
 — *granulosa* Lab. Bill. Sert. 66.
 — *graveolens* Cunn. Lodd. Cab. 1460.
 — — — Bot. Mag. 60, 3279.
 — *gummifera* L. Hayne 10, 28.
 — *haematomma* DC. DC. Legum. 68.
 — *hastulata* Sm. Bot. Mag. 61, 3341.
 — *hispidissima* DC. Bot. Mag. 77, 4588.
 — — — Lem. Jard. fl. 160.
 — *hispidula* Cunn. Hook. Ic. pl. 161.
 — — — Lodd. Cab. 823.
 — *homomalla* Wendl. Wendl. Ac. 13.
 — *Houstoni* Willd. Bot. Reg. 2, 98.
 — *Hügelii* Benth. Hügel Arch. 10.
 — *hybrida* Lodd. Lodd. Cab. 1342.
 — *impressa* Cunn. Bot. Reg. 13, 1115.
 — — — Lodd. Cab. 1319.
 — *incrassata* Hook. Hook. Ic. pl. 370.
 — *intermedia* Cunn. Bot. Mag. 59, 3203.
 — *Intsia* Willd. Rheede Hort. mal. 6, 4.
 — *juniperina* Willd. Lodd. Cab. 398.
 — *Karoo* Hayne. Hayne 10, 33.
 — *Lambertiana* Don. Bot. Reg. 9, 721.
 — *lanigera* Cunn. Bot. Mag. 56, 2922.
 — *latronum* Willd. Wight Ic. pl. Ind. 3, 1157.
 — *laurifolia* Willd. Bill. Sert. 68.
 — *Lebbec* Willd. Tuss. Ant. 4, 29.
 — *leprosa* DC. Bot. Reg. 17, 1441.
 — *leptoneura* Benth. Bot. Mag. 74, 4350.
 — — — Lem. Jard. fl. 39.
 — *linearis* Sims. Lodd. Cab. 593.
 — — — Bot. Mag. 47, 2156.
 — *lincata* Cunn. Bot. Mag. 61, 3346.
 — *linifolia* Andr. Bonpl. Malm. 19.
 — — — Lodd. Cab. 353.

- Acacia* *linifolia* Willd. Bot. Mag. 47, 2168.
 — *longifolia* Willd. Bot. Reg. 5, 362.
 — — Lodd. Cab. 678.
 — — Bot. Mag. 43, 1827. 47, 2166.
 — — Maund Bot. 2, 77.
 — — Paxt. Mag. 4, 197. 12, 269.
 — — Dict. sc. nat. 259.
 — *longissima* Wendl. Wendl. Ac. 11.
 — — Bot. Reg. 8, 680.
 — *lophantha* Willd. Bot. Reg. 5, 361.
 — — Bot. Mag. 47, 2108.
 — — Lodd. Cab. 716.
 — — Kern. Hort. 574.
 — *lunata* Sieb. Bot. Reg. 18, 1352.
 — — Lodd. Cab. 394.
 — — DC. Sweet Austr. 42.
 — *lycopodiifolia* Cunn. Hook. Ic. pl. 172.
 — *macracantha* H. B. Humb. Mim. 28.
 — *Mangium* DC. Rumpf Amb. 3, 81.
 — *marginata* R. Br. Wendl. Ac. 5.
 — *melanoxylon* R. Br. Wendl. Ac. 6.
 — — Bot. Mag. 40, 1659.
 — — Lodd. Cab. 630.
 — *modesta* Wall. Wall. Pl. as. rar. 130.
 — — Jacq. Ind. 56.
 — *moesta* Ldl. Bot. Reg. 32, 67.
 — *mollis* Wall. Wall. Pl. as. rar. 177.
 — *mollissima* Willd. Sweet Austr. 12.
 — *mucronata* Willd. Wendl. Ac. 12.
 — — Bot. Mag. 54, 2747.
 — *myrtifolia* Willd. Sweet Austr. 49.
 — — Lodd. Cab. 772.
 — *nervosa* DC. Field. Sert. 4.
 — *neurocarpa* Cunn. Hook. Ic. pl. 168.
 — *nigricans* R. Br. Bot. Mag. 47, 2188.
 — — Lodd. Cab. 313.
 — *nilotica* N. v. E. Nees Düssel. 330.
 — *obscura* DC. Mem. Gen. 6, 3.
 — *odoratissima* Willd. Rheede Hort. mal. 6, 5.
 — *oncinophylla* Ldl. Bot. Mag. 74, 4353.
 — *ornithophora* Sweet. Sweet Austr. 24.
 — — Lodd. Cab. 1469.
 — *Oxycedrus* Sieb. Bot. Mag. 56, 2928.
 — — Sweet Austr. 6.
 — — Paxt. Mag. 7, 151.
 — — Rchb. Hort. 120.
 — *penninervis* Sieb. Bot. Mag. 54, 2754.
 — *pentadenia* Lindl. Bot. Reg. 18, 1521.
 — *pentaedra* Regel. Regel Gartenf. 1852. 24.
 — *peregrina* Willd. Humbl. Mim. 30.
 — *platyptera* Ldl. Bot. Mag. 68, 3933.
 — *plumosa* Lowe. Bot. Mag. 61, 3366.
 — *prensans* Lowe. Bot. Mag. 62, 3408.
 — *procera* Willd. Kern. Hort. 369.
 — *prominens* Cunn. Bot. Mag. 63, 3502.
 — *prostrata* Lodd. Lodd. Cab. 631.
 — *pubescens* Ait. Maund Bot. 1, 48.
 — — Vent. Rchb. Exot. 319.
 — — Rchb. Mag. 73.
 — *pugioniformis* Wendl. Ac. 9.
 — *pulchella* R. Br. Lodd. Cab. 212.
 — — Paxt. Mag. 4, 198.
 — *quadrangularis* Lk. Bot. Mag. 53, 2651.
 — *revoluta* H. B. Humb. Mim. 26.
 — *Riceana* Hensl. Maund Bot. 3, 135.
 — *rostellifera* Benth. Seem. Acac. 2.
 — *rotundifolia* Hook. Bot. Mag. 69, 4041.
 — — Paxt. Mag. 15, 123.
 — *ruscifolia* Cunn. Bot. Mag. 59, 3195.
 — *scandens* Willd. Tuss. Ant. 3, 21.
 — *setiformis* Cunn. Hook. Ic. pl. 159.
 — *setigera* Cunn. Hook. Ic. pl. 166.

- Acacia* *setigera* Hook. Hook. Ic. pl. 316.
 — *Seyal Delile*. Delile Egypt. 52.
 — — Hayne 10, 30.
 — — Guimp. et Schl. 150.
 — — Nees Düssel. 334.
 — — Wagner 179.
 — *skleroxyla* Tuss. Tuss. Ant. 1, 21.
 — *smilacifolia* Field. Field. Sertum 3.
 — *Sophorae* R. Br. Lodd. Cab. 1851.
 — *spectabilis* Cunn. Bot. Reg. 29, 46.
 — *Spini Colla*. Mem. Tur. 33, 5.
 — *spirorbis* Lab. Bill. Sertum 69.
 — *squamata* Ldl. Hook. Ic. pl. 367.
 — *stricta* Willd. Lodd. Cab. 99.
 — — Rchb. Mag. 90.
 — *suaveolens* Willd. Lodd. Cab. 730.
 — — Rchb. Mag. 46.
 — *subcoerulea* Lindl. Bot. Reg. 13, 1075.
 — *subulata* H. B. Bonpl. Malm. 45.
 — *sulcata* R. Br. Bot. Reg. 11, 928.
 — — Wendl. Ac. 10.
 — *taxifolia* Willd. Lodd. Cab. 1225.
 — *tortilis* Forsk. Hayne 10, 31.
 — — Hayne. Guimp. et Schl. 149.
 — — Forsk. Nees Düssel. 333.
 — *translucens* Cunn. Hook. Ic. pl. 160.
 — *tristis* Grah. Bot. Mag. 62, 3420.
 — *umbellifera* H. B. Humb. Mim. 31.
 — *umbrosa* Cunn. Bot. Mag. 61, 3338.
 — *uncinata* Lindl. Bot. Reg. 16, 1332.
 — *undulaefolia* Cunn. Bot. Mag. 62, 3394.
 — — Lodd. Cab. 1544.
 — *undulata* Willd. Wendl. Ac. 3.
 — — Bot. Reg. 10, 843.
 — — Lodd. Cab. 753.
 — — Rchb. Mag. 89.
 — *undulatifolia* Cunn. Lem. Jard. fl. 3, 282.
 — *urophylla* Benth. Bot. Mag. 77, 4573.
 — — Lem. Jard. fl. 125.
 — — Fl. d. serres 7, 668.
 — *velutina* Bert. Nov. Comm. Bon. 4, 7.
 — *vera* L. Hayne 10, 34.
 — — DC. Nees Düssel. Suppl. 63.
 — — Bauh. Wagner 178.
 — *Verek G. et P.* Guill. Fl. Seneg. 56.
 — *verniciifua* Cunn. Bot. Mag. 60, 3266.
 — *verticillata* Willd. Kern. Hort. 268.
 — — Lodd. Cab. 535.
 — *vestita* Ker. Bot. Reg. 9, 698.
 — — Paxt. Mag. 3, 145.
 † *virgata* Gaertn. Gaertn. Carp. 148.
 — — Lodd. Lodd. Cab. 1246.
 — *viridiflora* H. B. Humb. Mim. 25.
 — *viscosa* Schrad. Wendl. Ac. 7.
Acaena *adscendens* Vahl. Rich. Astr. 25.
 — — Hook. Fl. ant. 96.
 — *argentea* Rz. et Pav. Rz. et Pav. Fl. 103.
 — *Closiana* Gay. Gay Chile 21.
 — *cuneata* Hook. Rich. Astr. 25.
 — *cylindrostachya* Rz. et Pav. Rz. et Pav. Fl. 104.
 — *lappacea* Rz. et Pav. Rz. et Pav. Fl. 103.
 — *lucida* Vahl. Rich. Astr. 24.
 — — Hook. Fl. ant. 94.
 — *multifida* Hook. Rich. Astr. 24.
 — *ovalifolia* Rz. et Pav. Rz. et Pav. Fl. 103.
 — — Rich. Astr. 25.
 — *pinnatifida* Rz. et Pav. Rz. et Pav. Fl. 104.
 — — Bot. Reg. 15, 1271.
 — — Rich. Astr. 25.
 — *pumila* Vahl. Rich. Astr. 24.
 — — Hook. Fl. ant. 95.

- Acaena sanguisorbae* Vahl. Rich. Astr. 24.
 — *sericea* Jacq. Jacq. Ecl. pl. 55.
 — *trifida* Rz. et Pav. Rz. et Pav. Fl. 184.
 † *Acajuba occidentalis* Gaertn. Gaertn. Carp. 40.
Acalypha alnifolia Willd. Hook. Comp. 29.
 — *alopeuroidea* Jacq. Jacq. Ic. 620.
 — *betulina* Willd. Rumpf Amb. 4, 37.
 — *carpinifolia* Burm. Desc. Ant. 5, 379.
 — *ciliata* Forsk. Vahl. Symb. 20.
 — — Jard. Ann. 2, 5.
 — *cuspidata* Jacq. Jacq. Schoenbr. 2, 243.
 — *densiflora* Bl. Rumpf Amb. 4, 36.
 — *diversifolia* Jacq. Jacq. Schoenbr. 2, 244.
 — *glandulosa* Cav. Cav. Ic. 570.
 — *hirta* Cav. Cav. Ic. 569.
 — *indica* L. Rheede Hort. mal. 10, 81.
 — — Wight Ic. pl. Ind. 877.
 — *macrostachya* Jacq. Jacq. Schoenbr. 2, 245.
 — *monostachya* Cav. Cav. Ic. 568.
 — *obovata* Benth. Benth. Sulphur 53.
 — *phleoides* Cav. Cav. Ic. 569.
 — *pilosa* Cav. Cav. Ic. 568.
 — *polystachya* Jacq. Jacq. Schoenbr. 2, 246.
 — *samydaefolia* P. et E. Poepp. et E. 224.
 — *spiciflora* Burm. Rumpf Amb. 4, 37.
 — — Lam. Encycl. 789.
 — *stricta* P. et E. Poepp. et E. 225.
 — *vagans* Cav. Cav. Ic. 569.
 — *villosa* L. fil. Jacq. Vind. 3, 47.
 † — *virginica* L. Gaertn. Carp. 107.
 — — Lam. Encycl. 789.
 — — Schk. Handb. 311.
Acanthaceae. Icones plant. Chin. 3.
 † *Acanthaceae* R. Br. Wight Illustr. 164^b.
 † — (Testa.) Linn. Transact. 19, 6.
Acanthocarpaea sulcata Klotzsch. Peters Mossamb. 24.
Acanthodium grossum N. v. E. Wight Ic. pl. Ind. 1535.
 1536.
 — *spicatum* Del. Delile Egypt. 33.
Acantholimon glumaceum Boiss. Fl. d. serres 7, 677.
 — — Lem. Jard. fl. 66.
Acanthophippium bicolor Ldl. Bot. Reg. 20, 1730.
 — — Maund Bot. 4, 200.
 † — *javanicum* Bl. Bl. Tab. 47.
 — — Bot. Reg. 32, 47.
 — — Bot. Mag. 76, 4492.
 — — Lem. Jard. fl. 35.
Acanthophyllum mucronatum C. A. M. Annal. d. Wien.
 Mus. 1, 5. 6.
 † *Acanthoprasium frutescens* Benth. Nees Gen. 6, 41.
Acanthostachys strobilacea Lk. Link Ic. III, 9.
 † *Acanthostemma pictum* Bl. Bl. Mus. 1, 10.
Acanthus ebracteatus Vahl. Vahl Symb. 40.
 † — *mollis* L. Gaertn. Carp. 54.
 — — Sibth. Fl. gr. 610.
 † — — Lam. Encycl. 550.
 — — Dict. sc. nat. 36.
 † — — Nees Gen. 5, 26. 26^a.
 † — — (Ovulum.) Ann. sc. nat. III, 9, 5.
 — *spinosus* L. Sibth. Fl. gr. 611.
 † — — Lam. Encycl. 550.
 — — Bot. Mag. 43, 1808.
 — *volubilis* Wall. Wall. Pl. as. rar. 172.
Acarina cancellata L. Sibth. Fl. gr. 839.
 — *gummifera* Willd. Sibth. Fl. gr. 838.
 — — Brot. Phytogr. 161.
 † *Acer* L. Gaertn. Carp. 116. — Schkuhr Handb. 351
 — 353. — Lamarck Encycl. 844. — Gray
 Gen. 174.
 — *austriacum* Tratt. Tratt. Arch. 36.
 — — Hartig 99.
 — *campestre* L. Fl. dan. 8, 1288.

- Acer campestre* L. Engl. Bot. 5, 304.
 — — Baxter Brit. Bot. 2, 98.
 — — Sv. Bot. 409.
 — — Tratt. Arch. 37.
 — — Schrank Fl. monac. 3, 250.
 — — Rchb. Fl. germ. 5, 162.
 — — Hartig 98.
 — *cassiaefolium* Bl. Bl. Rumphia 167^b.
 — *caudatum* Wall. Wall. Pl. asiat. 132.
 — *circinatum* Pursh. Hook. Bor. Am. 39.
 — *creticum* L. Tratt. Arch. 45.
 — *dasycarpum* Ehrh. Tratt. Arch. 38. 38^a.
 — — Torr. New York 18.
 — *dissectum* Thunb. Thunb. Ic. jap. 45.
 — *Douglasii* Hook. Hook. Lond. Journ. 1847, 6.
 — *eriocarpum* Mchx. Michx. Arb. 2, 13.
 † — — Ann. Mus. 7, 25.
 — *hybridum* Bosc. Lodd. Cab. 1221.
 — *japonicum* Thunb. Thunb. Ic. jap. 20.
 — *laciniatum* Du Roi. Tratt. Arch. 35.
 — *laevigatum* Wall. Wall. Pl. asiat. 104.
 — *macrophyllum* Pursh. Hook. Bor. Am. 38.
 — *Lobelii* Ten. Acad. Neap. 3, 1.
 — — Ten. Fl. nap. 199.
 — *monspessulanum* L. Tratt. Arch. 46.
 — — Rchb. Fl. germ. 5, 162.
 — *montanum* Ait. Guimp. Fr. H. 48.
 — — Willd. Tratt. Arch. 42. 42^a.
 — *neapolitanum* Ten. Acad. Neap. 1, 2.
 — — Ten. Fl. nap. 100.
 † — — Rchb. Fl. germ. 5, 163.
 — *Negundo* L. Michx. Arb. 2, 18.
 — — Guimp. Fr. H. 95.
 — — Tratt. Arch. 40. 40^a. 40^b.
 — *nigrum* Mchx. Michx. Arb. 2, 16.
 — *niveum* Bl. Bl. Rumphia 167^b.
 — *oblongum* Wall. Jacq. Ind. 34.
 — *obtusatum* Willd. Tratt. Arch. 44.
 — — Rchb. Fl. germ. 5, 163.
 — *obtusifolium* Sm. Sibth. Fl. gr. 361.
 — *opulifolium* Vill. Tratt. Arch. 43. 43^a.
 — — Gaudin Fl. helv. 6, 3.
 — *Opulus* Ait. Rchb. Fl. germ. 5, 163.
 — *palmatum* Thunb. Thunb. Ic. jap. 44.
 — *pensylvanicum* L. Duroi Harbk. B. 2.
 — — Tratt. Arch. 41.
 — *pictum* Thunb. Thunb. Ic. jap. 43.
 — *platanoides* L. Sv. Bot. 86.
 — — Tratt. Arch. 34.
 — — Rchb. Fl. germ. 5, 164.
 — — Hartig 96.
 † — — (Pistilla.) Ann. sc. n. II, 15, 22.
 — *pseudoplatanus* L. Fl. dan. 9, 1575.
 — — Engl. Bot. 5, 303.
 — — Dreves 2, 62.
 — — Tratt. Arch. 32.
 — — Schrank Fl. monac. 4, 391.
 — — Dict. sc. nat. 163.
 — — Hartig 97.
 — — Rchb. Fl. germ. 5, 164.
 — *rubrum* L. Michx. Arb. 2, 14.
 — — Tratt. Arch. 39. 39^a.
 † — — Ann. Mus. 7, 25.
 — *saccharinum* L. Michx. Arb. 2, 15.
 — — Schriften nat. Fr. 1, 9.
 — — Gil et Xuar. 30.
 — — Tratt. Arch. 33.
 — — Wagh. Gray Gen. 174.
 — *sterculiaceum* Wall. Wall. Pl. as. 105.
 — *striatum* Lam. Michx. Arb. 2, 17.
 — — Duroi Harbk. Baumz. 1.
 — *tataricum* L. Pallas Fl. ross. 3.

- Acer tataricum* L. Tratt. Arch. 31, 314.
 — — — Rchb. Fl. germ. 5, 162.
 — — — Guimp. Fr. H. 47.
Aceranthus diphyllus Morr. Ann. sc. nat. II, 2, 14.
Aceras angustifolia Ldl. Royle Illustr. 87.
 — — — Wight Ic. pl. Ind. 5, 1691.
 — — — anthropophora R. Br. Curt. Lond. 2, 63.
 — — — Baxter Brit. Bot. 4, 305.
 — — — Lodd. Cab. 1775.
 — — — Sweet Fl. G. 168.
 † — — — Nees Gen. 3, x.
 ! — — — Ann. sc. nat. III, 18, 1.
 — — — Dietr. Fl. bor. 4, 228.
 — — — Rchb. Fl. germ. 13, 357.
 — — — caprina Ldl. Rchb. Fl. germ. 13, 359.
 — — — Duquesnei Rchb. fil. Rchb. Fl. germ. 13, 514.
 — — — formosa Ldl. Rchb. Fl. germ. 13, 358.
 — — — hircina Ldl. Dietr. Fl. bor. 11, 721.
 — — — Rchb. Fl. germ. 13, 360, 513.
 — — — intacta Rchb. fil. Rchb. Fl. germ. 13, 500.
 — — — longebracteata Rchb. fil. Rchb. Fl. germ. 13, 501.
 — — — secundiflora Ldl. Bot. Reg. 18, 1525.
 † *Acerates circinalis* Dene. Ann. sc. nat. II, 9, 11.
 — — — viridiflora Ell. Torr. New York 88.
 † *Achania* Sw. Swartz Fl. Ind. 24.
 — — — Malvaviscus Willd. Bot. Mag. 49, 2305.
 — — — Lodd. Cab. 1155.
 — — — mollis H. B. K. Bot. Reg. 1, 11.
 — — — Andr. Rep. 7, 452.
 — — — Lodd. Cab. 600.
 — — — Desc. Ant. 6, 383.
 — — — Ait. Bot. Mag. 50, 2374.
 — — — pilosa Sw. Lodd. Cab. 829.
Acharia tragodes Thunb. Thunb. Prodr. cap. 1.
 — — — Lam. Encycl. 755.
 — — — Jard. Ann. 3, 9.
 † *Achillea* L. Lam. Encycl. 683.
 — — — aegyptiaca L. Sibth. Fl. gr. 892.
 — — — argentea Vis. Vis. Dalm. 9.
 — — — asplenifolia Vent. Vent. Cels. 95.
 — — — atrata L. Jacq. Fl. austr. 1, 77.
 — — — Sturm Fl. 5, 19.
 — — — capitata Willd. Willd. Achill. 1.
 — — — Clavenae L. Jacq. Fl. austr. 1, 76.
 — — — Bot. Mag. 32, 1287.
 — — — Sturm Fl. 1, 1.
 — — — Clusiana Tausch. Rchb. Ic. crit. 3, 221.
 — — — clypeolata Sibth. Sibth. Fl. gr. 893.
 — — — compacta Willd. Jacq. Ecl. pl. 88.
 — — — Rochel Ban. 32.
 — — — coronopifolia Willd. Willd. Achill. 1.
 — — — crithmifolia W. et K. W. et Kit. 66.
 — — — flabelliformis Sm. Sibth. Fl. gr. 894.
 — — — herbarotta All. All. Fl. ped. 3, 9.
 — — — imbricata Vent. Vent. Cels. 54.
 — — — ligustica All. All. Fl. ped. 3, 53.
 — — — Sibth. Fl. gr. 897.
 — — — lingulata W. et K. W. et Kit. 2.
 — — — macrophylla L. Rchb. Ic. crit. 4, 311.
 — — — Willd. Münch. Denkschr. 7, 5.
 — — — magna All. All. Fl. ped. 3, 53.
 — — — L. Sibth. Fl. gr. 896.
 — — — Rochel Ban. 32.
 — — — Millefolium L. Curt. Lond. 1, 78.
 — — — Engl. Bot. 11, 758.
 — — — var. Fl. dan. 5, 737. 11, 1937.
 — — — Sv. Bot. 74.
 † — — — Gaertn. Carp. 168.
 — — — Schk. Handb. 255.
 — — — Schrank Fl. monac. 1, 9.
 — — — Dietr. Fl. bor. 7, 504.
 — — — Dreves 1, 23.

- Achillea Millefolium* L. Hayne 9, 45.
 — — — Guimp. et Schl. 14.
 — — — Nees Düsseldorf. 245.
 — — — Wagner 63.
 — — — Woodv. Med. 1, 15.
 — — — var. Rochel Ban. 31.
 — — — Sturm Fl. 3, 10.
 — — — mongolica Fisch. Rchb. Ic. crit. 5, 469.
 — — — moschata Wulf. Jacq. Fl. austr. 1, 33.
 — — — Sturm Fl. 14, 59.
 — — — nana Wulf. All. Fl. ped. 3, 9.
 — — — L. Sturm Fl. 14, 59.
 — — — nobilis L. Schk. Handb. 255.
 — — — Rochel Ban. 32.
 — — — Dietr. Fl. bor. 11, 775.
 — — — ochroleuca W. et K. W. et Kit. 34.
 — — — odorata L. Jacq. Collect. 1, 21.
 — — — pectinata Willd. Winterl Index 18.
 — — — Ptarmica L. Curt. Lond. 1, 135.
 — — — Engl. Bot. 11, 757.
 — — — Fl. dan. 4, 643.
 — — — Sv. Bot. 207.
 — — — Hayne 9, 44.
 — — — Guimp. et Kl. 16.
 — — — Nees Düsseldorf. 246.
 — — — Sturm Fl. 3, 10.
 — — — Baxter Brit. Bot. 1, 36.
 — — — pubescens L. Sibth. Fl. gr. 895.
 — — — punctata Ten. Ten. Fl. nap. 83.
 — — — rosea Desf. Lodd. Cab. 1407.
 — — — Santolina L. Sibth. Fl. gr. 891.
 — — — serrata Sm. Engl. Bot. 36, 2531.
 — — — setacea W. et K. W. et Kit. 80.
 — — — Rochel Ban. 31.
 — — — Dietr. Fl. bor. 11, 776.
 — — — silvatica Ten. Ten. Fl. nap. 195.
 — — — speciosa Spr. Tratt. Arch. 194.
 — — — tanacetifolia All. Winterl Index 15.
 — — — Rochel Ban. 33.
 — — — tenuifolia Lam. Jacq. Ecl. pl. 4.
 — — — tomentosa L. Engl. Bot. 36, 2532.
 — — — Bot. Mag. 14, 498.
 — — — Sturm Fl. 14, 59.
 — — — valesiaca Sut. Rchb. Ic. crit. 3, 274.
 — — — vermicularis Trin. Pet. 6, 13.
Achimenes R. Br. (Var. hort.) Paxt. Mag. 15, 121.
 — — — argyrostigma Hook. Bot. Mag. 71, 4175.
 — — — Fl. d. serres 2, 36.
 — — — candida Ldl. Journ. Hort. Soc. 3, 317.
 — — — cupreata Hook. Bot. Mag. 73, 4312.
 — — — Fl. d. serres 3, 260.
 — — — Ghiesbreghtii Hort. Journ. Hort. Soc. 5, 194.
 — — — gloxiniaeflora Forkel. Fl. d. serres 4, 218.
 — — — grandiflora DC. Bot. Reg. 31, 11.
 — — — Bot. Mag. 69, 4012.
 — — — Paxt. Mag. 10, 145.
 — — — hirsuta Ldl. Bot. Reg. 29, 53.
 — — — Bot. Mag. 71, 4144.
 — — — Paxt. Mag. 12, 7.
 — — — Jaureguia Warsc. Fl. d. serres 5, 536.
 — — — ignescens Ch. Lem. Fl. d. serres 3, 248.
 — — — Klei Paxt. Paxt. Mag. 16, 289.
 — — — longiflora Benth. Bot. Reg. 28, 19.
 — — — Bot. Mag. 69, 3980.
 — — — Paxt. Mag. 9, 151.
 — — — Hort. Tr. 9, 14.
 — — — var. Fl. d. serres 5, 536.
 — — — Hart. Parad. 1, 1.
 — — — multiflora Gardn. Bot. Mag. 69, 3993.
 — — — Hook. Ic. pl. 468.
 — — — Paxt. Mag. 10, 223.
 — — — Fl. d. serres 1, 13.

- Achimenes ocellata* Hook. Bot. Mag. 74, 4359.
 — — — Fl. d. serres 4, 336.
 — — — *patens* Benth. Paxt. Mag. 13, 197.
 — — — Journ. Hort. Soc. 1, 7.
 — — — Fl. d. serres 3, 245.
 — — — *pedunculata* Benth. Bot. Reg. 28, 31.
 — — — Bot. Mag. 70, 4077.
 — — — Paxt. Mag. 10, 271.
 — — — *picta* Benth. Bot. Reg. 31, 42.
 — — — Bot. Mag. 70, 4126.
 — — — Hort. Tr. 10, 3.
 — — — Paxt. Mag. 12, 223.
 — — — Fl. d. serres 1, 16.
 — — — Hart. Parad. 1, 10.
 — — — *rosea* Ldl. Bot. Reg. 27, 63.
 — — — *rupestris* Gardn. Hook. Ic. pl. 480.
Achlys triphylla DC. Hook. Bor. Am. 12.
† *Achnodon Bellardi* Lk. Nees Gen. 1, 11.
Achras Caimito Rz. et P. Rz. et Pav. Fl. 240.
 — — — Kern. Hort. 246.
 — — — *costata* Endl. Endl. Ic. 83.
† — — — Schnizl. Ic. 158.
 — — — *Lucuma* Rz. et P. Rz. et Pav. Fl. 239.
 — — — *mammosa* L. Tuss. Ant. 3, 6.
 — — — Desc. Ant. 2, 104.
 — — — Kern. Hort. 139.
 — — — Dict. sc. nat. 62.
 — — — *retusa* Dennst. Rheede Hort. mal. 4, 46.
 — — — *Sapota* L. Tuss. Ant. 1, 5.
 — — — Desc. Ant. 4, 259.
† — — — Lam. Encycl. 255.
 — — — Bot. Mag. 58, 3111. 3112.
 — — — Dict. sc. nat. 61.
 — — — Schnizl. Ic. 158.
 — — — *sessilifolia* L. Desc. Ant. 5, 346.
 — — — *vitellina* Tuss. Tuss. Ant. 4, 19.
Achryson punctatum Webb. Webb. Can. 27.
Achyranthes argentea Lam. Sibth. Fl. gr. 244.
† — — — Lam. Encycl. 168.
† — — — Hensl. Jard. Ann. 1, 12.
 — — — *aspera* L. Rheede Hort. mal. 10, 78.
 — — — Rumpf Amb. 6, 12.
 — — — Jacq. Ecl. pl. 74.
† — — — Gaertn. Carp. 128.
 — — — Wight Ic. pl. Ind. 5, 1777.
 — — — *axillaris* Willd. Jacq. Fragm. 114.
 — — — *bidentata* Bl. Wight Ic. pl. Ind. 5, 1779.
 — — — *capituliflora* Colla. Colla Hort. Rip. 18.
 — — — *diandra* Roxb. Wight Ic. pl. Ind. 2, 722.
 — — — *ferruginea* Roxb. Wight Ic. pl. Ind. 2, 721.
 — — — *ficoidea* Lam. var. Dict. sc. nat. 193.
 — — — *halimifolia* Lam. Lam. Encycl. 168.
 — — — *lanata* L. Wight Ic. pl. Ind. 2, 723.
† — — — *lappacea* L. Gaertn. Carp. 128.
 — — — Wight Ic. pl. Ind. 2, 731.
 — — — *muricata* L. Wight Ic. pl. Ind. 2, 732.
 — — — *Monsoniana* Pers. Wight Ic. pl. Ind. 2, 725.
 — — — *porrigens* Jacq. Jacq. Schoenbr. 3, 350.
 — — — Bot. Mag. 21, 836.
 — — — Andr. Rep. 6, 380.
 — — — *prostrata* L. Rumpf Amb. 6, 11.
 — — — Wight Ic. pl. Ind. 2, 733.
 — — — *rubrofusca* R. W. Wight Ic. pl. Ind. 5, 1778.
 — — — *sanguinolenta* L. Rumpf Amb. Auct. 27.
 — — — fig. 2.
 — — — *scandens* Roxb. Wight Ic. pl. Ind. 2, 724.
 — — — *sericea* Koenig. Wight Ic. pl. Ind. 2, 726.
 — — — *triandra* Roxb. Wight Ic. pl. Ind. 2, 727.
Achyronia villosa Wendl. Wendl. Hort. herrenh. 12.
Achyropappus anthemoides H. B. K. H. B. K. Nov. Gen. 4, 390.
 — — — *schkuhrioides* Lk. Link Ic. II. 30.

- † *Achyrophorus radicata* Scop. Gaertn. Carp. 159.
Acianthus fornicatus R. Br. Hook. Journ. 1834, 134.
 — — — Endl. Ic. 16.
Acicarpa spathulata R. Br. Jacq. Ecl. pl. 130.
† — — — Rich. Mem. Mus. 6, 12.
 — — — *tribuloides* Juss. Ann. Mus. 2, 58.
 — — — Dict. sc. nat. 94.
† — — — Rich. Mem. Mus. 6, 11.
† *Acidoton* Sw. Swartz Fl. Ind. 18.
Acineta Barkeri Paxt. Paxt. Mag. 14, 145.
† *Acinos rotundifolius* Pers. Nees Gen. 6, 13^a.
 — — — *thymoides* Münch. Dietr. Fl. bor. 3, 213.
† — — — Nees Gen. 6, 13^a.
 — — — *vulgaris* Pers. Baxter Brit. Bot. 6, 479.
Acioa guianensis Aubl. Aubl. Guian. 280.
† *Aciphylla* Forst. Forst. Char. 69.
 — — — *squarrosa* Forst. Hook. Ic. pl. 607—608.
† *Acis grandiflora* Sweet. Herb. Amar. 30, 34.
 — — — *rosea* Sweet. Sweet Fl. G. 297.
† *Acladodea* Rz. et P. Rz. et Pav. Prodr. 29.
Aclisia indica Wight. Wight Ic. Ind. or. 6, 2068.
 — — — *scorzogonensis* E. M. Presl. Rel. 25.
† *Acmadenia Bartl.* Bartl. Diosm. 1.
† — — — *laevigata* Bartl. Mem. Mus. 12, 18.
† *Acnida cannabina* L. Gaertn. Carp. 126.
 — — — *rusocarpa* Michx. Michx. Fl. 50.
Acnistus cauliflorus Schott. Miers Illustr. 3.
† *coma dissecta* Benth. Benth. Sulphur 17.
Aconiopteris longifolia Fée. Fée Fil. 41.
 — — — *obtusata* Fée. Fée Fil. 40.
† — — — *subdiaphana* Presl. Hook. Gen. Fil. 79.
† *Aconitum* L. Lam. Encycl. 492. — Ser. Mus. helv. 15.
 — — — Rchb. Monogr. Ac. tab. A. — Rchb. Fl. germ. 4, 75—77. — Gray Gen. 16.
 — — — *acuminatum* Rchb. Rchb. Fl. germ. 4, 84.
 — — — *acutum* Rchb. Rchb. Monogr. Ac. 14.
 — — — Rchb. Fl. germ. 4, 94.
 — — — *altigaleatum* Hayne. Hayne 12, 16.
 — — — Br. u. Ratz. 40.
 — — — *ambiguum* Rchb. Rchb. Ill. Ac. 23.
 — — — *amoenum* Rchb. Rchb. Monogr. Ac. 14.
 — — — *angustifolium* Bernh. Rchb. Monogr. Ac. 15.
 — — — Rchb. Fl. germ. 4, 95.
 — — — *Anthora* L. Jacq. Fl. austr. 4, 382.
 — — — Bot. Mag. 53, 2654.
 — — — Hayne 12, 11.
 — — — Br. und Ratz. 38.
 — — — Rchb. Monogr. Ac. 1.
 — — — Rchb. Ill. Ac. 59, 60.
 — — — Rchb. Fl. germ. 4, 100.
 — — — Ser. Mus. helv. 16.
 — — — *anthoroideum* DC. Rchb. Monogr. Ac. 4.
 — — — Rchb. Ill. Ac. 61.
 — — — *autumnale* Clus. Rchb. Monogr. Ac. 17.
 — — — Rchb. Ill. Ac. 67.
 — — — Rchb. Fl. germ. 4, 88.
 — — — *barbatum* Patr. Sweet Fl. G. 164.
 — — — Rchb. Ill. Ac. 46.
 — — — Pers. Del. Ic. I, 64.
 — — — *Bernhardianum* Wallr. Wallr. Sched. 2.
 — — — Rchb. Fl. germ. 4, 91.
 — — — *biflorum* Fisch. Rchb. Monogr. Ac. 7.
 — — — Rchb. Ill. Ac. 49.
 — — — *callibotryon* Rchb. Rchb. Monogr. Ac. 16.
 — — — Rchb. Fl. germ. 4, 91.
 — — — *Caimmarum* L. Jacq. Fl. austr. 5, 424.
 — — — Hoffm. D. Fl. 1791, 8.
 — — — Hayne 12, 15.
 — — — Br. und Ratz. 39.
 — — — Wagner 162.
 — — — Jacq. Rchb. Ill. Ac. 7, 8, 39.
 — — — Rchb. Fl. germ. 4, 83.

- Aconitum cernuum* Wulf. Rchb. III. Ac. 33.
 — — — Rchb. Fl. germ. 4, 88.
 — *Chamissonianum* Rchb. Rchb. Monogr. Ac. 10.
 — — — Rchb. III. Ac. 43.
 — *chinense* Sieb. Bot. Mag. 67, 3852.
 — — — Paxt. Mag. 5, 3.
 — *ciliare* DC. Del. Ic. 1, 65.
 — *Clusianum* Rchb. Rchb. Monogr. Ac. 13.
 — *commutatum* Rchb. Rchb. Monogr. Ac. 18.
 — *compactum* Rchb. Rchb. III. Ac. 2.
 — *De Candollii* Rchb. Rchb. Monogr. Ac. 3.
 — *delphinifolium* DC. Rchb. Monogr. Ac. 9.
 — — — Rchb. III. Ac. 42.
 — *dissectum* Tausch. Rchb. III. Ac. 47.
 — *eminens* Koch. Rchb. Fl. germ. 4, 89.
 — *eulophum* Rchb. Rchb. Monogr. Ac. 5.
 — *eustachyum* Rchb. Rchb. Monogr. Ac. 15.
 — *exaltatum* Bernh. Rchb. III. Ac. 72.
 — — — Rchb. Fl. germ. 4, 86.
 — *excelsum* Rchb. Rchb. III. Ac. 53.
 — *ferox* Wall. Wall. Pl. as. rar. 41.
 — *Fischeri* Rchb. Rchb. III. Ac. 22.
 — *flaccidum* Rchb. Rchb. III. Ac. 28.
 — *formosum* Rchb. Rchb. Monogr. Ac. 18.
 — — — Rchb. III. Ac. 64.
 — — — Rchb. Fl. germ. 4, 96.
 — *Funkianum* Rchb. Rchb. III. Ac. 66.
 — *gibbiferum* Rchb. Rchb. III. Ac. 19.
 — *Gmelini* Rchb. Rchb. III. Ac. 46.
 — *heterophyllum* Wall. Royle III. 13.
 — *hians* Rchb. Rchb. Monogr. Ac. 18.
 — — — Rchb. Fl. germ. 4, 96.
 — *Hoppeanum* Rchb. Rchb. Monogr. Ac. 15.
 — — — Rchb. III. Ac. 65.
 — — — Rchb. Fl. germ. 4, 94.
 — *Jacquini* Rchb. Rchb. Monogr. Ac. 2.
 — *japonicum* Thunb. Rchb. III. Ac. 36.
 — *intermedium* β . versicolor Savi Fl. ital. 3, 106.
 — *Kamtschaticum* Willd. Rchb. III. Ac. 15, 16.
 — *Koehleri* Rchb. Rchb. Fl. germ. 4, 98.
 — *Koelleanum* Rchb. Koelle Acon. 6.
 — — — Rchb. Monogr. Ac. 11, 12, 14.
 — — — Rchb. III. Ac. 62.
 — — — Rchb. Fl. germ. 4, 99.
 — *Kusnezoffii* Rchb. III. Ac. 21.
 — *laetum* Rchb. Rchb. Monogr. Ac. 13.
 — — — Rchb. Fl. germ. 4, 97.
 — *Lamarckii* Rchb. Rchb. III. Ac. 55.
 — *lasioctomum* Rchb. Rchb. III. Ac. 49.
 — *laxum* Rchb. Rchb. Fl. germ. 4, 93.
 — *leptanthum* Rchb. Rchb. III. Ac. 64.
 — *Lobelianum* Rchb. Rchb. III. Ac. 3.
 — *Lubarskyi* Rchb. Rchb. III. Ac. 20.
 † *lycoctonum* L. Gaertn. Carp. 65.
 — — — Jacq. Fl. austr. 4, 380.
 — — — Schrank Fl. mon. 1, 6.
 — — — Fl. dan. 1, 123.
 — — — Sv. Bot. 654.
 — — — Br. u. Ratz. 38.
 — — — Rchb. III. Ac. 52.
 — *maximum* Pall. Rchb. III. Ac. 17.
 — *molle* Rchb. Rchb. III. Ac. 31.
 — — — Rchb. Fl. germ. 4, 84.
 — *multifidum* Koch. Rchb. III. Ac. 70.
 — — — Rchb. Fl. germ. 4, 90.
 — *myoetomum* Rchb. Rchb. III. Ac. 51.
 — — — Rchb. Fl. germ. 4, 79.
 — *Napellus* L. Jacq. Fl. austr. 5, 381.
 — — — Schk. Handb. 145.
 — — — Engl. Bot. 2730.
 — — — Sv. Bot. 46.
 — — — Rchb. III. Ac. 1 — 4.

- Aconitum Napellus* L. Rchb. Fl. germ. 4, 92.
 — — — Sturm Fl. 2, 6.
 — — — Wagner 161.
 — — — Nees Düsseld. 393.
 — — — Woodv. Med. 3, 165.
 — — — Baxter Brit. Bot. 2, 87.
 — — — Linnaea 7, 7.
 — *nasutum* Fisch. Rchb. III. Ac. 9, 10.
 — *nemorosum* MB. Rchb. Monogr. Ac. 6.
 — *neomontanum* Koelle. Fl. dan. 10, 1698.
 — — — Willd. Guimp. et Schl. 189.
 — — — Wagner 163.
 — *neubergense* DC. Lodd. Cab. 1410.
 — — — Nees Düss. Suppl. 95.
 — — — Rchb. III. Ac. 69.
 — — — Rchb. Fl. germ. 4, 88.
 — *ochotense* Rchb. Rchb. III. Ac. 18.
 — *ochranthum* Led. Ledeb. Ic. 406.
 — *ochroleucum* L. Marsch. Cent. 12.
 — — — Willd. Bot. Mag. 52, 2570.
 — *orientale* Mill. Rchb. III. Ac. 29.
 — *Pallasii* Rchb. Rchb. Monogr. Ac. 6.
 — — — Rchb. III. Ac. 60.
 — *pallidum* Rchb. Rchb. III. Ac. 50.
 — *palmatifidum* Rchb. Rchb. Fl. germ. 4, 86.
 — *paniculatum* Lam. Lodd. Cab. 810.
 — — — Herb. amat. 5, 327.
 — — — Rchb. III. Ac. 32.
 — — — Rchb. Fl. germ. 4, 84.
 — *paradoxum* Rchb. Rchb. Monogr. Ac. 10.
 — *plicatum* Koehl. Rchb. Fl. germ. 4, 98.
 — *productum* Rchb. Rchb. Monogr. Ac. 7.
 — — — Rchb. III. Ac. 38.
 — *pubescens* Moench. Rchb. Fl. germ. 4, 91.
 — *pyramide* Mill. Rchb. III. Ac. 68.
 — — — Rchb. Fl. germ. 4, 89.
 — *pyrenaicum* L. Rchb. III. Ac. 48.
 — — — Rchb. Fl. germ. 4, 78.
 — *ranunculifolium* Rchb. Rchb. Fl. germ. 4, 81.
 — *rigidum* Rchb. Rchb. Fl. germ. 4, 97.
 — *rostratum* Bernh. Lodd. Cab. 203.
 — — — Rchb. III. Ac. 11, 30.
 — — — Rchb. Fl. germ. 4, 82.
 — *Schleicheri* Rchb. Rchb. III. Ac. 1.
 — *semigaleatum* Pall. Rchb. Monogr. Ac. 8.
 — — — Rchb. III. Ac. 41.
 — *septentrionale* Koelle. var. Bot. Mag. 48, 2196.
 — *speciosum* Otto. Rchb. Fl. germ. 4, 87.
 — *Stoerkianum* Rchb. Nees Düss. Suppl. 96.
 — — — Lodd. Cab. 1991.
 — — — Rchb. III. Ac. 71.
 — — — Rchb. Fl. germ. 4, 86.
 — *strictum* Bernh. Rchb. Monogr. Ac. 17.
 — — — Rchb. Fl. germ. 4, 96.
 — *taureicum* Rchb. Rchb. Monogr. Ac. 12.
 — *tauricum* Wulf. Jacq. Ic. 492.
 — — — Nees Düsseld. 394.
 — — — Rchb. III. Ac. 63.
 — — — Rchb. Fl. germ. 4, 99.
 — *thelyphonum* Rchb. Rchb. III. Ac. 54.
 — — — Rchb. Fl. germ. 4, 79.
 — *tortuosum* Willd. Rchb. III. Ac. 24.
 — *toxicum* Rchb. Rchb. III. Ac. 37.
 — — — Rchb. Fl. germ. 4, 84.
 — *uncinatum* L. Bot. Mag. 28, 1119.
 — — — Rchb. III. Ac. 35, 36.
 — — — Gray Gen. 16.
 — *variabile* Napellus Hayne. Hayne 12, 12.
 — — — Br. u. Ratz. 42.
 — *neubergense* Hayne. Hayne 12, 14.
 — — — Br. u. Ratz. 41.
 — *tauricum* Hayne. Hayne 12, 13.

- Aconitum variabile tauricum* Hayne. Br. u. Ratz. 40.
 — *variegatum* L. Rchb. Ill. Ac. 34.
 — — — Rchb. Fl. germ. 4, 82.
 — *versicolor* Rchb. Lodd. Cab. 794.
 — *villosum* Rchb. Rchb. Ill. Ac. 26. 27.
 — *virgatum* Rchb. Rchb. Fl. germ. 4, 87.
 — *volubile* Pall. Jacq. Fragm. 123.
 — — — Rchb. Ill. Ac. 25.
 — *vulgare* DC. Nees Düss. Suppl. 93. 94.
 — *Vulparia* Rchb. Ill. Ac. 56. 57. 58.
 — — — Rchb. Fl. germ. 4, 80.
 † *Acorus* L. Gaertn. Carp. 84. — Leers Fl. herb. 13. —
 Lamarck Encycl. 252. — Kerner Gen. 153.
 — *Calamus* L. Rumpf Amb. 5, 72.
 — — — Rheede Hort. mal. 11, 48.
 — — — Fl. dan. 7, 1158.
 — — — Engl. Bot. 5, 356.
 — — — Sv. Bot. 100.
 — — — Schk. Handb. 97.
 — — — Hayne 6, 31.
 — — — Guimp. et Schl. 168.
 — — — Nees Düsseld. 24.
 — — — Wagner 82.
 — — — Bart. Med. 30.
 — — — Woodv. Med. 4, 248.
 — — — Baxter Brit. Bot. 5, 330.
 — — — Dietr. Fl. bor. 12, 830.
 † — — — Nees Gen. 3, x.
 — — — Rchb. Fl. germ. 10, 429.
 — *gramineus* Ait. Sm. Spic. 17.
 † — — — L. Guill. Arch. 1, 3.
 † — — — Nees Gen. 3, x.
 † *Acosta* Rz. et P. Rz. et Pav. Prodr. 1.
 — *aculeata* Rz. et P. Rz. et Pav. Fl. 6.
Acourosa violacea Aubl. Aubl. Guian. 301.
Acourtia hebeclada DC. Del. Ic. 4, 95.
Acratherum pumilum Hochst. Rich. Abyss. 100.
 † *Acridocarpus Cavanillesii* Juss. Arch. Mus. 3, 15.
 — *corymbosus* Hook. fil. Hook. Niger Fl. 24.
 — — — Hook. Ic. pl. 774.
 † — *excelsus* Juss. Arch. Mus. 3, 15.
 — *plagiopterus* Guill. Guill. Sen. 29.
 — — — Arch. Mus. 3, 15.
 † — *Smeathmanni* Guill. Arch. Mus. 3, 15.
 † — *zanzibaricus* Juss. Arch. Mus. 3, 15.
Acriopsis indica Wight. Wight Ic. pl. Ind. 5, 1748.
Acrocarpidium numulariaefolium Miq. Miq. Pl. surin.
 Focke 2.
 — *repens* Miq. Miq. Ill. Pip. 3.
 — *Sellovianum* Miq. Miq. Ill. Pip. 3.
Acrocarpus fraxinifolius Arn. Wight Ic. pl. Ind. 1, 254.
 — *mimarum* N. v. E. Endl. Bras. 3, 16.
 — *polyphyllus* N. v. E. Endl. Bras. 3, 17.
Acrocephalus capitatus Benth. Hook. Ic. pl. 456.
Acrocomia mexicana Mart. Mart. Palm. 138.
 — *sclerocarpa* Mart. Mart. Palm. 56. 57.
 † — *Totai* Mart. D'Orb. Voyage 29.
Acrolasia bartonioides Presl. Presl Rel. 55.
 † *Acrolepis trichodes* Schrad. Comm. Gott. rec. 7, 2.
Acronia phalangifera Presl. Presl Symb. 57.
 † *Acronychia* Forst. Forst. Char. 27.
 — *Baueri* Schott. Schott Rutaceae 3.
 — *Cunninghami* Hook. Bot. Mag. 69, 3994.
 — *Endlicheri* Schott. Schott Rutaceae 2.
Acropera Loddigesii Ldl. Bot. Mag. 64, 3563.
 — — — Mem. Gen. 11, 2.
Acrophyllum venosum Benth. Maund Bot. 2, 95.
 — *verticillatum* Hook. Bot. Mag. 70, 4050.
 † *Acropteris australis* Fée. Fée Fil. 5, 6.
 † — *septentrionalis* Lk. Fée Fil. 5, 6.
Acroptilon Picris DC. var. Jaub. Illustr. 10—11.
Acrostichum acrocarpum Mart. Mart. Crypt. bras. 23.

- Acrostichum aculeatum* Desv. Desv. Journ. 3, 10.
 — *affine* M. et G. Acad. Brux. 15, 3.
 — *alatum* Fée. Fée Fil. 5.
 — *albidulum* Sw. Sw. Syn. Fil. 1.
 — *alcicorne* Sw. Schk. Fil. 2.
 — — — Dict. sc. nat. 82.
 — — — R. Br. Bot. Reg. 3, 262. 263.
 — *alismaefolium* Fée. Fée Fil. 3.
 — *alpestre* Gardn. Field. Sert. 25.
 — *andicola* Fée. Fée Fil. 2.
 — *angulatum* Bl. Bl. Jav. 6, 8.
 — *angustatum* Schrad. Schlichtd. Fil. 5.
 — *apodum* Kaulf. Hook. Ic. Fil. 99.
 — *appendiculatum* Willd. Hook. Ex. Fl. 108.
 — *asplenifolium* Bory. Bel. Ind. or. 3.
 — *Aubertii* Desv. Fée Fil. 18.
 — *aureum* L. Schk. Fil. 1. 1^b.
 † — — — Hook. Gen. Fil. 81.
 — *australe* Vahl. Vahl Symb. 25.
 — *Bellermannianum* Klotzsch. Kze. Fil. 115.
 — *bifurcatum* Cav. Schk. Fil. 2.
 — — — Bot. Reg. 3, 262. 263.
 — *blepharodes* Fée. Fée Fil. 24.
 — *Boryanum* Fée. Fée Fil. 1.
 — *brachyneuron* Fée. Fée Fil. 22.
 — *Breutelianum* Kze. Kze. Fil. 102.
 — *buxifolium* Kze. Kze. Fil. 72.
 — *callaefolium* Bl. Bl. Jav. 6, 4.
 — *calomelanos* L. Schk. Fil. 5.
 — — — Willd. Hort. 41.
 — — — Langsd. et F. 3.
 — *cardiophyllum* Hook. Hook. Ic. pl. 715.
 — *caudatum* Hook. Hook. Ic. pl. 215.
 — *cochleatum* Fée. Fée Fil. 16.
 — *conforme* Sw. Sw. Syn. Fil. 1.
 — — — Bl. Jav. 6, 8.
 — *crinitum* L. Hook. Ic. Fil. 1.
 — *cuspidatum* Willd. Fée Fil. 14.
 — *danaeae* F. et F. Langsd. et F. 1.
 — *decoratum* Kze. Kze. Anal. 6.
 — — — Fée Fil. 22.
 — *decurrens* Bl. Bl. Jav. 6, 10.
 — *didynamum* Fée. Fée Fil. 16.
 — *dimorphum* H. et Gr. Hook. et Grev. Ic. Fil. 145.
 — *diversifolium* Bl. Bl. Jav. 6, 12.
 — *Dombeyanum* Fée. Fée Fil. 17.
 — *elegans* Vahl. Vahl Symb. 50.
 — *ellipticum* Fée. Fée Fil. 4.
 — *falcatum* Fée. Fée Fil. 21.
 — *Feei* Bory. Fée Fil. 18.
 — *fiabellatum* H. B. K. H. B. K. Nov. Gen. 7, 662.
 — — — Hook. Ic. pl. 96.
 — *flaccidum* Fée. Fée Fil. 7.
 — *flagelliferum* Wall. Rheede Hort. mal. 12, 19.
 — — — Hook. Ic. Fil. 23.
 — — — Bl. Jav. 6, 13.
 — *foeniculaceum* H. et Gr. Hook. et Grev. Ic. Fil. 119.
 — *fulvum* M. et G. Acad. Brux. 15, 3.
 — *Funckii* Fée. Fée Fil. 6.
 — *Gardnerianum* Kze. Fée Fil. 15.
 — *Gayanum* Fée. Fée Fil. 19.
 — *glandulosum* Carm. Hook. Ic. Fil. 3.
 — *gorgoneum* Bl. Bl. Jav. 6, 8.
 — *Hartwegii* Fée. Fée Fil. 9.
 — *hastatum* Thunb. Thunb. Fl. jap. 34.
 — *Herminieri* Bory. Fée Fil. 11.
 — *heteroclitum* Presl. Presl Rel. 2.
 — *heterolepis* Fée. Fée Fil. 15.
 — *heterophyllum* L. Raddi Fil. 17.
 — *horridulum* Kaulf. Fée Fil. 14.
 — *Huacsaro* Bert. Bert. Amoen. it. 2.
 — — — Opusc. sc. Bon. 1, 8.

- Acrostichum hybridum* Bory. Hook. Ic. Fil. 21.
 — — — Fée Fil. 9.
 — *Jamesoni* H. et Gr. Hook. et Grev. Ic. Fil. 86.
 — — — Fée Fil. 14.
 — *ilvense* L. Fl. dan. 3, 91.
 — *impressum* Fée. Fée Fil. 5.
 — *inaequale* Bl. Bl. Jav. 6, 16.
 — *laminarioides* Bory. Fée Fil. 12.
 — *Langsdorffi* Mart. Mart. Crypt. bras. 21.
 — — — Hook. et Grev. Ic. Fil. 164.
 — *lanuginosum* Desf. Desf. Fl. 256.
 — — — Willd. Farnk. 3.
 — — — Schk. Fil. 1.
 — *laurifolium* Aub. Th. Fée Fil. 7.
 — *Lepervanchii* Bory. Fée Fil. 9.
 — *lepidopteris* L. et F. Langsd. et F. 2.
 — *leptophyllum* Fée. Fée Fil. 17.
 — *Lindenii* Bory. Fée Fil. 18.
 — *lineare* Fée. Fée Fil. 15.
 — *Lingua* Thunb. Thunb. Fl. jap. 33.
 — — — Schk. Fil. 1.
 — — — Raddi Fil. 15.
 — *lloense* Hook. Hook. Ic. pl. 657.
 — *lomarioides* Bory. B&L Ind. or. 2.
 — *lonchophorum* Kze. Kze Fil. 2.
 — *luridum* Fée. Fée Fil. 19.
 — *macropodium* Fée. Fée Fil. 6.
 — *Marantae* L. Schk. Fil. 4.
 — — — Sturm Flora II. 2, 2.
 — — — Sibth. Fl. gr. 964.
 — *marginatum* L. Schk. Fil. 3^b.
 — *martinicense* Desv. Fée Fil. 16.
 — *Mathewsii* Fée. Fée Fil. 2.
 — *melanostycton* Bl. Bl. Jav. 6, 7.
 — *micradenium* Fée. Fée Fil. 8.
 — *minutum* Pohl. Fée Fil. 10.
 — *moscosum* Sw. Fée Fil. 20.
 — *notatum* Fée. Fée Fil. 10.
 — *nummularifolium* Sw. Sw. Syn. Fil. 2.
 — — — Bl. Jav. 6, 11.
 — *obliquum* Bl. Bl. Jav. 6, 9.
 — *obovatum* Bl. Bl. Jav. 6, 11.
 — *obtusatum* Carm. Hook. Ic. Fil. 22.
 — *Orbignyanum* Fée. Fée Fil. 13.
 — *ovatum* H. et Gr. Hook. et Grev. Ic. Fil. 146.
 — — — Fée Fil. 14.
 — *paleaceum* H. et Gr. Hook. et Grev. Ic. Fil. 235.
 — *peltatum* Schk. Schk. Fil. 12.
 — *perelegans* Fée. Fée Fil. 23.
 — *petiolosum* Desv. Fée Fil. 14.
 — *piloselloides* Presl. Presl Rel. 2.
 — — — Fée Fil. 14.
 — *pilosum* H. B. K. H. B. K. Nov. Gen. 7, 661.
 — *platyneuron* L. Fée Fil. 4.
 — *polypodioides* Aub. Aub. Th. Mel. 2.
 — *Preslianum* Fée. Fée Fil. 24.
 — *proliferum* Hook. Hook. Ic. pl. 681—682.
 — *pumilum* M. et G. Acad. Brux. 15, 2.
 — *quercifolium* Schk. Schk. Fil. 3.
 — *quoyanum* Gaud. Freycinet Voyage 3.
 † *rabdolepia* Fée. Fée Fil. 5, 1.
 — *Raddianum* H. et Gr. Hook. et Grev. Ic. Fil. 4.
 — *ramosissimum* Fée. Fée Fil. 22.
 — *repandum* Bl. Bl. Jav. 6, 14, 15.
 — *Requienianum* Gaud. Freycinet Voyage 4.
 — *Richardi* Fée. Fée Fil. 16.
 — *rubiginosum* Fée. Fée Fil. 8, 13.
 † *ruta muraria* Lam. Lam. Encycl. 865.
 — *scandens* Raddi. Raddi Fil. 18.
 — *scapellum* Mart. Fée Fil. 10.
 — *Schomburgkii* Fée. Fée Fil. 8.
 — *scolopendrifolium* Raddi. Raddi Fil. 16.

- Acrostichum septentrionale* L. Lam. Encycl. 865.
 — — — Fl. dan. 1, 60.
 — *serratum* Lam. Lam. Encycl. 865.
 — *Sieberi* H. et Gr. Hook. et Grev. Ic. Fil. 237.
 — *siliquosum* L. Rumpf Amb. 6, 74.
 — *simplex* Sw. Lodd. Cab. 709.
 — *spathulatum* Bory. Bory des d'Afr. 20.
 — — — Fée Fil. 14.
 — *spathulinum* Raddi. Raddi Fil. 15.
 — *speciosum* Bl. Bl. Jav. 6, 17.
 — *sphenophyllum* Kze. Kze Anal. 7.
 — *spicatum* L. Sm. Ic. Linn. 49.
 — *splendens* Bory. Fée Fil. 21.
 — *squamipes* Hook. Hook. Ic. pl. 197.
 — — — Fée Fil. 22.
 — *squamosum* Schk. Schk. Fil. 1^b.
 — *Stemaria* Pal. Pal. Fl. d'Ow. 2.
 — — — Bot. Reg. 3, 262, 263.
 — *stigmatolepis* Fée. Fée Fil. 24.
 — *stipitatum* Fée. Fée Fil. 4.
 — *strictum* Raddi. Raddi Fil. 15.
 — — — Mart. Crypt. Bras. 22.
 — *subcrenatum* H. et Gr. Hook. et Grev. Ic. Fil. 110.
 — *subdiaphanum* H. et Gr. Hook. et Grev. Ic. Fil. 205.
 — *succisaefolium* Aub. Th. Hook. Ic. Fil. 2.
 — *sulphureum* Schk. Schk. Fil. 4.
 — *tambillense* Hook. Hook. Ic. pl. 656.
 — *thalictroides* L. Linn. Fl. zeyl. 4.
 † *Thelypteris* L. Hedw. Theor. 6.
 — *trifoliatum* L. Schk. Fil. 3, 22.
 — *tripartitum* H. et Gr. Hook. et Grev. Ic. Fil. 118.
 — *vellemum* Hort. Kew. Sibth. Fl. gr. 965.
 — *villosum* Sw. Lam. Encycl. 865.
 — — — Hook. Ic. Fil. 95.
 — — — Fée Fil. 20.
 — *virens* Wall. Hook. Ic. Fil. 221.
 — *viscosum* Sw. Hook. Ic. Fil. 61.
 — *Webbii* Bory. Fée Fil. 24.
 — *yapurense* Mart. Mart. Crypt. bras. 24.
Acrotaphros bibracteata Hochst. Rich. Abyss. 38.
Acrotrema Arnottianum Wight. Wight Ill. 3.
 — *uniflorum* Hook. Hook. Ic. pl. 157.
Acrotriche depressa R. Br. Mem. Gen. 9, 1.
 — *ovalifolia* R. Br. Bot. Mag. 59, 3171.
 — — — Lodd. Cab. 1930.
 † *Actaea* L. Gaertn. Carp. 114. — Lam. Encycl. 448. — Gray Gen. 19.
 — *podocarpa* DC. Del. Ic. 1, 66.
 — *racemosa* L. Schk. Handb. 139.
 — — — Nees Düssel. 396.
 — *rubra* Willd. Gray Gen. 19.
 — *spicata* L. Fl. dan. 3, 498.
 — — — Engl. Bot. 13, 918.
 — — — Baxter Brit. Bot. 3, 218.
 — — — Sv. Bot. 291.
 — — — Schrank Fl. monac. 1, 64.
 — — — Dreves 5, 134.
 — — — Hayne 1, 14.
 — — — Nees Düssel. Suppl. 17, 18, 48.
 — — — Dietr. Fl. bor. 6, 407.
 — — — Sturm Fl. 6, 21.
 — — — Rchb. Fl. germ. 4, 121.
Actephila neilgherrensis R. W. Wight Ic. pl. Ind. 1910.
Actinea chrysanthemoides H. B. K. H. B. K. Nov. Gen. 4, 411.
 — *heterophylla* Juss. Ann. Mus. 2, 61.
 — *integrifolia* H. B. K. H. B. K. Nov. Gen. 4, 410.
Actinella lanata Pursh. Bot. Reg. 14, 1167.
Actinocarpus Damasonium Curt. Curt. Lond. 1, 125.
 — — — Baxter Brit. Bot. 6, 437.
Actinodaphne angustifolia N. v. E. Wight Ic. pl. Ind. 5, 1841.

- Actinodaphne melochina* *N. v. E.* Wight Ic. pl. Ind. 5, 1843.
 — *speciosa* *N. v. E.* Wight Ic. pl. Ind. 5, 1843.
 † *Actinodium Cunninghamii* *Schauer.* Acta Leop. 19. S. II. 1.
Actinolema eryngioides *Fz.* Russegger Reise 12.
Actinolepis multicaulis *DC.* Hook. Ic. pl. 325.
Actinophora fragrans *Wall.* Bennett Jav. 46.
 † *Actinophyllum* *Rz. et P.* Rz. et Pav. Prodr. 8.
 — *acuminatum* *Rz. et P.* Rz. et Pav. Fl. 310.
 — *angulatum* *Rz. et P.* Rz. et Pav. Fl. 307.
 — *conicum* *Rz. et P.* Rz. et Pav. Fl. 309.
 — *pedicellatum* *Rz. et P.* Rz. et Pav. Fl. 308.
 — *pentandrum* *Rz. et P.* Rz. et Pav. Fl. 311.
 † *Actinostachys pennula* *Hook.* Hook. Gen. Fil. 111.
 † *Actinostemon* *Mart.* Wiegmann Archiv 7, 8.
Actinotus Helianthi *Lab.* Bill. Nov. Holl. 92.
 † — — — *Lam. Encycl.* 934.
 — — — *Bot. Reg.* 8, 654.
 — — — *Tratt. Thes.* 73.
 — — — *Tratt. Arch.* 216.
 — *leucocephalus* *Benth.* Hook. Ic. pl. 9, 847.
 — *minor* *Tratt.* Tratt. Arch. 216.
 † *Acunna* *Rz. et P.* Rz. et Pav. Prodr. 12.
Adamia cyanea *Wall.* Wallich Tentamen 36. — *Wall.*
Pl. asiat. rar. 213.
 — — — *Bot. Mag.* 58, 3046.
 — *versicolor* *Fortune.* Paxt. Mag. 16, 322.
 — — — *Paxt. Fl. G.* 5.
 † *Adansonia Baobab* *Gaertn.* Gaertn. Carp. 135.
 † — *digitata* *L.* Cav. Diss. 157.
 † — — — *Lam. Encycl.* 588.
 — — — *Tuss. Ant.* 3, 33. 34.
 — — — *Desc. Ant.* 4, 291.
 — — — *Bot. Mag.* 55, 2791. 2792.
 — — — *Rchb. Exot.* 350. 350^a.
Adelia acuminata *Michx.* Michx. Fl. 48.
 — *cassinoides* *Michx.* Lam. Encycl. 831.
 — *nerifolia* *Roxb.* Wight Ic. Ind. or. 5, 1868.
 — *retusa* *Grah.* Wight Ic. Ind. or. 5, 1869.
 † *Adenandra Willd.* Bartling Diosm. 1.
 — *amoena* *Bartl.* Bot. Reg. 7, 553.
 † — *umbellata* *Willd.* Mem. Mus. 12, 19.
Adenanthera circinata *DC.* Rumpf Amb. 3, 112.
 — *falcata* *L.* Rumpf Amb. 3, 111.
 — *pavonina* *L.* Rheede Hort. mal. 6, 14.
 — — — *Rumpf Amb.* 3, 109.
 — — — *Jacq. Collect.* 4, 23.
 † — — — *Jacq. Fragm.* 2.
 † — — — *Gaertn. Carp.* 149.
 † — — — *Lam. Encycl.* 334.
 — — — *Wight Illustr.* 80.
Adenanthus cuneata *Lab.* Bill. Nov. Holl. 36.
 † — — — *Lam. Encycl.* 913.
 — *obovata* *Lab.* Bill. nov. Holl. 37.
 † — — — *Lam. Encycl.* 913.
 — *sericea* *Lab.* Bill. Nov. Holl. 38.
 • † — — — *Lam. Encycl.* 913.
 — *terminalis* *R. Br.* Endl. Ic. 110.
Adenaria floribunda *H. B. K.* H. B. K. Nov. Gen. 6, 549.
 — *parvifolia* *Hook.* Hook. Ic. pl. 116.
Adenema hyssopifolium *G. Don.* Wight Ic. pl. Ind. 2, 600.
Adenia pumila *Torr.* Torr. New York 122.
Adenium Honghel *DC.* Bot. Reg. 32, 54.
 — *multiflorum* *Klotzsch.* Peters Mossamb. 44.
Adenobasium obtusifolium *Moric.* Moric. Fl. Am. 55.
 — *salicifolium* *Presl.* Presl. Symb. 27.
Adenocalymma comosum *DC.* Bot. Mag. 72, 4210.
 — *nitidum* *Mart.* Paxt. Fl. G. 2.
Adenocarpus Boissieri *Webb.* Webb Otia 4.
 — *decorticans* *Boiss.* Boiss. Esp. 41.
 — *foliosus* *H. Kew.* Webb Can. 50^a.
 — *frankenioides* *Choisy.* Webb. Can. 50.
 — *telonensis* *DC.* Boiss. Esp. 42.

- Adenocaulon bicolor* *Hook.* Hook. Bot. Misc. 15.
Adenochilus gracilis *Hook. fil.* Hook. New. Zeal. 56.
Adenogramma Mollugo *Rchb.* Rchb. Hort. 109.
 † *Adenogyne Klotzsch.* Wiegmann Archiv 7, 8.
Adenolinum alpinum *Rchb.* Rchb. Fl. germ. 6, 335.
 — *austriacum* *Rchb.* Rchb. Fl. germ. 6, 338. 339.
 — *Leonii* *Rchb.* Rchb. Fl. germ. 6, 336.
 — *montanum* *Schl.* Rchb. Fl. germ. 6, 335.
 — *perenne* *Rchb.* Fl. germ. 6, 336.
 — *squamulosum* *Rchb.* Rchb. Fl. germ. 6, 337.
 — *Tommasinii* *Rchb.* Rchb. Fl. germ. 6, 337.
 † *Adenophora coronata* *DC.* DC. Campan. 1.
 — — — *Bot. Reg.* 2, 149.
 — *coronopifolia* *Fisch.* Sweet Fl. G. 104.
 — — — *Rchb. Hort.* 23.
 — *denticulata* *Fisch.* Sweet Fl. G. 116.
 — — — *Rchb. Hort.* 2.
 — *intermedia* *Don.* Sweet Fl. G. II, 108.
 — *liliflora* *DC.* Bot. Reg. 3, 236.
 † — *lilifolia* *DC.* DC. Campan. 1.
 — *marsupiflora* *Fisch.* Rchb. Hort. 15.
 — *sinensis* *DC.* DC. Campan. 6.
 — *stylosa* *Fisch.* Rchb. Hort. 45.
 — *suaveolens* *Fisch.* Rchb. Hort. 32.
 — *verticillata* *Fisch.* Sweet Fl. G. II, 159.
 — — — *Lem. Jard. fl.* 3, 280.
Adenophorus bipinnatus *Gaudch.* Freycinet 8.
 — — — *Hook. Ic. Fil.* 174.
 † — — — *Fée Fil.* 5, 10.
 — *hymenophylloides* *H. et Gr.* Hook. et G. Ic. Fil. 176.
 — *minutus* *Gaudch.* Freycinet 8.
 — *Tamarisci* *H. et Gr.* Hook. et G. Ic. Fil. 175.
 — *tripinnatifidus* *Gaudch.* Freycinet 8.
Adenoropium ellipticum *Pohl.* Pohl Brasil. 9.
Adenosma balsamea *Spr.* Wight Ic. pl. Ind. 2, 446.
 — *verticillata* *N. v. E.* Wight Ic. pl. Ind. 4, 1824.
 † *Adenostemma Forst.* Forst. Char. 45.
 — *brasilianum* *Cass.* Hook. Ic. pl. 338.
 — *latifolium* *DC.* Wight Ic. pl. Ind. 3, 1087.
 — *nitidum* *Pers.* Gay Chile 60.
 — *reticulatum* *DC.* Wight Ic. Ind. or. 3, 1088.
 — *rugosum* *DC.* Deless. Ic. 4, 10.
 — *triangulare* *Hook.* Hook. Ic. pl. 239.
Adenostoma fasciculata *Hook.* Hook. Beech. 30.
Adenostyles albifrons *L.* Sturm Flora 10, 37.
 † — — — *Rchb. Nees Gen.* X, x.
 — *alpina* *Bl. et F.* Sturm Flora 10, 37.
 † *Adenostylis integerrima* *Bl.* Blume Orch. 17.
 † *Adenothola bicolor* *Van Houtte* Hort. 5.
Adenotricha phrygia *Jaub.* Jaub. Illustr. 39.
Adenotrichia amplexicaulis *Ldl.* Bot. Reg. 14, 1190.
Adesmia balsamica *Colla.* Mem. Tur. 37, 10.
 — *bracteata* *Hook.* Hook. Bot. Misc. 104.
 — *dentata* *DC.* DC. Legum. 49.
 — *Echinus* *Presl.* Presl. Symb. 61.
 — *genistoides* *Presl.* Presl. Symb. 63.
 — *hispidula* *DC.* DC. Legum. 48.
 — *longiseta* *DC.* DC. Legum. 50.
 — *Loudonia* *Hook.* Bot. Reg. 20, 1720.
 — *microphylla* *Hook.* Hook. Beech. 9.
 — — — *Lodd. Cab.* 1692.
 — *pendula* *DC.* Sweet Fl. G. II, 322.
 — *phylloidea* *Clos.* Gay Chile 18.
 — *tomentosa* *Vogel.* Acta Leop. 19. Suppl. 2.
 — *trifoliata* *Hook.* Bot. Misc. 105.
 — *ulicina* *Presl.* Presl. Symb. 62.
 — *uspalatensis* *Gill.* Sweet Fl. G. II, 222.
 — *viscosa* *Gill.* Sweet Fl. G. II, 230.
Adhadota cydoniaefolia *N. v. E.* Endl. Bras. 7, 25.
 — *neilgherria* *N. v. E.* Wight Ic. Ind. 4, 1544.
 — *wynaudensis* *N. v. E.* Wight Ic. Ind. 4, 1545.
Adiantum aethiopicum *Thunb.* Rumpf Amb. 6, 34.

- Adiantum aethiopicum* L. Hook. Sp. Fil. 77.
 — *alarconianum* Gauchd. Gauchd. Bonite 99.
 — *amoenum* Wall. Hook. Ic. Fil. 103.
 — *asarifolium* Willd. Hook. Sp. Fil. 71.
 — *assimile* Sw. Sw. Syn. Fil. 3.
 — *borbonicum* Jacq. Jacq. Collect. 3, 21.
 — *brasiliense* Raddi. Raddi Fil. 76.
 — *calcareum* Gardn. Hook. Ic. pl. 467.
 — *Capillus Veneris* L. Jacq. Misc. 2, 7.
 — — — Engl. Bot. 22, 1564.
 — — — Lam. Encycl. 870.
 — — — Nees Düssel. 17.
 — — — Newm. p. 83.
 † — — — Hook. Gen. Fil. 66.
 — — — var. Hook. Sp. Fil. 74.
 † *cardioclarea* Kze. Hook. Sp. Fil. 83.
 — — — Fée Fil. 5, 11.
 — *caudatum* Willd. Schk. Fil. 117.
 — — — Hook. Ex. Fl. 104.
 — *chilense* Kaulf. Hook. Ic. Fil. 173.
 — — — var. Hook. Sp. Fil. 75.
 — *concinnum* H. B. K. H. B. K. Nov. Gen. 7, 668.
 — *cubense* Hook. Hook. Sp. Fil. 73.
 — *cultratum* Willd. Willd. Phyt. 10.
 — *cuneatum* L. et F. Langsd. et F. 26.
 — — — Raddi Fil. 78.
 — — — Hook. Ic. Fil. 30.
 — *Cunninghami* Hook. Hook. Sp. Fil. 86.
 — *curvatum* Kaulf. Hook. Sp. Fil. 84.
 — *cycloides* Zenk. Zenk. Pl. ind. 11.
 — *decurrens* Jacq. Jacq. Collect. 2, 2.
 — *delicatulum* Mart. Mart. Crypt. bras. 56.
 — *deltoideum* Sw. Kze Anal. 17.
 — *diaphanum* Bl. Hook. Sp. Fil. 80.
 — *dolabriforme* Hook. Hook. Ic. pl. 191.
 — *dolosum* Kze. Hook. Sp. Fil. 79.
 — *Edgeworthii* Hook. Hook. Sp. Fil. 81.
 — *emarginatum* Willd. Hook. Sp. Fil. 75.
 — *excisum* Kze. Kze Anal. 21.
 — *filiforme* Gardn. Hook. Ic. pl. 503.
 — *formosum* R. Br. Hook. Sp. Fil. 86.
 — *fovearum* Raddi. Raddi Fil. 77.
 — *fragrans* Viv. Viv. Fl. ital. 11.
 — — — Schk. Schk. Fil. 19.
 — *fruticosum* Kze. Kze Fil. 15.
 — *fulvum* Raoul. Hook. Sp. Fil. 85.
 — *fuscum* Retz. Retz. Obs. 2, 5.
 — *Galeottianum* Hook. Hook. Sp. Fil. 80.
 — *guianense* Aubl. Aubl. Guian. 363.
 — *Hewerdia* Kze. Kze Fil. 49.
 — *hirsutum* Willd. Hook. Ex. Fl. 104.
 — *hirtum* Klotzsch. Hook. Sp. Fil. 82.
 — *incisum* Presl. var. Presl. Reliq. 10.
 — *Klotzschianum* Hook. Hook. Sp. Fil. 82.
 — *Kunzei* Miq. Miq. Pl. surin. Focke 1.
 — *Le Prieurii* Hook. Hook. Sp. Fil. 82.
 — *lobatum* Presl. Presl. Reliq. 10.
 — *Lobbianum* Hook. Hook. Sp. Fil. 86.
 — *lucidum* Sw. Hook. Sp. Fil. 79.
 — *lunulatum* Burm. Rheede Hort. mal. 12, 40.
 — — — Willd. Phyt. 9.
 — — — Hook. Ic. Fil. 104.
 — *macrocladum* Klotzsch. Hook. Sp. Fil. 83.
 — *macrophyllum* Sw. H. B. K. Nov. Gen. 7, 666.
 — — — Hook. Ic. Fil. 132.
 † — — — Fée Fil. 5, 11.
 — *Mathewsianum* Hook. Hook. Sp. Fil. 84.
 — *obliquum* Willd. Hook. Ic. Fil. 190.
 — — — Hook. Sp. Fil. 79.
 — *obtusum* Desv. Hook. Ic. Fil. 188.
 — *patens* Willd. Hook. Sp. Fil. 87.
 — *pauperculum* Kze. Kze. Fil. 127.

- Adiantum pedatum* L. Schk. Fil. 118.
 — — — Desc. Ant. 4, 286.
 — — — Nees Düssel. 18.
 — *pellucidum* M. et G. Acad. Brux. 15, 19.
 — *pentadactylon* L. et F. Langsd. et F. 25.
 — — — Hook. Ic. Fil. 98.
 — *peruvianum* Hook. Hook. Sp. Fil. 81.
 — *Phyllitidis* J. Sm. Hook. Sp. Fil. 72.
 — *platyphyllum* Sw. Kze Anal. 20.
 — *pubescens* Sw. Schk. Fil. 116.
 — *pulverulentum* L. Schk. Fil. 119.
 — *radicans* Fée. Fée Fil. 5, 29.
 — *reniforme* L. Schk. Fil. 115.
 — — — Lam. Encycl. 870.
 — — — Lodd. Cab. 841.
 — — — Hook. Sp. Fil. 71.
 — *rhizophorum* Sw. Hook. Sp. Fil. 80.
 — *rhizophyllum* Mart. Mart. Crypt. bras. 62.
 — *rhomboideum* Sw. Schk. Fil. 122.
 — *sagittatum* Aubl. Aubl. Guian. 366.
 — *Seemannii* Hook. Hook. Sp. Fil. 81.
 — *sessilifolium* Hook. Hook. Sp. Fil. 88.
 — *Shepherdii* Hook. Hook. Sp. Fil. 73.
 — *sinuosum* Gardn. Hook. Ic. pl. 504.
 — *soboliferum* Wall. Hook. Sp. Fil. 74.
 — *speciosum* Hook. Hook. Sp. Fil. 85.
 — *striatum* Sw. Jacq. Ic. 646.
 — — — Schk. Fil. 118.
 — *sulphureum* Kaulf. Kze Anal. 22.
 — — — Hook. Sp. Fil. 76.
 — *tenellum* Jacq. Jacq. Collect. 3, 21.
 — *tenerum* Sw. Schk. Fil. 121.
 — — — Dict. sc. nat. 87.
 — *tetragonum* Mart. Mart. Crypt. bras. 63.
 — *trapeziforme* L. Schk. Fil. 121⁶.
 — — — Desc. Ant. 4, 287.
 — *trigonum* Lab. Bill. Nov. Holl. 248.
 — *triphyllum* Comm. Smith Ic. Linn. 74.
 — *truncatum* L. Raddi Fil. 78.
 — *urophyllum* Hook. Hook. Sp. Fil. 84.
 — *varium* H. B. K. H. B. K. Nov. Gen. 7, 667.
 — *venustum* Don. Hook. Sp. Fil. 76.
 — *villosum* L. Schk. Fil. 120.
 — *Wilesianum* Hook. Hook. Sp. Fil. 83.
 — *Wilsoni* Hook. Hook. Sp. Fil. 72.
Adike pumila Raf. Torr. New York 122.
Adina globiflora Salisb. Salisb. Par. 118.
 — — — Bot. Reg. 11, 895.
 — *peduncularis* DC. Bot. Reg. 11, 895.
 † *Adinandra acuminata* Korth. Korth. Bot. 18.
 — *excelsa* Korth. Korth. Bot. 18.
Adlumia cirrhosa Rafin. Sweet Fl. G. 189.
 — — — Gray Gen. 51.
Adolia alba Lam. Rheede Hort. mal. 5, 30.
 — *rubra* Lam. Rheede Hort. mal. 5, 31.
 † *Adonis* L. Gaertn. Carp. 74. — Schk. Handb. 152. —
 — — — Lam. Encycl. 498. — Mutel Fl. fr. 1. —
 — — — Cosson Atlas 3.
 — *aestivalis* L. Rchb. Ic. crit. 4, 317.
 — — — Rchb. Fl. germ. 3, 24.
 — — — Dietr. Fl. bor. 11, 777.
 — *apennina* Jacq. Jacq. Fl. austr. 1, 44.
 — *autumnalis* L. Curt. Lond. 2, 64.
 — — — Engl. Bot. 5, 308.
 — — — Baxter Br. Bot. 1, 7.
 — — — Rchb. Ic. crit. 4, 319.
 — — — Rchb. Fl. germ. 3, 24.
 — *davurica* Led. Rchb. Ic. crit. 4, 321.
 — *dentata* Delile. Delile Egypte 53.
 — *distorta* Ten. Ten. Fl. nap. 149.
 — *flammea* Jacq. Jacq. Fl. austr. 4, 355.
 — — — Rchb. Ic. crit. 4, 318.

- Adonis flammea* Jacq. Rchb. Fl. germ. 3, 24.
 — *miniata* Jacq. Jacq. Fl. austr. 4, 354.
 — *pyrenaica* DC. Deless. Ic. 1, 21.
 — *sibirica* Patr. Rchb. Ic. crit. 4, 322.
 — *vernalis* L. Schk. Handb. 152.
 — — Bot. Mag. 4, 134.
 — — Sv. Bot. 555.
 — — Roemer Fl. eur. 4, 4.
 — — Dreves 5, 135.
 — — Hayne 1, 11.
 — — Nees Düss. Suppl. 19, 4.
 — — Sturm Flora 13, 56.
 — — Rchb. Fl. germ. 3, 24.
 — — Dietr. Fl. bor. 5, 292.
 — *villosa* Led. Ledeb. Ic. 119.
 — *volgensis* Fisch. Deless. Ic. 1, 20.
Adoxa Moschatellina L. Fl. dan. 1, 94.
 — — Curt. Lond. 3, 88.
 — — Engl. Bot. 7, 453.
 † — — Gaertn. Carp. 112.
 † — — Lam. Encycl. 320.
 — — Sv. Bot. 435.
 — — Schk. Handb. 109.
 — — Dreves 1, 12.
 — — Roemer Fl. eur. 10, 4.
 — — Dietr. Fl. bor. 2, 105.
 † — — Nees Gen. X, x.
 — — Baxter Br. Bot. 1, 42.
Adriana tomentosa Gaudch. Freycinet 116.
 † *Adyseton* Adans. Medicus Gatt. 1.
Aecoclades tenera Lindl. Wight Ic. Ind. or. 5, 1683.
Aechmandra epigaea Arn. Wight Ic. Ind. or. 2, 503.
 † *Aechmea* Rz. et P. Rz. et Pav. Prodr. 8.
 — *angustifolia* P. et E. Poepp. et E. 159.
 — *discolor* Hort. Bot. Mag. 73, 4293.
 — *distichantha* Lem. Lem. Jard. fl. 3, 269.
 — *fulgens* Brongn. Paxt. Mag. 10, 173.
 — — Fl. d. serres 2, 38.
 — *Mertensii* R. et Sch. Bot. Mag. 59, 3186.
 — *paniculata* Rz. et Pav. Rz. et Pav. Fl. 264.
 — *suaveolens* Kn. et W. Kn. et Westc. 134.
Aegialitis annulata Gaudch. Freycinet 51.
 † — *tenuis* Trin. Trin. Fund. 9.
Aegiceras ferreum Bl. Rumpf Amb. 3, 79.
 — *floridum* R. et Sch. Rumpf Amb. 3, 83.
 — *fragrans* Kon. Konig Ann. 1, 3.
 — — Wight Illustr. in H. 21.
 — *majus* Gaertn. Rheede Hort. mal. 6, 36.
 † — — Gaertn. Carp. 46.
 — — Wight Illustr. 146.
 — *minus* Willd. Rumpf Amb. 3, 82.
 † *Aegilops* L. Dumortier Gram. 2.
 — *bicornis* Jaub. Jaub. Ill. 309.
 — *biuncialis* Vis. Vis. Dalm. 1.
 † — *caudata* L. Mutel Fl. fr. 92.
 — — Jaub. Ill. 312.
 — *comosa* Sibth. Sibth. Fl. gr. 94.
 — — Jaub. Ill. 314.
 — *cylindrica* Waldst. Sibth. Fl. gr. 95.
 — — Host. Host Gram. 107.
 — — Rchb. Fl. germ. 1, 8.
 — — Jaub. Ill. 311.
 — *loliacea* Jaub. Jaub. Ill. 317.
 — *macrura* Jaub. Jaub. Ill. 315.
 † — *ovata* L. Gaertn. Carp. 175.
 † — — Lam. Encycl. 839.
 † — — Mutel Fl. fr. 92.
 — — Host Gram. 105.
 — — Sibth. Fl. gr. 93.
 — — Sturm Flora 19, 86.
 — — Rchb. Fl. germ. 1, 8.
 — *platyathera* Jaub. Jaub. Ill. 313.

- Aegilops speltoides* Tausch. Jaub. Ill. 316.
 — *squarrosa* L. Cav. Ic. 90.
 — — Schreb. Gram. 27.
 — — Lam. Encycl. 839.
 † — — Mutel Fl. fr. 92.
 — — Jaub. Ill. 310.
 † — *triariata* Willd. Mutel Fl. fr. 92.
 † — — Nees Gen. 1, 83.
 — — Rchb. Fl. germ. 1, 8.
 — *tripsacoides* Jaub. Jaub. Ill. 200.
 † — *triticoideus* Reg. Mutel Fl. fr. 92.
 — *triuncialis* L. Host Gram. 106.
 — — Schreb. Gram. 10.
 — — Schk. Handb. 344.
 — — Lam. Encycl. 839.
 † — — Mutel Fl. fr. 92.
 — — Rchb. Fl. germ. 1, 8.
 — — Sturm Flora 19, 86.
Aeginetia indica L. Rheede Hort. mal. 11, 47.
 — — Roxb. Corom. 91.
 † — — Wight Illustr. 158.
 — *longiflora* Cav. Cav. Ic. 572.
 — *multiflora* Cav. Cav. Ic. 572.
 — *pedunculata* Wall. Wall. Pl. as. 219.
 — — Wight Ic. Ind. or. 4, 1421.
 † — — Wight Illustr. 158.
 † *Aegiphila arborescens* Vahl. Vahl Ecl. 10.
 — *cuspidata* Mart. Endl. Bras. 10, 47.
 — *diffusa* Andr. Andr. Rep. 9, 578.
 — *elata* Sw. Bot. Reg. 11, 946.
 — *grandiflora* Hook. Bot. Mag. 72, 4230.
 — — Paxt. Mag. 13, 217.
 — — Fl. d. serres 4, 324.
 — *lutea* Lam. Lam. Encycl. 70.
 — *martinicensis* Jacq. Jacq. Fragm. 46.
 — — Jacq. Obs. 27.
 — — Lodd. Cab. 132.
 — — Lam. Encycl. 70.
 — *mollis* H. B. K. H. B. K. Nov. Gen. 2, 130.
 — *multiflora* Rz. et P. Rz. et Pav. Fl. 76.
 — *Mutisii* H. B. K. H. B. K. Nov. Gen. 2, 131.
 — *villosa* Vahl. Lam. Encycl. 70.
Aegle Marmelos Correa. Rheede Hort. mal. 3, 37.
 — — Roxb. Corom. 143.
 — — Wight Ic. Ind. or. 1, 16.
 † *Aegochloa* Benth. Bot. Reg. 19, 1622.
Aegopodium alpestre Led. Ledeb. Ic. 7.
 † — *Podagraria* L. Gaertn. Carp. 240.
 — — Schk. Handb. 79.
 — — Fl. dan. 4, 670.
 — — Engl. Bot. 14, 940.
 — — Baxter Br. Bot. 2, 151.
 — — Sv. Bot. 147.
 † — — Nees Gen. X, x.
Aegopogon cenchroides H. B. K. H. B. K. Nov. Gen. 1, 42.
 † — — Lam. Encycl. 911.
 — *geminiflorus* H. B. K. H. B. K. Nov. Gen. 1, 43.
 † *Aegoprycon betulinum* L. Gaertn. Carp. 138.
 — — Smith Ic. Linn. 42.
 — — Lam. Encycl. 743.
Aeluropus laevis Trin. Acad. Pct. 3, 1.
 † — — Trin. Fund. 12.
Aeolanthus suavis Mart. Martius Auswahl 2.
Aeonium alata A. Rich. Ann. sc. n. II. 15, 11.
Aeonium ciliatum Webb. Webb Can. 33.
 — *cruentum* Webb. Webb Can. 28.
 — — Bot. Reg. 27, 61.
 — *Haworthii* Webb. Webb Can. 34.
 — *Lindleyi* Webb. Webb Can. 33.
 — *strepsicladum* Webb. Webb Can. 31.
 — *Youngianum* Webb. Bot. Reg. 30, 35.
Aeranthus grandiflora Ldl. Bot. Reg. 10, 817.

- † *Aerides* Sw. Schrader Journ. 1799. 2, 2.
 — *affine* Wall. Ldl. Sert. 15.
 — — Bot. Mag. 70, 4049.
 — *Brookii* Bat. Paxt. Mag. 9, 146.
 — — Fl. d. serres, 1, 15.
 — *cornutum* Roxb. Bot. Reg. 18, 1485.
 — *crispum* Ldl. Bot. Reg. 28, 55.
 — — Bot. Mag. 75, 4427.
 — — Fl. d. serres 5, 438.
 — *cylindricum* Lindl. Wight Ic. Ind. or. 5, 1744.
 — *difforme* Ldl. Ldl. Sert. Frontispice.
 — *guttatum* Roxb. Bot. Reg. 17, 1443.
 — *Lindleyanum* Wight. Wight Ic. Ind. or. 5, 1677 bis.
 — *maculosum* Ldl. Bot. Reg. 31, 58.
 — — Paxt. Mag. 12, 49.
 — — Lem. Jard. fl. 54.
 † *matutinum* Bl. Blume Tabellen 24.
 — *multiflorum* Roxb. Roxb. Corom. 271.
 — *odoratum* Lour. Bot. Reg. 18, 1483.
 — — Bot. Mag. 71, 4139.
 — — Kn. et Westc. 75.
 — — Maund Bot. 4, 180.
 — — Hart. Parad. 2, 4.
 — *pallidum* Bl. Bl. Rumphia 192, 197.
 — *paniculatum* Ker. Bot. Reg. 3, 220.
 — *quinquevulnerum* Ldl. Ldl. Sert. 30.
 — — Paxt. Mag. 8, 241.
 † — *radicosum* A. Rich. Ann. sc. nat. II. 15, 1.
 — *roseum* Lodd. Paxt. Fl. G. 60.
 — — Lem. Jard. fl. 200.
 — *suaveolees* Bl. Bl. Rumphia 193.
 — *suavissimum* Ldl. Paxt. Fl. G. 66.
 — — Lem. Jard. fl. 213.
 — *undulatum* Sm. Bot. Reg. 18, 1522.
 — *virens* Ldl. Bot. Reg. 30, 41.
 — — Paxt. Mag. 14, 197.
 — *Wightianum* Ldl. Wight Ic. Ind. or. 5, 1669.
Aerua *floribunda* Wight. Wight Ic. Ind. or. 5, 1776.
 — — 1776^b.
 — *javanica* Juss. Wight Ic. Ind. or. 3, 876.
 † — *lanata* Juss. Gaertn. Carp. 213.
 — — Wight Ic. Ind. or. 2, 723.
 — *Monsoniae* Mart. Wight Ic. Ind. or. 2, 725.
 — *scandens* Wall. Wight Ic. Ind. or. 2, 724.
 — *Tandalo* Ham. Rheede Hort. mal. 10, 29.
Aeschynanthus *Boschianus* Ldl. Paxt. Mag. 13, 175.
 — *ceylanicus* Gardn. Wight Ic. Ind. or. 4, 1347.
 — *grandiflorus* Spr. Bot. Reg. 27, 49.
 — — Don. Bot. Mag. 67, 3843.
 — — Paxt. Mag. 5, 241.
 — *javanicus* Hort. Bot. Mag. 76, 4503.
 — — Rollis. Lem. Jard. fl. 2.
 — — Hook. Fl. d. serres 6, 538.
 — *Lobbianus* Veitch. Bot. Mag. 72, 4260.
 — — Hook. Fl. d. serres 3, 246.
 — *longiflorus* Bl. Bot. Mag. 73, 4328.
 — — Paxt. Mag. 15, 25.
 — — Fl. d. serres 3, 288.
 — *maculatus* Ldl. Bot. Reg. 27, 28.
 — *miniatus* Ldl. Bot. Reg. 32, 61.
 — — Paxt. Mag. 16, 67.
 — — Fl. d. serres 3, 236.
 — *parasiticus* Wall. Maund Bot. 4, 167.
 † — *Paxtoni* Ldl. Journ. Hort. Soc. 4, 79.
 — *pulcher* DC. Bot. Mag. 72, 4264.
 — — Paxt. Mag. 16, 161.
 — — Fl. d. serres 3, 198.
 — *purpurascens* Hassk. Bot. Mag. 72, 4236.
 — *ramosissimus* Wall. Wall. pl. as. 71.
 — — Paxt. Mag. 6, 195.
 † — — Wight Illustr. 159^b.
 — *speciosus* Hook. Bot. Mag. 73, 4320.

- Aeschynanthus* *speciosus* Hook. Paxt. Mag. 14, 199.
 — — Fl. d. serres 3, 267.
 — *splendens* Ldl. Paxt. Fl. G. 108.
 — *splendidus* (hybr.) Lem. Jard. fl. 255.
 † — *volubilis* Jack. Linn. Tr. 14, 2.
 † *Aeschynomene* *americana* L. Gaertn. Carp. 155.
 † — — Lam. Encycl. 629.
 — *aristata* Jacq. Jacq. Schoenbr. 2, 237.
 — *aspera* L. Wight Ic. Ind. or. 1, 299.
 — *bispinosa* Jacq. Jacq. Ic. 564.
 — *cachemiriana* Jacq. Jacqem. Ind. 48.
 † — *crepitans* Jacq. Jacq. Fragm. 42.
 — *grandiflora* L. Rumpf Amb. 1, 76.
 — — Tuss. Ant. 4, 6.
 — *hirta* Lam. Lam. Encycl. 629.
 — *indica* L. Rheede Hort. mal. 9, 18.
 — — Rumpf Amb. 4, 24.
 — — Wight Ic. Ind. or. 2, 405.
 — *longifolia* Cav. Cav. Ic. 315.
 — *picta* Cav. Cav. Ic. 314.
 — — Bot. Reg. 11, 873.
 — *sensitiva* Pal. Pal. Fl. d'Ow. 53.
 — *virgata* Cav. Cav. Ic. 293.
 † *Aesculus* L. Gray Gen. 176, 177.
 — *carnea* Hort. Guimp. Fr. H. 22.
 — — Bot. Reg. 13, 1056.
 — *discolor* Pursh. Bot. Reg. 4, 310.
 — — Rchb. Exot. 242.
 — *flava* L. Guimp. Fr. H. 23.
 — — Lodd. Cab. 1280.
 — *glabra* Willd. Guimp. Fr. H. 24.
 — — Gray Gen. 176, 177.
 — *Hippocastanum* L. Schk. Handb. 104.
 — — Hayne 1, 42.
 — — Tratt. Arch. 63, 63^c.
 — — Schrank Fl. monac. 1, 15.
 — — Nees Düsseldorf. 373.
 — — Guimp. et Schl. 85.
 — — Hartig 93.
 — — Wagner 7.
 — — Woodv. Med. 3, 217.
 — — Rchb. Fl. germ. 5, 161.
 — *humilis* Lodd. Bot. Reg. 12, 1018.
 — *lutea* Wangh. Schriften nat. Fr. 8, 6.
 — *macrostachya* Michx. Jacq. Ecl. pl. 9.
 — — Guimp. Fr. H. 26.
 — — Kern. Hort. 438.
 — — Bot. Mag. 47, 2118.
 — — Colla Hort. Rip. 19.
 — *neglecta* Ldl. Bot. Reg. 12, 1009.
 — *ohiotensis* Michx. Bot. Reg. 24, 51.
 — *pallida* Willd. Guimp. Fr. H. 25.
 † — *Pavia* L. Schk. Handb. 104.
 — — Guimp. Fr. H. 21.
 — — Lodd. Cab. 1257.
 — — var. Bot. Reg. 12, 993.
 — *rubicunda* DC. DC. Hort. 24.
 — — Lodd. Cab. 1242.
Aetheilema *reniforme* N. v. E. Wight Ic. Ind. or. 4, 1533.
Aethionema *arabicum* Andr. Rchb. Hort. 43.
 — *coridifolium* DC. Deless. Ic. 2, 76.
 — *cristatum* DC. Deless. Ic. 2, 74.
 — *gracile* DC. Rchb. Fl. germ. 2, 11.
 — *membranaceum* DC. Deless. Ic. 2, 75.
 — — Sweet Fl. G. II, 69.
 — — Kn. et Westc. 20.
 — *saxatile* R. Br. Rchb. Fl. germ. 2, 11.
 — — var. Boiss. Esp. 14.
 † *Aethusa* *Cynapium* L. Gaertn. Carp. 22.
 † — — Mag. nat. Fr. 6, 5.
 † — — Lam. Encycl. 196.
 — — Schk. Handb. 72.

- Aethusa Cynapium* L. Curt. Lond. 3, 55.
 — — — Engl. Bot. 17, 1192.
 — — — Baxter Br. Bot. 1, 19.
 — — — Fl. dan. 12, 1991.
 — — — Sv. Bot. 64.
 — — — Hayne 1, 35.
 — — — Br. u. Ratz. 27.
 — — — Dietr. Fl. bor. 9, 647.
 — — — Meum Murr. Hayne 7, 12.
 † *Aextoxicon* Rz. et P. Rz. et Pav. Prodr. 29.
 — — — punctatum Rz. et P. Hook. Ic. pl. 12.
Azelia africana Guill. Guill. Seneg. 57.
 — — — bracteata Vogel. Hook. Niger Fl. 34, 35.
 — — — Hook. Ic. pl. 790—791.
Agallochum officinarum Ham. Rumpf Amb. 2, 10.
Agalmanthus umbellatus Endl. Rich. Astr. 1.
Agalmyla staminea Bl. Hook. Ic. pl. 733—734.
 — — — Paxt. Mag. 15, 73.
 — — — Fl. d. serres 4, 358.
 — — — tuberculata Hook. fl. Hook. Ic. pl. 9, 897.
Aganisia pulchella Ldl. Bot. Reg. 26, 32.
Aganosma acuminatum G. Don. Wight Ic. Ind. or. 2, 424.
 — — — Blumii DC. Wight Ic. pl. Ind. or. 4, 1305.
 — — — caryophyllatum G. Don. Rheed. Hort. mal. 7, 55.
 — — — concanense Hook. Hook. Ic. pl. 9, 841.
 — — — Donianum Wight. Wight Ic. Ind. or. 4, 1306.
 — — — elegans G. Don. Wight Ic. Ind. or. 4, 1304.
 — — — marginatum G. Don. Wight Ic. Ind. or. 2, 425.
 — — — Roxburghii G. Don. Rheed. Hort. mal. 9, 14.
 — — — Wight Ic. Ind. or. 2, 449.
Agapanthus minor Lodd. Lodd. Cab. 43.
 — — — umbellatus Ait. Bot. Mag. 14, 500.
 — — — var. Redouté Lil. 1, 4, 7, 403.
 — — — var. Bot. Reg. 9, 699, 29, 7.
 — — — Tratt. Thes. 78.
 — — — Kern. Hort. 100.
 † — — — Kern. Gen. 163—164.
 — — — Maund Bot. 2, 86.
 — — — Savi Fl. ital. 2, 49.
 † *Agasyllis caucasica* Spr. Mag. nat. Fr. 6, 5.
 † — — — Spr. Umb. Prodr. 1.
Agathaea coelestis Cass. Cassini Opusc. 1, 3.
 — — — Dict. sc. nat. 89.
 † *Agathelpis angustifolia* Choisy. Mem. Gen. 2, 1.
 † *Agathis Dammara* Rich. Rich. Conif. 19.
 † — — — Lam. Encycl. 997.
 — — — loranthifolia Salisb. Rumpf Amb. 2, 57.
 — — — Linn. Tr. 8, 15.
 † *Agathophyllum aromaticum* Willd. Lam. Encycl. 825.
 — — — Desc. Ant. 8, 567.
 † *Agathophytum Bonus Henricus* Moq. Ann. sc. n. II. 1, 10.
 † *Agathosma* Willd. Bartling Diosm. 2.
 — — — ciliatum Willd. Bot. Reg. 5, 366.
 — — — dioicum Edw. Bot. Reg. 6, 502.
 — — — hirtum Willd. Bot. Reg. 5, 369.
 † — — — imbricatum Willd. Mem. Mus. 12, 20.
 — — — lanceolatum Willd. Bot. Reg. 6, 476.
Agati coccinea DC. Rumpf Amb. 1, 77.
 — — — grandiflora DC. Rheed. Hort. mal. 1, 51.
Agave americana L. Balmis Demonstr. 1.
 † — — — Lam. Encycl. 235.
 — — — Vogel Monogr. 0.
 — — — Andr. Rep. 7, 433.
 — — — Tratt. Arch. 171, 171^a, 171^b.
 — — — Nees Düssel. 52, 53.
 — — — Bot. Mag. 65, 3654.
 † — — — Nees Gen. 3, x.
 † — — — Mem. Instit. 1842, 11.
 — — — Rechb. Fl. germ. 9, 374.
 — — — Antillarum Desc. Desc. Ant. 4, 284.
 — — — foetida L. Jacq. Ic. 379.
 — — — Tuss. Ant. 2, 25, 26.

- † *Agave foetida* L. Lam. Encycl. 235.
 — — — geminiflora Spr. Bot. Reg. 14, 1145.
 — — — Ker. Rechb. Hort. 209, 210.
 — — — Desf. Dict. sc. nat. 55.
 † — — — lurida Ait. Jacq. Collect. 4, 1.
 — — — Bot. Mag. 37, 1532.
 — — — Acta Leop. 16, 2, 49—51.
 † — — — Nees Gen. 3, x.
 — — — saponaria Ldl. Bot. Reg. 25, 55.
 — — — spicata DC. Red. Lil. 8, 485.
 — — — Theometel Zuccagni. Roem. Coll. 3.
 — — — virginica L. Jacq. Ic. 378.
 — — — Lam. Encycl. 235.
 — — — Bot. Mag. 29, 1157.
 — — — vivipara L. Rumpf Amb. 5, 94.
 — — — Lam. Encycl. 235.
 — — — Wight Ic. Ind. or. 6, 2024.
 — — — yuccaefolia Red. Red. Lil. 6, 328, 329.
 † *Agaveae* Endl. Herb. Amar. 33. — Schnizl. Icon. 1, 64^a.
Ageratum coelestinum Sims. Bot. Mag. 42, 1730.
 — — — Lodd. Cab. 823.
 † — — — conyzoides L. Gaertn. Carp. 165.
 — — — Schk. Handb. 238.
 † — — — Lam. Encycl. 672.
 — — — Hook. Ex. Fl. 15.
 † — — — Wight Illustr. 134.
 — — — hirtum Lam. Lam. Encycl. 672.
 — — — latifolium Cav. Cav. Ic. 357.
 — — — lineare Cav. Cav. Ic. 205.
 — — — mexicanum Sims. Bot. Mag. 52, 2524.
 — — — Sweet Fl. G. 89.
 — — — punctatum Ort. Jacq. Schoenbr. 3, 300.
 — — — strictum Sims. Bot. Mag. 50, 2410.
Aggeianthus marchantioides Wight. Wight Ic. Ind. or. 5, 1737.
Aglaia odorata Lour. Hook. Beech. 34.
 — — — Wight Ic. Ind. or. 2, 511.
 † — — — Mem. Mus. 19, 14.
 † *Aglaomorpha Meyeniana* Schott. Schott Gen. Fil. 17.
 — — — Hook. Gen. Fil. 91.
 — — — Kze Fil. 81.
Aglaonema marantaefolia Bl. Bl. Rumphia 66.
 — — — simplex Bl. Bl. Rumphia 36, 65.
Agraphis campanulata Lk. Rechb. Ic. crit. 9, 834.
 — — — Rechb. Fl. germ. 10, 462.
 † — — — Nees Gen. 2, 45.
 — — — cernua Lk. Rechb. Ic. crit. 9, 832.
 — — — Rechb. Fl. germ. 10, 461.
 † — — — Nees Gen. 2, 45.
 — — — nutans Lk. Rechb. Ic. crit. 9, 833.
 — — — Rechb. Fl. germ. 10, 461.
 — — — patula Rechb. Rechb. Fl. germ. 10, 462.
 † *Agrimonia* L. (12 species.) Wallr. Beitr. 1.
 — — — agrimonoides L. Sibth. Fl. gr. 458.
 — — — Roemer Fl. eur. 4, 1.
 — — — Sturm Flora 14, 59.
 — — — Eupatoria L. Fl. dan. 4, 588.
 — — — Schk. Handb. 128.
 † — — — Lam. Encycl. 409.
 — — — Engl. Bot. 19, 1335.
 — — — Curt. Lond. 3, 22.
 — — — Woodv. Med. 3, 180.
 — — — Sv. Bot. 99.
 — — — Hayne 2, 19.
 — — — Dreves 3, 91.
 — — — Schrank Fl. monac. 3, 213.
 — — — Sturm Flora 14, 59.
 — — — Dietr. Fl. bor. 6, 410.
 — — — Baxter Br. Bot. 2, 88.
 — — — Wight Ic. Ind. or. 1, 224.
 — — — nepalensis Don. Jacq. Ind. 68.

- Agrimonia odorata* Mill. Fl. dan. 14, 2471.
 — *pilosa* Led. Rchb. Ic. crit. 3, 352.
 † — *repens* Lam. Gaertn. Carp. 73.
 † — — Lam. Encycl. 409.
 † *Agropyrum* Gaertn. Dumortier Gram. 2.
 — *acutum* R. et Sch. Rchb. Fl. germ. 1, 22.
 — *affine* Deth. Rchb. Fl. germ. 1, 21.
 — *caninum* R. et Sch. Rchb. Fl. germ. 1, 19.
 † — *Pal. B.* Nees Gen. 1, 80.
 — *cristatum* Pal. B. Rchb. Fl. germ. 1, 19.
 — *firmum* Pal. B. Rchb. Fl. germ. 1, 19.
 — *glaucum* R. et Sch. Rchb. Fl. germ. 1, 21.
 † — *Pal. B.* Nees Gen. 1, 80.
 — *intermedium* Host. Rchb. Fl. germ. 1, 23.
 — *juncum* Pal. B. Rchb. Fl. germ. 1, 22.
 — *litorale* Host. Rchb. Fl. germ. 1, 21.
 — *pungens* R. et Sch. Rchb. Fl. germ. 1, 22.
 — *repens* Pal. B. Rchb. Fl. germ. 1, 20.
 — *rigidum* R. et Sch. Rchb. Fl. germ. 1, 23.
 † — *Pal. B.* Nees Gen. 1, 80.
 — *strictum* Deth. Rchb. Fl. germ. 1, 23.
 † *Agrostemma* L. Kern. Gen. 34.
 — *Banksia* Meerb. Meerb. Fl. sel. 28.
 — *Bungeana* Don. Bot. Reg. 22, 1864.
 — — Paxt. Mag. 4, 7.
 — — Sweet Fl. G. II, 317.
 — *coeli rosa* L. Sibth. Fl. gr. 453.
 — — Bot. Mag. 9, 295.
 † — *coronaria* L. Gaertn. Carp. 130.
 — — Sibth. Fl. gr. 452.
 — — Bot. Mag. 1, 24.
 — — Rchb. Fl. germ. 6, 308.
 — *flos Jovis* L. Bot. Mag. 12, 398.
 — *Githago* L. Fl. dan. 4, 576.
 — — Schk. Handb. 124.
 — — Curt. Lond. 2, 97.
 — — Engl. Bot. 11, 741.
 — — Baxter Brit. Bot. 3, 175.
 — — Sv. Bot. 489.
 — — Dreves 1, 22.
 — — Sturm Flora 2, 5.
 — — Rchb. Fl. germ. 6, 308.
 — *nicaeensis* Willd. Rchb. Fl. germ. 6, 308.
 — *pyrenaica* Don. Sweet Fl. G. II, 202.
 † *Agrostis* L. Dumort. Gr. 10. — Andersson Gr. Scand. 10.
 — *alba* L. Schrad. Fl. germ. 2.
 — — Fl. dan. 10, 1623.
 — — Engl. Bot. 17, 1189.
 — — Baxter Br. Bot. 6, 492.
 † — — Nees Gen. 1, 20.
 — — Meyer Fl. hann. 8.
 — *algida* Wahlenb. Wahlbg Fl. lapp. 1.
 — — Fl. dan. 9, 1505.
 — *alpina* Roth. Host Gram. 249.
 — — Scop. Rchb. Fl. germ. 1, 33.
 — *antarctica* Hook. Hook. Fl. ant. 132.
 — *arundinacea* L. Sv. Bot. 96.
 — *brevis* Knapp. Knapp Gr. 116.
 — *bromoides* L. Gouan Ill. 1.
 — *canina* L. Engl. Bot. 26, 1856.
 — — Host Gram. 353.
 — — Knapp Gr. 21.
 — — Rchb. Fl. germ. 1, 33.
 † — — Nees Gen. 1, 20.
 — *capillaris* L. Fl. dan. 1, 163.
 — — Smith Ic. Linn. 54.
 — — Schk. Handb. 12.
 — — Trin. Sp. Gr. 1, 25.
 — — Dict. sc. nat. 22.
 — *Cinna* Michx. Pet. 2, 6.
 — *coarctata* Hoffm. Rchb. Fl. germ. 1, 34.
 — *Cornucopiae* Fras. Short Hist. 0.

- Agrostis decumbens* Host. Host Gram. 354.
 — *diffusa* Host. Host Gram. 355.
 — *elegans* Thore. Desv. Journ. 2, 8.
 — — Lois. Notice 1.
 — — Trin. Sp. Gr. 1, 26.
 — *exarata* Tr. Trin. Sp. Gr. 1, 27.
 — *fasciculata* Kth. Humb. Gram. 129.
 — *flava* Müll. Fl. dan. 5, 751.
 — *flavescens* Host. Host Gram. 352.
 — *frondosa* Ten. Ten. Fl. nap. 102.
 — *geminata* Tr. Trin. Sp. Gr. 1, 28.
 — *gigantea* Roth. Rchb. Fl. germ. 1, 35.
 — *hybrida* Gaud. Rchb. Fl. germ. 1, 34.
 — *interrupta* L. Host Gram. 248.
 — *junccea* Lam. Lam. Encycl. 41.
 — *Juressi* Lk. Trin. Sp. Gr. 1, 29.
 — *laxiflora* Richards. Humb. Gram. 130.
 — *linearis* Koen. Asiat. Res. 4, 0.
 — *litoralis* With. Engl. Bot. 18, 1251.
 — — Knapp Gr. 22.
 — *maritima* Lam. Rchb. Fl. germ. 1, 36.
 — *mexicana* Kth. Jacq. Ecl. gram. 30.
 — *miliacea* L. Host Gram. 245.
 — — var. Brot. Phyt. 102, 103.
 — *montevidensis* Spr. Humb. Gram. 169.
 — *mutabilis* Knapp. Knapp Gr. 28.
 — *ovata* Forst. Bill. Nov. Holl. 21.
 — *pallida* DC. Trin. Sp. Gr. 1, 30.
 — — Guss. Pl. rar. 5.
 — *panicea* Willd. Engl. Bot. 24, 1704.
 — — Host Gram. 246.
 — *patula* Gaud. Rchb. Fl. germ. 1, 35.
 † — *pauciflora* Schrad. Schrad. Fl. germ. 3.
 — *polymorpha* Huds. Trin. Sp. Gr. 1, 31, 32.
 — *Pourretii* Willd. Mag. nat. Fr. 2, 8.
 — *pulchella* Kth. Humb. Gram. 128.
 — *pumila* L. Lightf. Fl. scot. 2, 0.
 — — Fl. dan. 11, 1802.
 — — Rchb. Fl. germ. 1, 34.
 — *pungens* Pourr. Cav. Ic. 111.
 — — Schreb. Schreb. Gr. 27.
 — — Rchb. Fl. germ. 1, 36.
 — *quadrifida* Lab. Bill. Nov. Holl. 22.
 — *quadrifida* Br. Trin. Sp. Gr. 1, 33.
 — *rubra* L. Sv. Bot. 668.
 — — Trin. Sp. Gr. 1, 34.
 — *rupestris* All. Host Gram. 250.
 — — Rchb. Fl. germ. 1, 33.
 — *seminuda* Knapp. Knapp Gr. 115.
 — *setacea* Curt. Engl. Bot. 17, 1188.
 — — Curt. Lond. 3, 96.
 — — Knapp Gr. 24.
 — *silvatica* Host. Host Gram. 359.
 — *silvestris* Müll. Fl. dan. 4, 701.
 — *spicata* Vahl. Del. Egypt. 10.
 — *spica venti* L. Fl. dan. 5, 853.
 † — — Lam. Encycl. 41.
 — — Host Gram. 247.
 — — Engl. Bot. 14, 951.
 — — Sv. Bot. 286.
 — — Knapp Gr. 20.
 — *stolonifera* L. Fl. dan. 4, 564.
 — — Engl. Bot. 22, 1532.
 — — Sv. Bot. 581.
 — — Host Gram. 356.
 — — Knapp Gr. 27.
 — — Rchb. Fl. germ. 1, 34.
 — — Dietr. Fl. bor. 9, 593.
 — *subulata* Hook. Hook. Fl. ant. 53.
 — *tenacissima* L. Jacq. Ic. 16.
 — *tenuiflora* Mühlbg. Willd. Hort. 12.
 — *tenuifolia* M. v. B. Trin. Sp. Gr. 1, 35.

- Agrostis tremula* Willd. Pet. 2, 6.
 — *triaristata* Knapp. Knapp Gr. 23.
 — *strophopodes* Ell. Ell. Carol. 8.
 — *tropica* Pal. Pal. Fl. d'Ow. 80.
 — *umbellata* Colla. Mem. Tur. 39, 57.
 — *varia* Host. Host Gram. 357.
 — *ventricosa* Knapp. Knapp Gr. 25.
 — *verticillata* Vill. Trin. Sp. Gr. 1, 36.
 — — Rchb. Fl. germ. 1, 35.
 † *vinialis* Schleich. Schrad. Fl. germ. 3.
 — *virginica* Lab. Bill. Nov. Holl. 23.
 — *vulgaris* With. Engl. Bot. 24, 1671.
 — — Host Gram. 359.
 † — — Schrad. Fl. germ. 2, 3.
 — — Knapp Gr. 26.
 — — Rchb. Fl. germ. 1, 34.
 — — Schrad. Dietr. Fl. bor. 9, 594.
 † *Agrostophyllum javanicum* Bl. Blume Tab. 53.
Agyneia bacciformis Juss. Wight Ic. Ind. or. 5, 1893.
 — *impubes* L. Mem. soc. hist. n. P. 1799, 5.
 — — Vent. Cels 23.
 † — — Konig Ann. 1, 7.
 — *ovata* Poir. Lam. Encycl. 797.
Ajax albicans Haw. Sweet Fl. Garden 2, 145.
 † *anceps* Herb. Herb. Amar. 38.
 † *brevifolius* Herb. Herb. Amar. 38.
 — *cernuus* Haw. Sweet Fl. Garden 2, 101.
 † *cernulatus* Herb. Herb. Amar. 38.
 † *cuneifolius* Herb. Herb. Amar. 39.
 † *festalis* Salisb. Herb. Amar. 43.
 † *lorifolius* Herb. Herb. Amar. 38.
 † *minor* Haw. Herb. Amar. 38.
 † *nobilis* Haw. Herb. Amar. 38.
 † *ovules* Herb. Herb. Amar. 38.
 † *propinquus* Haw. Herb. Amar. 38.
 † *pseudonarcissus* Haw. Herb. Amar. 38, 39.
 † *pumilus* Haw. Herb. Amar. 39, 43.
 — — Sweet Fl. Garden 2, 143.
 † *Sabinianus* Herb. Herb. Amar. 38.
 † *tubaeiflorus* Herb. Herb. Amar. 38.
Aikinia Brunonis Wall. Wall. Pl. asiat. 288.
 — *elegans* Wall. Wall. Pl. asiat. 273.
Ailantus excelsa Roxb. Roxb. Corom. 23.
 — — Jacq. Ind. 162.
 — — Wight Illustr. 67.
 — *glandulosa* L. L'her. Stirp. 84.
 † — — Lam. Encycl. 859.
 † — — Ann. sc. nat. III. 8, 9—11.
 — *integrifolia* Lam. Rumpf Amb. 3, 132.
 — *malabarica* DC. Wight Ic. Ind. or. 4, 1604.
 — *Pongelium* Gm. Rheede Hort. mal. 6, 15.
Ailographis Aubert. Aubert Orch. 46, 47.
Aiouea guianensis Aubl. Anbl. Guian. 120.
 — — Lam. Encycl. 260.
 † *Aira L.* Dumortier Gram. 7. — Mutel Fl. fr. 78, 79, 80.
 — — Andersson Gram. Scand. 6.
 — *alpina* L. Fl. dan. 6, 961.
 — — Trin. Sp. Gr. 3, 254.
 — — Wahlbg. Fl. lapp. 3.
 — — Wahlbg. Fl. dan. 10, 1625.
 — *antarctica* Forst. Krock. Fl. sil. 4, 1.
 — — Hook. Hook. Fl. ant. 133.
 — — Hook. Ic. pl. 150.
 — *aquatica* L. Fl. dan. 3, 381.
 — — Curt. Lond. 3, 2.
 — — Host Gram. 141.
 — — Engl. Bot. 22, 1557.
 — — Knapp Gram. 29.
 — — Dreves 3, 84.
 — *articulata* Desf. Desf. Fl. atl. 13.
 — *bottnica* Wahlbg. Wahlbg. Fl. lapp. 4.
 — — Trin. Sp. Gr. 3, 255.

- Aira caespitosa* L. Fl. dan. 2, 240.
 — — Engl. Bot. 21, 1453.
 — — Host Gram. 142.
 — — Knapp Gr. 33.
 — — Sv. Bot. 132.
 — — var. Trin. Sp. Gr. 3, 253, 256.
 — — Forst. Petersb. 2, 8.
 — — L. var. Gaudin Fl. helv. 1, 2.
 — — Rchb. Fl. germ. 1, 96.
 — *canescens* L. Fl. dan. 6, 1023.
 † — — Gaertn. Carp. 1.
 — — Schk. Handb. 12.
 — — Engl. Bot. 17, 1190.
 — — Host Gram. 336.
 — — Sv. Bot. 450.
 — — Knapp Gr. 34.
 — *capillaris* Host. Host Gram. 335.
 — — Rchb. Fl. germ. 1, 94.
 — *caryophylla* L. Fl. dan. 3, 382.
 — — Curt. Lond. 1, 116.
 — — Engl. Bot. 12, 812.
 † — — Lam. Encycl. 44.
 — — Host Gram. 144.
 — — Sv. Bot. 508.
 — — Knapp Gram. 35.
 — — Baxter Brit. Bot. 6, 416.
 — — Rchb. Fl. germ. 1, 94.
 † — — Nees Gen. 1, 44.
 — *coerulea* L. Fl. dan. 2, 239.
 — *cristata* L. Engl. Bot. 9, 648.
 — — Knapp Gram. 30.
 — *dactyloides* Roch. Rochel Ban. 1.
 — *danthonioides* Tr. Trin. Sp. Gr. 3, 257.
 — *discolor* Thuill. Rchb. Fl. germ. 1, 95.
 — *elongata* Hook. Hook. Bor. Am. 228.
 — *flexuosa* L. Fl. dan. 1, 157.
 — — Schreber Gr. 30.
 — — Engl. Bot. 22, 1519.
 — — Host Gram. 143.
 — — Knapp Gram. 31.
 — — Trin. Sp. Gr. 3, 259.
 — — Rchb. Fl. germ. 1, 95.
 † — — Hopkirk Fl. anom. 8.
 — *glauca* Schrad. Fl. dan. 9, 1566.
 — *globosa* Thore. Desv. Journ. 1, 7.
 — *intermedia* Parl. Parl. Ic. pl. rar. pan. 4.
 — *involuta* Cav. Cav. Ic. 44.
 — *Kingii* Hook. Hook. Fl. ant. 135.
 — *laevigata* Sm. Engl. Bot. 30, 2102.
 — *latifolia* Hook. Hook. Fl. Bor. Am. 227.
 — *magellanica* Hook. Hook. Fl. ant. 134.
 — *media* Gouan. Trin. Sp. Gr. 3, 259.
 — *minuta* Loeffl. Schreber Gr. 21.
 — *montana* L. Fl. dan. 8, 1322.
 — *obtusata* Michx. Ell. Carol. 9.
 — *pensylvanica* Spr. Petersb. 2, 7.
 — *praecox* L. Fl. dan. 3, 383.
 — — Curt. Lond. 3, 56.
 — — Engl. Bot. 18, 1296.
 — — Host Gram. 337.
 — — Sv. Bot. 508.
 — — Knapp Gram. 36.
 — — Rchb. Fl. germ. 1, 94.
 — *pulchella* Balb. Nocca et Balb. Fl. tic. 1.
 — — Willd. Trin. Sp. Gr. 3, 260.
 — *sabulonum* Lab. Bill. Sert. 21.
 — *scabro-setacea* Knapp. Knapp Gram. 32.
 — *spicata* L. Fl. dan. 2, 228.
 — *subspicata* L. Host Gram. 145.
 — *uliginosa* Weihe. Rchb. Ic. crit. 2, 150.
 — — Rchb. Fl. germ. 1, 95.
 — *Wibiana* Sond. Fl. dan. 14, 2461.

- † *Airopsis* Fr. Andersson Gram. Scand. 7.
 — *aurea* N. v. E. Humb. Gram. 216.
 — *pulchella* Ten. Ten. Fl. nap. 102.
 — *Stuedelii* N. v. E. Humb. Gram. 217.
Aitonia capensis L. fil. Bot. Mag. 5, 173.
 — — — Cav. Diss. 159.
 — — — Lam. Encycl. 571.
 — — — Lodd. Cab. 682.
 — — — Rchb. Exot. 229.
 — — — Herb. am. 4, 213.
Ajuga acaulis Brocchi. Ten. Fl. nap. 239.
 — *alpina* L. Engl. Bot. 7, 477.
 — *Barrelieri* Ten. Ten. Fl. nap. 240.
 — *Chamaepitys* L. Engl. Bot. 2, 77.
 — — — Hayne 8, 1.
 — — — Schreb. Distr. Fl. bor. 4, 232.
 — *chia* Schreb. Sibth. Fl. gr. 524.
 — *densiflora* Ten. Ten. Fl. nap. 239.
 — *foliosa* Tratt. Tratt. Arch. 2.
 — *genevensis* L. Fl. dan. 10, 1703.
 — — — Tratt. Arch. 239.
 — — — Hayne 9, 18.
 — — — Schrank Fl. monac. 2, 141.
 — — — Dietr. Fl. bor. 2, 85.
 — — — Nees Gen. 6, 47.
 † — *Iva* Schreb. Sibth. Fl. gr. 525.
 — *Iva heterantha* Brot. Phyt. 108.
 — *pyramidalis* L. Fl. dan. 2, 185.
 — — — Schk. Hdb. 155.
 — — — Engl. Bot. 18, 1270.
 — — — Sv. Bot. 225.
 — — — Hayne 9, 19.
 — — — Dietr. Fl. bor. 6, 403.
 — *reptans* L. Fl. dan. 6, 923.
 — — — Lam. Encycl. 501.
 — — — Curt. Lond. 2, 74.
 — — — Engl. Bot. 7, 489.
 — — — Baxter Brit. Bot. 2, 94.
 — — — Dreves 1, 19.
 — — — Hayne 9, 17.
 — — — Schrank Fl. monac. 3, 224.
 — — — Dietr. Fl. bor. 2, 114.
 † — — — Nees Gen. 6, 47.
 — *salicifolia* Schreb. Sibth. Fl. gr. 526.
Aizoon canariense L. Lam. Encycl. 437.
 — — — DC. Pl. grass. 136.
 — — — Andr. Rep. 3, 201.
 † — *hispanicum* L. Gaertn. Carp. 76.
 † — — — Lam. Encycl. 437.
 — — — DC. Pl. grass. 30.
Akebia lobata Decne. Sieb. Fl. Jap. 78.
 † — — — Arch. Mus. 1, 13.
 — *quinata* Decne. Bot. Reg. 33, 28.
 † — — — Arch. Mus. 1, 13.
 — — — Sieb. Jap. 77.
 — — — Schnizl. Iconogr. 172^a.
Akeesia africana Tuss. Tuss. Ant. 1, 3.
 — — — Desc. Ant. 8, 560.
 — — — Tratt. Arch. 193, 193^a.
 † *Alangieae* DC. Schnizl. Iconogr. 262.
Alangium decapetalum Lam. Rheede Hort. mal. 4, 17.
 — — — Wight Ic. Ind. or. 1, 194.
 — *hexapetalum* Lam. Rheede Hort. mal. 4, 28.
 — — — Wight Illustr. 96.
 † — — — Ann. Mus. 10, 8.
Albertinia brasiliensis Spr. Deless. Ic. 4, 4.
 — *erythropappa* DC. Deless. Ic. 4, 5.
Albikia schoenoides Presl. Presl Rel. 34.
 — *scirpoides* Presl. Presl Rel. 35.
Albinca oresigenes Rich. Rich. Astr. 4.
Albizia Julibrisin Durazz. Durazzini Memoria 0.
Albuca abyssinica L. Jacq. Ic. 64.

- Albuca abyssinica* L. Red. Lil. 4, 195.
 — *alba* Lam. Lam. Encycl. 241.
 — *altissima* L. Jacq. Ic. 63.
 — *aurea* Jacq. Jacq. Ic. 441.
 — *caudata* Jacq. Jacq. Ic. 442.
 — *cornuta* Desf. Red. Lil. 2, 70.
 — *exuviata* Gawl. Bot. Mag. 22, 871.
 — *fastigiata* Dryand. Bot. Reg. 4, 277.
 — — — Andr. Rep. 7, 450.
 — — — Red. Lil. 8, 474.
 — *filifolia* Willd. Bot. Reg. 7, 557.
 — *flaccida* Jacq. Jacq. Ic. 444.
 — *fragrans* Jacq. Jacq. Schoenbr. 1, 84.
 — *fugax* Ker. Bot. Reg. 4, 311.
 — *major* L. Jacq. Ic. 443.
 — — — Red. Lil. 2, 69.
 — — — Bot. Mag. 21, 804.
 — — — Lodd. Cab. 1191.
 — *minor* L. Red. Lil. 1, 21.
 — — — Bot. Mag. 19, 720.
 — — — Lodd. Cab. 800.
 — *physodes* Gawl. Bot. Mag. 26, 1046.
 — *setosa* Jacq. Jacq. Ic. 440.
 † — — — Jacq. Collect. 5, 14.
 — — — Bot. Mag. 36, 1481.
 — — — Rchb. Exot. 55.
 — *spiralis* L. Jacq. Ic. 439.
 — *viridiflora* Jacq. Jacq. Ic. 446.
 — — — Bot. Mag. 40, 1656.
 — *viscosa* L. Jacq. Ic. 445.
 — *vittata* Gawl. Bot. Mag. 33, 1329.
Albuca chlorantha Saut. Rchb. Fl. germ. 10, 473.
 — *nutans* L. Rchb. Fl. germ. 10, 473.
 † — — — Rchb. Nees Gen. 2, 49.
 † *Alcanna spinosa* Gaertn. Gaertn. Carp. 110.
Alcea ficifolia L. Schk. Handb. 191.
 † — — — Lam. Encycl. 581.
 — — — Sibth. Fl. gr. 663.
 — *pallida* W. et K. W. et Kit. 47.
 — *procumbens* Med. Act. palat. 3, 17.
 † — *rosea* L. Schk. Handb. 191.
 † — — — Lam. Encycl. 581.
 — — — Sibth. Fl. gr. 662.
 — — — Nees Düssel. 414.
 † — — — Engelmann Anthol. 1.
 † *Alchemilla* L. Gaertn. Carp. 73. — Lam. Encycl. 86. —
 — — — Mutel Fl. fr. 16.
 — *alpina* L. Fl. dan. 1, 49.
 — — — Engl. Bot. 4, 244.
 — — — Sv. Bot. 758.
 — — — Sturm Flora 1, 2.
 † — — — Nees Gen. 4, 80.
 — *Aphanes* Leers. Dietr. Fl. bor. 7, 489.
 — *arvensis* L. Engl. Bot. 15, 1011.
 † — — — Scop. Nees Gen. 4, 80.
 — *fissa* Schummel. Rchb. Pl. crit. 1, 4.
 — — — Sturm Flora 13, 56.
 — — — Fl. dan. 12, 2101.
 — *nivalis* H. B. K. H. B. K. Nov. Gen. 6, 560.
 — *pubescens* M. v. B. Willd. Hort. 79.
 — — — Rchb. Pl. crit. 1, 4.
 — *sibbaldiaefolia* H. B. K. H. B. K. Nov. Gen. 6, 561.
 — *verticillata* Field. Field. Sert. 65.
 — *vulgaris* L. Fl. dan. 4, 693.
 — — — Schk. Handb. 26.
 — — — Curt. Lond. 5, 210.
 — — — Engl. Bot. 9, 597.
 — — — Baxter Br. Bot. 4, 280.
 — — — Sv. Bot. 261.
 — — — Schrank Fl. monac. 4, 353.
 — — — Sturm Flora 13, 51.
 — — — Dietr. Fl. bor. 7, 490.

- † *Alchemilla vulgaris* L. Nees Gen. 4, 80.
 — — — Wight Ic. Ind. or. 1, 229.
 † *Alchornea* Sw. Swartz Fl. Ind. 24.
 — glandulosa Poepp. et E. 221.
 — latifolia Sw. Lam. Encycl. 998.
 — — — Hayne 10, 42.
 — — — Spr. Nees Düsseld. 142.
Alcina ovatifolia Jacq. Jacq. Ecl. pl. 78.
 — perfoliata Cav. Cav. Ic. 15.
Alcea pinnata R. et P. Rz. et Pav. Fl. 114.
Aldrovanda vesiculosa L. Lam. Encycl. 220.
 — — — Rchb. Fl. germ. 3, 24.
Aldunatea chilensis Remy. Gay Chile 38.
Alectoridea Quartianiana Rich. Rich. Abyss. 99.
Alectorolophus grandiflorus Wallr. Dietr. Fl. bor. 2, 110.
 — hirsutus All. Rchb. Ic. crit. 8, 733.
 — — — Dietr. Fl. bor. 3, 152.
 † — — — Nees Gen. 5, 46.
 — major Ehrh. Rchb. Ic. crit. 8, 732.
 — minor Ehrh. Rchb. Ic. crit. 8, 731.
 † — — — Nees Gen. 5, 46.
 — parviflorus Wallr. Dietr. Fl. bor. 2, 111.
 † *Alectryon excelsum* Gaertn. Gaertn. Carp. 46.
 — — — DC. Hook. Ic. pl. 570.
Alepidia ciliaris Dela R. Dela Roche Eryng. 1.
Alepyrum Pumilio R. Br. Ann. sc. nat. 13, 2.
Aletris capensis L. Bot. Mag. 14, 501.
 — farinosa L. Bot. Mag. 34, 1418.
 — — — Lodd. Cab. 1161.
 — — — Big. Med. 50.
 — fragrans L. Red. Lil. 2, 117.
 — — — Andr. Rep. 5, 306.
 — guineensis L. Jacq. Vind. 84.
 — — — Lam. Encycl. 237.
 † — hyacinthoides L. Gaertn. Carp. 15.
 — punicea Lab. Bill. Nov. Holl. 111.
 — — — Kern. Hort. 449.
 — sarmentosa Andr. Andr. Rep. 1, 54.
 † *Aleurites* Forst. Forst. Char. 56.
 — laccifera Willd. Guimp. et Schl. 286.
 † — triloba Forst. Lam. Encycl. 791.
 † *Aleuritopteris dealbata* Fée. Fée Fil. 5, 12.
 † — farinosa Fée. Fée Fil. 5, 12.
 † *Alexandra Imperatricis* Schomb. Schomb. Monogr. 0.
Alexia ceylanica Wight. Wight Ic. Ind. or. 4, 1293.
Alfredia cernua Cass. Rchb. Ic. crit. 5, 448.
Alibrexia Gayana Gaud. Gaudichaud Bonite 105.
 — rupicola Miers. Miers Illustr. 11.
 † *Alisma* L. Ann. sc. nat. 2, 14.
 — Damasonium L. Red. Lil. 5, 289.
 — — — Engl. Bot. 23, 1615.
 † — echinocarpum Seub. Endl. Bras. 8, 13.
 — ellipticum Mart. Endl. Bras. 8, 13.
 — flavum L. Desc. Ant. 8, 600.
 — intermedium Mart. Endl. Bras. 8, 14.
 — natans L. Fl. dan. 9, 1573.
 — — — Red. Liliac. 5, 285.
 — — — Engl. Bot. 11, 775.
 — — — Dietr. Fl. bor. 10, 661.
 — — — Rchb. Pl. crit. 1, 37.
 — — — Rchb. Fl. germ. 7, 84.
 — parnassifolium L. Rchb. Ic. crit. 3, 228.
 — — — Rchb. Fl. germ. 7, 86.
 — Plantago L. Fl. dan. 4, 561.
 † — — — Gaertn. Carp. 84.
 — — — Schk. Handb. 102.
 † — — — Lam. Encycl. 272.
 — — — Curt. Lond. 1, 111.
 — — — Engl. Bot. 12, 837.
 — — — Baxter Br. Bot. 5, 337.
 — — — Sv. Bot. 440.
 — — — Red. Lil. 8, 452.

- Alisma Plantago* L. Dict. sc. nat. 43.
 — — — Schrank Fl. monac. 2, 198.
 — — — Wolf Abbild. 0.
 — — — Dietr. Fl. bor. 1, 61.
 † — — — Nees Gen. 2, 25.
 — — — Rchb. Fl. germ. 7, 57.
 — — — Schnizl. Iconogr. 1, 49.
 — ranunculoides L. Fl. dan. 1, 122.
 — — — Curt. Lond. 4, 27.
 — — — Engl. Bot. 5, 326. 2722.
 — — — Red. Lil. 5, 268.
 — — — Rchb. Pl. crit. 1, 37.
 — — — Rchb. Fl. germ. 7, 55.
 — reniformis Don. Wight Ic. Ind. or. 2, 322.
 — repens Lam. Cav. Ic. 55.
 — tenellum Mart. Endl. Bras. 8, 13.
 † *Alismaceae* Rich. Schnizl. Iconogr. 1, 49.
Alismographis Aub. Aubert Orch. 41. 42.
Alismorchis Aub. Aubert Orch. 33.
Alkanna tinctoria Tausch. Nees Düss. Suppl. 31.
 † — — — Nees Gen. 6, 74.
Allagopappus dichotomus Cass. Webb Can. 85.
Allamanda angustifolia Pohl. Pohl Bras. 59.
 — Aubletii Pohl. Bot. Mag. 74, 4411.
 † — cathartica L. Gaertn. Carp. 61.
 — — — Bot. Mag. 10, 338.
 — — — Lam. Encycl. 171.
 — — — Wendl. Sert. hannov. 22.
 — — — Desc. Ant. 2, 144.
 — — — Kern. Hort. 62.
 — — — Kern. Gen. 89.
 — — — Savi Fl. ital. 3, 83.
 — — — Herb. amat. 3, 183.
 — — — Lodd. Cab. 259.
 — — — Maund Bot. 3, 123.
 — — — Paxt. Mag. 8, 77.
 — grandiflora Paxt. Paxt. Mag. 12, 79.
 — nerifolia Hort. Bot. Mag. 77, 4594.
 — — — Lem. Jard. fl. 177.
 — oenotheraeifolia Pohl. Pohl Bras. 57.
 — — — Rchb. Exot. 307.
 — Schottii Pohl. Pohl Bras. 58.
 — — — Bot. Mag. 74, 4351.
 — violacea Gardn. Field. Sert. 41.
Allantodia Brunonianana Wall. Wall. Pl. asiat. 52.
 † — — — Hook. Gen. Fil. 120.
 — Hohenackeriana Kze. Kze Fil. 126.
Allardin glabra Decne. Jacq. Ind. 96.
 — tomentosa Decne. Jacq. Ind. 95.
Alliaria officinalis R. Br. Rchb. Fl. germ. 2, 60.
 — — — Andr. Dietr. Fl. bor. 8, 539.
 † *Allionia incarnata* L. Gaertn. Carp. 214.
 — — — L'her. Stirp. 31.
 — — — Lam. Encycl. 58.
 — — — Dict. sc. nat. 96.
 † *Allium* L. Haller Opusc. 1. 2. — Lam. Encycl. 242. —
 — — — Mutel Fl. fr. 74. — Gaudin Fl. helv. 2, 10
 — — — 14. — Nees Gen. 2, 50. 51.
 — acuminatum Hook. Hook. Fl. Bor. Am. 196.
 — — — Paxt. Fl. G. 25.
 — — — Lem. Jard. fl. 86.
 — — — Fl. d. serres 6, 644.
 — acutangulum Willd. Rchb. Ic. crit. 8, 734.
 — — — Schrad. Rchb. Fl. germ. 10, 500.
 — acutiflorum Lois. Rchb. Fl. germ. 10, 491.
 — albidum Fisch. Rchb. Ic. crit. 5, 406.
 — album Hort. Red. Lil. 5, 300.
 — — — Herb. amat. 2, 109.
 — ambiguum Sibth. Sibth. Fl. gr. 327.
 — — — Engl. Bot. 2803.
 — Ampeloprasum L. Sibth. Fl. gr. 312.
 — — — W. et Kit. 82.

- Allium Ampeloprasum* L. Red. Lil. 7, 385.
 — — — Engl. Bot. 24, 1657.
 — — — Bot. Mag. 34, 1385. 38, 1560.
 — — — Rchb. Fl. germ. 10, 489.
 — *amphibolum* Led. Ledeb. Ic. 357.
 — *angulosum* L. Jacq. Fl. austr. 5, 423.
 — — — Red. Lil. 5, 281.
 — — — Fl. dan. 12, 2110.
 — — — Bot. Mag. 29, 1149.
 — — — Schrank Fl. monac. 2, 184.
 — *arenarium* L. Sv. Bot. 691.
 — — — Red. Lil. 7, 379.
 — — — Rchb. Fl. germ. 10, 490.
 — — — Engl. Bot. 19, 1358.
 — *ascalonicum* L. Rchb. Fl. germ. 10, 491.
 — *asperum* Don. Rchb. Fl. germ. 10, 483.
 — *atropurpureum* W. et K. W. et Kit. 17.
 — — — Rchb. Fl. germ. 10, 505.
 — *azureum* Led. Ledeb. Ic. 136.
 — *Babingtonii* Borr. Engl. Bot. 2906.
 — *bisulcum* Red. Red. Lil. 5, 286.
 — — — Bot. Mag. 34, 1381.
 — — — Rchb. Ic. crit. 5, 476.
 — *blandum* Wall. Wall. Pl. asiat. 269.
 — *brachystemon* Red. Red. Lil. 7, 374.
 — *caespitosum* Siev. Acad. Pet. 6, 16.
 — *capillare* Cav. Cav. Ic. 206.
 — *carinatum* Fr. Engl. Bot. 24, 1658.
 — — — Red. Lil. 7, 368.
 — — — Fl. dan. 12, 2109.
 — — — Schrank Fl. monac. 2, 164.
 — — — Sturm Flora 20, 93.
 — — — Rchb. Ic. crit. 5, 416.
 — — — Rchb. Fl. germ. 10, 482.
 — *carneum* Ten. Ten. Fl. nap. 28.
 — *carolinianum* Red. Red. Lil. 2, 101.
 — *caspium* M. v. B. Bot. Mag. 77, 4598.
 — — — Lem. Jard. fl. 176.
 — *Cepa* L. Sibth. Fl. gr. 326.
 — — — var. Bot. Mag. 36, 1469.
 — — — Guimp. et Schl. 179.
 — — — Rchb. Fl. germ. 10, 494.
 — *cernuum* Roth. Roth. Catal. 2, 2.
 — — — Red. Lil. 6, 348.
 — — — Bot. Mag. 32, 1324.
 — *Chaemaemoly* L. Cav. Ic. 207.
 — — — Red. Lil. 6, 325.
 — — — Andr. Rep. 6, 377.
 — — — Bot. Mag. 30, 1203.
 — — — Rchb. Fl. germ. 10, 501.
 — *ciliare* Red. Red. Lil. 6, 311.
 — *ciliatum* Cir. Cir. Pl. rar. 2, 6.
 — — — Ten. Fl. nap. 137.
 — — — Sims. Bot. Mag. 20, 774.
 — *clathratum* Led. Ledeb. Ic. 356.
 — *coeruleum* Pall. Link Ic. II, 20.
 — — — Bot. Reg. 26, 51.
 — — — Fl. d. serres 3, 300.
 — *controversum* Schrad. Rchb. Fl. germ. 10, 488.
 — *Cowani* Ldl. Bot. Reg. 9, 758.
 — — — Bot. Mag. 63, 3531.
 — *declinatum* Rchb. Rchb. Ic. crit. 5, 477.
 — *dentiferum* Webb. Webb. Can. 234.
 — *denudatum* Red. Red. Lil. 6, 357.
 — *descendens* L. Bot. Mag. 7, 251.
 — — — Sibth. Fl. gr. 316.
 — — — Rchb. Fl. germ. 10, 493.
 — *Douglasii* Hook. Hook. Fl. Bor. Am. 197.
 — *Durieuianum* Gay. Expl. Alger. 46.
 — *Erdelii* Zucc. Münch. Abh. 3, 5.
 — *euosmon* Lk. Link Ic. II, 8.
 — *fistulosum* L. Bot. Mag. 30, 1230.

- Allium fistulosum* L. Rchb. Fl. germ. 10, 495.
 — *flavescens* Bess. Rchb. Fl. germ. 10, 499.
 — *flavidum* Led. Ledeb. Ic. 362.
 — *flavum* L. Jacq. Fl. austr. 2, 141.
 — — — Red. Lil. 2, 119.
 — — — Bot. Mag. 33, 1330.
 — — — Sturm Flora 9, 34.
 — — — Rchb. Ic. crit. 6, 570.
 — — — Rchb. Fl. germ. 10, 485.
 — *flexum* W. et K. W. et Kit. 278.
 — — — Rchb. Ic. crit. 5, 417.
 — *foliosum* Red. Red. Lil. 4, 214.
 — — — Rchb. Ic. crit. 5, 478.
 — *fragrans* Vent. Red. Lil. 2, 68.
 — — — Vent. Cels. 26.
 — — — var. Bot. Reg. 11, 898.
 — *fusum* W. et K. W. et Kit. 241.
 — — — Rchb. Fl. germ. 10, 488.
 — *glandulosum* Lk. Link Ic. II, 17.
 — *globosum* Red. Red. Lil. 3, 179.
 — — — M. v. B. Rchb. Ic. crit. 5, 407.
 — — — Rchb. Fl. germ. 10, 497.
 — *gracile* Ait. Andr. Rep. 2, 107.
 † *guttatum* Stev. Mem. Mosc. 2, 11.
 — *hirsutum* Zucc. Münch. Abh. 3, 2.
 — *hymenorrhizum* Led. Ledeb. Ic. 359.
 — *illyricum* Jacq. Jacq. Ic. 365.
 — *incarnatum* Horn. Rchb. Fl. germ. 10, 486.
 — *inodorum* Ait. Bot. Mag. 28, 1129.
 — *intermedium* Lam. Rchb. Fl. germ. 10, 486.
 — *junceum* Sibth. Sibth. Fl. gr. 322.
 — *kermesinum* Rchb. Rchb. Fl. germ. 10, 498.
 — *lacteam* Sm. Sibth. Fl. gr. 325.
 — *latifolium* Jaub. Jaub. Illustr. 103.
 — *longifolium* Spr. Bot. Reg. 12, 1034.
 — *longispathum* Red. Red. Lil. 6, 316.
 — — — Rchb. Ic. crit. 5, 430.
 — — — Rchb. Fl. germ. 10, 487.
 — *lusitanicum* Lam. Red. Lil. 5, 271.
 — *magicum* L. Brot. Phyt. 47, 48.
 — — — Mem. Mod. 20, 18, 19.
 — — — Bot. Mag. 29, 1148.
 — *majale* Cir. Ten. Fl. nap. 29.
 — *margaritaceum* Sibth. Sibth. Fl. gr. 315.
 — — — Rchb. Fl. germ. 10, 491.
 — *Moly* L. Bot. Mag. 14, 499.
 — — — Red. Lil. 2, 97.
 — — — Rchb. Fl. germ. 10, 501.
 — *monspessulanum* Gouan. Gouan. Ill. 16.
 — *montanum* Sibth. Sibth. Fl. gr. 319.
 — — — Rchb. Fl. germ. 10, 483.
 — — — Schmidt. Rchb. Fl. germ. 10, 500.
 — *moschatum* L. Red. Lil. 2, 100.
 — — — Rchb. Ic. crit. 5, 427.
 — — — Rchb. Fl. germ. 10, 498.
 — *multibulbosum* Jacq. Jacq. Fl. austr. 1, 10.
 — — — Rchb. Fl. germ. 10, 506.
 — *mutabile* Michx. Red. Lil. 4, 240.
 — *narcissiflorum* Vill. Vill. Dauph. 65.
 — *neapolitanum* Cir. Cir. Pl. rar. 1, 4.
 — — — Ten. Fl. nap. 137.
 — — — Sweet. Fl. G. 201.
 — — — Rchb. Fl. germ. 10, 507.
 — *nigrum* L. All. Fl. ped. 3, 25.
 — — — Red. Lil. 2, 102.
 — — — Sibth. Fl. gr. 323.
 — — — Spr. Gesch. d. Bot. 2.
 † — — — Webb. Can. 234.
 — — — Rchb. Fl. germ. 10, 505.
 — *nutans* L. Red. Lil. 4, 233.
 — — — Bot. Mag. 28, 1143.
 — *obliquum* L. Jacq. Ic. 62.

- Allium obliquum* L. Red. Lil. 7, 363.
 — — — Bot. Mag. 34, 1408.
 — obtusiflorum DC. Red. Lil. 2, 118.
 — ochroleucum W. et K. W. et Kit. 186.
 — — — Rchb. Ic. crit. 5, 467.
 — — — Rchb. Fl. germ. 10, 498.
 — odoratissimum Desf. Desf. Fl. atl. 83.
 — oleraceum Sm. Fl. dan. 9, 1456.
 — — — Engl. Bot. 7, 488.
 — — — Rchb. Ic. crit. 5, 418.
 — — — Rchb. Fl. germ. 10, 487.
 — — — Sturm Flora 9, 34. 20, 93.
 — Pallasii Murr. Novi Comm. Gott. 6, 3.
 — — — Led. Ledeb. Ic. 358.
 — pallens L. Red. Lil. 5, 272.
 — — — Sibth. Fl. gr. 317.
 — — — Bot. Mag. 35, 1420.
 — — — Rchb. Fl. germ. 10, 484.
 — paniculatum Red. Red. Lil. 5, 252.
 — — — Sibth. Fl. gr. 318.
 — — — Bot. Mag. 25, 973. 35, 1432.
 — — — Rchb. Ic. crit. 5, 418.
 — — — Rchb. Fl. germ. 10, 484.
 — pedemontanum Willd. Rchb. Fl. germ. 10, 504.
 — pendulinum Ten. Ten. Fl. nap. 31.
 — — — Lodd. Cab. 1087.
 — — — Rchb. Fl. germ. 10, 503.
 — permixtum Guss. Rchb. Fl. germ. 10, 502.
 — pilosum Sibth. Sibth. Fl. gr. 321.
 — Porrum L. Rchb. Fl. germ. 10, 489.
 — praescissum Rchb. Rchb. Ic. crit. 5, 429.
 — — — Rchb. Fl. germ. 10, 486.
 — prostratum Trev. Acta Leop. 13. 1, 11.
 — — — Rchb. Ic. crit. 5, 409.
 — pulchellum Don. Rchb. Fl. germ. 10, 483.
 — pusillum Cir. Rchb. Pl. crit. 6, 515.
 — reticulatum Fras. Hook. Bor. Am. 198.
 — roseum L. Red. Lil. 4, 213.
 — — — Sibth. Fl. gr. 314.
 — — — Bot. Mag. 25, 978.
 — — — Engl. Bot. 2803.
 — — — Rchb. Fl. germ. 10, 504.
 — Rothii Zucc. Münch. Abh. 3, 4.
 † — rotundum L. Gært. Carp. 16.
 — — — Dietr. Fl. bor. 1, 57.
 — — — Rchb. Fl. germ. 10, 492.
 — rupestre M. v. B. Rchb. Ic. crit. 5, 428.
 — sativum L. Rousseau Bot. 7.
 — — — Nees Düsseld. Suppl. 49.
 — — — Hayne 6, 6.
 — — — Guimp. et Schl. 180.
 — — — Wagner 109.
 — — — Woodv. Med. 4, 256.
 — — — Rchb. Fl. germ. 10, 488.
 — saxatile M. v. B. Marschall Cent. 29.
 — — — Rchb. Ic. crit. 5, 409.
 — — — Rchb. Fl. germ. 10, 497.
 — Schoenoprasum L. Fl. dan. 6, 971.
 — — — var. N. Comm. Gott. 6, 4.
 — — — Schk. Handb. 91.
 — — — Bot. Mag. 28, 1141.
 — — — Engl. Bot. 34, 2441.
 — — — Sv. Bot. 89.
 — — — Dietr. Fl. bor. 1, 58.
 — — — Rchb. Fl. germ. 10, 496.
 — Schubertii Zucc. Münch. Abh. 3, 3.
 — Scorodoprasum L. Fl. dan. 2, 290. 9, 1455.
 — — — Engl. Bot. 2905.
 — — — Rchb. Fl. germ. 10, 490.
 — scorzoneraefolium Red. Red. Lil. 2, 99.
 — senescens L. Bot. Mag. 29, 1150.
 — — — Rchb. Ic. crit. 8, 735.

- Allium setaceum* W. et K. W. et Kit. 68.
 — sibiricum L. Engl. Bot. 2934.
 — — — Rchb. Fl. germ. 10, 496.
 — siculum Ucria. Sweet Fl. G. II, 349.
 — speciosum Cir. Cir. Pl. rar. 2, 8.
 — sphaerocephalum L. Fl. dan. 12, 2111.
 — — — Red. Lil. 7, 391.
 — — — Engl. Bot. 2813.
 — — — Bot. Mag. 42, 1764.
 — — — Rchb. Fl. germ. 10, 492.
 — staticiforme Sibth. Sibth. Fl. gr. 320.
 — stellatum Fraser. Bot. Mag. 38, 1576. 43, 1840.
 — — — Hook. Fl. Bor. Am. 194.
 — Stellerianum Led. Ledeb. Ic. 384.
 — striatum Jacq. Jacq. Ic. 366.
 — — — Red. Lil. 1, 50.
 — — — Bot. Mag. 26, 1036. 37, 1524.
 — strictum Schrad. Schrad. Hort. Gott. 1.
 — — — Rchb. Ic. crit. 5, 405.
 — — — Rchb. Fl. germ. 10, 493.
 — suaveolens Jacq. Jacq. Ic. 364.
 — — — Rchb. Fl. germ. 10, 499.
 — subbiflorum Colla. Mem. Tur. 39, 82.
 — subhirsutum L. Sibth. Fl. gr. 313.
 — — — Red. Lil. 6, 305.
 — — — Lodd. Cab. 943.
 — — — Rchb. Fl. germ. 10, 502.
 — subtilissimum Led. Ledeb. Ic. 360.
 — sulcatum DC. Red. Lil. 8, 482.
 — tartaricum L. Red. Lil. 2, 98.
 — — — Bot. Mag. 28, 1142.
 — tenuiflorum Ten. Ten. Fl. nap. 30.
 — tenuissimum Led. Ledeb. Ic. 358.
 — trichocnemis Gay. Expl. Alger. 46.
 — trifoliatum Cir. Cir. pl. rar. 2, 3.
 — triquetrum L. Red. Lil. 6, 319.
 — — — Sibth. Fl. gr. 324.
 — — — Rchb. Fl. germ. 10, 503.
 — — — Gouan. Bot. Mag. 22, 869.
 — tulipaefolium Led. Ledeb. Ic. 137.
 — uliginosum Led. Ledeb. Ic. 83.
 — ursinum L. Fl. dan. 5, 757.
 — — — Red. Lil. 6, 303.
 — — — Sv. Bot. 236.
 — — — Engl. Bot. 2, 122.
 — — — Baxter Br. Bot. 2, 97.
 — — — Sturm Flora 11, 41.
 — — — Dietr. Fl. bor. 4, 225.
 — — — Rchb. Fl. germ. 10, 507.
 — Victorialis L. Jacq. Fl. austr. 3, 216.
 — — — Red. Lil. 5, 265.
 — — — Bot. Mag. 30, 1222.
 — — — Hayne 6, 8.
 — — — Guimp. et Kl. 15.
 — — — Nees Düsseld. Suppl. 50.
 — — — Rchb. Fl. germ. 10, 508.
 — vineale L. Fl. dan. 11, 1870. 13, 2227.
 — — — Engl. Bot. 28, 1974.
 — — — Rchb. Ic. crit. 5, 404.
 — — — Rchb. Fl. germ. 10, 490.
 — violaceum Willd. Rchb. Fl. germ. 10, 482.
 — virens Lam. Rchb. Fl. germ. 10, 487.
 — viridulum Led. Ledeb. Ic. 378.
 — Allmania nodiflora R. Br. Rheed. Hort. mal. 10, 67.
 — — — Hook. Journ. 1834, 128.
 — Allocarpus caracasanus H. B. K. H. B. K. Nov. Gen.
 — — — 4, 408.
 — Allophylus africanus Pal. Pal. Fl. d'Ow. 107.
 — Alloplectus capitatus Hook. Bot. Mag. 75, 4452.
 — — — Fl. d. serres 6, 588.
 — circinatus Mart. Mart. Bras. 223.
 — concolor Hook. Bot. Mag. 74, 4371.

- Alloplectus dichrous* DC. Bot. Mag. 72, 4216.
 — — — Fl. d. serres 2, 67.
 — — — pendulus Poepp. et E. Poepp. et E. 205.
 — — — Pinelianus Ch. Lem. Fl. d. serres 2, 73.
 — — — repens Hook. Bot. Mag. 72, 4250.
 — — — — Fl. d. serres 4, 392.
 — — — sparsiflorus Mart. Bras. 223.
Allosurus andromedaefolius Kaulf. Kze Anal. 11.
 — — — chaerophyllus M. et G. Acad. Brux. 15, 11.
 — — — cordatus Presl. Bot. Mag. 79, 4698.
 — — — crispus Bernh. Newm. p. 103. 108.
 — — — cuspidatus Hochst. Jaub. Illustr. 201.
 — — — decompositus M. et G. Acad. Brux. 15, 10.
 — — — farinosus Kze. Kunze Fil. 103.
 — — — flexuosus Kaulf. Kunze Fil. 23.
 † — — — hastatus Presl. Hook. Gen. Fil. 5.
 — — — hirsutus Presl. Presl Rel. 10.
 — — — Karwinskii Kze. Kunze Fil. 4.
 — — — — Hook. Ic. pl. 387. 388.
 — — — minutus Turcz. Trautv. Im. 3.
 — — — pulchellus M. et G. Acad. Brux. 15, 10.
 — — — robustus Kze. Kunze Fil. 104.
 — — — sagittatus Presl. Kunze Fil. 24.
Alloteropsis distachya Presl. Presl Rel. 47.
 † *Alloxygia cernua* Naud. Ann. sc. nat. III. 15, 15.
Almeidea lilacina St. Hil. St. Hil. Pl. rem. 15.
 — — — Mem. Mus. 10, 21.
 — — — macropetala F. et M. Jard. Petersb. 10.
 — — — rubra St. Hil. St. Fl. Bras. 18.
 † — — — Mem. Mus. 12, 23.
 — — — — Bot. Mag. 76, 4548.
 — — — — Lem. Jard. fl. 77.
 — — — — Fisch. et M. Sert. petrop. 3.
 — — — — Jard. Petersb. 10.
Alnus acuminata H. B. Mem. Mus. 14, 22.
 † — — — Poepp. et E. 198.
 — — — castaneaefolia Mirb. Mem. Mus. 14, 21.
 — — — cordifolia Ten. Acad. Neap. 2, 0.
 — — — — Ten. Fl. nap. 99.
 — — — — Lodd. Cab. 1231.
 — — — denticulata C. A. M. Eichw. Cauc. 2.
 — — — glauca Michx. Michx. Arb. 3, 4.
 † — — — glutinosa Gaertn. Gaertn. Carp. 90.
 — — — — Curt. Lond. 4, 59.
 — — — — Fl. dan. 13, 2302.
 — — — — Hartig 23.
 — — — — Sturm Flora 8, 29.
 — — — — Hayne 13, 48.
 † — — — Mem. Instit. 1830, 8.
 — — — — Rchb. Fl. germ. 12, 631.
 — — — — Baxter Br. Bot. 3, 193.
 † — — — — Nees Gen. 4, 19.
 † — — — — Schnizl. Ic. 2, 88.
 — — — hybrida A. Br. Rchb. Fl. germ. 12, 630.
 — — — incana L. Sv. Bot. 595.
 — — — — Willd. Fl. dan. 13, 2301.
 — — — — Hartig 24.
 — — — — Rchb. Fl. germ. 12, 629. 630.
 — — — napalensis Wall. Wall. Pl. asiat. 131.
 — — — ovata Hort. Lodd. Cab. 1141.
 — — — serrulata Willd. Michx. Arb. 3, 4.
 — — — — Torr. New York 115.
 — — — tirolensis Saut. Rchb. Fl. germ. 12, 630.
 — — — viridis DC. Hartig 26.
 — — — — Rchb. Fl. germ. 12, 628.
 — — — — Torr. New York 116.
Aloe abyssinica Lam. Salm Mon. §. 18, 1.
 — — — acinacifolia Jacq. Jacq. Ecl. pl. 31.
 — — — — Bot. Mag. 50, 2369.
 — — — — Kern. Hort. 654.
 — — — africana L. var. Bot. Mag. 51, 2517.
 — — — albicans Haw. Bot. Mag. 35, 1452.

- Aloe altilinea* Haw. Salm Mon. §. 11, 3.
 — — — β. denticulata, Salm Mon. §. 11, 3 β.
 — — — angulata Willd. Salm Mon. §. 29, 29.
 — — — angustifolia Haw. Salm Mon. §. 29, 30.
 — — — arachnoides Thunb. DC. Pl. grasses 50.
 — — — — Bot. Mag. 20, 756. 32, 1314. 33, 1361.
 — — — — — 34, 1417.
 — — — — Salm Mon. §. 12, 2.
 — — — arborescens Mill. DC. Pl. grasses 38.
 — — — — Andr. Rep. 7, 468.
 — — — — Bot. Mag. 32, 1306.
 — — — — Guimp. et Schl. 290.
 — — — — Wagner 183. 184.
 — — — — Kern. Hort. 751.
 — — — — Salm Mon. §. 26, 3.
 — — — aspera Haw. Salm Mon. §. 2, 2.
 — — — asperiuscula Haw. Salm Mon. §. 3, 2.
 — — — asperula Haw. Salm Mon. §. 9, 2.
 — — — atrovirens DC. DC. Pl. grasses 51.
 — — — — Salm Mon. §. 10, 2.
 — — — attenuata Haw. Salm Mon. §. 6, 12.
 — — — — β. clariperla, Salm Mon. §. 6, 12 β.
 — — — Bayfieldii Salm. Salm Mon. §. 29, 14.
 — — — Bowiea Schult. Salm Mon. §. 14, 1.
 — — — Bowieana Schult. Salm Mon. §. 29, 3.
 — — — brachyphylla Salm. Salm Mon. §. 29, 8.
 — — — brevifolia Haw. DC. Pl. grasses 81.
 — — — — Bot. Reg. 12, 996.
 — — — bullulata Jacq. Jacq. Fragm. 109.
 — — — — Kern. Hort. 471.
 — — — carinata DC. DC. Pl. grasses 63.
 — — — — Mill. Bot. Mag. 33, 1331.
 — — — caroliniana Hill. Hill Hort. Kew. 13.
 — — — chloracantha Haw. Salm Mon. §. 13, 1.
 — — — ciliaris Haw. Salm Mon. §. 25, 1.
 — — — coarctata Haw. Salm Mon. §. 6, 17.
 — — — Commelini Willd. Wagner 107. 108.
 — — — concinna Haw. Salm Mon. §. 3, 4.
 — — — conspurcata Salm. Salm Mon. §. 29, 31.
 — — — cordifolia Haw. Salm Mon. §. 3, 1.
 — — — cymbaefolia Schrad. Schrad. N. Journ. 2, 2.
 — — — — Salm Mon. §. 11, 1.
 — — — cymbifolia Jacq. Jacq. Fragm. 112.
 — — — cymbiformis Haw. Bot. Mag. 21, 802.
 — — — decipiens Haw. Salm Mon. §. 29, 16.
 — — — denticulata Schult. Lodd. Cab. 1350.
 — — — depressa Haw. Bot. Mag. 33, 1332.
 — — — disticha, L. Martyn Hist. 10.
 — — — echinata Willd. Kern. Hort. 442.
 — — — — Salm Mon. §. 15, 2.
 — — — Ecklonis Salm. Salm Mon. §. 21, 2.
 — — — elongata Murr. Comma. Gott. 9, 2.
 — — — — Salm. Salm Mon. §. 29, 15.
 — — — erecta Haw. Salm Mon. §. 6, 7.
 — — — excavata Willd. Salm Mon. §. 29, 22.
 — — — expansa Haw. Lodd. Cab. 1430.
 — — — fasciata Willd. Salm Mon. §. 6, 15.
 — — — — β. major, Salm Mon. §. 6, 15 β.
 — — — — β. Salm. Jacq. Ecl. pl. 113.
 — — — ferox Lam. DC. Pl. grasses 32.
 — — — — Bot. Mag. 45, 1975.
 — — — — Rchb. Exot. 56.
 — — — — Salm Mon. §. 27, 5.
 — — — foliolosa Haw. Bot. Mag. 33, 1332.
 — — — — Salm Mon. §. 2, 4.
 — — — glabra Haw. Salm Mon. §. 29, 19.
 — — — glabrata Salm. Salm Mon. §. 6, 13.
 — — — — β. perviridis, Salm Mon. §. 6, 13 β.
 — — — — γ. concolor, Salm Mon. §. 6, 13 γ.
 — — — granata Willd. Salm Mon. §. 6, 6.
 — — — — β. minor, Salm Mon. §. 6, 6 β.
 — — — guttata Salm. Salm Mon. §. 29, 9.

- Aloe humilis* Jacq. Jacq. Schoenbr. 4, 420.
 — *Thunb.* DC. Pl. grasses 39.
 — *Haw.* var. Bot. Mag. 20, 757. 21, 828.
 — — Lodd. Cab. 1481.
 — — Herb. amat. 1, 70.
 — — Salm Mon. §. 15, 1.
 — *hybrida* Salm. Salm Mon. §. 4, 4.
 — *imbricata* Haw. Salm Mon. §. 1, 1.
 — *incurva* Haw. Lodd. Cab. 1504.
 — — Salm Mon. 15, 3.
 — *intermedia* Haw. Salm Mon. §. 29, 24.
 — *laetevirens* Haw. Salm Mon. 10, 3.
 — *Lingua* Thunb. Bot. Mag. 22, 838. var. 25, 979.
 — — — 32, 1322.
 — — — Herb. amat. 2, 130.
 — — *Willd.* Salm Mon. §. 29, 33.
 — *linguiformis* DC. var. DC. Pl. grasses 68.
 — — var. Kern. Hort. 271.
 — *longiaristata* Schult. Salm Mon. §. 15, 7.
 — *maculata* Thunb. Bot. Mag. 20, 765.
 — — Salm Mon. §. 29, 1.
 — *maculosa* Lam. Lam. Encycl. 236.
 — *margaritifera* Mill. Gaertn. Carp. 17.
 — — Lam. Encycl. 236.
 — — DC. Pl. grasses 57.
 — — Bot. Mag. 21, 815. var. 33, 1360.
 — *Haw.* Salm Mon. §. 6, 5.
 — *marginalis* DC. DC. Pl. grasses 31.
 — *micracantha* Haw. Bot. Mag. 48, 2272.
 — — Link Ic. I, 40.
 — — Salm Mon. §. 21, 1.
 — *mirabilis* Haw. Bot. Mag. 33, 1354.
 — — Salm Mon. §. 9, 1.
 — *mitraeformis* Mill. DC. Pl. grasses 99.
 — — Bot. Mag. 31, 1270. 33, 1362.
 — — Kern. Hort. 588.
 — — var. Rchb. Exot. 188.
 — — Guimp. et Schl. 289.
 — *mollis* Haw. Salm Mon. §. 29, 38.
 — *nigricans* Haw. Salm Mon. §. 29, 7.
 — *nitida* Salm. Bot. Mag. 49, 2304.
 — — Salm Mon. §. 29, 17.
 — *obliqua* Jacq. Jacq. Schoenbr. 4, 418.
 — — DC. Pl. grasses 91.
 — *obtusifolia* Salm. Salm Mon. §. 29, 37.
 — *paniculata* Jacq. Jacq. Fragm. 62.
 — *papillosa* Salm. Salm Mon. §. 6, 4.
 — *parva* Haw. Salm Mon. §. 8, 2.
 — *pentagona* Jacq. Jacq. Fragm. 111.
 — *Haw.* Bot. Mag. 33, 1338.
 — — Salm Mon. §. 1, 4.
 — *perfoliata* L. var. Rheede Hort. mal. 11, 3.
 — — Bot. Mag. 14, 472.
 — — Desc. Ant. 2, 130.
 — — Petersb. 4, 9.
 — *pecta* Thunb. DC. pl. grasses 97.
 — — Bot. Mag. 32, 1323.
 — *planifolia* Haw. Salm Mon. §. 11, 2.
 — *plicatilis* Mill. Jacq. Schoenbr. 4, 423.
 — — Bot. Mag. 13, 457.
 — — DC. Pl. grasses 75.
 — — Rchb. Mag. 83.
 — — Salm Mon. §. 28, 1.
 — *pulchra* Jacq. Jacq. Schoenbr. 4, 419.
 — — Jacq. Fragm. 112.
 — — Salm Mon. §. 29, 2.
 — *Pumilio* Jacq. Jacq. Schoenbr. 4, 421.
 — *purpurascens* Haw. Hayne 14, 23.
 — — Salm Mon. §. 22, 2.
 — *Radula* Jacq. Jacq. Schoenbr. 4, 422.
 — — Bot. Mag. 33, 1345.
 — — Salm Mon. §. 6, 8.

- Aloe verrucosa* Ait. Salm Mon. §. 29, 25.
 — *virens* Haw. Bot. Mag. 33, 1355.
 — — — Kern. Hort. 633.
 — — — Salm Mon. §. 15, 8.
 — *viscosa* L. DC. Pl. grasses 16.
 — — — Bot. Mag. 21, 814.
 — — — Salm Mon. §. 3, 3.
 — — *β. indurata*, Salm Mon. §. 3, 3 β.
 — *vittata* Schult. Salm Mon. §. 29, 6.
 — *vulgaris* DC. DC. Pl. grasses 27.
 — — — Sibth. Fl. gr. 341.
 — — — Guimp. et Schl. 288.
 — — — Nees Düssel. 50.
 — — — Woodv. Med. 5, 28.
 — — — Salm Mon. §. 18, 2.
Alomia ageratoides H. B. K. H. B. K. Nov. Gen. 4, 354.
Alona balsamiflua Gaud. Gaudichd Bonite 107.
 — *coelestis* Ldl. Bot. Reg. 30, 46.
 — — — Paxt. Mag. 12, 3.
 — — — Gaudichd Bonite 106.
 — — — Fl. d. serres 1, 28.
Alonsoa intermedia Hort. Lodd. Cab. 1456.
 — *linearis* R. Pav. Sweet Fl. G. II, 240.
† *Alopecurus* L. Lam. Encycl. 42. — Dumort. Gramin. 11.
 — — — Nees Genera 1, 7. — Andersson Gram. Scand. 11.
 — *agrestis* L. Fl. dan. 4, 697.
 — — — Curt. Lond. 3, 108.
 — — — Schreber Gr. 19.
 — — — Host Gram. 212.
 — — — Engl. Bot. 12, 848.
 — — — Sv. Bot. 432.
 — — — Trin. Sp. Gr. 1, 37.
 — — — Knapp Gr. 16.
 — — — Rchb. Fl. germ. 1, 49.
 — — — Dietr. Fl. bor. 9, 590.
 — *alpinus* Sm. Engl. Bot. 16, 1126.
 — — — Roemer Fl. eur. 13, 2.
 — — — Trin. Sp. Gr. 1, 38.
 — — — Hook. Fl. ant. 130.
 — *angustifolius* Sibth. Sibth. Fl. gr. 64.
 — *antarcticus* Vahl. Humb. Gram. 7.
 — — — Hook. Fl. ant. 130.
 — *bulbosus* L. Engl. Bot. 18, 1249.
 — — — Knapp Gr. 17.
 — — — Trin. Sp. Gr. 1, 40.
 — — — Rchb. Fl. germ. 1, 49.
 — *caespitosus* Trin. Trin. Sp. Gr. 3, 241.
 — *colobachnoides* Trin. Trin. Sp. Gr. 1, 39.
 — *creticus* Trin. Trin. Sp. Gr. 1, 41.
 — — — Rchb. Fl. germ. 1, 49.
 — *fulvus* Sm. Engl. Bot. 21, 1467.
 — — — Fl. dan. 11, 1894.
 — — — Rchb. Fl. germ. 1, 49.
 — *geniculatus* L. Curt. Lond. 3, 46.
 — — — Engl. Bot. 18, 1250.
 — — — Sv. Bot. 333.
 — — — Host Gram. 132.
 — — — Ell. Carol. 7.
 — — — Knapp Gr. 18.
 — — — Dict. sc. nat. 18.
 — — — Trin. Sp. Gr. 1, 42.
 — — — Rchb. Fl. germ. 1, 49.
 — *Gerardi* Vill. Trin. Sp. Gr. 1, 1.
 — *lanatus* Sibth. Trin. Sp. Gr. 1, 43.
 — *nigrescens* Jacq. Jacq. Ecl. gram. 13.
 — *nigricans* Hornem. Rchb. Fl. germ. 1, 49.
 — *ovatus* Hornem. Fl. dan. 9, 1565.
 — — — Knapp Gr. 15.
 — *Pallasii* Trin. Trin. Sp. Gr. 1, 2.
 — *panicus* L. Fl. dan. 5, 861.
 — *pratensis* L. Schreber Gr. 19.

- Alopecurus pratensis* L. Schk. Handb. 11.
 † — — — Mag. nat. Fr. 7, 2.
 — — — Host Gram. 131.
 — — — Curt. Lond. 3, 47.
 — — — Engl. Bot. 11, 759.
 — — — Sturm Flora 2, 8.
 — — — Sv. Bot. 14.
 — — — Fl. dan. 12, 1985.
 — — — Knapp Gr. 14.
 — — — Trin. Sp. Gr. 1, 44.
 — — — var. Trin. Sp. Gr. 1, 45.
 — — — Rchb. Fl. germ. 1, 49.
 — — — Dietr. Fl. bor. 9, 599.
 — — — Baxter Brit. Bot. 1, 45.
 † — *sericeus* Gaertn. Gaertn. Carp. 1.
 — *utriculatus* Schrad. Sibth. Fl. gr. 63.
 — — — Trin. Sp. Gr. 1, 46.
 — — — Rchb. Fl. germ. 1, 49.
 — *vaginatus* Pall. Trin. Sp. Gr. 1, 2.
Alpinia Allughas Rosc. Rheede Hort. mal. 11, 14.
 — — — Rosc. Scit. 67.
 † — — — Ann. sc. nat. II, 15, 18.
 — *aromatica* Jacq. Jacq. Fragm. 74, 75.
 — *auriculata* Rosc. Rosc. Scit. 74.
 — *bracteata* Rosc. Rosc. Scit. 70.
 — *brevilabris* Presl. Presl Rel. 17.
 — *breviscapa* P. et E. Poepp. et Endl. 135.
 — *calcarata* Rosc. Rosc. Scit. 68.
 — — — Bot. Reg. 2, 141.
 — — — Wight Ic. Ind. or. 6, 2026.
 — *Cardamomum* Roxb. Rheede Hort. 11, 4, 5.
 — — — Roxb. Corom. 226.
 — — — Guimp. et Schl. 273.
 — — — Nees Düssel. 66.
 † — *caribaea* Gaertn. Gaertn. Carp. 12.
 — *cernua* Sims. Bot. Mag. 44, 1900.
 — *comosa* Jacq. Jacq. Ic. 202.
 — *costata* Roxb. Roxb. Corom. 252.
 — — — Kern. Hort. 710.
 — *diffissa* Rosc. Rosc. Scit. 71.
 — *Galanga* Willd. Nees Düssel. 67, 68.
 † — — — Ann. sc. nat. II, 15, 19.
 — *gigantea* Bl. Rumpf Amb. 6, 62.
 — *Haenkei* Presl. Presl Symb. 43.
 † — *jamaicensis* Gaertn. Gaertn. Carp. 12.
 — *linguiformis* Roxb. Roxb. Corom. 276.
 — *macrantha* P. et E. Poepp. et Endl. 134.
 — *magnifica* Rosc. Rosc. Scit. 75.
 — — — Bot. Mag. 59, 3192.
 — *malaccensis* Roxb. Rumpf Amb. 5, 71.
 — — — Bot. Reg. 4, 328.
 — *mutica* Roxb. Rosc. Scit. 69.
 — *nutans* Rosc. Rumpf Amb. 6, 63.
 — — — Rosc. Scit. 73.
 — — — Smith Ex. Bot. 106.
 — — — Bot. Mag. 44, 1903.
 — — — Paxt. Mag. 13, 125.
 — — — Rchb. Exot. 109.
 — — — Wight Ic. Ind. or. 6, 2027.
 — *Paco Seroa* Jacq. Jacq. Fragm. 76.
 — *penicillata* Rosc. Rosc. Scit. 72.
 — *racemosa* L. Desc. Ant. 3, 170.
 — *Rheedii* Wight. Wight Ic. Ind. or. 6, 2026.
 — *spicata* Jacq. Jacq. Hist. stirp. am. 1.
 — *spiralis* Jacq. Jacq. Schoenbr. 1, 1.
 — *strobilifera* P. et E. Poepp. et Endl. 136.
 — *tubulata* Ker. Bot. Reg. 9, 777.
 — — — Bot. Mag. 51, 2494.
 — — — Don. Rchb. Exot. 68.
Alseis floribunda Schott. Endl. Atacta 33.
Alseodaphne semecarpifolia N. v. E. Wight Ic. Ind. or. 5, 1826. 1827.

- Alseuosmia Banksii* A. Cunn. Hook. New Zeal. 24.
 — *linearifolia* A. Cunn. Hook. New Zeal. 25.
 — *macrophylla* A. Cunn. Hook. New Zeal. 23.
Alsinantha biflora Fzl. Rechb. Fl. germ. 5, 209.
 — *stricta* Fzl. Rechb. Fl. germ. 5, 209.
 † *Alsine* L. Gray Gen. 111.
 — *austriaca* M. et K. Sturm Flora 6, 24.
 — *biflora* Wahlbg. Sv. Bot. 763.
 — *fasciculata* Wahlbg. Vis. Dalm. 34.
 — *lancifolia* Vis. Rechb. Fl. germ. 5, 206.
 — *marina* Wahlbg. Sv. Bot. 743.
 — *media* L. Fl. dan. 3, 438. 525.
 — — Schk. Handb. 85.
 — — Lam. Encycl. 214.
 — — Hayne 2, 47.
 — — Sturm Flora 1, 1.
 — — Rechb. Fl. germ. 5, 222.
 † *mucronata* L. Gaertn. Carp. 129.
 — — Sibth. Fl. gr. 293.
 — *prostrata* Forsk. Delile Egypt. 24.
 — *rubella* Wahlbg. Wahlbg. Fl. lapp. 6.
 — — Sv. Bot. 764.
 — *squarrosa* Fenzl. Gray Gen. 111.
 — *stricta* Wahlbg. Sv. Bot. 762.
 — *succulenta* Delile. Delile Egypt. 24.
 — *verna* Bartl. Sturm Flora 7, 26.
Alsinella viscosa Hartm. Fl. dan. 10, 1754.
Alsodeia angustifolia Aub. Aub. Iles d'Afr. 18.
 — *bahiensis* Moric. Moric. Pl. Am. 46.
 — *floribunda* Moric. Moric. Pl. Am. 47.
 — *latifolia* Aub. Aub. Iles d'Afr. 18.
 — *macrophylla* Decne. N. Ann. Mus. 3, 19.
 — *paniculata* Mart. Mart. Bras. 21.
 — *pauciflora* Aub. Aub. Iles d'Afr. 17.
 — *physiphora* Mart. Mart. Bras. 19.
 — *pubescens* Aub. Aub. Iles d'Afr. 18.
 — *racemosa* Mart. Mart. Bras. 20.
 — *silvatica* Seem. Seem. Herald 14.
Alsophilha armata Mart. Mart. Crypt. bras. 28. 48.
 — — Schnizl. Ic. 1, 26.
 † — *aspera* R. Br. Hook. Gen. Fil. 21.
 — — Hook. Ic. Fil. 213. 214. 215.
 — — Hook. Sp. Fil. 19.
 — *australis* R. Br. Hook. Sp. Fil. 19.
 — *caudata* Sm. Hook. Sp. Fil. 20.
 — *comosa* Wall. Hook. Sp. Fil. 20.
 — *compta* Mart. Mart. Crypt. bras. 41.
 — *contaminans* Wall. Hook. Sp. Fil. 18.
 — *crinita* Hook. Hook. Ic. pl. 671.
 — *elegans* Mart. Mart. Crypt. bras. 38.
 † — *excelsa* R. Br. Hook. Gen. Fil. 9.
 — — Hook. Sp. Fil. 18.
 — *fulva* M. et G. Acad. Brux. 15, 23.
 — *hirta* Mart. Mart. Crypt. bras. 44.
 — *leucolepis* Mart. Mart. Crypt. bras. 46.
 † — *lunulata* R. Br. Spreng. Neue Entd. 1, 3.
 — *mexicana* Mart. Mart. Crypt. bras. 45.
 — *nigra* Mart. Mart. Crypt. bras. 47.
 — *paeolata* Mart. Mart. Crypt. bras. 43.
 — *phalerata* Mart. Mart. Crypt. bras. 42.
 — *pilosa* M. et G. Acad. Brux. 15, 22.
 — *plagiopteris* Mart. Mart. Crypt. bras. 50.
 — *procera* Mart. Mart. Crypt. bras. 40.
 — *pycnocarpa* Kze. Kunze Fil. 86.
 — *rigidula* Mart. Mart. Crypt. bras. 51.
 — *rostrata* Mart. Mart. Crypt. bras. 39.
 — *Swartziana* Mart. Mart. Crypt. bras. 49.
Alstonia Pala Dillw. Rheede Hort. mal. 1, 45.
 — *plumosa* Lab. Bill. Ser. 32.
 — *scholaris* R. Br. Rumpf Amb. 2, 82.
 — — Wight Ic. Ind. or. 2, 422.
 † — — Wight Illustr. 154^b.

- Alstonia venenata* R. Br. Wight Ic. Ind. or. 2, 436.
 — — Lodd. Cab. 1189.
Alstroemeria L. (Var. *hortenses*.) Paxt. Mag. 16, 130.
 — — (Var. *chilenses*.) Fl. d. serres 1, 41.
 † — *acuminata* Herb. Herb. Amar. 4.
 — *acutiflora* Lk. et O. Link Ic. II. 29.
 — — Bot. Mag. 58, 3059.
 — — Sweet Fl. G. II. 77.
 — — Maund Bot. 3, 137. 4, 174.
 — *albiflora* Presl. Presl Rel. 22.
 — *aurantiaca* Don. Bot. Reg. 22, 1843.
 — — Sweet Fl. G. II. 205.
 † — *aurea* Grah. Herb. Amar. 1.
 — — Bot. Mag. 61, 3350.
 — *bicolor* Lodd. Lodd. Cab. 1497.
 — *bracteata* R. et P. Rz. et Pav. Fl. 291.
 † — *Bridgesiana* Herb. Herb. Amar. 1.
 — *caryophyllacea* Jacq. Jacq. Schoenbr. 4, 465.
 † — *catharinensis* Herb. Herb. Amar. 2.
 — *coccinea* R. et P. Rz. et Pav. Fl. 291.
 † — *conferta* Herb. Herb. Amar. 3.
 — *cordifolia* R. et P. Rz. et Pav. Fl. 290.
 — — Kern. Hort. 460.
 † — *Curbrana* Herb. Herb. Amar. 1.
 — *declinata* P. et E. Poepp. et Endl. 160.
 — *denticulata* R. et P. Rz. et Pav. Fl. 293.
 — *distichifolia* R. et P. Rz. et Pav. Fl. 287.
 — *dulcis* Hook. Hook. Bot. Misc. 95.
 — *edulis* Andr. Tuss. Ant. 1, 14.
 — — Andr. Rep. 10, 649.
 — — Kern. Hort. 370.
 — *Errembaulitii* Maund Bot. 5, 237.
 — — Hort. Fl. d. serres 3, 262.
 — *fimbriata* R. et P. Rz. et Pav. Fl. 293.
 — *flos Martini* Ker. Bot. Reg. 9, 731.
 — — Sweet Fl. G. II. 277.
 — *formosa* Pers. Kern. Hort. 265.
 — *formosissima* R. et P. Rz. et Pav. Fl. 296.
 — *haemantha* R. et P. Sweet Fl. G. II. 158.
 — *hirtella* H. B. K. Sweet Fl. G. 228.
 — *Hookeri* Lodd. Lodd. Cab. 1272.
 † — *Hookeriana* Schult. Herb. Amar. 1.
 — *Jacquesiana* Ch. Lem. Fl. d. serres 2, 182.
 † — *inodora* Herb. Herb. Amar. 2.
 † — *isabellina* Herb. Herb. Amar. 6.
 — *latifolia* R. et P. Rz. et Pav. Fl. 295.
 — — Kern. Hort. 248.
 — *Ligtu* L. Bot. Mag. 4, 125.
 — — Lam. Encycl. 231.
 — — Red. Lil. 1, 40.
 — — Lodd. Cab. 17.
 — — Bot. Reg. 25, 13.
 — — Herb. amat. 2, 85.
 — *lineatiflora* R. et P. Rz. et Pav. Fl. 289.
 — — Bot. Reg. 29, 58.
 — — Kern. Hort. 531.
 — *macrocarpa* R. et P. Rz. et Pav. Fl. 294.
 — *Neillii* Gillies. Bot. Mag. 58, 3106.
 — *nemorosa* Gardn. Bot. Mag. 68, 3958.
 — *oculata* Lodd. Lodd. Cab. 1851.
 — — Bot. Mag. 61, 3344.
 — *ovata* Cav. Cav. Ic. 76.
 — — Lodd. Cab. 1654.
 — — Bot. Mag. 55, 2848.
 — *pallida* Grah. Bot. Mag. 58, 3040.
 — *pelegrina* L. Jacq. Vind. 50.
 — — Hill Decade 2.
 — — Bot. Mag. 4, 139.
 † — — Gaertn. Carp. 13.
 — — Rz. et Pav. Fl. 288.
 — — Lam. Encycl. 231.
 — — Red. Lil. 1, 46.

- Alstroemeria pelegrina* L. Savi Fl. ital. 2, 55.
 — — — Kern. Hort. 195.
 — — — Lodd. Cab. 1295.
 — — — var. Paxt. Mag. 1, 199.
 — — — Herb. amat. 3, 188.
 † — — — Herb. Amar. 3.
 — — — *plantaginea* Mart. Fl. d. serres 7, 746.
 † — — — *Preslcana* Herb. Herb. Amar. 1.
 — — — *psittacina* Lehm. Bot. Mag. 57, 3033. 68, 3944.
 — — — Bot. Reg. 18, 1540.
 — — — Sweet Fl. G. II. 15.
 — — — Lodd. Cab. 1666.
 — — — *pulchella* Hook. Bot. Mag. 49, 2353.
 — — — Bot. Reg. 12, 1008.
 — — — var. *pilosa*, Bot. Reg. 17, 1410.
 — — — Sims. Lodd. Cab. 1054.
 † — — — Herb. Amar. 4.
 — — — Hook. Ex. Fl. 64.
 — — — *pulchra* Sims. Bot. Reg. 9, 731.
 — — — Bot. Mag. 50, 2421.
 — — — Rchb. Exot. 113.
 — — — *purpurea* Rz. et P. Rz. et Pav. Fl. 294.
 † — — — *pygmæa* Herb. Herb. Amar. 8.
 † — — — *quillotensis* Herb. Herb. Amar. 2.
 † — — — *recumbens* Herb. Herb. Amar. 3.
 † — — — *revoluta* Herb. Herb. Amar. 7.
 — — — *rosea* Hook. Hook. Ex. Fl. 181.
 — — — *Salsilla* L. Bot. Mag. 39, 1613.
 — — — Sweet Fl. G. II. 269.
 — — — Lodd. Cab. 1683.
 — — — *secundifolia* Rz. et P. Rz. et Pav. Fl. 290.
 — — — *setacea* Rz. et P. Rz. et Pav. Fl. 292.
 — — — *Simsii* Spr. Sweet Fl. G. 267.
 † — — — *Sollyana* Herb. Herb. Amar. 4.
 — — — *spathulata* Presl. Presl Rel. 22.
 † — — — Herb. Amar. 1.
 † — — — *subrosulacea* Herb. Herb. Amar. 5.
 † — — — *tenuifolia* Herb. Herb. Amar. 1.
 — — — *tomentosa* Rz. et P. Rz. et Pav. Fl. 292.
 — — — Kern. Hort. 207.
 — — — *tricolor* Hook. Hook. Ex. Fl. 65.
 — — — Lodd. Cab. 1147.
 † — — — *versicolor* Rz. et P. Herb. Amar. 48.
Altensteinia fimbriata H. B. K. H. B. K. Nov. Gen. 1, 72.
 — — — *pilifera* H. B. K. H. B. K. Nov. Gen. 1, 73.
 — — — Lam. Encycl. 990.
Alternanthera achyrantha R. Br. Mart. Bras. 152.
 — — — Webb Can. 199.
 — — — *ficoides* R. Br. Pal. Fl. d'Ow. 99.
 — — — *litoralis* Pal. Pal. Fl. d'Ow. 104.
 — — — *sessilis* R. Br. Rheede Hort. mal. 10, 11.
 — — — Wight Ic. Ind. or. 2, 727.
 — — — Dict. sc. nat. 194.
 — — — *tenella* Colla. Mem. Tur. 33, 9.
 † *Althaea* L. Schk. Handb. 192^a. — Kern. Gen. 185. 186.
 — — — *acaulis* Cav. Cav. Diss. 27.
 — — — *cannabinæ* L. Jacq. Fl. austr. 2, 101.
 † — — — Gaertn. Carp. 136.
 — — — Cav. Diss. 30.
 † — — — Lam. Encycl. 581.
 — — — Rchb. Fl. germ. 5, 173.
 — — — *caribæa* Sims. Bot. Mag. 44, 1916.
 — — — *ficifolia* Cav. Cav. Diss. 28.
 — — — *flexuosa* Sims. Bot. Mag. 23, 692.
 — — — *hirsuta* L. Jacq. Fl. austr. 2, 170.
 — — — Cav. Diss. 29.
 — — — Engl. Bot. 2674.
 — — — Rchb. Fl. germ. 5, 172.
 † — — — Expl. Alger. 69.
 — — — *leucantha* Ehrenb. Rchb. Hort. 213.
 — — — *longiflora* Boiss. Expl. Alger. 69.
 — — — *Ludwigii* L. Cav. Diss. 30.

- Althaea Ludwigii* L. Cav. Ic. 423.
 — — — *multiflora* Rchb. Rchb. Fl. germ. 5, 174.
 — — — *narbonensis* Pourr. Jacq. Ic. 136.
 — — — Cav. Diss. 29.
 — — — *officinalis* L. Fl. dan. 3, 530.
 † — — — Gaertn. Carp. 136.
 — — — Cav. Diss. 30.
 † — — — Lam. Encycl. 581.
 — — — Engl. Bot. 3, 147.
 — — — Hayne 2, 25.
 — — — Guimp. et Schl. 82.
 — — — Nees Düssel. 415.
 — — — Wagner 211. 212.
 — — — Woodv. Med. 3, 198.
 — — — Dietr. Fl. bor. 4, 280.
 — — — Rchb. Fl. germ. 5, 173.
 — — — Baxter Brit. Bot. 3, 226.
 — — — *pallida* Kit. Winterl. Ind. 21.
 — — — Rchb. Fl. germ. 5, 175.
 — — — *pulchra* Klotzsch. Pr. Waldemar Him. 26.
 — — — *rosea* Cav. Cav. Diss. 28.
 — — — Bot. Mag. 59, 3198.
 — — — L. Hayne 2, 26.
 — — — Guimp. et Schl. 81.
 — — — Rchb. Fl. germ. 5, 175.
 — — — *sinensis* Cav. Cav. Diss. 29.
 — — — *taurinensis* DC. Rchb. Fl. germ. 5, 174.
 — — — *ulmifolia* Desc. Desc. Ant. 7, 527.
Althæa filiformis Petit. Ann. d'Obs. 1, 12.
 † — — — Mutel Fl. fr. 63.
 — — — Rchb. Ic. crit. 8, 755.
Altingia excelsa Noronha. Hayne 11, 26.
Altisatis Aub. Aubert Orch. 11. 12.
Alysicarpus belgaumensis Wight. Wight Ic. pl. Ind. 1, 92.
 — — — *bupleurifolius* DC. Rheede Hort. mal. 9, 32.
 — — — *longifolius* W. et A. Wight Ic. pl. Ind. 1, 251.
 — — — *pubescens* Law. Wight Ic. pl. Ind. 1, 250.
 † *Alyssoides* Tournef. Medicus Gatt. 1.
 † *Alyssum* L. Mutel Fl. fr. 4.
 — — — *affine* Ten. Ten. Fl. nap. 241.
 — — — *alpestre* L. Gerard Fl. gallopr. 13.
 — — — Jacq. Collect. 4, 4.
 — — — *Sibth.* Sibth. Fl. gr. 623.
 — — — *All.* All. Fl. ped. 3, 18.
 — — — Rchb. Fl. germ. 2, 20.
 — — — L. var. *Sturm* Flora 15, 66.
 — — — Lodd. Cab. 1565.
 — — — *altaicum* Led. Ledeb. Ic. 255.
 — — — *arcticum* Wormsk. Fl. dan. 9, 1520.
 — — — *arenarium* Lois. Sturm Flora 15, 66.
 — — — Rchb. Fl. germ. 2, 19.
 — — — *argenteum* Vitm. Sturm Flora 12, 48. 15, 66.
 — — — Rchb. Fl. germ. 2, 20.
 — — — *atlanticum* Desf. Desf. Fl. 149.
 — — — *calycinum* L. Jacq. Fl. austr. 4, 338.
 † — — — Gaertn. Carp. 141.
 † — — — Lam. Encycl. 559.
 — — — Fl. dan. 10, 1704.
 — — — Engl. Bot. 2853.
 — — — Sturm Flora 12, 48.
 — — — Rchb. Fl. germ. 2, 18.
 — — — *campestre* L. Schk. Handb. 181.
 — — — Sibth. Fl. gr. 622.
 — — — Sturm Flora 15, 66.
 — — — Rchb. Ic. crit. 8, 737.
 — — — Rchb. Fl. germ. 2, 18.
 † — — — *clypeatum* L. Schk. Handb. 181.
 — — — *collinum* Brot. Brot. Phyt. 180.
 — — — *compactum* De Not. Cesati St. it. 0.
 — — — *cuneifolium* Ten. Ten. Fl. pap. 161.
 — — — *deltoideum* L. Bot. Mag. 4, 126.
 — — — *densiflorum* Desf. Desf. Choix 48.

- Alyssum densiflorum* Desf. Ann. Mus. 11, 35.
 — diffusum Ten. Ten. Fl. nap. 161.
 — edentulum W. et K. W. et Kit. 92.
 — — Sturm Flora 12, 48.
 — — Rchb. Fl. germ. 2, 21.
 † — flexicaule Jord. Jord. Obs. 1, 1.
 — foliosum Bory. Bory et Chab. Mor. 23.
 — fulvescens Sibth. Acad. Pet. 6, 2.
 — gemonense L. Jacq. Ic. 503.
 — — Sturm Flora 15, 66.
 — — Rchb. Fl. germ. 2, 21.
 — halimifolium L. Bot. Mag. 3, 101.
 † — — Jord. Obs. 1, 1.
 † — hirsutum M. v. B. Mag. nat. Fr. 7, 2.
 — — Delessert Ic. 2, 40.
 — — Rchb. Fl. germ. 2, 18.
 † — incanum L. Medicus Gatt. 1.
 † — — Schk. Handb. 181.
 — — Fl. dan. 9, 1461.
 — — Sv. Bot. 675.
 — Lapeyrouisianum Jord. Jord. Obs. 1, 1.
 — leucadeum Guss. Guss. Pl. rar. 47.
 — macrocarpum DC. Delessert Ic. 2, 41.
 † — — Jord. Jord. Obs. 1, 1.
 — maritimum Lam. Engl. Bot. 25, 1729.
 — — Sturm Flora 12, 48.
 — micropetalum Fisch. Delessert Ic. 2, 39.
 — minimum Willd. Tratt. Thes. 35.
 — — Sturm Flora 12, 48.
 — — Rchb. Fl. germ. 2, 18.
 † — — var. Acad. Pet. 6, 2.
 — minutum Pall. Acad. Pet. 6, 1.
 — montanum L. Jacq. Fl. austr. 1, 37.
 † — — Lam. Encycl. 559.
 — — Bot. Mag. 12, 419.
 — — Sturm Flora 15, 66.
 — — Rchb. Pl. crit. 1, 5.
 — — Rchb. Fl. germ. 2, 19.
 — — Dietr. Fl. bor. 7, 453.
 † — — Jord. Obs. 1, 1.
 — murale W. et K. W. et Kit. 6.
 — — Sturm Flora 12, 48. 15, 66.
 — — Rchb. Fl. germ. 2, 20.
 — mutabile Vent. Vent. Cels. 85.
 — nebrodense Tineo. Rchb. Fl. germ. 2, 20.
 — obtusifolium Stev. Delessert Ic. 2, 38.
 — orientale Ard. Arduino Anim. 2, 15.
 — — Sm. Sibth. Fl. gr. 624.
 — paniculatum Desf. Ann. Mus. 11, 37.
 — — Desf. Choix 50.
 — petraeum Ard. Arduino Anim. 2, 14.
 — Rochelii Andr. Rchb. Fl. germ. 2, 19.
 — rostratum Stev. Petersb. 3, 15.
 — — Rchb. Fl. germ. 2, 20.
 — rupestre Ten. Ten. Fl. nap. 60.
 — samolifolium Desf. Ann. Mus. 11, 36.
 — — Desf. Choix 49.
 — sativum L. Engl. Bot. 18, 1254.
 — — Sv. Bot. 339.
 — saxatile L. Bot. Mag. 5, 159.
 — — Sturm Flora 15, 66.
 — — Rchb. Ic. crit. 3, 232.
 — — Rchb. Fl. germ. 2, 21.
 — scutigerum Durieu. Expl. Alger. 72.
 † — sibiricum Willd. Mag. nat. Fr. 7, 2.
 † — sinuatum L. Schk. Handb. 181.
 — — Roemer Fl. eur. 3, 1.
 — — Rchb. Fl. germ. 2, 21.
 — smyrnaeum C. A. M. Acad. Pet. 6, 1.
 — spathulatum Steph. Delessert Ic. 2, 37.
 † — spinosum L. Jord. Obs. 1, 1.
 — tortuosum Kit. Winterl. Ind. 5.

- Alyssum tortuosum* W. et K. W. et Kit. 91.
 — — Rchb. Pl. crit. 1, 90.
 — — Rchb. Fl. germ. 2, 20.
 — utriculatum L. Trew Pl. rar. 29.
 — — Bot. Mag. 4, 130.
 — — W. et Kit. 196.
 — vernale Kit. Rchb. Fl. germ. 2, 19.
 — Wierzbickii Heuff. Rchb. Fl. germ. 2, 20.
 — Wulfenianum Bernh. Sturm Flora 12, 48.
 — — Rchb. Pl. crit. 1, 5.
 — — Rchb. Fl. germ. 2, 19.
 Alyxia daphnoides Cunn. Bot. Mag. 61, 3313.
 — laurina Gaudich. Freycinet Voyage 62.
 — ruseifolia R. Br. Bot. Mag. 61, 3312.
 — — Lodd. Cab. 1811.
 — stellata Roxb. Rumpf Amb. 5, 20.
 † Alzatea Rz. et P. Rz. et Pav. Prodr. 7.
 — verticillata Rz. et P. Rz. et Pav. Fl. 241.
 Amaïqua corymbosa H. B. K. H. B. K. Nov. Gen. 3, 294.
 — fagifolia Desf. Mem. Mus. 6, 5.
 — guianensis Aubl. Aubl. Guian. 375.
 — — Mem. Mus. 6, 4.
 — hirsuta P. et E. Poepp. et Endl. 230.
 Amanoa bracteosa Planch. Hook. Ic. pl. 797.
 — divaricata P. et E. Poepp. et Endl. 226.
 — guianensis Aubl. Aubl. Guian. 101.
 † — — Lam. Encycl. 767.
 — indica Wight. Wight Ic. Ind. or. 5, 1911.
 — strobilantha Planch. Hook. Niger Fl. 47.
 † Amarantaceae R. Br. Schnizl. Ic. 2, 102.
 † Amarantus L. Mutel Fl. fr. 566.
 † — adscendens Lois. Nees Gen. 4, 7r.
 — albus L. Willd. Hist. Am. 1.
 — — Journ. Hort. Soc. 1, 187.
 — Blitum L. Rchb. Ic. crit. 5, 471.
 — — Rchb. Dietr. Fl. bor. 11, 786.
 — — L. Engl. Bot. 31, 2212.
 — — Fl. dan. 13, 2246.
 — — Baxter Brit. Bot. 6, 482.
 — chlorostachys Willd. Willd. Hist. Am. 10.
 — cruentus L. Martyn Hist. 5.
 — deflexus L. Willd. Hist. Am. 10.
 — fasciatus Roxb. Wight Ic. Ind. or. 2, 717.
 — flavus L. Willd. Hist. Am. 3.
 — floridus Benth. Benth. Sulphur 51.
 — frumentaceus Roxb. Wight Ic. Ind. or. 2, 720.
 — gangeticus L. Willd. Hist. Am. 6.
 — graecizans L. Willd. Hist. Am. 4.
 — hecticus Willd. Willd. Hist. Am. 7. 11.
 — hybridus L. Willd. Hist. Am. 9.
 † — hypochondricus L. Gaertn. Carp. 128.
 † — — Lam. Encycl. 767.
 † — — Nees Gen. 4, 71.
 — inamoenus Willd. Willd. Hist. Am. 7.
 — laetus Willd. Willd. Hist. Am. 8.
 — lanceolatus Roxb. Wight Ic. Ind. or. 2, 716.
 — lividus L. Willd. Hist. Am. 1.
 — mangostanus L. Willd. Hist. Am. 12.
 — melancholicus L. Willd. Hist. Am. 9.
 † — — Lam. Encycl. 767.
 — oleraceus L. Willd. Hist. Am. 5.
 — — Desc. Ant. 5, 307.
 — — Wight Ic. Ind. or. 2, 715.
 — — Journ. Hort. Soc. 1, 73.
 — paniculatus L. Willd. Hist. Am. 2.
 — — Dict. sc. nat. 21.
 — parisiensis Schk. Schk. Handb. 294.
 — patulus Bert. Novi Comm. Bon. 3, 12.
 — polygamus L. Rumpf Amb. 5, 82 fig. 1.
 — — Wight Ic. Ind. or. 2, 714.
 — polygonoides L. Willd. Hist. Am. 6.
 — — Wight Ic. Ind. or. 2, 719.

Amarantus polygonoides Willd. Wight Ic. Ind. or. 2, 512.

- *prostratus* Balb. Mem. Tur. 7, 10.
- — Rchb. Ic. crit. 5, 473.
- *pumilus* Raf. Torr. New York 93.
- *retroflexus* L. Willd. Hist. Am. 11.
- — Dietr. Fl. bor. 11, 783.
- — Willd. Rchb. Ic. crit. 5, 475.
- *sanguineus* L. Willd. Hist. Am. 2.
- *scariosus* Benth. Benth. Sulphur 51.
- *silvestris* Desf. Rchb. Ic. crit. 5, 474.
- † — — Nees Gen. 4, 71.
- *speciosus* Sims. Bot. Mag. 48, 2227.
- *spicatus* Lam. Rchb. Ic. crit. 5, 472.
- *spinous* L. Rumpf Amb. 5, 83.
- — Willd. Hist. Am. 4.
- — Desc. Ant. 5, 314.
- — Willd. Wight Ic. Ind. or. 2, 513.
- *strictus* Willd. Willd. Hist. Am. 3.
- *tenuifolius* Willd. Wight Ic. Ind. or. 2, 718.
- *tristis* L. Rumpf Amb. 5, 82 fig. 2.
- — Wight Ic. Ind. or. 2, 713.
- — Willd. Hist. Am. 5.
- — Willd. Wight Ic. Ind. or. 2, 514.
- *viridis* L. Willd. Hist. Am. 8.
- † *Amaryllideae* R. Br. Bot. Reg. 7, 546. — Herbert Appendix 1. 2. — Schnizlein Ic. 1, 64.
- ! — *anomalae* Schnizlein Ic. 1, 63.
- † *Amaryllis* L. Hill Entwurf 1 — 6. — Lam. Encycl. 227.
- — Kerner Gen. 28. 29. — Herbert Am. 36.
- *acuminata* Ker. Bot. Reg. 7, 534. 14, 1188.
- — Rchb. Exot. 260.
- *advena* Ker. Bot. Reg. 10, 849.
- — Bot. Mag. 28, 1125.
- — Lodd. Cab. 779.
- — Rchb. Exot. 195.
- *aetnensis* Rafin. Rafinesque Caratt. 18.
- *Atamasco* L. Bot. Mag. 7, 239.
- — Schk. Handb. 90.
- — Red. Lil. 1, 31. 8, 454.
- — Tratt. Thes. 37.
- — Tratt. Arch. 331.
- — Herb. amat. 3, 156.
- *aucta* Tratt. Tratt. Thes. 45.
- *aulica* Ker. Bot. Reg. 6, 444. 12, 1038.
- — Bury Hex. pl. 19.
- — Bot. Mag. 57, 2983. 61, 3311.
- — Rchb. Exot. 111.
- *aurca* Rz. et P. Rz. et Pav. Fl. 286.
- — L'her. L'her. Sert. 15^b.
- — Tratt. Arch. 344. 344^a.
- — Jacq. Schoenbr. 1, 73.
- — Bot. Mag. 12, 409.
- — Kern. Hort. 5, 57.
- — Red. Lil. 2, 61.
- — Bot. Reg. 8, 611.
- — Lodd. Cab. 847.
- — Herb. amat. 1, 40.
- *australasica* Ker. Bot. Reg. 5, 426.
- † — *Banksiana* Ldl. Herb. Amar. 32.^a
- — Bot. Reg. 28, 11.
- *Belladonna* L. Bot. Mag. 19, 733.
- — Red. Lil. 3, 180.
- — Tratt. Thes. 40.
- — Tratt. Arch. 369. 369^a.
- — Kern. Hort. 378.
- — β. pallida, Bury Hex. pl. 45.
- — β. pallida, Bot. Reg. 9, 714.
- *blanda* Gawl. Bot. Mag. 35, 1450.
- — Ker. Paxt. Fl. G. 68.
- — Lem. Jard. fl. 254.
- — Rchb. Exot. 258.
- *brasiliensis* Andr. Red. Lil. 8, 469.

Amaryllis brasiliensis Andr. Andr. Rep. 5, 358.

- — — Tratt. Arch. 333. 333^a.
- — — Kern. Hort. 626.
- *Broussonetii* DC. Red. Lil. 2, 62.
- — — Tratt. Arch. 335. 335^a.
- — — Kern. Hort. 178.
- *calyptrata* Ker. Bot. Reg. 2, 164.
- — — Lodd. Cab. 864.
- — — Rchb. Exot. 197.
- *candida* Ldl. Bot. Reg. 9, 724.
- *Carnarvonia* DC. DC. Hort. 9.
- — — Rchb. Exot. 259.
- *chloroleuca* Ker. Journ. sc. and arts 2, 8.
- † — — Herb. Amar. 45.
- *ciliaris* L. Jacq. Fragm. 44.
- *cinnamomea* L'her. L'her. Sert. 17.
- *citrina* Sm. Sibth. Fl. gr. 311.
- *coranica* Ker. Bot. Reg. 2, 139. 15, 1219.
- — — Rchb. Exot. 196.
- *correiensis* Bury. Bury Hex. pl. 9.
- *crispa* Jacq. Jacq. Schoenbr. 1, 72.
- — — Herb. amat. 1, 32.
- *crocata* Ker. Bot. Reg. 1, 38.
- — — Bury Hex. pl. 16.
- — — Lodd. Cab. 1082.
- *curvifolia* Jacq. Jacq. Schoenbr. 1, 64.
- — — Bot. Mag. 19, 725.
- — — Red. Lil. 5, 274.
- — — Tratt. Arch. 342.
- *cyrthantoides* Sims. Bot. Mag. 50, 2399.
- *elata* Jacq. Jacq. Schoenbr. 1, 62.
- — — Tratt. Arch. 332. 332^a.
- *equestris* Ait. Jacq. Schoenbr. 1, 63.
- — — Bot. Mag. 9, 305.
- — — Red. Lil. 1, 32.
- — — Tussac Ant. 2, 1.
- — — β. major H. B. K. Bot. Reg. 3, 234.
- — — β. major, Bury Hex. pl. 41.
- — — Kern. Hort. 68.
- — — Tratt. Arch. 345. 345^a.
- — — Herb. amat. 2, 78.
- *falcata* Ait. Kern. Hort. 258.
- — L'her. Tratt. Arch. 334.
- *flammea* Rz. et P. Rz. et Pav. Fl. 286.
- *flexuosa* Jacq. Jacq. Schoenbr. 1, 67.
- — — Ker. Bot. Reg. 2, 172.
- *formosissima* L. Bot. Mag. 2, 47.
- — — Red. Lil. 1, 5.
- — — Bury Hex. pl. 6.
- — — Tratt. Thes. 44.
- — — var. Tratt. Arch. 346. 347.
- — — Kern. Hort. 700.
- — — Desc. Ant. 8, 551.
- — — Herb. amat. 1, 64.
- — — Paxt. Mag. 1, 149.
- *Fothergillii* Andr. Andr. Rep. 3, 163.
- — — Kern. Hort. 224.
- — — Tratt. Thes. 47.
- — — Tratt. Arch. 341.
- *fulgida* Ker. Bot. Reg. 3, 226.
- — — Bury Hex. pl. 26.
- *gigantea* Van Mar. Kern. Hort. 217.
- *grandiflora* Herb. Bot. Reg. 16, 1335.
- *Harrisonii* Bury. Bury Hex. pl. 27.
- *humilis* Jacq. Jacq. Schoenbr. 1, 69.
- — — Bot. Mag. 19, 726. 27, 1089.
- — — Red. Lil. 8, 450.
- — — Herb. amat. 1, 32.
- *hyacinthina* Ker. Bot. Reg. 2, 163.
- *igneae* Ldl. Bot. Reg. 10, 809.
- — — Rchb. Exot. 194.
- *insignis* Ker. Bot. Reg. 7, 579.

- Amaryllis intermedia* Ldl. Bot. Rég. 14, 1148.
 — *Johnsoni* Bury. Bury Hex. pl. 1.
 — *Josephinae* Red. Red. Lil. 7, 379—372.
 — *kermesina* Ldl. Bot. Rég. 13, 1638.
 — *laticoma* Ker. Bot. Rég. 6, 497.
 — *lineata* Colla. Colla Hort. Rip. 3.
 — *liturata* Rchb. Rchb. Mag. 82.
 — *longifolia* L. Jacq. Ic. 362.
 † — — Jacq. Fragm. 2.
 — — Bot. Mag. 18, 661.
 — — Red. Lil. 6, 347.
 — — Bury Hex. pl. 42.
 — — Kern. Hort. 103.
 — — Ker. Bot. Rég. 4, 303. 7, 546.
 — *lutea* L. Bot. Mag. 9, 290.
 — — Red. Lil. 3, 148.
 — — Sibth. Fl. gr. 310.
 — — Tratt. Arch. 304.
 — — Kern. Hort. 222.
 — — Herb. amat. 1, 36.
 — *maranensis* Ker. Bot. Rég. 9, 719.
 — *marginata* Jacq. Jacq. Schoenbr. 1, 65.
 — — Tratt. Arch. 337.
 — *mexicana* Hort. Savi Fl. ital. 3, 94.
 — *miniata* Rz. et P. Tratt. Thes. 43.
 — — Rchb. Mag. 81.
 — — Ker. Bot. Mag. 45, 1943.
 — — Bury Hex. pl. 35.
 — — Hart. Parad. 1, 2.
 — *montana* Lab. Bill. Syr. 2, 1.
 — — Red. Lil. 5, 241.
 — — Tratt. Arch. 338.
 — *orientalis* L. Jacq. Schoenbr. 1, 74.
 — *ornata* Ait. Bot. Mag. 24, 923^b. 29, 1171.
 — — — 31, 1253.
 — — — Tratt. Thes. 39.
 — — Kern. Hort. 350. 573. 659.
 — *pallida* Red. Red. Lil. 8, 479.
 — *picta* Bury. Bury Hex. pl. 5.
 — *platypetala* Ldl. Bury Hex. pl. 15.
 — *Principis N. v. E.* Acta Leop. 10. 1, 9.
 — — Kern. Hort. 643.
 — *psittacina* Ker. Bury Hex. pl. 23.
 — — Bot. Rég. 3, 199.
 — — Bot. Mag. 63, 3528.
 — — Lodd. Cab. 1204.
 — *pudica* Ker. Journ. sc. and arts 2, 8.
 — *pulverulenta* Lodd. Bury Hex. pl. 44.
 — — Lodd. Cab. 484.
 — *punicea* Lam. Desc. Ant. 3, 180.
 — *purpurea* Ait. Bot. Mag. 35, 1430.
 — — Bury Hex. pl. 39.
 — — *β. minor* Ker. Bot. Rég. 7, 552.
 — *radiata* Andr. Andr. Rep. 2, 95.
 — — Tratt. Thes. 48.
 — — Tratt. Arch. 343.
 — — Kern. Hort. 344.
 — — L'her. Bot. Rég. 7, 596.
 — *Radula* Jacq. Jacq. Schoenbr. 1, 68.
 — *regina vittata* Hort. Tr. 5, 15.
 — *Reginae* L. Bot. Mag. 13, 453.
 — — Red. Lil. 1, 9.
 — — Bury Hex. pl. 24.
 — — Tratt. Thes. 42.
 — — Kern. Hort. 13.
 — — Rchb. Mag. 80.
 — *reticulata* L'her. L'her. Sert. 14.
 — — Red. Lil. 8, 424.
 — — Bot. Mag. 18, 657. 47, 2113.
 — — Andr. Rep. 3, 179.
 — — Tratt. Thes. 41.
 — — Kern. Hort. 223.

- Amaryllis reticulata* L'her. Dict. sc. nat. 53.
 — — var. Bot. Rég. 5, 352.
 — — var. Fl. d. serres 5, 450.
 — *revoluta* L'her. Bot. Mag. 23, 915. 917. 29, 1178.
 — — Bot. Rég. 8, 615. 623.
 — *rotundifolia* Lam. Rumpf Amb. 6, 70.
 — *rutila* Ker. Bot. Rég. 1, 23.
 — — Lodd. Cab. 1449.
 † — — Schnizl. Ic. 1, 64.
 — *sarniensis* L. Dougl. Lil. sarn. 1—2.
 — — Bot. Mag. 9, 294.
 — — var. Jacq. Schoenbr. 1, 66.
 — — Red. Lil. 1, 33.
 — — Kern. Hort. 77.
 — — Tratt. Thes. 46.
 — — Herb. amat. 5, 333.
 — *solandraciflora* Lindl. Lindl. Coll. 11.
 — — var. Bury Hex. pl. 7. 46.
 — — Kern. Hort. 646.
 — — var. Bot. Rég. 11, 876.
 — — Lodd. Cab. 1200.
 — *speciosa* Hort. Kern. Hort. 201. 642.
 — *spectabilis* Andr. Andr. Rep. 6, 390.
 — — Lodd. Cab. 159.
 — *spiralis* L'her. L'her. Sert. 13.
 — *stellaris* Jacq. Jacq. Schoenbr. 1, 71.
 — *striata* Jacq. Jacq. Schoenbr. 1, 70.
 — *striatifolia* Sweet. Bury Hex. pl. 48.
 — *stylosa* Bury. Bury Hex. pl. 33.
 — *superba* Sweet. Bury Hex. pl. 31.
 — *tubispatha* L'her. Bot. Mag. 38, 1586.
 — *undulata* L. Hill Hort. Kew. 14.
 — — Jacq. Vind. 3, 13.
 — — Bot. Mag. 11, 369.
 — — Red. Lil. 2, 115.
 — — var. Tratt. Arch. 339. 340.
 — — Kern. Hort. 30.
 — — Herb. amat. 1, 30.
 — *Umbella* L'her. L'her. Sert. 16.
 — *variabilis* Jacq. Jacq. Schoenbr. 4, 429.
 — *venusta* Gawl. Bot. Mag. 27, 1090.
 — *vittata* L'her. Schneevogt Ic. 14.
 — — L'her. Sert. 15.
 — — Bot. Mag. 4, 129.
 — — Kern. Hort. 5. 652.
 — — Savi Fl. ital. 2, 75.
 — — var. Bury Hex. pl. 40.
 — — Red. Lil. 1, 10.
 — — Tratt. Thes. 38.
 — — Tratt. Arch. 336. 336^a.
 — — var. Ldl. Collect. 12.
 — — var. Bot. Rég. 12, 988.
 — *zeylanica* L. Rumpf Amb. 5, 105.
Amasonia lasiocaulos Mart. Endl. Bras. 10, 48.
 † — *punicea* Vahl. Vahl Ecl. 20.
Amauropelta Breutelii Kze. Kunze Fil. 51.
Ambelania acida Aubl. Aubl. Guian. 104.
 † — — Lam. Encycl. 169.
 — — Desc. Ant. 7, 480.
Amberboa indica DC. Wight Ic. Ind. or. 2, 479.
 † — — Wight Illustr. 134.
 — *muricata* DC. Boissier Esp. 100.
 † *Amblyanthus juglandifolia* Prsl. Fée Fil. 5, 22.
Amblyanthus glandulosus A. DC. Ann. sc. nat. II. 16, 6.
 † *Amblyglottis flava* Bl. Blume Tab. 64.
Amblyopogon incanescens Fisch. et M. Jaub. Ill. 218.
Ambora Juss. Lam. Encycl. 784.
 — *tomentosa* Bory. Bory lles d'Afr. 13.
 † *Ambrosia artemisifolia* L. Lam. Encycl. 765.
 — — Desc. Ant. 1, 55.
 — *fruticosa* DC. Act. Palat. 3, 20.
 — *maritima* L. Schk. Handb. 292.

- † *Ambrosia maritima* L. Nees Gen. X, x.
 † — *trifida* L. Gaertn. Carp. 164.
 † — — Lam. Encycl. 763.
Ambrosinia Bassi. Bassi Ambros. 0.
 — *Bassii* L. Lam. Encycl. 737.
 † — — Blume Rumphia 36.
 † — — Linnaea 11, 5.
 — *ciliata* Roxb. Roxb. Corom. 294.
 — — — Wight Ic. Ind. or. 3, 775.
 † — — Linn. Tr. 20, 10 — 12.
 — *potamogetifolia* Bassi. Bassi Ambr. 0.
 — *retrospiralis* Roxb. Wight Ic. Ind. or. 3, 772.
 — *spiralis* Roxb. Wight Ic. Ind. or. 3, 773.
 — *unilocularis* Roxb. Wight Ic. Ind. or. 3, 774.
Ambulia aromatica Lam. Rumpf Amb. 6, 67.
Amelanchier florida Ldl. Bot. Reg. 19, 1589.
 — *sanguinea* Ldl. Bot. Reg. 14, 1171.
Ameletia floribunda Wight. Hook. Ic. pl. 9, 826.
 — *indica* DC. Mem. Gen. 3, 3.
 — — — Wight Ic. Ind. or. 1, 257.
 — *rotundifolia* Wight. Wight Ic. Ind. or. 1, 258.
 — *tenuis* Wight. Wight Ic. Ind. or. 1, 257.
Amelia Caretta Ham. Rheede Hort. mal. 5, 33.
 † *Amellus Lychnitis* L. Gaertn. Carp. 173.
 † — — — Lam. Encycl. 682.
 — — — Jacq. Coll. 5, 10.
 — — — Bot. Reg. 7, 586.
 † — *umbellatus* L. Lam. Encycl. 682.
Ameloveenia speciosa Dennst. Rheede Hort. mal. 6, 6.
Amenippis Aub. Aubert Orch. 21, 22.
 † *Amerinum* P. Br. Swartz Fl. Ind. 25.
 † *Amethystea coerulea* L. Gaertn. Carp. 66.
 † — — — Lam. Encycl. 18.
 — — — Bot. Mag. 51, 2448.
Amherstia nobilis Wall. Wall. Pl. asiat. 1 — 2.
 — — — Bot. Mag. 75, 4483.
 — — — Fl. d. serres 5, 513 — 516.
Amicia glandulosa H. B. K. H. B. K. Nov. Gen. 6, 600.
 — *Zygoteris* DC. Bot. Mag. 69, 4008.
 — — — Paxt. Mag. 13, 173.
Amirola nitida Pers. Hook. Ic. pl. 132.
Ammannia aegyptiaca Willd. Delile Egypt. 15.
 — — — Willd. Hort. 6.
 — *auriculata* Willd. Delile Egypt. 15.
 — — — Willd. Hort. 7.
 — *dodecandra* DC. Mem. Gen. 3, 2.
 — *elatinoides* DC. Mem. Gen. 3, 3.
 † *latifolia* L. Houst. Rel. 5.
 † — — — Gaertn. Carp. 112.
 — — — Lam. Encycl. 77.
 — *octandra* L. Roxb. Corom. 133.
 — *prostrata* Ham. Rheede Hort. mal. 9, 84.
 — *senegalensis* Lam. Lam. Encycl. 77.
 — — — var. St. Hil. Fl. Bras. 187.
 † *verticillata* Lam. Lam. Encycl. 77.
Ammi copticum L. Jacq. Vind. 196.
 — *crinitum* Guss. Guss. Pl. rar. 25.
 — *daucifolium* Scop. Scop. Fl. carn. 1, 10.
 † — *majus* L. Gaertn. Carp. 22.
 — — — Schk. Handb. 61.
 † — — — Lam. Encycl. 193.
 — — — Sibth. Fl. gr. 273.
 † — — — Nees Gen. X, x.
Ammobium alatum R. Br. Sweet Fl. G. 48.
 — — — Bot. Mag. 51, 2459.
 — *spatulatum* Gaudich. Freycinet Voyage 90.
 † *Ammocharis Herb.* Herb. Amar. 33.
 — *coranica* Herb. Bot. Reg. 2, 139.
Amodendron Eichwaldii Led. Eichw. Cauc. 33.
 — *Sieversii* DC. Ledeb. Ic. 107.
 † *Ammophila Host.* Dumortier Gram. 10.
 — *arenaria* Lk. Rchb. Fl. germ. 1, 44.

- Ammophila arundinacea* Host. Host Gram. 341.
 † — — — Nees Gen. 1, 35.
 — — — Baxter Br. Bot. 6, 408.
 — *baltica* Lk. Rchb. Fl. germ. 1, 44.
Ammothamnus Lehmanni Bge. Bunge Rel. Lehm. 12.
Ammyrsine buxifolia Pursh. Bot. Reg. 7, 531.
Amomum Afzelii Hook. Hook. Journ. 1852, 5.
 — *Cardamomum* L. Rumpf Amb. 5, 65. fig. 1.
 — — — Nees Düsseld. 64.
 — — — Roxb. Corom. 226. 227.
 — *corynostachyum* Wall. Wall. Pl. as. rar. 58.
 — *Curcuma* Murr. Jacq. Vind. 3, 4.
 — — — Nees Düsseld. 59.
 † *dealbatum* Roxb. Ann. sc. nat. II. 15, 19.
 — *echinatum* Willd. Rumpf Amb. 6, 61. fig. 1.
 — *exscapum* Sims. König Ann. 1, 13.
 — *grandiflorum* Sm. Smith Ex. Bot. 111.
 — *Granum Paradisi* L. Rheede Hort. mal. 11, 6.
 — — — Nees Düsseld. 65.
 — — — Bot. Mag. 77, 4603.
 — — — Lem. Jard. fl. 178.
 — *hirsutum* Lam. Lam. Encycl. 3.
 † *madagascariense* Lam. Lam. Encycl. 2.
 — *maximum* Roxb. Bot. Reg. 11, 929.
 — *Melegueta* Roxb. Rosc. Scit. 98.
 — *Mioga* Thunb. Kaempf. Jap. 1.
 — *parviflorum* Presl. Presl Rel. 19.
 — *petiolatum* Lam. Desc. Ant. 4, 235.
 — *pyramidale* L. Desc. Ant. 3, 170.
 — *racemosum* Lam. Rheede Hort. mal. 11, 4. 5.
 — — — Lam. Encycl. 2.
 — — — Rz. et P. Rz. et Pav. Fl. 1.
 — *repens* Sonner. Woodv. Med. 4, 251.
 — *roseum* Roxb. Roxb. Corom. 126.
 — *subulatum* Roxb. Roxb. Corom. 277.
 — *thyrsoides* Rz. et P. Rz. et Pav. Fl. 2.
 — — — Kern. Hort. 197.
 — *vitellinum* Ldl. Bot. Reg. 33, 52.
 — *Zerumbet* L. Rumpf Amb. 5, 64. fig. 1.
 — — — Jacq. Vind. 3, 54.
 † — — — Lam. Encycl. 2.
 — — — Novi Comm. Gott. 6, 2.
 — — — Tratt. Arch. 202. 202^a.
 — — — Nees Düsseld. 62.
 — *Zingiber* L. Rumpf Amb. 5, 66. fig. 1.
 — — — Jacq. Vind. 75.
 — — — Tuss. Ant. 3, 12.
 — — — Desc. Ant. 8, 563.
 — — — Tratt. Arch. 201. 201^a.
 — — — Dict. sc. nat. 68.
 — — — Nees Düsseld. 61.
 — — — Woodv. Med. 4, 250.
Amoora cucullata Roxb. Roxb. Corom. 258.
Amoreuxia palmatifida DC. Hook. Lond. J. 1847, 1.
 † — *Scheideana* Gray. Smiths. Contr. 3, 3.
Amoria calycina Presl. Presl Symb. 30.
 — *macropoda* Presl. Presl Symb. 31.
Amorpha crocealanata Wats. Watson Dendr. 2, 139.
 — *fragrans* Sweet. Sweet Fl. G. 241.
 — *fruticosa* L. Linné Hort. Cliff. 19.
 † — — — Gaertn. Carp. 144.
 — — — Lam. Encycl. 621.
 — — — Schk. Handb. 197.
 — — — Bot. Reg. 5, 427.
 — *nana* Nutt. Bot. Mag. 47, 2112.
 — *pubescens* Lodd. Lodd. Cab. 689.
Amorphophallus campanulatus Decne. Blume Rumphia 32. 33.
 — — — Wight Ic. Ind. or. 3, 785.
 — *giganteus* Bl. Blume Rumphia 34.
 — *leonensis* Ch. Lem. Fl. d. serres 2, 161.
 — — — Van Houtte Hort. 3.

- Amorphophallus variabilis* Bl. Blume Rumphia 35. 37.
Ampelodemus australis Brogn. Brogn. Coquille 6.
 — *tenax* Lk. Rchb. Fl. germ. 7, 81.
Ampelopsis quinquefolia Michx. Gray Gen. 162.
Ampelosicyos scandens Aub. Aubert lles d'Afr. 22.
Amperea spartioides Brongn. Brongn. Coquille 49.
Ampherephis aristata H. B. K. H. B. K. Nov. Gen. 4, 314.
 — *intermedia* Lk. Link Ic. I, 29.
 — — Sweet Fl. G. 225.
 — — Rchb. Hort. 127.
 — *mutica* H. B. K. H. B. K. Nov. Gen. 4, 315.
† *Amphiblemma cymosum* Naud. Ann. sc. nat. III. 14, 7.
† *Amphiblestra latifolia* Presl. Hook. Gen. Fil. 129.
† — — Fée Fil. 5, 11.
Amphicome arguta Royle. Royle Illustr. 72.
 — — Bot. Reg. 24, 19.
 — — Knowles et Westc. 85.
 — — Paxt. Mag. 6, 79.
Amphilochia dichotoma Mart. Mart. Bras. 77.
Amphilophium Mutisii H. B. K. H. B. K. Nov. Gen. 3, 219.
 — — Kern. Hort. 548.
Amphiscopia Beyrichii N. v. E. Endl. Bras. 7, 20.
Amphocosmia riparia Gardn. Hook. Lond. J. 1842, 12.
Amphodus ovatus Ldl. Bot. Reg. 13, 1101.
† *Amphoriocarpos Neumayeri* Vis. Vis. Dalm. 10^b.
 — — Rchb. Fl. germ. 15, 739. 816.
Amsonia angustifolia Michx. Lam. Encycl. 932.
 — — Vent. Choix 29.
 — *latifolia* Pursch. Bot. Reg. 2, 151.
 — *salicifolia* Pursch. Bot. Mag. 44, 1873.
 — — Lodd. Cab. 592.
Amygdalus arabica Oliv. Jaub. Ill. 226.
† — *communis* L. Lam. Encycl. 430.
 — — Hayne 4, 39.
 — — Guimp. Fr. H. 141.
 — — Guimp. et Schl. 6.
 — — Nees Düsseld. 311. 312.
 — — Wagner 1. 2. 27. 28.
 — — Woodv. Med. 3, 183.
 — — var. *macrocarpa* DC. Bot. Reg. 14, 1160.
 — *eburnea* Spach. Jaub. Ill. 229.
 — *elaeagnifolia* Spach. Jaub. Ill. 230.
 — *furcata* Spach. Jaub. Ill. 228.
 — *glandulosa* Hook. Hook. Ic. pl. 288.
 — *horrida* Spach. Jaub. Ill. 230.
 — *incana* Pall. Pallas Fl. ross. 7.
 — — Sibth. Fl. gr. 477.
 — — Bot. Reg. 25, 38.
 — *microphylla* H. B. K. H. B. K. Nov. Gen. 6, 564.
 — *nana* L. Pallas Fl. ross. 6.
 — — Bot. Mag. 5, 161.
† — — Gaertn. Carp. 93.
 — — Schk. Handb. 131^a.
 — — Lodd. Cab. 1114.
 — *orientalis* Mill. Lodd. Cab. 1137.
† — *Persica* L. Lam. Encycl. 430.
 — — Rousseau Bot. 45. 46.
 — — Guimp. Fr. H. 140.
 — — Hayne 4, 38.
 — — Wagner 39.
 — — Woodv. Med. 3, 184.
 — — var. Bot. Reg. 19, 1886.
 — — var. Journ. Hort. Soc. 3, 313.
 — — fl. pl. Lem. Jard. fl. 4, 328.
! — — Engelmann Anthol. 1.
 — *pumila* L. Bot. Mag. 47, 2176.
 — *scoparia* Spach. Jaub. Ill. 227.
 — *sibirica* Lodd. Lodd. Cab. 1599.
 — *spartioides* Spach. Jaub. Ill. 226.
Amyris balsamifera L. Desc. Ant. 3, 211.
 — *elemifera* L. Rumpf Amb. 2, 48.
† — — — Lam. Encycl. 303.

- Amyris elemifera* L. Desc. Ant. 3, 202.
 — *gileadensis* L. Vahl Symb. 11.
 — — — Woodv. Med. 3, 214.
 — *guiafensis* Willd. Desc. Ant. 6, 412.
† — *heptaphylla* Roxb. Linn. Tr. 15, 5.
† — *obliqua* Spr. Schnizl. Ic. 246.
† — *Opobalsamum* L. Lam. Encycl. 303.
 — *pinnata* H. B. K. H. B. K. Nov. Gen. 7, 610.
 — *polygama* Cav. Cav. Ic. 239.
 — — Willd. Dict. sc. nat. 266.
 — *Protium* L. Rumpf Amb. Auct. 23.
† — *punctata* Roxb. Linn. Tr. 15, 5.
 — *silvatica* Jacq. Jacq. Hist. Stirp. am. 108.
Anabasis Ammodendron Led. Ledeb. Ic. 47.
† — *aphylla* L. Gaertn. Carp. 77.
† — — — Lam. Encycl. 182.
 — *brevifolia* Led. Ledeb. Ic. 39.
 — *cretacea* Pall. Pall. Ill. 9.
 — *florida* M. v. B. Marschall Cent. 17.
 — *heteroptera* Jaub. Jaub. Ill. 133.
 — *tamariscifolia* L. Cav. Ic. 283. 500^b.
 — *tatarica* Pall. Pall. Ill. 8.
 — *Tournefortii* Jaub. Jaub. Ill. 132.
Anacampseros arachnoides Sims. Bot. Mag. 33, 1368.
 — *filamentosa* Sims. Bot. Mag. 33, 1367.
 — *rotundifolia* Sweet. Lodd. Cab. 591.
Anacamptis Durandii Bréb. Rchb. Fl. germ. 13, 499.
 — *pyramidalis* Rich. Dietr. Fl. bor. 1, 66.
 — — — Guimp. et Kl. 2.
† — — — Nees Gen. 3, x.
 — — — Rchb. Fl. germ. 13, 361.
† *Anacardium* L. (Germination.) DC. Leg. 27.
† — *longifolium* Lam. Lam. Encycl. 208.
 — — — Desc. Ant. 2, 69.
 — *occidentale* L. Rumpf Amb. 1, 69.
 — — — Rheede Hort. mal. 3, 54.
 — — — Jacq. Hist. stirp. am. 121.
 — — — Tuss. Ant. 3, 13.
 — — — Desc. Ant. 7, 507.
 — — — Dict. sc. nat. 261.
† — *officinale* Gaertn. Gaertn. Carp. 40.
Anacharis Alsinastrum Bab. Jard. Ann. II. 1, 8.
 — — — Ann. sc. nat. III. 11, 1.
 — *callitrichoides* Rich. Mem. Instit. 1811, 2.
† *Anacolosia frutescens* Bl. Blume Mus. 1, 46.
Anacyclus alexandrinus Willd. Delile Egypt. 48.
 — *aureus* L. Lam. Encycl. 700.
 — — — Brot. Phyt. 163.
 — *creticus* L. Ann. Mus. 11, 22.
 — — — Desf. Choix 37.
 — *officinatum* Hayne. Hayne 9, 46.
 — — — Guimp. et Schl. 188.
 — *pectinatus* Bory et Ch. Bory Morée 28.
 — *Pyrethrum* Link. Guimp. et Schl. 187.
† — *valentinus* L. Gaertn. Carp. 165.
 — — — Schk. Handb. 254^b.
 — — — Lam. Encycl. 700.
† *Anadendron Candolleianum* Wight. Wight Illustr. 154^b.
Adenia Manglesii Grac. Hook. Ic. pl. 337.
Anagallis alternifolia Cav. Cav. Ic. 505.
 — *arvensis* L. Fl. dan. 1, 88.
† — — — Gaertn. Carp. 50.
 — — — Schk. Handb. 36.
 — — — Curt. Lond. 1, 1.
 — — — Engl. Bot. 8, 529.
 — — — Sv. Bot. 123.
 — — — Dreves 1, 32.
 — — — Hayne 2, 45.
 — — — Sturm Flora 1, 1.
 — — — Nees Düsseld. 153.
† — — — Mem. Instit. 1830, 10.
 — — — Baxter Br. Bot. 1, 29.

- ! *Anagallis arvensis* L. Arch. Mus. 4, 5.
 ! — — — Engelm. Anthol. 1, 2.
 — — — *coerulea* Schreb. Curt. Lond. 5, 169.
 — — — Engl. Bot. 26, 1823.
 — — — Hayne 2, 46.
 — — — Fl. dan. 9, 1570.
 — — — Dietr. Fl. bor. 5, 355.
 † — — — Nees Gen. 5, 20.
 — — — *collina* Spr. Savi Fl. ital. 3, 118.
 — — — *crassifolia* Thore. DC. Ic. Gall. 4.
 — — — *fruticosa* Vent. Vent. Choix 14.
 — — — Bot. Mag. 21, 831.
 — — — Herb. amat. 1, 35.
 — — — *grandiflora* Andr. Andr. Rep. 6, 367.
 — — — *indica* Wight. Sweet Fl. G. 132.
 — — — *latifolia* L. Bot. Mag. 50, 2389.
 — — — Lodd. Cab. 1896.
 — — — Wight Ic. Ind. or. 4, 1205.
 — — — Wight Spicil. 133.
 † — — — *Rehb.* Nees Gen. 5, 20.
 — — — *Monelli* L. Bot. Mag. 9, 319. 62, 3380.
 — — — Herb. amat. 1, 26.
 — — — *γ.* Sweet Fl. G. II, 377.
 — — — *parviflora* H. et L. Hoffm. Lk. Fl. port. 64.
 † — — — *phoenicea* Lam. Lam. Encycl. 101.
 † — — — Plée Types 16.
 — — — Sturm Flora 1, 1.
 — — — Schrank Fl. monac. 2, 143.
 — — — Dietr. Fl. bor. 4, 221.
 — — — *pinnata* Rz. et P. Rz. et Pav. Fl. 115.
 — — — *platyphylla* Baudo. Expl. Alger. 67.
 — — — *tenella* L. Cav. Ic. 123.
 — — — Fl. dan. 7, 1085.
 — — — Curt. Lond. 3, 13.
 — — — Engl. Bot. 8, 530.
 — — — Gmelin Fl. bad. 1, 3.
 — — — Roemer Fl. eur. 11, 1.
 — — — *verticillata* All. All. Fl. ped. 3, 85.
Anagaloides procumbens Krock. Krock. Fl. sil. 2, 26.
Anagyris foetida L. Sibth. Fl. gr. 366.
 † — — — Lam. Encycl. 328.
 — — — Ten. Fl. nap. 227.
 — — — Desc. Ant. 8, 588.
 — — — Lodd. Cab. 740.
 — — — *latifolia* Webb. Webb Can. 40.
 — — — *neapolitana* Ten. Ten. Fl. nap. 227.
Anamenia coriacea Vent. Vent. Malm. 22.
Anamirta Baueriana Endl. Endl. Atacta 39, 40.
 — — — *Cocculus* W. et A. Rheede Hort. mal. 7, 1.
 — — — Ann. sc. nat. II, 2, 3.
 † *Ananas Pinguin* Mill. Gaertn. Carp. 11.
Ananassa bracteata Ldl. Bot. Reg. 13, 1081.
 — — — *sativa* R. Br. Rheede Hort. mal. 11, 1, 2.
 — — — Bot. Reg. 13, 1088.
 † — — — Mem. Gen. 7, 1, 2.
Anaphalis aristata DC. Wight Ic. Ind. or. 3, 1119.
 — — — *elliptica* DC. Wight Ic. Ind. or. 3, 1118.
 — — — *neilgerriana* DC. Wight Ic. Ind. or. 2, 478.
 — — — *Notoniana* DC. Wight Ic. Ind. or. 3, 1116.
 — — — *Wightiana* DC. Wight Ic. Ind. or. 3, 1117.
Anaphrenium abyssinicum Hochst. Richard Abyss. 32.
Anarrhinum bellidifolium L. Brot. Phyt. 143.
 — — — Hoffm. Lk. Fl. port. 32.
 — — — Bot. Mag. 46, 2056.
 — — — Desf. Dietr. Fl. bor. 9, 581.
 † — — — Nees Gen. 5, 30.
 — — — *duriminium* Pers. Brot. Phyt. 144.
 † — — — *fruticosum* Desf. Gaertn. Carp. 214.
 — — — Desf. Fl. atl. 142.
 — — — *hirsutum* H. et L. Hoffm. Lk. Fl. port. 33.
 — — — *laxiflorum* Boiss. Boiss. Esp. 127.
 — — — *pedatum* Desf. Desf. Fl. atl. 141.

- Anarthrosyne cordata* Klotzsch. Peters Mossamb. 7.
Anastatica hierochuntica L. Jacq. Vind. 58.
 † — — — Gaertn. Carp. 141.
 † — — — Medicus Gatt. 2.
 — — — Schk. Handb. 179.
 — — — Lam. Encycl. 555.
 — — — Bot. Mag. 74, 4400.
 † — — — *syriaca* L. Gaertn. Carp. 141.
 — — — Jacq. Fl. austr. 1, 6.
 † *Anavinga lanceolata* Lam. Lam. Encycl. 355.
 — — — *parvifolia* Lam. Lam. Encycl. 355.
 † — — — *Samyda* Gaertn. Gaertn. Carp. 224.
 † *Anaxagorea phacocarpa* Mart. Endl. Bras. 2, 5.
 — — — *javanica* Bl. Blume Jav. 1, 32, 36.
 † *Anaxeton floridum* Lam. Lam. Encycl. 692.
 † — — — *foetidum* Gaertn. Gaertn. Carp. 166.
 † — — — Lam. Encycl. 692.
 † *Anaxetum crassifolium* Schott. Schott Gen. Fil. 16.
Ancathia igniaria DC. Deless. Ic. 4, 73.
Anchietea salutaris St. Hil. St. Hil. Pl. us. 19.
Anchonium Billardieri DC. Deless. Ic. 2, 82.
Anchusa aggregata Lehm. Lehm. Asperif. 47.
 — — — *alpestris* Stev. Linn. Tr. 11, 32.
 — — — *angustifolia* L. Sibth. Fl. gr. 164.
 — — — Bot. Mag. 44, 1897.
 — — — *Rehb.* Ic. crit. 8, 725.
 — — — *arvalis* Robb. *Rehb.* Ic. crit. 3, 297.
 — — — *arvensis* L. Dreves 5, 150.
 — — — *azurea* Mill. *Rehb.* Ic. crit. 10, 908.
 — — — *Barrelieri* Baumg. Bot. Mag. 49, 2349.
 — — — *bracteolata* Viv. Viv. Lib. 4.
 — — — *caespitosa* Lam. Sibth. Fl. gr. 169.
 — — — Lehm. Asperif. 48.
 — — — *calcareia* Boiss. Boiss. Esp. 123^a.
 — — — *capensis* Thunb. Bot. Mag. 43, 1822.
 — — — Andr. Rep. 5, 336.
 † — — — *clavata* Viv. Viv. Aeg. 2.
 — — — *dubia* Nocca. Nocca Pl. select. 3.
 — — — Viviani Saggio 2.
 — — — *granatensis* Boiss. Boiss. Esp. 123.
 — — — *hybrida* Ten. Ten. Fl. nap. 11.
 — — — *italica* Trew. Trew Pl. rar. 18.
 † — — — *Retz.* Wendl. Beob. 1.
 — — — Tratt. Arch. 77.
 — — — Schrank Fl. monac. 1, 10.
 — — — Brot. Phyt. 156.
 — — — Bot. Mag. 48, 2197.
 — — — Bot. Reg. 6, 483.
 — — — Lodd. Cab. 1383.
 — — — *leptophylla* R. et Sch. *Rehb.* Ic. crit. 3, 298.
 — — — *lutea* Cav. Cav. Ic. 69.
 — — — *microcalyx* Vis. Vis. Dalm. 23.
 — — — *moltkoides* Royle. Royle Illustr. 73.
 — — — *nigricans* Brot. Brot. Phyt. 23.
 — — — *obliqua* Vis. Mem. Ist. ven. 1, 5.
 — — — *ochroleuca* M. v. B. Bot. Mag. 39, 1608.
 — — — *officinalis* L. Fl. dan. 4, 572.
 † — — — Lam. Encycl. 92.
 — — — Schk. Handb. 29.
 — — — Engl. Bot. 10, 662.
 † — — — Schrad. Asperif. 0.
 — — — Sv. Bot. 208.
 — — — Sturm Flora 5, 18.
 — — — Hayne 1, 23.
 — — — *Rehb.* Ic. crit. 3, 296.
 — — — Dietr. Fl. bor. 3, 199.
 † — — — Nees Gen. 6, 71.
 — — — Woodv. Med. 2, 108.
 — — — *oppositifolia* H. B. K. H. B. K. Nov. Gen. 3, 200.
 — — — *paniculata* Ait. Sibth. Fl. gr. 163.
 — — — *parviflora* Willd. Sibth. Fl. gr. 167.
 — — — *petiolata* Hook. Bot. Mag. 67, 3858.

- Anchusa rosea* M. v. B. Marshall Cent. 43.
 — *sempervirens* L. Curt. Lond. 4, 94.
 — — Engl. Bot. 1, 45.
 — — Baxter Brit. Bot. 1, 48.
 — *spinocarpus* Forst. Delile Egypt. 17.
 — *strigosa* Lab. Bill. Syr. 3, 4.
 — *stylota* M. v. B. Marshall Cent. 23.
 — — Rchb. Ic. crit. 8, 724.
 — *tinctoria* Desf. Sibth. Fl. gr. 166.
 — — Hayne 10, 11.
 — — Guimp. et Schl. 134.
 † — — Viv. Aeg. 2.
 — — Woodv. Med. 2, 106.
 — *undulata* L. Brot. Phyt. 157.
 — — Hoffm. Lk. Fl. port. 22.
 — — Sibth. Fl. gr. 163.
 — — Guss. Pl. rar. 16.
 — — Bot. Mag. 47, 2119.
 — *ventricosa* Sibth. Sibth. Fl. gr. 168.
 — — Viv. Viv. Lib. 6.
 — *versicolor* Stev. Bot. Mag. 63, 3477.
 — *zeylanica* Hornem. Jacq. Ecl. pl. 29.
Ancistrocarpus maypurensis H. B. K. H. B. K. Nov. Gen. 2, 122.
Ancistrocladus Heyneanus W. et A. Rheede Hort. mal. 7, 47.
 — — Wight Ic. Ind. or. 6, 1987. 1988.
 † *Ancistrolobus ligustrinus* Spach. Ann. sc. nat. II. 5, 6.
 † *Ancistrum* Forst. Forst. Charact. 2.
 † — *anserinaefolium* Lam. Lam. Encycl. 22.
 † — *decumbens* Gaertn. Gaertn. Carp. 32.
 † — *latebrosus* Willd. Gaertn. Carp. 32.
 † — — Lam. Encycl. 22.
 — *lucidum* Ait. Lam. Encycl. 22.
 — *magellanicum* Lam. Lam. Encycl. 22.
 — *repens* Vent. Vent. Cels. 6.
Ancylanthus rubiginosa Desf. Lam. Encycl. 923.
 — — Mem. Mus. 4, 2.
 † *Ancyloloxys acuminata* Tul. Ann. sc. nat. II. 20, 2.
Ancylogyne munita N. v. E. Endl. Bras. 7, 7.
Ancyrosemum micranthum P. et E. Poepp. et Endl. 272.
Anda brasiliensis Raddi. Martius Auswahl 1.
 — *Gomesii* Juss. St. Hil. Pl. us. 54, 55.
Andersonia sprengeloides R. Br. Bot. Mag. 40, 1645.
 — — Lodd. Cab. 263.
Andira Harsfieldii Leschen. Ann. Mus. 16, 24.
 — *racemosa* Lam. Desc. Ant. 1, 53.
Andrachne rotundifolia C. A. M. Eichwald Cauc. 20.
 † — *telephoides* L. Gaertn. Carp. 108.
 — — Lam. Encycl. 97.
 — — Sibth. Fl. gr. 953.
 — — Rchb. Fl. germ. 5, 153.
 — — Nees Gen. 4, 39.
 † — *species nova* Nees Gen. 4, 39.
Andradeca floribunda Allemão. Allemão Diss. 1845, 10.
Andreusia glabra Vent. Vent. Malm. 108.
 — — Tratt. Arch. 169.
Andriapetalum reticulatum Pohl. Pohl Bras. 92.
 — *rubescens* Pohl. Pohl Bras. 91.
Andrieuxia mexicana DC. Delessert Ic. 4, 31.
Androcymbium eucomoides Willd. Sweet Fl. G. 165.
 — *melanthioides* Willd. Mag. nat. Fr. 2, 2.
Andrographis ceylanica N. v. E. Wight Ic. Ind. or. 4, 1560.
 — *echioides* N. v. E. Wight Ic. Ind. or. 2, 467.
 — *lobelioides* Wight. Wight Ic. Ind. or. 4, 1557.
 † — — Wight Illustr. 164.
 — *Neesiana* Wight. Wight Ic. Ind. or. 4, 1561.
 — *paniculata* Wall. Wight Ic. Ind. or. 2, 518.
 — *serpyllifolia* Wight. Wight Ic. Ind. or. 2, 517.
 — *viscosa* N. v. E. Wight Ic. Ind. or. 4, 1559.
 — *Wightiana* N. v. E. Wight Ic. Ind. or. 4, 1558.
Andromachia acaulis H. B. K. H. B. K. Nov. Gen. 4, 336.

- Andromachia igniaria* H. B. Humb. Pl. aequin. 112.
 — — Lam. Encycl. 985.
 — *melastomoides* H. B. K. H. B. K. Nov. Gen. 4, 337.
 — *sessiliflora* H. B. K. H. B. K. Nov. Gen. 4, 338.
 † *Andromeda* L. Wight Illustr. 141.
 — *acuminata* Ait. Smith Ex. Bot. 89.
 — *anastomosans* L. Vent. Choix 53.
 — *arborea* L. Bot. Mag. 23, 905.
 — — Michx. Arb. 3, 7.
 — — Rafin. Med. 5.
 — — Lodd. Cab. 1210.
 — — Herb. amat. 5, 342.
 — *axillaris* Ait. Lam. Encycl. 365.
 — — var. Bot. Mag. 50, 2357.
 — — Guimp. Fr. H. 114.
 — *baccata* Wangenh. Wangenheim Beitrag 30.
 — *bracamorensis* H. B. K. H. B. K. Nov. Gen. 3, 263.
 — *bracteata* Cav. Cav. Ic. 562.
 — *Bryanthus* L. Pallas Fl. ross. 74.
 — *buxifolia* Lam. Smith Ic. Linn. 59.
 — — Bot. Mag. 53, 2660.
 — — Lodd. Cab. 1494.
 — — Rchb. Exot. 171.
 † — *calyculata* L. Gaertn. Carp. 63.
 — — Pallas Fl. ross. 72.
 † — — Lam. Encycl. 365.
 — — Sv. Bot. 583.
 — — Guimpel Holzgew. 56.
 — — var. Bot. Mag. 32, 1286.
 — — var. Lodd. Cab. 539. 862. 1464. 1582.
 — *cassinefolia* Vent. Vent. Cels. 60.
 — — Bot. Mag. 25, 970.
 — — Kern. Hort. 250.
 — *Catesbaei* Walt. Bot. Mag. 45, 1955.
 — — Lodd. Cab. 1320.
 — *chinensis* Lodd. Lodd. Cab. 1648.
 — *coerulca* L. Linné Fl. lapp. 1.
 — — Fl. dan. 1, 57.
 — — Pallas Fl. ross. 72.
 — *coriacea* Ait. Lodd. Cab. 672.
 — — Bot. Mag. 27, 1095.
 — — Jacq. Ic. 465.
 — *crispa* Lk. Guimp. Fr. Holzgew. 51.
 — *dealbata* Ldl. Bot. Reg. 12, 1010.
 — *elegans* Hort. Meerb. Pl. sel. 27.
 — *ericoides* Pall. Pallas Fl. ross. 73.
 — *fastigiata* Wall. Wallich Fl. asiat. 284.
 — — Royle Illustr. 63.
 — *ferruginea* Ait. Vent. Malm. 80.
 — *floribunda* Pursch. Bot. Mag. 38, 1566.
 — — Bot. Reg. 10, 807.
 — *formosa* Wall. Wight Ic. Ind. or. 4, 1200.
 — *grandiflora* Hort. Meerb. Pl. sel. 25.
 — *Hahniana* Meerb. Meerb. Pl. sel. 24.
 — *hypnoides* L. Linné Fl. lapp. 1.
 — — Pallas Fl. ross. 73.
 — — Fl. dan. 1, 10.
 — — Bot. Mag. 56, 2936.
 — — Lodd. Cab. 1946.
 — *jamaicensis* Sw. Lodd. Cab. 1873.
 — *japonica* Thunb. Thunb. Fl. jap. 22.
 † — — Gaertn. Carp. 178.
 — *katagherensis* Hook. Hook. Ic. pl. 246.
 — *lanceolata* Wall. Asiat. Res. 13, 10.
 — — Wight Ic. Ind. or. 4, 1198.
 — *ligustrina* Mühlbg. Lodd. Cab. 1110.
 — *lucida* Jacq. Jacq. Ic. 79.
 — *lycopodioides* Pall. Pallas Fl. ross. 73.
 † — *mariana* L. Schk. Handb. 118.
 — — Guimp. Fr. Holzgew. 113.
 — — Bot. Mag. 38, 1579.
 — *Mertensiana* Bong. Acad. Pet. 2, 5.

- Andromeda multiflora* Pohl. Pohl Bras. 122.
 — *Myrsinites* Lam. Lam. Encycl. 365.
 — *myrtifolia* Meerb. Meerb. Pl. sel. 26.
 — *ovalifolia* Wall. Asiat. Res. 13, 11.
 — — Wight Ic. Ind. or. 4, 1199.
 — *phyllireaeifolia* Hook. Hook. Ic. pl. 122.
 — — Bot. Reg. 30, 36.
 — *polifolia* L. Linné Fl. lapp. 1.
 — — Fl. dan. 1, 54.
 — — Pallas Fl. ross. 71.
 — — Schk. Handb. 118.
 † — — Lam. Encycl. 365.
 — — Engl. Bot. 10, 713.
 — — Sv. Bot. 445.
 — — Sturm Flora 20, 94.
 — — Hayne 3, 22.
 — — Guimp. Holzgew. 55.
 — — Dietr. Fl. bor. 4, 219.
 — — Lodd. Cab. 546. 1591. 1714. 1725.
 — — Baxter Br. Bot. 5, 361.
 — *prostrata* Cav. Cav. Ic. 562.
 — *pulverulenta* Bartr. Vent. Malm. 79.
 — — Bot. Mag. 18, 667.
 † — *racemosa* L. Schk. Handb. 116.
 — — Guimp. Fr. Holzgew. 57.
 — *rigida* Pursh. Lodd. Cab. 430.
 — *rosmarinifolia* Port. Silliman Journ. 3, 1.
 — *salicifolia* Comm. Smith. Ic. Linn. 88.
 — — Hook. Ex. Fl. 192.
 — — Bot. Mag. 60, 3286.
 — *speciosa* Michx. Guimp. Fr. Holzgew. 28.
 — — Lodd. Cab. 551.
 — — Watson Dendr. 2, 126.
 — *spicata* Wats. Watson Dendr. 1, 36.
 — *Stelleriana* Pall. Pallas Fl. ross. 74.
 — — Hook. Bor. Am. 131.
 — *subrotunda* Pohl. Pohl Bras. 121.
 — *tetragona* L. Linné Fl. lapp. 1.
 — — Pallas Fl. ross. 73.
 — — Fl. dan. 6, 1030.
 — — Bot. Mag. 59, 3181.
 † *Andropogon* L. Dumortier Gram. 15.
 — *acicularis* Trin. Rumpf Amb. 6, 5. fig. 1.
 — *aciculatus* Retz. Rheede Hort. mal. 12, 43.
 — *altissimus* Colla. Mem. Tur. 39, 60.
 — *annulatus* Forsk. Delile Egypt. 7.
 — *aureus* Bory. Bory. Iles d'Afr. 21.
 — *Bladhii* Retz. Trin. Sp. Gr. 3, 325.
 — *brevifolius* Sw. Humb. Gram. 196.
 — *Calamus aromaticus* Royle. Royle Illustr. 97.
 — *contortus* All. All. Fl. ped. 3, 91.
 — — Lam. Encycl. 840.
 — — Schk. Handb. 342^a.
 — *crinitus* Thunb. Thunb. Fl. jap. 7.
 — *cymbarius* L. Petersb. 2, 9.
 — *distachyus* L. Gerard Fl. gallopr. 4.
 — — Jacq. Ic. 630.
 — — Schk. Handb. 342^a.
 — — Host Gram. 202.
 — — Sibth. Fl. gr. 69.
 — — Sturm Flora 13, 52.
 — *foveolatus* Del. Delile Egypt. 6.
 — *furcatus* Mühlb. Schreb. Gr. 48.
 † — *Gryllus* L. Lam. Encycl. 840.
 — — Sibth. Fl. gr. 67.
 — — Host Gram. 101.
 — — Sturm Flora 13, 52.
 — *halepensis* Sibth. Sibth. Fl. gr. 68.
 — — Sturm Flora 13, 52.
 — *hirtiflorus* Kth. Humb. Gram. 198.
 — *hirtus* L. Schk. Handb. 342^a.
 — — Host Gram. 301.

- Andropogon hirtus* L. Rchb. Fl. germ. 1, 53.
 — *holcoides* Kth. Humb. Gram. 160.
 — *insularis* L. Desc. Ant. 4, 238.
 — *Ischaemum* L. Schreb. Gr. 33.
 — — Jacq. Fl. austr. 4, 384.
 — — Schk. Handb. 342^b.
 — — Lam. Encycl. 540.
 — — Host Gram. 102.
 — — Sturm Flora 13, 52.
 — — Rchb. Fl. germ. 1, 54.
 † — — Nees Gen. 1, 92.
 — *Jwarancusa* Roxb. Rheede Hort. mal. 12, 37.
 — — Trin. Sp. Gr. 3, 326.
 — *laxus* Willd. Jacq. Ecl. gram. 48.
 — *mollicomus* Kth. Humb. Gram. 96.
 — *mollis* Kth. Humb. Gram. 195.
 — *Myosurus Presl.* Humb. Gram. 199.
 — *Nardus* L. Rumpf Amb. 4, 6.
 — *pachnodes* Trin. Trin. Sp. Gr. 3, 327.
 — *princeps* Rich. Richard Abyss. 102.
 — *pubescens* Vis. Vis. Dalm. 2.
 — — Rchb. Fl. germ. 1, 53.
 — *punctatus* Roxb. Trin. Sp. Gr. 3, 328.
 — *Ravennae* Willd. Host Gram. 201.
 — *sanguinarius* Schreb. Schreb. Gr. 28.
 — *Schoenanthus* L. Rheede Hort. mal. 12, 72.
 — — Rumpf Amb. 5, 72.
 — — Vent. Cels. 89.
 — — Wall. Pl. asiat. 280.
 — *serratus* Retz. Trin. Sp. Gr. 3, 329.
 — *strictus* Host. Host Gram. 103.
 — *tener* Kth. Humb. Gram. 197.
 — *tetrastachyus* Ell. Elliot Carol. 8.
 — *tropicus* Spr. Humb. Gram. 97.
 — *undatus* Jacq. Jacq. Ic. 631.
 — *xanthoblepharis* Trin. Trin. Sp. Gr. 3, 330.
 † *Androsace* L. Mutel Fl. fr. 52.
 — *Aizoon Duby.* Jacquemont Ind. 143.
 — *albana* Stev. Linn. Tr. 11, 33.
 — *alpina* Hall. Lam. Encycl. 98.
 — *brevifolia* Vill. Vill. Dauph. 15.
 — *bryoides* Lois. DC. Ic. Gall. 7.
 — *carinata* Torr. Sweet Fl. G. II, 106.
 — *carnea* L. All. Fl. ped. 3, 5.
 — — Gaudin Fl. helv. 2, 1.
 — — Rchb. Ic. crit. 6, 579.
 — — Lodd. Cab. 40.
 — *Chamaejasme Wulf.* Rchb. Ic. crit. 6, 580.
 — — Lodd. Cab. 232.
 — *ciliata* Lois. DC. Ic. Gall. 6.
 — *cornipifolia* Andr. Andr. Rep. 10, 647.
 — — Bot. Mag. 45, 2022.
 — *dasyphylla* Led. Ledeb. Ic. 15.
 — *diapensoides* Picot. Picot Pyren. 3.
 — *elongata* L. Jacq. Fl. austr. 4, 330.
 — — Jacq. Obs. 19.
 — — Schk. Handb. 33.
 — *foliosa* Duby. Jacquemont Ind. 146.
 — *Gmelini* Led. Ledeb. Ic. 170.
 — *Halleri* Gm. Gmelin Fl. bad. 4, 8.
 — *Jacquemontii* Duby. Mem. Gen. 10, 3.
 — *imbricata* Hall. Lam. Encycl. 98.
 — *incana* Lam. Rchb. Ic. crit. 3, 248.
 — *lactea* L. Jacq. Fl. austr. 4, 333.
 — — Bot. Mag. 22, 668. 25, 981.
 † — — Nees Gen. 5, 6.
 — *Lachenalii* Gm. Gmelin Fl. bad. 1, 2.
 — *lanuginosa* Wall. Bot. Mag. 69, 4003.
 — — Paxt. Mag. 14, 51.
 — *maxima* L. Jacq. Fl. austr. 4, 331.
 † — — Lam. Encycl. 98.
 † — — Nees Gen. 5, 6.

- Androsace obtusifolia* All. All. Fl. ped. 3, 46.
 — — — Rechb. Ic. crit. 6, 579.
 — — — odoratissima Schreb. Schreb. Ic. 4.
 — — — parviflora Jacq. et Duby. Mem. Gen. 10, 3.
 — — — pauciflora Vill. Vill. Dauph. 15.
 — — — primuloides Duby. Mem. Gen. 10, 3.
 — — — pubescens Lois. DC. Ic. Gall. 5.
 — — — rotundifolia Sm. Smith Ex. Bot. 113.
 — — — sarmentosa Wall. Wall. Pl. asiat. 206.
 — — — sempervivoides Jacq. et Duby. Mem. Gen. 10, 3.
 — — — septentrionalis L. Fl. dan. 1, 7.
 † — — — Gaertn. Carp. 50.
 — — — — Lam. Encycl. 98.
 — — — — Sv. Bot. 483.
 — — — — Bot. Mag. 45, 2021.
 — — — — Libosch. Pet. 33.
 † — — — — Nees Gen. 5, 6.
 — — — spathulata Cav. Cav. Ic. 484.
 — — — villosa Jacq. Jacq. Fl. austr. 4, 332.
 — — — — Jacq. Collect. 1, 12.
 — — — — Bot. Mag. 20, 743.
 — — — — Lodd. Cab. 188.
 — — — — Zollik. Alp. 5.
 — — — — Rechb. Ic. crit. 3, 248. 6, 580.
Androsace officinale All. Rechb. Fl. germ. 6, 352.
 — — — — Baxter Br. Bot. 1, 39.
 † — — — — vulgare Gaertn. Gaertn. Carp. 59.
 — — — — Webbianum Spach. Webb. Can. 4^e.
 — — — — — Rechb. Fl. germ. 6, 352.
 — — — — xylosteifolium Spach. Jaub. Ill. 38.
Androstemma junceum Ldl. Field. Sertum 33.
Androstoma empetrifolia Hook. Hook. Fl. ant. 30.
Andryala Agardhii Haens. Boiss. Esp. 118.
 — — — — Bory. Webb Otia 11.
 — — — — allochroa H. et L. Hoffm. Lk. Fl. port. 91.
 — — — — cheiranthifolia L'her. L'her. Stirp. 18.
 — — — — — ? Schk. Handb. 223.
 — — — — chondrilloides Scop. Scop. Fl. carn. 2, 52.
 — — — — coronopifolia H. et L. Hoffm. Lk. Fl. port. 92.
 † — — — — corymbosa Lam. Lam. Encycl. 657.
 — — — — dentata Sibth. Sibth. Fl. gr. 811.
 † — — — — glandulosa Lam. Lam. Encycl. 657.
 † — — — — integrifolia L. Gaertn. Carp. 158.
 † — — — — — Schk. Handb. 223.
 — — — — lyrata Pourr. var. Boissier Esp. 118^e.
 — — — — mollis Asso. Asso Arag. 10.
 — — — — nemausensis Vill. Vill. Dauph. 26.
 — — — — pinnatifida H. Kew. Webb. Can. 135.
 — — — — pontana Vill. Vill. Dauph. 23.
 † — — — — sinuata L. Monnier Essai 1.
 — — — — uniflora Vill. Vill. Dauph. 23.
Andrzeiowskia Cardamine Rechb. Rechb. Pl. crit. 1, 13.
Ancilema africana Pal. Pal. Fl. d'Ow. 93.
 — — — — crispata R. Br. Bauer Ill. 6.
 — — — — ensifolia Wight. Wight Ic. Ind. or. 6, 2074.
 — — — — latifolia Wight. Wight Ic. Ind. or. 6, 2072.
 — — — — longifolia Hook. Hook. Ex. Fl. 204.
 — — — — nana Kth. Wight Ic. Ind. or. 6, 2077.
 — — — — nudicaulis R. Br. Rheede Hort. mal. 9, 63.
 — — — — nudiflora Hort. Brit. Rheede Hort. mal. 10, 19.
 — — — — ovato-oblonga Pal. Pal. Fl. d'Ow. 104.
 — — — — paniculata Wight. Wight Ic. Ind. or. 6, 2075.
 — — — — pauciflora Wight. Wight Ic. Ind. or. 6, 2077.
 — — — — scapiflora Wight. Wight Ic. Ind. or. 6, 2073.
 — — — — secunda Wight. Wight Ic. Ind. or. 6, 2075.
 — — — — sinica Ker. Bot. Reg. 8, 639.
 — — — — terminalis Wight. Wight Ic. Ind. or. 6, 2076.
 — — — — vaginata Wight. Wight Ic. Ind. or. 6, 2076.
Ancimia adiantifolia Sw. Hook. Ic. Fil. 16.
 — — — — — Dict. sc. nat. 100.
 — — — — cicutaria Kze. Kunze Anal. 5.
 — — — — collina Raddi. Raddi Fil. 12.

- Ancimia collina* Raddi. Lodd. Cab. 1675.
 — — — — cordifolia Presl. Presl Rel. 11.
 — — — — cuneata Kze. Kze. Anal. 5.
 — — — — deltoidea Sw. Schk. Fil. 142.
 — — — — dissecta Presl. Presl Rel. 11.
 — — — — Dregeana Kze. Kunze Fil. 20.
 — — — — — Hook. Ic. pl. 236.
 — — — — flexuosa Raddi. Raddi Fil. 13.
 — — — — fraxinifolia Raddi. Raddi Fil. 8^e.
 — — — — fulva Sw. Schk. Fil. 142.
 — — — — Gardneri Hook. Hook. Ic. pl. 190.
 — — — — glareosa Grdn. Field. Sertum 70.
 — — — — humilis Sw. Schk. Fil. 141.
 — — — — — Hook. Ex. Fl. 28.
 — — — — lanceolata Lodd. Lodd. Cab. 1416.
 — — — — longifolia Raddi. Raddi Fil. 8.
 — — — — Mandioccana Raddi. Raddi Fil. 9.
 † — — — — — Hook. Gen. Fil. 90.
 — — — — mexicana Klotzsch. Kunze Fil. 131.
 — — — — oblongifolia Sw. Schk. Fil. 141.
 — — — — Phyllitidis Sw. Langsd. et F. 28.
 — — — — pilosa M. et G. Acad. Brux. 15, 2.
 — — — — radicans Raddi. Raddi Fil. 10, 11.
 — — — — repens Raddi. Raddi Fil. 9.
 — — — — rutaefolia Mart. Mart. Crypt. bras. 55.
 — — — — Schraderiana Mart. Mart. Crypt. bras. 58.
 — — — — Seemanni Hook. Hook. Lond. J. 1848, 16.
 — — — — tenella Sw. Schk. Fil. 141.
 — — — — tenuifolia Presl. Prag. Abh. 6, 4.
 — — — — trichorrhiza Hook. Hook. Ic. pl. 9, 876.
 † *Anemagrostis spica* Venti Trin. Trin. Fund. 11.
Anemidictyon Phyllitidis Sm. Hook. Gen. Fil. 103.
 † *Anemone* L. Gray Gen. 4.
 — — — — acutipetala Schleich. Lodd. Cab. 1704.
 — — — — alba Juss. Ann. Mus. 3, 20.
 — — — — — Bot. Mag. 47, 2167.
 — — — — — Lodd. Cab. 322.
 — — — — alpina L. Jacq. Fl. austr. 1, 95.
 — — — — — Krock. Fl. sil. 2, 16, 17.
 — — — — — Lodd. Cab. 1617.
 — — — — — Rechb. Fl. germ. 4, 51.
 — — — — — α. major. Bot. Mag. 45, 2007.
 — — — — — Sturm Flora 13, 51.
 — — — — — Scop. Scop. Fl. carn. 1, 26.
 — — — — altaica Led. Ledeb. Ic. 388.
 — — — — apennina L. Curt. Lond. 1, 63.
 — — — — — Engl. Bot. 15, 1062.
 — — — — — Rechb. Fl. germ. 4, 47.
 — — — — — Sweet Brit. Bot. 1, 2.
 — — — — apiifolia Scop. Jacq. Misc. 2, 4.
 — — — — arborea Hort. Herb. amat. 1, 68.
 — — — — baldensis L. All. Fl. ped. 3, 44, 67.
 — — — — — Rechb. Fl. germ. 4, 50.
 — — — — — Sturm Flora 4, 14.
 — — — — Berlandieri Pritz. Linnaea 15, 6.
 — — — — cernua Thunb. Sieb. Fl. Jap. 4.
 — — — — chinensis Bunge. Linnaea 15, 5.
 — — — — cogerulea DC. Delessert Ic. 1, 14.
 † — — — — coronaria L. Lam. Encycl. 496.
 † — — — — — Hill Prolif. Pl. 3.
 — — — — — Sibth. Fl. gr. 514.
 — — — — — Savi Fl. ital. 2, 41.
 — — — — — Bot. Mag. 22, 841.
 — — — — — Rechb. Fl. germ. 4, 49.
 — — — — crassifolia Hook. Hook. Ic. pl. 257.
 — — — — cuneifolia Juss. Ann. Mus. 3, 21.
 — — — — cyanea Risso. Risso Fl. de Nice 2.
 — — — — decapetala L. Arduino Anim. 2, 12.
 — — — — — Hook. Beech. 1.
 — — — — deltoidea Hook. Hook. Bor. Am. 3.
 — — — — dichotoma L. Linné Hort. ups. 2, 15.
 — — — — discolor Royle. Royle Illustr. 11.

- ! *Anemone dodecaphylla* Krock. Krock. Fl. sil. 2, 20.
 — *dubia* Bell. Mem. Tur. 5, 7.
 — *Falconeri Thomson*. Hook. Ic. pl. 9, 899.
 — *fragifera* L. Jacq. Ic. 103.
 — — Jacq. Rchb. Fl. germ. 4, 50.
 — *fulgens* Gay. Rchb. Ic. crit. 3, 201.
 — *fumariaefolia* Juss. Ann. Mus. 3, 20.
 — *grandiflora* Hoppe. Rchb. Fl. germ. 4, 51.
 — *groenlandica* Oed. Fl. dan. 4, 566.
 — — Tratt. Arch. 20.
 — *Hackelii* Pohl. Sturm Flora 12, 46.
 — *Halleri* All. All. Fl. pod. 3, 80.
 — — Lodd. Cab. 940.
 — — var. *Linnaea* 15, 1. 2.
 — *Hepatica* L. Bot. Mag. 1, 10.
 — — Fl. dan. 4, 610.
 — — Sv. Bot. 141.
 — — Sibth. Fl. gr. 513.
 † — — Schk. Handb. 150.
 — — Dreves 5, 140.
 — — Hayne 1, 21.
 — — Sturm Flora 2, 7.
 — — Tratt. Arch. 253.
 — — Herb. amat. 1, 61.
 — *hepaticifolia* Hook. Hook. Ic. pl. 1.
 — *hortensis* L. Bot. Mag. 4, 123.
 — — Sibth. Fl. gr. 515.
 — — Rchb. Fl. germ. 4, 50.
 — — Sturm Flora 12, 46.
 — *Jamesoni* Hook. Hook. Ic. pl. 670.
 — *japonica* Zucc. Sieb. Fl. Jap. 5.
 — — Bot. Reg. 31, 66.
 — — Bot. Mag. 73, 4341.
 — — Paxt. Mag. 14, 25.
 — — Fl. d. serres 2, 10.
 — *intermedia* Schult. Rchb. Fl. germ. 4, 53.
 — *isopyroides* Juss. Ann. Mus. 3, 20.
 — *micrantha* Klotzsch. Prinz Waldem. Him. 38.
 — *montana* Hoppe. Sturm Flora 12, 46. 20, 90.
 — *multifida* Poir. Deless. Ic. 1, 16. 17.
 — — Torr. New York 2.
 — *narcissiflora* L. Bot. Mag. 28, 1120.
 — — Jacq. Fl. austr. 2, 159.
 — — Krock. Fl. sil. 2, 19.
 — — Zollik. Alp. 9.
 — — Rchb. Fl. germ. 4, 48.
 — *nemorosa* L. Curt. Lond. 1, 122.
 — — Engl. Bot. 5, 355.
 — — Fl. dan. 4, 549.
 — — Sv. Bot. 3.
 † — — Schk. Handb. 150.
 — — Dreves 1, 2.
 — — Liboschitz Pet. 17.
 — — var. *Tratt. Arch.* 247. 248.
 — — Hayne 1, 24.
 — — Br. und Ratzeb. 31.
 — — Rchb. Fl. germ. 4, 47.
 — — Dietr. Fl. bor. 3, 163.
 — — Schrank Fl. monac. 1, 82.
 — — Sturm Flora 4, 14.
 — — Baxter Br. Bot. 1, 43.
 — *obtusiloba* Don. Bot. Reg. 30, 65.
 — *palmata* L. Bot. Reg. 3, 200.
 — — Andr. Rep. 3, 172.
 — — Lodd. Cab. 175.
 — — var. *lutea*, Lodd. Cab. 1660.
 — — var. *albida*, Bot. Mag. 46, 2079.
 — *patens* L. var. *ochroleuca*, Bot. Mag. 45, 1994.
 — — Sturm Flora 12, 46. 13, 52.
 — *pavonina* Lam. Rchb. Fl. germ. 4, 49.
 † — — *β. fulgens*, Mutel Fl. fr. 1.
 — *pennsylvanica* L. Hook. Bor. Am. 3.

- Anemone pennsylvanica* L. Gray Gen. 4.
 — *pratensis* L. Fl. dan. 4, 611.
 — — Schk. Handb. 150.
 — — Sv. Bot. 299.
 — — Lodd. Cab. 900.
 — — Dreves 5, 142.
 — — Hayne 1, 23.
 — — Guimp. et Schl. 68.
 — — Nees Düsseld. 388.
 — — Krock. Fl. sil. 2, 18.
 — — Sturm Flora 12, 46. 20, 90.
 — — Woodv. Med. 3, 167.
 — — var. *Linnaea* 15, 4.
 — — var. *obsoleta*, Bot. Mag. 44, 1863.
 † — *Pulsatilla* L. Lam. Encycl. 496.
 — — Fl. dan. 1, 153.
 — — Relhan Fl. cant. 3.
 — — Curt. Lond. 4, 44.
 — — Engl. Bot. 1, 51.
 — — Sv. Bot. 292.
 — — Dreves 5, 141.
 — — Liboschitz Pet. 1.
 — — Hayne 1, 22.
 — — Sturm Flora 12, 46. 20, 89.
 — — Nees Düsseld. 389.
 — — *Linnaea* 15, 3.
 — *pusilla* DC. Delessert Ic. 1, 13.
 — *quinquefolia* L. Barton Fl. 2, 39.
 — *ranunculoides* L. Fl. dan. 1, 140.
 — — Lodd. Cab. 536.
 — — Engl. Bot. 21, 1484.
 — — Sv. Bot. 403.
 — — Liboschitz Pet. 34.
 — — Rchb. Fl. germ. 4, 47.
 — — Dietr. Fl. bor. 3, 164.
 — — Sturm Flora 2, 7.
 — — Krock. Fl. sil. 2, 18.
 — — Schrank Fl. monac. 4, 360.
 — — Engelmann Anthol. 1.
 — *reflexa* Steph. Delessert Ic. 1, 15.
 — *Richardsoni* Hook. Hook. Bor. Am. 4.
 — *rivularis* Buchanan. Bot. Reg. 28, 8.
 — *rupicola* Jacq. Jacquemont Ind. 2.
 — *silvestris* L. Bot. Mag. 2, 54.
 † — — Schk. Handb. 150.
 — — Lodd. Cab. 1739.
 — — Rchb. Fl. germ. 4, 50.
 — — Dietr. Fl. bor. 3, 165.
 — *stellata* Lam. Risso Fl. de Nice 1.
 — — Rchb. Fl. germ. 4, 50.
 — — *β. purpurea*, Sweet Fl. G. 112.
 — *sulphurea* L. Rchb. Fl. germ. 4, 51.
 — *thalictroides* Juss. Barton Fl. 2, 44.
 — — Ann. Mus. 3, 21.
 — — Willd. Hort. 44.
 — — Bot. Mag. 22, 866.
 — — Lodd. Cab. 770. 964.
 — *trifolia* L. Sturm Flora 4, 14.
 — — var. *Tratt. Arch.* 249. 250.
 — — Rchb. Fl. germ. 4, 48.
 — *trilobata* Juss. Ann. Mus. 3, 21.
 — *triternata* Vahl. Vahl Symb. 65.
 — — Lam. Encycl. 496.
 — *umbellata* Willd. Delessert Ic. 1, 18.
 — *umbrosa* Led. Ledeb. Ic. 118.
 — *Vahlia Hornem.* Fl. dan. 13, 2176.
 — *vernalis* L. Fl. dan. 1, 29.
 — — Sv. Bot. 637.
 — — Sturm Flora 6, 24.
 † — *virginiana* L. Gaertn. Carp. 74.
 — — Hook. Bor. Am. 4.
 — *vitifolia* Buchan. Bot. Reg. 16, 1385.

- Anemone vitifolia* *Buwhan.* Bot. Mag. 62, 3376.
 — — *Wall.* Maund Bot. 1, 9.
 — *Wightiana* *Wall.* Hook. Ic. pl. 176.
 — — *Wight* Ic. pl. Ind. 3, 936.
 — — *Wight* Spicil. 4.
 — *Wolfgangiana* *Bess.* Rchb. Ic. crit. 4, 351.
Anemonopsis californica *Hook.* Hook. Beech. 92.
 † — *macrophylla* *S. et Z.* Muenchn. Abh. 4, 1.
Anerincleistus hirsutus *Korth.* Korth. Bot. 68.
 † *Anethum* *L.* Gaertner Carp. 21. — Lam. Encycl. 204.
 — *Foeniculum* *L.* Engl. Bot. 17, 1208.
 — — *Rousseau* Bot. 30.
 — — *Hayne* 7, 18.
 — — *Nees Düsseld.* 276.
 — — *Wagner* 102.
 — — *Woodv. Med.* 1, 49.
 — *graveolens* *L.* Schk. Handb. 77.
 — — *Fl. dan.* 9, 1572.
 — — *Hayne* 7, 17.
 — — *Guimp. et Schl.* 126.
 — — *Nees Düss. Suppl.* 8.
 — — *Woodv. Med.* 1, 48.
 — *Panmori* *Rorb.* Wight Ic. Ind. or. 2, 570.
 — *segetum* *L.* Jacq. Vind. 132.
 — *Sowa* *Rorb.* Wight Ic. Ind. or. 2, 572.
Aneuriscus exscrens *Presl.* Presl Symb. 48.
 † *Angelica Archangelica* *L.* Gaertn. Carp. 85.
 † — — *Lam. Encycl.* 198.
 — — *Fl. dan.* 2, 206.
 — — *Engl. Bot.* 36, 2561.
 — — *Sv. Bot.* 633.
 — — *Hayne* 7, 8.
 — — *Guimp. et Schl.* 193.
 — — *Nees Düsseld.* 278. 279.
 — — *Wagner* 215. 216.
 — — *Woodv. Med.* 1, 35.
 — *Lucida* *L.* Jacq. Vind. 3, 24.
 — *nemorosa* *Ten.* Ten. Fl. nap. 231.
 — *Razoulii* *Gouan.* Gouan Ill. 6.
 — ? *rosaeifolia* *Hook.* Hook. Ic. pl. 581.
 — *scabra* *Petit.* Ann. d'observ. 1, 3.
 — *silvestris* *L.* Schk. Handb. 68.
 — — *Sv. Bot.* 303.
 — — *Hayne* 7, 9.
 — — *Guimp. et Kl.* 18.
 — — *Fl. dan.* 10, 1639.
 — — *Engl. Bot.* 16, 1128.
 — — *Woodv. Med.* 1, 36.
 — — *Ger.* Baxter Br. Bot. 6, 491.
 — *verticillaris* *L.* Jacq. Vind. 130.
Angelonia angustifolia *Benth.* Journ. Hort. Soc. 3, 243.
 — *cornigera* *Hook.* Bot. Mag. 67, 3848.
 — *Gardneri* *Hook.* Bot. Mag. 66, 3754.
 — *salicariaefolia* *H. B.* Humb. Pl. aeq. 108.
 † — — *Lam. Encycl.* 970.
 — — *Bot. Mag.* 51, 2478.
 — — *Bot. Reg.* 5, 415.
 — — *Paxt. Mag.* 5, 75.
Angianthus tomentosus *Wendl.* Wendl. Coll. 48.
 † *Angiopteris Sw.* Schrad. Journ. 1801. 2.
 † — — *Kaulf. Enum.* 1.
 — *evecta* *Hoffm.* Comm. Gott. 12, 5.
 — — *Schk. Fil.* 150.
 † — — *Hook. Gen. Fil.* 10.
 — — *Hook. Ic. Fil.* 36.
 — *Hügeliana* *Presl.* Prager Abh. 6, 2.
 — *macrocephala* *Presl.* Prag. Abh. 6, 3.
 — *pruinosa* *Kze.* Kunze Fil. 91.
Angophora cordifolia *Cav.* Cav. Ic. 338.
 — *lanceolata* *Cav.* Cav. Ic. 339.
Angorchis Aub. Aubert Orch. 48.
Angraecum aphyllum *Aub.* Aubert Orch. 72.

- Angraecum apiculatum* *Hook.* Bot. Mag. 71, 4159.
 — *bilobum* *Ldl.* Bot. Reg. 27, 35.
 — *Calceolus* *Aub.* Aubert Orch. 77.
 † — — *Mem. hist. nat. Par.* 4, 10.
 — *carpophorum* *Aub.* Aubert Orch. 75.
 — *caudatum* *Ldl.* Bot. Mag. 74, 4370.
 — — *Bot. Reg.* 22, 1844.
 — *caulescens* *Aub. Th.* Aubert Orch. 74.
 † — — *Mem. hist. nat. Par.* 4, 10.
 — — *Hook. Journ.* 1834, 117.
 — *citratum* *Aub. Th.* Aubert Orch. 61.
 — *crassum* *Aub. Th.* Aubert Orch. 71.
 — *cucullatum* *Aub. Th.* Aubert Orch. 48.
 — *distichum* *Ldl.* Bot. Mag. 71, 4145.
 — — *Bot. Reg.* 21, 1781.
 — *eburneum* *Bory.* Aubert Orch. 65.
 — — *Bory lles d'Afr.* 19.
 — — *Bot. Reg.* 18, 1522.
 — *elatum* *Aub. Th.* Aubert Orch. 78. 79.
 — *expansum* *Aub. Th.* Aubert Orch. 57.
 — *flicorne* *Aub. Th.* Aubert Orch. 52.
 — *fragrans* *Aub. Th.* Aubert Orch. 54.
 — *funale* *Ldl.* Bot. Mag. 73, 4295.
 — *gladiifolium* *Aub. Th.* Aubert Orch. 53.
 — — *Bot. Reg.* 26, 68.
 — *gracile* *Aub. Th.* Aubert Orch. 76.
 — *implicatum* *Aub. Th.* Aubert Orch. 58.
 — *inapertum* *Aub. Th.* Aubert Orch. 50.
 — *maculatum* *Ldl.* Ldl. Coll. 15.
 — — *Bot. Reg.* 8, 618.
 — *micranthum* *Ldl.* Bot. Reg. 21, 1772.
 — *monophyllum* *A. Rich.* Mem. hist. nat. Par. 4, 9.
 — *multiflorum* *Aub. Th.* Aubert Orch. 73.
 — *palmatum* *Aub. Th.* Aubert Orch. 68.
 † — — *Mem. hist. nat. Par.* 4, 10.
 — *parviflorum* *Aub. Th.* Aubert Orch. 60.
 — *pectinatum* *Aub. Th.* Aubert Orch. 51.
 † — — *Mem. hist. nat. Par.* 4, 10.
 — — *Hook. Journ.* 1834, 116.
 — *pellucidum* *Ldl.* Bot. Reg. 30, 2.
 † — *polystachyum* *A. Rich.* Mem. hist. nat. Par. 4, 10.
 — *ramosum* *Aub. Th.* Aubert Orch. 59.
 — *rectum* *Aub. Th.* Aubert Orch. 55.
 — *recurvum* *Aub. Th.* Aubert Orch. 56.
 — *sesquipedale* *Aub. Th.* Aubert Orch. 66. 69.
 — *striatum* *Aub. Th.* Aubert Orch. 72.
 — *superbum* *Aub. Th.* Aubert Orch. 62. 63.
 — *triquetrum* *Aub. Th.* Aubert Orch. 49.
 † *Anguillaria bahamensis* *Gaertn.* Gaertn. Carp. 77.
 — *dioica* *R. Br.* Endl. Iconogr. 3.
 — *indica* *R. Br.* Wall. Pl. as. rar. 259.
 — *pyramidalis* *Cav.* Cav. Ic. 502.
 — *serrata* *Cav.* Cav. Ic. 503.
 † — *zeylanica* *Gaertn.* Gaertn. Carp. 77.
 † *Anguloa Rz et Pav.* Rz et Pav. Prodr. 26.
 — *Clowesii* *Ldl.* Bot. Mag. 73, 4313.
 — — *Bot. Reg.* 30, 63.
 — *grandiflora* *H. B. K.* Bot. Reg. 22, 1837.
 — *Hohenlohii* *Morr.* Belgique hort. 3, 31.
 — *lurida* *Lk.* Preuss. Gart. Verein 1, 6.
 — — *Bot. Reg.* 20, 1667.
 — — *Kern. Hort.* 711.
 — *Ruckeri* *Ldl.* Bot. Reg. 32, 41.
 — *squalida* *P. et E.* Poepp. et Endl. 74.
 — *superba* *H. B. K.* H. B. K. Nov. Gen. 1, 93.
 — — *Lam. Encycl.* 991.
 — *uniflora* *Rz et Pav.* Bot. Reg. 30, 60.
Anguria Makoyana *Ch. Lem.* Paxt. Mag. 16, 323.
 — — *Fl. d. serres* 3, 222.
 — *pedata* *L.* Jacq. Hist. stirp. am. 233.
 — — *Lam. Encycl.* 747.
 — *rhizantha* *P. et E.* Poepp. et Endl. 171.

- Anguria speciosa* P. et E. Poepp. et Endl. 169.
 — *spinulosa* P. et E. Poepp. et Endl. 170.
 — *trifoliata* L. Desc. Ant. 5, 330.
 — *trilobata* L. Jacq. Hist. stirp. am. 234.
Angustaria officinarum Mem. Instit. 1811, 10.
Ania bicornis Ldl. Bot. Reg. 30, 8.
 — *latifolia* Lindl. Wight Ic. pl. Ind. 3, 914.
Aniba guianensis Aubl. Aubl. Guian. 126.
 — — — Lam. Encycl. 298.
Anictoclea Grahamiana Nimmo. Wight Ic. pl. Ind. 6, 1956.
Anigosanthus coccineus Paxt. Mag. 5, 271.
 — *flavidus* Red. Red. Lil. 3, 176.
 — — — Bot. Mag. 29, 1151.
 — — — Tratt. Arch. 192.
 — — — Rchb. Exot. 177.
 — — — Lodd. Cab. 1282.
 — — — Bot. Reg. 24, 37, 64.
 — *fuliginosus* Hook. Bot. Mag. 73, 4291.
 — *grandiflorus* Salisb. Salisb. Par. 97.
 — *humilis* Ldl. Swan River 6.
 — *Manglesii* Don. Bot. Mag. 67, 3878.
 — — — Sweet Fl. G. II, 265.
 — — — Maund Bot. 2, 67.
 — — — var. Bot. Reg. 23, 2012.
 — *pulcherrimus* Hook. Bot. Mag. 71, 4180.
 — — — Fl. d. serres 2, 30, 31.
 — *tyrianthinus* Hook. Bot. Mag. 76, 4507.
 — — — Lem. Jard. fl. 40.
Anisadenia saxatilis Wall. Reg. Denkschr. 3, 3.
Anisanthus Cunonia Sweet. Lodd. Cab. 1971.
 — *Plantii* Hort. Bot. Reg. 28, 53.
 — *splendens* Hort. Sweet Fl. G. II, 84.
† *Aniseia Choisy*. Mem. Genev. 6, 2.
 — *calycina* Choisy. Wight Ic. pl. Ind. or. 3, 833.
† — — — Wight Illustr. 168^b.
 — *cernua* Moric. Moric. Pl. Am. 38.
 — *nitens* Choisy. Mem. Genev. 8, 4.
 — *uniflora* Choisy. Wight Ic. pl. Ind. or. 3, 850.
Anisochaeta mikanioides DC. Delessert Ic. 4, 9.
Anisochilus albidus Wight. Wight Ic. pl. Ind. 4, 1436.
 — *carnosus* Wall. Rheede Hort. mal. 10, 90.
† — — — Wight Illustr. 176^b.
 — *dysophylloides* Benth. Wight Ic. pl. Ind. 4, 1434.
 — *purpureus* Wight. Wight Ic. pl. Ind. 4, 1435.
 — *suffruticosus* Wight. Wight Ic. pl. Ind. 4, 1437.
† *Anisogonium decussatum* Presl. Hook. Gen. Fil. 56.
† — *silvaticum* Presl. Hook. Gen. Fil. 56.
Anisomeles cuneata Jacq. Jacq. Ecl. pl. 127.
 — *malabarica* R. Br. Bot. Mag. 46, 2071.
 — — — Hook. Journ. 1834, 127.
 — — — Wight Ic. pl. Ind. 864.
 — *ovata* R. Br. Rheede Hort. mal. 10, 88.
 — — — Jacq. Ecl. pl. 86.
 — — — Wight Ill. in Hook. 19.
 — — — Wight Ic. pl. Ind. 3, 863.
Anisomeris spinosa Presl. Presl. Symb. 54.
Anisonema multiflora Wight. Wight Ic. pl. Ind. 5, 1899.
Anisopetalum Careyanum Hook. Hook. Ex. Fl. 149.
Anisopogon avenaceus R. Br. Humb. Gram. 62.
† — — — Lam. Encycl. 907.
Anisoptera costata Korth. Korth. Bot. 6.
† — *marginata* Korth. Korth. Bot. 6.
Anisosciadium orientale DC. DC. Ombell. 15.
Anisotome antipoda Hook. Hook. Fl. ant. 9, 10.
 — *latifolia* Hook. Hook. Fl. ant. 8.
† *Anisum vulgare* Gaertn. Gaertn. Carp. 23.
Anneslea falcifolia Salisb. Salisb. Par. 64.
 — *fragrans* Wall. Wall. Pl. asiat. 5.
 — *spinosa* Andr. Andr. Rep. 10, 618.
† *Annesorhiza Chamisso*. Linnaea 1, 5.
Anoda brachyantha Rchb. Rchb. Hort. 34.
 — *Dillenii* Cav. Cav. Diss. 11.

- Anoda hastata* Cav. Cav. Diss. 11.
 — — — Gray Gen. 124.
 — *parviflora* Cav. Cav. Ic. 431.
 — — — Rchb. Hort. 44.
 — *triloba* Cav. Cav. Diss. 10.
Anodendron Candolleianum Wight. Wight Ic. pl. Ind. 4, 1309.
Anoectochilus Jaubertii Gauchd. Gauchd. Bonite 100.
 — *Lobbianus* Planch. Fl. d. serres 5, 519.
† — *setaceus* Bl. Blume Tabellen 15.
 — — — Bot. Mag. 70, 4123.
 — — — Bot. Reg. 23, 2010.
 — — — Fl. d. serres 2, 15.
 — — — Wight Ic. Ind. or. 5, 1731.
Anogeissus leiocarpus Guill. Guill. Seneg. 65.
† *Anogramme leptophylla* Lk. Fée Fil. 5, 19.
† — *refracta* Fée. Fée Fil. 5, 19.
Anomatheca cruenta Ldl. Bot. Reg. 16, 1369.
 — — — Paxt. Mag. 1, 103.
 — — — Lodd. Cab. 1837.
 — *juncea* Ker. Rchb. Hort. 111.
Anomochloa macrantoidea Ad. Br. Ann. sc. nat. III. 16, 23.
Anomostephium buphthalmoides DC. Delessert Ic. 4, 32.
† *Anona africana* L. Wendl. Boob. 3.
 — *Ambotay* Aubl. Aubl. Guian. 249.
 — *amplexicaulis* Lam. Dunal Anon. 7.
 — *bibracteata* Hook. Hook. Ic. pl. 328.
 — *bullata* A. Rich. Ramon Cuba 5.
† — *cancellata* Mart. Endl. Bras. 2, 5.
 — *cinerea* DC. Dunal Anon. 8.
 — *coriacea* Mart. Endl. Bras. 2, 1.
 — *crassiflora* Mart. Endl. Bras. 2, 2, 5.
 — *echinata* Dun. Dunal Anon. 4.
 — *furfuracea* St. Hil. St. Hil. Fl. Bras. 6.
 — *grandiflora* Lam. Dunal Anon. 6, 6^a.
 — *Humboldtii* Dun. Dunal Anon. 3.
 — *laurifolia* Dunal. Bot. Reg. 16, 1328.
 — *longifolia* Aubl. Aubl. Guian. 248.
† — *microcarpa* Jacq. Jacq. Fragm. 44.
 — *mucosa* Jacq. Rumpf Amb. 1, 45.
 — *muricata* L. Jacq. Obs. 5.
 — — — Jacq. Hist. stirp. am. 161.
 — — — Tuss. Ant. 2, 24.
 — — — Desc. Ant. 2, 81.
† — *Myristica* Gaertn. Gaertn. Carp. 125.
 — *obtusiflora* Tuss. Tuss. Ant. 1, 28.
 — *paludosa* Aubl. Aubl. Guian. 246.
 — *palustris* L. St. Hil. Pl. us. 30.
 — — — Bot. Mag. 72, 4226.
 — *punctata* Aubl. Aubl. Guian. 247.
 — *purpurea* M. et Sessé. Dunal Anon. 2.
 — *reticulata* L. Rheede Hort. mal. 3, 30, 31.
† — — — Jacq. Obs. 6.
 — — — Tuss. Ant. 1, 29.
 — — — Desc. Ant. 2, 82.
 — — — Kern. Hort. 431.
 — — — Bot. Mag. 56, 2911, 2912.
 — *senegalensis* Pers. Delessert Ic. 1, 86.
 — *sericea* Dun. Dunal Anon. 5.
 — *spinescens* Mart. Endl. Bras. 2, 4.
 — *squamosa* L. Rheede Hort. mal. 3, 29.
 — — — Rumpf Amb. 1, 46.
 — — — Jacq. Hist. stirp. am. 162.
 — — — Jacq. Obs. 6.
† — — — Gaertn. Carp. 138.
† — — — Lam. Encycl. 494.
 — — — Gil et Xarez 14.
 — — — Tuss. Ant. 3, 4.
† — — — Mem. Genev. 5, 5.
 — — — Dict. sc. nat. 118.
 — — — Bot. Mag. 58, 3095.

- † *Anona squamosa* L. Blume Jav. 1, 53.
 † — — — — — Endl. Bras. 2, 5.
 — — — — — *sylvatica* St. Hil. St. Hil. Pl. us. 29.
 — — — — — *tenuiflora* Mart. Endl. Bras. 2, 3.
 — — — — — *triloba* L. Michaux Arb. 3, 9.
 — — — — — Schk. Handb. 149.
 † — — — — — *tripetala* Ait. Wendl. Beob. 3.
 — — — — — Bot. Mag. 45, 2011.
 — — — — — *uniflora* DC. Delessert Ic. 1, 87.
 † *Anonaceae* Dunal. Schnizl. Ic. 174.
Anoplanganthus uniflorus Endl. Endl. Iconogr. 72.
 † — — — — — Wight Illustr. 158^b.
Anopterus glandulosa Lab. Bill. Nov. Holl. 112.
 — — — — — Lam. Encycl. 939.
 — — — — — Bot. Mag. 74, 4377.
Anquetilea Laureola Decne. Jacq. Ind. 161.
 † *Anredera vesicaria* Gaertn. Gaertn. Carp. 213.
Ansellia africana Ldl. Bot. Reg. 32, 30.
 — — — — — Paxt. Mag. 13, 241.
 † *Antelaea javanica* Gaertn. Gaertn. Carp. 58.
Antennaria contorta Don. Bot. Reg. 7, 605.
 † — — — — — *dioica* Gaertn. Gaertn. Carp. 167.
 — — — — — Dietr. Fl. bor. 10, 684.
 — — — — — *hyperborea* Don. Engl. Bot. 2640.
 — — — — — *triplinervis* Sims. Bot. Mag. 51, 2468.
Anthadenia sesamoides Ch. Lem. Fl. d. serres 2, 36.
 † *Anthemis* L. Lam. Encycl. 683.
 † — — — — — Mutel Fl. fr. 31.
 — — — — — *ageratifolia* Sibth. Sibth. Fl. gr. 888.
 — — — — — *alpina* L. Jacq. Fl. austr. 5, 30.
 — — — — — Sturm Flora 5, 19.
 — — — — — *altissima* Sibth. Sibth. Fl. gr. 881.
 — — — — — *apiifolia* R. Br. Bot. Reg. 7, 527.
 — — — — — *arabica* L. Linné Hort. Cliff. 24.
 — — — — — Smith Spic. 10.
 — — — — — *artemisiaefolia* Willd. Herb. amat. 4, 276.
 — — — — — *arvensis* L. Fl. dan. 7, 1178.
 — — — — — Engl. Bot. 9, 602.
 — — — — — Sturm Flora 7, 27.
 — — — — — Dreves 4, 126.
 — — — — — Hayne 1, 5.
 — — — — — Schrank Fl. monac. 4, 312.
 † — — — — — Nees Gen. X, x.
 — — — — — *australis* Willd. Sibth. Fl. gr. 886.
 † — — — — — *austrica* Jacq. Jacq. Fl. austr. 5, 444.
 — — — — — Schk. Handb. 254.
 — — — — — Rchb. Ic. crit. 4, 329.
 — — — — — Barrelieri Ten. Ten. Fl. nap. 81.
 — — — — — Boveana Gay. Expl. Alger. 60.
 — — — — — *bupththalmoides* Jacq. Jacq. Schoenbr. 2, 151.
 — — — — — *cairica* Vis. Vis. Aegypt. 6.
 — — — — — *chia* L. Sibth. Fl. gr. 884.
 — — — — — Guss. Pl. rar. 60.
 — — — — — *chrysanthia* Gay. Expl. Alger. 60.
 — — — — — *coarctata* Sibth. Sibth. Fl. gr. 889.
 † — — — — — *Cota* L. Gaertn. Carp. 169.
 † — — — — — Schk. Handb. 254.
 — — — — — Sibth. Fl. gr. 880.
 — — — — — *Cotula* L. Curt. Lond. 1, 143.
 — — — — — Fl. dan. 7, 1179.
 — — — — — Schk. Handb. 254.
 — — — — — Dreves 4, 127.
 — — — — — Hayne 1, 6.
 — — — — — Sv. Bot. 429.
 — — — — — Engl. Bot. 25, 1772.
 — — — — — Bart. Med. 14.
 — — — — — Nees Düss. Suppl. 78.
 — — — — — Baxter Br. Bot. 5, 328.
 — — — — — *discoidea* Sibth. Sibth. Fl. gr. 890.
 — — — — — *fuscata* Brot. Brot. Phyt. 28.
 — — — — — Willd. Bivona Pl. sic. 2, 1.
 — — — — — *globosa* Ort. Jacq. Schoenbr. 3, 372.

- Anthemis incisa* Viv. Viv. Fl. ital. 11.
 — — — — — *indurata* Del. Delile Egypt. 47.
 — — — — — *maritima* Sm. Sibth. Fl. gr. 882.
 — — — — — Engl. Bot. 33, 2370.
 — — — — — *melampodina* Del. Delile Egypt. 45.
 — — — — — *membranacea* Lab. Bill. Syr. 3, 9.
 — — — — — *nobilis* L. Hayne 10, 47.
 — — — — — Sturm Flora 7, 27.
 — — — — — Guimp. et Schl. 192.
 — — — — — Nees Düsseld. 244.
 — — — — — Wagner 125.
 — — — — — Engl. Bot. 14, 980.
 — — — — — Woodv. Med. 1, 19.
 — — — — — *peregrina* L. Sibth. Fl. gr. 383.
 — — — — — *petraea* Ten. Ten. Fl. nap. 82.
 — — — — — *pontica* Willd. Sibth. Fl. gr. 885.
 — — — — — *punctata* Vahl. Vahl Symb. 46.
 — — — — — Desf. Fl. atl. 239.
 — — — — — *Pseudo-Cota* Vis. Vis. Dalm. 50.
 — — — — — *Pyrethrum* L. Bot. Mag. 13, 462.
 — — — — — Woodv. Med. 1, 20.
 — — — — — Nees Düsseld. 243.
 — — — — — Wagner 236.
 — — — — — *repanda* L. Brot. Phyt. 27.
 — — — — — *rigescens* Willd. Willd. Hort. 62.
 — — — — — *rosea* Sibth. Sibth. Fl. gr. 887.
 — — — — — *secundiramea* Biv. Bivona Pl. sic. 2, 2.
 — — — — — *styriaca* Vest. Rchb. Ic. crit. 2, 118.
 — — — — — *tinctoria* L. Fl. dan. 5, 741.
 — — — — — Sv. Bot. 62.
 — — — — — Engl. Bot. 21, 1472.
 — — — — — Dietr. Fl. bor. 9, 641.
 — — — — — *tomentosa* L.? Fl. dan. 4, 685.
 — — — — — *tuberculata* Boiss. Boiss. Esp. 90.
Anthephora elegans Schreb. Schreb. Gr. 44.
Anthericum alooides L. Lam. Encycl. 240.
 — — — — — Red. Lil. 5, 283.
 — — — — — DC. Pl. grasses 26.
 — — — — — Lodd. Cab. 996.
 — — — — — Bot. Mag. 32, 1317.
 — — — — — *annuum* L. DC. Pl. grasses 8.
 — — — — — Red. Lil. 7, 397.
 — — — — — Bot. Mag. 35, 1451.
 — — — — — *asphodeloides* L. Jacq. Vind. 181.
 — — — — — DC. Pl. grasses 163.
 — — — — — *baeticum* Steud. Boiss. Esp. 172.
 — — — — — *bicolor* Desf. Desf. Fl. atl. 90.
 — — — — — *bipedunculatum* Jacq. Jacq. Ic. 410.
 — — — — — *bulbosum* R. Br. Bot. Mag. 57, 3017.
 — — — — — *calyculatum* L. Linné Fl. lapp. 10.
 — — — — — Fl. dan. 1, 36.
 — — — — — Lightf. Fl. scot. 1, 8.
 — — — — — *canaliculatum* Ait. Bot. Mag. 28, 1124.
 — — — — — *β. rufum* H. B. K. Bot. Reg. 11, 877.
 — — — — — *ciliatum* Jacq. Jacq. Schoenbr. 4, 413.
 — — — — — *coarctatum* R. et P. Ruiz et Pav. 299.
 — — — — — *coeruleum* R. et P. Ruiz et Pav. 299.
 — — — — — *costatum* Don. Andr. Rep. 5, 298.
 — — — — — *divaricatum* Jacq. Jacq. Schoenbr. 4, 414.
 — — — — — *eccremorhizon* R. et P. Ruiz et Pav. 301.
 — — — — — *exuviatum* Jacq. Jacq. Ic. 415.
 † — — — — — Jacq. Collect. 5, 14.
 — — — — — *filifolium* Jacq. Jacq. Ic. 414.
 — — — — — *flexifolium* L. Jacq. Ic. 412.
 — — — — — *fragrans* Jacq. Jacq. Schoenbr. 1, 86.
 † — — — — — *frutescens* L. Gaertn. Carp. 16.
 — — — — — Lam. Encycl. 240.
 — — — — — DC. Pl. grasses 14.
 — — — — — Red. Lil. 5, 284.
 — — — — — Bot. Mag. 21, 816.
 — — — — — Bot. Reg. 4, 311.
 — — — — — *glaucum* R. et P. Lodd. Cab. 1580.

Anthericum glaucum R_z et P. Bot. Mag. 64, 3610.

- *graecum* L. Bill. Syr. 5, 8.
- — Sibth. Fl. gr. 336.
- *hispidum* L. Jacq. Ic. 409.
- *latifolium* L. Jacq. Ic. 408.
- *Liliago* L. Jacq. Vind. 83.
- † — — Gaertn. Carp. 16.
- — — Fl. dan. 4, 616.
- — — Red. Lil. 5, 269.
- — — Sv. Bot. 493.
- — — Dietr. Fl. bor. 1, 53.
- — — Rchb. Fl. germ. 10, 512.
- † — — — Nees Gen. 2, 54.
- *Liliastrium* L. Bot. Mag. 9, 318.
- — — Rchb. Exot. 200.
- *longifolium* Jacq. Jacq. Ic. 413.
- *longiscapum* Jacq. Jacq. Ic. 404.
- — — Red. Lil. 8, 423.
- — — Bot. Mag. 33, 1339.
- *milleflorum* Red. Red. Lil. 1, 58.
- *nutans* Jacq. Jacq. Ic. 407.
- *ossifragum* L. Fl. dan. 1, 42.
- *paniculatum* Andr. Andr. Rep. 6, 395.
- *physodes* Jacq. Jacq. Ic. 418.
- *pilosum* Jacq. Jacq. Ic. 416.
- *planifolium* L. Brot. Phyt. 44.
- *plumosum* R_z et P. Ruiz et Pav. 300.
- — — Bot. Mag. 58, 3084.
- *pomeridianum* Ker. Bot. Reg. 7, 564.
- *praemorsum* Jacq. Jacq. Ic. 406.
- *pugioniforme* Jacq. Jacq. Ic. 405.
- — — Andr. Rep. 6, 386.
- — — Bot. Mag. 35, 1434.
- *pusillum* Jacq. Jacq. Ic. 417.
- *ramosum* L. Jacq. Fl. austr. 2, 161.
- — — Schk. Handb. 95.
- — — Fl. dan. 7, 1157.
- — — Sv. Bot. 671.
- — — Schrank Fl. monac. 1, 96.
- — — Sturm Flora 13, 56.
- — — Dietr. Fl. bor. 1, 54.
- — — Rchb. Fl. germ. 10, 511.
- *reflexum* Cav. Cav. Ic. 241.
- *revolutum* L. Bot. Mag. 26, 1044.
- *rostratum* Jacq. Jacq. Ic. 403.
- *semibarbatum* R. Br. Lodd. Cab. 330.
- — — Bot. Mag. 59, 3129.
- *serotinum* L. Jacq. Fl. austr. 5, 38.
- — — Sturm Fl. 7, 28.
- — — Engl. Bot. 12, 793.
- — — Baxter Br. Bot. 6, 464.
- *subtrigynum* Jacq. Jacq. Ic. 419.
- *sulphureum* W. et K. W. et Kit. 95.
- — — Bot. Mag. 53, 2623.
- *trinervium* Viv. Viv. Lib. 8.
- *tuberosum* Roxb. Roxb. Corom. 138.
- *undulatum* Jacq. Jacq. Ic. 411.
- *vespertinum* Jacq. Jacq. Schoenbr. 1, 85.
- — — Bot. Mag. 26, 1040.
- *villosum* Lab. Bill. Syr. 5, 9.

Antherura rubra Lour. Rumpf. Amb. 3, 136.

† *Anthistiria* L. Linn. Gram. 0.

- *arundinacea* Roxb. Humb. Gram. 95.
- † — *ciliata* L. Gaertn. Carp. 175.
- — — Lam. Lam. Encycl. 47, 841.
- — — Cav. Ic. 459.
- *gigantea* Cav. Cav. Ic. 458.
- *glauca* Desf. Desf. Fl. atl. 254.
- *villosa* Lam. Lam. Encycl. 841.

Anthocephalus morindaefolius Korth. Korth. Bot. 48.

Anthocercis albicans Cunn. Sweet Austr. 16.

- *ilicifolia* Cunn. Bot. Mag. 71, 4200.

Anthocercis litorea Lab. Bill. Nov. Holl. 158.

- — — Endl. Ic. 68.
- — — Sweet Austr. 17.
- — — Bot. Reg. 3, 212.
- — — Maund Bot. 3, 102.
- *viscosa* R. Br. Maund Bot. 2, 59.
- — — Bot. Mag. 57, 2961.
- — — Bot. Reg. 19, 1624.
- Anthochlamys polygaloides* Fenzl. Jaub. Ill. 299.
- Anthocleista Vogelii* Planch. Hook. Ic. pl. 793, 794.
- — — Hook. Niger Fl. 43, 44.
- Anthodiscus trifolius* Meyer. Linn. Tr. 18, 20.
- Anthodon decussatum* R_z et P. R_z et Pav. Fl. 74.
- — — H. B. K. Nov. Gen. 5, 443.
- Antholyza aethiopica* L. Red. Lil. 2, 110.
- — — Andr. Rep. 3, 210.
- — — Bot. Mag. 16, 561, 29, 1172.
- — — var. Bot. Reg. 14, 1159.
- — — Hoffmannsegg Verz. 1824, 1.
- *bicolor* Gasp. Belgique hort. 2, 25.
- *Cunonia* L. Red. Lil. 1, 12.
- — — Bot. Mag. 10, 343.
- — — Kern. Hort. 182.
- *fulgens* Andr. Andr. Rep. 3, 192.
- *Meriana* L. Bot. Mag. 12, 418.
- *Merianella* L. Bot. Mag. 13, 441.
- *montana* Gawl. Lodd. Cab. 1022.
- *praealta* DC. Red. Lil. 7, 387.
- — — Savi Fl. ital. 3, 114.
- *ringens* L. Andr. Rep. 1, 32.
- *spicata* Andr. Andr. Rep. 1, 56.
- *tubulosa* Andr. Andr. Rep. 3, 174.

Anthonothea macrophylla Pal. Pal. Fl. d'Oware 42.

— — — Lam. Encycl. 953.

Anthopterus racemosus Hook. Hook. Ic. pl. 243.

Anthospermum aethiopicum L. Linné Hort. Cliff. 27.

- † — — — Gaertn. Carp. 195.
- † — — — Cruse Rub. cap. 1.
- † — *ciliare* L. Gaertn. Carp. 195.
- † — *paniculatum* Cruse. Cruse Rub. cap. 1.
- † *Anthoxanthum* L. Dumortier Gram. 10.
- † — — — Andersson Gram. Scand. 12.
- *amarum* Brot. Brot. Phyt. 4.
- — — Trin. Sp. Gr. 1, 15.
- *crinitum* Forst. Bill. Nov. Holl. 263.
- *gracile* Biv. Bivona Stirp. rar. Sic. 1, 1.
- — — Trin. Sp. Gr. 1, 13.
- *odoratum* L. Schreb. Gr. 5.
- — — Host Gram. 5.
- † — — — Lam. Encycl. 23.
- — — Curt. Lond. 3, 79.
- — — Fl. dan. 4, 666.
- — — Schk. Handb. 4.
- — — Dreves 2, 40.
- — — Sturm Flora 1, 4.
- — — Engl. Bot. 9, 647.
- — — Sv. Bot. 11.
- — — Ell. Carol. 1.
- — — Rchb. Fl. germ. 1, 106.
- † — — — Nees Gen. 1, 16.
- — — Knapp Gr. 1.
- — — Baxter Brit. Bot. 2, 99.
- — — Trin. Sp. Gr. 1, 14.
- *ovatum* Lag. Trin. Sp. Gr. 1, 16.

Anthriscus Cerefolium Hoffm. Dietr. Fl. bor. 10, 712.

- † — *nemorosa* Spr. Comm. Gott. rec. 2, 1.
- *sicula* DC. Vis. Dalm. 27.
- *silvestris* Hoffm. Nees Düss. Suppl. 4.
- — — Baxter Br. Bot. 3, 228.
- — — DC. Dietr. Fl. bor. 10, 711.
- *trichosperma* R. et Sch. Rochel Ban. 28.
- — — Vis. Dalm. 26.

- Anthriscus vulgaris* Pers. Dietr. Fl. bor. 9, 648.
Anthurium decurrens Endl. Poepp. et Endl. 293.
 — *gracile* Ldl. Bot. Reg. 19, 1635.
 † — *palmatifidum* V. H. Van Houtte Hort. 5.
 — *peltatum* Endl. Poepp. et Endl. 294.
 † *Anthyllis* L. Lam. Encycl. 615.
 — *Aspalathi* DC. Lodd. Cab. 1169.
 — *aurea* Vis. Vis. Dalm. 42.
 — *Barba Jovis* L. Sibth. Fl. gr. 682.
 — — Bot. Mag. 44, 1927.
 — *cornicina* L. Cav. Ic. 39.
 — *cretica* Lam. Bot. Mag. 27, 1092.
 — — Lodd. Cab. 597.
 — *erinacea* L. Andr. Rep. 1, 15.
 — — Bot. Mag. 18, 676.
 — — Lodd. Cab. 318.
 — *Gerardi* L. Gerard Fl. gallopr. 18.
 — *Hermanniae* L. Sibth. Fl. gr. 683.
 — — Bot. Mag. 52, 2576.
 — *lotoides* L. Cav. Ic. 40.
 — *maritima* Schweigg. Rchb. Ic. crit. 2, 122.
 — *montana* L. Jacq. Fl. austr. 4, 334.
 — — Lodd. Cab. 578.
 — — Sturm Flora 12, 49.
 — — Jacq. Sweet Fl. G. 79.
 — *onobrychoides* Cav. Cav. Ic. 150.
 — *podoccephala* Boiss. Boiss. Esp. 48.
 — *polycephala* Desf. Desf. Fl. atl. 195.
 — *Ramburii* Boiss. Boiss. Esp. 50.
 — *tejedensis* Boiss. Boiss. Esp. 49.
 — *tetraphylla* L. Bot. Mag. 3, 108.
 † — — Gaertn. Carp. 145.
 — — Sibth. Fl. gr. 681.
 — *tragacanthoides* Lab. Bill. Syr. 2, 9.
 — — Desf. Desf. Fl. atl. 194.
 — *vulneraria* L. Fl. dan. 6, 968.
 — — Schk. Handb. 196.
 — — Engl. Bot. 2, 104.
 — — Sv. Bot. 395.
 — — Schrank Fl. monac. 3, 207.
 — — var. Sturm Flora 12, 49.
 — — Dietr. Fl. bor. 6, 362.
 — — Baxter Brit. Bot. 5, 397.
 — *Webbiana* Hort. Birm. Bot. Mag. 60, 3284.
 — — Hook. Sweet Fl. G. II, 292.
 † *Antiaris* Leschenault. Ann. sc. nat. III, 8, 6.
 — *innoxia* Bl. Blume Rumphia 54.
 — *saccidora* Dalz. Wight Ic. pl. Ind. or. 6, 1958.
 — *toxicaria* Leschen. Rumpf Amb. 2, 87.
 — — Ann. Mus. 16, 22.
 — — Bennett Jav. 13.
 — — Hook. Comp. 17.
 — — Blume Rumphia 22, 23.
 † — — Schnizl. Ic. 2, 93.
Anticharis arabica Endl. Endl. Iconogr. 93.
Antichorus depressus L. Linné Fasc. pl. ups. 2.
 † — — Gaertn. Carp. 112.
 † — — Lam. Encycl. 295.
Antidaphne viscoidea Endl. Poepp. et Endl. 199.
Antidesma acuminata Wall. Wight Ic. pl. Ind. or. 6, 1991.
 † — *alexiteria* L. Gaertn. Carp. 39.
 † — — Lam. Encycl. 812.
 — — Desc. Ant. 3, 216.
 — *alnifolia* Hook. Hook. Ic. pl. 481.
 — *Bunias* Spr. Wight Ic. pl. Ind. or. 3, 819.
 † — *Ghesacmbilla* Gaertn. Gaertn. Carp. 39.
 † — — Lam. Encycl. 812.
 — *lanceolaria* Wall. Wight Ic. pl. Ind. or. 3, 766.
 — *madagascariensis* Lam. Lam. Encycl. 812.
 † — — Schnizl. Ic. 2, 96.
 — *paniculata* Roxb. Wight Ic. pl. Ind. 3, 820.
 † — — Schnizl. Ic. 2, 96.

- Antidesma parasitica* Dilho. Rheede Hort. mal. 7, 30.
 — *pubescens* Roxb. Roxb. Corom. 167.
 — — Wight Ic. pl. Ind. 3, 821.
 — — Schnizl. Ic. 2, 96.
 — *silvestris* Lam. Rheede Hort. mal. 5, 26.
 — *tomentosa* Wall. Wight Ic. pl. Ind. 3, 767, 768.
 † *Antidesmeae* Sweet. Schnizl. Ic. 2, 96.
Antidris Aub. Aubert Orch. 1, 4.
Antigonon leptopus Hook. Hook. Beech. 69.
 † *Antigramma repanda* Presl. Hook. Gen. Fil. 57.
 — — Hook. Ic. pl. 183.
 — *rhizophylla* Sm. Torr. New York 159.
 † *Antirrhinum* L. Gaertn. Carp. 53. — Lam. Encycl. 531. — Schk. Handb. 172.
 ! — — (Peloria.) Engl. Bot. 4, 260.
 ! — — Sv. Bot. 196.
 ! — — Gmel. Fl. bad. 2, 4.
 ! — — Schmidt Samml. 2.
 ! — — Hopkirk Fl. anom. 7.
 ! — — Ratzeburg Pelor. 1.
 ! — — Van Houtte Hort. 5.
 — *acutangulum* Ten. Ten. Fl. nap. 59.
 — *aerugineum* Asso. Asso. Arag. 10.
 — *albifrons* Sm. Sibth. Fl. gr. 588.
 — *alpinum* L. Jacq. Fl. austr. 1, 58.
 — — Bot. Mag. 6, 205.
 — — Roemer Fl. eur. 4, 6.
 — *amethysteum* Brot. Brot. Phytogr. 137.
 — *arvense* L. var. Sibth. Fl. gr. 590.
 — *Asarina* L. Bot. Mag. 23, 902.
 — *bipartitum* Vent. Vent. Cels 82.
 — *bipunctatum* L. Cav. Ic. 33.
 — *calycinum* Lam. Brot. Phytogr. 127.
 — — Hoffm. Lk. Fl. port. 52.
 — *canadense* L. Vent. Cels 49.
 — *chalepense* L. Sibth. Fl. gr. 592.
 — *cirrhosum* L. Jacq. Vind. 82.
 — *crassifolium* Cav. Cav. Ic. 114.
 — *cyathiferum* Benth. Benth. Sulphur 19.
 — *Cymbalaria* L. Fl. dan. 7, 1220.
 — — Engl. Bot. 7, 502.
 — *dentatum* Vahl. Vahl Symb. 38.
 — *diffusum* Brot. Brot. Phytogr. 141.
 — *Elatine* L. Fl. dan. 3, 426.
 — — Engl. Bot. 10, 692.
 — — Sv. Bot. 711.
 — *genistifolium* L. Jacq. Fl. austr. 3, 244.
 — — Sibth. Fl. gr. 596.
 — *glandulosum* L. Bot. Reg. 22, 1893.
 — *glaucophyllum* Brot. Brot. Phytogr. 140.
 — *glaucum* L. Cav. Ic. 33.
 — — Sm. Wight Ic. pl. Ind. or. 4, 1459.
 † — — Stocks. Wight Illustr. 165.
 — *glutinosum* Brot. Brot. Phyt. 134.
 — *graecum* Bory et Ch. Bory et Ch. Morée 21.
 — *heterophyllum* Schousb. Schousb. Mar. 3.
 — *hirtum* L. Jacq. Ic. 117.
 — *lanigerum* Brot. Brot. Phytogr. 129.
 — *latifolium* Lk. Brot. Phytogr. 125.
 — — Hoffm. Lk. Fl. port. 50.
 — *Linaria* L. Fl. dan. 6, 982.
 — — Engl. Bot. 10, 658.
 — — Sv. Bot. 196.
 — — Sturm Flora 5, 18.
 — — Nees Düssel. 156.
 — — Woodv. Med. 2, 136.
 — *linogriseum* Brot. Brot. Phytogr. 135.
 — *lusitanicum* Brot. Brot. Phytogr. 15.
 — *majus* L. Engl. Bot. 2, 129.
 — — Rousseau Bot. 24, 25.
 ! — — Tratt. Thes. 64.
 — — Dict. sc. nat. 30.

- † *Antirrhinum majus* L. Ann. sc. nat. 8, 27.
 — — — var. Paxt. Mag. 5, 55. 10, 197. 11, 99.
 — — — 13, 271.
- † — — — Nees Gen. 5, 32.
 ! — — — Ratzeburg Pelor. 1.
 ! — — — Fl. d. serres 3, 287.
 — — — var. Fl. d. serres 3, 218.
 ! — — — Van Houtte Hort. 5.
 — — — Baxter Brit. Bot. 3, 169.
 — — — *marginatum* Desf. Act. soc. h. nat. P. 7.
 — — — *meonanthum* Lk. Brot. Phytogr. 126.
 — — — Hoffm. Lk. Fl. port. 51.
 — — — *micranthum* Cav. Cav. Ic. 69.
 — — — Sibth. Fl. gr. 587.
 — — — *minus* L. Fl. dan. 3, 502.
 — — — Engl. Bot. 28, 2014.
 — — — *multipunctatum* Brot. Brot. Phytogr. 142.
 — — — *Orontium* L. Fl. dan. 6, 941.
 — — — Curt. Lond. 3, 107.
 — — — Engl. Bot. 17, 1155.
 — — — Sturm Flora 7, 27.
 † — — — Nees Gen. 5, 32.
 — — — Dietr. Fl. bor. 9, 582.
 — — — *Osyris* Cir. Cirillo Pl. rar. 2, 9.
 — — — *papilionaceum* L. Burm. Fl. ind. 39.
 — — — *parviflorum* Jacq. Jacq. Ic. 499.
 — — — *Pelissierianum* L. Sibth. Fl. gr. 591.
 — — — *pilosum* L. Jacq. Obs. 48.
 — — — *polygalaefolium* Brot. Brot. Phytogr. 138.
 — — — *praecox* Brot. Brot. Phytogr. 131.
 — — — *procumbens* All. Misc. Taur. 2, 1.
 — — — *purpureum* L. Schk. Handb. 172.
 — — — Bot. Mag. 3, 99.
 — — — Sibth. Fl. gr. 589.
 — — — *pyrenaicum* Lam. Brot. Phytogr. 139.
 — — — *reflexum* L. Sibth. Fl. gr. 593.
 — — — Ten. Fl. nap. 58.
 — — — *repens* L. Martyn Hist. 33.
 — — — Engl. Bot. 18, 1283.
 — — — *reticulatum* Sm. Smith. Ic. pict. 2.
 — — — *saphirinum* Brot. Brot. Phytogr. 136.
 — — — *saxatile* Brot. Brot. Phytogr. 133.
 — — — *sempervirens* Picot. Picot Pyren. 4.
 — — — *sparteum* L. Cav. Ic. 32.
 — — — Brot. Phytogr. 130.
 — — — Bot. Mag. 6, 200.
 — — — *spinescens* Viv. Viv. Lib. 27.
 — — — *spurium* L. Fl. dan. 6, 913.
 — — — Engl. Bot. 10, 691.
 — — — var. *integrifolium*, Brot. Phytogr. 128.
 — — — *strictum* Sm. Sibth. Fl. gr. 594.
 — — — *supinum* L. Sibth. Fl. gr. 593.
 — — — *tenellum* Cav. Cav. Ic. 180.
 — — — *tenue* Viv. Viv. Lib. 21.
 — — — *thymifolium* Vahl. Loisel. Fl. gall. 10.
 — — — *triornithophorum* L. Vent. Malm. 11.
 — — — Desc. Ant. 7, 520.
 — — — Bot. Mag. 15, 525.
 — — — *triphyllum* L. Bot. Mag. 9, 324.
 — — — Cav. Ic. 179.
 — — — *triste* L. Martyn Hist. 33.
 — — — Bot. Mag. 3, 74.
 — — — *versicolor* L. Jacq. Ic. 116.
 — — — *viscosum* L. Bot. Mag. 11, 368.
 — — — *virgatulum* Brot. Brot. Phytogr. 132.
 — — — *virgatum* Poir. Lam. Encycl. 531.
- † *Antirragus aculeatus* Gaertn. Gaertn. Carp. 80.
Antommarchia rubra Colla. Mem. Tur. 5, (1843.) 0.
† *Antonia Griffithii* Wight. Wight Illustr. 156^b.
 — — — *ovata* Pohl. Pohl Bras. 109.
 — — — *pilosa* Hook. Hook. Ic. pl. 64.
 — — — Endl. Iconogr. 56.

- Antonia pubescens* Bong. Acad. Pet. 5, 1.
Antoniana laurifolia Tuss. Tuss. Ant. 2, 16.
 — — — Kern. Kort. 678.
- Antopetitia abyssinica* A. Rich. Richard Abyss. 39.
 † — — — Ann. sc. nat. II. 14, 15.
- Antrophyum avenium* Bl. Blume Jav. 6, 37.
 — — — *Boryanum* Spr. Hook. Ic. Fil. 74.
 — — — Blume Jav. 6, 31.
 — — — Bory Coquille 29.
 — — — *callaeifolium* Bl. Blume Jav. 6, 35.
 — — — *cayennense* Kaulf. Kunze Anal. 19.
 — — — *coriaceum* Bl. Blume Jav. 6, 37.
 — — — *Cumingii* Fée. Fée Fil. 4, 4.
 — — — *ensiforme* Hook. Hook. Ic. pl. 394.
 — — — *falcatum* Bl. Blume Jav. 6, 32.
 — — — M. et G. Acad. Brux. 15, 12.
 — — — *Galeottii* Fée. Fée Fil. 4, 5.
 — — — *giganteum* Bory. Fée Fil. 4, 5.
 — — — *Grevillii* Balf. Jard. Ann. II. 2, 1.
 — — — *lanceolatum* Bl. Blume Jav. 6, 36.
 — — — *latipes* Fée. Fée Fil. 4, 5.
 — — — *Lessonii* Bory. Bory Coquille 28.
 — — — *marginale* Bl. Blume Jav. 6, 34.
 — — — *obtusatum* Bory. Bory Coquille 29.
 — — — *obtusum* Bl. Blume Jav. 6, 34.
 — — — *parvulum* Bl. Blume Jav. 6, 34.
 — — — *plantagineum* Kaulf. Bory Coquille 28.
 † — — — Hook. Gen. Fil. 109.
 — — — Blume Jav. 6, 30.
 — — — *plicatum* Fée. Fée Fil. 4, 5.
 — — — *pumilum* Kaulf. Hook. Ic. Fil. 46.
 — — — *semicostatum* Bl. Blume Jav. 6, 33.
 — — — *spatulatum* Fée. Fée Fil. 4, 4.
 — — — *subsessile* Kze. Kunze Anal. 19.
- Anychia dichotoma* Michx. Gray Gen. 104.
Aotus ericoides Paxt. Paxt. Mag. 5, 51.
 — — — *ferruginea* Lab. Bill. Nov. Holl. 132.
- † — — — Lam. Encycl. 949.
 — — — *gracillima* Meism. Bot. Mag. 71, 4146.
 — — — *villosa* Sm. Bot. Mag. 24, 949.
 — — — Lodd. Cab. 1353.
- † *Apalatoa guineensis* Aubl. Konig Annals 1, 7.
Apalochlamys Kerrü DC. Bot. Reg. 8, 678.
- Apama siliquosa* Lam. Rheede Hort. mal. 6, 28.
 — — — Lam. Encycl. 640.
- Apargia alpina* Host. Lodd. Cab. 539.
 — — — Sturm Flora 10, 37.
 — — — *annua* Vis. Vis. Aeg. 6.
 — — — *aspera* W. et K. W. et Kit. 110.
 — — — *autumnalis* Willd. Schk. Handb. 220.
 — — — Sv. Bot. 642.
 — — — Hoffm. Fl. dan. 12, 1996.
 — — — *cichoracea* Cir. Ten. Fl. nap. 71.
 — — — *crocea* Willd. Tratt. Arch. 141.
 — — — Poll. Poll. Fl. ver. 2, 4.
 — — — Hoppe. Sturm Flora 10, 37.
 — — — *dubia* Hoppe. Sturm Flora 10, 37.
 — — — *fasciculata* Biv. Bivona Stirp. rar. Sic. 2, 2.
 † — — — *hastilis* Willd. Schk. Handb. 220.
 — — — var. Viv. Lib. 16.
 — — — *hirta* Hoffm. Schk. Handb. 220.
 — — — Fl. dan. 11, 1827.
 — — — *hispidula* Willd. Curt. Lond. 3, 41.
 † — — — Schk. Handb. 220.
 — — — Sv. Bot. 643.
 — — — Schrank Fl. monac. 3, 202.
 — — — Baxter Br. Bot. 4, 318.
 — — — *incana* Willd. Sturm Flora 7, 27.
 — — — Schrank Fl. monac. 3, 222.
 — — — *lucida* Ten. Ten. Fl. nap. 70.
 — — — *Rosani* Ten. Ten. Fl. nap. 180.
 — — — *saxatilis* Ten. Ten. Fl. nap. 72.

- Apargia Taraxaci Willd.* Fl. dan. 9, 1523.
 — — — Sturm Flora 10, 37.
 — — — taraxaciflora Viv. Viv. Lib. 22.
 — — — tuberosa Willd. Sibth. Fl. gr. 797.
Apatelia lanceolata DC. Mem. Genev. 1, 8.
 — — — Delessert Ic. 3, 26.
Apáthanthus crinitus Viv. Viv. Lib. 7.
Apaturia Lindleyana Wight. Wight Ic. pl. Ind. 5, 1662.
Apeiba aspera Aubl. Aubl. Guian. 216.
 † — — — Gaertn. Carp. 121.
 † — — — Lam. Encycl. 470.
 † — — — echinata Gaertn. Gaertn. Carp. 121.
 — — — glabra Aubl. Lam. Encycl. 470.
 † — — — hispida Gaertn. Gaertn. Carp. 121.
 — — — laevis Aubl. Aubl. Guian. 214.
 — — — Petoumo Aubl. Aubl. Guian. 215.
 † — — — Lam. Encycl. 470.
 — — — Tibourbou Aubl. Aubl. Guian. 213.
Apera interrupta Pal. B. Engl. Bot. 2931.
 — — — Rechb. Fl. germ. 1, 32.
 — — — purpurea Pal. B. Rechb. Fl. germ. 1, 32.
 — — — spica venti Pal. B. Rechb. Fl. germ. 1, 32.
 † — — — — — Nees Gen. 1, 30.
Apetalon minutum Wight. Wight Ic. pl. Ind. 5, 1758.
 † *Aphanamixis Perottetiana Juss.* Mem. Mus. 19, 14.
 † — — — timorensis Juss. Mem. Mus. 19, 14.
 † *Aphanes arvensis L.* Gaertn. Carp. 73.
 † — — — — — Lam. Encycl. 87.
 — — — — — Schk. Handb. 26.
 — — — — — Fl. dan. 6, 973.
Aphanochilus blandus Benth. Bot. Mag. 58, 3991.
 — — — flavus Benth. Wall. Pl. asiat. 31.
 — — — polystachyus Benth. Wall. Pl. asiat. 33.
Aphanopetalum resinosum Endl. Endl. Iconogr. 96.
Aphelandra acanthifolia Hook. Hook. Ic. pl. 113.
 — — — aurantiaca Ldl. Bot. Mag. 72, 4224.
 — — — — — Paxt. Mag. 12, 127.
 — — — — — Bot. Reg. 31, 12.
 — — — — — Fl. d. serres 1, 42.
 — — — ? cardnifolia Hook. Hook. Ic. pl. 718.
 — — — cristata R. Br. Bot. Mag. 38, 1578.
 — — — — — Paxt. Mag. 7, 173.
 — — — — — Rechb. Exot. 286.
 — — — — — H. B. K. Bot. Reg. 18, 1477.
 — — — nemoralis Mart. Endl. Bras. 7, 11.
 — — — Sinclairiana N. v. E. Benth. Sulphur 47.
 — — — squarrosa N. v. E. Fl. d. serres 8, 809.
Aphelaxis humilis Don. Paxt. Mag. 15, 269.
 — — — macrantha Paxt. Paxt. Mag. 15, 269.
Aphelia cyperoides R. Br. Ann. sc. nat. 13, 2.
Aphyllangis Aub. Aubert Orch. 72.
Aphyllanthes juncea Salisb. Salisb. Parad. 9.
 † — — — monspeliensis L. Lam. Encycl. 252.
 — — — — — Red. Lil. 8, 483.
 — — — — — Bot. Mag. 28, 1132.
 — — — — — Lodd. Cab. 1503.
 — — — — — Rechb. Fl. germ. 9, 418.
 — — — — — Schnizl. Ic. 1, 35^d.
 † *Aphyteia Hydnora L. fil.* Gaertn. Carp. 137.
 † — — — — — Lam. Encycl. 568.
 — — — — — Tratt. Arch. 153. 153^a.
 — — — — — Tratt. Thes. 31.
Apicra fasciata Willd. var. Jacq. Ecl. pl. 113.
 — — — radula Willd. var. Jacq. Ecl. pl. 114.
 — — — spiralis Willd. Jacq. Ecl. pl. 112.
Apinagia divaricata Tul. Arch. Mus. 6, 7.
 — — — pusilla Tul. Arch. Mus. 6, 7.
 — — — Riedelii Tul. Arch. Mus. 6, 8.
Apios tuberosa Moench. Journ. Hort. Soc. 2, 146.
 † *Apium Celleri Gaertn.* Gaertn. Carp. 22.
 — — — filiforme Rich. var. Hook. Ic. pl. 9, 619.
 — — — graveolens L. Schk. Handb. 78.

- Apium graveolens L.* Fl. dan. 5, 790.
 — — — — — Lam. Encycl. 196.
 — — — — — Hayne 7, 24.
 — — — — — Engl. Bot. 17, 1210.
 — — — — — Baxter Br. Bot. 2, 156.
 — — — — — Dietr. Fl. bor. 12, 610.
 † — — — — — Nees Gen. X, x.
 — — — involucratum Roxb. Wight Ic. pl. Ind. or. 2, 567.
 † — — — Petroselinum L. Gaertn. Carp. 22.
 † — — — — — Lam. Encycl. 196.
 — — — — — Hayne 7, 23.
 — — — — — Guimp. et Schl. 215.
 — — — — — Woodv. Med. 1, 45.
 — — — prostratum Lab. Bill. Nov. Holl. 103.
 — — — — — Vent. Vent. Malm. 81.
 — — — ranunculifolium H. B. K. H. B. K. Nov. Gen. 5, 421.
Aplectrocaphos baetica Boiss. Boiss. Esp. 4^a.
Aplectrum hiemale Nutt. Torr. New York 127.
 † — — — myrtiforme Naud. Ann. sc. nat. III. 15, 15.
Aplophyllum acutifolium Juss. Delessert Ic. 3, 44.
 — — — tuberculatum Juss. Delessert Ic. 3, 43.
 † — — — — — Mem. Mus. 12, 17.
Aplostellis Aub. Aubert Orch. 24.
Apilotaxis fastuosa Decne. Jacquemont Ind. 105.
 — — — gnaphaloides Royle. Royle Illust. 59.
 — — — Lappa Decne. Jacquemont Ind. 104.
 — — — leontodontoides DC. DC. Comp. 10.
 — — — multicaulis DC. Delessert Ic. 4, 68.
 — — — nepalensis DC. Delessert Ic. 4, 67.
 — — — obvallata DC. Delessert Ic. 4, 69.
 — — — Simpsoniana Field. Field. Sert. 26.
 † *Apluda aristata L.* Lam. Encycl. 841.
 — — — — — Burm. Fl. ind. 21^b.
 — — — — — Schreb. Gr. 42.
 — — — — — Petersb. 2, 9.
 † — — — mutica L. Gaertn. Carp. 175.
 † — — — — — Lam. Encycl. 841.
Apochoris pentapetala Duby. Delessert Ic. 5, 28.
 † *Apocynaceae R. Br.* Wight Illustr. 154^b.
Apocynum Aconci Aubl. Aubl. Guian. 107.
 — — — androsaemifolium L. Bot. Mag. 8, 280.
 — — — — — Lam. Encycl. 176.
 — — — — — Schk. Handb. 53.
 — — — — — Big. Med. 36.
 — — — — — Herb. amat. 2, 104.
 — — — — — Belgique hort. 1, 67.
 — — — cannabium L. Hook. Bor. Am. 139.
 — — — citrifolium Desc. Desc. Ant. 3, 191.
 — — — foetidum Burm. Rumpf Amb. 5, 160.
 — — — fructu spinoso Desc. Desc. Ant. 3, 189.
 † — — — hypericifolium Ait. Lam. Encycl. 176.
 — — — — — Hook. Bor. Am. 140.
 — — — maculatum Desc. Desc. Ant. 3, 190.
 — — — odoratissimum Lour. Rumpf Amb. Auct. 26.
 — — — reticulatum Lour. Rumpf Amb. 5, 40.
 — — — sibiricum Led. Ledeb. Ic. 240.
 — — — — — Pall. Jacq. Vind. 3, 66.
 — — — umbellatum Aubl. Aubl. Guian. 108.
 † *Apodanthes Berterii Hook.* Hook. Ic. pl. 653.
 † — — — Blanchetii Hook. Hook. Ic. pl. 653.
 — — — Calliandrae Gardn. Hook. Ic. pl. 644. 653.
 — — — Cascariae Poit. Ann. sc. nat. 3, 26.
 † — — — — — Hook. Ic. pl. 653.
Apodytes beninensis Hook. fil. Hook. Niger Fl. 28.
 — — — — — Hook. Ic. pl. 778.
 — — — — — Benthamiana Wight. Wight Ic. pl. Ind. 3, 1153.
 — — — — — dimidiata Benth. Linn. Tr. 18, 41.
Apollonias Arnottii N. v. E. Wight Ic. pl. Ind. 5, 1819.
Aponogeton angustifolium Ait. Bot. Mag. 31, 1268.
 — — — distachyon Thunb. Thunb. Diss. 1, 4.
 — — — — — Lam. Encycl. 276.
 — — — — — Andr. Rep. 5, 290.

- Aponogeton distachyum* Thunb. Bot. Mag. 32, 1293.
 — — — Rchb. Mag. 13.
 — — — Rchb. Exot. 9.
 — — — Ann. sc. nat. III. 1, 9.
 — — — Paxt. Fl. G. 43.
 — — — monostachys Edgew. Hook. Lond. J. 1844, 17.
 — — — monostachyum L. fil. Rheede Hort. mal. 11, 13.
 — — — Thunb. Diss. 1, 4.
 — — — Lam. Encycl. 276.
 — — — Andr. Rep. 6, 406.
 — — — Roxb. Corom. 81.
Apoplanesia paniculata Presl. Presl. Symb. 41.
 † *Aporetica* Forst. Forst. Char. 66.
Aporum anceps Ldl. Bot. Reg. 15, 1239.
 — — — Bot. Mag. 64, 3698.
 — — — Lodd. Cab. 1893.
 — — — incrassatum Brongn. Brongn. Coquille 42.
 † — — — indivisum Bl. Blume Tabellen 39.
Apostasia nuda R. Br. Wall. Pl. asiat. 83.
 † — — — Bauer Orch. 13.
 — — — odorata Bl. Wall. Pl. asiat. 84.
 † — — — Blume Orch. 5.
 † — — — Schnizl. Ic. 1, 67.
 — — — Wallichii R. Br. Wall. Pl. asiat. 84.
 † — — — Bauer Orch. 13.
 † *Apostasiaeae* Ldl. Schnizl. Ic. 1, 67.
 † *Appendicula alba* Bl. Blume Tabellen 40.
 † — — — cristata Bl. Blume Tabellen 40.
 — — — Hasseltii Bl. Wight Ic. pl. Ind. 5, 1748.
 — — — pennicillata Bl. Blume Rumphia 195, 200.
 † *Appendicularia thymifolia* DC. Ann. sc. nat. III. 12, 14.
Apteranthes Gussoniana Mik. Acta Leop. 17, 2, 41.
 — — — Bot. Reg. 20, 1731.
 — — — Expl. Alger. 62.
 † — — — numidica Durieu. Expl. Alger. 62.
 † *Apteria hymenanthera* Miq. Miq. Surin. 63.
 † — — — lilacina Miers. Linn. Tr. 18, 38.
 — — — orobanchoides Hook. Hook. Ic. pl. 254.
 — — — setacea Nutt. Hook. Ic. pl. 660.
Apotosimum depressum Burch. Bot. Reg. 22, 1882.
 † *Apuleja rigida* Gaertn. Gaertn. Carp. 171.
Aquartia aculeata Jacq. Jacq. Hist. stirp. am. 15.
 † — — — microphylla Willd. Lam. Encycl. 82.
 † — — — tomentosa Lam. Lam. Encycl. 82.
 † *Aquifolium spinosum* Gaertn. Gaertn. Carp. 92.
Aquilaria Agallocha Roxb. Royle Illustr. 36.
 — — — Hook. Ic. pl. 6.
 † — — — malaccensis Lam. Lam. Encycl. 336.
 — — — Diet. sc. nat. 248.
 — — — ovata Cav. Cav. Diss. 224.
 † *Aquilarineae* R. Br. Schnizl. Ic. 2, 110.
 † *Aquilegia* L. Lam. Encycl. 488.
 † — — — Hopkirk Fl. anomala 8.
 † — — — Gray Gen. 14.
 — — — alpina L. All. Fl. ped. 3, 66.
 — — — Delessert Ic. 1, 48.
 — — — Lodd. Cab. 657.
 — — — Rchb. Fl. germ. 4, 119.
 — — — Sweet Fl. G. 218.
 — — — anemonoides Willd. Mag. naturf. Fr. 5, 9.
 — — — arctica Hort. Loud. Fl. d. serres 8, 793.
 — — — atrata Koch. Rchb. Fl. germ. 4, 113.
 — — — atropurpurea DC. Bot. Reg. 11, 922.
 — — — canadensis L. Bot. Mag. 7, 246.
 — — — Schk. Handb. 146.
 — — — Barton Fl. 1, 36.
 — — — Lodd. Cab. 888.
 — — — Diet. sc. nat. 113.
 — — — Herb. amat. 5, 303.
 — — — Gray Gen. 14.
 — — — daburica Patr. Delessert Ic. 1, 49.
 — — — formosa Fisch. Belgique hort. 4, 1.

- Aquilegia formosa* Fisch. Fl. d. serres 8, 795.
 — — — fragrans Maund. Maund Bot. 4, 181.
 — — — Garnieriana Sweet. Sweet Fl. G. II, 103.
 — — — glandulosa Fisch. Knowles et Westc. 10.
 — — — — Maund Bot. 5, 219.
 — — — — Sweet Fl. G. II, 55.
 — — — glauca Ldl. Bot. Reg. 26, 46.
 — — — hybrida Sims. Bot. Mag. 30, 1221.
 — — — jucunda F. et M. Bot. Reg. 33, 19.
 — — — — Fl. d. serres 5, 333.
 — — — — Belgique hort. 4, 1.
 — — — kanaoriensis Jacquem. var. Jacquemont Ind. 5.
 — — — — Bot. Mag. 79, 4693.
 — — — — Belgique hort. 3, 46.
 — — — leptoceras Nutt. Bot. Mag. 74, 4407.
 — — — — F. et M. Bot. Reg. 33, 64.
 — — — — Fl. d. serres 3, 296.
 — — — macrantha Hook. Hook. Beech. 72.
 — — — — Fl. d. serres 5, 531.
 — — — montana Sternb. Reg. Denkschr. 2, 4.
 — — — nigricans Baumg. Rchb. Fl. germ. 4, 115.
 — — — — Belgique hort. 4, 1.
 — — — parviflora Led. Ledeb. Ic. 408.
 — — — pyrenaica DC. Rchb. Fl. germ. 4, 117.
 — — — sibirica Lam. Delessert Ic. 1, 47.
 — — — — Sweet Fl. G. II, 90.
 — — — Skinneri Hook. Bot. Mag. 68, 3919.
 — — — — Paxt. Mag. 10, 199.
 — — — — Fl. d. serres 1, 6.
 — — — — Belgique hort. 4, 1.
 — — — Sternbergii Rchb. Rchb. Fl. germ. 4, 118.
 — — — viridiflora L. Jacq. Ic. 102.
 — — — — Pall. Comm. Gott. 3, 2.
 — — — viscosa L. Gouan III. 19.
 — — — — Ust. Del. 1, 3.
 — — — — W. et Kit. 169.
 — — — — Trev. Observ. 2.
 — — — — Gouan. Rchb. Fl. germ. 4, 116.
 — — — — Belgique hort. 4, 1.
 † — — — vulgaris L. Gaertn. Carp. 118.
 — — — — Fl. dan. 4, 693.
 — — — — Engl. Bot. 5, 297.
 — — — — Sv. Bot. 118.
 — — — — Hayne 3, 6.
 — — — — Schrank Fl. monac. 1, 46.
 — — — — Liboschitz Pet. 14.
 — — — — Rchb. Fl. germ. 4, 114.
 — — — — Baxter Br. Bot. 3, 221.
 ! — — — — Jard. Ann. 7, 11.
 † *Aquilegia otilis* Gaertn. Lam. Encycl. 139.
 — — — sambucina L. Burm. Fl. ind. 24.
 † — — — — Gaertn. Carp. 108.
 † — — — — Lam. Encycl. 139.
 — — — — Cav. Diss. 218.
 † *Arabis* L. Lam. Encycl. 563.
 † — — — Gray Gen. 38.
 — — — albida Fisch. Jacq. Ecl. pl. 71.
 — — — — Lodd. Cab. 1439.
 — — — Allionii DC. Rchb. Fl. germ. 2, 41.
 — — — alpestris Schl. Rchb. Fl. germ. 2, 40.
 — — — alpina L. Fl. dan. 1, 62.
 — — — — Bot. Mag. 7, 226.
 — — — — Sv. Bot. 773.
 — — — — Schrank Fl. monac. 3, 244.
 — — — — Sturm Flora 3, 12.
 — — — — Rchb. Fl. germ. 2, 37.
 — — — arenaria Schrk. Schrank Fl. monac. 3, 236.
 — — — arenosa R. Br. Hook. Ex. Fl. 221.
 — — — — Scop. Scop. Fl. carn. 2, 40.
 — — — — Rchb. Fl. germ. 2, 33.
 — — — — Sturm Flora 11, 43.
 — — — — Fl. dan. 10, 1760.

- Arabis arenosa* Scop. Dietr. Fl. bor. 9, 602.
 — *aspera* All. Allioni Auct. 2.
 — *auriculata* Lam. Winterl Ind. 4.
 — — Sturm Flora 11, 43.
 — — Rchb. Fl. germ. 2, 39.
 — — Dietr. Fl. bor. 12, 854.
 — *bellidifolia* Cr. Crantz Crucif. 3.
 — — Jacq. Jacq. Fl. austr. 3, 280.
 — — Jacq. Obs. 12.
 — — Sturm Flora 5, 20.
 — — Rchb. Fl. germ. 2, 38.
 — *Billardieri* DC. Delessert Ic. 2, 24.
 — *Boryi* Boiss. Boiss. Esp. 5.
 — *brassicaeformis* Wallr. Rchb. Ic. crit. 2, 192.
 — — Rchb. Fl. germ. 2, 38.
 — *canadensis* L. Delessert Ic. 2, 28.
 — *caucasica* Willd. Bot. Mag. 46, 2046.
 — *cehennensis* DC. Delessert Ic. 2, 26.
 — *chinensis* Rottl. Wight Illustr. 12.
 — *ciliata* R. Br. Rchb. Fl. germ. 2, 40.
 — *Clusiana* Schrk. Schrank Fl. monac. 3, 244.
 — *coerulea* Haenke. Sturm Flora 5, 20.
 — — Wulf. Rchb. Fl. germ. 2, 37.
 — *collina* Ten. Ten. Fl. nap. 164.
 — — Bot. Mag. 57, 3021.
 — *conferta* Willd. Rchb. Fl. germ. 2, 41.
 — *Crantziana* Ehrh. Rchb. Fl. germ. 2, 34.
 — *crispata* Willd. Rchb. Fl. germ. 2, 37.
 — *dentata* T. et Gr. Torr. New York 7.
 — *fruticulosa* Led. Ledeb. Ic. 336.
 — *Gerardi* Bess. Dietr. Fl. bor. 11, 731.
 — *gigantea* Hook. Hook. Ic. pl. 259.
 — *glastifolia* Rchb. Rchb. Fl. germ. 2, 43.
 — *Halleri* L. W. et Kit. 120.
 — — var. Sturm Flora 11, 43. 5, 20.
 — — Rchb. Fl. germ. 2, 36.
 — *hirsuta* Scop. Schrank Fl. monac. 3, 248.
 — — Rchb. Fl. germ. 2, 41.
 — — var. Sturm Flora 12, 45.
 — *hispida* Fl. brit. Engl. bot. 7, 469.
 — *Holboellii* Hornem. Fl. dan. 11, 1879.
 — *hybrida* Reut. Reuter Suppl. Cat. Gen. 9.
 — *latifolia* Durieu. Expl. Alger. 72.
 — *longifolia* DC. Delessert Ic. 2, 25.
 — *Macloviana* Hook. Hook. Ic. pl. 498.
 — *muralis* Bertol. Rchb. Fl. germ. 2, 40.
 — *navalis* Spr. Ten. Fl. nap. 164.
 — *nova* Vill. Vill. Dauph. 37.
 — *nuda* Bel. Belanger Ind. or. x.
 — *nutans* Moench. Bot. Mag. 48, 2219.
 — *ovirensis* Wulf. Jacq. Ic. 125.
 — — Roemer Fl. eur. 7, 6.
 — — Rchb. Fl. germ. 2, 35.
 — *parvula* Duf. Boiss. Esp. 13.
 — *patens* Sull. Gray Gen. 58.
 — *Patriniana* DC. Delessert Ic. 2, 27.
 — *pedemontana* Boiss. Mem. Genev. 11, 2.
 — *pendula* L. Jacq. Vind. 3, 34.
 — *petraea* Crantz. var. Lodd. Cab. 1304.
 — — Lam. Sturm Flora 12, 45.
 — *planisiliqua* Pers. Rchb. Fl. germ. 2, 42.
 — *procurrens* W. et K. W. et Kit. 144.
 — — Sturm Flora 12, 45.
 — — Rchb. Fl. germ. 2, 37.
 — *puberula* Nutt. Hook. Ic. pl. 359.
 — *pumila* Jacq. Jacq. Fl. austr. 3, 281.
 — — Sturm Flora 5, 20.
 — — Rchb. Fl. germ. 2, 38.
 — *purpurea* Sibth. Sibth. Fl. gr. 643.
 — *recta* Vill. Vill. Dauph. 37.
 — *rosea* DC. Delessert Ic. 2, 23.
 — — Bot. Mag. 60, 3246.

- Arabis sagittata* Bertol. Rchb. Fl. germ. 2, 42.
 — *saxatilis* All. Rchb. Fl. germ. 2, 39.
 — *serpyllifolia* Vill. Vill. Dauph. 37.
 — — Rchb. Fl. germ. 2, 39.
 — *stolonifera* Host. Rchb. Fl. germ. 2, 35.
 — *stricta* Smith. Curt. Lond. 4, 4.
 — — Huds. Engl. Bot. 9, 614.
 — — Sturm Flora 12, 45.
 — — Rchb. Fl. germ. 2, 39.
 — *Thaliana* Cr. Crantz Crucif. 3.
 — — Pollich Palat. 2, 1.
 — — Schk. Handb. 185.
 — — Curt. Lond. 3, 100.
 — — Engl. Bot. 13, 901.
 — — Fl. dan. 7, 1106.
 — — Dietr. Fl. bor. 9, 601.
 — *thyrsoides* Sibth. Sibth. Fl. gr. 642.
 — *Turrita* L. Jacq. Fl. austr. 1, 11.
 — — Curt. Lond. 5, 176.
 — — Engl. Bot. 3, 178.
 † — — Schk. Handb. 185.
 — — Sturm Flora 12, 45.
 — — Rchb. Fl. germ. 2, 44.
 — — Baxter Br. Bot. 2, 159.
 — *undulata* Link. Lodd. Cab. 1710.
 — *verna* R. Br. Sibth. Fl. gr. 641.
 — — Bot. Mag. 61, 3331.
 — — Rchb. Fl. germ. 2, 33.
 — *vochinensis* Spr. Sturm Flora 7, 28.
 — — Rchb. Fl. germ. 2, 35.
Arachidna hypogaea Ludo. Trew. Pl. rar. 3.
Arachis americana Ten. Ten. Memoria 6.
 — *hypogaea* L. Rumpf Amb. 5, 156.
 † — — Gaertn. Carp. 144.
 † — — Lam. Encycl. 615.
 — — Mem. sav. etr. 1805, 7.
 — — Desc. Ant. 4, 267.
 — — Vassalli Saggio 1—3.
 — — Dict. sc. nat. 254. 255.
 — — Ann. sc. nat. III. 19, 15.
 — *marginata* Gardn. Hook. Ic. pl. 500.
Arachnahanis Aub. Aubert Orch. 18.
Arachnanthe moschifera Bl. Blume Rumphia 196. 199.
 † *Arachnis moschifera* Bl. Blume Tabellen 26.
Arachnodendris Aub. Aubert Orch. 87.
 † *Aracium paludosum* Monn. Monnier Essai 2.
Aragoa abietina H. B. K. H. B. K. Nov. Gen. 3, 217.
 — *cupressina* H. B. K. H. B. K. Nov. Gen. 3, 216.
 — *juniperina* H. B. K. H. B. K. Nov. Gen. 3, 216.
Aralia arborea L. Jacq. Schoenbr. 1, 51.
 — — Desc. Ant. 7, 457.
 — *argentata* H. B. K. H. B. K. Nov. Gen. 5, 414.
 — *avicenniaefolia* H. B. K. H. B. K. Nov. Gen. 5, 413.
 — *cachemiriana* Decne. Jacquemont Ind. 81.
 — *capitata* Jacq. Jacq. Hist. stirp. am. 91.
 † — — Jacq. Fragm. 6.
 — — Lam. Encycl. 217.
 — *chinensis* Lour. Rumpf Amb. 4, 44.
 — *crassifolia* Sol. Hook. Ic. pl. 583. 584.
 — *edulis* Zucc. Sieb. Japon. 25.
 — *floribunda* H. B. K. H. B. K. Nov. Gen. 5, 416.
 — *hispida* Vent. Vent. Cels. 41.
 — — Michx. Lodd. Cab. 1306.
 — — Bot. Mag. 27, 1085.
 — *humilis* Cav. Cav. Ic. 313.
 — *japonica* Thunb. Kaempfer Jap. 10.
 — *nudicaulis* L. Rafin. Med. 8.
 — — Nees Düss. Suppl. 88.
 — — Torr. New York 40.
 — *palmata* DC. Rumpf Amb. 4, 43.
 — ? *papyrifera* Hook. Hook. Journ. 1852, 1. 2.
 — ? — Fl. d. serrès 8, 806—807.

- Aralia platanifolia* *H. B. K.* *H. B. K. Nov. Gen.* 5, 415.
 — *polaris* *Homb.* *Richard Astrolabe* 2.
 — — — *Hook. Ic. pl.* 747.
 — *quinducensis* *H. B. K.* *H. B. K. Nov. Gen.* 5, 417.
 — *racemosa* *L.* *Schk. Handb.* 86.
 — *Schaefflera* *Spr.* *Hook. New Zeal.* 22.
 — *trigyna* *Gaudch.* *Freycinet Voyage* 98.
Araucaria Bidwilli *Hook.* *Hook. Lond. J.* 1843, 18. 19.
 † — — *Antoine Conif.* 46. 47.
 — *brasiliensis* *Bedf.* *Pin. Woburn.* 53. 54.
 — *brasiliensis* *Don.* *Lamb. Pinus* 2, 46. 46^a. 46^b.
 † — — *Antoine Conif.* 51 — 53.
 — *columnaris* *Hook.* *Bot. Mag.* 78, 4635.
 — — *Fl. d. serres* 7, 733. 734.
 † — *Cookii* *R. Br.* *Journ. Hort. Soc.* 6, 269.
 — *Cunninghamii* *Ait.* *Lamb. Pinus* 3, 27.
 — — *Pin. Woburn.* 52.
 † — — *Antoine Conif.* 43. 44.
 † — *Dombeyi* *Rich.* *Richard Conif.* 20. 21.
 — *excelsa* *Don.* *Lamb. Pinus* 2, 47. 47^b.
 — — *Pin. Woburn.* 50. 51.
 † — — *Antoine Conif.* 38 — 42.
 † — *glauca* *Ant.* *Antoine Conif.* 45.
 — *imbricata* *Don.* *Lamb. Pinus* 2, 45.
 — — *Pin. Woburn.* 55. 56.
 † — — *Antoine Conif.* 48 — 50.
Araujia sericifera *Brot.* *Linn. Tr.* 12, 4. 5.
Arauciacia excelsa *Bl.* *Blume Rumphia* 119. 122.
Arbutus alpina *L.* *Fl. dan.* 1, 73.
 — — — *Lightf. Fl. scot.* 1, 11.
 — — — *Sv. Bot.* 487.
 — — — *Guimp. Holzgew.* 58.
 — — — *Engl. Bot.* 29, 2030.
 — *Andrachne* *L.* *Sibth. Fl. gr.* 374.
 — — — *Savi Fl. ital.* 1, 12.
 — — — *Bot. Mag.* 46, 2024.
 — — — *Bot. Reg.* 2, 113.
 — *andrachnoides* *Lk.* *Bot. Reg.* 8, 619.
 — *canariensis* *Lam.* *Bot. Mag.* 38, 1577.
 — *densiflora* *H. B. K.* *H. B. K. Nov. Gen.* 3, 260.
 — *discolor* *Hook.* *Hook. Ic. pl.* 29.
 — *laurifolia* *L.* *Bot. Reg.* 25, 67.
 — *longifolia* *Andr.* *Andr. Rep.* 10, 664.
 — — *Lois.* *Herb. amat.* 4, 240.
 — *Menziesii?* *Sm.* *Bot. Reg.* 21, 1753.
 — *mollis* *H. B. K.* *Bot. Mag.* 77, 4595.
 — — — *Lem. Jard. fl.* 164.
 — *mucronata* *L. fil.* *Lam. Encycl.* 366.
 — — — *Bot. Mag.* 58, 3093.
 — — — *Lodd. Cab.* 1848.
 — *pilosa* *Grah.* *Bot. Mag.* 59, 3177.
 — *procera* *Ldl.* *Bot. Reg.* 21, 1753.
 — — — *Paxt. Mag.* 2, 147.
 — *rigida* *Colk.* *Mem. Tur.* 38, 36.
 — *rubescens* *Bert.* *Novi Comm. Bon.* 4, 42.
 — *serpyllifolia* *Lam.* *Lam. Encycl.* 366.
 — *serratifolia* *Salisb.* *Lodd. Cab.* 580.
 — *tomentosa* *Pursh.* *Hook. Bor. Am.* 130.
 — — *Hook.* *Bot. Mag.* 61, 3320.
 † — *Unedo* *L.* *Gaertn. Carp.* 59.
 † — — — *Lam. Encycl.* 366.
 — — — *Sibth. Fl. gr.* 373.
 — — — *Savi Fl. ital.* 1, 5.
 — — — *var. Kern. Hort.* 107.
 — — — *Engl. Bot.* 34, 2377.
 — — — *var. Bot. Mag.* 49, 2319.
 — — — *var. rubra, Lodd. Cab.* 123.
 — — — *Baxter Br. Bot.* 6, 497.
 — *uva ursi* *L.* *Linné Fl. lapp.* 6.
 — — — *Fl. dan.* 1, 33.
 — — — *Sv. Bot.* 85.
 — — — *Lightf. Fl. scot.* 1, 11.

- Arbutus uva ursi* *L.* *Engl. Bot.* 10, 714.
 — — — — *Woodv. Med.* 2, 100.
 — — — — *Big. Med.* 6.
 — — — — *Schk. Handb.* 118.
 — — — — *Schrank. Fl. monac.* 1, 34.
 — — — — *Dreves* 2, 64.
 — — — — *Guimp. Holzgew.* 57.
 — — — — *Hayne* 4, 20.
 — — — — *Guimp. et Schl.* 58.
 — — — — *Nees Düsseld.* 215.
 — — — — *Wagner* 206.
 — *vernalis* *P. et E.* *Poepp. et Endl.* 42.
 — *xalapensis* *H. B. K.* *Hook. Ic. pl.* 27.
 — — — *Journ. Hort. Soc.* 5, 193.
 — *xanthocarpus* *Wangenh.* *Wangenheim Beitrag* 30.
Arceuthobium Oxycedri *M. v. B.* *Hook. Bor. Am.* 99.
Archangelica decurrens *Led.* *Lédeb. Ic.* 166.
 — *hirsuta* *T. et Gr.* *Torr. New York* 36.
 — *officinalis* *Hoffm.* *Dietr. Fl. bor.* 12, 845.
Archemora rigida *DC.* *Torr. New York* 37.
Archytaca triflora *Mart.* *Mart. Bras.* 73.
Arctium Bardana *Willd.* *Engl. Bot.* 35, 2478.
 — — — *Schrank Fl. monac.* 3, 212.
 — — — *Hayne* 2, 36.
 — — — *Guimp. et Schl.* 196.
 — — — *Nees Düsseld.* 223. 226.
 — — — *Wagner* 25.
 — *Carduelis* *L.* *W. et Kit.* 185.
 — *lanuginosum* *Lam.* *Lam. Encycl.* 664.
 — *Lappa* *L.* *Fl. dan.* 4, 642.
 — — — *Curt. Lond.* 1, 49.
 — — — *Engl. Bot.* 18, 1228.
 — — — *Sv. Bot.* 63.
 — — — *Schk. Handb.* 227.
 — — — *Dreves* 1, 28.
 — — — *Hayne* 2, 35.
 — — — *Guimp. et Schl.* 195.
 — — — *Wagner* 224.
 — — — *Woodv. Med.* 1, 13.
 — — — *Baxter Br. Bot.* 5, 333.
 — *majus* *Schk.* *Nees Düsseld.* 224.
 — *minus* *Schk.* *Nees Düsseld.* 225. 226.
Arctocalyx Endlicherianus *FzL.* *Fl. d. serres* 6, 546.
Arctophila latiflora *Rupr.* *Rupr. Fl. Samoj.* 4.
 — *poecilantha* *Rupr.* *Rupr. Fl. Samoj.* 5.
 — *remotiflora* *Rupr.* *Rupr. Fl. Samoj.* 5.
 — *similis* *Rupr.* *Rupr. Fl. Samoj.* 6.
 — *trichoclada* *Rupr.* *Rupr. Fl. Samoj.* 4.
 † *Arctopus echinatus* *L.* *Gaertn. Carp.* 182.
 — — — *Lam. Encycl.* 855.
 — — — *Bot. Reg.* 9, 705.
Arctostaphylos alpina *Spr.* *Sturm Flora* 13, 51.
 — *nitida* *Benth.* *Bot. Reg.* 31, 32.
 — — — *Bot. Mag.* 68, 3904.
 — *officinalis* *W. et Gr.* *Sturm Flora* 2, 6.
 — *polifolia* *H. B. K.* *H. B. K. Nov. Gen.* 3, 258.
 — *procera* *Ldl.* *Bot. Reg.* 21, 1791.
 — *pungens* *H. B. K.* *H. B. K. Nov. Gen.* 3, 259.
 — — — *Bot. Reg.* 30, 17.
 — — — *Bot. Mag.* 68, 3927.
 — *tomentosa* *Ldl.* *Bot. Reg.* 21, 1791.
 — *uva ursi* *Spr.* *Dietr. Fl. bor.* 5, 349.
 — — — *Baxter Br. Bot.* 6, 502.
Arctotheca repens *Wendl.* *Wendl. Hort. herrenh.* 6.
 † *Arctotis* *L.* *Lam. Encycl.* 715.
 — *acaulis* *L.* *Jacq. Schoenbr.* 2, 158.
 — — — *Bot. Reg.* 2, 122. 131.
 — *aenea* *Jacq.* *Jacq. Ecl. pl.* 52.
 — *amoena* *Jacq.* *Jacq. Fragm.* 118.
 — *angustifolia* *Jacq.* *Jacq. Schoenbr.* 2, 168.
 — *anthemoides* *L.* *Bot. Mag.* 15, 544.
 — *arborescens* *Jacq.* *Jacq. Schoenbr.* 2, 171.

- Arctotis aspera* L. Bot. Reg. 1, 32. 34. 2, 130.
 — — Savi Fl. ital. 2, 70.
 — *aureola* Ker. Bot. Reg. 1, 32.
 — *auriculata* Jacq. Jacq. Schoenbr. 2, 169.
 — *calendulacea* L. Jacq. Schoenbr. 2, 157.
 — *cineraria* Jacq. Jacq. Schoenbr. 2, 174.
 — *crithmoides* Jacq. Jacq. Schoenbr. 2, 153.
 — — Bot. Reg. 7, 604.
 — *cuprea* Jacq. Jacq. Schoenbr. 2, 176.
 — *decumbens* Thunb. Jacq. Schoenbr. 3, 381.
 — *decurrens* Jacq. Jacq. Schoenbr. 2, 165.
 — *elatio* Jacq. Jacq. Schoenbr. 2, 172.
 — *fastuosa* Jacq. Jacq. Schoenbr. 2, 166.
 — *flaccida* Jacq. Jacq. Schoenbr. 2, 163.
 — *flammea* Jacq. Jacq. Fragm. 47.
 — — Kern. Hort. 810.
 — *foeniculacea* Jacq. Jacq. Schoenbr. 2, 156.
 — *glabrata* Jacq. Jacq. Schoenbr. 2, 175.
 — *glaucophylla* Jacq. Jacq. Schoenbr. 2, 170.
 — *glutinosa* Sims. Bot. Mag. 33, 1343.
 — *grandiflora* Jacq. Jacq. Schoenbr. 3, 378.
 — — Kern. Hort. 156.
 — *leucanthemoides* Jacq. Jacq. Schoenbr. 2, 164.
 — *maculata* Jacq. Jacq. Schoenbr. 3, 379.
 — — Bot. Reg. 2, 130.
 — *melanocyclus* Willd. Jacq. Ecl. pl. 51.
 — *paniculata* Jacq. Jacq. Schoenbr. 3, 380.
 — *pannucea* Jacq. Jacq. Schoenbr. 4, 444.
 — *paradoxa* Ait. Andr. Rep. 5, 357.
 — *repens* Jacq. Jacq. Schoenbr. 3, 306.
 — *reptans* Jacq. Jacq. Schoenbr. 3, 382.
 — *revoluta* Jacq. Jacq. Schoenbr. 2, 173.
 — *rosea* Jacq. Jacq. Schoenbr. 2, 162.
 — *speciosa* Jacq. Jacq. Schoenbr. 2, 161.
 — — Bot. Mag. 47, 2182.
 — — Kern. Hort. 93.
 — *spinulosa* Jacq. Jacq. Schoenbr. 2, 167.
 — *squarrosa* Jacq. Jacq. Schoenbr. 2, 177.
 † *sulphurea* Gaertn. Gaertn. Carp. 172.
 — *tricolor* Jacq. Jacq. Schoenbr. 2, 159.
 — — Bot. Reg. 2, 131.
 — *tristis* L. Schk. Handb. 264.
 † *undulata* Gaertn. Gaertn. Carp. 172.
 — *Jacq.* Jacq. Schoenbr. 2, 160.
 — — Kern. Hort. 249.
 — *virgata* Jacq. Jacq. Schoenbr. 3, 307.
 † *Ardisia* Sw. Swartz Fl. Ind. 10.
 † — — Kern. Gen. 112.
 † — *acerosa* Gaertn. Gaertn. Carp. 94.
 — *acuminata* Willd. Bot. Mag. 40, 1678.
 — *canaliculata* Lodd. Lodd. Cab. 1083.
 — *colorata* Link. Lodd. Cab. 465.
 — *coriacea* Vahl. Dict. sc. nat. 64.
 — *courtallensis* Wight. Wight Ic. pl. Ind. 4, 1215.
 — *crenata* Sims. Bot. Mag. 45, 1950.
 — *crenulata* Vent. Vent. Choix 5.
 — — Lodd. Cab. 2.
 — — Rchb. Mag. 78.
 — *elegans* Andr. Andr. Rep. 10, 623.
 — — Lodd. Cab. 264.
 — *humilis* Vahl. Wight Ic. pl. Ind. 4, 1212.
 — — Wight Spicil. 138.
 — *hymenandra* Wall. Wall. Pl. asiat. 175.
 — *Icaea* Wall. Linn. Tr. 17, 7.
 † *lanceolata* Roxb. Gaertn. Carp. 210.
 — *lentiginosa* Ker. Bot. Reg. 7, 533.
 — *litoralis* Hort. Andr. Rep. 10, 630.
 — — Kern. Hort. 437.
 † *montana* Gaertn. Gaertn. Carp. 210.
 — *neriifolia* Wall. Linn. Tr. 17, 8.
 — *odontophylla* Wall. Linn. Tr. 17, 6.
 — — Bot. Reg. 22, 1892.

- Ardisia paniculata* Roxb. Bot. Reg. 8, 638.
 — — Bot. Mag. 50, 2364.
 — — Rchb. Exot. 216.
 — *pauciflora* Heyne. Wight Ic. pl. Ind. 4, 1214.
 — *polyccephala* Wall. Wall. Illustr. 145.
 † — *procumbens* Gaertn. Gaertn. Carp. 210.
 — *punctata* Ldl. Bot. Reg. 10, 827.
 — *pyramidata* Cav. Lodd. Cab. 448.
 — *rhomboidea* Wight. Wight Ic. pl. Ind. 4, 1213.
 † — *ruficarpa* Gaertn. Gaertn. Carp. 210.
 — *solanacea* Roxb. Rheede Hort. mal. 5, 28.
 — — Roxb. Corom. 27.
 — — Bot. Mag. 40, 1677.
 — — Herb. amat. 5, 316.
 — *tinifolia* Sw. Kern. Hort. 191.
 — *umbellata* Roth. Lodd. Cab. 531.
Arduinia bispinosa L. Lodd. Cab. 387.
Areca alba Bory. Mart. Palm. 154. 155.
 — *Calapparia* Bl. Blume Rumphia 100.
 — *Catechu* L. Rheede Hort. mal. 1, 5 — 8.
 — — Rumpf Amb. 1, 4. 5. 6.
 — — Lam. Encycl. 895.
 — — Roxb. Corom. 73.
 — — Mart. Palm. 102. Z. 10.
 † — — Blume Rumphia 102. 108.
 — — Desc. Ant. 6, 421.
 — — Hayne 7, 35.
 — — Nees Düssel. 38.
 — *cocoides* Griff. Griffith Palms 230^b.
 — *crinata* Bory. Mart. Palm. 154. 155.
 — *Dicksonii* Roxb. Griffith Palms 231.
 — *disticha* Roxb. Griffith Palms 233.
 † — *Faufel* Gaertn. Gaertn. Carp. 7.
 — *glandiformis* Bl. Blume Rumphia 190.
 † — *globulifera* Lam. Lam. Encycl. 895.
 — *gracilis* Roxb. Griffith Palms 232^{a b c}.
 — *horrida* Griff. Griffith Palms 233^c.
 — *macrocalyx* Bl. Blume Rumphia 101. 160. 163.
 — *malaiana* Mart. Griffith Palms 230^c.
 — *monostachya* Mart. Mart. Palm. 153.
 — *Nibung* Mart. Mart. Palm. 150. 153. Z. 9.
 — *oleracea* L. Jacq. Hist. stirp. am. 255.
 — — Desc. Ant. 4, 263.
 † — *oryzaeformis* Gaertn. Gaertn. Carp. 7.
 — *pumila* Mart. Mart. Palm. 153.
 — — Blume Rumphia 99. 102.
 — *rubra* Bory. Mart. Palm. 154. 155.
 — *sapida* Forst. Mart. Palm. 151. 152.
 — *Soland.* Hook. New Zeal. 59. 60.
 — *tigillaria* Jack. Griffith Palms 233^b.
 — *triandra* Roxb. Mart. Palm. 149.
 — — Griffith Palms 230^a.
Arenaria alpicola Ten. Ten. Fl. nap. 227.
 — *apetula* Vill. Vill. Dauph. 48.
 — *arctica* Led. Ledeb. Ic. 415.
 — *Stev.* Hook. Fl. Bor. Am. 34.
 — *Arduini* Vis. Visiani Stirp. dalm. 3.
 — — Rchb. Fl. germ. 5, 220.
 — *Armeriastrum* Boiss. var. Boiss. Esp. 30.
 — *austriaca* All. All. Fl. ped. 3, 64.
 — *Jacq.* Jacq. Fl. austr. 3, 270.
 — — Sturm Flora 6, 24.
 — *balearica* L. L'her. Stirp. 15.
 — *biflora* L. Jacq. Ic. 83.
 — — All. Fl. ped. 3, 44. 64.
 — — Rchb. Fl. germ. 5, 217.
 — *caespitosa* Vahl. Fl. dan. 13, 2269.
 — *capillacea* All. All. Fl. ped. 3, 89.
 — *capillipes* Steud. Boiss. Esp. 27.
 — *cherleroides* Vill. Vill. Dauph. 47.
 — *ciliata* L. Fl. dan. 2, 346. 8, 1269.
 — — Jacq. Collect. 1, 16.

- Arenaria ciliata* L. Sibth. Fl. gr. 438.
 — — — Engl. Bot. 25, 1745.
 — — — Lodd. Cab. 659.
 — — — Rchb. Fl. germ. 5, 217.
 — *clandestina* Portsch. Portschl. Dalm. 1.
 — *conica* Boiss. Boiss. Esp. 31.
 — *conimbricensis* Brot. Brot. Phyt. 73.
 — — — var. *Delastre* Vienne 2.
 — *corymbulosa* Delastre. Delastre Vienne 1.
 — *cucubaloides* Sm. Smith Ic. Linn. 17.
 — *dianthoides* Sm. Smith Ic. Linn. 16.
 — *emarginata* Brot. Willk. Ic. ined.
 — *erinacea* Boiss. Boiss. Esp. 29.
 — *fasciculata* Jacq. Jacq. Fl. austr. 2, 182.
 — — — Sibth. Sibth. Fl. gr. 442.
 — *fastigiata* Sm. Engl. Bot. 25, 1744.
 — *festucoides* Royle. Royle Illustr. 21.
 — *filifolia* Forsk. Vahl Symb. 12.
 — *filiformis* Lab. Bill. Syr. 4, 3.
 — *Franklinii* Dougl. Hook. Fl. Bor. Am. 35.
 — *Giesekii* Hornem. Fl. dan. 9, 1518.
 — *glandulosa* Jacq. Jacq. Schoenbr. 3, 355.
 — *globulosa* Lab. Bill. Syr. 4, 3.
 — *gracilis* W. et K. W. et Kit. 276.
 — — — Rchb. Fl. germ. 5, 218.
 — *graminifolia* Ard. Ard. Anim. 2, 10.
 — — — Schrad. Schrad. Hort. gott. 5.
 — — — Rchb. Fl. germ. 5, 220.
 — *grandiflora* L. All. Fl. ped. 3, 10.
 — — — Rchb. Fl. germ. 5, 218.
 — *groenlandica* Spr. Torr. New York 15.
 — *Guilelmi Waldemarii* Kz. Pr. Wald. Him. 27.
 — *halophila* Led. Ledeb. Ic. 414.
 — *hirta* Wormsk. Fl. dan. 10, 1646.
 — *hispida* L. DC. Ic. Gall. 47.
 — *hybrida* Vill. Vill. Dauph. 47.
 — *juniperina* L. Gerard Fl. gallopr. 15.
 — — — Lam. Encycl. 378.
 — — — Smith Ic. Linn. 35.
 — *lanceolata* All. All. Fl. ped. 3, 26.
 — *laricifolia* L. Vill. Dauph. 47.
 — — — Jacq. Fl. austr. 3, 272.
 — *lateriflora* L. Hook. Fl. Bor. am. 36.
 — *liniflora* L. Jacq. Collect. 2, 3.
 — — — Jacq. Jacq. Fl. austr. 5, 445.
 — *longifolia* Led. Ledeb. Ic. 403.
 — *macrophylla* Hook. Hook. Fl. Bor. Am. 37.
 — *marginata* DC. DC. Ic. Gall. 48.
 — *marina* Sm. Engl. Bot. 14, 938.
 — — — Web. Fl. dan. 13, 2231.
 — *media* L. Fl. dan. 13, 2232.
 — *montana* L. Asso Arag. 2.
 — — — Vent. Cels 34.
 — — — Bot. Mag. 28, 1118.
 — — — Rchb. Fl. germ. 5, 218.
 — *multicaulis* L. Jacq. Collect. 1, 17.
 — — — Wulf. Rchb. Fl. germ. 5, 219.
 — *nardifolia* Led. Ledeb. Ic. 6.
 — — — Hook. Fl. Bor. Am. 32.
 — — — Rchb. Ic. crit. 4, 377.
 — *neilgherrensis* W. et A. Wight Ic. pl. Ind. 3, 919.
 — — — Wight Spicil. 15.
 — *nodosa* Bory. Bory et Chaub. Morée 14.
 — *norvegica* Gunn. Engl. Bot. 2852.
 — *nudiuscula* Bert. Novi Comm. Bon. 6, 8.
 — *obtusa* All. All. Fl. ped. 3, 64.
 — *obtusiflora* Kze. Willk. Ic. ined.
 — *oxypetala* Sibth. Sibth. Fl. gr. 437.
 — *paniculata* Led. Ledeb. Ic. 417.
 — *pendula* W. et K. W. et Kit. 87.
 — — — Rchb. Fl. germ. 5, 217.
 — *peploides* L. Fl. dan. 4, 624.

- Arenaria peploides* L. Engl. Bot. 3, 189.
 — *picta* Sibth. Sibth. Fl. gr. 440.
 — *polygonoides* Wulf. Jacq. Collect. 1, 15.
 — *Ponae* Rchb. Rchb. Ic. crit. 2, 138.
 — *procumbens* Vahl. Vahl Symb. 33.
 — *pungens* Clem. Boiss. Esp. 28.
 — *purpurascens* DC. DC. Ic. Gall. 45.
 — *quadrivalvis* R. Br. Rchb. Fl. germ. 5, 201.
 — *recurva* Wulf. Jacq. Collect. 1, 16.
 — — — All. All. Fl. ped. 3, 89.
 — *retusa* Boiss. Boiss. Esp. 27.
 — *Rosani* Ten. Ten. Fl. nap. 228.
 — *rubella* Hook. Curt. Lond. 5, 203.
 — — — Sm. Engl. Bot. 2638.
 — *rubra* L. Fl. dan. 5, 740.
 † — — — Schk. Handb. 122.
 † — — — Engl. Bot. 12, 852.
 — *rupestris* Lab. Bill. Syr. 4, 1.
 — *salsuginca* Led. Ledeb. Ic. 409.
 † — *serpyllifolia* L. Fl. dan. 6, 977.
 † — — — Gaertn. Carp. 130.
 † — — — Schk. Handb. 122.
 — — — Curt. Lond. 2, 51.
 — — — Engl. Bot. 13, 923.
 — — — Rchb. Fl. germ. 5, 216.
 — *sphaerocarpa* Ten. Ten. Fl. nap. 228.
 — *squarrosa* Michx. Torr. New York 14.
 — *striata* L. All. Fl. ped. 3, 26.
 — — — Vill. Dauph. 47.
 — *stricta* Michx. Hook. Fl. Bor. Am. 33.
 — *subulata* Led. Ledeb. Ic. 400.
 — *tenuifolia* L. Lam. Encycl. 378.
 — — — Fl. dan. 3, 389.
 — — — Engl. Bot. 4, 219.
 — *tetragyna* H. B. K. H. B. K. Nov. Gen. 6, 517.
 — *tetraquetra* All. All. Fl. ped. 3, 89.
 — — — Rchb. Fl. germ. 5, 219.
 — — — L. Ann. sc. nat. 4, 3, 4.
 — — — var. Boiss. Esp. 29.
 — *thesiifolia* Froel. Rchb. Fl. germ. 5, 219.
 — *thymifolia* Sibth. Sibth. Fl. gr. 441.
 — *trichocalycina* Ten. Ten. Fl. nap. 237.
 — *triflora* Vill. Vill. Dauph. 47.
 — — — Cav. Cav. Ic. 249.
 — *trinervia* L. Fl. dan. 3, 429.
 — — — Curt. Lond. 2, 60.
 — — — Engl. Bot. 21, 1483.
 — — — Schk. Handb. 122.
 — — — Dietr. Fl. bor. 5, 324.
 — *uliginosa* Schleich. DC. Ic. Gall. 46.
 — — — Engl. Bot. 2890.
 — *umbellata* Sol. Sibth. Fl. gr. 439.
 — *umbrosa* Led. Ledeb. Ic. 322.
 — *verna* L. Jacq. Fl. austr. 5, 404.
 — — — Engl. Bot. 8, 512.
 — — — Lodd. Cab. 98.
 — — — Baxter Br. Bot. 5, 384.
 — — — Sturm Flora 7, 26.
 — *violacea* Led. Ledeb. Ic. 416.
 — *Arenga obtusifolia* Mart. Mart. Palm. 147, 148.
 — *saccharifera* Lab. Mart. Palm. 108.
 — — — Griffith Palms 235 a.
 — *Westerhoutii* Griff. Griffith Palms 235 b c d.
 † — *Wightii* Mart. Mart. Palm. Z. 9.
 † — — — Griff. Griffith Palms 235 e.
 † *Arethusa* L. Schrad. Neues Journ. 1, 1.
 — *biplumata* L. Lam. Encycl. 729.
 — — — Smith Ic. Linn. 23.
 — *bulbosa* L. Lam. Encycl. 729.
 — — — Barton Fl. 2, 53.
 † — — — Bauer Orch. 7.
 — — — Bot. Mag. 48, 2204.

- Arethusa bulbosa* L. Hook. Ex. Fl. 170.
 — — Lodd. Cab. 1170.
 — — *catenata* Sm. Smith Ex. Bot. 104.
 — — *divaricata* L. Lam. Encycl. 729.
 — — *ophioglossoides* L. Lam. Encycl. 729.
 — — — Hook. Ex. Fl. 70.
 — — *plicata* Andr. Andr. Rep. 5, 321.
 — — *simplex* Aub. Aubert Orch. 24.
Aretia alpina L. Jacq. Fl. austr. 5, 18.
 — — — Lodd. Cab. 297.
 — — — var. Münchn. Denkschr. 7, 4.
 † — — *argentea* Gaertn. Gaertn. Carp. 198.
 † — — *glacialis* Schl. Nees Gen. 5, 7.
 — — *helvetica* L. Schk. Handb. 32.
 † — — *Gaud.* Nees Gen. 5, 7.
 — — *pubescens* DC. Lodd. Cab. 1273.
 † — — *tomentosa* Gaud. Nees Gen. 5, 7.
 — — *Vitaliana* L. Lodd. Cab. 166.
 † — — *Gaud.* Nees Gen. 5, 7.
 † *Argelia Delilii* Dcne. Ann. sc. nat. II. 9, 11.
 † *Argemone* L. Gray Gen. 47.
 — — *albiflora* Hornem. Bot. Mag. 49, 2342.
 — — *grandiflora* Sweet. Lodd. Cab. 1546.
 — — — Sweet Fl. G. 226.
 — — — Bot. Mag. 58, 3073.
 — — — Bot. Reg. 15, 1264.
 † — — *mexicana* L. Gaertn. Carp. 60.
 † — — — Lam. Encycl. 432.
 — — — Schk. Handb. 141.
 — — — Bot. Mag. 7, 243.
 — — — Desc. Ant. 5, 380.
 † — — — Mem. Genev. 1, 2.
 — — — var. Bot. Reg. 16, 1343.
 — — — Wight Illustr. 11.
 — — — Gray Gen. 47.
 — — *ochroleuca* Sweet. Sweet Fl. G. 242.
 — — *platyceras* Lk. Link Ic. II, 43.
 † *Argithamnia* Sw. Swartz Fl. Ind. 8.
 † *Argolasia lanata* Lam. Lam. Encycl. 34.
Argostemma courtallense Arn. Wight Ic. pl. Ind. 3, 1160.
 — — *montanum* Blume. Bennett Jav. 22.
 — — *verticillatum* Wall. Wall. Pl. asiat. rar. 195.
Argophyllum ellipticum Lab. Bill. Sert. 41.
 † — — *nitidum* Forst. Forst. Char. 15.
 † — — — Gaertn. Carp. 210. — Lam. Encycl. 111.
 — — — Bill. Sert. 40.
Argylia radiata Don. Endl. Ic. 71.
Argyranthemum anethifolium Webb. Webb Can. 94.
 — — *foeniculaceum* Webb. Webb Can. 93.
 — — *frutescens* Webb. α, β, γ, δ. Webb 91. 92.
 — — *jacobaeifolium* Webb. Webb Can. 90.
 — — *ochroleucum* Webb. Webb Can. 96.
 — — *pinnatifidum* Webb. Webb Can. 95.
Argyreia bracteata Choisy. Hook. Comp. 3.
 — — *cuneata* Roxb. Bot. Reg. 8, 661.
 — — — Choisy. Wight Ic. pl. Ind. 3, 890.
 — — *cymosa* Choisy. Wight Ic. pl. Ind. 3, 839.
 — — *festiva* Wall. Wall. Pl. asiat. 76.
 — — *fulgens* Choisy. Wight Ic. pl. Ind. 4, 1357.
 — — *hirsuta* Choisy. Wight Ic. pl. Ind. 3, 891.
 † — — *pomacea* Choisy. Wight Illustr. 168^b.
 — — — Wight Ic. pl. Ind. 3, 888.
 — — *speciosa* Sweet. Wight Ic. pl. Ind. 3, 851.
 — — *tilifolia* Wight. Wight Ic. pl. Ind. 4, 1358.
 † *Argyrella incana* Naud. Ann. sc. nat. III. 13, 6.
Argyrochaeta bipinnatifida Cav. Cav. Ic. 378.
Argyrocome cricoides Lam. Lam. Encycl. 693.
 † — — *retorta* Gaertn. Gaertn. Carp. 167.
 † — — — Lam. Encycl. 693.
 — — *verticillata* Lam. Lam. Encycl. 693.
Argyroglossis turbinata Turcz. Bull. Mosc. 1851. 2, 1.
Argyrolobium crotalarioides Jaub. Jaub. Ill. 59.

- Argyrolobium trigonelloides* Jaub. Jaub. Ill. 60.
Argyroxiphium sandwicense DC. DC. Comp. 8.
 — — — Hook. Ic. pl. 78.
Ariocarpus retusus Scheidw. Bull. de Brux. 5, 0.
Arjona tuberosa Cav. Cav. Ic. 383.
 — — — Lam. Encycl. 921.
Arjoona patagonica Hombr. Richard Astrol. 15.
 — — *pusilla* Hook. fil. Richard Astrol. 17.
Ariopsis peltata Grah. Bot. Mag. 72, 4222.
Arisaema curvatum Mart. Wight Ic. 788.
 — — *Dracontium* Schott. Bot. Reg. 8, 668.
 — — — Torr. New York 123.
 — — *filiforme* Bl. Blume Rumphia 28.
 — — *Jacquemontii* Bl. Jacquemont Ind. 168.
 — — *laminatum* Bl. Blume Rumphia 27. 37.
 — — *Murrayi* Hook. Bot. Mag. 74, 4388.
Arisarum aspergillum Dun. Mem. Montp. 1847, 5.
 † — — *australe* Rich. Guill. Arch. 1, 2.
 — — *simorrhinum* Durieu. Expl. Alger. 44.
 † — — *vulgare* Tournef. Expl. Alger. 44.
 — — — Targ. Rechb. Fl. germ. 7, 7.
Aristea capitata Gawl. Bot. Mag. 17, 605.
 — — — Lodd. Cab. 1174.
 — — — Rechb. Exot. 25.
 — — *cyanea* Ait. Bot. Mag. 13, 458.
 — — — Andr. Rep. 1, 10.
 — — — Red. Lil. 8, 462.
 — — — Herb. amat. 3, 201.
 — — *major* Andr. Andr. Rep. 3, 160.
 — — *melaleuca* Gawl. Bot. Mag. 31, 1277.
 — — *pusilla* Gawl. Bot. Mag. 30, 1231.
Aristida americana L. Sw. Obs. 2.
 — — *capensis* Thbg. Humb. Gram. 171.
 — — *capillacea* Lam. Cav. Ic. 468.
 — — *ciliata* Desf. Delile Egypte 13.
 — — *coerulescens* Desf. Desf. Fl. 21.
 — — — Trin. Sp. Gr. 3, 313.
 — — *congesta* R. et Sch. Humb. Gram. 172.
 — — *dichotoma* Michx. Humb. Gram. 174.
 — — — Petersb. 2, 6.
 — — — Torr. New York 149.
 — — *divaricata* Jacq. Jacq. Ecl. gram. 6.
 — — *elator* Cav. Cav. Ic. 589.
 — — *elegans* Rudge. Rudge Pl. Guianae 30.
 — — *gibbosa* Tr. Trin. Sp. Gr. 3, 314.
 — — *gracilis* Ell. Ell. Carol. 8.
 — — *hordeacea* Kth. Humb. Gram. 173.
 — — *interrupta* Cav. Cav. Ic. 471.
 — — *laxa* Cav. Cav. Ic. 470.
 — — *luzoniensis* Cav. Cav. Ic. 470.
 — — *mauritanica* Kth. Humb. Gram. 44.
 — — *murina* Cav. Cav. Ic. 469.
 — — *obtusata* Del. Delile Egypte 13.
 — — *pallens* Cav. Cav. Ic. 468.
 — — *pennata* Trin. Petersb. 6, 10.
 — — *pilosa* Lab. Bill. Sert. 17.
 — — *plumosa* L. Vahl Symb. 3.
 † — — — Lam. Encycl. 41.
 — — *pungens* Desf. Desf. Fl. 35.
 — — *rigida* Cav. Cav. Ic. 469.
 — — *spadicea* Kth. Trin. Sp. Gr. 3, 316.
 — — *St. Luciae* Tr. Trin. Sp. Gr. 3, 315.
 — — *vagans* Cav. Cav. Ic. 471.
Aristolochia acuminata Roxb. Wight Ic. pl. Ind. 3, 771.
 — — *altissima* Desf. Desf. Fl. 249.
 — — *anguicida* L. Jacq. Hist. stirp. am. 220.
 — — — Desc. Ant. 3, 202.
 — — — Jacq. Bot. Mag. 74, 4361.
 — — — Fl. d. serres 4, 344.
 † — — *angustifolia* Cham. Linnæa 7, 5.
 — — *arborescens* L. Desc. Ant. 3, 157.
 — — *Aucherii* Jaub. Jaub. Ill. 99.

- Aristolochia barbata* Jacq. Jacq. Ic. 608.
 — *Billardieri* Jaub. Jaub. Ill. 100.
 — *bilobata* L. Jacq. Ic. 188.
 — — Desc. Ant. 4, 243. 8, 577.
 — *Bottae* Jaub. Jaub. Ill. 98.
 — *Brugierii* Jaub. Jaub. Ill. 129.
 — *caudata* L. Jacq. Hist. stirp. am. 221.
 — — Ann. Mus. 2, 35.
 — — *Booth.* Bot. Mag. 66, 3769.
 — — Bot. Reg. 17, 1453.
 — *chilensis* Bridges. Bot. Reg. 20, 1680.
 — *ciliata* Hook. Bot. Mag. 66, 3756.
 — *ciliosa* Benth. Maund Bot. 2, 96.
 — *Clematidis* L. Curt. Lond. 5, 149.
 — — Engl. Bot. 6, 398.
 — — Fl. dan. 7, 1235.
 — — Sv. Bot. 377.
 — — Schk. Handb. 276.
 — — Sturm Flora 2, 6.
 — — Hayne 9, 24.
 — — Nees Düsseld. 147.
 — — Woodv. Med. 1, 61.
 † — — Mem. Instit. 1830, 3.
 † — — Ann. sc. nat. 17, 14.
 † — — Plée Types 21.
 — — Dietr. Fl. bor. 5, 343.
 — — Rchb. Fl. germ. 12, 669.
 — — Baxter Br. Bot. 1, 28.
 † — — Nees Gen. 4, 50.
 † — — Schnizl. Ic. 2, 114.
 — *cordiflora* Kern. Kern. Hort. 481.
 — *cretica* Lam. Desf. Ann. Mus. 10, 18.
 — — Desf. Choix 7.
 — — Kern. Hort. 336.
 — *cymbifera* Mart. Mart. Bras. 49.
 — — Kern. Hort. 716.
 — — Bot. Reg. 18, 1543.
 — *cynanchifolia* Mart. Mart. Bras. 51.
 — *deltoidea* H. B. K. H. B. K. Nov. Gen. 2, 112.
 — — Kern. Hort. 526.
 † *Ehrenbergiana* Cham. Linnæa 7, 5.
 † *eriantha* Mart. Mart. Bras. 53.
 † *fimbriata* Cham. Linnæa 7, 6.
 — *foetens* L. Bot. Reg. 21, 1824.
 — *foetida* H. B. K. H. B. K. Nov. Gen. 2, 114.
 — — Kern. Hort. 516.
 — *fragrantissima* Rz. et P. Rz. et Pav. Memoria 0.
 — — Lambert Cinch. 0.
 — *galeata* Mart. Mart. Bras. 50.
 — *geminiflora* H. B. K. H. B. K. Nov. Gen. 2, 117.
 — — Kern. Hort. 519.
 — *gigantea* Mart. Mart. Bras. 48.
 — — Bot. Mag. 72, 4221.
 — *Gigas* Ldl. Bot. Reg. 28, 60.
 — *glauca* Desf. Desf. Fl. 250.
 — — Bot. Mag. 28, 1115.
 † — — Nees Gen. 4, 50.
 — *glaucescens* H. B. K. H. B. K. Nov. Gen. 2, 115.
 — *grandiflora* Vahl. Vahl Symb. 47.
 — — Tuss. Ant. 1, 27.
 — — Kern. Hort. 541.
 — — Sw. Bot. Mag. 74, 4368. 4369.
 — — Fl. d. serres 4, 351. 352. 354. 355.
 — *hastata* H. B. K. H. B. K. Nov. Gen. 2, 116.
 — *hians* Willd. Mem. Mosc. 2, 5.
 — *hirta* L. Sibth. Fl. gr. 937.
 — — Jaub. Ill. 97.
 — *hyperboræa* Paxt. Knowles et Westc. 133.
 — — Paxt. Mag. 6, 53.
 — *indica* L. Rheede Hort. mal. 8, 25.
 — — Rumpf Amb. 5, 177.
 † — — Gaertn. Carp. 14.

- † *Aristolochia indica* L. Lam. Encycl. 733.
 — *inflata* H. B. K. H. B. K. Nov. Gen. 2, 111.
 — *labiata* Willd. Mem. Mosc. 2, 6.
 — *labiosa* Ker. Bot. Reg. 8, 689.
 — — Bot. Mag. 52, 2345.
 — — Rchb. Exot. 186.
 — *lanceolata* Wight. Wight Ic. pl. Ind. 5, 1858.
 † *longa* L. Lam. Encycl. 733.
 — — Hayne 9, 20.
 — — Nees Düsseld. 146.
 — — Woodv. Med. 1, 60.
 — — Rchb. Fl. germ. 12, 672.
 † — — Nees Gen. 4, 50.
 — *lutea* Desf. Ann. Mus. 10, 19.
 — — Desf. Choix 8.
 — *macradenia* Hook. Bot. Mag. 75, 4467.
 — — Lem. Jard. fl. 22.
 — *macroglossa* Jaub. Jaub. Ill. 127.
 — *maxima* L. Jacq. Hist. stirp. am. 223.
 — — Kern. Hort. 696.
 — *nummularifolia* H. B. K. H. B. K. Nov. Gen. 2, 110.
 — *oblongata* Jacq. Jacq. Schoenbr. 2, 283.
 — *odoratissima* L. Desc. Ant. 5, 356.
 — *officinalis* N. v. E. Nees Düsseld. 144.
 — *ornithocephala* Hook. Bot. Mag. 70, 4120.
 — *pallida* Willd. Sibth. Fl. gr. 936.
 — — W. et K. W. et Kit. 240.
 — — Hayne 9, 23.
 — — Rchb. Fl. germ. 12, 672.
 — *pandurata* Jacq. Jacq. Schoenbr. 4, 497.
 — *parvifolia* Sm. Sibth. Fl. gr. 935.
 — *pelata* L. Jacq. Hist. stirp. am. 222.
 — — Jacq. Obs. 4.
 — *pentandra* L. Jacq. Hist. stirp. am. 224.
 — *picta* Karst. Karsten Auswähl 8.
 — — Fl. d. serres 5, 521.
 — *pilosa* H. B. K. H. B. K. Nov. Gen. 2, 113.
 — *Pistolochia* L. Rchb. Fl. germ. 12, 670.
 — *punctata* Lam. Desc. Ant. 3, 225.
 — *Raja* Mart. Mart. Bras. 52.
 † *ringens* Vahl. Jacq. Collect. 5, 4.
 — — Kern. Hort. 680.
 — — Lk. Link Ic. 1, 13.
 — — Bot. Reg. 8, 689.
 † — — Hoffmannsegg Verz. 1826, 1.
 — *rotunda* L. Hayne 9, 22.
 — — Nees Düsseld. 145.
 — — Rchb. Fl. germ. 12, 671.
 — *rumicifolia* Mart. Mart. Bras. 54.
 — *saccata* Wall. Wall. Pl. asiat. 103.
 — — Bot. Mag. 65, 3640.
 — *sempervirens* L. Sibth. Fl. gr. 934.
 — — Bot. Mag. 28, 1116.
 — — Lodd. Cab. 231.
 — *Serpentaria* L. Jacq. Schoenbr. 3, 385.
 — — Hayne 9, 21.
 — — Guimp. et Schl. 114.
 — — Nees Düsseld. 143.
 — — Wagner 10.
 — — Big. Med. 49.
 — — Bart. Med. 28.
 — — Woodv. Med. 1, 59.
 † — — Schnizl. Ic. 2, 114.
 — — Torr. New York 91.
 — *Sipho* L'her. L'her. Stirp. 7, 7^b.
 — — Bot. Mag. 15, 534.
 — — Guimp. Fr. H. 120.
 — — Dict. sc. nat. 2.
 † — — Schnizl. Ic. 2, 114.
 † *tagala* Cham. Linnæa 7, 5.
 — *tomentosa* Sims. Bot. Mag. 33, 1369.
 — — Lodd. Cab. 641.

- Aristolochia Tournefortii* *Jaub.* *Jaub. Ill.* 128.
 † — *triangularis* *Cham.* *Linnaea* 7, 6.
 — — *trifida* *Lam.* *Maund Bot.* 1, 3.
 — — *Bot. Reg.* 17, 1399.
 — — *trilobata* *L.* *Jacq. Obs.* 3.
 — — *Jacq. Ecl. pl.* 26.
 — — *Pact. Mag.* 3, 2.
 — — *Bot. Reg.* 17, 1399.
 — — *truncata* *Field.* *Fielding Sert.* 44.
 † *Aristolochiaceae* *Juss.* *Schnizl. Ic.* 2, 114.
 † *Aristolochia* *L'her.* *Ruiz et Pavon Prodromus* 12.
 — — *Macqui* *L'her.* *L'her. Stirp.* 16.
 † — — *Gaertn. Carp.* 211.
 † — — *Lam. Encycl.* 399.
 — — *Watson Dendr.* 1, 44.
 — — *Guimp. Fr. Holzgew.* 88.
Armeniaca longifolia *Desc.* *Desc. Ant.* 2, 108.
 † — *vulgaris* *Lam.* *Lam. Encycl.* 471.
 — — *Dict. sc. nat.* 237.
 † — — *Kerner Gen.* 27.
 † *Armeria* *Willd.* *Ebel Armeria* 0.
 † — *alliacea* *Willd.* *Mutl. Fl. fr.* 54.
 — — *Rehb. Ic. crit.* 10, 966.
 — *alpina* *Willd.* *Sturm Flora* 13, 51.
 — — *Flora* 1823, 2.
 — *australis* *Boiss.* *var. Boiss. Esp.* 153.
 — *cephalotes* *Lk.* *Bot. Mag.* 70, 4128.
 — *denticulata* *Bertol.* *Portschl. Dalm.* 5.
 — *fasciculata* *Ldl.* *Bot. Reg.* 27, 21.
 — *filicaulis* *Boiss.* *Boiss. Esp.* 154.
 — — *var. Willk. Ic. ined.*
 — *fruticosa* *Lodd.* *Lodd. Cab.* 1587.
 — *gracilis* *Ten.* *Ten. Fl. nap.* 223.
 — *pinifolia* *Lk.* *Hoffm. Lk. Fl. port.* 75.
 — *plantaginea* *Willd.* *Engl. Bot.* 2928.
 — *pungens* *Schult.* *Hoffm. Lk. Fl. port.* 76.
 — *scorzoneraefolia* *Willd.* *Nocca et Balb. Fl. tic.* 6.
 — *vulgaris* *Willd.* *Dietr. Fl. bor.* 2, 138.
 — — *Vis. Dalm.* 3.
 † — — *Nees Gen.* 5, 3.
Armadorum distichum *Breda.* *Breda Orch. Jav.* 6.
Arnebia echioides *A. DC.* *Bot. Mag.* 74, 4409.
 — — *Fl. d. serres* 5, 459.
 — *fimbriopetala* *Stocks.* *Hook. Journ.* 1851, 6.
 — *hispidissima* *DC.* *Wight Ic. pl. Ind.* 4, 1393.
 — — *Jaub. Ill.* 363.
 † — *tinctoria* *Forsk.* *Viv. Aeg.* 2.
Arnica alpina *L.* *Sv. Bot.* 699.
 — *angustifolia* *Vahl.* *Fl. dan.* 9, 1524.
 — *Bellidiastrum* *Vill.* *Bot. Mag.* 30, 1196.
 — *Clusii* *All.* *All. Fl. ped.* 3, 17.
 — *corsica* *Lois.* *Lois. Fl. gall.* 20.
 — *crenata* *Thunb.* *Lodd. Cab.* 901.
 — *Doronicum* *Jacq.* *Jacq. Fl. austr.* 1, 92.
 — *glacialis* *Wulf.* *Jacq. Ic.* 586.
 — *japonica* *Thunb.* *Thunb. Ic. jap.* 40.
 — *lanigera* *Ten.* *Ten. Fl. nap.* 193.
 — *Menziesii* *Hook.* *Hook. Bor. Am.* 111.
 — *mollis* *Hook.* *Torr. New York* 60.
 — *montana* *L.* *Fl. dan.* 1, 63.
 † — — *Gaertn. Carp.* 173.
 — — *Schk. Handb.* 248.
 — — *Sv. Bot.* 185.
 — — *Bot. Mag.* 42, 1749.
 — — *Lodd. Cab.* 1613.
 — — *Sala Memoria* 0.
 — — *Sturm Flora* 9, 34.
 — — *Schrank Fl. monac.* 2, 188.
 — — *Dreves* 4, 107.
 — — *Hayne* 6, 47.
 — — *Guimp. et Schl.* 1.
 — — *Nees Dusseld.* 237.

- Arnica montana* *L.* *Wagner* 222.
 — — — *Woodv. Med.* 1, 17.
 — — — *Dietr. Fl. bor.* 9, 608.
 — — *scorpioides* *L.* *Jacq. Fl. austr.* 3, 249.
 — — — *Lodd. Cab.* 913.
Arnopogon asper *Willd.* *Sibth. Fl. gr.* 782.
 — *Dalechampii* *Willd.* *Sibth. Fl. gr.* 780.
 — — *Bot. Mag.* 39, 1623.
 — *picroides* *Willd.* *Sibth. Fl. gr.* 781.
 † *Arnoseris pusilla* *Gaertn.* *Gaertn. Carp.* 157.
 — — — *Dreves* 4, 112.
 — — — *Dietr. Fl. bor.* 9, 639.
 † *Arnottia mauritiana* *A. Rich.* *Mem. hist. nat. Par.* 4, 7.
 † *Aroideae* *Juss.* *Schnizl. Ic.* 1, 72 — 72^{bb}.
Aromadendrum elegans *Bl.* *Blume Jav.* 9, 7. 8.
Aronia asiatica *Zucc.* *Sieb. Jap.* 42.
Aronicum Clusii *Koch.* *Sturm Flora* 10, 38.
 — *scorpioides* *Koch.* *Sturm Flora* 10, 38.
Arouna guianensis *Aubl.* *Aubl. Guiana* 5.
 † — — *Lam. Encycl.* 10.
 † — — *Abh. Ac. Berl.* 1832, 3.
Arrabidea rosea *DC.* *Delessert Ic.* 5, 92.
Arracacha esculenta *DC.* *Sprengel Nachrichten* 1.
 — — — *Mem. Genev.* 6, 1.
 — — — *Bot. Mag.* 58, 3092.
 † *Arrhenatherum* *Pal. Beauv.* *Dumontier Gram.* 8.
 † — *avenaceum* *Pal. B.* *Nees Gen.* 1, 49.
 — — — *Rehb. Fl. germ.* 1, 104.
 — — — *Baxter Br. Bot.* 6, 480.
 — — *Kotschy Boiss.* *Jaub. Ill.* 198.
Arrhostoxylum glabrum *N. v. E.* *Endl. Bras.* 7, 6.
Arrowsmithia styphelioides *DC.* *Delessert Ic.* 4, 100.
Arrudia clusiioides *St. Hil.* *St. Hil. Fl. Bras.* 66.
Artabotrys hamata *Bl.* *Blume Jav.* 1, 29. 31.
 — *odoratissima* *R. Br.* *Rheede Hort. mal.* 7, 46.
 — — — *Bot. Reg.* 5, 423.
 — — — *Blume Jav.* 1, 28. 31.
 — *suaveolens* *Bl.* *Rumpf Amb.* 5, 14.
 — — — *Blume Jav.* 1, 30. 31.
Artanema fimbriatum *Don.* *Sweet Fl. G. II.* 234.
 — *sesamoides* *Benth.* *Rheede Hort. mal.* 9, 87.
 — — — *Wight Ic. pl. Ind.* 4, 1410.
 † *Artanthe* *Miq.* *Miquel Comment.* 4.
 — *abutilifolia* *Miq.* *Endl. Bras.* 11, 6.
 — *acutifolia* *Miq.* *Miq. Ill. Pip.* 78.
 — *adenophylla* *Miq.* *Endl. Bras.* 11, 21.
 † — *adunca* *Miq.* *Endl. Bras.* 11, 14.
 — *aequalis* *Miq.* *Miq. Ill. Pip.* 88.
 — *amazonica* *Miq.* *Endl. Bras.* 11, 11.
 — *ampla* *Miq.* *Endl. Bras.* 11, 20.
 — *Blanchetii* *Miq.* *Miq. Ill. Pip.* 81.
 — *brachypoda* *Benth.* *Benth. Sulphur* 54.
 — *Brunoniana* *Miq.* *Miq. Ill. Pip.* 87.
 — *Cambessedei* *Miq.* *Endl. Bras.* 11, 17.
 — *concinna* *Miq.* *Endl. Bras.* 11, 13.
 — *cornifolia* *Miq.* *Miq. Ill. Pip.* 83.
 — *denudans* *Miq.* *Endl. Bras.* 11, 21.
 — *diospyrifolia* *Miq.* *Miq. Ill. Pip.* 82.
 † — — *Endl. Bras.* 11, 14.
 — *elongata* *Miq.* *Endl. Bras.* 11, 14.
 — *eximia* *Miq.* *Endl. Bras.* 11, 9.
 — *formosa* *Miq.* *Miq. Ill. Pip.* 69.
 — *fuscescens* *Miq.* *Endl. Bras.* 11, 10.
 — *geniculata* *Miq.* *Endl. Bras.* 11, 18.
 † — *glabrata* *Miq.* *Miq. Ill. Pip.* 84.
 — — — *Endl. Bras.* 11, 14.
 — *Hilariana* *Miq.* *Miq. Ill. Pip.* 76.
 — *hispidia* *Miq.* *Miq. Comment.* 8.
 — *lanceaefolia* *Miq.* *Miq. Ill. Pip.* 79.
 — *laurifolia* *Miq.* *Miq. Ill. Pip.* 89.
 — *lineata* *Miq.* *Miq. Ill. Pip.* 80.
 — *Luschnathiana* *Miq.* *Endl. Bras.* 11, 19.

- Artanthe magnifica* *Miq.* *Miq.* III. Pip. 71.
 — *Martiana* *Miq.* *Miq.* III. Pip. 77.
 — *nitida* *Miq.* *Miq.* Comment. 7.
 — *obtusata* *Miq.* *Endl.* *Bras.* 11, 12.
 — *obumbata* *Miq.* *Endl.* *Bras.* 11, 19.
 — *peduncularis* *Miq.* *Miq.* III. Pip. 91.
 — *persicariaefolia* *Miq.* *Endl.* *Bras.* 11, 19.
 — *phthinotricha* *Miq.* *Miq.* III. Pip. 90.
 — *pothifolia* *Miq.* *Miq.* III. Pip. 74.
 — *pseudo-Churumayu* *Miq.* *Miq.* III. Pip. 75.
 — *pyrifolia* *Miq.* *Endl.* *Bras.* 11, 16.
 — *Rognellii* *Miq.* *Endl.* *Bras.* 11, 6.
 — *richardiaefolia* *Miq.* *Miq.* III. Pip. 72.
 — — *Endl.* *Bras.* 11, 9.
 — *Schottii* *Miq.* *Endl.* *Bras.* 11, 15.
 — *spectabilis* *Miq.* *Endl.* *Bras.* 11, 8.
 — *superba* *Miq.* *Endl.* *Bras.* 11, 7.
 — *tectioniaefolia* *Miq.* *Miq.* III. Pip. 73.
 — *tiliaefolia* *Miq.* *Miq.* III. Pip. 70.
 — *trichoneura* *Miq.* *Miq.* III. Pip. 85.
 — *variegata* *Miq.* *Endl.* *Bras.* 11, 16.
 — *xylopioides* *Miq.* *Miq.* III. Pip. 86.
 — — *Endl.* *Bras.* 11, 18.
 — *xylostoides* *Miq.* *Endl.* *Bras.* 11, 13.
 † *Artedia squamata* *L.* *Gaertn.* *Carp.* 85.
 † — — *Lam.* *Encycl.* 193.
 † — — *Sibth.* *Fl.* gr. 268.
Artemisia Abrotanum *L.* *Hayne* 11, 22.
 — — *Guimp.* et *Schl.* 199.
 — — *Nees Düssel.* 232.
 — — *Wagner* 223.
 — — *Woodv.* *Med.* 1, 21.
Absinthium *L.* *Sv. Bot.* 196.
 — — *Engl. Bot.* 18, 1230.
 — — *Fl. dan.* 10, 1654.
 — — *Hayne* 2, 11.
 — — *Guimp.* et *Schl.* 197.
 — — *Nees Düssel.* 234.
 — — *Wagner* 145, 146.
 — — *Dietr.* *Fl. bor.* 9, 633.
 — — *Woodv.* *Med.* 1, 22.
 — — *Baxter Br.* *Bot.* 5, 339.
achilleaefolia *Ten.* *Ten.* *Fl. nap.* 190.
afra *Jacq.* *Jacq.* *Schoenbr.* 4, 467.
albida *Willd.* *Ledeb.* *IC.* 478.
amygdalina *Decne.* *Jacquemont* *Ind.* 100.
audrosacea *Seem.* *Seem.* *Herald* 6.
aragonensis *Lam.* *Webb* *Can.* 101.
arborescens *L.* *Sibth.* *Fl.* gr. 856.
argentea *L'her.* *L'her.* *Sert.* 28.
argyrophylla *Led.* *Ledeb.* *IC.* 463.
armeniaca *Lam.* *Rchb.* *Hort.* 4.
austriaca *Jacq.* *Jacq.* *Fl. austr.* 1, 100.
Barrelieri *Bess.* *Boiss.* *Esp.* 94^a.
Biasoletiana *Vis.* *Vis.* *Dalm.* 9.
biennis *Willd.* *Bot. Mag.* 51, 2472.
Bocconi *All.* *All.* *Fl. ped.* 3, 8. 9.
caespitosa *Led.* *Ledeb.* *IC.* 472.
campestris *L.* *Fl. dan.* 7, 1175.
 — — *Schk.* *Handb.* 240.
 — — *Engl. Bot.* 5, 338.
 — — *Hayne* 2, 9.
 — — *Dietr.* *Fl. bor.* 9, 635.
canariensis *Bess.* *Webb* *Can.* 100.
chamaemelifolia *Vill.* *Vill.* *Dauph.* 33.
Chamissoniana *Bess.* *Mem. Mosc.* 9, 4.
coeruleascens *L.* *Engl. Bot.* 34, 2426.
 — — *Ten.* *Fl. nap.* 248.
Columnae *Ten.* *Ten.* *Fl. nap.* 190, 192.
Contra *L.* *Guimp.* et *Schl.* 200.
 — — *Nees Düssel.* 229.
eriantha *Ten.* *Ten.* *Fl. nap.* 193.

- Artemisia frigida* *Willd.* *Ledeb.* *IC.* 462.
 — *gallica* *Willd.* *Fl. dan.* 12, 2119.
 — — *Engl. Bot.* 14, 1001.
 — *glabrata* *Wall.* *Wight* *IC.* pl. *Ind.* 3, 1111.
 — *glacialis* *L.* *All.* *Fl. ped.* 3, 8.
 — — *Jacq.* *Fl. austr.* 5, 33.
 — — *Jacq.* *Collect.* 2, 7.
 — *glomerata* *Sieb.* *Acta Leop.* 13, 2, 43.
 — — *Nees Düssel.* 230.
 — — *Wagner* 232.
 — *granatensis* *Boiss.* *Boiss.* *Esp.* 95.
 — — *Webb* *Otia* 2.
 — *grata* *DC.* *Rheede* *Hort.* mal. 10, 45.
 — *groenlandica* *Hornem.* *Fl. dan.* 9, 1585.
 — *herba alba* *Asso.* *Asso* *Aragon.* 8.
 — — — *var.* *Boiss.* *Esp.* 94.
 — *hispanica* *Lam.* *Jacq.* *IC.* 172.
 — — *Boiss.* *Esp.* 94^a.
 — *holosericea* *Led.* *Ledeb.* *IC.* 459.
 — *inculta* *Del.* *Delile* *Egypte* 43.
 — *indica* *Willd.* *Wight* *IC.* pl. *Ind.* 3, 1112.
 — *insipida* *Vill.* *Vill.* *Dauph.* 35.
 — *judaica* *L.* *Delile* *Egypte* 43.
 — — *Nees Düssel.* 213.
 — — *Wagner* 233.
 — *latifolia* *Led.* *Ledeb.* *IC.* 469.
 — *Lerchiana* *Willd.* *Ledeb.* *IC.* 488.
 — *macrantha* *Led.* *Ledeb.* *IC.* 452.
 — *macrobotrys* *Led.* *Ledeb.* *IC.* 467.
 — *maritima* *L.* *Engl. Bot.* 24, 1706.
 — — *Sv. Bot.* 323.
 — — *Fl. dan.* 10, 1635.
 — — *Woodv.* *Med.* 1, 24.
 — *Mertensiana* *Wallr.* *Wallr.* *Sched.* 4.
 — *minima* *L.* *Burm.* *Fl. ind.* 58.
 — *monogyna* *W. et K.* *W. et K.* 75.
 — *monosperma* *Del.* *Delile* *Egypte* 43.
 — *Moxa* *Bess.* *Rumpf* *Amb.* 5, 91. fig. 2.
 — *multicaulis* *Led.* *Ledeb.* *IC.* 458.
 — *Mutellina* *Vill.* *Vill.* *Dauph.* 35.
 — *norvegica* *Fries.* *Rchb.* *Pl. crit.* 1, 89.
 — *obtusiloba* *Led.* *Ledeb.* *IC.* 463, 466.
 — *pedemontana* *Balb.* *Mem.* *Tur.* 10, 5.
 — *pontica* *L.* *Jacq.* *Fl. austr.* 1, 97.
 — — *Hayne* 2, 10.
 — — *Nees Düssel.* 231.
 — — *var.* *Rochel* *Ban.* 35.
 — *pyncnorhiza* *Led.* *Ledeb.* *IC.* 473.
 — *pyromacha* *Viv.* *Viv.* *Lib.* 13.
 — *reptans* *Chr. Smith.* *Webb* *Can.* 102.
 — *rupestris* *L.* *Fl. dan.* 5, 801.
 — — *Sv. Bot.* 317.
 — — *Wallr.* *Sched.* 5.
 — *sacrorum* *Led.* *Ledeb.* *IC.* 470, 471.
 — — *Rchb.* *IC.* *crit.* 4, 310.
 — *salina* *Willd.* *Spreng.* *Fl. hal.* 12.
 — *Santonica* *Gmel.* *Wagner* 231.
 — — *L.* *Woodv.* *Med.* 1, 25.
 — *scoparia* *W. et K.* *W. et K.* 65.
 — *sipontina* *Ten.* *Ten.* *Fl. nap.* 248.
 — *spicata* *Wulf.* *Jacq.* *Fl. austr.* 5, 34.
 — — *Jacq.* *Rochel* *Ban.* 34.
 — *Stechmanniana* *Bess.* *Mem. Mosc.* 9, 2.
 — *Stelleriana* *Bess.* *Mem. Mosc.* 9, 5.
 — *Steveniana* *Bess.* *Mem. Mosc.* 9, 3.
 — *subcanescens* *Willd.* *Nocca* et *Balb.* *Fl. tic.* 14.
 — *succulenta* *Led.* *Ledeb.* *IC.* 474.
 — *tanacetifolia* *All.* *All.* *Fl. ped.* 3, 10, 70.
 — *Tournefortiana* *Rchb.* *Rchb.* *Hort.* 5.
 — *Triniana* *Bess.* *Mem. Mosc.* 9, 3.
 — *Turczaninoviana* *Bess.* *Mem. Mosc.* 9, 1.
 — *violacea* *Led.* *Ledeb.* *IC.* 475.

- Artemisia viridifolia* Led. Rechb. Ic. crit. 4, 389.
 † — *vulgaris* L. Gaertn. Carp. 164.
 † — — — Lam. Encycl. 695.
 — — — Fl. dan. 7, 1176.
 — — — Sv. Bot. 417.
 — — — Engl. Bot. 14, 978.
 — — — *β. densiflora* Bert. N. C. Bon. 3, 11.
 — — — Hayne 2, 12.
 — — — Guimp. et Schl. 198.
 — — — Schrank Fl. monac. 3, 295.
 — — — Nees Dusseld. 233.
 — — — Woodv. Med. 1, 23.
 — — — Dietr. Fl. bor. 9, 634.
Arthratherum caloptilum Jaub. Jaub. III. 336.
 — *ciliatum* Jaub. Jaub. III. 334.
 — *hirtiglume* Jaub. Jaub. III. 335.
 — *obtusum* Jaub. Jaub. III. 338.
 — *pogonoptilum* Jaub. Jaub. III. 337.
 † *Arthroclactylis* Forst. Forst. Char. 75.
Arthrolobium ebracteatum DC. Engl. Bot. 2844.
 — — — Baxter Br. Bot. 6, 509.
Arthropodium candidum Decne. Raoul Nouv. Zel. 6.
Arthropodium cirratum R. Br. Bot. Mag. 49, 2350.
 — — — Bot. Reg. 9, 709.
 — *minus* R. Br. Bot. Reg. 10, 866.
 — *paniculatum* R. Br. Bot. Mag. 35, 1421.
 — — — Endl. Ic. 28.
Arthropogon villosus N. v. E. Humb. Gram. 200.
Arthrostemma fragile Ldl. Journ. Hort. Soc. 3, 75.
 † — *heterostemon* Naud. Ann. sc. nat. III. 13, 6.
 — *nitidum* Grah. Bot. Mag. 59, 3142.
 — *versicolor* DC. Bot. Mag. 65, 3678.
 † — *Weddellianum* Naud. Ann. sc. nat. III. 13, 6.
 † *Arthrostylidium* (5 spec.) Acad. Pet. 5, 3—5.
Arthrotaxis cupressoides Don. Hook. Ic. pl. 559.
 — *laxifolia* Hook. Hook. Ic. pl. 573.
 — *selaginoides* Don. Hook. Ic. pl. 574.
 — *tetragona* Hook. Hook. Ic. pl. 560.
 † *Artocarpaeae* R. Br. Schnizl. Ic. 2, 93.
 † — — — (Trécul.) Ann. sc. nat. III. 8, 1—6.
 † *Artocarpus* L. Forster Char. 51. 51*.
 † — — — Ann. sc. nat. III. 8, 1.
 — *Chaplasha* Roxb. Wight Ic. pl. Ind. 2, 682.
 — *echinata* Roxb. Wight Ic. pl. Ind. 2, 680.
 — *hirsuta* Lam. Rheede Hort. mal. 3, 32.
 — — — Wight Ic. pl. Ind. 6, 1937.
 † *Jaca* Lam. Lam. Encycl. 745.
 — *incisa* L. Rumpf Amb. 1, 32. 33. 34.
 † — — — Forster Brodbaum 1. 2.
 — — — Panzer Brodbaum 0.
 — — — Ellis Monogr. 0.
 † — — — Lam. Encycl. 744.
 — — — Tuss. Ant. 2, 2. 3.
 — — — Kerner Hort. 37.
 — — — Desc. Ant. 8, 539.
 — — — Dict. sc. nat. 286.
 — — — Bot. Mag. 55, 2869—2871.
 † — — — Schnizl. Ic. 2, 93.
 — *integrifolia* L. Rheede Hort. mal. 3, 26—28.
 — — — Rumpf Amb. 1, 30. 31.
 — — — Tuss. Ant. 2, 4.
 — — — Kerner Hort. 614. 615.
 — — — Roxb. Corom. 230.
 — — — Bot. Mag. 55, 2833. 2834.
 — — — Wight Ic. pl. Ind. 2, 678.
 — *Laecucha* Roxb. Wight Ic. pl. Ind. 2, 681.
 — *lanceaefolia* Roxb. Wight Ic. pl. Ind. 2, 679.
 — *Ponga* Dennst. Rheede Hort. mal. 4, 35.
 † *Aruba* Aubl. Acta Leop. 11, 1, 19.
 — *acuminata* N. et M. Acta Leop. 11, 1, 29.
 — *alba* N. et M. Acta Leop. 11, 1, 28.
 — *coerulea* N. et M. Acta Leop. 11, 1, 27.

- Aruba guianensis* Aubl. Aubl. Guiana 115.
 — — — Lam. Encycl. 209.
 † *Arum* L. Kerner Gen. 202.
 — — — ? Ic. plant. Chin. 25.
 — *Arisarum* L. Jacq. Schoenbr. 2, 192.
 — — — Sibth. Fl. gr. 948.
 — *auritum* L. Jacq. Schoenbr. 2, 191.
 — — — Desc. Ant. 3, 231.
 — *bicolor* Ait. Jacq. Schoenbr. 2, 186.
 — — — Kern. Hort. 1.
 — — — Bot. Mag. 21, 820.
 — — — Hook. Ex. Fl. 26.
 — *bulbiferum* Roxb. Bot. Mag. 46, 20—2.
 — — — Bot. Mag. 51, 2509.
 — — — Rechb. Exot. 204.
 — — — Wight Ic. pl. Ind. 3, 783.
 — *campanulatum* Roxb. Rheede Hort. mal. 11, 18. 19.
 — — — Roxb. Corom. 272.
 — — — Kerner Hort. 697.
 — — — Rechb. Exot. 3.
 — — — Bot. Mag. 55, 2812.
 — — — Wight Ic. pl. Ind. 3, 782. 785.
 — *Colocasia* L. Rumpf Amb. 5, 109.
 — — — Kern. Hort. 166.
 — — — Desc. Ant. 7, 500.
 — — — ? Wight Ic. pl. Ind. 3, 786.
 — *costatum* Wall. Wallich Tentamen 19.
 — *crenatum* Wight. Wight Illustr. in Hook. 3.
 — *crinitum* Ait. Bot. Reg. 10, 831.
 — — — Rechb. Exot. 2.
 — *cucullatum* Roxb. Wight Ic. pl. Ind. 3, 787.
 — *curvatum* Roxb. Wight Ic. pl. Ind. 3, 788.
 — *cuspidatum* Roxb. Wight Ic. pl. Ind. 3, 784.
 — *Dioscoridis* Sibth. Sibth. Fl. gr. 947.
 — *divaricatum* L. Rheede Hort. mal. 11, 20.
 — — — Rumpf Amb. 5, 111. fig. 2.
 — — — Wight Ic. pl. Ind. 3, 790.
 — *Dracontium* L. Schk. Handb. 277.
 — — — Bot. Reg. 8, 668.
 — — — Lodd. Cab. 1165.
 † — *Draunculus* L. Gaertn. Carp. 84.
 † — — — Lam. Encycl. 740.
 — — — Sibth. Fl. gr. 946.
 — *echinatum* Wall. Wall. Pl. asiat. 136.
 — *erubescens* Wall. Wall. Pl. asiat. 135.
 — *esculentum* L. Rumpf Amb. 5, 110.
 — *flagelliforme* Lodd. Lodd. Cab. 396.
 — — — Roxb. Wight Ic. pl. Ind. 3, 791.
 — *folio bisecto* Desc. Desc. Ant. 7, 506.
 — *fornicatum* Roxb. Wight Ic. pl. Ind. 3, 789. 792.
 — *gracile* Roxb. Rheede Hort. mal. 11, 21.
 — — — Wight Ic. pl. Ind. 3, 793.
 — *grandifolium* Jacq. Jacq. Schoenbr. 2, 189.
 — *guttatum* Wall. Wall. Pl. asiat. 115.
 — *hederaceum* L. Jacq. Hist. stirp. am. 230.
 — — — Desc. Ant. 3, 168.
 — — — var. *majus*, Desc. Ant. 7, 510.
 — *helleborifolium* Jacq. Jacq. Ic. 613.
 — *indicum* Lour. Wight Ic. pl. Ind. 3, 794.
 — *italicum* Lam. Kern. Hort. 209.
 — — — Bot. Mag. 50, 2432.
 † — — — Ann. sc. nat. III. 15, 2.
 — — — Mill. Rechb. Fl. germ. 7, 11.
 — *lacerum* Jacq. Jacq. Schoenbr. 4, 468.
 — *longispathum* Rechb. Rechb. Fl. germ. 7, 10.
 — *maculatum* L. Fl. dan. 3, 505.
 — — — Curt. Lond. 2, 35.
 — — — Engl. Bot. 19, 1298.
 — — — Woodv. Med. 4, 249.
 — — — Baxter Br. Bot. 4, 261.
 — — — Schrank Fl. monac. 2, 123.
 — — — Sturm Flora 11, 44.

- Arum maculatum* L. Hayne 13, 32.
 — — — Br. und Ratzeb. 7.
 — — — Nees Düssel. 20.
 — — — Dietr. Fl. bor. 4, 223.
 — — — Rehb. Fl. germ. 7, 8.
 — — — Dict. sc. nat. 3.
 † — — — Nees Gen. 3, x.
 † — — — Verhandl. Rheinl. 5, 1.
 — — — *margaritifera* Roxb. Wight Ic. pl. Ind. 3, 793.
 — — — *minutum* Willd. Rheede Hort. mal. 11, 17.
 — — — *montanum* Roxb. Wight Ic. pl. Ind. 3, 796.
 — — — *mucronatum* Lam. Rumpf Amb. 5, 106.
 — — — Kern. Hort. 404.
 — — — *nepenthoides* Wall. Wallich Tentamen 18.
 — — — *nympheifolium* Roxb. Wight Ic. pl. Ind. 3, 786.
 — — — *odorum* Roxb. Lodd. Cab. 416.
 — — — Wight Ic. pl. Ind. 3, 797.
 — — — *orientale* M. v. B. Rehb. Fl. germ. 7, 9.
 — — — *orixense* Roxb. Andr. Rep. 5, 356.
 — — — Bot. Reg. 6, 450.
 — — — Lodd. Cab. 422.
 — — — Wight Ic. pl. Ind. 3, 801.
 — — — *ovatum* L. Rumpf Amb. 5, 108.
 — — — *pedatum* Lk. Link Ic. I, 8.
 — — — Fisch. Kern. Hort. 606.
 — — — *peregrinum* L. Rumpf Amb. 5, 111. fig. 1.
 — — — *pinnatifidum* Jacq. Jacq. Schoenbr. 2, 187.
 — — — *ringens* Thunb. Vriese Hort. Sparnberg. 1.
 — — — *Rumphii* Gaudch. Freycinet Voyage 39.
 — — — *sagittaeifolium* L. Jacq. Vind. 157.
 — — — Desc. Ant. 8, 533.
 — — — *seguinum* L. Jacq. Hist. stirp. am. 229.
 — — — Desc. Ant. 3, 162.
 — — — Hook. Ex. Fl. 1.
 — — — Mem. Mosc. 1, 14.
 — — — *serratum* Thunb. Thunb. Ic. jap. 37.
 — — — *sessiliflorum* Roxb. Wight Ic. pl. Ind. 3, 800.
 — — — *silvaticum* Roxb. Wight Ic. pl. Ind. 3, 802.
 — — — *speciosum* Wall. Wallich Tentamen 20.
 — — — *spirale* Retz. Bot. Mag. 48, 2220.
 — — — Lodd. Cab. 525.
 — — — *tenuifolium* L. Bot. Reg. 6, 512.
 — — — Bot. Mag. 49, 2282.
 — — — *tortuosum* Wall. Wall. Pl. asiat. 114.
 — — — *trilobatum* L. Rumpf Amb. 5, 110.
 — — — Bot. Mag. 10, 339. 49, 2324.
 — — — Kern. Hort. 285.
 — — — Lodd. Cab. 516.
 — — — Wight Ic. pl. Ind. 3, 803.
 — — — *tripartitum* Jacq. Jacq. Schoenbr. 2, 190.
 — — — *triphyllum* L. Big. Med. 4.
 — — — Martins Auswahl 11.
 — — — var. Bot. Mag. 24, 950.
 — — — var. Lodd. Cab. 320.
 — — — *venosum* Willd. Bot. Reg. 12, 1017.
 — — — *viviparum* Roxb. Rheede Hort. mal. 12, 9.
 — — — Wight Ic. pl. Ind. 3, 798.
 † — — — *vulgare* Lam. Lam. Encycl. 740.
 † — — — Plée Types 26.
 † — — — Guill. Arch. 1, 1.
 — — — *xanthorrhizon* Jacq. Jacq. Schoenbr. 2, 188.
Arundina bambusifolia Lindl. Wight Ic. pl. Ind. 5, 1661.
 — — — *densa* Ldl. Bot. Reg. 28, 38.
 † *Arundinaria Richard.* (15 spec.) Acad. Pet. 5, 1. 2. 3. 13.
 — — — *distans* Tr. Trin. Sp. Gr. 3, 349.
 — — — *macrocarpa* Michx. Ell. Carol. 4.
 — — — *spathiflora* Tr. Trin. Sp. Gr. 3, 350.
 — — — *verticillata* N. v. E. Humb. Gram. 155. 156.
Arundinella agrostoides Tr. Trin. Sp. Gr. 3, 263.
 — — — *brasiliensis* Raddi. Trin. Sp. Gr. 3, 266.
 — — — *flammda* Tr. Trin. Sp. Gr. 3, 267.
 — — — *nepalensis* Tr. Trin. Sp. Gr. 3, 268.

- † *Arundo* L. Dumortier Gram. 9.
 — — — *ampelodesmon* Cir. Cir. Fl. rar. 2, 12.
 — — — *arenaria* L. Fl. dan. 6, 917.
 — — — Curt. Lond. 5, 181.
 — — — Engl. Bot. 8, 520.
 — — — Sv. Bot. 138.
 † — — — Schrad. Fl. germ. 5.
 — — — Knapp Gr. 99.
 † — — — *baltica* Flüge. Schrad. Fl. germ. 5.
 — — — Fl. dan. 10, 1684.
 — — — *Bambos* L. Desc. Ant. 4, 293.
 — — — *bicolor* Desf. Desf. Fl. atl. 33.
 † — — — *Calamagrostis* L. Schrad. Fl. germ. 4.
 — — — Fl. dan. 2, 280. 10, 1624.
 — — — Engl. Bot. 30, 2159.
 — — — Sv. Bot. 312.
 — — — Knapp Gr. 96.
 — — — *collina* Ten. Ten. Fl. nap. 108.
 — — — *colorata* L. Sv. Bot. 107.
 — — — Ait. Knapp Gr. 98.
 — — — *Donax* L. Host Gram. 338.
 † — — — Mutel Fl. fr. 78.
 — — — Rehb. Fl. germ. 1, 109.
 † — — — Nees Gen. 1, 36.
 † — — — *Epigeios* L. Fl. dan. 13, 2165.
 — — — Schrad. Fl. germ. 4.
 — — — Engl. Bot. 6, 403.
 — — — Knapp Gr. 97.
 — — — *festucoides* Desf. Desf. Fl. atl. 34.
 — — — *flexuosa* Brongn. Brongn. Coquille 5.
 — — — *Karka* Retz. Rheede Hort. mal. 12, 73.
 † — — — *lapponica* Wahlbg. Wahlbg. Fl. lapp. 1.
 — — — Sv. Bot. 649.
 † — — — *littorea* Schrad. Schrad. Fl. germ. 4.
 — — — *madagascariensis* Kth. Humb. Gram. 48.
 † — — — *mauritanica* Desf. Nees Gen. 1, 36.
 — — — *nitida* H. B. K. H. B. K. Nov. Gen. 7, 688. 688^b.
 — — — *penicillata* Lab. Bill. Nov. Holl. 34.
 — — — *Phragmites* L. Schk. Handb. 18.
 † — — — Lam. Encycl. 46.
 † — — — Schrad. Fl. germ. 5.
 — — — Host. Gram. 339.
 — — — Sv. Bot. 114.
 — — — Engl. Bot. 6, 401.
 — — — Knapp Gr. 95.
 — — — var. Fl. dan. 13, 2164.
 — — — Baxter Br. Bot. 5, 372.
 † — — — *Plinii* Turra. Mutel Fl. fr. 78.
 — — — Rehb. Fl. germ. 1, 109.
 — — — *poaeformis* Lab. Bill. Nov. Holl. 35.
 † — — — *pseudophragmites* Schrad. Schrad. Fl. germ. 4.
 — — — *pygmaea* Spr. Poll. Fl. ver. 1, 1.
 — — — Petersb. 2, 7.
 — — — *Reynaudiana* Kth. Humb. Gram. 49.
 — — — *semiannularis* Lab. Bill. Nov. Holl. 33.
 † — — — *silvatica* Schrad. Schrad. Fl. germ. 4.
 — — — Fl. dan. 10, 1683.
 † — — — *speciosa* Schrad. Schrad. Fl. germ. 4.
 † — — — *stricta* Timm. Schrad. Fl. germ. 4.
 — — — Sv. Bot. 301.
 — — — Engl. Bot. 30, 2160.
 — — — Fl. dan. 11, 1803.
 † — — — *strigosa* Wahlbg. Wahlbg. Fl. lapp. 2.
 † — — — *tenella* Schrad. Schrad. Fl. germ. 5.
 — — — *trioidioides* Tr. Trin. Sp. Gr. 3, 351.
 — — — *vallatoria* L. Rumpf Amb. 4, 5.
 † — — — *varia* Schrad. Schrad. Fl. germ. 4.
 — — — *villosa* Tr. Trin. Sp. Gr. 3, 352.
 — — — *Wilhelmii* Led. Petersb. 6, 19.
Arversia frankenioides St. Hil. St. Hil. Fl. Bras. 112.
Asagraea officinalis Ldl. Bot. Reg. 25, 33.
Asarca acutiflora P. et E. Poepp. et Endl. 120.

- Asarca bidentata* P. et E. Poepp. et Endl. 121.
 — *glandulifera* P. et E. Poepp. et Endl. 120.
 — *leucantha* P. et E. Poepp. et Endl. 119.
 — *maculosa* P. et E. Poepp. et Endl. 121.
 — *odoratissima* P. et E. Poepp. et Endl. 118.
 — *parviflora* P. et E. Poepp. et Endl. 121.
Asarum arifolium Michx. Hook. Ex. Fl. 40.
 — *canadense* L. — Lam. Encycl. 394.
 — — — Bart. Med. 32.
 — — — Big. Med. 15.
 — — — Bot. Mag. 54, 2769.
 — — — Lodd. Cab. 889.
 — — — Sweet Fl. G. 95.
 — — — Torr. New York 92.
 † — *europaeum* L. Gaertn. Carp. 14.
 † — — — Lam. Encycl. 394.
 — — — Schk. Handb. 127.
 — — — Fl. dan. 4, 633.
 — — — Engl. Bot. 16, 1083.
 — — — Sv. Bot. 31.
 — — — Sturm Flora 1, 2.
 — — — Tratt. Arch. 78.
 — — — Schrank Fl. monac. 1, 63.
 — — — Stephan Ic. pl. mosq. 2.
 — — — Dreves 2, 68.
 — — — Hayne 1, 44.
 — — — Guimp. et Schl. 132.
 — — — Nees Düsseldorf. 148.
 — — — Wagner 52.
 — — — Woodv. Med. 1, 66.
 — — — Baxter Br. Bot. 4, 250.
 — — — Dietr. Fl. bor. 5, 301.
 — — — Rehb. Fl. germ. 12, 668.
 † — — — Nees Gen. 4, 51.
 † — — — Schnitzl. Ic. 2, 114.
 — *Hookeri* Field. Field. Sert. 32.
 — *virginicum* Michx. Sweet Fl. G. 18.
 † *Ascarina polystachya* Forst. Forst. Char. 59.
 † — — — Lam. Encycl. 798.
 — *rubra* Poir. Rumpf Amb. 5, 16.
 † *Ascium violaceum* Vahl. Vahl Ecl. 20.
 † *Asclepiadeae* R. Br. Jacq. Misc. 1, 1 — 4.
 † — — — Wight Ill. 142, 155^b, 182.
 † — — — (Pollen.) Abh. Ac. Berl. 1829, 1. 2.
 † *Asclepias* L. Lam. Encycl. 175.
 † — — — Schk. Handb. 56.
 † — — — Jacq. Genit. Ascl. 6.
 † — — — Linn. Transact. 16, 34 — 36.
 — *acida* Roxb. Wight Ic. pl. Ind. 2, 593.
 — *alba* Cav. Cav. Ic. 310.
 † — *amoena* L. Ann. sc. nat. 24, 13.
 — — — Michx. Sweet Fl. G. II, 82.
 — *angustifolia* Willd. Willd. Hort. 104.
 — *arborescens* L. Jacq. Schoenbr. 1, 50.
 — *aurantio-alba* Jacq. Jacq. Fragm. 137.
 — *auriculata* H. B. K. H. B. K. Nov. Gen. 3, 228.
 — *carnosa* L. Bot. Mag. 21, 788.
 — — — Smith Ex. Bot. 70.
 — *citrifolia* Jacq. Jacq. Ic. 343.
 — *cordata* Burm. Burm. Fl. ind. 27.
 — *curassavica* L. Bot. Reg. 1, 81.
 — — — Lodd. Cab. 349.
 — — — Desc. Ant. 2, 116.
 — *decumbens* Mill. Sweet Fl. G. II, 24.
 — *Douglasii* Hook. Hook. Bor. Am. 142.
 — — — Bot. Mag. 74, 4413.
 — — — Fl. d. serres 5, 426.
 — *echinata* Roxb. Wight Ic. pl. Ind. 2, 596.
 — *foetida* Cav. Cav. Ic. 158.
 — *fruticosa* L. Capece-Latro Mem. 0.
 † — — — Ann. sc. nat. 24, 14.
 — *gigantea* L. Jacq. Hist. stirp. am. 88.

- Asclepias gigantea* L. Jacq. Obs. 69.
 — — — Jacq. Fragm. 137.
 — — — Andr. Rep. 4, 271.
 — *glaucescens* H. B. K. H. B. K. Nov. Gen. 3, 227.
 — *herbacea* Roxb. Wight Ic. pl. Ind. 2, 492.
 — *incarnata* L. Jacq. Vind. 107.
 — — — Bot. Reg. 3, 250.
 — *lanceolata* Ives. Silliman Journ. 1, 0.
 — *laniflora* Vahl. Vahl Symb. 7.
 — *laurifolia* Roxb. Wight Ic. pl. Ind. 2, 598.
 — *Linaria* Cav. Cav. Ic. 57, 500^b.
 — *longistigma* Roxb. Wight Ic. pl. Ind. 2, 475.
 — *mexicana* Cav. Cav. Ic. 58.
 — *montana* Roxb. Wight Ic. pl. Ind. 2, 592.
 † — *nigra* L. Gaertn. Carp. 117.
 — *nivea* L. Bot. Mag. 29, 1181.
 — *pallida* Roxb. Wight Ic. pl. Ind. 2, 583.
 — *parasitica* Roxb. Wight Ic. pl. Ind. 2, 587.
 — *parviflora* Ait. Willd. Hort. 103.
 — — — Jacq. Ecl. pl. 28, 101.
 † — *pendula* Roxb. Wight Ic. pl. Ind. 2, 474.
 † — *phytolaccoides* Pursh. Guill. Arch. 2, 13, 14.
 — *procera* Ait. Schneev. Ic. 18.
 — *pseudosarca* Roxb. Wight Ic. pl. Ind. 2, 594.
 — *pulchra* Ehrh. Sweet Fl. G. II, 18.
 † — *purpurascens* L. Jacq. Fragm. 137.
 † — — — Guill. Arch. 2, 13, 14.
 — — — Torr. New York 65.
 — *quadrifolia* Jacq. Jacq. Obs. 33.
 — — — Barton Fl. 2, 43.
 — — — Lodd. Cab. 1258.
 — *racemosa* Roxb. Wight Ic. pl. Ind. 2, 591.
 — *salicifolia* Lodd. Lodd. Cab. 272.
 — *scandens* Pal. Pal. Fl. d'Ow. 56.
 — *setosa* Forsk. Vahl Symb. 8.
 — *sibirica* L. Comm. Gott. 2, 7.
 — *syriaca* L. Sonnini Ascl. 1. 2.
 — — — Dict. sc. nat. 58, 59.
 † — — — Nees Gen. X, x.
 — *tenacissima* Roxb. Roxb. Corom. 240.
 — — — Wight Ic. pl. Ind. 2, 590.
 — *tenuissima* Roxb. Wight Ic. pl. Ind. 2, 588.
 — *tetrapetala* Dennst. Rheede Hort. mal. 9, 17.
 — *tinctoria* Roxb. Wight Ic. pl. Ind. 2, 589.
 — *tingens* Roxb. Roxb. Corom. 239.
 — — — Wight Ic. pl. Ind. 2, 593.
 — *tuberosa* L. Bart. Med. 22.
 — — — Big. Med. 26.
 — — — Bot. Reg. 1, 76.
 — — — Savi Fl. ital. 2, 78.
 — — — Lodd. Cab. 1297.
 — — — Herb. amat. 2, 136.
 — — — Paxt. Mag. 2, 26.
 — *variegata* L. Bot. Mag. 29, 1182.
 — — — var. Hook. Bor. Am. 141.
 — — — Torr. New York 86.
 — *verticillata* L. Hook. Bor. Am. 144.
 — — — Lodd. Cab. 1067.
 — — — Sweet Fl. G. 144.
 — — — Torr. New York 87.
 — *vestita* Hook. Bot. Mag. 70, 4106.
 — *villosa* Balb. Mem. Tur. 7, 4.
 — *Vincetoxicum* L. Schk. Handb. 55.
 — — — Fl. dan. 5, 849.
 — — — Sv. Bot. 249.
 — — — Schrank Fl. monac. 3, 230.
 — — — Nees Düsseldorf. 207.
 — — — Woodv. Med. 2, 93.
 — *virgata* Lag. Sweet Fl. G. II, 85.
 — *viridiflora* Rafin. Hook. Bor. Am. 143.
 — *volubilis* Roxb. Wight Ic. pl. Ind. 2, 586.
 † *Ascyrum* L. Gray Gen. 91.

- † *Ascyrum calycinum* Lam. Lam. Encycl. 642.
 † — *crux Andree* L. Gaertn. Carp. 62.
 — *humifusum* Lab. Bill. Nov. Holl. 175.
 — *involutum* Lab. Bill. Nov. Holl. 174.
 — *sibiricum* Lam. Lam. Encycl. 642.
 — *stans* Michx. Vent. Malm. 90.
 — — Gray Gen. 91.
 † *Asimina* Adans. Gray Gen. 25. 26.
 — *grandiflora* Duo. Dunal Anon. 11.
 — — Herb. amat. 4. 263.
 — *parviflora* Dun. Dunal Anon. 9.
 — *pygmaea* Dun. Dunal Anon. 10.
 — *triloba* Dun. Guimp. Fr. H. 53.
 — — Gray Gen. 25. 26.
 † *Asiphonia piperiformis* Griff. Linn. Tr. 19. 37.
Aspalathus acuminata Lam. Lam. Encycl. 620.
 — *araneosa* Thunb. Bot. Mag. 21. 829.
 — *callosa* L. Bot. Mag. 49. 2329.
 — *capitata* L. Lam. Encycl. 620.
 — *carnosa* L. Bot. Mag. 32. 1289.
 — *Chenopoda* L. Bot. Mag. 2223.
 — — Lodd. Cab. 316.
 — *ciliaris* L. Bot. Mag. 48. 2233.
 — *crassifolia* Andr. Andr. Rep. 5. 353.
 † — *cretica* L. Wendl. Beoh. 3.
 — *Ebenus* L. Desc. Ant. 7. 487.
 — *globosa* Andr. Andr. Rep. 8. 510.
 — *hispida* Willd. Willd. Hort. 64.
 — *hystrix* Thunb. Lam. Encycl. 620.
 — *pedunculata* L'her. L'her. Sert. 26.
 — — Bot. Mag. 10. 344.
 † — *spinosa* L. Gaertn. Carp. 144.
 † — — Lam. Encycl. 620.
 † *Asparageae* Endl. Schnizl. Ic. 1. 55 c.
Asparagus acutifolius L. Sibth. Fl. gr. 337.
 — *amarus* Red. Red. Lil. 8. 446.
 — — Rchb. Fl. germ. 10. 320.
 — *aphyllus* L. Sibth. Fl. gr. 338.
 — *arborescens* Brouss. Webb Can. 228.
 — *asiaticus* L. Wight Ic. pl. Ind. or. 6. 2055.
 — *Broussoneti* Spr. Jacq. Ecl. pl. 40.
 — *capensis* L. Jacq. Schoenbr. 3. 266.
 — *decumbens* Jacq. Jacq. Schoenbr. 1. 97.
 — *horridus* L. Cav. Ic. 136.
 — — Red. Lil. 5. 288.
 — — Sibth. Fl. gr. 339.
 — *marinus* Clus. Rchb. Fl. germ. 10. 320.
 — *maritimus* Led. Ledeb. Ic. 393.
 † — *officinalis* L. Gaertn. Carp. 16.
 † — — Lam. Encycl. 249.
 — — Schk. Handb. 96.
 — — Fl. dan. 5. 803.
 — — Engl. Bot. 5. 339.
 — — Sv. Bot. 213.
 — — Hayne 8. 29.
 — — Nees Düss. Suppl. 51. 52.
 — — Dict. sc. nat. 47.
 — — Dietr. Fl. bor. 1. 52.
 — — Rchb. Fl. germ. 10. 318.
 † — — Nees Gen. 2. 57.
 — — Baxter Br. Bot. 6. 403.
 — *Pastorianus* Webb. Webb Can. 229.
 — *pectinatus* Red. Red. Lil. 7. 407.
 — *racemosus* Willd. Rheede Hort. mal. 10. 10.
 — — Wight Ic. Ind. or. 6. 2056.
 — *retrofractus* Mill. Wendl. Hort. herrenh. 22.
 — *sarmentosus* L. Red. Lil. 8. 460.
 — *scaber* Brign. Rchb. Fl. germ. 10. 320.
 — *scoparius* Lowe. Webb Can. 226.
 — *serotinus* Wierzb. Rchb. Fl. germ. 10. 318.
 — *silvaticus* W. et K. W. et Kit. 201.
 — — Rchb. Fl. germ. 10. 319.

- Asparagus tenuifolius* Lam. Red. Lil. 8. 434.
 — — — Kern. Hort. 458.
 — — — Rchb. Fl. germ. 10. 319.
 — *tricarinatus* Red. Red. Lil. 8. 451.
 — *umbellatus* Lk. Webb Can. 227.
Aspasia epidendroides Ldl. Bot. Mag. 68. 3962.
 — — — Kn. et Westc. 8.
 — *variegata* Ldl. Bot. Reg. 22. 1907.
 — — — Bot. Mag. 65. 3679.
Aspegrenia scirpoides P. et E. Poepp. et Endl. 116.
Asperugo aegyptiaca L. Jacq. Vind. 3. 21.
 — *divaricata* Murr. Novi Comm. Gott. 7. 2.
 — *procumbens* L. Schk. Handb. 31.
 † — — — Lam. Encycl. 94.
 — — — Fl. dan. 4. 552.
 — — — Sibth. Fl. gr. 177.
 — — — Engl. Bot. 10. 661.
 — — — Roemer Fl. eur. 6. 4.
 — — — Dietr. Fl. bor. 9. 607.
 † — — — Schrad. Asp. 0.
 † — — — Nees Gen. 6. 53.
 — — — Baxter Br. Bot. 6. 466.
Asperula Aparine Schott. Rchb. Fl. crit. 1. 93.
 — *arcadiensis* Sims. Bot. Mag. 47. 2146.
 — *arvensis* L. Engl. Bot. 2792.
 — *asperima* Boiss. Boiss. Esp. 84.
 — *azurea* Jaub. Jaub. Ill. 82.
 — *brevifolia* Vent. Vent. Cels. 63.
 — *calabrica* L. L'her. Stirp. 32.
 — *canescens* Vis. Vis. Dalm. 25.
 — *ciliata* Roch. Rochel Ban. 9.
 — *consanguinea* Klotzsch. Prinz Wald. Him. 74.
 † — *cynanchica* L. Gaertn. Carp. 193.
 — — — Engl. Bot. 1. 83.
 — — — Schrank Fl. monac. 3. 299.
 — — — Dietr. Fl. bor. 6. 413.
 † — — — Wight Illustr. 128 bis.
 — *effusa* Boiss. Boiss. Esp. 83.
 — *flaccida* Ten. Ten. Fl. nap. 110.
 — *galioides* L. Dietr. Fl. bor. 7. 446.
 — *hexaphylla* All. All. Fl. ped. 3. 77.
 — *hirta* Ramond. Bull. philom. 1800. no. 40.
 — — — Roemer Fl. eur. 14. 1.
 — *Hoffmeisteri* Klotzsch. Prinz Wald. Him. 75.
 — *incana* Sibth. Sibth. Fl. gr. 119.
 — *involuta* Wahlenb. Jaub. Ill. 196.
 — *litoralis* Sibth. Sibth. Fl. gr. 122.
 — *longiflora* W. et K. W. et Kit. 150.
 — *longifolia* Sibth. Sibth. Fl. gr. 118.
 — *lutea* Sibth. Sibth. Fl. gr. 120.
 — *macrorrhiza* Lk. Hoffm. Lk. Fl. port. 84.
 — *neglecta* Guss. Guss. Fl. rar. 13.
 — *nitens* Guss. Guss. Fl. rar. 13.
 — *nitida* Sibth. Sibth. Fl. gr. 124.
 — *odorata* L. Fl. dan. 4. 562.
 — — — Curt. Lond. 1. 13.
 — — — Engl. Bot. 11. 755.
 — — — Schk. Handb. 23.
 † — — — Lam. Encycl. 61.
 — — — Sv. Bot. 218.
 — — — Dreves 1. 36.
 — — — Schrank Fl. monac. 4. 316.
 — — — Dietr. Fl. bor. 2. 140.
 — — — Baxter Br. Bot. 1. 46.
 † — — — Nees Gen. X. x.
 — *palustris* Ten. Ten. Fl. nap. 111.
 — *paniculata* Bunge. Ledeb. Ic. 301.
 — *pendula* Boiss. Boiss. Esp. 84 c.
 — *pumila* Moris. Moris. Fl. sard. 78.
 — *repens* Brot. Brot. Phyt. 10.
 — *rigida* Sibth. Sibth. Fl. gr. 121.
 — *rivalis* Sibth. Sibth. Fl. gr. 117.

- Asperula rivalis* Sibth. Rchb. Pl. crit. 1, 93.
 — *scutellaris* Vis. Vis. Dalm. 25.
 — *setosa* Jaub. Jaub. Ill. 83.
 — *sherardioides* Jaub. Jaub. Ill. 83.
 — *Staliana* Vis. Vis. Dalm. 52.
 — *suberosa* Sibth. Sibth. Fl. gr. 123.
 — *taurina* L. Roemer Fl. eur. 13, 4.
 — *tinctoria* L. Sv. Bot. 244.
 — — Dietr. Fl. bor. 5, 327.
 — *tomentosa* Ten. Ten. Fl. nap. 9.
 † *Asphodelaeae* Juss. Schnizl. Ic. 1, 55^b.
Asphodeline liburnica Rchb. Rchb. Fl. germ. 10, 516.
 — *lutea* Rchb. Rchb. Fl. germ. 10, 517.
 † — — Nees Gen. 2, 53.
 † *Asphodelus* L. Gaertn. Carp. 17.
 † — — Lam. Encycl. 241.
 — *acaulis* Desf. Desf. Fl. atl. 69.
 — *aestivus* Brot. Rchb. Ic. crit. 5, 451.
 † — *albus* L. Nees Gen. 2, 52.
 — — Rchb. Fl. germ. 10, 515.
 — *capillaris* Red. Red. Lil. 7, 380.
 — *creticus* Lam. Desf. Choix 1.
 — — Ann. Mus. 10, 11.
 — — Lodd. Cab. 915.
 — *fistulosus* L. Cav. Ic. 202.
 — — Sibth. Fl. gr. 335.
 — — Red. Lil. 3, 178.
 — — Bot. Mag. 25, 984.
 — — Lodd. Cab. 1124.
 — — Sturm Flora 2, 6.
 — — Rchb. Fl. germ. 10, 513.
 — *liburnicus* Scop. Scop. Fl. carn. 1, 12.
 — — Jacq. Ecl. pl. 77.
 — *luteus* L. Jacq. Vind. 77.
 — — Schk. Handb. 95.
 — — Rousseau Bot. 3.
 — — Red. Lil. 4, 223.
 — — Bot. Mag. 20, 773.
 — — var. Bot. Reg. 18, 1507.
 — *microcarpus* Viv. Rizzo Fl. de Nice 13.
 — — Rchb. Fl. germ. 10, 513.
 — *parviflorus* Wight. Wight Ic. pl. Ind. or. 6, 2062.
 — *persicus* Jaub. Jaub. Ill. 102.
 — *ramosus* L. Sibth. Fl. gr. 334.
 — — Red. Lil. 6, 314.
 — — Novi Comm. Gott. 7, 7.
 — — Bot. Mag. 21, 799.
 — — Sturm Flora 2, 6.
 — — Spr. Gesch. d. Bot. 4.
 — — Rchb. Fl. germ. 10, 514.
 — *tauricus* Pall. Red. Lil. 8, 470.
 — — Lodd. Cab. 1102.
 — *tenuifolius* Cav. Cav. Ic. 587.
 — *tenuior* M. v. B. Bot. Mag. 53, 2626.
 † *Aspicarpa Hartwegiana* Juss. Arch. Mus. 3, 21.
 — *hirtella* Rich. Mem. Mus. 2, 13.
 † *Aspidalis araneosa* Gaertn. Gaertn. Carp. 171.
Aspidistra elatior Bl. Hoeven Tydschr. 1, 3, 4.
 — *lurida* Ker. Bot. Reg. 8, 628.
 — — Bot. Mag. 51, 2499.
 — — Lodd. Cab. 1468.
 — — Rchb. Exot. 4.
 — *punctata* Ldl. Bot. Reg. 12, 977.
Aspidium aculeatum Sw. Schk. Fil. 39.
 — — Engl. Bot. 22, 1562.
 — — Sturm Flora II. 3, 3.
 — — Spenner Fl. frib. 1, 1.
 — — Newm. p. 169.
 — *acutum* Sw. Schk. Fil. 31.
 — *alatum* Wall. Hook. Ic. Fil. 184.
 — *alpinum* Sw. Schk. Fil. 62, 62^b.
 — — Sturm Flora II. 3, 5.

- Aspidium angulare* Willd. Engl. Bot. 2776.
 — — Sm. Newman p. 173, 174, 182.
 — *anomophyllum* Zenk. Zenker Pl. ind. 1.
 — *apifolium* Sw. Schk. Fil. 56^b.
 — *aristatum* Sw. Schk. Fil. 42.
 — *articulatum* Sw. Schk. Fil. 27.
 — *athyroides* M. et G. Acad. Brux. 15, 18.
 — *augescens* Lk. Kunze Fil. 59.
 — *auriculatum* Sw. Schk. Fil. 30.
 — *axillare* Sw. Schk. Fil. 61.
 — *Benoitianum* Gaudch. Freycinet Voyage 11.
 — *Berterianum* Colla. Mem. Tur. 39, 70.
 — *Braunii* Spenn. Spenner Fl. frib. 1, 2.
 — *bulbiferum* Sw. Schk. Fil. 57.
 — *caducum* Wall. Hook. Ic. Fil. 171.
 — *caryotideum* Wall. Hook. Ic. Fil. 69.
 — *coadunatum* Wall. Hook. Ic. Fil. 202.
 — *confertum* Kaulf. Hook. Ic. Fil. 121.
 — *coriaceum* Sw. Schk. Fil. 50.
 — *crinitum* M. et G. Acad. Brux. 15, 17.
 — *cristatum* Sw. Schk. Fil. 37.
 — — Curt. Lond. 4, 113.
 — — Fl. dan. 9, 1591.
 — — Sv. Bot. 390.
 — — Engl. Bot. 30, 2125.
 — — Newman p. 203, 206.
 — *Cumingianum* Kze. Kunze Fil. 9.
 — *cuneatum* Sw. Schk. Fil. 56^b.
 — *davallioides* Sw. Hook. Ic. pl. 395, 396.
 — *depastum* Sw. Schk. Fil. 51.
 — *dilatatum* Willd. Engl. Bot. 21, 1461.
 — — Sm. Newman p. 215.
 — *discolor* L. et F. Langsd. et Fisch. 18.
 — *drepanum* Sw. Schk. Fil. 43^b, 47.
 — *Dubruellianum* Gaudch. Freycinet Voyage 9.
 — *dumetorum* Sm. Newman p. 215.
 — *elongatum* Sw. Webb Can. 250.
 — *ensifolium* Sw. Schk. Fil. 32.
 — *erosum* Sw. Schk. Fil. 45.
 — *exaltatum* Sw. Schk. Fil. 32^b.
 — — Raddi Fil. 46.
 — *falcatum* L. et F. Langsd. et Fisch. 15.
 — *falciculatum* Raddi. Raddi Fil. 47.
 — *Filix femina* Sw. Schk. Fil. 58, 59, 78.
 — — Engl. Bot. 21, 1459.
 — — Newman p. 237, 244.
 — — mas Sw. Schk. Fil. 44.
 — — Curt. Lond. 4, 40.
 — — Fl. dan. 8, 1346.
 — — Sv. Bot. 51.
 — — var. Engl. Bot. 21, 1459, 28, 1949.
 — — Newman p. 197.
 — — Guimp. et Schl. 11.
 — — Wagner 143, 144.
 — *fontanum* Willd. Schk. Fil. 53.
 — — Engl. Bot. 29, 2024.
 — *fragile* Sw. var. Schk. Fil. 54, 55, 56.
 — — Sturm Flora II, 3, 4.
 — *glandulosum* H. et Gr. Hook. et Grev. Ic. Fil. 140.
 — *goggylodus* Sw. Schk. Fil. 33^c.
 — *hastulatum* Ten. Ten. Fl. nap. 230.
 — *hirsutulum* Sw. Schk. Fil. 33.
 — *hirtum* Sw. Schk. Fil. 46^b.
 — *inaequale* Schlichtd. Schlichtd. Fil. 12.
 — *irriguum* Sm. Engl. Bot. 31, 2199.
 — *lancastriense* Sm. Schk. Fil. 41.
 — *lobatum* Sw. Schk. Fil. 40.
 — — Engl. Bot. 22, 1563.
 — — Newman p. 169.
 — *Lonchitis* Sw. Schk. Fil. 29.
 — — Engl. Bot. 12, 797.
 — — Newman p. 163, 166.

- Aspidium marginale* Sw. Schk. Fil. 45^b.
 — *mohrioides* Bory. Bory Coquille 35.
 — — *D'Urv.* Hook. Fl. ant. 149.
 — *molle* Sw. Schk. Fil. 34^b.
 — *montanum* Sw. Schk. Fil. 63.
 — — Fl. dan. 13, 2250.
 — *mucronatum* Sw. Schk. Fil. 29^b.
 — *neriiforme* Sw. Kunze Fil. 18.
 — *neveboracense* Sw. Schk. Fil. 46.
 — *nobile Schlecht.* Kunze Fil. 67.
 — *nodosum Willd.* Hook. Ex. Fl. 117.
 — *nymphae* Sw. Schk. Fil. 34.
 — *obtusum* Sw. Schk. Fil. 43^b.
 — *Oreopteris* Sw. Schk. Fil. 35. 36.
 — — Engl. Bot. 15, 1019.
 — — Newman p. 187. 190.
 — *paludosum Raddi.* Raddi Fil. 44.
 — *patens Raddi.* Raddi Fil. 48.
 — *pedatum Desv.* Kunze Fil. 75.
 — *pendulum Raddi.* Raddi Fil. 43.
 — *pilosum L. et F.* Langsd. et Fisch. 16.
 — *proliferum H. et Gr.* Hook. et Grev. Ic. Fil. 96.
 — *pumilum M. et G.* Acad. Brux. 15, 17.
 — *pungens Kaulf.* Schlecht. Fil. 10.
 — *ramosum Pal.* Pal. Fl. d'Ow. 91.
 — *rhizophyllum* Sw. Hook. Ic. Fil. 59.
 — *rigidum* Sw. Schk. Fil. 38.
 — — Engl. Bot. 2724.
 — — Sturm Flora II. 3, 2.
 — — Fl. dan. 13, 2187.
 — — Newman p. 191. 196.
 — *scandens Raddi.* Raddi Fil. 49.
 — *Serra Sw.* Schk. Fil. 33^b.
 — *setosum Thunb.* Schk. Fil. 49.
 — — Langsd. et Fisch. 17.
 — *singaporianum Wall.* Hook. Ic. Fil. 26.
 — — Kunze Fil. 9.
 — *sinuatum Lab.* Bill. Sert. 1.
 — *spinulosum Willd.* Schk. Fil. 48.
 — — Engl. Bot. 21, 1460.
 — — Newman p. 215.
 — *splendens Willd.* Rbeede Hort. mal. 12, 31.
 — *stenopteris Kze.* Kunze Fil. 126.
 — *subquinquefidum Pal.* Pal. Fl. d'Ow. 19.
 — *tenue Sw.* Schk. Fil. 53^b.
 — *Thelypteris* Sw. Schk. Fil. 52.
 — — Engl. Bot. 15, 1018.
 — — Newman p. 183. 186.
 — — var. *Schlecht.* Fil. 11.
 — *trapezoides Sw.* Schk. Fil. 29^b.
 — *trifoliatum Sw.* Schk. Fil. 28. 28^b.
 † — — Hook. Gen. Fil. 33.
 † — — *Schott.* Schott Gen. Fil. 13.
 — *truncatum Gauch.* Freycinet Voyage 10.
 — *umbrosum Sw.* Schk. Fil. 60.
 — *unitum Sw.* Schk. Fil. 33^b.
 — *vestitum Sw.* Schk. Fil. 43.
 — *villosum Sw.* Schk. Fil. 46^b.
 — *Wallichii Hook.* Hook. Ex. Fl. 5.
 — — Kunze Fil. 19.
 — — Bélanger Ind. or. 5.
Aspidopteris glomerata Wight. Wight Ic. pl. Ind. or. 6, 1986.
 † — *hirsuta Juss.* Arch. Mus. 3, 17.
Aspidosperma macrocarpum Mart. Mart. Bras. 35. 36.
 — *tomentosum Mart.* Mart. Bras. 34.
 † *Asplenium L.* Bernhardt Aspl. 1.
 — *abrotanoides Presl.* Presl Rel. 8.
 — *acutum Poll.* Poll. Fl. ver. 3, 2.
 — *adiantoides Raddi.* Raddi Fil. 51.
 — — Raoul Nouv. Zel. 1.
 — *Adiantum nigrum L.* Fl. dan. 2, 250.

- Asplenium Adiantum nigrum L.* Schk. Fil. 89^a.
 — — — Engl. Bot. 28, 1956.
 — — — Sturm Flora II. 2, 3.
 — — — Nees Düsseld. 16.
 — — — Newman p. 255. 257.
 — — — var. *capense*, Schlecht. Fil. 17.
 — *alatum Humb.* Hook. Ic. Fil. 137.
 — *alternifolium Wulf.* Jacq. Misc. 2, 5.
 — — — Engl. Bot. 32, 2258.
 — — *Sm.* Newman p. 265.
 — *alternifrons Dilw.* Rheede Hort. mal. 12, 16.
 — *ambiguum Sw.* Schk. Fil. 75. 75^b.
 — — — Raddi Fil. 54. 54^b.
 — *anceps Sol.* Hook. Ic. Fil. 195.
 — *angustifolium Sw.* Jacq. Ic. 199.
 — — — Schk. Fil. 67. 69.
 — — *Guss.* Guss. Pl. rar. 68.
 — *angustum Willd.* Kunze Anal. 14.
 — *anthriscifolium Jacq.* Jacq. Collect. 2, 2.
 — *apicedentatum Hombr.* Richard Astrol. 1.
 — *aspidioides Schlecht.* Schlecht. Fil. 13.
 — *Athyrium Sw.* Schk. Fil. 78.
 — *attenuatum Br.* Hook. Ic. Fil. 220.
 — *auritum Sw.* Schk. Fil. 130^b.
 — *australe Sw.* Swartz Syn. Fil. 3.
 — *brasiliense Raddi.* Raddi Fil. 51.
 — *Breynii Retz.* Schk. Fil. 81.
 — — Sv. Bot. 534.
 — *bulbiferum Forst.* Schk. Fil. 79.
 — — Hook. Ic. pl. 423.
 — — Richard Astrol. 3.
 — *canariense Willd.* Webb Can. 251.
 — *caudatum Sw.* Schk. Fil. 77.
 — *Ceterach L.* Sturm Flora II. 2, 6.
 — *chondrophyllum Colla.* Mem. Tur. 39, 68.
 † — *cicutarium Sw.* Hook. Gen. Fil. 6.
 — *concisum Desv.* Mem. soc. Linn. Par. 6, 9.
 — *cuneatum Sw.* Schk. Fil. 78.
 — *cuneifolium Viv.* Viv. Fl. ital. 18.
 — *Dalhousiae Hook.* Hook. Ic. pl. 2, 105.
 — *delicatulum Presl.* Presl Rel. 7.
 — *deltoideum Presl.* Presl Rel. 7.
 — *dentatum L.* Hook. Ic. Fil. 72.
 — *divaricatum Kze.* Kunze Fil. 139.
 — *Douglasii H. et Gr.* Hook. et Gr. Ic. Fil. 150.
 — *Dregeanum Kze.* Kunze Fil. 27.
 — *ebeneum Lodd.* Lodd. Cab. 5.
 — *emarginatum Pal.* Pal. Fl. d'Ow. 81.
 — *ensiforme Wall.* Hook. Ic. Fil. 71.
 — *erectum Bory.* Schlecht. Fil. 15.
 — *Fabianum Hombr.* Richard Astrol. 3^b.
 † — *falcatum Lam.* Rheede Hort. mal. 12, 18.
 † — *falx Desv.* Fée Fil. 5, 17.
 — *Filix foemina Hook.* Newman p. 237. 244.
 — *Finlaysonianum Wall.* Hook. Ic. Fil. 136.
 — *flabellifolium Sw.* Swartz Syn. Fil. 3.
 — — — Lodd. Cab. 1567.
 — *flabelliforme Cav.* Hook. Ex. Fl. 208.
 — *flexuosum Presl.* Presl Rel. 7.
 — *foeniculaceum Humb.* Hook. Ic. Fil. 92.
 — *fragrans Sw.* Schk. Fil. 130^b.
 — — *Hook.* Hook. Ic. pl. 4, 88.
 — *furcatum Sw.* Schk. Fil. 79.
 — *germanicum Weiss.* Sturm Flora II. 2, 5.
 — — Newman p. 264. 265.
 — *Gilliesianum H. et Gr.* Hook. et Gr. Ic. Fil. 73.
 — *Grevillei Wall.* Hook. Ic. Fil. 228.
 — *hemionitis Lam.* Lam. Encycl. 867.
 — *imbricatum H. et Gr.* Hook. et Gr. Ic. Fil. 165.
 — *laceratum Desv.* Hook. Ic. Fil. 189.
 — *laetum Sw.* Schk. Fil. 70.
 — *lanceolatum Huds.* Engl. Bot. 4, 240.

- Asplenium lanceolatum* Huds. Newman p. 249.
 — *lanceum* Thunb. Thunb. Ic. jap. 18.
 — — Hook. Ic. Fil. 27.
 — *lassum* Raddi. Raddi Fil. 22^b.
 — *latifolium* Bory. Bory lles fort. 6.
 — *laxum* R. Br. Richard Astrol. 3.
 — *lucidum* Forst. Schk. Fil. 72.
 — — Schlecht. Fil. 14.
 — *Macraei* H. et Gr. Hook. et Gr. Ic. Fil. 217.
 — *macrosum* Colla. Mem. Tur. 39, 67.
 — *magellanicum* Kauf. Hook. Ic. Fil. 180.
 — *marinum* L. Schk. Fil. 68.
 — — Curt. Lond. 4, 60.
 — — Engl. Bot. 6, 392.
 — — Newman p. 275.
 — *Menziesii* H. et Gr. Hook. et Gr. Ic. Fil. 100.
 — *mexicanum* M. et G. Acad. Brux. 15, 15.
 — *minimum* M. et G. Acad. Brux. 15, 15.
 — *monanthemum* L. Smith Ic. Linn. 73.
 — — Lodd. Cab. 1700.
 — *Nidus* L. Raddi Fil. 53.
 — — Bot. Mag. 58, 3101.
 — *nitidum* Sw. Schk. Fil. 81.
 — *obliquum* Lab. Bill. Nov. Holl. 242.
 — — Schk. Fil. 71.
 — *obovatum* Viv. Guss. Pl. rar. 64.
 — — Hook. Ic. Fil. 147.
 — *obtusatum* Forst. Bill. Nov. Holl. 242.
 — — Schk. Fil. 68.
 — — Richard Astrol. 1.
 — *obtusifolium* L. Hook. Ic. Fil. 239.
 — *palmatum* Sw. Schk. Fil. 66.
 — — Lodd. Cab. 868.
 — *parvulum* Hook. Hook. Ic. pl. 3, 222.
 — — Acad. Brux. 15, 15.
 — *pellucidum* L. Desc. Ant. 4, 288.
 — *Petrarchae* Spr. Hook. Ic. Fil. 152.
 — *plantagineum* Lam. Lam. Encycl. 867.
 — *Poiretianum* Gaudch. Freycinet Voyage 13.
 — *polymorphum* M. et G. Acad. Brux. 15, 15.
 — *polypodioides* Sw. Schk. Fil. 73.
 — *productum* Presl. Presl Rel. 8.
 — *protensum* Schrad. Schlecht. Fil. 16.
 — *pseudo-nitidum* Raddi. Raddi Fil. 55.
 — *pulchellum* Raddi. Raddi Fil. 52.
 — *pumilum* Lam. Lam. Encycl. 867.
 — *rachirrhizon* Raddi. Raddi Fil. 56.
 — *resectum* Sm. Smith Ic. Linn. 72.
 — — Hook. Ic. Fil. 114.
 — *rhizophorum* Sw. Schk. Fil. 76.
 — *rhizophyllum* L. Dict. sc. nat. 83.
 — — Torr. New York 159.
 — *Ruta muraria* L. Fl. dan. 2, 190.
 — — Schk. Fil. 80^b.
 — — Sv. Bot. 306.
 — — Engl. Bot. 3, 150.
 — — Newman p. 261.
 — — Nees Düsseldorf. 16.
 — — Hook. Gen. Fil. 30.
 — *salicifolium* Raddi. Raddi Fil. 50.
 — *Scleroprium* Hombr. Richard Astrol. 1.
 — *Scolopendrium* L. Sv. Bot. 143.
 — — Woodv. Med. 4, 269.
 — *semicordatum* Raddi. Raddi Fil. 52.
 — *septentrionale* Sw. Schk. Fil. 63.
 — — Curt. Lond. 5, 162.
 — — Engl. Bot. 15, 1017.
 — — Sv. Bot. 534.
 — — Sturm Flora II. 2, 4.
 — — Newman p. 266.
 — *Serra* Sw. Langsd. et Fisch. 19.
 — *serratum* Sw. Schk. Fil. 64.

- Asplenium serratum* Sw. Desc. Ant. 2, 151.
 — *serrulatum* Sw. Hook. Ex. Fl. 78.
 — *Shepherdii* Spr. Acta Leop. 10, 1, 17.
 — *Shuttleworthianum* Kze. Kunze Fil. 14.
 — *sibiricum* Kze. Kunze Anal. 15.
 — *sinuatum* Pal. Pál. Fl. d'Ow. 79.
 — *sorbifolium* Jacq. Jacq. Collect. 2, 3.
 — *stellatum* Colla. Mem. Tur. 39, 69.
 — *stoloniferum* Bory. Presl Rel. 6.
 — *subulatum* Hook. Hook. Beech. 71.
 — *tenerum* Sw. Schk. Fil. 69.
 — *tenue* Presl. Presl Rel. 6.
 — *tenuifolium* Guss. Guss. Pl. rar. 65.
 — *thelypteroides* Sw. Schk. Fil. 76^b.
 — *trapezoides* Sw. Schk. Fil. 67.
 — *tremulum* Hombr. Richard Astrol. 3^b.
 † *Trichomanes* L. Hedw. Theor. 7.
 — — Fl. dan. 1, 119.
 — — Curt. Lond. 5, 156.
 — — Engl. Bot. 8, 576.
 — — Sv. Bot. 131.
 — — Schk. Fil. 74.
 — — Nees Düsseldorf. 16.
 — — Woodv. Med. 4, 270.
 — — Newman p. 283.
 — *triphyllum* Presl. Hook. Ic. Fil. 88.
 — *varians* Wall. Hook. Ic. Fil. 172.
 — *virens* Presl. Presl Rel. 6.
 — *viridans* Lab. Bill. Sert. 2.
 — *viride* Huds. Schk. Fil. 73.
 — — Fl. dan. 8, 1289.
 — — Sv. Bot. 774.
 — — Sturm Flora II. 1, 10.
 — — Schrank Fl. monac. 1, 16.
 — — Engl. Bot. 32, 2257.
 — — Newman p. 281.
 — *Willd.* Sv. Bot. 462.
 — *viviparum* Hombr. Richard Astrol. 3.
 — *zamiaefolium* Willd. Kunze Fil. 48.
 — — Lodd. Cab. 854.
 † *Asprella* Host. Dumortier Gram. 12.
 — *nardiformis* Host. Host Gram. 329.
Assonia populnea Cav. Cav. Diss. 42.
 † *Astelia* (nova species) Schnizl. Ic. 1, 51^a.
 — *alpina* R. Br. Hook. Bot. Misc. 3.
 † — *Banksii* R. Br. Van Houtte Hort. 5.
 — *montana* R. Br. Schnizl. Ic. 1, 51^a.
 — *pumila* R. Br. Hook. Fl. ant. 127.
 — *veratroides* Gaudch. Freycinet Voyage 31.
 † *Astelieae* Endl. Schnizl. Ic. 51^a.
Astelma eximium R. Br. Bot. Reg. 7, 532.
 — — Paxt. Mag. 5, 103.
 — *fruticans* Ker. Bot. Reg. 9, 726.
Astephanus cubensis H. B. K. H. B. K. Nov. Gen. 3, 237.
 † *Aster* L. Lam. Encycl. 881.
 — *acris* L. Cav. Ic. 233.
 — *aculeatus* Lab. Bill. Nov. Holl. 200.
 — — Lodd. Cab. 830.
 — *acuminatus* Michx. Bot. Mag. 54, 2707.
 — *adulterinus* Willd. Bot. Reg. 19, 1571.
 — *albus* Hort. angl. Bot. Reg. 20, 1656.
 — *alpinus* L. Jacq. Fl. austr. 1, 88.
 — — Bot. Mag. 6, 109.
 — — Sturm Flora 10, 37.
 — — var. Lodd. Cab. 1289.
 — *alwartensis* Lodd. Bot. Mag. 49, 2321.
 — *amelloides* Hoffm. Comm. Gott. 15, 7.
 — *Amellus* L. All. Fl. ped. 3, 69.
 — — Jacq. Fl. austr. 5, 425.
 — — Bot. Reg. 4, 340.
 — — Schrank Fl. monac. 2, 182.
 — — Dietr. Fl. bor. 9, 63.

- † *Aster Amellus* L. Nees Gen. X, x.
 — *amygdalinus* Lam. Novi Comm. Bon. 8, 34.
 — — Bot. Reg. 18, 1517.
 — *angustifolius* Jacq. Jacq. Schoenbr. 3, 370.
 — — Royle Illustr. 38.
 — *annuus* L. Fl. dan. 3, 486.
 — *aragonensis* Asso. Asso Arag. 8.
 — — Lam. Encycl. 681.
 — *argophyllus* Lab. Bill. Nov. Holl. 201.
 — — Bot. Mag. 38, 1563.
 — *aurantius* L. Houst. Rel. 18.
 — *bellidioides* Wall. Wall. Pl. asiat. 101.
 — *blandus* Lodd. Lodd. Cab. 959.
 — *Bubonium* Scop. Scop. Fl. carn. 2, 58.
 — *caespitosus* Hort. Bot. Reg. 19, 1571.
 — *calendulaefolius* Hort. Herb. amat. 4, 274.
 — *canus* W. et K. W. et Kit. 30.
 — *caricifolius* H. B. K. H. B. K. Nov. Gen. 4, 333.
 — *carolinianus* Walt. Jacq. Ecl. pl. 125.
 — *chinensis* L. Rousseau Bot. 38.
 — *concinus* Willd. Bot. Reg. 19, 1619.
 — — Colla. Mem. Tur. 33, 12.
 — *concolor* L. Novi Comm. Bon. 8, 34.
 — *cordifolius* Vog. Trew Pl. rar. 27.
 — — L. Comm. Gott. 15, 8.
 — — Bot. Reg. 19, 1597.
 — — Michx. Bot. Reg. 18, 1487.
 — *corymbosus* Ait. Bot. Reg. 18, 1532.
 — *crocifolius* H. B. K. H. B. K. Nov. Gen. 4, 332^a.
 — *cyaneus* Hoffm. Hoffm. Phyt. Bl. 2.
 — — Comm. Gott. 15, 3.
 — — Bot. Reg. 18, 1495.
 — *dentatus* Andr. Andr. Rep. 1, 61.
 — *dumosus* Hoffm. Hoffm. Phyt. Bl. 1.
 — — Ait. Comm. Gott. 15, 2.
 — *eminens* Willd. Bot. Reg. 19, 1614. 20, 1656.
 — *ericoides* L. Schk. Handb. 245.
 — *fastigiatus* Led. Ledeb. Ic. 161.
 — *filifolius* Vent. Vent. Malm. 82.
 — *fragilis* Willd. Bot. Reg. 18, 1537.
 — *fruticosus* L. Bot. Mag. 54, 2718.
 — *fruticulosus* L. Jacq. Fragm. 5.
 — — Bot. Mag. 49, 2286.
 — *glandulosus* Lab. Bill. Nov. Holl. 197.
 — *glutinosus* Cav. Cav. Ic. 168.
 — — Bot. Reg. 3, 187.
 — *grandiflorus* L. Martyn Hist. 17.
 — — Bot. Reg. 4, 273.
 — — Comm. Gott. 15, 1.
 — — Hoffm. Phyt. Bl. 1.
 — *hirtus* Scop. Scop. Fl. carn. 2, 58.
 — *hispidus* Thunb. Kaempf. Jap. 29.
 — *hortensis* L. var. Fl. d. serres 7, 692 — 694.
 — *humilis* Willd. Willd. Hort. 67.
 — *hyssopifolius* L. Cav. Ic. 232.
 — *juncus* H. B. K. Bot. Reg. 19, 1614.
 — *laevigatus* Willd. Bot. Mag. 57, 2995.
 — *laevis* L. Bot. Reg. 18, 1500.
 — *linarifolius* Michx. Barton Fl. 3, 104.
 — *longifolius* Lam. Bot. Reg. 19, 1614.
 — *lusitanus* Brot. Brot. Phyt. 29.
 — *lyratus* Sims. Bot. Mag. 37, 1509.
 † *macrophyllus* L. Gaertn. Carp. 170.
 — *magellanicus* Lam. Lam. Encycl. 681.
 — *microphyllus* Lab. Bill. Nov. Holl. 199.
 — — De Cons. Novi Comm. Bon. 8, 34.
 — *multiflorus* De Cons. Novi Comm. Bon. 8, 34.
 — *mutabilis* H. B. K. Bot. Reg. 19, 1614.
 — *myrsinoides* Lab. Bill. Nov. Holl. 202.
 — *Novae Angliae* L. Bot. Reg. 3, 183.
 — *nudicaulis* Lam. Lam. Encycl. 681.
 — *obovatus* Led. Ledeb. Ic. 492.

- Aster pallens* Willd. Bot. Reg. 18, 1509.
 — *pallidulus* Vog. Trew Pl. rar. 28.
 — *pannonicus* Jacq. Jacq. Vind. 8.
 — *patens* Willd. Sweet Fl. G. 234.
 — *pendulus* Ait. Comm. Gott. 15, 6.
 — — Hoffm. Hoffm. Phyt. Bl. 3.
 — *phlogopappus* Lab. Bill. Nov. Holl. 195.
 — *pinnatus* Cav. Cav. Ic. 212.
 — *ptarmicoides* T. et Gr. Torr. New York 52.
 — *pulcherrimus* Lodd. Lodd. Cab. 6.
 — *punctatus* W. et K. W. et Kit. 109.
 — — Bot. Reg. 21, 1818.
 — *punicus* L. var. Bot. Reg. 19, 1636.
 — *Radula* Ait. Torr. New York 50.
 — *ramulosus* Lab. Bill. Nov. Holl. 198.
 — *reflexus* L. Andr. Rep. 2, 93.
 — — Bot. Mag. 23, 884.
 — *repens* H. B. K. H. B. K. Nov. Gen. 4, 332^b.
 — *rigidus* L. Novi Comm. Bon. 8, 35.
 — *rupestris* H. B. K. H. B. K. Nov. Gen. 4, 334.
 — *salicifolius* Scholler. Scholler Suppl. Barb. 1.
 — *salignus* Willd. Fl. dan. 14, 2475.
 — — Dietr. Fl. bor. 8, 557.
 — *salinus* Schrad. Schrad. Hort. gott. 3.
 — *salsuginosus* Rich. Bot. Mag. 56, 2942.
 — *scabrosus* Bert. Novi Comm. Bon. 8, 33.
 — *scandens* Jacq. Jacq. Ecl. pl. 125.
 — *sericeus* Vent. Vent. Cels 33.
 — — Savi Fl. ital. 2, 67.
 — *sikkimensis* Hook. Bot. Mag. 77, 4557.
 — — Lem. Jard. fl. 91.
 — — Fl. d. serres 6, 621.
 — *spectabilis* Ait. Bot. Reg. 18, 1527.
 — — Torr. New York 51.
 — *stellulatus* Lab. Bill. Nov. Holl. 196.
 — *tenellus* L. Jacq. Obs. 88.
 — — Bot. Mag. 1, 33.
 — *thyrsiflorus* Hoffm. Hoffm. Phyt. Bl. 4.
 — — Comm. Gott. 15, 10.
 — *tomentosus* Schrad. et W. Wendl. Sert. hannov. 24.
 — *Tradescanti* Hoffm. Hoffm. Phyt. Bl. 4.
 — — Comm. Gott. 15, 9.
 — *Tripolium* L. Fl. dan. 4, 615.
 — — Curt. Lond. 5, 196.
 — — Engl. Bot. 2, 87.
 — — Sv. Bot. 470.
 — — Dreves 5, 146.
 — — Roemer Fl. eur. 5, 6.
 — — Baxter Br. Bot. 3, 230.
 — *umbellatus* Hoffm. Hoffm. Phyt. Bl. 2.
 — — Comm. Gott. 15, 4.
 — *undulatus* L. Hoffm. Phyt. Bl. 3.
 — — Comm. Gott. 15, 5.
 — *Vahlilii* Hook. et Arn. Hook. Ic. pl. 5, 486.
 — *virginicus* N. v. E. Bot. Reg. 20, 1656.
 — *viscosus* Lab. Bill. Nov. Holl. 203.
Asteracantha longifolia N. v. E. Wight Ic. pl. Ind. 2, 449.
Asteranthos brasiliensis* Desf. Mem. Mus. 6, 3.
 † *Asteriscium Chamisso*. Linnaea 1, 5.
 † — *chilense* Cham. Hook. Bot. Misc. 67^b.
 † — *polyccephalum* Gill. Hook. Bot. Misc. 67^b.
 † *Asteriscus aquaticus* Less. Nees Gen. X, x.
Asterocephalus agrestis W. et K. Rchb. Fl. germ. 12, 691.
 — *arenarius* Vis. Vis. Aeg. 1.
 — *atropurpureus* Lag. Rchb. Fl. germ. 12, 685.
 — *banaticus* W. et K. Rchb. Fl. germ. 12, 696.
 — *brachiatus* Rchb. Rchb. Fl. germ. 12, 684.
 — *canescens* Willd. Rchb. Fl. germ. 12, 690.
 — *columbarius* Spr. Rchb. Fl. germ. 12, 693.
 — *graminifolius* Spr. Rchb. Fl. germ. 13, 687.
 — *gramuntius* Spr. Rchb. Fl. germ. 12, 691.
 — *holosericeus* Bert. Rchb. Fl. germ. 12, 692.

- Asterocephalus lucidus* Vill. Rchb. Fl. germ. 12, 695.
 — *maritimus* Spr. Rchb. Ic. crit. 10, 952.
 — — Rchb. Fl. germ. 12, 686.
 — *ochroleucus* Spr. Rchb. Fl. germ. 12, 694.
 — *pyrenaicus* All. Rchb. Fl. germ. 12, 692.
 — *simplex* DC. Rchb. Fl. germ. 12, 688.
 — *stellatus* Rchb. Rchb. Fl. germ. 12, 688.
 — *suaveolens* Desf. Rchb. Fl. germ. 12, 690.
 — *ucranicus* Spr. Rchb. Fl. germ. 12, 689.
 — *vestinus* Facch. Rchb. Fl. germ. 12, 690.
 † *Asterolinon stellatum* Lk. Nees Gen. 5, 13.
Asteropeia multiflora Aub. Aub. Iles d'Afr. 15.
 † *Asteropterus Callicornia* Gaertn. Gaertn. Carp. 173.
Asterostemma repandum Decne. Delessert Ic. 5, 83.
 † — — Ann. sc. nat. II, 9, 10.
Asterotrichion sidoides Lk. Link Ic. III, 8.
Astiria rosea Ldl. Bot. Reg. 30, 49.
Astoma seselifolium DC. DC. Umbell. 17.
 † *Astragalus* L. Schk. Handb. 208⁶, 209.
 † — — Lam. Encycl. 622, 623.
 — *acmonotrichus* Fenzl. Russegger Reise 8.
 — *adsurgens* Pall. Pall. Astr. 31.
 — — Rchb. Hort. 217.
 — *aduncus* Willd. Marsch. Cent. 80.
 — — MB. Trautv. Imag. 34.
 — *albicans* Bong. Acad. Pet. 6, 2.
 — *albicaulis* DC. DC. Astr. 21.
 — *albidus* W. et K. W. et Kit. 40.
 — *Alopecias* Pall. Pall. Astr. 9.
 — *alopecuroides* Pall. Pall. Astr. 7.
 † — — L. Gaertn. Carp. 154.
 — — Bot. Mag. 59, 3193.
 — *Alopecurus* Pall. Pall. Astr. 8.
 — *alpinus* L. Linné Fl. lapp. 9.
 † — — Wahlbg. Fl. lapp. 12.
 — — Fl. dan. 1, 51.
 — — Engl. Bot. 2717.
 — — Sv. Bot. 679.
 — — Pall. Astr. 32, 33.
 — *altaicus* Pall. Pall. Astr. 45.
 — *alyssoides* Lam. DC. Astr. 18.
 — *amarus* Pall. Pall. Astr. 6.
 — — Goebel Reise 2, 3.
 — *ambiguus* Pall. Pall. Astr. 43, 43⁶.
 — *ammodytes* Pall. Pall. Astr. 5.
 — *amoenus* Fzl. Russegger Reise 7.
 — *ampullatus* Pall. Pall. Astr. 56.
 — *andrachnaefolius* Fzl. Russegger Reise 6.
 — *angulosus* DC. DC. Astr. 45.
 — *angustifolius* Sibth. Sibth. Fl. gr. 734.
 — *ankylotus* F. et M. Goebel Reise 4.
 — — Bunge Reliq. Lehm. 10.
 — *annularis* Forsk. DC. Astr. 7.
 — *anthylloides* Pall. Pall. Astr. 13.
 — — Lam. DC. Astr. 42.
 — *Arbuscula* Pall. Pall. Astr. 17.
 — *arenarius* L. Fl. dan. 4, 614.
 — — Pall. Astr. 34.
 — — Retz. Obs. 3, 3.
 — — Sturm Flora 5, 19.
 — — Sv. Bot. 734.
 — — var. Rochel Ban. 15.
 — — Dietr. Fl. bor. 9, 606.
 — *argentatus* Pall. Pall. Astr. 48.
 — *argenteus* Vis. Vis. Dalm. 46.
 — *aristatus* Willd. Sibth. Fl. gr. 735.
 — — Lodd. Cab. 1278.
 — *arpilobus* Kar. et Kir. Bunge Reliq. Lehm. 13.
 — *asper* L. Jacq. Ic. 152.
 — *aureus* Willd. Mem. Ac. Berl. 1794, 1.
 — — DC. Astr. 32.
 — — Trautv. Imag. 17.

- Astragalus austriacus* L. Jacq. Fl. austr. 2, 195.
 † — *baeticus* L. Gaertn. Carp. 164.
 — — Sibth. Fl. gr. 730.
 — *baicalensis* Pall. Pall. Astr. 52.
 — *Baicalia* Pall. Pall. Astr. 77.
 — *bakaliensis* Bge. Bunge Reliq. Lehm. 14.
 — *Berterii* Colla. Mem. Tur. 37, 9.
 — *bidentatus* H. B. K. H. B. K. Nova Genera 6, 584.
 — *biflorus* Viv. Viv. Lib. 20.
 — *brachycarpus* M. v. B. Marsch. Cent. 58.
 — — Bot. Mag. 49, 2335.
 — *brachyceras* Led. Rchb. Ic. crit. 4, 382.
 — *bracteosus* Klotzsch. Prinz Wald. Him. 5.
 — *brevicarinatus* DC. DC. Astr. 49.
 — *breviflorus* DC. DC. Astr. 31.
 — *brevifolius* Led. Ledeb. Ic. 307.
 — — Lodd. Cab. 1388.
 — *buchtormensis* Pall. Pall. Astr. 62.
 — *caespitosus* Pall. Pall. Astr. 57.
 — *calycinus* M. v. B. Marsch. Cent. 9.
 — *campestris* L. W. et Kit. 130.
 — — Engl. Bot. 36, 2522.
 — *canadensis* L. Lodd. Cab. 372.
 — — Torr. New York 25.
 — *candicans* Pall. Pall. Astr. 49.
 — *candidissimus* Led. Ledeb. Ic. 287.
 — *canescens* DC. DC. Astr. 16.
 — *caryocarpus* Ker. Bot. Reg. 2, 176.
 — *caucasicus* Pall. Pall. Astr. 2.
 — *caudatus* Pall. Pall. Astr. 50.
 — *cephalanthus* DC. DC. Astr. 38.
 — *cephalotes* Pall. DC. Astr. 24.
 — — DC. Astr. 16.
 — *chinensis* L. Linné Hort. ups. 1, 3.
 — *chloranthus* Pall. Pall. Astr. 25.
 — *Cicer* L. Jacq. Fl. austr. 3, 251.
 — — All. Fl. ped. 3, 41.
 — — Schrank Fl. monac. 3, 254.
 — — Sturm Flora 12, 49.
 — *cinereus* Willd. DC. Astr. 40.
 — *Clausii* C. A. M. Goebel Reise 5.
 — *clavatus* DC. DC. Astr. 41.
 — *coluteoides* Willd. DC. Astr. 32.
 — *commixtus* Bunge. Bunge Reliq. Lehm. 10.
 — *compactus* Lam. Mem. Ac. Berl. 1794, 1.
 — *compressus* Led. Ledeb. Ic. 289.
 — *conduplicatus* Bert. Novi Comm. Bon. 6, 10.
 — *consanguineus* Bong. Acad. Pet. 6, 3.
 — *contortuplicatus* L. Pall. Astr. 79.
 — — Sibth. Fl. gr. 729.
 — *corniculatus* M. v. B. Marsch. Cent. 45.
 — *Cracca* DC. DC. Astr. 9.
 — *creticus* Lam. Mem. Ac. Berl. 1794, 2.
 — — DC. Astr. 33.
 — — Sibth. Fl. gr. 736.
 — — Guimp. et Schl. 184.
 — — Wagner 191.
 — *cymbiformis* Willd. Brot. Phyt. 59.
 — *daguricus* Spr. Pall. Astr. 72.
 — *dasyanthus* Pall. Pall. Astr. 65.
 — *dasyphyllus* Pall. Pall. Astr. 75.
 — *danicus* Retz. DC. Astr. 14.
 — *davuricus* Led. Ledeb. Ic. 318.
 — *dealbatus* Pall. Pall. Astr. 23.
 — *deflexus* Pall. L'her. Stirp. 80.
 — *depressus* L. All. Fl. ped. 3, 19.
 — — Sibth. Fl. gr. 733.
 — — Lodd. Cab. 680.
 — *dichopterus* Pall. Pall. Astr. 39.
 — *didymocarpus* Hook. Hook. Beech. 81.
 — *dolichophyllus* Pall. Pall. Astr. 68.

Astragalus Drummondii Dougl. Hook. Bor. Am. 87.

- echinoides Willd. DC. Astr. 34.
- ellipsoides Eed. Ledeb. Ic. 297.
- emarginatus Lab. Bill. Syr. 1, 9.
- Epiglottis L. Sibth. Fl. gr. 731.
- eriocarpus DC. DC. Astr. 47.
- eriocephalus W. et K. W. et Kit. 46.
- exscapus L. Jacq. Ic. 561.
- — Pall. Astr. 64.
- — Hayne 6, 12.
- — Nees Düssel. 328.
- — Woodv. Med. 3, 155.
- falcatus Lam. Pall. Astr. 28.
- — DC. Astr. 26.
- — Desf. Desf. Fl. atl. 206.
- floribundus Pall. Pall. Astr. 37.
- foetidus Vill. Vill. Dauph. 43.
- follicularis Pall. Pall. Astr. 14.
- fruticosus Pall. Pall. Astr. 19.
- galactites Pall. Pall. Astr. 69.
- † — galegiformis L. Gaertn. Carp. 154.
- — Pall. Astr. 29.
- Garvanzillo Cav. Cav. Ic. 85.
- Gebleri Fisch. Acad. Pet. 6, 4.
- geminiflorus H. B. Humb. Pl. aeq. 37.
- geniculatus Desf. Desf. Fl. atl. 205.
- glomeratus Led. Ledeb. Ic. 299.
- glycyphyllus L. Fl. dan. 7, 1108.
- — Engl. Bot. 3, 203.
- — Sv. Bot. 237.
- — Schrank Fl. monac. 1, 22.
- Grahamianus Steud. Royle Illustr. 36.
- grandiflorus Pall. Pall. Astr. 46.
- gummiifer Lab. Hayne 10, 8.
- — Guimp. et Schl. 185.
- — Wagner 190.
- — Nees Düss. Suppl. 62.
- † — hamosus L. Gaertn. Carp. 154.
- — Sibth. Fl. gr. 728.
- helminthocarpos Vill. Vill. Dauph. 42.
- hians Jacq. Jac. Ic. 153.
- himalayanus Klotzsch. Prinz Wald. Him. 4.
- hirsutissimus DC. DC. Astr. 19.
- hirsutus Vahl. DC. Astr. 43.
- hispidulus DC. DC. Astr. 13.
- hispidus Lab. Bill. Syr. 1, 8.
- hypogaeus Led. Ledeb. Ic. 95.
- hypoglottis L. Brot. Phytogr. 60.
- — DC. Astr. 14.
- — Engl. Bot. 4, 274.
- — Baxter Br. Bot. 6, 453.
- hyrcanus Pall. Pall. Astr. 22.
- inarius Pall. Pall. Astr. 77.
- incanus Pall. Pall. Astr. 84.
- — L. Sibth. Fl. gr. 732.
- incurvus Desf. Desf. Fl. atl. 203.
- lactiflorus Led. Ledeb. Ic. 103.
- lagopodioides Vahl. Mem. Ac. Berl. 1794, 1.
- Lagurus Pall. Pall. Astr. 16.
- — Willd. Mem. Ac. Berl. 1794, 1.
- — DC. Astr. 36.
- lanatus Pall. Pall. Astr. 81.
- — Lab. Bill. Syr. 1, 10.
- lanigerus Desf. Desf. Fl. atl. 202.
- lanuginosus Desc. Desc. Ant. 7, 475.
- lasianthus C. A. M. Acad. Pet. 6, 6, 7.
- latifolius Lam. DC. Astr. 46.
- Laxmanni Pall. Pall. Astr. 30.
- — Jacq. Jacq. Vind. 3, 37.
- — Kn. et Westc. 66.
- Lehmannianus Bge. Bunge Rel. Lehm. 15.
- leontinus Jacq. Jacq. Ic. 154.

† Astragalus leontinus Wahlbg. Wahlbg. Fl. lapp. 12.

- — Wulf. Roemer Fl. eur. 8, 6.
- — Sturm Flora 6, 24.
- — Lodd. Cab. 432.
- leptocaulis Led. Ledeb. Ic. 284.
- leptophyllus Pall. Pall. Astr. 66.
- — Desf. Desf. Fl. atl. 207.
- leptostachyus Pall. Pall. Astr. 40.
- leucanthus Pall. Pall. Astr. 47.
- leucocephalus Grah. Royle Illustr. 33.
- leucophaeus Sm. Lodd. Cab. 111.
- lignosus DC. DC. Astr. 39.
- lineatus Lam. DC. Astr. 11.
- longiflorus Pall. Pall. Astr. 60, 60^b.
- — Delile Egypte 39.
- longifolius Lam. Mem. Ac. Berl. 1794, 2.
- — DC. Astr. 30.
- lupulinus Pall. Pall. Astr. 15.
- macrocarpus DC. DC. Astr. 28.
- macrorrhizus Cav. Cav. Ic. 133.
- macrostachys DC. DC. Astr. 15.
- maculatus Lam. DC. Astr. 7.
- mareoticus Del. Delile Egypte 39.
- megalanthus DC. DC. Astr. 20.
- melanotrichus Led. Ledeb. Ic. 294.
- melilotoides Pall. Pall. Astr. 41.
- mexicanus DC. Mem. Genev. 6, 3.
- microphyllus Pall. Pall. Astr. 76.
- mirpourenus Jacq. Jacquemont Ind. 46.
- mixtus M. v. B. Marsch. Cent. 26.
- monspessulanus L. Scop. Fl. carn. 2, 45.
- — Bot. Mag. 11, 375.
- — Lodd. Cab. 981.
- — Sturm Flora 12, 49.
- montanus L. Jacq. Fl. austr. 2, 167.
- — Scop. Fl. carn. 2, 45.
- — Bot. Mag. 22, 843.
- multicaulis Led. Ledeb. Ic. 316.
- mucronatus DC. DC. Astr. 25.
- muricatus Pall. Pall. Astr. 73.
- myriophyllus Pall. Pall. Astr. 71.
- nanus DC. DC. Astr. 17.
- narbonensis Pall. Pall. Astr. 10.
- nigrescens Pall. Pall. Astr. 53.
- numularius Desf. Desf. Fl. atl. 204.
- obtusifolius DC. Delessert Ic. 3, 72.
- odoratus Lam. DC. Astr. 24.
- olympicus Pall. Pall. Astr. 4.
- Onobrydis L. Jacq. Fl. austr. 1, 38.
- — var. Bot. Mag. 53, 2665.
- orbiculatus Led. Ledeb. Ic. 290.
- oroboides Hornem. Fl. dan. 8, 1396.
- oxyphyllus Pall. Pall. Astr. 74.
- pauciflorus Pall. Pall. Astr. 66.
- pelliger Fzl. Russegger Reise 5.
- † — pentaglottis L. Gaertn. Carp. 154.
- — Cav. Ic. 188.
- peregrinus Vahl. DC. Astr. 27.
- physodes L. Pall. Astr. 58, 58^b.
- — DC. Astr. 48.
- physodi affinis Pall. Pall. Astr. 59.
- pilosus L. Pall. Astr. 80.
- — Jacq. Fl. austr. 1, 51.
- Polygala Pall. Pall. Astr. 83.
- ponticus Pall. Pall. Astr. 11.
- Poterium Vahl. Pall. Astr. 1.
- procumbens H. et Arn. Bot. Mag. 60, 3263.
- pseudotragacantha Pall. Pall. Astr. 3.
- psoraloides Lam. DC. Astr. 18.
- puberulus Led. Ledeb. Ic. 291.
- pubescens Schrk. Schrank Primit. sal. 2.
- Pumilio Pall. Pall. Astr. 55.

- Astragalus purpureus* Lam. DC. Astr. 12.
 — *pygmaeus* Pall. Pall. Astr. 54.
 — *quadrisulcatus* Bge. Bunge Reliq. Lehm. 10.
 — *rariflorus* Led. Ledeb. Ic. 88.
 — *reduncus* Pall. Pall. Astr. 82.
 — *reptans* Willd. Willd. Hort. 88.
 — *retroflexus* Pall. Pall. Astr. 27.
 — *retusus* Willd. Mem. Ac. Berl. 1794, 2.
 — DC. DC. Astr. 35.
 — *roseus* Led. Ledeb. Ic. 300.
 — *rupifragus* Pall. Pall. Astr. 70^a, 70^b.
 — *rytidocarpus* Led. Ledeb. Ic. 293.
 — *sabuletorum* Led. Ledeb. Ic. 298.
 — *scabrisetus* Bong. Acad. Pet. 6, 5.
 — *Schanganianus* Pall. Pall. Astr. 63.
 — *scleropodius* Led. Ledeb. Ic. 295.
 — *semibilocularis* DC. DC. Astr. 23.
 — *setosus* Pall. Pall. Astr. 44.
 — *Sieversianus* Pall. Pall. Astr. 12.
 — *silvicolus* Pall. Pall. Astr. 78.
 — *sinicus* L. Bot. Mag. 33, 1350.
 — *sirnicus* Ten. Ten. Fl. nap. 171.
 — *songaricus* Pall. Pall. Astr. 51.
 — *stipitatus* Don. Bot. Mag. 50, 2380.
 — *striatellus* M. v. B. Marsch. Cent. 20.
 — *strobiliferus* Jacq. Jacquemont Ind. 47.
 — *subbifidus* Ledeb. Bunge Reliq. Lehm. 13.
 — *subulatus* Pall. var. Pall. Astr. 20, 20^a—20^d.
 — Desf. DC. Astr. 7.
 — *subumbellatus* Klotzsch. Prinz Wald. Him. 3.
 — *succulentus* Rich. Bot. Reg. 16, 1324.
 — *sulcatus* L. Jacq. Vind. 3, 40.
 — *tauricus* Pall. Pall. Astr. 38.
 — *tenuifolius* Willd. Sweet Fl. G. 73.
 — *testiculatus* Pall. Pall. Astr. 67.
 — *tomentosus* Lam. DC. Astr. 29.
 † *Tragacantha* L. Gaertn. Carp. 154.
 — — Pall. Astr. 4.
 — — Mem. Ac. Berl. 1794, 1.
 — — Watson Dendr. 2, 84.
 — — Woodv. Med. 3, 149.
 — — Wagner 192.
 — *tribuloides* Bunge. Bunge Reliq. Lehm. 14.
 — *trimestris* L. Jacq. Vind. 174.
 — *trimorphus* Viv. Viv. Lib. 10.
 — *triphyllus* Pall. Pall. Astr. 56.
 — *tuberculosus* DC. DC. Astr. 22.
 — *uliginosus* L. Pall. Astr. 26.
 — *uniflorus* DC. DC. Astr. 50.
 — *unifolius* L'her. DC. Astr. 10.
 — *uralensis* L. Pall. Astr. 42.
 — — Jacq. Ic. 155.
 — — Lightf. Fl. scot. 1, 17.
 — — Fl. dan. 6, 1041.
 — — Engl. Bot. 7, 465.
 — — Lodd. Cab. 58.
 — *utriger* Pall. Pall. Astr. 61, 62.
 — *vaginans* DC. DC. Astr. 37.
 — — Pall. Pall. Astr. 36.
 — *verrucosus* Moris. Moris Fl. sard. 65.
 — *versicolor* Pall. Pall. Astr. 33.
 — *verus* DC. Hayne 10, 7.
 — — Oliv. Guimp. et Schl. 183.
 — *vesicarius* L. All. Fl. ped. 3, 80.
 — — Vill. Dauph. 42.
 — — Bot. Mag. 60, 3268.
 — *vesiculosus* Clos. Gay Chile 17.
 — *vicioides* Led. Ledeb. Ic. 286.
 — *villosus* Michx. Andr. Rep. 8, 516.
 — *vimineus* Pall. Pall. Astr. 21.
 — *virgatus* Pall. Pall. Astr. 18.
 — — Winterl Ind. 12.

- Astragalus virgatus* Pall. Kn. et Westc. 126.
 — *viscosus* Vill. Vill. Dauph. 43.
 — *vulnerarioides* All. All. Fl. ped. 3, 19.
 — *xanthotrichus* Led. Ledeb. Ic. 296.
Astranthus cochinchinensis Lour. Bot. Mag. 53, 2659.
Astrantia carniolica Jacq. Jacq. Fl. austr. 5, 10.
 — — — Tratt. Thes. 75.
 — — — Sturm Flora 8, 29.
 — *Epipactis* L. fl. Scop. Fl. carn. 1, 6.
 — — — Jacq. Fl. austr. 5, 11.
 — — — Sturm Flora 6, 24.
 † — — — Mem. Mosc. 5, 1.
 — *helleborifolia* Salisb. Salisb. Parad. 60.
 † — *major* L. Gaertn. Carp. 20.
 † — — — Lam. Encycl. 191.
 — — — Schk. Handb. 60.
 — — — Smith Ex. Bot. 76.
 — — — Hayne 1, 13.
 — — — Dreves 5, 133.
 — — — Sturm Flora 8, 29.
 — — — Schrank Fl. monac. 2, 140.
 — — — Nees Düsseld. 295.
 — — — Dietr. Fl. bor. 11, 719.
 † — — — Nees Gen. X, x.
 — *maxima* Pall. Bot. Mag. 38, 1553.
 — *minor* Scop. Scop. Fl. carn. 1, 7.
 — — — L. Smith Ex. Bot. 77.
 — — — Tratt. Thes. 76.
 — — — Lodd. Cab. 93.
 — — — Sturm Flora 8, 29.
 † — — — Spr. Mem. Mosc. 5, 1.
 — *pauciflora* Bert. Rchb. Ic. crit. 4, 378.
Astrapaea viscosa Sweet. Bot. Mag. 76, 4544.
 — — — Hook. Lem. Jard. fl. 69.
 — *Wallichii* Ldl. Ldl. Collect. 14.
 — — — Bot. Reg. 9, 691.
 — — — Bot. Mag. 51, 2503.
 — — — Lodd. Cab. 1443.
 — — — Martius Auswahl 4, 5.
 — — — Rchb. Exot. 246.
Astrocaryum sesamoides DC. Rchb. Fl. germ. 2, 99.
Astrocaryum acaule Mart. Mart. Palm. 24, 63.
 — *Ayri* Mart. Mart. Palm. 59^a.
 — *campestre* Mart. Mart. Palm. 63, 64.
 — *Chonta* Mart. D'Orb. Voyage 4, 29.
 — *gynanthum* Mart. Mart. Palm. 60, 61.
 — *Huaimi* Mart. D'Orb. Voyage 13, 30.
 — *Jauari* Mart. Mart. Palm. 52, 65.
 — *Murumuru* Mart. Mart. Palm. 58, 59.
 — *Tucuma* Mart. Mart. Palm. 65.
 — *vulgare* Mart. Mart. Palm. 62, 63.
Astroloma humifusum R. Br. Bot. Mag. 35, 1439.
 — — — Lodd. Cab. 1554.
 † *Astronia macrophylla* Bl. Ann. sc. nat. III. 12, 10.
 — *papetaria* Bl. Rumpf Amb. 4, 69.
 — — — Blume Rumphia 6.
 — *spectabilis* Bl. Blume Rumphia 7.
Astrotricha floccosa DC. DC. Ombellif. 5.
 — *ledifolia* DC. DC. Ombellif. 6.
 † *Astydamia* DC. DC. Ombellif. 1.
 — *canariensis* DC. Webb Canar. 76.
Asstylis venusta Wight. Wight Ic. pl. Ind. or. 6, 1992.
Asystasia coromandeliana N. v. E. Wight Ic. pl. Ind. 4, 1506.
 — — — Bot. Mag. 72, 4248.
 — — — Paxt. Mag. 14, 125.
 — — — Fl. d. serres 2, 179.
 — *scandens* Ldl. Bot. Mag. 75, 4449.
Ataccia cristata Kth. Bot. Mag. 77, 4369.
 — — — Lem. Jard. fl. 186—187.
Atalantia floribunda Wight. Wight Ic. pl. Ind. 4, 1611.
 — *monophylla* DC. Rheede Hort. mal. 4, 12.

- Atalantia racemosa* Wight. Hook. Journ. 1834, 122.
Ataxia Horsfieldii Kth. Bennett Java 3.
Ate virens Lindl. Wight Ic. pl. Ind. 3, 228.
Atelandra incana Ldl. Ldl. Swan River 5.
Athamanta L. Gouan Illustr. 26.
 — *Cervaria* L. Jacq. Fl. austr. 1, 69.
 — — — Viv. Fl. ital. 21.
 ! — — — Engelm. Anthol. 5.
 — *cervariacifolia* DC. Webb Canar. 71.
 — *compacta* Led. Ledeb. Ic. 81.
 — *condensata* L. Ledeb. Ic. 178.
 — *cretensis* L. Jacq. Fl. austr. 1, 62.
 † — — — Lam. Encycl. 194.
 — *Golaka* Hacq. Hacq. Pl. alp. 5.
 — *latifolia* Viv. Viv. Fl. ital. 23.
 — *Libanotis* L. Jacq. Fl. austr. 4, 392.
 — — — Fl. dan. 5, 754.
 — — — Relhan Fl. cant. 2.
 — — — Engl. Bot. 2, 138.
 — *Matthioli* Wulf. Jacq. Ic. 57.
 — *Meum* L. Jacq. Fl. austr. 4, 303.
 — *multiflora* Sm. Sibth. Fl. gr. 276.
 — *Oreoselinum* L. Jacq. Fl. austr. 1, 68.
 — — — Schk. Handb. 64.
 — — — Hayne 7, 3.
 — *panacisifolia* Lk. Hoffm. Lk. Fl. port. 107.
 — *pyrenaica* Jacq. Jacq. Vind. 197.
 — *ramosissima* Lk. Hoffm. Lk. Fl. port. 106.
 — *Turbith* Brot. Brot. Phytogr. 169, 170.
 — *verticillata* Sibth. Sibth. Fl. gr. 275.
 — — — Pertsch. Pertschl. Dalm. 4.
Athanasia annua L. Schk. Handb. 239.
 — — — Bot. Mag. 49, 2276.
 — *cinerea* L. fil. Lam. Encycl. 670.
 — *crenata* L. Lam. Encycl. 670.
 † — *crithmifolia* L. Gaertn. Carp. 165.
 † — — — Lam. Encycl. 670.
 — *cuneifolia* Lam. Lam. Encycl. 670.
 — *lanuginosa* Cav. Cav. Ic. 3.
 — *parviflora* Thunb. Jacq. Schoenbr. 2, 149.
 — *pinnata* L. fil. Lam. Encycl. 670.
 — *virgata* Jacq. Jacq. Schoenbr. 2, 148.
Athenaea anonacea Sendtn. Endl. Bras. 6, 18.
† *Atherandra pubescens* Bl. Blume Mus. 1, 26.
Atherocephala Drummondii DC. Delessert Ic. 5, 24.
Atheropogon apludoides Mühlbg. Mühlbg. Fl. cestr. 1.
 — — — Jacq. Ecl. gram. 7.
 † — — — Münchn. Denkschr. 4, 9.
 — *procumbens* Jacq. Jacq. Ecl. gram. 12.
Atherosperma moschata Lab. Bill. Nov. Holl. 224.
† *Atherostemon javensis* Bl. Blume Mus. 1, 23.
Atherurus tripartitus Bl. Blume Rumphia 31.
 † — — — Blume Rumphia 37.
Athrixia capensis Ker. Bot. Reg. 8, 681.
Athrotaxis cupressoides Don. Linn. Tr. 18, 13.
 — *selaginoides* Don. Linn. Tr. 18, 14.
† *Athyrium australe* Presl. Hook. Gen. Fil. 16.
 † — *conchatum* Fée. Fée Fil. 5, 17.
 — *fumarioides* Presl. Presl. Rel. 6.
 — *Filix femina* Presl. var. Newman p. 237, 244.
 ! — — — Newman p. 248.
 — *rhaeticum* Roth. Newman p. 245.
Atractylis caespitosa Desf. Desf. Fl. atl. 225.
 — *cancellata* L. Rizzo Fl. de Nice 10.
 — — — Rehb. Fl. germ. 15, 746.
 — *flava* Desf. Desf. Fl. atl. 0. (p. 254.)
 † — *Fusus agrestis* Gaertn. Gaertn. Carp. 161.
 — *gummifera* L. Cav. Ic. 228.
 — *humilis* L. Cav. Ic. 54.
 † — — — Lam. Encycl. 660.
 — *macrophylla* Desf. Desf. Fl. atl. 226.
 — *mexicana* L. Smith Ic. Linn. 66.

- Atractylis Preauxiana* Sch. Bip. Webb Can. 117.
 — *purpurata* L. Smith Ic. Linn. 65.
 — *speciosa* DC. Delessert Ic. 4, 71.
† *Atragene* L. Gray Gen. 1.
 † — *alpina* L. Gaertn. Carp. 74.
 — — — Pallas Fl. ross. 76.
 — — — Schk. Handb. 150.
 — — — Jacq. Fl. austr. 3, 241.
 — — — var. Bot. Mag. 15, 530.
 — — — Guimp. Holzgew. 112.
 — — — Sturm Flora 5, 20.
 — — — Rehb. Fl. germ. 4, 60.
 — *americana* Sims. Bot. Mag. 23, 887.
 — — — Gray Gen. 1.
 — *austriaca* Scop. Andr. Rep. 3, 80.
 — — — Lodd. Cab. 250.
 — *capensis* L. Andr. Rep. 1, 9.
 — — — Willd. Bot. Mag. 19, 716.
 — — — Lodd. Cab. 866.
 — *sibirica* Sims. Lodd. Cab. 1358.
 — — — Bot. Mag. 45, 1951.
 — *zeylanica* L. Roxb. Corom. 188.
Atraphaxis angustifolia Jaub. Jaub. Ill. 115.
 — *Aucherii* Jaub. Jaub. Ill. 114.
 — *Billardieri* Jaub. Jaub. Ill. 111.
 — *canescens* Bge. Acad. Pet. 6, 14.
 — *compacta* Led. Ledeb. Ic. 411.
 — *grandiflora* M. v. B. Jaub. Ill. 113.
 — *replicata* Lam. Lam. Encycl. 263.
 — *spinosa* L. L'her. Stirp. 14.
 † — — — Gaertn. Carp. 119.
 — — — Lam. Encycl. 265.
 — — — Watson Dendr. 2, 119.
 — *Tournefortii* Jaub. Jaub. Illustr. 112.
 — *variabilis* Jaub. Jaub. Illustr. 110.
Atrema americanum DC. DC. Ombellif. 18.
† *Atriplex* L. Lam. Encycl. 833.
 — *acuminata* W. et K. W. et Kit. 103.
 — *angustifolia* Sm. Engl. Bot. 25, 1774.
 — — — Dietr. Fl. bor. 12, 850.
 — — — Fl. dan. 13, 2226.
 — *campestris* Koch. Sturm Flora 18, 79.
 — *cana* Led. Ledeb. Ic. 46.
 — *chilensis* Colla. Mem. Tur. 39, 49.
 — *coriacea* Delile. Delile Egypte 52.
 † — — — Forsk. Viv. Aeg. 2.
 — *crassifolia* Led. Ledeb. Ic. 42.
 — *deltoides* Bab. Engl. Bot. 2860.
 — *diffusa* Ten. Ten. Fl. nap. 249.
 — *erecta* Sm. Engl. Bot. 31, 2223.
 — — — Sturm Flora 18, 79.
 — *graeca* Willd. Sibth. Fl. gr. 963.
 — *Halimus* L. Sibth. Fl. gr. 962.
 † — — — Viv. Aeg. 2.
 — *hastata* L. Schk. Handb. 348.
 † — — — Ust. Ann. 5, 6.
 † — — — Mutel Fl. fr. 57.
 — — — Fl. dan. 8, 1286.
 — — — var. Fl. dan. 10, 1638.
 — — — Sv. Bot. 627.
 — — — Rehb. Fl. crit. 1, 16.
 — — — Sturm Flora 18, 79.
 — — — Dietr. Fl. bor. 8, 525.
 — *heterantha* Wight. Wight Ic. pl. Ind. 5, 1787.
 † *hortensis* L. Schk. Handb. 349.
 — — — Sturm Flora 18, 79.
 † — — — Nees Gen. 4, 63.
 — *laciniata* L. Schk. Handb. 349.
 — — — Engl. Bot. 3, 165.
 — — — Fl. dan. 8, 1284.
 — — — Sv. Bot. 626.
 — — — Sturm Flora 18, 80.

- Atriplex laevis* Led. Ledeb. Ic. 41.
 — *latifolia* Wahlbg. Sv. Bot. 628.
 — — Sturm Flora 18, 79.
 — *litoralis* L. Fl. dan. 8, 1287.
 — — Engl. Bot. 10, 708.
 — — Sturm Flora 18, 79.
 † — — Nees Gen. 4, 63.
 — *marina* L. Sturm Flora 18, 80.
 † — *Deth.* Nees Gen. 4, 63.
 — *micrantha* Led. Ledeb. Ic. 43.
 — *microsperma* W. et K. W. et Kit. 221. 250.
 — *nitens* Rebert. Schk. Handb. 348.
 — — Sturm Flora 18, 79.
 — — Fl. dan. 14, 2466.
 — *oblongifolia* W. et K. Sturm Flora 18, 79.
 † *ocymifolia* Viv. Viv. Aeg. 2.
 — *oppositifolia* DC. Sturm Flora 18, 79.
 † *patula* L. Gaertn. Carp. 75.
 — — Schk. Handb. 347.
 † — — Ust. Ann. 5, 5.
 — — Curt. Lond. 2, 103.
 — — Engl. Bot. 13, 936.
 — — Fl. dan. 8, 1285.
 — — Sturm Flora 18, 79.
 — — Dietr. Fl. bor. 8, 526.
 — — Baxter Br. Bot. 5, 356.
 † — — Nees Gen. 4, 63.
 † *pedunculata* L. Schk. Handb. 349.
 — — Engl. Bot. 4, 232.
 — — Fl. dan. 2, 304.
 — *polysperma* Ten. Ten. Fl. nap. 249.
 — *portulacoides* L. Engl. Bot. 4, 261.
 — — Fl. dan. 11, 1889.
 — — Guimp. Holzgew. 209.
 — *rosea* L. Schk. Handb. 350.
 — — Engl. Bot. 2880.
 — — Sturm Flora 18, 80.
 — *ruderalis* Wallr. Sturm Flora 18, 79.
 — *Sackii* Rostk. Rostk. et Schm. Fl. sed. 1.
 — — R. et Schm. Sturm Flora 18, 79.
 — *sibirica* L. Schk. Handb. 350.
 † *stylosa* Viv. Viv. Aeg. 2.
 — *tatarica* L. Schk. Handb. 349.
 — *verrucifera* Led. Ledeb. Ic. 144.
Atropa *arborescens* L. Desc. Ant. 3, 177.
 † — *Belladonna* L. Gaertn. Carp. 131.
 † — — Lam. Encycl. 114.
 — — Schk. Handb. 45.
 — — Jacq. Fl. austr. 4, 309.
 — — Curt. Lond. 1, 79.
 — — Fl. dan. 5, 758.
 — — Engl. Bot. 9, 592.
 — — Sturm Flora 1, 3.
 — — Schrank Fl. monac. 1, 62.
 — — Hayne 1, 43.
 — — Guimp. et Schl. 8.
 — — Br. und Ratz. 17.
 — — Nees Düsseld. 190.
 — — Wagner 18.
 — — Woodv. Med. 2, 82.
 — — Baxter Br. Bot. 1, 10.
 — — Dietr. Fl. bor. 11, 727.
 † — — Nees Gen. 5, 60.
 — — Meyer Fl. hann. 3.
 — *biflora* Rz et P. Rz et Pav. Fl. 181.
 — *dependens* Math. Hook. Ic. pl. 2, 107.
 — *frutescens* Lam. Lam. Encycl. 114.
 — *glandulosa* Hook. Hook. Ic. pl. 2, 106.
 — *gymnosperma* Schmid. Schmid. Ic. 18.
 — *humifusa* Gouan. Gouan Hortus 1.
 — *Mandragora* L. Sibth. Fl. gr. 232.
 — — Woodv. Med. 2, 83.

- Atropa physalodes* L. Jacq. Obs. 98.
 — *procumbens* Cav. Jacq. Schoenbr. 4, 492.
 — — Cav. Ic. 72.
 — *punctata* Pers. Kern. Hort. 185.
 — *rhomboidea* Hook. Hook. Bot. Misc. 37.
 — *solanacea* L. Trew Pl. rar. 16.
 — *umbellata* Rz et Pav. Rz et Pav. Fl. 181.
 — — Jacq. Schoenbr. 4, 493.
 — *viridiflora* H. B. K. H. B. K. Nov. Gen. 3, 196.
Atsuki. Kaempfer Jap. 40.
 † *Attalea* H. B. K. (Fructus.) Mart. Palm. 168. 169.
 — *amygdalina* H. B. K. H. B. K. Nov. Gen. 1, 95. 96.
 — *blepharopus* Mart. D'Orb. Voyage 5, 30.
 — *compta* Mart. Mart. Palm. 11. 75. 97.
 — *funifera* Mart. Mart. Palm. 95. 96. tab. T.
 — — Hook. Journ. 1849, 4.
 † — *princeps* Mart. D'Orb. Voyage 31.
 — *spectabilis* Mart. Mart. Palm. 96.
Atylosia *Candollii* W. et A. Wight Ic. pl. Ind. 3, 754.
 — *Lawii* Wight. Wight Ic. pl. Ind. 1, 93.
Aubertia borbonica Bory. Bory. Iles d'Afr. 18.
 † *Aubletia* Schreb. Swartz Fl. Ind. 16.
 † — *caseolaris* Gaertn. Gaertn. Carp. 78.
Aubrietia Columnae Guss. Guss. Pl. rar. 46.
 — *deltoidea* DC. Sibth. Fl. gr. 628.
 — — Guss. Pl. rar. 46.
 — — Rchb. Ic. crit. 3, 235.
 — *purpurea* DC. Lodd. Cab. 1706.
 — — Sweet Fl. G. 207.
Auchera orientalis DC. DC. Comp. 11.
Aucuba japonica Thunb. Kaempfer Jap. 6.
 — — Thunb. Fl. jap. 12. 13. •
 — — Lam. Encycl. 759.
 — — Bot. Mag. 30, 1197.
 † — — Jacq. Collect. 5, 7.
Audibertia incana Benth. Bot. Reg. 17, 1469.
 † *Audouinia capitata* Ad. Br. Ann. sc. nat. 8, 38.
Augusta attenuata Pohl. Pohl Bras. 104.
 — *glaucescens* Pohl. Pohl Bras. 105.
 — — Rchb. Exot. 309.
 — *grandiflora* Sacram. Münch. Denks. 7, 14.
 — *lanceolata* Pohl. Pohl Bras. 101.
 — — Rchb. Exot. 308.
 — *oblongifolia* Pohl. Pohl Bras. 103.
 — — Rchb. Exot. 310.
 — *parviflora* Sacram. Münch. Denks. 7, 14.
 — *parvifolia* Pohl. Pohl Bras. 102.
Aulacospermum anomalum Led. Ledeb. Ic. 311.
 — *cuneatum* Led. Ledeb. Ic. 312.
Aulax pinifolia Berg. Tratt. Thes. 9.
 — *umbellata* R. Br. Bot. Reg. 12, 1015.
Aulaxanthus rufus Ell. Ell. Carol. 6.
Aulaya capensis Harv. Hook. Ic. pl. 400.
 † — *squamosa* Harv. Wight Illustr. 158^b.
 — — Hook. Ic. pl. 5, 401.
Aulonemia *Quecko* Goudot. Ann. sc. nat. III. 5, 4.
Aurantium myrtifolium L. Desc. Ant. 3, 219.
 — *silvestre* Desc. Desc. Ant. 5, 357.
Aureliana velutina Sendtn. Endl. Bras. 6, 19.
Australina pusilla Gaudch. Gaudch. Bonite 114.
 † *Avena* L. Lam. Encycl. 47.
 † — — Novi Comm. Gott. 6, 4.
 † — — Dumortier Gram. 8.
 † — — Ann. Mus. 17, 10.
 — *albinervis* Boiss. Boiss. Esp. 176.
 — *alpestris* Host. Host Gram. 239.
 — — Rchb. Fl. germ. 1, 102.
 — — Sturm Flora 19, 83.
 — *alpina* Sm. Rchb. Fl. germ. 1, 101.
 — *argentea* Willd. Sturm Flora 7, 26.
 — — Rchb. Fl. germ. 1, 98.
 — *arundinacea* Del. Delile Egypte 12.

- Avena brevifolia* Host. Host Gram. 240.
 — — Schrad. Sturm Flora 7, 26.
 — — *brevis* Roth. Host Gram. 242.
 — — — Metzger Cer. 16.
 — — — Rchb. Fl. germ. 1, 103.
 † — — — Andersson Gram. Scand. 12.
 — — *bromoides* L. Rchb. Fl. germ. 7, 76.
 — — *bulbosa* Willd. Host Gram. 330.
 — — *calycina* Vill. Vill. Dauph. 2.
 — — *carpathica* Host. Host Gram. 331.
 — — *caryophylla* Sibth. Sibth. Fl. gr. 89.
 — — *chinensis* Metzger. Metzger Cer. 14.
 — — *clauda* Durieu. Expl. Alger. 41.
 — — *compressa* Heuff. Rchb. Fl. germ. 7, 76.
 — — *deyeuxioides* H. B. K. H. B. K. Nov. Gen. 7, 687.
 — — *distichophylla* Host. Host Gram. 153.
 — — — Vill. Vill. Dauph. 4.
 — — — Sturm Flora 7, 26.
 — — — Mutel Fl. fr. 80.
 — — — Rchb. Fl. germ. 1, 98.
 — — *dubia* Leers. Moench Enum. Hass. 2.
 — — *elator* L. Fl. dan. 1, 165.
 — — — Joerlin Dissert. 0.
 — — — Schreb. Gram. 1.
 — — — Host Gram. 149.
 — — — Schk. Handb. 17.
 — — — Sv. Bot. 48.
 — — *eriantha* Durieu. Expl. Alger. 11.
 — — *fallax* R. et Sch. Guss. Pl. rar. 9.
 — — *fatua* L. Schreb. Gr. 45.
 — — — Host Gram. 158.
 — — — Fl. dan. 10, 1629.
 — — — Engl. Bot. 31, 2221.
 — — — Sv. Bot. 144.
 — — — Metzger Cer. 15.
 — — — Knapp Gram. 93.
 — — — Rchb. Fl. germ. 1, 103.
 — — *filiformis* Lab. Bill. Nov. Holl. 31.
 — — *flavescens* L. Schreb. Gram. 9.
 — — — Host Gram. 238.
 — — — Curt. Lond. 3, 80.
 — — — Engl. Bot. 14, 952.
 — — — Fl. dan. 9, 1507.
 — — — Schrank Fl. monac. 4, 385.
 — — — Knapp Gram. 89.
 — — — Rchb. Fl. germ. 1, 99.
 — — *Forskälii* Vahl. Delile Egypte 12.
 — — *fragilis* L. Schreb. Gram. 24.
 — — — Sibth. Fl. gr. 88.
 — — — Host Gram. 154.
 — — *geminiflora* Kth. Humb. Gram. 61.
 — — *glumosa* Ell. Ell. Carol. 11.
 — — *hirsuta* Roth. Webb Can. 247.
 — — *latifolia* Host. Host Gram. 332.
 — — *leonina* Steud. Humb. Gram. 175.
 — — *Loefflingiana* L. Cav. Ic. 45.
 — — — Rchb. Fl. germ. 1, 97.
 — — — Willd. Mag. nat. Fr. 2, 8.
 — — *longifolia* Thore. Mutel Fl. fr. 83.
 — — — Rchb. Fl. germ. 1, 102.
 — — *longiglumis* Durieu. Expl. Alger. 41.
 — — *lucida* Bert. Rchb. Fl. germ. 7, 76.
 — — *montana* Vill. Mutel Fl. fr. 81.
 — — *myriantha* Bertol. Ces. Stürp. it. 0.
 — — *neglecta* Savi. Savi Fl. pis. 1.
 — — — Rchb. Fl. germ. 1, 97.
 — — *nitida* Desf. Desf. Fl. atl. 31.
 — — *nuda* L. Host Gram. 243.
 — — — Knapp Gram. 94.
 — — — Metzger Cer. 16.
 ! — — — *β. chinensis*, Flora 1831, 1.
 — — — Rchb. Fl. germ. 1, 103.

- Avena orientalis* Schreb. Host Gram. 244.
 — — — Metzger Cer. 12.
 — — *parviflora* Desf. Desf. Fl. atl. 32.
 † — — *planiculmis* Schrad. Schrad. Fl. germ. 6.
 — — — Engl. Bot. 30, 2141. 2684.
 — — — Rchb. Fl. germ. 1, 101.
 — — *pratensis* L. Fl. dan. 7, 1083.
 — — — Host Gram. 151.
 — — — Sv. Bot. 263.
 — — — Engl. Bot. 17, 1104.
 — — — Knapp Gram. 91.
 — — — Rchb. Fl. germ. 1, 99.
 — — *puberula* Guss. Guss. Pl. rar. 10.
 — — *pubescens* L. Fl. dan. 7, 1203.
 — — — Host Gram. 150.
 — — — Engl. Bot. 23, 1640.
 — — — Knapp Gram. 90.
 — — — Baxter Br. Bot. 4, 292.
 — — — Rchb. Fl. germ. 1, 100.
 — — *quadriseta* Lab. Bill. Nov. Holl. 32.
 — — *sativa* L. Host Gram. 159.
 — — — Metzger Cer. 12.
 — — — Guimpel et Schl. 121.
 — — — Nees Düsseldorf. 28.
 — — — Woodv. Med. 5, 29.
 † — — — Nees Gen. 1, 48.
 — — *Scheuchzeri* All. Host Gram. 152.
 — — — Rchb. Fl. germ. 1, 99.
 — — *sempervirens* Vill. Vill. Dauph. 5.
 — — — Host Gram. 211.
 — — — Mutel Fl. fr. 82.
 — — — Rchb. Fl. germ. 1, 100.
 — — *sectacea* Vill. Vill. Dauph. 5.
 — — — Mutel Fl. fr. 81.
 — — *sterilis* L. Jacq. Ic. 23.
 — — — Schreb. Gram. 15.
 — — — Host Gram. 157.
 — — — Rchb. Fl. germ. 1, 103.
 — — *strigosa* Schreb. Schreb. Gram. 46.
 — — — Host Gram. 156.
 — — — Sv. Bot. 575.
 — — — Engl. Bot. 18, 1266.
 — — — Knapp Gram. 92.
 — — — Metzger Cer. 15.
 — — — Rchb. Fl. germ. 1, 103.
 — — *subspicata* L. Sv. Bot. 722.
 — — — Clairv. Sturm Flora 19, 86.
 — — — Rchb. Fl. germ. 1, 98.
 — — *sulcata* Gay. Delastre Fl. de Vienne 4.
 — — *tenuiflora* Bertol. Rchb. Fl. germ. 1, 97.
 — — *tenuis* Moench. Host Gram. 155.
 — — — Rchb. Fl. germ. 1, 97.
 — — *triaristata* Vill. Vill. Dauph. 4.
 — — *uniflora* Parl. Webb Can. 248.
 — — *versicolor* Vill. Vill. Dauph. 4.
 — — — Sturm Flora 7, 26.
 — — *villosa* Bertol. Guss. Pl. rar. 10.
 — — — Rchb. Fl. germ. 1, 102.
Averrhoa acida L. Desc. Ant. 5, 335.
 — — *Bilimbi* L. Rheede Hort. mal. 3, 43. 46.
 — — — Rumpf Amb. 1, 36.
 — — — Cav. Diss. 219.
 — — — Lam. Encycl. 385.
 — — — Tuss. Ant. 3, 29.
 — — — Desc. Ant. 5, 333.
 † — — — Ann. Mus. 8, 33.
 — — *Carambola* L. Rheede Hort. mal. 3, 43. 44.
 — — — Rumpf Amb. 1, 35.
 — — — Cav. Diss. 220.
 — — — Desc. Ant. 5, 334.
 — — — Hort. Tr. 9, 2.
 † — — — Ann. Mus. 8, 33.

- † *Avicennia* *L.* (Embryo.) Ann. sc. nat. III. 7, 1.
 — *africana* *Pal.* Pal. Fl. d'Ow. 47.
 — *alba* *Bl.* Wight Ic. pl. Ind. 4, 1482.
 † — *intermedia* *Griff.* Linn. Tr. 20, 1.
 — *nitida* *L.* Jacq. Hist. stirp. am. 169.
 — *Oepata* *Ham.* Rheede Hort. mal. 4, 45.
 † — *resinifera* *Forst.* Linn. Tr. 20, 1.
 — *tomentosa* *L.* Lam. Encycl. 540.
 — — — Wall. Pl. asiat. 271.
 — — — Wight Ic. pl. Ind. 4, 1481.
 † — — — Wight Illustr. 173^b.
Axanthis *ceylanica* *Wight.* Wight Ic. pl. Ind. 4, 1163.
 — *elliptica* *Wight.* Wight Ic. pl. Ind. 4, 1164.
 — *longifolia* *Wight.* Wight Ic. pl. Ind. 4, 1165.
 † *Axinaea* *Rz et P.* Rz et Pav. Prodr. 12.
Axyris *amarantoides* *L.* Schk. Handb. 285^b.
 — — — Lam. Encycl. 753.
 † — *ceratoides* *L.* Gaertn. Carp. 128.
 † — — — Lam. Encycl. 753.
 — — — Jacq. Ic. 189.
 — *hybrida* *L.* Schk. Handb. 285^b.
 — *pentandra* *Jacq.* Jacq. Hist. stirp. am. 235.
 † *Ayenia* *pusilla* *L.* Gaertn. Carp. 79.
 — — — Cav. Diss. 147.
 — — — Lam. Encycl. 732.
 — — — Tratt. Arch. 148.
Azadirachta *indica* *Juss.* Rheede Hort. mal. 4, 52.
 † — — — Gaertn. Carp. 180.
 † — — — Mem. Mus. 19, 13.
 — — — Wight Ic. pl. Ind. 1, 17.
Azalea Ic. plant. Chinae 27.
 — *altaclerensis* *Hort.* Bot. Reg. 28, 27.
 — *amoena* *Ldl.* Paxt. Fl. G. 89.
 — — — Lem. Jard. Fl. 4, 329.
 — — — Bot. Mag. 79, 4728.
 — *calendulacea* *Mchz.* Bot. Mag. 41, 1721. 47, 2143.
 — — — var. Lodd. Cab. 1324. 1394.
 — — — var. Bot. Reg. 17, 1402.
 — *calycina* *Ldl.* Lem. Jard. fl. 257.
 — *coccinea* *major* *Lodd.* Lodd. Cab. 624.
 — *crispiflora* *Hook.* Bot. Mag. 79, 4726.
 — *Danielsiana* *Paxt.* Paxt. Mag. 1, 129.
 — *decandra* *Burm.* Burm. Fl. ind. 3.
 — *ferruginosa* *Pall.* Pallas Fl. ross. 70.
 — *flammea* *Ldl.* Bot. Reg. 2, 145.
 — *fragrans* *Adans.* Petersb. 2, 14.
 — *glauca* *Lam.* Meerb. Pl. sel. 6.
 † — — — Lam. Encycl. 110.
 — — — *Pursh.* Watson Dendr. 1, 5.
 — *hispidia* *Pursh.* Watson Dendr. 1, 6.
 — *hybrida* *enneandra* *Hort.* Bot. Mag. 49, 2308.
 — *indica* *L.* Savi Fl. ital. 2, 69.
 — — — Dict. sc. nat. 70.
 — — — Bot. Mag. 36, 1480, 51, 2509. 53, 2667.
 — — — Bot. Reg. 10, 811. 20, 1700. 20, 1716.
 — — — — — 28, 56.
 — — — Lodd. Cab. 275. 1253. 1461. 1735.
 — — — Paxt. Mag. 2, 145. 7, 175.
 — — — Paxt. Fl. Garden 70.
 — — — Fl. d. serres 3, 239. 242. 8, 796.
 — *Laetitia* *Herb.* Bot. Reg. 31, 51.
 — *lapponica* *L.* Linné Fl. lapp. 6.
 — — — Fl. dan. 6, 966.
 — *ledifolia* *Hook.* Bot. Mag. 56, 2901. 60, 3239.
 — — — Rchb. Exot. 301.
 — *lucida* *Meerb.* Meerb. Pl. sel. 7.
 — *Ludoviciae* *Herb.* Bot. Reg. 31, 60.
 — *marginata* *Paxt.* Paxt. Mag. 2, 121.
 — *nitida* *Pursh.* Bot. Reg. 5, 414.
 — *nudiflora* *L.* var. Bot. Mag. 5, 180.
 — — — var. Lodd. Cab. 51. 1382.
 — — — var. Bot. Reg. 2, 120. 16, 1367.

- Azalea* *nudiflora* *L.* Guimp. Fr. H. 110.
 — — — Herb. amat. 4, 213.
 — *obtusa* *Ldl.* Bot. Reg. 32, 37.
 — *ovata* *Ldl.* Journ. Hort. Soc. 2, 2.
 — *pontica* *L.* Pallas Fl. ross. 69.
 — — — Roemer Fl. eur. 6, 5.
 — — — Guimp. Fr. H. 109.
 — — — Savi Fl. ital. 3, 117.
 — — — Andr. Rep. 1, 16.
 — — — Bot. Mag. 13, 433. 50, 2383.
 — — — Bot. Reg. 15, 1253. 18, 1359.
 — *procumbens* *L.* Linné Fl. lapp. 6.
 — — — Pallas Fl. ross. 70.
 — — — Fl. dan. 1, 9.
 † — — — Gaertn. Carp. 63.
 † — — — Schk. Handb. 36.
 † — — — Lam. Encycl. 110.
 — — — Engl. Bot. 13, 865.
 — — — Lodd. Cab. 762.
 — — — Baxter Br. Bot. 6, 463.
 — *pulchra* *Paxt.* Paxt. Mag. 1, 126.
 — *ramentacea* *Ldl.* Journ. Hort. Soc. 4, 291.
 — *Rawsonii* *Paxt.* Paxt. Mag. 3, 123.
 — *rosmarinifolia* *Burm.* Burm. Fl. ind. 3.
 — *rubra* *Meerb.* Meerb. Pl. sel. 8.
 — *scintillans* *Ldl.* Bot. Reg. 17, 1461.
 — *Seymourii* *Ldl.* Bot. Reg. 23, 1975.
 — *sinensis* *Paxt.* var. Bot. Mag. 12, 55.
 — — — Lodd. Cab. 883.
 — *speciosa* *Willd.* Guimp. Fr. H. 31.
 — — — Watson Dendr. 2, 116.
 — — — Lodd. Cab. 1255.
 — *squamata* *Ldl.* Bot. Reg. 33, 3.
 — *Stapletoniana* *Ldl.* Bot. Reg. 17, 1407.
 — *subcnprea* *Ldl.* Bot. Reg. 16, 1366.
 — *verticillata* *Lodd.* Lodd. Cab. 1632.
 — *viscosa* *Murr.* Meerb. Pl. sel. 9.
 — — — *L.* Guimp. Fr. H. 32.
 — — — Savi Fl. ital. 2, 66.
 — — — var. Lodd. Cab. 441. 1518.
 — — — var. Kern. Hort. 528.
 — — — Torr. New York 66.
 † *Azara* *Rz et P.* Rz et Pav. Prodr. 36.
 — *alpina* *P. et E.* Poepp. et Endl. 167.
 — *dentata* *Rz et P.* Bot. Reg. 21, 1788.
 — *serrata* *R. et P.* Hook. Beech. 4.
Azeredia *pernambucana* *Allem.* Allemão Diss. 1846.
 † *Azima* *tetracantha* *Lam.* Lam. Encycl. 807.
 — — — Wight Illustr. 152.
 † *Azolla* *cristata* *Kaulf.* Ann. sc. nat. III. 9, 8.
 — *filiculoides* *Lam.* Lam. Encycl. 863.
 — *magellanica* *Willd.* Acta Leop. 18. 1, 38.
 † — — — Schnizl. Ic. 1, 33. 1, suppl. 2.
 — *microphylla* *Mart.* Mart. Crypt. bras. 74. 75.
 — *pinnata* *R. Br.* Flinders Voyage 10.
Azorella *caespitosa* *Cav.* Cav. Ic. 484.
 — — — Richard Astrol. 17.
 — *compressa* *Lab.* Bill. Nov. Holl. 101.
 — *filamentosa* *Lam.* Lam. Encycl. 189.
 — — — Hook. Ic. pl. 6, 341.
 — — — Richard Astrol. 15.
 — *lanceolata* *Lab.* Bill. Nov. Holl. 99.
 — *linearifolia* *Cav.* Cav. Ic. 485.
 † — — — Ann. gen. 4, 51.
 — *lycopodioides* *Gaudch.* Richard Astrol. 17.
 † — — — Ann. sc. nat. 5, 3.
 — *ovata* *Lab.* Bill. Nov. Holl. 100.
 — *Ranunculus* *d'Urv.* Richard Astrol. 16.
 — — — Hook. Fl. ant. 98.
 — *Selago* *Hook.* Hook. Fl. ant. 99.
 — *tricuspidata* *Lam.* Lam. Encycl. 189.
 — *trifoliata* *Clos.* var. Gay Chile 30.

- Azorella trifoliata* Clos. Hook. New Zeal. 18.
 — *trifurcata* Gaertn. Richard Astrol. 15.
 — — Hook. Ic. pl. 6, 539.
Babiana disticha Gawl. Bot. Mag. 17, 626.
 — *plicata* Gawl. Bot. Mag. 16, 576.
 — *ringens* Gawl. Lodd. Cab. 1006.
 — *rubro-coerulea* Gawl. Rchb. Exot. 30.
 — *sambucina* Gawl. Bot. Mag. 26, 1019.
 — — Kern. Hort. 838.
 — *spathacea* Gawl. Bot. Mag. 17, 638.
 — — Rchb. Exot. 28.
 — *stricta* Gawl. var. Bot. Mag. 17, 621, 637.
 — — — 26, 1052.
 — *sulphurea* Gawl. Bot. Mag. 26, 1053.
 — *tubiflora* Gawl. Bot. Mag. 18, 680. 22, 847.
 — — Rchb. Exot. 27.
 — *villosa* Gawl. Bot. Mag. 16, 583.
 — — Rchb. Exot. 29.
Babingtonia Camphorosmae Ldl. Bot. Reg. 28, 10.
† *Bacasia* Rz et P. Rz et Pav. Prodr. 22.
Baccaurea ramiflora Lour. Rumpf Amb. 3, 9.
Baccharis articulata Pers. Brongn. Coquille 62.
 — *asteroides* Colla. Mem. Tur. 38, 25.
 — *confertifolia* Colla. Mem. Tur. 38, 25^b.
 — *dioica* Vahl. Vahl Symb. 74.
 — — Lam. Encycl. 698.
 — *elegans* H. B. K. H. B. K. Nov. Gen. 4, 324.
 — *ferruginea* Pers. Hook. Ic. pl. 8, 750.
 — *floribunda* H. B. K. H. B. K. Nov. Gen. 4, 325.
 — *genistelloides* Pers. Hook. Bot. Misc. 94.
 — *humifusa* H. B. K. H. B. K. Nov. Gen. 4, 322.
† *ivaefolia* L. Gaertn. Carp. 166.
 — — Schk. Handb. 244.
 — — Lam. Encycl. 698.
 — *magellanica* Pers. Richard Astrolabe 26.
 — *parviflora* Pers. Lam. Encycl. 698.
 — *patagonica* H. et Arn. Richard Astrolabe 26.
 — *platypoda* DC. Hook. Ic. pl. 241, 242.
 — *resinosa* H. B. K. H. B. K. Nov. Gen. 4, 323.
 — *Scolopendra* Hook. Hook. Ic. pl. 1, 68.
 — *thyoides* Pers. Hook. Bot. Misc. 93.
 — *trifurcata* Trev. Acta Leop. 13, 1, 13.
 — *Urvilleana* Brongn. Brongn. Coquille 61.
Backhousia myrtifolia Hook. Bot. Mag. 71, 4133.
Bacopa aquatica Aubl. Aubl. Guiana 49.
 — — Lam. Encycl. 102.
Bactris acanthocarpa Mart. Mart. Palm. 70, 71.
 — *aristata* Mart. Mart. Palm. 73^a.
 — *bifida* Mart. Mart. Palm. 73^c.
† *Brongniartii* Mart. D'Orb. Voyage 28.
 — *caryotaefolia* Mart. Mart. Palm. 74.
 — *ciliata* Mart. Mart. Palm. 71.
 — *concinna* Mart. Mart. Palm. 72.
 — *cuspidata* Mart. Mart. Palm. 73^b.
 — *faucium* Mart. D'Orb. Voyage 6, 28.
 — *fissifrons* Mart. Mart. Palm. 73^b.
 — *Gachipaës* H. B. K. H. B. K. Nov. Gen. 7, 700.
† *globosa* Gaertn. Lam. Encycl. 895.
 — *hirta* Mart. Mart. Palm. 60, 74.
† *infesta* Mart. D'Orb. Voyage 27.
 — *inundata* Mart. D'Orb. Voyage 7, 27.
 — *longipes* Mart. Mart. Palm. 73^d.
 — *macroacantha* Mart. Mart. Palm. 73.
† *major* Jacq. Mart. Palm. U.
 — *Maraja* Mart. Mart. Palm. 71.
 — — D'Orb. Voyage 7.
† *minima* Gaertn. Gaertn. Carp. 139.
 — *minor* Jacq. Jacq. Hist. stirp. am. 256.
† — *Gaertn.* Gaertn. Carp. 9.
 — *pectinata* Mart. Mart. Palm. 60, 73^a.
 — *riparia* Mart. Mart. Palm. 71.
 — *setosa* Mart. Mart. Palm. 72.

- Bactris simplicifrons* Mart. Mart. Palm. 73^c.
 — *socialis* Mart. D'Orb. Voyage 7, 14, 26.
 — *tomentosa* Mart. Mart. Palm. 73^a.
Bactrylobium Fistula Willd. Wagner 68.
 — — Guimp. et Schl. 125.
† *Badamia Commersoni* Gaertn. Gaertn. Carp. 97.
Badiera domingensis DC. Delessert Ic. 3, 21.
† — *penaea* DC. Mem. Mus. 17, 29.
Badula borbonica DC. Delessert Ic. 5, 32.
 — *peruviana* DC. Delessert Ic. 5, 33.
 — *Sieberi* DC. Linn. Transact. 17, 5.
Baca hygrometrica R. Br. Delessert Ic. 5, 95.
† — — Wight Illustr. 159^b.
† *Bacckea affinis* Hook. Hook. Ic. pl. 3, 284.
 — *camphorata* R. Br. Bot. Mag. 53, 2694.
 — *chinensis* Gaertn. Lam. Encycl. 285.
 — *diosmaefolia* Rudge. Linn. Tr. 8, 13.
 — *frutescens* L. Bot. Mag. 55, 2802.
† — *leptocaulis* Hook. Hook. Ic. pl. 3, 298.
 — *linifolia* Rudge. Linn. Tr. 8, 12.
 — *micrantha* DC. Mem. Genev. 9, 14.
 — — Hook. Ic. pl. 4, 309.
† — *prostrata* Hook. Hook. Ic. pl. 3, 284.
 — *pulchella* DC. Mem. Genev. 9, 13.
 — *saxicola* Cunn. Bot. Mag. 59, 3160.
† — *sinensis* Gaertn. Gaertn. Carp. 31.
 — *thymifolia* Hook. Hook. Ic. pl. 3, 284.
 — *virgata* Andr. Andr. Rep. 9, 598.
 — — Colla Hort. Rip. 6.
 — — Lodd. Cab. 341.
 — — Bot. Mag. 47, 2127.
 — — Herb. amat. 4, 278.
† *Baeobotrys* Forst. Forst. Char. 11.
 — *indica* Roxb. Bot. Mag. 46, 2052.
† — *lanceolata* Willd. Gaertn. Carp. 210.
 — — Vahl Symb. 6.
† — *nemoralis* Forst. Lam. Encycl. 111.
 — — Willd. Martius Auswahl 6.
† *Baeothryon caespitosus* N. v. E. Nees Gen. 2, 17.
 — *Halleri* N. v. E. Nees Gen. 2, 17.
Baeria chrysostoma F. et M. Jard. Petersb. 6.
 — — Sert. petrop. 7.
 — — Sweet Fl. G. II, 395.
Bagassa guianensis Aubl. Aubl. Guiana 376.
Bahia lanata DC. Bot. Reg. 14, 1167.
Baillieria aspera Aubl. Aubl. Guiana 317.
 — — Lam. Encycl. 712.
† *Baitaria acaulis* Rz et P. Rz et Pav. Prodr. 36.
† *Balangue* Gaertn. Gaertn. Carp. 180.
Balanites aegyptiaca Del. Delile Egypte 28.
 — — Wight Ic. pl. Ind. 1, 274.
† *Balanophora* Forst. Forst. Char. 50.
 — *affinis* Griff. Linn. Tr. 20, 4.
 — *alveolata* Griff. Linn. Tr. 20, 5.
 — *Burmannica* Griff. Linn. Tr. 20, 3.
 — *dioica* R. Br. Royle Illustr. 78^a, 99.
 — *elongata* Bl. Acta Leop. 18, S. 0.
† — *fungosa* Forst. Lam. Encycl. 742.
 — *globosa* Jungh. Acta Leop. 18, S. 0.
† — *indica* Wall. Ann. sc. nat. III, 14, 9.
 — *picta* Griff. Linn. Tr. 20, 6.
 — *polyandra* Griff. Linn. Tr. 20, 7.
† *Balanophoreae* Goepf. Acta Leop. 18, S. 1—3.
 — — — 22, 1, 11—15.
† — *Rich.* Schnizl. Ic. 1, 39.
† *Balanopteris minor* Gaertn. Gaertn. Carp. 98.
† — *Tothila* Gaertn. Gaertn. Carp. 99.
† *Balantium arborescens* Hook. Hook. Gen. Fil. 20.
Balardia platensis St. Hil. St. Hil. Fl. Bras. 111.
Balaustion pulcherrimum Hook. Hook. Ic. pl. 9, 852.
† *Balbisia Berterii* Decne. Ann. sc. nat. II, 1, 1.
 — — DC. Delessert Ic. 4, 62.

- Balbisia elongata Willd.* Rehb. Hort. 13.
 † *Baldingera Fl. d. Wett.* Dumortier Gram. 10.
 † — *arundinacea Dum.* Nees Gen. 1, 13.
 — — — Rehb. Fl. germ. 1, 52.
Balessan Bruce. Stackhouse Extr. 3.
Baffouria saligna R. Br. Endl. Iconogr. 75.
Baliospermum indicum Decne. Jacquemont Ind. 155.
 — *polyandrum Wight.* Wight Ic. pl. Ind. 5, 1885.
 † *Ballota L.* Mutel Fl. fr. 51.
 — *borealis Schweigg.* Rehb. Ic. crit. 8, 776.
 — *foetida Lam.* Dietr. Fl. bor. 4, 230.
 † — — — Nees Gen. 6, 40.
 — — — Rehb. Ic. crit. 8, 775.
 — *lanata L.* Lam. Encycl. 508.
 — — — Mem. Mod. 20, 24.
 — *nigra L.* Schk. Handb. 161.
 — — — Lam. Encycl. 508.
 — — — Schrank Fl. monac. 2, 161.
 — — — Rehb. Ic. crit. 8, 773.
 — — — Engl. Bot. 1, 46.
 — — — Baxter Brit. Bot. 2, 86.
 — *odorata L.* Desc. Ant. 6, 418.
 — *ruderalis Fries.* Sv. Bot. 389.
 — — — Fl. dan. 10, 1702.
 — *suaveolens L.* Jacq. Hist. stirp. am. 163.
 — — — Jacq. Vind. 3, 42.
 — — — Desc. Ant. 6, 448.
 — *urticifolia Ortm.* Rehb. Ic. crit. 8, 774.
 — *vulgaris Lk.* Brot. Phytogr. 111.
 — — — Dietr. Fl. bor. 2, 133.
 † — — — Nees Gen. 6, 40.
Baloghia lucida Endl. Endl. Ic. 122, 123.
 † *Balsamifluae Bl.* Schnizl. Ic. 2, 98.
Balsamina fasciculata DC. Rheede Hort. mal. 9, 47.
 † — *femina Gaertn.* Gaertn. Carp. 113.
 — *hortensis St. Hil.* Rheede Hort. mal. 9, 52.
 — *latifolia DC.* Rheede Hort. mal. 9, 48.
 — *Mastersiana Paxt.* Paxt. Mag. 6, 75.
 — *minor DC.* Rheede Hort. mal. 9, 50, 51.
 — *setacea Hook.* Hook. Ex. Fl. 137.
 — *Tilo DC.* Rheede Hort. mal. 9, 49.
Balsamita annua DC. Brot. Phytogr. 162.
 — *grandiflora Desf.* Act. soc. hist. nat. Par. 1.
 — *tridentata Del.* Delile Egypt. 47.
 — *vulgaris L.* Hayne 2, 5.
Balsamocarpon brevifolium Clos. Gay Chile 20.
Balsamodendron gileadense Kth. Nees Düsseld. 354.
 — *Kataf Kth.* Guimp. et Schl. 251.
 — — — Wagner 240.
 — — — Nees Düsseld. 356.
 — *Myrrha Ehrenb.* Guimp. et Schl. 280.
 — — — Nees Düsseld. 355.
 — — — Wagner 240.
 — *Mukul Stocks.* Hook. Journ. 1849, 8.
 — *Opobalsamum Kth.* Schnizl. Ic. 246.
 — *pubescens Stocks.* Hook. Journ. 1849, 9.
Balsamona Pinto Vand. Vandell Fasc. 3.
 — — — Roemer Script. 4.
 † *Baltimora recta L.* Gaertn. Carp. 169.
 † — — — Lam. Encycl. 709.
 — — — Schk. Handb. 261^b.
Bambos arundinacea Retz. Desc. Ant. 4, 293.
 — — — Roxb. Corom. 79.
 — *stricta Roxb.* Roxb. Corom. 80.
 † *Bambusa Schreb.* (11 spec.) Acad. Pet. 5, 11 — 13.
 — — — (Vegetatio.) Acad. Pet. 5, 18.
 — *alpina Bory.* Bory lles d'Afr. 12.
 — *arundinacea Willd.* Rheede Hort. mal. 1, 16.
 — *baccifera Roxb.* Rheede Hort. mal. 5, 60.
 — — — Roxb. Corom. 243.
 — *capitata Tr.* Trin. Sp. Gr. 3, 337.
 — *guadua H. B.* Humb. Pl. aeq. 20.

- Bambusa latifolia* H. B. Humb. Pl. aeq. 21.
— *mitis* Poir. Rumpf Amb. 4, 4.
— *tabacaria* R. et Sch. Rumpf Amb. 4, 3.
— *Thouarsii* Kth. Humb. Gram. 73.
— *verticillata* Willd. Rumpf Amb. 4, 1.
— *virgata* Tr. Trin. Sp. Gr. 3, 338.
— *vulgaris* Wendl. Wendl. Coll. 47.
Bambuseae (Vegetatio.) Blume Rumphia 138.
Bamia crinita Wall. Wall. Pl. asiat. 44.
Banalia thyrsoiflora Moq. Wight Ic. pl. Ind. 5, 1774.
Banara guianensis Aubl. Aubl. Guiana 217.
— — Lam. Encycl. 464.
— — Abb. Ac. Berl. 1832, 2.
Banffya petraea Baumg. Rehb. Ic. crit. 4, 400.
— — Rehb. Fl. germ. 6, 238.
† *Banisteria acanthocarpa* Juss. Arch. Mus. 3, 13.
— *angulosa* L. Jacq. Schoenbr. 4, 443.
— — Cav. Diss. 252.
† — *appendiculata* Lam. Arch. Mus. 3, 13.
— *auriculata* Cav. Cav. Diss. 253.
† — *calocarpa* Miq. Miq. Surin. 21.
— *campestris* Juss. St. Hill. Fl. Bras. 168.
† — — Arch. Mus. 3, 13.
— *chrysophylla* Lam. Jacq. Schoenbr. 1, 105.
— — Cav. Diss. 245.
— *ciliata* Lam. Cav. Diss. 254.
— *coerulea* Lam. Cav. Diss. 243.
— *convolvulifolia* Cav. Cav. Diss. 256.
— *emarginata* Cav. Cav. Diss. 249.
— *ferruginea* Cav. Cav. Diss. 248.
— *fulgens* Lam. Cav. Diss. 253.
† — *heterostyla* Juss. Arch. Mus. 3, 13.
† — *laurifolia* L. Gaertn. Carp. 116.
— — DC. Bot. Reg. 11, 937.
— *Leona* Cav. Cav. Diss. 247.
— — Lam. Encycl. 381.
— *lucida* Rich. Miq. Surin. 20.
— *microphylla* Jacq. Jacq. Obs. 56.
— *muricata* Cav. Cav. Diss. 246.
— *nitida* Lam. Cav. Diss. 244.
— *ovata* Cav. Cav. Diss. 257.
— *palmata* Cav. Cav. Diss. 257.
— *parvifolia* Vent. Vent. Choix 51.
— *polita* Miq. Miq. Surin. 21.
— *pupipetala* Juss. St. Hill. Fl. Bras. 169.
— *purpurea* L. Cav. Diss. 246.
— *Quapara* Aubl. Aubl. Guiana 186.
— — Cav. Diss. 250.
— *sagittata* Cav. Cav. Diss. 257.
— ? *sericea* Cav. Cav. Diss. 258.
— *sinemariensis* Aubl. Aubl. Guian. 185.
— — Cav. Diss. 251.
— *tiliaefolia* Vent. Vent. Choix 50.
† *Banksia* L. Forst. Char. 4.
— *aemula* R. Br. Bot. Mag. 53, 2671.
— — Rehb. Exot. 275.
— — Bot. Reg. 8, 688.
— *Baueri* R. Br. Hart. Parad. 2, 1.
— *coccinea* R. Br. Bauer Illustr. 3.
† — *conchifera* Gaertn. Gaertn. Carp. 48.
— *Cunninghami* Sieb. Rehb. Hort. 81.
— — Bot. Reg. 16, 1363.
† — *dactyloides* Gaertn. Gaertn. Carp. 47.
† — — Lam. Encycl. 54.
— *dentata* L. Wendl. Hort. herrenh. 8.
— *dryandroides* Bartz. Sweet Austr. 56.
— *ericaeifolia* L. fil. Cav. Ic. 538. 539.
— — Andr. Rep. 3, 156.
— — Bot. Mag. 19, 738.
— — Tratt. Thes. 23.
† — *insularis* R. Br. Schnizl. Ic. 2, 113.
— *integrifolia* L. fil. Cav. Ic. 546.

- † *Banksia integrifolia* *L. fil.* Lam. Encycl. 54.
 — — Bot. Mag. 54, 2770.
 — — *latifolia* *R. Br.* Bot. Mag. 50, 2406.
 — — *litoralis?* *R. Br.* Bot. Mag. 58, 3060.
 — — Bot. Reg. 16, 1363.
 — — *marcescens* *R. Br.* Bonpl. Malm. 48.
 — — Tratt. Thes. 21.
 — — Bot. Mag. 55, 2803.
 — — Sweet Austr. 14.
 † — — Schnizl. Ic. 2, 113.
 — — *marginata* *Cav.* Cav. Ic. 544.
 † — — Gaertn. Carp. 220.
 — — Lodd. Cab. 61.
 — — Bot. Mag. 45, 1947.
 — — *media* *R. Br.* Bot. Mag. 58, 3120.
 — — *microstachya* *Cav.* Cav. Ic. 541.
 — — *oblongifolia* *Cav.* Cav. Ic. 542.
 — — Lodd. Cab. 241.
 — — *occidentalis* *R. Br.* Bot. Mag. 63, 3335.
 — — Lcm. Jard. fl. 119—120.
 — — Paxt. Fl. G. 33.
 — — Fl. d. serres 6, 636.
 — — *oleaeifolia* *Cav.* Cav. Ic. 545.
 — — *paludosa* *R. Br.* Lodd. Cab. 392.
 — — Bot. Reg. 9, 697.
 — — *praemorsa* *Andr.* Andr. Rep. 4, 258.
 — — *prostrata* *R. Br.* Bot. Reg. 19, 1572.
 † — — *pyriformis* *Gaertn.* Gaertn. Carp. 47.
 † — — Lam. Encycl. 54.
 — — *quercifolia* *R. Br.* Bot. Reg. 17, 1430.
 — — *Robur* *Cav.* Cav. Ic. 543.
 — — *serrata* *L. fil.* Cav. Ic. 539. 540.
 — — Lam. Encycl. 54.
 — — Andr. Rep. 2, 82.
 — — Tratt. Thes. 22.
 — — Bot. Reg. 16, 1316.
 — — *speciosa* *R. Br.* Bot. Mag. 58, 3052.
 — — Bot. Reg. 20, 1728.
 † — — *spicata* *Gaertn.* Gaertn. Carp. 48.
 — — *spinulosa* *Sm.* Smith New Holl. 4.
 — — Cav. Ic. 537.
 — — Andr. Rep. 7, 457.
 — — Tratt. Thes. 24.
 — — *undulata* *Ldl.* Bot. Reg. 16, 1316.
 — — *verticillata* *R. Br.* Hook. Ex. Fl. 96.
Baphia nitida *Lodd.* Lodd. Cab. 367.
Baptisia exaltata *Sweet.* Sweet Fl. G. 97.
 — ? *nepalensis* *Hook.* Hook. Ex. Fl. 131.
 — — Kern. Hort. 746.
 — — *perfoliata* *R. Br.* Lodd. Cab. 1104.
 — — Bot. Mag. 58, 3121.
 — — *tinctoria* *R. Br.* Lodd. Cab. 588.
 — — Bart. Med. 29.
 — — *versicolor* *Lodd.* Lodd. Cab. 1144.
 † *Barbacenia* *Vand.* Roem. Script. 6. — Herbert Amar. 1.
 † — — *Alexandrinae* *Schomb.* Schomb. Monogr. 1.
 — — *bicolor* *Mart.* Mart. Bras. 13.
 † — — *brasilensis* *Willd.* Lam. Encycl. 252.
 † — — *coccinea* *Mart.* Endl. Bras. 8, 8.
 — — *exscapa* *Mart.* Mart. Bras. 14.
 — — Rchb. Exot. 78.
 † — — *Gardneri* *Seub.* Endl. Bras. 8, 8.
 † — — *igneae* *Mart.* Endl. Bras. 8, 8.
 — — *longiflora* *Mart.* Mart. Bras. 12.
 † — — *luzulaefolia* *Mart.* Endl. Bras. 8, 8.
 — — *purpurea* *Hook.* Bot. Mag. 54, 2777.
 — — Lodd. Cab. 1532.
 — — Maund Bot. 2, 64.
 — — Paxt. Mag. 12, 27.
 — — Endl. Bras. 8, 8.
 † — — *Van Houtte* *Hort.* 5.
 — — Fl. d. serres 4, 318.

- Barbacenia Rogieri* *Hort.* Lem. Jard. fl. 82.
 — — *rubrovirens* *Mart.* Mart. Bras. 14.
 — — Rchb. Exot. 78.
 — — *schidigera* *Lem.* Lem. Jard. fl. 198—199.
 — — *squamata* *Paxt.* Paxt. Mag. 11, 75.
 — — Bot. Mag. 71, 4136.
 — — Fl. d. serres 1, 48.
 — — *tomentosa* *Mart.* Mart. Bras. 11.
 — — *tricolor* *Mart.* Mart. Bras. 10.
 — — Rchb. Exot. 79.
 † — — *Vandellii* *Pohl.* Endl. Bras. 8, 8.
 † *Barbaraea* *R. Br.* Gray Gen. 62.
 — — *arcuata* *Rchb.* Rchb. Fl. germ. 2, 48.
 — — Dietr. Fl. bor. 6, 422.
 — — *Sturm.* Sturm Flora 11, 43.
 — — *augustana* *Boiss.* Mem. Genev. 11, 1.
 — — *plantaginea* *DC.* Delessert Ic. 2, 19.
 — — *praecox* *R. Br.* Dietr. Fl. bor. 6, 424.
 — — Rchb. Fl. germ. 2, 49.
 — — Sturm Flora 15, 66.
 — — *rupicola* *Mor.* Moris Fl. sard. 10.
 — — *stricta* *Andrz.* Dietr. Fl. bor. 6, 423.
 — — Rchb. Fl. germ. 2, 47.
 — — Sturm Flora 11, 43.
 — — *vulgaris* *R. Br.* Rchb. Fl. germ. 2, 47.
 — — Sturm Flora 11, 43.
 — — Baxter Brit. Bot. 6, 450.
 — — Gray Gen. 62.
 — — *Lk. et H.* Dietr. Fl. bor. 6, 421.
Barbieria magensis *P. et E.* Poepp. et Endl. 264.
 — — *polyphylla* *DC.* DC. Legum. 39.
 † *Barclaya longifolia* *Wall.* Linn. Tr. 15, 18.
 — — Ann. sc. nat. III. 17, 21.
 — — Hook. Ic. pl. 9, 809. 810.
Bargemontia peruviana *Gaudich.* Gauchd. Bonite 8.
Barkeria elegans *Kn. et W.* Kn. et Westc. 49.
 — — *Lindleyana* *Batem.* Bateman Orch. 28.
 — — Paxt. Mag. 13, 193.
 — — *Skinneri* *Paxt.* var. Paxt. Mag. 15, 1.
 — — *spectabilis* *Batem.* Bateman Orch. 33.
 — — Bot. Mag. 70, 4094.
 — — Paxt. Mag. 10, 169.
 — — Fl. d. serres 1, 24.
Barkhausia albida *Cav.* var. Willk. Ic. ined.
 — — *bellidifolia* *DC.* Rchb. Ic. crit. 3, 203.
 — — *caespitosa* *Mor.* Moris Fl. sard. 92.
 — — *foetida* *DC.* Baxter Brit. Bot. 6, 467.
 — — *hiemalis* *Biv.* Bivona Stirp. rar. Sic. 1, 2.
 — — Rchb. Pl. crit. 1, 40.
 † — — *rubra* *Moench.* Monnier Essai 3.
 — — *setosa* *DC.* DC. Ic. Gall. 19.
 † *Barleria* *L.* Kern. Gen. 39.
 — — *acuminata* *Wight.* Wight Ic. pl. Ind. 2, 450.
 — — *alba* *Hort.* Lodd. Cab. 360.
 — — *bispinosa* *Vahl.* Rheede Hort. mal. 2, 47.
 — — *buxifolia* *L.* Wight Ic. pl. Ind. or. 3, 870.
 — — *courtallica* *N. v. E.* Wight Ic. pl. Ind. or. 4, 1529.
 — — *cristata* *Lam.* Lam. Encycl. 549.
 — — *L.* Andr. Rep. 10, 625.
 — — Bot. Mag. 39, 1615.
 — — Rchb. Mag. 44.
 — — Wight Ic. pl. Ind. or. 2, 453.
 — — *cuspidata* *Klein.* Wight Ic. pl. Ind. or. 2, 451.
 — — *flava* *Jacq.* Jacq. Ecl. pl. 46.
 — — Kern. Hort. 429.
 — — Bot. Reg. 3, 191.
 — — Bot. Mag. 70, 4113.
 — — *hexacantha* *Bert.* Novi Comm. Bon. 1, 20.
 — — *Moris.* Mem. Tur. 36, 7.
 — — *hirsuta* *Jacq.* Jacq. Hist. stirp. am. 172.
 — — Jacq. Obs. 32.
 — — *Hochstetteri* *N. v. E.* Wight Ic. pl. Ind. or. 4, 1528.

- Barleria Hochstetteri* N. v. E. Hook. Ic. pl. 9, 803.
 — *Hystrix* L. Rumpf Amb. Auct. 13.
 — *involuta* N. v. E. Wight Illustr. 164.
 † — *longiflora* L. Gaertn. Carp. 54.
 † — — — Lam. Encycl. 549.
 — — — Vahl Symb. 16.
 — *longifolia* L. Rheede Hort. mal. 2, 45.
 — *lupulina* Ldl. Bot. Reg. 18, 1483.
 — *mitis* Ker. Lodd. Cab. 1911.
 — *nitida* N. v. E. Wight Ic. pl. Ind. or. 2, 454.
 — *ovata* Lam. Lam. Encycl. 549.
 — *polytricha* Wall. Wall. Pl. asiat. 82.
 — *Prionitis* L. Rheede Hort. mal. 9, 41.
 — — — Rumpf Amb. Auct. 13.
 — — — Jacq. Ecl. pl. 39.
 — — — Wight Ic. pl. Ind. or. 2, 452.
 — *purpurea* Lodd. Lodd. Cab. 344.
Barnadesia rosea Ldl. Bot. Reg. 29, 29.
 — — — Paxt. Mag. 13, 123.
 — — — Bot. Mag. 72, 4232.
 † — *spinosa* L. fil. Lam. Encycl. 660.
 † — — — Ann. Mus. 19, 3.
 — — — H. B. Humb. Pl. aeq. 138.
Barnardia indica Wight. Wight Ic. pl. Ind. or. 6, 2041.
 — *rosea* Ldl. Belgique hort. 3, 51.
 — *scilloides* Ldl. Bot. Reg. 12, 1029.
 — — — Bot. Mag. 66, 3788.
Barneoudia chilensis Gay. Gay Chile 1.
 † *Barosma Willd.* Bartling Diosm. 2.
 — *crenulatum* Willd. Bot. Mag. 62, 3413.
 † — *serratifolium* Willd. Mem. Mus. 12, 29.
Barrelicera coccinea Desc. Desc. Ant. 4, 476.
 † *Barringtonia* Forst. Forst. Char. 38. 38^a. 38^b.
 — *acutangula* Gaertn. Rheede Hort. mal. 4, 7.
 † — — — Gaertn. Carp. 101.
 — *racemosa* Bl. Bot. Mag. 67, 3831.
 — — — Freycinet Voyage 107.
 — — — Roxb. Rheede Hort. mal. 4, 6.
 — — — Wight Ic. pl. Ind. or. 1, 152.
 — *speciosa* L. Rumpf Amb. 3, 114.
 † — — — Gaertn. Carp. 101.
 — — — Kern. Hort. 28.
 — — — Paxt. Mag. 10, 241.
 — — — Wight Ic. pl. Ind. or. 2, 547.
 — — — Fl. d. serres 4, 409.
 † *Barroetia diodon* Gaudchd. Gaudichaud Bonite 13.
 † — *monodon* Gaudchd. Gaudichaud Bonite 13.
 † — *tetrodon* Gaudchd. Gaudichaud Bonite 13.
Barrowia jasmiflora DC. Delessert Ic. 5, 88.
Bartholina Burmanniana R. Br. Journ. sc. and arts 4, 6.
 — *pectinata* R. Br. Endl. Iconogr. 40.
 — — — Bot. Reg. 20, 1653.
 † *Bartlingia obovata* Ad. Br. Acta Leop. 19, S. II. 1.
 — *scoparia* Rchb. Rchb. Hort. 11.
Bartonia albescent Don. Sweet Fl. G. II. 182.
 — *aurea* Ldl. Bot. Reg. 22, 1831.
 — — — Bot. Mag. 65, 3649.
 — — — Sweet Fl. G. II. 337.
 — *decapetala* Sims. Bot. Mag. 36, 1487.
 — *laevicaulis* Dougl. Hook. Bor. Am. 69.
 — *micrantha* Hook. Hook. Beech. 65.
 — *ornata* Pursh. Barton 3, 81.
 † *Bartramia glandulosa* Poir. Lam. Encycl. 400.
 † — *Lappago* Gaertn. Gaertn. Carp. 111.
 † — — — Lam. Encycl. 400.
Bartsia alpina L. Fl. dan. 1, 43.
 — — — Curt. Cond. 4, 87.
 — — — Engl. Bot. 6, 361.
 — — — Sv. Bot. 373.
 — — — Schk. Handb. 168.
 — — — Sturm Flora 5, 17.
 † — — — Nees Gen. 5, 43.

- Bartsia bicolor* DC. DC. Ic. Gall. 10.
 — *latifolia* Sm. Sibth. Fl. gr. 586.
 — *Odontites* Huds. Curt. Lond. 3, 8.
 — — — Engl. Bot. 20, 1415.
 — — — Baxter Brit. Bot. 3, 223.
 † — *pallida* L. Gaertn. Carp. 198.
 — *Trixago* L. Sibth. Fl. gr. 585.
 — *viscosa* L. Curt. Lond. 5, 167.
 — — — Lightfoot Fl. scot. 1, 14.
 — — — Engl. Bot. 15, 1045.
 † — — — Ann. sc. nat. 8, 27.
 † *Baryosma Tongo* Gaertn. Gaertn. Carp. 93.
Basella alba L. Rumpf Amb. 5, 154.
 — — — Wight Ic. pl. Ind. or. 3, 896.
 — *cordifolia* Lam. Rheede Hort. mal. 7, 24.
 — *japonica* Burm. Burm. Fl. ind. 39.
 — *ramosa* Jacq. Jacq. Ecl. pl. 161.
 — — — Rchb. Hort. 61.
 † — *rubra* L. Gaertn. Carp. 126.
 — — — Lam. Encycl. 215.
 — — — Desc. Ant. 8, 535.
 † — — — Schnizl. Ic. 2, 101.
 — *vesicaria* Lam. Lam. Encycl. 215.
Basilaea coronata Lam. Lam. Encycl. 239.
 — *punctata* Mirb. Lam. Encycl. 239.
 † *Bassia dubia* Gaertn. Gaertn. Carp. 104.
 † — — — Lam. Encycl. 398.
 — *latifolia* Roxb. Roxb. Corom. 19.
 — — — Kern. Hort. 82.
 † — *longifolia* L. Gaertn. Carp. 104.
 — — — Lam. Encycl. 398.
 — — — Dict. sc. nat. 62.
 — — — Wight Illustr. 147.
 — *microphylla* Hook. Hook. Ic. pl. 1, 74.
 — *muricata* All. Misc. taur. 3, 4.
Bassowia silvatica Aubl. Aubl. Guiana 83.
 † — — — Lam. Encycl. 102.
Bastardia nemoralis St. Hil. St. Hil. Fl. Bras. 39.
 — *parvifolia* H. B. K. H. B. K. Nov. Gen. 5, 472.
 † *Batatas Choisy.* Mem. Genev. 6, 1.
 — *betacea* Ldl. Bot. Reg. 26, 56.
 — *bonariensis* Ldl. Paxt. Mag. 8, 25.
 — *Choisyana* Wight. Wight Ic. pl. Ind. or. 2, 491.
 — *insignis* G. Don. Hart. Parad. 1, 6.
 — *paniculata* Choisy. Bot. Reg. 1, 75.
 — *pentaphylla* Choisy. Wight Ic. pl. Ind. or. 3, 834.
Batemannia Colleyi Ldl. Bot. Reg. 20, 1714.
 — — — Bot. Mag. 67, 3818.
Batis maritima L. Jacq. Hist. stirp. am. 246.
 — — — Lam. Encycl. 806.
 — — — Desc. Ant. 7, 496.
 — — — Smithsonian Contrib. 1853, 11.
Batschia canescens Michx. Michaux Fl. 14.
 — — — Barton Fl. 2, 58.
 — — — Paxt. Mag. 15, 151.
 — *racemosa* Mutis. Usteri Ann. 10, 1.
Bauera galioides Sieh. Rchb. Hort. 77.
 — *humilis* Sweet. Lodd. Cab. 1197.
 — *rubiaefolia* Salisb. Konig Ann. 1, 10.
 — — — Lodd. Cab. 1313.
 — — — Tratt. Thes. 71.
 — — — Rchb. Mag. 6.
 — *rubrioides* Andr. Andr. Rep. 3, 198.
 — — — Bot. Mag. 19, 715.
 — — — Vent. Malm. 96.
 † — — — Kern. Gen. 210.
 — — — Sm. Tratt. Arch. 144. 144^a.
Bauhinia aculeata L. Linné Hort. Cliff. 14.
 — *acuminata* L. Rheede Hort. mal. 1, 34.
 — — — Lam. Encycl. 329.
 — — — Kern. Hort. 532.
 † — — — Korthals Bot. 9.

- Bauhinia acuminata* L. Desc. Ant. 2, 128.
 — *Acuruana* Moric. Moric. Pl. Am. 51.
 — *americana* DC. Herb. amat. 5, 315.
 — *anguina* Roxb. Roxb. Corom. 283.
 — *corymbosa* Roxb. DC. Legum. 70.
 — — Bot. Reg. 25, 47.
 — *cumanensis* H. B. K. Bot. Reg. 14, 1133.
 — *diphylla* Buchan. Schrad. Journ. 1800. 2, 7.
 — *divaricata* L. Linné Hort. Cliff. 13.
 — — Lam. Encycl. 329.
 — *elongata* Korth. Korthals Bot. 24.
 — *ferruginea* Roxb. Korthals Bot. 23.
 — *flexuosa* Moric. Moric. Pl. Am. 53.
 — *forficata* Lk. Link Ic. 1, 36.
 — — Bot. Mag. 66, 3741.
 — *grandiflora* Juss. Rchb. Hort. 180.
 — — Hook. Bot. Misc. 91.
 — *guianensis* Aubl. Aubl. Guiana 143.
 — *heterophylla* Kth. Humb. Mim. 46.
 — *hirsuta* Korth. Korthals Bot. 9.
 — *Kockiana* Korth. Korthals Bot. 10.
 — *Langsdorffiana* Bong. Acad. Pet. 4, 1.
 — *latifolia* Cav. Cav. Ic. 403.
 — *latisiliqua* Cav. Cav. Ic. 408.
 — *lunaria* Cav. Cav. Ic. 407.
 — *odoratissima* Moric. Moric. Pl. Am. 52.
 — *Outimouta* Aubl. Aubl. Guiana 144.
 — *parvifolia* Hochst. Field. Sert. 10.
 — *pes caprae* Cav. Cav. Ic. 404.
 — *porrecta* Sw. Jacq. Schoenbr. 1, 100.
 — — Jacq. Bot. Mag. 41, 1708.
 — *purpurea* L. Rheede Hort. mal. 1, 33.
 — — Hill Decade 6.
 — *pyrraneura* Korth. Korthals Bot. 11.
 — *racemosa* Vahl. Vahl Symb. 62.
 — — Asiat. Res. 12, 9.
 — — Lam. Hook. Ic. pl. 2, 141.
 — *Raddiana* Bong. Acad. Pet. 4, 3.
 — *reticulata* DC. Guill. Seneg. 60.
 — *Riedeliana* Bong. Acad. Pet. 4, 2.
 — *rosea* Miq. Miq. Surin. 2.
 — *rufescens* Lam. Lam. Encycl. 329.
 — *scandens* L. Rheede Hort. mal. 8, 29 — 31.
 — — Rumpf Amb. 5, 1.
 — — Roxb. Wight Ic. pl. Ind. or. 1, 264.
 — *semibifida* Roxb. Wall. Pl. asiat. 253.
 — — Wight Ic. pl. Ind. 1, 263.
 — *subrotundifolia* Cav. Cav. Ic. 406.
 — *tomentosa* L. Rheede Hort. mal. 1, 33.
 — *Ungula* Jacq. Jacq. Fragm. 15.
 — *variegata* L. Rheede Hort. mal. 1, 32.
 — — β . chinensis DC. Ic. pl. Chin. 26.
 — *versicolor* Bert. Novi Comm. Bon. 3, 25.
Baumannia geminiflora DC. Mem. Genev. 6, 1.
Baumea glomerata Gaudchd. Freycinet Voyage 29.
Baxteria australis Hook. Hook. Lond. Journ. 1843, 13. 14. 15.
Beaufortia anisandra Schauer. Acta Leop. 21. 1, 1.
 — *Dampieri* Cunn. Bot. Mag. 60, 3272.
 — *decussata* Ker. Bot. Reg. 1, 18.
 — — R. Br. Bot. Mag. 42, 1733.
 — — Paxt. Mag. 8, 269.
 — — Colla Hort. Rip. 22.
 — *splendens* Paxt. Paxt. Mag. 13, 143.
Beauharnoisia fructipendula Rz et Pav. Ruiz et Pav. Ic. ined.
 — — — Ann. Mus. 11, 9.
Beaumontia grandiflora Wall. Wall. Tentamen 7.
 — — — Bot. Reg. 11, 911.
 — — — Rchb. Exot. 172.
 — — — Bot. Mag. 60, 3213.
 — — — Paxt. Mag. 13, 103.

- Beaumontia Jerdoniana* Wight. Wight Ic. pl. Ind. or. 4, 1314 — 15.
Beautempsia avicenniaefolia Gaudchd. Gaudchd. Bon. 56.
Becium bicolor Ldl. Bot. Reg. 29, 15.
Beckmannia erucaeformis Host. Host. Gram. 206.
 — — — Rchb. Fl. germ. 1, 25.
 † — — — Nees Gen. 1, 40.
 † *Beclardia elata* A. Rich. Mem. hist. nat. Par. 4, 11.
 † — *macrostachys* A. Rich. Mem. hist. nat. Par. 4, 11.
Becquerelia cymosa Brongn. Brongn. Coquille 27.
 — *Mercelliana* N. v. E. Endl. Bras. 3, 27.
Bedfordia salicina DC. Hooker Letter 1.
 — — — Bot. Reg. 11, 923.
Beesha Fax R. et Sch. Rumpf Amb. 4, 2.
Befaria L. = *Bejaria*.
 † *Begonia* L. Linn Tr. 1, 14. — Kern. Gen. 33.
 — *acerifolia* H. B. K. H. B. K. Nov. Gen. 7, 644.
 — *acuminata* Dryand. Bot. Reg. 5, 364.
 — — — Bot. Mag. 69, 4025.
 — *albo-coccinea* Hook. Bot. Mag. 71, 4172.
 — — — Bot. Reg. 32, 39.
 — — — Fl. d. serres 3, 225.
 — — — Paxt. Mag. 13, 215.
 — *argyrostigma* Fisch. Hook. Ex. Fl. 18.
 — — — Lk. Link Ic. 1, 10.
 — — — Bot. Reg. 8, 666.
 — — — Kern. Hort. 616.
 — *Balmisiana* Balmis Demonstr. 2.
 — *Barkeri* Kn. et W. Kn. et Westc. 135.
 — *bicolor* L. Desc. Ant. 7, 531.
 — *biserrata* Ldl. Bot. Mag. 79, 4746.
 — *bulbillifera* Lk. Link Ic. II. 45.
 — *caroliniaefolia* Hort. Regel Gartenfl. 1, 25.
 — *cinnabarina* Hook. Paxt. Mag. 16, 228.
 — — — Bot. Mag. 75, 4183.
 — — — Lem. Jard. fl. 28.
 — — — Fl. d. serres 5, 530.
 — *coccinea* Hook. Bot. Mag. 69, 3990.
 — — — Paxt. Mag. 10, 73.
 — *crassicaulis* Ldl. Bot. Reg. 28, 44.
 † — *cucullata* Willd. Bot. Zeit. 1847, 7.
 † — — — Ann. sc. nat. III. 9, 1.
 — *cyathophora* P. et E. Poepp. et Endl. 11.
 — *dichotoma* Jacq. Jacq. Ic. 619.
 — *dipetala* Grah. Bot. Mag. 53, 2949.
 — — — Lodd. Cab. 1730.
 — — — Paxt. Fl. G. 14.
 — — — Wight Ic. pl. Ind. or. 5, 1813.
 — *discolor* Ait. Kern. Hort. 581. 752.
 — — — Savi Fl. ital. 3, 93.
 — — — Dict. sc. nat. 17. 18.
 — *diversifolia* Grah. Bot. Mag. 57, 2966.
 — — — Kn. et Westc. 14.
 — *Dregei* Otto et Dietr. Maund Bot. 5, 217.
 — *echinata* Royle. Royle Illustr. 80.
 — *elliptica* H. B. K. H. B. K. Nov. Gen. 7, 641.
 — — — Kern. Hort. 743.
 — *Erminea* L'her. L'her. Stirp. 47.
 — *Evansiana* Andr. Andr. Rep. 10, 627.
 — — — Bonpl. Malm. 63.
 — — — Bot. Mag. 36, 1473.
 — *ferruginea* L. Smith Ic. Linn. 44.
 — — — Kern. Hort. 281.
 — *Fischeri* Otto. Bot. Mag. 63, 3332.
 — *foliosa* H. B. K. H. B. K. Nov. Gen. 7, 642.
 — *fuchsioides* Hook. Bot. Mag. 73, 4281.
 — — — Paxt. Mag. 14, 217.
 — — — Fl. d. serres 3, 212.
 — *geraniifolia* Hook. Bot. Mag. 62, 3387.
 — *glabra* Aubl. Aubl. Guiana 349.
 — *Grahamiana* Wight. Wight Ic. pl. Ind. or. 5, 1811.
 — *grandiflora* Kn. et W. Kn. et Westc. 25.

- Begonia hernandiaefolia* Hook. Bot. Mag. 78, 4676.
 — — — Fl. d. serres 8, 810.
 — *heracleifolia* Schl. et Ch. Bot. Mag. 62, 3444.
 — — — Bot. Reg. 20, 1668.
 — *hirsuta* Aubl. Aubl. Guiana 346.
 — *humilis* Ait. Linn. Tr. 1, 15.
 — — — Hook. Ex. Fl. 17.
 — — — Roem. Arch. I. (3.) 5.
 — — — Bonpl. Bonpl. Malm. 62.
 — — — Dryand. Bot. Reg. 4, 284.
 — *hydrocotylifolia* Lk. Bot. Mag. 69, 3968.
 — *incarnata* Lk. et O. Link Ic. II. 19.
 — — — Kn. et Westc. 48.
 — — — Maund Bot. 3, 103.
 — *insignis* Grah. Bot. Mag. 56, 2900.
 — — — Bot. Reg. 23, 1996.
 — *isoptera* Dryand. Smith Ic. Linn. 43.
 — *longipes* Hook. Bot. Mag. 57, 3801.
 — *malabarica* Lam. Rheede Hort. mal. 9, 86.
 — *Martiana* Lk. et O. Link Ic. II. 25.
 — — — Paxt. Mag. 12, 151.
 — *Meyeri* Hort. Berol. Kn. et Westc. 130.
 — — — Bot. Mag. 70, 4100.
 — *miniata* Planch. Fl. d. serres 8, 787.
 — *minor* Jacq. Jacq. Ic. 618.
 — *monoptera* Lk. et O. Link Ic. II. 11.
 — — — Bot. Mag. 64, 3564.
 — *nana* L'her. L'her. Stirp. 48.
 — *nitida* Dryand. Salisb. Parad. 72.
 — — — Bot. Mag. 69, 4046.
 — — — Desc. Ant. 5, 344.
 — — — Lam. Encycl. 778.
 — — — Maund Bot. 5, 233.
 — — — Paxt. Mag. 13, 77.
 — — — Regel Gartenf. 2, 55.
 — *obliqua* L. Schneev. Ic. 24.
 † — — — Gaertn. Carp. 31.
 — — — L'her. Stirp. 46.
 — — — Thunb. Kaempf. Jap. 20.
 — *octopetala* L'her. Bot. Mag. 64, 3559.
 — — — Kn. et Westc. 25.
 — *odorata* Willd. Paxt. Mag. 4, 123.
 — *papillosa* Grah. Bot. Mag. 55, 2846.
 — *parviflora* P. et E. Poepp. et Endl. 12.
 — *parvifolia* Schott. Bot. Mag. 66, 3720.
 — *pauciflora* Ldl. Bot. Reg. 6, 471.
 — *pedunculosa* Wall. Wall. Pl. asiat. 97.
 — *petalodes* Ldl. Bot. Reg. 21, 1757.
 — *pieta* Sm. Smith Ex. Bot. 101.
 — — — Lodd. Cab. 571.
 — — — Hook. Ex. Fl. 89.
 — — — Bot. Mag. 57, 2962.
 — *platanifolia* Schott. Paxt. Mag. 3, 125.
 — — — Bot. Mag. 64, 3591.
 — *populifolia* H. B. K. H. B. K. Nov. Gen. 7, 613.
 — *prestoniensis* Moore. Fl. d. serres 8, 819.
 — *punctata* Lk. et Kl. Link Ic. III. 7.
 — *ramentacea* Paxt. Paxt. Mag. 12, 73.
 — *reniformis* Dryand. Bot. Mag. 60, 3225.
 — *rubicaulis* Hook. Bot. Mag. 70, 4131.
 — *rubro-venia* Hook. Bot. Mag. 79, 4689.
 — — — Fl. d. serres 8, 839.
 — *sanguinea* Raddi. Link Ic. II. 13.
 — — — Bot. Mag. 63, 3520.
 — *semperflorens* Lk. et O. Link Ic. II. 5.
 — — — Lodd. Lodd. Cab. 1439.
 — — — Rchb. Hort. 231.
 — — — Bot. Mag. 56, 2920.
 — *sinuata* Grah. Bot. Mag. 66, 3731.
 — *spathulata* Willd. Lodd. Cab. 107.
 — *suaveolens* Lodd. Lodd. Cab. 69.
 — *subpeltata* Wight. Wight Ic. pl. Ind. or. 5, 1812.

- Begonia tenera* Dryand. Linn. Tr. 1, 16.
 — — — Roem. Arch. I. (3.) 4.
 — *Thwaitesii* Hook. Bot. Mag. 79, 4692.
 — — — Fl. d. serres 8, 821.
 — *tuberosa* Dryand. Rumpf Amb. 5, 169.
 — *ulmifolia* Willd. Lodd. Cab. 638.
 — — — Link Ic. I. 38.
 — — — Hook. Ex. Fl. 57.
 — *undulata* Grah. Bot. Mag. 54, 2723.
 — *urticaefolia* L. Smith Ic. Linn. 45.
 — *verticillata* Hook. Hook. Ic. pl. 9, 811.
 — *villosa* Ldl. Bot. Reg. 15, 1252.
 — *xanthina* Hook. Bot. Mag. 78, 4683.
 — — — Fl. d. serres 8, 774.
 † *Bejaria aestuans* L. Gaertn. Carp. 209.
 — — — Humb. Pl. aeq. 218.
 — — — Desc. Ant. 7, 503.
 — — — Kern. Hort. 390.
 — — — Fl. d. serres 4, 332.
 — *coarctata* H. B. Humb. Pl. aeq. 121.
 — — — Lam. Encycl. 959.
 — — — Paxt. Fl. Garden 17.
 — — — Bot. Mag. 75, 4433.
 † — — — Fl. d. serres 4, 332.
 — *glauca* H. B. Humb. Pl. aeq. 117.
 — *grandiflora* H. B. Humb. Pl. aeq. 119.
 — *hispida* P. et E. Poepp. et Endl. 39.
 — *ledifolia* H. B. Humb. Pl. aeq. 120.
 — — — Lam. Encycl. 959.
 — — — Fl. d. serres 3, 195.
 — *Lindeniana* Her. Lem. Jard. fl. 23.
 — *Mathewsii* Field. Field. Sertum 69.
 — *paniculata* Michx. Michaux Fl. 26.
 — *racemosa* Vent. Vent. Cels 51.
 — *resinosa* L. fil. Vent. Choix 52.
Beilschmiedia Roxburghiana N. v. E. Wight Ic. pl. Ind. 5, 1828.
Belairia spinosa A. Rich. Ramon Cuba 40.
Belamcanda chinensis DC. Red. Lil. 3, 121.
Belangera denticulata Moric. Moric. Pl. Am. 90.
 — *glabra* Camb. St. Hil. Fl. Br. 115.
 — *speciosa* Camb. St. Hil. Fl. Bras. 117.
 — *tomentosa* Camb. St. Hil. Fl. Bras. 116.
Belenia praealta Derne. Jacquemont Ind. 120.
Bellardia pusilla Colla. Mem. Tur. 38, 34.
Bellendena montana R. Rr. Guill. Austr. 7.
† *Bellevalia ciliata* N. v. E. Nees Gen. 2, 42.
 — *dubia* Rchb. Rchb. Fl. germ. 10, 458.
† — *romana* Rchb. Nees Gen. 2, 42.
 — — — Rchb. Fl. germ. 10, 458.
Bellidiastrum Michellii Cass. Sturm Flora 10, 38.
† — — — Nees Gen. X, x.
 — *subalpinum* Schrank. Schrank Fl. mon. 3, 251.
Bellis aculeata Lab. Bill. Nov. Holl. 206.
 — *annua* L. Bot. Mag. 47, 2174.
 — — — Sibth. Fl. gr. 876.
 — *azorica* Hochst. Seubert Fl. azor. 9.
 — *ciliaris* Lab. Bill. Nov. Holl. 207.
 — *graminea* Lab. Bill. Nov. Holl. 204.
 — *hybrida* Ten. Ten. Fl. nap. 194.
 — *integrifolia* Michx. Bot. Mag. 62, 3455.
 — *papulosa* Boiss. Boissier Esp. 91.
 — *perennis* L. Gesner Ran. bellidifl. o.
 ! — — — (in Umbellata.) Roem. Mag. 1, 2.
 ! — — — Gaertn. Carp. 168.
 † — — — Lam. Encycl. 677.
 † — — — Fl. dan. 3, 503.
 — — — Schk. Handb. 251.
 — — — Curt. Lond. 1, 86.
 — — — Engl. Bot. 6, 424.
 — — — Baxt. Brit. Bot. 1, 44.
 — — — Sv. Bot. 238.

- Bellis perennis* L. Rousseau Bot. 34.
 — — — Dreves 1, 8.
 — — — Hayne 3, 24.
 — — — Schrank Fl. monac. 1, 72.
 — — — Sturm Fl. 20, 94.
 — — — Dietr. Fl. bor. 7, 496.
 † — — — Nees Gen. X, x.
 — — — var. hort. Bot. Mag. 7, 228.
 — — — Fl. d. serres 6, 584.
 — — — silvestris Cir. Cir. Pl. rar. 2, 4.
 — — — Bot. Mag. 51, 2511.
 — — — stipitata Lab. Bill. Nov. Holl. 205.
Bellium bellidioides L. Lam. Encycl. 684.
 — — — Viv. Fl. ital. 10.
 — — — belliioides Don. Sweet Fl. G. II. 175.
 — — — cordifolium Kze. Willk. Ic. ined.
 — — — crassifolium Moris. Moris Fl. sard. 79.
 — — — Sweet Fl. G. II. 278.
 — — — dentatum Viv. Viv. Fl. ital. 10.
Belloa chilensis Remy. Gay Chile 38.
Bellonia aspera L. Lam. Encycl. 149.
 — — — Desc. Ant. 2, 94.
 — — — spinosa Sw. Tuss. Ant. 1, 30.
Bellota Miersii Gay. Gay Chile 50.
Beloperone formosa Fenzl. Jacq. Ecl. pl. 102.
 — — — longepetiolata N. v. E. Endl. Bras. 7, 22.
 — — — oblongata N. v. E. Bot. Reg. 20, 1637.
Belotia greviaefolia A. Rich. Ramon Cuba 21.
Bencomia Moquiniana Webb. Webb Can. 39.
† *Benincasa Savi.* Bibl. ital. 9, p. 158.
 — — — cerifera Savi. Rheede Hort. mal. 8, 3.
 — — — Jacq. Ecl. pl. 153, 154.
 — — — Mem. Genev. 3, 4.
 — — — *β. cylindrica* Fenzl. Jacq. Ecl. pl. 155, 156.
 — — — cylindrica Jacq. Jacq. Ecl. pl. 153, 156.
† *Benjamina utriculariaeformis* Mart. Endl. Bras. 9, 22.
Bennettia javanica R. Br. Bennett Jav. 50.
Benteka Rhedii Lam. Rheede Hort. mal. 4, 30.
Benthamia fragifera Ldl. Hortic. Tr. 8, 17.
 — — — Bot. Reg. 19, 1579.
† — — — Wight Illustr. 122.
 — — — Bot. Mag. 78, 4641.
 — — — Lem. Jard. fl. 261.
 — — — Fl. d. serres 7, 739.
 — — — Belgique hort. 2, 62.
 — — — japonica S. et Zucc. Sieb. Jap. 16.
† — — — latifolia A. Rich. Mem. hist. nat. Par. 4, 7.
Bentinkia Coddapanna Mart. Mart. Palm. 139.
Benzoin officinale Hayne. Hayne 11, 24.
† *Berardia paleacea* Ad. Br. Ann. sc. nat. 8, 37.
 — — — subacaulis Vill. Vill. Dauph. 22.
 — — — Rechb. Fl. germ. 15, 807.
† *Berberis* L. Gray Genera 31.
 — — — actinacantha Mart. Bot. Reg. 31, 55.
 — — — aetnensis Presl. Moris Fl. sard. 5.
 — — — altaica Pall. Pallas Fl. ross. 67.
 — — — Aquifolium Pursh. Pursh Fl. 4.
 — — — Lodd. Cab. 1718.
 — — — Bot. Reg. 17, 1425.
 — — — aristata DC. Bot. Mag. 52, 2549.
 — — — Hook. Ex. Fl. 98.
 — — — Bot. Reg. 9, 720.
 — — — asiatica Roxb. Delessert Ic. 2, 1.
 — — — aurahuacensis Hort. Fl. d. serres 4, 334.
 — — — buxifolia Lam. Lam. Encycl. 253.
 — — — Lodd. Cab. 1941.
 — — — Richard Astrolabe 21.
 — — — Hook. Fl. ant. 87.
 — — — canadensis Pursh. Rafin. Med. 15.
 — — — Gray Gen. 31.
 — — — Guimp. Fr. Holzgew. 63.

- Berberis Chitria* Ham. Bot. Reg. 9, 729.
 — — — concinna Hook. fil. Bot. Mag. 79, 4744.
 — — — conferta H. B. K. H. B. K. Nov. Gen. 5, 430.
 — — — congestiflora Gay. Gay Chile 3.
 — — — coriaria Royle. Bot. Reg. 27, 46.
 — — — cretica L. Sibth. Fl. gr. 342.
 — — — Darwinii Hook. Hook. Ic. pl. 7, 672.
 — — — Bot. Mag. 77, 4590.
 — — — Paxt. Fl. G. 46.
 — — — Lem. Jard. fl. 111.
 — — — Fl. d. serres 7, 663.
 — — — dealbata Ldl. Bot. Reg. 21, 1750.
 — — — dulcis Sweet. Maund Bot. 1, 42.
 — — — Sweet Fl. G. II. 100.
 — — — Paxt. Mag. 10, 171.
 — — — emarginata Willd. Guimp. Fr. Holzgew. 62.
 — — — empetrifolia Lam. Lam. Encycl. 253.
 — — — Bot. Reg. 26, 27.
 — — — Richard Astrolabe 20.
 — — — Sweet Fl. G. II. 350.
 — — — nervosa Pursh. Bot. Reg. 17, 1426.
 — — — fascicularis Sims. Bot. Mag. 50, 2396.
 — — — Ldl. Bot. Reg. 9, 702.
 — — — flexuosa R. et P. R. et Pav. Fl. 281.
 — — — fraxinifolia Hook. Hook. Ic. pl. 4, 329, 330.
 — — — glauca H. B. K. H. B. K. Nov. Gen. 5, 433.
 — — — glaucescens St. Hil. St. Hil. Fl. Bras. 10.
 — — — glumacea Spr. Lodd. Cab. 1701.
 — — — Bot. Reg. 17, 1426.
 — — — gratissima Klotzsch. Prinz Wald. Him. 37.
 — — — heterophylla Poir. Hook. Ex. Fl. 14.
 — — — hypoleuca Ldl. Journ. Hort. Soc. 2, 246.
 — — — ilicifolia Forst. Bot. Mag. 73, 4308.
 — — — Fl. d. serres 3, 291.
 — — — Richard Astrolabe 20.
 — — — Hook. Fl. ant. 86.
 — — — inermis Pers. Richard Astrolabe 21.
 — — — integrifolia Bge. Bunge Rel. Lehm. 1.
 — — — latifolia R. et P. R. et Pav. Fl. 282.
 — — — laurifolia Thunb. Thunb. Pl. bras. 2.
 — — — Leschenaultii Wall. Zenk. Pl. ind. 19.
 — — — DC. Wight Spicil. 8.
 — — — Wight Ic. pl. Ind. or. 3, 940.
 — — — lutea R. et P. R. et Pav. Fl. 280.
 — — — microphylla Hook. Hook. Fl. ant. 87.
 — — — nepalensis Spr. Paxt. Fl. G. 79.
 — — — Lem. Jard. fl. 3, 278.
 — — — nervosa Pursh. Pursh Fl. 5.
 — — — Sweet Fl. G. II. 171.
 — — — Bot. Mag. 68, 3949.
 — — — Fl. d. serres 2, 62.
 — — — nummularia Bge. Bunge Rel. Lehm. 2.
 — — — pallida Benth. Bot. Reg. 30, 16.
 — — — parviflora Ldl. Journ. Hort. Soc. 2, 244.
 — — — pinnata H. B. K. H. B. K. Nov. Gen. 5, 434.
 — — — Don. Bot. Reg. 9, 702.
 — — — quinduensis H. B. K. H. B. K. Nov. Gen. 5, 432.
 — — — repens Ldl. Lodd. Cab. 1847.
 — — — Bot. Reg. 14, 1176.
 — — — rigidifolia H. B. K. H. B. K. Nov. Gen. 5, 431.
 — — — ruscifolia Lam. Lam. Encycl. 253.
 — — — sibirica Pall. Guimp. Fr. Holzgew. 64.
 — — — Comm. Gott. 6, 6.
 — — — Bot. Reg. 6, 487.
 — — — sinensis H. Par. Watson Dendr. 1, 26.
 — — — tenuifolia Ldl. Bot. Reg. 30, 26.
 — — — tinctoria Lesch. Delessert Ic. 2, 2.
 — — — Wight Illustr. 8.
 — — — tomentosa R. et P. R. et Pav. Fl. 282.
 — — — trifoliata Hartw. Bot. Reg. 31, 10.
 — — — Fl. d. serres 1, 56.
 — — — Moric. Pl. Am. 69.

- Berberis trigona* P. et E. Poepp. et Endl. 187.
 — *umbellata* Wall. Bot. Reg. 30, 44.
 — *virgata* R. et P. R. et Pav. Fl. 281.
 † — *vulgaris* L. Gaertn. Carp. 42.
 — — — Lam. Encycl. 253.
 — — — Schk. Handb. 99.
 — — — Fl. dan. 6, 904.
 — — — Engl. Bot. 1, 49.
 — — — Sv. Bot. 24.
 — — — Hayne 1, 41.
 — — — Guimp. Holzgew. 39.
 — — — Guimp. et Schl. 23.
 — — — Nees Düssel. 366.
 — — — Schrank Fl. mon. 1, 78.
 — — — Sturm Flora 20, 93.
 — — — Rchb. Fl. germ. 3, 18.
 — — — Dietr. Fl. bor. 10, 695.
 — — — Dict. sc. nat. 119.
 † — — — Pléc Types 12.
 — — — Woodv. Med. 3, 219.
 — — — Baxt. Brit. Bot. 2, 115.
 — — — Wallichiana DC. Wall. Pl. asiat. 243.
 — — — Bot. Mag. 78, 4656.
 — — — Lem. Jard. fl. 3, 287.
 † *Berchemia* Neck. Gray Gen. 165.
 † — *floribunda* Ad. Br. Ann. sc. nat. 10, 13.
 — *lineata* DC. Hook. Beech. 37.
 — *parviflora* Wall. Wight Ic. pl. Ind. or. 1, 19.
 — *volubilis* DC. Gray Gen. 165.
Berchtoldia bromoides Presl. Presl Rel. 43.
Berberis ferruginea Hochst. Richard Abyss. 35.
Bergera Koenigii L. Rheede Hort. mal. 4, 53.
 † — — — Linn. Transact. 15, 5.
 — — — Roxb. Corom. 112.
 — — — Tratt. Arch. 12.
 — — — Lodd. Cab. 1019.
 — — — Wight Ic. pl. Ind. or. 1, 13.
 † *Bergeretia* Desv. Desv. Journ. 5, 25.
Bergia ammannioides Wight. Wight Illustr. in Hook. 28.
 — — — Wight Illustr. 25.
 — *aquatica* Roxb. Roxb. Corom. 142.
 — *pentandra* Camb. Guill. Seneg. 12.
 — *verticillata* Willd. Rheede Hort. mal. 9, 78.
Bergsmia javanica Bl. Blume Rumphia 9, 178 c.
 † *Beringeria hispanica* Neck. Nees Gen. 6, 39.
 † *Berkheya fruticosa* Ehrh. Wendl. Beob. 4.
 — *grandiflora* Willd. Bot. Mag. 43, 1844.
 — *uniflora* Willd. Bot. Mag. 46, 2094.
Berlandiera texana DC. Delessert Ic. 4, 26.
 † *Bermudiana graminea* Gaertn. Carp. 11.
Bernhardia dichotoma Willd. Dict. sc. nat. 81.
Berniera nepalensis DC. Delessert Ic. 4, 77.
Berrya Ammonilla Roxb. Roxb. Corom. 264.
 — — — Wight Illustr. 34.
Bersama integrifolia Dill. et R. Richard Abyss. 26.
Berteroia incana DC. Sturm Flora 12, 48.
 — — — Rchb. Fl. germ. 2, 22.
 — — — Dietr. Fl. bor. 9, 623.
 † — — — Nees Gen. X, x.
 — *mutabilis* DC. Rchb. Ic. crit. 3, 231.
 — *obliqua* DC. Sibth. Fl. gr. 626.
 — *procumbens* Portschl. Portschl. Dalm. 9.
 — — — Rchb. Fl. germ. 2, 22.
 — *viridis* Tausch. Rchb. Fl. germ. 2, 22.
Berthelotia lanceolata DC. Delessert Ic. 4, 21.
Bertholletia excelsa H. B. Humb. Pl. aeq. 36.
 — — — Mem. Mus. 13, 4, 8.
 † — — — Lam. Encycl. 968.
 — — — Proc. Bot. Soc. Lond. 1, 3, 4.
Bertiera guianensis Aubl. Aubl. Guiana 69.
 † — — — Lam. Encycl. 165.
 † — *mucronata* Gaertn. Gaertn. Carp. 192.

- † *Bertiera Zaluzania* Gaertn. Gaertn. Carp. 192.
 † — — — Lam. Encycl. 165.
Bertolonia glandulosa Spin. Spin. Jard. Sebast. 2.
 — *maculata* DC. Mart. Bras. 257.
 — — — Bot. Mag. 76, 4551.
 — — — Lem. Jard. fl. 78.
 — — — var. Fl. d. serres 7, 750.
 † — *nymphaeifolia* Raddi. Mem. Mod. 20, 13.
 — *paniculata* Spr. Spreng. Neue Entd. 2, 1.
 — *purpurea* DC. Ann. Mus. 19, 5.
 † *Bertya pinifolia* Planch. Hook. Lond. J. 1845, 16.
Berula angustifolia Koch. Dietr. Fl. bor. 12, 846.
 † *Berzelia lanuginosa* Ad. Br. Ann. sc. nat. 8, 35.
Beschorneria tubiflora Kth. Bot. Mag. 78, 4642.
 — — — Lem. Jard. fl. 4, 334.
Besleria coccinea Aubl. Aubl. Guiana 255.
 — *cristata* L. Jacq. Hist. stirp. am. 180.
 — *incarnata* Aubl. Aubl. Guiana 256.
 † — *lutea* L. Gaertn. Carp. 52.
 † — — — Lam. Encycl. 524.
 — *melittifolia* L. Smith Ex. Bot. 54.
 — — — Lodd. Cab. 204.
 — *pulchella* Donn. Bot. Mag. 28, 1146.
 — — — Lodd. Cab. 1028.
 — — — Rchb. Hort. 41.
 — *serrulata* Jacq. Jacq. Schoenbr. 3, 290.
 — *umbrosa* Mart. Mart. Bras. 218.
 — *violacea* Aubl. Aubl. Guiana 254.
Bessera elegans Ldl. Bot. Reg. 25, 34.
 — *Schult. fil.* Preuss. Gart. Verein 14, 4.
 — *fistulosa* Ldl. Bot. Reg. 18, 1546.
 — *miniata* Ch. Lem. Fl. d. serres 4, 424.
Beta L. Wolf Mangoldarten 1—14.
 — *crispa* Tratt. Tratt. Arch. 75.
 † — *maritima* L. Lam. Encycl. 182.
 — — — Sibth. Fl. gr. 254.
 — — — Engl. Bot. 4, 285.
 — — — Baxter Brit. Bot. 3, 231.
 — — — Fl. dan. 9, 1571.
 — *procumbens* Chr. Smith. Webb Can. 201.
 — *trigyna* W. et K. W. et Kit. 35.
 — — — Tratt. Arch. 74.
 † — *vulgaris* L. Gaertn. Carp. 75.
 † — — — Lam. Encycl. 182.
 — — — Schk. Handb. 56.
 † — — — Nees Gen. 4, 67.
 — *Webbiana* Moq. Webb Canar. 202.
 † *Betonica* L. Mutel Fl. fr. 50.
 — *Alopecurus* L. Jacq. Fl. austr. 1, 78.
 — — — Rchb. Ic. crit. 8, 709.
 † — — — Nees Gen. 6, 34.
 — *grandiflora* Thuill. Herb. amat. 5, 311.
 — *Steph.* Rchb. Ic. crit. 8, 715.
 — *Willd.* Bot. Mag. 19, 700.
 — *hirsuta* L. Comm. Gott. 2, 3.
 — — — Roemer Fl. eur. 10, 5.
 — — — Rchb. Ic. crit. 8, 714.
 — *hirta* Leyss. Rchb. Ic. crit. 8, 711.
 — *incana* Ait. Bot. Mag. 47, 2125.
 — *Mill.* Rchb. Ic. crit. 8, 713.
 † — *officinalis* L. Lam. Encycl. 507.
 — — — Curt. Lond. 2, 76.
 — — — Engl. Bot. 16, 1142.
 — — — Baxter Brit. Bot. 3, 214.
 — — — Fl. dan. 5, 726.
 — — — Sv. Bot. 284.
 — — — Woodv. Med. 2, 128.
 — — — Schk. Handb. 160.
 — — — Hayne 4, 10.
 — — — Schrank Fl. monac. 3, 291.
 — — — Rchb. Ic. crit. 8, 710.
 — — — Dietr. Fl. bor. 11, 783.

- † *Betonica officinalis* L. Nees Gen. 6, 34.
 — *orientalis* L. Lam. Encycl. 507.
 — *stricta* Ait. Rchb. Ic. crit. 8, 712.
 † *Betula* L. Willd. Baumzucht 1.
 — *acuminata* Wall. Wall. Pl. asiat. 109.
 — *alba* L. Schk. Handb. 288.
 — — Hartig 27.
 — — Rchb. Fl. germ. 12, 623.
 — — Dietr. Fl. bor. 11, 787.
 † — — Nees Gen. 4, 18.
 † — — Schnizl. Ic. 2, 88.
 † — — Lam. Encycl. 760.
 — — Fl. dan. 9, 1467.
 — — Sv. Bot. 80.
 — — Engl. Bot. 31, 2198.
 — — Baxt. Brit. Bot. 5, 326.
 — — var. *pontica*, Watson Dendr. 2, 94.
 † — — Schacht Baum 6.
 — — Sm. E. B. Rchb. Fl. germ. 12, 626.
 † — *Alnus* L. Lam. Encycl. 760.
 — — Engl. Bot. 21, 1508.
 — — Sv. Bot. 128.
 — — *quercifolia* Gled. Schriften naturf. Fr. 7, 6.
 — *carpathica* W. et K. Rchb. Fl. germ. 12, 624.
 — *carpinifolia* Ehrh. Wendl. Coll. 41.
 — *davurica* Pall. Pallas Fl. ross. 39.
 — *Ermanni* Cham. et Schl. Erman Reise 17.
 — *excelsa* Willd. Watson Dendr. 2, 93.
 — *fruticans* Pall. Pallas Fl. ross. 40.
 — *fruticosa* Willd. Watson Dendr. 2, 154.
 — — Hartig 30.
 — — Rchb. Fl. germ. 12, 621. 622.
 — *Gmelini* Bunge. Trautv. Imag. 5.
 — *intermedia* Thom. Rchb. Fl. germ. 12, 624.
 — *Jacquemontii* Spach. Jacquemont Ind. 158.
 — *laciniata* Thunb. Thunberg Betula 0.
 — — Wahlbg. Rchb. Fl. germ. 12, 627.
 — *lenta* L. Michaux Arb. 2, 4.
 — — Guimp. Fr. Holzgew. 83.
 — — Wendl. Coll. 40.
 — — Watson Dendr. 2, 144.
 — — Torr. New York 113.
 — *lutea* Michx. Michaux Arb. 2, 5.
 — *nana* L. Linné Fl. lapp. 6.
 — — Linné Betula 0.
 — — Lightf. Fl. scot. 2, 23.
 — — Fl. dan. 1, 91.
 — — Sv. Bot. 379.
 — — Engl. Bot. 33, 2326.
 — — Hartig 31.
 — — Rchb. Fl. germ. 12, 621.
 — — Torr. New York 114.
 † — *nigra* L. Gaertn. Carp. 90.
 † — — Lam. Encycl. 760.
 — — Watson Dendr. 2, 153.
 — *odorata* Bechst. Rchb. Fl. germ. 12, 626.
 — — Otto Gart. Z. 1846, 1. 2.
 — *ovata* Schrk. Guimp. Holzgew. 147.
 — — Watson Dendr. 2, 96.
 — — Rchb. Fl. germ. 12, 628.
 — *oycowiensis* Bess. Rchb. Fl. germ. 12, 622.
 — *papyracea* Ait. Michaux Arb. 2, 1.
 — — Watson Dendr. 2, 152.
 — *pendula* Roth. Rchb. Fl. germ. 12, 625.
 — — var. Schk. Handb. 288.
 — *populifolia* Ait. Michaux Arb. 2, 2.
 — — Watson Dendr. 2, 151.
 — — Torr. New York 112.
 — *pubescens* Ehrh. Hartig 28. 29.
 — — Otto Gart. Z. 1846, 1. 2.
 — *pumila* L. Jacq. Vind. 122.
 — — Duroi Harbk. Baumzucht 3.

- Betula pumila* L. Watson Dendr. 2, 97.
 — — Dict. sc. nat. 301.
 — *rubra* Michx. Michaux Arb. 2, 3.
 — — Lodd. Cab. 1248.
 — *triphylla* Thunb. Thunberg Betula 0.
 † *Betulaceae* Bartl. Schnizl. Ic. 2, 88.
Beurreria succulenta Jacq. Jacq. Obs. 26.
 † — — Gaertn. Carp. 212.
 — — Dict. sc. nat. 47.
Beyeria viscosa Mig. Ann. sc. nat. III. 1, 15.
Bezanilla chilensis J. Remy. Gay Chile 46.
Biarum Bovei Decne. Blume Rumphia 29.
 — *Haenseleri* Willk. Bot. Zeit. 1847, 2.
 — *tenuifolium* Schott. Bot. Reg. 6, 512.
 — — Rchb. Fl. germ. 7, 6.
 † *Biasia Vandellii*. Roemer Scriptores 6.
Bidens Beckii Torr. Torr. New York 58.
 † — *bipinnata* L. Nees Gen. X, x.
 — *bullata* L. Ard. Anim. 2, 18.
 — *cernua* L. Fl. dan. 5, 841.
 — — Curt. Lond. 1, 145.
 — — Engl. Bot. 16, 1114.
 — — Schk. Handb. 235.
 — — Sturm Flora 1, 1.
 — — Dietr. Fl. bor. 9, 636.
 † — — Nees Gen. X, x.
 — *Coreopsidis* DC. Bot. Reg. 1, 7.
 — *crocata* Cav. Cav. Ic. 99.
 † — *frondosa* L. Gaertn. Carp. 167.
 † — — Lam. Encycl. 668.
 — *micrantha* Gaudch. Freycinet Voyage 85.
 — *minima* L. Fl. dan. 2, 312.
 — *monticola* P. et E. Poepp. et Endl. 235.
 — *odorata* Cav. Cav. Ic. 13.
 — *pilosa* L. Rumpf Amb. 6, 15.
 † — — Gaertn. Carp. 167.
 † — — Lam. Encycl. 668.
 — *procera* Don. Bot. Reg. 8, 684.
 — *rubifolia* H. B. K. H. B. K. Nov. Gen. 4, 381.
 — *sambucifolia* Cav. Cav. Ic. 229.
 — *striata* Sweet. Sweet Fl. G. 237.
 — — Bot. Mag. 59, 3155.
 — *tenuifolia* Lab. Bill. Sert. 45.
 — *tripartita* L. Curt. Lond. 1, 144.
 — — Engl. Bot. 16, 1113.
 — — Baxter Brit. Bot. 6, 446.
 † — — Gaertn. Carp. 167.
 † — — Lam. Encycl. 668.
 — — Schrank Fl. monac. 4, 329.
 — — Dietr. Fl. bor. 7, 500.
 † — — Nees Gen. X, x.
 — — Fl. dan. 13, 2178.
 — *valparadisiaca* Colla. Mem. Tur. 38, 24.
Biebersteinia Aucheri Jaub. Jaub. Illustr. 190.
 — *brachypetala* Jaub. Jaub. Illustr. 192.
 — *leiosepala* Jaub. Jaub. Illustr. 193.
 — *multifida* DC. Jaub. Illustr. 191. 192.
 — *odora* Steph. Mem. Mosc. 1, 9.
 — — Ledeb. Ic. 447.
 — — Royle Illustr. 30.
Bifrenaria aurantiaca Ldl. Bot. Reg. 22, 1875.
 — — Bot. Mag. 64, 3597.
 — *Hadwenii* Ldl. Lem. Jard. f. 232.
 — — Bot. Mag. 78, 4629.
 — — Fl. d. serres 7, 731.
Bigelowia brasiliensis Spr. Neue Entd. 2, 2.
 — *nudata* DC. DC. Compos. 5.
 † *Bignonia* L. Aubl. Guiana 262. 263.
 † — — Jacq. Fragm. 43.
 — *adhatodaefolia* Jacq. Jacq. Fragm. 69.
 — — Kern. Hort. 485.
 — *aequinoctialis* L. Desc. Ant. 2, 100.

- Bignonia aequinoctialis* L. var. Bot. Reg. 9, 741.
 — *alba* Aubl. Aubl. Guiana 266.
 — *amoena* Wall. Wall. Pl. asiat. 183.
 † — — Wight Illustr. 161^b.
 † — *capreolata* L. Jacq. Schoenbr. 3, 363.
 — — Kern. Hort. 279.
 — — Bot. Mag. 22, 864.
 — — Lodd. Cab. 714.
 — — Paxt. Mag. 8, 245.
 — *Carolinæ* Ldl. Bot. Reg. 30, 54.
 — — Fl. d. serres 4, 330.
 — *Catalpa* L. Michaux Arb. 3, 6.
 — — Wangenheim Beitrag 26.
 † — — Schk. Handb. 173.
 — *Chamberlaynii* Sims. Paxt. Mag. 14, 3.
 — — Bot. Mag. 47, 2148.
 — — Fl. d. serres 3, 235.
 — *Cherere* Aubl. Aubl. Guiana 269.
 — — Rchb. Exot. 295.
 — — Bot. Reg. 15, 1301.
 — *Chica* H. B. Humb. Pl. aeq. 31.
 — *chrysantha* Jacq. Jacq. Schoenbr. 2, 211.
 — *cicutaria* Koen. Münchn. Denks. 6, v.
 — *Colais* Ham. Rheede Hort. mal. 6, 26.
 — *Colei* Boj. Bot. Mag. 55, 2817.
 — *Copaia* Aubl. Aubl. Guiana 262, 265.
 — *corallina* Jacq. Jacq. Fragm. 42.
 — *corymbifera* Vahl. Vahl Eclogae 17.
 — *echinata* Aubl. Aubl. Guiana 263, 264.
 † — — Gaertn. Carp. 52.
 † — — Lam. Encycl. 526.
 — — Kern. Hort. 347.
 — *elongata* Vahl. Vahl Eclogae 16.
 — *fluviatilis* Aubl. Aubl. Guiana 267.
 — *fulva* Cav. Cav. Ic. 589.
 — *glauca* Decne. Jacquemont Ind. 142.
 — *gracilis* Lodd. Lodd. Cab. 1705.
 — *grandiflora* Thunb. Kaempf. Jap. 21.
 — — Salisb. Parad. 61.
 — — Andr. Rep. 8, 493.
 — — Kern. Hort. 389.
 — — Savi Fl. ital. 1, 4.
 — — Bot. Mag. 34, 1398.
 — — Bot. Reg. 5, 418.
 — — Rchb. Exot. 160.
 — — Jacq. Jacq. Schoenbr. 3, 287.
 — — Rchb. Exot. 213.
 — — Bot. Mag. 57, 3011.
 — *heterophylla* Willd. Kern. Hort. 320.
 — *incarnata* Aubl. Aubl. Guiana 261.
 — — Kern. Hort. 306.
 — *indica* L. Rheede Hort. mal. 1, 43.
 — *lactiflora* Vahl. Vahl Symb. 66.
 — — Dict. sc. nat. 52.
 — *lepidophylla* A. Rich. Ramon Cuba 59.
 — *Leucoxydon* L. Andr. Rep. 1, 43.
 — — Kern. Hort. 432.
 — — Desc. Ant. 3, 204.
 — ? *linearis* Cav. Cav. Ic. 289.
 — ? *longiflora* Cav. Cav. Ic. 581.
 — *longifolia* Willd. Rheede Hort. mal. 1, 44.
 — *mollis* Vahl. Vahl Ic. 10.
 — *multijuga* Wall. Wall. Pl. asiat. 95—96.
 — *pallida* Ldl. Bot. Reg. 12, 965.
 — *Pandoræ* Gawl. Bot. Mag. 22, 865.
 — *pandorana* Andr. Andr. Rep. 2, 86.
 — — Vent. Malm. 43.
 — — Kern. Hort. 264.
 — *paniculata* L. Jacq. Hist. stirp. am. 175.
 — *picta* Ldl. Bot. Reg. 28, 45.
 — — Paxt. Mag. 10, 125.
 — *quadricocularis* Roxb. Roxb. Corom. 145.

- † *Bignonia quadrivalvis* Jacq. Jacq. Fragm. 40.
 — *Quercus* Lam. Tuss. Ant. 4, 37.
 — — — Desc. Ant. 1, 18.
 — *radicans* L. Wangenheim Beitrag 26.
 — — — Schk. Handb. 175.
 — — — Guimp. Fr. Holzgew. 90.
 † — — — Lam. Encycl. 526.
 — — — Bot. Mag. 14, 485.
 — *rigescens* Jacq. Jacq. Schoenbr. 2, 210.
 — *sempervirens* L. Herb. amat. 3, 169.
 — *spathacea* L. f. Rumpf Amb. 3, 46.
 — — — Roxb. Corom. 144.
 — — — Kern. Hort. 484.
 — *speciosa* Hook. Bot. Mag. 68, 3888.
 — *stans* L. Jacq. Hist. stirp. am. 176.
 — *suberosa* Roxb. Roxb. Corom. 214.
 — *Telfairiae* Boj. Bot. Mag. 57, 2976.
 † — *tetragonoloba* Jacq. Jacq. Fragm. 40.
 — *Tweediana* Ldl. Bot. Reg. 26, 45.
 — *uncata* Andr. Andr. Rep. 8, 530.
 — — — Bot. Mag. 37, 1511.
 — — — Kern. Hort. 476.
 — *undulata* Sm. Smith Exot. Bot. 19.
 — — — Kern. Hort. 326.
 — *unguis cati* L. Desc. Ant. 3, 199.
 — *variabilis* Jacq. Jacq. Schoenbr. 2, 212.
 — *venusta* Ker. Bot. Reg. 3, 249.
 — — — Bot. Mag. 46, 2050.
 — — — Paxt. Mag. 7, 123.
 — — — Maund Bot. 3, 113.
 — — — Fl. d. serres 7, 145.
 — *viridiflora* Lodd. Lodd. Cab. 1026.
 — *xylocarpa* Roxb. Wight Ic. pl. 4, 1335, 1336.
 † — — — Wight Illustr. 161^b.
 † *Bignoniaceae* Juss. Wight Illustr. 161^b.
 † *Billardiera* Sm. Kern. Gen. 149.
 — *canariensis* Wendl. Wendl. Hort. herrenh. 15.
 — *fusiformis* Lab. Bill. Nov. Holl. 90.
 — *longiflora* Lab. Bill. Nov. Holl. 89.
 — — — Bot. Mag. 37, 1507.
 — *mutabilis* Salisb. Salisb. Parad. 48.
 — — — Bot. Mag. 32, 1313.
 — — — Rchb. Mag. 25.
 † — *paniculata* Vahl. Vahl Eclogae 10.
 — *ovalis* Ldl. Bot. Reg. 20, 1719.
 — *scandens* Sm. Smith New Holl. 1.
 — — — Bot. Mag. 21, 801.
 — — — Sweet Austr. 54.
 — — — Dict. sc. nat. 130.
 — — — Rchb. Mag. 25.
Billbergia amoena Ldl. Bot. Reg. 4, 344.
 — *bicolor* Lodd. Lodd. Cab. 1819.
 — *clavata* Ldl. Bot. Reg. 9, 766.
 — *cruenta* Hook. Bot. Mag. 56, 2892.
 — *decora* P. et E. Poepp. et Endl. 157.
 — *fasciata* Ldl. Bot. Reg. 13, 1130.
 — *iridifolia* Ldl. Bot. Reg. 13, 1068.
 — — — Kn. et Westc. 105.
 — — — Rchb. Exot. 262.
 — *Liboniana* De Jonghe. Lem. Jard. fl. 197.
 — *Moreliana* Brongn. Lem. Jard. fl. 138.
 — — — Lem. Jard. fl. 3, 271.
 — — — Paxt. Fl. G. 77.
 — *nudicaulis* Ldl. Bot. Reg. 3, 203.
 — *polystachya* Paxt. Paxt. Fl. G. 60.
 — *purpureo-rosea* Hook. Bot. Mag. 61, 3304.
 — *pyramidalis* Ldl. var. *bicolor*, Bot. Reg. 14, 1181.
 † — — — Schnizl. Ic. 1, 65.
 — *rhodocyanea* Lem. Fl. d. serres 3, 207.
 — *splendida* Lem. Lem. Jard. fl. 181—182.
 — *thyrsoides* Mart. Lem. Jard. Fl. 267.
 — — — Paxt. Fl. G. 74.

- Billbergia zebrina* Ldl. Lodd. Cab. 1912.
Billottia acerosa Colla. Colla Hort. Rip. 23.
Biophytum Candolleianum Wight. Wight Illustr. 63.
 — *Petersianum* Klotzsch. Peters Moss. 15.
 — *sensitivum* DC. Rheede Hort. mal. 9, 19.
Biotia corymbosa DC. Bot. Reg. 18, 1532.
Birchea teretifolia A. Rich. Ann. sc. nat. II. 15, 10.
Biololia paludosa Bell. Mem. Tur. 10, 11.
Bischoffia trifoliata Hook. Hook. Ic. pl. 9, 844.
Bischofia oblongifolia Decne. Jacquemont Ind. 154.
† *Biscutella* L. Mutel Fl. fr. 5, 6.
 — *alpestris* W. et K. W. et Kit. 228.
 — *ambigua* DC. Rchb. Ic. crit. 7, 618.
 — — var. Ann. Mus. 18, 15.
† — *apula* L. Gaertn. Carp. 141.
† — — Schk. Handb. 182.
† — — Lam. Encycl. 560.
 — — Rchb. Ic. crit. 7, 613.
† — *auriculata* L. Gaertn. Carp. 141.
† — — Lam. Encycl. 560.
 — — Schk. Handb. 182.
 — — Rchb. Ic. crit. 7, 602.
 — — Rchb. Fl. germ. 2, 8.
† — — Ann. Mus. 18, 7.
 — *chilensis* Lag. Ann. Mus. 18, 12.
 — *cichoriifolia* Lois. Ann. Mus. 18, 8.
 — — Rchb. Ic. crit. 7, 605.
 — *ciliata* DC. Rchb. Ic. crit. 7, 610.
 — — Rchb. Fl. germ. 2, 8.
 — *Columnae* DC. Sibth. Fl. gr. 629.
 — — Ten. Fl. nap. 162.
 — — Rchb. Ic. crit. 7, 612.
† — *coronopifolia* L. Schk. Handb. 182.
 — — Tratt. Arch. 263.
 — — DC. Ic. Gall. 39.
 — — Ann. Mus. 18, 14.
 — — Rchb. Ic. crit. 7, 617.
 — — Rchb. Fl. germ. 2, 8.
 — *depressa* Willd. Rchb. Ic. crit. 7, 611.
 — *dilatata* Vis. Visiani Stirp. dalm. 5.
 — *erigerifolia* DC. Delessert Ic. 2, 55.
 — — Rchb. Ic. crit. 7, 603.
 — *eriocarpa* DC. Ann. Mus. 18, 15.
 — *erucifolia* Rchb. Rchb. Ic. crit. 7, 607.
 — *hispidia* DC. Ann. Mus. 18, 7.
 — — Rchb. Ic. crit. 7, 604.
 — — Rchb. Fl. germ. 2, 8.
 — — Bot. Mag. 51, 2444.
 — *incana* Ten. Ten. Fl. nap. 162.
 — *laevigata* L. Jacq. Fl. austr. 4, 339.
 — — DC. Ic. Gall. 38.
 — — Tratt. Arch. 264.
 — — Schrank Fl. monac. 1, 94.
 — — Rchb. Ic. crit. 7, 616.
 — — Rchb. Fl. germ. 2, 8.
 — *lucida* Balb. Ann. Mus. 18, 13.
 — *lyrata* L. Rchb. Ic. crit. 7, 606.
 — *maritima* Ten. Ten. Fl. nap. 61.
 — — Rchb. Ic. crit. 7, 608.
 — *megalocarpa* Fisch. Ann. Mus. 18, 9.
 — *montana* Cav. Cav. Ic. 177.
 — — Tratt. Arch. 265.
 — *obcordata* Rchb. Rchb. Ic. crit. 7, 615.
 — *obovata* Desf. Rchb. Ic. crit. 7, 614.
 — *peruviana* Lam. Ann. Mus. 18, 10.
 — *raphanifolia* Poir. Rchb. Ic. crit. 7, 609.
 — *saxatilis* Schleich. Ann. Mus. 18, 16.
 — — Rchb. Ic. crit. 7, 619.
 — — Rchb. Fl. germ. 2, 8.
 — *suffruticosa* DC. Ann. Mus. 18, 11.
† *Biserrula Pelecinus* L. Gaertn. Carp. 154.
† — — Lam. Encycl. 622.

- Biserrula Pelecinus* L. Schk. Handb. 209.
 — — — Sibth. Fl. gr. 737.
Bixa Orellana L. Rumpf Amb. 2, 19.
† — — — Gaertn. Carp. 61.
† — — — Lam. Encycl. 469.
 — — — Jacq. Schoenbr. 4, 483.
 — — — Tuss. Ant. 2, 20.
 — — — Desc. Ant. 1, 4.
 — — — Hayne 9, 34.
 — — — Dict. sc. nat. 149.
 — — — Bot. Mag. 35, 1456.
 — — — Wight Illustr. 17.
† *Blackburnia* Forst. Forst. Char. 6.
† *Blackwellia antarctica* Gaertn. Gaertn. Carp. 117.
† — *axillaris* Lam. Lam. Encycl. 412.
 — *cerasifolia* Vent. Vent. Choix 56.
 — *foetida* Wall. Delessert Ic. 3, 53.
 — *glauca* Vent. Vent. Choix 55.
 — *napalensis* DC. Wall. Pl. asiat. 179.
 — *padiflora* Ldl. Bot. Reg. 16, 1308.
 — *spiralis* Wall. Asiat. Res. 13, 14.
 — *tetrandra* Wight. Wight Ic. pl. Ind. or. 5, 1851.
 — *tomentosa* Vent. Vent. Choix 57.
Bladhia crispa Thunb. Kaempfer Jap. 7.
 — *japonica* Thunb. Thunb. Fl. jap. 18.
 — — — Thunb. Diss. 1, 1.
† — — — Gaertn. Carp. 211.
 — — — Lam. Encycl. 133.
 — *villosa* Thunb. Thunb. Fl. jap. 19.
 — — — Lam. Encycl. 133.
† *Blaeria articulata* L. Lam. Encycl. 78.
 — — — Wendl. Coll. 44.
 — *bracteata* Wendl. Wendl. Coll. 37.
 — *ciliaris* L. fil. Wendl. Coll. 49.
 — *dumosa* Don. Wendl. Coll. 38.
 — *ericoides* L. Wendl. Coll. 25.
 — *glabella* Willd. Wendl. Coll. 55.
 — *paucifolia* Wendl. Wendl. Coll. 43.
 — *pusilla* L. Wendl. Coll. 79.
 — *scabra* Willd. Wendl. Coll. 31.
† *Blairia javanica* Gaertn. Gaertn. Carp. 56.
† — *mexicana* Gaertn. Gaertn. Carp. 56.
† — *nodiflora* Gaertn. Gaertn. Carp. 56.
Blakea quinquenervia Aubl. Aubl. Guiana 210.
 — *trinervia* L. Lam. Encycl. 406.
 — — — Bot. Mag. 13, 451.
 — — — Tuss. Ant. 3, 24.
 — — — Kern. Hort. 799.
Blanchetia heterotricha DC. DC. Compos. 2.
Blandfordia cordata Andr. Andr. Rep. 5, 343.
 — *flammea* Ldl. Paxt. Mag. 16, 354.
 — — — Fl. d. serres 6, 585.
 — *grandiflora* R. Br. Bot. Reg. 11, 924.
 — — — Paxt. Mag. 7, 219.
 — *marginata* Herb. Bot. Reg. 31, 18.
 — *nobilis* Sm. Smith Exot. Bot. 4.
 — — — Bot. Reg. 4, 286.
 — — — Bot. Mag. 45, 2003.
 — — — Rchb. Exot. 91.
 — — — Endl. Iconogr. 27.
 — — — Hart. Parad. 2, 3.
Blansia icosandra Wight et Arn. Wight Ic. pl. Ind. or. 1, 2.
† *Blechnum* L. Fée Fil. 5, 5.
 — *australe* L. Schk. Fil. 110^b.
 — *boreale* Sm. Curt. Lond. 2, 18.
 — — — Engl. Bot. 17, 1159.
 — — — Schk. Fil. 110.
 — — — Sturm Flora II. 3, 6.
 — — — Newm. p. 89, 90.
 — *Boryanum Schlecht.* Schlechtendal Fil. 19.
 — *calophyllum* L. et F. Langsd. et F. 23.

- Blechnum capense* Schlecht. Schlechtendal Fil. 18.
 — cartilagineum Sw. Schk. Fil. 108^b.
 — ceterachium Raddi. Raddi Fil. 60.
 — corcovadense Raddi. Raddi Fil. 61. 61^b.
 — Finlaysonianum Wall. Hook. Ic. Fil. 225.
 — Fontanesianum Gaudch. Freycinet Voyage 15.
 — giganteum Schlecht. Schlechtendal Fil. 20.
 — glandulosum Lk. Kunze Fil. 58.
 — gracile Lodd. Lodd. Cab. 1903.
 — intermedium Lk. Kunze Fil. 57.
 — japonicum Thunb. Thunb. Fl. jap. 35.
 — Kaulfussianum Gaudch. Gaudichaud Bonite 78.
 — Lanceola Sw. Lodd. Cab. 1592.
 — — Bot. Mag. 60, 3240.
 — — Kunze Fil. 57.
 — lanceolatum Raddi. Raddi Fil. 60.
 — longifolium H. B. K. Bot. Mag. 55, 2819.
 — occidentale L. Jacq. Ic. 644.
 — — Lam. Encycl. 869.
 † — — Hook. Gen. Fil. 54.
 — orientale L. Schk. Fil. 109.
 — pectinatum Hook. Hook. Ic. pl. 1, 95.
 — polypodioides Raddi. Raddi Fil. 60.
 — — Kunze Fil. 58.
 — procerum Lab. Bill. Nov. Holl. 247.
 — pubescens Hook. Hook. Ic. pl. 1, 97.
 — punctulatum Sw. Schlechtendal Fil. 21. 22.
 — scandens Bory. Bory Coquille 36.
 — seminudum Willd. Willd. Phyt. 8.
 — serrulatum Michx. Schk. Fil. 108.
 — — Dict. sc. nat. 88.
 — stramineum Lab. Bill. Sertum 3.
 — Souleyetianum Gaudch. Gaudichaud Bonite 2. 134.
 — squarrosus Gaudch. Gaudichaud Bonite 2.
 — stagninum Raddi. Raddi Fil. 62.
 — trilobum Presl. Presl Reliq. 9.
 — — Hook. Ic. Fil. 192.
 — unilaterale Sw. Mag. nat. Fr. 4, 3.
 — volubile Kaulf. Kunze Anal. 13.
Blechnum Anisophyllum Juss. Ann. Mus. 9, 21.
 † — Brownei Juss. Ann. Mus. 9, 21.
Blennosperma chilense Less. Gay Chile 48.
Blepharis asperima N. v. E. Wight Ic. pl. Ind. or. 4, 1534.
 — boerhaviaefolia Juss. Wight Ic. pl. Ind. or. 2, 458.
 † — — Wight Illustr. 164^b.
 — pungens Klotzsch. Peters Mossamb. 33.
Blepharispermum petiolare DC. Delessert Ic. 4, 19.
 — — Wight Ic. pl. Ind. or. 3, 1092.
 — subsessile DC. Delessert Ic. 4, 19.
 — — Wight Ic. pl. Ind. or. 3, 1093.
Blepharodon lineare Decne. Delessert Ic. 5, 80.
 † *Bletia Rz et P.* Rz et Pav. Prodr. 26.
 — acutipetala Hook. Bot. Mag. 60, 3217.
 — angustifolia Gaudch. Freycinet Voyage 32.
 — florida R. Br. Bot. Reg. 17, 1401.
 — Gebina Ldl. Bot. Reg. 33, 60.
 — gracilis Lodd. Lodd. Cab. 1977.
 — — Bot. Reg. 20, 1681.
 — humilis Lk. Link Ic. II. 27.
 — hyacinthina R. Br. Lodd. Cab. 1968.
 — — Rchb. Exot. 118.
 — pallida Lodd. Lodd. Cab. 629.
 — Parkinsoni Hook. Bot. Mag. 66, 3736.
 — patula Hook. Bot. Mag. 63, 3518.
 — reflexa Ldl. Bot. Reg. 21, 1760.
 — sanguinea P. et E. Poepp. et Endl. 95.
 — Shepherdii Hook. Bot. Mag. 61, 3319.
 — — Paxt. Mag. 2, 146.
 — Tankervilleae R. Br. Lodd. Cab. 20.
 — — Bauer Orch. 1. 6.
 — — Bot. Mag. 44, 1924.

- Bletia Tankervilleae* R. Br. Savi Fl. ital. 3, 115.
 † — verecunda R. Br. Bauer Orch. 8. 9. 10.
 — Woodfordii Hook. Bot. Mag. 54, 2719.
 — — Rchb. Exot. 63.
Blighia sapida Konig. Konig Ann. 2, 16 — 17.
 — — Lodd. Cab. 1484.
Blinckworthia lycopodioides Choisy. Mem. Genev. 6, 5.
 † *Blitum L.* Kern. Gen. 90.
 — Bonus Henricus C. A. M. Sturm Flora 17, 74.
 † — capitatum L. Gaertn. Carp. 126.
 — — Sturm Flora 1, 2. 17, 74.
 † — — Nees Gen. 4, 58.
 — glaucum Koch. Sturm Flora 17, 75.
 — rubrum Rchb. var. Sturm Flora 17, 74.
 — Sanguisorba Schk. Schk. Handb. 300.
 — virgatum L. Schk. Handb. 1.
 † — — Lam. Encycl. 3.
 — — Bot. Mag. 8, 276.
 — — Sturm Flora 1, 2. 17, 74.
 — — Dict. sc. nat. 19.
 † — — Schnitzl. Ic. 2, 101.
Blumea alata DC. Wight Ic. pl. Ind. or. 3, 1101.
 — — Wight Spicil. 109.
 — anagallidifolia DC. Rheede Hort. mal. 10, 17.
 — Belangeriana DC. Belanger Ind. or. 0.
 — elongata DC. Delessert Ic. 4, 25.
 — hieracifolia DC. Wight Ic. pl. Ind. or. 3, 1099.
 — Musra DC. Delessert Ic. 4, 23.
 — pterodonta DC. Wight Ic. pl. Ind. or. 3, 1100.
 — senecioides DC. Delessert Ic. 4, 24.
Blumenbachia insignis Schrad. Schrad. Blumenbachia 1.
 — — Bot. Mag. 55, 2865.
 — — Rchb. Hort. 121.
 — — Sweet Fl. G. 171.
 — latifolia Camb. St. Hil. Fl. Bras. 118.
 — multifida Hook. Bot. Mag. 64, 3599.
Blysmus brevifolius Decne. Jacquemont Ind. 173.
 — compressus Panz. Rchb. Fl. germ. 8, 293.
 † — — Nees Gen. 2, 16.
 — — Baxter Brit. Bot. 4, 308.
 — rufus Lk. Rchb. Fl. germ. 8, 293.
 † — — Nees Gen. 2, 16.
Blyxa Auberti Rich. Mem. Instit. 1811, 4.
 — Roxburghii Rich. Mem. Instit. 1811, 5.
 † *Bobartia indica* L. Lam. Encycl. 40.
Bocaea elatior Gaudch. Freycinet Voyage 93.
Bocagea celebica Bl. Blume Java 1, 43.
 — corymbosa Bl. Blume Java 1, 41.
 — enneandra Spr. Blume Java 1, 42.
 — hexandra Bl. Blume Java 1, 40.
 — latifolia Bl. Blume Java 1, 44.
 — multiflora Mart. Endl. Bras. 2, 14.
 — pisocarpa Bl. Blume Java 1, 45.
 — viridis St. Hil. St. Hil. Fl. Bras. 9.
Bocconia cordata Jacq. Jacq. Fragm. 93.
 — — Tratt. Arch. 213.
 — — Willd. Bot. Mag. 44, 1905.
 † — frutescens L. Gaertn. Carp. 44.
 † — — Lam. Encycl. 394.
 — — Tratt. Arch. 212.
 — — Lodd. Cab. 83.
 — — Desc. Ant. 1, 54.
 — integrifolia H. B. Humb. Pl. aeq. 35.
Bocoea provassensis Aubl. Aubl. Guiana 391.
 † *Boea magellanica* Lam. Lam. Encycl. 15.
Boebera incana Ldl. Bot. Reg. 19, 1602.
 † *Boehmeria Jacq.* Swartz Fl. Ind. 6.
 — australis Endl. Endl. Iconogr. 86.
 — Candolleana Gaudch. Freycinet Voyage 118.
 — caudata Lam. Boupl. Malm. 15.
 — — Dict. sc. nat. 283.
 — elongata Fisch. Jacq. Ecl. pl. 135.

- Boehmeria hypoleuca* Hochst. Ferret Abyssin. 17.
 — *interrupta* Willd. Rheede Hort. mal. 2, 40.
 — *nivea* Hook. Hook. Journ. 1851, 8.
 — *Puya* Hook. Hook. Journ. 1851, 7.
 — *ramiflora* Sw. Jacq. Hist. stirp. am. 236.
 † — *rubescens* Jacq. Jacq. Fragn. 5.
Boelia sphaerocarpa Webb. var. Webb Otia 15. 16.
Boerhavia caribaea Jacq. Jacq. Observ. 84.
 — *diandra* L. Burm. Fl. ind. 1.
 — *erecta* L. Burm. Fl. ind. 1.
 † — — Gaertn. Carp. 127.
 — — Jacq. Vind. 5. 6.
 — *foliis ovatis* Desc. Desc. Ant. 3, 206.
 — *hirsuta* L. Jacq. Vind. 7.
 — *plumbaginea* Cav. Cav. Ic. 112.
 — — Willk. Ic. ined.
 — *procumbens* Roxb. Rheede Hort. mal. 7, 56.
 — — Wight Ic. pl. Ind. or. 3, 874.
 — *repanda* Willd. Wight Ic. pl. Ind. or. 5, 1766.
 — *repens* L. Delile Egypte 3.
 † — *scandens* L. Gaertn. Carp. 127.
 † — — Lam. Encycl. 4.
 — — Jacq. Vind. 4.
 — *stellata* Wight. Wight Ic. pl. Ind. or. 3, 875.
 — *viscosa* Jacq. Jacq. Fragn. 46.
 † *Bohadschia Scop.* Medicus Gatt. 1.
 — *humifusa* Presl. Presl Reliq. 68.
Bojeria speciosa DC. DC. Compos. 3.
 † *Boisduvalia Douglasia* Spach. Nouv. Ann. Mus. 4, 31.
 — *Tocarnalii* Gay. Gay Chile 24.
Boissieria bromoides Hochst. Jaubert Illustr. 197.
 † *Bolantium Kaulf.* Kaulfuss Enumeratio 1.
Bolax Commers. Ann. gen. 4, 51.
 — *caespitosa* Hombr. Richard Astrolabe 15.
 — *Gilliesii* Hook. Hook. Bot. Misc. 63.
 † — *Glebaria* Commers. Ann. sc. nat. 5, 3.
 — — Hook. Ic. pl. 5, 492.
 — — Richard Astrolabe 15.
 † *Bolbitis serratifolia* Schott. Schott Gen. Fil. 19.
Boldoa fragrans Juss. Bot. Reg. 31, 57.
Boleum asperum Desv. Desv. Journ. 5, 26.
 † *Bolivaria Chamisso.* Linnaea 1, 4.
Boltonia asteroides Ait. Bot. Mag. 52, 2554.
 — *glastifolia* L'her. Bot. Mag. 50, 2381.
 † *Bomarea Mirbel.* Herbert Amar. 36.
 † — *acutifolia* Herb. Herbert Amar. 1.
 — — var. Bot. Mag. 67, 3871.
 † — *amoena* Herb. Herbert Amar. 46.
 † — *aurantiaca* Herb. Herbert Amar. 46.
 † — *bracteata* Herb. Herbert Amar. 3.
 † — *caracensis* Herb. Herbert Amar. 16.
 † — *cornigera* Herb. Herbert Amar. 17.
 † — *cornuta* Herb. Herbert Amar. 17.
 † — *crinita* Herb. Herbert Amar. 15.
 † — *cumbrensis* Herb. Herbert Amar. 18.
 † — *densiflora* Herb. Herbert Amar. 46.
 † — *dispar* Herb. Herbert Amar. 19.
 † — *ebracteata* Herb. Herbert Amar. 18.
 † — *Fanningiana* Herb. Herbert Amar. 16.
 † — *fimbriata* Herb. Herbert Amar. 18.
 † — *formosissima* Herb. Herbert Amar. 14.
 † — *glomerata* Herb. Herbert Amar. 15.
 † — *Halliana* Herb. Herbert Amar. 10.
 † — *hirtella* Herb. Herbert Amar. 1.
 † — *Hookeriana* Herb. Herbert Amar. 46.
 † — *lutea* Herb. Herbert Amar. 5.
 † — *lyncina* Herb. Herbert Amar. 46.
 † — *macrocarpa* Herb. Herbert Amar. 4.
 † — *maranensis* Herb. Herbert Amar. 17.
 † — *nobilis* Herb. Herbert Amar. 15.
 † — *obovata* Herb. Herbert Amar. 14.
 † — *paltarumensis* Herb. Herbert Amar. 18.

- † *Bomarea pardina* Herb. Herbert Amar. 14.
 † — *patacensis* Herb. Herbert Amar. 14.
 † — *praecipua* Herb. Herbert Amar. 14.
 † — *salsilla* Herb. Herbert Amar. 16.
 † — *simplex* Herb. Herbert Amar. 15.
 — — Bot. Mag. 67, 3863.
 † — *subfalcata* Herb. Herbert Amar. 16.
 † — *superba* Herb. Herbert Amar. 6.
 † — *Tatiana* Herb. Herbert Amar. 15.
Bombax buonopozense Pal. B. Pal. Fl. d'Ow. 83.
 † — *Ceiba* L. Cav. Diss. 152.
 † — *erianthos* Cav. Cav. Diss. 152.
 — *globosum* Aubl. Aubl. Guiana 281.
 — — Cav. Diss. 155.
 — *Gossypium* L. Cav. Diss. 156.
 † — *grandiflorum* Cav. Cav. Diss. 154.
 — *heptaphyllum* L. Tuss. Ant. 4, 14.
 — — Roxb. Corom. 247.
 — *insigne* Wall. Wall. Pl. asiat. 79 — 80.
 — *malabaricum* DC. Rheede Hort. mal. 3, 52.
 — — Wight Illustr. 29^a. 29^b.
 — *Munjuba* Mart. Mart. Bras. 99.
 — *orientale* Spr. Kern. Hort. 851.
 — *parviflorum* Mart. Mart. Bras. 57.
 — *pentandrum* L. Rumpf Amb. 1, 80.
 — — Jacq. Hist. stirp. am. 182.
 — — Cav. Diss. 151.
 † — — Lam. Encycl. 587.
 — — Desc. Ant. 4, 247.
 — *pubescens* Mart. Mart. Bras. 58.
 — — Rchb. Exot. 126.
 † — *pyramidale* Cav. Cav. Diss. 153.
 — — Desc. Ant. 4, 263.
 — *retusum* Mart. Mart. Bras. 59.
Bombycospermum mexicanum Presl. Presl Reliq. 71.
Bonamia madagascariensis Aub. Aubert Iles d'Afr. 5.
 — — Lam. Encycl. 917.
Bonaparteia juncea R. et P. Ruiz et Pav. Fl. 262.
 — *strobilantha* R. et P. Ruiz et Pav. Fl. 263.
 † *Bonatea speciosa* Willd. Bauer Orch. (Gen.) 12. 13.
 — — Lodd. Cab. 284.
 — — Bot. Mag. 56, 2926.
 † *Bonduca canadense* Med. Medicus Theod. 2.
 † — *majus* Med. Medicus Theod. 3.
 † — *minus* Med. Medicus Theod. 2.
Bongardia Chrysogonum Spach. Jaub. Illustr. 396.
Bonjeania hirsuta Rchb. Rchb. Ic. crit. 10, 1000.
Bonnaya brachiata Benth. Rheede Hort. mal. 9, 59.
 — — Lk. Link Ic. I. 11.
 — *hyssopioides* Benth. Wight Ic. pl. Ind. or. 3, 857.
 — *integrifolia* Dilho. Rheede Hort. mal. 9, 57.
 — *minima*? G. Don. Wight Ic. pl. Ind. or. 3, 858.
 — *veronicaefolia* Spr. Wight Ic. pl. Ind. or. 4, 1411.
 — *verbenaeefolia* Spr. Wight Ic. pl. Ind. or. 4, 1412.
 † *Bonnetia Schreb.* Swartz Fl. Ind. 19.
 — *anceps* Mart. Mart. Bras. 100.
 — *stricta* N. v. E. et M. Acta Leop. 12. 1, 6.
Bonplandia Angostura Spr. Mem. Instit. 1811, 10.
 — *geminiflora* Cav. Cav. Ic. 532.
 — — Bot. Reg. 2, 92.
 — *trifoliata* Willd. Mem. Acad. Berol. 1802, 1.
 — — Humb. Pl. aeq. 97.
 — — Lam. Encycl. 923.
 — — Tratt. Arch. 17. 17^a.
 — — Hayne 1, 18.
 — — Nees Disseld. 382.
 — — Woodv. Med. 5, 33.
 † *Bontia daphnoides* L. Gaertn. Carp. 212.
 † — — Lam. Encycl. 546.
 — — Desc. Ant. 6, 386.
 † — *minor* Gaertn. fil. Gaertn. Carp. 212.
Boopis alpina P. et E. Poepp. et Endl. 33.

- Boopis anthemoides* Juss. Ann. Mus. 2, 58.
 † — — Mem. Mus. 6, 11.
 — — *leucanthema* P. et E. Poepp. et Endl. 34.
Boottia glutinosa Rohb. Rechb. Fl. germ. 6, 243.
 — *ocymoides* Neck. Rechb. Fl. germ. 6, 243.
Boottia cordata Wall. Wall. Pl. asiat. 65.
 † *Boquila trifoliata* Decne. Arch. Mus. 1, 11.
 † *Boraginaceae* Juss. Wight Illustr. 142.
Borago crassifolia Vent. Vent. Cels 100.
 — *cretica* Willd. Desf. Choix 17.
 — — — Ann. Mus. 10, 34.
 — — — Sibth. Fl. gr. 176.
 † — *indica* L. Gaertn. Carp. 67.
 † — — — Lam. Encycl. 94.
 — *laxiflora* DC. Bot. Mag. 43, 1798.
 — *longifolia* Poir. Poiret Reise 2.
 — — — Desf. Fl. atl. 44.
 † — *officinalis* L. Lam. Encycl. 94.
 — — — Engl. Bot. 1, 36.
 — — — Woodv. Med. 2, 110.
 — — — Baxter Brit. Bot. 1, 66.
 — — — Schk. Handb. 31.
 — — — Hayne 3, 38.
 — — — Sturm Flora 2, 8.
 — — — Dietr. Fl. bor. 2, 94.
 † — — — Nees Gen. 6, 69.
 — *orientalis* L. Bot. Reg. 4, 288.
 — — — Sibth. Fl. gr. 175.
 — *zeylanica* L. Burm. Fl. ind. 14.
 — — — Jacq. Ic. 314.
Borassus flabelliformis L. Rheede Hort. mal. 1, 9, 10.
 — — — Rumpf Amb. 1, 10.
 † — — — Lam. Encycl. 898.
 — — — Roxb. Corom. 71, 72.
 † — — — Kern. Gen. 178 — 183.
 — — — Mart. Palm. 108, 121, 162.
 — *pinnatifrons* Jacq. Jacq. Schoenbr. 2, 147, 148.
Borbonia alata Willd. Willd. Hort. 48.
 — *barbata* Lam. Lam. Encycl. 619.
 — *cordata* L. Jacq. Schoenbr. 2, 218.
 — — — Andr. Andr. Rep. 1, 31.
 — *cordifolia* Lam. Lam. Encycl. 619.
 — *crenata* L. Bot. Mag. 8, 274.
 — — — Herb. amat. 4, 222.
 † — *cupularis* Gaertn. fil. Gaertn. Carp. 222.
 † — *globosa* Gaertn. Gaertn. Carp. 222.
 — *laevigata* L. Lodd. Cab. 247.
 — *lanceolata* L. Jacq. Schoenbr. 2, 217.
 — — — Lodd. Cab. 81.
 — *perfoliata* Thunb. Thunberg Diss. 0.
 — *ruscifolia* Sims. Bot. Mag. 47, 2128.
 — *serrulata* Thunb. Thunberg Diss. 0.
 — *undulata* Thunb. Thunberg Diss. 0.
Boreava orientalis Jaub. Jaubert Illustr. 2.
Borkhausenia lucida Roth. Roehling Borkh. 0.
Borkhausia foetida DC. Baxter Brit. Bot. 6, 467.
Boronia alata Sm. Sweet Austr. 48.
 — — — Lodd. Cab. 1833.
 — *anemonaefolia* Cunn. Paxt. Mag. 9, 123.
 — *crenulata* Sm. Bot. Mag. 68, 3915.
 — — — Bot. Reg. 24, 12.
 — — — Paxt. Mag. 4, 267.
 — *denticulata* Sm. Lodd. Cab. 1377.
 — — — Bot. Reg. 12, 1000.
 — *floribunda* Sieb. Rechb. Hort. 71.
 — *Fraseri* Hook. Bot. Mag. 70, 4052.
 — *ledifolia* Gay. Paxt. Mag. 8, 123.
 — — — Rechb. Hort. 74.
 — *microphylla* Sieb. Rechb. Hort. 72.
 — *nana* Hook. Hook. Ic. pl. 3, 270.
 — *parviflora* Sm. Smith Tracts 6.
 — — — Roem. Arch. III. 3.

- Boronia pilonema* Lab. Bill. Nov. Holl. 126.
 — — — Lam. Encycl. 944.
 — *pilosa* Lab. Nov. Holl. 124.
 — — — Lam. Encycl. 944.
 — *pinnata* Sm. Smith Tracts 4.
 — — — Roemer Arch. III. 3.
 — — — Andr. Rep. 1, 58.
 — — — Lodd. Cab. 473.
 — — — Maund Bot. 2, 99.
 — — — Vent. Malm. 38.
 — — — Bot. Mag. 42, 1763.
 † — — — Mem. Mus. 12, 22.
 — *polygalaefolia* Sm. Smith Tracts 7.
 — — — Roemer Arch. III. 3.
 † — — — Gaertn. Carp. 211.
 — *rhomboides* Hook. Hook. Ic. pl. 8, 722.
 — *serrulata* Sm. Smith Tracts 5.
 — — — Roemer Arch. III. 3.
 — — — Lodd. Cab. 997.
 — — — Sweet Austr. 19.
 — — — Bot. Reg. 10, 842.
 — — — Paxt. Mag. 1, 173.
 — *tetrandra* Lab. Bill. Nov. Holl. 125.
 — — — Lam. Encycl. 944.
 — — — Paxt. Mag. 16, 227.
 — — — Paxt. Fl. G. 8.
 — *triphylla* Sieb. Rechb. Hort. 73.
 — — — *β. latifolia*, Bot. Reg. 27, 47.
Borreria penicillata Miq. Miq. Surin. 51.
 — *suaveolens* Meyer. Meyer Essequib. 1.
Borya lucens Lab. Lam. Encycl. 936.
 — *nitida* R. Br. Bill. Nov. Holl. 107.
 — *scirpoidea* Ldl. Lindley Swan River 9.
Boschia excelsa Korth. Korthals Bot. 69.
Boscia angustifolia Rich. Guill. Fl. Seneg. 6.
 — *senegalensis* Lam. Lam. Encycl. 395.
 † *Bosea Yervamora* L. Gaertn. Carp. 77.
 † — — — Lam. Encycl. 182.
 — — — Jacq. Ecl. pl. 25.
Bossiaea cinerea R. Br. Bot. Reg. 4, 306.
 — *coccinea* H. B. Bonpl. Malm. 52.
 — *cordifolia* Sweet. Sweet Austr. 20.
 — *disticha* Ldl. Bot. Reg. 27, 55.
 — *ensata* Sieb. Sweet Austr. 51.
 — *heterophylla* Vent. Vent. Cels 7.
 — — — Sm. Lodd. Cab. 271.
 — *lanceolata* Sims. Bot. Mag. 28, 1144.
 — *lenticularis* Sieb. Lodd. Cab. 1238.
 — *linophylla* R. Br. Lodd. Cab. 174.
 — — — Maund Bot. 2, 68.
 — — — Bot. Mag. 51, 2491.
 — *microphylla* Sm. Lodd. Cab. 656.
 — *paucifolia* Benth. Bot. Reg. 29, 63.
 — *prostrata* R. Br. Bot. Mag. 36, 1493.
 — *rhombifolia* Sieb. Sweet Austr. 9.
 — *rufa* Lodd. Lodd. Cab. 1119.
 — — — R. Br. Maund Bot. 2, 81.
 — *scolopendria* Sm. Bot. Mag. 30, 1235.
 — *Scolopendrium* R. Br. Lodd. Cab. 1747.
 — *tenuicaulis* Grak. Bot. Mag. 68, 3895.
 — *virgata* Hook. Bot. Mag. 69, 3986.
Boswellia glabra Roxb. Rumpf Amb. 2, 50.
 — — — Roxb. Corom. 207.
 — *hirsuta* Sm. Rumpf Amb. 2, 51.
 — *papyrifera* Dill. et Rich. Richard Abyss. 33.
 — *serrata* Roxb. Stackh. Extr. 3.
 † — — — Linn. Tr. 15, 5.
 — — — Hayne 10, 46.
 — — — Nees Dusseld. 353.
 — — — Colebr. Guimp. et Schl. 203.
 — — — Woodv. Med. 5, 32.
Botrophis serpentaria Rafin. Rafin. Med. 16.

- † *Botryanthus Klotzsch*. Wiegmann Archiv 7, 9.
Botryanthus Sauli Jaub. Jaubert Illustr. 329.
Botryceras laurinum Willd. Mag. nat. Fr. 5, 10.
† *Botryogramme Karwinskii Fée.* Fée Fil. 5, 15.
Botryolotus persicus Jaub. Jaubert Illustr. 63.
Botryopteris mexicana Presl. Presl Reliq. 12.
Botrychium daucifolium Wall. Hook. Ic. Fil. 161.
— *decompositum M. et G.* Acad. Brux. 15, 1.
— *dissectum Spr.* Schk. Fil. 158.
† — *Kannenbergii Klinsm.* Bot. Zeitung 1852, 6.
— *lanuginosum Wall.* Hook. Ic. Fil. 79.
— *Lunaria Sw.* Curt. Lond. 4, 66.
— — — Sv. Bot. 372.
— — — Dict. sc. nat. 98.
† — — — Hook. Gen. Fil. 47.
— — — Newman p. 337.
— — — Schk. Fil. 154.
— — — Schrank Fl. monac. 4, 346.
— — — Flora 1822, 1.
— — — Nees Düsseldorf. 14.
— — — Strempele Fil. 1.
— — — Schnitzl. Ic. 1, 32.
— *lunarioides Sw.* Schk. Fil. 157.
— *rutaceum Sw.* Sv. Bot. 372.
— — — Schk. Fil. 155.
— *simplex Hitch.* Silliman Journ. 6, 8.
— — — Hook. Ic. Fil. 82.
— *ternatum Sw.* Kunze Fil. 121.
— *virginicum Sw.* Schk. Fil. 156.
— — — Sv. Bot. 665.
Bottionea thysanotoides Colla. Mem. Tur. 37, 11.
Boucerosia campanulata Wight. Wight Ic. pl. 4, 1287.
— *diffusa Wight.* Wight Ic. pl. Ind. or. 4, 1899.
— *lasiantha Wight.* Wight Ic. pl. Ind. or. 4, 1286.
— *Munbyana Decne.* Explor. Alger. 62.
— *umbellata W. et A.* Wight Ic. pl. Ind. or. 2, 495.
Bouchea copiapensis Clos. Gay Chile 55.
† — *hydrabadensis Walp.* Wight Illustr. 173^b.
— — — Wight Ic. pl. Ind. or. 4, 1462.
— *laetevirens Schauer.* Endl. Bras. 10, 33.
— *marrubifolia Schauer.* Wight Ic. pl. Ind. or. 4, 1461.
Bougainvillea = Euginivillaea Commers.
Bougueria nubicola Dec. Hook. Lond. J. 1845, 19.
Boussingaultia baselloides H. B. K. H. B. K. Nov. Gen. 7, 645^b.
— — — Bot. Mag. 64, 3620.
Bouvardia angustifolia H. B. Paxt. Mag. 7, 99.
— *Cavanillesii DC.* Journ. Hort. Soc. 3, 246.
— *flava DC.* Bot. Reg. 32, 32.
— — — Fl. d. serres 1, 38.
— *leiantha Benth.* Lem. Jard. fl. 139.
— — — Belgique hort. 2, 6.
— *longiflora H. B. K.* Bot. Mag. 72, 4223.
— — — Fl. d. serres 2, 59.
— *splendens Hook.* Bot. Mag. 66, 3781.
— *triflora H. B. K.* H. B. K. Nov. Gen. 3, 288.
— *triphylla Salisb.* Salisb. Parad. 89.
— — — Bot. Reg. 2, 107.
— — — Bot. Mag. 43, 1854.
— — — var. *splendens*, Bot. Reg. 26, 37.
— *versicolor Ker.* Bot. Reg. 3, 245.
Bowiea africana Haw. Mem. Genev. 6, 2.
† *Bowlesia Rz et P.* Ruiz et Pav. Prodr. 34.
— *elegans Clos.* Gay Chile 30.
— *geniculata Spr.* Spreng. Umbellif. 5.
— *incana Rz et P.* Ruiz et Pav. Fl. 268.
— — — Spreng. Umbellif. 5.
— *lobata Rz et P.* Ruiz et Pav. Fl. 251.
— *oppositifolia Poir.* Lam. Encycl. 934.
— *palmata Rz et P.* Ruiz et Pav. Fl. 251.
† — — — Ann. gen. 4, 51.

- Bowlesia tenera Spr.* Link. Ic. II. 4.
— *uncinata Colla.* Mem. Tur. 37, 19.
Bowmania verbascifolia Gardn. Hook. Ic. pl. 6, 519—520.
† *Boymia rutaeacarpa Juss.* Mem. Mus. 12, 25.
— — — Sieb. Jap. 21.
† *Brabejum stellulifolium L.* Gaertn. Carp. 217.
— — — Lam. Encycl. 847.
† *Brachycarpaea linifolia Eckl. et Z.* Sonder Helioph. 29.
— *varians DC.* Delessert Ic. 2, 100.
Brachycome diversifolia DC. Bot. Reg. 12, 1025.
— *iberidifolia Benth.* Bot. Reg. 27, 9.
— — — Bot. Mag. 67, 3876.
— — — Maund Bot. 5, 230.
— — — Belgique hort. 1, 11.
† *Brachyglottis Forst.* Forster Charact. 46.
— *claeagnifolia Hook. fil.* Hook. New Zeal. 41.
† — *repanda Forst.* Lam. Encycl. 677.
— — — Hook. New Zeal. 40.
Brachylepis elatior C. A. M. Acad. Pet. 6, 15.
— *nervosa Wight et A.* Wight Ic. pl. Ind. or. 4, 1284.
† — — — Wight Illustr. 182.
— — — Delessert Ic. 5, 56.
— *salsa Led.* Ledeb. Ic. 48.
Brachyolobus pyrenaicus All. All. Fl. ped. 3, 18.
— *silvestris All.* All. Fl. ped. 3, 56.
† *Brachypodium Pal. Beauv.* Dumortier Gram. 3.
— *caespitosum R. et Sch.* Rchb. Fl. germ. 1, 17.
— *distachyum R. et Sch.* Sturm Flora 19, 86.
† — *festucoides Lk.* Nees Gen. 1, 70.
— *gracile Pal. B.* Rchb. Fl. germ. 1, 16.
— *Halleri R. et Sch.* Rchb. Fl. germ. 1, 15.
— *obtusifolium Boiss.* Boissier Esp. 180.
— *pinnatum Pal. B.* Sv. Bot. 739.
— — — Rchb. Fl. germ. 1, 16, 17.
— — — Baxter Brit. Bot. 6, 448.
† — — — Nees Gen. 1, 70.
— *Plukenetii Lk.* Rchb. Fl. germ. 1, 18.
— *ramosum R. et Sch.* Rchb. Fl. germ. 1, 18.
— *tenellum M. v. B.* Rchb. Fl. germ. 1, 14.
— *unilaterale R. et Sch.* Rchb. Fl. germ. 1, 15.
Brachypteris scandens Benth. Wight Ic. pl. 1, 275.
Brachypterys australis Juss. Delessert Ic. 3, 34.
† — *borealis Juss.* Arch. Mus. 3, 11.
Brachyramphus Heyneanus Wight. Wight Ic. pl. Ind. or. 3, 1146.
— *obtus DC.* Delessert Ic. 4, 96.
Brachyris dracunculoides DC. Mem. Genev. 7, 1.
— *microcephala DC.* Hook. Ig. pl. 2, 147.
— *ramosissima Hook.* Hook. Ic. pl. 2, 142.
Brachysema aphyllum Hook. Bot. Mag. 75, 4481.
— — — Fl. d. serres 5, 533.
— *lanceolatum Meisn.* Bot. Mag. 78, 4652.
— — — Lem. Jard. fl. 3, 301.
— *latifolium R. Br.* Bot. Mag. 45, 2008.
— — — Bot. Reg. 2, 118.
— — — Lodd. Cab. 411.
— *undulatum Ker.* Bot. Reg. 8, 642.
— — — Lodd. Cab. 778.
Brachystemma crispum Grah. Bot. Mag. 57, 3016.
— *lineare Rich.* Richard Abyss. 72.
— *spatulatum Ldl.* Bot. Reg. 13, 1113.
— *tuberosum R. Br.* Bot. Mag. 49, 2343.
— — — Bot. Reg. 9, 722.
— — — Fl. d. serres 4, 340.
Brachystemma calycinum Don. Endl. Atacta 16.
Brachystemum muticum Michx. Michaux Fl. 32.
— *verticillatum Michx.* Michaux Fl. 31.
Brachystepis Aub. Aubert Orchid. 83.
Bradleya glauca Lab. Bill. Sertum 77.
† — *Glochidium Gaertn.* Gaertn. Carp. 109.
† — — — Lam. Encycl. 772.
— *macrophylla Lab.* Bill. Sertum 78.

- Bradleia philippica* Cav. Cav. Ic. 371.
 † — *sinica* Gaertn. Gaertn. Carp. 109.
 † — — — Lam. Encycl. 772.
 † — *zeylanica* Gaertn. Gaertn. Carp. 109.
 † — — — Lam. Encycl. 772.
 — — — Lab. Bill. Sertum 76.
Bragantia tomentosa Blume. Bennett Java 11.
 — *Wallichii* R. Br. Wight Ic. pl. Ind. or. 2, 520.
Brahea dulcis Mart. Mart. Palm. 137. 162. X.
Bramia semiserrata Mart. Martius Auswahl 8.
Brandesia puberula Mart. Mart. Bras. 126. 127.
 — *rufa* Mart. Mart. Bras. 125. 127.
 — *villosa* Mart. Mart. Bras. 128.
Brandtia holcoides Kth. Humb. Gram. 170.
Brasavola amazonica P. et E. Poepp. et Endl. 104.
 — *cordata* Ldl. Bot. Reg. 22, 1914.
 — — — Bot. Mag. 66, 3782.
 † — *cucullata* R. Br. Journ. Hort. Soc. 5, 85.
 — *cuspidata* Hook. Bot. Mag. 66, 3722.
 — *Digbyana* Ldl. Bot. Reg. 32, 53.
 — — — Bot. Mag. 75, 4474.
 — — — Fl. d. serres 3, 237.
 — *elegans* Hook. Bot. Mag. 58, 3098.
 — *glauca* Batem. Bateman Orch. 16.
 — — — Bot. Reg. 26, 44.
 — — — Bot. Mag. 69, 4032.
 — *lineata* Hook. Bot. Mag. 79, 4734.
 — *Martiana* Ldl. Bot. Reg. 25, 5.
 — *nodosa* Ldl. Bot. Reg. 17, 1466.
 — — — Bot. Mag. 60, 3229.
 — *odoratissima* Reg. Regel Gartenfl. 1, 33.
 — *Perrinii* Ldl. Bot. Reg. 18, 1561.
 — — — Bot. Mag. 66, 5761.
 — *tuberculata* Hook. Bot. Mag. 56, 2878.
 — *venosa* Ldl. Bot. Reg. 26, 39.
 — — — Bot. Mag. 69, 4021.
 † *Brasenia* Schreb. Gray Genera 39.
 — *Hydropeltis* Rafin. Rafin. Med. 17.
 — *peltata* Pursh. Gray Genera 39.
Brasiliastrium americanum Desc. Desc. Ant. 2, 86.
Brassia brachiata Ldl. Bot. Reg. 33, 29.
 — *caudata* Ldl. Bot. Reg. 10, 832.
 — — — Hook. Exot. Fl. 179.
 — — — Bot. Mag. 62, 3451.
 — — — Rchb. Exot. 287.
 — *cochleata* Kn. et W. Kn. et Westc. 53.
 — *Lanceana* Ldl. Bot. Reg. 21, 1754.
 — — — Bot. Mag. 64, 3577. 66, 3784.
 — *Lawrenciana* Ldl. Bot. Reg. 27, 18.
 † — *longiloba* DC. Mem. Genev. 11, 1.
 — *macrostachya* Ldl. Lindley Sertum 6.
 † — *maculata* R. Br. Bauer Orchid. 2.
 — — — Bot. Mag. 41, 1691.
 — — — Link Ic. I. 12.
 — — — Paxt. Mag. 6, 5.
 — — — Kern. Hort. 776.
 — *peruviana* P. et E. Poepp. et Endl. 117.
 — *verrucosa* Batem. Bateman Orch. 22.
 — *Wrayae* Skinner. Bot. Mag. 69, 4003.
 † *Brassica* L. Hoeven Tijdschr. 6, 5. 6.
 — *alpina* L. Vill. Dauph. 36.
 — *arvensis* L. Sibth. Fl. gr. 644.
 — — — Roemer Script. 1.
 — *austriaca* Jacq. Jacq. Fl. austr. 4, 383.
 — *balearica* Pers. Delessert Ic. 2, 86.
 — — — Rchb. Fl. germ. 2, 98.
 — — — Mem. Mus. 14, 19.
 — *boetica* Boiss. Boissier Esp. 9.
 — *Botteri* Vis. Visiani Dalm. 52.
 — *campestris* L. Fl. dan. 4, 550.
 — — — Engl. Bot. 32, 2234.
 — — — Rchb. Fl. germ. 2, 92.

- Brassica cheiranthiflora* DC. Flora 1822, 1.
 — — — Rchb. Fl. germ. 2, 91.
 — — — Dietr. Fl. bor. 12, 857.
 — *Cheiranthus* Vill. Dietr. Fl. bor. 6, 430.
 — — — Rchb. Fl. germ. 2, 91.
 — *cretica* Lam. Sibth. Fl. gr. 643.
 — *elongata* Kit. Winterl Index 9.
 — — — W. et Kit. 28.
 — *Eruca* L. Schk. Handb. 186.
 — — — var. α . β . Sibth. Fl. gr. 646. 647.
 — *Erucastrium* L. Gaudin Fl. helv. 4, 4.
 — *fruticulosa* Cir. Cirillo Fl. rar. 2, 1.
 — — — Sibth. Fl. gr. 648.
 — *Gravinae* Ten. Tenore Fl. nap. 62.
 — *incana* Ten. Tenore Fl. nap. 165.
 — *insularis* Moris. Moris Fl. sard. 11.
 — *longirostra* Boiss. Boissier Esp. 9^a.
 — *lyrata* Desf. Desf. Fl. atl. 166.
 — *magellanica* Pers. Delessert Ic. 2, 85.
 — *Maurorum* Durieu. Explor. Alger. 73.
 — *monensis* Huds. Curt. Lond. 5, 205.
 — *moricandoides* Boiss. Boissier Esp. 8.
 — *Napus* L. Engl. Bot. 30, 2146.
 — — — Schrank Fl. monac. 3, 218.
 — — — Rchb. Fl. germ. 2, 93. 94.
 † — — — Arch. Mus. 4, 5.
 † — *oleracea* L. Gaertn. Carp. 143.
 † — — — Lam. Encycl. 565.
 — — — Engl. Bot. 9, 537.
 — — — var. *costata*, Hort. Tr. 5, 1.
 — — — Fl. dan. 12, 2056.
 — — — Rchb. Fl. germ. 2, 97.
 † — — — Engelm. Anthol. 4.
 † — — — var. *costata nepenthiformis* DC. Hoeven Tijdschr. 5, 4.
 — *orientalis* L. Jacq. Fl. austr. 4, 382.
 † — — — Schk. Handb. 186.
 — — — Engl. Bot. 26, 1804.
 — *pinnatifida* Desf. Desf. Fl. atl. 165.
 — *polymorpha* Murr. N. Comm. Gott. 7, 6.
 — — — W. et Kit. 90.
 — *praecox* W. et K. Rchb. Fl. germ. 2, 93.
 — *Rapa* L. Engl. Bot. 31, 2176.
 — — — Baxter Brit. Bot. 6, 458.
 — — — Guimp. & Schl. 283. 284.
 — — — Nees Duss. Suppl. 70. 71.
 — — — Rchb. Fl. germ. 2, 96.
 — *Richerii* Vill. Vill. Dauph. 36.
 — — — All. Fl. ped. 3, 58. 76.
 — — — Rchb. Fl. germ. 2, 98.
 — *sabularia* Brot. Brot. Phytogr. 43.
 — — — var. *papillaris*, Boissier Esp. 7.
 — *teretifolia* Desf. Desf. Fl. atl. 164.
 — *torulosa* Durieu. Explor. Alger. 74.
 — *Tournefortii* Gouan. Gouan Ill. 20^a.
 — *vesicaria* L. Asso Aragon 4.
 † *Bravoa La Llave*. Herbert Amar. 12.
 — *geminiflora* La Llave. Fl. d. serres 5, 520.
 — — — Bot. Mag. 79, 4741.
Braya aenea Bunge. Trautv. Imag. 22.
 — *alpina* Sternb. et H. Regensb. Denkschr. 1, 1.
 — — — Hook. Exot. Fl. 121.
 — — — Delessert Ic. 2, 22.
 — — — Rchb. Fl. germ. 2, 56.
 — — — Sturm Flora 11, 43.
 — — — Flora 1831, 2.
 — *pilosa* Hook. Hook. Fl. Bor. Am. 17.
 — *siliquosa* Bunge. Trautv. Imag. 23.
Brayera authelmintica Kth. Brayer Notice 1.
 — — — Hook. Journ. 1850, 10.
 — — — Richard Abyssin. 48.
Bredemeyera floribunda Willd. Neue Schr. nat. Fr. 3, 6.

- † *Bredia hirsuta* Bl. Blume Mus. 1, 4.
 † — — — Ann. sc. nat. III. 15, 12.
 † *Breweria* R. Br. Mem. Genev. 6, 2.
 — *Roxburghii* Choisy. Wight Ic. pl. Ind. or. 4, 1370.
 † — — — Wight Illustr. 168^b.
Brexia madagascariensis Aub. Th. Bot. Reg. 9, 730.
 — *spinosa* Colla. Mem. Tur. 35, 3.
 — — — Ldl. Bot. Reg. 11, 872.
 — — — var. *integrifolia*, Rchb. Hort. 222.
 † *Breynia* Forst. Forster Charact. 73.
 † — *disticha* Forst. Lam. Encycl. 860.
Bridelia horrida Don. Rheede Hort. mal. 4, 18.
 — *scandens* Roxb. Rheede Hort. mal. 2, 16.
Bridgesia echinopsoides Hook. Hook. Bot. Misc. 92.
 — *incisifolia* Camb. N. Ann. Mus. 3, 13.
 — *spicata* Hook. Hook. Bot. Misc. 102.
Brignolia pastinacaefolia Bertol. Sebast. Rom. pl. 2, 2.
Brillantaisia owariensis Pal. B. Pal. Fl. d'Ow. 100.
 — — — Bot. Mag. 79, 4717.
 — — — Rchb. Exot. 212.
Brisegnoa chilensis J. Remy. Gay Chile 58.
 † *Briza* L. Dumortier Gram. 5.
 — *aspera* Knapp. Knapp Gram. 61.
 — *barbata* Trin. Trin. Sp. Gr. 3, 289.
 — *capensis* Thunb. Petersb. 2, 8.
 — *caroliniana* Lam. Lam. Encycl. 45.
 — *elator* Sibth. Sibth. Fl. gr. 75.
 — *Eragrostis* L. Elliott Carol. 10.
 — — — Schreber Gr. 39.
 — *lutescens* Desv. Desv. Journ. 5, 24.
 † — *maxima* L. Gaertn. Carp. 1.
 — — — Lam. Encycl. 45.
 — — — Jacq. Obs. 60.
 — — — Sibth. Fl. gr. 76.
 — — — Host Gram. 130.
 — — — Bot. Mag. 10, 357.
 — — — Rchb. Fl. germ. 1, 92.
 — — — Trin. Sp. Gr. 3, 290.
 † — — — Nees Gen. 1, 59.
 — *media* L. Fl. dan. 2, 258.
 † — — — Lam. Encycl. 45.
 — — — Engl. Bot. 5, 340.
 — — — Sv. Bot. 300.
 — — — Knapp Gram. 60.
 — — — Baxter Brit. Bot. 2, 104.
 — — — Schk. Handb. 14.
 — — — Host Gram. 129.
 — — — Schrank Fl. monac. 4, 338.
 — — — Sturm Flora 1, 2.
 — — — Rchb. Fl. germ. 1, 92.
 — — — Trin. Sp. Gr. 3, 291.
 † — — — Nees Gen. 1, 59.
 — *minor* L. Sibth. Fl. gr. 74.
 — — — Engl. Bot. 19, 1316.
 — — — Host Gram. 128.
 — — — Trin. Sp. Gr. 3, 292.
 — — — Rchb. Fl. germ. 1, 92.
 — *spicata* Sibth. Sibth. Fl. gr. 77.
 — — — Trin. Sp. Gr. 3, 293.
 — *triloba* N. v. E. Trin. Sp. Gr. 3, 294.
 — *virens* L. Rchb. Fl. germ. 1, 92.
 † *Brodiaea californica* Ldl. Journ. Hort. Soc. 4, 84.
 — *congesta* Sm. Linn. Tr. 10, 1.
 — *grandiflora* Sm. Maund Bot. 1, 35.
 — — — Bot. Mag. 56, 2877.
 — — — Bot. Reg. 14, 1183.
 — — — Paxt. Mag. 12, 221.
 — *ixioides* Sims. Bot. Mag. 50, 2382.
Bromelia Ananas L. Rumpf Amb. 5, 81.
 † — — — Lam. Encycl. 223.
 — — — Red. Lil. 8, 455, 486.
 — — — Bot. Mag. 38, 1554.

- Bromelia Ananas* L. Desc. Ant. 5, 342.
 — — — var. *rubra*, Kern. Hort. 661.
 — — — Belgique hort. 3, 19.
 — *antiacantha* Bertol. Nov. Comm. Bon. 7, 12.
 — *Aquilega* Salisb. Salisb. Parad. 40.
 — *bracteata* Sw. Kern. Hort. 401.
 — *chrysantha* Jacq. Jacq. Schoenbr. 1, 55.
 † — *Commeliana* Vriese. Vriese Descriptions 4.
 — *exudans* Lodd. Lodd. Cab. 801.
 — *fastuosa* Ldl. Lindley Collect. 1.
 — — — Kern. Hort. 745.
 — *humilis* L. Jacq. Ic. 60.
 — *incarnata* Rz et P. Ruiz et Pav. Fl. 255.
 — *Karatas* L. Jacq. Vind. 31, 32.
 — — — Red. Lil. 8, 457.
 — — — Kern. Hort. 109.
 — *longifolia* Rudge. Rudge Pl. Guianae 49.
 — — — Paxt. Fl. G. 65.
 — — — Lem. Jard. fl. 223.
 — *melanantha* Ker. Bot. Reg. 9, 766.
 — *nudicaulis* L. Hook. Exot. Fl. 143.
 — — — Bot. Reg. 3, 203.
 — — — Ker. Rchb. Exot. 185.
 — *pallida* Ker. Bot. Reg. 4, 344.
 — — — Hook. Exot. Fl. 41, 42.
 — — — Kern. Hort. 757.
 — — — Rchb. Mag. 94.
 — *paniculigera* Sw. Rchb. Hort. 239, 240.
 — *Pinguin* L. Gil et Xarez 12.
 — — — Red. Lil. 7, 396.
 — — — Tuss. Ant. 4, 22.
 — — — Dict. sc. nat. 49.
 — *pyramidalis* Sims. Bot. Mag. 42, 1732.
 — — — Rchb. Hort. 156.
 — *rubra* Hort. Desc. Ant. 5, 341.
 — *Sceptrum* Fenzl. Hart. Parad. 1, 8.
 — *silvestris* Willd. Bot. Mag. 50, 2392.
 — — — Rchb. Exot. 186.
 — *spica comosa* Desc. Desc. Ant. 1, 36.
 — *zebrina* Herb. Bot. Mag. 53, 2686.
 — — — Rchb. Exot. 261.
 † *Bromeliaceae* Ldl. Schnizl. Ic. 1, 63.
Bromheadia palustris Ldl. Bot. Reg. 30, 18.
 — — — Bot. Mag. 69, 4001.
 — — — Wight Ic. pl. Ind. or. 5, 1740.
 † *Bromus* L. Dumortier Gram. 7.
 † — — — Nees Gen. 1, 75.
 — *agrestis* All. Host Gram. 10.
 — *alopecurus* Poir. Bory Morée 5.
 — *ambiguus* Cir. Ciprillo Pl. rar. 1, 2.
 — *antarcticus* Hook. Hook. Fl. ant. 54.
 — *arenarius* Lab. Bill. Nov. Holl. 28.
 — *arvensis* L. Fl. dan. 2, 293.
 — — — Host Gram. 14.
 — — — Engl. Bot. 28, 1984.
 — — — Knapp Gram. 82.
 — — — Rchb. Fl. germ. 1, 74.
 — *asper* L. fil. Curt. Lond. 3, 54.
 — — — Engl. Bot. 17, 1172.
 — — — Fl. dan. 8, 1382.
 — — — Sv. Bot. 461.
 — — — Host Gram. 7.
 — — — Rchb. Fl. germ. 1, 76.
 — — — With. Knapp Gram. 85.
 — *asperimus* Ten. Tenore Fl. nap. 105.
 — *badensis* Gm. Gmelin Fl. bad. 4, 5.
 — *barbatus* Savi. Sebastiani Fl. rom. 1.
 — — — Sebastiani Rom. pl. 2, 1.
 — *Berterianus* Colla. Mem. Tur. 39, 58.
 — *brachystachys* Hornung. Flora 1883, 2.
 — *brizaeformis* Fisch. et M. Jard. Petersb. 3.
 — — — Sert. petrop. 10.

- Bromus caespitosus* Host. Host Gram. 319.
 — *caudatus* Brot. Brotero Phytogr. 99.
 — *chrysopogon* Vis. Viviani Lib. 2.
 — *cincinnatus* Ten. Tenore Fl. nap. 104.
 — *commutatus* Schrad. Gmelin Fl. bad. 4, 4.
 — — Rchb. Fl. germ. 1, 74.
 — *confertus* M. v. B. Jacq. Ecl. Gram. 14.
 — — Rchb. Fl. germ. 1, 74.
 — *contortus* Desf. Desf. Fl. atl. 25.
 — *cylindraceus* Brot. Brotero Phytogr. 98.
 — *Danthoniae* Tr. Trin. Sp. Gr. 3, 353.
 — *dianthus* Curt. Curt. Lond. 1, 19.
 — — Engl. Bot. 14, 1006.
 — — Knapp Gram. 83.
 — *distachyos* L. Gerard Fl. gallopr. 3.
 — — Host Gram. 20.
 — *divaricatus* Rohde. Rchb. Fl. germ. 1, 75.
 — *erectus* Huds. Engl. Bot. 7, 471.
 — — Knapp Gram. 86.
 — — Fl. dan. 8, 1383.
 — — Sv. Bot. 473.
 — — Roemer Fl. eur. 6, 2.
 — — Rchb. Fl. germ. 1, 77.
 — *fasciculatus* Presl. Gussone Pl. rar. 8.
 — *geniculatus* L. Schreb. Gr. 31.
 — — Brotero Phytogr. 100.
 — *giganteus* L. Schreb. Gr. 11.
 — — Host Gram. 6.
 — — Fl. dan. 10, 1630.
 — — Knapp Gram. 87.
 — — Rchb. Fl. germ. 1, 76.
 — *grossus* Desf. Gmelin Fl. bad. 4, 2, 3.
 — *hordaceus* Gm. Gmelin Fl. bad. 4, 1.
 — *humilis* Cav. Cav. Ic. 589.
 — *japonicus* Thunb. Thunb. Fl. jap. 11.
 — *inermis* L. Schreb. Gr. 13.
 — — Host Gram. 9.
 — *jubatus* Ten. Tenore Fl. nap. 106.
 — *Kochii* Gm. Gmelin Fl. bad. 4, 6.
 — *lanceolatus* Roth. Gussone Pl. rar. 8.
 — — Bory Morée 4.
 — *laxus* Hornem. Rchb. Fl. germ. 1, 77.
 — *lividus* H. B. K. H. B. K. Nov. Gen. 7, 589.
 — *litoreus* Retz. Host Gram. 8.
 — *liolaceus* Ten. Tenore Fl. nap. 104.
 — *macrostachys* Desf. Desf. Fl. atl. 19.
 — *madritensis* L. Host Gram. 47.
 — — Rchb. Fl. germ. 1, 73.
 — *maximus* Desf. Desf. Fl. atl. 26.
 — — Rchb. Fl. germ. 1, 73.
 — — Engl. Bot. 2820.
 — *mollis* L. Curt. Lond. 3, 5.
 — — Engl. Bot. 15, 1078.
 — — Knapp Gram. 77.
 — — Baxter Brit. Bot. 5, 348.
 — — Fl. dan. 8, 1324.
 — — Sv. Bot. 456.
 — — Schreb. Gram. 6.
 — — Schk. Handb. 16.
 — — Host Gram. 19.
 — — Rchb. Fl. germ. 1, 74.
 — — Münch. Denkschr. 4, 11.
 — *multiflorus* Willd. Host Gram. 11.
 — — Sm. Engl. Bot. 27, 1884.
 — — Knapp Gram. 80.
 — — Rchb. Fl. germ. 1, 75.
 — *ovatus* Cav. Cav. Ic. 591.
 — *pallens* Cav. Cav. Ic. 591.
 — *patulus* M. K. Rchb. Fl. germ. 1, 74.
 — *pinnatus* L. Fl. dan. 1, 164.
 — — Host Gram. 22.
 — — Engl. Bot. 11, 730.

- Bromus Plukenetii* All. Host Gram. 319.
 — *pratensis* Sm. Engl. Bot. 13, 920.
 — *purgans* L. Elliott Carol. 10.
 — *racemosus* L. Engl. Bot. 15, 1079.
 — — Knapp Gram. 78.
 — — Rchb. Fl. germ. 1, 74.
 — *ramosus* L. Sibth. Fl. gr. 84.
 — *rigidus* Roth. Rchb. Fl. germ. 1, 73.
 — *rubens* L. Cav. Ic. 45.
 — — Sibth. Fl. gr. 83.
 — — Delile Egypte 11.
 — — Host Gram. 18.
 — *rupestris* Host. Host Gram. 317.
 — *Scheuchzeri* Gm. Gmelin Fl. bad. 4, 7.
 — *scoparius* L. Bory Morée 5.
 — *secalinus* L. Host Gram. 12.
 — — Sv. Bot. 204.
 — — Fl. dan. 9, 1446.
 — — Rchb. Fl. germ. 1, 75.
 — — Engl. Bot. 17, 1171.
 — — Knapp Gram. 79.
 — — Torr. New York 157.
 — *silvaticus* Poll. Host Gram. 21.
 — — Engl. Bot. 11, 729.
 — *spiculitenuata* Knapp. Knapp Gram. 81.
 — *squarrosus* L. Host Gram. 13.
 — — Rchb. Fl. germ. 1, 75.
 — — Engl. Bot. 27, 1885.
 — *sterilis* L. Curt. Lond. 3, 97.
 — — Engl. Bot. 15, 1030.
 — — Knapp Gram. 84.
 — — Fl. dan. 8, 1325.
 — — Sv. Bot. 467.
 — — Host Gram. 16.
 — — Rchb. Fl. germ. 1, 73.
 — *tectorum* L. Sibth. Fl. gr. 82.
 — — Host Gram. 15.
 — — Rchb. Fl. germ. 1, 73.
 — — Fl. dan. 11, 1806.
 — *tenuiflorus* Viv. Viviani Lib. 2.
 — *tomentosus* Trin. Petersb. 6, 9.
 — *triflorus* L. Fl. dan. 3, 440.
 — *trivialis* Savi. Savi Fl. pis. 2.
 † *velutinus* Schrad. Schrad. Fl. germ. 6.
 — *verticillatus* Cav. Cav. Ic. 590.
 — *wolgensis* Spr. Jacq. Ecl. Gram. 15.
Brongniartia galegoides Presl. Presl Symb. 67.
 — *intermedia* Moric. Mem. Genev. 7, 10.
 — — Moric. Pl. Am. 10.
 — *mollis* H. B. K. H. B. K. Nov. Gen. 6, 587.
 — *podalyrioides* H. B. K. H. B. K. Nov. Gen. 6, 588.
Bronnia spinosa H. B. K. H. B. K. Nov. Gen. 6, 528.
† *Brosimum Swartz.* Swartz Fl. Ind. occ. 1.
 † — — Ann. sc. nat. III. 8, 6.
 — *Alicastrum* Sw. Tuss. Ant. 1, 9.
 — — Desc. Ant. 8, 534.
 — — Desv. Journ. 1, 8.
 — *echinocarpon* P. et E. Poepp. et Endl. 148.
Brossaea coccinea L. Lam. Encycl. 111.
Brotera Contrayerva Spr. Schrad. Journ. 1800. 2, 5.
 — *ovata* Cav. Cav. Ic. 433.
 — *persica* Spr. Linnean Tr. 6, 12.
Brotera bracteosa Guill. Guillem. Seneg. 17.
Broughtonia coccinea R. Br. Bot. Mag. 63, 3536.
 — *lilacina* Henfr. Lem. Jard. fl. 172.
 — *sanguinea* R. Br. Lodd. Cab. 793.
 — — Bot. Mag. 58, 3076.
Broussaisia arguta Gaudch. Freycinet Voyage 69.
 — *pellucida* Gaudch. Gaudichaud Bonite 9.
Broussonetia papyrifera Vent. Rumpf Amb. 4, 53.
 — — Andr. Rep. 7, 484.
 — — Bot. Mag. 50, 2358.

- †*Broussonetia papyrifera* Vent. Ann. Mus. 8, 34.
Browallia demissa L. Linné Hort. Cliff. 17.
 — — — Gaertn. Carp. 53.
 — — — Lam. Encycl. 535.
 — — — Bot. Mag. 28, 1136.
 — — — Mem. Genev. 6, 3.
 — — — *elata* L. Bot. Mag. 1, 34.
 — — — Herb. amat. 3, 211.
 — — — *grandiflora* Grah. Bot. Reg. 16, 1384.
 — — — Bot. Mag. 58, 3069.
 — — — *Jamesonii* Benth. Bot. Mag. 77, 4605.
 — — — Fl. d. serres 5, 436.
 — — — Lem. Jard. fl. 246.
 — — — Paxton Mag. 16, 5.
 — — — Belgique hort. 2, 25.
 — — — *speciosa* Hook. Bot. Mag. 73, 4339.
 — — — Paxt. Mag. 16, 290.
Brownea Ariza Benth. Paxton Fl. G. 59.
 — — — Lem. Jard. fl. 191—192.
 — — — *capitella* Jacq. Jacq. Fragm. 18, 19.
 — — — *caniflora* P. et E. Poepp. et Endl. 292.
 — — — *coccinea* L. Jacq. Hist. stirp. am. 183.
 — — — Lam. Encycl. 575.
 — — — Desc. Ant. 7, 523.
 — — — Bot. Mag. 69, 3964.
 — — — *grandiceps* Jacq. Jacq. Collect. 3, 22, 4, 9.
 — — — Jacq. Fragm. 22, 23.
 — — — Lam. Encycl. 575.
 — — — Bot. Reg. 27, 30.
 — — — Fl. d. serres 6, 581, 582.
 — — — *latifolia* Jacq. Jacq. Fragm. 17.
 — — — Kern. Hort. 240, 829.
 — — — *leucantha* Jacq. Jacq. Fragm. 20, 21.
 — — — *racemosa* Jacq. Jacq. Fragm. 16.
 — — — Kern. Hort. 170.
 — — — *rosa de monte* Willd. Lam. Encycl. 575.
Brownlowia elata Roxb. Roxb. Corom. 265.
 — — — Bot. Reg. 17, 1472.
 — — — Rehb. Exot. 346.
Brucea antidysenterica Lam. Lam. Encycl. 810.
 — — — *ferruginea* L'her. L'herit. Stîrp. 10.
 — — — Lodd. Cab. 129.
 — — — Hayne 8, 24.
 — — — Nees Düssel. 357.
 — — — *glabrata* Decne. N. Ann. Mus. 3, 20.
 — — — *sumatrana* DC. Rumpf Amb. Auct. 15.
Brucea grandiflora Klotzsch. Karsten Auswahl 10.
†*Brugmansia Pers.* Kerner Gen. 123—125.
 — — — *bicolor* Pers. Bot. Reg. 20, 1739.
 — — — *floribunda* Paxt. Paxton Mag. 3, 3.
 — — — *sanguinea* Don. Maund Bot. 1, 29.
 — — — Sweet Fl. G. II. 272.
 — — — *Waymanniana* Paxt. Paxton Mag. 4, 241.
 — — — *Zippelii* Bl. Blume Java 11, 4, 5, 6.
 — — — Schnizl. Ic. 1, 41.
Bruguiera caryophylloides Bl. Rumpf Amb. 3, 78.
 — — — *cylindrica* Bl. Rheede Hort. mal. 6, 33.
 — — — Rumpf Amb. 3, 70.
 — — — *eriopetala* W. et A. Wight Ic. pl. Ind. or. 1, 239.
 — — — *gymnorhiza* Lam. Rumpf Amb. 3, 68.
 — — — Lam. Encycl. 397.
 — — — Desc. Ant. 6, 400.
 — — — Wight Ic. pl. Ind. or. 1, 239.
 — — — *malabarica* Arn. Hook. Ic. pl. 4, 398.
 — — — *Rheedei* Bl. Rheede Hort. mal. 6, 31, 32.
 — — — Rumpf Amb. 3, 69.
 — — — Hook. Ic. pl. 4, 397.
 — — — Wight Ic. pl. Ind. 1, 239.
Bruinsmania isertioides Miq. Miquel Surip. 49.
†*Brunellia Rz et P.* Ruiz et Pav. Prodr. 12.
 — — — *acutangula* H. B. Humb. Pl. aeq. 62.
 — — — *comocladifolia* H. B. Humb. Pl. aeq. 59.

- Brunellia ovalifolia* H. B. Humb. Pl. aeq. 61.
 — — — *tomentosa* H. B. Humb. Pl. aeq. 60.
†*Brunfelsia americana* L. Gaertn. Carp. 212.
 — — — Lam. Encycl. 548.
 — — — Swartz Obs. 4.
 — — — Bot. Mag. 11, 393.
 — — — Lodd. Cab. 553.
 — — — Kern. Hort. 79.
 — — — Tratt. Arch. 222.
 — — — Desc. Ant. 2, 56.
 — — — *calycina* Benth. Lem. Jard. fl. 171.
 — — — *nitida* Benth. Bot. Mag. 73, 4287.
 — — — *'sinnata* A. Rich. Ramon Cuba 66.
 — — — *undulata* Sw. Andr. Rep. 3, 167.
 — — — Lodd. Cab. 388.
 — — — Bot. Reg. 3, 228.
 — — — Tratt. Arch. 223.
 — — — Herb. amat. 4, 231.
 — — — Rehb. Exot. 294.
 — — — *violacea* Lodd. Cab. 792.
Brunia abrotanoides L. Wendl. Coll. 45.
 — — — Lodd. Cab. 355.
 — — — *arachnoidea* Wendl. Wendl. Coll. 62.
 — — — *deusta* Thunb. Münchn. Denkschr. 1, 7.
 — — — *ericoides* Wendl. Wendl. Coll. 57.
 — — — *lanuginosa* L. Wendl. Coll. 11.
 — — — Lodd. Cab. 872.
 — — — Dict. sc. nat. 209.
 — — — *macrocephala* Willd. Münchn. Denkschr. 1, 6.
 — — — *nodiflora* L. Gaertn. Carp. 30.
 — — — Lam. Encycl. 126.
 — — — Wendl. Coll. 35.
 — — — Ann. sc. nat. 8, 36.
 — — — *paleacea* L. Wendl. Coll. 21.
 — — — Münchn. Denkschr. 1, 8.
 — — — *pinifolia* Ad. Br. Ann. sc. nat. 8, 35.
 — — — *rubra* Willd. Münchn. Denkschr. 1, 7.
 — — — *superba* Don. Rehb. Hort. 100.
 — — — *tenuifolia* Willd. Münchn. Denkschr. 1, 6.
†*Brunnichia cirrhosa* Gaertn. Gaertn. Carp. 45.
†*Brunonia Smith.* Kerner Gen. 51.
 — — — *australis* Sm. Linnean Tr. 10, 28.
 — — — Lam. Encycl. 928.
 — — — Guill. Austr. 15.
 — — — Bot. Reg. 22, 1833.
 — — — Paxton Mag. 7, 267.
 — — — *sericea* Sm. Linnean Tr. 10, 29.
 — — — Bauer Illustr. 10.
 — — — Schnizl. Ic. 122.
†*Brunoniaceae R. Br.* Schnizl. Ic. 122.
Brunsvigia Heist. Heister Desc. nov. gen. 1. 2. 3.
 — — — Ker. Herbert Amar. 36.
†*Burchelliana Herb.* Herbert Amar. 22.
 — — — *ciliaris* Ker. Bot. Reg. 14, 1153.
 — — — Fl. d. serres 3, 193, 194.
 — — — *falcata* Ker. Lodd. Cab. 745.
 — — — Bot. Mag. 35, 1443.
 — — — Rehb. Exot. 191.
 — — — *grandiflora* Ldl. Bot. Reg. 16, 1335.
 — — — *Josephinae* Ker. β. *angustifolia*, Bot. Reg. 3, 192, 193.
 — — — Bot. Mag. 52, 2578.
 — — — Fl. d. serres 4, 322, 323.
 — — — *minor* Ldl. Bot. Reg. 11, 954.
 — — — Herbert Amar. 32.
†*multiflora Dryand.* Bot. Mag. 39, 1619.
 — — — Rehb. Exot. 190.
 — — — Lady South Afr. 5.
 — — — *toxicaria* Ker. Bot. Reg. 7, 567.
 — — — Fl. d. serres 5, 434.
Bruxanelia indica Dennst. Rheede Hort. mal. 5, 42.
Brya Ebenus DC. Bot. Mag. 78, 4670.

- Brya Ebénus DC.* Lem. Jard. fl. 4, 332.
Bryanthus erectus Ldl. Paxt. Fl. G. 19.
 — — — Lem. Jard. fl. 58.
 — — — Fl. d. serres 7, 659.
 † *Bryantia butyrophora Webb.* Gaudichaud Bonite 20.
 † *Bryonia africana Thunb.* Gaertn. Carp. 88.
 † — — — Lam. Encycl. 796.
Bryonia alba L. Schk. Handb. 316.
 — — — Fl. dan. 5, 813.
 — — — Sv. Bot. 105.
 — — — Sturm Flora 18, 80.
 — — — Hayne 6, 23.
 — — — Nees Düsseld. 270.
 — — — Guimp. et Schl. 138.
 — — — Woodv. Med. 2, 73.
 — — — americana Lam. Desc. Ant. 2, 136.
 — — — amplexicaulis Lam. Wight Ic. pl. Ind. or. 2, 502.
 — — — cordifolia L. Rumpf Amb. 5, 166.
 — — — cretica L. Sibth. Fl. gr. 940.
 — — — Desf. Choix 70.
 — — — Ann. Mus. 12, 17.
 — — — dioica Jacq. Jacq. Fl. austr. 2, 199.
 † — — — Lam. Encycl. 796.
 — — — Hayne 6, 24.
 — — — Sturm Flora 18, 80.
 — — — Nees Düsseld. 268, 269.
 — — — Guimp. et Schl. 139.
 — — — Engl. Bot. 7, 439.
 — — — Baxter Brit. Bot. 2, 83.
 — — — Fl. dan. 11, 1830.
 † — — — Plée Types 42, 43.
 — — — epigaea Rottl. Wight Ic. pl. Ind. or. 2, 503.
 — — — ficifolia Lam. Desc. Ant. 6, 391.
 — — — glandulosa P. et E. Poepp. et Endl. 175.
 — — — grandis L. Rumpf Amb. 5, 166.
 — — — hederaefolia Jacq. Jacq. Fragm. 113.
 — — — laciniosa L. Rheede Hort. mal. 8, 19.
 † — — — Gaertn. Carp. 88.
 † — — — Lam. Encycl. 796.
 — — — Wight Ic. pl. Ind. or. 2, 500.
 — — — mysorensis Klein. Wight Ic. pl. Ind. or. 3, 758.
 — — — 4, 1609.
 — — — quinqueloba Thunb. Bot. Reg. 1, 82.
 — — — Bot. Mag. 43, 1820.
 — — — scabrella L. fil. Rheede Hort. mal. 8, 13.
 — — — Wight Ic. pl. Ind. or. 2, 501.
 — — — umbellata Klein. Rheede Hort. mal. 8, 26.
 — — — verrucosa Ait. Webb Canar. 37.
Bryophyllum calycinum Salisb. Salisbury Parad. 3.
 — — — Lodd. Cab. 877.
 — — — Bot. Mag. 34, 1409.
 — — — Wight Illustr. in Hook. 31.
 — — — Herb. amat. 5, 317.
Bubania Feei De Gir. Explor. Alger. 68.
Bubon Galbanum L. Jacq. Vind. 3, 36.
 — — — Bot. Mag. 51, 2489.
 — — — Nees Düsseld. 287.
 — — — Wagner 160.
 — — — Woodv. Med. 1, 40.
 — — — garganicum Ten. Tenore Fl. nap. 25.
 † — — — macedonicum L. Gaertn. Carp. 23.
 † — — — Lam. Encycl. 194.
 — — — Schk. Handb. 70.
 — — — tortuosum Desf. Fl. atl. 73.
Bucco
acuminata Wendl. Wendland Coll. 28.
 — — — cuspidata Wendl. Wendland Coll. 81.
 — — — erecta Wendl. Wendland Coll. 3.
 — — — imbricata Wendl. Wendland Coll. 9.
 — — — obtusa Wendl. Wendland Coll. 13, 14.
 — — — obtusata Wendl. Wendland Coll. 76.
 — — — ovata R. et Sch. Wendland Coll. 20.
 — — — prolifera Wendl. Wendland Coll. 77.

- Bucco villosa Wendl.* Wendland Coll. 2.
Buchanania angustifolia Roxb. Roxb. Corom. 262.
 — — — Wight Ic. pl. Ind. or. 1, 101.
 — — — intermedia Wight. Wight Ic. pl. Ind. or. 1, 81.
 — — — lanceolata Wight. Wight Ic. pl. Ind. or. 1, 237.
 — — — latifolia Roxb. Delessert Ic. 3, 54.
 — — — oppositifolia Sm. Smith Ex. Bot. 115.
Buchia plantaginea H. B. K. H. B. K. Nov. Gen. 2, 132.
 † *Buchnera americana L.* Gaertn. Carp. 55.
 — — — asiatica L. Rheede Hort. mal. 9, 66.
 — — — euphrasioides Vahl. Wight Ic. pl. Ind. or. 3, 855.
 — — — foetida Andr. Andr. Rep. 2, 80.
 — — — Jacq. Schoenbr. 4, 448.
 — — — hermonthica Del. Delile Egypte 34.
 — — — hispida Ham. Wight Ic. pl. Ind. or. 4, 1413.
 — — — mossambicensis Klotzsch. Peters Mossamb. 34.
 — — — orobanchoides R. Br. Flora 1832, 2.
 — — — pedunculata Andr. Andr. Rep. 2, 84.
 — — — urticaefolia R. Br. Endl. Iconogr. 78.
 — — — viscosa L'her. Bot. Mag. 7, 217.
Bucholzia diffusa Mart. Mart. Bras. 149, 151.
 — — — maritima Mart. Mart. Bras. 147.
 — — — polygonoides Mart. var. erecta, Mart. Bras. 148, 151.
 — — — var. radicans, Mart. Bras. 150, 151.
Buchozia coprosmoides L'her. L'heritier Monogr. 0.
Bucida Buceras L. Lam. Encycl. 356.
 — — — Bot. Reg. 11, 907.
 — — — capitata Vahl. Vahl Eclogae 8.
 † — — — Gaertn. Carp. 217.
Bucklandia populnea R. Br. Asiat. Res. 19, 13, 14.
 † *Bucquetia glutinosa DC.* Ann. sc. nat. III. 16, 25.
Buddlea acuminata H. B. K. H. B. K. Nov. Gen. 2, 187.
 † — — — americana L. Houston Reliq. 3.
 — — — Ruiz et Pav. Fl. 82.
 — — — brasiliensis Jacq. Jacq. Ecl. pl. 158.
 — — — Grah. Bot. Mag. 54, 2713.
 — — — capitata Jacq. Jacq. Ic. 307.
 — — — connata R. et P. Ruiz et Pav. Fl. 81.
 — — — Bot. Mag. 55, 2853.
 — — — cordata H. B. K. H. B. K. Nov. Gen. 2, 185.
 — — — diffusa R. et P. Ruiz et Pav. Fl. 80.
 — — — discolor Roth. Wight Ic. pl. Ind. or. 3, 894.
 † — — — Wight Illustr. 165.
 — — — glaberrima Hort. Herb. amat. 4, 266.
 — — — globosa Lam. Lam. Encycl. 69.
 — — — Ruiz et Pav. Fl. 83.
 — — — Ait. Bot. Mag. 5, 174.
 — — — heterophylla Ldl. Bot. Reg. 15, 1259.
 — — — incana R. et P. Ruiz et Pav. Fl. 80.
 — — — Lindleyana Fort. Bot. Reg. 82, 4.
 — — — Paxt. Mag. 14, 5.
 — — — Fl. d. serres 2, 48.
 — — — longifolia H. B. K. H. B. K. Nov. Gen. 2, 186.
 — — — madagascariensis Lam. Lam. Encycl. 69.
 — — — Bot. Mag. 55, 2824.
 — — — Neemda Roxb. Rechb. Hort. 21.
 † — — — occidentalis L. Gaertn. Carp. 49.
 † — — — Lam. Encycl. 69.
 — — — Ruiz et Pav. Fl. 82.
 — — — salicifolia Jacq. Jacq. Schoenbr. 1, 29.
 — — — salvifolia Lam. Jacq. Schoenbr. 1, 28.
 — — — scordioides H. B. K. H. B. K. Nov. Gen. 2, 183.
 — — — sessiliflora H. B. K. H. B. K. Nov. Gen. 2, 182.
 — — — spicata R. et Pav. Ruiz et Pav. Fl. 81.
 — — — verticillata H. B. K. H. B. K. Nov. Gen. 2, 184.
Buena hexandra Pohl. Pohl Brasil. 8.
 — — — Nees Düsseld. Suppl. 3.
 — — — macrocarpa Benth. Benth. Sulphur 38.
 — — — panamensis Cav. Cav. Ic. 571.
 † *Buergeria stellata S. et Z.* Münchn. Abh. 4, 2.
Buettneria affinis Pohl. Pohl Brasil. 147.

- Buettneria catalpaefolia* Jacq. Jacq. Schoenbr. 1, 46.
 — *celtioides* St. Hil. St. Hil. Fl. Bras. 28.
 — *cordata* Lam. Cav. Diss. 150.
 — *dasyphylla* Gay. Mem. Mus. 10, 12.
 — *dentata* Pohl. Pohl Brasil. 152.
 — *elliptica* Pohl. Pohl Brasil. 146.
 — *herbacea* Roxb. Roxb. Corom. 29.
 — — Wight Ic. pl. Ind. or. 2, 488.
 — *hermanniaefolia* Gay. Mem. Mus. 10, 13.
 — *heterophylla* Hook. Hook. Bot. Misc. 61.
 — *jaculifolia* Pohl. Pohl Brasil. 150.
 — *inodora* Gay. Dict. sc. nat. 140.
 — *laevigata* Schott. Pohl Brasil. 145.
 — *melastomaefolia* St. Hil. St. Hil. Fl. Bras. 29.
 — *microphylla* Jacq. Cav. Diss. 148.
 — *mollis* H. B. K. H. B. K. Nov. Gen. 5, 481^a. 481^b.
 — — Kern. Hort. 788.
 — *oblongata* Pohl. Pohl Brasil. 148.
 — *ovata* Lam. Cav. Diss. 149.
 — — Lam. Encycl. 140.
 — *ramosissima* Pohl. Pohl Brasil. 149.
 — *sagittaeifolia* St. Hil. St. Hil. Fl. Bras. 27.
 — *scabra* L. Aubl. Guiana 96.
 — — Cav. Diss. 148.
 — — Pohl. Pohl Brasil. 154.
 — *scalpellata* Pohl. Pohl Brasil. 151.
 — *tereticaulis* Lam. Cav. Diss. 149.
 — — Pohl. Lam. Encycl. 140.
 — *virgata* Pohl. Pohl Brasil. 153.
Buffonia annua DC. Tratt. Arch. 280.
 — — Baxter Brit. Bot. 2, 152.
 † — *tenuifolia* L. Gaertn. Carp. 129.
 — — Engl. Bot. 19, 1313.
 — — Rchb. Fl. germ. 5, 203.
Bufonia perennis Lam. Lam. Encycl. 87.
 — *tenuifolia* L. Lam. Encycl. 87.
Buginvillaea patagonica Deene. D'Orb. Voyage 8.
 — *peruviana* H. B. Humb. Pl. aeq. 49.
 † — *spectabilis* Willd. Gaertn. Carp. 216.
 — — Lam. Encycl. 294.
 — — Paxt. Mag. 12, 51.
 — — Schnizl. Ic. 2, 104.
 † *Buglossum amoenum* Gaertn. Gaertn. Carp. 67.
 † — *sempervirens* All. Gaertn. Carp. 67.
 † — *vulgare* Tausch. Nees Gen. 6, 70.
Bulbillaria gageoides Zucc. Münchn. Abh. 3, 2.
Bulbine abyssinica Rich. Richard Abyssin. 97.
 † — *asiatica* Gaertn. Gaertn. Carp. 13.
Bulbocodium edentatum Schur. Siebenb. Verhandl. 2, 6.
 — *vernum* L. Vill. Dauph. 2.
 — — Bot. Mag. 5, 153.
 — — Red. Lil. 4, 197.
 — — Lam. Encycl. 230.
 — — Retzius Obs. 2, 1.
 — — Rchb. Fl. germ. 10, 428.
 † — — Nees Gen. 2, 33.
Bulbophyllum acutiflorum A. Rich. Ann. sc. nat. II. 15, 7.
 — *barbigerum* Ldl. Bot. Reg. 23, 1942.
 — *bracteolatum* Ldl. Bot. Reg. 24, 57.
 — *caespitosum* Aub. Aubert Orchid. 102.
 — *Calamaria* Ldl. Bot. Mag. 70, 4088.
 — *Careyanum* Spr. Bot. Mag. 71, 4166.
 — *clavatum* Aub. Aubert Orchid. 99.
 — *cocoinum* Batem. Bot. Reg. 23, 1964.
 — *Comersoni* Aub. Aubert Orchid. 96.
 — *conitum* Aub. Aubert Orchid. 99.
 — *cylindraceum* Ldl. Wall. Pl. asiat. 69.
 — *densum* Aub. Aubert Orchid. 107.
 — *erectum* Aub. Aubert Orchid. 93.
 — *fuscopurpureum* Wight. Wight Ic. pl. Ind. or. 5, 1651.
 — *gracile* Aub. Aubert Orchid. 100.

- Bulbophyllum incurvum* Aub. Aubert Orchid. 94.
 — *Lobbii* Ldl. Bot. Mag. 76, 4532.
 — *longiflorum* Aub. Aubert Orchid. 97.
 — *macranthum* Ldl. Bot. Reg. 30, 13.
 — *minutum* Aub. Aubert Orchid. 109.
 — *neilgherrense* Wight. Wight Ic. pl. Ind. or. 5, 1650.
 — *nutans* Aub. Aubert Orchid. 106.
 † — — Mem. hist. nat. Par. 4, 8.
 — *occultum* Aub. Aubert Orchid. 92, 93.
 — *pendulum* Aub. Aubert Orchid. 103.
 — *prismaticum* Aub. Aubert Orchid. 108.
 † — — Mem. hist. nat. Par. 4, 8.
 — *pusillum* Aub. Aubert Orchid. 101.
 — *recurvum* Ldl. Bot. Reg. 12, 963.
 — *saltatorium* Ldl. Bot. Reg. 23, 1970.
 — *tremulum* Wight. Wight Ic. pl. Ind. or. 5, 1749.
 — *umbellatum* Ldl. Bot. Reg. 31, 44.
 — — Bot. Mag. 72, 4267.
 — *variegatum* Aub. Aubert Orchid. 107.
Bulbostylis pedunculosa DC. Delessert Ic. 4, 17.
Bulliarda Vaillantii DC. DC. Plantes grasses 74.
Bulnesia chilensis Gay. Gay Chile 15.
 † *Bumelia Sw.* Swartz Fl. Ind. 8.
 — *buxifolia* Willd. H. B. K. Nov. Gen. 7, 647.
 — *chrysophylloides* Watson. Watson Dendr. 1, 10.
 — *cuneifolia* Rudge. Rudge Pl. Guianae 47.
 † — *lycioides* Willd. Gaertn. Carp. 202.
 — *reclinata* Vent. Ventenat Choix 22.
 † — *retusa* Sw. Gaertn. Carp. 202.
Bunchosia bracteata Juss. St. Hil. Fl. Bras. 177.
 † — *nitida* DC. Arch. Mus. 3, 8.
 — *polystachya* DC. Lodd. Cab. 1360.
 † *Bunias aegyptiaca* L. Gaertn. Carp. 142.
 † — — Medicus Gattungen 1.
 — — Jacq. Vind. 145.
 — *aspera* Retz. Rchb. Fl. germ. 2, 1.
 — *balearica* L. Gouan Illustr. 20^b.
 † — — Schk. Handb. 189^a.
 — — Jacq. Vind. 144.
 — *Cakile* L. Fl. dan. 7, 1168.
 — — Engl. Bot. 4, 231.
 — — Desc. Ant. 1, 43.
 — *cochlearifolia* Murr. Novi Comm. Gott. 8, 3.
 — — W. et Kit. 107.
 † — *Erucago* L. Gaertn. Carp. 142.
 — — Jacq. Fl. austr. 4, 340.
 — — Schk. Handb. 189^a.
 — — Braune Fl. 2, 2.
 — — Rchb. Fl. germ. 2, 1.
 — *macroptera* Rchb. Rchb. Fl. germ. 2, 1.
 † — *myagroides* L. Desv. Journ. 5, 25.
 † — *orientalis* L. Gaertn. Carp. 142.
 † — — Schk. Handb. 189^a.
 † — — Medicus Gattungen 1.
 † — — Desv. Journ. 5, 25.
 — — Fl. dan. 10, 1651.
 — *ovalis* Vis. Viv. Lil. 16.
 — *prostrata* Desf. Desf. Fl. atl. 150.
 † — — Desv. Journ. 5, 25.
 — *raphanifolia* Sm. Sibth. Fl. gr. 612.
 † — *spinosa* L. Gaertn. Carp. 142.
 — — Vent. Malm. 16.
 — *tenuifolia* Sm. Sibth. Fl. gr. 614.
 — *virgata* Sm. Sibth. Fl. gr. 613.
Bunium alpinum W. et K. W. et Kit. 182.
 — *Bulbocastanum* L. Schk. Handb. 62.
 † — — Gaertn. Carp. 140.
 † — — Lam. Encycl. 197.
 — — Fl. dan. 2, 220.
 — — Curt. Lond. 3, 60.
 — — Engl. Bot. 2862. 14, 988.
 — *ferulaefolium* Desf. Ann. Mus. 11, 30.

- Bunium ferulaefolium* Desf. Desf. Choix 43.
 — *flexuosum* With. Engl. Bot. 14, 988.
 — — Baxter Brit. Bot. 6, 2.
 — *juncum* M. et R. Mem. Genev. 8, 4.
 — *Macuca* Boiss. Boissier Esp. 66.
 — *nivale* Boiss. Boissier Esp. 67.
 — *pumilum* Sibth. Sibth. Fl. gr. 274.
 — *pyrenaicum* Lois. Lois. Fl. gall. 5.
 † *Buphane* Herbert. Herbert Amar. 36.
 — *ciliaris* Herb. Bot. Reg. 14, 1153. 1159.
 † — *guttata* Herb. Herbert Amar. 22.
 — *toxicaria* Herb. Bot. Reg. 7, 567.
 † *Buphthalmum aquaticum* L. Gaertn. Carp. 169.
 † — — Lam. Encycl. 682.
 † — — Schk. Handb. 257.
 — — Sibth. Fl. gr. 899.
 — *asteroideum* Viv. Viv. Lib. 25.
 — *australe* Spr. Kern. Hort. 778.
 — *cordifolium* W. et K. W. et Kit. 113.
 — — Herb. amat. 1, 23.
 — *fiosculosum* Vent. Vent. Cels 25.
 — *frutescens* L. Herb. amat. 3, 167.
 — *Garcini* Burm. Burm. Fl. ind. 68.
 — *grandiflorum* L. Schk. Handb. 257.
 — *graveolens* Forsk. Vahl Symb. 19.
 — *helianthoides* L. Martyn Hist. 18.
 — — L'her. Stirp. 45.
 — — Schk. Handb. 257.
 — *inuloides* Moris. Moris Fl. sard. 80.
 — *maritimum* L. Lam. Encycl. 682.
 — *odorum* Schousb. Schousb. Mar. 7.
 — *pratense* Vahl. Delile Egypte 48.
 — *salicifolium* L. Jacq. Fl. austr. 4, 370.
 † — — Gaertn. Carp. 169.
 † — — Lam. Encycl. 682.
 — — Schrank Fl. monac. 2, 129.
 † — — Nees Gen. X, x.
 — *scabrum* Cav. Cav. Ic. 167.
 — *sericeum* L. Bot. Mag. 43, 1836.
 — *speciosissimum* L. Rchb. Ic. crit. 4, 349.
 — *speciosum* Schreb. Schreber Ic. 6.
 — *spinosum* L. Sibth. Fl. gr. 898.
 † — — Schk. Handb. 257.
 † — — Lam. Encycl. 682.
Bupleurum aciphyllum Webb. Webb Canar. 70.
 — *acutifolium* Boiss. Boissier Esp. 71.
 — *angulosum* L. Rchb. Ic. crit. 9, 816.
 — *arborescens* Jacq. Jacq. Ic. 351.
 — *aristatum* Bartl. Rchb. Ic. crit. 2, 178.
 — — Guss. Pl. rar. 23.
 — *aureum* Fisch. Rchb. Pl. crit. 6, 521.
 — *baldense* W. et K. W. et Kit. 257.
 — *bicalyculatum* Bell. Mem. Tur. 7, 2.
 — *bicaule* Helm. Mem. Mosc. 2, 8.
 — *caricifolium* Willd. Rchb. Ic. crit. 9, 822.
 — *cernuum* Ten. Tenore Fl. nap. 125.
 † — *compositum* Spr. Mag. nat. Fr. 6, 5.
 — *coriaceum* Ait. L'her. Stirp. 67.
 — *dianthifolium* Guss. Cesati Stirp. ital. 0.
 — *distichophyllum* W. et A. Wight Ic. pl. Ind. or. 3, 1006.
 — *diversifolium* Roch. Rochel Ban. 28.
 — *falcatum* L. Jacq. Fl. austr. 2, 158.
 — — Engl. Bot. 2763.
 — — Dietr. Fl. bor. 7, 455.
 † — — Nees Gen. X, x.
 — *frutescens* L. Cav. Ic. 106.
 — *fruticosum* L. Sibth. Fl. gr. 263.
 — — Watson Dendr. 1, 14.
 — *Gerardi* Jacq. Gerard Fl. gallopr. 9.
 — — Jacq. Fl. austr. 3, 256.
 — — Rchb. Ic. crit. 2, 164. 165.

- Bupleurum Gerardi* Murr. Sibth. Fl. gr. 262.
 — *glaucum* Rob. et Cast. Rchb. Ic. crit. 2, 168.
 — — DC. Guss. Pl. rar. 23.
 — *glumaceum* Sm. Sprengel Umbellif. 3.
 — — Rchb. Ic. crit. 2, 179.
 — *gracile* M. v. B. Eichw. Canc. 10.
 — *gracillimum* Klotzsch. Prinz Wald. Him. 50.
 — *graminifolium* Vahl. Lam. Encycl. 189.
 — — Roemer Fl. eur. 7, 2.
 — — Rchb. Ic. crit. 9, 820.
 — *Hoffmeisteri* Klotzsch. Prinz Wald. Him. 52.
 — *himalayense* Klotzsch. Prinz Wald. Him. 51.
 — *incurvum* Bell. Mem. Tur. 5, 4.
 — *juncum* L. Rchb. Ic. crit. 2, 166.
 † — — Nees Gen. X, x.
 — *Koecheli* Fenzl. Russegger Reise 18.
 — *longifolium* L. Schrank Fl. monac. 4, 306.
 — *nodiflorum* Sibth. Sibth. Fl. gr. 260.
 † — *Odontiles* L. Gaertn. Carp. 22.
 — — Jacq. Vind. 3, 91.
 — — Engl. Bot. 35, 2468.
 — — Rchb. Ic. crit. 2, 177.
 — — Gussone Pl. rar. 22.
 — *papillosum* DC. Jaub. Illustr. 236.
 — *petraeum* L. Vill. Dauph. 14.
 — — Jacq. Ia. 56.
 — — Rchb. Ic. crit. 9, 819.
 — *plantagineum* Desf. Desf. Fl. atl. 57.
 — *plantaginifolium* Wight. Wight Ic. pl. Ind. or. 1, 281.
 — *procumbens* Desf. Desf. Fl. atl. 56.
 — *proliferum* Del. Delile Egypte 22.
 — *protractum* Lk. Rchb. Ic. crit. 9, 824.
 — *pyrenaicum* Gouan. Gouan. Illustr. 4.
 — — Rchb. Ic. crit. 9, 818.
 — *ramosissimum* W. et A. Wight Ic. pl. Ind. or. 3, 1007.
 — — Wight Spicil. 81.
 — *ranunculoides* L. Rchb. Ic. crit. 9, 821.
 — *Rissoni* Rich. Rizzo Fl. de Nice 9.
 † — *rotundifolium* L. Gaertn. Carp. 22.
 — — Lam. Encycl. 189.
 — — Schk. Handb. 60.
 — — Engl. Bot. 2, 99.
 — — Sturm Flora 2, 5.
 — — Hayne 7, 1.
 — — Dietr. Fl. bor. 7, 456.
 — — Baxter Brit. Bot. 1, 13.
 † — — Nees Gen. X, x.
 — *semicompositum* L. Gouan Illustr. 7.
 — — Sibth. Fl. gr. 261.
 — — Rchb. Ic. crit. 2, 183.
 — *Sibthorpium* Sm. Sibth. Fl. gr. 264.
 — — Rchb. Ic. crit. 9, 823.
 — *spinosum* L. fl. Gouan Illustr. 2.
 — *stellatum* L. Rchb. Ic. crit. 9, 817.
 — *subpinnatum* Led. Eichwald Canc. 11.
 † — *tenuissimum* L. Gaertn. Carp. 22.
 — — Fl. dan. 7, 1090.
 — — Sv. Bot. 618.
 — — Engl. Bot. 7, 478.
 — — Rchb. Ic. crit. 2, 167.
 — — Dietr. Fl. bor. 11, 756.
 † — — Nees Gen. X, x.
 — *trifidum* Ten. Tenore Fl. nap. 126.
 — *triradiatum* Adams. Mem. Mosc. 9, 14.
 † *Burasaia madagascariensis* Aub. Arch. Mus. 1, 13.
Burchellia bubalina Sims. Bot. Mag. 49, 2339.
 — *capensis* R. Br. Bot. Reg. 6, 466.
 — — Lodd. Cab. 664.
 — *parviflora* Ldl. Bot. Reg. 11, 891.
 † *Burchardia prismatocarpa* Juss. Arch. Mus. 3, 4.

- †*Burgsdorfia romana* Lk. Nees Gen. 6, 36.
Burkea africana Hook. Hook. Ic. pl. 6, 593—594.
Burlingtonia candida Ldl. Bot. Reg. 23, 1927. 1929.
 — *decora* Lem. Lem. Jard. fl. 188.
 — — — Fl. d. serres 7, 716.
 — *maculata* Ldl. Bot. Reg. 25, 44.
 — *rigida* Ldl. Lindley Sertum 36.
 — — — Paxt. Mag. 8, 193.
 — — — Fl. d. serres 1, 2.
 — *venusta* Ldl. Lindley Sertum 2.
†*Burmannia* L. Endl. Bras. 8, 7.
† — *bicolor* Miers. Linn. Transact. 18, 37.
 — — — Mart. Mart. Bras. 5.
 — *coelestis* Don. Royle Illustr. 91.
 — *dasyantha* Mart. Mart. Bras. 5.
 — — — Schnizl. Ic. 1, 60.
 — *distachya* R. Br. Lam. Encycl. 225.
 — *disticha* L. Roxb. Corom. 242.
 — *flava* Mart. Mart. Bras. 5.
 — — — Schnizl. Ic. 1, 60.
 — *Selloviana* Seub. Endl. Bras. 8, 7.
†*Burmanniaceae* Bl. Schnizl. Ic. 1, 60.
Burrielia gracilis DC. Bot. Mag. 66, 3758.
Bursaria spinosa Cav. Cav. Ic. 350.
 — — — Bot. Mag. 42, 1767.
 — — — Herb. amat. 5, 343.
Bursera gummiifera L. Jacq. Hist. stirp. am. 96.
† — — — Jacq. Fragm. 33.
 — — — Lam. Encycl. 256.
 — — — Desc. Ant. 2, 97.
 — — — Dict. sc. nat. 264, 265.
† — — — Schnizl. Ic. 246.
 — *serrata* Wall. Linn. Transact. 15, 4.
†*Burseaceae* Kth. Schnizl. Iconogr. 246.
Bursinopetalum arboreum Wight. Wight Spicil. 24.
 — — — Wight Ic. pl. Ind. or. 3, 956.
Burtonia conferta DC. Bot. Reg. 19, 1600.
 — — — Paxt. Mag. 12, 53.
 — *pulchella* Meism. Bot. Mag. 74, 4392.
 — — — Fl. d. serres 4, 406.
 — *sessilifolia* DC. Delessert Ic. 3, 61.
 — — — Hart. Parad. 1, 14.
 — *villosa* Meism. Bot. Mag. 74, 4410.
Bustillosia chilensis Clos. Gay Chile 32.
Butea frondosa Roxb. Rheede Hort. mal. 6, 16. 17.
 — — — Roxb. Corom. 21.
 — — — Kern. Hort. 83.
 — — — Kern. Ic. pl. sel. 4.
 — — — Hayne 10, 6.
 — — — Wight Illustr. in Hook. 32.
 — — — Nees Düss. Suppl. 10.
 — *parviflora* Roxb. Wight Ic. pl. Ind. or. 1, 210.
 — *superba* Roxb. Roxb. Corom. 22.
 — — — Kern. Hort. 181.
Butinia bunioides Boiss. Boissier Esp. 80.
 — *capnoides* Decne. Jacquemont Ind. 80.
†*Butomaceae* Rich. Schnizl. Ic. 1, 50.
†*Butomus* L. Kerner Gen. 175.
† — *floridus* Gaertn. Gaertn. Carp. 19.
 — *lanceolatus* Roxb. Royle Illustr. 98.
 — *umbellatus* L. Curt. Lond. 3, 11.
 — — — Engl. Bot. 10, 651.
 — — — Baxter Brit. Bot. 1, 34.
 — — — Fl. dan. 4, 604.
 — — — Sv. Bot. 296.
 — — — Red. Lil. 4, 209.
† — — — Lam. Encycl. 324.
 — — — Dict. sc. nat. 44.
 — — — Schk. Handb. 111.
 — — — Sturm Flora 5, 18.
 — — — Dreves 2, 69.
 — — — Schrank Fl. mon. 3, 271.

- Butomus umbellatus* L. Dietr. Fl. bor. 1, 28.
 — — — Rchb. Fl. germ. 7, 58.
† — — — Nees Gen. 2, 27.
† — — — Schnizl. Ic. 1, 50.
†*Butonica acutangula* Lam. Lam. Encycl. 591.
 — *speciosa* Lam. Lam. Encycl. 590. 591.
†*Buxus sempervirens* L. Gaertn. Carp. 108.
† — — — Lam. Encycl. 761.
 — — — Schk. Handb. 287.
 — — — Guimp. Holzgew. 137.
 — — — Engl. Bot. 19, 1341.
 — — — Baxter Brit. Bot. 2, 142.
 — — — Rchb. Fl. germ. 5, 153.
† — — — Nees Gen. 4, 41.
 — *suffruticosa* Lam. Rchb. Fl. germ. 5, 153.
Byblis liniflora Salisb. Salisb. Parad. 93.
 — — — Endl. Iconogr. 113.
Byrsanthus Brownii Guillem. Delessert Ic. 3, 52.
Byrsonima angustifolia H. B. K. H. B. K. Nov. Gen. 5, 449.
† — — — Arch. Mus. 3, 8.
† — *bicomulata* Juss. Arch. Mus. 3, 8.
 — *bumeliaefolia* Juss. St. Hil. Fl. Bras. 180.
† — — — Arch. Mus. 3, 8.
 — *cotonifolia* H. B. K. H. B. K. Nov. Gen. 5, 447.
 — *ferruginea* H. B. K. H. B. K. Nov. Gen. 5, 446.
† — *gymnocalycina* Juss. Arch. Mus. 3, 8.
 — *nitidissima* H. B. K. H. B. K. Nov. Gen. 5, 448.
Bystropogon canariensis L'hér. Webb Canar. 151.
 — *origanifolius* L'hér. Webb Canar. 150.
 — *plumosus* L'hér. L'hér. Sertum 22.
 — *punctatus* L'hér. L'hér. Sertum 23.
 — *serrulatus* Webb. Webb Canar. 151.
†*Cabañeria Rz et P.* Ruiz et Pav. Prodr. 30.
†*Cabomba Aubl.* Gray Gen. 38.
† — *aquatica* Aubl. Aubl. Guiana 124.
† — — — Lam. Encycl. 265.
 — — — Dict. sc. nat. 80.
 — *caroliniana* Gray. Gray Gen. 38.
 — — — Hook. Ic. pl. 7, 642.
 — *plauhyensis* Gardn. Hook. Ic. pl. 7, 641.
†*Cabralea polytricha* Juss. Mem. Mus. 19, 16.
Cacalia albifrons L. Sturm Flora 10, 37.
 — *alpina* L. Jacq. Fl. austr. 3, 234.
 — — — Sturm Flora 10, 37.
 — *arborea* H. B. K. H. B. K. Nov. Gen. 4, 359.
 — *articulata* L. L'hér. Stirp. 83.
 — *atriplicifolia* L. Schk. Handb. 236.
 — — — Torr. New York 59.
 — *bicolor* Willd. Salisb. Parad. 25.
 — — — Bot. Reg. 2, 110.
 — — — Tratt. Arch. 277.
 — *bipinnata* L. fil. Lam. Encycl. 673.
 — *candicans* Vahl. Vahl Symb. 71.
 — *coccinea* Sims. Bot. Mag. 16, 564.
 — *cordifolia* H. B. K. H. B. K. Nov. Gen. 4, 360.
 — *cylindrica* Lam. DC. Plantes grasses 48.
 — *dichroa* Bong. Acad. Pet. 5, 7.
 — *ficoides* L. Gil et Suarez 29.
 — — — DC. Plantes grasses 90.
† — *hastata* L. Gaertn. Carp. 166.
† — — — Lam. Encycl. 673.
 — — — Pallas Fl. ross. 3, 10.
† — *Kleinia* L. Gaertn. Carp. 166.
† — — — Lam. Encycl. 673.
 — — — DC. Plantes grasses 12.
 — *laciniata* Jacq. Jacq. Ic. 168.
 — — — DC. Plantes grasses 18.
 — *Linaria* Cav. Cav. Ic. 257.
 — *linearis* Lab. Bill. Nov. Holl. 178.
 — *linifolia* Ard. Ard. Animadv. 2, 19.
 — *ovalis* Ker. Bot. Reg. 2, 101.

- Cacalia peltata* H. B. K. H. B. K. Nov. Gen. 4, 361.
 — *pencedanifolia* Jacq. Jacq. Ic. 581.
 — *Porophyllum* L. Cav. Ic. 222.
 — *repens* L. DC. Plantes grasses 42.
 — *rotundifolia* Willd. Willd. Phytogr. 6.
 — *runcinata* Lam. Lam. Encycl. 673.
 — *salicina* Lab. Bill. Nov. Holl. 179.
 — — Bot. Reg. 11, 923.
 — *sonchifolia* L. Rumpf Amb. 5, 103.
 — — Novi Comm. Gott. 3, 7.
 — — Kern. Hort. 130.
 — *suaveolens* L. Schk. Handb. 236.
 — *suffruticosa* L. Lam. Encycl. 673.
 — *teretifolia* H. B. K. H. B. K. Nov. Gen. 4, 357.
 — *tomentosa* Jacq. Jacq. Fl. austr. 3, 235.
 — *vaccinioides* H. B. K. H. B. K. Nov. Gen. 4, 358.
 — *verbascifolia* Sibth. Sibth. Fl. gr. 848.
 — *villosa* Jacq. Jacq. Ic. 580.
Cacao guianense Aubl. Aubl. Guiana 275.
 † — *minus* Gaertn. Gaertn. Carp. 122.
 — *silvestre* Aubl. Aubl. Guiana 276.
 — *Theobroma* Juss. Tuss. Ant. 1, 13.
Cachrys amplexifolia Led. Eichw. Cauc. 9.
 — *cretica* Lam. Desf. Choix 42.
 — — Ann. Mus. 11, 29.
 † — — Mem. Mosc. 5, 1.
 — *Libanotis* L. Schk. Handb. 65.
 † — — Mem. Mosc. 5, 1.
 † — *litoralis* Spr. Mag. nat. Fr. 6, 5.
 — *macrocarpa* Led. Ledeb. Ic. 313.
 † — *maritima* Spr. Mag. nat. Fr. 6, 5.
 † — *odontalgica* Pall. Gaertn. Carp. 140.
 — *sibirica* Fisch. Rchb. Ic. crit. 5, 489.
 — *sicula* L. Sibth. Fl. gr. 278.
 † — — Lam. Encycl. 205.
 — *vaginata* Led. Ledeb. Ic. 9.
Cacosmia rugosa H. B. K. H. B. K. Nov. Gen. 4, 404.
Cacoucia coccinea Aubl. Aubl. Guiana 179.
 † — — Lam. Encycl. 359.
 † *Cactaceae* DC. (Miquel.) Linnæa 12, 1, 2.
 † — (Brongniart.) Arch. Mus. 1, 35.
 † — (Schleiden.) Mem. Petersb. 1840, 1—10.
 † — (Zuccarini.) Münchn. Abh. 2, 1, 3.
 † *Cactus* L. (Epidermis.) Mem. Instit. 1849, 1.
 — *Ackermanni* Haw. Bot. Reg. 16, 1331.
 — — Hort. Rchb. Exot. 327.
 — *alatus* Sw. Colla Hort. Rip. 20.
 — — Bot. Mag. 55, 2820.
 — *ambiguus* Bonpl. Bonpl. Malm. 36.
 — — Rchb. Exot. 179.
 — *Berteri* Colla. Mem. Tur. 37, 17.
 — *bradypus* Lehm. Acta Leop. 16, 1, 12.
 — *coccinellifer* L. DC. Plantes grasses 137, 137 bis.
 — *cochenillifer* L. Andr. Rep. 8, 533.
 — — Desc. Ant. 7, 515.
 — — Bot. Mag. 54, 2741, 2742.
 — — Dict. sc. nat. 203.
 — *curvispinus* Colla. Mem. Tur. 37, 16.
 — *Dillenii* Ker. Bot. Reg. 3, 255.
 — *divaricatus* Lam. Desc. Ant. 1, 66.
 — *fimbriatus* Lam. Desc. Ant. 6, 419.
 — *flagelliformis* L. Bot. Mag. 1, 17.
 — — DC. Plantes grasses 127.
 — — Tuss. Ant. 2, 28.
 — — Desc. Ant. 1, 67.
 — *gibbosus* Haw. Bot. Reg. 2, 137.
 — — Lodd. Cab. 1524.
 — — Rchb. Exot. 326.
 — *grandiflorus* L. Andr. Rep. 8, 508.
 — — DC. Plantes grasses 52.
 — — Desc. Ant. 1, 65.
 — — Lodd. Cab. 1625.

- Cactus hexagonus* L. Andr. Rep. 8, 513.
 — — Kern. Hort. 593.
 — — Rchb. Hort. 248.
 — — Rchb. Exot. 322.
 — *horridus* Colla. Mem. Tur. 37, 17.
 — *Lamarckii* Colla. Mem. Tur. 33, 7.
 — *Langsdorfii* Lehm. Acta Leop. 16, 1, 13.
 — *Lecchii* Colla. Mem. Tur. 35, 2.
 — *Linkii* Lehm. Acta Leop. 16, 1, 14.
 — *mammillaris* L. DC. Plantes grasses 111.
 — — Tuss. Ant. 2, 32.
 — *Melocactus* L. DC. Plantes grasses 112.
 — — Wendl. Coll. 5.
 — — Tuss. Ant. 2, 27.
 — — Dict. sc. nat. 206.
 — *moniliformis* L. Desc. Ant. 7, 514.
 — *nobilis* L. Desc. Ant. 7, 515.
 † — *Opuntia* L. Gaertn. Carp. 138.
 † — — Lam. Encycl. 414.
 — — var. *nana*, DC. Plantes grasses 138 c.
 — — var. *nana*, Tuss. Ant. 2, 30.
 — — var. *inermis*, Tuss. Ant. 2, 34.
 — — var. *polyanthos*, DC. Pl. grasses 138.
 — — var. *Tuna*, DC. Plantes grasses 138 bis.
 — — var. *Tuna*, Tuss. Ant. 2, 31.
 — — var. *Tuna*, Kern. Hort. 720.
 — — Desc. Ant. 7, 513.
 — — Bot. Mag. 50, 2393.
 — *Ottonis* Lehm. Acta Leop. 16, 1, 15.
 — *parasiticus* L. DC. Plantes grasses 59.
 — *pendulus* Sw. Tuss. Ant. 3, 22.
 — *Pereskia* L. Desc. Ant. 4, 294.
 — *peruvianus* L. DC. Plantes grasses 58.
 — — Tuss. Ant. 2, 33.
 — — Comm. Gott. 11, 1—3.
 — *phyllanthoides* DC. Bot. Mag. 46, 2092.
 — *Phyllanthus* L. Jacq. Schoenbr. 4, 403.
 — — DC. Plantes grasses 145.
 — — Bot. Mag. 53, 2692.
 — *placentiformis* Lehm. Acta Leop. 16, 1, 16.
 — *polyanthos* Sims. Bot. Mag. 53, 2691.
 — *repandus* L. Bot. Reg. 4, 336.
 — — Kern. Hort. 400.
 — *reticulatus* Desc. Desc. Ant. 1, 68.
 — *Royeni* L. DC. Plantes grasses 161.
 — *serpentinus* Spin. Link Ic. 1, 42.
 — *speciosissimus* Desf. Mem. Mus. 3, 9.
 — — Lodd. Cab. 924.
 — — Bot. Mag. 49, 2306.
 — — Bot. Reg. 6, 486.
 — — Herb. amat. 5, 351.
 — — Rchb. Exot. 180.
 — *speciosus* Cav. Jacq. Ecl. pl. 141.
 — — Rchb. Mag. 7.
 — — *Bonpl.* Bonpl. Malm. 3.
 — — Bot. Reg. 4, 304.
 — — Colla Hort. Rip. 10.
 — — Maund Bot. 1, 12.
 — — Kern. Hort. 447.
 — — Dict. sc. nat. 204.
 — — Herb. amat. 4, 244.
 — *Spini* Colla. Mem. Tur. 33, 11.
 — *stellatus* Willd. Lodd. Cab. 79.
 — *triangularis* L. Tuss. Ant. 4, 26.
 — — Desc. Ant. 7, 519.
 — — Dict. sc. nat. 205.
 — — Bot. Mag. 44, 1884.
 — *truncatus* Lk. Jacq. Ecl. pl. 142.
 — — Lodd. Cab. 1207.
 — — Hook. Exot. Fl. 20.
 — — Bot. Reg. 9, 696.
 — — Bot. Mag. 52, 2562.

- Cactus truncatus* Lk. Rehb. Exot. 325.
 — *Tuna* L. Bot. Mag. 38, 1537.
Cadaba capparoides DC. Delessert Ic. 3, 9.
 — *farinosa* Forsk. Delessert Ic. 3, 8.
 — *heterotricha* Stocks. Hook. Ic. pl. 9, 839.
 — *longifolia* DC. Richard Abyssin. 5.
 — *triphylla* Wight. Wight Illustr. in Hook. 37.
Cadetia angustifolia Bl. Blume Rumphia 192. 198.
 — *umbellata* Gaudichd. Freycinet Voyage 33.
Cadia arabica Zuccagni. Usteri Ann. 19, 1.
 — *varia* L'Herit. Richard Abyssin. 46.
Caenopteris appendiculata Lab. Bill. Nov. Holl. 243.
 — *flaccida* Thunb. Schk. Fil. 82.
 — *graminea* Schk. Schk. Fil. 87.
 — *japonica* Thunb. Willd. Phytogr. 8.
 — *Novae Zeelandiae* Spr. Schk. Fil. 82.
 — *rhizophylla* Sm. Smith Ic. Linn. 50.
 — — Hook. Ic. Fil. 193.
† *Caesalpinia* L. Kerner Gen. 143.
 — *axillaris* DC. Rheede Hort. mal. 6, 20.
 — *bahamensis* Lam. Desc. Ant. 7, 503.
 — *Cacalaco* H. B. Humb. Pl. aeq. 137.
 — *coriaria* Willd. Humb. Mim. 45.
 — *Crista* L. Desc. Ant. 2, 86. 7, 804.
 — *digyna* Willd. Neue Schr. naturf. Fr. 4, 3.
 — — DC. Legum. 3.
 — *mimosoides* Lam. Rheede Hort. mal. 6, 8.
† — — Lam. Encycl. 335.
 — — Wight Ic. pl. Ind. or. 2, 392.
 — *paniculata* Roxb. Rheede Hort. mal. 6, 19.
 — — Wight Ic. pl. Ind. or. 1, 36.
 — *pectinata* Cav. Dict. sc. nat. 257.
 — *pulcherrima* Sw. Maund Bot. 4, 151.
 — — Kern. Hort. 137.
 — *Sappan* L. Rheede Hort. mal. 6, 2.
 — — Rumpf Amb. 4, 21.
 — — Gaertn. Carp. 144.
† — — Lam. Encycl. 335.
 — — Roxb. Corom. 16.
 — *sepiaria* Roxb. Wight Ic. pl. Ind. or. 1, 37.
† — *vesicaria* L. Gaertn. Carp. 144.
Caesarea albiflora Camb. Mem. Mus. 18, 18.
Caesulia axillaris Roxb. Roxb. Corom. 93.
 — — Andr. Rep. 6, 429.
 — — Wight Ic. pl. Ind. or. 3, 1102.
Cajanus argentens DC. Sturm Flora 14, 59.
 — *bicolor* DC. Rheede Hort. mal. 6, 13.
 — — Bot. Reg. 31, 31.
 — *flavus* DC. Rumpf Amb. 5, 135. fig. 2.
Cainito pomiferum Tuss. Tuss. Ant. 3, 9.
 — — Dict. sc. nat. 63.
Caiphora cirsiifolia Presl. Presl Reliq. 56.
 — *lateritia* Maund. Maund Bot. 3, 119.
† *Cakile* L. Gray Genera 74.
 — *aegyptiaca* Tuss. Tuss. Ant. 1, 17.
 — *aequalis* L'her. Delessert Ic. 2, 57.
 — *americana* Nutt. Gray Gen. 74.
† — *latifolia* Poir. Lam. Encycl. 554.
 — *maritima* Scop. Lam. Encycl. 554.
 — — Curt. Lond. 5, 160.
 — — Sv. Bot. 407.
 — — Rchb. Fl. germ. 2, 1.
 — — Baxter Brit. Bot. 4, 258.
† — *Serapionis* Gaertn. Gaertn. Carp. 141.
Caladenia carnea R. Br. Endl. Iconogr. 51.
 — *filifera* Ldl. Field. Sertum 73.
 — *longicauda* Ldl. Lindley Swan River 8.
 — *minor* Hook. fil. Hook. New Zeal. 56.
Caladium auritum Vent. Kern. Hort. 242.
 — *Bauersia* Rchb. Rchb. Hort. 160.
 — *bicolor* Vent. Vent. Cels 30.
 — — Hook. Exot. Fl. 26.

- Caladium bicolor* Vent. Lodd. Cab. 255.
 — — Bot. Mag. 52, 2543.
 — *fragrantissimum* Hook. Bot. Mag. 61, 3314.
 — *grandifolium* Willd. Bot. Mag. 53, 2643.
 — — Bot. Mag. 61, 3345.
 — *helleborifolium* Vent. Kern. Hort. 283.
 — *lividum* Lodd. Lodd. Cab. 1590.
 — *maculatum* Lodd. Lodd. Cab. 608.
 — *nymphaeifolium* Vent. Rheede Hort. mal. 11, 22.
 — — Wight Ic. pl. Ind. or. 3, 786.
 — *odorum* Roxb. Bot. Reg. 8, 641.
 — *ovatum* Willd. Rheede Hort. mal. 11, 23.
 — *pedatum* Hook. Hook. Exot. Fl. 206.
 — *petiolatum* Hook. Bot. Mag. 66, 3728.
 — *pinnatifidum* Willd. Kern. Hort. 808. 809.
 — *sagittaeifolium* Willd. Rumpf Amb. 5, 107.
 — — Kern. Hort. 128.
 — *seguinum* Willd. Hook. Exot. Fl. 1.
 — — Bot. Mag. 52, 2606.
 — — Kern. Hort. 334.
 — *virginicum* Hook. Hook. Exot. Fl. 182.
 — — Kern. Hort. 825.
 — *viviparum* Roxb. Lodd. Cab. 281.
 — *zamiaefolium* Lodd. Lodd. Cab. 1408.
 — *Zour-Colocasia* Schott. Wight Ic. pl. Ind. or. 3, 787.
† *Calamagrostis* Roth. Dumortier Gram. 9.
† — — Mutel Fl. fr. 78.
 — *acutiflora* DC. Rehb. Fl. germ. 1, 39.
 — *alpina* Host. Host Gram. 351.
 — *canadensis* Pal. B. Torr. New York 180.
 — *coarctata* Torr. Torr. New York 151.
 — *deschampsoides* Tr. Trin. Sp. Gr. 3, 354.
 — *Epigeios* Roth. Host Gram. 342.
 — — Rehb. Fl. germ. 1, 43.
 — — Baxter Brit. Bot. 6, 412.
 — *Gaudiniana* Rchb. Rchb. Fl. germ. 1, 41.
 — *glauca* M. v. B. Rehb. Fl. germ. 1, 43.
† — *Halleriana* DC. Nees Gen. 1, 33.
 — *holciformis* Jaub. Jaub. Illustr. 346.
 — *Huebneriana* Rchb. Rchb. Fl. germ. 1, 43.
 — *inexpansa* Gray. Torr. New York 152.
 — *lanceolata* Roth. Rchb. Fl. germ. 1, 41.
 — *laxa* Host. Host Gram. 343.
 — — Rchb. Fl. germ. 1, 42.
 — *litorea* DC. Rchb. Fl. germ. 1, 42.
 — *montana* Host. Host Gram. 346.
 — — Rchb. Fl. germ. 1, 39.
 — *nutans* Saut. Rchb. Fl. germ. 1, 40.
 — *pseudophragmites* Lk. Rchb. Fl. germ. 1, 40.
 — *pulchella* Saut. Rchb. Fl. germ. 1, 40.
 — *pyramidalis* Host. Host Gram. 349.
 — — Rchb. Fl. germ. 1, 38.
 — *ramosa* Host. Host Gram. 344.
 — *silvatica* Host. Host Gram. 348.
 — — Pal. B. Rchb. Fl. germ. 1, 38.
 — *speciosa* Host. Host Gram. 345.
 — *stricta* Pal. B. Sturm Flora 8, 29.
 — — Rchb. Fl. germ. 1, 37.
 — *tenella* Host. Host Gram. 350.
 — — Lk. Rchb. Fl. germ. 1, 37.
 — *varia* Host. Host Gram. 347.
Calamintha Acinos Clairv. Sturm Flora 16, 70.
 — *alpina* Lam. Sturm Flora 13, 51.
 — *ascendens* Jord. Jord. Obs. 4, 1.
 — *grandiflora* Moench. Sturm Flora 16, 70.
† — — Nees Gen. 6, 13.
† — *Nepeta* Clairv. Sturm Flora 16, 70.
† — — Nees Gen. 6, 13.
 — — Pursh. Baxter Brit. Bot. 6, 466.
 — — L. Jord. Obs. 4, 2.
 — *nepetoides* Jord. Jord. Obs. 4, 2.

- Calamintha officinalis* Moench. Sturm Flora 16, 70.
 — — — Dietr. Fl. bor. 4, 275.
 — — — Jord. Obs. 4, 1.
 — — — *silvatica* Hook. Engl. Bot. 2897.
 — — — *thymifolia* Rehb. Sturm Flora 16, 70.
Calamosagus harinaefolius Griff. Griffith Palms 184.
 — — — *laciniosus* Griff. Griffith Palms 183, 216.
 † — — — *ochriger* Griff. Griffith Palms 216.
 — — — *scaphiger* Griff. Griffith Palms 184^a.
 — — — *wallichiaefolius* Griff. Griffith Palms 184.
Calampelis scabra Don. Bot. Reg. 9, 939.
 — — — Endl. Iconogr. 95.
 — — — Sweet Fl. G. II. 30.
 † *Calamus* L. (Fructus.) Mart. Palm. 175, 176.
 — — — *acanthopis* Griff. Griffith Palms 216^b.
 — — — *acanthospathus* Griff. Griffith Palms 190^{a b}.
 — — — *anceps* Bl. Blume Rumphia 149.
 — — — *angustifolius* Griff. Griffith Palms 213^{a b}.
 — — — *arborescens* Griff. Griffith Palms 188^{a b c}.
 — — — *asperimus* Bl. Blume Rumphia 146.
 — — — *callicarpus* Griff. Griffith Palms 215^{a b c d}, 216.
 † — — — *castaneus* Griff. Mart. Palm. Z²¹.
 — — — — Griffith Palms 185^{a b c}.
 — — — *ciliaris* Bl. Blume Rumphia 147, 163^b.
 — — — *collinus* Griff. Griffith Palms 186.
 — — — *Draco* Willd. Hayne 9, 3.
 — — — — Nees Düsseldorf. 39, 40.
 † — — — Mart. Palm. U. Y.
 — — — — Blume Rumphia 131 — 132, 137.
 — — — — Griffith Palms 201^{a b}.
 — — — *equestris* Willd. Mart. Palm. 113, 128.
 — — — *extensus* Mart. Mart. Palm. 116.
 — — — *fasciculatus* Roxb. Griffith Palms 190^a.
 — — — *floribundus* Griff. Griffith Palms 197.
 — — — *geminiflorus* Griff. Griffith Palms 199^a.
 — — — *geniculatus* Griff. Griffith Palms 202^{a b}.
 — — — *gracilis* Roxb. Rheede Hort. mal. 12, 64.
 — — — — Griffith Palms 196.
 — — — *grandis* Griff. Griffith Palms 210^{a b d}, 216.
 † — — — *Griffithianus* Mart. Mart. Palm. Z²¹.
 — — — *hygrophilus* Griff. Griffith Palms 213^a.
 — — — *Hystrix* Griff. Griffith Palms 204^{a b c}.
 — — — *intermedius* Griff. Griffith Palms 211^{a b}.
 † — — — *javanensis* Bl. Blume Rumphia 137.
 † — — — *Jenkinsianus* Griff. Griffith Palms 186^a.
 — — — *latifolius* Roxb. Rheede Hort. mal. 12, 66.
 — — — — Griffith Palms 198.
 — — — *leptopus* Griff. Griffith Palms 205^{a b}, 216.
 — — — *leptospadix* Griff. Griffith Palms 194^{a b c}.
 — — — *Lewisianus* Griff. Griffith Palms 212.
 — — — *longipes* Griff. Griffith Palms 203^{a b}.
 — — — *longisetus* Griff. Griffith Palms 189^{a b}.
 † — — — *macrocarpus* Griff. Griffith Palms 186^a.
 — — — *Mastersianus* Griff. Griffith Palms 206.
 — — — *melanoloma* Mart. Mart. Palm. 116.
 — — — *micranthus* Bl. Blume Rumphia 151.
 — — — *monticola* Griff. Griffith Palms 214^{a b c}.
 — — — *nutantiflorus* Griff. Griffith Palms 208.
 — — — *oblongus* Reinw. Mart. Palm. 160.
 — — — *ornatus* Bl. Mart. Palm. 116.
 — — — — Blume Rumphia 148.
 — — — *palustris* Griff. Griffith Palms 199.
 † — — — *petiolaris* Griff. Griffith Palms 216.
 — — — *platyacanthus* Mart. Mart. Palm. 160.
 — — — *ramosissimus* Griff. Griffith Palms 207.
 — — — *Reinwardtii* Mart. Mart. Palm. 112.
 — — — *rhomhoideus* Bl. Blume Rumphia 154.
 — — — *Rotang* L. Rumpf Amb. 5, 51 — 58.
 † — — — Gaertn. Carp. 139.
 † — — — Ann. sc. nat. 2, 13, 14.
 — — — — Woodv. Med. 4, 265.
 — — — — Roxb. Griffith Palms 112 (= 192.)

- Calamus Roxburghii* Griff. Griffith Palms 112 (= 192.)
 — — — *Royleanus* Griff. Griffith Palms 191.
 — — — *schizospathus* Griff. Griffith Palms 187.
 — — — *Scipionum* Lour. Rheede Hort. mal. 12, 65.
 † — — — Lam. Encycl. 770.
 — — — *secundiflorus* Pal. B. Pal. Fl. d'Ow. 9, 10.
 — — — *spectabilis* Bl. Blume Rumphia 152.
 † — — — *symphysipus* Mart. Mart. Palm. Z⁹.
 — — — *tenuis* Roxb. Griffith Palms 193^{a b c}.
 — — — *tetrastichus* Bl. Blume Rumphia 153.
 — — — *Wightii* Griff. Griffith Palms 216^c.
 — — — *verticillaris* Griff. Griffith Palms 200^{a b c}.
 — — — *viminalis* Willd. Blume Rumphia 150, 163.
 † — — — Mart. Palm. U.
 † — — — *Zalacca Gaertn.* Gaertn. Carp. 139.
 † — — — Lam. Encycl. 770.
Calanchoe aegyptiaca DC. DC. Plantes grasses 64.
 — — — *lacinata* DC. DC. Plantes grasses 100.
 — — — — Icones pl. Chin. 8.
 — — — *spathulata* DC. DC. Plantes grasses 65.
 — — — *teretifolia* Wall. Wall. Pl. asiat. 166.
 — — — *varians* Wall. Wall. Pl. asiat. 167.
Calandrinia arenaria H. et Arn. Bot. Reg. 19, 1605.
 — — — *calyptata* Hook. Hook. Ic. pl. 3, 296.
 — — — *caulescens* H. B. K. H. B. K. Nov. Gen. 6, 526.
 — — — *discolor* Ldl. Bot. Reg. 25, 4.
 — — — — Barth. Bot. Mag. 61, 3357.
 — — — *grandiflora* Ldl. Bot. Reg. 14, 1194.
 — — — — Bot. Mag. 61, 3369.
 — — — — Paxt. Mag. 1, 222.
 — — — *micrantha* Schlecht. Schlechtendal Hort. 5.
 — — — *procumbens* Moris. Mem. Tur. 37, 23.
 — — — *speciosa* Hort. Eps. Bot. Mag. 62, 3379.
 — — — — Ldl. Bot. Reg. 19, 1593.
 — — — *splendens* Barn. Gay Chile 28.
 — — — *umbellata* DC. Paxt. Mag. 12, 271.
 — — — — Fl. d. serres 2, 34.
Calanthe brevicornu Ldl. Lindley Sert. 9.
 — — — *curculigoides* Wall. Bot. Reg. 33, 8.
 — — — *densiflora* Ldl. Bot. Reg. 19, 1646.
 — — — — Kn. et Westc. 23.
 — — — *discolor* Ldl. Bot. Reg. 26, 55.
 — — — *emarginata* Ldl. Wight Ic. pl. Ind. or. 3, 918.
 — — — *gracilis* Ldl. Bot. Mag. 79, 4714.
 — — — *Masuca* Ldl. Bot. Reg. 30, 37.
 — — — — Bot. Mag. 76, 4541.
 — — — — Lem. Jard. fl. 62.
 — — — *Perrottetii* Rich. Wight Ic. pl. Ind. or. 5, 1664 — 1665.
 — — — *plantaginea* Ldl. Lindley Sertum 24.
 — — — *veratrifolia* R. Br. Bot. Reg. 9, 720.
 — — — — Bot. Mag. 53, 2615.
 — — — — Lodd. Cab. 958.
 — — — *versicolor* Ldl. Lindley Sertum 42.
 — — — *vestita* Wall. Bot. Mag. 78, 4671.
 — — — — Paxt. Mag. 16, 129.
 — — — — Lem. Jard. fl. 4, 333.
 — — — — Fl. d. serres 8, 816.
 — — — *viridifusca* Hook. Bot. Mag. 78, 4669.
 — — — — Lem. Jard. fl. 4, 336.
Calathea fasciculata Presl. Presl Reliq. 16.
 — — — *flavescens* Ldl. Bot. Reg. 11, 932.
 — — — *grandiflora* Ldl. Bot. Reg. 14, 1210.
 — — — *laxa* P. et E. Poepp. et Endl. 130.
 — — — *leucophaea* P. et E. Poepp. et Endl. 129.
 — — — *longibracteata* Ldl. Bot. Reg. 12, 1020.
 — — — — Lodd. Cab. 1719.
 — — — *macilenta* Ldl. Lodd. Cab. 1781.
 — — — *orbiculata* Lodd. Lodd. Cab. 1879.
 — — — *polyphylla* P. et E. Poepp. et Endl. 131.
 — — — *villosa* Ldl. Bot. Reg. 31, 14.
 — — — *violacea* Ldl. Bot. Reg. 12, 961.

- Calathea violacea* Ldl. Lodd. Cab. 1148.
 — *zebrina* Ldl. Bot. Reg. 5, 385.
Calboa globosa Ldl. Journ. Hort. Soc. 5, 83.
 — *vitifolia* Cav. Cav. Ic. 476.
Calceangis Aub. Aubert Orchid. 77.
 † *Calcearia fornicata* Bl. Blume Tabellen 33.
 † — *picta* Bl. Blume Tabellen 33.
 † *Calceolaria* L. Linnæa 16, 3.
 † — — Morren Fuchsia 5, 8.
 — — (Varietates.) Fl. d. serres 3, 250.
 — — Regel Gartenfl. 1, 28.
 — *alba* Rz et P. Ruiz et Pav. Fl. 27.
 — — Bot. Mag. 71, 4157.
 — — Fl. d. serres 6, 637.
 — *alternifolia* Cav. Cav. Ic. 445.
 — *amplexicaulis* H. B. K. H. B. K. Nov. Gen. 2, 171.
 — — Bot. Mag. 73, 4300.
 — *angustiflora* Rz et P. Ruiz et Pav. Fl. 28.
 — — Bot. Mag. 58, 3094.
 — — Bot. Reg. 21, 1743.
 — *arachnoidea* Grah. Bot. Mag. 55, 2874.
 — — Bot. Reg. 17, 1454.
 — — Lodd. Cab. 1557.
 — — Rchb. Exot. 290.
 — — var. Sweet Fl. G. II. 227.
 — *argentea* H. B. K. H. B. K. Nov. Gen. 2, 170.
 — *ascendens* Ldl. Bot. Reg. 14, 1215.
 — *Atkinsiana* Don. Sweet Fl. G. II. 168.
 — *bicolor* Rz et P. Ruiz et Pav. Fl. 25.
 — — Bot. Mag. 57, 3036.
 — — Lodd. Cab. 1793.
 — — Paxt. Mag. 1, 246.
 — *bicrenata* Rz et P. Ruiz et Pav. Fl. 23.
 — *biflora* Rz et P. Ruiz et Pav. Fl. 20.
 — *cana* Cav. Cav. Ic. 443.
 — *chiloensis* Ldl. Bot. Reg. 17, 1476.
 — *connata* Hook. Bot. Mag. 56, 2876.
 — — Lodd. Cab. 1807.
 — *corymbosa* Rz et P. Ruiz et Pav. Fl. 20.
 — — Lodd. Cab. 1023.
 — — Bot. Reg. 9, 723.
 — — Bot. Mag. 50, 2418.
 — — Rchb. Exot. 289.
 — — var. Paxt. Mag. 2, 218. 3, 27.
 — *crenata* Lam. Ruiz et Pav. Fl. 26.
 — — Bot. Reg. 10, 790.
 — *crenatiflora* Cav. Cav. Ic. 446.
 — — Bot. Mag. 60, 3255.
 — — Bot. Reg. 19, 1609.
 † — — Linnæa 16, 3.
 — — var. Sweet Fl. G. II. 262.
 — *cuneiformis* Rz et P. Ruiz et Pav. Fl. 27.
 — *Darwinii* Benth. Hook. Fl. ant. 117.
 — *deflexa* Rz et P. Ruiz et Pav. Fl. 30.
 — *dentata* Rz et P. Ruiz et Pav. Fl. 29.
 — *diffusa* Ldl. Bot. Reg. 16, 1374.
 — *ferruginea* Cav. Cav. Ic. 445.
 — — Colla. Mem. Tur. 38, 46.
 — *floribunda* H. B. K. Bot. Reg. 14, 1214.
 — — Bot. Mag. 71, 4154.
 — *Fothergillii* Ait. Ait. Hort. Kew. 1, 1.
 — — Cav. Ic. 442.
 — — Bot. Mag. 10, 348.
 — — Lam. Encycl. 15.
 — — Tratt. Arch. 367.
 — — Hook. Fl. ant. 117.
 — *gemelliflora* Cav. Cav. Ic. 450.
 — *glauca* Rz et P. Ruiz et Pav. Fl. 27.
 — *Herbertiana* Ldl. Bot. Reg. 16, 1313.
 — — var. *parviflora*, Bot. Reg. 19, 1876.
 — *heterophylla* Rz et P. Ruiz et Pav. Fl. 21.
 — *Hopeana* Paxt., Paxt. Mag. 2, 266.

- Calceolaria inflexa* Rz et P. Ruiz et Pav. Fl. 25.
 — *integrifolia* L. Bot. Reg. 9, 744.
 — — var. *angustifolia*, Bot. Reg. 13, 1083.
 — — var. Bot. Mag. 60, 3214.
 — — var. *viscosissima*, Paxt. Mag. 1, 269.
 — *involuta* Rz et P. Ruiz et Pav. Fl. 23.
 — *lanceolata* Cav. Cav. Ic. 444.
 — *lobata* Cav. Cav. Ic. 443.
 — *Martineanae* Low. Sweet Fl. G. II. 162.
 — *mirabilis* Hort. Kn. et Westc. 17.
 — *montana* Cav. Cav. Ic. 444.
 — *multiflora* Cav. Cav. Ic. 449.
 — *nana* Sm. Smith Ic. Linn. 1.
 — *oblonga* Rz et P. Ruiz et Pav. Fl. 24.
 — *ovata* Sm. Smith Ic. Linn. 3.
 — *paralensis* Spr. Kern. Hort. 800.
 — *Paralia* Cav. Cav. Ic. 447.
 — — Hook. Exot. Fl. 75.
 — *Pavonii* Benth. Bot. Mag. 76, 4525.
 — — Lem. Jard. fl. 32.
 — *pendula* Sweet. Sweet Fl. G. II. 155.
 — *perfoliata* Rz et P. Ruiz et Pav. Fl. 21.
 — — Sm. Smith Ic. Linn. 4.
 — *petiolaris* Cav. Cav. Ic. 451.
 — *pinifolia* Cav. Cav. Ic. 442.
 † *pinnata* L. Gaertn. Carp. 62.
 † — — Lam. Encycl. 15.
 — — Bot. Mag. 2, 41.
 — — Rz et P. Ruiz et Pav. Fl. 19.
 — *plantaginea* Sm. Smith Ic. Linn. 2.
 — — Bot. Mag. 55, 2803.
 — — Lodd. Cab. 1402.
 — *polifolia* Hook. Bot. Mag. 56, 2897.
 — — Bot. Reg. 20, 1711.
 — *polyrhiza* Cav. Cav. Ic. 441.
 — *punctata* Vahl. Kn. et Westc. 11.
 — *punicea* Rz et P. Ruiz et Pav. Fl. 24.
 — *purpurea* Grah. Bot. Mag. 54, 2775.
 — — Bot. Reg. 19, 1621.
 — — Lodd. Cab. 1754.
 — — var. Sweet Fl. G. II. 199. 244.
 — *racemosa* Cav. Cav. Ic. 448.
 — *rugosa* Rz et P. Ruiz et Pav. Fl. 28.
 — — Hook. Exot. Fl. 99.
 — — Bot. Mag. 52, 2523.
 — — Bot. Reg. 19, 1588.
 — — Lodd. Cab. 942.
 — *salicifolia* Rz et P. Ruiz et Pav. Fl. 19.
 — — Kern. Hort. 211. 748.
 — *scabiosaefolia* R. et Sch. Bot. Mag. 50, 2405.
 — *scabra* Rz et P. Ruiz et Pav. Fl. 29.
 — *sessilis* Rz et P. Bot. Reg. 19, 1628.
 — — Sweet Fl. G. II. 220.
 — *Sinclairii* Hook. Hook. Ic. pl. 6, 561.
 — *Standishii* Paxt. Paxt. Mag. 9, 75.
 — *tenella* P. et E. Poepp. et Endl. 287.
 — *terniflora* Cav. Cav. Ic. 450.
 — *thyrsiflora* Grah. Bot. Mag. 56, 2915.
 — — Lodd. Cab. 1649.
 — *tomentosa* Rz et P. Ruiz et Pav. Fl. 22.
 — *trifida* Rz et P. Ruiz et Pav. Fl. 26.
 — *tripartita* Rz et P. Ruiz et Pav. Fl. 22.
 — *uniflora* Rz et P. Ruiz et Pav. Fl. 20.
 — — Lam. Encycl. 15.
 — *violacea* Cav. Cav. Ic. 452.
 — — Fl. d. serres 8, 780.
 — *virgata* Rz et P. Ruiz et Pav. Fl. 31.
 — *viscosa* Rz et P. Ruiz et Pav. Fl. 30.
 — *viscosissima* Ldl. Bot. Reg. 19, 611.
 — *Wheeleri* Sweet. Sweet Fl. G. II. 130.
 — *Youngii* Hort. Bot. Reg. 17, 1448.
 † *Calcitrapa Hippophaestum* Fl. Wett. Gaertn. Carp. 163.

- † *Caldasia Lagasca* DC. Ombellif. 2.
 — *argentea* Hook. Hook. Ic. pl. 3, 300.
 — *daucoides* Hook. Hook. Fl. ant. 101.
 — *heterophylla* Willd. Willd. Hort. 71.
 — — Bot. Reg. 2, 92.
Caldcluvia paniculata Don. Poepp. et Endl. 16.
Calea aculeata Lab. Bill. Nov. Holl. 185.
 — *aspera* Jacq. Jacq. Ic. 583.
 — — Lam. Encycl. 669.
 † — *lobata* Sw. Gaertn. Carp. 174.
 † — — Lam. Encycl. 669.
 — — Bot. Mag. 42, 1734.
 — *peduncularis* H. B. K. H. B. K. Nov. Gen. 4, 408.
 — *prunifolia* H. B. K. H. B. K. Nov. Gen. 4, 406.
 — *scoparia* L. Lam. Encycl. 669.
 — *solidaginea* H. B. K. H. B. K. Nov. Gen. 4, 407.
 — *spectabilis* Lab. Bill. Nov. Holl. 186.
Calectasia cyanea R. Br. Flinders Voyage 9.
 — — Lam. Encycl. 939.
 — — Endl. Iconogr. 38.
 — — Bot. Mag. 67, 3834.
 † — — Schnitzl. Ic. 1, 51.
 † *Calendula* L. Lam. Encycl. 715.
 — *arborescens* Jacq. Jacq. Ic. 596.
 † — *arvensis* L. Gaertn. Carp. 168.
 † — — Schk. Handb. 265.
 † — — Sibth. Fl. gr. 920.
 — *ceratosperma* Viv. Viv. Lib. 20.
 — *crista galli* Viv. Viv. Lib. 26.
 — *chrysanthemifolia* Vent. Vent. Malm. 56.
 — — Bot. Reg. 1, 40.
 — — Bot. Mag. 48, 2218.
 — — Kn. et Westc. 32.
 — — Herb. amat. 1, 33.
 — *dentata* Jacq. Jacq. Fragm. 103.
 — — Hort. Andr. Rep. 6, 407.
 — *flaccida* Vent. Vent. Malm. 20.
 — — Kern. Hort. 444.
 † — *Forskaleana* Hort. Schk. Handb. 265.
 — *graminifolia* L. Bot. Reg. 4, 289.
 — — Lodd. Cab. 57.
 — *hybrida* L. Schk. Handb. 264.
 — — Sweet Fl. G. 39.
 † — *officinalis* L. Gaertn. Carp. 168.
 — — Sturm Flora 2, 8.
 — — Hayne 9, 47.
 — — Guimp. et Schl. 76.
 — — Bot. Mag. 59, 3204.
 † — *pluvialis* L. Gaertn. Carp. 168.
 † — — Schk. Handb. 264.
 — *pusilla* Forst. Aubert Th. Mel. 9.
 — *stellata* Cav. Cav. Ic. 5.
 — — Schk. Handb. 265.
 — *suffruticosa* Vahl. Boissier Esp. 99.
 — *tomentosa* Desf. Desf. Fl. atl. 245.
 — *Tragus* Ait. Jacq. Schoenbr. 2, 153.
 — — Bot. Mag. 12, 408. 45, 1981.
 — — Kern. Hort. 846.
 — — var. *flaccida*, Bot. Reg. 1, 28.
 — *viscosa* Andr. Andr. Rep. 6, 412.
Calepina Corvini Desv. Sibth. Fl. gr. 619.
 — — Winterl Index 2.
 — — Sturm Flora 16, 68.
 — — Rchb. Fl. germ. 2, 2.
Caleya major R. Br. Endl. Iconogr. 8.
Calimeris flexuosa Royle. Royle Illustr. 58.
Calinea scandens Aubl. Aublet Guiana 221.
 † *Calla aethiopica* L. Jacq. Fragm. 32.
 † — — Gaertn. Carp. 84.
 † — — Lam. Encycl. 739.
 — — Bot. Mag. 21, 832.
 — *aromatica* Roxb. Bot. Mag. 49, 2279.

- Calla aromatica* Roxb. Wight Ic. pl. Ind. or. 3, 805.
 — *calyptrata* Roxb. Rheede Hort. mal. 11, 16.
 — — Wight Ic. pl. Ind. or. 3, 799.
 — *oblongifolia* Roxb. Wight Ic. pl. Ind. or. 3, 806.
 — *occulta* Lour. Lodd. Cab. 12.
 — *palustris* L. Fl. dan. 3, 422.
 † — — Lam. Encycl. 739.
 — — Schk. Handb. 278.
 — — Sv. Bot. 39.
 — — Sturm Flora 2, 5.
 — — Dreves 3, 87.
 — — Liboschitz Petersb. 26.
 — — Hayne 4, 5.
 — — Bot. Mag. 43, 1831.
 † — — Hopkirk Fl. anom. 5.
 — — Rchb. Fl. germ. 7, 13.
 — — Dietr. Fl. bor. 1, 62.
 † — — Nees Gen. 3, x.
 † — — Guill. Archives 1, 2.
 — *picta* Roxb. Wight Ic. pl. Ind. or. 3, 804.
 — *rubescens* Roxb. Wight Ic. pl. Ind. or. 3, 807.
 — *virosa* Roxb. Wight Ic. pl. Ind. or. 3, 808.
Callianassa Isabelliana Webb. Webb Canar. 183.
Calliandra brevipes Benth. Bot. Mag. 76, 4500.
 — — Lem. Jard. fl. 8.
 — — Fl. d. serres 6, 549.
 — *californica* Benth. Benth. Sulphur 11.
 — *diademata* Lem. Lem. Jard. fl. 3, 305. 306.
 — *Harrisii* Benth. Bot. Mag. 72, 4238.
 — *Tweediei* Benth. Bot. Mag. 71, 4188.
Callianira melastomoides Miq. Miquel III. Pip. 62.
Callianthemum cachemirianum Jacq. Jacquem. Ind. 3.
 — *coriandrifolium* Rchb. Rchb. Fl. germ. 3, 25.
 — *rutaefolium* Rchb. Rchb. Fl. germ. 3, 25.
 † *Callicarpa americana* L. Gaertn. Carp. 94.
 — — Lam. Encycl. 69.
 — *cana* L. Rheede Hort. mal. 4, 60.
 — — Bot. Mag. 47, 2107.
 — *cordifolia* R. et P. Ruiz et Pav. Fl. 77.
 — *globiflora* R. et P. Ruiz et Pav. Fl. 77.
 — *longifolia* Lam. Lam. Encycl. 69.
 — — Hook. Exot. Fl. 133.
 — — Bot. Reg. 10, 864.
 — *macrophylla* Vahl. Vahl Symb. 53.
 — *nudiflora* Hook. Hook. Beechey 46.
 — *rubella* Ldl. Bot. Reg. 11, 883.
 † — *tomentosa* L. Gaertn. Carp. 94.
 — *Wallichiana* Walp. Wight Ic. pl. Ind. or. 4, 1480.
 † — — Wight Illustr. 173.
Callicephalus nitens C. A. M. Jaubert III. 219.
Callichroa platyglossa F. et M. Sert. petrop. 5.
 — — Fisch. et M. Jard. Pet. 8.
 — — Bot. Mag. 66, 3719.
 — — Sweet Fl. G. II. 373.
Callicocca Ipecacuanha Brot. Linn. Transact. 6, 11.
 — — Wagner 118.
Callicoma serratifolia Andr. Andr. Rep. 9, 566.
 — — Bot. Mag. 43, 1811.
 — — Lodd. Cab. 1167.
 — — Herb. amat. 5, 299.
Calliglossa Douglasii Hook. Fisch. et M. Sert. petrop. 6.
 — — Fisch. et M. Jard. Pet. 7.
 † *Calligonum polygonoides* L. Gaertn. Carp. 215.
 † — — Lam. Encycl. 410.
Calliopsis Atkinsonii DC. Bot. Reg. 16, 1376.
 — *bicolor* Rchb. Rchb. Mag. 70.
 — — Savi Fl. ital. 3, 92.
 — — Paxt. Mag. 2, 243.
 — *Drummondii* Hort. Sweet Fl. G. II. 315.
 — *tinctoria* DC. Bot. Reg. 10, 846.
 — — Nutt. var. Bot. Mag. 63, 3511.
Calliprora lutea Ldl. Bot. Reg. 19, 1590.

- Calliprora lutea* Ldl. Bot. Mag. 64, 3588.
Callipsyche eucrosioides Herb. Bot. Reg. 31, 45.
† *Callipteris prolifera* Bory. Fée Fil. 5, 17.
† *Callirrhoe* Nutt. Gray Genera 117, 118.
— *involuta* Gray. Gray Genera 117.
— *pedata* Gray. Gray Genera 118.
Callisia repens L. Ruiz et Pav. Fl. 73.
— — — Jacq. Hist. stirp. am. 14.
— — — Lam. Encycl. 35.
— *umbellata* Lam. Lam. Encycl. 35.
Callistachys lanceolata Vent. Vent. Malm. 115.
— — — Bot. Reg. 3, 216.
— *linearis* Benth. Bot. Mag. 68, 3882.
— *longifolia* Paxt. Paxt. Mag. 8, 31.
— *ovata* Sims. Bot. Mag. 44, 1925.
— *retusa* Lodd. Lodd. Cab. 1983.
Callistemma hortense Cass. Cassini Opusc. 1, 6.
— — — Dict. sc. nat. 90.
Callistemon brachyandrus Ldl. Journ. Hort. Soc. 4, 112.
— *capitatus* Rehb. Rehb. Hort. 84.
— *lophanthus* Sweet. Sweet Austr. 29.
— — — Lodd. Cab. 1302.
— *microstachys* Ldl. Bot. Reg. 24, 7.
— *pinifolius* DC. Bot. Mag. 69, 3989.
— *rigidus* R. Br. Bot. Reg. 5, 393.
— *scaber* Lodd. Lodd. Cab. 1288.
Callistephus Wightianus DC. Wight Ic. pl. Ind. or. 3, 1089.
Callisthene fasciculata Mart. St. Hil. Fl. Bras. 192.
— *major* Mart. Mart. Bras. 75.
— *minor* Mart. Mart. Bras. 76.
Callithauma angustifolium Herb. Bot. Mag. 67, 3866.
— *viridiflorum* Herb. Bot. Mag. 67, 3866.
† *Callitriche* L. Mutel Fl. fr. 18.
— *aquatica* Huds. Curt. Lond. 4, 127.
— — — Engl. Bot. 11, 722.
— *autumnalis* L. (20 var.) Rehb. Ic. crit. 9, 890.
— — — — 900.
— — — Rehb. Fl. germ. 5, 130.
— — — Engl. Bot. (2806.) 2732.
— — — Fl. dan. 12, 2120.
— *brutia* Petagna. Guss. Pl. rar. 1.
— *hamulata* Kütz. Rehb. Fl. germ. 5, 130.
— *intermedia* Hoffm. Sturm Flora 1, 3.
— *pedunculata* DC. Engl. Bot. 2606.
— — — Guss. Pl. rar. 2.
— *platycarpa* Kütz. (13 var.) Rehb. Ic. crit. 9, 883—889.
— — — Rehb. Fl. germ. 5, 129.
— — — Sturm Flora 1, 3.
— — — Engl. Bot. 2864.
† — — — Nees Gen. 4, 4.
— *stagnalis* Scop. Rehb. Ic. crit. 9, 882.
— — — Rehb. Fl. germ. 5, 129.
— *truncata* Guss. Guss. Pl. rar. 2.
† — *verna* L. Gaertn. Carp. 68.
† — — — Lam. Encycl. 5.
† — — — Schk. Handb. 1.
— — — Fl. dan. 1, 129. 10, 1741.
— — — Rehb. Ic. crit. 9, 881.
— — — Rehb. Fl. germ. 5, 129.
— — — Baxter Brit. Bot. 5, 392.
† — — — Nees Gen. 4, 4.
† — — — Schnizl. Ic. 2, 84.
— *Wightiana* Wall. Wight Ic. pl. Ind. or. 6, 1947.
† *Callitrichineae* Lev. Schnizl. Ic. 2, 84.
† *Callitris oblonga* Rich. Richard Conif. 18.
† — *quadrivalis* Vent. Richard Conif. 8.
† — *rhomboidea* R. Br. Richard Conif. 18.
† *Callixene marginata* Commers. Lam. Encycl. 248.
† — — — Ann. sc. nat. 5, 2.
— *parviflora* Hook. Hook. Ic. pl. 7, 632.

- Callixene polyphylla* Hook. Hook. Ic. pl. 7, 674.
† *Callogramme Caeciliae* Fée. Fée Fil. 5, 15.
Callopisma amplexifolium Mart. Mart. Bras. 184.
— *perfoliatum* Mart. Mart. Bras. 183.
Calluna vulgaris Salisb. Curt. Lond. 3, 84.
— — — Sturm Flora 1, 1.
— — — Hayne 4, 17.
— — — Guimp. Holzgew. 45.
— — — Baxter Brit. Bot. 1, 76.
Calocephalus citreus Less. Brongn. Coquille 60.
— *lacteus* Less. Brongn. Coquille 60.
Calochilus campestris R. Br. Bot. Mag. 59, 3187.
— *paludosus* R. Br. Endl. Iconogr. 14.
Calochortus albus Dougl. Maund Bot. 2, 98.
— *elegans* Dougl. Hort. Transact. 7, 9.
— *flavus* Schult. fil. Maund Bot. 4, 170.
— *luteus* Dougl. Bot. Reg. 19, 1567.
— — — Paxt. Mag. 1, 221.
— — — Fl. d. serres 2, 40.
— *macrocarpus* Dougl. Hort. Transact. 7, 8.
— — — Bot. Reg. 14, 1152.
— *nitidus* Dougl. Hort. Transact. 7, 9.
— *splendens* Benth. Hort. Transact. 8, 15.
— — — Bot. Reg. 20, 1676.
— — — Fl. d. serres 2, 40.
— *uniflorus* Hook. Hook. Beechey 94.
— *venustus* Benth. Bot. Reg. 20, 1669.
— — — Maund Bot. 1, 30.
— — — Paxt. Mag. 1, 175.
— — — Hort. Transact. 8, 15.
— — — Fl. d. serres 2, 40.
Calodendron capense Thunb. Journ. d'hist. nat. Par. 1, 3.
† — — — Mem. Mus. 12, 19.
Calodracon nobilis Planch. Fl. d. serres 7, 682. 683.
Calodryum tubiflorum Desv. Ann. sc. nat. 9, 81.
† — — — Mem. Mus. 19, 12.
Calogania procumbens? Kern. Hort. 707.
Calographis Aub. Aubert Orchid. 43. 44.
Calomeria amaranthoides Vent. Vent. Malm. 73.
† *Calonyction Choisy*. Mem. Genev. 6, 1.
— *megalocarpum* A. Rich. Ramon Cuba 63.
— *noctilacum* Don. Bot. Reg. 11, 889.
— *speciosum* Choisy. Wight Ic. pl. Ind. or. 4, 1361.
Calopappus acerosus Meyen. Delessert Ic. 4, 79.
Calophanes oblongifolia Don. Sweet Fl. G. II. 181.
— *vagans* Wight. Wight Ic. pl. Ind. or. 4, 1526.
Calophyllum acuminatum Lam. Rumpf Amb. 2, 72.
— *brasiliense* St. Hil. St. Hil. Fl. Bras. 67.
— *Burmanni* Wight. Wight Ic. pl. Ind. or. 1, 107. 108.
— *Calaba* Jacq. Jacq. Hist. stirp. am. 249.
— *L. Desc. Ant. 2, 74.*
— *decipiens* Wight. Wight Ic. pl. Ind. or. 1, 106.
— *Inophyllum* L. Rheede Hort. mal. 4, 38.
— — — Rumpf Amb. 2, 71.
† — — — Gaertn. Carp. 43.
† — — — Lam. Encycl. 459.
— — — Nees Düssel. 420.
— — — Wight Illustr. in Hook. 17.
— — — Wight Ic. pl. Ind. or. 1, 77.
— *Moonii* Wight. Wight Ic. pl. Ind. or. 1, 111.
— *Nagassarum* Burm. Rumpf Amb. Auct. 2.
— *spurium* DC. Rheede Hort. mal. 4, 39.
† — *Tacamahaca* Willd. Mem. Mus. 16, 17.
— — — Nees Düssel. 421.
— *tomentosum* Wight. Wight Ic. pl. Ind. or. 1, 110.
Calophytum Walkerii Wight. Wight Illustr. 45.
Calopogon Lessonii Brongn. Brongn. Coquille 37.
— *pulchellus* R. Br. Lodd. Cab. 340.
— — — Barton Fl. 2, 68.
— — — Sweet Fl. G. 115.
Calopsis paniculata Desv. Ann. sc. nat. 13, 3.
Caloptilium Lagascae Hook. Gay Chile 41.

- Calorophus elongata* Lab. Bill. Nov. Holl. 228.
† *Calosanthus indica* Blume. Wight Illustr. 161.
— — — Wight Ic. pl. Ind. or. 4, 1337—38.
Caloscordum nerinefolium Herb. Bot. Reg. 33, 5.
† *Calostemma* R. Br. Herbert Amar. 34.
— *carneum* Ldl. Bot. Reg. 26, 26.
— *luteum* Sims. Bot. Mag. 46, 2101.
— — — Bot. Reg. 5, 421.
— — — Bot. Reg. 26, 19.
— *purpureum* R. Br. Bot. Mag. 46, 2100.
— — — Bot. Reg. 5, 422.
— — — Rchb. Exot. 43.
Calostigma insigne Decne. Delessert Ic. 5, 73.
† — — — Ann. sc. nat. II. 9, 12.
Calothamnus clavata Mackay. Lodd. Cab. 1447.
— *planifolia* Lehm. Acta Leop. 21. 1, 1.
— *quadrifida* R. Br. Bot. Mag. 37, 1506.
— — — Lodd. Cab. 737.
— — — Rchb. Mag. 9.
— *sanguinea* Lab. Bill. Nov. Holl. 164.
— *villosa* R. Br. Lodd. Cab. 92.
— — — Bot. Reg. 13, 1099.
— — — Rchb. Mag. 9.
— — — Mem. Tur. 31, 15.
Calotheca barbata Tr. Trin. Sp. Gr. 3, 289.
— *elegans* Pal. Beauv. Humb. Gram. 88.
Calotis cuneifolia R. Br. Bot. Reg. 6, 504.
— — — Lodd. Cab. 825.
Calotropis gigantea R. Br. Rheede Hort. mal. 2, 31.
— — — Bot. Reg. 1, 58.
— — — Wight Illustr. 155. 155.
— *herbacea* Wight. Wight Ic. pl. Ind. or. 2, 492.
— *Madarii indicio-orientalis* Cas. Casanova Essai 1.
— *procera* R. Br. Bot. Reg. 21, 1792.
— — — Wight Ic. pl. Ind. or. 4, 1278.
Calpandria lanceolata Bl. Korthals Bot. 31.
† — — — Mem. Mus. 19, 20.
Calpicarpum Roxburghii Don. Wight Ic. pl. Ind. or. 2, 431.
Calpidia lanceolata Aub. Aubert Iles d'Afrique 6.
† *Caltha* L. Kerner Genera 115.
† — — Gray Genera 10.
— *alba* Jacq. Jacquemont Ind. 4.
— *appendiculata* Pers. Delessert Ic. 1, 43.
— *dioneaeifolia* Hook. Hook. Fl. ant. 84.
— *flabellifolia* Pursh. Pursh Fl. 17.
— *leptosepala* DC. Hook. Bor. Am. 10.
— *Novae Zelandiae* Hook. Hook. New Zeal. 6.
† — *palustris* L. Gaertn. Carp. 116.
† — — — Lam. Encycl. 500.
— — — Schk. Handb. 154.
— — — Curt. Lond. 1, 2.
— — — Fl. dan. 4, 668.
— — — Engl. Bot. 8, 506.
— — — Sv. Bot. 200.
— — — Sturm Flora 2, 8.
— — — Dreves 1, 10.
— — — Schrank Fl. mon. 1, 48.
— — — Brandt u. Ratzeb. 37.
— — — Rchb. Fl. germ. 4, 101.
— — — Dietr. Fl. bor. 2, 101.
† — — — Nees Gen. X, x.
— — — Baxter Brit. Bot. 2, 153.
— — — Gray Gen. 10.
— *radicans* Forst. Engl. Bot. 31, 2175.
— — — Linn. Transact. 8, 17.
— *sagittata* Cav. Cav. Ic. 414.
— — — Bot. Mag. 70, 4056.
Calucechinus antarctica Rich. Richard Astrolabe 6. 7.
— *Montagni* Rich. Richard Astrolabe 8.
Calusparassus betuloides Hombr. Richard Astrolabe 7.
— *Forsteri* Hombr. Richard Astrolabe 6.

- Calusparassus Pumilio* Rich. Richard Astrolabe 8.
† *Calvaria globosa* Gaertn. fil. Gaertn. Carp. 201.
† — *hexangularis* Gaertn. fil. Gaertn. Carp. 201.
† — *major* Gaertn. fil. Gaertn. Carp. 200.
Calycandra pinnata Rich. Guillem. Seneg. 9.
Calycanthemum leucanthum Klotzsch. Peters Mossamb. bique 40.
Calycanthus ferax Michx. Herb. amat. 3, 172.
— *fertilis* Andr. Andr. Rep. 8, 539.
— — — Walt. Bot. Reg. 5, 404.
— *floridus* L. Schk. Handb. 138.
† — — — Lam. Encycl. 445.
— — — Bot. Mag. 14, 503.
— — — Guimp. Fr. Holzgew. 4.
† — — — Ann. sc. nat. 14, 13.
— *glancus* Willd. Guimp. Fr. Holzgew. 5.
— *laevigatus* Willd. Willd. Hort. 60.
— — — Guimp. Fr. Holzgew. 6.
— — — Bot. Reg. 6, 481.
— *occidentalis* Hook. Hook. Beechey 84.
— *praecox* L. Ait. Hort. Kew. 2, 10.
† — — — Lam. Encycl. 445.
— — — Bot. Mag. 13, 466.
— — — Lodd. Cab. 617.
— — — Dict. sc. nat. 235.
† — — — (Fructus.) Acta Leop. 11. 1, 10.
† *Calycera balsamitaefolia* Rich. Mem. Mus. 6, 10.
† — *Cavanillesii* Rich. Mem. Mus. 6, 10.
— *herbacea* Cav. Cav. Ic. 358.
† *Calycocarpum* Gray. Gray Genera 30.
— *Lyoni* Gray. Gray Genera 30.
Calycogonium cubense A. Rich. Ramon Cuba 44.
Calycophyllum Stanleyanum Schomb. Hook. Lond. J. 1844, 23. 24.
† *Calycopterus floribunda* Lam. Lam. Encycl. 357.
Calycoseris Wrightii Gray. Smiths. Contrib. 5, 16.
Calycothrix aurea Ldl. Lindley Swan River 3.
† — *conferta* Cunn. Acta Leop. 19. S. II. 6.
— *flavescens* A. Cunn. Fielding Sertum 38.
— *glabra* R. Br. Bot. Reg. 5, 409.
— — — Lodd. Cab. 586.
— *scabra* DC. Mem. Genev. 9, 1.
— *tetragona* Lab. Bill. Nov. Holl. 146.
— *virgata* Cunn. Bot. Mag. 61, 3323.
Calycotome spinosa Lk. Bot. Reg. 32, 55.
† *Calypsectus* R. et P. Ruiz et Pav. Prodr. 13.
— *speciosus* H. B. K. H. B. K. Nov. Gen. 6, 548.
Calypso Aubert. Aubert Iles d'Afrique 6.
— *borealis* Salisb. Salisb. Parad. 89.
— — — Hook. Exot. Fl. 12.
— — — Bot. Mag. 54, 2763.
— *bulbosa* Rchb. fil. Rchb. Fl. germ. 13, 489.
— *campestris* Camb. St. Hil. Fl. Bras. 104.
— *salacioides* Aub. Lam. Encycl. 906.
† *Calyptridium sensibile* Bernh. Schrad. Journ. 1801, 1.
— — — Konig Ann. 1, 1.
† *Calyptranthes Swartz.* Swartz Fl. Ind. 15.
† — — — Ruiz et Pav. Prodr. 13.
— *aromatica* St. Hil. St. Hil. Pl. us. 14.
— *caryophyllata* Sw. Hayne 10, 39.
— *cordifolia* Moon. Wight Ic. pl. Ind. or. 2, 544.
— *eugenioides* Camb. St. Hil. Fl. Bras. 155.
— *rigida* Sw. Tuss. Ant. 3, 26.
Calyptracalyx spicatus Bl. Blume Rumphia 102. 118. 161.
Calyptracarya Poeppigiana N. v. E. Endl. Bras. 3, 28.
Calyptrorhiza pubiflora Klotzsch. Peters Mossamb. 18.
Calyptrorhiza florida N. v. E. Endl. Bras. 3, 13.
Calysaccion longifolium Wight. Wight Ic. pl. Ind. or. 6, 1999.
† *Calystegia* R. Br. Mem. Genev. 6, 2.
— *marginata* R. Br. Hook. New Zeal. 48.

- Calystegia pubescens* Ldl. Bot. Reg. 32, 42.
 — — — Paxt. Mag. 13, 243.
 — — — Fl. d. serres 2, 172.
 — — — reniformis R. Br. Sweet Fl. G. 181.
 † — — — sepium R. Br. Nees Gen. 5, 63, 63".
 † — — — Plée Types 24.
 — — — var. incarnata, Fl. d. serres 8, 826.
 — — — spithamata Pursh. Hook. Exot. Fl. 97.
 — — — turguriorum R. Br. Hook. New Zeal. 47.
Calythrix = *Calycothrix* Lab.
 † *Calytriplex obovata* R. et P. Ruiz et Pav. Prodr. 19.
Calyxhymenia expansa R. et P. Ruiz et Pav. Fl. 75.
 — — — ovata R. et P. Ruiz et Pav. Fl. 75.
 — — — prostrata R. et P. Ruiz et Pav. Fl. 75.
 — — — viscosa Ort. Dict. sc. nat. 22.
Camarea affinis St. Hil. St. Hil. Fl. Bras. 173.
 † — — — Arch. Mus. 3, 22.
 — — — axillaris St. Hil. St. Hil. Fl. Bras. 176.
 † — — — Arch. Mus. 3, 22.
 — — — ericoides St. Hil. St. Hil. Pl. rem. 18.
 — — — Mem. Mus. 10, 23.
 † — — — Arch. Mus. 3, 22.
Camaridium ochroleucum Ldl. Bot. Reg. 10, 844.
Camarotus purpurea Ldl. Lindley Sertum 19.
 — — — Paxt. Mag. 7, 25.
Camassia esculenta Ldl. Bot. Reg. 18, 1486.
 — — — Fl. d. serres 3, 275.
Cambessedesia latevenosa DC. Mart. Bras. 263.
 — — — membranacea Gardn. Fielding Sertum 64.
 — — — purpurata DC. Mart. Bras. 262.
 † *Camelina Crantz.* Nees Gen. X, x.
 — — — barbaraefolia DC. Delessert Ic. 2, 70.
 — — — dentata Pers. Dietr. Fl. bor. 11, 758.
 — — — Fl. dan. 11, 1824.
 — — — Rchb. Fl. germ. 2, 24.
 — — — macrocarpa Heuff. Rchb. Fl. germ. 2, 24.
 — — — microcarpa Andr. Delessert Ic. 2, 69.
 — — — Dietr. Fl. bor. 11, 759.
 — — — Rchb. Fl. germ. 2, 24.
 † — — — sativa Crantz. Medicus Gatt. 1.
 — — — Curt. Lond. 4, 70.
 — — — Sturm Flora 2, 4.
 — — — Rchb. Fl. germ. 2, 24.
 — — — Dietr. Fl. bor. 11, 757.
 — — — Baxter Brit. Bot. 6, 447.
Camellia axillaris Roxb. Lodd. Cab. 675.
 — — — Bot. Reg. 4, 349.
 — — — Bot. Mag. 46, 2047.
 — — — euryoides Ldl. Lodd. Cab. 1493.
 — — — Bot. Reg. 12, 983.
 — — — japonica L. Schneev. Ic. 7.
 — — — Jacq. Ic. 553.
 — — — Cav. Diss. 160.
 † — — — Lam. Encycl. 594.
 † — — — Roemer Arch. I. 3, 3.
 — — — Savi Fl. ital. 1, 13, 3, 96.
 — — — Colla Camelliografia 1, 2.
 — — — Chandler and Booth Illustr. 1 — 40.
 — — — Chandler Camell. brit. 1 — 8.
 — — — Baumann Camell. Bollw. 1 — 49.
 — — — Berlèse Iconographie 1 — x.
 — — — Hort. Transact. 7, 14.
 — — — Sieb. Fl. Japon. 82.
 † — — — Mem. Institut 1850, 8.
 — — — Bot. Mag. 2, 42, 40, 1654, 1670, 52, 1571, 2577, 54, 2745.
 — — — Andr. Rep. 1, 25, 2, 91, 3, 199, 9, 559, 10, 660, 663.
 — — — Bot. Reg. 1, 22, 2, 112, 5, 353, 8, 633, 9, 708, 11, 887, 15, 1267, 17, 1398, 18, 1501, 22, 1854.
 — — — Lodd. Cab. 140, 170, 899.

- Camellia japonica* L. Maund Bot. 3, 148.
 — — — Paxt. Mag. 2, 25, 73, 122, 5, 171, 8, 53, 14, 169.
 — — — Sweet Fl. G. II. 2, 133.
 — — — Fl. d. serres 2, 52, 54, 56, 63, 77, 150, 167, 3, 279, 4, 328, 341, 342, 349, 5, 483 — 6, 501, 7, 652, 679, 8, 843, 851.
 — — — Dict. sc. nat. 152.
 — — — Herb. amat. 1, 43 — 46.
 — — — Kern. Hort. 42, 301, 373, 462, 513, 522, 591, 617, 618, 635, 662, 802, 805, 817, 820, 835.
 — — — Rchb. Exot. 354 — 358.
 — — — Kissi Wall. Wallich Pl. asiat. 256.
 — — — Lodd. Cab. 1815.
 — — — mutabilis Paxt. Paxt. Mag. 2, 122.
 — — — oleifera Abel. Bot. Reg. 11, 942.
 — — — Lodd. Cab. 1065.
 — — — reticulata Ldl. Bot. Reg. 13, 1078.
 — — — Bot. Mag. 54, 2784.
 — — — Rchb. Exot. 360.
 — — — Paxt. Mag. 3, 101.
 — — — Sasanqua Thunb. Thunb. Fl. jap. 30.
 — — — Cav. Diss. 160.
 — — — Bot. Mag. 46, 2080.
 — — — Bot. Reg. 1, 12, 7, 547, 13, 1091.
 — — — Lodd. Cab. 1134, 1275.
 — — — Rchb. Exot. 359.
 — — — Sieb. Fl. Japon. 83.
Cameraria angustifolia L. Lam. Encycl. 173.
 — — — dubia Sims. Bot. Mag. 40, 1646.
 — — — Kern. Hort. 560.
 — — — latifolia L. Jacq. Hist. stirp. am. 39.
 — — — Andr. Rep. 4, 201.
 † — — — Lam. Encycl. 173.
 — — — Desc. Ant. 3, 193.
 — — — Tamaquarina Aubl. Anbl. Guiana 102.
 † *Camirium cordifolium* Gaertn. Gaertn. Carp. 125.
 † *Campanula* L. Lam. Encycl. 123.
 † — — — Ann. sc. nat. II. 12, 4. III. 12, 5.
 † — — — Engelmann Anthol. 3.
 — — — Adami M. v. B. Marshall Cent. 16.
 — — — DC. Camp. 11.
 — — — adpressa L. fil. Petersb. 4, 7.
 — — — aggregata Willd. Lodd. Cab. 505.
 — — — Nocca et Balb. Fl. tic. 5.
 — — — Rchb. Ic. crit. 6, 555 — 557.
 — — — alata Desf. Desf. Fl. atl. 50.
 — — — algida Fisch. DC. Camp. 11.
 — — — allariaefolia Willd. Salisb. Parad. 26.
 — — — Bot. Mag. 23, 912.
 — — — Rchb. Ic. crit. 3, 202, 6, 592.
 — — — Allionii Vill. Vill. Dauph. 10.
 — — — alpestris All. All. Fl. ped. 3, 6.
 — — — Alphonsii Wall. Wight Spicil. 125.
 — — — Wight Ic. pl. Ind. or. 4, 1177.
 — — — alpina Jacq. Jacq. Fl. austr. 2, 118.
 — — — Bot. Mag. 24, 957.
 — — — Rchb. Exot. 155.
 — — — Sturm Flora 13, 51.
 — — — altaica A. DC. DC. Camp. 10.
 — — — anthesisiflora Sibth. Sibth. Fl. gr. 212.
 — — — aurea L. fil. Jacq. Schoenbr. 4, 472.
 — — — Bot. Reg. 1, 57.
 — — — Kern. Hort. 219.
 — — — Vent. Malm. 116.
 — — — azurea Banks. Bot. Mag. 16, 531.
 — — — barbata L. Jacq. Obs. 37.
 — — — Lodd. Cab. 788.
 — — — Bot. Mag. 31, 1258.
 — — — Zollik. Alpenfl. 4.
 — — — δ. cyanea, Sweet Fl. G. II. 409.

- Campanula Thaliana* Walk. Rechb. Ic. crit. 2, 112.
 — — — Dietr. Fl. bor. 10, 639.
 — — — *thyrsoides* L. Jacq. Fl. austr. 5, 411.
 — — — Jacq. Obs. 21.
 — — — Lodd. Cab. 1644.
 — — — Bot. Mag. 32, 1290.
 — — — Sturm Flora 11, 41.
 — — — *tomentosa* Lam. Vent. Cels 18.
 — — — *trachelioides* M. v. B. Rechb. Pl. crit. 6, 508.
 — — — *Trachelium* L. Fl. dan. 6, 1026. 13, 2167.
 — — — Curt. Lond. 4, 109.
 — — — Engl. Bot. 1, 12.
 — — — Dict. sc. nat. 79.
 — — — Roemer Fl. eur. 5, 2.
 — — — Schrank Fl. monac. 3, 237.
 — — — Dietr. Fl. bor. 10, 637.
 — — — *trichocalycina* Ten. Tenore Fl. nap. 16.
 — — — *tridentata* L. Schreber Ic. 2.
 — — — *tubulosa* Lam. Ann. Mus. 11, 17.
 — — — Desf. Choix 32.
 — — — *unidentata* L. fil. Petersb. 4, 5.
 — — — *uniflora* Vill. Vill. Dauph. 10.
 — — — L. Linné Fl. lapp. 9.
 — — — Fl. dan. 9, 1512.
 — — — Sv. Bot. 526.
 — — — *valdensis* All. All. Fl. ped. 3, 6.
 — — — *velutina* Desf. Desf. Fl. atl. 51.
 — — — *verruculosa* Lk. Hoffm. Lk. Fl. port. 81.
 — — — *versicolor* Andr. Andr. Rep. 6, 396.
 — — — Sibth. Fl. gr. 207.
 — — — Kern. Hort. 236.
 — — — *vesula* All. All. Fl. ped. 3, 7.
 — — — *Vidalii* Wats. Hook. Ic. pl. 7, 684.
 — — — Lem. Jard. fl. 3, 274.
 — — — Fl. d. serres 7, 729.
 — — — Bot. Mag. 79, 4748.
 — — — *vincasiflora* Vent. Vent. Malm. 12.
 — — — *virgata* Lab. Bill. Syr. 2, 6.
 — — — *Waldsteiniana* R. et Sch. Rechb. Pl. crit. 1, 85.
 — — — *Wanneri* Roch. Rochel Ban. 5.
 — — — *Zoysii* Wulf. Jacq. Ic. 334.
 — — — Roemer Fl. eur. 5, 1.
 — — — Sturm Flora 6, 22.
 † *Campanulaceae* DC. Schnizl. Ic. 125.
Campanumoea lanceolata Zucc. Sieb. Fl. Jap. 91.
 † *Campbellia aurantiaca* Wight. Wight Illustr. 158.
 — — — Wight Ic. pl. Ind. or. 4, 1424.
 — — — *cytinoides* Wight. Wight Ic. pl. Ind. or. 4, 1425.
Campteria floribunda Benth. Benth. Sulphur 52.
 † *Campelia bibracteata* N. v. E. Acta Leop. 11. 1, 1.
 — — — officinarum N. v. E. Hayne 12, 27.
 — — — Wight Ic. pl. Ind. or. 5, 1818.
Camphorosma annuum Pall. Pall. Ill. 58.
 † — — — *monspeliacum* L. Gaertn. Carp. 213.
 — — — Lam. Encycl. 86.
 — — — Schk. Handb. 26.
 † — — — Nees Gen. 4, 60.
 — — — *ovatum* W. et K. W. et Kit. 63.
 † — — — Nees Gen. 4, 60.
 — — — *perenne* Pall. Pall. Ill. 57.
 — — — *Pteranthus* L. Sibth. Fl. gr. 153.
 † *Campium subcrenatum* Presl. Hook. Gen. Fil. 80.
 † *Campomanesia* R. et P. Ruiz et Pav. Prodr. 13.
 — — — *cornifolia* H. B. K. H. B. K. Nov. Gen. 6, 547.
 — — — *crassifolia* Benth. Benth. Sulphur 37.
Campsandra rosea P. et E. Poepp. et Endl. 268.
Campsoceras Pinardi Stev. Bull. Mosc. 1852. 1, 7.
 † *Campteria diaurata* Hook. Hook. Gen. Fil. 65.
Camptosema rubicundum H. et Arn. Bot. Mag. 77, 4608.
 — — — Lem. Jard. fl. 229.
 — — — Fl. d. serres 7, 700.
 † *Camptosurus rhizophyllus* Hook. Hook. Gen. Fil. 57.

- Campuleia coccinea* Hook. Hook. Exot. Fl. 203.
 — — — Korn. Hort. 831.
Campuloclinium palustre DC. Delessert Ic. 4, 16.
 — — — *surinamense* Miq. Miquel Surin. 53.
Campulosus aciculatus Tr. Trin. Sp. Gr. 3, 301.
 — — — *brachystachys* N. v. E. Trin. Sp. Gr. 3, 302.
 — — — *chapadensis* Tr. Trin. Sp. Gr. 3, 303.
 — — — *cirrhosus* N. v. E. Trin. Sp. Gr. 3, 304.
Campylanthera Fraseri Hook. Hook. Ic. pl. 1, 82.
Campylanthus Benthani Webb. Hook. Ic. pl. 8, 776.
 — — — Hook. Niger Fl. 16.
 — — — *ramosissimus* Wight. Wight Ic. pl. Ind. 4, 1416.
 — — — *salsoloides* Roth. Webb. Canar. 176.
Campylia blattaria Sweet. Sweet Ger. 88.
 — — — *cana* Sweet. Sweet Ger. 114.
 — — — *carinata* Sweet. Sweet Ger. 21.
 — — — *elegans* Sweet. Sweet Ger. 222.
 — — — *holosericea* Sweet. Sweet Ger. 78.
 — — — *variegata* Sweet. Sweet Ger. 266.
 — — — *verbasciflora* Sweet. Sweet Ger. 157.
Campylobotrys discolor Lem. Bot. Mag. 76, 4330.
 — — — *discolor* Lem. Fl. d. serres 5, 427.
 — — — Lem. Jard. fl. 42.
Campyloneuron cubense Fée. Mem. Strassb. 4, 3.
 — — — *Jamesonii* Fée. Mem. Strassb. 4, 2.
 † — — — *repens* Presl. Hook. Gen. Fil. 71.
Campylopus cerastioides Spach. Jaubert Illustr. 15.
Campynema lineare Lab. Bill. Nov. Holl. 121.
 † — — — Lam. Encycl. 940.
Canala heliotropioides Pohl. Pohl Bras. 142.
Canalia daphnoides Schmidt. Schmidt N. Boob. 1.
Cananga Ouregon Aubl. Aublet Guiana 244.
 † *Canarina Campanula* L. fil. Gaertn. Carp. 211.
 † — — — Lam. Encycl. 259.
 — — — Bot. Mag. 13, 444.
 — — — Lodd. Cab. 376.
 † — — — DC. Camp. 4.
 — — — Herb. amat. 3, 143.
Canarium commune L. Rumpf Amb. 2, 47.
 † — — — Lam. Encycl. 812.
 † — — — Konig Ann. 1, 7.
 † — — — Kern. Gen. 173.
 — — — *decumanum* Willd. Rumpf Amb. 2, 55.
 † — — — Gaertn. Carp. 102.
 † — — — Lam. Encycl. 812.
 † — — — *Mehenbethena* Gaertn. Gaertn. Carp. 102.
 — — — *microcarpum* Willd. Rumpf Amb. 2, 54.
 † — — — *Pimelea* Konig. Konig Ann. 1, 7.
 — — — *silvestre* Gaertn. Rumpf Amb. 2, 49.
 † — — — Gaertn. Carp. 102.
Canavalia bonariensis Ldl. Bot. Reg. 14, 1199.
 — — — Rechb. Exot. 311.
 — — — *ensiformis* DC. Bot. Mag. 69, 4027.
 — — — *gladiata* DC. Rheede Hort. mal. 8, 44.
 — — — Wight Ic. pl. Ind. or. 3, 753.
 — — — *leguminibus incurvis*, Desc. Ant. 8, 557.
 — — — *obtusifolia* DC. Rheede Hort. mal. 8, 43.
 — — — *paranensis* H. et Arn. Bot. Reg. 14, 1199.
 — — — *virosa* W. et A. Rheede Hort. mal. 8, 43.
Candidea senegalensis Ten. Acad. Neap. 4, 1. 2.
Candollea cuneiformis Lab. Bill. Nov. Holl. 176.
 — — — Bot. Mag. 54, 2711.
 — — — *Cunninghamii* Hort. Maund Bot. 2, 88.
 — — — *glauca* Lab. Ann. Mus. 6, 64.
 — — — *pilosa* Lab. Ann. Mus. 6, 63.
 — — — *serrulata* Lab. Ann. Mus. 6, 64.
 — — — *tetrandra* Ldl. Bot. Reg. 29, 50.
Canella alba Sw. Linn. Transact. 1, 8.
 — — — Hayne 9, 5.
 — — — Murr. Guimp. et Schl. 231.
 — — — Nees Düsseldorf. 416.
 — — — Woodv. Med. 4, 237.

- Canella axillaris* N. et M. Acta Leop. 12. 1, 3.
 † — *Winterana* Gaertn. Gaertn. Carp. 77.
 † *Canephora axillaris* Lam. Lam. Encycl. 151.
Cankrinia chrysantha Vriese. Fl. d. serres 7, p. 58.
 † *Canna* L. Hegetschweiler Comm. 1. 2.
 † — — Schnitzl. Ic. 1, 59.
 — *Achiras* Gillies. Bot. Reg. 16, 1358.
 — *angustifolia* Hort. Herb. amat. 3, 189.
 — *aurantiaca* Rosc. Rosc. Scit. 21.
 — *carnea* Rosc. Rosc. Scit. 15.
 — *coccinea* Ait. Rosc. Scit. 11.
 — — Lodd. Cab. 739.
 — *compacta* Rosc. Rosc. Scit. 22.
 — *crocea* Lag. Rchb. Hort. 148.
 — *denudata* Rosc. Rosc. Scit. 23. 24.
 — *discolor* Ldl. Bot. Reg. 15, 1231.
 — *edulis* Ker. Rosc. Scit. 5.
 — — Bot. Reg. 9, 776.
 — — Bot. Mag. 51, 2498.
 — *excelsa* Lodd. Lodd. Cab. 743.
 — *flaccida* Rosc. Salisb. Ic. rar. 2.
 — — Rosc. Scit. 6.
 — — Red. Lil. 2, 107.
 — — Wendl. Coll. 68.
 — — Lodd. Cab. 562.
 — — Savi Fl. ital. 2, 58.
 — — Dict. sc. nat. 69.
 — *gigantea* Red. Red. Lil. 6, 331.
 — — Hook. Exot. Fl. 47. 48.
 — — Bot. Mag. 49, 2316.
 — — Bot. Reg. 3, 206.
 — — Kern. Hort. 637.
 — *glauca* L. Rosc. Scit. 7.
 — — Sm. Exot. Bot. 102.
 — — Red. Lil. 6, 354.
 — — Wendl. Coll. 67.
 — — var. Bot. Mag. 49, 2302.
 — — var. Bot. Mag. 62, 3437.
 — — Tratt. Thes. 25.
 — *indica* L. Rheede Hort. mal. 11, 43.
 † — — Gaertn. Carp. 12.
 † — — Lam. Encycl. 1.
 — — Red. Lil. 4, 201.
 — — Bot. Mag. 13, 454.
 — — Rosc. Scit. 1.
 — — Desc. Ant. 4, 240.
 — — Tratt. Arch. 254. 254^a.
 — — var. *floribunda*, Rchb. Hort. 130.
 † — — Ann. sc. nat. 17, 7.
 — — *Rosc.* var. *maculata*, Hook. Exot. Fl. 53.
 — — Bot. Reg. 9, 776.
 — *iridiflora* R. et P. Rosc. Scit. 14.
 — — Bot. Mag. 45, 1968.
 — — Bot. Reg. 8, 609.
 — — Lodd. Cab. 905.
 — — Rchb. Exot. 182.
 — *lagunensis* Ldl. Bot. Reg. 16, 1311. 1358.
 — *Lamberti* Ldl. Rosc. Scit. 2.
 — — Bot. Reg. 6, 470.
 — *lanuginosa* Rosc. Rosc. Scit. 16.
 — *latifolia* Rosc. Rosc. Scit. 4.
 — — Lodd. Cab. 634.
 — *limbata* Rosc. Rosc. Scit. 9.
 — — Bot. Reg. 9, 771.
 — — Lodd. Cab. 449.
 — — Kn. et Westc. 58.
 — *lutea* Rosc. Rosc. Scit. 18.
 — — Bot. Reg. 9, 773.
 — — Lodd. Cab. 646.
 — — Bot. Mag. 46, 2088.
 — *occidentalis* Rosc. Bot. Reg. 9, 772.
 — *orientalis* Rosc. Rumpf Amb. 5, 71.

- Canna orientalis* Rosc. Rosc. Scit. 12. 13.
 — *pallida* Rosc. Rosc. Scit. 19. 20.
 — — var. Lodd. Cab. 1950.
 — *paniculata* R. et P. Ruiz et Pav. Fl. 1.
 — — Kern. Hort. 840.
 — *patens* Rosc. Rosc. Scit. 3.
 — — Hook. Exot. Fl. 228.
 — — Bot. Reg. 3, 206. 7, 576.
 — — Lodd. Cab. 1693.
 — *pedunculata* Sims. Rosc. Scit. 8.
 — — Lodd. Cab. 622.
 — — Bot. Mag. 49, 2323.
 — *Reevesii* Ldl. Bot. Reg. 23, 2004.
 — *silvestris* Rosc. Rosc. Scit. 10.
 — *speciosa* Rosc. Rosc. Scit. 17.
 — — Bot. Reg. 15, 1276.
 — — Bot. Mag. 49, 2317.
 — — Rchb. Hort. 140.
 — *Warczewiczii* Hort. Belgique hort. 2, 48.
Cannabis indica Lam. Rumpf Amb. 5, 77.
 — *sativa* L. Rheede Hort. mal. 10, 60. 61.
 † — — Gaertn. Carp. 75.
 † — — Lam. Encycl. 814.
 — — Schk. Handb. 325.
 — — Hayne 8, 35.
 — — Guimp. et Schl. 173.
 — — Nees Düssel. 102.
 — — Wagner 133. 134.
 — — Dietr. Fl. bor. 10, 720.
 — — Rchb. Fl. germ. 12, 655.
 † — — Nees Gen. 4, 30.
 † — — Reissek Fasergewebe 10 — 11.
 † *Canneae* R. Br. (Lestiboudois.) Ann. sc. nat. II. 17, 10.
Cannomois Cephalotes Pal. B. Ann. sc. nat. 13, 3.
 † *Canscora alata* Wall. Wight Illustr. 157^b.
 — *grandiflora* Wight. Wight Ic. pl. Ind. or. 4, 1326.
 — *Lawii* Wight. Wight Ic. pl. Ind. or. 4, 1327.
 — *perfoliata* Lam. Rheede Hort. mal. 10, 52.
 — — Wight Ic. pl. Ind. or. 4, 1327.
 — *tenella* Wight. Wight Ic. pl. Ind. or. 4, 1327.
 † *Cansjera malabarica* Lam. Lam. Encycl. 289.
 — *scandens* Roxb. Rheede Hort. mal. 7, 4.
 — — Roxb. Corom. 103.
 — — Tratt. Arch. 13.
 — *Rhedii* Gmel. Rheede Hort. mal. 7, 2.
 — — Wight Ic. pl. Ind. or. 5, 1861.
Canthium cordatum Ham. Rheede Hort. mal. 7, 17.
 † *didymum* Gaertn. Gaertn. Carp. 196.
 — *dubium* Ldl. Bot. Reg. 12, 1026.
 — *neilgherrense* Wight. Wight Ic. pl. 3, 1064^a.
 — *Leschenaultii* W. et A. Wight Ic. pl. Ind. or. 3, 626.
 — *parviflorum* Lam. Rheede Hort. mal. 5, 36.
 † — — Gaertn. Carp. 196.
 — — Roxb. Corom. 51.
 — *pedunculare* Cav. Cav. Ic. 436.
 — *quadrifidum* Lab. Bill. Nov. Holl. 94.
 — *Rheedii* DC. Rheede Hort. mal. 5, 37.
 — *umbellatum* Wight. Wight Spicil. 97.
 — — Wight Ic. pl. Ind. or. 3, 1034.
Cantua bicolor Lem. Paxt. Mag. 15, 219.
 — — Fl. d. serres 4, 343.
 — — Ldl. Bot. Mag. 79, 4729.
 † — *buxifolia* Lam. Lam. Encycl. 106.
 — — Bot. Mag. 77, 4582.
 — — Fl. d. serres 4, 343.
 — — Paxt. Fl. G. 49.
 — — Lem. Jard. fl. 115.
 — — Juss. Ann. Mus. 3, 8.
 — *coronopifolia* Willd. Andr. Rep. 6, 415.
 — *dependens* Pers. Kern. Hort. 348.
 — — Fl. d. serres 7, 650.
 — *ovata* Cav. Cav. Ic. 363.

- † *Cantua pyrifolia* Juss. Lam. Encycl. 106.
 — — — Ann. Mus. 3, 7.
 — — — Bot. Mag. 74, 4386.
 — — — Fl. d. serres 4, 383.
 — — — tomentosa Cav. Cav. Ic. 364.
Capanea grandiflora Dec. Fl. d. serres 5, 499. 500.
Capassa violacea Klotzsch. Peters Mossamb. 5.
† *Capnoides lutea* Gaertn. Gaertn. Carp. 115.
† *Capnophyllum africanum* Gaertn. Gaertn. Carp. 85.
Capparis acuminata Willd.? Icones pl. Chinae 29.
 — — — Ldl. Bot. Reg. 16, 1320.
 — — — aegyptia Lam. Delile Egypte 31.
 — — — Dict. sc. nat. 184.
 — — — angustifolia H. B. K. H. B. K. Nov. Gen. 5, 438.
 — — — arborescens Mill. Desc. Ant. 1, 29.
 — — — brevispina W. et A. Hook. Ic. pl. 2, 126.
 — — — Breynia L. Jacq. Hist. stirp. am. 152.
 — — — crotonoides H. B. K. H. B. K. Nov. Gen. 5, 437.
 — — — cynophallophora L. Jacq. Hist. stirp. am. 145.
 — — — — Rchb. Hort. 233.
 — — — — Kern. Hort. 689.
 — — — — Desc. Ant. 5, 355.
 — — — divaricata Lam. Wight Ic. pl. Ind. or. 3, 889.
 — — — diversifolia W. et A. Hook. Ic. pl. 2, 181.
 — — — emarginata A. Rich. Ramon Cuba 9.
 — — — erythrocarpa Isert. Schriften nat. Fr. 9, 9.
 — — — Eustachiana Jacq. Jacq. Hist. stirp. am. 146.
 — — — ferruginea L. Desc. Ant. 5, 373.
 — — — floribunda Wight. Wight Illustr. 14.
 — — — frondosa Jacq. Jacq. Hist. stirp. am. 153.
 — — — grandis L. fil. Wight Ic. pl. Ind. or. 1, 21.
 — — — hastata L. Jacq. Hist. stirp. am. 147.
 — — — herbacea Willd. Rchb. Ic. crit. 3, 281.
 — — — Heyneana W. et A. Rheede Hort. mal. 6, 57.
 — — — horrida L. fil. Wight Ic. pl. Ind. or. 1, 173.
 — — — jamaicensis Jacq. Jacq. Hist. stirp. am. 150.
 — — — incanescens DC. Hook. Ic. pl. 2, 123.
 — — — leucophylla DC. Delessert Ic. 3, 10.
 — — — linearis Jacq. Jacq. Hist. stirp. am. 151.
 — — — mariana Jacq. Jacq. Schoenbr. 1, 109.
 — — — Murrayana Grah. Wight Ic. pl. Ind. or. 2, 379.
 — — — nemorosa Jacq. Jacq. Hist. stirp. am. 156.
 — — — obovata Royle. Jacquemont Ind. 21.
 — — — octandra Jacq. Jacq. Hist. stirp. am. 149.
 — — — odoratissima Jacq. Jacq. Schoenbr. 1, 110.
 — — — ovata M. v. B. Marschall Cent. 68.
 — — — paradoxa Jacq. Jacq. Schoenbr. 1, 111.
 — — — pedunculosa Wall. Hook. Ic. pl. 2, 128.
 — — — polymorpha Rich. Guillemin Seneg. 5.
 — — — pubiflora DC. Delessert Ic. 3, 12.
 — — — pulcherrima Jacq. Jacq. Hist. stirp. am. 155.
 — — — — Kern. Hort. 12.
 — — — pyrifolia Lam. Delessert Ic. 3, 11.
 — — — — Wight Ic. pl. Ind. or. 3, 1047.
 — — — Roxburghii DC. Wight Ic. pl. Ind. or. 3, 1048.
 — — — rupestris Sibth. Sibth. Fl. gr. 487.
 — — — — Rchb. Fl. germ. 3, 19.
 — — — Sandwichiana DC. Gaudichaud Bonite 55.
 — — — sepiaria L. Jacquemont Ind. 22.
 — — — Sinclairii Benth. Benth. Sulphur 27.
 — — — spinosa L. Schk. Handb. 139.
 — — — — Lam. Encycl. 446.
 — — — — Smith Spicil. 20.
 — — — — Bot. Mag. 9, 291.
 — — — — Sibth. Fl. gr. 486.
 — — — — Woodv. Med. 2, 141.
 — — — — Rchb. Fl. germ. 3, 19.
 — — — unisiliqua Jacq. Jacq. Hist. stirp. am. 154.
 — — — verrucosa Jacq. Jacq. Hist. stirp. am. 148.
Capraria biflora L. Jacq. Hist. stirp. am. 174.
† — — — Gaertn. Carp. 53.
† — — — Lam. Encycl. 534.

- Capraria biflora* L. Desc. Ant. 4, 300.
 — — — crustacea L. Rumpf Amb. 5, 170. fig. 3.
 — — — dissecta Del. Delile Egypte 32.
 — — — lanceolata L. Link Ic. 1. 4.
 — — — lucida Ait. Jacq. Fragm. 48.
 — — — multifida Michx. Michaux Fl. 35.
 — — — undulata L'her. L'her. Sertum 25.
† — — — Lam. Encycl. 534.
 — — — — Bot. Mag. 38, 1556.
 — — — uniflora Burm. Burm. Fl. ind. 14.
Caprificus gigantea Gasp. Rend. Ac. Neap. 1844. 1.
 — — — leucocarpa Gasp. Rend. Ac. Neap. 1844. 2. 3.
† *Caprifoliaceae* Juss. Wight Illustr. 121.
† *Caprifolium alpinum* Gaertn. Gaertn. Carp. 27.
 — — — hispidulum Ldl. Bot. Reg. 21, 1761.
 — — — longiflorum Sab. Bot. Reg. 15, 1232.
 — — — occidentale Ldl. Bot. Reg. 17, 1457.
 — — — pilosum H. B. K. H. B. K. Nov. Gen. 3, 298.
 — — — — Kern. Hort. 598.
 — — — pubescens Goldie. Hook. Exot. Fl. 27.
† — — — xylosteum Gaertn. Gaertn. Carp. 27.
Caproxylon Hedwigii Tuss. Tuss. Ant. 4, 30.
Capsella bursa pastoris Moench. Rchb. Fl. germ. 2, 11.
 — — — — Sturm Flora 15, 66.
 — — — — Dietr. Fl. bor. 9, 600.
 — — — — Baxter Brit. Bot. 3, 191.
† — — — — Nees Gen. X, x.
 — — — pauciflora Koch. Sturm Flora 15, 66.
 — — — — Rchb. Fl. germ. 2, 11.
 — — — procumbens Fries. var. Sturm Flora 15, 66.
 — — — — C. A. M. Rchb. Fl. germ. 2, 11.
† *Capsicum* L. Lam. Encycl. 116.
† — — — Kerner Genera 172.
† — — — Fingerhuth Monogr. 1.
† — — — angulosum Mill. Fingerh. Monogr. 8.
 — — — annuum L. Rheede Hort. mal. 9, 35.
† — — — — Gaertn. Carp. 132.
 — — — — Schk. Handb. 47.
 — — — — Desc. Ant. 6, 422.
† — — — — Fingerh. Monogr. 2.
 — — — — Hayne 10, 24.
 — — — — Nees Düssel. 189.
 — — — — Guimp. et Schl. 16.
 — — — — Woodv. Med. 2, 80.
† — — — — Nees Gen. 5, 57.
 — — — baccatum L. Rumpf Amb. 5, 88. fig. 2.
 — — — — Gil et Xuares 23.
 — — — — Desc. Ant. 6, 423.
† — — — — Fingerh. Monogr. 4.
 — — — bicolor Jacq. Jacq. Fragm. 99.
† — — — — Fingerh. Monogr. 3.
 — — — — Bot. Mag. 43, 1835.
† — — — cerasiforme Willd. Fingerh. Monogr. 5.
† — — — ceratocarpum Fingerh. Fingerh. Monogr. 6.
 — — — cereolum Bert. Novi Comm. Bon. 3, 24.
 — — — chinense Jacq. Jacq. Vind. 3, 67.
† — — — — Fingerh. Monogr. 8.
† — — — conoides Mill. Fingerh. Monogr. 3.
† — — — cordiforme Mill. Fingerh. Monogr. 9. 10.
† — — — fastigiatum Bl. Wight Illustr. 166^b.
 — — — — Wight Ic. pl. Ind. or. 4, 1617.
 — — — frutescens L. Rheede Hort. mal. 2, 56.
 — — — — Rumpf Amb. 5, 88. fig. 1. 3. 4.
 — — — — Lam. Encycl. 116.
 — — — — Gil et Xuares 22.
† — — — — Fingerh. Monogr. 4.
† — — — grossum Willd. Fingerh. Monogr. 5. 6.
† — — — longum DC. Fingerh. Monogr. 6. 7.
† — — — luteum Lam. Fingerh. Monogr. 8.
† — — — microcarpum DC. Fingerh. Monogr. 4.
† — — — ovatum DC. Fingerh. Monogr. 9.
† — — — pendulum Willd. Fingerh. Monogr. 7.

- † *Capsicum pyramidale* Mill. Fingerh. Monogr. 3.
 † — *sinense* Jacq. Fingerh. Monogr. 8.
 † — *sphaericum* Willd. Fingerh. Monogr. 9.
 † — *strictum* Fingerh. Fingerh. Monogr. 5.
 † — *tetragonum* Mill. Fingerh. Monogr. 10.
 — *turbinatum* Desc. Desc. Ant. 6, 423.
 — *ustulatum* Pers. Pers. Mag. 5, 197.
Caracalla Trew. Trew Pl. rar. 10.
 † *Caragana arborescens* Lam. Lam. Encycl. 607.
 — *argentea* Lam. Lam. Encycl. 607.
 — *Bungii* Led. Ledeb. Ic. 464.
 — *ferox* Lam. Lam. Encycl. 607.
 — *frutescens* DC. Sweet Fl. G. 227.
 — *Gerardiana* Royle. Royle Illustr. 34.
 — *pygmaea* DC. Bot. Reg. 12, 1021.
 — *spinosissima* Benth. Jacquemont Ind. 43.
 † *Caragana lingulata* Ldl. Morren Fuchsia 1.
Carapa angustifolia Aubl. Aublet Guiana 224.
 — *glabrata* Mart. Mart. Bras. 65.
 — *latifolia* Aubl. Aublet Guiana 224.
 — *longifolia* Aubl. Aublet Guiana 223.
 — *paniculata* Mart. Mart. Bras. 64.
 — *parvifolia* Aubl. Aublet Guiana 223.
 — *Richardiana* Camb. Mem. Mus. 16, 18.
Carallia ceylanica Arn. var. β . Wight Illustr. 90.
 — *corymbosa* Arn. Rheede Hort. mal. 5, 13.
 — *lanceaefolia* Roxb. Wight Ic. pl. Ind. or. 2, 604.
 — *lucida* Roxb. Roxb. Corom. 211.
 — — Wight Ic. pl. Ind. or. 2, 605.
Caralluma attenuata Wight. Wight Ic. pl. Ind. or. 4, 1268.
 † — — Wight Illustr. 155^b.
 — *crenulata* Wall. Wall. Pl. asiat. 7.
 — — Lodd. Cab. 1774.
 — *fimbriata* Wall. Wall. Pl. asiat. 8.
 — — Lodd. Cab. 1863.
 † — *subulata* Decne. Ann. sc. nat. II. 9, 9.
 † *Caranda pedunculata* Gaertn. Gaertn. Carp. 83.
Carapa guianensis Aubl. Aublet Guiana 387.
 † — — Lam. Encycl. 301.
 — — Desc. Ant. 6, 446.
 † — — Mem. Mus. 19, 20.
 — *moluccensis* DC. Rumpf Amb. 3, 61.
 — *sericea* P. et E. Poepp. et Endl. 245.
 — *surinamensis* Miq. Miquel Surin. 19.
Carapichea guianensis Aubl. Aublet Guiana 64.
 † *Carara Caesalp.* Medicus Gatt. 1.
 † *Cardamine* L. Gray Genera 55.
 — *alpina* Willd. Sturm Flora 7, 28.
 — — Rchb. Fl. germ. 2, 25.
 — *amara* L. All. Fl. ped. 3, 56.
 — — Vill. Dauph. 39.
 † — — Schk. Handb. 187.
 — — Curt. Lond. 1, 131.
 — — Engl. Bot. 14, 1000.
 — — Hayne 5, 31.
 — — Schrank Fl. monac. 4, 361.
 — — Sturm Flora 12, 45.
 — — Rchb. Fl. germ. 2, 27.
 — — Dietr. Fl. bor. 10, 677.
 — *angulata* Hook. Hook. Bot. Misc. 69.
 — *asarifolia* L. Bot. Mag. 42, 1735.
 — — Rchb. Fl. germ. 2, 25.
 — *bellidifolia* L. Linné Fl. lapp. 9.
 — — All. Fl. ped. 3, 18.
 — — Jacq. Misc. 1, 17.
 — — Fl. dan. 1, 20.
 — — Sv. Bot. 772.
 — — Engl. Bot. 33, 2355.
 — *borbonica* Pers. Wight Spicil. 9.
 — — Wight Ic. pl. Ind. or. 3, 941.
 — *carnosa* W. et K. W. et Kit. 129.

- Cardamine carnosa* W. et K. Rchb. Fl. germ. 2, 29.
 — *chelidonia* L. Rchb. Fl. germ. 2, 27.
 — *chenopodifolia* Juss. St. Hil. Fl. bras. 106.
 — *corymbosa* Hook. fil. Hook. Ic. pl. 7, 686.
 — *depressa* Hook. Hook. Fl. ant. 3, 4.
 — *diversifolia* Sternb. et H. Reg. Denkschr. 1, 2.
 — *faröensis* Hornem. Fl. dan. 8, 1392.
 — *geraniifolia* DC. Hook. Fl. ant. 88.
 — *glauca* Spr. Delessert Ic. 2, 31.
 † — *graeca* L. Gaertn. Carp. 143.
 † — — Lam. Encycl. 562.
 — — Sibth. Fl. gr. 631.
 — *granulosa* All. Rchb. Fl. germ. 2, 28.
 — *hastulata* Sm. Engl. Bot. 7, 469.
 — — Fl. dan. 9, 1462.
 — *hederacea* DC. Delessert Ic. 2, 30.
 — *heterophylla*? Hook. Hook. Ic. pl. 1, 58.
 — *hirsuta* L. Scop. Fl. carn. 2, 38.
 — — Fl. dan. 1, 148.
 — — Curt. Lond. 2, 37.
 — — Engl. Bot. 7, 492.
 — — Schk. Handb. 187.
 — — Sturm Flora 12, 45.
 — — Rchb. Fl. germ. 2, 26.
 — *Impatiens* L. Fl. dan. 5, 735.
 — — Fl. dan. 8, 1339.
 — — Engl. Bot. 2, 80.
 † — — Schk. Handb. 187.
 — — Sturm Flora 12, 45.
 — — Rchb. Fl. germ. 2, 26.
 — *indica* Burm. Belanger Ind. or. 9.
 — *intermedia* Hornem. Fl. dan. 10, 1762.
 — — Hook. Hook. Ic. pl. 3, 258.
 — *lenensis* Led. Ledeb. Ic. 288.
 — *Lunaria Gouan.* Gouan Hortus 2.
 — *macrophylla* DC. Ledeb. Ic. 146.
 — *maritima* Portschl. Portenschlag Dalm. 11.
 — — Delessert Ic. 2, 32.
 — — Rchb. Fl. germ. 2, 29.
 — *parviflora* L. Sv. Bot. 568.
 — — Rchb. Fl. germ. 2, 26.
 — — Sturm Flora 12, 45.
 — *petiolaris* DC. Delessert Ic. 2, 30.
 — *petraea* L. Lightf. Fl. scot. 1, 15.
 — — Fl. dan. 3, 386.
 — — Sv. Bot. 576.
 — *picta* Hook. Hook. Lond. J. 1847, 12.
 — *Plumieri* Vill. Vill. Dauph. 38.
 — *pratensis* L. Fl. dan. 6, 1039.
 † — — Lam. Encycl. 562.
 — — Curt. Lond. 3, 48.
 — — Engl. Bot. 11, 776.
 — — Sv. Bot. 359.
 † — — Schk. Handb. 187.
 — — Dreves 1, 15.
 — — Hayne 5, 30.
 — — Schrank Fl. monac. 3, 219.
 — — var. Sturm Flora 2, 8, 12, 45.
 — — Dietr. Fl. bor. 10, 678.
 — — Rchb. Fl. germ. 2, 28.
 — — Woodv. Med. 3, 143.
 — — Baxter Brit. Bot. 2, 141.
 — — var. uniflora, Reg. Denkschr. 1, 2.
 † — — Roem. Arch. II. 1, 2.
 † — — Godron Descr. monstr. 1.
 — *radicata* Hook. fil. Hook. Ic. pl. 9, 882.
 — *resedifolia* L. All. Fl. ped. 3, 57.
 — — Jacq. Fl. austr. 5, 21.
 — — Hook. Exot. Fl. 54.
 — — Sturm Flora 7, 28.
 — — Rchb. Fl. germ. 2, 26.
 — *rhomboidea* DC. Hook. Bot. Misc. 108.

- Cardamine rhomboidea* DC. Gray Genera 55.
 — *rotundifolia* Michx. Hook. Bot. Misc. 109.
 — *scutata* Thunb. Thunb. Fl. jap. 29.
 — *silvatica* Lk. Rehb. Fl. germ. 2, 26.
 — — Sturm Flora 12, 45.
 — *stellata* Hook. Hook. Fl. ant. 4.
 — *stolonifera* Scop. Scop. Fl. carn. 2, 39.
 — *thalictroides* All. All. Fl. ped. 3, 57.
 — — Rehb. Fl. germ. 2, 25.
 — *trifolia* L. Jacq. Fl. austr. 1, 27.
 — — Bot. Mag. 13, 452.
 — — Sturm Flora 7, 28.
 — — Rehb. Fl. germ. 2, 25.
 — *tuberosa* DC. Delessert Ic. 2, 29.
Cardamomum malabaricum Salisb. Linn. Tr. 10, 4, 5.
Cardaria Draba Desv. Rehb. Fl. germ. 2, 9.
Cardiandra alternifolia S. et Zucc. Sieb. Japon. 65, 66.
† *Cardioclauena macrophylla* Fée. Fée Fil. 5, 24.
Cardionema multicaule DC. DC. Paron. 1.
Cardiophora Hindsii Benth. Benth. Sulphur 56.
Cardiopteris javanica Bl. Blume Rumphia 177.
 — *lobata* Wall. Bennett Java 49.
 — *moleucana* Bl. Blume Rumphia 177.
† *Cardiospermum* L. Gray Genera 181.
 — *anomalum* Juss. St. Hil. Fl. Bras. 73.
 — *canescens* Wall. Wall. Pl. asiat. 14.
 — — Wight Ic. pl. Ind. or. 1, 74.
† — *coluteoides* H. B. K. Mem. Mus. 18, 1.
 — *elegans* H. B. K. H. B. K. Nov. Gen. 5, 439.
 — *Halicacabum* L. Rheede Hort. mal. 8, 28.
 — — Rumpf Amb. 6, 24.
† — — Gaertn. Carp. 79.
† — — Lam. Encycl. 317.
 — — Bot. Mag. 26, 1049.
 — — Desc. Ant. 4, 241.
† — — Mem. Mus. 18, 1.
 — — Wight Ic. pl. Ind. or. 2, 508.
 — — Gray Genera 181.
 — *tortuosum* Benth. Benth. Sulphur 6.
Cardopatum amethystinum Spach. Explor. Alger. 56.
Carduncellus Monspeliensis All. Rehb. Fl. germ. 15, 747.
Cardunculus hispanicus Boiss. Boissier Esp. 108.
 — *lanatus* Moris. Rehb. Fl. germ. 15, 746.
† *Carduus* L. Mutel Fl. fr. 32, 33.
 — *acanthoides* L. Curt. Lond. 3, 75.
 — — Fl. dan. 8, 1341.
 — — Schk. Handb. 228.
 — — Jacq. Fl. austr. 3, 249.
 — — Engl. Bot. 14, 973.
 — — Rehb. Ic. crit. 10, 988—990.
 — — Dietr. Fl. bor. 12, 802.
 — *acaulis* L. Fl. dan. 7, 1114.
 — — Jacq. Ic. 579.
 — *afer* Jacq. Jacq. Schoenbr. 2, 145.
 — *affinis* Guss. Gussone Pl. rar. 57.
 — *alatus* Don. Sweet Fl. G. 103.
 — *alpestris* W. et K. W. et Kit. 267.
 — *antarcticus* Vill. Vill. Dauph. 19.
 — *arabicus* L. Jacq. Ic. 166.
 — *arenarius* Desf. Desf. Fl. atl. 222.
 — *argentatus* L. Jacq. Vind. 192.
 — *argyrea* Biv. Rehb. Ic. crit. 5, 449.
 — *arvensis* L. Liboschitz Pet. 6.
 — *atriplicifolius* Trev. Rehb. Hort. 18.
 — *aurosicus* Vill. Vill. Dauph. 20.
 — *baeocephalus* Webb. Webb Canar. 112.
 — *bicolor* Vis. Visiani Dalm. 49.
 — *candicans* W. et K. W. et Kit. 83.
 — *canus* L. Jacq. Fl. austr. 1, 42, 43.
 — *carlinoides* Gouan. Gouan Ill. 23.
 — *Casabonae* L. Schmidel Ic. 51, 52.

- Carduus cephalanthus* Viv. Moris Fl. sard. 90.
 — *chius* Jacq. Jacq. Vind. 3, 5.
 — *chrysacanthus* Ten. Tenore Fl. nap. 188.
 — *cichoraceus* Cir. Cirillo Pl. rar. 2, 7.
 — — Tenore Fl. nap. 191.
 — *ciliatus* Murr. Comm. Gott. 6, 5.
 — *clavulatus* Lk. Webb Canar. 113.
 — *collinus* W. et K. W. et Kit. 232.
 — *corymbosus* Ten. Tenore Fl. nap. 188.
 — *crispus* L. Fl. dan. 4, 621.
† — — Schk. Handb. 228.
! — — Schrank Fl. monac. 3, 281.
! — — Linnaea 11, 6.
 — — Huds. Dietr. Fl. bor. 10, 715.
† — — cyanoides L. Schk. Handb. 228.
 — — Spr. Sprengel Fl. hal. 11.
 — *defloratus* L. Jacq. Fl. austr. 1, 89.
 — — Schrank Fl. monac. 4, 358.
 — *diacantha* Lab. Bill. Syr. 2, 3.
 — *eriphorus* L. Jacq. Fl. austr. 2, 171.
 — *erisithales* Jacq. Jacq. Obs. 17.
 — *flavescens* L. Cav. Ic. 46.
 — *giganteus* Desf. Desf. Fl. atl. 221.
 — *glaucus* Cav. Cav. Ic. 226.
 — *glycacanthus* Sibth. Sibth. Fl. gr. 826.
 — *gnaphaloides* Cir. Cirillo Pl. rar. 1, 9.
 — *hamulosus* Ehrh. W. et Kit. 233.
 — *heterophyllus* L. Fl. dan. 1, 109.
 — *Hippolyti* Bory. Bory et Chamb. Mor. 29.
 — *lanceolatus* L. Fl. dan. 7, 1173.
† — — leptocladus Durieu. Explor. Alger. 50.
 — *leucanthus* Cav. Cav. Ic. 165.
† — — leucographus L. Gaertn. Carp. 162.
† — — Lam. Encycl. 663.
 — — All. Fl. ped. 3, 73.
 — — Jacq. Vind. 3, 23.
 — *litigiosus* Nocca. Nocca et Balb. Fl. tic. 12.
 — *lycopifolius* Vill. Vill. Dauph. 19.
 — *macrocephalus* Desf. Explor. Alger. 50.
 — *Marianus* L. Curt. Lond. 3, 62.
 — — Engl. Bot. 14, 976.
† — — Schk. Handb. 228.
 — — Hayne 7, 31.
 — — Nees Düssel. 221.
 — *medius* Gouan. Gouan Ill. 24.
 — *microcephalus* Gaud. Tenore Fl. nap. 246.
 — *mollis* Poll. Jacq. Fl. austr. 1, 18.
 — — L. Sprengel Fl. hal. 11.
† — — myriacanthus Salz. Explor. Alger. 50.
 — *neglectus* Ten. Tenore Fl. nap. 187.
 — *nigrescens* Vill. Vill. Dauph. 20.
 — — Jord. Obs. 3, 8.
 — *nitidus* W. et K. W. et Kit. 52.
 — *numidicus* Durieu. Explor. Alger. 49.
 — *nutans* L. Fl. dan. 4, 675.
† — — Schk. Handb. 228.
 — — Engl. Bot. 16, 1112.
 — — Schrank Fl. monac. 3, 263.
 — — Dietr. Fl. bor. 8, 546.
 — — Baxter Brit. Bot. 3, 177.
 — *Personata* Jacq. All. Fl. ped. 3, 35.
 — — Jacq. Fl. austr. 4, 348.
† — — personatus Gaertn. Gaertn. Carp. 162.
 — *pinnatifidus* Cav. Cav. Ic. 83.
† — — Lam. Encycl. 663.
 — *podacantha* DC. Rehb. Ic. crit. 5, 426.
† — — pteracanthus Durieu. Explor. Alger. 50.
 — *pumilus* Vill. Vill. Dauph. 20.
 — *pycnocephalus* L. Jacq. Vind. 44.
† — — Schk. Handb. 228.
 — *pygmaeus* Jacq. Jacq. Enum. vind. 8.
 — *pyrenaicus* Gouan. Jacq. Obs. 95.

- Carduus radiatus* W. et K. W. et Kit. 11.
 — *rivularis* Jacq. Jacq. Fl. austr. 1, 91.
 — *Roseni* Vill. Vill. Dauph. 21.
 — *sardous* DC. Moris Fl. sard. 89.
 — *seminudus* M. v. B. Marschall Cent. 75.
 — *serratuloides* Jacq. Jacq. Fl. austr. 2, 127.
 — *Spachianus* Durieu. Explor. Alger. 51.
 — *spinigerus* Jord. Jord. Obs. 3, 8.
 — *sumanus* Poll. Poll. Fl. ver. 2, 6.
 — *tartaricus* L. Jacq. Fl. austr. 1, 90.
 — *tenuiflorus* Curt. Curt. Lond. 2, 33.
 — — Fl. dan. 12, 2058.
 — — Sm. Engl. Bot. 6, 412.
 — — Rechb. Ic. crit. 8, 723.
 — *virginianus* L. Jacq. Obs. 99.
 — *vivariensis* Jord. Jord. Obs. 3, 8.
 — *wolgensis* Willd. Marschall Cent. 44.
 † *Carex* L. (Leers.) Leers Fl. herb. 14—16.
 † — (Wahlenberg.) König Ann. 2, 8.
 † — (Kunth.) Wiegmann Archiv 2, 5.
 — *acaulis* Brongn. Brongniart Coquille 28.
 — *acuminata* Willd. Schk. Handb. 286 Cccc.
 — — Rechb. Rechb. Fl. germ. 8, 267.
 — *acuta* L. Curt. Lond. 2, 11.
 — — Schk. Handb. 286 Ec. 286 Ff.
 — — Host Gram. 93.
 — — Engl. Bot. 6, 580.
 — — Sv. Bot. 408.
 — — Sturm Monogr. 85.
 — — Rechb. Fl. germ. 8, 231. 232. 233.
 — — Fl. dan. 13, 2247.
 — *aestivalis* Curtis. Kunze Car. 28.
 — *aethiopica* Schk. Schk. Handb. 286 Z.
 — *aethostachya* Schk. Schk. Handb. 286 Llll.
 — *agastachys* Ehrh. Sturm Monogr. 63.
 — *alba* Scop. Schk. Handb. 286 O.
 — — Host Gram. 39.
 — — Sturm Monogr. 36.
 — — Rechb. Fl. germ. 8, 239.
 — *allosepis* caespitoso-acuta Rechb. Rechb. Fl. germ. 8, 233.
 — *alpina* Sm. Fl. dan. 3, 403.
 — *ambigua* Lk. Schk. Handb. 286 Bbb.
 — *amplifolia* Boott. Hook. Bor. Am. 226.
 — *ampullacea* Good. Engl. Bot. 11, 780.
 — — Schk. Handb. 286 Tt.
 — — Host Gram. 99.
 — — Sturm Monogr. 96.
 — — Rechb. Fl. germ. 8, 277.
 — — Fl. dan. 13, 2248.
 — *anceps* Mühlenb. Schk. Handb. 286 Fff.
 — *antucensis* Kze. Kunze Car. 13.
 — *aperta* Boott. Hook. Bor. Am. 219.
 — *appressa* R. Br. Kunze Car. 11.
 — *approximata* Hoppe. Schk. Handb. 286 Iii.
 — *aquatilis* Wahlbg. Engl. Bot. 2758.
 — — Rechb. Fl. germ. 8, 234.
 — — Silliman Journ. 10, 2.
 — *arctica* Dew. Silliman Journ. 27, 5.
 — *arenaria* L. Meier Monogr. 0.
 — — Schk. Handb. 286 B. 286 Dd.
 — — Sv. Bot. 156.
 — — Engl. Bot. 13, 928.
 — — Host Gram. 49.
 — — Hueser Monogr. 0.
 — — Fl. dan. 10, 1766.
 — — Sturm Monogr. 99.
 — — Hayne 5, 7.
 — — Guimp. et Schl. 5.
 — — Nees Düsseldorf. 26.
 — — Rechb. Fl. germ. 8, 209.
 — *argyroglochin* Hornem. Fl. dan. 10, 1710.

- Carex argyroglochin* Hornem. Sturm Monogr. 53.
 — — Rechb. Fl. germ. 8, 211.
 — *aristata* Dew. Silliman Journ. 9, A.
 — — R. Br. Silliman Journ. 27, 5.
 — *aspera* Willd. Mem. Ac. Berl. 1794, 3.
 — — Willd. Fl. berol. 1.
 — *aterrima* Hoppe. Sturm Monogr. 12.
 — — Rechb. Fl. germ. 8, 236.
 — *atrata* L. Fl. dan. 1, 158.
 — — Engl. Bot. 29, 2044.
 — — Sv. Bot. 754.
 — — Schk. Handb. 286 X.
 — — Host Gram. 88.
 — — Sturm Monogr. 11.
 — — Rechb. Fl. germ. 8, 237.
 — *atrofusca* Schk. Schk. Handb. 286 Y.
 — — Rechb. Fl. germ. 8, 250.
 — *aurea* Nutt. Kunze Car. 46.
 — *austriaca* Schk. Schk. Handb. 286 Qqq.
 — *axillaris* Good. Linn. Tr. 2, 19.
 — — Engl. Bot. 14, 993.
 — — Schk. Handb. 286 R.
 — — Roemer Arch. II. 2, 1.
 — — Sturm Monogr. 54.
 — — Rechb. Fl. germ. 8, 219.
 — *Backana* Dew. Silliman Journ. 29, 3.
 — *Backii* Boott. Hook. Bor. Am. 209.
 — — Silliman Journ. 49, 1.
 — *baldensis* L. Vill. Dauph. 6.
 — — Schk. Handb. 286 Y.
 — — Host Gram. 380.
 — — Sturm Monogr. 8.
 — — Rechb. Fl. germ. 8, 224.
 — *Baldwinia* Dew. Silliman Journ. 26, T.
 — *Banksii* Boott. Hook. Fl. ant. 142.
 — *basilaris* Jord. Jord. Obs. 3, 12.
 — *Bellardi* All. All. Fl. ped. 3, 92.
 — — Schk. Handb. 286 D.
 — — Host Gram. 378.
 — — Fl. dan. 9, 1529.
 — *Bertolonii*-Schk. Schk. Handb. 286 Rrrr.
 — *bicolor* All. Schk. Handb. 286 Aaaa.
 — — Sv. Bot. 701.
 — — Fl. dan. 12, 2122.
 — — Sturm Monogr. 7.
 — — Rechb. Fl. germ. 8, 225.
 — *biligularis* DC. Cosson Atlas 35.
 — *bina* Schk. Schk. Handb. 286 G.
 — *binervis* Willd. Schk. Handb. 286 Rrr.
 — — Sm. Engl. Bot. 18, 1233.
 — — Sturm Monogr. 57.
 — — Rechb. Fl. germ. 8, 235.
 — *bipartita* All. All. Fl. ped. 3, 89.
 — *bispicata* Hook. Hook. Beechey 28.
 — *blepharophora* Gray. Silliman Journ. 1830, 1.
 — *Boenninghausenia* Weihe. Sturm Monogr. 55.
 — — Rechb. Fl. germ. 8, 219.
 — — Engl. Bot. 2910.
 — — Fl. dan. 13, 2300.
 — — Kunze Car. 22.
 — *bohemia* Schreb. Schreb. Gr. 28.
 — *Boryana* Schk. Schk. Handb. 286 Gggg.
 — *brachystachys* Schrank. Schk. Handb. 286 P.
 — — Sturm Monogr. 45.
 — — Rechb. Fl. germ. 8, 241.
 — *bracteosa* Kze. Kunze Car. 2.
 — *brevicollis* DC. Kunze Car. 4.
 — — Rechb. Fl. germ. 8, 244.
 — *brevifolia* Host. Host Gram. 390.
 — *brizoides* L. Schk. Handb. 286 C. U.
 — — Host Gram. 47.
 — — Sturm Monogr. 22.

- Carex* *brizoides* L. Rchb. Fl. germ. 8, 207.
 — — — Fl. dan. 13, 2180.
 — *Brizopyrum* Kze. Kunze Car. 43.
 — *bromoides* Schk. Schk. Handb. 286 Xxx.
 — *brunnea* Thunb. Schk. Handb. 286 Xx.
 — *Buckleyi* Dew. Silliman Journ. 48, 1.
 — *bullata* Schk. Schk. Handb. 286 Uun.
 — *Buxbaumii* Wahlenb. Fl. dan. 8, 1406.
 — — — Engl. Bot. 2885.
 — — — Sturm Monogr. 73.
 — — — Rchb. Fl. germ. 8, 235.
 — *caespitosa* L. Willd. Fl. berol. 2.
 — — — Linn. Transact. 2, 21.
 — — — Host Gram. 91.
 — — — Schk. Handb. 286 Aa. 286 Bb.
 — — — Roemer Arch. II. 2, 3.
 — — — Fl. dan. 8, 1281.
 — — — Sturm Monogr. 29.
 — — — Rchb. Fl. germ. 8, 229.
 — — — Dict. sc. nat. 15.
 — — — Engl. Bot. 21, 1507.
 — — — Sv. Bot. 222.
 — *campestris* Host. Host Gram. 389.
 — *canescens* L. Fl. dan. 2, 285.
 — — — Host Gram. 57.
 — — — Sturm Monogr. 24.
 — — — Rchb. Fl. germ. 8, 206.
 — *capensis* Thunb. Schk. Handb. 286 Bbbb.
 — *capillaris* L. Scop. Fl. carn. 2, 59.
 — — — Fl. dan. 1, 168.
 — — — Schk. Handb. 286 O.
 — — — Host Gram. 62.
 — — — Sturm Monogr. 46.
 — — — Rchb. Fl. germ. 8, 241.
 — — — Engl. Bot. 29, 2069.
 — *capitata* L. Schk. Handb. 286 Y.
 — — — Fl. dan. 3, 372. 12, 2060.
 — — — Sturm Monogr. 18.
 — — — Rchb. Fl. germ. 8, 195.
 — *Careyana* Torr. Kunze Car. 27.
 — — — Torrey New York 145.
 — — — Silliman Journ. 1830, 2.
 — *Carltonia* Dew. Silliman Journ. 27, 5.
 — *caroliniana* Buckl. Silliman Journ. 48, 1.
 — *cephalophora* Wahlenb. Schk. Handb. 286 Hhh.
 — *chordorrhiza* L. Schk. Handb. 286 G. li.
 — — — Fl. dan. 8, 1408.
 — — — Sturm Monogr. 49.
 — — — Ehrh. Rchb. Fl. germ. 8, 200.
 — *ciliata* Willd. Mem. Ac. Berl. 1794, 3.
 — — — Host Gram. 384.
 — — — Schk. Handb. 286 I.
 — *clandestina* Good. Schk. Handb. 286 K.
 — — — Engl. Bot. 30, 2124.
 — *clavaeformis* Hoppe. Sturm Monogr. 80.
 — — — Rchb. Fl. germ. 8, 270.
 — *clavata* Thunb. Kunze Car. 17.
 — *Columbiana* Dew. Silliman Journ. 1830, 2.
 — *compacta* R. Br. Silliman Journ. 27, 5.
 — *conglobata* Kit. Kunze Car. 3.
 — — — Rchb. Fl. germ. 8, 264.
 — *conoidea* Schk. Schk. Handb. 286 Vvv.
 — *contigua* Hoppe. Sturm Monogr. 66.
 — *Cooleyi* Dew. Silliman Journ. 48, 2.
 — *crassa* Ehrh. Host Gram. 93.
 — *crinita* Lam. Schk. Handb. 286 Eee. 286 Ttt.
 — — — Torrey New York 143.
 — *cristata* Schweinitz. Kunze Car. 44.
 — *crus corvi* Shuttlew. Kunze Car. 32. 42.
 — *cryptocarpa* Meyer. Silliman Journ. 29, 1.
 — *cryptostachys* Brongn. Brongniart Coquille 25.
 — *curta* Good. Mem. Ac. Berl. 1794, 2.

- Carex* *curta* Good. Schk. Handb. 286 C.
 — — — Host Gram. 48.
 — — — Engl. Bot. 20, 1386.
 — *curvirostris* Kze. Kunze Car. 20.
 — *curvula* All. All. Fl. ped. 3, 92.
 — — — Schk. Handb. 286 D. Hh.
 — — — Host Gram. 278.
 — — — Sturm Monogr. 9.
 — — — Rchb. Fl. germ. 8, 201.
 — — — Cesati Stimp. ital. 0.
 — — — var. *mirabilis* Schleich. Cesati Stimp. ital. 0.
 — *cuspidata* Wahlenb. Host Gram. 97.
 — *cyperoides* L. Schk. Handb. 286 A.
 — — — Host Gram. 43.
 — — — Fl. dan. 9, 1465.
 — — — Sturm Monogr. 52.
 — — — Rchb. Fl. germ. 8, 224.
 — *Darwinii* Boott. Hook. Fl. ant. 144.
 — *dasycarpa* Mühlbg. Elliott Carol. 12.
 — *Davalliana* Sm. Engl. Bot. 30, 2123.
 — — — Sturm Monogr. 17.
 — — — Rchb. Fl. germ. 8, 194.
 — *decomposita* Mühlbg. Torrey New York 142.
 — *demissa* Hornem. Fl. dan. 8, 1342.
 — *depauperta* Sm. Curt. Lond. 1, 77.
 — — — Engl. Bot. 16, 1098.
 — — — Rchb. Fl. germ. 8, 256.
 — *depressa* Lk. Schk. Handb. 286 Ccc.
 — *Deweyana* Schw. Silliman Journ. 9, 3.
 — *digitata* L. Host Gram. 60.
 — — — Schk. Handb. 286 H.
 — — — Fl. dan. 9, 1466.
 — — — Engl. Bot. 9, 615.
 — — — Sturm Monogr. 75.
 — — — Rchb. Fl. germ. 8, 240.
 — *dioica* L. Fl. dan. 3, 369.
 — — — Schk. Handb. 286 A. 286 Q. 286 W.
 — — — Host Gram. 41.
 — — — Engl. Bot. 8, 543.
 — — — Sv. Bot. 551.
 — — — Sturm Monogr. 97.
 — — — Rchb. Fl. germ. 8, 194.
 — *disperma* Dewey. Silliman Journ. 9, 1.
 — — — Kunze Car. 33.
 — *distans* L. Fl. dan. 6, 1049.
 — — — Host Gram. 77.
 — — — Schk. Handb. 286 T. Yy.
 — — — Engl. Bot. 18, 1234.
 — — — Sturm Monogr. 41.
 — — — Rchb. Fl. germ. 8, 253. 254.
 — — — Cosson Atlas 35.
 — *diversiflora* Host. Host Gram. 70.
 — *divisa* Good. Fl. dan. 3, 371.
 — — — Linn. Transact. 2, 19.
 — — — Schk. Handb. 286 R.
 — — — Roemer Archiv II. 2, 1.
 — — — Engl. Bot. 16, 1096.
 — — — Rchb. Fl. germ. 8, 205.
 — *divulsa* Good. Schk. Handb. 286 Dd. 286 Ww.
 — — — Host Gram. 55.
 — — — Engl. Bot. 9, 629.
 — — — Fl. dan. 8, 1280.
 — — — Sturm Monogr. 83.
 — — — Rchb. Fl. germ. 8, 220.
 — *Douglasii* Boott. Hook. Bor. Am. 214.
 — *Drumondiana* Dew. Silliman Journ. 29, 3.
 — *Drymeia* Ehrh. Mem. Ac. Berl. 1794, 3.
 — — — Sturm Monogr. 62.
 — *Duriei* Steud. Kunze Car. 38.
 — *eburnea* Boott. Hook. Bor. Am. 225.
 — *echinochloë* Kze. Kunze Car. 12.

- Carex* *Ecklonii* *N. v. E.* Kunze Car. 5.
 — *elegans* *Willd.* Willd. Fl. berol. 1.
 — *elongata* *L.* Schk. Handb. 286 E.
 — — Host Gram. 279.
 — — Fl. dan. 7, 1236.
 — — Engl. Bot. 27, 1920.
 — — Sturm Monogr. 26.
 — — Rchb. Fl. germ. 8, 218.
 — *emarginata* *Schk.* Schk. Handb. 286 Ooo.
 — *enervis* *Led.* Ledeb. Ic. 349.
 — *ericetorum* *Pollich.* Fl. dan. 10, 1765.
 — — Sturm Monogr. 86.
 — — Rchb. Fl. germ. 8, 262.
 — *erinacea* *Cav.* Cav. Ic. 464.
 — — Schk. Handb. 286 Nnnn.
 — *erythrostachys* *Hoppe.* Sturm Monogr. 107.
 — — Rchb. Fl. germ. 8, 270.
 — *evoluta* *Hartm.* Sturm Monogr. 108.
 — — Rchb. Fl. germ. 8, 267.
 — — Kunze Car. 7.
 — *excelsa* *Poepp.* Kunze Car. 19.
 — *exilis* *Devey.* Silliman Journ. 14, Q.
 — — Kunze Car. 41.
 — *extensa* *Good.* Linn. Transact. 2, 21.
 — — Roemer Archiv II. 2, 3.
 — — Schk. Handb. 286 V. 286 Xx.
 — — Host Gram. 73.
 — — Fl. dan. 10, 1709.
 — — Engl. Bot. 12, 833.
 — — Sturm Monogr. 89.
 — — Rchb. Fl. germ. 8, 274.
 — *fasciculata* *Lk.* Schk. Handb. 286 Zz.
 — *ferruginea* *Schk.* Schk. Handb. 286 M.
 — — Sturm Monogr. 43.
 — — Rchb. Fl. germ. 8, 247.
 — — *Host.* Host Gram. 81.
 — — *Scop.* Rchb. Fl. germ. 8, 248.
 — *festiva* *Dewey.* Silliman Journ. 29, 1.
 — — Kunze Car. 45.
 — *festucea* *Schk.* Schk. Handb. 286 Www.
 — *filifolia* *Nutt.* Hook. Ic. pl. 5, 448.
 — *filiformis* *L.* Linn. Transact. 2, 20.
 — — Roemer Archiv II. 2, 2.
 — — Engl. Bot. 13, 904.
 — — ? Fl. dan. 6, 1048.
 — — Fl. dan. 8, 1344.
 — — Schk. Handb. 286 K.
 — — Host Gram. 86.
 — — Sturm Monogr. 35.
 — — Rchb. Fl. germ. 8, 265.
 — *fimbriata* *Schk.* Schk. Handb. 286 Uuu.
 — — Rchb. Fl. germ. 8, 248.
 — *firma* *Host.* Host Gram. 75.
 — — Schk. Handb. 286 O. Y.
 — — Sturm Monogr. 90.
 — — Rchb. Fl. germ. 8, 247.
 — *flacca* *Schreb.* Schk. Handb. 286 O. 286 P. 286 Zz.
 — — Host Gram. 90.
 — *flava* *L.* Fl. dan. 6, 1047.
 — — Schk. Handb. 286 F. 286 H.
 — — Lam. Encycl. 752.
 — — Engl. Bot. 18, 1294.
 — — Host Gram. 63.
 — — Sturm Monogr. 87.
 — — Rchb. Fl. germ. 8, 273.
 — — *Nees* Gen. 2, 1.
 — — var. *Cosson* Atlas 35.
 — *flavescens* *Host.* Host Gram. 397.
 — *flexilis* *Rudge.* Linn. Transact. 7, 10.
 — *flexuosa* *Schk.* Schk. Handb. 286 Aaaa. 286 Ddd.
 — *Floresiana* *Hochst.* Seubert Fl. azor. 3.
 — *floridana* *Schw.* Silliman Journ. 10, 4.

- Carex* *foetida* *All.* Schk. Handb. 286 Hh.
 — — Sturm Monogr. 2.
 — — Rchb. Fl. germ. 8, 199.
 — *folliculata* *L.* Schk. Handb. 286 N.
 — — Linn. Transact. 7, 9.
 — *formosa* *Dew.* Silliman Journ. 9, B.
 — *Frankii* *Kth.* Kunze Car. 9.
 — *Franklinii* *Boott.* Hook. Bor. Am. 218.
 — *Fraseri* *Andr.* Andr. Rep. 10, 639.
 — — Bot. Mag. 34, 1391.
 — *frigida* *All.* Host Gram. 391.
 — — Sturm Monogr. 42.
 — — Rchb. Fl. germ. 8, 250.
 — *fuliginosa* *Schk.* Schk. Handb. 286 Cc.
 — — Host Gram. 394.
 — — Sturm Monogr. 13.
 — — Regensb. Denkschr. 1, 3.
 — — Rchb. Fl. germ. 8, 249.
 — — *Sternb. et H.* Kunze Car. 14.
 — *fulva* *Good.* Linn. Transact. 2, 20.
 — — Roemer Archiv II. 2, 2.
 — — Host Gram. 396.
 — — Fl. dan. 10, 1768.
 — — Engl. Bot. 18, 1295.
 — — Sturm Monogr. 93.
 — — Rchb. Fl. germ. 8, 252.
 — *fulvicoma* *Dewey.* Silliman Journ. 29, 3.
 — *fusca* *Schk.* Schk. Handb. 286 Cc. 286 T.
 — *fuscula* *Brongn.* Brongniart Coquille 28.
 — *Gaudiniana* *Guthn.* Sturm Monogr. 100.
 — — Rchb. Fl. germ. 8, 202.
 — *Gebhardi* *Schk.* Schk. Handb. 286 Hhhh.
 — — *Willd.* Rchb. Fl. germ. 8, 218.
 — — *Hoppe.* Sturm Monogr. 25.
 — — Rchb. Fl. germ. 8, 206.
 — *geminata* *Schk.* Schk. Handb. 286 Pp. 286 W.
 — *geniculata* *Host.* Host Gram. 395.
 — *Geyeri* *Boott.* Kunze Car. 47.
 — *Gibsoni* *Bab.* Jardine Annals 11, 5.
 — *gigantea* *Rudge.* Linn. Transact. 7, 10.
 — *glareosa* *Wahlenb.* Sv. Bot. 645.
 — — Schk. Handb. 286 Aaa.
 — *glauca* *Scop.* Fl. dan. 6, 1051.
 — — Sturm Monogr. 47.
 — — Rchb. Fl. germ. 8, 269.
 — *globularis* *L.* Fl. dan. 3, 443.
 — — Schk. Handb. 286 Eeee. 286 Gg.
 — — *Willd.* Mem. Ac. Berl. 1794, 2.
 — *glomerata* *Schk.* Schk. Handb. 286 I.
 — — *Host.* Host Gram. 44.
 — *Gmelini* *Hook.* Hook. Beechey 27.
 — *gracilis* *Ehrh.* Schk. Handb. 286 E.
 — *gracillima* *Schweinitz.* Kunze Car. 8.
 — *Grahami* *Boott.* Engl. Bot. 2923.
 — *granularioides* *Schw.* Silliman Journ. 9, 1.
 — *granularis* *Mühlbg.* Schk. Handb. 286 Vvv.
 — *Greeniana* *Dewey.* Silliman Journ. 1830, 2.
 — *Griotelii* *Roemer.* Schk. Handb. 286 Rrrr.
 — *Grossekii* *Heuff.* Rchb. Fl. germ. 8, 198.
 — *Grypus* *Schk.* Schk. Handb. 286 Hhhh.
 — — Sturm Monogr. 84.
 — — Rchb. Fl. germ. 8, 203.
 — *guestphalica* *Boenn.* Rchb. Fl. germ. 8, 220.
 — *Guthnickiana* *Gay.* Kunze Car. 1.
 — *gynobasis* *Vill.* Schk. Handb. 286 G.
 — — Sturm Monogr. 16.
 — — Rchb. Fl. germ. 8, 259.
 — *gynocrates* *Wormsk.* Kunze Car. 31.
 — *gynomane* *Bertol.* Rchb. Fl. germ. 8, 258.
 — *Halleriana* *Asso.* Asso Aragon. 9.
 — *Heleonastes* *Ehrh.* Schk. Handb. 286 Ii.
 — — Sturm Monogr. 6.

- Carex* *Heleonastes* Ehrh. Rchb. Fl. germ. 8, 204.
 — *helodes* Lk. Schk. Handb. 286 Bbb.
 — *Hepburnii* Boott. Hook. Bor. Am. 207.
 — *hermaphrodita* Jacq. Jacq. Ic. 615.
 — *hirsuta* Willd. Schk. Handb. 286 Ww.
 — *hirta* L. Schk. Handb. 286 Uu.
 — — Fl. dan. 3, 379. 425. 10, 1711.
 — — Engl. Bot. 10, 685.
 — — Host Gram. 96.
 — — Hayne 5, 9.
 — — Nees Düssel. 27.
 — — Sturm Monogr. 64.
 — — Rchb. Fl. germ. 8, 257.
 — *hispida* Willd. Schk. Handb. 286 S.
 — *Hitchcockiana* Dewey. Silliman Journ. 10, 2.
 — *Hochstetteriana* Gay. Kunze Car. 34.
 — — Seubert Fl. azor. 2.
 — *Hoodii* Boott. Hook. Bor. Am. 211.
 — — Silliman Journ. 49, 1.
 — *Hookeriana* Dewey. Hook. Bor. Am. 212.
 — — Silliman Journ. 29, 2.
 — *Hoppneri* Boott. Hook. Bor. Am. 220.
 — — Silliman Journ. 49, 1.
 — *hordeiformis* Host. Schk. Handb. 286 S.
 — — Host Gram. 76.
 — — Wahlbg. Sturm Flora 57.
 — *hordeistichos* Vill. Vill. Dauph. 6.
 — — Schk. Handb. 286 Ddd.
 — — Rchb. Fl. germ. 8, 257.
 — *Hornschuchiana* Hoppe. Sturm Monogr. 92.
 — — Fl. dan. 13, 2249.
 — — Rchb. Fl. germ. 8, 252.
 — — Cosson Atlas 35.
 — *Houghtoniana* Torr. Silliman Journ. 1830, 2.
 — *humilis* Leyss. Host Gram. 67.
 — — Sturm Monogr. 103.
 — — Rchb. Fl. germ. 8, 239.
 — *hyperborea* Drejer. var. Fl. dan. 14, 2482. 2483.
 — *hystericina* Willd. Schk. Handb. 286 Fff.
 — *japonica* Thunb. Schk. Handb. 286 Ww.
 — *incurva* Lightf. Lightf. Fl. scot. 2, 24.
 — — Fl. dan. 3, 432.
 — — Schk. Handb. 286 Hh.
 — — Engl. Bot. 13, 927.
 — — Sturm Monogr. 1.
 — — Rchb. Fl. germ. 8, 199.
 — *indica* Schk. Schk. Handb. 286 Bb. 286 Qqqq.
 — *intermedia* Good. Schk. Handb. 286 B. 286 Sss.
 — — Host Gram. 50.
 — — Fl. dan. 8, 1343.
 — — Engl. Bot. 29, 2042.
 — — Hayne 5, 8.
 — — Sturm Monogr. 51.
 — — Rchb. Fl. germ. 8, 210.
 — *intumescens* Rudge. Linnæan Transact. 7, 9.
 — *irrigua* Sm. Engl. Bot. 2895.
 — — Sturm Monogr. 38.
 — — Rchb. Fl. germ. 8, 236.
 — *juncifolia* All. All. Fl. ped. 3, 92.
 — — Schk. Handb. 286 G. 286 Ii.
 — — Rchb. Fl. germ. 8, 199.
 — *Kochiana* DC. Sturm Monogr. 111.
 — — Rchb. Fl. germ. 8, 271.
 — *Lachenalii* Schk. Schk. Handb. 286 Y.
 — *lacustris* Willd. Schk. Handb. 286 Ooo.
 — *laevicaulis* Hochst. Kunze Car. 6.
 — *laevigata* Sm. Schk. Handb. 286 Sss.
 — — Engl. Bot. 20, 1387.
 — — Sturm Monogr. 58.
 — — Rchb. Fl. germ. 8, 254.
 — *laevirostris* Fr. Kunze Car. 49.
 — *lagopina* Wahlbg. Sturm Monogr. 5.

- Carex* *lagopina* Wahlbg. Rchb. Fl. germ. 8, 204.
 — — *β. furva*, Webb Otia 41.
 — *lagopodioides* Schk. Schk. Handb. 286 Yyy.
 — *lanceata* Dewey. Silliman Journ. 29, 2.
 — *lanuginosa* Michx. Torr. New York 144^a.
 — *laxa* Wahlbg. Wahlbg. Fl. lapp. 15.
 — — Sv. Bot. 718.
 — *laxiflora* Lam. Schk. Handb. 286 Kkk. 286 U.
 — *leiorrhyncha* C. A. M. Kunze Car. 2.
 — — Rchb. Fl. germ. 8, 221.
 — *lenticularis* Dewey. Silliman Journ. 9, A.
 — *lepidocarpa* Tausch. Kunze Car. 13.
 — — Sturm Monogr. 106.
 — — Rchb. Fl. germ. 8, 272.
 — *leporina* L. Fl. dan. 2, 294.
 — — Schk. Handb. 286 Fff.
 — — Host Gram. 381.
 — — Engl. Bot. 2815.
 — — Sturm Monogr. 4.
 — — Rchb. Fl. germ. 8, 211.
 — *leptostachys* Ehrh. Sturm Monogr. 61.
 — *leucoglochis* L. Fl. dan. 8, 1279.
 — — Sv. Bot. 539.
 — — Ehrh. Rchb. Fl. germ. 8, 196.
 — *Liddoni* Boott. Hook. Bor. Am. 215.
 — — Silliman Journ. 49, 1.
 — *limosa* L. Fl. dan. 4, 646.
 — — Host Gram. 89.
 — — Schk. Handb. 286 Aaa. 286 X.
 — — Sturm Monogr. 39.
 — — var. *γ*. Wahlbg. Fl. lapp. 15.
 — — Engl. Bot. 29, 2043.
 — — Rchb. Fl. germ. 8, 238.
 — *Linkii* Schk. Schk. Handb. 286 Bbb.
 — — Sturm Monogr. 72.
 — *Linnaeana* Host. Host Gram. 277.
 — *litorea* Lab. Bill. Nov. Holl. 219.
 — *livida* Wahlbg. Schk. Handb. 286 Ssss.
 — *lobata* Vill. Schk. Handb. 286 D. 286 Ii.
 — *loliacea* L. Schk. Handb. 286 Ee.
 — — Fl. dan. 8, 1403.
 — — Sv. Bot. 664.
 — — Sturm Monogr. 98.
 — — Rchb. Fl. germ. 8, 214.
 — *longearistata* Biv. Bivona Stirp. rar. Sic. 4, 2.
 — *longifolia* Host. Host Gram. 386.
 — *longirostris* Torr. Silliman Journ. 9, C.
 — *lucorum* Willd. Kunze Car. 39.
 — *lupulina* Mühlbg. Schk. Handb. 286 Ddd. 286 Iiii.
 — *lusitanica* Schk. Schk. Handb. 286 Ccc.
 — *Lyngbyei* Hornem. Fl. dan. 11, 1888.
 — *Lyoni* Boott. Hook. Bor. Am. 208.
 — — Silliman Journ. 49, 1.
 — *macrocephala* Willd. Hook. Bor. Am. 216.
 — — Silliman Journ. 43, 2.
 — *macrolepis* DC. Kunze Car. 36.
 — — Rchb. Fl. germ. 8, 246.
 — *magellanica* Lam. Schk. Handb. 286 N.
 — — Hook. Fl. ant. 143.
 — *Mairii* Coss. et Germ. Cosson Atlas 35.
 — — Kunze Car. 37.
 — *marcida* Boott. Hook. Bor. Am. 213.
 — — Silliman Journ. 49, 1.
 — *marginata* Mühlbg. Schk. Handb. 286 Lll.
 — *marina* Dewey. Silliman Journ. 29, 2.
 — *maritima* Müller. Fl. dan. 4, 703.
 — — Vahl. Schk. Handb. 286 W.
 — *maxima* Scop. Sturm Flora 13, 55.
 — *Meadii* Dewey. Silliman Journ. 43, 2.
 — *melanantha* Led. Ledeb. Ic. 317.
 — *membranacea* Hook. Silliman Journ. 29, 2.
 — — Hoppe. Sturm Monogr. 74.

- Carex membranacea* Hoppe. Rchb. Fl. germ. 8, 262.
 — *Mertensii* Prescott. Hook. Bor. Am. 217.
 — *Michauxii* Dewey. Silliman Journ. 10, 4.
 — — *Schweinitz*. Kunze Car. 23.
 — *Micheliana* Sm. Engl. Bot. 32, 2236.
 — *Micheli* Host. Schk. Handb. 286 P. 286 Vv.
 — — Host Gram. 72.
 — — Sturm Monogr. 59.
 — — Rchb. Fl. germ. 8, 266.
 — *microcarpa* Bert. Kunze Car. 50.
 — *microcephala* Led. Ledeb. Ic. 319.
 — *microglochin* Wahlbg. Schk. Handb. 286 Ssss.
 — — Fl. dan. 8, 1402.
 — — Sv. Bot. 539.
 — — Sturm Monogr. 69.
 — — Rchb. Fl. germ. 8, 196.
 — *microstachya* Ehrh. Schk. Handb. 286 C.
 — — Sturm Monogr. 56.
 — — Rchb. Fl. germ. 8, 202.
 — *microstyla* Gay. Gaudin Fl. helv. 6, 1.
 — — Rchb. Fl. germ. 8, 203.
 — *Mielichhoferi* Schk. Schk. Handb. 286 Mmmm.
 — — Sturm Monogr. 44.
 — — Sm. Engl. Bot. 32, 2293.
 — *miliacea* Mühlenbg. Schk. Handb. 286 Ooo.
 — *mirabilis* Host. Host Gram. 379.
 — — Dewey. Silliman Journ. 1830, 2.
 — *miser* Buckl. Silliman Journ. 48, 1.
 — *Mitchelliana* Curt. Silliman Journ. 48, 1.
 — *mollis* Host. Host Gram. 383.
 — *monile* Tuck. Silliman Journ. 49, 1.
 — *montana* L.? Fl. dan. 3, 444.
 — — Fl. dan. 10, 1769.
 — — Schk. Handb. 286 F.
 — — Host Gram. 66.
 — — Sturm Monogr. 104.
 — — Rchb. Fl. germ. 8, 261.
 — — Engl. Bot. 2924.
 — *mucronata* All. Schk. Handb. 286 K.
 — — Host Gram. 388.
 — — Sturm Monogr. 28.
 — — Rchb. Fl. germ. 8, 201.
 — *Mühlenbergii* Schk. Schk. Handb. 286 Yyy.
 — *multiflora* Mühlenbg. Schk. Handb. 286 Lll.
 — — var. Silliman Journ. 10, 3.
 — *multispicata* Kze. Kunze Car. 10.
 — *muricata* L. Fl. dan. 2, 284. 9, 1526.
 — — Schk. Handb. 286 Dd. 286 E.
 — — Host Gram. 54.
 — — Engl. Bot. 16, 1097.
 — — var. Sturm Monogr. 65.
 — — Rchb. Fl. germ. 8, 215.
 — *mutabilis* Willd. Willd. Fl. berol. 2, 3.
 — *mutica* R. Br. Silliman Journ. 29, 4.
 — *myosauroides* Vill. Vill. Dauph. 6.
 — *nardina* Fries. Kunze Car. 23.
 — *nemorosa* Lumn. Schk. Handb. 286 Dddd.
 — — Host Gram. 382.
 — — Rchb. Fl. germ. 8, 215.
 — — *Rebent.* Sturm Monogr. 81.
 — — Rchb. Fl. germ. 8, 216.
 — *nigra* All. Schk. Handb. 286 Aaa. 286 Llll.
 — — Sturm Monogr. 10.
 — — Rchb. Fl. germ. 8, 236.
 — *nigricans* Meyer. Silliman Journ. 29, 3.
 — *nitida* Host. Host Gram. 71.
 — — Sturm Monogr. 15.
 — — Rchb. Fl. germ. 8, 264.
 + — *norvegica* Wahlbg. Wahlbg. Fl. lapp. 15.
 — — Schk. Handb. 286 S.
 — *Novae Angliae* Schw. Silliman Journ. 9, 2.
 — *nutans* Host. Host Gram. 83.

- Carex nutans* Host. Schk. Handb. 286 Qqqq.
 — — Sturm Monogr. 77.
 — — Rchb. Fl. germ. 8, 265.
 — *Nuttallii* Dewey. Silliman Journ. 43, 2.
 — *Oakesiana* Dewey. Silliman Journ. 14, Q.
 — *obtusata* Liljeb. Sv. Bot. 533.
 — — Schk. Handb. 286 Qqq.
 — — Rchb. Fl. germ. 8, 197.
 — *Oederi* Ehrh. Host Gram. 65.
 — — Schk. Handb. 286 F.
 — — Mem. Ac. Berl. 1794, 1.
 — — Sturm Monogr. 88.
 — — Rchb. Fl. germ. 8, 272.
 — — Engl. Bot. 25, 1773.
 — *Ohmülleriana* Lang. Rchb. Fl. germ. 8, 213.
 — *olbiensis* Jord. Jord. Obs. 3, 12.
 — *oligocarpa* Schk. Schk. Handb. 286 Vvv.
 — — var. Silliman Journ. 10, 3.
 — — Fl. dan. 13, 2181.
 — *ornithopoda* Willd. Fl. dan. 8, 1405.
 — — Sturm Monogr. 76.
 — — Rchb. Fl. germ. 8, 240.
 — — Nees Gen. 2, 1.
 — *orthostachys* Led. Ledeb. Ic. 324.
 — *ovalis* Good. Host Gram. 51.
 — — Fl. dan. 7, 1115.
 — — Schk. Handb. 286 B.
 — — Engl. Bot. 5, 306.
 — *ovata* Rudge. Linn. Transact. 7, 9.
 — — Led. Ledeb. Ic. 323.
 — *pacifica* Drej. Rchb. Fl. germ. 8, 229.
 — *pallascens* L. Curt. Lond. 5, 178.
 — — Engl. Bot. 31, 2185.
 — — Fl. dan. 6, 1050.
 — — Host Gram. 74.
 — — Schk. Handb. 286 Kk.
 — — Sturm Monogr. 40.
 — — Rchb. Fl. germ. 8, 251.
 — *paludosa* Good. Curt. Lond. 2, 10.
 — — Engl. Bot. 12, 807.
 — — Fl. dan. 10, 1767.
 — — Host Gram. 92.
 — — Schk. Handb. 286 Oo. 286 Vv.
 — — var. Sturm Monogr. 48.
 — — Rchb. Fl. germ. 8, 266.
 + — — Nees Gen. 2, 1.
 — *panicea* L. Fl. dan. 2, 261.
 — — Engl. Bot. 21, 1505.
 — — Host Gram. 79.
 — — Schk. Handb. 286 Ll.
 — — Sturm Monogr. 32.
 — — Rchb. Fl. germ. 8, 245.
 + — — Nees Gen. 2, 1.
 — *paniculata* L. Host Gram. 58.
 — — Schk. Handb. 286 D. 286 Ttt.
 — — Fl. dan. 7, 1116.
 — — Engl. Bot. 15, 1064.
 — — Sturm Monogr. 21.
 — — Rchb. Fl. germ. 8, 223.
 — *paradoxa* Willd. Mem. Ac. Berl. 1794, 1.
 — — Schk. Handb. 286 E.
 — — Engl. Bot. 2896.
 — — Fl. dan. 11, 1087.
 — — Sturm Monogr. 20.
 — — Rchb. Fl. germ. 8, 222.
 — *Parryana* Dewey. Silliman Journ. 27, 5.
 — *parviflora* Host. Host Gram. 87.
 — — Schk. Handb. 286 Llll.
 — *patula* Scop. Scop. Fl. carn. 2, 59.
 — — Host Gram. 64.
 — — Schk. Handb. 286 Bbb.
 — *pauciflora* Lightf. Lightf. Fl. scot. 1, 6.

- Carex pauciflora* Lightf. Engl. Bot. 29, 2041.
 — — — Host Gram. 42.
 — — — Schk. Handb. 286 A.
 — — — Sturm Monogr. 68.
 — — — Rchb. Fl. germ. 8, 196.
 — — — pedata L. Host Gram. 61.
 — — — Schk. Handb. 286 H.
 — — — Wahlbg. Fl. lapp. 14.
 — — — Sv. Bot. 684.
 — — — Wahlbg. Rchb. Fl. germ. 8, 240.
 — — — pediformis C. A. M. Kunze Car. 16.
 — — — pedunculata Mühlbg. Schk. Handb. 286 Ggg.
 — — — pellita Mühlbg. Schk. Handb. 286 Nnn.
 — — — Torr. New York 144^a.
 — — — pendula Good. Curt. Lond. 1, 66.
 — — — Engl. Bot. 33, 2315.
 — — — Host Gram. 100.
 — — — Schk. Handb. 286 Q.
 — — — Rchb. Fl. germ. 8, 243.
 — — — Persoonii Sieb. Rchb. Fl. germ. 8, 206.
 — — — petasata Dewey. Silliman Journ. 29, 1.
 — — — petraea Wahlbg. Fl. dan. 8, 1401.
 — — — Host Gram. 377.
 — — — Schk. Handb. 286 Kkk.
 — — — Rchb. Fl. germ. 8, 198.
 — — — petricosa Dewey. Silliman Journ. 29, 1.
 — — — phaeostachya Sm. Engl. Bot. 2731.
 — — — phleoides Cav. Cav. Ic. 464.
 — — — physodes M. v. B. Mem. Mosc. 2, 7.
 — — — pichinchensis H. B. K. H. B. K. Nov. Gen. 7, 696.
 — — — pilosa Scop. Host Gram. 78.
 — — — Schk. Handb. 286 M.
 — — — Sturm Monogr. 60.
 — — — Rchb. Fl. germ. 8, 244.
 — — — pilulifera L. Willd. Fl. berol. 1.
 — — — Mem. Ac. Berl. 1794, 2.
 — — — Host Gram. 385.
 — — — Schk. Handb. 286 I.
 — — — Fl. dan. 6, 1048.
 — — — Engl. Bot. 13, 883.
 — — — Rchb. Fl. germ. 8, 260.
 — — — Sturm Monogr. 31.
 — — — planostachys Kze. Kunze Car. 35.
 — — — plantaginea Lam. Schk. Handb. 286 Kkkk.
 — — — podocarpa R. Br. Hook. Bor. Am. 224.
 — — — Silliman Journ. 29, 4.
 — — — polyandra Schk. Schk. Handb. 286 Dd.
 — — — polygama Schk. Schk. Handb. 286 X.
 — — — polytrichoides Mühlbg. Schk. Handb. 286 Iii.
 — — — praecox Jacq. Jacq. Fl. austr. 5, 446.
 — — — Host Gram. 68.
 — — — Schk. Handb. 286 F.
 — — — Curt. Lond. 4, 22.
 — — — Engl. Bot. 16, 1099.
 — — — Fl. dan. 9, 1527.
 — — — Sturm Monogr. 105.
 — — — Rchb. Fl. germ. 8, 261.
 — — — provincialis Degl. Kunze Car. 18.
 — — — pseudo-arenaria Rchb. Rchb. Fl. germ. 8, 208.
 — — — Pseudocyperus L. Host Gram. 85.
 — — — Schk. Handb. 286 Mm.
 — — — Fl. dan. 7, 1117.
 — — — Engl. Bot. 4, 242.
 — — — Sturm Monogr. 94.
 — — — Rchb. Fl. germ. 8, 275.
 — — — pubescens Mühlbg. Schk. Handb. 286 Eee.
 — — — pulicaris L. Fl. dan. 1, 166.
 — — — Host Gram. 376.
 — — — Schk. Handb. 286 A.
 — — — Lam. Encycl. 752.
 — — — Curt. Lond. 5, 177.
 — — — Engl. Bot. 15, 1051.

- Carex pulicaris* L. Sv. Bot. 533.
 — — — Sturm Monogr. 33.
 — — — Rchb. Fl. germ. 8, 195.
 — — — pulla Good. Linn. Transact. 3, 14.
 — — — Roem. Arch. II, 2, 5.
 — — — Engl. Bot. 29, 2045.
 — — — Schk. Handb. 286 R.
 — — — pumila Thunb. Schk. Handb. 286 Yy.
 — — — punctata Gaud. Gaudin Fl. helv. 6, 2.
 — — — Sturm Monogr. 78.
 — — — Rchb. Fl. germ. 8, 251.
 — — — Kunze Car. 6.
 — — — pyrenaica Degl. Rchb. Fl. germ. 8, 198.
 — — — Ramondiana DC. Rchb. Fl. germ. 8, 198.
 — — — ramosa Schk. Schk. Handb. 286 Pppp.
 — — — rariflora Sm. Engl. Bot. 35, 2516.
 — — — recta Boott. Hook. Bor. Am. 222.
 — — — recurva Huds. Fl. dan. 6, 1051.
 — — — Engl. Bot. 21, 1506.
 — — — Schk. Handb. 286 Nn. 286 Z.
 — — — Baxter Brit. Bot. 6, 440.
 — — — Redowskyana C. A. M. Silliman Journ. 29, 3.
 — — — Kunze Car. 31.
 — — — refracta Schk. Schk. Handb. 286 Iii.
 — — — remota L. Fl. dan. 3, 370.
 — — — Host Gram. 52.
 — — — Schk. Handb. 286 E.
 — — — Engl. Bot. 12, 832.
 — — — Sturm Monogr. 27.
 — — — Rchb. Fl. germ. 8, 212.
 — — — repens Bell. Schk. Handb. 286 Iii.
 — — — retroflexa Mühlbg. Schk. Handb. 286 Kkk.
 — — — rhynchocarpa Heuffel. Sturm Monogr. 109.
 — — — Richardsoni R. Br. Hook. Bor. Am. 223.
 — — — rigida Good. Linn. Transact. 2, 22.
 — — — Roem. Arch. II, 2, 4.
 — — — Engl. Bot. 29, 2047.
 — — — Schk. Handb. 286 U.
 — — — Rchb. Fl. germ. 8, 225.
 — — — var. Fl. dan. 14, 2479. 2480.
 — — — rigidifolia Hochst. Seubert Fl. azor. 2.
 — — — riparia Curt. Curt. Lond. 2, 9.
 — — — Engl. Bot. 9, 579.
 — — — Fl. dan. 7, 1118.
 — — — Schk. Handb. 286 Qq. 286 Rr.
 — — — Sturm Monogr. 110.
 — — — Rchb. Fl. germ. 8, 268.
 — — — rivularis Willd. Schk. Handb. 286 Cc.
 — — — rosea Schk. Schk. Handb. 286 Zzz.
 — — — rostrata Schk. Schk. Handb. 286 Hhh.
 — — — rotundata Wahlbg. Sv. Bot. 753.
 — — — Fl. dan. 8, 1407.
 — — — rufina Drejer. Fl. dan. 14, 2481.
 — — — Kunze Car. 23.
 — — — Rugeliana Kze. Kunze Car. 48.
 — — — rupestris All. All. Fl. ped. 3, 92.
 — — — Schk. Handb. 286 Nnnn.
 — — — Engl. Bot. 2814.
 — — — Sturm Monogr. 71.
 — — — Rchb. Fl. germ. 8, 198.
 — — — salina Wahlbg. Schk. Handb. 286 Cccc.
 — — — Sv. Bot. 756.
 — — — Sartwellii Dewey. Silliman Journ. 43, 2.
 — — — saxatilis L. Fl. dan. 1, 159.
 — — — Schk. Handb. 286 I. 286 Tt.
 — — — Sturm Monogr. 101.
 — — — ? Rchb. Fl. germ. 8, 225.
 — — — Schiedena Kze. Kunze Car. 30.
 — — — Schkuhrii Willd. Schk. Handb. 286 Qqq.
 — — — schoenoides Host. Host Gram. 45.
 — — — Sturm Monogr. 50.
 — — — Schraderi Schk. Schk. Handb. 286 Pppp.

- Carex Schreberi* Willd. Host Gram. 46.
 — — — Schk. Handb. 286 B.
 — — — Fl. dan. 11, 1829.
 — — — Sturm Monogr. 67.
 — — — Rchb. Fl. germ. 8, 207.
 — Schweinitzii Dewey. Silliman Journ. 9, 2.
 — scirpoides Schk. Schk. Handb. 286 Zzz.
 — scoparia Schk. Schk. Handb. 286 Xxx.
 — Scopoliiana Willd. Schk. Handb. 286 Nnnn.
 — secalina Willd. Sturm Monogr. 95.
 — — Wahlbg. Rchb. Fl. germ. 8, 257.
 — sempervirens Vill. Sturm Flora 13, 53.
 — — — Rchb. Fl. germ. 8, 247.
 — setacea Dewey. Silliman Journ. 9, B.
 — setifolia Kze. Kunze Car. 26.
 — Shortiana Dewey. Silliman Journ. 1830, 1.
 — siccata Dewey. Silliman Journ. 1830, 2.
 — — — Silliman Journ. 10, 3.
 — silvatica Huds. Fl. dan. 3, 404.
 — — — Engl. Bot. 14, 995.
 — — — Host Gram. 84.
 — — — Schk. Handb. 286 Ll.
 — — — Rchb. Fl. germ. 8, 242.
 — sitchensis Prescott. Hook. Bor. Am. 221.
 — spadicea Roth. Host Gram. 392.
 — — Schk. Schk. Handb. 286 L.
 — sparganioides Mühlbg. Schk. Handb. 286 Lll.
 — spectabilis Dewey. Silliman Journ. 29, 2.
 — speirostachya Sw. msc. Engl. Bot. 2770.
 — sphaerostachya Dewey. Silliman Journ. 49, 1.
 — spicata Schk. Schk. Handb. 286 D.
 — — — Sturm Monogr. 70.
 — — — Rchb. Fl. germ. 8, 197.
 + — — — Nees Gen. 2, 1.
 — splendida Willd. Willd. Fl. berol. 1.
 — squamosa Dewey. Silliman Journ. 14, Q.
 — stans Drejer. Fl. dan. 14, 2477.
 — stellulata Good. Host Gram. 53.
 — — — Schk. Handb. 286 C.
 — — — Engl. Bot. 12, 806.
 — — — var. Sturm Monogr. 23.
 — — — Rchb. Fl. germ. 8, 214.
 — stenolepis Torr. Silliman Journ. 1830, 1.
 — stenophylla Wahlbg. Sturm Monogr. 3.
 — — — Rchb. Fl. germ. 8, 200.
 — sterilis Willd. Schk. Handb. 286 Mmm.
 — — — Krock. Fl. sil. 3, 4.
 — Steudelii Kth. Silliman Journ. 49, 1.
 — — — Kunze Car. 3.
 — stictocarpa Sm. Engl. Bot. 2772.
 — stipata Mühlbg. Schk. Handb. 286 Hhb.
 — stolonifera Hoppe. Sturm Monogr. 102.
 — straminea Willd. Schk. Handb. 286 G. 286 Xxx.
 — stricta Good. Linn. Transact. 2, 21.
 — — — Roemer Archiv II. 2, 3.
 — — — Host Gram. 94.
 — — — Schk. Handb. 286 V.
 — — — Engl. Bot. 15, 614.
 — — — Sturm Monogr. 30.
 — — — Rchb. Fl. germ. 8, 228. 230.
 — strigosa Good. Linn. Transact. 2, 20.
 — — — Roemer Archiv II. 2, 2.
 — — — Schk. Handb. 286 N.
 — — — Fl. dan. 7, 1237.
 — — — Engl. Bot. 14, 994.
 — — — Sturm Flora 13, 53.
 — — — Rchb. Fl. germ. 8, 242.
 — styloflexa Buckl. Silliman Journ. 48, 1.
 — stylosa C. A. M. Kunze Car. 29.
 — subspathacea Wormsk. Fl. dan. 9, 1530.
 — — — Hornem. Kunze Car. 24.
 — subulata Michx. Torr. New York 147.

- Carex subulata* Michx. Kunze Car. 40.
 — Sullivantii Boott. Silliman Journ. 49, 1.
 — supina Wahlbg. Sturm Monogr. 14.
 — — — Rchb. Fl. germ. 8, 259.
 — tenella Schk. Schk. Handb. 286 Pp.
 — tenera Dewey. Silliman Journ. 9, 3.
 — tentaculata Mühlbg. Schk. Handb. 286 Ggg.
 — — — Torr. New York 144.
 — tenuiflora Wahlbg. Schk. Handb. 286 Eeee.
 — tenuis Rudge. Linn. Transact. 7, 9.
 — — — Host. Host Gram. 393.
 — — — Sturm Flora 13, 53.
 — — — Rchb. Fl. germ. 8, 241.
 — teretiuscula Good. Linn. Transact. 2, 19.
 — — — Roemer Archiv II. 2, 1.
 — — — Schk. Handb. 286 D. 286 T.
 — — — Fl. dan. 11, 1886.
 — — — Engl. Bot. 15, 1065.
 — — — Sturm Monogr. 19.
 — — — Rchb. Fl. germ. 8, 222.
 — tetanica Schk. Schk. Handb. 286 Ggg. 286 Oooo.
 — thuringiaca Willd. Schk. Handb. 286 Ppp.
 — tomentosa L. Host Gram. 82.
 — — — Schk. Handb. 286 F.
 — — — Fl. dan. 8, 1404.
 — — — Engl. Bot. 29, 2046.
 — — — Sturm Monogr. 34.
 — — — Rchb. Fl. germ. 8, 263.
 + — — — Nees Gen. 2, 1.
 — Torreyi Tuck. Silliman Journ. 49, 1.
 — triceps Michx. Silliman Journ. 48, 1.
 — trichocarpa Mühlbg. Schk. Handb. 286 Nnn.
 — trifida Cav. Cav. Ic. 463.
 — — — Schk. Handb. 286 Oooo.
 — triflora Willd. Willd. Phytogr. 1.
 — — — Schk. Handb. 286 M.
 — trigona All. All. Fl. ped. 3, 89.
 — trinervis Degl. Kunze Car. 1.
 — tripartita All. All. Fl. ped. 3, 92.
 — — — Rchb. Fl. germ. 8, 205.
 — trisperma Dewey. Silliman Journ. 9, C.
 — tristachya Thunb. Schk. Handb. 286 Ww.
 — Tuckermani Dewey. Silliman Journ. 49, 1.
 — umbellata Schk. Schk. Handb. 286 Www.
 — — — var. vicina, Silliman Journ. 10, 1.
 — umbrosa Host. Host Gram. 69.
 — — — Schk. Handb. 286 Ffff.
 — — — Sturm Monogr. 91.
 — — — Rchb. Fl. germ. 8, 263.
 — uncinata L. Schk. Handb. 286 G.
 — undulata Kze. Kunze Car. 4.
 — — — Rchb. Fl. germ. 8, 251.
 — ursina Dewey. Hook. Bor. Am. 210.
 — — — Silliman Journ. 27, 5.
 — ustulata Wahlbg. Sv. Bot. 717.
 — — — Engl. Bot. 34, 2404.
 — — — Fl. dan. 9, 1590.
 — — — Sturm Monogr. 37.
 — — — Rchb. Fl. germ. 8, 250.
 — vaginata Tausch. Sturm Monogr. 79.
 — — — Rchb. Fl. germ. 8, 246.
 — — — Kunze Car. 15.
 — VahlII Schk. Schk. Handb. 286 Gg. 286 Ppp.
 — — — Engl. Bot. 2666.
 — — — Rchb. Fl. germ. 8, 235.
 — varia Host. Host Gram. 80.
 — — — Schk. Handb. 286 Uuu.
 — venusta Dewey. Silliman Journ. 26, T.
 — verna Schk. Schk. Handb. 286 L. 286 Ppp. 286 Ffff.
 — — — Host Gram. 387.
 — verrucosa Mühlbg. var. Silliman Journ. 48, 2.
 — vesicaria L. Fl. dan. 4, 647.

- Carex vesicaria* L. Engl. Bot. 11, 779.
 — — — Sv. Bot. 216.
 — — — Host Gram. 98.
 — — — Schk. Handb. 286 Ss.
 — — — Sturm Monogr. 112.
 — — — Rchb. Fl. germ. 8, 276.
 — — — vestita Willd. Schk. Handb. 286 Bbbb.
 — — — Villarsii Schk. Schk. Handb. 286 Ddd.
 — — — virescens Mühlbg. Schk. Handb. 286 Mmm.
 — — — Vulcani Hochst. Seubert Fl. azor. 3.
 — — — vulgaris Fries. Fl. dan. 14, 2478.
 — — — Rchb. Fl. germ. 8, 226. 227. 228.
 † — — — vulpina L. Gaertn. Carp. 2.
 † — — — — — Lam. Encycl. 752.
 — — — — — Fl. dan. 2, 308.
 — — — — — Host Gram. 56.
 — — — — — Schk. Handb. 286 C.
 — — — — — Engl. Bot. 5, 307.
 — — — — — Sturm Monogr. 82.
 — — — — — Rchb. Fl. germ. 8, 216. 217.
 — — — Washingtoniana Dewey. Sill. Journ. 10, 1. 14, R.
 — — — Willdenowii Schk. Schk. Handb. 286 Mmm.
 — — — Wormskioldiana Hornem. Fl. dan. 9, 1528.
 — — — Silliman Journ. 14, R.
 — — — xanthophysa Wahlbg. Silliman Journ. 10, 1.
 — — — Zinkii Schk. Rchb. Fl. germ. 8, 258.
 † *Careya* Roxb. Kerner Genera 40.
 — — — arborea Roxb. Rheede Hort. mal. 3, 36.
 — — — — — Roxb. Corom. 215.
 — — — — — Wight Illustr. 99. 100.
 — — — herbacea Roxb. Roxb. Corom. 217.
 — — — — — Wight Ic. pl. Ind. or. 2, 557.
 — — — sphaerica Roxb. Wight Ic. pl. Ind. or. 1, 147.
 — — — — — 2, 556.
Cargillia australis R. Br. Bot. Mag. 60, 3274.
Carica cauliflora Jacq. Jacq. Schoenbr. 3, 311.
 — — — — — Kern. Hort. 83.
 — — — citrifolia Jacq. fil. Jacq. Ecl. pl. 68. 69.
 — — — — — Kern. Hort. 795. 796.
 — — — — — Bot. Mag. 65, 3633.
 † — — — — — Schnizl. Ic. 200.
 — — — heterophylla P. et E. Poepp. et Endl. 182.
 — — — microcarpa Jacq. Jacq. Schoenbr. 3, 309. 310.
 † — — — — — Schnizl. Ic. 200.
 — — — monoica Desf. Anq. Mus. 1, 18.
 — — — — — Kern. Hort. 409.
 — — — Papaya L. Rheede Hort. mal. 1, 15.
 — — — — — Rumpf Amb. 1, 50. 51.
 — — — — — Gil et Xarez 10.
 — — — — — Tuss. Ant. 3, 10. 11.
 — — — — — Desc. Ant. 1, 47.
 † — — — — — Kerner Genera 119—122.
 — — — — — Bot. Mag. 56, 2898. 2899.
 — — — — — Bot. Reg. 6, 459.
 — — — — — Dict. sc. nat. 212.
 — — — — — Wight Illustr. 106. 107.
 † — — — — — Schnizl. Ic. 200.
 — — — peltata Hook. Hook. Beechey 98.
 — — — pyriformis Willd. Gay Chile 25.
 — — — spinosa Aubl. Aublet Guiana 346.
 † *Carionia elegans* Naud. Ann. sc. nat. III. 15, 15.
Carissa Carandas L. Rumpf Amb. Auct. 25.
 — — — — — Lam. Encycl. 118.
 — — — — — Roxb. Corom. 77.
 — — — — — Lodd. Cab. 663.
 † — — — — — Ann. Mus. 8, 32.
 — — — — — Hook. Comp. 12.
 — — — — — Wight Ic. pl. Ind. or. 2, 426.
 — — — congesta Wight. Wight Ic. pl. Ind. or. 4, 1289.
 — — — diffusa Roxb. Wight Ic. pl. Ind. or. 2, 427.
 — — — edulis Vahl. Cailliaud Voyage 63.
 — — — mitis Vahl. Vahl Symbolae 59.

- † *Carissa paucinervia* DC. Wight Illustr. 154^b.
 — — — — — Wight Ic. pl. Ind. or. 4, 1290.
 — — — Schimper DC. Richard Abyssin. 68.
 — — — spinarum L. Rumpf Amb. Auct. 19. fig. 1.
 — — — — — Lam. Encycl. 118.
 — — — — — Lodd. Cab. 162.
 — — — villosa Roxb. Wight Ic. pl. Ind. or. 2, 437.
 — — — Xylopicron Aub. Th. Aub. Th. Mel. 15.
Carlina acanthifolia All. All. Fl. ped. 3, 51.
 — — — — — Rchb. Fl. germ. 15, 740.
 — — — acaulis L. Hayne 10, 45.
 — — — — — Schk. Handb. 232.
 — — — — — Nees Düsseldorf. 228.
 — — — — — Schrank Fl. mon. 4, 332.
 — — — — — Rchb. Fl. germ. 15, 741.
 — — — corymbosa L. Sibth. Fl. gr. 837.
 — — — — — Rchb. Fl. germ. 15, 744.
 — — — lanata L. Sibth. Fl. gr. 836.
 — — — — — Rchb. Fl. germ. 15, 743.
 — — — longifolia Rchb. Rchb. Ic. crit. 8, 761.
 — — — — — Rchb. Fl. germ. 15, 742.
 — — — macrocephala Moris. Moris Fl. sard. 84.
 — — — racemosa L. Rchb. Fl. germ. 15, 743.
 — — — Pola Hacq. Hacquet Pl. alp. 4.
 — — — salicifolia Cav. Webb Canar. 115.
 — — — sicala Ten. Tenore Fl. nap. 187.
 — — — simplex W. et K. W. et Kit. 152.
 — — — sulphurea Desf. Desf. Fl. atl. 224.
 — — — Utzka Hacq. Hacquet Pl. alp. 1.
 † — — — vulgaris L. Gaertn. Carp. 163.
 † — — — — — Lam. Encycl. 662.
 — — — — — Fl. dan. 7, 1174.
 — — — — — Sv. Bot. 434.
 — — — — — Schk. Handb. 232.
 — — — — — Engl. Bot. 16, 1144.
 — — — — — Baxter Brit. Bot. 6, 405.
 — — — — — Rchb. Fl. germ. 15, 742.
 — — — xeranthemoides L. fil. Webb Canar. 116.
Carlownia salicifolia Moench. Jacq. Ecl. pl. 5.
 — — — — — Ann. Mus. 16, 15.
 † *Carludovica* Rz et P. Ruiz et Pav. Prodr. 31.
 — — — — — Gardneri Hook. Hook. Journ. 1840, 3. 4.
 — — — latifolia Rz et P. Lodd. Cab. 1068.
 — — — trigona Rz et P. Poepp. et Endl. 181. 154.
Carmelita formosa Gay. Gay Chile 37.
Carmichaelia australis R. Br. Bot. Reg. 11, 912.
 — — — — — Lodd. Cab. 1061.
 — — — — — Raoul Nouv. Zel. 28.
 — — — — — Cunninghami Decne. Raoul Nouv. Zel. 28.
Carminatia tenuiflora DC. Delessert Ic. 4, 98.
Carmona heterophylla Cav. Cav. Ic. 438.
Carolinea alba Lodd. Lodd. Cab. 752.
 — — — — — Maund Bot. 2, 80.
 — — — — — Hook. Exot. Fl. 100.
 — — — — — Rchb. Exot. 249.
 — — — insignis Sw. Lodd. Cab. 1004.
 — — — minor Sims. Bot. Mag. 34, 1412.
 — — — — — Kern. Hort. 634.
 — — — princeps L. Desc. Ant. 3, 232.
 — — — tomentosa Mart. Mart. Bras. 56.
 — — — — — Rchb. Exot. 142.
Caroxylon indicum Wight. Wight Ic. pl. Ind. or. 5, 1794.
Carpangis Aub. Aubert Orchid. 75.
Carpenteria californica Torr. Smiths. Contrib. 5, 7.
Carpesium abrotanoides L. Jacq. Fragn. 134.
 — — — — — Vill. Cat. Strasb. 4.
 — — — — — Lam. Encycl. 696.
 † — — — cernuum L. Gaertn. Carp. 164.
 † — — — — — Lam. Encycl. 696.
 — — — — — Jacq. Fl. austr. 3, 204.
 — — — — — Schk. Handb. 244.
 — — — nepalense Less. Wight Ic. pl. Ind. or. 3, 1120.

- Carpesium nepalense* Less. Wight Spicil. 112.
Carpha arundinacea Brongn. Brongniart Coquille 30.
 — *schoenoides* Banks et Sol. Hook. Fl. ant. 148.
Carphalea madagascariensis Lam. Lam. Encycl. 59.
Carpinus americana Michx. Guimp. Fr. Holzgew. 84.
 — — — Watson Dendr. 2, 187.
 — — — Torrey New York 103.
† *Carpinus Betulus* L. Gaertn. Carp. 89.
† — — — Lam. Encycl. 780.
 — — — Schk. Handb. 304.
 — — — Tratt. Arch. 163.
 — — — Hartig 21.
 — — — Schrank Fl. mon. 4, 389.
 — — — Rchb. Fl. germ. 12, 632.
† — — — Nees Gen. 4, 20.
 — — — Fl. dan. 8, 1345.
 — — — Sv. Bot. 433.
 — — — Engl. Bot. 29, 2032.
 — — — Baxter Brit. Bot. 3, 234.
 — *duinensis* Scop. Scop. Fl. carn. 2, 60.
 — — — Rchb. Fl. germ. 12, 634.
 — *intermedia* Wierzb. Rchb. Fl. germ. 12, 633.
 — *orientalis* Lam. Watson Dendr. 2, 98.
 — — — Tratt. Arch. 164.
 — — — Rchb. Fl. germ. 12, 634.
 — *Ostrya* L. Michaux Arb. 3, 7.
 — *viminea* Wall. Wall. Pl. asiat. 106.
 — *virginiana* Michx. Michaux Arb. 3, 8.
† *Carpodetus serratus* Forst. Forster Char. 17.
† — — — Lam. Encycl. 143.
 — — — Hook. Ic. pl. 6, 564.
 — — — Regensb. Denkschr. 3, 1. 2.
† *Carpolyza Salisb.* Herbert Amar. 29.
 — *spiralis* Salisb. Salisb. Parad. 69.
Carponema filiforme Eckl. et Z. Sonder Helioph. 17.
Carpophora Hoffmeisteri Klotzsch. Prinz Waldemar Him. 32.
Carthamus coerulens L. Sibth. Fl. gr. 843.
 — — — Bot. Mag. 49, 2293.
 — *corymbosus* L. Sibth. Fl. gr. 844.
† — *creticus* L. Schk. Handb. 233.
 — *dentatus* Vahl. Vahl Symbolae 17.
 — — — Sibth. Fl. gr. 840.
 — *helenoides* Desf. Desf. Fl. atl. 230.
 — *laevis* Hill. Hill Hort. Kew. 5.
 — *lanatus* L. Bot. Mag. 47, 2142.
 — — — Schk. Handb. 233.
† — — — Lam. Encycl. 661.
 — — — Sibth. Fl. gr. 841.
 — *leucocaulos* Sibth. Sibth. Fl. gr. 842.
† — *maculatus* Lam. Lam. Encycl. 661.
 — *mareoticus* Del. Delile Egypte 48.
 — *multifidus* Desf. Desf. Fl. atl. 227.
 — *pectinatus* Desf. Desf. Fl. atl. 228.
 — *pinnatus* Desf. Desf. Fl. atl. 229.
 — *tinctorius* L. Rumpf Amb. 5, 79.
† — — — Gaertn. Carp. 161.
† — — — Schk. Handb. 233.
 — — — Lam. Encycl. 661.
 — — — Bot. Reg. 2, 170.
 — — — Nees Düssel. 227.
 — — — Rchb. Fl. germ. 15, 746.
 — *tingitanus* L. Cav. Ic. 128.
Cartonema spicatum R. Br. Bauer Illustr. 7.
† *Carum Carvi* L. Gaertn. Carp. 23.
 — — — Schk. Handb. 77.
 — — — Jacq. Fl. austr. 4, 393.
 — — — Fl. dan. 7, 1091.
 — — — Engl. Bot. 21, 1503.
 — — — Sv. Bot. 115.
 — — — Hayne 7, 19.
 — — — Guimp. et Schl. 131.

- Carum Carvi* L. Nees Düssel. 275.
 — — — Wagner 67.
 — — — Woodv. Med. 1, 41.
 — — — Dietr. Fl. bor. 11, 753.
 — — — Baxter Brit. Bot. 3, 232.
 — — — Nees Gen. X, x.
† — — — *Bulbocastanum* Koch. Nees Gen. X, x.
 — *Bunias* L. Jacq. Vind. 198.
Carya alba Nutt. Emerson Rep. Massach. 12.
 — *amara* Nutt. Emerson Rep. Massach. 15.
 — *glabra* Torr. Torrey New York 101.
 — *porcina* Nutt. Emerson Rep. Massach. 14.
 — — — Torrey New York 101.
 — *tomentosa* Nutt. Emerson Rep. Massach. 13.
 — — — var. Torrey New York 100.
Caryocar amygdaliferum Mutis. Cav. Ic. 361. 362.
 — *brasiliense* St. Hil. St. Hil. Fl. Bras. 67 bis.
 — *nuciferum* L. Bot. Mag. 54, 2727. 2728.
 — — — Rchb. Exot. 247. 248.
 — — — Fl. d. serres 3, 183. 184.
† *Caryolobis indica* Gaertn. Gaertn. Carp. 45.
Caryophyllus aromaticus L. Rumpf Amb. 2, 1. 2. 3.
† — — — Gaertn. Carp. 33.
† — — — Lam. Encycl. 417.
 — — — Desc. Ant. 8, 566.
 — — — Hayne 10, 38.
 — — — Guimp. et Schl. 72.
 — — — Nees Düssel. 298.
 — — — Woodv. Med. 3, 193.
 — — — Dict. sc. nat. 222. 223.
 — — — Bot. Mag. 54, 2749. 2750.
 — *ellipticus* Lab. Bill. Sertum 63.
† *Caryota maxima* Bl. Blume Rumphia 163.
 — *obtusidentata* Griff. Griffith Palms 236^a.
 — *propinqua* Bl. Blume Rumphia 162.
 — *sobolifera* Mart. Griffith Palms 236^c.
 — *urens* L. Rheede Hort. mal. 1, 11.
 — — — Rumpf Amb. 1, 14.
† — — — Jacq. Fragm. 12.
† — — — Gaertn. Carp. 7.
† — — — Lam. Encycl. 897.
 — — — Desc. Ant. 7, 501.
 — — — Mart. Palm. 107. 108. 162.
 — — — Mart. Palm. V. Y.
Casalea adscendens St. Hil. St. Hil. Fl. Bras. 1.
Casasia calophylla A. Rich. Ramon Cuba 49.
Cascarilla Carua Wedd. Weddell Hist. 25.
 — *Hookeriana* Wedd. Weddell Hist. 24.
 — *muzonensis* Wedd. Weddell Hist. 24.
 — *Riveroana* Wedd. Weddell Hist. 23.
Casearia adamantium St. Hil. St. Hil. Fl. Bras. 125.
 — *coriacea* Vent. Vent. Choix 45.
 — *elliptica* Willd. Wight Ic. pl. Ind. or. 5, 1849.
 — *esculenta* Roxb. Rheede Hort. mal. 5, 50.
† — *flavovirens* Bl. Blume Mus. 1, 50.
 — *grandiflora* St. Hil. St. Hil. Fl. Bras. 126.
† — *hirta* Sw. Gaertn. Carp. 224.
 — *javitensis* H. B. K. H. B. K. Nov. Gen. 5, 479.
 — *ilicifolia* Vent. Vent. Choix 44.
 — *inaequilatera* St. Hil. St. Hil. Fl. Bras. 127.
 — *mollis* H. B. K. H. B. K. Nov. Gen. 5, 480.
 — *nitida* Jacq. Jacq. Hist. stirp. am. 126.
 — *ovata* Willd. Rheede Hort. mal. 4, 49.
 — *parviflora* Jacq. Jacq. Hist. stirp. am. 127.
 — *stipularis* Vent. Vent. Choix 46.
 — *tinifolia* Vent. Vent. Choix 47.
† *Cassebeera Kaulf.* Kaulfuss Enum. 1.
 — *gleichenioides* Gardn. Hook. Ic. pl. 6, 507.
 — *pinnata* Kaulf. Kunze Anal. 24.
 — — — Mart. Crypt. bras. 61.
† — *triphylla* Kaulf. Hook. Gen. Fil. 66.
Casselia integrifolia N. v. E. Acta Leop. 11. 1, 6.

- Casselia integrifolia* N. v. E. Paxt. Mag. 15, 75.
 — — Fl. d. serres 4, 361.
 — Mansoi Schauer. Endl. Bras. 10, 32^b.
 — serrata N. v. E. Acta Leop. 11, 1, 6.
 † *Cassia* L. (Bischoff.) Bot. Zeitung 1850, 9.
 — acutifolia Del. Delile Egypte 27.
 — — Hayne 9, 40.
 — — Nees Düssel. 344.
 — Absus L. Jacq. Ecl. pl. 53.
 — — Nees Düssel. 348.
 — Aeschynomene DC. Colladon Cass. 17.
 — alata L. var. β . Rumpf Amb. Auct. 18.
 — — Wight Ic. pl. Ind. or. 1, 253.
 — — Desc. Ant. 6, 443.
 — — Rchb. Mag. 84.
 — angustissima DC. Rumpf Amb. 6, 67. fig. 1.
 — aphylla Cav. Cav. Ic. 561.
 — Apoucouita Aubl. Aublet Guiana 146.
 — Arereh Delile. Richard Abyssin. 47.
 — — Ferret Abyssin. 3.
 — australis Sims. Bot. Mag. 53, 2676.
 — — Bot. Reg. 16, 1322.
 — aversiflora Herb. Bot. Mag. 53, 2638.
 — Bacillus Roxb. Wight Ic. pl. Ind. or. 1, 252.
 — Barclayana Sweet. Sweet Austr. 32.
 — Barrenfieldii Colla. Mem. Tur. 35, 11.
 — baubinaefolia H. B. Humb. Mim. 37.
 — Berteri Colla. Colla Hort. Rip. 24.
 — bicapsularis L. Jacq. Fragn. 88.
 — biflora L. Bot. Mag. 21, 810.
 — — Bot. Reg. 16, 1310.
 — bifoliolata DC. Colladon Cass. 9.
 — biglandulosa Bertol. Opusc. sc. Bon. 3, 19.
 — brevifolia Lam. Colladon Cass. 19.
 — brevipes DC. Colladon Cass. 9.
 — Brongniartii Gaudich. Gaudichaud Bonite 10.
 — Browniana H. B. Humb. Mim. 41.
 — calycioides DC. Colladon Cass. 20.
 — capensis Thunb. Lodd. Cab. 511.
 — — Colladon Cass. 19.
 — caracasana Jacq. Jacq. Schoenbr. 3, 270.
 — chamaecrista L. Bot. Mag. 3, 107.
 — Chatelainiana Gaudich. Freycinet Voyage 111.
 — chinensis Lam. Rumpf Amb. 4, 23.
 — — Colladon Cass. 10.
 — — Jacq. Jacq. Ic. 73.
 — chrysotricha Collad. Colladon Cass. 13.
 — coluteoides Collad. Colladon Cass. 12.
 — coromandeliana Jacq. Jacq. Fragn. 100.
 — corymbosa Lam. Jacq. Fragn. 101.
 — — Bot. Mag. 17, 633.
 — Crista Jacq. Jacq. Ic. 74.
 — crotalarioides H. B. Humb. Mim. 40.
 — cytisioides DC. Colladon Cass. 14.
 — diphylla L. Cav. Ic. 600.
 — filipendula Bojer. Acta Leop. 22, 2, 42.
 — Fistula L. Rheede Hort. mal. 1, 22.
 — — Rumpf Amb. 2, 21.
 — — Gaertn. Carp. 147.
 — — Lam. Encycl. 332.
 — — Nectoux Voyage 4.
 — — Tuss. Ant. 4, 2.
 — — Desc. Ant. 2, 125.
 — — Hayne 9, 39.
 — — Nees Düssel. 342.
 — — Woodv. Med. 3, 160.
 — fistuloides Collad. Colladon Cass. 1.
 — flexuosa DC. Mem. Genev. 7, 4.
 — floribunda Cav. Colladon Cass. 11.
 — — Bot. Reg. 17, 1422.
 — fruticosa Mill. Houst. Reliq. 17.
 — geminiflora Collad. Colladon Cass. 3.

- Cassia glandulosa* L. Bot. Mag. 62, 3435.
 — glauca Lam. Rheede Hort. mal. 6, 9, 10.
 — gracilis H. B. Humb. Mim. 36.
 — hecatophylla DC. Colladon Cass. 18.
 — — Herbertiana Ldl. Bot. Reg. 17, 1422.
 † — herpetica Jacq. Jacq. Obs. 45.
 — javanica Ham. Rumpf Amb. 2, 22.
 — Kleinii W. et A. Rheede Hort. mal. 9, 21.
 — laevigata Willd. Colladon Cass. 5.
 — lanceolata Lam. Lam. Encycl. 332.
 — — Nectoux Voyage 2.
 — — Nees Düssel. 343.
 — — Forsk. Colladon Cass. 15.
 — — Hayne 9, 41.
 — — Guimp. et Schl. 205.
 — — Wagner 135.
 — — Royle Illustr. 37.
 — — Bot. Zeitung 1850, 10.
 — ligustrina L. Martyn Hist. 19.
 — — Desc. Ant. 2, 134.
 — — Bot. Reg. 2, 109.
 — — Bot. Mag. 43, 1829.
 — macranthera DC. Colladon Cass. 8.
 — macrophylla H. B. Humb. Mim. 38.
 — marylandica L. Martyn Hist. 21.
 — — Schk. Handb. 113.
 — — Barton Med. 12.
 — — Bigelow Med. 39.
 — — Nees Düssel. 347.
 — mexicana Jacq. Jacq. Schoenbr. 2, 203.
 — — Rchb. Hort. 235.
 — multiglandulosa L. Jacq. Ic. 72.
 — Mutisiana H. B. Humb. Mim. 43.
 — nictitans L. Linné Hort. Cliff. 36.
 — nodosa Roxb. Wight Ic. pl. Ind. or. 2, 410.
 — nutans Collad. Colladon Cass. 4.
 — obovata Collad. Colladon Cass. 15.
 — — Hayne 9, 42.
 — — Nees Düssel. 345.
 — — Guimp. et Schl. 206.
 — obtusa Roxb. Wight Ic. pl. Ind. or. 3, 787.
 — obtusata Hayne. Hayne 9, 43.
 — — Guimp. et Schl. 207.
 — obtusifolia L. Rumpf Amb. 5, 97.
 — occidentalis L. Martyn Hist. 20.
 — — Bot. Reg. 1, 83.
 — — Desc. Ant. 2, 135.
 — oxyphylla H. B. Humb. Mim. 39.
 — patellaria DC. Colladon Cass. 16.
 — pilosa L. Colladon Cass. 20.
 — planisiliqua Burm. Rumpf Amb. 4, 23.
 — polyantha Moq. et S. Colladon Cass. 2.
 — polyphylla Jacq. Jacq. Ic. 460.
 — pubescens Jacq. Jacq. Fragn. 57.
 — pulchella Salisb. Lodd. Cab. 1839.
 — purpurea Carey. Bot. Reg. 10, 856.
 — — Jacq. Ecl. pl. 148.
 — rhombifolia Roxb. Wight Ic. pl. Ind. or. 1, 269.
 — Richardiana H. B. Humb. Mim. 42.
 — rostrata Mart. Preuss. Gart. Verein 3, 7.
 — Roxburghii DC. Wight Illustr. 83.
 — ruscifolia L. Jacq. Ic. 71.
 — Schultesii Colla. Mem. Tur. 33, 10.
 — Senna L. Burm. Fl. ind. 33.
 † — — Lam. Encycl. 332.
 — — Nectoux Voyage 1.
 — — Jacq. Ecl. pl. 87.
 — — Desc. Ant. 2, 133.
 — — Woodv. Med. 3, 159.
 — — Nees Düssel. 346.
 — — Wagner 180.
 — sennoides Jacq. Jacq. Ic. 70.

- Cassia sensitiva* Jacq. Jacq. Ic. 459.
 — *Sophora* L. Rheede Hort. mal. 2, 52.
 — — — Rumpf Amb. 5, 97.
 — — — Bot. Reg. 10, 856.
 — *spectabilis* DC. Colladon. Cass. 7.
 — *sulcata* DC. Colladon. Cass. 6.
 — *Tora* L. Rheede Hort. mal. 2, 53.
 — *triflora* Jacq. Jacq. Schoenbr. 4, 480.
 — *umbellata* Rchb. Rchb. Hort. 206.
 † *Cassieae* DC. (Germinatio.) DC. Legum. 22 — 26.
Cassine capensis L. Lam. Encycl. 130.
 — *magellanica* Lam. Lam. Encycl. 130.
 † *Maurocenia* L. Gaertn. Carp. 92.
 — — — Lam. Encycl. 130.
 — — — Hook. Ic. pl. 6, 552.
 — *Peragua* L. Schk. Handb. 84.
 — *xylocarpa* Vent. Vent. Choix 23.
Cassinia aurea R. Br. Bot. Reg. 9, 764.
 — *spectabilis* R. Br. Bot. Reg. 8, 678.
Cassipourea elliptica Poir. Hook. Ic. pl. 3, 280.
 — *guianensis* Aubl. Aublet Guiana 211.
 † — — — Lam. Encycl. 406.
Cassupa verrucosa H. B. Humb. Pl. aeq. 12.
 — — — Lam. Encycl. 938.
 † *Cassuvium pomiferum* Lam. Lam. Encycl. 322.
 — — — Tuss. Ant. 3, 13.
 — — — Dict. sc. nat. 261.
Cassytha corniculata L. Burm. Fl. ind. 33.
 — *filiformis* L. Rumpf Amb. 5, 184. fig. 4.
 — — — Jacq. Hist. stirp. am. 116.
 † — — — Gaertn. Carp. 27.
 † — — — Lam. Encycl. 323.
 — — — Hook. Exot. Fl. 167.
 — — — Wight Ic. pl. Ind. or. 5, 1847.
 — *zeylanica* Gaertn. Rheede Hort. mal. 7, 44.
Castalia magnifica Salisb. Salisb. Parad. 14. 14^{bis}.
 — *pygmaea* Salisb. Salisb. Parad. 68.
Castanea argentea Bl. Blume Java 4, 21.
 — *chrysophylla* Dougl. Hook. Lond. Journ. 1843, 16.
 — *javanica* Bl. Blume Java 4, 23. 24.
 — *indica* Roxb. Wight Ic. pl. Ind. or. 2, 417.
 — *martabanica* Wall. Wall. Pl. asiat. 107.
 — *pumila* Mill. Michaux Arb. 2, 7.
 — — — Tratt. Archiv 63.
 — *Tungurrut* Bl. Blume Java 4, 22.
 † — *vesca* Gaertn. Gaertn. Carp. 37.
 — — — Michaux Arb. 2, 6.
 — — — Tratt. Archiv 64.
 — — — Hartig 19.
 — — — Dict. sc. nat. 304. 305.
 — — — Baxter Brit. Bot. 6, 485.
 — — — var. Torr. New York 111.
 — — — Rchb. Fl. germ. 12, 640.
 † — — — Nees Gen. 4, 25.
Castanospermum australe Cunn. Hook. Bot. Misc. 51. 52.
 — — — Annales d'hortic. 1852, 0.
 † *Castela Turp.* Gray Genera 158.
 — *depressa* Turp. Dict. sc. nat. 126.
 — — — Ann. Mus. 7, 5.
 — *erecta* Turp. Ann. Mus. 7, 5.
 — *Nicholsoni* Hook. Hook. Bot. Misc. 55.
 — — — Gray Genera 158.
Castelia cuneato-ovata Cav. Cav. Ic. 583.
Castelnavia fimbriata Tul. Arch. Mus. 6, 11.
 — *fruticulosa* Tul. Arch. Mus. 6, 12.
 — *monandra* Tul. Arch. Mus. 6, 12.
 — *multipartita* Tul. Arch. Mus. 6, 11.
 — *princeps* Tul. Arch. Mus. 6, 11.
 — *serpens* Tul. Arch. Mus. 6, 12.
 † *Castiglionea* R. et P. Ruiz et Pav. Prodr. 37.
Castilleia coccinea Spr. Bot. Reg. 14, 1136.
 — *coronopifolia* Vent. Vent. Choix 59.

- † *Castilleia fissifolia* L. fil. Lam. Encycl. 519.
 — — — Smith Ic. Linn. 40.
 — *integrifolia* L. fil. Smith Ic. Linn. 39.
 † — — — Lam. Encycl. 519.
 — *lithospermoides* H. B. K. H. B. K. Nov. Gen. 2, 164.
 — — — Fl. d. serres 4, 371.
 — *nubigena* H. B. K. H. B. K. Nov. Gen. 2, 163.
 — *scorzoneraefolia* H. B. K. H. B. K. Nov. Gen. 2, 165.
 — *septentrionalis* Ldl. Bot. Reg. 11, 925.
 † *Castilloa* Cerv. Ann. sc. nat. III. 8, 5.
 † *Castratella piloselloides* Naud. Ann. sc. nat. III. 14, 4.
 † *Casuarina* L. Forster Char. 52.
 † — — — Ann. sc. nat. II. 18, 1.
 — *distyla* Vent. Vent. Cels 62.
 — *equisitifolia* L. fil. Rumpf Amb. 3, 57.
 — — — Lam. Encycl. 746.
 — — — Lodd. Cab. 607.
 — — — Hort. Transact. 3, 12.
 † — — — Schnizl. Ic. 2, 86.
 — *lateriflora* Lam. Lam. Encycl. 746.
 — *muricata* Roxb. Schnizl. Ic. 2, 86.
 † — *nodiflora* Forst. Gaertn. Carp. 91.
 † — — — Lam. Encycl. 746.
 — *quadrivalvis* Lab. Bill. Nov. Holl. 218.
 — — — Dict. sc. nat. 299. 300.
 — *stricta* Ait. Andr. Rep. 5, 346.
 † — — — Schnizl. Ic. 2, 86.
 — *sumatrana* Jungh. Vries Pl. nov. 1.
 † — *torulosa* Ait. Schnizl. Ic. 2, 86.
 † *Casuarineae* Mirb. Schnizl. Ic. 2, 86.
 † *Catabrosa* Pal. B. Dumortier Gram. 4.
 — *algida* Fries. Andersson Monogr. 1.
 — *antarctica* Hook. Hook. Fl. ant. 56.
 † — *aquatica* Pal. B. Nees Gen. 1, 58.
 — — — Baxter Brit. Bot. 4, 252.
Catachaetum recurvatum Lk. Link Icones III. 42.
Catalpa syringaeifolia Sims. Lodd. Cab. 1285.
 — — — Bot. Mag. 27, 1094.
Catananche caespitosa Desf. Desf. Fl. atl. 217.
 — *coerulea* L. Bot. Mag. 9, 293.
 — — — Schk. Handb. 226.
 † — — — Lam. Encycl. 658.
 † — *lutea* L. Gaertn. Carp. 157.
 † — — — Lam. Encycl. 658.
 † — — — Schk. Handb. 226.
 — — — Sibth. Fl. gr. 821.
 † *Catapodium liliaceum* Lk. Nees Gen. 1, 69.
 — — — Rchb. Fl. germ. 1, 15.
 — *tuberculosis* Moris. Explor. Alger. 41.
 † *Catappa Benzoin* Gaertn. Gaertn. Carp. 127.
 † — *brasiliensis* Raddi. Mem. Mod. 18, 5.
 † — *guianensis* Lam. Gaertn. Carp. 217.
Catasetum abruptum Hook. Bot. Mag. 68, 3929.
 — *atratum* Ldl. Bot. Reg. 24, 63.
 — *barbatum* Ldl. Bot. Reg. 21, 1778.
 † — — — var. *proboscideum* Ldl. Bot. Reg. 27, 5.
 † — *callosum* Ldl. Bot. Reg. 27, 5.
 — — — Bot. Mag. 72, 4219.
 — *Claveringii* Ldl. Bot. Reg. 10, 840.
 — — — Lodd. Cab. 1344.
 — — — Rchb. Exot. 122.
 † — *cornutum* Ldl. Bot. Reg. 27, 5.
 — *cristatum* Ldl. Bot. Reg. 12, 966.
 † — — — var. *monstrosum*, Bot. Reg. 23, 1951.
 † — — — var. *monstrosum*, Hook. Ic. pl. 2, 177.
 — *deltoideum* Ldl. Bot. Reg. 22, 1896.
 — *discolor* Ldl. Bot. Reg. 20, 1735.
 — *floribundum* Hook. Hook. Exot. Fl. 151.
 — *globiferum* Hook. Bot. Mag. 68, 3942.
 — *Hookeri* Ldl. Lindley Collect. 40.

- Catsetum integerrimum* Hook. Bot. Mag. 67, 3823.
 — *laminatum* Ldl. Lindley Sertum 38.
 † — — var. *eburneum*, Bot. Reg. 27, 5.
 † — *lanciferum* Ldl. Bot. Reg. 27, 5.
 — *longifolium* Ldl. Lindley Sertum 31.
 — *luridum* Ldl. Bot. Reg. 20, 1667.
 — — Bot. Mag. 64, 3590.
 — *macrocarpum* H. B. K. H. B. K. Nov. Gen. 7, 631.
 — *maculatum* H. B. K. H. B. K. Nov. Gen. 7, 630.
 — — *Batem.* Bateman Orchid. 2.
 — — Bot. Reg. 26, 62.
 — *planiceps* Ldl. Bot. Reg. 29, 9.
 — *purum* N. v. E. Nees Amoen. bonn. 1.
 — — Bot. Mag. 62, 3388.
 — *Russellianum* Hook. Bot. Mag. 66, 3777.
 — *saccatum* Ldl. Lindley Sertum 41.
 — *semiapertum* Hook. Hook. Exot. Fl. 213.
 — — Bot. Reg. 20, 1708.
 — *tridentatum* Hook. Hook. Exot. Fl. 90, 91.
 — — Bot. Mag. 52, 2559. 61, 3329.
 — — Bot. Reg. 10, 840.
 — — Rchb. Exot. 60.
 — *trifidum* Hook. Bot. Mag. 60, 3262.
 — — Bot. Reg. 20, 1721.
 — *Trulla* Ldl. Bot. Reg. 27, 34.
 — *viridiflavum* Hook. Bot. Mag. 69, 4017.
 — *Wailiesii* Hook. Bot. Mag. 68, 3937.
Catesbaca latifolia Ldl. Bot. Reg. 10, 858.
 — — Rchb. Exot. 279.
 † — *longiflora* Sw. Lam. Encycl. 67.
 — *macrantha* A. Rich. Ramon Cuba 47.
 † — *parviflora* Sw. Gaertn. Carp. 192.
 † — — Vahl Eclogae 10.
 † — — Lam. Lam. Encycl. 67.
 — *spinosa* L. Bot. Mag. 4, 131.
 — — Tratt. Archiv 211.
 — *Vavasseurii* Kl. Lambert Cinch. 13.
 † *Catha cassinoides* Webb. Webb. Canar. 69 B.
 — *Forskälilii* Dill. et Rich. Richard Abyssin. 30.
Catharanthus pusillus G. Don. Rheede Hort. mal. 9, 33.
 † *Cathartocarpus bacillaris* Pers. Jacq. Fragm. 85.
 — *Bacillus* Pers. Bot. Reg. 11, 881.
 † — *brasiliensis* Loud. Jacq. Fragm. 85.
 — *Fistula* Pers. Nees Düsseld. 342.
Cathartolinum alternum Rchb. Rchb. Fl. germ. 6, 327.
 — *corymbulosum* Rchb. Rchb. Fl. germ. 6, 326.
 — *gallicum* Rchb. Rchb. Fl. germ. 6, 326.
 — *pratense* Rchb. Rchb. Fl. germ. 6, 325.
 — *salsoloides* Rchb. Rchb. Fl. germ. 6, 328.
 — *spicatum* Rchb. Rchb. Fl. germ. 6, 327.
 — *strictum* Rchb. Rchb. Fl. germ. 6, 327.
 — *suffruticosum* Rchb. Rchb. Fl. germ. 6, 328.
 — *tenuifolium* Rchb. Rchb. Fl. germ. 6, 328.
Cathcartia villosa Hook. Bot. Mag. 77, 4396.
 — — Lem. Jard. fl. 167.
 — — Fl. d. serres 7, 686.
Cathetecum prostratum Presl. Presl Reliq. 42.
 † *Cathetostemma laurifolium* Bl. Blume Mus. 1, 13.
 † *Catimbium erectum* Juss. Ann. sc. nat. II. 15, 18.
 † — *nutans* Juss. Ann. sc. nat. II. 15, 18.
Catinga aromatica Aubl. Aublet Guiana 203.
 — *moschata* Aubl. Aublet Guiana 203.
Catocoma altissima P. et E. Poepp. et Endl. 273.
Catophractes Alexandri Don. Linn. Transact. 18, 22.
Cattleya Aclandiae Ldl. Bot. Reg. 26, 48.
 — — Paxt. Mag. 9, 1.
 — — Fl. d. serres 7, 674.
 — *amethystina* Morr. Annales de Gand 1848, 32.
 — *bicolor* Ldl. Lindley Sertum 5.
 — *Brysiana* Lem. Lem. Jard. fl. 3, 275. 276.
 — *bulbosa* Ldl. Bot. Reg. 33, 42.
 — — Paxt. Mag. 15, 49.

- Cattleya citrina* Ldl. Bot. Mag. 66, 3742.
 — *crispa* Ldl. Bot. Reg. 14, 1172.
 — — Paxt. Mag. 5, 5.
 — — Rchb. Exot. 268.
 — — Bot. Mag. 68, 3910.
 — *elegans* Morr. Annales de Gand 1848, 15.
 — — Bot. Mag. 79, 4700.
 — *Forbesii* Ldl. Bot. Reg. 11, 953.
 — — Lodd. Cab. 1152.
 — — Bot. Mag. 60, 3265.
 — *granulosa* Ldl. Bot. Reg. 28, 1.
 — — var. *Russelliana*, Bot. Reg. 31, 59.
 — — Fl. d. serres 3, 199.
 — *guttata* Ldl. Hort. Transact. 9, 8.
 — — Lodd. Cab. 1713.
 — — Bot. Reg. 17, 1406.
 — — var. *Russelliana*, Bot. Mag. 65, 3693.
 — — var. *Russelliana* Hook. Hart. Parad. 1, 8.
 — *Harrisoniana* Paxt. Paxt. Mag. 4, 247.
 — — Hart. Parad. 1, 7.
 — *intermedia* Grah. Bot. Mag. 55, 2851.
 — — var. Bot. Mag. 66, 3711. 70, 4085.
 — — Paxt. Mag. 1, 151.
 — — var. *pallida*, Bot. Reg. 22, 1919.
 — — Maund Bot. 4, 198.
 — — Rchb. Exot. 64.
 — *Karwinskii* Mart. Martius Auswahl 10.
 — *labiata* Ldl. Lindley Collect. 33.
 — — Hook. Exot. Fl. 157.
 — — Lodd. Cab. 1956.
 — — Bot. Reg. 22, 1859.
 — — var. *Mossiae*, Bot. Reg. 26, 58.
 — — Kn. et Westc. 26.
 — — Bot. Mag. 69, 3998.
 — — Paxt. Mag. 4, 121. 7, 73.
 — — Paxt. Fl. G. 24.
 — — var. *picta*, Fl. d. serres 7, 660. 661.
 — *Lemoniana* Ldl. Bot. Reg. 32, 33.
 — *Loddigesii* Ldl. Lindley Collect. 37.
 — — Hook. Exot. Fl. 186.
 — *marginata* Paxt. Paxt. Mag. 10, 265.
 — *maxima* Ldl. Bot. Reg. 32, 1.
 — *Mossiae* Hook. Bot. Mag. 65, 3669.
 — *ovata* Ldl. Bot. Reg. 22, 1919.
 — *pallida* Ldl. Lem. Jard. fl. 161.
 — — Paxt. Fl. G. 48.
 — *Perrinii* Ldl. Bot. Reg. 24, 2.
 — — Hart. Parad. 1, 10.
 — *pumila* Hook. Bot. Mag. 65, 3656.
 — — Bot. Reg. 30, 5.
 — *Skinneri* Batem. Bateman Orchid. 13.
 — — Bot. Mag. 72, 4270.
 — — Paxt. Mag. 11, 193.
 — — Hart. Parad. 2, 1.
 — *sphenophora* Morr. Annales de Gand 1848, 5.
 — *superba* Ldl. Lindley Sertum 22.
 — — Paxt. Mag. 9, 265.
 — — Schomb. Bot. Mag. 70, 4683.
 — *Walkeriana* Gardn. Paxt. Fl. G. 3.
Caturus spiciflorus L. Rumpf Amb. 4, 37.
 — — Lam. Encycl. 805.
Caucalis Anthriscus Huds. Curt. Lond. 3, 72.
 — — Engl. Bot. 14, 987.
 — — Roth. Hayne 1, 36.
 † — *daucoides* L. Gaertn. Carp. 20.
 — — Jacq. Fl. austr. 2, 157.
 — — Sturm Flora 18, 81.
 — — Dietr. Fl. bor. 11, 750.
 — — Engl. Bot. 3, 197.
 — — Baxter Brit. Bot. 6, 459.
 — *glabra* Forsk. Delile Egypte 23.
 † — *glochidiata* Spr. Comm. Gott. rec. 2, 1.

- † *Caucalis grandiflora* L. Gaertn. Carp. 20.
 † — — — Lam. Encycl. 192.
 — — — Jacq. Fl. austr. 1, 54.
 — — — *helvetica* Jacq. Jacq. Vind. 3, 16.
 — — — *humilis* Jacq. Jacq. Vind. 195.
 — — — *infesta* Curt. Curt. Lond. 3, 68.
 — — — Engl. Bot. 19, 1314.
 † — — *latifolia* L. Gaertn. Carp. 20.
 — — — Jacq. Vind. 128.
 — — — Gerard Fl. gallopr. 10.
 — — — Engl. Bot. 3, 198.
 — — — *leptophylla* L. Schk. Handb. 61.
 — — — Sturm Flora 1, 3.
 — — — *maritima* Gouan. Cav. Ic. 101.
 — — — *muricata* Bisch. Sturm Flora 18, 81.
 — — — *nodosa* Huds. Engl. Bot. 3, 199.
 — — — Fl. dan. 12, 1990.
 † — — *parviflora* Lam. Lam. Encycl. 192.
 — — — *platycarpus* L. Jacq. Vind. 3, 10.
 † — — *pumila* Gouan. Comm. Gott. rec. 2, 1.
 — — — *purpurea* Ten. Tenore Fl. nap. 131.
 — — — *tenella* Delile. Delile Egypte 21.
Caulinia flexilis Willd. Mem. Ac. Berl. 1798, 1.
 — — — König Ann. 2, 1.
 — — — *fragilis* Willd. Mem. Ac. Berl. 1798, 1.
 — — — König Ann. 2, 1.
 — — — Lam. Encycl. 799.
 † — — — Ann. sc. nat. 2, 2, 3.
 † — — — Nees Gen. 3, x.
 — — — *indica* Willd. Mem. Ac. Berl. 1798, 1.
 — — — König Ann. 2, 2.
 — — — *intermedia* Balb. Nocca et Balb. Fl. tic. 15.
 — — — *microphylla* Balb. Nocca et Balb. Fl. tic. 16.
 — — — *oceanica* DC. Acad. Neap. 5, 3.
 — — — Dict. sc. nat. 37.
 † *Caulophyllum Michx.* Gray Genera 32.
 — — — *thalictroides* Michx. Michaux Fl. 21.
 — — — Lam. Encycl. 937.
 — — — Rafinesque Med. 19.
Caustis flexuosa R. Br. Guillem. Austr. 14.
 † *Cavanillea philippensis* Lam. Lam. Encycl. 454.
 — — — Desr. Bot. Reg. 14, 1139.
 † *Cavanillesia Rz et P.* Ruiz et Pav. Prodr. 20.
 † *Ceanothus L.* Gray Genera 169.
 † — — *americanus* L. Gaertn. Carp. 106.
 — — — Lam. Encycl. 129.
 — — — Schk. Handb. 46.
 — — — Bot. Mag. 36, 1479.
 — — — Herb. amat. 2, 81.
 — — — Gray Genera 169.
 — — — *asiaticus* L. Cav. Ic. 440.
 — — — Lam. Encycl. 129.
 — — — *azureus* Desf. Bot. Reg. 4, 291.
 — — — Paxt. Mag. 2, 74.
 † — — — Ann. sc. nat. 10, 15.
 — — — *buxifolius* Willd. H. B. K. Nov. Gen. 7, 615.
 † — — *circumscissus* Gaertn. Gaertn. Carp. 106.
 — — — *coeruleus* Lag. Lodd. Cab. 110.
 — — — *collinus* Dougl. Kn. et Westcott 13.
 — — — Maund Bot. 1, 16.
 — — — *cuueatus* Nutt. Journ. Hort. Soc. 6, 220.
 — — — *dentatus* Torr. et Gr. Paxt. Fl. G. 4.
 — — — Lem. Jard. fl. 25.
 — — — Fl. d. serres 6, 567.
 — — — Ysabeau Journal 1850, 4.
 — — — Belgique hort. 3, 16.
 — — — *discolor* Vent. Vent. Malm. 58.
 — — — *globulosus* Lab. Bill. Nov. Holl. 85.
 — — — *granulosus* Rz et P. Ruiz et Pav. Fl. 228.
 — — — *infestus* H. B. K. H. B. K. Nov. Gen. 7, 614.
 — — — *laniger* Andr. Andr. Rep. 9, 569.
 — — — *macrocarpus* Cav. Cav. Ic. 276.

- Ceanothus ovalis* Big. Torr. New York 20.
 — — — *pallidus* Ldl. Bot. Reg. 26, 201.
 — — — *papillosus* Torr. et Gr. Lem. Jard. fl. 17.
 — — — Fl. d. serres 6, 567.
 — — — Hook. Ic. pl. 272.
 — — — Belgique hort. 3, 16.
 — — — *pubescens* Rz et P. Ruiz et Pav. Fl. 228.
 — — — *rigidus* Nutt. Journ. Hort. Soc. 5, 197.
 — — — Lem. Jard. fl. 4, 348.
 — — — Bot. Mag. 78, 4664.
 — — — Belgique hort. 3, 16.
 — — — *spathulatus* Lab. Bill. Nov. Holl. 84.
 — — — *thyrsiflorus* Eschscholtz. Bot. Reg. 30, 39.
 — — — *velutinus* Dougl. Hook. Bor. Am. 45.
 — — — *verrucosus* Nutt. Journ. Hort. Soc. 7, 277.
 — — — Lem. Jard. fl. 3, 316.
 — — — Bot. Mag. 78, 4660.
 † *Cecropia L.* Ann. sc. nat. III. 8, 1.
 † — — *peltata* L. Jacq. Obs. 46.
 — — — Lam. Encycl. 800.
 — — — Desc. Ant. 2, 75.
 † *Cedrela angustifolia* DC. Mem. Mus. 19, 23.
 — — — *brasiliensis* Juss. St. Hil. Fl. Bras. 101.
 — — — *febrifuga* Blume. Forsten Monogr. 1.
 † — — *odorata* L. Gaertn. Carp. 93.
 † — — — Lam. Encycl. 137.
 — — — Desc. Ant. 6, 411.
 — — — *serrata* Royle. Royle Illustr. 25.
 — — — *Toona Roxb.* Rumpf Amb. 3, 39.
 — — — Roxb. Corom. 238.
 — — — Wight Ic. pl. Ind. or. 1, 161.
Cedronella cana Hook. Bot. Mag. 77, 4618.
 — — — Lem. Jard. fl. 218.
 — — — Belgique hort. 2, 58.
 — — — *pallida* Benth. Bot. Reg. 32, 29.
Cedrus atlantica Morr. Belgique hort. 2, 66.
 — — — *Deodara* Loud. Pinetum Woburn. 48, 49.
 † *Ceiba pentandra* Gaertn. Gaertn. Carp. 133.
Celastine azurea Herb. Fl. d. serres 4, 411.
 † *Celastrus L.* Gray Genera 170.
 — — — *alatus* Thunb. Thunb. Ic. jap. 33.
 — — — *buxifolius* L. Bot. Mag. 47, 2114.
 — — — *cassinoides* L'her. L'her. Sertum 10.
 — — — *coriaceus* Guillem. Guillem. Seneg. 36.
 — — — *cymosus* Soland. Bot. Mag. 46, 2070.
 — — — *decolor* Delile. Cailliaud Voyage 64.
 — — — *edulis* Vahl. Ferret Abyssin. 4.
 — — — *emarginatus* Rz et P. Ruiz et Pav. Fl. 229.
 — — — *europaeus* Boiss. Boissier Esp. 38.
 — — — *heterophyllus* Savi. Mem. Tur. 38, 2.
 — — — *integrifolius* Thunb. Herb. amat. 4, 260.
 — — — *linearis* L. fil. Roemer Archiv III. 3, 3.
 — — — *lucidus* L. L'her. Stirp. 25.
 — — — *luteolus* Delile. Ferret Abyssin. 8.
 — — — *macrocarpos* Rz et P. Ruiz et Pav. Fl. 230.
 — — — *magellanicus* DC. Hook. Ic. pl. 6, 537.
 — — — *montanus* Roxb. Wight Ic. pl. Ind. or. 2, 382.
 — — — *ovatus* Hill. Hill Hort. Kew. 16.
 — — — *paniculatus* Willd. Wight Illustr. 72.
 — — — Wight Ic. pl. Ind. or. 1, 158.
 — — — *parviflorus* Vahl. Ferret Abyssin. 5.
 † — — *pyracanthus* L. Gaertn. Carp. 95.
 — — — Sims. Bot. Mag. 29, 1167.
 † — — *scandens* L. Gaertn. Carp. 95.
 — — — Schk. Handb. 47.
 — — — Gray Genera 170.
 — — — *subspicatus* Hook. Hook. Ic. pl. 5, 482.
 — — — *Tsaad Delile*. Ferret Abyssin. 4.
 — — — *uncinatus* Rz et P. Ruiz et Pav. Fl. 230.
 — — — *verticillatus* Rz et P. Ruiz et Pav. Fl. 229.
Celmisia coriacea Hook. fil. Hook. New Zeal. 32.
 — — — *hieracioides* Hook. fil. Hook. New Zeal. 34.

- Celmisia holosericea* Hook. *fil.* Hook. New Zeal. 31.
 — *incana* Hook. *fil.* Hook. New Zeal. 34.
 — *longifolia* Gaudich. Freycinet Voyage 91.
 — *Mackaui* Decne. Raoul Nouv. Zel. 14.
 — *spectabilis* Hook. *fil.* Hook. New Zeal. 33.
 — *vernica* Hook. Hook. Fl. antarct. 26. 27.
Celosia argentea L. Rheede Hort. mal. 10, 38. 39.
 — — Martyn Hist. 6.
 — — Moq. Wight Ic. pl. Ind. or. 5, 1767.
 — *baccata* Koenig. Wight Ic. pl. Ind. or. 2, 728.
 — *castrensis* L. Rumpf Amb. 5, 84.
 — *cernua* Andr. Andr. Rep. 10, 638.
 — — Roxb. Wight Ic. pl. Ind. or. 2, 730.
 — *coccinea* L. Bot. Reg. 22, 1834.
 † — *cristata* L. Gaertn. Carp. 128.
 — — Lam. Encycl. 168.
 † — — Schnizl. Ic. 2, 102.
 — *glauca* Wendl. Wendl. Hort. herrenh. 2.
 — *lanata* L. Jacq. Vind. 3, 85.
 — *longifolia* Mart. Mart. Bras. 157. 158.
 — *nodiflora* L. Jacq. Vind. 98.
 — *paniculata* L. Desc. Ant. 4, 234.
 — *procumbens* Jacq. Jacq. Ic. 51.
 — — Comm. Gotting. 5, 5.
 — *pulchella* Moq. Wight Ic. pl. Ind. or. 5, 1766.
 — *pyramidalis* Burm. Burm. Fl. ind. 23.
 — *tetragyna* Roxb. Wight Ic. pl. Ind. or. 2, 729.
 — *trigyna* L. Jacq. Vind. 3, 15.
 † — — Lam. Encycl. 168.
 — *virgata* Jacq. Jacq. Ic. 339.
Celsia acaulis Bory. Bory et Chaub. Morée 18.
 — *Arcturus* L. Jacq. Vind. 117.
 † — — Schk. Handb. 173.
 — — Bot. Mag. 45, 1962.
 — *betoniaefolia* Desf. Jacq. Fragn. 96.
 — *coromandelina* Vahl. Wight Ic. pl. Ind. or. 4, 1406.
 — *cretica* L. Jacq. Schoenbr. 4, 474.
 — — Bot. Mag. 24, 964.
 — — Rechb. Exot. 206.
 — — Vill. Cat. Strasb. 3.
 † — — Mutel Fl. fr. 40.
 — — Risso Fl. de Nice 8.
 — *heterophylla* Desf. Jacq. Fragn. 97.
 — *lanceolata* Vent. Vent. Cels 27.
 — *linearis* Jacq. Jacq. Ic. 497.
 — — Bot. Mag. 6, 210.
 — *orientalis* L. Linné Hort. ups. 2.
 — — Risler Verbasc. 9.
 † — — Gaertn. Carp. 55.
 † — — Lam. Encycl. 532.
 — — Sibth. Fl. gr. 605.
 — — Schk. Handb. 173.
 † — — Nees Gen. 5, 28.
 — *sublanata* Jacq. Jacq. Fragn. 126.
 — — Bot. Reg. 6, 438.
 — *urticaefolia* Curt. Bot. Mag. 12, 417.
 — *viscosa* Roth. Hook. Journ. 1834, 129.
 † *Celtidea* Endl. Schnizl. Ic. 2, 91.
Celtis amboinensis Willd. Brongniart Coquille 47^a.
 — *aspera* Brongn. Brongniart Coquille 48.
 — *australis* L. Schk. Handb. 353.
 — — Hartig 58.
 — — Rechb. Fl. germ. 12, 667.
 — — Watson Dendr. 2, 105.
 — *cordifolia* Duh. Schk. Handb. 355.
 — *crassifolia* Lam. Michaux Arb. 3, 9.
 — *discolor* Brongn. Brongniart Coquille 47^b.
 — *eriocarpa* Decne. Jacquemont Ind. 152.
 † — *occidentalis* L. Gaertn. Carp. 77.
 — — Schk. Handb. 354.
 † — — Lam. Encycl. 844.

- Celtis occidentalis* L. Michaux Arb. 3, 8.
 — — Guimp. Fr. Holzgew. 96.
 — — Desc. Ant. 1, 19.
 — — Watson Dendr. 2, 147.
 † — — Schnizl. Ic. 2, 91.
 † — — Nees Gen. 4, 35.
 — — Emerson Rep. Mass. 16.
 — *orientalis* L. Rheede Hort. mal. 4, 40.
 — — Wight Ic. pl. Ind. or. 2, 602. 603.
 — *serotina* Planch. Wight Ic. pl. Ind. or. 6, 1970.
 † — *Tournefortii* Lam. Lam. Encycl. 844.
 — — Jaubert Illustr. 400.
 — *Wightii* Planch. Wight Ic. pl. Ind. or. 6, 1969.
Cenarrhenes nitida Lab. Bill. Nov. Holl. 50.
 — — Lam. Encycl. 914.
Cenchrus anomoplexis Lab. Bill. Sertum 19.
 — *calyculatus* Cav. Cav. Ic. 463.
 — *capitatus* L. Schk. Handb. 345.
 — — Sibth. Fl. gr. 100.
 — *ciliaris* Poir. Lam. Encycl. 838.
 † — *echinatus* L. Gaertn. Carp. 80.
 † — — Lam. Encycl. 838.
 — — Schreber Gräser 23.
 — — Cav. Ic. 462.
 — *marginalis* Rudge. Rudge Pl. Guianae 25.
 — *mysuroides* H. B. K. H. B. K. Nov. Gen. 1, 35.
 — *muricatus* L. Schreber Gräser 34.
 — *ovatus* Lam. Lam. Encycl. 838.
 — *pilosus* H. B. K. H. B. K. Nov. Gen. 1, 36.
 — *racemosus* L. Schreber Gräser 4.
 — *spinifex* Cav. Cav. Ic. 461.
 — *tribuloides* L. Elliott Carol. 4.
 † *Cenolophium Fischeri* Koch. DC. Umbellif. 3.
 † *Cenostigma macrophyllum* Tul. Ann. sc. nat. II. 20, 3.
 † *Centaurea* L. Mutel Fl. fr. 31. 32.
 † — — (Semina.) Ann. Mus. 16, 5.
 — *acaulis* L. Desf. Fl. atl. 243.
 — — Boissier Esp. 103.
 — *acicularis* Sibth. Sibth. Fl. gr. 911.
 — *Adami* Willd. Rechb. Fl. germ. 15, 795.
 — *adulterina* Moretti. Rechb. Fl. germ. 15, 786.
 — *aegyptiaca* L. Sibth. Fl. gr. 907.
 — — Delile Egypte 49.
 — *alexandrina* Del. Delile Egypte 49.
 — *alata* Lam. Vent. Cels 80.
 — *alba* L. Rechb. Fl. germ. 15, 752.
 — *alpina* L. Rechb. Fl. germ. 15, 751.
 — *amara* L. Rechb. Fl. germ. 15, 753.
 — *Amberboi* Lam. Lam. Encycl. 703.
 — *ambigua* Guss. Gussone Pl. rar. 61.
 † — *ambracea* Schk. Schk. Handb. 261.
 — *americana* Nutt. Barton Fl. 2, 50.
 — — Rechb. Hort. 132.
 — — Fl. d. serres 4, 327.
 — — Colla. Mem. Tur. 31, 6.
 — *apolepa* Moretti. Moretti Bot. ital. 3.
 — — Rechb. Fl. germ. 15, 778.
 — *arenaria* M. v. B. Rechb. Pl. crit. 5, 443.
 — *arguta* N. v. E. Horae berol. 25. 26.
 — *aspera* L. Rechb. Fl. germ. 15, 799.
 — *aspero* - *Calcitrapa* G. et Gr. Rechb. Fl. germ. 15, 797.
 — *atropurpurea* W. et K. W. et Kit. 116.
 — — Rechb. Ic. crit. 5, 447.
 — *augustana* Rechb. *fil.* Rechb. Fl. germ. 15, 785.
 — *aurea* Ait. Bot. Mag. 12, 421.
 — *austriaca* Willd. Rochel Banat. 36.
 — — Rechb. Ic. crit. 4, 376.
 — — Rechb. Fl. germ. 15, 761.
 — *axillaris* Willd. Rechb. Fl. germ. 15, 770.
 — *badensis* Tratt. Tratt. Archiv 23.
 — *Balsamita* Lam. Jacq. Eclogae pl. 10.

- Centaurea Balsamita* Lam. Sweet Fl. G. II. 388.
 — *Benedicta* L. Sibth. Fl. gr. 906.
 — — Hayne 7, 34.
 — — Guimp. et Schl. 184.
 — — Woodv. Med. 1, 14.
 — — Nees Düssel. 222.
 — *bimorpha* Viv. Viviani Lib. 24.
 — *Boissieri* DC. Boissier Esp. 101.
 — *bombycina* Boiss. Boissier Esp. 101.
 — *Brachtii* Rechb. fil. Rechb. Fl. germ. 15, 786.
 — *caespitosa* Cir. Cirillo Pl. rar. 1, 8.
 — — Roemer Fl. eur. 1, 2.
 — *calcareo* Jord. Rechb. Fl. germ. 15, 773.
 † — *Calcitrapa* L. Schk. Handb. 261.
 — — Sturm Flora 1, 4.
 — — Dreves 5, 147.
 — — Dietr. Fl. bor. 8, 551.
 — — Rechb. Fl. germ. 15, 798.
 — — Engl. Bot. 2, 125.
 — — Fl. dan. 12, 1998.
 — *calcitrapoides* L. Rechb. Fl. germ. 15, 798.
 — *calocephala* Willd. Rechb. Ic. crit. 5, 446.
 — — Rechb. Fl. germ. 15, 789.
 — *canariensis* Willd. Webb Canar. 118.
 — *ceratophylla* Ten. Tenore Fl. nap. 85.
 — *Chaubardi* Rechb. fil. Rechb. Fl. germ. 15, 781.
 — *cheiranthifolia* Willd. Willd. Phytogr. 7.
 — *chilensis* Colla. Mem. Tur. 38, 22.
 — *Cineraria* L. Jacq. Vind. 92.
 — — Rechb. Fl. germ. 15, 772.
 — *cinerea* Lam. Rechb. Ic. crit. 10, 965.
 — — Rechb. Fl. germ. 15, 773.
 — *cirrhatia* Rechb. Rechb. Ic. crit. 10, 964.
 — — Rechb. Fl. germ. 15, 762.
 — *Clementei* Boiss. Boissier Esp. 102.
 † — *coerulescens* Willd. Jordan Obs. 5, 4.
 — *collina* L. Sibth. Fl. gr. 914.
 — — Rechb. Fl. germ. 15, 790.
 — *contracta* Viv. Viviani Lib. 24.
 — *coriacea* W. et K. W. et Kit. 195.
 — — Rechb. Fl. germ. 15, 774.
 — *Cornuti* Rechb. Rechb. Hort. 146.
 † — *corymbosa* Pourr. Jordan Obs. 5, 4.
 — — Rechb. Fl. germ. 15, 788.
 — *cristata* Bartl. Rechb. Fl. germ. 15, 777.
 — *crithmifolia* Vis. Rechb. Fl. germ. 15, 786.
 † — *Crocodilium* L. Schk. Handb. 261.
 † — *Crupina* L. Schk. Handb. 261.
 — — Sibth. Fl. gr. 900.
 — *cuneifolia* Sibth. Sibth. Fl. gr. 901.
 — *cuspidata* Vis. Visiani Dalm. 12.
 — — Rechb. Fl. germ. 15, 767.
 — *Cyanus* L. Curt. Lond. 3, 18.
 — — Engl. Bot. 4, 277.
 — — Baxter Brit. Bot. 1, 35.
 — — Fl. dan. 6, 993.
 — — Sv. Bot. 52.
 † — — Lam. Encycl. 703.
 — — Rousseau Bot. 37.
 — — Sturm Flora 1, 4.
 — — Schrank Fl. monac. 2, 130.
 — — Hayne 7, 32.
 — — Dietr. Fl. bor. 8, 547.
 — — Rechb. Fl. germ. 15, 768.
 — *cylindrocarpa* Rechb. fil. Rechb. Fl. germ. 15, 781.
 — *dealbata* Willd. Marshall Cent. 53.
 — *Debeauxii* Godr. et Gr. Rechb. Fl. germ. 15, 759.
 — *decipiens* Thuill. Rechb. Ic. crit. 10, 985.
 — *depressa* M. v. B. Bot. Mag. 65, 3662.
 — *deusta* Ten. Tenore Fl. nap. 84.
 — *dissecta* Ten. Rechb. Fl. germ. 15, 787.
 — *divergens* Vis. Visiani Dalm. 41.

- Centaurea divergens* Vis. Rechb. Fl. germ. 15, 782.
 — *dracunculifolia* Duf. Rechb. Fl. germ. 15, 783.
 — *drabifolia* Sibth. Sibth. Fl. gr. 910.
 — *elegans* All. All. Fl. ped. 3, 49.
 — *eriophora* L. Lam. Encycl. 703.
 — *eryngioides* Lam. Sibth. Fl. gr. 913.
 — *Ferdinandi* Gren. Rechb. Fl. germ. 15, 765.
 — *ferox* Desf. Desf. Fl. atl. 242.
 — *filiformis* Viv. Moris Fl. sard. 86.
 — *Fischeri* Willd. Willd. Hort. 97.
 — *flosculosa* Balb. Rechb. Ic. crit. 4, 362.
 — — Rechb. Fl. germ. 15, 764.
 — *fragilis* Durieu. Explor. Alger. 54.
 — *Friderici* Vis. Visiani Dalm. 48.
 — — Rechb. Fl. germ. 15, 776.
 — *fuscata* Desf. Desf. Fl. atl. 244.
 — *galactites* L. Cav. Ic. 231.
 † — — Schk. Handb. 261.
 — — Sibth. Fl. gr. 919.
 — *glastifolia* L. Bot. Mag. 2, 62.
 — *Grafiata* DC. Rechb. Fl. germ. 15, 791.
 — *granatensis* Boiss. Boissier Esp. 104.
 — *gymnocarpa* Moris. Mem. Tur. 2, (1840.) 2.
 — *Hanrii* Jord. Jordan Obs. 5, 4.
 — *Heuffelii* Rechb. fil. Rechb. Fl. germ. 15, 801.
 — *horrida* Badaro. Moris Fl. sard. 85.
 — — Rechb. Fl. germ. 15, 788.
 — *hybrida* All. DC. Ic. Gall. 22.
 — — Rechb. Fl. germ. 15, 785.
 — *Jacea* L. Fl. dan. 3, 519.
 — — Engl. Bot. 24, 1678.
 † — — Schk. Handb. 261.
 — — Sturm Flora 1, 4.
 — — Dietr. Fl. bor. 8, 548.
 — — Rechb. Ic. crit. 10, 962.
 — — Rechb. Fl. germ. 15, 754. 755. 759.
 — *iberica* Trev. Rechb. Fl. germ. 15, 798.
 — *incana* Ten. Tenore Fl. nap. 247.
 — — Rechb. Fl. germ. 15, 759.
 — *incompta* Vis. Visiani Dalm. 49.
 — — Rechb. Fl. germ. 15, 787.
 — *Isnardi* L. Engl. Bot. 32, 2256.
 † — *kartschiana* Scop. Scop. Fl. carn. 2, 55.
 — — Rechb. Ic. crit. 9, 811.
 — — Rechb. Fl. germ. 15, 777.
 — *Kotschyana* Koch. Rechb. Fl. germ. 15, 775. 801.
 — *lappacea* Ten. Tenore Fl. nap. 193.
 † — *leucophaea* Jord. Jordan Obs. 5, 4.
 — — Rechb. Fl. germ. 15, 784.
 — *limbata* Link. Hoffm. Lk. Fl. port. 97.
 † — *Lippii* L. Schk. Handb. 261.
 — *lugdunensis* Jord. Jordan Obs. 5, 3.
 — — Rechb. Fl. germ. 15, 769.
 — *macrocephala* Willd. Bot. Mag. 31, 1248.
 † — *maculosa* Lam. Jordan Obs. 5, 4.
 — — Rechb. Fl. germ. 15, 779.
 — *melitensis* L. Sibth. Fl. gr. 909.
 † — — Schk. Handb. 261.
 — — Rechb. Fl. germ. 15, 796.
 — *microptilon* Godr. et Gr. Rechb. Fl. germ. 15, 758.
 — *mollis* W. et K. W. et Kit. 219.
 — *montana* L. Bot. Mag. 3, 77.
 — — Jacq. Fl. austr. 4, 371.
 — — Schrank Fl. monac. 2, 133.
 — — Jordan Obs. 5, 3.
 — — Rechb. Fl. germ. 15, 771.
 — *monticola* Boiss. Boissier Esp. 102.
 † — *moschata* L. Schk. Handb. 261.
 † — *muricata* L. Schk. Handb. 261.
 — *mutabilis* St. Amans. Mem. Mus. 1, 24.
 — *myacantha* DC. DC. Ic. Gall. 23.
 — — Rechb. Fl. germ. 15, 797.

- Centaurea nana* Desf. Desf. Fl. atl. 241.
 — *napifolia* L. Sibth. Fl. gr. 905.
 — — Rchb. Fl. germ. 15, 800.
 — *napulifera* Rochel. Frivaldski Balk. 3.
 — — Rchb. Fl. germ. 15, 768.
 — *nervosa* Willd. Rchb. Ic. crit. 4, 372.
 — — Rchb. Fl. germ. 15, 763.
 — *nicaeensis* All. All. Fl. ped. 3, 74.
 — — Rchb. Fl. germ. 15, 796.
 — *nigra* L. Fl. dan. 6, 996.
 — — Reichard Fl. francof. 1.
 — — Engl. Bot. 4, 278.
 — — Rchb. Fl. germ. 15, 761.
 — *ochroleuca* Puschk. Marshall Cent. 46.
 — — Bot. Mag. 29, 1175.
 — *orientalis* L. Rchb. Fl. germ. 15, 790.
 — *pallidescens* Del. Delile Egypte 49.
 — *pallida* Friw. Rchb. Fl. germ. 15, 784.
 — *paniculata* L. Jacq. Fl. austr. 4, 320.
 — — Schrank Fl. monac. 3, 235.
 — — Dietr. Fl. bor. 8, 550.
 † — — Jordan Obs. 5, 4.
 — — Rchb. Fl. germ. 15, 780.
 — *parviflora* Sibth. Sibth. Fl. gr. 912.
 — *pectinata* L. Rchb. Ic. crit. 7, 642.
 — — Rchb. Fl. germ. 15, 760.
 — *Petteri* Rchb. fl. Rchb. Fl. germ. 15, 783.
 — *phrygia* L. Fl. dan. 3, 520.
 — — Schk. Handb. 261.
 — — Dietr. Fl. bor. 11, 773.
 — — Rchb. Ic. crit. 4, 375.
 — — Rchb. Fl. germ. 15, 764.
 — — var. *adscendens*, Schweizer Denks. 3, 4.
 — *polyacantha* Willd. Hoffm. Lk. Fl. port. 98.
 — — Boissier Esp. 105.
 † — *polycephala* Jord. Jordan Obs. 5, 4.
 — — Rchb. Fl. germ. 15, 782.
 — *Pouzini* DC. Rchb. Fl. germ. 15, 797.
 — *pratensis* Thuill. Rchb. Ic. crit. 10, 963.
 — — Rchb. Fl. germ. 15, 758.
 — *procumbens* Balb. Mem. Tur. 9, 1.
 — — Rchb. Fl. germ. 15, 760.
 — *prolifera* Vent. Vent. Cels 16.
 — *Prolongi* Boiss. Boissier Esp. 103.
 — *pubescens* Willd. Willd. Hort. 42.
 — *pulchella* Led. Ledeb. Ic. 93.
 — *pulcherrima* Willd. Rchb. Ic. crit. 8, 716.
 — *pulchra* DC. Bot. Reg. 26, 28.
 — *pullata* L. Rchb. Ic. crit. 4, 373.
 — — Rchb. Fl. germ. 15, 766.
 — *pumila* Desf. Ann. Mus. 1, 19.
 — — L. Vent. Malm. 9.
 — — Sibth. Fl. gr. 918.
 — *punctata* Vis. Visiani Dalm. 11.
 — — Rchb. Fl. germ. 15, 778.
 — *ragusina* L. Bot. Mag. 14, 494.
 — — Sibth. Fl. gr. 903.
 — — Rchb. Fl. germ. 15, 794.
 — *raphanina* DC. Sibth. Fl. gr. 917.
 — *reflexa* Lam. Rchb. Fl. germ. 15, 793.
 — *Reuteri* Rchb. fl. Rchb. Fl. germ. 15, 780.
 — *rhaetica* Moritz. Schweizer Denkschr. 3, 3.
 — — Rchb. Fl. germ. 15, 762.
 — *Rhapontica* L. Bot. Mag. 42, 1752.
 — *rigidula* Jord. Jordan Obs. 5, 4.
 — *rupestris* L. Sibth. Fl. gr. 915.
 — — Rchb. Fl. germ. 15, 792.
 — *rutifolia* Sibth. Sibth. Fl. gr. 916.
 — *salmantica* L. Jacq. Vind. 64.
 † — — Schk. Handb. 261.
 — *salonitana* Vis. Visiani Dalm. 13.
 — — Rchb. Fl. germ. 15, 793.

- Centaurea Scabiosa* L. Engl. Bot. 1, 56.
 — — Sv. Bot. 327.
 — — Fl. dan. 7, 1231.
 — — Hayne 7, 33.
 — — Dietr. Fl. bor. 8, 549.
 — — Rchb. Fl. germ. 15, 774.
 — *scabra* Presl. Schrank Fl. monac. 2, 168.
 — *semidecurrens* Jord. Jordan Obs. 5, 3.
 † — *seridis* L. Schk. Handb. 261.
 † — *sensana* Vill. Rchb. Fl. germ. 15, 769.
 † — *sicula* L. Schk. Handb. 261.
 — *solstitialis* L. Engl. Bot. 4, 243.
 † — — Sibth. Fl. gr. 908.
 † — — Schk. Handb. 261.
 — — Rchb. Fl. germ. 15, 795.
 — *sonchifolia* L. Rchb. Fl. germ. 15, 799.
 — *sordida* Willd. Rchb. Fl. germ. 15, 791.
 — *sphaerocephala* L. Sibth. Fl. gr. 904.
 — — Bot. Mag. 52, 2551.
 — — Rchb. Fl. germ. 15, 800.
 — *spinulosa* Roch. Rochel Banat. 36.
 — — Rchb. Fl. germ. 15, 775.
 — *spinosa* L. Sibth. Fl. gr. 902.
 — — Bot. Mag. 51, 2493.
 — — Rchb. Fl. germ. 15, 788.
 — *stereophylla* Bess. Rchb. Pl. crit. 5, 444.
 — — Rchb. Fl. germ. 15, 775, 809.
 — *straminea* Willd. Willd. Hort. 26.
 — *stricta* W. et K. W. et Kit. 178.
 — *suaveolens* Willd. Sweet Fl. G. 51.
 — *sulphurea* Lag. Rchb. Ic. crit. 5, 460.
 — — Willd. Boissier Esp. 100.
 — *tagana* Brot. Brotero Phytogr. 32.
 — *tatarica* L. fl. Rchb. Ic. crit. 5, 445.
 — *tenuifolia* Duf. Boissier Esp. 102.
 — *tenuisecta* Jord. Rchb. Fl. germ. 15, 779.
 — *transalpina* Schleich. Rchb. Fl. germ. 15, 756.
 — *trinervia* Steph. Rchb. Fl. germ. 15, 767.
 — *tuberosa* Vis. Visiani Dalm. 12.
 — *uliginosa* Brot. Brotero Phytogr. 30.
 — *uniflora* L. Rchb. Ic. crit. 4, 374.
 — — Rchb. Fl. germ. 15, 765.
 — *vallesiaca* Rchb. fl. Rchb. Fl. germ. 15, 783.
 — *Verutum* L. Jacq. Ic. 178.
 — *virgata* Cav. Cav. Ic. 230.
 — *vochinensis* Bernh. Rchb. Fl. germ. 15, 757.
 — *Weldeniana* Rchb. Rchb. Fl. germ. 15, 783.
Centaurella paniculata Michx. Michaux Fl. 12.
 — *verna* Michx. Michaux Fl. 12.
Centauropsis lanuginosa Boj. Delessert Ic. 4, 7.
Centotheca lappacea Desv. Humb. Gram. 70.
Centrachena viscida Schott. Rchb. Ic. crit. 4, 361.
Centradenia floribunda Planch. Fl. d. serres 5, 453.
 — *rosea* Ldl. Bot. Reg. 29, 20.
 — — Paxt. Mag. 10, 101.
Centranthera hispida Wall. Rheede Hort. mal. 9, 68.
 — — R. Br. Wall. Pl. asiat. 45.
 † — — Wight Illustr. 163 b.
 † *Centranthus angustifolius* DC. Nees Gen. X, x.
 — — Rchb. Fl. germ. 12, 718.
 — *Calcitrapa* Duf. Rchb. Fl. germ. 12, 717.
 — *macrosiphon* Boiss. Boissier Esp. 85 a.
 — — Paxt. Fl. G. 67.
 — — Lem. Jard. fl. 3, 273.
 — *nervosus* Moris. Moris Fl. sard. 78 b.
 — *ruber* DC. Rchb. Fl. germ. 12, 718.
Centrocarpha grandiflora Sweet. Sweet Fl. G. II. 87.
 † *Centrochilus gracilis* Schauer. Acta Leop. 19. Suppl. 13.
Centroclinium altissimum P. et E. Poepp. et Endl. 259.
 — *appressum* Hook. Bot. Mag. 58, 3115.
 — *reflexum* Hook. Bot. Mag. 58, 3114.
 † *Centrolepideae* Desv. Schnizl. Ic. 1, 44.

- Centrolepis aemula* Rudge. Linn. Transact. 10, 12.
 — — — Lam. Encycl. 901.
 — — — *cuspidigera* Rudge. Linn. Transact. 10, 12.
 — — — *fascicularis* Lab. Bill. Nov. Holl. 1.
 — — — — — Lam. Encycl. 901.
 — — — — — Ann. sc. nat. 13, 2.
 — — — — — Endl. Iconogr. 49.
 — — — *pulvinata* Desv. Ann. sc. nat. 13, 2.
 † *Centrophorum chinense* Trin. Trin. Fundam. 5.
Centropogon cordifolius Decne. Fl. d. serres 4, 362.
 — — — *fastuosus* Decne. Revue horticole 1853, 10.
 — — — *surinamensis* Presl. Paxt. Mag. 13, 149.
 — — — — — Annales de Gand 1846, 96.
 — — — *tovarensis* Planch. Fl. d. serres 8, 802.
Centrosema heptaphyllum Moric. Moricand Pl. Am. 61.
 — — — *Plumieri* Benth. Bot. Reg. 4, 268.
 — — — *virginianum* Benth. Bot. Reg. 13, 1047.
 † *Centrosia Auberti* A. Rich. Mem. hist. nat. Par. 4, 7.
Centrosia silvatica Aub. Aubert Orchid. 35, 36.
Centrosolenia bractescens Hook. Bot. Mag. 78, 4675.
 — — — *glabra* Benth. Hook. Ic. pl. 9, 873.
 — — — — — Bot. Mag. 76, 4552.
 — ? — — — Fl. d. serres 6, 638.
 — — — — — Lem. Jard. fl. 85.
 — — — *picta* Hook. Bot. Mag. 77, 4611.
 — — — — — Fl. d. serres 7, 701.
Centrospermum Chrysanthemum Spr. Jacq. Ecl. pl. 146.
 — — — *xanthioides* H. B. K. H. B. K. Nov. Gen. 4, 397.
 † — — — — — Lam. Encycl. 988.
Centrostachys aquatica Wall. Wight Ic. pl. Ind. 5, 1780.
 — — — — — Endl. Iconogr. 20.
 — — — *diandra* Wall. Wight Ic. pl. Ind. or. 2, 722.
Centrostemma Lindleyanum Decne. Hart. Parad. 1, 12.
 † — — — *micranthum* Bl. Blume Mus. 1, 12.
 † — — — *multiflorum* Decne. Ann. sc. nat. II. 9, 10.
 — — — — — Annales de Gand 1845, 2.
Centunculus angustifolius Scop. Scop. Fl. carn. 1, 19.
 — — — *minimus* L. Fl. dan. 1, 177.
 — — — — — Schk. Handb. 24.
 † — — — — — Gaertn. Carp. 50.
 † — — — — — Lam. Encycl. 83.
 — — — — — Curt. Lond. 2, 118.
 — — — — — Engl. Bot. 8, 531.
 — — — — — Sv. Bot. 610.
 — — — — — Sturm Flora 8, 30.
 — — — — — Dietr. Fl. bor. 7, 494.
 — — — — — Baxter Brit. Bot. 4, 296.
 † — — — — — Nees Gen. 5, 19.
 — — — *rigidus* Scop. Scop. Fl. carn. 1, 19.
 — — — *simplex* Hornem. Fl. dan. 9, 1567.
 — — — *tenellus* Duby. Wight Ic. pl. Ind. or. 6, 2000.
 † *Ceodes umbellata* Forst. Forster Char. 71.
 † *Cephaelis* Sw. Swartz Fl. Ind. 10.
 — — — *calycina* Ldl. Lindley Coll. 21.
 — — — *dichotoma* Rudge. Rudge Pl. Guianae 44.
 — — — *fragrans* Hook. Hook. Beechey 13.
 — — — *Ipecacuanha* Rich. Berl. Jahrb. 1804, 1. 1821, 1.
 — — — — — Richard Hist. nat. Ipec. 1.
 — — — — — St. Hil. Pl. usuelles 6.
 — — — — — Hayne 8, 20.
 — — — — — Nees Düssel. 257.
 — — — — — Guimp. et Schl. 43.
 — — — — — Woodv. Med. 4, 274, 5, 6.
 — — — — — Münchn. Denkschr. 9, 1.
 — — — — — Bot. Mag. 70, 4063.
 — — — *justiciaefolia* Rudge. Rudge Pl. Guianae 43.
 — — — *peduncularis* Salisb. Salisb. Parad. 99.
Cephalanthera acuminata Ldl. Jacquemont Ind. 164.
 — — — — — Wight Ic. pl. Ind. or. 5, 1721.
 — — — *cucullata* Boiss. Rchb. Fl. germ. 13, 472.
 — — — *ensifolia* Rich. Dietr. Fl. bor. 1, 19.
 — — — *Lonchophyllum* Rchb. fl. Rchb. Fl. germ. 13, 471.

- Cephalanthera ochroleuca* Rchb. Rchb. Fl. germ. 13, 472.
 — — — *pallens* Rich. Dietr. Fl. bor. 1, 18.
 † — — — — — Nees Gen. 3, x.
 — — — *rubra* Rich. Fl. dan. 2, 345.
 — — — — — Dietr. Fl. bor. 1, 20.
 — — — — — Rchb. Fl. germ. 13, 469.
 — — — *Xiphophyllum* Rchb. fl. Rchb. Fl. germ. 13, 470.
 † *Cephalanthus occidentalis* L. Gaertn. Carp. 86.
 † — — — — — Lam. Encycl. 59.
 — — — — — Schk. Handb. 21.
 — — — — — Rafin. Med. 20.
 — — — — — Herb. amat. 4, 272.
 — — — *salicifolius* H. B. Humb. Pl. aeq. 98.
 † *Cephalaria* Schrad. Mem. Genev. 2, 1.
 † — — — *alpina* Schrad. Nees Gen. X, x.
 — — — *cachemiriana* Decne. Jacquemont Ind. 94.
Cephalocarpus Dracaenula N. v. E. Endl. Bras. 3, 18.
Cephalocroton mollis Klotzsch. Peters Mossamb. 17.
 † *Cephalomanes atrovirens* Prsl. Prager Abh. 3, 5.
 — — — *oblongifolium* Prsl. Prager Abh. 6, 10.
Cephalopappus sonchifolius N. et M. Acta Leop. 12, 1, 1.
Cephalophora glauca Cav. Cav. Ic. 599.
Cephalostigma Perrottetii DC. Delessert Ic. 5, 15.
Cephalotaxus Fortunei Hook. Bot. Mag. 76, 4499.
 — — — — — Lem. Jard. fl. 6.
 — — — — — Fl. d. serres 6, 555.
Cephalotus follicularis Lab. Bill. Nov. Holl. 145.
 — — — — — Flinders Voyage 4.
 † — — — — — Lam. Encycl. 960.
 — — — — — Bot. Mag. 58, 3118, 3119.
 — — — — — Fl. d. serres 3, 290.
 † — — — — — Schnizl. Ic. 169.***
Cephaloxis flabellata Desv. Desvaux Journ. 1, 11.
Ceranthra dentata Pal. B. Pal. B. Fl. d'Oware 65.
 — — — — — Lam. Encycl. 927.
 — — — *subintegrefolia* Pal. B. Pal. B. Fl. d'Oware 66.
 † *Ceraseidos* S. et Z. Münchn. Abh. 3, 5.
 † *Cerastium* L. Lam. Encycl. 392.
 † — — — — — Mutel Fl. fr. 13, 14.
 † — — — — — Gray Genera 114.
 — — — *alpinum* L. Fl. dan. 1, 6, 6, 979.
 — — — — — Engl. Bot. 7, 472.
 — — — — — Sv. Bot. 745.
 — — — — — Sturm Flora 15, 64.
 — — — — — Rchb. Fl. germ. 6, 232.
 — — — *amplexicaule* Sims. Bot. Mag. 43, 1789.
 — — — *anomalum* W. et K. W. et Kit. 22.
 — — — *aquaticum* L. Fl. dan. 8, 1337.
 — — — — — Curt. Lond. 2, 61.
 — — — — — Engl. Bot. 8, 538.
 — — — — — Schk. Handb. 125.
 † — — — — — Schrank Fl. monac. 3, 260.
 — — — — — Dietr. Fl. bor. 3, 216.
 — — — — — Rchb. Fl. germ. 6, 237.
 — — — *arvense* L. Fl. dan. 4, 626.
 — — — — — Curt. Lond. 2, 13.
 — — — — — Engl. Bot. 2, 93.
 — — — — — Schk. Handb. 125.
 — — — — — Schrank Fl. monac. 3, 280.
 — — — — — Sturm Flora 2, s. 15, 64.
 — — — — — Dietr. Fl. bor. 5, 320.
 — — — — — Rchb. Fl. germ. 6, 234.
 — — — — — Baxter Brit. Bot. 4, 286.
 — — — *atlanticum* Durieu. Explor. Alger. 82.
 — — — *atrovirens* Bab. Jard. Mag. 2, 9.
 — — — — — Rchb. Fl. germ. 5, 228.
 — — — *azoricum* Hochst. Seubert Fl. azor. 14.
 — — — *Biebersteinii* DC. Hort. Genev. 11.
 — — — — — Bot. Mag. 54, 2782.
 — — — *brachypetalum* Desp. DC. Ic. Gall. 44.
 — — — — — Sturm Flora 15, 63.
 — — — — — Rchb. Ic. crit. 3, 234.

- Cerastium brachypetalum* Desp. Rchb. Fl. germ. 5, 229.
 — — — Cosson Atlas 4.
 — — — campanulatum Viv. Sebastiani Fl. rom. 3.
 — — — Sebastiani Rom. pl. 2, 3.
 — — — Moris Fl. sard. 20.
 — — — Rchb. Fl. germ. 6, 233.
 — — — carinthiacum Vest. Rchb. Fl. germ. 6, 233.
 — — — ciliatum W. et K. W. et Kit. 225.
 — — — Rchb. Fl. germ. 6, 235.
 — — — filiforme Schleich. Sturm Flora 15, 64.
 — — — gibraltarium Boiss. Boissier Esp. 32.
 — — — glabratum Hartm. Sturm Flora 15, 64.
 — — — glaciale Gaud. Sturm Flora 15, 64.
 — — — glomeratum Thuill. Sturm Flora 15, 63.
 — — — Cosson Atlas 4.
 — — — glutinosum Fr. Rchb. Fl. germ. 5, 228.
 — — — grandiflorum W. et K. W. et Kit. 168.
 — — — var. banaticum, Rochel Ban. 2.
 — — — var. banaticum, Sturm Flora 15, 64.
 — — — Rchb. Fl. germ. 6, 236.
 — — — hirsutum Ten. Tenore Fl. nap. 141.
 — — — holosteoides Fries. Rchb. Ic. crit. 2, 181.
 — — — illyricum Ard. Arduino Anim. 2, 11.
 — — — Rchb. Fl. germ. 6, 233.
 — — — incanum Led. Ledeb. Ic. 149.
 — — — indicum W. et A. Wight Illustr. 26.
 — — — insubricum Moretti. Rchb. Fl. germ. 6, 235.
 — — — lanatum Lam. Picot Pyren. 10.
 — — — Rochel Ban. 2.
 — — — Sturm Flora 15, 64.
 — — — Rchb. Fl. germ. 6, 232.
 — — — lanuginosum Willd. Rchb. Fl. germ. 5, 230.
 — — — laricifolium Vill. Vill. Dauph. 48.
 — — — Rchb. Fl. germ. 6, 234.
 — — — latifolium L. Lightf. Fl. scot. 1, 10.
 — — — Engl. Bot. 7, 473.
 — — — Jacq. Collect. 1, 20.
 — — — Sturm Flora 6, 24.
 — — — var. β . γ . δ . ϵ . Sturm Flora 15, 64.
 — — — Rchb. Fl. germ. 6, 231.
 — — — lineare All. All. Fl. ped. 3, 88.
 — — — lithospermifolium Led. Ledeb. Ic. 433.
 — — — longifolium Ten. Tenore Fl. nap. 140.
 — — — macilentum Fr. Rchb. Ic. crit. 3, 230.
 — — — Rchb. Fl. germ. 5, 228.
 — — — manticum L. W. et Kit. 96.
 — — — maximum Led. Ledeb. Ic. 424.
 — — — nutans Rafin. Gray Genera 114.
 — — — ovatum Hoppe. Sturm Flora 15, 64.
 — — — pauciflorum Led. Ledeb. Ic. 407.
 — — — pedunculare Bory. Bory et Chaub. Morée 12.
 — — — pedunculatum Bab. Jard. Mag. 2, 6.
 — — — Gaud. Rchb. Fl. germ. 6, 231.
 — — — pilosum Sibth. Sibth. Fl. gr. 454.
 — — — Led. Ledeb. Ic. 351.
 — — — praecox Ten. Tenore Fl. nap. 140.
 — — — pumilum Curt. Curt. Lond. 1, 18.
 — — — Sturm Flora 15, 63.
 — — — Rchb. Fl. germ. 5, 228.
 — — — ramosissimum Boiss. Boissier Esp. 31.
 — — — repens L. Rchb. Fl. germ. 6, 235.
 — — — Sturm Flora 15, 64.
 — — — rigidum Led. Ledeb. Ic. 432.
 — — — rotundifolium Sternb. Rchb. Ic. crit. 3, 234.
 — — — Scarani Ten. Tenore Fl. nap. 141.
 — — — semidecandrum L. Curt. Lond. 3, 101.
 — — — Engl. Bot. 23, 1630.
 — — — Fl. dan. 7, 1212.
 — — — Sturm Flora 15, 63.
 — — — Rchb. Ic. crit. 2, 181.
 — — — Rchb. Fl. germ. 5, 228.
 — — — silvaticum W. et K. W. et Kit. 97.

- Cerastium silvaticum* W. et K. Sturm Flora 15, 63.
 — — — Rchb. Fl. germ. 5, 230.
 — — — strictum Haenke. Sturm Flora 15, 64.
 — — — L. Rchb. Fl. germ. 6, 234.
 — — — strigosum Fr. Rchb. Ic. crit. 3, 230.
 — — — suffruticosum L. Sturm Flora 15, 64.
 — — — Rchb. Fl. germ. 6, 236.
 — — — tetrandrum Curt. Curt. Lond. 3, 102.
 — — — Engl. Bot. 3, 166.
 — — — Fl. dan. 12, 2117.
 — — — Sturm Flora 15, 64.
 — — — trigynum Vill. Vill. Dauph. 46.
 — — — triviale Lk. Rchb. Ic. crit. 3, 245.
 — — — Rchb. Fl. germ. 5, 229.
 — — — Sturm Flora 15, 63.
 — — — var. γ . δ . Sturm Flora 15, 63.
 — — — Cosson Atlas 4.
 — — — tomentosum L. Sibth. Fl. gr. 455.
 — — — Rchb. Fl. germ. 6, 236.
 — — — Sturm Flora 15, 64.
 — — — umbellatum Huds. Curt. Lond. 4, 13.
 — — — varians Coss. et G. Cosson Atlas 5.
 — — — viscosum L. Curt. Lond. 1, 137.
 — — — Engl. Bot. 11, 790.
 — — — Fl. dan. 7, 1211. 11, 1931.
 — — — Rchb. Ic. crit. 3, 244.
 † — — vulgatum L. Gaertn. Carp. 130.
 — — — Curt. Lond. 1, 136.
 — — — Engl. Bot. 11, 789.
 — — — Rchb. Ic. crit. 3, 233.
 — — — Rchb. Fl. germ. 5, 229.
 — — — Fl. dan. 10, 1645.
 — — — Wight Ic. pl. Ind. or. 3, 948.
Cerasus acida Borkh. Nees Düssel. 314^a.
 — — — acuminata Wall. Wall. Pl. asiat. 181.
 — — — borealis Michx. Michaux Arb. 3, 8.
 — — — Caproniana polygyna DC. DC. Hort. genev. 18.
 — — — caroliniana Michx. Michaux Arb. 3, 7.
 — — — cornuta Wall. Royle Illustr. 38.
 — — — dulcis Borkh. Nees Düssel. 313. 314^b.
 — — — fruticosa Pall. Pallas Fl. ross. 8^b.
 — — — Hixa Sweet. Webb Canar. 38.
 — — — ilicifolia Hook. Hook. Beechey 83.
 — — — Puddum Wall. Wall. Pl. asiat. 143.
 — — — sphaerocarpa Lois. Bot. Mag. 59, 3141.
 — — — virginiana Michx. Michaux Arb. 3, 6.
 † *Ceratandra chloroleuca* Eckl. Bauer Orch. (Gen.) 16.
Ceratella rosulata Hook. Hook. Fl. ant. 18.
Ceratiola ericoides Michx. Pursh Fl. 13.
 — — — Bot. Mag. 54, 2758.
 † *Ceratium compressum* Bl. Blume Tabellen 46.
Ceratocalyx macrolepis Coss. Ann. sc. nat. III. 9, 10.
Ceratocarpus umbrosa Durieu. Explor. Alger. 78.
 † *Ceratocarpus arenarius* L. Gaertn. Carp. 127.
 † — — — Lam. Encycl. 741.
Ceratocephalus falcatus Pers. Rchb. Fl. germ. 3, 1.
 † — — — Bull. Mosc. 1852. 1, 7.
 † — — — incurvus Stev. Bull. Mosc. 1852. 1, 7.
 † — — — leiocarpus Stev. Bull. Mosc. 1852. 1, 7.
 — — — orthoceras DC. Delessert Ic. 1, 23.
 — — — Sturm Flora 13, 56.
 — — — Rchb. Fl. germ. 3, 1.
 † — — — Bull. Mosc. 1852. 1, 7.
 † — — — platyceras Stev. Bull. Mosc. 1852. 1, 7.
 † — — — reflexus Stev. Bull. Mosc. 1852. 1, 7.
 † — — — syriacus Stev. Bull. Mosc. 1852. 1, 7.
 † *Ceratochilus biglandulosus* Bl. Blume Tabellen 25.
 — — — grandiflorus Lodd. Lodd. Cab. 1414.
 — — — oculatus Lodd. Lodd. Cab. 1764.
Ceratochloa brevistarata Hook. Hook. Bor. Am. 234.
 — — — grandiflora Hook. Hook. Bor. Am. 235.
 † *Ceratodactylis osmundioides* Sm. Hook. Gen. Fil. 36.

- Ceratogynum rhamnoides* Wight. Wight Ic. pl. Ind. or. 5, 1900.
 — concolor *Bl.* Blume Rumphia 130.
Ceratolobus glaucescens *Bl.* Blume Rumphia 129, 137.
 — — — Mart. Palm. 115.
 — Zippelii *Bl.* Blume Rumphia 130.
Ceratonia Siliqua *L.* Cav. Ic. 113.
 † — — — Gaertn. Carp. 146.
 † — — — Lam. Encycl. 859.
 — — — Andr. Rep. 9, 567.
 — — — Tratt. Archiv 62.
 — — — Galleio Pomona 2, 1. 2.
 — — — Hayne 7, 36.
 — — — Nees Düssel. 339.
 — — — Guimp. et Schl. 103.
 † — — — (Folium.) Hoeven Tijdschr. 7, 9.
Ceratopetalum gummiferum *Sm.* Smith New Holl. 3.
 † *Ceratophylleae* *Gray.* Schnizl. Ic. 2, 83.
 † *Ceratophyllum demersum* *L.* Gaertn. Carp. 44.
 — — — Schk. Handb. 297.
 † — — — Lam. Encycl. 775.
 — — — Engl. Bot. 14, 947.
 — — — Baxter Brit. Bot. 4, 260.
 — — — Fl. dan. 12, 2000.
 † — — — Nees Gen. 4, 1.
 † — — — Schnizl. Ic. 2, 83.
 † — — — missionis *Wall.* Wight Ic. pl. Ind. or. 6, 1948.
 † — — — muricatum *Cham.* Wight Ic. pl. Ind. or. 6, 1948.
 † — — — platyacanthum *Cham.* Nees Gen. 4, 1.
 — — — submersum *L.* Fl. dan. 3, 510.
 — — — Engl. Bot. 10, 679.
 † — — — Lam. Encycl. 775.
 † — — — Nees Gen. 4, 1.
 † — — — tuberculatum *Cham.* Wight Ic. pl. Ind. or. 6, 1948.
 † *Ceratopteris cornuta* *Brongn.* Ann. sc. nat. 19, 4.
 — — — Gaudichaudii *Brongn.* Freycinet Voyage 20.
 — — — thalicroides *Brongn.* Bull. philom. 1821, 1.
 † — — — Hook. Gen. Fil. 12.
Ceratocycos Ecklonii *N. v. E.* Jard. Ann. 3, 10.
Ceratostemma biflorum *P. et E.* Poepp. et Endl. 10.
 — — — buxifolium *Field.* Fielding Sertum 7.
 † — — — longiflorum *Ldl.* Fl. d. serres 4, 353.
 † *Ceratostylis graminea* *Bl.* Blume Tabellen 56.
Ceratotheca sesamoides *Endl.* Endl. Atacta 5.
 † — — — Linnaea 7, 1. 2. 3.
Ceratozamia mexicana *Brongn.* Ann. sc. nat. III. 5, 1.
 † *Cerbera Ahouai* *L.* Lam. Encycl. 170.
 — — — Bot. Mag. 19, 737.
 — — — Andr. Rep. 4, 231.
 — — — dichotoma *Lodd.* Lodd. Cab. 1516.
 — — — fruticosa *Roxb.* Lodd. Cab. 326.
 — — — Bot. Reg. 5, 391.
 — — — Rchb. Exot. 105.
 — — — Wight Ic. pl. Ind. or. 2, 431.
 — — — lactaria *Ham.* Rumpf Amb. 2, 81.
 — — — laurifolia *Hort.* Lodd. Cab. 989.
 † — — — Manghas *Gaertn.* Gaertn. Carp. 123, 124.
 † — — — Wendl. Beob. 3.
 — — — Herb. amat. 4, 261.
 — — — Lodd. Cab. 304.
 — — — Andr. Rep. 10, 653.
 — — — Bot. Mag. 43, 1845.
 — — — musculiformis *Lam.* Rumpf Amb. 2, 60.
 — — — Odalam *Burm.* Rheede Hort. mal. 1, 39.
 † — — — Odollam *Gaertn.* Gaertn. Carp. 124.
 — — — Wight Ic. pl. Ind. or. 2, 441.
 — — — oppositifolia *Lam.* Rumpf Amb. 2, 84.
 — — — ovata *Cav.* Cav. Ic. 270.
 — — — Kern. Hort. 610.
 † — — — platyspermus *Gaertn.* Gaertn. Carp. 124.
 — — — Tanghin *Poir.* Bot. Mag. 57, 2968.
 — — — Rchb. Exot. 106.

- Cerbera Thevetia* *L.* Jacq. Hist. stirp. am. 47.
 — — — Ruiz et Pav. Fl. 153.
 — — — Lam. Encycl. 170.
 — — — Tuss. Ant. 4, 7.
 † — — — Kerner Genera 184.
 — — — Desc. Ant. 3, 158.
 — — — Dict. sc. nat. 56, 57.
 — — — Bot. Mag. 49, 2309.
 — — — triphylla *Rudge.* Rudge Pl. Guianae 48.
 — — — undulata *Andr.* Andr. Rep. 2, 130.
 † *Cercis* *L.* Kerner Genera 35.
 — — — canadensis *L.* Guimp. Fr. Holzgew. 92.
 — — — japonica *Sieb.* Fl. d. serres 8, 849.
 † — — — Siliquastrum *L.* Gaertn. Carp. 144.
 † — — — Lam. Encycl. 328.
 — — — Schk. Handb. 112.
 — — — Sibth. Fl. gr. 367.
 — — — Bot. Mag. 28, 1138.
 † — — — Ann. sc. nat. 17, 16.
 † — — — Mem. Instit. 1830, 5.
Cercocarpus betulaeifolius *Nutt.* Hook. Ic. pl. 4, 322.
 — — — fothergilloides *H. B. K.* H. B. K. Nov. Gen. 6, 559.
 — — — ledifolius *Nutt.* Hook. Ic. pl. 4, 324.
 — — — parvifolius *Nutt.* Hook. Ic. pl. 4, 323.
Cercodea erecta *Banks.* Comm. Gott. 3, 1.
 † — — — Gaertn. Carp. 32.
 † — — — Lam. Encycl. 319.
 † *Cerdana alliadora* *Rz et P.* Ruiz et Pav. Prodr. 6.
 — — — Ruiz et Pav. Fl. 184.
Cordia virescens *Moc. et S.* DC. Paron. 2.
Ceresia elegans *Pers.* Jacq. Fragn. 86.
 — — — fluitans *Ell.* Elliott Carolina 6.
Cereus Ackermanni *Ldl.* Bot. Reg. 16, 1331.
 — — — Bot. Mag. 64, 3598.
 — — — alatus *Sw.* Link Ic. II. 39.
 — — — Baumannii *Lem.* Lem. Jard. fl. 48.
 — — — coccineus *Salm.* Pfeiffer Cact. 1, 15.
 — — — coerulescens *Salm.* Pfeiffer Cact. 2, 24.
 — — — Bot. Mag. 68, 3922.
 — — — crenatus *Ldl.* Bot. Reg. 30, 31.
 — — — Crimsonii *Hort.* Bot. Reg. 19, 1565.
 — — — Curtisii *Lk. et O.* Pfeiffer Cact. 1, 11.
 — — — eriophorus *Lk. et O.* Pfeiffer Cact. 1, 22.
 — — — extensus *Salm.* Bot. Mag. 70, 4066.
 — — — fragriformis *Zucc.* Pfeiffer Cact. 1, 12.
 — — — grandifloro-speciosissimus *Maynardi.* Fl. d. serres 3, 233 — 34.
 — — — grandiflorus *DC.* Bot. Mag. 62, 3381.
 — — — Maynardi. Paxt. Mag. 14, 75.
 — — — Hookeri *Lk. et O.* Pfeiffer Cact. 1, 5.
 — — — latifrons *DC.* Pfeiffer Cact. 1, 10.
 — — — Zucc. Bot. Mag. 67, 3813.
 — — — Leeanus *Hook.* Bot. Mag. 75, 4417.
 — — — leptophis *DC.* DC. Cact. 12.
 — — — leucanthus *Pfeiff.* Bot. Reg. 26, 13.
 — — — Mac Donaldiae *Hook.* Bot. Mag. 79, 4707.
 — — — Mallisoni *Hort.* Preuss. Gart. Verein 12, 1.
 — — — Martianus *Zucc.* Bot. Mag. 66, 3768.
 † — — — monstrosus *DC.* Münchn. Abb. 2, 4.
 — — — multiplex *Pfeiff.* Bot. Mag. 66, 3789.
 — — — Napoleonis *Grah.* Bot. Mag. 63, 3458.
 — — — Hart. Parad. 2, 1.
 — — — nycticalus *Link.* Preuss. Gart. Verein 10, 4.
 — — — oxypetalus *DC.* Mem. Mus. 17, 14.
 — — — pentalophus *DC.* Bot. Mag. 65, 3651.
 — — — peruvianus *Haw.* Pfeiffer Cact. 2, 5.
 † — — — Mem. Mus. 17, 11.
 — — — Preuss. Gart. Verein 14, 1.
 — — — phyllanthus *Zucc.* Pfeiffer Cact. 1, 10.
 — — — Pitajaya *DC.* Bot. Mag. 70, 4084.
 — — — reductus *Link.* Bot. Mag. 75, 4443.
 — — — repandus *Haw.* Bot. Reg. 4, 336.

- Cereus repandus* Haw. Mem. Mus. 17, 13.
 — *Royenii* Haw. Bot. Mag. 59, 3125.
 — *Schrankii* Zucc. Pfeiffer Cact. 1, 27.
 — *serpentinus* Lag. Bot. Mag. 64, 3566.
 — — Mem. Mus. 17, 12.
 † — — Münchn. Abh. 4, 2.
 — *setaceus* Salm. Pfeiffer Cact. 1, 16.
 — *setosus* Lodd. Lodd. Cab. 1897.
 — *speciosissimus* DC. Jacq. Ecl. pl. 141.
 — — Bot. Reg. 6, 486. 19, 1596. 28, 49.
 — — Kern. Hort. 613.
 — — Bot. Mag. 67, 3822.
 — *speciosus* DC. Bot. Reg. 4, 304.
 — *triangularis* Haw. Bot. Reg. 21, 1807.
 — — Kerner Hort. 673.
 — *truncatus* DC. Bot. Reg. 9, 696.
 — *tubiflorus* Pfeiff. Hart. Parad. 1, 8.
 — *Tweediei* Hook. Bot. Mag. 76, 4498.
 — — Fl. d. serres 6, 359.
 — *undatus* Lk. et O. Pfeiffer Cact. 1, 23.
 — *variabilis* Pfeiff. Pfeiffer Cact. 2, 15.
 † *Cerintho* L. Mutel Fl. fr. 37.
 † — — Kerner Genera 50.
 — *alpina* Kit. Sturm Flora 16, 68.
 — — Rchb. Ic. crit. 5, 466.
 — *aspera* Roth. Sibth. Fl. gr. 170.
 — — Rchb. Ic. crit. 8, 740.
 — *auriculata* Ten. Tenore Fl. nap. 212.
 — *maculata* L. Rchb. Ic. crit. 4, 309.
 † *major* L. Gaertn. Carp. 67.
 † — — Lam. Encycl. 93.
 — — Schk. Handb. 30.
 — — Bot. Mag. 10, 333.
 — — Sturm Flora 3, 12.
 — — Rchb. Ic. crit. 8, 739.
 † — — Nees Gen. 6, 66.
 — *minor* L. Jacq. Fl. austr. 2, 124.
 — — Schrank Fl. monac. 1, 90.
 — — Rchb. Ic. crit. 4, 308.
 — — Sturm Flora 16, 68.
 † — — Nees Gen. 6, 66.
 — *purpurea* Vis. Visiani Dalm. 21.
 — *retorta* Sibth. Sibth. Fl. gr. 171.
 — — Rchb. Ic. crit. 8, 738.
 — *strigosa* Rchb. Rchb. Ic. crit. 8, 741.
Ceriops Candolleana Arn. Wight Ic. pl. Ind. or. 1, 240.
 † *Ceriscus malabaricus* Gaertn. Gaertn. Carp. 28.
Ceropegia acuminata Roxb. Roxb. Corom. 8.
 — *africana* R. Br. Bot. Reg. 8, 626.
 — — Lodd. Cab. 906.
 — *aphylla* Haw. Link Ic. I. 18.
 — *attenuata* Hook. Hook. Ic. pl. 9, 867.
 — *bulbosa* Roxb. Roxb. Corom. 7.
 — — Kern. Hort. 5, 50.
 — — Wight Illustr. in Hook. 2.
 — — Wight Ic. pl. Ind. or. 3, 845.
 — *cancellata* Rchb. Rchb. Hort. 207.
 — *Candelabrum* L. Rheede Hort. mal. 9, 16.
 — — Hill Decade 7.
 — *ciliata* Wight. Wight Ic. pl. Ind. or. 4, 1262.
 — *Cumingiana* Decne. Bot. Mag. 74, 4349.
 — — Fl. d. serres 4, 315.
 — *Decaisneana* Wight. Wight Ic. pl. Ind. or. 4, 1259.
 — *elegans* Wall. Bot. Mag. 57, 3015.
 — — Bot. Reg. 20, 1706.
 — — Wight Ic. pl. Ind. or. 4, 1265.
 — *intermedia* Wight. Wight Ic. pl. Ind. or. 4, 1263.
 — *junccea* Roxb. Roxb. Corom. 10.
 — — Wight Ic. pl. Ind. or. 4, 1260.
 — *longifolia* Wall. Wall. Pl. asiat. 73.
 — *lucida* Wall. Wall. Pl. asiat. 139.
 — *Lushii* Grah. Bot. Mag. 61, 3300.

- Ceropegia Munronii* Wight. Wight Ic. pl. Ind. or. 4, 1264.
 — *mysorensis* Wight. Wight Ic. pl. Ind. or. 3, 846.
 — *oculata* Hook. Bot. Mag. 70, 4093.
 — *pubescens* Wall. Wall. Pl. asiat. 187.
 — *pusilla* W. et Arn. Wight Ic. pl. Ind. or. 4, 1261.
 — *sagittata* L. Jacq. Schoenbr. 1, 38.
 — — Lam. Encycl. 179.
 — *spiralis* Wight. Wight Ic. pl. Ind. or. 4, 1267.
 † — *squamulata* Decne. Ann. sc. nat. II. 9, 9.
 — *stapeliaeformis* Haw. Maund Bot. 4, 154.
 — — Bot. Mag. 64, 3367.
 — — Fl. d. serres 2, 53.
 — *tenuifolia* L. fil. Lam. Encycl. 179.
 — *tuberosa* Roxb. Roxb. Corom. 9.
 — — Kerner Hort. 63.
 — — Wight Ic. pl. Ind. or. 2, 353.
 † — *variegata* Decne. Ann. sc. nat. II. 9, 9.
 — *vincaefolia* Hook. Bot. Mag. 66, 3740.
 — *Walkeriae* Wight. Wight Ic. pl. Ind. or. 4, 1266.
 — *Wallichii* Royle. Royle Illustr. 66.
 — *Wightii* Grah. Bot. Mag. 60, 3267.
Ceroxylon andicola H. B. Humb. Pl. aeq. 1. 1^b.
 — — Lam. Encycl. 996.
 † *Cervantesia* R. et P. Ruiz et Pav. Prodr. 7.
 † — — Kerner Genera 49.
 — *bicolor* Cav. Cav. Ic. 475.
 — *tomentosa* R. et P. Ruiz et Pav. Fl. 241.
 † *Cervaria Rivini* Gaertn. Gaertn. Carp. 21.
Cervicina campanuloides Del. Delile Egypte 5.
Cespiphyllis Aub. Aubert Orchid. 102.
Cestichis Aub. Aubert Orchid. 89.
Cestrum alaternoides Ham. Bot. Mag. 56, 2929.
 — *angustifolium* Lodd. Lodd. Cab. 618.
 — *aurantiacum* Ldl. Bot. Reg. 31, 22.
 — — Paxt. Mag. 14, 77.
 — — Fl. d. serres 1, 33.
 — *auriculatum* L'her. L'her. Stirp. 35.
 — — Ruiz et Pav. Fl. 153.
 — *bracteatum* Lk. Link Ic. II. 6.
 — — Bot. Mag. 57, 2974.
 — *cauliflorum* Jacq. Jacq. Schoenbr. 3, 325.
 — *confertum* R. et P. Ruiz et Pav. Fl. 153.
 — *conglomeratum* R. et P. Ruiz et Pav. Fl. 156.
 — *diurnum* L. Herb. amat. 2, 94.
 — *fastigiatum* Jacq. Jacq. Schoenbr. 3, 330.
 — — Bot. Mag. 42, 1729.
 — *foetidissimum* Jacq. Jacq. Schoenbr. 3, 329.
 † — — Jacq. Fragm. 42.
 — *hirsutum* Jacq. Jacq. Schoenbr. 3, 324.
 — *lanuginosum* R. et P. Ruiz et Pav. Fl. 157.
 † — *latifolium* Vahl. Vahl Eclogae 10.
 — *laurifolium* L'her. L'her. Stirp. 34.
 — — Smith Spicil. 2.
 — — Lodd. Cab. 1688.
 — — Kern. Hort. 110.
 — *longiflorum* R. et P. Ruiz et Pav. Fl. 154.
 — *macrophyllum* Vent. Vent. Choix 18.
 — — Herb. amat. 5, 337.
 † — *nocturnum* L. Gaertn. Carp. 77.
 † — — Lam. Encycl. 112.
 — — Desc. Ant. 3, 160.
 — *odontospermum* Jacq. Jacq. Schoenbr. 3, 331.
 — *oppositifolium* Lam. Lam. Encycl. 112.
 — *organense* Miers. Miers Illustr. 16.
 — *Parqui* L'her. L'her. Stirp. 36.
 — — Bot. Mag. 42, 1770.
 — *pendulinum* Jacq. Jacq. Schoenbr. 3, 327.
 — — Kern. Hort. 172.
 — *racemosum* R. et P. Ruiz et Pav. Fl. 164.
 — *roseum* H. B. K. H. B. K. Nov. Gen. 3, 197.
 — — Kern. Hort. 543.

- Cestrum salicifolium* Jacq. Jacq. Schoenbr. 3, 326.
 — — — Kern. Hort. 144.
 — — — *strigillatum* R. et P. Ruiz et Pav. Fl. 156.
 — — — *suberosum* Jacq. Jacq. Schoenbr. 4, 482.
 — — — *tinctorium* Jacq. Jacq. Schoenbr. 3, 332.
 — — — *undulatum* R. et P. Ruiz et Pav. Fl. 155.
 — — — *vespertinum* L. Jacq. Schoenbr. 3, 328.
 — — — — — Novi Comm. Gott. 5, 8.
 — — — *vestitum* Hook. Hook. Ic. pl. 4, 381.
 — — — *viridiflorum* Hook. Bot. Mag. 69, 4022.
Ceterach aspidioides Willd. Raddi Fil. 21.
 — — — *capense* Kze. Kunze Analecta 8.
 † — — — — — Fée Fil. 5, 30.
 † — — — *cordatum* Fée. Fée Fil. 5, 30.
 — — — *latifolium* Bory. Fée Fil. 5, 30.
 — — — *officinatum* Willd. Hayne 8, 48.
 † — — — — — Hook. Gen. Fil. 113.
 † — — — — — Fée Fil. 5, 30.
 — — — — — Newman p. 293.
 — — — *pedunculatum* H. et Gr. Hook. et Gr. Ic. Fil. 5.
 — — — *polypodioides* Raddi. Raddi Fil. 22.
Cervallia sinuata Lag. Lagasca Gen. et sp. 1.
 — — — — — Hook. Ic. pl. 3, 252.
 — — — — — Regensb. Denkschr. 3, 4.
Chabracea abbreviata Colla. Mem. Tur. 38, 27.
 — — — *glabra* DC. Delessert Ic. 4, 89.
 — — — *glacialis* DC. Delessert Ic. 4, 91.
 — — — *purpurea* DC. Ann. Mus. 19, 5.
 — — — *rosea* DC. Delessert Ic. 4, 90.
 — — — *runcinata* Hook. Bot. Mag. 70, 4116.
 — — — *salina* Remy. Gay Chile 41.
 — — — *suaveolens* DC. Hook. Ic. pl. 5, 496.
 — — — — — Hook. Fl. antarct. 111.
Chaenestes lanceolata Miers. Bot. Mag. 73, 4338.
 — — — — — Fl. d. serres 4, 309.
Chaenomeles cancellata Ldl. Bot. Reg. 11, 905.
 — — — *japonica* Ldl. var. *umbilicata* Sieb. Fl. d. serres 5, 510—512.
 — — — — — Belgique hort. 1, 29.
Chaenostoma polyanthum Benth. Bot. Reg. 33, 32.
 — — — — — Paxt. Mag. 13, 31.
 † *Chaerophyllum* L. Lam. Encycl. 201.
 † — — — *angulatum* Kit. Comm. Gott. rec. 2, 1.
 — — — *aromaticum* L. Jacq. Fl. austr. 2, 150.
 — — — — — Engl. Bot. 2636.
 — — — — — Rchb. Pl. crit. 6, 514.
 — — — *aureum* L. Jacq. Fl. austr. 1, 64.
 — — — — — Rousseau Bot. 31.
 — — — — — Engl. Bot. 30, 2103.
 — — — *bulbosum* L. Jacq. Fl. austr. 1, 63.
 — — — — — Hayne 1, 32.
 — — — — — Nees Düsseld. Suppl. 5, 6.
 — — — — — Dietr. Fl. bor. 10, 714.
 — — — *coloratum* L. Jacq. Vind. 51.
 — — — *gracillimum* Klotzsch. Prinz Wald. Him. 46.
 — — — *hirsutum* L. Jacq. Fl. austr. 2, 148.
 — — — *hybridum* Ten. Tenore Fl. nap. 129.
 — — — *maculatum* Willd. Willd. Hort. 107.
 — — — *magellense* Ten. Tenore Fl. nap. 130.
 — — — *millefolium* Klotzsch. Prinz Wald. Him. 45.
 † — — — *sativum* Gaertn. Gaertn. Carp. 23.
 — — — — — Fl. dan. 10, 1640.
 — — — *silvestre* L. Jacq. Fl. austr. 2, 149.
 — — — — — Schk. Handb. 73.
 — — — — — Curt. Lond. 1, 81.
 — — — — — Sv. Bot. 124.
 — — — — — Engl. Bot. 11, 752.
 — — — — — Fl. dan. 12, 2050.
 — — — — — Hayne 1, 33.
 — — — — — Guimp. et Schl. 202.
 — — — *temulentum* L. Engl. Bot. 22, 1521.
 — — — — — Baxter Brit. Bot. 6, 483.

- Chaerophyllum temulum* L. Jacq. Fl. austr. 1, 65.
 — — — — — Curt. Lond. 1, 62.
 — — — — — Fl. dan. 6, 918.
 — — — — — Hayne 1, 34.
 — — — — — Dietr. Fl. bor. 10, 713.
 † *Chaetanthera* R. et P. Ruiz et Pav. Prodr. 23.
 — — — *Berteriana* Colla. Mem. Tur. 38, 27.
 — — — *chilensis* DC. Ann. Mus. 19, 3.
 — — — *glandulosa* Remy. Gay Chile 35.
 — — — *linearis* Less. Delessert Ic. 4, 80.
 — — — *multiflora* H. B. Humb. Pl. aeq. 138.
 — — — *pinnatifida* H. B. Humb. Pl. aeq. 136.
 — — — *pungens* H. B. Humb. Pl. aeq. 127.
 † — — — — — Lam. Encycl. 983.
 — — — *serrata* R. et P. Sweet Fl. G. II. 214.
 — — — *tenella* DC. Delessert Ic. 4, 82.
 — — — *tenuifolia* Gill. Delessert Ic. 4, 81.
Chaetocalyx vincentina DC. Bot. Reg. 10, 799.
 † *Chaetocrater* R. et P. Ruiz et Pav. Prodr. 35.
Chaetogastra alpestris Mart. Mart. Bras. 247.
 † — — — *bicolor* Naud. Ann. sc. nat. III. 14, 4.
 † — — — *Bonplandiana* Naud. Ann. sc. nat. III. 14, 4.
 — — — *gracilis* DC. Bot. Mag. 63, 3481.
 — — — *havanensis* DC. DC. Melast. 8.
 † — — — *hermannioides* Naud. Ann. sc. nat. III. 14, 4.
 — — — *lanceolata* DC. Bot. Mag. 55, 2836.
 † — — — *nigritella* Naud. Ann. sc. nat. III. 14, 4.
 — — — *repanda* Mart. Mart. Bras. 246.
 † — — — *stricta* DC. Ann. sc. nat. III. 14, 4.
 — — — *strigillosa* DC. Mart. Bras. 245.
 — — — *strigosa* DC. Paxt. Mag. 15, 265.
 † *Chaetolepis alpina* Naud. Ann. sc. nat. III. 14, 5.
Chaetospora antarctica Hook. Hook. Fl. ant. 147.
 — — — *Burmanni* Schrad. Comm. Gott. rec. 7, 3.
 — — — *circinalis* Schrad. Comm. Gott. rec. 7, 3.
 — — — *ferruginea* R. Br. Rchb. Fl. germ. 8, 285.
 † — — — *flexuosa* Schrad. Comm. Gott. rec. 7, 3.
 — — — *laxa* Hook. Hook. Fl. ant. 146.
Chaetostoma pungens DC. Mart. Bras. 264.
 † — — — *tetrasticha* DC. Mart. Bras. 264.
Chaetosus volubilis Benth. Benth. Sulphur 57.
Chaetothylax tocaninus N. v. E. Endl. Bras. 7, 26.
Chaetotropis chilensis Kth. Humb. Gram. 47.
Chaeturus fasciculatus Lk. Humb. Gram. 214.
Chaetymenia peduncularis Hook. Hook. Beechey 62.
Chailletia cymosa Hook. Hook. Ic. pl. 6, 591.
 — — — *deflexa* Klotzsch. Peters Mossamb. 20.
 — — — *floribunda* Planch. Hook. Ic. pl. 8, 792.
 — — — — — Hook. Niger Fl. 30.
 — — — *mossambicensis* Klotzsch. Peters Mossamb. 19.
 — — — *pedunculata* DC. Ann. Mus. 17, 1.
 — — — — — Dict. sc. nat. 247.
 — — — *sessiliflora* DC. Ann. Mus. 17, 1.
Chaiturus Marrubiastrum Rchb. Sturm Flora 19, 84.
 † — — — — — Ehrh. Nees Gen. 6, 31.
Chalcas Camuneng Burm. Rumpf Amb. 5, 17.
 — — — *paniculata* L. Rumpf Amb. 5, 17.
Chamaebainia cuspidata Wight. Wight Ic. pl. Ind. or. 6, 1981.
Chamaebatia foliosa Torr. Smiths. Contrib. 5, 6.
Chamaecytisus dalmaticus Vis. Visiani Dalm. 55.
 † *Chamaedactylis maritima* N. v. E. Nees Gen. 1, 66.
 † *Chamaedorea conocarpa* Mart. D'Orbigny Voyage 16.
 — — — *elator* Mart. Mart. Palm. 126, R. Z.
 † — — — *elegans* Mart. Mart. Palm. R. Z.
 † — — — — — Otto Gartenz. 1834, 69.
 — — — *fragrans* Mart. Mart. Palm. 3.
 — — — *gracilis* Willd. D'Orbigny Voyage 6.
 — — — — — Kern. Hort. 781—783.
 † — — — *lanceolata* Mart. D'Orbigny Voyage 16.
 † — — — *oblongata* Mart. Mart. Palm. Z.
 — — — *pauciflora* Mart. Mart. Palm. 3.

- Chamaedorea Schiedeana Mart. Mart. Palm. 138.
 † — — — Mart. Palm. R. V. Z. 9. Z²³.
 † — — — Otto Gartenz. 1834, 6^b.
 Chamaecrostis minima Borkh. Sturm Flora 2, 7.
 † — — — Nees Gen. 1, 6.
 Chamaelaucium Brownii Desf. Mem. Mus. 5, 19.
 † — ciliatum Desf. Lam. Encycl. 961.
 — — — Mem. Mus. 5, 3.
 — — — plumosum Desf. Mem. Mus. 5, 3, 4.
 † — virgatum Endl. Acta Leop. 19. Suppl. II. 3.
 † Chamaelea tricoccus Gaertn. Gaertn. Carp. 70.
 Chamaemeles coriacea Ldl. Linn. Transact. 13, 11.
 † Chamaemelum arvense Gaertn. Gaertn. Carp. 168.
 — — — uniglandulosum Vis. Visiani Dalm. 51.
 Chamaenerium halimifolium Salisb. Salisb. Parad. 59.
 Chamaepeuce Casabonae DC. Moris Fl. sard. 88.
 — — — hispanica DC. Boissier Esp. 107.
 † Chamaepitys vulgaris Bauh. Nees Gen. 6, 48.
 Chamaeranthemum Beyrichii N. v. E. Endl. Bras. 7, 28.
 Chamaeraphis hordeacea R. Br. Humb. Gram. 36.
 † Chamaerepes alpina Spr. Nees Gen. 3, x.
 Chamaerhodos grandiflora Led. Ledeb. Ic. 271.
 — — — sabulosa Led. Ledeb. Ic. 237.
 † Chamaeriphes major Gaertn. Gaertn. Carp. 9.
 † — minor Gaertn. Gaertn. Carp. 9.
 Chamaerops Antillarum Desc. Desc. Ant. 1, 28.
 — — — excelsa Thunb. Mart. Palm. 125.
 † — — — humilis L. Lam. Encycl. 900.
 — — — — Andr. Rep. 9, 599.
 — — — — Bot. Mag. 47, 2152.
 † — — — Kerner Gen. 198 — 201.
 — — — — Mart. Palm. 120. 124. X. Z. 9. Z²³.
 — — — — Linnean Transact. 10, 8.
 — — — — Preuss. Garten-Verein 1, 2.
 — — — — Risso Fl. de Nice 18.
 † — — — — Nees Gen. 3, xx.
 † — — — — (Flores monstrosi.) Mart. Palm. Z²⁰.
 — — — — Hystrix Fraser. Mart. Palm. 125.
 — — — — Khasyana Griff. Griffith Palms 227^{a b c}.
 — — — — Martiana Mart. Wall. Pl. asiat. 211.
 — — — — Griffith Palms 227^a.
 — — — — Palmetto Michx. Michaux Arb. 2, 10.
 — — — — Kern. Hort. 517.
 Chamira cornuta Thunb. Sonder Helioph. 29.
 Chamissoa albida Moq. Wight Ic. pl. Ind. or. 5, 1769.
 — — — altissima H. B. K. H. B. K. Nov. Gen. 2, 125.
 — — — aspera Wight. Wight Ic. pl. Ind. or. 5, 1772.
 — — — dichotoma Moq. Wight Ic. pl. Ind. or. 5, 1771.
 — — — nodiflora Mart. Wight Ic. pl. Ind. or. 5, 1770.
 † Chamitis integrifolia Gaertn. Gaertn. Carp. 22.
 † — — — tricuspidata Gaertn. Gaertn. Carp. 22.
 Chaptalia gossypina Royle. Royle Illustr. 59.
 — — — runcinata H. B. K. H. B. K. Nov. Gen. 4, 303.
 — — — — Lam. Encycl. 986.
 — — — — tomentosa Vent. Vent. Cels 61.
 — — — — Bot. Mag. 48, 2257.
 † Chara L. (Vaucher.) Mem. Genév. 1, 1.
 † — — — (Martius.) Acta Leop. 9, 2.
 † — — — (Amiei.) Ann. sc. nat. 2, 3, 4.
 † — — — (Kaulfuss.) Kaulfuss Keimen 1.
 † — — — (Agardh.) Acta Leop. 13, 1, 10.
 † — — — (Meyen.) Linnaea 2, 2, 3.
 † — — — (Schultz.) Schultz Natur d. Pf. 1, 2, 2, 3.
 † — — — (Bischoff.) Bischoff Crypt. Gew. 1, 1, 2.
 † — — — (Raspail.) Ann. d'obs. 2, 9.
 † — — — (Slack.) Transact. soc. arts and manuf. 49,
 1 — 4.
 † — — — (Fritzsche.) Fritzsche Pollen 1, 2.
 † — — — (Dutrochet.) Ann. sc. nat. II. 9, 1, 2.
 † — — — (Meyen.) Meyen Neues System 2, 7, 8, 3, 12.
 † — — — (Thuret.) Ann. sc. nat. II. 44, 5 — 8.
 † — — — (Dutrochet.) Mem. Institut 18, 1.

- † Chara L. (Kützing.) Kützing Phyc. gen. 39.
 † — — — (Hassall.) Hassall Brit. Fr. Water Algae 61.
 † — — — (Mettenius.) Bot. Zeitung 1845, 1.
 † — — — (K. Müller.) Bot. Zeitung 1845, 3.
 † — — — (Goeppert und Cohn.) Bot. Zeitg. 1849, 10.
 † — — — (Thuret.) Ann. sc. nat. III. 16, 8, 9.
 † — — — (Montagne.) Ann. sc. nat. III. 18, 2.
 — — — aspera Willd. Engl. Bot. 2738.
 — — — — Wallroth Annus 6.
 — — — — Greville Scott. Crypt. Fl. 68.
 — — — — Cosson Atlas 38.
 — — — baltica Fr. Fl. dan. 13, 2311.
 — — — barbata Meyen. Linnaea 2, 3.
 — — — — Rchb. Ic. crit. 8, 890. 9, 801.
 — — — batrachosperma (Thuill.) Rchb. Rchb. Ic. crit.
 8, 794.
 — — — Braunii Gm. Bischoff Crypt. Gew. 1, 1.
 — — — — Rchb. Ic. crit. 9, 802. 803.
 — — — Brongniartiana Coss. Cosson Atlas 40.
 — — — capitata N. v. E. Regensb. Denkschr. 2, 6.
 — — — — Linnaea 2, 3.
 — — — ceratophylla Wallr. Wallroth Annus 5.
 — — — — Fl. dan. 10, 1656.
 — — — — Ganterer Char. 2.
 — — — corallina Klein. Mem. Acad. Berl. 1803, 2.
 — — — coronata Ziz. Bischoff Crypt. Gew. 1, 1.
 — — — — Ganterer Char. 1.
 — — — — var. Explor. Alger. 39.
 — — — Cortiana Amici. Corti Tremella 1.
 — — — — Acad. Mod. 1, 1, 3.
 — — — crinita Wallr. Wallroth Annus 3.
 — — — — Ganterer Char. 2.
 — — — elastica Amici. Acad. Mod. 1, 1, 2.
 — — — exigua Rabenh. Flora 1837, 1.
 — — — exilis Barbieri. Barbieri Memoria 1.
 — — — — Acad. Mod. 1, 3.
 — — — fasciculata Amici. Acad. Mod. 1, 4, 3.
 — — — flexilis L. Lam. Encycl. 742.
 — — — — Schk. Bot. Handb. 280.
 — — — — Engl. Bot. 15, 1070.
 — — — — Linnaea 2, 2.
 — — — — Bischoff Crypt. Gew. 1, 1.
 — — — — Rchb. Ic. crit. 8, 795.
 — — — — var. nidifica, Rchb. Ic. crit. 8, 796.
 — — — — var. stellata, Wallroth Annus 6.
 — — — foetida A. Br. Cosson Atlas 37.
 — — — — Ganterer Char. 2.
 — — — foliolosa Mühlbg. Mem. Acad. Berl. 1803, 1.
 — — — fragilis Desv. Cosson Atlas 39.
 — — — — Ganterer Char. 2.
 — — — — Ann. sc. nat. III. 16, 8, 9.
 — — — fulcrata Gant. Ganterer Char. 2.
 — — — furcata Amici. Acad. Mod. 1, 5.
 — — — galioides DC. var. Explor. Alger. 39.
 — — — glomerata Desv. Bischoff Crypt. Gew. 1, 1.
 — — — — Cosson Atlas 41.
 — — — gracilis Sm. Engl. Bot. 30, 2140.
 — — — — Bischoff Crypt. Gew. 1.
 — — — — Rchb. Ic. crit. 8, 793.
 — — — — Ganterer Char. 1.
 — — — haitensis Turp. Dict. sc. nat. 101.
 — — — Hedwigii Ag. Engl. Bot. 2762.
 — — — hispida L. Fl. dan. 1, 154. 11, 1940.
 — — — — Lam. Encycl. 742.
 — — — — Engl. Bot. 7, 463.
 — — — — Wallroth Annus 4.
 — — — — Bischoff Crypt. Gew. 1, 1.
 — — — — Cosson Atlas 38.
 — — — — Ganterer Char. 2.
 — — — imperfecta Al. Br. Explor. Alger. 39.
 — — — inermis pellucida Schmid. Schmidel Ic. 14.
 — — — Kokeilii A. Br. Ganterer Char. 2.

- Chara latifolia* Willd. Hook. Ic. pl. 6, 532.
 — *mucronata* Al. Br. Cosson Atlas 40.
 — *nidifica* Müll. Fl. dan. 5, 761.
 — — Engl. Bot. 24, 1703.
 — *polysperma* A. Br. Ganterer Char. 1.
 — *pulchella* Wallr. Wallroth Annus 2.
 — — Bischoff Crypt. Gew. 1, 1.
 — — Engl. Bot. 2824.
 — *radians* Chev. Chevallier Flore 13.
 — *scoparia* Bauer. Ganterer Char. 1.
 — — Chev. Chevallier Flore 15.
 — *setosa* Klein. Mem. Acad. Berl. 1803, 1.
 — *spinosa* Barbieri. Acad. Mod. 1, 3.
 — *stelligera* Bauer. Cosson Atlas 40.
 — — Ganterer Char. 1.
 — *syncarpa* Thuill. Rchb. Ic. crit. 8, 797 — 799.
 — — Cosson Atlas 39.
 — *tenuissima* Desv. Rchb. Ic. crit. 8, 791. 792.
 — — Cosson Atlas 41.
 — — Ganterer Char. 1.
 — *tomentosa* L. Fl. dan. 11, 1941.
 — *translucens* Pers. Engl. Bot. 26, 1855.
 — — Rchb. Ic. crit. 9, 804. 805.
 — *ulvoides* Bertol. Acad. Mod. 1, 4.
 — — Ganterer Char. 1.
 — *vulgaris* L. Gaertn. Carp. 84.
 — — Hedwig Theoria 34. 35.
 — — Lam. Encycl. 742.
 — — Engl. Bot. 5, 336.
 — — Wallroth Annus 1.
 — — Schnizlein Ic. 1, 4.
 — *zeylanica* Klein. Mem. Acad. Berl. 1803, 2.
Chardinia xeranthemoides Desf. Mem. Mus. 3, 21.
 † — — Mem. hist. nat. Par. 3, 8.
 † — — Mem. Mosc. 10, 13.
Charieis heterophylla Cass. Bot. Reg. 6, 490.
Charlwoodia congesta Sweet. Sweet Austr. 18.
Charpentiera obovata Gaudich. Freycinet Voyage 48.
 — *ovata* Gaudich. Freycinet Voyage 47.
Chartolepis Biebersteinii Jaub. Jaubert III. 208.
 — *cappadocica* Jaub. Jaubert III. 291.
 — *Tournefortii* Jaub. Jaubert III. 207.
Chartoloma platycarpum Bge. Bunge Rel. Lehm. 3.
Chascanum cuneifolium Meyer. Maund Bot. 4, 196.
Chascolytrum erectum Desv. Humb. Gram. 86.
 — *subaristatum* Desv. Humb. Gram. 87.
Chasmonia incisa Presl. Bot. Reg. 15, 1244.
 † *Chastenea coriacea* Naud. Ann. sc. nat. III. 4, 3.
 — *Merianiae* DC. Delessert Ic. 5, 2.
Chavica Arnottiana Mig. Miquel III. Pip. 40.
 — *Betle* Mig. Wight Ic. pl. Ind. or. 6, 1926.
 — *boehmeriaefolia* Mig. Miquel III. Pip. 37.
 — *celebica* Mig. Miquel III. Pip. 41.
 — *Chaba* Mig. Miquel III. Pip. 31.
 — *Chuvya* Mig. Miquel III. Pip. 39.
 — *densa* Mig. Miquel III. Pip. 32.
 — *lanceolata* Mig. Miquel III. Pip. 36.
 — *macrostachya* Mig. Miquel III. Pip. 29.
 — *maritima* Mig. Miquel III. Pip. 35.
 — *miniata* Mig. Miquel III. Pip. 28.
 — *officinatum* Mig. Miquel III. Pip. 34.
 — — Hayne 14, 21.
 — *peepuloides* Mig. Wight Ic. pl. Ind. or. 6, 1927.
 — *penangensis* Mig. Miquel III. Pip. 44.
 — *pothoides* Mig. Miquel III. Pip. 38.
 — *Roxburghii* Mig. Miquel III. Pip. 30.
 — — Hayne 14, 20.
 — — Wight Ic. pl. Ind. or. 6, 1928.
 — *sarmentosa* Mig. Wight Ic. pl. Ind. or. 6, 1929.
 — *silvatica* Mig. Wight Ic. pl. Ind. or. 6, 1930.
 — *sphaerostachya* Mig. Miquel III. Pip. 42. 43.
 — — Wight Ic. pl. Ind. or. 6, 1931.

- Chavica Wallichii* Mig. Miquel III. Pip. 33.
Chayota edulis Jacq. Jacq. Hist. stirp. am. 245.
Cheilanthes brasiliensis Raddi. Raddi Fil. 73.
 — *candida* M. et G. Acad. Brux. 15, 20.
 — *canescens* Kze. Kunze Fil. 35.
 — *capensis* Sw. Schlecht. Fil. 28.
 † — *commutata* Kze. Hook. Gen. Fil. 67.
 — *cuneata* Kaulf. Kunze Fil. 36.
 — *dealbata* Don. Hook. Sp. Fil. 78.
 — *dichotoma* Sw. Swartz Syn. Fil. 3.
 — *dicksonioides* Endl. Kunze Fil. 8.
 — *elegans* Desv. Desv. Journ. 4, 13.
 — *farinosa* Kaulf. Hook. Ic. Fil. 134.
 — *fimbriata* Vis. Visiani Dalm. 1.
 — *fragrans* Sw. Swartz Syn. Fil. 3.
 — *hirta* Sw. Schlecht. Fil. 30.
 — *lanuginosa* M. et G. Acad. Brux. 15, 20.
 — *marginata* H. B. K. H. B. K. Nov. Gen. 7, 669.
 — *Mathewsii* Kze. Kunze Fil. 25.
 — *micropteris* Sw. Swartz Syn. Fil. 3.
 — *minor* M. et G. Acad. Brux. 15, 21.
 — *monticola* Gardn. Hook. Ic. pl. 5, 487.
 — *multifida* Sw. Schlecht. Fil. 29.
 — *myriophylla* Desv. Desv. Journ. 4, 13.
 — *obtusata* Presl. Presl Reliq. 11.
 — *odora* Sw. Schk. Fil. 123.
 — *palacea* M. et G. Acad. Brux. 15, 21.
 — *profusa* Kze. Kunze Fil. 17.
 — *pulchella* Bory. Webb Canar. 252.
 — *Schimperii* Kze. Kunze Fil. 26.
 — *squamosa* Gill. Hook. Ic. Fil. 151.
 — *speciosissima* A. Braun. Kunze Analecta 23.
 — *suaveolens* Sm. Sibth. Fl. gr. 966.
 † — — Hook. Gen. Fil. 106.
 — *tenuifolia* Sw. Rumpf Amb. 6, 34. fig. 2.
 — — Schk. Fil. 125.
 — — Hook. Sp. Fil. 87.
 — *vestita* Sw. Schk. Fil. 124.
Cheilolepton Blumeianum Fée. Fée Fil. 51.
 † — — Fée Fil. 5, 3.
Cheiranthera cyanea Brongn. Brongniart Coquille 77.
 — *linearis* A. Cunn. Hook. Ic. pl. 1, 47.
 — — Fl. d. serres 8, 856.
 — — Regel Gartenfl. 1852. 22.
Cheiranthus alpinus All. All. Fl. ped. 3, 20.
 — — Jacq. Jacq. Fl. austr. 1, 75.
 † — — L. Wahlbg. Fl. lapp. 12.
 — *armeniacus* Sims. Bot. Mag. 22, 835.
 — *Bocconi* All. All. Fl. ped. 3, 58.
 — *Cheiri* L. Curt. Lond. 5, 147.
 † — — Lam. Encycl. 564.
 — — Rousseau Bot. 8.
 — — γ. Chamaeleon, Bot. Reg. 3, 219.
 — — Dict. sc. nat. 182.
 † — — Mem. Instit. 1830, 9.
 — — Sturm Flora 12, 45.
 — — Dietr. Fl. bor. 12, 853.
 — — Rchb. Fl. germ. 2, 45.
 † — — Webb Canar. 84.
 ! — — Schweizer Denkschr. 5, 5.
 — — Baxter Brit. Bot. 3, 237.
 — *cinereus* Webb. Webb Canar. 5.
 — *cuspidatus* M. v. B. W. et Kit. 231.
 — *erysimoides* Jacq. Jacq. Fl. austr. 1, 74.
 — *Farsetia* L. Desf. Fl. atl. 160.
 — *fenestralis* L. Linné Hort. ups. 2, 16.
 — — Jacq. Vind. 179.
 — *fruticulosus* L. Engl. Bot. 27, 1934.
 — *helveticus* Jacq. Jacq. Vind. 3, 9.
 — *himalayensis* Camb. Jacquemont Ind. 13.
 — *incanus* L. Engl. Bot. 27, 1935.
 — *junceus* W. et K. W. et Kit. 234.

- Cheiranthus leptophyllus* *M. v. B.* Delessert Ic. 2, 13.
 — *longifolius* *Vent.* Vent. Malm. 83.
 — *longipetalus* *Vent.* Vent. Cels 93.
 — *maritimus* *L.* Bot. Mag. 5, 186.
 — *mutabilis* *Ait.* Bot. Mag. 6, 195.
 — — *Comm.* Gott. 12, 4.
 — — *Bot. Reg.* 17, 1431.
 — *ochroleucus* *Hall. fil.* Kn. et Westc. 120.
 — *odoratissimus* *Pall.* Jacq. Schoenbr. 4, 479.
 — *quadrangulus* *L'her.* L'her. Stürp. 44.
 — *scapigerus* *Willd.* Willd. Fl. berol. 6.
 — *scoparius* *Willd.* Bot. Reg. 3, 219.
 — — *Webb* Canar. 6.
 — *sinuatus* *L.* Engl. Bot. 7, 462.
 — — *Roemer* Fl. eur. 10, 7.
 — *tricuspidatus* *L.* Schk. Handb. 184.
 † — — *Gaertn.* Carp. 143.
 † *tristis* *L.* Bot. Mag. 19, 729.
 — — *Sturm* Flora 6, 22.
 † — *turritoides* *Lam.* Lam. Encycl. 564.
Cheirinia cheiranthoides *Lk.* Dietr. Fl. bor. 6, 426.
 — *crepidifolia* *Lk.* Dietr. Fl. bor. 7, 446.
 — *hieracifolia* *Lk.* Dietr. Fl. bor. 6, 427.
Cheirostemon platanoides *H. B.* Humb. Pl. aeq. 24.
 — — *Lam.* Encycl. 976.
 — — *Dict. sc. nat.* 139.
 — — *Petersb.* 5, 9.
 — — *Fl. d. serres* 7, 649.
Chelrostylis flabellata *Wight.* Wight Ic. pl. Ind. or. 5, 1727.
 † — *montana* *Bl.* Blume Orchid. 16.
 † *Chelidonium corniculatum* *L.* Schk. Handb. 140.
 † — *Glauicum* *L.* Schk. Handb. 140.
 — — *Fl. dan.* 4, 585.
 — — *Sv. Bot.* 171.
 — *laciniatum* *Mill.* Rchb. Fl. germ. 3, 10.
 — — *Fl. dan.* 12, 2034.
 † — *majus* *L.* Gaertn. Carp. 115.
 † — — *Lam.* Encycl. 459.
 — — *Schk.* Handb. 140.
 — — *Fl. dan.* 4, 542, 676.
 — — *Engl. Bot.* 22, 1581.
 — — *Sv. Bot.* 67.
 — — *Dreves* 1, 18.
 — — *Hayne* 4, 6.
 — — *Guimp. et Schl.* 92.
 — — *Nees Düssel.* 406.
 — — *Woodv. Med.* 2, 140.
 — — *Schrank* Fl. monac. 2, 120.
 — — *Dietr.* Fl. bor. 3, 184.
 — — *Rchb.* Fl. germ. 3, 10.
 — — *Baxter* Brit. Bot. 1, 51.
 † — — *Mem. Genev.* 1, 2.
 † — — *Ann. sc. nat.* 2, 13.
 † — — *Plée* Types 11.
 † — — *Nees* Gen. X, x.
 † *Chelonanthera longifolia* *Bl.* Blume Tabellen 51.
 † — *speciosa* *Bl.* Blume Tabellen 51.
 † — *ventricosa* *Bl.* Blume Tabellen 51.
Chelone angustifolia *H. B. K.* H. B. K. Nov. Gen. 2, 173.
 — *atropurpurea* *Sweet.* Sweet Fl. G. 235.
 — *barbata* *Cav.* Cav. Ic. 242.
 — — *Bot. Reg.* 2, 116.
 — — *Kern.* Hort. 39.
 — *campanulata* *Cav.* Cav. Ic. 29.
 — — *Herb. amat.* 5, 338.
 — *campanuloides* *Andr.* Andr. Rep. 1, 40.
 — *centranthifolia* *Benth.* Bot. Reg. 20, 1737.
 — — *Paxt.* Mag. 2, 50.
 — *cheilanthifolia* *Paxt.* Paxt. Mag. 2, 50.
 — *Digitalis* *Nutt.* Sweet Fl. G. 120.
 — *gentianoides* *H. B. K.* H. B. K. Nov. Gen. 2, 172.

- † *Chelone glabra* *L.* Gaertn. Carp. 54.
 — — *Barton* Fl. 3, 76.
 — *Lyoni* *Pursh.* Sweet Fl. G. 293.
 — — *Paxt.* Mag. 7, 269.
 — *major* *Sims.* Bot. Mag. 44, 1864.
 — *nemorosa* *Dougl.* Bot. Reg. 14, 1211.
 — *obliqua* *L.* Schk. Handb. 172.
 — — *Bot. Reg.* 2, 175.
 — — *Lodd.* Cab. 813.
 — — *Paxt.* Mag. 7, 149.
 † — *Pentstemon* *L.* Lam. Encycl. 528.
 — *rosea* *Cerv.* Sweet Fl. G. 230.
 — *ruellioides* *Andr.* Andr. Rep. 1, 34.
Chenolea canariensis *Moquin.* Webb Canar. 200.
 — *incana* *Jacq.* Jacq. Fragm. 120.
Chenopodina indica *Wight.* Wight Ic. pl. Ind. or. 5, 1793.
 † *Chenopodeae* *Vent.* Schnizl. Ic. 2, 101.
Chenopodium acuminatum *Willd.* N. Schr. nat. Fr. 2, 5.
 — — *Ledeb.* Ic. 168.
 — *acutifolium* *Kit.* Sturm Flora 17, 75.
 — — *Engl.* Bot. 21, 1481.
 — *album* *L.* Curt. Lond. 2, 93.
 — — *Engl.* Bot. 24, 1723.
 — — *β. viride*, *Sv. Bot.* 411.
 — — *Sturm* Flora 17, 75.
 — — *Dietr.* Fl. bor. 5, 297.
 † — — *Nees* Gen. 4, 56.
 † — — *Schnizl.* Ic. 2, 101.
 — *altissimum* *Schrad.* Comm. Gott. rec. 1, 1.
 — *ambrosioides* *L.* Desc. Ant. 1, 58.
 — — *Sturm* Flora 17, 75.
 — — *Hayne* 13, 15.
 — — *Nees Düssel.* 122.
 — — *Wagner* 130.
 — — *Guimp. et Schl.* 269.
 — — *Wight* Ic. pl. Ind. or. 5, 1786.
 — *anthelminticum* *L.* Barton Med. 44.
 — — *Rafin.* Med. 21.
 — — *Desc.* Ant. 1, 57.
 — *augustanum* *All.* All. Fl. ped. 3, 38.
 — *baccatum* *Lab.* Bill. Nov. Holl. 96.
 — *Bonus Henricus* *L.* Schk. Handb. 56.
 — — *Curt.* Lond. 2, 94.
 — — *Fl. dan.* 4, 579.
 † — — *Lam.* Encycl. 181.
 — — *Engl.* Bot. 15, 1033.
 — — *Schrank* Fl. monac. 4, 382.
 — *botryoides* *L.* Engl. Bot. 32, 2247.
 — *Botrys* *L.* Sibth. Fl. gr. 253.
 — — *Hayne* 13, 14.
 — — *Guimp. et Schl.* 270.
 — — *var.* *Sturm* Flora 17, 75.
 † — — *Nees* Gen. 4, 56.
 — *caudatum* *Jacq.* Jacq. Ic. 344.
 — *concatenatum* *Thuill.* Sturm Flora 17, 75.
 — *crassifolium* *Hort. par.* Dietr. Fl. bor. 5, 300.
 — *ficifolium* *Sm.* Curt. Lond. 3, 78.
 — — *Engl.* Bot. 24, 1724.
 — — *Sturm* Flora 17, 75.
 — — *Dietr.* Fl. bor. 5, 298.
 — *frutescens* *Led.* Ledeb. Ic. 10.
 — *fruticosum* *Schrad.* Comm. Gott. rec. 1, 1.
 — *glaucum* *L.* Fl. dan. 7, 1151.
 — — *Engl.* Bot. 21, 1454.
 — *graveolens* *Lag.* Jacq. Ecl. pl. 67.
 — *guineense* *Jacq.* Jacq. Ic. 343.
 — *hybridum* *L.* Curt. Lond. 2, 102.
 — — *Engl.* Bot. 27, 1919.
 — — *Baxter* Brit. Bot. 5, 352.
 — — *Fl. dan.* 12, 2049.
 — — *Sturm* Flora 17, 75.
 — *intermedium* *M. et K.* Sturm Flora 17, 75.

- Chenopodium lanceolatum* Merat. Sturm Flora 17, 75.
 — *maritimum* L. Fl. dan. 3, 489.
 — — Engl. Bot. 9, 633.
 — *multifidum* L. Gil et Xuares 24.
 — *murale* L. Curt. Lond. 3, 117.
 — — Engl. Bot. 24, 1722.
 — — Fl. dan. 12, 2048.
 — — Sturm Flora 17, 75.
 — — Dietr. Fl. bor. 12, 848.
 — *olidum* Curt. Curt. Lond. 2, 96.
 — — Engl. Bot. 15, 1034.
 — *opulifolium* Schrad. Sturm Flora 17, 75.
 — — Dietr. Fl. bor. 5, 296.
 — *polyspermum* L. Fl. dan. 7, 1153.
 — — Curt. Lond. 2, 112.
 — — Engl. Bot. 21, 1480.
 — — Dietr. Fl. bor. 11, 780.
 — — Sturm Flora 17, 75.
 — *purpurascens* Juss. Jacq. Vind. 3, 80.
 — *Quinoa* Willd. Bot. Mag. 65, 3641.
 — *radiatum* Schrad. Comm. Gott. rec. 1, 1.
 † *rubrum* L. Gaertn. Carp. 75.
 † — — Lam. Encycl. 181.
 — — Fl. dan. 7, 1149.
 — — Curt. Lond. 3, 29.
 — — Engl. Bot. 24, 1721.
 — — Dietr. Fl. bor. 5, 299.
 — *tenue* Colla. Mem. Tur. 39, 50.
 — *urbicum* L. Fl. dan. 7, 1148.
 — — Sv. Bot. 459.
 — — Engl. Bot. 10, 717.
 — — Sturm Flora 17, 75.
 — — Dietr. Fl. bor. 12, 849.
 — *viride* L. Fl. dan. 7, 1150.
 — — Sturm Flora 17, 75.
 — *Vulvaria* L. Fl. dan. 7, 1152.
 — — Nees Düssel. 124.
 — — Woodv. Med. 4, 228.
 — — Sturm Flora 17, 75.
 — — Dietr. Fl. bor. 12, 847.
Cherleria sedoides L. Jacq. Fl. austr. 3, 284.
 — — Schk. Handb. 123.
 — — Lam. Encycl. 379.
 — — Engl. Bot. 17, 1212.
 — — Rchb. Fl. germ. 5, 204.
 — — Baxter Brit. Bot. 4, 316.
Chesneya dancoides Bert. Novi Comm. Bon. 5, 41.
 — *rytidosperra* Jaub. Jaubert Illustr. 47.
 — *vaginalis* Jaub. Jaubert Illustr. 48.
Chevalieria ornata Gaudich. Gaudichaud Bonite 62.
 — *sphaerocephala* Gaudich. Gaudichaud Bonite 61.
Chevrenlia Thouarsii Remy. Gay Chile 37.
Chickrassia = *Chukrasia* Juss.
Chiliocalyx tenuifolius Klotzsch. Peters Mossamb. 28.
Chiliotrichum amelloides Cass. Hook. Ic. pl. 5, 485.
 — *Feliciae* Hombr. Richard Astrolabe 28.
 — *ovatifolium* Hombr. Richard Astrolabe 28.
 † *Chilocarpus suaveolens* Bl. Blume Mus. 1, 53.
 — *zeylanicus* Wight. Wight Ic. pl. Ind. or. 4, 1288.
 † — — Wight Illustr. 154^b.
 † *Chilochloa* Pal. Beauv. Nees Gen. 1, 9.
 — *aspera* Pal. Beauv. Rchb. Fl. germ. 1, 51.
 — *Boehmeri* Pal. Beauv. Rchb. Fl. germ. 1, 51.
 — *cuspidata* Pal. Beauv. Rchb. Fl. germ. 1, 51.
 — *dentata* Tr. Trin. Sp. Gr. 1, 73.
 — *Michellii* Rchb. Rchb. Fl. germ. 1, 51.
Chilodia scutellarioides R. Br. Bot. Mag. 62, 3403.
 — — Paxt. Mag. 5, 195.
Chiloglottis diphylla R. Br. Bauer Illustr. 8.
 † *Chiloporus andinus* Naud. Ann. sc. nat. III. 4, 3.
Chiloschista usneoides Ldl. Lindley Sertum Frontispice.
 — — Wight Ic. pl. Ind. or. 5, 1741.

- Chimonanthus fragrans* Ldl. *β. grandiflorus*, Bot. Reg. 6, 451.
 — — — Dict. sc. nat. 235.
Chimophila maculata Pursh. Barton Fl. 1, 11.
 — — — Torr. New York 76.
 — *Menziesii* R. Br. Hook. Bor. Am. 138.
 — *umbellata* Nutt. Barton Med. 1.
 — — — Radius Pyrola 5.
 — — — Dietr. Fl. bor. 4, 237.
Chiococca anguifuga Mart. Münchn. Denkschr. 9, 5. 9.
 — — — Guimp. et Kl. 5.
 — — — Nees Düss. Suppl. 21.
 — *barbata* Forst. Hook. Beechey 14.
 — *brachiata* R. Br. Ruiz et Pav. Fl. 219.
 — *densifolia* Mart. Münchn. Denkschr. 9, 6.
 — — — Guimp. et Kl. 4.
 — *malabarica* Dennst. Rheede Hort. mal. 10, 57.
 — *racemosa* L. Jacq. Hist. stirp. am. 69.
 † — — — Gaertn. Carp. 26.
 — — — Lam. Encycl. 160.
 — — — Andr. Rep. 4, 284.
 — — — Hook. Exot. Fl. 93.
 — — — Hayne 14, 7.
 — — — Guimp. et Kl. 3.
 — — — Nees Düss. Suppl. 20.
 — — — Desc. Ant. 4, 292.
 — *tenuifolia* Bab. Linn. Transact. 19, 3.
Chiogenes hispidula T. et Gr. Torr. New York 88.
Chionanthus caribaea Jacq. Jacq. Collect. 2, 6.
 — *Ghaeri* Gaertn. Rheede Hort. mal. 5, 55.
 † — — — Gaertn. Carp. 39.
 † — — — Lam. Encycl. 9.
 — *ramiflora* Roxb. Wight Ic. pl. Ind. or. 2, 734.
 — *virginica* L. Lam. Encycl. 9.
 — — — Guimp. Fr. Holzgew. 73.
 — — — Lodd. Cab. 1264.
 — — — Watson Dendr. 1, 1.
 † — *zeylanica* Lam. Gaertn. Carp. 39.
 — — — Lam. Encycl. 9.
Chionoptera Gayophyta DC. Delessert Ic. 4, 75.
Chirantodendron Larr. Larraetegi Chirant. 1, 2.
Chirita bifolia Royle. Royle Illustr. 70.
 — *grandiflora* Wall. Wall. Pl. asiat. 50.
 — *macrophylla* Wall. Wall. Pl. asiat. 52.
 — *Moonii* Gardn. Bot. Mag. 74, 4405.
 — — — Paxt. Mag. 16, 33.
 — — — Fl. d. serres 4, 407. 408.
 — *sinensis* Ldl. Bot. Reg. 30, 59.
 — — — Bot. Mag. 73, 4284.
 — — — Paxt. Mag. 14, 243.
 — — — Fl. d. serres 1, 23.
 ! — — — (Folium prolif.) Hook. Journ. 1849, 5.
 — *vulgaris* Hort. Belgique hortic. 3, 36.
 — *Walkeriae* Gardn. Bot. Mag. 73, 4327.
 — — — Fl. d. serres 3, 285.
 — *zeylanica* Hook. Bot. Mag. 71, 4102.
 — — — Paxt. Mag. 13, 265.
 — — — Fl. d. serres 2, 32.
Chironia angustifolia Sims. Bot. Mag. 21, 818.
 † — *baccifera* L. Gaertn. Carp. 114.
 — — — Bot. Mag. 7, 233.
 — *Centaurium* Schm. Curt. Lond. 1, 22.
 — — — Engl. Bot. 6, 417.
 — — — Woodv. Med. 2, 96.
 — — — Hayne 1, 29.
 — *decussata* Vent. Vent. Cels 31.
 — — — Bot. Mag. 19, 707.
 — — — Savi Fl. ital. 1, 22.
 — — — Kerner Hort. 173.
 — — — Rchb. Hort. 244.
 — *floribunda* Paxt. Paxt. Mag. 12, 123.
 — *frutescens* L. Bot. Mag. 2, 37.

- Chironia frutescens* L. Wendl. Coll. 4.
 — — — Kerner Hort. 122.
 † — — — Lam. Encycl. 108.
 — — — glutinosa Paxt. Paxt. Mag. 15, 248.
 — — — jasminoides Lam. Lam. Encycl. 108.
 — — — L. Bot. Reg. 3, 197.
 — — — Lodd. Cab. 27.
 — — — inaperta Willd. Hayne 1, 30.
 — — — linoides L. Bot. Mag. 15, 511.
 — — — Herb. amat. 4, 269.
 — — — litoralis Sm. Engl. Bot. 33, 2305.
 — — — maritima Willd. Sibth. Fl. gr. 237.
 — — — nudicaulis Thunbg. Linn. Transact. 7, 12.
 — — — orthostylis Rchb. Rchb. Hort. 243.
 — — — peduncularis Ldl. Bot. Reg. 21, 1803.
 — — — pulchella L. Engl. Bot. 7, 438.
 — — — spicata Willd. Sibth. Fl. gr. 238.
 — — — tetragona Thunbg. Linn. Transact. 7, 12.
 — — — trinervis Hort. Paxt. Mag. 3, 149.
 — — — uliginosa Lap. W. et Kit. 259.
 — — — uniflora Lam. Lam. Encycl. 108.
 † *Chitonina albicans* Don. Ann. sc. nat. III. 16, 25.
 — — — mexicana DC. Münchn. Abh. 1, 17.
 † *Chlaenaceae* Thouars. Schnizl. Ic. 214.
 † *Chlamydia tenacissima* Gaertn. Gaertn. Carp. 18.
Chlamysperma arenarioides Hook. Hook. Beechey 64.
Chlamysporum juncifolium Salisb. Salisb. Parad. 103.
 † *Chlidanthus fragrans* Herb. Herbert Amar. 27.
 — — — Lindley Coll. 34.
 — — — Bot. Reg. 8, 640.
 — — — Rchb. Exot. 45.
 — — — Fl. d. serres 4, 326.
Chloanthes Stoechadis R. Br. Bauer Illustr. 4.
 † *Chlora* L. Mutel Fl. fr. 36.
 — — — acuminata Koch et Ziz. Rchb. Ic. crit. 3, 207.
 — — — dubia Lam. Lam. Encycl. 296.
 — — — hybrida Tratt. Tratt. Archiv 229.
 — — — imperfoliata L. fil. Rchb. Ic. crit. 5, 412.
 — — — lanceolata Koch et Ziz. Rchb. Ic. crit. 3, 209.
 — — — longifolia Lam. Lam. Encycl. 296.
 — — — perfoliata L. Curt. Lond. 4, 2.
 — — — Engl. Bot. 1, 60.
 — — — Lam. Encycl. 296.
 — — — Schk. Handb. 106.
 — — — Roemer Fl. eur. 4, 3.
 — — — Tratt. Archiv 228.
 — — — Soc. des amat. 1, 3.
 — — — Rchb. Ic. crit. 3, 206.
 — — — Baxter Brit. Bot. 1, 69.
 † — — — Nees Gen. X, x.
 — — — serotina Koch. Rchb. Ic. crit. 3, 208.
 † — — — sessilifolia Gaertn. Gaertn. Carp. 198.
 — — — Desv. Soc. des amat. 1, 3.
 † *Chloraea* Lindl. Linn. Transact. 18, 38.
 — — — alpina P. et E. Poepp. et Endl. 53.
 — — — campestris P. et E. Poepp. et Endl. 49.
 — — — Commersonii Brongn. Brongniart Coquille 44.
 — — — cylindrostachya P. et E. Poepp. et Endl. 50.
 — — — decipiens P. et E. Poepp. et Endl. 55.
 — — — fimbriata P. et E. Poepp. et Endl. 51.
 — — — Gaudichaudii Brongn. Brongniart Coquille 44.
 — — — grandiflora P. et E. Poepp. et Endl. 48.
 — — — incisae P. et E. Poepp. et Endl. 54.
 — — — longibracteata Ldl. Maund Bot. 2, 94.
 — — — nudilabia P. et E. Poepp. et Endl. 52.
 — — — speciosa P. et E. Poepp. et Endl. 46.
 — — — virescens Ldl. Bot. Reg. 31, 49.
 — — — viridiflora P. et E. Poepp. et Endl. 47.
 † *Chloranthaceae* R. Br. Schnizl. Ic. 2, 80.
 † *Chloranthus* Sw. Kerner Genera 136.
 — — — brachystachys Bl. Blume Java 3, 2.
 — — — inconspicuus Sw. L'her. Sertum 2.

- † *Chloranthus inconspicuus* Sw. Schnizl. Ic. 2, 80.
 — — — indicus Wight. Wight Ic. pl. Ind. or. 6, 1945.
 — — — monostachys R. Br. Lindley Coll. 17.
 — — — Bot. Mag. 48, 2190.
 — — — officinalis Bl. Blume Java 3, 1.
 † *Chloris* Sw. Swartz Flora Ind. occ. 3.
 — — — acuminata Tr. Trin. Sp. Gr. 3, 305.
 — — — barbata Roxb. Rheede Hort. mal. 12, 51.
 — — — Sw. Schk. Handb. 343.
 — — — Jacq. Ecl. gram. 8.
 — — — Trin. Sp. Gr. 3, 306.
 † — — — Panz. Münchn. Denkschr. 4, 10.
 — — — Beyrichiana Kth. Humb. Gram. 56.
 — — — ciliata Sw. Jacq. Fragm. 121.
 — — — Trin. Sp. Gr. 3, 307.
 — — — distachya Kth. Humb. Gram. 57.
 — — — distichophylla Lag. Trin. Sp. Gr. 3, 308.
 — — — dubia H. B. K. H. B. K. Nov. Gen. 7, 694.
 — — — elegans H. B. K. H. B. K. Nov. Gen. 1, 49.
 — — — equitans Tr. Trin. Sp. Gr. 3, 309.
 — — — falcata Sw. Neue Schr. nat. Fr. 3, 1.
 — — — Trin. Sp. Gr. 3, 310.
 — — — foliosa Willd. Humb. Gram. 55.
 — — — Trin. Sp. Gr. 3, 311.
 — — — Gayana Kth. var. Humb. Gram. 58.
 — — — gracilis H. B. K. Jacq. Ecl. gram. 10.
 — — — humilis Kth. Humb. Gram. 180.
 — — — macrantha Jaub. Jaubert Illustr. 328.
 — — — petraea Sw. Schk. Handb. 343.
 — — — Elliott Carol. 11.
 — — — Jacq. Ecl. gram. 11.
 — — — polydactyla Jacq. Jacq. Ecl. gram. 9.
 — — — Prieurii Kth. Humb. Gram. 134.
 — — — pycnothrix Tr. Trin. Sp. Gr. 3, 312.
 — — — radiata Sw. Humb. Gram. 179.
 — — — Schk. Handb. 343.
 † — — — Panz. Münchn. Denkschr. 4, 10.
 — — — submutica H. B. K. H. B. K. Nov. Gen. 1, 50.
 — — — truncata R. Br. Humb. Gram. 178.
 — — — villosa Pers. Jaubert Illustr. 327.
Chlorophytum inornatum Gawl. Bot. Mag. 27, 1071.
 — — — Orchidastrum Ldl. Bot. Reg. 10, 813.
 † *Chlorosa latifolia* Bl. Blume Tabellen 31.
 † *Chloroxylon Swietenia* DC. Mem. Mus. 19, 23.
 — — — Wight Illustr. 56.
Chnoophora excelsa Mart. Mart. Crypt. bras. 27, 37.
Choeradoplectron Spiranthus Schauer. Acta Leop. 19.
 — — — Suppl. 13.
Choisya ternata H. B. K. H. B. K. Nov. Gen. 6, 513.
Chomelia spinosa Jacq. Jacq. Hist. stirp. am. 17.
 — — — tenuiflora Benth. Miquel Surin. 50.
Chondodendron convolvulaceum P. et E. Poepp. et Endl. 190.
Chondrilla graminea M. v. B. Ledeb. Ic. 177.
 † — — — juncea L. Gaertn. Carp. 158.
 † — — — Lam. Encycl. 650.
 — — — Schk. Handb. 218.
 — — — Jacq. Fl. austr. 5, 427.
 — — — Fl. dan. 10, 1652.
 — — — Dietr. Fl. bor. 9, 619.
 — — — nudicaulis L. Novi Comm. Gott. 3, 4.
 — — — pauciflora Led. Ledeb. Ic. 198.
 — — — prenanthoides Vill. Villars Précis 1.
 † — — — purpurea Lam. Lam. Encycl. 650.
 — — — ramosissima Sibth. Sibth. Fl. gr. 795.
 — — — stricta Led. Ledeb. Ic. 37.
 — — — viminea Lam. Lam. Encycl. 650.
Chondropetalum deustum Rottb. Rottb. Descr. 3.
 — — — nudum Rottb. Rottb. Descr. 3.
Chondrosium gracile H. B. K. H. B. K. Nov. Gen. 1, 58.
 — — — hirtum H. B. K. H. B. K. Nov. Gen. 1, 59.
 — — — humile Pal. B. H. B. K. Nov. Gen. 1, 56.

- Chondrosium tenue* *Pal. B.* H. B. K. Nov. Gen. 1, 57.
Chondrospermum smilacifolium *Wall.* Wight Ill. 151^b.
Chonemorpha antidysenterica *G. Don.* Wight Ic. pl. Ind. or. 2, 439.
 — *macrophylla* *G. Don.* Wight Ic. pl. Ind. or. 2, 432.
 † *Choretis galvestonensis* *Herb.* Herb. Amar. 41.
 † — *glauca* *Herb.* Herb. Amar. 35, 41.
 — — — Kn. et Westc. 71.
Choretum glomeratum *R. Br.* Endl. Iconogr. 43.
Choripetalum aurantiacum *DC.* Wight Spicil. 136.
 — — — Wight Ic. pl. Ind. or. 4, 1210.
 † *Chorisia crispiflora* *H. B. K.* H. B. K. Nov. Gen. 5, 485.
 † — *insignis* *H. B. K.* H. B. K. Nov. Gen. 5, 485.
 — *speciosa* *St. Hil.* St. Hil. Pl. us. 63.
 — *ventricosa* *N. v. E.* Acta Leop. 11, 1, 9.
Choripora elegans *Camb.* Jacquemont Ind. 14.
 — *iberica* *DC.* Delessert Ic. 2, 58.
 — *sabulosa* *Camb.* Jacquemont Ind. 15.
 — — — Hook. Journ. 1852, 11.
Chorizandra pinnata *Wight.* Wight Ic. pl. Ind. or. 6, 1994.
Chorizantho pungens *Benth.* Linn. Transact. 17, 19.
 — *virgata* *Benth.* Linn. Transact. 17, 19.
 † *Chorozema* *Lab. Sm.* Kerner Genera 128.
 — *cordatum* *Ldl.* Kn. et Westc. 50.
 — — — Paxt. Mag. 5, 97.
 — — — Bot. Reg. 24, 10.
 — — — Maund Bot. 2, 89.
 — *Dicksonii* *Benth.* Maund Bot. 3, 106.
 — — — Paxt. Mag. 8, 173.
 — *diversifolium* *DC.* Mem. Genev. 7, 8.
 — *flavum* *Henfr.* Lem. Jard. fl. 13.
 — *Henchmanni* *R. Br.* Bot. Reg. 12, 986.
 — — — Bot. Mag. 64, 3607.
 — — — Lodd. Cab. 1233.
 — — — Paxt. Mag. 2, 171.
 — *ilicifolium* *Lab.* Bonpl. Malm. 35.
 — — — Herb. amat. 2, 87.
 — — — Rchb. Exot. 316.
 — *nanum* *Sims.* Bot. Mag. 26, 1032.
 — — — Lam. Encycl. 948.
 — — — Lodd. Cab. 1002.
 — — — Rchb. Mag. 11.
 — *ovatum* *Ldl.* Bot. Reg. 18, 1528.
 — — — Paxt. Mag. 4, 153.
 — *rhombum* *R. Br.* Sweet Austr. 40.
 — — — Lodd. Cab. 1619.
 — — — Rchb. Hort. 219.
 — *spartioides* *Lodd.* Lodd. Cab. 1933.
 — — — Paxt. Mag. 10, 127.
 — *spectabile* *Ldl.* Bot. Reg. 27, 45.
 — — — Bot. Mag. 68, 3907.
 — *triangulare* *Ldl.* Bot. Reg. 18, 1513.
 — — — Paxt. Mag. 13, 73.
 — — — Lem. Jard. fl. 27.
 — *varium* *Benth.* Bot. Reg. 25, 49.
 — — — Kn. et Westc. 132.
 — — — Hort. Transact. 9, 12.
 — — — Paxt. Mag. 6, 175.
Chresta angustifolia *Gardn.* Hook. Lond. J. 1842, 8.
 — *speciosa* *Gardn.* Hook. Lond. J. 1842, 9.
 — *sphaerocephala* *DC.* Delessert Ic. 4, 6.
Christannia salicifolia *Presl.* Presl Reliq. 67.
 † *Christatella* *Gray.* Gray Genera 77.
 — *Jamesii* *Torr. et Gr.* Gray Genera 77.
Christisonia aurantiaca *Wight.* Wight Ic. pl. Ind. or. 4, 1486.
 — *calcarata* *Wight.* Wight Ic. pl. Ind. or. 4, 1426.
 † — — — Wight Illustr. 158^b.
 — *Lawii* *Wight.* Wight Ic. pl. Ind. or. 4, 1427.
 — *Stocksii* *Hook.* Hook. Ic. pl. 9, 836.

- Christisonia subacaulis?* *Benth.* Wight Ic. pl. Ind. or. 4, 1423.
Christmannia Courondi *Dennst.* Rheede Hort. mal. 4, 50.
Christolea crassifolia *Camb.* Jacquemont Ind. 17.
Christya speciosa *Ward et Harv.* Hook. Journ. 1842, 21.
Chrysanthellum procumbens *Rich.* Rchb. Hort. 66.
 — *indicum* *DC.* Delessert Ic. 4, 39.
Chrysanthemum alpinum *L.* Sturm Flora 5, 19.
 — *aragonense* *Asso.* Asso Arag. 9.
 — *arcticum* *L.* Willd. Hort. 33.
 — — — Lodd. Cab. 785.
 — *atratum* *L.* Jacq. Fragm. 44.
 — — — *Hoppe.* Sturm Flora 5, 19.
 — *Balsamita* *L.* Jacq. Obs. 89.
 — *carinatum* *Schousb.* Schousb. Marocco 6.
 — — — Kerner Hort. 48.
 — *ceratophylloides* *All.* All. Fl. ped. 3, 37.
 — *coccineum* *Sims.* Bot. Mag. 27, 1080.
 — *coronarium* *L.* Sibth. Fl. gr. 977.
 † — — — Gaertn. Carp. 168.
 † — — — Schk. Handb. 253.
 † — *corymbiferum* *L.* Schk. Handb. 253.
 — *corymbosum* *L.* Jacq. Fl. austr. 4, 379.
 — — — var. *Tratt. Archiv* 5.
 — *discoideum* *All.* All. Fl. ped. 3, 11.
 — *elegans* *Steud.* Poll. Fl. ver. 2, 6.
 — *frutescens* *L.* Herb. amat. 3, 167.
 — *fruticulosum* *Ledeb.* Ic. 493.
 — *fuscatum* *Desf.* Desf. Fl. atl. 237.
 — *graminifolium* *L.* Jacq. Obs. 92.
 — *Herminii* *Lk.* Hoffm. Lk. Fl. port. 102.
 — *indicum* *L.* Rheede Hort. mal. 10, 44.
 — — — Rumpf Amb. 5, 91. fig. 1.
 — — — Bot. Mag. 10, 327. 46, 2042.
 — — — Bot. Reg. 1, 4, 15, 1287.
 — — — Hort. Transact. 4, 12—14. 5, 3, 17.
 — — — 6, 3, 4.
 — — — Savi Fl. ital. 1, 11. 2, 53, 54.
 — — — Dict. sc. nat. 88.
 — — — Kerner Hort. 66.
 — *inodorum* *L.* Fl. dan. 4, 696.
 — — — Schk. Handb. 253.
 — — — Dreves 4, 125.
 — — — Nees Düssel. 241.
 — *integrifolium* *Rich.* Hook. Bor. Am. 109.
 — *Leucanthemum* *L.* Fl. dan. 6, 994.
 — — — Curt. Lond. 1, 40.
 — — — Engl. Bot. 9, 601.
 — — — Sv. Bot. 346.
 — — — Liboschitz Petersb. 11.
 † — — — Schk. Handb. 253.
 — — — Schrank Fl. monac. 2, 194.
 — — — Sturm Flora 1, 2.
 — *macrocephalum* *Viv.* Viv. Lib. 10.
 — *macrophyllum* *W. et K.* W. et Kit. 94.
 — *maximum* *Ram.* Bull. philom. 1800. no. 42.
 — — — *Tratt. Archiv* 143. 143^a.
 — *monspeliense* *L.* Jacq. Obs. 93.
 — — — Schk. Handb. 253.
 — *montanum* *L.* All. Fl. ped. 3, 37.
 — — — Jacq. Obs. 91.
 — *multicaule* *Desf.* Desf. Fl. atl. 236.
 — *Myconis* *L.* Jacq. Obs. 94.
 — — — Jacq. Ecl. pl. 147.
 — *paludosum* *Desf.* Desf. Fl. atl. 238.
 — *perpusillum* *Lois.* Loiseleur Notice 6.
 — — — Desv. Journ. 2, 13.
 — *praecaltum* *Vent.* Vent. Cels 43.
 — *pusillum* *Viv.* Viv. Lib. 13.
 — *rotundifolium* *W. et K.* W. et Kit. 236.
 — *segetum* *L.* Fl. dan. 6, 995.
 — — — Curt. Lond. 2, 6.

- Chrysanthemum segetum* L. Engl. Bot. 8, 540.
 — — — Sv. Bot. 496.
 — — — Baxter Brit. Bot. 4, 306.
 † — — — Schk. Handb. 233.
 — — — Dreves 3, 102.
 — — — Dietr. Fl. bor. 9, 632.
 — — — sericeum Lk. Hoffm. Lk. Fl. port. 101.
 — — — serotinum L. Jacq. Obs. 90.
 — — — sinense Sab. Bot. Mag. 52, 2356.
 — — — var. Sweet Fl. G. 7, 14.
 — — — Kerner Hort. 693, 694.
 — — — sinuatum Led. Ledeb. Ic. 494.
 — — — tomentosum Lois. Loiseleur Fl. gall. 18.
 — — — tricolor Andr. Andr. Rep. 2, 109.
 — — — Bot. Mag. 15, 308.
 — — — trifurcatum Desf. Desf. Fl. atl. 233.
 — — — tripartitum Sweet. Sweet Fl. G. 193.
 — — — Turceanum Vis. Visiani Stirp. dalm. 8.
 — — — viscosum Desf. Jacq. Ecl. pl. 146.
Chryseis californica Ldl. Bot. Reg. 14, 1168.
 — — — compacta Ldl. Bot. Reg. 23, 1948.
 — — — crocea Ldl. Bot. Reg. 20, 1677.
Chrysiphala flava Ker. Bot. Reg. 10, 778.
 — — — pauciflora Hook. Hook. Exot. Fl. 132.
 † *Chrysithrix* L. fil. Linné Gram. 0.
 † — — — capensis L. fil. Lam. Encycl. 842.
Chrysobactron Hookeri Colenso. Bot. Mag. 77, 4602.
 — — — Hook. Ic. pl. 9, 817.
 — — — Lem. Jard. fl. 185.
 — — — Rossii Hook. Hook. Fl. ant. 44, 45.
 † *Chrysobalanaceae* R. Br. Schnizl. Ic. 274.
Chrysobalanus Icazo L. Jacq. Hist. stirp. am. 141.
 † — — — Lam. Encycl. 428.
 — — — Tuss. Ant. 4, 31.
 — — — Desc. Ant. 2, 84.
 — — — Dict. sc. nat. 236.
 — — — Schnizl. Ic. 274.
Chrysobaphus Roxburghii Wall. Wall. Tentamen 27.
 † *Chrysobotrya intermedia* Spach. Ann. sc. nat. II. 4, 1.
 † — — — Lindleyana Spach. Ann. sc. nat. II. 4, 1.
 † — — — revoluta Spach. Ann. sc. nat. II. 4, 1.
Chrysocalyx ebenoides Guill. Guillem. Seneg. 43.
 — — — Perrottetii Guill. Guillem. Seneg. 43.
Chrysochlamys multiflora P. et E. Poepp. et Endl. 211.
Chrysocoma aurea Thunb. Lam. Encycl. 698.
 — — — candidans Del. Delile Egypte 46.
 — — — cinerea Lab. Bill. Nov. Holl. 182.
 — — — comaurea L. Bot. Mag. 45, 1972.
 — — — Lodd. Cab. 833.
 — — — enneifolia Jacq. Jacq. Collect. 3, 22.
 — — — denticulata Jacq. Jacq. Schoenbr. 3, 368.
 — — — dichotoma L. Jacq. Ic. 171.
 † — — — graminifolia L. Schk. Handb. 238.
 † — — — Linosyris L. Gaertn. Carp. 166.
 † — — — Lam. Encycl. 698.
 — — — Schk. Handb. 238.
 — — — All. Fl. ped. 3, 11.
 — — — Sibth. Fl. gr. 849.
 — — — Engl. Bot. 35, 2505.
 — — — Baxter Brit. Bot. 3, 233.
 — — — reticulata Lab. Bill. Nov. Holl. 183.
 — — — spinosa Del. Delile Egypte 46.
 — — — squamata Lab. Bill. Nov. Holl. 184.
 — — — Bot. Mag. 64, 3625.
 — — — tomentosa L. Jacq. Schoenbr. 2, 147.
 † — — — villosa L. Gaertn. Carp. 166.
 † — — — Lam. Encycl. 698.
 — — — W. et Kit. 58.
Chrysodium cayennense Fée. Fée Fil. 59.
 — — — fraxinifolium Fée. Fée Fil. 62.
 † — — — hirsutum Fée. Fée Fil. 62.
 — — — scalpturatum Fée. Fée Fil. 61.

- Chrysodium Urvillei* Fée. Fée Fil. 60.
 † *Chrysoglossum villosum* Bl. Blume Tabellen 7.
 † *Chrysogonum virginianum* L. Gaertn. Carp. 174.
 — — — Lam. Encycl. 713.
Chrysophyllum argenteum L. Jacq. Hist. stirp. am. 51.
 — — — Cainito L. Jacq. Hist. stirp. am. 51.
 † — — — Gaertn. Carp. 201.
 † — — — Lam. Encycl. 120.
 — — — Tuss. Ant. 3, 9.
 — — — Desc. Ant. 2, 70.
 — — — Dict. sc. nat. 63.
 — — — carolinense Jacq. Jacq. Obs. 54.
 — — — coeruleum Jacq. Jacq. Hist. stirp. am. 52.
 † — — — ferrugineum Gaertn. Gaertn. Carp. 202.
 — — — glabrum Jacq. Jacq. Hist. stirp. am. 55.
 — — — Macoucou Aubl. Aublet Guiana 92.
 † — — — macrophyllum Gaertn. Gaertn. Carp. 202.
 — — — microphyllum Jacq. Jacq. Hist. stirp. am. 53.
 — — — monopyrenum Sw. Bot. Mag. 61, 3303.
 — — — oliviforme Lam. Desc. Ant. 2, 71.
 — — — psilophyllum DC. Delessert Ic. 5, 36.
Chrysopsis fasciculata Aub. Th. Aubert lles d'Afr. 24.
 — — — microphylla Camb. Mem. Mus. 16, 19.
 † *Chrysopogon Gryllus* Trin. Nees Gen. 1, 93.
 — — — serrulatus Trin. Trin. Sp. Gr. 3, 331.
Chrysopsis falcata Elliott. Torr. New York 56.
 — — — gossypina DC. Novi Comm. Bon. 9, 10.
 — — — graminifolia DC. Novi Comm. Bon. 9, 12.
 — — — mariana DC. Novi Comm. Bon. 9, 11.
 — — — scabra Elliott. Novi Comm. Bon. 9, 13.
Chrysorrhoea nitens Ldl. Lindley Swan River 1.
 — — — serrata Ldl. Hook. Journ. 1840, 13.
Chrysospermum repens Pal. B. Pal. B. Fl. d'Oware 74.
Chrysosplenium alternifolium L. Fl. dan. 3, 366.
 — — — Engl. Bot. 1, 54.
 † — — — Gaertn. Carp. 44.
 † — — — Lam. Encycl. 374.
 — — — Schk. Handb. 108.
 — — — Dreves 2, 72.
 — — — Schrank Fl. monac. 2, 166.
 — — — Sturm Flora 3, 12.
 — — — Dietr. Fl. bor. 4, 241.
 — — — macranthum Hook. Hook. Lond. J. 1842, 16.
 — — — nudicaule Led. Ledeb. Ic. 403.
 — — — oppositifolium L. Fl. dan. 3, 365.
 — — — Curt. Lond. 2, 133.
 — — — Engl. Bot. 7, 420.
 — — — Baxter Brit. Bot. 2, 140.
 — — — Dreves 3, 76.
 — — — Sturm Flora 1, 4.
 — — — Dietr. Fl. bor. 4, 242.
 — — — ovalifolium Led. Ledeb. Ic. 404.
 — — — valdivicum Hook. Hook. Lond. J. 1842, 17.
Chrysostachys ovatifolia Pohl. Pohl Bras. 143.
Chrysostemma tripteris Less. Bot. Mag. 64, 3583.
Chrysurus aureus Pers. Rchb. Fl. germ. 1, 59.
 — — — giganteus Ten. Tenore Fl. nap. 210.
 † *Chukrasia tabularis* Juss. Mem. Mus. 19, 22.
 — — — Wight Illustr. 56.
Chusquira chrysantha Field. Fielding Sertum 42.
 — — — insignis H. B. Lam. Encycl. 691.
 — — — juniperina Decne. D'Orbigny Voyage 11.
 — — — microphylla H. B. Humb. Pl. aeq. 43.
 — — — ruscifolia Gill. Fielding Sertum 43.
 † *Chusquea anelytra* N. v. E. Acad. Pet. 5, 6.
 — — — capitata Rupr. Acad. Pet. 5, 8.
 — — — capituliflora Tr. Trin. Sp. Gr. 3, 339.
 † — — — Acad. Pet. 5, 9.
 † — — — Cumingii N. v. E. Acad. Pet. 5, 7, 9.
 — — — Dombeyana Kth. Humb. Gram. 191.
 † — — — Acad. Pet. 5, 6.
 — — — Gaudichaudii Kth. Humb. Gram. 78.

- † *Chusquea Gandichandii* Kth. Acad. Pet. 5, 9.
 — *oligophylla* Rupr. Acad. Pet. 5, 7.
 — *pinifolia* N. v. E. Trin. Sp. Gr. 3, 310.
 † — — Acad. Pet. 5, 9.
 — *Quila* Kth. Humb. Gram. 77.
 † — — Acad. Pet. 5, 9.
 † — *scandens* Rupr. Acad. Pet. 5, 6.
 † — *Sellowii* Rupr. Acad. Pet. 5, 9.
 † — *tenella* N. v. E. Acad. Pet. 5, 6.
Chymocarpus pentaphyllos Don. Sweet Fl. G. II. 245.
Chysis aurea Ldl. Bot. Reg. 23, 1937.
 — — Bot. Mag. 64, 3617.
 — — var. *maculata*, Bot. Mag. 77, 4576.
 — — var. *maculata*, Lem. Jard. fl. 121.
 — — var. *maculata*, Fl. d. serres 7, 671.
 — *bractescens* Ldl. Bot. Reg. 27, 23.
 — — Fl. d. serres 7, 675.
 — *laevis* Batem. Bateman Orchid. 31.
 † *Chytra anomala* Gaertn. Gaertn. Carp. 214.
 † *Cibotium Kaulf.* Kaulfuss Enum. 1.
 — *assamicum* Hook. Hook. Sp. Fil. 29.
 — *glaucescens* Kze. Kunze Fil. 31.
 — *glaucom* Hook. et Arn. Hook. Sp. Fil. 29.
 — *Menziesii* Hook. Hook. Sp. Fil. 29.
 † — *Schiedei* Schlecht. Hook. Gen. Fil. 25.
 — — Hook. Sp. Fil. 30.
Cicca disticha L. Lam. Encycl. 757.
 — *nodiflora* Lam. Lam. Encycl. 757.
 † *Cicendia Adans.* Nees Gen. X, x.
 — *exaltata* Griseb. Hook. Bor. Am. 157.
 † — *fastigiata* Griseb. Wight Illustr. 157^b.
 — *hyssopifolia* Hook. Hook. Comp. 28.
 — *Roxburghii* Griseb. Hook. Lond. J. 1845, 22.
 † *Cicer arietinum* L. Gaertn. Carp. 151.
 † — — Lam. Encycl. 632.
 — — Schk. Handb. 202.
 — — Sibth. Fl. gr. 703.
 — — Bot. Mag. 49, 2274.
 † — — DC. Legum. 54.
 † — — Mem. Instit. 1830, 10.
 — — Wight Ic. pl. Ind. or. 1, 20.
 — *floribundum* Fzl. Russegger Reise 9.
 — *Montbretii* Jaub. Jaubert Illustr. 43.
 — *pimpinellifolium* Jaub. Jaubert Illustr. 42.
 — *pinnatifidum* Jaub. Jaubert Illustr. 42.
 — *songaricum* Steph. DC. Legum. 54.
 — — Jaubert Illustr. 43.
 — *spiroceras* Jaub. Jaubert Illustr. 44.
 — *tragacanthoides* Jaub. Jaubert Illustr. 45.
Cicerbita Plumieri Kirschl. Mem. Strassb. 4, 1.
Cichorium glaucum Lk. Hoffm. Lk. Fl. port. 95.
 † — *Intybus* L. Gaertn. Carp. 157.
 † — — Schk. Handb. 226.
 † — — Lam. Encycl. 658.
 — — Curt. Lond. 1, 50.
 — — Engl. Bot. 8, 539.
 — — Fl. dan. 6, 907.
 — — Sv. Bot. 56.
 — — Rousseau Bot. 36.
 — — Woodv. Med. 1, 29.
 — — Hayne 2, 24.
 — — Nees Düssel. 247.
 — — Wagner 139, 140.
 — — Sturm Flora 2, 6.
 — — Schrank Fl. monac. 2, 102.
 — — Dietr. Fl. bor. 8, 559.
 — — Baxter Brit. Bot. 6, 417.
 — *minimum* Portensch. Portenschlag Dalm. 12.
 — *pumilum* Jacq. Jacq. Obs. 80.
 — — Sibth. Fl. gr. 822.
 — *spinosum* L. Lam. Encycl. 658.
 — — Sibth. Fl. gr. 823.

- Ciconium cerinum* Sweet. Sweet Ger. 176.
 — *Fothergillii* Sweet. Sweet Ger. 226.
 — *hybridum* Hoffmannsegg. Sweet Ger. 53.
 — *micranthum* Sweet. Sweet Ger. 295.
 — *monstrum* Hoffmannsegg. Sweet Ger. 13.
 — *reticulatum* Sweet. Sweet Ger. 145.
 † *Cicuta africana* Lam. Lam. Encycl. 193.
 † — *maculata* Gaertn. Gaertn. Carp. 22.
 — — Bigelow Med. 12.
 † — *major* Lam. Lam. Encycl. 195.
 — — Rousseau Bot. 29.
 — *tenuifolia* Schrank. Münchn. Denkschr. 7, 4.
 — *virosa* L. Fl. dan. 2, 208.
 — — Engl. Bot. 7, 479.
 — — Sv. Bot. 134.
 — — Schk. Handb. 71.
 — — Schrank Fl. monac. 1, 19.
 — — Hayne 1, 37.
 — — Nees Düssel. 284.
 — — Brandt und Ratzeb. 29.
 — — Woodv. Med. 1, 39.
 — — Baxter Brit. Bot. 5, 395.
 † — — Nees Gen. X, x.
Cicutaria aquatica Lam. Lam. Encycl. 195.
 — *maculata* Lam. Lam. Encycl. 195.
Cienfuegosia digitata Cav. Cav. Diss. 72.
 † — — Lam. Encycl. 577.
 † *Cimicifuga* L. Gray Genera 20.
 — *cordifolia* Pursh. Bot. Mag. 46, 2069.
 † — *foetida* L. Gaertn. Carp. 140.
 — — Lam. Encycl. 487.
 — — Rchb. Fl. germ. 4, 121.
 — *frigida* Wall. Royle Illustr. 14.
 — *palmata* Pursh. Bot. Mag. 39, 1630.
 — *racemosa* Elliott. Torrey New York 4.
 — — Gray Genera 20.
Ciminalis grandiflora Schrank. Schrank Fl. monac. 1, 37.
 † *Cinchona* L. Weddell Hist. 1, 2.
 † — (Folium.) Mem. Instit. 1850, 15.
 — *acutifolia* R. et P. Ruiz et Pav. Fl. 225.
 — *amygdalifolia* Wedd. Weddell Hist. 6, 28.
 — *angustifolia* Sw. Lambert Cinchona 9.
 — — Lam. Encycl. 164.
 — — Ruiz. Guimp. et Schl. 209.
 — *asperifolia* Wedd. Weddell Hist. 20.
 — *australis* Wedd. Weddell Hist. 8.
 — *boliviana* Wedd. Weddell Hist. 9, 30.
 — *brachycarpa* Vahl. Lambert Cinchona 8.
 — — Transact. Edinb. 3, 7.
 — *caduciflora* H. B. Tratt. Archiv 319.
 — *Calisaya* Wedd. Weddell Hist. 3, 3^{bis}, 28.
 — — Paxt. Fl. G. 107.
 — *carabayensis* Wedd. Weddell Hist. 19.
 — *caribaea* L. Jacq. Hist. stirp. am. 63.
 — — Jacq. Obs. 47.
 † — — Gaertn. Carp. 33.
 † — — Lam. Encycl. 164.
 — — Lambert Cinchona 4.
 — — Andr. Rep. 7, 481.
 — *Chomeliana* Wedd. Weddell Hist. 13.
 — *Condaminea* H. B. Humb. Pl. aeq. 10.
 — — Lambert Cinchona 1.
 — — Tratt. Archiv 66, 66^a.
 — — Hayne 7, 37.
 — — Guimp. et Schl. 208.
 — — Nees Düssel. 259.
 — — Wagner 245.
 — — Weddell Hist. 4, 4^b.
 — *cordifolia* Mutis. Hayne 7, 40.
 — — Guimp. et Schl. 212.
 — — Nees Düssel. 261.
 — — Woodv. Med. 5, 8.

- Cinchona cordifolia* Mutis. Weddell Hist. 17. 30.
 — *corymbifera* Forst. Lambert Cinchona 5.
 — *dichotoma* Rz et P. Ruiz et Pav. Fl. 197.
 — *excelsa* Roxb. Roxb. Corom. 106.
 — — Tratt. Archiv 131.
 — — Hayne 7, 43.
 — *ferruginea* St. Hil. St. Hil. Pl. us. 2.
 — *floribunda* Sw. Lambert Cinchona 7.
 — — Lam. Encycl. 164.
 — *glandulifera* Rz et P. Ruiz et Pav. Fl. 224.
 — — Weddell Hist. 21.
 — *grandiflora* Rz et P. Ruiz et Pav. Fl. 198.
 — *gratissima* Wall. Wall. Tentamen 21.
 — *hirsuta* Rz et P. Ruiz et Pav. Fl. 192.
 — — Weddell Hist. 21.
 — *Humboldtiana* Lamb. Weddell Hist. 10.
 — *lanceolata* Rz et P. Ruiz et Pav. Fl. 223.
 — — Wagner 247.
 — *lancifolia* Mutis. Hayne 7, 38.
 — — Nees Düsseld. 260.
 — — Weddell Hist. 5.
 — *lineata* Vahl. Lambert Cinchona 6.
 — *longiflora* Lamb. Lambert Cinchona 12.
 — *lucumaeifolia* Pav. Weddell Hist. 4^b.
 — *macrocalyx* Pav. Weddell Hist. 4^b.
 — *macrocarpa* Vahl. Lambert Cinchona 3.
 — — Kerner Hort. 91.
 — *magnifolia* Rz et P. Ruiz et Pav. Fl. 196.
 — — Guimp. et Schl. 213.
 — — Wagner 249.
 — — H. B. Humb. Pl. aeq. 39.
 — *micrantha* Rz et P. Ruiz et Pav. Fl. 194.
 — — Weddell Hist. 14. 15. 30.
 — *montana* Radde. Roemer Mag. 2, 3.
 — — Desc. Ant. 1, 13.
 — *Mutisii* Lamb. Hayne 14, 18.
 — — Weddell Hist. 22.
 — *nitida* Rz et P. Ruiz et Pav. Fl. 191.
 — — Desc. Ant. 7, 495.
 — — Weddell Hist. 10.
 — *oblongifolia* Mutis. Hayne 7, 41.
 — — Nees Düsseld. 262.
 — — Woodv. Med. 2, 92. 5, 9.
 † — *officinalis* L. Gaertn. Carp. 33.
 — — Lam. Encycl. 164.
 — — Lambert Cinchona 1.
 — — Woodv. Med. 2, 91.
 — *ovalifolia* H. B. Humb. Pl. aeq. 19.
 — — Tratt. Archiv 195.
 — — Hayne 7, 42.
 — *ovata* Rz et P. Ruiz et Pav. Fl. 195.
 — — Nees Düsseld. 261.
 — — Guimp. et Schl. 211.
 — — Wagner 248.
 — — Weddell Hist. 11. 29.
 — *philippica* Cav. Cav. Ic. 329.
 — *pubescens* Vahl. Lambert Cinchona 2.
 — — Weddell Hist. 16. 29.
 — *purpurascens* Wedd. Weddell Hist. 18.
 — *purpurea* Rz et P. Ruiz et Pav. Fl. 193.
 — — Hayne 14, 14.
 — — Wagner 246.
 — *rosea* Rz et P. Ruiz et Pav. Fl. 192.
 — — Hayne 7, 39.
 — *rufinervis* Wedd. Weddell Hist. 12.
 — *scrobiculata* H. B. Humb. Pl. aeq. 47.
 — — Tratt. Archiv 237.
 — — Guimp. et Schl. 210.
 — — Nees Düsseld. Suppl. 1.
 — — Weddell Hist. 7. 28.
 — *spinosa* Pavass. Lambert Cinchona 13.
Cinchonalis flavens Fée. Fée Fil. 5, 30.

- † *Cineraria* L. Mutel Fl. fr. 28.
 — — (Var. hortenses.) Paxt. Mag. 12, 149.
 — — Annales de Gand 1846, 69.
 — *acanthifolia* Rehb. Rehb. Hort. 24.
 — *alpestris* Hoppe. Rehb. Ic. crit. 2, 110.
 — *alpina* L. Relhan Fl. cant. 4.
 — — All. Fl. ped. 3, 38.
 — — Jacq. Misc. 1, 17.
 — *amelloides* L. Bot. Mag. 7, 249.
 — *anomala* Sibth. Sibth. Fl. gr. 872.
 — *aurantiaca* Sims. Lodd. Cab. 325.
 — — Hoppe. Bot. Mag. 48, 2262.
 — — Rehb. Ic. crit. 2, 127.
 — — Sweet Fl. G. 236.
 — *aurita* L'her. L'her. Sertum 31.
 — — Bot. Mag. 43, 1786.
 — — Andr. Andr. Rep. 1, 24.
 — *campestris* Retz. Fl. dan. 7, 1177.
 — — Curt. Lond. 4, 75.
 — — Baxter Brit. Bot. 3, 206.
 — — Rehb. Ic. crit. 2, 131 — 133.
 — *capitata* Wahlenbg. Rehb. Ic. crit. 2, 128.
 — *chamaedrifolia* Lam. Lam. Encycl. 675.
 — *cordata* Jacq. Jacq. Fl. austr. 2, 176. 177.
 — *crassiflora* Lam. Lam. Encycl. 675.
 — *crassifolia* Kit. Rehb. Ic. crit. 2, 107.
 — *crispa* L. fil. Jacq. Fl. austr. 2, 178.
 — — Rehb. Ic. crit. 2, 104.
 — *crocea* Tratt. Tratt. Archiv 4.
 — — Rehb. Ic. crit. 2, 103.
 — *cruenta* L'her. L'her. Sertum 33.
 — — Vent. Malm. 99.
 — — Bot. Mag. 12, 466.
 — *discolor* Sw. Bot. Mag. 53, 2647.
 — *gigantea* Sm. Smith Exot. Bot. 65.
 — *glabrata* Led. Ledeb. Ic. 94.
 — *Hinniculus* Hort. Marnock Mag. 1839, 6.
 — *hirsuta* Vent. Vent. Malm. 95.
 — *integrifolia* Jacq. Jacq. Fl. austr. 2, 179. 180.
 — — Sm. Engl. Bot. 3, 152.
 — — Schk. Schk. Handb. 246^b.
 — *lactea* Jacq. Jacq. Ecl. pl. 105.
 — — Willd. Knowles et Westc. 35.
 — *lanata* Jacq. Jacq. Collect. 3, 19.
 — — L'her. L'her. Sertum 30.
 — — Bot. Mag. 2, 53.
 † — — Lam. Encycl. 675.
 — *linifolia* L. Jacq. Schoenbr. 3, 308.
 — *lobata* L'her. L'her. Sertum 34.
 — *longifolia* Jacq. Jacq. Fl. austr. 2, 181.
 — — Sturm Flora 10, 40.
 — — Rehb. Ic. crit. 2, 125.
 — *lyrata* Led. Rehb. Ic. crit. 2, 101.
 — *macrophylla* Led. Ledeb. Ic. 367.
 — *malvaefolia* L'her. L'her. Sertum 32.
 — *maritima* L. Sibth. Fl. gr. 871.
 — *minuta* Cav. Cav. Ic. 33.
 — *palmensis* N. v. E. Horae berol. 24.
 † — *palustris* L. Gaertn. Carp. 179.
 — — Schk. Handb. 246.
 — — Fl. dan. 4, 573.
 — — Engl. Bot. 3, 151.
 — — Sv. Bot. 737.
 — *papposa* Rehb. Rehb. Ic. crit. 2, 124.
 — *parviflora* R. Br. Bot. Mag. 45, 1990.
 — *Petasitis* Sims. Bot. Mag. 37, 1536.
 — *platanifolia* Colla. Mem. Tur. 31, 12.
 — — Schrank. Herb. amat. 4, 259.
 — *populifolia* L'her. Vent. Malm. 100.
 — *praecox* Cav. Cav. Ic. 244.
 — — DC. Hort. 7.
 — *pratensis* Hoppe. Rehb. Ic. crit. 2, 108. 109.

- Cineraria ramentosa* L'her. Vent. Malm. 101.
 — *rivularis* W. et K. W. et Kit. 239.
 — — — Rchb. Ic. crit. 2, 105.
 — *robusta* Led. Ledeb. Ic. 334.
 — *Schkuhrrii* Rchb. Rchb. Ic. crit. 2, 106.
 — *sibirica* W. et K. W. et Kit. 16.
 — — — L. Picot Pyrénées 3.
 — — — Bot. Mag. 44, 1869.
 — *spathulaefolia* Gm. Sturm Flora 10, 40.
 — — — Rchb. Ic. crit. 2, 126.
 — *speciosa* Schrad. Bot. Reg. 10, 813.
 — *spinulosa* Lam. Lam. Encycl. 675.
 — *sudetica* Koch. Rchb. Ic. crit. 2, 102.
 — *thyrsoides* Led. Ledeb. Ic. 157.
 — *Tussilaginis* L'her. Bot. Mag. 60, 3215.
 — — — Bot. Reg. 18, 1530.
 — *viscosa* Ait. Jacq. Fragr. 7.
 — *Waterhousiana* Paxt. Paxt. Mag. 4, 219.
 — *Webberiana* Paxt. Paxt. Mag. 9, 125.
Cinna arundinacea L. Schreber Gräser 49.
 † *Cinnamomum* N. v. E. (Cortices.) Blume Rumphia 20, 21.
 — *albiflorum* N. v. E. Blume Rumphia 14.
 — — — Wight Ic. pl. Ind. or. 1, 140.
 — *aromaticum* N. v. E. Wight Ic. pl. Ind. or. 1, 136.
 — *camphoratum* Bl. Blume Rumphia 14.
 — *Cappara-Coronde* Bl. Blume Rumphia 9.
 — *Cassia* Bl. Hayne 12, 23.
 — *Cullawan* N. v. E. Nees Düssel. Suppl. 82.
 — — — Hayne 12, 23.
 — — — Wight Ic. pl. Ind. or. 1, 137.
 — — — Blume Rumphia 9, 10, 20.
 — *dubium* N. v. E. Wight Ic. pl. Ind. or. 1, 135.
 — *dulce* Wight. Wight Ic. pl. Ind. or. 1, 138.
 — — — Schnitzl. Ic. 2, 106.
 — *eucalyptoides* N. v. E. Nees Düssel. Suppl. 81.
 — *iners* N. v. E. Wight Ic. pl. Ind. or. 1, 122 bis.
 — — — Reinw. Wight Ic. pl. Ind. or. 1, 130.
 — — — Blume Rumphia 17, 18.
 — *Malabathrum* N. v. E. Rheede Hort. mal. 5, 33.
 — — — Acta Leop. 17, 2, 45.
 — — — Blume Rumphia 13.
 — *multiflorum* Wight. Wight Ic. pl. Ind. or. 1, 126, 131.
 — *neglectum* Bl. Blume Rumphia 11.
 — *nitidum* Hook. Hook. Exot. Fl. 176.
 — — — Hayne 12, 22.
 — — — N. v. E. Nees Düssel. Suppl. 80.
 — — — Wight Ic. pl. Ind. or. 1, 124.
 — — — Bl. Blume Rumphia 13, 15, 16.
 — *obtusifolium* N. v. E. Wight Ic. pl. Ind. or. 2, 139.
 — *ochraceum* Bl. Blume Rumphia 10.
 — *ovalifolium* Wight. Wight Ic. pl. Ind. or. 1, 125.
 — *perpetuo florens* Burm. Wight Ic. pl. Ind. or. 1, 141.
 — *Rauwolfii* Bl. Blume Rumphia 9.
 — *rubrum* Bl. Blume Rumphia 11.
 — *Sintoc* Bl. Hayne 12, 24.
 — — — var. *javanicum*, Blume Rumphia 19.
 — — — var. *spurium*, Blume Rumphia 12.
 — *Tamala* N. v. E. Nees Düssel. Suppl. 83.
 — — — Hayne 12, 26.
 — — — Blume Rumphia 14.
 — *villosum* Wight. Wight Ic. pl. Ind. or. 1, 127.
 — *xanthoneuron* Bl. Blume Rumphia 13.
 — *zeylanicum* N. v. E. Rheede Hort. mal. 1, 57.
 — — — var. *Cassia*, Nees Düssel. Suppl. 79.
 — — — var. *vulgare*, Hayne 12, 20.
 — — — var. *cordifolium*, Hayne 12, 21.
 — — — Wight Ic. pl. Ind. or. 123, 128, 129, 134.
Cionisaccus lanceolatus Kuhl et H. Breda Orch. Jav. 8.
 † *Ciponima guianensis* Aubl. Gaertn. Carp. 209.

- Ciponima guianensis* Aubl. Cav. Diss. 217.
Cipura Northiana Endl. Hart. Parad. 1, 4.
 — *paludosa* Aubl. Aublet Guiana 13.
 † — — — Lam. Encycl. 30.
Circaea alpina L. Fl. dan. 2, 256, 8, 1321.
 — — — Lam. Encycl. 16.
 — — — Engl. Bot. 15, 1057.
 — — — Sv. Bot. 567.
 — — — Tratt. Thes. 33.
 — — — Sturm Flora 6, 23.
 — — — Dietr. Fl. bor. 8, 530.
 — — — Wight Illustr. 101 bis.
 — *cordata* Royle. Royle Illustr. 43.
 — *intermedia* Ehrh. Sv. Bot. 703.
 — *lutetiana* L. Fl. dan. 2, 210.
 † — — — Lam. Encycl. 16.
 — — — Sv. Bot. 586.
 — — — Curt. Lond. 1, 43.
 — — — Engl. Bot. 15, 1056.
 — — — Baxter Brit. Bot. 1, 9.
 † — — — Gaertn. Carp. 24.
 — — — Schk. Handb. 2^a.
 — — — Dreves 2, 37.
 — — — Schrank Fl. monac. 4, 344.
 — — — Sturm Flora 6, 23.
 — — — Dietr. Fl. bor. 3, 193.
Cirrhæa fusco-lutea Ldl. Bot. Mag. 66, 3726.
 — *Loddigesii* Ldl. Bot. Reg. 18, 1538.
 — *obtusata* Ldl. Bot. Reg. 23, 2005.
 — *tristis* Ldl. Bot. Reg. 22, 1889.
 — *viridi-purpurea* Lodd. Lodd. Cab. 1967.
 — — — var. *Knowles et Westc.* 94.
 — *Warreana* Ldl. Lodd. Cab. 1999.
Cirrhopetalum albidum Wight. Wight Ic. pl. Ind. 5, 1653.
 — *auratum* Ldl. Bot. Reg. 29, 61.
 — *caudatum* Wight. Wight Ic. pl. Ind. or. 5, 1658.
 — *chinense* Ldl. Bot. Reg. 29, 49.
 — *cornutum* Ldl. Bot. Mag. 79, 4753.
 — *fimbriatum* Ldl. Bot. Mag. 74, 4391.
 — — — Wight. Wight Ic. pl. Ind. or. 5, 1655.
 — *grandiflorum* Wight. Wight Ic. pl. Ind. or. 5, 1656.
 — *Macraei* Ldl. Bot. Mag. 75, 4422.
 — — — Wight Ic. pl. Ind. or. 5, 1652.
 — *Medusae* Ldl. Bot. Reg. 28, 12.
 — — — Hart. Parad. 2, 5.
 — *neilgherrense* Wight. Wight Ic. pl. Ind. or. 5, 1654.
 — *nutans* Ldl. Bot. Mag. 75, 4418.
 — *picturatum* Lodd. Hart. Parad. 2, 5.
 — *Thouarsii* Ldl. Bot. Reg. 24, 11.
 — — — Bot. Mag. 72, 4237.
 — *Walkerianum* Wight. Wight Ic. pl. Ind. or. 5, 1657.
 — *Wallichii* Ldl. Wall. Pl. asiat. 67.
 † *Cirsellium cancellatum* Gaertn. Gaertn. Carp. 163.
 † — — — Lam. Encycl. 662.
 — *gummiferum* Poir. Lam. Encycl. 662.
Cirsium Acarna Moench. Rchb. Fl. germ. 15, 820.
 — *acaule* All. var. Fl. dan. 11, 1884.
 — — — Sturm Flora 6, 24.
 — — — Dietr. Fl. bor. 8, 533.
 — — — Rchb. Fl. germ. 15, 840.
 — *anglicum* Lam. Rchb. Fl. germ. 15, 839.
 — *arachnoideum* M. v. B. Rchb. Ic. crit. 4, 359.
 — *arctioides* Scop. Scop. Fl. carn. 2, 53.
 — *argyracanthum* DC. Wight Spicil. 116—117.
 — — — Wight Ic. pl. Ind. or. 3, 1157—38.
 — *arvense* Scop. Dietr. Fl. bor. 8, 554.
 — — — Rchb. Fl. germ. 15, 842.
 — — — Torrey New York 61.
 — *autareticum* Mutel. Rchb. Fl. germ. 15, 851.
 — *bulbosum* DC. Rchb. Fl. germ. 15, 839.
 — *canum* M. v. B. Rchb. Fl. germ. 15, 828—830.

- Cirsium carniolicum* Scop. Scop. Fl. carn. 2, 54.
 — — — Rchb. Fl. germ. 15, 832.
 — — — crinitum Boiss. Boissier Esp. 111.
 — — — desertorum Fisch. Rchb. Ic. crit. 10, 986.
 — — — Drejeri Rchb. fl. Rchb. Fl. germ. 15, 827.
 — — — echinatum DC. Rchb. Fl. germ. 15, 823.
 — — — eriophorum Scop. Dietr. Fl. bor. 12, 801.
 — — — — Rchb. Fl. germ. 15, 822.
 — — — Erisithales Scop. Rchb. Fl. germ. 15, 837.
 — — — Erisithali-heterophyllum Naeg. Rchb. Fl. germ. 15, 844. 850.
 — — — ferox DC. Rchb. Fl. germ. 15, 824.
 — — — flavispina Boiss. Boissier Esp. 112.
 — — — helenioides All. All. Fl. ped. 3, 13.
 — — — heterophyllo-Erisithales Rchb. fl. Rchb. Fl. germ. 15, 847.
 — — — heterophyllum All. All. Fl. ped. 3, 34.
 — — — — Rchb. Fl. germ. 15, 838.
 — — — hybridum Koch. Rchb. Fl. germ. 15, 847.
 — — — igniarum Spr. Ledeb. Ic. 477.
 — — — italicum DC. Moris Fl. sard. 87.
 — — — — Rchb. Fl. germ. 15, 827.
 — — — lanceolato-palustre Naeg. Schw. Denkschr. 5, 8.
 — — — lanceolatum Scop. Dietr. Fl. bor. 7, 499.
 — — — — Rchb. Fl. germ. 15, 826.
 — — — lanigerum Naeg. var. silvestre, Schw. Denks. 5, 3.
 — — — Lobelii Ten. Tenore Fl. nap. 189.
 — — — medium All. All. Fl. ped. 3, 49.
 — — — — Rchb. Fl. germ. 15, 849.
 — — — monspessulanum All. Rchb. Fl. germ. 15, 830.
 — — — Morisianum Rchb. fl. Rchb. Fl. germ. 15, 823.
 — — — neglectum Fisch. Rchb. Ic. crit. 10, 987.
 — — — nemorale Rchb. Rchb. Fl. germ. 15, 826.
 — — — odontolepis Boiss. Boissier Esp. 110.
 — — — oleraceo-arvense Naeg. Schw. Denkschr. 5, 4.
 — — — oleraceo-palustre Naeg. J. Schw. Denkschr. 5, 7.
 — — — oleraceum Scop. Dietr. Fl. bor. 8, 532.
 — — — — Rchb. Fl. germ. 15, 834.
 — — — palustre Scop. var. glomeratum Naeg. Schw. Denkschr. 5, 2.
 — — — — var. putatum Naeg. Schw. Denks. 5, 2.
 — — — — Dietr. Fl. bor. 10, 716.
 — — — — Rchb. Fl. germ. 15, 831.
 — — — palustri-Erisithales Naeg. Rchb. Fl. germ. 15, 845.
 — — — palustri-lanceolatum Rchb. fl. Rchb. Fl. germ. 15, 843.
 — — — palustri-oleraceum Naeg. Rchb. Fl. germ. 15, 846.
 — — — pannonicum-Erisithales Naeg. Rchb. Fl. germ. 15, 845.
 — — — pannonicum Gaud. Rchb. Fl. germ. 15, 829.
 — — — pauciflorum Spr. Rchb. Fl. germ. 15, 833.
 — — — purpureum All. All. Fl. ped. 3, 36.
 — — — pyrenaicum All. All. Fl. ped. 3, 12.
 — — — rivulare Lk. Rchb. Fl. germ. 15, 833.
 — — — Rosani Ten. Tenore Fl. nap. 189.
 — — — semidecurrans Richt. Rchb. Fl. germ. 15, 843.
 — — — serratuloides Led. Ledeb. Ic. 373.
 — — — setigerum Led. Ledeb. Ic. 35.
 — — — spathulatum Gaud. Rchb. Fl. germ. 15, 821.
 — — — spectabile DC. Belanger Ind. or. 0.
 — — — spinosissimo-acanthe Naeg. Schw. Denkschr. 5, 5.
 — — — spinosissimo-rivulare Naeg. Schw. Denkschr. 5, 6.
 — — — spinosissimum Scop. Rchb. Fl. germ. 15, 836.
 — — — stellatum All. Rchb. Fl. germ. 15, 841.
 — — — subalpinum Schlecht. Rchb. Fl. germ. 15, 844.
 † — — — syriacum Gaertn. Gaertn. Carp. 163.
 — — — tataricum W. et Gr. Rchb. Fl. germ. 15, 848.
 — — — uliginosum Delastre. Delastre Vienne 3.
 † *Cissampelos* L. Swartz Obs. 10.
 — — — Icones plantarum Chinae 1.
 — — — andromorpha DC. Delessert Ic. 1, 99.
 — — — canescens Miq. Miquel Sertum 4.

- Cissampelos communis* St. Hil. St. Hil. Fl. Bras. 11.
 — — — ebracteata St. Hil. St. Hil. Pl. us. 33.
 — — — mauritiana Aub. Th. Desv. Journ. 2, 3—4.
 — — — ovalifolia DC. St. Hil. Pl. us. 34.
 † — — — Pareira L. Lam. Encycl. 830.
 — — — — Berl. Jahrb. 1822, 2.
 — — — — Desc. Ant. 3, 201.
 — — — — Nees Dusseld. 365.
 — — — — Woodv. Med. 1, 65.
 — — — smilacina L. Jacq. Ic. 629.
 — — — tropaeolifolia DC. Delessert Ic. 1, 98.
Cissarobryon elegans Kze. Gay Chile 13.
Cissus acida L. Jacq. Schoenbr. 1, 33.
 — — — adnata Roxb. Wight Ic. pl. Ind. or. 1, 144.
 — — — antarctica Vent. Vent. Choix 21.
 — — — — Bot. Mag. 51, 2488.
 — — — auriculata Roxb. Wight Ic. pl. Ind. or. 1, 145.
 — — — capreolata Royle. Royle Illustr. 26.
 — — — carnosa Roxb. Rumpf Amb. 5, 165.
 — — — caustica Tuss. Tuss. Ant. 1, 16.
 — — — — Desc. Ant. 3, 167.
 — — — — Dict. sc. nat. 161.
 — — — compressicaulis R. et P. Ruiz et Pav. Fl. 100.
 — — — cordifolia L. Desc. Ant. 5, 309.
 — — — discolor Bl. Fl. d. serres 8, 804—805.
 — — — Duareteana St. Hil. St. Hil. Fl. Bras. 71.
 — — — granulosa R. et P. Ruiz et Pav. Fl. 101.
 — — — hydrophora Gaudich. Gaudich. Bonite 131. 132.
 — — — latifolia Lam. Desc. Ant. 5, 311.
 — — — obliqua R. et P. Ruiz et Pav. Fl. 101.
 — — — orientalis Lam. Lam. Encycl. 84.
 — — — — Watson Dendr. 2, 113.
 — — — palmata Poir. St. Hil. Fl. Bras. 72.
 — — — quadrangularis L. Rumpf Amb. 5, 44. fig. 2.
 — — — quinquefolia Sol. Bot. Mag. 51, 2443.
 — — — rosea Royle. Royle Illustr. 26.
 — — — serratifolia Rottl. Wight Illustr. in Hook. 6.
 — — — sicyoides L. Rumpf Amb. 5, 164.
 — — — — Jacq. Hist. stirp. am. 20.
 — — — — Lam. Encycl. 84.
 — — — — Desc. Ant. 7, 481.
 — — — striata R. et P. Ruiz et Pav. Fl. 100.
 — — — trifoliata L. Desc. Ant. 7, 348.
 — — — tuberculata Jacq. Jacq. Schoenbr. 1, 32.
 — — — venatorum Desc. Desc. Ant. 5, 309.
 † *Cistaceae* DC. Ann. sc. nat. II. 6, 16. 17.
Cistanche lutea Lk. Hoffm. Lk. Fl. port. 63.
 — — — — Rchb. Ic. crit. 7, 700.
 † *Cistella* cernua Bl. Blume Tabellen 55.
Cistus acuminatus Viv. Viv. Fl. ital. 14.
 — — — acutifolius Sweet. Sweet Cist. 78.
 — — — aegyptiacus L. Jacq. Obs. 68.
 — — — albidus L. Sweet Cist. 31.
 — — — — Rchb. Fl. germ. 3, 39.
 — — — algarvensis Sims. Bot. Mag. 17, 627.
 — — — alpestris Jacq. Scop. Fl. carn. 1, 23.
 — — — — Lodd. Cab. 131.
 — — — angustifolius Juss. Jacq. Vind. 3, 53.
 — — — arabicus L. Vahl Symbolae 33.
 — — — — Sibth. Fl. gr. 503.
 — — — asperifolius Sweet. Sweet Cist. 87.
 — — — canariensis Jacq. Jacq. Ic. 97.
 — — — candissimus Dun. Sweet Cist. 3.
 — — — — Webb Canar. 12.
 — — — canescens Sweet. Sweet Cist. 45.
 — — — canus Jacq. Jacq. Fl. austr. 3, 277.
 — — — — L. All. Fl. ped. 3, 45.
 — — — carolinianus Walt. Vent. Cels 74.
 — — — ciliatus Desf. Desf. Fl. atl. 109.
 — — — cinereus Cav. Cav. Ic. 141.
 — — — Clusii Dun. Sweet Cist. 32.
 — — — corbariensis Pourr. Sweet Cist. 8.

- Cistus corbariensis* Pourr. Rchb. Fl. germ. 3, 36.
 — *cretensis* L. Jacq. Ic. 93.
 — *creticus* L. Sibth. Fl. gr. 495.
 — — Sweet Cist. 112.
 — — Hayne 13, 33.
 — — Nees Düsseldorf. 430.
 — — Rchb. Fl. germ. 3, 40.
 — — Woodv. Med. 3, 207.
 — *crispus* L. Cav. Ic. 174.
 — — Sweet Cist. 22.
 — — Rchb. Fl. germ. 3, 38.
 — *croceus* Desf. Desf. Fl. atl. 110.
 — *Cupanianus* Presl. Presl Symbolae 22.
 — — Sweet Cist. 70.
 — *cymosus* Dunal. Sweet Cist. 90.
 — *cyprius* Lam. Sweet Cist. 39.
 — — Hayne 13, 35.
 — — Nees Düsseldorf. 430.
 — *dichotomus* Cav. Cav. Ic. 263.
 — *ellipticus* Desf. Desf. Fl. atl. 107.
 — — Sibth. Fl. gr. 503.
 — *ericoides* Cav. Cav. Ic. 172.
 — *florentinus* Lam. Sweet Cist. 59.
 — *foetidus* L. Jacq. Ic. 98.
 — *formosus* Curt. Bot. Mag. 8, 264.
 — — Kerner Hort. 90.
 — *Fumana* L. Jacq. Fl. austr. 3, 252.
 — — var. *a.* Desf. Fl. atl. 105.
 — *galactites* Schmid. Schmidel Ic. 65.
 — *garganicus* Ten. Tenore Fl. nap. 235.
 — *glaucus* Cav. Cav. Ic. 261.
 — *glutinosus* L. Cav. Ic. 145.
 — *grandiflorus* Scop. Scop. Fl. carn. 1, 25.
 — *guttatus* L. Curt. Lond. 2, 58.
 — — Engl. Bot. 8, 544.
 — — Sibth. Fl. gr. 498.
 — — Schk. Handb. 143.
 — — Roemer Fl. eur. 11, 2.
 — *halimifolius* L. Cav. Ic. 139.
 — *Helianthemum* L. Fl. dan. 1, 101.
 — — Curt. Lond. 2, 68.
 — — Engl. Bot. 19, 1321.
 — — var. Lodd. Cab. 202.
 † — — Lam. Encycl. 477.
 — *heterophyllus* Desf. Desf. Fl. atl. 104.
 — — Sweet Cist. 6.
 — *hirsutus* Lam. Sweet Cist. 19.
 — *hirtus* L. Cav. Ic. 146.
 — — Sibth. Fl. gr. 501.
 — *incanus* L. Bot. Mag. 2, 43.
 — — Sibth. Fl. gr. 494.
 — — Sweet Cist. 44.
 — — Rchb. Fl. germ. 3, 39.
 — *ladaniferus* L. Bot. Mag. 4, 112.
 — — *a. β.* Sweet Cist. 84. 1.
 — — Kerner Hort. 292.
 — — Hayne 13, 36.
 — — Nees Düsseldorf. 429.
 — — Herb. amat. 4, 268.
 — *laevipes* L. Jacq. Vind. 158.
 — — Cav. Ic. 173.
 — — Gerard Fl. gallopr. 14.
 — — Bot. Mag. 43, 1782.
 — *laevis* Cav. Cav. Ic. 146.
 — *lanuginosus* Viv. Viv. Lib. 14.
 — *latifolius* Sweet. Sweet Cist. 15.
 — *laurifolius* L. Sweet Cist. 52.
 — — Rchb. Fl. germ. 3, 37.
 — *lavandulaefolius* Lam. Jacq. Collect. 5, 10.
 — *laxus* Brot. Brotero Phytogr. 75.
 — — Ait. Sweet Cist. 12.
 — *ledifolius* L. Engl. Bot. 34, 2414.

- Cistus Ledon* Lam. Hayne 13, 34.
 — *linearis* Cav. Cav. Ic. 216.
 — *lunulatus* All. Allioni Auct. 2.
 — *marifolius* L. Cav. Ic. 143.
 — — Curt. Lond. 5, 171.
 — — Engl. Bot. 6, 396.
 — — Lodd. Cab. 670.
 — *micranthus* Viv. Viv. Lib. 14.
 — *mollis* Cav. Cav. Ic. 262.
 † — *monsopeliensis* L. Gaertn. Carp. 76.
 † — — Lam. Encycl. 477.
 — — Sibth. Fl. gr. 493.
 — — Sweet Cist. 27.
 — — Rchb. Fl. germ. 3, 37.
 — *mutabilis* L. Jacq. Ic. 99.
 — *numularius* L. Cav. Ic. 142.
 — *oblongifolius* Sweet. Sweet Cist. 67.
 — *obtusifolius* Sweet. Sweet Cist. 42.
 — *oelandicus* L. Jacq. Fl. austr. 4, 399.
 — — ? var. Roemer Script. 1.
 — *origanifolius* Lam. Cav. Ic. 262.
 — *ovatus* Viv. Viv. Fl. ital. 8.
 — *parviflorus* Lam. Sibth. Fl. gr. 496.
 — — Sweet Cist. 14.
 — — Rchb. Hort. 22.
 — *pilosus* L. All. Fl. ped. 3, 45.
 — *platysepalus* Sweet. Sweet Cist. 47.
 — *polifolius* L. Engl. Bot. 19, 1322.
 — *polyanthos* Desf. Desf. Fl. atl. 108.
 — *populifolius* L. Cav. Ic. 215.
 — — Sweet Cist. 23.
 — *psilosepalus* Sweet. Sweet Cist. 33.
 — *purpureus* Lam. Bot. Reg. 5, 408.
 — — Kerner Hort. 180.
 — — Sweet Cist. 17.
 — *racemosus* L. Cav. Ic. 140.
 — *roseus* All. All. Fl. ped. 3, 45.
 — — Jacq. Jacq. Vind. 3, 65.
 — — Tausch. Tausch Hort. Canal. 8.
 — *rotundifolius* Sweet. Sweet Cist. 75.
 — *ruficornis* Viv. Viv. Lib. 14.
 — *salicifolius* L. Cav. Ic. 144.
 — — Sibth. Fl. gr. 499.
 — *salvifolius* L. Jacq. Collect. 2, 8.
 — — Cav. Ic. 137.
 — — Sibth. Fl. gr. 497.
 — — Sweet Cist. 54.
 — — Rchb. Fl. germ. 3, 36.
 — *sampsucifolius* Cav. Cav. Ic. 96.
 — — Sims. Bot. Mag. 43, 1803.
 — *serratus* Cav. Cav. Ic. 175.
 — *sessiliflorus* Desf. Desf. Fl. atl. 106.
 — *squamatus* L. Cav. Ic. 139.
 — *strictus* Cav. Cav. Ic. 263.
 — *surrejanus* L. Engl. Bot. 31, 2207.
 — *symphytifolius* Lam. Dict. sc. nat. 190.
 — *syriacus* Jacq. Jacq. Ic. 96.
 — *syrticus* Viv. Viv. Lib. 14.
 — *thymifolius* L. Sibth. Fl. gr. 500.
 — *tomentosus* Scop. Scop. Fl. carn. 1, 24.
 — — Engl. Bot. 31, 2208.
 — *Tuberaria* L. Cav. Ic. 97.
 — *undulatus* Dum. Sweet Cist. 63.
 — — Rchb. Fl. germ. 3, 38.
 — *vaginatus* Ait. Jacq. Schoenbr. 3, 282.
 — — Bot. Reg. 3, 225.
 — — Sweet Cist. 9.
 † — *villosus* Lam. Lam. Encycl. 477.
 — — L. Sweet Cist. 35.
 — — Rchb. Fl. germ. 3, 40.
 — *violaceus* Cav. Cav. Ic. 147.
 † *Citharexylon caudatum* L. Lam. Encycl. 545.

- Citharexylon cinereum* L. Jacq. Hist. stirp. am. 178.
 — *cyanocarpum* Hook. Hook. Beechey 11.
 — *erectum* Sw. Jacq. Ic. 501.
 — *molle* Jacq. Jacq. Schoenbr. 4, 417.
 † — *paniculatum* Gaertn. Gaertn. Carp. 56.
 † — — *Poir.* Lam. Encycl. 545.
 — *pentandrum* Vent. Vent. Cels 47.
 — *quadrangulare* L. Jacq. Vind. 22.
 — *villosum* Jacq. Jacq. Ic. 118.
Citharoloma Lehmanni Bge. Bunge Rel. Lehm. 5.
 — *vernum* Bge. Bunge Rel. Lehm. 5.
Citrahenis Aub. Aubert Orchid. 16.
Citrangis Aub. Aubert Orchid. 61.
† *Citrosma Rz et P.* Ruiz et Pav. Prodr. 29.
 — *cristatum* P. et E. Poepp. et Endl. 164.
Citrullus Colocynthis Arn. Wight Ic. pl. Ind. or. 2, 498.
 — *fistulosus* Stocks. Hook. Journ. 1851, 3.
† *Citrus* L. Risso Orangers 1. 2.
 — — *His Orangers* 1.
 † — — *Kerner Genera* 60.
 † — — (*Fructus*) Münchn. Abb. 4, 6.
 — *angulata* Willd. Rumpf Amb. 2, 32.
 — *Aurantium* L. Rumpf Amb. 2, 35.
 † — — — *Lam. Encycl.* 639.
 — — — *Tuss. Ant.* 3, 14.
 — — — *Desc. Ant.* 1, 38.
 — — — *Risso Orangers* 3 — 29.
 — — — *Dict. sc. nat.* 159.
 — — — *Hayne* 11, 28.
 — — — *Guimp. et Schl.* 71.
 — — — *Nees Düssel.* 423.
 — — — *Wagner* 49, 50.
 — — — *Woodv. Med.* 3, 189.
 — — — *var. myrtifolia*, Bot. Reg. 4, 316.
 — — — *var. Ann. Mus.* 20, 3.
 ! — — — (*Fructus monstr.*) N. Comm. Bon. 3, 10.
 ! — — — (*Fructus monstr.*) Mem. Mod. 23, 0.
 † — — — (*Folium*) Mem. Instit. 1850, 10.
 — *Bergamia* Risso. Risso Orangers 53 — 56.
 — *Bigaradia Duhamel.* Tuss. Ant. 3, 15.
 — — — *Kerner Hort.* 766.
 — — — *Risso Orangers* 30 — 52.
 — *decumana* L. Rumpf Amb. 2, 24.
 — — — (*Pompelmos.*) *Risso Orangers* 61 — 66.
 — — — *Tuss. Ant.* 3, 17, 18.
 — *dulcimedulla* Desc. Desc. Ant. 5, 339.
 — *fusca* Lour. Rumpf Amb. 2, 33.
 — *Gordoni* Risso. Risso Fl. de Nice 6.
 — *Hystrix* DC. Atti Georgof. 15, 1.
 — *japonica* Thunb. Thunb. Ic. jap. 15.
 — — — *Sieb. Fl. Japon.* 15.
 — *javanica* Bl. Rumpf Amb. 2, 29.
 — *Limetta* Risso. Risso Orangers 57 — 60.
 — — — *var. Ann. Mus.* 20, 4.
 — — — *Wight Ic. pl. Ind. or.* 3, 958.
 — *Limon Loiseleur.* Desc. Ant. 5, 337.
 — *Limonum* Risso. Risso Orangers 70 — 95.
 — — — *Wight Spicil.* 26.
 — *Lumia* Risso. Risso Orangers 67 — 69.
 — *madurensis* Lour. Rumpf Amb. 2, 31.
 † *Medica* L. Gaertn. Carp. 121.
 † — — — *Lam. Encycl.* 639.
 ! — — — *Beschäft. naturf. Fr.* 3, 10.
 — — — *var. acida*, *Tuss. Ant.* 3, 19.
 — — — *Desc. Ant.* 1, 7.
 — — — *var. odoratissima*, *Andr. Rep.* 10, 609.
 — — — *Hayne* 11, 27.
 — — — *Nees Düssel.* 422.
 — — — *Guimp. et Schl.* 70.
 — — — *Wagner* 47, 48.
 — — — *Woodv. Med.* 3, 189.
 — — — *var. Ann. Mus.* 20, 4.

- Citrus Medica* Risso. Risso Orangers 96 — 107.
 — *nobilis* Lour. Rumpf Amb. 2, 34.
 — — — *Andr. Rep.* 9, 608.
 — — — *Kerner Hort.* 670.
 — — — *var. minor*, *Bot. Reg.* 3, 211.
 — *Peretta* Risso. *var. domingensis*, *Tuss. Ant.* 3, 16.
 — *Rissoi* Risso. Risso Fl. de Nice 5.
 — *salicifolia* Savi. Atti Georgof. 15, 1.
 — *sinensis* Pers. Desc. Ant. 5, 338.
 — *taitensis* Risso. Risso Fl. de Nice 7.
 — *vulgaris* Risso. Wight Ic. pl. Ind. or. 3, 957.
 — — — *Wight Spicil.* 25.
Cladanthus arabicus Cass. Dict. sc. nat. 87.
† *Cladium germanicum* Schrad. Schrad. Fl. germ. 5.
† — — *R. Br.* Nees Gen. 2, 8.
 — *Mariscus* R. Br. Sturm Flora 11, 44.
 — — — *Rchb. Fl. germ.* 8, 287.
 — — — *Baxter Brit. Bot.* 6, 500.
Cladocaulon brasiliense Gardn. Hook. Ic. pl. 6, 528.
Cladostyles paniculata H. B. Humb. Pl. aeq. 57.
 — — — *Lam. Encycl.* 933.
Cladothamnus pyroliflorus Bong. Acad. Pet. 2, 1.
Claoxylon digynum Wight. Wight Ic. pl. Ind. 5, 1884.
 — *muricatum* Wight. Wight Ic. pl. Ind. or. 5, 1886.
Clappertonia ficifolia DC. Delessert Ic. 5, 1.
Clarionea carthamoides Don. Delessert Ic. 4, 93.
† — *magellanica* DC. Ann. Mus. 19, 3.
 — — — *Hook. Fl. ant.* 111.
 — *pedicularifolia* DC. Delessert Ic. 4, 92.
Clarionella magellanica DC. Richard Astralabe 10.
† *Clarisia Rz et P.* Ruiz et Pav. Prodr. 28.
Clarkia elegans Dougl. Bot. Mag. 64, 3592.
 — — — *Bot. Reg.* 19, 1575.
 — — — *Sweet Fl. G. II.* 209.
 — *gauroides* Dougl. Sweet Fl. G. II. 379.
 — *pulchella* Pursh. Pursh Fl. 11.
 — — — *Lam. Encycl.* 942.
 — — — *Bot. Mag.* 56, 2918.
 — — — *Bot. Reg.* 13, 1100.
 — — — *Rchb. Hort.* 211.
 — — — *Sweet Fl. G. II.* 160.
 — *rhomboidea* Dougl. Bot. Reg. 23, 1981.
Clausena excavata Burm. Burm. Fl. ind. 29.
 — — — *Lam. Encycl.* 310.
 — *Wildenowii* W. et A. Wight Ic. pl. Ind. or. 1, 14.
Clavigera scoparia DC. Delessert Ic. 4, 12.
† *Clavija Rz et P.* Ruiz et Pav. Prodr. 30.
 — *lancifolia* Desf. Nouv. Ann. Mus. 1, 14.
 — *ornata* Don. Bot. Reg. 21, 1764.
 — *spathulata* Rz et P. Hook. Ic. pl. 2, 140.
† *Clavimyrus lineata* Bl. Blume Mus. 1, 49.
Clavophyllis Aub. Aubert Orchid. 99.
† *Claytonia* L. Gray Genera 97.
 — *acutifolia* Pall. Ledeb. Ic. 272.
 — *alsinoides* Sims. Bot. Mag. 32, 1309.
 — — — *Baxter Brit. Bot.* 4, 253.
 — *australasica* Hook. Hook. Ic. pl. 3, 293.
 — *caroliniana* Michx. Sweet Fl. G. 208.
 — *cubensis* H. B. Humb. Pl. aeq. 26.
 — — — *Ann. Mus.* 7, 6.
 — *filiaculis* Dougl. Hook. Bor. Am. 72.
 — *grandiflora* Sweet. Sweet Fl. G. 216.
 — *gypsophiloides* F. et M. Sweet Fl. G. II. 375.
 — *lanceolata* Pursh. Pursh Fl. 3.
 — *linearis* Dougl. Hook. Bor. Am. 71.
 — *parviflora* Dougl. Hook. Bor. Am. 73.
 — *perfoliata* Donn. Jacq. Fragn. 51.
 — — — *Bot. Mag.* 33, 1336.
 — — — *Belgique hort.* 1, 58.
 † — *Portulacaria* L. Lam. Encycl. 144.
 — *sarmentosa* C. A. M. Mem. Mosc. 7, 3.
 — — — *Seemann Herald* 5.

- Claytonia sibirica* L. Svensk Acad. 1746, 8.
 † — — — Gaertn. Carp. 129.
 — — — Bot. Mag. 48, 2243.
 — — — Sweet Fl. G. 16.
 — *spathulaefolia* Salisb. Salisb. Parad. 71.
 — *spathulata* Dougl. Hook. Bor. Am. 74.
 — *stolonifera* C. A. M. Mem. Mosc. 7, 3.
 — *virginica* L. Schk. Handb. 80.
 — — — Lam. Encycl. 144.
 — — — DC. Plantes grasses 131.
 — — — Bot. Mag. 24, 941.
 — — — Tratt. Thes. 17.
 — — — Dict. sc. nat. 195.
 — — — Lodd. Cab. 643.
 — — — Barton Fl. 2, 81.
 — — — Sweet Fl. G. II. 163.
 — — — Gray Genera 97.
Cleghornia acuminata Wight. Wight Ic. pl. Ind. 4, 1310.
 — *cymosa* Wight. Wight Ic. pl. Ind. or. 4, 1312.
Cleisocratera elegans Korth. Korthals Bot. 62.
Cleisostoma crassifolium Ldl. Paxt. Fl. G. 99.
 — *ionosmum* Ldl. Bot. Reg. 33, 41.
 † — *sagittatum* Bl. Blume Tabellen 27.
Cleistanthus polystachyus Hook. fil. Hook. Ic. pl. 8, 719.
 — — — Hook. Niger Flora 36.
Cleistis speciosa Gardn. Hook. Ic. pl. 5, 474.
 † *Cleistocalyx nitidus* Bl. Blume Mus. 1, 56.
 † *Clematis* L. Gray Genera 2.
 — *albida* Klotzsch. Prinz Wald. Him. 40.
 — *anethifolia* Hook. Hook. Ic. pl. 1, 78.
 — *angustifolia* Jacq. Jacq. Ic. 104.
 — — — Rchb. Fl. germ. 4, 62.
 — — — Watson Dendr. 2, 112.
 — — — Lodd. Cab. 918.
 — *aristata* R. Br. Bot. Reg. 3, 238.
 — — — Lodd. Cab. 620.
 — *bannatica* Wierzb. Rchb. Fl. germ. 4, 64.
 — *Bojeri* Hook. Hook. Ic. pl. 1, 10.
 — *brachiata* Ker. Bot. Reg. 2, 97.
 — *brasiliensis* DC. Delessert Ic. 1, 1.
 — *calycina* Ait. Bot. Mag. 24, 959.
 — — — Lodd. Cab. 720.
 — — — Sweet Fl. G. II. 335.
 — *campaniflora* Brot. Brotero Phytogr. 81.
 — — — Lodd. Cab. 987.
 — — — Sweet Fl. G. II. 217.
 — *chinensis* Retz. Retzius Obs. 2, 2.
 — *chlorantha* Ldl. Bot. Reg. 15, 1234.
 — *cirrhusa* L. Sibth. Fl. gr. 517.
 — — — Bot. Mag. 27, 1070.
 — — — Lodd. Cab. 1806.
 — *coerulea* Ldl. Bot. Reg. 23, 1955.
 — — — Maund Bot. 3, 126.
 — — — Paxt. Mag. 4, 193.
 — — — *β. grandiflora*, Bot. Mag. 69, 3983.
 — — — *β. azurea*, Hart. Parad. 1, 3.
 — *Colensoi* Hook. Hook. New Zeal. 1.
 — *cordata* Walt. Bot. Mag. 43, 1816.
 — *crispa* L. Bot. Mag. 44, 1892.
 — — — Bot. Reg. 32, 60.
 — — — Gray Genera 2.
 — *cylindrica* Sims. Bot. Mag. 29, 1160.
 — *divaricata* Jacq. Jacq. Ecl. pl. 33.
 — *diversifolia* DC. Delessert Ic. 1, 4.
 — *Douglasii* Hook. Hook. Bor. Am. 1.
 — *elongata* Tratt. Tratt. Archiv 149.
 — *erecta* L. Jacq. Fl. austr. 3, 291.
 — — — Sturm Flora 2, 8.
 — — — Hayne 12, 30.
 — — — Nees Düssel. 390.
 — — — Guimp. et Schl. 24.
 — — — Woodv. Med. 3, 171.

- Clematis erecta* L. Rchb. Fl. germ. 4, 61.
 — *Flammula* L. Hayne 12, 31.
 — — — Rchb. Fl. germ. 4, 62, 63.
 — *florida* Thunb. Jacq. Schoenbr. 3, 357.
 — — — Andr. Rep. 6, 402.
 — — — Bot. Mag. 22, 834.
 — — — Maund Bot. 5, 241.
 — — — var. *bicolor*, Bot. Reg. 24, 25.
 — — — var. *Sieboldii*, Sweet Fl. G. II. 396.
 — — — var. *Sieboldii*, Fl. d. serres 5, 487.
 — *foetida* Decne. Raoul Nouv. Zel. 22.
 — *fragrans* Ten. Tenore Fl. nap. 48.
 — *Gebleriana* Bong. Acad. Petersb. 6, 1.
 — *gentianoides* DC. Delessert Ic. 1, 5.
 — *glauca* Willd. Watson Dendr. 1, 73.
 — *Gouriana* Roxb. Wight Ic. pl. Ind. or. 3, 933, 934.
 — — — Wight Spicil. 1 — 2.
 — *Grahami* Benth. Fl. d. serres 4, 376.
 — *grata* Wall. Wall. Pl. asiat. 98.
 — *graveolens* Ldl. Bot. Mag. 76, 4495.
 — — — Lem. Jard. fl. 128.
 — — — Fl. d. serres 4, 376, 6, 548.
 — *havanensis* H. B. K. Ramon Cuba 1.
 — *hedysarifolia* DC. Bot. Reg. 7, 599.
 — *hexasepala* DC. Bot. Reg. 32, 44.
 — *inciso-dentata* Dill. et R. Richard Abyssin. 1.
 — *indivisa* Willd. var. Bot. Mag. 74, 4398.
 — — — Annales de Gand 1848, 61.
 — — — var. Fl. d. serres 4, 402.
 — — — var. *lobata*, Revue hortic. 1853, 13.
 — *integrifolia* L. Bot. Mag. 2, 65.
 — — — Jacq. Fl. austr. 4, 363.
 — — — Tratt. Archiv 130.
 — — — Rchb. Fl. germ. 4, 60.
 — *lanuginosa* Ldl. Paxt. Fl. G. 94.
 — — — Fl. d. serres 8, 811.
 — *lathyrifolia* Bess. Bot. Reg. 25, 61.
 — *lineariloba* DC. Delessert Ic. 1, 3.
 — *macropetala* Led. Ledeb. Ic. 11.
 — *mauritanica* Lam. Delessert Ic. 1, 2.
 — *montana* Ham. Wall. Pl. asiat. 217.
 — — — Bot. Reg. 26, 53.
 — — — var. *grandiflora*, Bot. Mag. 70, 4061.
 — — — Sweet Fl. G. II. 253.
 — *Mudroiana* Wight. Wight Illustr. 1.
 — *ochroleuca* Tratt. Tratt. Archiv 209.
 — — — Ait. Lodd. Cab. 661.
 — — — Torrey New York 1.
 — *oligophylla* Hook. Hook. Ic. pl. 1, 80.
 — *orientalis* L. Kerner Hort. 691.
 — *parviflora* DC. DC. Hort. genev. 12.
 — *patens* Decne. var. *Sophia*, Fl. d. serres 8, 852.
 — *pedicellata* Ldl. Bot. Reg. 33, 21.
 — *pimpinellifolia* Hook. Hook. Ic. pl. 1, 77.
 — *recta* L. = *Clematis erecta* L.
 — *reticulata* Walt. Watson Dendr. 1, 72.
 — *Sieboldii* Don. Paxt. Mag. 4, 147.
 — *smilacifolia* Wall. Bot. Mag. 72, 4259.
 — — — Fl. d. serres 2, 175.
 — *Stanleyi* Hook. Hook. Ic. pl. 6, 589.
 — *subpeltata* Wall. Wall. Pl. asiat. 20.
 — *trifida* Hook. Hook. Ic. pl. 1, 79.
 — *tubulosa* Turcz. Journ. Hort. Soc. 3, 79.
 — — — Bot. Mag. 72, 4269.
 — — — Paxt. Mag. 14, 31.
 — — — Annales de Gand 1847, 135.
 — — — Fl. d. serres 3, 196.
 — *violacea* A. DC. Mem. Genev. 11, 1.
 — — — Annales de Gand 1845, 45.
 — *Viorna* L. Jacq. Ecl. pl. 32.
 — — — Andr. Andr. Rep. 1, 71.
 — *virginiana* L. Watson Dendr. 1, 74.

- Clematis Vitalba* L. Curt. Lond. 1, 73.
 — — — Engl. Bot. 9, 612.
 † — — — Gaertn. Carp. 74.
 † — — — Lam. Encycl. 497.
 — — — Jacq. Fl. austr. 4, 398.
 — — — Schk. Handb. 151.
 — — — Schrank Fl. mon. 2, 103.
 — — — Hayne 12, 32.
 — — — Guimp. Holzgew. 113.
 — — — Rchb. Fl. germ. 4, 64.
 — — — Baxter Brit. Bot. 2, 129.
 — — — Viticella L. Sibth. Fl. gr. 516.
 — — — Bot. Mag. 16, 565.
 — — — Rchb. Fl. germ. 4, 65.
 † — — — Acta Leop. 14, 2, 37.
 — — — Wightiana Wall. Wight Ic. pl. Ind. or. 3, 936.
 — — — Wight Spicil. 3.
Cleome L. ? Martyn Hist. 43.
 † — — — Gray Genera 76.
 — — — arabica L. Linné Fasc. pl. ups. 8.
 — — — aspera Koenig. Wight Ic. pl. Ind. or. 1, 287.
 — — — Candelabrum Sims. Bot. Mag. 53, 2656.
 — — — chilensis a. DC. Delessert Ic. 3, 2.
 † — — — crenopetala DC. Mem. Genév. 6, 2.
 — — — dendroides Schult. Bot. Mag. 61, 3296.
 — — — dodecandra L. Barton Fl. 1, 22.
 — — — droserifolia Delile. Delile Egypte 36.
 — — — fruticosa L. Burm. Fl. ind. 46.
 — — — gigantea L. Jacq. Obs. 76.
 — — — — Bot. Mag. 59, 3137.
 — — — glauca DC. Delessert Ic. 3, 4.
 — — — glaucescens DC. Delessert Ic. 3, 5.
 — — — guianensis Aubl. Aublet Guiana 273.
 — — — integrifolia Torr. et Gr. Gray Genera 76.
 — — — lutea Hook. Hook. Bor. Am. 25.
 — — — — Bot. Reg. 27, 67.
 — — — monandra DC. DC. Hort. genev. 15.
 — — — monophylla L. Rheede Hort. mal. 9, 34.
 — — — nummularia DC. Delessert Ic. 3, 3.
 — — — ornithopoides L. Sibth. Fl. gr. 650.
 — — — pentaphylla L. Rumpf Amb. 5, 96. fig. 3.
 — — — — Jacq. Vind. 24.
 — — — — Lam. Encycl. 567.
 — — — — Bot. Mag. 40, 1691.
 — — — — Desc. Ant. 7, 509.
 — — — procumbens L. Jacq. Hist. stirp. am. 181.
 — — — pubescens Sims. Bot. Mag. 43, 1857.
 — — — pungens Willd. Willd. Hort. 18.
 — — — rosea Vahl. Bot. Reg. 12, 960.
 — — — ruta Camb. Jacquemont Ind. 19.
 — — — speciosa H. B. K. H. B. K. Nov. Gen. 5, 436.
 — — — speciosissima Deppe. Bot. Reg. 16, 1312.
 — — — spinosa L. Bot. Mag. 40, 1640.
 — — — — Kerner Hort. 559.
 — — — — Rchb. Exot. 154.
 — — — uniglandulosa Cav. Cav. Ic. 306.
 † — — — violacea L. Gaertn. Carp. 76.
 — — — — Schk. Handb. 189^b.
 — — — — Lam. Encycl. 567.
 — — — viscosa L. Martyn Hist. 23.
 † Cleomella DC. Gray Genera 75.
 — — — mexicana DC. Hook. Ic. pl. 1, 28.
 — — — — Gray Gen. 75.
 † Cleonia lusitanica L. Gaertn. Carp. 66.
 † Cleophora lontaroides Gaertn. Gaertn. Carp. 120.
Clermontia grandiflora Gaudich. Freycinet Voyage 73.
 — — — macrocarpa Gaudich. Gaudichaud Bonite 49.
 — — — oblongifolia Gaudich. Freycinet Voyage 71.
 — — — persicifolia Gaudich. Freycinet Voyage 72.
Clerodendron Bethuneanum Lowe. Bot. Mag. 75, 4485.
 — — — capitatum Schum. Bot. Mag. 74, 4355.
 — — — castaneaeifolium Klotzsch. Prinz Wald. Him. 65.

- Clerodendron deflexum* Wall. Wall. Pl. asiat. 215.
 — — — emirnense Bojer. Bot. Mag. 56, 2925.
 — — — fragrans Willd. Bot. Mag. 43, 1834.
 — — — — Bot. Reg. 24, 41.
 — — — hastatum Wall. Bot. Reg. 16, 1307.
 — — — — Bot. Mag. 62, 3398.
 — — — inerme Roxb. Rheede Hort. mal. 5, 49.
 † — — — Gaertn. Gaertn. Carp. 57.
 — — — infortunatum L. Rumpf Amb. 3, 20, 4, 49.
 † — — — Gaertn. Carp. 57.
 † — — — Lam. Encycl. 544.
 — — — — Bot. Reg. 30, 19.
 — — — — Paxt. Mag. 11, 169.
 — — — — Wight Ic. pl. Ind. or. 4, 1471.
 — — — Kaempferi Fisch. Annales de Gand 1845, 3.
 — — — lividum Ldl. Bot. Reg. 11, 945.
 — — — macrophyllum Sims. Bot. Mag. 52, 2536.
 — — — — Rchb. Exot. 209.
 — — — nutans Wall. Bot. Mag. 58, 3049.
 — — — paniculatum L. Bot. Reg. 5, 406.
 — — — — Rchb. Exot. 208.
 — — — phlomoides L. fil. Wight Ic. pl. Ind. or. 4, 1473.
 — — — pubescens Ldl. Bot. Reg. 12, 1035.
 — — — pyramidale Andr. Andr. Rep. 10, 628.
 — — — scandens Pal. B. Pal. Fl. d'Oware 62.
 — — — — Bot. Mag. 74, 4354.
 — — — serratum Spr. Wight Ic. pl. Ind. or. 4, 1472.
 — — — sinuatum Hook. Bot. Mag. 72, 4255.
 — — — — Fl. d. serres 3, 224.
 — — — Siphonanthus R. Br. Wight Illustr. 173.
 — — — speciosissimum Part. Paxt. Mag. 3, 217, 271.
 — — — splendens G. Don. Bot. Reg. 28, 7.
 — — — — Paxt. Mag. 9, 103.
 — — — — Hart Parad. 2, 4.
 — — — squamatum Vahl. Bot. Reg. 8, 649.
 — — — — Lodd. Cab. 796.
 — — — — Maund. Bot. 1, 13.
 — — — — Annales de Gand 1845, 3.
 — — — tomentosum R. Br. Andr. Rep. 9, 607.
 — — — — Bot. Mag. 37, 1518.
 — — — trichotomum Thunb. Kaempf. Jap. 22.
 — — — villosum Bl. Rheede Hort. mal. 2, 25.
 — — — viscosum Vent. Vent. Malm. 25.
 — — — — Bot. Reg. 8, 629.
 — — — — Bot. Mag. 43, 1805.
 — — — — Kerner Hort. 148.
 — — — — volubile Pal. B. Pal. Fl. d'Oware 32.
Clethra acuminata Michx. Barton Fl. 3, 71.
 — — — — Lodd. Cab. 1427.
 † — — — alnifolia L. Gaertn. Carp. 63.
 † — — — — Lam. Encycl. 569.
 — — — — Schk. Handb. 118.
 — — — — Guimp. Fr. Holzgew. 76.
 — — — arborea Ait. Schneevogt Ic. 22.
 — — — — Vent. Malm. 40.
 — — — — Bot. Mag. 26, 1057.
 — — — fimbriata H. B. K. H. B. K. Nov. Gen. 3, 264.
 — — — quercifolia Ldl. Bot. Reg. 28, 23.
 — — — tomentosa Lam. Bot. Mag. 66, 3743.
 — — — — Watson Dendr. 1, 39.
 — — — — Guimp. Fr. Holzgew. 77.
Clethropsis nitida Spach. Jacquemont Ind. 159.
Cleyera gymnanthera W. et A. Wight Spicil. 19.
 — — — — Wight Ic. pl. Ind. or. 1, 47.
 — — — japonica Thunb. Sieb. Jap. 81.
 — — — Milletii Hook. et Arn. Hook. Beechey 33.
Clianthus carneus Ldl. Bot. Reg. 27, 51.
 — — — — Dampieri Cunn. Paxt. Fl. G. 10.
 — — — — Fl. d. serres 6, 571.
 — — — puniceus Soland. Bot. Reg. 21, 1775.
 — — — — Maund Bot. 1, 44.
 — — — — Bot. Mag. 64, 3684.

- Clanthus puniceus* Soland. *Pact. Mag.* 2, 169.
 — — — Sweet *Fl. G. II.* 397.
 — — — Hort. *Transact.* 8, 22.
Clidadium peruvianum P. et E. Poepp. et Endl. 253.
 † *Clidemia elegans* Don. var. Miquel *Comment.* 10.
 — polyandra Benth. *Bentham Sulphur* 34.
 — rhodopogon DC. *Mart. Bras.* 282.
 — rubra Mart. *Mart. Bras.* 281.
 — surinamensis Mig. Miquel *Comment.* 11.
Cliffortia arachnoides Lodd. *Lodd. Cab.* 260.
 — cordifolia Lam. *Lam. Encycl.* 827.
 — ilicifolia L. Linné *Hort. Cliff.* 30.
 — — — *Lam. Encycl.* 827.
 — polygonifolia L. Linné *Hort. Cliff.* 32.
 — ruscifolia L. Linné *Hort. Cliff.* 31.
 † — — — *Lam. Encycl.* 827.
 † *Cliftonia nitida* Gaertn. *Gaertn. Carp.* 225.
 † *Clinanthus luteus* Herb. *Herbert Amar.* 27.
Clinopodium incanum L. *Lam. Encycl.* 511.
 — organifolium Lab. *Bill. Syr.* 4, 9.
 — vulgare L. Schk. *Handb.* 163.
 † — — — *Lam. Encycl.* 511.
 — — — *Fl. dan.* 6, 930.
 — — — *Engl. Bot.* 20, 1401.
 — — — *Sv. Bot.* 441.
 — — — *Schrank. Fl. monac.* 2, 195.
 — — — *Dietr. Fl. bor.* 2, 124.
 † — — — *Nees Gen.* 6, 12.
 — — — *Baxter Brit. Bot.* 5, 346.
Clintonia elegans Dougl. *Bot. Reg.* 15, 1241.
 — pulchella Ldl. *Bot. Reg.* 17, 1909.
 — — — *Maund Bot.* 5, 297.
 — — — *Pact. Mag.* 4, 145.
 — — — *Sweet Fl. G. II.* 412.
 † *Clitoria* L. *Kerner Genera* 105.
 — amoena Roth. *Roth Catal.* 2, 3.
 — arborescens Ait. *Bot. Mag.* 59, 3165.
 — calcarigera Salisb. *Salisb. Parad.* 51.
 — fulgens Paxt. *Pact. Mag.* 11, 121.
 — heterophylla Lam. *Vent. Choix* 26.
 — — — *Bot. Mag.* 47, 2111.
 — Mariana L. *Torrey New York* 24.
 — Plumieri Poir. *Tuss. Ant.* 4, 27.
 — — — *Bot. Reg.* 4, 268.
 — pudica Steud. *Desc. Ant.* 8, 589.
 — rubiginosa Pers. *Desc. Ant.* 8, 591.
 — Ternatea L. *Rheede Hort. mal.* 8, 38.
 — — — *Bumpf Amb.* 5, 31.
 † — — — *Gaertn. Carp.* 149.
 † — — — *Lam. Encycl.* 609.
 — — — *Bot. Mag.* 37, 1542.
 — — — *Pact. Mag.* 7, 147. 13, 79.
 — — — *Rchb. Exot.* 226.
 — virginiana L. *Bot. Reg.* 13, 1047.
 — — — *Desc. Ant.* 8, 590.
 — viridiflora Bout. *Hook. Ic. pl.* 2, 182.
 † *Clivia* Ldl. *Herbert Amar.* 36.
 — nobilis Ldl. *Bot. Reg.* 14, 1182.
 — — — *Lodd. Cab.* 1906.
Clomenocoma montana Benth. *Fielding Sertum* 37.
Closia Cotula J. Remy. *Gay Chile* 46.
Closterandra minor Bm. *Belanger Ind. or.* 6.
Clowesia rosea Ldl. *Bot. Reg.* 29, 39.
 † *Clusia* L. *Kerner Genera* 134. 135.
 — alba L. *Jacq. Hist. stirp.* am. 250.
 — — — *Kerner Hort.* 849.
 — Criuva St. Hil. *St. Hil. Fl. Bras.* 65.
 — flava L. *Jacq. Hist. stirp.* am. 251.
 — — — *Andr. Rep.* 4, 223.
 — Galactodendron Desv. *Ann. sc. nat. II.* 18, 8.
 — grandiflora Splitg. *Miquel Surin.* 25. 26.
 — insignis Mart. *Mart. Bras.* 286.

- Clusia retusa* Poir. *Lam. Encycl.* 852.
 — rosea L. *Tuss. Ant.* 4, 18.
 — — — *Desc. Ant.* 7, 495.
 — — — *Dict. sc. nat.* 155. 156.
 — — — *Linnaea* 8, 4.
Cluytia alaternoides L. Willd. *Hort.* 50.
 — — — *Bot. Mag.* 32, 1321.
 — collina Roxb. *Roxb. Corom.* 169.
 — — — *Kerner Hort.* 545.
 — daphnoides Willd. *Willd. Hort.* 52.
 — Eluteria L. *Woodv. Med.* 4, 223.
 — ericoides Thunbg. *Bot. Reg.* 10, 779.
 — montana Roxb. *Roxb. Corom.* 171.
 — patula Roxb. *Roxb. Corom.* 170.
 — polifolia Jacq. *Jacq. Schoenbr.* 2, 250.
 — polygonoides L. Willd. *Hort.* 51.
 — pulchella L. Gaertn. *Carp.* 107.
 † — — — *Lam. Encycl.* 835.
 † — — — *Bot. Mag.* 45, 1945.
 — scandens Roxb. *Roxb. Corom.* 173.
 — spinosa Roxb. *Roxb. Corom.* 172.
Clypea Burmanni W. et A. *Rheede Hort. mal.* 7, 49.
 — glaucescens Decne. *Nouv. Ann. Mus.* 3, 18.
 — hernandifolia W. et A. *Wight Spicil.* 7.
 — — — *Wight Ic. pl. Ind. or.* 3, 939.
 † *Clypeola* Desv. *Desvaux Journ.* 5, 25.
 — alliacea Crantz. *Crantz Crucif.* 1.
 † — — — *Lam. Encycl.* 560.
 — chaetocarpa Jaub. *Jaubert Illustr.* 206.
 — Jonthlaspi L. *Cav. Ic.* 34.
 † — — — *Gaertn. Carp.* 141.
 † — — — *Lam. Encycl.* 560.
 — — — *Rchb. Fl. germ.* 2, 12.
 — lasiocarpa Pers. *Jaubert Illustr.* 205.
Cnemidostachys bidentata Mart. *Mart. Bras.* 43.
 — marginata Mart. *Mart. Bras.* 41.
 — myrtilloides Mart. *Mart. Bras.* 40.
 — scoparia Mart. *Mart. Bras.* 44.
 — serrulata Mart. *Mart. Bras.* 42.
Cnecorum pulverulentum Vent. *Vent. Cels* 77.
 — — — *Webb Canar.* 66^B.
 † — — — *tricoccum* L. *Lam. Encycl.* 27.
 † — — — *Webb Canar.* 66^B.
Cnestis glabra Lam. *Lam. Encycl.* 387.
 — obliqua Pal. B. *Pal. B. Fl. d'Oware* 59.
 — pinnata Pal. B. *Pal. B. Fl. d'Oware* 60.
 † — polyphylla Lam. *Lam. Encycl.* 387.
Cnicus *Acarna* L. *Cav. Ic.* 53.
 — — — *Sibth. Fl. gr.* 327.
 † — acaulis Hoffm. *Schk. Handb.* 229.
 — — — *Engl. Bot.* 3, 161.
 — afer Willd. *Sibth. Fl. gr.* 329.
 — — — *Jacq. Bot. Mag.* 49, 2287.
 — alsophilus Poll. *Poll. Fl. ver.* 2, 5.
 — arvensis Hoffm. *Curt. Lond.* 1, 74.
 — — — *Engl. Bot.* 14, 975.
 — — — *Schrank Fl. monac.* 3, 214.
 † — benedictus L. *Gaertn. Carp.* 162.
 — — — *Nees Düsseldorf.* 222.
 — — — *Rchb. Fl. germ.* 15, 748.
 — cernuus L. *Pallas Fl. ross.* 3, 7.
 † — ciliatus Willd. *Schk. Handb.* 229.
 — cynaroides Willd. *Sibth. Fl. gr.* 328.
 — — — *Desf. Choix* 35.
 — — — *Ann. Mus.* 11, 20.
 — dubius Willd. *Willd. Fl. berol.* 6.
 — eriophorus Roth. *Engl. Bot.* 6, 386.
 — — — *Schrank Fl. monac.* 4, 347.
 — ferox L. *All. Fl. ped.* 3, 50.
 — heterophyllus Willd. *Curt. Lond.* 4, 26.
 — — — *Engl. Bot.* 10, 675.
 — lanceolatus Hoffm. *Sv. Bot.* 416.

- Cnicus lanceolatus* Hoffm. Engl. Bot. 2, 107.
 — — — Baxter Brit. Bot. 6, 410.
 — — — Schrank Fl. monac. 3, 263.
 — — — *oleraceus* L. Fl. dan. 5, 860.
 — — — Sv. Bot. 698.
 — — — Schk. Handb. 229.
 — — — Schrank Fl. monac. 2, 147.
 — — — *palustris* Willd. Curt. Lond. 1, 56.
 — — — Engl. Bot. 14, 974.
 — — — Sv. Bot. 428.
 † — — — Schk. Handb. 229.
 — — — Schrank Fl. monac. 4, 375.
 — — — *pascuarensis* H. B. K. H. B. K. Nov. Gen. 4, 310.
 — — — *pauciflorus* W. et K. W. et Kit. 161.
 — — — *pratensis* Willd. Engl. Bot. 3, 177.
 — — — *pungens* Seb. Sebast. Pl. rom. 1, 2.
 — — — Sebast. Pl. rom. 7.
 — — — *spinosissimus* L. Bot. Mag. 33, 1366.
 — — — *stellatus* Willd. Sibth. Fl. gr. 830.
 — — — *strictus* Ten. Tenore Fl. nap. 75.
 † — — — *syriacus* Willd. Schk. Handb. 229.
 — — — Sibth. Fl. gr. 831.
 — — — Sebast. Fl. rom. 8.
 — — — Sebast. Rom. pl. 2, 6.
 — — — *tuberosus* Willd. Engl. Bot. 36, 2562.
 — — — Schrank Fl. monac. 4, 347.
 † *Cnidium apioides* Spr. Nees Gen. X, x.
 — — — *diffusum* DC. Wight Ic. pl. Ind. or. 2, 569.
 † — — — Monnier Cass. Spr. Umb. Prodr. 1.
 † — — — *Silaus* Spr. Magazin nat. Fr. 6, 5.
 — — — *venosum* Koch. Dietr. Fl. bor. 10, 707.
 † — — — Nees Gen. X, x.
Cnidioscolus hamosus Pohl. Pohl Bras. 49.
 — — — *Marcgravi* Pohl. Pohl Bras. 50.
 — — — *neglectus* Pohl. Pohl Bras. 51.
 — — — *vitifolius* Pohl. Pohl Bras. 52.
Cobaea macrostema Pav. Bot. Mag. 66, 3780.
 — — — *scandens* Cav. Cav. Ic. 16, 17, 500^b.
 — — — Jacq. Fragm. 87.
 — — — Andr. Rep. 5, 342.
 — — — Bot. Mag. 22, 831.
 † — — — Mem. Instit. 1809, 1.
 — — — Lam. Encycl. 920.
 — — — Herb. amat. 1, 52.
 — — — Seidel Verzeichniss 0.
 — — — *stipularis* Benth. Bot. Reg. 27, 25.
Coburgia coccinea Herb. Bot. Mag. 67, 3865.
 — — — *fulva* Herb. Bot. Mag. 60, 3221.
 — — — Bot. Reg. 18, 1497.
 — — — *humilis* Herb. Bot. Reg. 28, 46.
 † — — — *incarnata* Herb. Herbert Amar. 47.
 — — — Sweet Fl. G. II. 17.
 † — — — *splendens* Herb. Herbert Amar. 47.
 — — — *trichroma* Herb. Bot. Mag. 67, 3867.
 — — — *versicolor* Herb. Bot. Reg. 28, 66.
Coccinia indica W. et A. Rheede Hort. mal. 8, 14.
 — — — Hook. Ic. pl. 2, 138.
 — — — Jacquemont Ind. 72.
 † — — — Wight Illustr. 105 bis.
Coccobryon capense Klotzsch. Miquel Ill. Pip. 61.
 † *Coccocypselum* P. Br. Swartz Fl. Ind. occ. 5.
 † — — — *herbaceum* Lam. Lam. Encycl. 64.
Coccoloba barbadensis L. Jacq. Obs. 8.
 — — — *diversifolia* Jacq. Jacq. Hist. stirp. am. 113.
 — — — Hook. Exot. Fl. 102.
 — — — *emarginata* L. Jacq. Obs. 9.
 — — — *excoriata* L. Jacq. Hist. stirp. am. 115.
 — — — *fagifolia* Jacq. Jacq. Schoenbr. 3, 352.
 — — — *flavescens* Jacq. Jacq. Hist. stirp. am. 112.
 — — — *laurifolia* Jacq. Jacq. Schoenbr. 3, 267.
 — — — Herb. amat. 5, 323.
 — — — *macrophylla* Desf. Bot. Mag. 76, 4536.

- Coccoloba macrophylla* Desf. Lem. Jard. fl. 47.
 — — — Fl. d. serres 6, 617.
 — — — *nivea* Jacq. Desc. Ant. 5, 352.
 — — — *obtusifolia* Jacq. Jacq. Hist. stirp. am. 111.
 — — — *pubescens* L. Bot. Mag. 59, 3166.
 — — — *punctata* L. Jacq. Hist. stirp. am. 114.
 † — — — *tenuifolia* L. Lam. Encycl. 316.
 — — — *uvifera* L. Jacq. Hist. stirp. am. 110.
 † — — — Gaertn. Carp. 45.
 † — — — Lam. Encycl. 316.
 — — — Hayne 10, 4.
 — — — Nees Düssel. Suppl. 9.
 — — — Desc. Ant. 2, 77.
 — — — Dict. sc. nat. 16.
 — — — Bot. Mag. 59, 3130.
 — — — *virens* Ldl. Bot. Reg. 21, 1816.
 † *Cocculus* DC. Gray Genera 28.
 — — — *acuminatus* DC. Rheede Hort. mal. 7, 3.
 — — — Delessert Ic. 1, 95.
 — — — *Bacis* A. Rich. Guillem. Seneg. 4.
 — — — *carolinus* DC. Gray Genera 28.
 — — — *cordifolius* DC. Rheede Hort. mal. 7, 21.
 — — — Wight Ic. pl. Ind. or. 2, 483, 486.
 — — — *Cotoneaster* DC. Delessert Ic. 1, 93.
 † — — — *crispus* Coleb. Linn. Transact. 13, 6.
 — — — *domingensis* DC. Delessert Ic. 1, 96.
 — — — *Ferrandianus* Gaudich. Freycinet Voyage 101.
 — — — *flavescens* DC. Rumpf Amb. 5, 24.
 † — — — *incanus* Coleb. Linn. Transact. 13, 6.
 — — — *lacunosus* DC. Rumpf Amb. 5, 22.
 — — — *laurifolius* DC. Delessert Ic. 1, 97.
 † — — — Arch. Mus. 1, 10.
 — — — *macranthus* Hook. fil. Hook. Ic. pl. 8, 759.
 — — — Hook. Niger Flora 18.
 — — — *macrocarpus* Wight. Wight Illustr. 7.
 — — — *malabaricus* DC. Rheede Hort. mal. 7, 19, 20.
 — — — *orbiculatus* DC. Rheede Hort. mal. 11, 62.
 — — — *ovalifolius* DC. Delessert Ic. 1, 94.
 — — — *palmaris* DC. Bot. Mag. 57, 2970, 2971.
 — — — Woodv. Med. 5, 7.
 — — — Guimp. et Schl. 227, 228.
 — ? *platyphyllus* St. Hil. St. Hil. pl. us. 42.
 — — — *Plukenetii* DC. Wight Ic. pl. Ind. or. 3, 824, 825.
 † — — — *sepium* Coleb. Linn. Transact. 13, 6.
 — — — *suberosus* DC. Archiv d. Pharm. 1835, 1.
 † *Cochlearia* Tournef. Medicus Gatt. 1.
 — — — *anglica* L. Fl. dan. 2, 329.
 — — — Engl. Bot. 8, 552.
 — — — Rchb. Fl. germ. 2, 16.
 — — — *Armoracia* L. Schk. Handb. 181.
 — — — Hayne 5, 29.
 — — — Guimp. et Schl. 31.
 — — — Nees Düssel. 398.
 — — — Wagner 195, 196.
 — — — Rchb. Fl. germ. 2, 17.
 — — — Woodv. Med. 3, 145.
 — — — Sv. Bot. 242.
 — — — Engl. Bot. 33, 2323.
 — — — *Coronopus* L. Fl. dan. 2, 202.
 † — — — Schk. Handb. 181.
 — — — *Crantzii* Crantz. Crantz Crucif. 2.
 — — — *danica* L. Fl. dan. 1, 100.
 — — — var. Fl. dan. 11, 1934.
 † — — — Lam. Encycl. 558.
 — — — Engl. Bot. 10, 696.
 — — — Lodd. Cab. 1482.
 — — — Sweet Brit. Bot. 1, 2.
 — — — Tratt. Archiv 168.
 — — — Rchb. Fl. germ. 2, 16.
 — — — *Draba* L. Jacq. Fl. austr. 4, 315.
 — — — *flava* Buchan. Hook. Ic. pl. 9, 805.
 † — — — *glastifolia* L. Schk. Handb. 181.

- Cochlearia groenlandica* L. Engl. Bot. 34, 2403.
 — — — Lodd. Cab. 45.
 — — — Rehb. Fl. germ. 2, 16.
 — — — macrocarpa W. et K. W. et Kit. 184.
 — — — Rehb. Fl. germ. 2, 17.
 — — — nilotica Delile. Delile Egypte 34.
 — — — officinalis L. Fl. dan. 1, 135.
 — — — Curt. Lond. 5, 148.
 — — — Engl. Bot. 8, 531.
 † — — — Lam. Encycl. 558.
 — — — Rousseau Bot. 10.
 — — — Sv. Bot. 87.
 — — — Tratt. Archiv 167.
 — — — Hayne 5, 28.
 — — — Guimp. et Schl. 30.
 — — — Nees Düssel. 397.
 — — — Wagner 176.
 — — — Woodv. Med. 3, 142.
 — — — Rehb. Fl. germ. 2, 16.
 — — — Baxter Brit. Bot. 5, 375.
 — — — pusilla Brot. Brotero Phytogr. 21.
 — — — Jacq. Ecl. pl. 132.
 — — — pyrenaica DC. Delessert Ic. 2, 48.
 — — — saxatilis Lam. Crantz Crucif. 1.
 — — — saxifragaefolia DC. Delessert Ic. 2, 50.
 — — — velutina DC. Delessert Ic. 2, 49.
 † *Cochlia violacea* Bl. Blume Tabellen 59.
Cochliasanthus Trew. Trew Pl. rar. 10.
 † *Cochlidium graminoides* Schott. Schott Gen. Fil. 7.
Cochlospermum Gossypium DC. Wight Ill. in Hook. 18.
 — — — insigne St. Hil. St. Hil. Pl. us. 57.
 — — — tinctorium A. Rich. Guillemin Seneg. 21.
Cocos aculeata Jacq. Jacq. Hist. stirp. am. 254.
 † — — — australis Mart. Mart. Palm. Z.
 — — — D'Orbigny Voyage 1. 30.
 — — — botryophora Mart. Mart. Palm. 73 d. 83. 84.
 — — — D'Orbigny Voyage 4. 30.
 — — — campestris Mart. Mart. Palm. 87.
 — — — capitata Mart. Mart. Palm. 78 — 80.
 — — — comosa Mart. Mart. Palm. 88.
 — — — coronata Mart. Mart. Palm. 81. T.
 — — — flexuosa Mart. Mart. Palm. 84. 86.
 † — — — Griffith Palms 241.
 † — — — lapidea Gaertn. Gaertn. Carp. 6.
 — — — nucifera L. Rheede Hort. mal. 1, 1 — 4.
 — — — Rumpf Amb. 1, 1 — 3.
 — — — Jacq. Hist. stirp. am. 253.
 † — — — Gaertn. Carp. 4. 5.
 † — — — Lam. Encycl. 894.
 — — — Tuss. Ant. 4, 34.
 — — — Desc. Ant. 1, 21.
 † — — — Kerner Genera 41 — 47.
 — — — Dict. sc. nat. 1.
 † — — — Annales de Fromont 1829, 1.
 — — — Roxb. Corom. 73.
 † — — — Gaudichaud Bonite 122 — 123.
 — — — Mart. Palm. 62. 75. 88.
 — — — Hook. Journ. 1850, 1.
 — — — Wallace Palms 48.
 — — — oleracea Mart. Mart. Palm. 82. Z.
 — — — petraea Mart. D'Orbigny Voyage 9.
 — — — pityrophylla Mart. D'Orbigny Voyage 3.
 — — — schizophylla Mart. Mart. Palm. 84. 85. T.
 — — — Yatai Mart. D'Orbigny Voyage 1. 9. 30.
 † *Codarium acutifolium* Afz. Afz. Gen. guin. 1.
 † — — nitidum Vahl. Abh. Ac. Berl. 1832, 2.
 † *Codia montana* Forst. Forster Char. 30.
 † — — — Lam. Encycl. 314.
 — — — Bill. Sertum 46.
Codiaeum pictum Hook. Bot. Mag. 58, 3051.
 — — — variegatum Bl. Rumpf Amb. 4, 25 — 27.
 † *Codon aculeatum* Gaertn. Gaertn. Carp. 95.

- Codon Royeni* L. Andr. Rep. 5, 325.
Codonanthus? alternifolia Planch. Hook. Ic. pl. 8, 796.
Codonopsis ovata Benth. Royle Illustr. 69.
 — — — rotundifolia Benth. Royle Illustr. 62.
Codonorchis Lessonii Ldl. Hook. Fl. ant. 125.
Coelachne pulchella R. Br. Humb. Gram. 143.
 — — — Endl. Iconogr. 2.
 † *Coelebogyne ilicifolia* Sm. Linn. Transact. 18, 36.
Coelestina coerulea Cass. Cassini Opusc. 1, 5.
 — — — Dict. sc. nat. 93.
 † *Coelia Bauerana* Ldl. Bauer Orchid. (Genera.) 3.
 — — — Bot. Reg. 28, 36.
 — — — macrostachya Ldl. Journ. Hort. Soc. 4, 115.
 — — — Bot. Mag. 79, 4712.
 † *Coelocline acutiflora* DC. Mem. Genev. 5, 5.
Coelogyne angustifolia A. Rich. Ann. sc. nat. II. 15, 6.
 — — — Wight Ic. pl. Ind. or. 5, 1641.
 — — — corrugata Wight. Wight Ic. pl. Ind. or. 5, 1639.
 — — — cristata Ldl. Bot. Reg. 27, 57.
 — — — Cumingii Ldl. Bot. Reg. 27, 29.
 — — — Bot. Mag. 78, 4645.
 — — — Lem. Jard. fl. 4, 337.
 — — — Fl. d. serres 8, 764.
 — — — elata Ldl. Wall. Pl. asiat. 218.
 — — — fimbriata Ldl. Bot. Reg. 11, 868.
 — — — Lodd. Cab. 1475.
 — — — flaccida Ldl. Bot. Reg. 27, 31.
 — — — Bot. Mag. 61, 3318.
 — — — fuliginosa Lodd. Bot. Mag. 75, 4440.
 — — — Lem. Jard. fl. 7.
 — — — Gardneriana Ldl. Wall. Pl. asiat. 38.
 — — — Paxt. Mag. 6, 73.
 — — — Lowii Hort. Paxt. Mag. 16, 225.
 — — — maculata Ldl. Wall. Pl. asiat. 53.
 — — — Bot. Mag. 79, 4691.
 — — — nervosa Rich. Wight Ic. pl. Ind. or. 5, 1638.
 — — — ocellata Ldl. Bot. Mag. 66, 3767.
 — — — ochracea Ldl. Bot. Reg. 32, 69.
 — — — Bot. Mag. 78, 4661.
 — — — Lem. Jard. fl. 4, 342.
 — — — odoratissima Ldl. Wight Ic. pl. Ind. or. 5, 1640.
 — — — praecox Ldl. Paxt. Mag. 14, 7.
 — — — speciosa Ldl. Rumpf Amb. 6, 48.
 — — — Bot. Reg. 33, 23.
 — — — triptera Brongn. Brongniart Coquille 42.
 — — — Wallichiana Ldl. Wall. Pl. asiat. 54.
 — — — Bot. Reg. 26, 24.
 — — — Bot. Mag. 76, 4496.
 — — — Paxt. Mag. 6, 25.
Coelorachis muricata Brongn. Brongniart Coquille 14.
Coelostylis loganioides Torr. et Gr. Endl. Iconogr. 101.
Coenopteris achilleaefolia M. et G. Acad. Brux. 15, 16.
Coffea acuminata Rz et P. Ruiz et Pav. Fl. 214.
 — — — Kerner Hort. 523.
 — — — alpestris Wight. Wight Spicil. 100.
 — — — Wight Ic. pl. Ind. or. 3, 1040.
 — — — arabica L. Ellis Monogr. 1.
 † — — — Gaertn. Carp. 25.
 † — — — Lam. Encycl. 160.
 † — — — Kerner Genera 94.
 — — — Tuss. Ant. 1, 18.
 — — — Desc. Ant. 8, 564.
 — — — Dict. sc. nat. 99.
 — — — Herb. amat. 5, 285.
 — — — Bot. Mag. 32, 1303.
 — — — Tratt. Archiv 306.
 — — — Hayne 9, 32.
 — — — Nees Düssel. 256.
 — — — Woodv. Med. 1, 70.
 — — — Wight Ic. pl. Ind. or. 1, 53.
 — — — ciliata Rz et P. Ruiz et Pav. Fl. 216.
 — — — foveolata Rz et P. Ruiz et Pav. Fl. 216.

- Coffea grumelioides* Wight. Wight Spicil. 101.
 — — Wight Ic. pl. Ind. or. 3, 1041.
 — — *guianensis* Aubl. Aublet Guiana 57.
 — — *longifolia* R. et P. Ruiz et Pav. Fl. 218.
 — — *mauritiana* Lam. Lam. Encycl. 160.
 — — *microcarpa* R. et P. Ruiz et Pav. Fl. 218.
 — — *nitida* R. et P. Ruiz et Pav. Fl. 217.
 — — *occidentalis* Jacq. Jacq. Hist. stirp. am. 68.
 — — *paniculata* Aubl. Aublet Guiana 58.
 — — *racemosa* R. et P. Ruiz et Pav. Fl. 214.
 — — — Kerner Hort. 383.
 — — *spicata* H. B. K. H. B. K. Nov. Gen. 3, 286.
 — — *subsessilis* R. et P. Ruiz et Pav. Fl. 215.
 — — — Kerner Hort. 792.
 — — *umbellata* R. et P. Ruiz et Pav. Fl. 215.
 — — — Kerner Hort. 192.
 — — *verticillata* R. et P. Ruiz et Pav. Fl. 217.
 — — *Wightiana* Wall. Wight Ic. pl. Ind. or. 4, 1598.
 † *Coix* Linn. Ann. Mus. 17, 6.
 — — *agrestis* Lour. Rumpf Amb. 6, 9, fig. 1.
 — — *exaltata* Jacq. Jacq. Ecl. gram. 40.
 — — *Lacryma Jobi* L. Rheede Hort. mal. 12, 70.
 — — — Rumpf Amb. 5, 75, fig. 2.
 — — — Schk. Handb. 283.
 † — — — Lam. Encycl. 750.
 — — — Bot. Mag. 51, 2479.
 — — — Webb Canar. 242, 243.
Colax Harrisoniae Ldl. Rchb. Exot. 112.
Colchicum alpinum DC. Rchb. Fl. germ. 10, 425.
 — — *arenarium* W. et K. W. et Kit. 179.
 — — — Red. Lil. 8, 467.
 — — — Rchb. Fl. germ. 10, 425.
 — — — *β. umbrosum*, Bot. Reg. 7, 541.
 † — — *autumnale* L. Gaertn. Carp. 18.
 † — — — Lam. Encycl. 267.
 † — — — Hedwig Samml. 1, 4.
 — — — Schk. Handb. 101.
 — — — Red. Lil. 4, 228. 8, 468.
 ! — — — Roemer Archiv II 2, 7.
 — — — Engl. Bot. 2, 133.
 — — — var. *β.* Engl. Bot. 20, 1432.
 † — — — Kerner Genera 4.
 — — — Tratt. Archiv 177. 177^a.
 — — — Dict. sc. nat. 45.
 — — — Hayne 5, 45.
 — — — Guimp. et Schl. 95.
 — — — Brandt und Ratzeb. 4.
 — — — Nees Düsseldorf. 49.
 — — — Woodv. Med. 4, 258.
 — — — Schrank Fl. monac. 1, 47.
 — — — Sturm Flora 1, 3.
 — — — Dietr. Fl. bor. 1, 30.
 — — — Rchb. Fl. germ. 10, 426.
 — — — Fl. dan. 10, 1642.
 — — — Baxter Brit. Bot. 1, 17.
 † — — — Nees Gen. 2, 34.
 — — — Meyer Fl. hann. 4.
 — — *Bertolonii* Stev. Rchb. Fl. germ. 10, 424.
 — — *Bivonae* Guss. Rchb. Fl. germ. 10, 427.
 — — *bulbocodioides* Brot. Brotero Phytogr. 50.
 — — — *M. v. B.* Mem. Mosc. 7, 16.
 — — *byzantinum* Gawl. Bot. Mag. 28, 1122.
 — — *crociflorum* Sims. Bot. Mag. 53, 2673.
 — — *Cupani* Guss. Rchb. Fl. germ. 10, 424.
 — — *laetum* Stev. Mem. Mosc. 7, 13.
 — — *latifolium* Sibth. Sibth. Fl. gr. 350.
 — — — Rchb. Fl. germ. 10, 427.
 — — *lusitanum* Brot. Brotero Phytogr. 173. 174.
 — — *montanum* All. All. Fl. ped. 3, 74.
 — — — Visiani Stirp. dalm. 6.
 — — — Rchb. Fl. germ. 10, 424.
 — — *neapolitanum* Ten. Tenore Fl. nap. 138.

- Colchicum parvulum* Ten. Tenore Fl. nap. 221.
 — — *speciosum* Stev. Mem. Mosc. 7, 15.
 — — *umbrosum* Stev. Mem. Mosc. 7, 14.
 — — *variegatum* L. Red. Lil. 4, 238.
 — — — Tratt. Archiv 178.
 — — — Bot. Mag. 26, 1028.
 — — — Sibth. Rchb. Exot. 57.
 — — *versicolor* Ker. Bot. Reg. 7, 571.
 † *Coldenia procumbens* L. Gaertn. Carp. 68.
 † — — — Lam. Encycl. 89.
Colea floribunda Bojer. Bot. Reg. 27, 19.
Coleanthus subtilis Seidel. Sturm Flora 11, 41.
 — — — Rchb. Fl. germ. 1, 48.
Colebrookea oppositifolia Sm. Smith Exot. Bot. 115.
 — — — Lodd. Cab. 487.
 — — *ternifolia* Roxb. Roxb. Corom. 245.
Coleogyne ramosissima Torr. Smiths. Contr. 5, 4.
 † *Coleonema Bartl.* Bartling Diosmeae 1.
 — — *album* Bartl. Mem. Mus. 12, 19.
 — — *pulchrum* Hook. Bot. Mag. 61, 3340.
 † *Coleostachys genipaeifolia* Juss. Arch. Mus. 3, 5.
 † — — *spicata* Juss. Arch. Mus. 3, 5.
Coleostephus macrotus Durieu. Explor. Alger. 58.
 † — — *multicaulis* Durieu. Explor. Alger. 58.
Coleus arborescens Lour. Rumpf Amb. 5, 102, fig. 2.
 — — *aromaticus* Benth. Rheede Hort. mal. 9, 74.
 — — — Wight Illustr. 175.
 — — — Bot. Reg. 18, 1520.
 — — *barbatus* Benth. Maund Bot. 4, 159.
 — — — Paxt. Mag. 8, 219.
 — — — Wight Ic. pl. Ind. or. 4, 1432.
 — — *Blumei* Benth. Fl. d. serres 8, 801.
 — — — Bot. Mag. 79, 4754.
 — — *grandifolius* Benth. Delessert Ic. 3, 85.
 — — *Macraei* Benth. Bot. Mag. 79, 4690.
 — — *spicatus* Benth. Wight Ic. pl. Ind. or. 4, 1431.
 — — *Wightii* Benth. Wight Ic. pl. Ind. or. 4, 1433.
Colladoa distachya Cav. Cav. Ic. 460.
Collaea pendula Benth. Bot. Reg. 4, 269.
 — — *speciosa* DC. DC. Legum. 40.
 — — *trinervia* DC. DC. Legum. 41.
Collandra picta Lem. Lem. Jard. fl. 214.
 † *Collania acicularis* Herb. Herbert Amar. 11.
 † — — *andinamaricana* Herb. Herbert Amar. 8.
 — — — Bot. Mag. 72, 4247.
 — — — Annales de Gand 1847, 125.
 † — — *dulcis* Herb. Herbert Amar. 7.
 — — — Bot. Reg. 33, 34.
 † — — *glauescens* Herb. Herbert Amar. 10.
 † — — *involuta* Herb. Herbert Amar. 10.
 † — — *puberula* Herb. Herbert Amar. 11.
 ! *Colletia bixonensis* Ldl. Journ. Hort. Soc. 5, 31.
 — — *cruciata* Gill. et Hook. Hook. Bot. Misc. 43.
 — — *discolor* Hook. Hook. Ic. pl. 6, 538.
 — — — Richard Astrolabe 14.
 — — *Ephedra* Vent. Vent. Choix 16.
 — — — Lodd. Cab. 1830.
 † — — *ferox* Gill. et Hook. Hook. Bot. Misc. 44.
 — — *horrida* Brongn. Bot. Mag. 65, 3644.
 — — — Bot. Reg. 21, 1776.
 † — — — Ann. sc. nat. 10, 14.
 — — *obcordata* Vent. Vent. Cels 92.
 — — *serratifolia* Vent. Vent. Choix 15.
 — — — Lam. Encycl. 930.
 — — — Journ. Hort. Soc. 8, 59.
 — — *spartioides* Colla. Mem. Tur. 37, 6.
 † — — *spinosa* Lam. Lam. Encycl. 129.
 † — — — Hook. Bot. Misc. 44.
 ! — — — Journ. Hort. Soc. 5, 30.
 — — *Tralhouen* Colla. Mem. Tur. 37, 7.
 † — — *ulicina* Gill. et Hook. Hook. Bot. Misc. 44.
Colliguaja Dombeyana Gay. Gay Chile 61.

- Colliguaja integerrima* Gill. et Hook. Hook. Bot. Misc. 39.
 — odorifera Molina. Delessert Ic. 3, 88.
 — — — Hook. Bot. Misc. 40.
Collinsia bicolor Benth. Bot. Reg. 20, 1734.
 — — — Bot. Mag. 63, 3488.
 — — — Paxt. Mag. 3, 193.
 — — — Sweet Fl. G. II. 307.
 — grandiflora Ldl. Bot. Reg. 13, 1107.
 — heterophylla Hook. Bot. Mag. 65, 3695.
 — multicolor Ldl. Paxt. Fl. G. 33.
 — — — Lem. Jard. fl. 193.
 — parviflora Ldl. Bot. Reg. 13, 1082.
 — verna Nutt. Sweet Fl. G. 220.
Collinsonia anisata Sims. Bot. Mag. 30, 1213.
 — canadensis L. Linné Hort. Cliff. 5.
 † — — — Gaertn. Carp. 66.
 † — — — Lam. Encycl. 21.
 — — — Schk. Handb. 2^b.
 — — — Desc. Ant. 3, 221.
 — — — Rafin. Med. 23.
 — — — Torrey New York 75^a.
Collomia Cavanillesii H. et Arn. Bot. Mag. 63, 3468.
 — — — Bot. Reg. 19, 1622.
 — coccinea Lehm. Bot. Reg. 19, 1622.
 — grandiflora Dougl. Bot. Mag. 56, 2894.
 — — — Bot. Reg. 14, 1174.
 — heterophylla Hook. Bot. Mag. 56, 2895.
 — — — Bot. Reg. 16, 1347.
 — lateritia Don. Sweet Fl. G. II. 206.
 — linearis Nutt. Bot. Mag. 56, 2893.
 — — — Bot. Reg. 14, 1166.
Colmeiroa buxifolia Reuter. Mem. Genév. 10, 6.
Colobachne Gerardi Lk. Rchb. Fl. germ. 1, 50.
 † — — — Pal. B. Nees Gen. 1, 8.
 † — vaginata Pal. B. Nees Gen. 1, 8.
Colobanthus crassifolius Hook. Richard Astrolabe 17.
 — kerguelensis Hook. Hook. Fl. ant. 92.
 — muscoides Hook. Richard Astrolabe 17.
 — quitensis Bartling. Presl Reliq. 49.
 — subulatus Hook. Hook. Fl. ant. 93.
Colocasias antiquorum Schott. Wight Ic. pl. Ind. or. 3, 786.
 — hederacea Plum. Desc. Ant. 7, 500.
 — indica Schott. Wight Ic. pl. Ind. or. 3, 794.
 — montana Schott. Wight Ic. pl. Ind. or. 3, 796.
 † — odora Schott. Nouv. Ann. Mus. 3, 7.
 — — — Wight Ic. pl. Ind. or. 3, 797.
 — odorata Brongn. Bot. Mag. 68, 3935.
Cologania angustifolia Kth. Humb. Mim. 58.
 — procumbens Kth. Humb. Mim. 57.
 — — — Kerner Hort. 707.
 — pulchella H. B. Maund Bot. 3, 110.
Colona serratifolia Cav. Cav. Ic. 370.
Colophonia mauritiana DC. Delessert Ic. 3, 56.
Colpodium altaicum Led. Ledeb. Ic. 226.
 † — Steveni Trin. Trin. Fund. 7.
Colpoon compressum Berg. Bergius Cap. 1.
Colquhounia coccinea Wall. Wallich Tentamen 6.
 — — — Bot. Mag. 76, 4514.
 — — — Lem. Jard. fl. 20.
 — elegans Wall. Wallich Pl. asiat. 268.
 — vestita Wall. Wallich Pl. asiat. 267.
Colsmannia flava Lehm. Mag. nat. Fr. 8, 1.
Colubrina asiatica Brongn. Rheede Hort. mal. 5, 47.
 — — — Wight Illustr. 74.
 † — ferruginea Brongn. Ann. sc. nat. 10, 15.
Columellia biennis Jacq. Jacq. Schoenbr. 3, 301.
 † *Columellia Rz et P.* Ruiz et Pav. Prodr. 1.
 — oblonga Rz et P. Ruiz et Pav. Fl. 8.
 — — — Lam. Encycl. 903.
 — — — Endl. Iconogr. 84.
 † — — — Schnizl. Ic. 159.**

- Columellia obovata* Rz et P. Ruiz et Pav. Fl. 12.
 † — — — Schnizl. Ic. 159.**
 † *Columelliaceae* Endl. Schnizl. Ic. 159.**
Columnnea aurantiaca Decne. Fl. d. serres 6, 552.
 — aureonitens Hook. Bot. Mag. 73, 4294.
 — crassifolia Brongn. Bot. Mag. 73, 4330.
 — — — Fl. d. serres 3, 286.
 — erecta Lam. Herb. amat. 4, 216.
 † — hirsuta Sw. Lam. Encycl. 524.
 — — — Bot. Mag. 58, 3081.
 — moesta P. et E. Poepp. et Endl. 201.
 — ovata Cav. Cav. Ic. 391.
 — pilosa Ch. Lem. Fl. d. serres 3, 233.
 — rotundifolia Salisb. Salisb. Parad. 29.
 — — — Tratt. Archiv 234.
 — — — Kerner Hort. 359.
 — scandens L. Jacq. Hist. stirp. am. 177.
 — — — Jacq. Vind. 3, 48.
 — — — Lam. Encycl. 524.
 — — — Salisb. Parad. 29.
 — — — Bot. Mag. 39, 1614.
 — — — Tratt. Archiv 233.
 — — — Lodd. Cab. 403.
 — — — Bot. Reg. 10, 805.
 — Schiedeana Schlecht. Bot. Mag. 69, 4045.
 — — — Paxt. Mag. 9, 31.
 — splendens Part. Paxt. Mag. 10, 5.
 — violacea Jacq. Jacq. Ecl. pl. 164.
 † *Colutea arborescens* L. Gaertn. Carp. 154.
 † — — — Lam. Encycl. 624.
 — — — Bot. Mag. 3, 81.
 — — — Sibth. Fl. gr. 707.
 — — — Guimp. Holzgew. 133.
 † — — — (Folia.) Colladon Cass. 15.
 — frutescens L. Bot. Mag. 6, 181.
 — gulegifolia Sims. Bot. Mag. 21, 792.
 — — — Herb. amat. 3, 181.
 † — herbacea L. Gaertn. Carp. 154.
 † — — — Lam. Encycl. 624.
 † — humilis Scop. Schk. Handb. 204.
 — media Willd. Watson Dendr. 2, 140.
 — nepalensis Sims. Bot. Mag. 53, 2622.
 — — — Bot. Reg. 20, 1727.
 — orientalis Lam. Cav. Ic. 307.
 — — — Schk. Handb. 204.
 — — — Lam. Encycl. 624.
 — perennans Jacq. Jacq. Vind. 3, 3.
 — — — Novi Comm. Gott. 5, 7.
Colvillea racemosa Bojer. Bot. Mag. 61, 3325. 3326.
Colythrum puberulum Schott. Schott. Rutaceae 7.
Comacelinum aurantiacum Scheidw. Fl. d. serres 8, 756.
Comandra elegans Nutt. Rchb. Fl. germ. 11, 547.
 — livida Rich. Hook. Bor. Am. 179.
 — umbellata Nutt. Hook. Bor. Am. 179.
 — — — Rchb. Fl. germ. 11, 547.
 † *Comaropsis* Rich. Nestler Potent. 1.
Comarostaphylis arbutoides Ldl. Bot. Reg. 29, 30.
 † *Comarum palustre* L. Gaertn. Carp. 73.
 † — — — Lam. Encycl. 444.
 — — — Schk. Handb. 138.
 — — — Hoffmann D. Fl. 1791, 7.
 — — — Fl. dan. 4, 636.
 — — — Engl. Bot. 3, 72.
 — — — Dreves 3, 92.
 — — — Sv. Bot. 310.
 — — — Dietr. Fl. bor. 12, 824.
 — — — Baxter Brit. Bot. 3, 197.
 † *Combretum altum* DC. Mem. Genév. 4, 5.
 — Bugi Camb. St. Hil. Fl. Bras. 130.
 † — coccineum Lam. Lam. Encycl. 282.
 — — — Dict. sc. nat. 221.
 — comosum G. Don. Bot. Reg. 14, 1165.

- Combretum decandrum* Roxb. Roxb. Corom. 59.
 — *dipterum* A. Rich. Ramon Cuba 43.
 — *elegans* Camb. St. Hil. Fl. Bras. 129.
 — *frangulaefolium* H.B.K. H.B.K. Nov. Gén. 6, 538.
 — *glutinosum* Perrottet. Guillemain Seneg. 68.
 — *grandiflorum* Don. Bot. Mag. 56, 2944.
 — — Bot. Reg. 19, 1631.
 — — Paxt. Mag. 9, 169.
 — *Heyneanum* Wall. Wight Illustr. in Hook. 22.
 — *latifolium* Don. Paxt. Mag. 12, 103.
 — *laxum* Aubl. Aublet Guiana 137.
 † — — Gaertn. Carp. 36.
 † — — Lam. Encycl. 282.
 — *mexicanum* H. B. Humb. Pl. aeq. 132.
 — *obtusifolium* Rich. Miquel Surin. 16.
 — *parviflorum* Richb. Richb. Hort. 62.
 — *Petitianum* Dill. et Rich. Richard Abyssin. 49.
 — *pisoniaeflorum* Klotzsch. Peters Mossamb. 14.
 — *purpureum* Vahl. Sonnerat Ind. or. 140.
 — — Bot. Mag. 46, 2102.
 — — Bot. Reg. 5, 429.
 — — Lodd. Cab. 563.
 — *racemosum* Pal. B. Pal. B. Fl. d'Oware 118.
 — — Guillemain Seneg. 67.
 — *salicifolium* E. M. Hook. Ic. pl. 6, 592.
 † — *species nova* DC. Mem. Genev. 4, 5.
 — *trifoliatum* Vent. Vent. Choix 58.
 — *Wightianum* Wall. Rheede Hort. mal. 7, 23.
 — — Wight Ic. pl. Ind. or. 1, 227.
Comersophyllis Aub. Aubert Orchid. 96.
Comesperma calymega Lab. Bill. Nov. Holl. 162.
 — *conferta* Lab. Bill. Nov. Holl. 167.
 — *flava* DC. Delessert Ic. 3, 20.
 — *floribunda* St. Hil. St. Hil. Fl. Bras. 91.
 † — — Mem. Mus. 17, 29.
 — *gracilis* Paxt. Paxt. Mag. 5, 145.
 — *Kunthiana* St. Hil. St. Hil. Fl. Bras. 90.
 — *retusa* Lab. Bill. Nov. Holl. 160.
 — *virgata* Lab. Bill. Nov. Holl. 159.
 — *volubilis* Lab. Bill. Nov. Holl. 163.
Cometes abyssinica R. Br. Wall. Pl. asiat. 18.
 † — *alterniflora* L. Lam. Encycl. 76.
 — *surattensis* Burm. Burm. Fl. ind. 15.
 — — Wall. Pl. asiat. 17.
 — — Wight Ic. pl. Ind. or. 5, 1785.
Commelina aequinoctialis Pal. B. Pal. B. Fl. d'Ow. 38.
 † — *africana* L. Gaertn. Carp. 15.
 † — — Lam. Encycl. 35.
 — — Schmidel Ic. 30.
 — — Red. Lil. 4, 207.
 — — Bot. Mag. 35, 1431.
 — — Desc. Ant. 7, 518.
 — *agraria* Kth. Webb Canar. 238.
 — *ambigua* Pal. B. Pal. B. Fl. d'Oware 15.
 — *angustifolia* Michx. Richb. Hort. 143.
 — *benghalensis* L. Rumpf Amb. 6, 9, fig. 2.
 — — Comm. Gott. 2, 5.
 — — Wight Ic. pl. Ind. or. 6, 2065.
 — *beniniensis* Pal. B. Pal. B. Fl. d'Oware 87.
 — *canescens* Vahl. Webb Canar. 239.
 — *coelestis* Willd. Sweet Fl. G. 3.
 † — *communis* L. Gaertn. Carp. 15.
 † — — Lam. Encycl. 35.
 — *cristata* L. Burm. Fl. ind. 7.
 — — Linné Fl. zeylan. 1.
 — *debilis* Led. Richb. Hort. 151.
 — *deficiens* Herb. Bot. Mag. 53, 2644.
 — *dianthifolia* DC. Red. Lil. 7, 390.
 — *diffusa* Burm. Burm. Fl. ind. 7.
 — *dubia* Jacq. Jacq. Obs. 59.
 — — DC. Red. Lil. 6, 359.
 — *Ehrenbergiana* Link et Kl. Link Ic. III. 30.

- Commelina erecta* L. Red. Lil. 2, 95.
 — *fasciculata* R. et P. Ruiz et Pav. Fl. 72.
 — *gracilis* R. et P. Ruiz et Pav. Fl. 72.
 — — Bot. Mag. 56, 3047.
 — *hexandra* Aubl. Aublet Guiana 12.
 — *hispidula* R. et P. Ruiz et Pav. Fl. 73.
 — *longicaulis* Jacq. Jacq. Ic. 294.
 — *mollis* Jacq. Jacq. Ic. 293.
 — *nervosa* Burm. Burm. Fl. ind. 7.
 — *nudicaulis* Burm. Burm. Fl. ind. 9.
 — *nudiflora* L. Richb. Hort. 136.
 — *pallida* H. B. Willd. Hort. 87.
 — *papilionacea* Burm. Burm. Fl. ind. 7.
 — *parviflora* Link. Richb. Hort. 142.
 — *persicariaefolia* DC. Red. Lil. 8, 472.
 — *polyspatha* Wight. Wight Ic. pl. Ind. or. 6, 2066.
 — *rubens* DC. Red. Lil. 7, 367.
 — *stricta* Desf. Richb. Hort. 144.
 — *tuberosa* L. Schmidel Ic. 49.
 † — — Gaertn. Carp. 15.
 † — — Lam. Encycl. 35.
 — — Andr. Rep. 6, 399.
 — — Red. Lil. 2, 108.
 — — Bot. Mag. 41, 1695.
 — — Herb. amat. 2, 114.
 — — Lodd. Cab. 193.
 — — Schnizl. Ic. 1, 48.
 — *undulata* Lodd. Lodd. Cab. 1553.
 — *variabilis* Schlecht. Schlechtendal Hortus 7.
 — *vulgaris* Schmid. Schmidel Ic. 40. 41.
 — — Red. Lil. 4, 206.
 — *Zanonia* L. Red. Lil. 4, 192.
 † — — Lam. Encycl. 35.
 † *Commelinaceae* R. Br. Schnizl. Ic. 1, 48.
Commersonia Sonnerat. Sonnerat Voyage 8. 9.
 — *dasyphylla* Hort. Andr. Rep. 9, 603.
 — *echinata* Forst. Rumpf Amb. 3, 119.
 † — — Forster Char. 22.
 † — — Gaertn. Carp. 94.
 † — — Lam. Encycl. 218.
 — — Andr. Rep. 8, 519.
 † — *Fraseri* Gay. Mem. Mus. 10, 15.
 — *Gaudichaudii* Gay. Mem. Mus. 10, 14.
 — *platyphylla* Andr. Bot. Mag. 43, 1813.
Commilobium abruptum Moric. Moricand Pl. Am. 62.
Commiphora madagascariensis Spr. Jacq. Schoenb. 2, 249.
 — — Berl. Jahrb. 1802, 2.
Comocladia dentata L. Desc. Ant. 3, 163.
 † — *ilicifolia* Sw. Lam. Encycl. 27.
 † — *integrifolia* L. Lam. Encycl. 27.
 — *mollissima* H. B. K. H. B. K. Nov. Gen. 7, 607.
Comparettia coccinea Ldl. Bot. Reg. 24, 68.
 — — Maund Bot. 4, 186.
 — *cryptocera* Morr. Belgique hortic. 2, 53.
 — *falcata* P. et E. Poepp. et Endl. 73.
 — *rosea* Ldl. Paxt. Mag. 10, 1.
 — — Fl. d. serres 2, 45.
 — *saccata* P. et E. Poepp. et Endl. 72.
 † *Compositae* R. Br. (Meese.) Meese XIX. Classe
 1 — 7.
 † — — (Lessing.) Linnæa 4, 2. 5, 1. 2. 3. 4. 6, 1. 2. 6.
 † — — (Cassini.) Cassini Opusc. 1, 1. 2.
 † — — (Wight.) Wight Illustr. 134.
 † — — (Cosson.) Cosson Atlas 23.
 † — — (Hook. et Arn.) Hook. et Arn. Brit. Fl. 3. 4. 5.
 † — — (Stylus.) Desvaux Journ. 3, 7. 8.
 † — — (Stylus.) Lessing Syn. Comp. 1.
 ! — — Hopkirk Fl. anom. 6.
 ! — — Engelmann Anthol. 5.
 † *Comptonia asplenifolia* Gaertn. Gaertn. Carp. 90.
 † — — Watson Dendr. 2, 166.
 — — Barton Med. 19.

- Conami brasiliensis* Aubl. Aublet Guiana 354.
† *Conandron ramondiioides* Sieb. et Zucc. Münchn. Abh. 3, 3.
Conanthera bifolia R. et P. Ruiz et Pav. Fl. 301.
— — Sims. Bot. Mag. 51, 2496.
— — Lodd. Cab. 904.
— ? *campanulata* Hook. Hook. Exot. Fl. 214.
— — Ldl. Bot. Reg. 14, 1193.
— — Rchb. Exot. 263.
— *Echeandia* Pers. Link Ic. II. 3.
Conchium aciculare Sm. Vent. Malm. 111.
† — *cornutum* Gaertn. fil. Gaertn. Carp. 219.
— *dactyloides* Vent. Vent. Malm. 110.
† — *drupaceum* Gaertn. fil. Gaertn. Carp. 219.
† — *nervosum* Gaertn. fil. Gaertn. Carp. 219.
† — *salicifolium* Gaertn. fil. Gaertn. Carp. 219.
† — *teretifolium* Gaertn. fil. Gaertn. Carp. 219.
Conchocarpus cuneifolius N. et M. Acta Leop. 11. 1, 21.
— *macrophyllus* Mik. Mikan Del. Bras. 2.
† — — Acta Leop. 11. 1, 18.
† *Condalia* R. et P. Ruiz et Pav. Prodr. 2.
† *Condalia* Cav. Gray Genera 164.
† — *microphylla* Cav. Cav. Ic. 525.
— — Ann. sc. nat. 10, 12.
— — *obovata* Hook. Hook. Ic. pl. 3, 287.
— — Gray Genera 164.
— *repens* R. et P. Ruiz et Pav. Fl. 84.
Condonanthus alternifolius Planch. Hook. Niger Fl. 46.
Condylocarpon guianense Desf. Mem. Mus. 8, 11.
Congea azurea Wall. Wight Ic. pl. Ind. or. 4, 1479.
† — — Wight Illustr. 173^b.
— — *tomentosa* Roxb. Roxb. Corom. 293.
— — Wight Ic. pl. Ind. or. 4, 1479^b or 1565.
— — *velutina* Roxb. Wight Ic. pl. Ind. or. 4, 1479.
— — Wight. Wight Ic. pl. Ind. or. 4, 1479^a or 1566.
† — — Wight Illustr. 173^b.
† *Coniferae* Juss. (Alex. Braun.) Acta Leop. 15. 1, 17—50.
† — — (Zuccarini.) Münchn. Abh. 3, 1—5.
† — — (Zuccarini.) Sieb. Fl. japon. 137.
† — — (Mirb. et Spach.) Ann. sc. nat. II. 20, 5, 8—11.
† — — (Robert Brown.) Jard. Ann. 13, 7.
† — — (Hartig.) Hartig Forstgewächse 18. 23.
† *Coniogramme javanica* Fée. Fée Fil. 5, 14.
† — *serrulata* Fée. Fée Fil. 5, 14.
Conioselinum canadense T. et Gr. Torr. New York 33.
Coniphylis Aub. Aubert Orchid. 99.
Conium africanum Jacq. Jacq. Vind. 194.
— *Arracacha* Hook. Hook. Exot. Fl. 152.
— *dichotomum* Desf. Desf. Fl. atl. 66.
— *maculatum* L. Jacq. Fl. austr. 2, 156.
— — Schk. Handb. 62.
— — Curt. Lond. 2, 88.
— — Engl. Bot. 17, 1191.
— — Sv. Bot. 226.
— — Hayne 1, 31.
— — Guimp. et Schl. 12.
— — Nees Düsseld. 281.
— — Wagner 99.
— — Brandt und Ratzeb. 25.
— — Woodv. Med. 1, 42.
— — Bigelow Med. 11.
— — Dict. sc. nat. 110.
— — Fl. dan. 13, 2168.
— — Baxter Brit. Bot. 4, 303.
— *moschatum* H. B. K. H. B. K. Nov. Gen. 5, 420.
— *strictum* Tratt. Tratt. Archiv 21.
Connarus africanus Lam. Cav. Diss. 221.
— *decumbens* Thunb. Roemer Archiv I. 1, 1.
— *monocarpus* L. Rheede Hort. mal. 7, 26.
— *pentagynus* Lam. Cav. Diss. 223.

- Connarus pentagynus* Lam. Dict. sc. nat. 267.
— *pinnatus* Lam. Rheede Hort. mal. 6, 24.
† — — — Lam. Encycl. 572.
— — — Cav. Diss. 222.
— — — Wight Illustr. 63.
— *pubescens* DC. Mem. hist. nat. Par. 2, 19.
Conobea aquatica Aubl. Aublet Guiana 258.
† — — — Gaertn. Carp. 198.
— — — Lam. Encycl. 522.
Conocarpus acuminata DC. Mem. Genev. 4, 3.
— *erecta* Jacq. Jacq. Hist. stirp. am. 78.
† — — — Gaertn. Carp. 177.
— — — Lam. Encycl. 126.
— — — Desc. Ant. 6, 399.
— *latifolia* Roxb. Royle Illustr. 45.
— — — Wight Ic. pl. Ind. or. 3, 994.
† — *procumbens* L. Gaertn. Carp. 216.
— — — Lam. Encycl. 126.
— *racemosa* L. Jacq. Hist. stirp. am. 79.
† *Conocephalus* Blume. Ann. sc. nat. III. 8, 2.
— *Blumei* Gaudich. Gaudichaud Bonite 96.
— *nancaleiflorus* Ldl. Bot. Reg. 14, 1203.
— *niveus* Wight. Wight Ic. pl. Ind. or. 6, 1959.
— *suaveolens* Blume. Bennett Java 12.
Conoclinium prasiifolium DC. Delessert Ic. 4, 15.
Conohoria castaneaefolia St. Hil. Hook. Ic. pl. I, 63.
— *flavescens* Aubl. Aublet Guiana 95.
— *Lobolobo* St. Hil. St. Hil. Pl. us. 10.
Conomorpha multipunctata Mig. Miquel Surin. 34.
Conopholis americana Wall. Endl. Iconogr. 81.
† — — Endl. Wight Illustr. 158^b.
† *Conopsidium platantherum* Walk. Wallroth Beitr. 2.
† — *sthenantherum* Walk. Wallroth Beitr. 2.
Conoria ulmifolia H. B. K. H. B. K. Nov. Gen. 5, 491.
Conosiphon aureus P. et E. Poepp. et Endl. 233.
Conospermum ericifolium Sm. Linn. Transact. 10, 17.
— — — Bot. Mag. 55, 2850.
— — — Endl. Iconogr. 31.
— *longifolium* Sm. Smith Exot. Bot. 82.
— — — Tratt. Archiv 393.
† — *taxifolium* Sm. Gaertn. Carp. 215.
— — — Bot. Mag. 54, 2724.
— *teretifolium* R. Br. Endl. Iconogr. 46.
Conostegia polyandra Benth. Benth. Sulphur 35.
Conostephium pendulum Benth. Delessert Ic. 5, 23.
† *Conostylis* R. Br. Herbert Amar. 1.
— *aculeata* R. Br. Bot. Mag. 57, 2989.
— *americana* Pursh. Pursh Fl. 6.
— *setigera* R. Br. Fl. d. serres 3, 259.
— *setosa* Ldl. Lindley Swan River 6.
— *vaginata* Endl. Hook. Ic. pl. 9, 853.
Conradia calycosa Hook. Hook. Ic. pl. 7, 689—690.
— *floribunda* Paxt. Paxt. Mag. 15, 99.
— *neglecta* Hook. Hook. Ic. pl. 9, 874.
Conringia austriaca Pers. Rchb. Fl. germ. 2, 61.
— *orientalis* Pers. Rchb. Fl. germ. 2, 61.
— *perfoliata* Link. Dietr. Fl. bor. 11, 732.
— *Thaliana* Rchb. Rchb. Fl. germ. 2, 60.
† *Contarenia* Vand. Roemer Scriptorum 7.
† *Contortae* Endl. Rottboell. Bot. Nytte 6.
Conuleum guianense Rich. Mem. hist. nat. Par. 1, 28.
† *Convallaria* L. Kerner Genera 96.
— *bifolia* L. Fl. dan. 2, 291.
— — — Sv. Bot. 454.
— — — Bot. Mag. 15, 510.
— *cirrhifolia* Wall. Asiat. Res. 13, 5.
— *japonica* L. fil. Red. Lil. 2, 80.
— — — Tratt. Archiv 260.
— *latifolia* Jacq. Jacq. Fl. austr. 3, 232.
— — — Schrank Fl. monac. 2, 173.
— — — Rchb. Fl. germ. 10, 434.
† — *majalis* L. Gaertn. Carp. 16.

- † *Convallaria majalis* L. Lam. Encycl. 248.
 — — — Fl. dan. 5, 854.
 — — — Curt. Lond. 1, 8.
 — — — Engl. Bot. 15, 1035.
 — — — Abbot Fl. bedford. 2.
 — — — Sv. Bot. 9.
 — — — Red. Lil. 4, 227.
 — — — var. Herb. amat. 1, 17, 18.
 — — — Hayne 3, 18.
 — — — Guimp. et Schl. 56.
 — — — Nees Düssel. 43.
 — — — Schrank Fl. monac. 1, 41.
 — — — Sturm Flora 4, 13.
 — — — Dietr. Fl. bor. 1, 33.
 — — — Rchb. Fl. germ. 10, 432.
 † — — — Nees Gen. 2, 61.
 — — — Baxter Brit. Bot. 1, 78.
 — — — multiflora L. Fl. dan. 1, 152.
 — — — Curt. Lond. 4, 39.
 — — — Engl. Bot. 4, 279.
 — — — Sv. Bot. 392.
 — — — Schk. Handb. 97.
 — — — Dreves 2, 52.
 — — — Liboschitz Petersb. 4.
 — — — Schrank Fl. monac. 2, 122.
 — — — Hayne 3, 20.
 — — — var. Rchb. Fl. germ. 10, 433.
 — — — oppositifolia Wall. Asiat. Res. 13, 4.
 — — — Bot. Mag. 63, 3529.
 — — — Lodd. Lodd. Cab. 640.
 — — — Hook. Exot. Fl. 125.
 — — — Polygonatum L. Fl. dan. 3, 377.
 — — — Curt. Lond. 4, 38.
 — — — Engl. Bot. 4, 280.
 — — — Sv. Bot. 41.
 — — — Hayne 3, 19.
 — — — Nees Düssel. 44.
 — — — Woodv. Med. 4, 261.
 — — — Rchb. Fl. germ. 10, 434.
 — — — pubescens Willd. Willd. Hort. 45.
 — — — racemosa L. Bot. Mag. 23, 599.
 — — — rosea Led. Ledeb. Ic. 1.
 — — — stellata L. Bot. Mag. 26, 1043.
 — — — Lodd. Cab. 1080.
 — — — verticillata L. Fl. dan. 1, 86.
 — — — Engl. Bot. 2, 128.
 — — — Lodd. Cab. 1108.
 — — — Rchb. Fl. germ. 10, 435.
 † *Convolutaceae* Juss. Wight Illustr. 168^b.
 † *Convolutus* L. Mem. Genév. 6, 1.
 † — — — Kerner Genera 174.
 — — — acanthocladus Boiss. Jaubert Illustr. 367.
 — — — albivenius Ldl. Bot. Reg. 13, 1116.
 — — — althaeoides L. Bot. Mag. 10, 359.
 — — — Sibth. Fl. gr. 191.
 — — — Tratt. Thes. 57.
 — — — β. tenuior, Tratt. Thes. 58.
 — — — angularis Burm. Burm. Fl. ind. 19.
 — — — armatus Delile. Delile Egypte 18.
 — — — arvensis L. Fl. dan. 3, 459.
 — — — Curt. Lond. 3, 42.
 † — — — Usteri Ann. 5, 5.
 — — — Engl. Bot. 5, 312.
 — — — Bot. Reg. 4, 322.
 — — — Sv. Bot. 341.
 — — — Liboschitz Petersb. 16.
 — — — Dreves 1, 24.
 — — — Schrank Fl. monac. 1, 27.
 — — — Dietr. Fl. bor. 3, 156.
 † — — — Plée Types 55.
 — — — Baxter Brit. Bot. 1, 58.
 † — — — Nees Gen. 5, 64.

- Convolvulus atropurpureus* Wall. Wall. Pl. asiat. 43.
 — — — barbatus Wall. Wall. Pl. asiat. 153.
 — — — Batatas L. Rumpf Amb. 5, 130.
 — — — Gil et Xuares 1.
 — — — Maorter Bataten 0.
 — — — Kerner Hort. 340.
 † — — — Mem. Mus. 19, 5.
 † — — — Annales d'hortic. 1840, 0.
 — — — Bentira Ham. Rheede Hort. mal. 11, 54.
 — — — bicolor Hort. Beng. Bot. Mag. 48, 2205.
 — — — bonariensis Cav. Cav. Ic. 480.
 — — — brevispinus Jaub. et Sp. Jaubert Illustr. 369.
 — — — bryoniaefolius Sims. Bot. Mag. 24, 943.
 — — — Kerner Hort. 571.
 — — — cairicus L. Bot. Mag. 19, 699.
 — — — Rchb. Exot. 153.
 — — — canariensis L. Bot. Mag. 30, 1228.
 — — — candicans Sol. Bot. Mag. 39, 1603.
 — — — Cantabrica L. Jacq. Fl. austr. 3, 296.
 — — — capitatus Cav. Cav. Ic. 189.
 — — — chinensis Ker. Bot. Reg. 4, 322.
 — — — Cneorum L. Bot. Mag. 13, 459.
 — — — Sibth. Fl. gr. 200.
 — — — crenatifolius Rz et P. Ruiz et Pav. Fl. 118.
 — — — crenatus Jacq. Jacq. Ic. 315.
 — — — cymosus Rz et P. Ruiz et Pav. Fl. 117.
 — — — dahuricus Herb. Bot. Mag. 53, 2609.
 — — — discolor H. B. K. H. B. K. Nov. Gen. 3, 212.
 — — — dissectus Cav. Cav. Ic. 480.
 — — — L. Jacq. Vind. 159.
 — — — Jacq. Obs. 28.
 — — — Dorycnium L. Sibth. Fl. gr. 201.
 — — — elongatus Willd. Bot. Reg. 6, 498.
 — — — erinaceus Led. Eichwald Cauc. 7.
 — — — erubescens Sims. Bot. Mag. 27, 1067.
 — — — evolvuloides Desf. Desf. Fl. atl. 49.
 — — — Sibth. Fl. gr. 198.
 — — — Falkia Jacq. Jacq. Schoenbr. 2, 198.
 — — — farinosus L. Jacq. Vind. 35.
 — — — Salisb. Parad. 45.
 — — — Bot. Reg. 16, 1323.
 — — — floribundus H. B. K. H. B. K. Nov. Gen. 3, 210.
 — — — floridus L. fil. Jacq. Ic. 34.
 — — — Forskålili Delile. Delile Egypte 18.
 — — — gemellus Burm. Burm. Fl. ind. 21.
 — — — genistoides Jaub. et Sp. Jaubert Illustr. 370.
 — — — glaber Aubl. Aublet Guiana 53.
 — — — glomeratus Choisy. Wight Ic. pl. Ind. or. 4, 1366.
 — — — grandiflorus Jacq. Jacq. Vind. 3, 69.
 — — — guianensis Aubl. Aublet Guiana 52.
 — — — havanensis Jacq. Jacq. Obs. 45.
 † — — — hederaceus L. Gaertn. Carp. 134.
 † — — — Hermanniae L'her. L'her. Stirp. 33.
 — — — hirsutus M. v. B. Marschall Cent. 6.
 — — — Ten. Tenore Fl. nap. 15.
 — — — holosericeus M. v. B. Marschall Cent. 24.
 — — — humilis Jacq. Jacq. Collect. 4, 22.
 — — — Jalapa L. Lam. Encycl. 104.
 — — — Mem. Instit. 1806, 10, 11.
 — — — Lodd. Cab. 518.
 — — — Bot. Mag. 38, 1572.
 — — — Kerner Hort. 125.
 — — — Ann. Mus. 2, 40, 41.
 — — — Desc. Ant. 2, 140.
 — — — Guimp. et Schl. 117, 118.
 — — — Nees Düssel. 196, 197.
 — — — Wagner 151, 152.
 — — — Woodv. Med. 2, 87.
 — — — Imperati Vahl. Tenore Fl. nap. 121.
 — — — involucreatus Willd. Bot. Reg. 4, 318.
 — — — italicus Guss. Bot. Reg. 33, 12.
 — — — laciniatus Lam. Cav. Ic. 479.

- Convolvulus lanatus* Vahl. Sibth. Fl. gr. 202.
 — *lasianthus* Cav. Cav. Ic. 479.
 — *lasiophlaeus* Jaub. et Sp. Jaubert Illustr. 368.
 — *lasiopermus* Vis. Visiani Aeg. 1.
 — *latiflorus* Desc. Desc. Ant. 7, 557.
 — *linearis* Curt. Bot. Mag. 9, 289.
 — *lineatus* L. Sibth. Fl. gr. 199.
 — *lucanus* Ten. Tenore Fl. nap. 213.
 — *macrocalyx* R. et P. Ruiz et Pav. Fl. 118.
 — *macrorrhizos* L. Desc. Ant. 2, 138.
 — *mammosus* Desc. Rumpf Amb. 5, 131.
 — *maritimus* Lam. Desc. Ant. 2, 131.
 — *martinicensis* Jacq. Jacq. Hist. stirp. am. 24.
 — *mauritanicus* Boiss. Boissier Esp. 122.
 — *meonanthus* Lk. Hoffm. Lk. Fl. port. 69.
 — *microphyllus* Sieb. Wight Ic. pl. Ind. or. 4, 1367.
 — *mollis* Burm. Burm. Fl. ind. 17.
 — *munitus* Wall. Wight Illustr. in Hook. 7.
 — *muricatus* L. Kerner Hort. 238.
 — *nervosus* Burm. Burm. Fl. ind. 20.
 — *Nil* L. Bot. Mag. 6, 188.
 — *nitidus* Boiss. Boissier Esp. 122.
 — *ocellatus* Hook. Bot. Mag. 70, 4065.
 — *ochraceus* Ldl. Bot. Reg. 13, 1060.
 — *palustris* Cav. Cav. Ic. 600.
 — *panduratus* L. Barton Med. 23.
 — — Bot. Mag. 44, 1939.
 — *pannifolius* Salisb. Salisb. Parad. 20.
 — — Bot. Reg. 3, 222.
 — — Kerner Hort. 354.
 — *pellitus* Led. Ledeb. Ic. 206.
 — *peltatus* L. Rumpf Amb. 5, 157.
 — *pennatus* Lam. Desc. Ant. 6, 415.
 — *pentanthus* Jacq. Jacq. Ic. 316.
 — — Bot. Mag. 47, 2151.
 — — Bot. Reg. 6, 439.
 — — Paxt. Mag. 6, 219.
 — *pentapetaloides* L. Cav. Ic. 123.
 — — Sibth. Fl. gr. 197.
 — *pes caprae* L. Rumpf Amb. 5, 159.
 — *platycarpus* Cav. Cav. Ic. 482.
 — *prostratus* Roth. Roth Abhandl. 3.
 — *pubibundus* Ldl. Bot. Reg. 12, 999.
 — *purpureus* L. Bot. Mag. 4, 113. 25, 1005. 41, 1682.
 — *quinquefolius* L. Desc. Ant. 6, 394.
 — *repens* L. Desc. Ant. 2, 145.
 — *reptans* L. Rumpf Amb. 5, 155.
 — *retusus* Colla. Mem. Tur. 35, 8.
 — *Rheedi* Wall. Wight Illustr. in Hook. 8.
 — — Wight Ic. pl. Ind. or. 3, 850.
 — *rhynospermus* Hochst. Wight Ic. pl. Ind. or. 4, 1368.
 — *rufescens* Choisy. Wight Ic. pl. Ind. or. 4, 1363.
 — — Wight Illustr. 168.
 — *sabatius* Viv. Cesati Stirp. ital. 0.
 — *sagittifolius* Sibth. Sibth. Fl. gr. 193.
 — *Scammonia* L. Sibth. Fl. gr. 192.
 — — Hayne 12, 35.
 — — Guimp. et Schl. 177.
 — — Nees Düsseldorf. 194.
 — — Wagner 169.
 — — Woodv. Med. 2, 86.
 — — Sweet Fl. G. II. 173.
 — *scoparius* L. fil. Vent. Choix 24.
 — — Hayne 12, 36.
 — — Nees Düsseldorf. 195.
 — — Bot. Reg. 27, 43.
 — *scrobiculatus* Ldl. Bot. Reg. 13, 1076.
 — *secundus* R. et P. Ruiz et Pav. Fl. 117.
 — *sepium* L. Fl. dan. 3, 458.
 — — Curt. Lond. 1, 32.

- Convolvulus sepium* L. Engl. Bot. 5, 313.
 † — — — Lam. Encycl. 104.
 — — — var. *americanus*, Bot. Mag. 19, 732.
 — — — Sv. Bot. 514.
 — — — Tenore Fl. nap. 213.
 — — — Schk. Handb. 38.
 — — — Schrank Fl. monac. 2, 103.
 — — — Sturm Flora 1, 1.
 — — — Dietr. Fl. bor. 2, 83.
 ! — — — Engelmann Anthol. 1.
 — *sericeus* Burm. Burm. Fl. ind. 19.
 — *siculus* L. Sibth. Fl. gr. 196.
 — — — Bot. Reg. 6, 445.
 — *silvaticus* W. et K. W. et Kit. 261.
 — *Soldanella* L. Engl. Bot. 5, 314.
 — — — Hayne 12, 37.
 — *speciosus* L. Smith Ic. pict. 17.
 — — — Kerner Hort. 17.
 — *sphaerostigma* Cav. Cav. Ic. 481.
 — *spinosus* Burm. Burm. Fl. ind. 19.
 — — — Forsk. Eichwald Cauc. 22.
 — *stoloniferus* Cir. Cirillo Pl. rar. 1, 5.
 — *subvolubilis* Led. Ledeb. Ic. 205.
 — *suffruticosus* Desf. Desf. Fl. atl. 48.
 — — — Dryand. Bot. Reg. 2, 133.
 — *suffultus* H. B. K. H. B. K. Nov. Gen. 3, 211.
 — *tenuissimus* Sibth. Sibth. Fl. gr. 195.
 — *tricolor* L. Bot. Mag. 1, 27.
 ! — — — Hopkirk Fl. anom. 4.
 — — — var. *vittatus*, Fl. d. serres 3, 298.
 — *Turpethum* L. Bot. Mag. 46, 2093.
 — — — Wight Illustr. in Hook. 38.
 — *umbellatus* L. Desc. Ant. 7, 524.
 — *undulatus* Cav. Cav. Ic. 277.
 — *uniflorus* Burm. Burm. Fl. ind. 21.
 — *valentinus* Cav. Cav. Ic. 180.
 — *vitifolius* L. Burm. Fl. ind. 18.
 — *Wightii* Wall. Wall. Pl. asiat. 171.
Conyza amoena Link. Rehb. Hort. 69.
 † — *anthelmintica* L. Schk. Handb. 241.
 — *articulata* Lam. Lam. Encycl. 697.
 — *balsamifera* L. Rumpf Amb. 6, 24.
 — *candida* L. Sibth. Fl. gr. 864.
 — — — Tenore Fl. nap. 76.
 — — — Tratt. Archiv 52.
 — *carolinensis* Jacq. Jacq. Ic. 585.
 — *chilensis* Link. Rehb. Hort. 167.
 — *chinensis* L. Rumpf Amb. 6, 14.
 — *Chingoyo* H. B. K. H. B. K. Nov. Gen. 4, 328.
 — *chrysocomoides* Desf. Desf. Fl. atl. 232.
 — *cinerea* L. Rumpf Amb. 6, 14.
 † — — — Schk. Handb. 241.
 — *cupressiformis* Lam. Lam. Encycl. 697.
 — *geminiflora* Ten. Tenore Fl. nap. 77.
 — *gnaphalioides* H. B. K. H. B. K. Nov. Gen. 4, 327.
 — *ivaefolia* Burm. Burm. Fl. ind. 58.
 — *lacera* Burm. Burm. Fl. ind. 59.
 — *limonifolia* Sibth. Sibth. Fl. gr. 865.
 — *lobata* L. Desc. Ant. 5, 363.
 — *lycopodioides* Lam. Lam. Encycl. 697.
 — *odorata* L. Desc. Ant. 3, 217.
 — *petiolaris* Wall. Delessert Ic. 4, 22.
 — *prolifera* Willd. Rumpf Amb. 5, 104. fig. 1.
 — *pubigera* L. Rumpf Amb. 5, 103.
 — *pumila* Sibth. Sibth. Fl. gr. 863.
 — *rupestris* L. Schmidel Ic. 36.
 — *sagittalis* Lam. Jacq. Ecl. pl. 133.
 — *saxatilis* L. Schk. Handb. 241.
 — — — Sm. Sibth. Fl. gr. 862.
 — *sophiaefolia* Willd. H. B. K. Nov. Gen. 4, 326.
 — *spicata* Lam. Cav. Ic. 12.
 — *squarrosa* L. Gaertn. Carp. 166.

- Conyza squarrosa* L. Fl. dan. 4, 622.
 — — — Engl. Bot. 17, 1195.
 † — — — Lam. Encycl. 697.
 — — — Dreves 2, 56.
 — — — Nees Düssel. Suppl. 76, 77.
 — — — Baxter Brit. Bot. 4, 290.
 † — — — Nees Gen. X, x.
 — — — thajoides Lam. Lam. Encycl. 697.
Cookia punctata Retz. Rumpf Amb. 1, 53.
 † — — — Lam. Encycl. 354.
 — — — Jacq. Schoenbr. 1, 101.
 — — — Tratt. Archiv 61, 61^a.
 † *Cooperia* Hook. Herbert Amar. 36.
 † — — chlorosolen Herb. Herbert Amar. 24.
 — — — Bot. Mag. 63, 3482.
 † — — Drummondiana Herb. Herbert Amar. 24.
 — — — Bot. Reg. 22, 1835.
 — — — pedunculata Herb. Bot. Mag. 66, 3727.
Copaifera Beyrichii Hayne. Hayne 10, 12.
 — — — bijuga Hayne. Hayne 10, 16.
 — — — Nees Düssel. Suppl. 43.
 — — — Guimp. et Schl. 221.
 — — — cordifolia Hayne. Hayne 10, 21.
 — — — coriacea Mart. Hayne 10, 20.
 — — — Guimp. et Schl. 225.
 — — — Nees Düssel. Suppl. 64.
 — — — glabra Vogel. Guimp. et Kl. 1.
 — — — guianensis Desf. Mem. Mus. 7, 13.
 — — — Guimp. et Schl. 219.
 — — — Hayne 10, 13.
 — — — hymenaefolia Moric. Moricand Pl. Am. 1.
 — — — Mem. Genev. 6, 1.
 — — — Jacquini Desf. Hayne 10, 14.
 — — — Guimp. et Schl. 220.
 — — — Langsdorffii Desf. Mem. Mus. 7, 14.
 — — — Hayne 10, 19.
 — — — Nees Düssel. Suppl. 44.
 — — — Guimp. et Schl. 224.
 — — — laxa Hayne. Hayne 10, 18.
 — — — Guimp. et Schl. 223.
 — — — Martii Hayne. Hayne 10, 15.
 — — — Nees Düssel. Suppl. 65.
 — — — nitida Mart. Hayne 10, 17.
 — — — Guimp. et Schl. 222.
 — — — oblongifolia Mart. Hayne 10, 23.
 — — — officinalis L. Jacq. Hist. stirp. am. 128.
 — — — H. B. K. Nov. Gen. 7, 659.
 — — — Lam. Encycl. 342.
 — — — Nees Düssel. 338.
 — — — Wagner 170.
 — — — Desc. Ant. 7, 470.
 — — — Woodv. Med. 3, 216.
 — — — Sellowii Hayne. Hayne 10, 22.
Copernicia cerifera Mart. Mart. Palm. 50^a.
 — — — D'Orbigny Voyage 1, 24.
Copianthus indica Hill. Hill Decade 1.
 † *Coprosma* Forst. Forster Char. 69.
 — — — affinis Hook. Hook. Fl. ant. 14.
 — — — Baueri Endl. Endl. Iconogr. 111.
 — — — cuneata Hook. Hook. Fl. ant. 15.
 — — — foetidissima Forst. Hook. Fl. ant. 13.
 — — — hirtella Lab. Bill. Nov. Holl. 93.
 † — — lucida Forst. Gaertn. Carp. 182.
 † — — — Lam. Encycl. 186, 854.
 — — — pumila Hook. Hook. Fl. ant. 16.
 — — — repens A. Rich. Hook. Fl. ant. 16.
 — — — robusta Decne. Raoul Nouv. Zel. 21.
 † *Coptis* Salisb. Gray Genera 13.
 — — — aspleniifolia Salisb. Hook. Bor. Am. 11.
 — — — trifolia Salisb. Bigelow Med. 5.
 — — — Barton Med. 34.
 — — — Lodd. Cab. 173.

- Coptis trifolia* Salisb. Fl. dan. 9, 1519.
 — — — Gray Genera 13.
Coptophyllum buniifolium Gardn. Hook. Ic. pl. 5, 477.
 — — — millefolium Gardn. Hook. Ic. pl. 5, 478.
Coquebertia ilicifolia Brongn. Brongniart Coquille 75.
 † — — — Schnizl. Iconogr. 276.
Corallophyllum coeruleum H. B. K. H. B. K. Nov. Gen. 7, 660^b.
Corallorrhiza ericetorum Drejer. Rchb. Fl. germ. 13, 491.
 — — — hiemalis Nutt. Barton Fl. 2, 52.
 — — — Jacquemontii Decne. Jacquemont Ind. 165.
 — — — innata R. Br. Curt. Lond. 4, 142.
 — — — Sv. Bot. 554.
 — — — Dietr. Fl. bor. 1, 23.
 — — — Rchb. Fl. germ. 13, 490.
 † — — — Nees Gen. 3, x.
 — — — Baxter Brit. Bot. 6, 422.
 — — — multiflora Nutt. Hooker Exot. Fl. 174.
 — — — Torr. New York 126.
 — — — odontorrhiza Nutt. Torr. New York 126.
Corbularia monophylla Durieu. Explor. Alger. 47.
 — — — serotina Haw. Sweet Fl. G. II. 164.
 † *Corchoropsis crenata* Sieb. et Zucc. Münchn. Abh. 3, 4.
 † *Corchorus* L. Gray Genera 137.
 — — — acutangulus Lam. Wight Ic. pl. Ind. or. 3, 739.
 † — — — aestuans L. Gaertn. Carp. 64.
 † — — — Lam. Encycl. 478.
 — — — Jacq. Vind. 83.
 — — — bullatus Jacq. Jacq. Ecl. pl. 163.
 — — — capsularis L. Rumpf Amb. 5, 78.
 † — — — Gaertn. Carp. 179.
 † — — — Lam. Encycl. 478.
 — — — Jacq. Ecl. pl. 119.
 — — — Hook. Journ. 1850, 3.
 — — — Wight Ic. pl. Ind. or. 1, 311.
 — — — decemangularis Roxb. ? Rheede Hort. mal. 10, 55.
 — — — fruticosus Vis. Visiani Aeg. 3.
 — — — hirsutus L. Jacq. Hist. stirp. am. 157.
 — — — Jacq. Vind. 3, 57.
 — — — hirtus L. Jacq. Vind. 3, 58.
 — — — humilis Munro. Wight Ic. pl. Ind. or. 3, 1073.
 — — — japonicus Thunb. Andr. Rep. 9, 587.
 — — — Bot. Mag. 32, 1296.
 — — — Kerner Hort. 415.
 — — — Herb. amat. 1, 49.
 — — — Savi Fl. ital. 1, 3.
 — — — javanicus Burm. Burm. Fl. ind. 36.
 † — — — olitorius L. Trewh. rar. 4.
 — — — Gaertn. Carp. 64.
 — — — Lam. Encycl. 478.
 — — — Bot. Mag. 55, 2810.
 — — — pilobolus Lk. Jacq. Ecl. pl. 163.
 — — — pilosus H. B. K. H. B. K. Nov. Gen. 5, 487.
 — — — siliquosus L. Jacq. Vind. 3, 59.
 — — — Gray Genera 137.
 — — — tortipes St. Hil. St. Hil. Fl. Bras. 55.
 — — — tridens L. Burm. Fl. ind. 37.
 — — — trilocularis L. Jacq. Vind. 173.
Cordia
 — — — angiocarpa A. Rich. Ramon Cuba 56.
 — — — Collococca L. Desc. Ant. 6, 441.
 — — — Collococcus Aubl. Aublet Guiana 86.
 — — — crenata Delile. Delile Egypte 20.
 — — — decandra Hook. et Arn. Hook. Beechey 10.
 — — — dentata Vahl. Vahl Eclogae 22.
 — — — flavescens Aubl. Aublet Guiana 89.
 — — — fulvosa Wight. Wight Ic. pl. Ind. or. 4, 1380.
 † — — — Geraschanthus L. Houstoun Reliq. 6.
 — — — Lam. Encycl. 96.
 — — — glomerata Lem. Lem. Jard. fl. 4, 326.
 — — — grandiflora Ldl. Bot. Reg. 18, 1491.
 — — — laevis Jacq. Jacq. Schoenbr. 1, 40.
 — — — leucocephala Moric. Moricand Pl. Am. 88.

- Cordia monoica* Roxb. Roxb. Corom. 58.
 — — — Kerner Hort. 302.
 — — — Myxa L. Rumpf Amb. 3, 97.
 † — — — Jacq. Fragm. 103.
 — — — Delile Egypte 19.
 — — — Hayne 9, 33.
 — — — Wight Illustr. 169.
 — — — obliqua Willd. Willd. Phytogr. 4.
 — — — Wight Ic. pl. Ind. or. 4, 1378.
 — — — officinalis Lam. Rheede Hort. mal. 4, 37.
 † — — — Lam. Encycl. 96.
 — — — panicularis Rudge. Rudge Pl. Guianae 46.
 — — — Perrottetii DC. Wight Ic. pl. Ind. or. 4, 1381.
 — — — quercifolia Klotzsch. Peters Mossamb. 43.
 — — — riparia H. B. K. H. B. K. Nov. Gen. 3, 207.
 — — — Rothii R. et Sch. Wight Ic. pl. Ind. or. 4, 1379.
 — — — rotundifolia R. et P. Ruiz et Pav. Fl. 148.
 — — — Sebestena L. Rumpf Amb. 2, 75.
 — — — — — Jacq. Hist. stirp. am. 44.
 † — — — Lam. Encycl. 96.
 — — — Andr. Rep. 3, 157.
 — — — Bot. Mag. 21, 794.
 — — — Kerner Hort. 155.
 — — — Tratt. Archiv 303.
 — — — Desc. Ant. 4, 277.
 — — — serrata Roxb. Wight Ic. pl. Ind. or. 2, 469.
 — — — tetrandra Aubl. Aublet Guiana 87.
 — — — tetraphylla Aubl. Aublet Guiana 88.
 — — — Toqueve Aubl. Aublet Guiana 90.
Cordyla africana Lour. Peters Mossamb. 4.
 † *Cordylina australis* Endl. Gaudichaud Bonite 125.
 † — — — Ann. sc. nat. III. 3, 13, 14.
 — — — parviflora H. B. K. H. B. K. Nov. Gen. 7, 674.
 — — — Rumphii Hook. Bot. Mag. 73, 4279.
 — — — stricta Endl. Hook. New Zeal. 58.
Cordyllocarpus muricatus Desf. Desf. Fl. atl. 152.
 — — — Lam. Encycl. 975.
Cordyllogyne globosa E. M. Delessert Ic. 5, 64.
Coreocarpus parthenioides Benth. Benth. Sulphur 16.
Coreopsis alata Cav. Cav. Ic. 260.
 † — — — alternifolia L. Gaertn. Carp. 171.
 — — — — — Jacq. Vind. 110.
 — — — artemisiaefolia Jacq. Jacq. Ic. 595.
 — — — Atkinsoniana Dougl. Bot. Reg. 16, 1376.
 — — — aurea Ait. Bot. Reg. 15, 1228.
 — — — auriculata L. Schk. Handb. 260.
 — — — Bidens L. Schrank Fl. monac. 4, 330.
 † — — — bipinnata Lam. Lam. Encycl. 704.
 — — — coronata Hook. Bot. Mag. 63, 3460.
 — — — diversifolia Jacq. Jacq. Ecl. pl. 54.
 — — — — — Hook. Bot. Mag. 63, 3474.
 — — — ferulaefolia Jacq. Jacq. Schoenbr. 3, 373.
 — — — — — Bot. Mag. 46, 2059.
 — — — filifolia Hook. Bot. Mag. 63, 3505.
 — — — foetida Cav. Cav. Ic. 77.
 — — — formosa Bonato. Bonato Memoria 2.
 — — — grandiflora Hogg. Lodd. Cab. 1290.
 — — — — — Sweet Fl. G. 175.
 — — — heterophylla Cav. Cav. Ic. 268.
 — — — jasminifolia Bert. Novi Comm. Bon. 9, 15.
 — — — incisa Ker. Bot. Reg. 1, 7.
 — — — lanceolata L. Martyn Hist. 24.
 — — — — — Lodd. Cab. 821.
 — — — — — Bot. Mag. 51, 2451.
 — — — — — Sweet Fl. G. 10.
 — — — leucantha L. Desc. Ant. 8, 583.
 — — — limensis Jacq. Jacq. Ic. 594.
 — — — longipes Hook. Bot. Mag. 64, 3586.
 — — — ovata Cav. Cav. Ic. 260.
 — — — parviflora Jacq. Jacq. Schoenbr. 3, 374.
 — — — reptans L. Smith Spic. 22.
 — — — rosea Nutt. Barton Fl. 1, 12.

- Coreopsis rosea* Nutt. Torrey New York 57.
 — — — senifolia Michx. Bot. Mag. 63, 3484.
 — — — tenuifolia Ehrh. Schk. Handb. 260^b.
 — — — tinctoria Nutt. Barton Fl. 2, 45.
 — — — — — Bot. Mag. 51, 2512.
 — — — — — Link Ic. I. 33.
 — — — — — Sweet Fl. G. 72.
 — — — — — Bot. Reg. 10, 846.
 — — — trifida Lam. Lam. Encycl. 704.
 — — — verticillata L. Bot. Mag. 5, 156.
 — — — — — Schk. Handb. 260^b.
 — — — — — Barton Fl. 3, 73.
Corethrostylis bracteata Endl. Bot. Reg. 30, 47.
 † *Coriandrum sativum* L. Gaertn. Carp. 22.
 † — — — — — Lam. Encycl. 196.
 — — — — — Schk. Handb. 72.
 — — — — — Sibth. Fl. gr. 283.
 — — — — — Engl. Bot. 1, 67.
 — — — — — Fl. dan. 12, 1989.
 — — — — — Sturm Flora 1, 3.
 — — — — — Hayne 7, 13.
 — — — — — Guimp. et Schl. 128.
 — — — — — Nees Düsseld. 292.
 — — — — — Wagner 75.
 — — — — — Woodv. Med. 1, 53.
 — — — — — Baxter Brit. Bot. 6, 504.
 — — — — — Wight Ic. pl. Ind. or. 2, 516.
 † — — — — — Wight Illustr. 117.
 — — — testiculatum L. Lam. Encycl. 196.
Coriaria myrtifolia L. Schk. Handb. 334.
 — — — — — Lam. Encycl. 822.
 — — — — — Watson Dendr. 2, 103.
 — — — — — Dict. sc. nat. 288, 289.
 — — — — — Nees Düsseld. Suppl. 14.
 — — — — — Rchb. Fl. germ. 5, 160.
 — — — napalensis Wall. Wall. Pl. asiat. 289.
 — — — sarmentosa Forst. Bot. Mag. 51, 2470.
 — — — thymifolia H. B. K. H. B. K. Nov. Gen. 7, 636.
 † *Coris monspeliensis* L. Gaertn. Carp. 193.
 — — — — — Lam. Encycl. 102.
 — — — — — Bot. Mag. 47, 2131.
 — — — — — Bot. Reg. 7, 536.
 † — — — — — Nees Gen. 5, 18.
Corispermum hyssopifolium L. Pallas Fl. ross. 98.
 † — — — — — Gaertn. Carp. 75.
 † — — — — — Lam. Encycl. 5.
 — — — — — Sibth. Fl. gr. 1.
 — — — intermedium Schweigg. Sturm Flora 16, 67.
 † — — — — — Nees Gen. 4, 75.
 — — — Marschallii Stev. Sturm Flora 16, 67.
 — — — nitidum Kit. Winterl. Index 24.
 — — — — — Sturm Flora 16, 67.
 † — — — — — Nees Gen. 4, 75.
 † — — — Pallasii Led. Nees Gen. 4, 75.
 — — — squarrosus Pall. Pallas Fl. ross. 99.
 — — — subpentandrum Pall. Pallas Illustr. 59.
Cornacchia fragiformis Savi. Mem. Mod. 21, 7.
 † *Corneae* DC. Wight Illustr. 122.
Cornelia verticillata Ard. Arduino Anim. 2, 1.
Cornidia integerrima Hook. et Arn. Delessert Ic. 3, 79.
 — — — — — Poepp. et Endl. 17.
 † — — — umbellata R. et P. Ruiz et Pav. Prodr. 35.
Cornucopiae cucullatum L. Schreber Gräser 41.
 — — — — — Sibth. Fl. gr. 51.
 — — — — — Smith Spicil. 14.
 † — — — — — Lam. Encycl. 40.
Cornulaca monacantha Delile. Delile Egypte 22.
 † *Cornus* L. Wight Illustr. 122.
 — — — alba L. Meerburg Pl. sel. 2.
 — — — — — Pallas Fl. ross. 34.
 † — — — — — Hook. Journal 1850, 5.
 — — — alternifolia L. fil. L'her. Cornus 6.

- Cornus alternifolia* L. *fil.* Guimp. Fr. Holzgew. 43.
 — *canadensis* L. L'her. Cornus 1.
 — — — Usteri Del. 2, 1.
 — — — Bot. Mag. 22, 880.
 — — — Lodd. Cab. 631.
 — *capitata* Wall. Wall. Pl. asiat. 214.
 — *circinata* L'her. L'her. Cornus 3.
 — — — Usteri Del. 2, 2.
 — — — Guimp. Fr. Holzgew. 6.
 — *coerulea* Meerb. Meerburg Pl. sel. 3.
 — *florida* L. Bot. Mag. 15, 526.
 — — — Michaux Arb. 3, 3.
 — — — Guimp. Fr. Holzgew. 19.
 — — — Bigelow Med. 28.
 — — — Barton Med. 3.
 † — *mascula* L. Gaertn. Carp. 26.
 † — — — Lam. Encycl. 74.
 — — — Sibth. Fl. gr. 151.
 — — — Bot. Mag. 53, 2673.
 — — — Schk. Handb. 24.
 — — — Sturm Flora 13, 52.
 — — — Schrank Fl. monac. 1, 28.
 — — — Hartig 62.
 — — — Dict. sc. nat. 103.
 — *officinalis* Z. et S. Sieb. Japon. 50.
 — *paniculata* L'her. L'her. Cornus 5.
 — — — Torrey New York 41.
 † — *sanguinea* L. Gaertn. Carp. 86.
 † — — — Lam. Encycl. 74.
 — — — Fl. dan. 3, 481.
 — — — Engl. Bot. 4, 249.
 — — — Sv. Bot. 235.
 — — — Schrank Fl. monac. 3, 240.
 — — — Sturm Flora 13, 52.
 — — — Hartig 63.
 — — — Baxter Brit. Bot. 2, 114.
 † — — — Nees Gen. X, x.
 † — — — Hook. Journ. 1850, 5.
 — *sericea* L. Meerburg Pl. sel. 1.
 — — — L'her. Cornus 2.
 — — — Barton Med. 9.
 — — — Guimp. Fr. Holzgew. 85.
 — *stricta* L'her. L'her. Cornus 4.
 — *suecica* L. Linné Fl. lapp. 5.
 — — — Fl. dan. 1, 5.
 — — — Curt. Lond. 5, 194.
 — — — Engl. Bot. 5, 310.
 — — — Sv. Bot. 201.
 — — — Sturm Flora 13, 52.
 † *Cornutia pubescens* Gaertn. *fil.* Gaertn. Carp. 213.
 † — *punctata* Willd. Gaertn. Carp. 213.
 — — — Bot. Mag. 53, 2611.
 — — — Tratt. Archiv 9.
 † — *pyramidata* L. Lam. Encycl. 541.
Corokia buddleoides Cunn. Hook. Ic. pl. 5, 424.
 — *Cotoneaster Decne.* Raoul Nouv. Zel. 20.
 † *Coronilla* L. Mutel Flore franç. 15, 16.
 — *coronata* Jacq. Jacq. Fl. austr. 1, 95.
 — — — Bot. Mag. 23, 907.
 — — — Rchb. Pl. crit. 1, 32.
 — — — Riv. Rchb. Pl. crit. 1, 33.
 — *cretica* L. Jacq. Vind. 25.
 — — — Sibth. Fl. gr. 713.
 † — *Emerus* L. Lam. Encycl. 630.
 — — — Sibth. Fl. gr. 710.
 — — — Bot. Mag. 13, 445.
 — — — Sv. Bot. 343.
 — — — Guimp. Holzgew. 134.
 — *eriocarpa* Boiss. Boissier Esp. 54.
 — *glaucula* L. Bot. Mag. 1, 13.
 — — — Sibth. Fl. gr. 711.
 — *iberica* M. v. B. Bot. Mag. 53, 2646.

- Coronilla iberica* M. v. B. Lodd. Cab. 789.
 — — — Sweet Fl. G. 25.
 — *junceae* L. Bot. Reg. 10, 820.
 — — — Lodd. Cab. 235.
 — *minima* Jacq. Jacq. Fl. austr. 3, 271.
 — — — L. Lam. Encycl. 630.
 — — — Sturm Flora 12, 49.
 — — — Bot. Mag. 47, 2179.
 — *montana* Scop. Scop. Fl. carn. 2, 44.
 — — — Sturm Flora 12, 49.
 — *Securidaca* L. Sibth. Fl. gr. 712.
 — *squamata* Cav. Cav. Ic. 155.
 — *vaginalis* Lam. Sturm Flora 12, 49.
 — — — Rchb. Pl. crit. 1, 31.
 † — *valentina* L. Gaertn. Carp. 155.
 † — — — Lam. Encycl. 630.
 — — — Bot. Mag. 6, 185.
 — *varia* L. Schk. Handb. 205.
 — — — Bot. Mag. 8, 238.
 — — — Schrank Fl. monac. 1, 7.
 — — — Sturm Flora 12, 49.
 — — — Dietr. Fl. bor. 6, 361.
 — — — Brandt und Ratzeb. 24.
 — *viminalis* Salisb. Salisb. Parad. 13.
Coronopus depressus Moench. Sv. Bot. 733.
 — *didymus* Sm. Engl. Bot. 4, 248.
 † — *Ruellii* All. Gaertn. Carp. 142.
 — — — Engl. Bot. 24, 1660.
 — — — Baxter Brit. Bot. 4, 320.
 † — *vulgaris* Desf. Lam. Encycl. 558.
Corradoria incanescens DC. Willkomm Glob. 1.
 † *Correa* Sm. (Colla.) Mem. Tur. 5, (1843.) 0.
 — *alba* Andr. Andr. Rep. 1, 17.
 — — — Vent. Malm. 13.
 — — — Bot. Reg. 6, 515.
 — — — Lodd. Cab. 132.
 — — — Tratt. Archiv 133.
 — — — Lam. Encycl. 945.
 † — — — Mem. Mus. 12, 21.
 — *Backhousiana* Hook. Hook. Ic. pl. 1, 2.
 — *bicolor* Hort. Paxt. Mag. 9, 267.
 — — — Fl. d. serres 1, 12.
 — *cotinifolia* Salisb. Salisb. Parad. 100.
 — *ferruginea* Backh. Hook. Ic. pl. 1, 3.
 — — — Maund Bot. 3, 124.
 — *Harrisii* Paxt. Paxt. Mag. 7, 79.
 — *longiflora* Paxt. Paxt. Mag. 7, 195.
 — *pulchella* Mackay. Sweet Austral. 1.
 — — — Maund Bot. 4, 152.
 — — — Lodd. Cab. 1684.
 — — — Bot. Reg. 15, 1224.
 — — — Rchb. Exot. 345.
 — — — Bot. Mag. 69, 4029.
 — — — Annales de Gand 1845, 8.
 — — — var. Paxt. Mag. 12, 77, 14, 147.
 † — *rufa* Gaertn. *fil.* Gaertn. Carp. 210.
 — — — Glenn Journal 1839, 0.
 — *speciosa* Donn. Andr. Rep. 10, 633.
 — — — Bot. Mag. 42, 1746.
 — — — Lodd. Cab. 112.
 — — — Bot. Reg. 1, 26.
 — — — Herb. amat. 5, 309.
 — *virens* Sm. Smith Exot. Bot. 72.
 — — — Bot. Reg. 1, 3.
 — — — Lodd. Cab. 336.
 — — — Bot. Mag. 44, 1901.
 — — — Tratt. Archiv 134.
 — *viridiflora* Andr. Andr. Rep. 7, 436.
 — — — Bonpland Malm. 12.
 † *Correia Vandelli.* Roemer Scriptores 6.
Corrigiola litoralis L. Fl. dan. 2, 334.
 — — — Sibth. Fl. gr. 292.

- † *Corrigiola litoralis* L. Gaertn. Carp. 75.
 — — — Lam. Encycl. 213.
 — — — Schk. Handb. 83.
 — — — Engl. Bot. 10, 668.
 — — — Dietr. Fl. bor. 3, 205.
 — — — Baxter Brit. Bot. 4, 312.
 — — telephiifolia Pourr. Rchb. Ic. crit. 2, 161.
Cortesia cuneifolia Cav. Cav. Ic. 377.
 — cuneiformis Poir. Lam. Encycl. 921.
† *Cortusa Gmelini* L. Gaertn. Carp. 50.
 — — — Lam. Encycl. 99.
† — *Matthioli* L. Gaertn. Carp. 50.
 — — — Lam. Encycl. 99.
 — — — All. Fl. ped. 3, 5.
 — — — Jacq. Ic. 32.
 — — — Schk. Handb. 33.
 — — — Roemer Fl. eur. 3, 2.
 — — — Andr. Rep. 1, 1.
 — — — Bot. Mag. 25, 987.
 — — — Lodd. Cab. 956.
† — — — Nees Gen. 5, 9.
Corvisartia indica Royle. Royle Illustr. 60.
Coryanthes Albertinae Karst. Karsten Auswahl 1.
 — — — Fl. d. serres 8, 755.
† — *Feildingii* Ldl. Journ. Hort. Soc. 3, 16, 17.
 — — — Fl. d. serres 4, 364, 365.
 — *macrantha* Hook. Bot. Reg. 22, 1841.
 — — — Paxt. Mag. 5, 31.
 — — — Hart. Parad. 2, 4.
 — *maculata* Hook. Bot. Mag. 58, 3102.
 — — — var. Bot. Mag. 66, 3747.
 — — — Bot. Reg. 21, 1793.
 — — — Maund Bot. 5, 228.
 — *Parkerii* Ldl. Hart. Parad. 2, 4.
 — *speciosa* Hook. var. Bateman Orchid. 36.
 — — — var. vitellina, Annal. de Gand 1846, 51.
Corybas aconitiflorus Salisb. Salisb. Parad. 83.
† *Corycium Swartz.* Svensk Acad. 1800, 3.
 — — — Schrader N. Journ. 1, 1.
† — *bicolor* Sw. Bauer Orchid. (Genera.) 15.
 — — — Journ. sc. and arts 6, 1.
 — *orobanchoides* Sw. Bot. Reg. 24, 45.
 — — — Journ. sc. and arts 8, 3.
† *Corydalis Vent.* Wight Illustr. 11^a.
† — — — Gray Genera 52.
 — *acaulis* Wulf. Rchb. Fl. germ. 3, 5.
 — *aurea* Willd. Bot. Reg. 1, 66.
 — — — Gray Genera 52.
 — *bracteata* Pers. Bot. Mag. 60, 3242.
 — — — Bot. Reg. 19, 1644.
 — *bulbosa* Pers. Rchb. Fl. germ. 3, 8.
 — — — DC. Hayne 5, 1.
 — — — Nees Düsseld. Suppl. 91.
 — — — Sweet Brit. Bot. 1, 2.
 — *canadensis* Goldb. Silliman Journ. 26, 1.
 — *capnoides* Pers. Sturm Flora 14, 62.
 — *Cashmeriana* Royle. Royle Illustr. 16.
 — *cava* Schweigg. Sturm Flora 3, 11.
 — — — Dietr. Fl. bor. 2, 106.
 — *chaerophylla* DC. Wallich Tentamen 40.
 — *claviculata* DC. Rchb. Fl. germ. 3, 5.
 — *crassissima* Camb. Jacquemont Ind. 11.
 — — — Hook. Journ. 1852, 9.
 — *digitata* Pers. Rchb. Fl. germ. 3, 7.
 — *Erdelii* Zucc. Münchn. Abh. 3, 9.
 — *fabacea* Pers. Fl. dan. 8, 1394.
 — — — Hayne 5, 2.
 — — — Rchb. Fl. germ. 3, 7.
 — *formosa* Pursh. Herb. amat. 5, 289.
 — — — Silliman Journ. 26, 1.
 — *fungosa* Vent. Vent. Choix 19.
 — *Gebleri* Led. Ledeb. Ic. 49.

- Corydalis Govaniana* Wall. Royle Illustr. 16.
 — *Halleri* Willd. Hayne 5, 3.
 — — — Nees Düsseld. Suppl. 91.
 — *Hoffmeisteri* Klotzsch. Prinz Wald. Him. 35.
 — *intermedia* Merat. Dietr. Fl. bor. 2, 108.
 — *junceae* Wall. Wallich Tentamen 42.
 — *longiflora* Pers. Bot. Mag. 60, 3230.
 — — — Link Ic. II. 2.
 — *longipes* DC. Wallich Tentamen 42.
 — *lutea* Pers. Sturm Flora 14, 62.
 — — — Rchb. Fl. germ. 3, 6.
 — — — Dict. sc. nat. 176.
† — — — Plée Types 52.
 — *Marschalliana* Pers. Delessert Ic. 2, 10.
 — *meifolia* Wall. Wallich Tentamen 41.
 — *nobilis* Pers. Bot. Reg. 5, 395.
 — *ochroleuca* Koch. Sturm Flora 14, 62.
 — *pauciflora* Pers. Delessert Ic. 2, 9.
 — — — Led. Ledeb. Ic. 450.
 — *physocarpa* Camb. Jacquemont Ind. 12.
 — *pumila* Host. Rchb. Fl. germ. 3, 7.
 — *rutifolia* Sibth. Sibth. Fl. gr. 687.
 — *Scouleri* Hook. Hook. Bor. Am. 14.
 — *solida* Sm. Sv. Bot. 531.
 — — — Sturm Flora 20, 94.
 — — — Dietr. Fl. bor. 2, 107.
 — — — Baxter Brit. Bot. 3, 190.
 — *stricta* Steph. Ledeb. Ic. 56.
 — *tritenata* Zucc. Münchn. Abh. 3, 9.
 — *tuberosa* DC. Nees Düsseld. Suppl. 90.
Corylopsis pauciflora S. et Zucc. Sieb. Japon. 20.
 — *spicata* S. et Zucc. Sieb. Japon. 19.
† *Corylus* L. Linnæa 4, 3.
 — *americana* Michx. Dict. sc. nat. 302.
† — *Avellana* L. Gaertn. Carp. 89.
† — — — Lam. Encycl. 780.
 — — — Schk. Handb. 305.
 — — — Curt. Lond. 4, 17.
 — — — Engl. Bot. 11, 723.
 — — — Fl. dan. 9, 1468.
 — — — Sv. Bot. 139.
 — — — Schrank Fl. monac. 2, 124.
 — — — Hartig 15.
 — — — Dietr. Fl. bor. 12, 842.
 — — — Rchb. Fl. germ. 12, 636, 638.
† — — — Dict. sc. nat. 303.
† — — — Mem. Institut. 1830, 8.
† — — — Nees Gen. 4, 22.
 — — — Baxter Brit. Bot. 5, 338.
† — *Columna* L. Schk. Handb. 305.
 — — — Hartig 17.
 — — — Rchb. Fl. germ. 12, 638.
 — — — Watson Dendr. 2, 99.
 — — — Belgique hortie. 2, 61.
 — *ferox* Wall. Wall. Pl. asiat. 87.
 — *heterophylla* Fisch. Trautv. Imagines 4.
 — *Jacquemontii* Decne. Jacquemont Ind. 160.
 — *tubulosa* Willd. Hartig 16.
 — — — Rchb. Fl. germ. 12, 637.
Corymbis Aub. Aubert Orchid. 37, 38.
Corymbium glabrum Thunb. Lam. Encycl. 723.
 — *gramineum* Lam. Lam. Encycl. 723.
† — *scabrum* L. Gaertn. Carp. 86.
 — — — Lam. Encycl. 723.
Corymborchis Aub. Aubert Orchid. 37.
Corynandra pulchella Schrad. Rchb. Hort. 147.
† *Corynephorus Pal. B.* Dumortier Gram. 8.
 — *canescens* Pal. B. Rchb. Fl. germ. 1, 94.
† — — — Nees Gen. 1, 42.
† *Corynocarpus laevigata* Forst. Forster Char. 16.
† — — — Lam. Encycl. 143.
 — — — Bot. Mag. 74, 4379.

- Corynostylis Hybanthus* Mart. Mart. Bras. 17. 18.
Corypha cerifera Arruda. Mart. Palm. 49. 50.
 — *elata* Roxb. Griffith Palms 220^d.
 — *Gebanga* Bl. Blume Rumphia 97. 98. 105.
 — *minor* Lam. Jacq. Vind. 3, 8.
 † — — Jacq. Fragn. 7.
 — — *rotundifolia* Lam. Mart. Palm. 102.
 — — *Taliera* Roxb. Roxb. Corom. 255. 256.
 † — — Kerner Gen. 106 — 108.
 — — — Mart. Palm. 127.
 — — — Griffith Palms 220^ef.
 — — *umbraculifera* L. Rheede Hort. mal. 3, 1 — 12.
 — — — Rumpf Amb. 1, 8.
 † — — Gaertn. Carp. 7.
 — — — Lam. Encycl. 899.
 — — — Mart. Palm. 108. 127.
 — — *Utan* Lam. Rumpf Amb. 1, 11.
Corysanthes fimbriata R. Br. Flinders Voyage 10.
 — *unguiculata* R. Br. Endl. Iconogr. 18.
Coscinium fenestratum Colebr. Bot. Mag. 78, 4688.
Cosmea bipinnata Willd. Bot. Mag. 37, 1535.
 — *lutea* Sims. Bot. Mag. 41, 1689.
Cosmelia rubra R. Br. Bot. Reg. 21, 1822.
 † *Cosmibuena* R. et P. Ruiz et Pav. Prodr. 2.
 — *acuminata* R. et P. Ruiz et Pav. Fl. 226.
 — — — Kerner Hort. 290.
 — *obtusifolia* R. et P. Ruiz et Pav. Fl. 198.
 — *ochracea* Endl. Endl. Iconogr. 90.
Cosmos bipinnatus Cav. Cav. Ic. 14.
 — — — Savi Fl. ital. 3, 84.
 — *chrysanthemifolius* H. B. K. H. B. K. Nov. Gen. 4, 382.
 — *diversifolius* Otto. Knowles et Westc. 47.
 — *scabiosoides* H. B. K. Bot. Reg. 24, 15.
 — *sulphureus* Cav. Cav. Ic. 79.
 — *tenuifolius* Ldl. Bot. Reg. 23, 2007.
 † *Cosmostigma acuminatum* Wight. Wight Ic. pl. Ind. or. 4, 1270.
 — *racemosum* Wight. Wight Ic. pl. Ind. or. 2, 591.
 — — — Delessert Ic. 5, 84.
Cossinia pinnata Lam. Lam. Encycl. 236.
Costaea cubensis A. Rich. Ramon Cuba 53.
Costus afer Ker. Bot. Reg. 8, 683.
 — *Anachiri* Jacq. Jacq. Fragn. 78.
 — — — Kerner Hort. 233.
 — *arabicus* L. Jacq. Ic. 1.
 — *argenteus* R. et P. Ruiz et Pav. Fl. 4.
 — *cylindricus* Jacq. Jacq. Fragn. 77.
 — — *Rosc.* Roscoe Scit. 78.
 — — — Kerner Hort. 648.
 — *discolor* Rosc. Roscoe Scit. 81.
 — *maculatus* Rosc. Roscoe Scit. 82.
 — *nepalensis* Rosc. Roscoe Scit. 80.
 — *niveo-purpureus* Jacq. Jacq. Fragn. 67. 79.
 — *pictus* Don. Bot. Reg. 19, 1594.
 — *Pisonis* Ldl. Bot. Reg. 11, 899.
 † — — Ann. sc. nat. II. 15, 21.
 — *sarmentosus* Bojer. Ann. sc. nat. II. 4, 8.
 — *scaber* R. et P. Ruiz et Pav. Fl. 3.
 — *speciosus* Sm. Rheede Hort. mal. 11, 8.
 — — — Rumpf Amb. 6, 64.
 — — — Berl. Jahrb. 1792, 2.
 — — — Rchb. Exot. 69.
 — — — *β. angustifolius*, Bot. Reg. 8, 668.
 — — — Paxt. Mag. 4, 245.
 † — — — Ann. sc. nat. II. 15, 21.
 — — — Wight Ic. pl. Ind. or. 6, 2014.
 — *spicatus* Sw. Roscoe Scit. 77.
 † — — — Hegetschweiler Comm. 3.
 — — — Kerner Hort. 132.
 — *spiralis* Rosc. Roscoe Scit. 79.
 — *villosissimus* Jacq. Jacq. Fragn. 80.

- Cotoneaster acuminata* Ldl. Linn. Transact. 13, 9.
 — *affinis* Ldl. Lodd. Cab. 1522.
 — *buxifolia* Wall. Wight Spicil. 65.
 — — — Wight Ic. pl. Ind. or. 3, 992.
 — *denticulata* H. B. K. H. B. K. Nov. Gen. 6, 556.
 — *frigida* Wall. Lodd. Cab. 1512.
 — — — Bot. Reg. 15, 1229.
 — *granatensis* Boiss. Boissier Esp. 60.
 — *laxiflora* Jacq. Bot. Reg. 15, 1305.
 — — — Bot. Mag. 63, 3519.
 — *melanocarpa* Lodd. Lodd. Cab. 1531.
 — *microphylla* Wall. Lodd. Cab. 1374.
 — — — Bot. Reg. 13, 1114.
 — *multiflora* Led. Ledeb. Ic. 274.
 — *rotundifolia* Wall. Bot. Reg. 14, 1187.
 — *uniflora* Led. Ledeb. Ic. 269.
 — *vulgaris* Ldl. Curt. Lond. 5, 209.
 — — — Engl. Bot. 2713.
 — — — Hartig 83.
 — — — Dietr. Fl. bor. 7, 448.
 — — — Baxter Brit. Bot. 6, 402.
Cottea pappophoroides Kth. Humb. Gram. 52.
Cottonia macrostachya Wight. Wight Ic. pl. 5, 1775.
Cotula anthemoides L. Lam. Encycl. 700.
 — *aurea* L. Sibth. Fl. gr. 878.
 — — — Schk. Handb. 254.
 — *cinerea* Delile. Delile Egypte 47.
 — *complanata* Sibth. Sibth. Fl. gr. 879.
 — *coronopifolia* L. Fl. dan. 2, 341.
 † — — — Gaertn. Carp. 165.
 † — — — Lam. Encycl. 700.
 — — — Schk. Handb. 254.
 — — — Dreves 3, 82.
 — — — Sturm Flora 1, 7.
 — *elongata* Vogel. Trew Pl. rar. 26.
 — *grandis* L. Jacq. Obs. 81.
 — *myriophylloides* Harv. Hook. Ic. pl. 4, 335.
 — *tanacetifolia* L. Lam. Encycl. 700.
 † *Cotyledon* L. DC. Crassulacées 1.
 — *angulata* Guillem. DC. Plantes grasses 168.
 — *caespitosa* Haw. DC. Hort. genev. 14.
 — *coccinea* Cav. Cav. Ic. 170.
 — — — Bot. Mag. 52, 2572.
 — — — Lodd. Cab. 832.
 — — — Kerner Hort. 424.
 — — — Herb. amat. 2, 129.
 — *coruscans* Haw. Bot. Mag. 52, 2601.
 — — — Lodd. Cab. 1030.
 — *crenata* Vent. Vent. Malm. 49.
 — — — Bot. Mag. 35, 1436.
 — *cristata* Haw. Mem. Genev. 7, 7.
 — *curviflora* Sims. Bot. Mag. 46, 2044.
 — *cymosa* DC. Dict. sc. nat. 202.
 — *decussata* Sims. Bot. Mag. 51, 2518.
 — — — Bot. Reg. 11, 915.
 — *hemisphaerica* L. Roth Abhandl. 6.
 — — *Ait.* DC. Plantes grasses 87.
 — *hispanica* L. DC. Plantes grasses 123.
 — — — Tratt. Archiv 232.
 — *hispida* Lam. DC. Plantes grasses 69.
 — *horizontalis* Guss. Tenore Fl. nap. 234.
 — *integra* Medikus. Acta palat. 3, 9.
 — *laciniata* L. Rumpf Amb. 5, 95.
 — *leucantha* Led. Ledeb. Ic. 395.
 — *libanotica* Lab. Bill. Syr. 3, 1.
 — *Lievenii* Led. Ledeb. Ic. 57.
 — *lusitanica* Lam. Lam. Encycl. 389.
 — *lutea* Huds. Engl. Bot. 22, 1522.
 — *Mucizonia* Ortega. Jacq. Collect. 5, 13.
 — *orbiculata* Ait. DC. Plantes grasses 76.
 — — — Bot. Mag. 9, 321.
 — — *L.* Herb. amat. 1, 20.

- Cotyledon ovata* Haw. Lodd. Cab. 1392.
 — *papillaris* L. fil. Bot. Reg. 11, 915.
 — *parviflora* Sibth. Sibth. Fl. gr. 445.
 — — Desf. Ann. Mus. 11, 43.
 — — Desf. Choix 57.
 — *serrata* L. Sibth. Fl. gr. 444.
 — *spinosa* L. Nov. Comm. Gott. 7, 5.
 — *tardiflora* Bonpl. Bonpland Malm. 37.
 — *tuberculosa* Lam. DC. Plantes grasses 86.
 † — *Umbilicus* L. Lam. Encycl. 389.
 — — Huds. Curt. Lond. 5, 184.
 — — Engl. Bot. 5, 325.
 — — Baxter Brit. Bot. 4, 279.
 — *Verea* Jacq. Jacq. Schoenbr. 4, 435.
Coublandia frutescens Aubl. Aublet Guiana 356.
Conceveiba guianensis Aubl. Aublet Guiana 353.
Conepia guianensis Aubl. Aublet Guiana 207.
Couleia amentacea Dennst. Rheede Hort. mal. 5, 54.
Coulteria horrida H. B. K. H. B. K. Nov. Gen. 6, 568.
 † — — Flora 1838, 1.
 — — *tinctoria* H. B. K. H. B. K. Nov. Gen. 6, 569.
Couma guianensis Aubl. Aublet Guiana 392.
Coumarouna odora Aubl. Aublet Guiana 296.
 — — — Lam. Encycl. 601.
 — — — Desc. Ant. 7, 472.
Coupou aquatica Aubl. Aublet Guiana 377.
Couratari guianensis Aubl. Aublet Guiana 290.
 — — — Ann. sc. nat. 1, 21.
 † — — — Mem. Mus. 13, 8.
 — — *rufescens* Camb. St. Hil. Fl. Bras. 159.
Courimari guianensis Aubl. Aublet Guiana 384.
Couroupita guianensis Aubl. Aublet Guiana 282.
 — — — Tuss. Ant. 2, 10, 11.
 — — — Desc. Ant. 5, 340.
 † — — — Kerner Gen. 158—160.
 — — — Bot. Mag. 59, 3158, 3159.
 † — — — Dict. sc. nat. 227—229.
 † — — — Mem. Mus. 13, 7.
Courtoisia bipinnatifolia Rchb. Rchb. Hort. 208.
Cousinia actinocephala Jaub. Jaubert Illustr. 175.
 — *aggregata* DC. Belanger Ind. or. x.
 — *anisoptera* Jaub. Jaubert Illustr. 170.
 — *assyriaca* Jaub. Jaubert Illustr. 169.
 — *brachyptera* DC. Jaubert Illustr. 159.
 — *calcitrapaeiformis* Jaub. Jaubert Illustr. 158.
 — *calocephala* Jaub. Jaubert Illustr. 178.
 — *Candolleana* Jaub. Jaubert Illustr. 156.
 — *chrysacantha* Jaub. Jaubert Illustr. 160.
 — *crispa* Jaub. Jaubert Illustr. 163.
 — *cylindrocephala* Jaub. Jaubert Illustr. 166.
 — *erinacea* Jaub. Jaubert Illustr. 165.
 — *ilicifolia* Jaub. Jaubert Illustr. 164.
 — *involucrata* Jaub. Jaubert Illustr. 173.
 — *Oliverii* DC. Jaubert Illustr. 172.
 — *onopordioides* Led. Eichwald Cauc. 37.
 — *palmatiloba* Jaub. Jaubert Illustr. 162.
 — *prasina* Jaub. Jaubert Illustr. 168.
 — *prolifera* Jaub. Jaubert Illustr. 157.
 — *pugionifera* Jaub. Jaubert Illustr. 174.
 — *pyrrhocephala* Jaub. Jaubert Illustr. 167.
 — *ramosissima* DC. Jaubert Illustr. 171.
 — *Schultziana* Jaub. Jaubert Illustr. 177.
 — *sillyboides* Jaub. Jaubert Illustr. 176.
 — *sphaerocephala* Jaub. Jaubert Illustr. 161.
 † *Coussapoa* Aubl. Ann. sc. nat. III. 8, 1.
 — *angustifolia* Aubl. Aublet Guiana 363.
 — *intermedia* Mart. Endl. Bras. 12, 43.
 — *latifolia* Aubl. Aublet Guiana 362.
 — *Martiana* Miq. Endl. Bras. 12, 42.
 — *nitida* Miq. Endl. Bras. 12, 44.
 — *obovata* Miq. Miquel Pl. surin. Focke 3.
 — *subincana* Mart. Endl. Bras. 12, 45.

- Coussarea flava* P. et E. Poepp. et Endl. 231.
 — *violacea* Aubl. Aublet Guiana 38.
 † — — — Lam. Encycl. 55.
Coutarea pubescens Pohl. Pohl Bras. 200.
 — *speciosa* Aubl. Aublet Guiana 122.
 † — — — Gaertn. Carp. 194.
 † *Coutarea* (Portlandia hexandra) Lam. Encycl. 257.
 † *Coutoubea alba* Lam. Lam. Encycl. 79.
 — — — Desc. Ant. 8, 587.
 — *densiflora* Mart. Mart. Bras. 185.
 † — *purpurea* Lam. Gaertn. Carp. 198.
 — *ramosa* Aubl. Aublet Guiana 28.
 — *spicata* Aubl. Aublet Guiana 27.
 — *ternifolia* Cav. Cav. Ic. 328.
 † *Covellia Gasp.* Rendic. Acad. Neap. 1844, 8.
 — *Barclayana* Miq. Hook. Lond. Journ. 1848, 7.
 — *cuneata* Miq. Hook. Lond. Journ. 1848, 8.
 — *guttata* Wight. Wight Ic. pl. Ind. or. 6, 1966.
 — *microcarpa* Miq. Hook. Lond. Journ. 1848, 9.
 — *volkameriaefolia* Miq. Hook. Lond. Journ. 1848, 8.
Cowania mexicana Don. Linn. Transact. 14, 22.
 — *plicata* Don. Sweet Fl. G. II. 400.
 — *purpurea* Zucc. Münchn. Abh. 4, 2.
Crambe aspera M. v. B. Delessert Ic. 2, 91.
 — — — Rchb. Fl. germ. 2, 2.
 — *filiformis* Jacq. Jacq. Ic. 504.
 † — *hispanica* L. Gaertn. Carp. 142.
 † — — — Lam. Encycl. 553.
 — — — Schk. Handb. 189^a.
 — *maritima* L. Fl. dan. 2, 316.
 — — — Sv. Bot. 495.
 — — — Engl. Bot. 13, 924.
 — — — Baxter Brit. Bot. 2, 107.
 — — — Sturm Flora 5, 18.
 — — — Rchb. Fl. germ. 2, 2.
 — *orientalis* L. Jacq. Ic. 128.
 — *pinnatifida* R. Br. Rchb. Fl. germ. 2, 2.
 — *reniformis* Desf. Desf. Fl. atl. 151.
 — *strigosa* L'her. L'her. Stirp. 72.
 — *Tataria* Jacq. Jacq. Ic. 129.
 — — — Rchb. Fl. germ. 2, 2.
 † *Cranichis* Sw. Swartz Flora Ind. occ. 29.
 † — — — Svensk Acad. 1800, 3.
 † — — — Schrader Neues Journ. 1, 1.
Craniolaria annua L. Jacq. Hist. stirp. am. 166.
 — *unibracteata* N. v. E. Acta Leop. 11, 1, 4.
Craniospermum hirsutum DC. Delessert Ic. 5, 98.
 — *parviflorum* Decne. Jacquemont Ind. 130.
 — *subvillosum* Lehm. Lehmann Asperif. 50.
Craniotome versicolor Rchb. Rchb. Hort. 54.
Crantzia lineata Nutt. Hook. Fl. ant. 100.
Craspedaria Gestaniana Fée. Mem. Strassb. 4, 4.
 — *numularia* Fée. Mem. Strassb. 4, 5.
Craspedia glauca Spr. Bot. Reg. 22, 1908.
 — *macrocephala* Hook. Bot. Mag. 62, 3415.
Craspidospermum verticillatum Bojer. Delessert Ic. 5, 45.
Crassangis Aubl. Aubert Orchid. 71.
 † *Crassula* L. DC. Crassulacées 1.
 — *acutifolia* Lam. DC. Plantes grasses 2.
 — *albiflora* Sims. Bot. Mag. 50, 2391.
 — *caespitosa* Cav. Cav. Ic. 69.
 — *capitata* Lodd. Lodd. Cab. 1029.
 — *centauroides* L. Bot. Mag. 42, 1765.
 — *ciliata* L. DC. Plantes grasses 7.
 — *coccinea* L. DC. Plantes grasses 1.
 — — — Bot. Mag. 14, 495.
 — — — Lodd. Cab. 486.
 — — — Herb. amat. 3, 202.
 — *conglomerata* Jacq. Jacq. Fragm. 88.
 — *cordata* Ait. Jacq. Schoenbr. 4, 431.
 — — — DC. Plantes grasses 121.
 — — — Lodd. Lodd. Cab. 359.

- Crassula corymbulosa* Link. Link Ic. I. 16.
 — *Cotyledon* Curt. Bot. Mag. 11, 384.
 — *crenata* Desf. Ann. Mus. 11, 46.
 — — Desf. Choix 58.
 — *cultrata* L. Trew Pl. rar. 12.
 † — — Lam. Encycl. 220.
 — — Bot. Mag. 44, 1940.
 — *dejecta* Jacq. Jacq. Schoenbr. 4, 433.
 — *falcata* Dryand. Bot. Mag. 46, 2035.
 — *glomerata* L. DC. Plantes grasses 67.
 — *jaminea* Sims. Lodd. Cab. 1040.
 — — Bot. Mag. 47, 2178.
 — *indica* Decne. Jacquemont Ind. 73.
 — *lactea* Ait. Jacq. Schoenbr. 4, 430.
 — — DC. Plantes grasses 37.
 — — Smith Exot. Bot. 33.
 — — Lodd. Cab. 735.
 — — Bot. Mag. 43, 1771.
 — — Herb. amat. 1, 38.
 — *marginalis* Ait. Jacq. Schoenbr. 4, 471.
 — *nudicaulis* L. DC. Plantes grasses 133.
 — *obliqua* Andr. Andr. Rep. 6, 414.
 — *obvallata* L. Trew Pl. rar. 11.
 — — DC. Plantes grasses 61.
 — *odoratissima* Andr. Andr. Rep. 1, 26.
 — — Jacq. Schoenbr. 4, 434.
 — *orbicularis* L. DC. Plantes grasses 43.
 — *pellucida* Jacq. Jacq. Fragm. 44.
 — *perfoliata* L. DC. Plantes grasses 13.
 † — — Lam. Encycl. 220.
 — — Andr. Rep. 10, 656.
 — *perfossa* Lam. Jacq. Schoenbr. 4, 432.
 — — DC. Plantes grasses 23.
 — *portulacea* Lam. DC. Plantes grasses 79.
 — *ramuliflora* Link. Link Ic. I. 17.
 — *retroflexa* Thunb. Meerburg Pl. sel. 16.
 — *rubens* L. DC. Plantes grasses 55.
 — *scabra* L. Martyn Hist. 22.
 — *spathulata* Thunb. DC. Plantes grasses 49.
 — *spinosa* L. Jacq. Fragm. 127.
 — *tetragona* L. DC. Plantes grasses 19.
 — *turrita* Thunb. Jacq. Schoenbr. 1, 52.
 — — Bot. Reg. 16, 1344.
 — *Umbella* Jacq. Jacq. Ic. 352.
 — — Tratt. Archiv 221.
 — *undulata* Haw. Lodd. Cab. 584.
 — *versicolor* Burch. Lodd. Cab. 433.
 — — Bot. Mag. 50, 2356.
 — — Bot. Reg. 4, 320.
Crataegus arbutifolia Ait. Lodd. Cab. 201.
 — *Aria* L. Fl. dan. 2, 301—302.
 † — — Lam. Encycl. 433.
 — *Aronia* Bosc. Bot. Reg. 22, 1897.
 — *Azarolus* L. Hartig 86.
 — — Andr. Rep. 9, 579.
 — *Chamaemespilus* Jacq. Jacq. Fl. austr. 3, 231.
 — *coccinea* L. Bot. Mag. 62, 3432.
 — — Bot. Reg. 23, 1957.
 — *cordata* Ait. Bot. Reg. 14, 1151.
 — *crenulata* Roxb. Bot. Reg. 30, 52.
 — *cretica* Willd. Ann. Mus. 12, 5.
 — — Desf. Choix 60.
 — *Crus galli* L. Trew Pl. rar. 17.
 — — var. *ovalifolia*, Bot. Reg. 22, 1860.
 — — Belgique hort. 1, 14.
 — *Douglasii* Ldl. Bot. Reg. 21, 1810.
 — *flava* Ait. Bot. Reg. 23, 1939.
 — — var. *lobata*, Bot. Reg. 23, 1932.
 — *fiorentina* Targ. Mem. Mod. 20, 20.
 — *glabra* Thunb. Lodd. Cab. 248.
 — — Bot. Mag. 47, 2105.
 — — Savi Fl. ital. 2, 45.

- Crataegus glandulosa* Willd. Lodd. Cab. 1012.
 — — *β. macracantha*, Bot. Reg. 22, 1912.
 — *granatensis* Boiss. Boissier Esp. 61.
 — *heterophylla* Flüge. Ann. Mus. 12, 38.
 — — Bot. Reg. 14, 1161. 22, 1847.
 — *indica* L. Bot. Mag. 42, 1726.
 † — *kyrtostyla* Fingerh. Linnaea 4, 3.
 — *leucophlaeos* Moench. Moench Weissenstein 2.
 — *lucida* Wangenh. Wangenheim Beitrag 17.
 — *maroccana* Pers. Bot. Reg. 22, 1855.
 — *mexicana* DC. Bot. Reg. 22, 1910.
 — — Don. Sweet Fl. G. II. 300.
 — *microcarpa* Ldl. Bot. Reg. 22, 1846.
 — *monogyna* Jacq. Pallas Fl. ross. 12.
 — — Jacq. Fl. austr. 3, 292.
 — — Fl. dan. 7, 1162.
 † — — Linnaea 4, 3.
 — *nigra* W. et K. W. et Kit. 61.
 — — Lodd. Cab. 1021.
 — *odoratissima* Ldl. Bot. Reg. 22, 1885.
 — *orientalis* Ldl. Bot. Reg. 22, 1852.
 — *Oxyacantha* L. Jacq. Fl. austr. 3, 292.
 — — Fl. dan. 4, 634.
 — — Sv. Bot. 157.
 — — Schk. Handb. 132.
 — — Schrank Fl. monac. 1, 97.
 — — Hartig 84.
 — — var. *punicea*, Lodd. Cab. 1363.
 — — var. *Oliveriana*, Bot. Reg. 23, 1933.
 — — var. *rosea*, Paxt. Mag. 1, 198.
 — — var. *punicea plena*, Annales de Gand 1847, 146.
 — — Baxter Brit. Bot. 2, 118.
 † — — Linnaea 4, 3.
 — *oxyacanthoides* Thuill. Bot. Reg. 13, 1128.
 — *platyphylla* Ldl. Bot. Reg. 22, 1874.
 — *prunifolia* Bosc. Bot. Reg. 22, 1868.
 — *punctata* Ait. Jacq. Vind. 28.
 — *pyrifolia* Ait. Bot. Reg. 22, 1877.
 — *rotundifolia* Lam. Moench Weissenst. 1.
 — *sanguinea* Pall. Pallas Fl. ross. 11.
 — *sinensis* Hort. Herb. amat. 4, 247.
 — *spathulata* Michx. Lodd. Cab. 1261.
 — — Bot. Reg. 22, 1890.
 — *spinosissima* Lodd. Lodd. Cab. 1100.
 — *tanacetifolia* Pers. Bot. Reg. 22, 1884.
 — *tomentosa* L. Kerner Oekon. Gew. 699.
 — *torminalis* L. Fl. dan. 5, 798.
 — — Jacq. Fl. austr. 5, 443.
 — — Lam. Encycl. 433.
 — *trilobata* Lab. Bill. Syr. 4, 10.
Crataeva Adansonii DC. Delessert Ic. 3, 7.
 — *capparioides* Andr. Andr. Rep. 3, 176.
 — *fragrans* Sims. Bot. Mag. 16, 596.
 — *Marmelos* L. Rumpf Amb. 1, 81.
 — *Nurvala* Ham. Rheede Hort. mal. 3, 42.
 — *religiosa* Forst. Lam. Encycl. 395.
 — *Roxburghii* R. Br. Hook. Ic. pl. 2, 178.
Cratoxylon polyanthum Korth. Korthals Bot. 36.
Crawfordia fasciculata Wall. Wallich Tentamen 47.
 — *speciosa* Wall. Wallich Tentamen 48.
Cremanium milleflorum DC. Mart. Bras. 266.
Cremastostemon capensis Jacq. Jacq. Fragm. 103.
 † *Cremidaria horrida* Presl. Hook. Gen. Fil. 4.
Cremolobus peruvianus DC. Hook. Ic. pl. 1, 48.
 — *pinnatifidus* Hook. Hook. Ic. pl. 1, 100.
 — *pubescens* Hook. Hook. Ic. pl. 1, 81.
 — *rhomboidens* Hook. Hook. Ic. pl. 1, 32.
 — *sinuatus* Hook. Hook. Ic. pl. 1, 99.
Crenea maritima Aubl. Aublet Guiana 209.
 † — — Lam. Encycl. 407.
 † *Crepidium Rheedii* Bl. Blume Tabellen 63.

- † *Crepis* *L.* Mutel Flore franç. 33.
 — *adenantha* Vis. Visiani Dalm. 5.
 — *Adonis* Spr. Tratt. Archiv 220.
 — *agrestis* W. et K. W. et Kit. 220.
 — *albida* Vill. Vill. Dauph. 33.
 — — *All.* All. Fl. ped. 3, 32.
 — — Jacq. Ic. 164.
 — *alpestris* Tausch. Sturm Flora 7, 28.
 † *alpina* *L.* Gaertn. Carp. 158.
 † — — Lam. Encycl. 651.
 — *ambigua* Balb. Mem. Tur. 8, 2.
 † *aspera* *L.* Schk. Handb. 222.
 — — Sibth. Fl. gr. 804.
 — *aurea* Tausch. Sturm Flora 10, 37.
 † — — Cass. Monnier Essai 2.
 — *austriaca* All. All. Fl. ped. 3, 30.
 — — Jacq. Jacq. Enum. vind. 5.
 — — Jacq. Fl. austr. 5, 441.
 — *barbata* *L.* Bot. Mag. 1, 35.
 — *bellidifolia* Lois. Lois. Fl. gall. 18.
 † *biennis* *L.* Gaertn. Carp. 158.
 † — — Lam. Encycl. 651.
 † — — Schk. Handb. 222.
 — — Engl. Bot. 3, 149.
 — — Sv. Bot. 733.
 — — Fl. dan. 12, 1997.
 — — Schrank Fl. monac. 1, 289.
 — — Dietr. Fl. bor. 9, 638.
 — — var. Rochel Banat. 30.
 — *blattarioides* Vill. Sturm Flora 10, 39.
 — *cernua* Ten. Tenore Fl. nap. 183.
 — — Rchb. Ic. crit. 4, 306.
 — *coronopifolia* Desf. Act. soc. hist. nat. Par. 9.
 — *corymbosa* Ten. Tenore Fl. nap. 184.
 — *Dioscoridis* Gochn. Gochnat Cichor. 3.
 — — *L.* Sibth. Fl. gr. 808.
 — — DC. Ic. Gall. 18.
 — — Schk. Handb. 222.
 — — Schrank Fl. monac. 1, 295.
 — *filiformis* Viv. Viviani Lib. 21.
 — *foetida* *L.* Engl. Bot. 6, 406.
 — *glandulosa* Guss. Gussone Pl. rar. 56.
 — *hieracioides* W. et K. W. et Kit. 70.
 — *hispida* W. et K. W. et Kit. 43.
 — *hispidula* Delile. Delile Egypte 42.
 — *hyoseroides* Sibth. Sibth. Fl. gr. 809.
 — *Jacquini* Tausch. Sturm Flora 10, 39.
 — *incana* Sibth. Sibth. Fl. gr. 802.
 — *incarnata* Vis. Visiani Stirp. dalm. 6.
 — — Tausch. Sturm Flora 10, 39.
 — *insularis* Moris. Mem. Tur. 2, (1840.) 3.
 — *interrupta* Sibth. Sibth. Fl. gr. 803.
 — *intybacea* Brot. Brotero Phytogr. 26.
 — *lacera* Ten. Tenore Fl. nap. 74.
 — — Rchb. Pl. crit. 1, 19.
 — *Lachenalii* Gochn. Gochnat Cichor. 1.
 — *latialis* Seb. Sebast. Rom. pl. 2, 5.
 — *Loweii* Schultz. β. canariensis, Webb Canar. 123.
 — *macrorrhiza* H. Banks. Bot. Mag. 57, 2988.
 — *multicaulis* Led. Ledeb. Ic. 36.
 — *multiflora* Sibth. Sibth. Fl. gr. 806.
 — *muricata* Sibth. Sibth. Fl. gr. 807.
 — *neglecta* *L.* Sibth. Fl. gr. 805.
 — *nemausensis* Gouan. All. Fl. ped. 3, 75.
 — *nigricans* Viv. Viviani Lib. 10.
 — *nudiflora* Viv. Viviani Lib. 13.
 — *oporinoides* Boiss. Boissier Esp. 117.
 — *praecox* Balb. Mem. Tur. 7, 9.
 — *praemorsa* Tausch. Sturm Flora 10, 39.
 † *pulchra* *L.* Schk. Handb. 222.
 — — Engl. Bot. 33, 2325.
 — *radicata* Sibth. Sibth. Fl. gr. 800.

- Crepis rhagadioloides* *L.* Jacq. Schoenbr. 2, 144.
 — *rigida* W. et K. Winterl Index 3.
 — — W. et Kit. 19.
 — *rubra* *L.* Sibth. Fl. gr. 801.
 — — Herb. amat. 1, 14.
 — *senecioides* Delile. Delile Egypte 42.
 — *setosa* Hall. fil. Engl. Bot. 2945.
 — *spathulata* Lam. Lam. Encycl. 651.
 — *stricta* Scop. Scop. Fl. carn. 2, 47.
 — — Rchb. Ic. crit. 4, 307.
 — *succisaefolia* Tausch. Sturm Flora 10, 39.
 — *taraxacifolia* Thuill. Engl. Bot. 2929.
 — *tectorum* *L.* Curt. Lond. 2, 66.
 — — Engl. Bot. 16, 1111.
 † — — Schk. Handb. 222.
 — — Dietr. Fl. bor. 9, 610.
 † *virens* *L.* Schk. Handb. 222.
 † — — Monnier Essai 3.
 — — Baxter Brit. Bot. 5, 366.
 — *virgata* Desf. Act. soc. hist. nat. Par. 8.
 † *Crescentia cucurbitina* *L.* Gaertn. Carp. 223.
 — *Cujete* *L.* Jacq. Hist. stirp. am. 167.
 † — — Jacq. Fragn. 33.
 — — Tuss. Ant. 2, 19.
 — — Desc. Ant. 4, 244.
 — — Bot. Mag. 62, 3439.
 — *edulis* Desv. Desc. Ant. 5, 318.
 — *latifolia* Lam. Lam. Encycl. 547.
 — — Desc. Ant. 3, 182.
 — *obovata* Benth. Benth. Sulphur 46.
 † *pinnata* Jacq. Jacq. Fragn. 33.
 † — — Jacq. Collect. 3, 18.
 — *toxicaria* Tuss. Tuss. Ant. 4, 17.
Cressa cretica *L.* Sibth. Fl. gr. 236.
 — — Lam. Encycl. 183.
 † *indica* Roxb. Wight Illustr. 168^b.
Crinodendron Patagica Molina. Cav. Diss. 158.
 — — Hook. Bot. Misc. 100.
 † *Crinonia carnea* Bl. Blume Tabellen 41.
Crinum *L.* (Ker.) Journ. sc. and arts 3, 3.
 † — *africanum* *L.* Gaertn. Carp. 83.
 † — — Lam. Encycl. 234.
 — *amabile* Donn. Bot. Mag. 39, 1605^a.
 — — Kerner Hort. 553.
 — — Hart. Parad. 1, 5.
 — — var. *augustum*, Bot. Reg. 8, 679.
 — *americanum* *L.* Red. Lil. 6, 322. 332.
 — — Bot. Mag. 26, 1034.
 — — Desc. Ant. 8, 552.
 — *aquaticum* Herb. Bot. Mag. 49, 2352.
 — *arenarium* Herb. Bot. Mag. 49, 2355. 52, 2531.
 — *asiaticum* *L.* Rumpf Amb. 6, 69.
 — — Red. Lil. 6, 348.
 — — Bot. Mag. 27, 1073.
 — — var. *bracteatum*, Bot. Reg. 3, 179.
 — *augustum* Roxb. Bury Hexandrian pl. 4.
 — — Bot. Reg. 8, 679.
 — — Bot. Mag. 50, 2397.
 — *australe* Donn. Bot. Reg. 1, 52.
 — *bracteatum* Willd. Jacq. Schoenbr. 4, 495.
 — — Bot. Reg. 3, 179.
 — *Broussonetii* Herb. Lodd. Cab. 688.
 — — Bot. Mag. 47, 2121.
 — — Rchb. Exot. 48.
 — *capense* Herb. Maund Bot. 1, 39.
 — — var. Bot. Reg. 7, 546.
 — — var. Bot. Mag. 53, 2688.
 † — — Hoeven Tijdschr. 7, 3.
 — *Careyanum* Herb. Bot. Mag. 51, 2466.
 — *Commelini* Jacq. Jacq. Schoenbr. 2, 202.
 — — Kerner Hort. 333.
 — *confertum* Herb. Bot. Mag. 51, 2522.

- Crinum cruentum* Ker. Bury Hexandrian pl. 22.
 — — — Lodd. Cab. 346.
 — — — Bot. Reg. 2, 171.
 — — — Rchb. Exot. 192.
 — *declinatum* Herb. Bury Hexandrian pl. 43.
 — — — Bot. Mag. 48, 2231.
 — *defixum* Ker. Rheede Hort. mal. 11, 38.
 — — — Lodd. Cab. 362.
 — — — Bot. Mag. 48, 2208.
 — *elegans* Herb. Bot. Mag. 52, 2592.
 — *ensifolium* Roxb. Bot. Mag. 49, 2301.
 — *erubescens* Ait. Jacq. Schoenbr. 4, 494.
 — — — Red. Lil. 1, 27.
 — — — Bury Hexandrian pl. 34.
 — — — Kerner Hort. 72.
 — — — Lodd. Cab. 31.
 — — — Bot. Mag. 30, 1232.
 † — — — Ann. sc. nat. 2, 1.
 — *erubescens-capense* Herb. Bot. Mag. 49, 2336.
 — *falcatum* Jacq. Jacq. Vind. 3, 60.
 — *flaccidum* Herb. Bot. Reg. 5, 426.
 — — — Bot. Mag. 47, 2133.
 — *giganteum* Andr. Red. Lil. 4, 181.
 — — — Bury Hexandrian pl. 17.
 — — — Andr. Rep. 3, 169.
 — *govenium hybridum* Herb. Hort. Transact. 3, 6.
 — *Herbertianum* Wall. Pl. asiat. 145.
 — *humile* Herb. Bot. Mag. 53, 2636.
 — *Knyffii* Morr. Belgique hort. 2, 63.
 — *latifolium* L. Rheede Hort. mal. 11, 39.
 — — — Andr. Rep. 7, 478.
 — — — Bot. Reg. 15, 1297.
 — — — Herb. amat. 3, 204.
 — — — Wight Ic. pl. Ind. or. 6, 2019. 2020.
 — *longiflorum* Herb. Bot. Reg. 4, 303.
 — *mauritanum* Lodd. Lodd. Cab. 650.
 — *moluccanum* Roxb. Bot. Mag. 49, 2292.
 — — — Herb. Rchb. Exot. 47.
 — *ornatum* Herb. Bury Hexandrian pl. 18.
 — — — Bot. Reg. 7, 579.
 — — — var. Bot. Reg. 15, 1297.
 — *pedunculato-zeylanicum* Hort. Bury Hex. pl. 30.
 — *pedunculatum* R. Br. Bury Hexandrian pl. 11.
 — — — Bot. Reg. 1, 52.
 — *plicatum* Livingst. Bot. Mag. 56, 2908.
 — — — Rchb. Exot. 193.
 — *procerum* Carey. Bot. Mag. 53, 2684.
 † — *pusillum* Herb. Herbert Amar. 32.
 — *revolutum* Herb. Bot. Reg. 13, 1049.
 — *rigidum* Herb. Bot. Reg. 2, 171.
 — *scabrum* Herb. Bury Hexandrian pl. 32.
 — — — Lodd. Cab. 529.
 — — — Bot. Mag. 47, 2180.
 — — — Rchb. Exot. 49.
 — *speciosum* Herb. Bot. Mag. 48, 2217.
 — *spirale* Andr. Andr. Rep. 2, 92.
 — *strictum* Herb. Bot. Mag. 53, 2635.
 — *submersum* Herb. Bot. Mag. 51, 2463.
 — *sumatranum* Roxb. Bot. Reg. 13, 1049.
 — *taitense* Red. Red. Lil. 7, 408.
 — — — Kerner Hort. 445.
 † — — — Ann. sc. nat. 2, 1.
 — *tenellum* L. Jacq. Ic. 363.
 — *toxicarium* Roxb. Lodd. Cab. 669.
 — — — Wight Ic. pl. Ind. or. 6, 2021. 2022.
 — *undulatum* Hook. Hook. Exot. Fl. 200.
 — — — Kerner Hort. 832.
 — *urceolatum* Rz et P. Ruiz et Pav. Fl. 287.
 — *variabile* Herb. Bot. Reg. 8, 615.
 — — — var. roseum, Bot. Reg. 30, 9.
 — *yuccaeiflorum* Salisb. Salisb. Parad. 52.
 — *yuccaeoides* Herb. Bury Hexandrian pl. 21.

- Crinum zeylanicum* L. Bury Hexandrian pl. 29.
Criptangis Aub. Aubert Orchid. 50.
Cristaria coccinea Pursch. Bot. Mag. 40, 1673.
 — *glaucophylla* Cav. Cav. Ic. 418.
Crithmum maritimum L. Rumpf Amb. 6, 72. fig. 2.
 — — — Jacq. Vind. 187.
 † — — — Lam. Encycl. 197.
 — — — Schk. Handb. 64.
 — — — Engl. Bot. 12, 819.
 — — — Baxter Brit. Bot. 4, 267.
Crithodium aegilopioides Lk. Linnaea 9, 3.
Crithopsis rhachitricha Jaub. Jaubert Illustr. 321.
 † *Critonia Kuhnii* Gaertn. Gaertn. Carp. 174.
Crocantus mossambicensis Klotzsch. Peters Moss. x.
Crocidium multicaule Hook. Hook. Bor. Am. 118.
Crococsmia aurea Planch. Fl. d. serres 7, 702.
Crocus L. Descurtilz Voyages 1, 6 — 10.
 — — — (19 varietates.) Hort. Transact. 7, 11. 12.
 † — — — Kerner Genera 53.
 † — — — Mutel Flore franç. 70. 71. 72.
 — *annulatus* Herb. Bot. Mag. 67, 3868.
 — *aureus* Sm. Sibth. Fl. gr. 35.
 — — — Engl. Bot. 2646.
 — — — Bot. Mag. 57, 2986.
 — — — Rchb. Ic. crit. 10, 925.
 — — — Rchb. Fl. germ. 9, 357.
 — *autumnalis* Brot. var. multifidus, Brot. Phyt. 94.
 — *bannaticus* Heuff. Rchb. Fl. germ. 9, 361.
 — *biflorus* Mill. Andr. Rep. 6, 362.
 — — — Bot. Mag. 22, 845.
 — — — Red. Lil. 5, 294.
 — — — Herb. amat. 2, 101.
 — — — Rchb. Exot. 37.
 — — — Rchb. Ic. crit. 10, 935. 936.
 — — — Rchb. Fl. germ. 9, 356.
 — *Boryi* Gay. Bory Morée 3.
 — — — Bot. Reg. 33, 16.
 — *byzantinus* Ker. Bot. Reg. 31, 37. 33, 4.
 — *Cambessedianus* Gay. Bot. Reg. 31, 37.
 — *cancellatus* Herb. Bot. Reg. 33, 16.
 — *Cartwrightianus* Herb. Bot. Reg. 30, 3. 31, 37.
 — *chrysanthus* Herb. Bot. Reg. 33, 4.
 — *Clusianus* Gay. Bot. Reg. 31, 37.
 — *damascenus* Herb. Bot. Reg. 31, 37.
 — *gargaricus* Herb. Bot. Reg. 33, 16.
 — *hadriaticus* Herb. Bot. Reg. 33, 16.
 — *Imperati* Ten. Tenore Mem. 3.
 — — — Tenore Fl. nap. 206.
 — — — Rchb. Ic. crit. 10, 937.
 — — — Bot. Reg. 23, 1993.
 — — — Sweet Fl. G. II. 98.
 — — — Colla. Mem. Tar. 35, 5.
 — *insularis* Gay. Bot. Reg. 29, 21.
 — *iridiflorus* Heuff. Rchb. Fl. germ. 9, 361.
 — *lacteus* Sab. Sweet Fl. G. II. 194.
 — *laevigatus* Bory. Bory et Chaub. Morée 2.
 — *lagenaeiflorus* Salisb. Salisb. Parad. 106.
 — — — Bot. Mag. 53, 2655. 67, 3869.
 — *longiflorus* Rafin. Rafinesque Caratteri 19.
 — — — Rchb. Ic. crit. 10, 946.
 — — — Tenore Fl. nap. 201.
 — — — Parlatores Ic. pl. rar. pan. 2.
 — — — Bot. Reg. 30, 3.
 — *luteus* Lam. Red. Lil. 4, 196.
 — — — Hayne 6, 27.
 — — — Sturm Flora 7, 27.
 — — — Rchb. Ic. crit. 10, 926.
 — — — Rchb. Fl. germ. 9, 357.
 † — — — Nees Gen. 3, x.
 — *margaritaceus* Herb. Bot. Reg. 33, 16.
 — *mazziaricus* Herb. Bot. Reg. 33, 16.
 — *medius* Balb. Rchb. Ic. crit. 10, 944.

- Crocus medius* Balb. Bot. Reg. 31, 37.
 — meridionalis Risso. Rizzo Fl. de Nice 17.
 — minimus DC. Red. Lil. 2, 81.
 — — Bot. Mag. 57, 2991.
 — — Rchb. Ic. crit. 10, 941.
 — — Rchb. Fl. germ. 9, 359.
 — moesiacus Gawl. Bot. Mag. 28, 1111.
 — — Herb. amat. 2, 100.
 — multifidus Ramond. Bull. philom. 1800. no. 40.
 — — Roemer Fl. eur. 13, 1.
 — — Sm. Rchb. Ic. crit. 10, 947.
 — napolitanus Hort. Herb. amat. 2, 101.
 — nervifolius Rchb. Rchb. Ic. crit. 10, 942. 943.
 — nivalis Bory. Bory et Chaub. Morée 2.
 — — Bot. Reg. 33, 4.
 — nudiflorus Sm. Engl. Bot. 7, 491.
 — — Baxter Brit. Bot. 2, 137.
 — odorus Biv. Bivona Stirp. rar. Sic. 3, 2.
 † — — Tenore Fl. nap. 206.
 — — Bot. Reg. 30, 3.
 — Pallasianus Herb. Bot. Reg. 30, 3.
 — Pallasii M. v. B. Rchb. Fl. germ. 9, 360.
 — praecox Haw. Engl. Bot. 2645.
 — pulchellus Herb. Bot. Reg. 30, 3.
 — pusillus Ten. Tenore Memoria 2.
 — — Tenore Fl. nap. 206.
 — — Lodd. Cab. 1454.
 — — Bot. Reg. 23, 1987.
 — — Sweet Fl. G. 106.
 — Reinwardtii Rchb. Rchb. Ic. crit. 10, 938.
 — reticulatus Stev. Marshall Cent. 1.
 — — Rchb. Ic. crit. 10, 939. 940.
 — — Rchb. Fl. germ. 9, 356.
 — — Lodd. Cab. 1822.
 — — var. albicans, Bot. Reg. 33, 16.
 — Salzmannianus Gay. Bot. Reg. 33, 4.
 † — sativus L. Lam. Encycl. 30.
 — — Red. Lil. 3, 173.
 — — Rousseau Bot. 4.
 — — Engl. Bot. 5, 343.
 — — Woodv. Med. 4, 259.
 — — var. vernus, Schk. Handb. 6.
 — — Hayne 6, 25.
 — — Nees Düsseldorf. 58.
 — — Guimp. et Schl. 173.
 — — Wagner 29.
 † — — Tenore Fl. nap. 206.
 — — var. cashmerianus, Royle Illustr. 90.
 — — Rchb. Fl. germ. 9, 360.
 † — — Nees Gen. 3, x.
 — — Berg Darstellung 1^d.
 — serotinus Salisb. Salisb. Parad. 30.
 — — Bot. Mag. 31, 1267.
 — — Rchb. Ic. crit. 10, 945.
 — speciosus M. v. B. Marshall Cent. 71.
 — — Rchb. Ic. crit. 10, 948.
 — — Bot. Mag. 67, 3867.
 — — Engl. Bot. 2752.
 — — Engl. Bot. Bot. Reg. 25, 40.
 — stellaris Haw. Hort. Transact. 1, 6.
 — suaveolens Bertol. Tenore Fl. nap. 206.
 — — Bot. Mag. 67, 3864.
 — — Sweet Fl. G. II. 352.
 — sulphureus Ker. Bot. Mag. 24, 938. 34, 1384.
 — — Rchb. Ic. crit. 10, 927.
 — susianus Ker. Bot. Mag. 18, 652.
 — — Red. Lil. 5, 293.
 — — Hayne 6, 28.
 — — Rchb. Ic. crit. 10, 928.
 — — Rchb. Fl. germ. 9, 358.
 † — — Nees Gen. 3, x.
 — Thomasii Ten. Tenore Memoria 4.

- Crocus Thomasii* Ten. Tenore Fl. nap. 204. 205.
 — — Rchb. Ic. crit. 10, 951.
 — — Bot. Reg. 30, 3.
 — Tournefortianus Gay. Bot. Reg. 31, 37.
 — vallicola Herb. Bot. Reg. 33, 16.
 — variegatus Hoppe et H. Hoppe et Hornsch. Tagebuch 1.
 — — Sturm Flora 13, 54.
 — veluchensis Ldl. Bot. Reg. 33, 4.
 — vernus All. Jacq. Fl. austr. 5, 36.
 — — Bot. Mag. 2, 45.
 — — Engl. Bot. 5, 344.
 — — Red. Lil. 5, 266.
 — — Hayne 6, 26.
 — — Sturm Flora 6, 22. 7, 27.
 — — Rchb. Exot. 22.
 — — Rchb. Ic. crit. 10, 929—934.
 — — Rchb. Fl. germ. 9, 355.
 — — Dietr. Fl. bor. 1, 31.
 † — — Nees Gen. 3, x.
 — — Fl. dan. 12, 1042.
 — — Tenore Memoria 1.
 — — Tenore Fl. nap. 205.
 — — var. neapolitanus, Bot. Mag. 22, 860.
 — — var. obovatus, Bot. Mag. 48, 2240.
 — — var. pictus, Bot. Reg. 17, 1440.
 — — var. leucorhynchus, Bot. Reg. 17, 1416.
 — — versicolor Gawl. Bot. Mag. 28, 1110.
 † Croomia Torrey. Gray Genera 37.
 — — pauciflora Torr. Gray Genera 37.
Crossandra axillaris N. v. E. Wight Ic. pl. Ind. or. 2, 460.
 † — — Wight Illustr. 164^b.
 — flava Hook. Bot. Mag. 79, 4710.
 — infundibuliformis N. v. E. Rheede Hort. mal. 9, 62.
 — — Wight Ic. pl. Ind. or. 2, 461.
 — undulaefolia Salisb. Salisb. Parad. 12.
 — — Bot. Reg. 1, 69.
 — — Bot. Mag. 47, 2186.
 — — Herb. amat. 4, 224.
Crossolepis pusilla Hügel. Hook. Ic. pl. 5, 413.
Crossosoma californica Nutt. Journ. ac. Philad. II. 1, 23.
 † Crossostylis Forst. Forster Char. 44.
Crotalaria angulosa Lam. Cav. Ic. 321.
 — angustifolia Jacq. Jacq. Schoenbr. 2, 219.
 † — arborescens Lam. Guillemain Archives 2, 16.
 — argentea Jacq. Jacq. Schoenbr. 2, 220.
 — barbata Grah. Wight Ic. pl. Ind. or. 3, 980.
 — — Wight Spicil. 52.
 — bifaria L. Wight Ic. pl. Ind. or. 1, 30.
 — biflora L. Burm. Fl. ind. 48.
 — bracteata Roxb. Wight Ic. pl. Ind. or. 1, 273.
 — Brownei Bert. Rchb. Hort. 232.
 — bupleurifolia Schlecht. Hook. Ic. pl. 4, 372.
 — capensis Thumb. Jacq. Vind. 3, 64.
 — capitata Lam. Lam. Encycl. 617.
 — coerulea Jacq. Jacq. Ic. 144.
 — cordifolia L. Lodd. Cab. 1158.
 — crassipes Hook. Hook. Ic. pl. 9, 830.
 — Cunninghamii R. Br. Hook. Ic. pl. 9, 829.
 — dichotoma Grah. Bot. Mag. 54, 2714.
 — evolvuloides Wight. Wight Ic. pl. Ind. or. 1, 31.
 — fenestrata Sims. Bot. Mag. 44, 1933.
 — fertilis Del. Ferret Abyssin. 11.
 — floribunda Lodd. Lodd. Cab. 509.
 — formosa Grah. Wight Ic. pl. Ind. or. 3, 991.
 — — Wight Spicil. 53.
 — guianensis Aubl. Aublet Guiana 305.
 — hirta Willd. Münchn. Denkschr. 6, F.
 — incana L. Cav. Ic. 322.
 — — Jacq. Obs. 82.
 — — Bot. Reg. 5, 377.
 — juncea L. Andr. Rep. 6, 422.

- Crotalaria juncea* L. Bot. Mag. 14, 490.
 — — Roxb. Corom. 193.
 — *laburnifolia* L. Rheede Hort. mal. 9, 27.
 — — Lodd. Cab. 1796.
 — *lunulata* Heyne. Wight Ic. pl. Ind. or. 2, 490.
 — *lupulina* DC. H. B. K. Nov. Gen. 6, 590.
 — *macilenta* Del. Caillaud Voyage 64.
 — *nana* Burm. Burm. Fl. ind. 48.
 — *Notonii* W. et A. Wight Ic. pl. Ind. or. 3, 752.
 — *obtecta* Grah. Wight Ic. pl. Ind. or. 1, 208. 2, 383.
 — *orixensis* Roxb. Münchn. Denkschr. 6, H.
 — *ovalis* Pursh. Bot. Mag. 57, 3006.
 — *prostrata* Roxb. Münchn. Denkschr. 6, E.
 — *pulchella* Andr. Andr. Rep. 6, 417.
 — — Bot. Mag. 41, 1699.
 — — Kerner Hort. 235.
 — *pulcherrima* Roxb. Bot. Mag. 46, 2027.
 — — Wight Ic. pl. Ind. or. 2, 481.
 — *pulchra* Andr. Andr. Rep. 9, 601.
 — *purpurea* Vent. Vent. Malm. 66.
 — — Tratt. Archiv 278.
 — — Kerner Hort. 183.
 — — Bot. Reg. 2, 128.
 — — Bot. Mag. 44, 1913.
 — *quinquefolia* L. Rheede Hort. mal. 9, 28.
 — — Wight Illustr. in Hook. 16.
 — *recta* Steud. Ferret Abyssin. 10.
 — *retusa* L. Rheede Hort. mal. 9, 25.
 — — Rumpf Amb. 5, 96. fig. 1.
 † — — Gaertn. Carp. 148.
 † — — Lam. Encycl. 617.
 — — Bot. Reg. 3, 253.
 — — Bot. Mag. 52, 2561.
 — *rubiginosa* Willd. Wight Ic. pl. Ind. or. 3, 885.
 — *sagittalis* L. Martyn Hist. 41.
 — — Desc. Ant. 6, 434.
 — *Saltiana* R. Br. Andr. Rep. 10, 648.
 — *semperflorens* Vent. Vent. Cels 17.
 — — Kerner Hort. 184.
 — *sericea* Burm. Burm. Fl. ind. 84.
 — *speciosa* Heyne. Wight Ic. pl. Ind. or. 1, 29.
 — *striata* DC. Bot. Mag. 59, 3200.
 — *tenuifolia* Roxb. Bot. Reg. 12, 982.
 — *tetragona* Roxb. Andr. Rep. 9, 593.
 — — Kerner Hort. 456.
 — *tridentata* Rees. Rheede Hort. mal. 9, 26.
 — *triflora* L. Bot. Mag. 14, 482.
 — *Trifolium* Willd. Neue Schr. naturf. Fr. 4, 5.
 — — Wight Ic. pl. Ind. or. 2, 421.
 — *turgida* DC. Herb. amat. 4, 238.
 — *uncinella* Lam. Lam. Encycl. 617.
 — *verrucosa* L. Rheede Hort. mal. 9, 29.
 — — Andr. Rep. 5, 308.
 — — Bot. Mag. 57, 3034.
 — — Bot. Reg. 14, 1137.
 — — Paxt. Mog. 13, 223.
 — — Wight Ic. pl. Ind. or. 1, 200.
 — — Annales de Gand 1847, 118.
 — *virgata* Roxb. Münchn. Denkschr. 6, G.
 — *vitellina* Ker. Bot. Reg. 6, 447.
 — *Wallichiana* W. et A. Wight Spicil. 54.
 — — Wight Ic. pl. Ind. or. 3, 982.
 † *Croton* Linn. Lam. Encycl. 790.
 — *argenteum* L. Comm. Gotting. 4, 4.
 † — *aromaticum* L. Gaertn. Carp. 107.
 — *balsamiferum* L. Jacq. Hist. stirp. am. 242.
 — — Jacq. Vind. 3, 46.
 — *campestre* St. Hil. St. Hil. Pl. us. 60.
 † — *Cardiospermum* Gaertn. Gaertn. Carp. 107.
 — *Cascarilla* L. Woodv. Med. 3, 222.
 — — Desc. Ant. 1, 3.
 — — Berl. Jahrb. 1824, 3.

- Croton castaneifolium* L. Rheede Hort. mal. 5, 7.
 — — Burm. Fl. ind. 64.
 — — Bot. Mag. 55, 2794.
 — *chamaedrifolium* Lam. Desc. Ant. 7, 491.
 — *coccineum* Willd.? Rheede Hort. mal. 5, 22.
 — *corylifolium* Lam. Desc. Ant. 5, 366.
 † — *cyanospermum* Gaertn. Gaertn. Carp. 107.
 — *dioicum* Cav. Cav. Ic. 6.
 — *Eluteria* Sw. Berl. Jahrb. 1824, 2.
 — — Nees Düsseld. 139.
 — — Guimp. et Schl. 260.
 — — Wagner 243.
 — — Hayne 14, 1.
 — *glandulosum* L. Jacq. Ic. 194.
 — *gossypifolium* Vahl. Vahl Symbolae 49.
 — *guianense* Aubl. Aublet Guiana 339.
 — *hastatum* L. Burm. Fl. ind. 63.
 — *hircinum* Vent. Vent. Malm. 50.
 — *hirtum* L'her. L'her. Stirp. 9.
 — *japonicum* Thunb. Thunb. Fl. jap. 28. 29.
 — *lacciferum* L. Rumpf Amb. 3, 127.
 † — — Gaertn. Carp. 107.
 — — Wight Ic. pl. Ind. or. 5, 1915.
 — *lanceolatum* Cav. Cav. Ic. 557.
 — *lineare* Lodd. Lodd. Cab. 481.
 — — Lam. Berl. Jahrb. 1824, 3.
 — *lobatum* L. Martyn Hist. 44.
 — — Pal. Flore d'Oware 36.
 — *matourense* Aubl. Aublet Guiana 338.
 — *mauritanum* Lam. Rumpf Amb. 3, 127.
 — *micans* Sw. Nees Düsseld. Suppl. 105.
 — *moluccanum* Lam. Rumpf Amb. 2, 58.
 — *obliquifolium* Vis. Visiani Aeg. 7.
 — *oblongifolium* Delile. Delile Egypte 51.
 — *oblongum* Burm. Burm. Fl. ind. 64.
 — *organifolium* Lam. Desc. Ant. 7, 471.
 — *palustre* L. Martyn Hist. 36.
 — *pedicellatum* H. B. K. H. B. K. Nov. Gen. 2, 104.
 — *penicillatum* Vent. Vent. Choix 12.
 — — Lodd. Cab. 440.
 — *perdicipes* St. Hil. St. Hil. pl. us. 59.
 — *pictum* Hort. Lodd. Cab. 870.
 — *Polot* Burm. Rumpf Amb. 3, 141.
 — *polyandrum* Roxb. Rheede Hort. mal. 10, 76.
 — *polygamum* Jacq. Jacq. Hist. stirp. am. 243.
 — *Pseudo-China* Schlecht. Berl. Jahrb. 1829, 1.
 — — Nees Düsseld. Suppl. 105.
 — — Hayne 14, 2.
 — *punctatum* Jacq. Jacq. Ic. 621.
 — *pungens* Jacq. Jacq. Ic. 622.
 — *quadripartitum* Lab. Bill. Nov. Holl. 223.
 — *racemosum* Burm. Burm. Fl. ind. 62.
 — *sphaerocarpum* H. B. K. H. B. K. Nov. Gen. 2, 105.
 — *Tigilium* L. Rheede Hort. mal. 2, 33.
 — — Rumpf Amb. 4, 42.
 † — — Gaertn. Carp. 107.
 — — Nees Düsseld. 138.
 — — Guimp. et Schl. 261.
 — — Hayne 14, 3.
 — — Journ. sc. and arts 20, 4.
 — — Woodv. Med. 5, 21.
 — *tiliaefolium* Lam. Rumpf Amb. 3, 126.
 — *tinctorium* L. Burm. Fl. ind. 62.
 † — — Gaertn. Carp. 107.
 — — Sibth. Fl. gr. 950.
 — — Berl. Jahrb. 1824, 1.
 — *umbellatum* Willd. Wight Ic. pl. Ind. or. 5, 1874.
 — *variegatum* L. Rheede Hort. mal. 6, 61.
 — — Rumpf Amb. 4, 25 — 27.
 — *verbascifolium* Sibth. Bory Morée 33.
 — *villosum* Sibth. Sibth. Fl. gr. 951.

- Croton viscosum* Lab. Bill. Nov. Holl. 222.
Crotonopsis linearis Michx. Michaux Fl. 46.
 — — — Lam. Encycl. 993.
Croton latifolia Part. Part. Mag. 14, 222.
 — — — Annales de Gand 1848, 10.
 — — — saligna Andr. Andr. Rep. 2, 79.
 — — — Lodd. Cab. 310.
 — — — Bot. Mag. 25, 989.
 — — — Vent. Malm. 7.
 † — — — Mem. Mus. 12, 21.
 — — — Tratt. Thes. 70.
 — — — Rehb. Exot. 152.
Crozophora Brocchiana Vis. Visiani Aeg. 8.
 — — — peltata Lab. Bill. Sert. 75.
 — — — tinctoria Ad. Juss. Rehb. Fl. germ. 5, 152.
 † — — — Nees Gen. 4, 37.
 † *Crucianella angustifolia* L. Gaertn. Carp. 24.
 † — — — Lam. Encycl. 61.
 — — — Smith Exot. Bot. 109.
 — — — capitata Lab. Bill. Syr. 1, 3.
 — — — gilanica Trin. Petersb. 6, 12.
 — — — latifolia L. Schmidel Ic. 23, 24.
 — — — Sibth. Fl. gr. 139.
 — — — molluginoides M. v. B. Marshall Cent. 65.
 — — — Rehb. Ic. crit. 3, 262.
 — — — monspeliaca L. Sibth. Fl. gr. 140.
 — — — stylosa Trin. Petersb. 6, 11.
 — — — Knowles et Westcott 81.
 — — — Bot. Reg. 24, 55.
 † *Cruciferae* Juss. (Kunth.) Abh. Acad. Berl. 1832, 1. 2. 3.
 † — — — (Spenner.) Spenner Fl. frieb. 3, 1.
 † — — — (Mirbel.) Ann. sc. nat. 6, 11.
 † — — — (DC.) Mem. Mus. 7, 6, 7.
 † — — — (Cosson.) Cosson Atlas 10.
 † — — — (Tulasne.) Ann. sc. nat. III. 12, 6, 7.
Cruckshanksia cistiflora Hook. Hook. Bot. Misc. 90.
 — — — glacialis P. et E. Poepp. et Endl. 236.
 — — — Montiana Clos. Gay Chile 33.
 — — — pumila Clos. Gay Chile 33.
Crumenaria decumbens Mart. Mart. Bras. 160.
 † *Crupina Crupinastrum* Vis. Visiani Dalm. 51.
 — — — Rehb. Fl. germ. 15, 746, 749.
 † — — — vulgaris Cass. Visiani Dalm. 51.
 — — — Rehb. Fl. germ. 15, 746, 749.
Crusea parviflora Hook. Hook. Beechey 99.
 — — — rubra Cham. et Schl. Maund Bot. 2, 82.
Crybe rosea Ldl. Bot. Reg. 22, 1872.
 † *Crypsis aculeata* Ait. Lam. Encycl. 42.
 — — — Host Gram. 31.
 — — — Sturm Flora 7, 26.
 — — — Rehb. Fl. germ. 1, 48.
 † — — — Nees Gen. 1, 5.
 — — — alopecuroides Sieb. Delile Egypte 9.
 — — — Schrad. Sturm Flora 7, 26.
 — — — Rehb. Fl. germ. 1, 48.
 — — — pygmaea Jaub. Jaubert Illustr. 307.
 — — — schoenoides Lam. Lam. Encycl. 42.
 — — — Sturm Flora 7, 26.
 — — — Rehb. Fl. germ. 1, 48.
 † — — — Münchn. Denkschr. 4, 8.
 † — — — Nees Gen. 1, 5.
 † *Crypta* Nutt. Gray Genera 95.
Cryptadenia uniflora Meism. Bot. Mag. 71, 4143.
Cryptandra amara Sm. Linn. Transact. 10, 18.
 † — — — Ann. sc. nat. 10, 14.
 — — — ericifolia Sm. Linn. Transact. 10, 18.
 — — — suavis Ldl. Bot. Reg. 30, 56.
Cryptangium uliginosum Schrad. Endl. Bras. 3, 19.
Cryptarrhena lunata R. Br. Bot. Reg. 2, 153.
Crypterpis Aub. Aubert Orchid. 28, 30.
Cryptocarpa tribuloides Cass. Dict. sc. nat. 94.

- Cryptocarpus cordifolius* Moric. Moricand Pl. Am. 50.
 — — — globosus H. B. K. H. B. K. Nov. Gen. 2, 123.
 — — — pyriformis H. B. K. H. B. K. Nov. Gen. 2, 124.
Cryptocarya canenilla H. B. K. H. B. K. Nov. Gen. 7, 645.
 — — — floribunda N. v. E. Wight Ic. pl. Ind. or. 5, 1829.
 — — — Griffithiana Wight. Wight Ic. pl. Ind. or. 5, 1830.
Cryptochilus sanguinea Wall. Wallich Tentamen 26.
 — — — Bot. Reg. 24, 23.
 — — — ? — Wight Ic. pl. Ind. or. 5, 1757.
 † *Cryptocoryne ciliata* Fisch. Linn. Transact. 20, 10—12.
 † — — — Ann. nat. hist. 1853, 3.
 — — — Wight Ic. pl. Ind. or. 3, 775.
 — — — retrospiralis Fisch. Wight Ic. pl. Ind. or. 3, 772.
 † — — — spiralis Fisch. Blume Rumphia 36.
 — — — Wight Ic. pl. Ind. or. 3, 773.
 — — — unilocularis Wight. Wight Ic. pl. Ind. or. 3, 774.
 † *Cryptoglottis serpyllifolia* Bl. Blume Tabellen 42.
Cryptogramma acrostichoides R. Br. Hook. Ic. Fil. 29.
 — — — Brunoniana Wall. Hook. Ic. Fil. 158.
 † — — — crispa R. Br. Hook. Gen. Fil. 115.
 — — — Newman p. 103, 108.
 — — — retrofracta Hook. Hook. Bot. Misc. 112.
Cryptolepis Buchanani R. Br. Rheede Hort. mal. 9, 11.
 — — — Linn. Transact. 19, 5.
 — — — Wight Ic. pl. Ind. or. 2, 494.
 † — — — Wight Illustr. 182.
 — — — grandiflora Wight. Wight Ic. pl. Ind. or. 3, 831.
 † — — — Wight Illustr. 153^b.
 † — — — javanica Bl. Blume Mus. 1, 25.
 — — — pauciflora Wight. Wight Ic. pl. Ind. or. 2, 493.
Cryptomeria japonica Don. Linnean Transact. 18, 13.
 — — — Journ. Hort. Soc. 1, 58.
 — — — Hook. Ic. pl. 7, 668.
 — — — Sieb. Fl. Japon. 124, 124^b.
Cryptophragmium axillare N. v. E. Wight Ic. pl. Ind. or. 4, 1496.
 — — — canescens N. v. E. Wight Ic. pl. Ind. or. 4, 1495.
 — — — venustum N. v. E. Bot. Reg. 16, 1380.
 — — — Bot. Mag. 60, 3208.
Cryptophyllis Aub. Aubert Orchid. 92, 93.
Cryptopus elatus Ldl. Hook. Journ. 1834, 115.
 † *Cryptosorus Dionaea* Fée. Fée Fil. 5, 19.
 † — — — elasticus Fée. Fée Fil. 5, 19.
Cryptostegia grandiflora R. Br. Bot. Reg. 5, 435.
 — — — Rehb. Exot. 132.
 — — — Wight Ic. pl. Ind. or. 3, 832.
 † — — — Wight Illustr. 182.
Cryptostemma calendulacea R. Br. Bot. Mag. 48, 2252.
 † *Cryptostylis longifolia* R. Br. Bauer Orch. (Gen.) 17, 18.
 — — — Endl. Iconogr. 17.
Ctenium brachystachyum Kth. Humb. Gram. 137.
 — — — carolinianum Panzer. Münchn. Denkschr. 4, 13.
 — — — cirrhosum Kth. Humb. Gram. 136.
 — — — elegans Kth. Humb. Gram. 59.
 — — — Munby Fl. d'Algérie 1.
 † *Cubeba* Mig. Miquel Comment. 4.
 † — — — borbonensis Mig. Miquel Illustr. Pip. 46.
 † — — — canina Mig. Miquel Illustr. Pip. 46.
 — — — Lowong Mig. Miquel Illustr. Pip. 48.
 — — — officinalis Mig. Hayne 14, 8.
 † — — — Schnizl. Iconogr. 2, 81.
 — — — sumatrana Mig. Miquel Comment. 5.
 — — — Wallichii Mig. Miquel Illustr. Pip. 46, 47.
 — — — Wight Ic. pl. Ind. or. 6, 1932.
Cucifera thebaica Delile. Delile Egypte 1, 2.
 — — — Dict. sc. nat. 28, 29.
Cucubalus acaulis L. Fl. dan. 1, 21.
 — — — alpestris All. Allioni Auct. 1.
 — — — angustifolius Mill. Tenore Fl. nap. 37.
 — — — angustissimus Nocca. Nocca et Balb. Fl. tic. 7.
 † — — — bacciferus L. Gaertn. Carp. 77.
 † — — — Schk. Handb. 121.

- † *Cucubalus bacciferus* *L.* Lam. Encycl. 377.
 — — — Engl. Bot. 22, 1577.
 — — — Baxter Brit. Bot. 6, 507.
 — — — Rehb. Fl. germ. 6, 302.
 — — — Dietr. Fl. bor. 5, 289.
 — Behen *L.* Fl. dan. 5, 857. 6, 914.
 — — — Schk. Handb. 121.
 — — — Dreves 2, 50.
 — — — Lam. Encycl. 377.
 — catholicus *L.* Jacq. Vind. 59.
 — chloranthus *Willd.* Willd. Fl. berol. 5.
 — fimbriatus *Balb.* Mem. Tur. 10, 6.
 — italicus *L.* Jacq. Obs. 97.
 — lacerus *Stev.* Linn. Transact. 11, 34.
 — mollissimus *W. et K.* W. et Kit. 248.
 — multiflorus *Ehrh.* W. et Kit. 56.
 — Otites *L.* Fl. dan. 3, 318.
 — — — Roemer Fl. eur. 3, 8.
 — saxifragus *L.* Schreber Ic. 8.
 — sibiricus *L.* Haller Enum. gott. 0.
 — spergulifolius *Willd.* Ann. Mus. 11, 43.
 — — — Desf. Choix 55.
 — stellatus *L.* Bot. Mag. 28, 1107.
 — viscosus *L.* Fl. dan. 7, 1209.
Cucullangia *Aub.* Aubert Orchid. 48.
† *Cucumeroides Gaertn.* Gaertn. Carp. 180.
Cucumis acutangulus L. Rumpf Amb. 5, 149.
 — — — Jacq. Vind. 3, 73. 74.
 — — — Desc. Ant. 5, 328.
 — africanus *L. fil.* Bot. Reg. 12, 980.
 — amarissimus *Schrad.* Nees Düss. Suppl. 108. 109.
 — anguinus *L.* Rumpf Amb. 5, 148.
 — Anguria *L.* Gil et Suarez 9.
 — — — Desc. Ant. 5, 329.
 — — — Ann. sc. nat. 17, 12.
 — — — Mem. Instit. 1830, 1.
 — cantalupensis *Hab.* var. Belgique hort. 2, 35.
 — Chito *Morr.* Belgique hort. 1, 24.
 — Citrullus *Seringe.* Nees Düsseld. Suppl. 109. 110.
 — clavatus *Willd.* Mem. Genev. 3, 3.
 — Colocynthis *L.* Woodv. Med. 2, 71.
 — — — Nees Düsseld. 267.
 — — — Guimp. et Schl. 275.
 — — — Wagner 234.
 — — — Wight Ic. pl. Ind. or. 2, 498.
 — compressus *Desc.* Desc. Ant. 5, 327.
 — Dudaïm *L.* Gil et Suarez 17.
 — — — Andr. Rep. 8, 548.
 — ficifolius *Rich.* Richard Abyssin. 53 bis.
 — Hardwickii *Royle.* Royle Illustr. 47.
 — lineatus *Bosc.* Journ. d'hist. nat. Par. 2, 37.
 — Melo *L.* Wagner 13. 14.
 — — — var. viridis, Desc. Ant. 5, 321.
 — — — Jacquin Monogr. 1 — 39.
 — pictus *Jacq.* Jacq. Vind. 3, 27.
 — Prophetarum *L.* Jacq. Vind. 9.
 — — — Schk. Handb. 315.
 — Pseudo-Colocynthis *Royle.* Royle Illustr. 47.
 — pubescens *Willd.* Royle Illustr. 47.
 — — — Wight Ic. pl. Ind. or. 2, 496.
 — sativus *L.* Rheede Hort. mal. 8, 6.
 — — — Gaertn. Carp. 88.
 — — — Lam. Encycl. 795.
 — trigonus *Rorb.* Wight Ic. pl. Ind. or. 2, 497.
 — — — Wight Illustr. 105 bis.
Cucurbita Anguria Duchesne. Desc. Ant. 5, 305.
 — Citrullus *L.* Rumpf Amb. 5, 146.
 — — — Desc. Ant. 5, 305.
 — lagenaria *L.* Rumpf Amb. 5, 144.
 — — — Gaertn. Carp. 88.
 — — — Lam. Encycl. 795.
 — latior folio molli *Desc.* Desc. Ant. 5, 324.

- Cucurbita maxima W. et A.* Rheede Hort. mal. 8, 2.
 — — — *Duchesne.* Wight Ic. pl. Ind. or. 2, 507.
 — — — Wight Illustr. 105 bis.
 — — — γ. Courgero *Ser.* Mem. Genev. 3, 1.
 — Melopepo *L.* var. Belgique hort. 3, 55.
 — ovifera *L.?* Schk. Handb. 314.
 — — — α. pyriformis *Ser.* Mem. Genev. 3, 1.
 — Pepo *L.* Gaertn. Carp. 88.
 — — — Lam. Encycl. 795.
 — — — Desc. Ant. 5, 323.
 — — — Wagner 57. 58.
 — venenosa *Desc.* Desc. Ant. 5, 322.
 — verrucosa *L.* Desc. Ant. 5, 326.
† *Cucurbitaceae Juss.* Transact. Edinb. 11, 9.
 — — — Mem. Mus. 5, 24. 25.
 — — — Wight Illustr. 105 bis.
Cudicia gyandra Ham. Rheede Hort. mal. 9, 9.
 — trichotoma *Ham.* Rheede Hort. mal. 9, 10.
† *Cudrania Trécul.* Ann. sc. nat. III. 8, 3.
 — javanensis *Trécul.* Wight Ic. pl. Ind. or. 6, 1960.
† *Cuellaria Rz et P.* Ruiz et Pav. Prodr. 10.
Culcasia scandens Pal. Pal. B. Fl. d'Oware 3.
† *Culcita macrocarpa Presl.* Hook. Gen. Fil. 60.
Calcitium canescens H. B. Humb. Pl. aeq. 67.
 — — — Lam. Encycl. 981.
 — magellanicum *Rich.* Richard Astrolabe 11.
 — nivale *H. B. K.* H. B. K. Nov. Gen. 4, 363.
 — reflexum *H. B. K.* H. B. K. Nov. Gen. 4, 362.
 — rufescens *H. B.* Humb. Pl. aeq. 66.
 — — — Lam. Encycl. 981.
Cullenia excelsa Wight. Wight Ic. pl. 5, 1761 — 1762.
Cullumia ciliaris R. Br. Lodd. Cab. 302.
 — — — Bot. Reg. 5, 384.
 — — — Bot. Mag. 46, 2095.
Cultidendris Aub. Aubert Orchid. 86.
Cuminia Fernandezia Colla. Mem. Tur. 38, 47.
† *Cuminum Cyminum L.* Gaertn. Carp. 23.
 — — — Lam. Encycl. 194.
 — — — Cav. Ic. 360.
 — — — Woodv. Med. 1, 56.
 — — — Hayne 7, 11.
 — — — Nees Düsseld. 286.
 — — — Guimp. et Schl. 218.
 — — — Wight Illustr. 117.
Cunningia campanulata Don. Sweet Fl. G. 257.
 — — — Bot. Reg. 14, 1193.
 — trimaculata *Don.* Sweet Fl. G. II. 88.
 — — — Paxt. Mag. 11, 127.
 — — — Fl. d. serres 1, 31.
Cunila coccinea Nutt. Hook. Exot. Fl. 163.
 — glabella *Michx.* Novi Comm. Bon. 6, 18.
 — Mariana *L.* Lodd. Cab. 1265.
 — — — Barton Med. 42.
 — — — Torrey New York 76.
 — — — Sweet Fl. G. 243.
 — pulegioides *L.* Lam. Encycl. 19.
Cunina Sanfuentes Clos. Gay Chile 34.
Cunninghamia lanceolata Hook. Bot. Mag. 54, 2143.
 — sinensis *Rich.* Richard Conif. 18.
 — — — Pinetum Woburnense 57.
 — — — Sieb. Fl. Japon. 103 — 104.
Cunonia capensis L. Büttner Descr. Horti 1.
 — — — Gaertn. Carp. 225.
 — — — Lam. Encycl. 371.
 — — — Lodd. Cab. 826.
 — — — Bot. Reg. 10, 828.
† *Cupania americana L.* Gaertn. Carp. 177.
 — — — Desc. Ant. 2, 89.
 — apetalia *Lab.* Bill. Sert. 73.
 — Aubletii *Miq.* Miquel Surin. 17. 18.
 — Cunninghamii *Hook.* Bot. Mag. 75, 4470.
 — lentiscifolia *Pers.* Lam. Encycl. 944.

- Cupania Lessertiana* Camb. Mem. Mus. 18, 3.
 — *multijuga* A. Rich. Ramon Cuba 31.
 — *oppositifolia* A. Rich. Ramon Cuba 32.
 — *paniculata* St. Hil. St. Hil. Fl. Bras. 80.
 — *pentaphylla* Wight. Wight Ic. pl. Ind. or. 2, 402.
 — *zanthoxyloides* St. Hil. St. Hil. Fl. Bras. 79.
 † *Cuphea* P. Br. Ruiz et Pav. Prodr. 11.
 — *aequipetala* Cav. Cav. Ic. 382.
 — *arenarioides* St. Hil. St. Hil. Fl. Bras. 184.
 — — var. *muscosa*, St. Hil. Fl. Bras. 184.
 — *cinnabarina* Planch. Fl. d. serres 5, 527.
 — *circacoides* Sm. Bot. Mag. 48, 2201.
 — *cordata* R. et P. Bot. Mag. 72, 4208.
 — — Fl. d. serres 2, 27.
 — *diosmaefolia* St. Hil. St. Hil. Fl. Bras. 182.
 — *ericoides* Cham. var. *Hervita*, St. Hil. Fl. Bras. 183.
 — *lanceolata* Ait. Knowles et Westcott 84.
 — — Sweet Fl. G. II. 402.
 — *ligustrina* Cham. var. St. Hil. Fl. Bras. 185.
 — *llavea* DC. Bot. Reg. 16, 1386.
 — *Melvilla* Ldl. Bot. Reg. 10, 852.
 — — Paxt. Mag. 8, 197.
 — *micropetala* H. B. K. H. B. K. Nov. Gen. 6, 551.
 — *miniata* Brongn. Paxt. Mag. 14, 101.
 — — Fl. d. serres 2, 9.
 — *multiflora* Lodd. Lodd. Cab. 808.
 — *parviflora* Hook. Hook. Exot. Fl. 161.
 — *platycentra* Benth. Paxt. Mag. 13, 267.
 — — Fl. d. serres 2, 180.
 — — Oefv. Svensk Acad. 1848, 1.
 — *procumbens* Cav. Cav. Ic. 380.
 — — Bot. Mag. 44, 1931.
 — — Bot. Reg. 3, 182.
 — *pulchra* Moric. Moricand Pl. Am. 98.
 — *purpurea* Hort. Fl. d. serres 4, 412.
 — *serpyllifolia* H. B. K. H. B. K. Nov. Gen. 6, 550.
 — — Sims. Bot. Mag. 52, 2580.
 — *senoides* N. v. E. Bot. Mag. 74, 4362.
 — — Annales de Gand 1847, 115.
 — *spicata* Cav. Cav. Ic. 381.
 — *strigillosa* Ldl. Bot. Reg. 32, 14.
 — *strigulosa* H. B. K. Paxt. Mag. 11, 241.
 — — Fl. d. serres 1, 14.
 — *verticillata* H. B. K. H. B. K. Nov. Gen. 6, 552.
 — — Fl. d. serres 6, 540.
 — *virgata* Cav. Cav. Ic. 382.
 — *viscosissima* Jacq. Jacq. Vind. 177.
 † — — Gaertn. Carp. 44.
 † — — Lam. Encycl. 407.
 — — Barton Fl. 1, 18.
 — — Sweet Fl. G. 60.
Cupia corymbosa DC. Bot. Reg. 2, 119.
Cupressus genus affine novum, Pacho Voyage 100.
Cupressus americana Trautv. Trautv. Imag. 7.
 — *disticha* L. Michaux Arb. 3, 1.
 — — Schk. Handb. 310.
 — *funbris* Morr. Belgique hort. 3, 20.
 † — *Goveniana* Gord. Journ. Hort. Soc. 4, 295.
 — *horizontalis* Mill. Pinetum Woburnense 61.
 † — *japonica* Thunb. Gaertn. Carp. 91.
 † — — Lam. Encycl. 787.
 † — *Lambertiana* Hort. Journ. Hort. Soc. 4, 297.
 — *lusitanica* Willd. Lambert Pinus 2, 49.
 — — Pinetum Woburnense 62.
 — *pendula* L'her. L'her. Stirp. 8.
 — — Thunb. Lambert Pinus 2, 50.
 — *sempervirens* L. Pallas Fl. ross. 53.
 † — — Gaertn. Carp. 91.
 † — — Lam. Encycl. 787.
 — — Schk. Handb. 310.
 † — — Richard Conf. 9.
 — — Watson Dendr. 2, 155.

- Cupressus sempervirens* L. Rehb. Fl. germ. 11, 534.
 † — — Nees Gen. 4, 10.
 — *thyoides* L. Michaux Arb. 3, 2.
 — — Schk. Handb. 310.
 — — Watson Dendr. 2, 156.
Curatella alata Vent. Vent. Choix 49.
 — *americana* Aubl. Aublet Guiana 232.
 — — Lam. Encycl. 479.
 — *Cambaiba* St. Hil. St. Hil. Pl. us. 24.
 † *Curenligo* Gaertn. Herbert Amar. 1.
 — *brevifolia* Ait. Wight Ic. pl. Ind. or. 6, 2043.
 — *latifolia* Drgand. Bot. Reg. 9, 754.
 — — Bot. Mag. 46, 2034.
 — *malabarica* Wight. Wight Ic. pl. Ind. or. 6, 2043.
 — *orchiooides* Gaertn. Rheede Hort. mal. 12, 59.
 † — — Gaertn. Carp. 16.
 — — Roxb. Corom. 13.
 — — Bot. Mag. 27, 1076.
 — — Kerner Hort. 202.
 — *plicata* Ait. var. Bot. Reg. 4, 345.
 — — Schnizl. Ic. 1, 63.
 — *recurvata* Dryand. Rumpf Amb. 6, 53.
 — — Bot. Reg. 9, 770.
 — *Rumphiana* R. et Sch. Rumpf Amb. 6, 54. fig. 1.
 — *stans* Lab. Bill. Sertum 24.
 — *sumatrana* Roxb. Lodd. Cab. 443.
 — — Wight Ic. pl. Ind. or. 6, 2042.
Curcuma aeruginosa Roxb. Roscoe Scit. 106.
 — *Amada* Roxb. Roscoe Scit. 99.
 — *amarissima* Roxb. Roscoe Scit. 101.
 — *aromatica* Salisb. Salisb. Parad. 96.
 — — Roscoe Scit. 103.
 — — Wight Ic. pl. Ind. or. 6, 2005.
 — — Nees Düssel. Suppl. 99.
 — *cordata* Wall. Wall. Pl. asiat. 10.
 — — Bot. Mag. 75, 4435.
 — — Fl. d. serres 5, 448.
 — *clata* Roxb. Roscoe Scit. 104.
 — *ferruginea* Roxb. Roscoe Scit. 105.
 — *latifolia* Rose. Roscoe Scit. 108.
 — *leucorrhiza* Roxb. Roscoe Scit. 102.
 — *longa* L. Rheede Hort. mal. 11, 11.
 — — Red. Lil. 8, 473.
 — — Tratt. Archiv 198. 198^a.
 — — Woodv. Med. 4, 252.
 — — Guimp. et Schl. 238.
 — — Wagner 131. 132.
 — — Bot. Reg. 11, 886.
 — *montana* Roxb. Roxb. Corom. 151.
 — *neilgherrensis* Wight. Wight Ic. pl. Ind. or. 6, 2006.
 — *parviflora* Wall. Wall. Pl. asiat. 57.
 — *petiolata* Roxb. Roscoe Scit. 100.
 — *Roscoeana* Wall. Wall. Pl. asiat. 9.
 — — Paxt. Mag. 7, 1.
 — — Glenny Journal 1839, 0.
 — — Lem. Jard. fl. 4, 327.
 — — Bot. Mag. 78, 4667.
 — *rotunda* L. Rumpf Amb. 5, 67.
 — *rubescens* Roxb. Roscoe Scit. 107.
 — *Zedoaria* Rose. Rumpf Amb. 5, 68.
 — — Roscoe Scit. 109.
 — — Bot. Mag. 37, 1546.
 — — Guimp. et Schl. 259.
 — — Rehb. Exot. 71.
 — *Zerumbet* Roxb. Rheede Hort. mal. 11, 7.
 — — Roxb. Corom. 201.
 — — Kerner Hort. 503.
 — — Nees Düssel. 60.
 † — — Ann. sc. nat. II. 15, 19.
Curinila Rheedii R. et Sch. Rheede Hort. mal. 7, 25.
 † *Curtia* Cham. et Schl. Linnaea 1, 4.

- Curtisia faginea* Thunb. Lam. Encycl. 71.
Curvanguis Aub. Aubert Orchid. 56.
Curvophyllis Aub. Aubert Orchid. 94.
† *Cuscuta* L. Jardine Annals 13, 4.
† — — Mutel Flore franç. 36, 37.
— — — Desc. Ant. 2, 150.
† — — *americana* L. Mem. Genev. 9, 4.
† — — *approximata* Bab. Jardine Annals 16, 1.
† — — *arabica* Fresen. Mem. Genev. 9, 1.
— — — Wight Ic. pl. Ind. or. 4, 1371.
† — — *babylonica* Auch. Mem. Genev. 9, 1.
— ? *californica* Choisy. Journ. Hort. Soc. 3, 167.
† — — *calycina* Webb. Webb Canar. 142.
† — — *capensis* Choisy. Mem. Genev. 9, 1.
† — — *Cephalanthi* Engelm. Silliman Journ. 43, 6.
† — — — Hook. London Journ. 1843, 3.
— — — *chilensis* Ker. Bot. Reg. 7, 603.
† — — — *chinensis* Lam. Mem. Genev. 9, 3.
— — — Wight Ic. pl. Ind. or. 4, 1373.
† — — — *compacta* Just. Mem. Genev. 9, 4.
† — — — *Coryli* Engelm. Silliman Journ. 43, 6.
† — — — Hook. London Journ. 1843, 3.
— — — *corymbosa* Rz et P. Ruiz et Pav. Fl. 105.
— — — *densiflora* Soyer Will. Cosson Atlas 14.
— — — *Epilinum* Weihe. Engl. Bot. 2850.
— — — Fl. dan. 12, 1987.
— — — Rechb. Ic. crit. 5, 500.
— — — *Episonchum* Webb. Webb Canar. 141.
— — — *Epithymum* Murr. Fl. dan. 3, 427.
— — — Engl. Bot. 1, 55.
† — — — Jardine Annals 16, 1.
— — — Rechb. Ic. crit. 5, 499.
— — — Cosson Atlas 14.
† — — — *europaea* L. Gaertn. Carp. 62.
† — — — Lam. Encycl. 88.
— — — Fl. dan. 2, 199.
— — — Curt. Lond. 4, 67.
— — — Engl. Bot. 6, 378.
— — — Baxter Brit. Bot. 1, 18.
— — — Sv. Bot. 352.
— — — var. *barbucea*, Brotero Phytogr. 165.
— — — Dict. sc. nat. 49.
— — — Schk. Handb. 27.
— — — Sturm Flora 3, 10.
— — — Rechb. Ic. crit. 5, 497.
† — — — Nees Gen. 5, 65.
† — — — *glomerata* Choisy. Mem. Genev. 9, 4.
— — — *grandiflora* H. B. K. H. B. K. Nov. Gen. 3, 213.
† — — — *Gronovii* Willd. Mem. Genev. 9, 4.
— — — *hassiana* Pfeiff. Bot. Zeitung 1846, 1.
— — — *hyalina* Roxb. Wight Ic. pl. Ind. or. 4, 1372.
† — — ? Wight Illustr. 168^b.
† — — — *inclusa* Choisy. Mem. Genev. 9, 2.
† — — — *indecora* Choisy. Mem. Genev. 9, 3.
† — — — *intermedia* Choisy. Mem. Genev. 9, 2.
— — — *lupuliformis* Krock. Krock. Fl. sil. 1, 36.
— — — Fl. dan. 13, 2224.
† — — — *major* DC. Cosson Atlas 14.
† — — — *micrantha* Choisy. Mem. Genev. 9, 1.
— — — *monogyna* Vahl. Sibth. Fl. gr. 257.
— — — Krock. Fl. sil. 4, 2.
— — — Rechb. Ic. crit. 5, 498.
† — — — *nitida* C. A. M. Mem. Genev. 9, 2.
— — — *odorata* Rz et P. Ruiz et Pav. Fl. 105.
† — — — Mem. Genev. 9, 2.
† — — — *partita* Choisy. Mem. Genev. 9, 5.
— — — *pedicellata* Led. Ledeb. Ic. 234.
† — — — *pentagona* Engelm. Silliman Journ. 43, 6.
† — — — Hook. Lond. Journ. 1843, 3.
— — — *planiflora* Ten. Tenore Fl. nap. 220.
† — — — *Polygonorum* Engelm. Silliman Journ. 43, 6.
† — — — Hook. Lond. Journ. 1843, 3.

- † *Cuscuta prismatica* Pavon. Mem. Genev. 9, 3.
† — — *racemosa* Mart. Mem. Genev. 9, 3.
— — — *reflexa* Roxb. Roxb. Corom. 104.
— — — var. *verrucosa*, Hook. Exot. Fl. 150.
† — — — *Sandwichiana* Choisy. Mem. Genev. 9, 5.
† — — — *Saururi* Engelm. Silliman Journ. 43, 6.
† — — — Hook. Lond. Journ. 1843, 3.
† — — — *spectabilis* Choisy. Mem. Genev. 9, 5.
† — — — *stylosa* Choisy. Mem. Genev. 9, 5.
† — — — *Trifolii* Bab. Jardine Annals 16, 1.
— — — Engl. Bot. 2898.
† — — — *verrucosa* Engelm. Silliman Journ. 43, 6.
† — — — Hook. Lond. Journ. 1843, 3.
† — — — *Pursh.* Sweet Fl. G. 6.
† — — — *vulgivaga* Engelm. Silliman Journ. 43, 6.
† — — — Hook. Lond. Journ. 1843, 3.
† *Cuspidaria* Fée. Fée Fil. 5, 8.
† *Cuspidocarpus rupestris* Spenn. Nees Gen. 6, 18.
Cussambium spinosum Ham. Rumpf Amb. 1, 57.
Cussapoa villosa P. et E. Poepp. et Endl. 147.
Cussonia arborea Hochst. Richard Abyssin. 56.
— — — *thyrsoflora* Thunb. Jacq. Ecl. pl. 61.
† — — — Lam. Encycl. 187.
— — — *triptera* Colla. Colla Hort. Rip. 26.
Cutubea densiflora Mart. Mart. Bras. 185.
Cuviera acutiflora DC. Ann. Mus. 9, 16.
Cyamopsis psoraloides DC. Wight Ic. pl. Ind. or. 1, 248.
— — — *senegalensis* Guill. Guillemin Seneg. 45.
Cyamus luteus Bart. Barton Fl. 2, 63.
— — — *Nelumbo* Sm. Smith Exot. Bot. 31, 32.
— — — Tratt. Archiv. 180. 180^a. 180^b.
Cyananthus integra Wall. Royle Illustr. 69.
— — — *lobata* Wall. Royle Illustr. 69.
— — — Bot. Reg. 33, 6.
Cyanea Grimesiana Gaudich. Freycinet Voyage 75.
Cyanella alba L. fil. Svensk Acad. 1794, 7.
† — — — *capensis* L. Gaertn. Carp. 17.
† — — — Lam. Encycl. 239.
— — — Jacq. Vind. 3, 35.
— — — Red. Lil. 7, 373.
— — — Andr. Rep. 2, 141.
— — — Bot. Mag. 16, 568.
— — — Lodd. Cab. 732.
— — — *lutea* L. fil. Svensk Acad. 1794, 7.
— — — Bot. Mag. 31, 1252.
— — — *odoratissima* Ldl. Bot. Reg. 13, 1111.
— — — Rechb. Exot. 199.
— — — *orchidiformis* Jacq. Jacq. Ic. 447.
Cyanobotrys mexicana Zucc. Münchn. Abh. 4, 5.
Cyanorchis Aub. Aubert Orchid. 33, 34.
Cyanospermum tomentosum Wight et Arn. Jacq. Ecl. pl. 138.
— — — Wight Illustr. 84.
Cyanotis abyssinica Rich. Richard Abyssin. 98.
— — — *axillaris* D. Don. Rheede Hort. mal. 10, 13.
— — — *Burmanni* Wight. Wight Ic. pl. Ind. or. 6, 2089.
— — — *cristata* D. Don. Rheede Hort. mal. 7, 58.
— — — R. et Sch. Wight Ic. pl. Ind. or. 6, 2082.
— — — *decumbens* Wight. Wight Ic. pl. Ind. or. 6, 2088.
— — — *dichrotricha* Stocks. Wight Ic. pl. Ind. or. 6, 2087.
— — — *fasciculata* R. et Sch. Wight Ic. pl. Ind. or. 6, 2086.
— — — *lanceolata* Wight. Wight Ic. pl. Ind. or. 6, 2085.
— — — *Lawiana* Wight. Wight Ic. pl. Ind. or. 6, 2086.
— — — *longifolia* Wight. Wight Ic. pl. Ind. or. 6, 2084.
— — — *papilionacea* R. et Sch. Wight Ic. pl. Ind. or. 6, 2089.
— — — *pilosa* R. et Sch. Wight Ic. pl. Ind. or. 6, 2083.
— — — *sarmentosa* Wight. Wight Ic. pl. Ind. or. 6, 2087.
— — — *vaginata* Wight. Wight Ic. pl. Ind. or. 6, 2088.
† *Cyanus eriophorus* Gaertn. Gaertn. Carp. 161.
† — — — *niger* Gaertn. Gaertn. Carp. 161.
Cyathanthra lanceolata Pohl. Pohl Bras. 188.

- Cyathea arborea* Willd. Rumpf Amb. 6, 27.
 — — — Dict. sc. nat. 57.
 — — — *Beyrichiana* Presl. Hook. Ic. pl. 7, 623.
 — — — *bisulca* Schk. Schk. Fil. 132^b.
 — — — *Burkei* Hook. Hook. Sp. Fil. 17.
 — — — *canaliculata* Willd. Hook. Sp. Fil. 11.
 — — — *γ. latifolia*, Hook. Sp. Fil. 13.
 — — — *cuspidata* Kze. Hook. Sp. Fil. 12.
 — — — *dentata* Sm. Engl. Bot. 23, 1588.
 — — — *divergens* Kze. Hook. Sp. Fil. 11.
 — — — *Dregci* Kze. Hook. Sp. Fil. 10, 17.
 † — — — *elegans* Hew. Hook. Gen. Fil. 23.
 — — — *equestris* Kze. Kunze Fil. 76.
 — — — *excelsa* Sw. Hook. Sp. Fil. 12.
 — — — *extensa* Sw. Schk. Fil. 132.
 — — — *fragilis* Sm. Engl. Bot. 23, 1567.
 — — — *Gardneri* Hook. Hook. Sp. Fil. 10.
 — — — *hirtula* Mart. Mart. Crypt. bras. 53.
 — — — *Imrayana* Hook. Hook. Sp. Fil. 9.
 — — — *incisa* Sm. Engl. Bot. 3, 163.
 — — — *integra* Sm. Hook. Ic. pl. 7, 638.
 — — — *medullaris* Sw. Schk. Fil. 133.
 — — — *Schanschin* Mart. Mart. Crypt. bras. 54.
 — — — *Serra* Willd. Hook. Sp. Fil. 9.
 — — — *sinuata* H. et Gr. Hook. et Gr. Ic. Fil. 106.
 — — — *speciosa* Kaulf. Hook. Sp. Fil. 13.
 — — — *spinulosa* Wall. Hook. Sp. Fil. 12.
 — — — *vestita* Mart. Mart. Crypt. bras. 52.
 — — — *villosa* H. B. K. H. B. K. Nov. Gen. 7, 670.
 — — — *Walkerae* Hook. Hook. Ic. pl. 7, 647.
 † *Cyathella repanda* Decne. Ann. sc. nat. II. 9, 12.
Cyathidium taraxacifolium Ldl. Royle Illustr. 6, 56.
Cyathocline lutea Law. Wight Ic. pl. Ind. or. 3, 1150.
 † — — — Calcutta Journal 1847, 3.
 — — — *lyrata* DC. Wight Ic. pl. Ind. or. 3, 1098.
Cyathodes disticha Lab. Bill. Nov. Holl. 82.
 — — — Lam. Encycl. 925.
 — — — *glauca* Lab. Bill. Nov. Holl. 81.
 — — — Lam. Encycl. 925.
Cyathoglottis candida P. et E. Poepp. et Endl. 94.
Cyathula capitata Moq. Wight Ic. pl. Ind. or. 5, 1782.
 — — — *tomentosa* Moq. Wight Ic. pl. Ind. or. 5, 1781.
Cybianthus angustifolius DC. Fielding Sertum 24.
 † *Cycadeae* R. Br. Linnaea 21, 6.
 † — — — Miquel Monogr. Cycad. 1, 2.
 † — — — Ann. sc. nat. III. 3, 8, 9.
 † — — — Schnizl. Ic. 1, 38.
 † *Cycas* L. Pet. Th. Histoire (1804.) 1, 2.
 — — — *circularis* L. Rumpf Amb. 1, 20—24.
 † — — — Lam. Encycl. 891.
 — — — Desc. Ant. 6, 449.
 — — — Dict. sc. nat. 310, 311.
 — — — Bot. Mag. 55, 2826, 2827.
 † — — — Richard Conif. 24—26.
 † — — — Linnaea 18, 4—6, 19, 1.
 † — — — Blume Rumphia 176^b, 176^c.
 — — — *media* R. Br. Miquel Monogr. Cycad. 3.
 — — — *revoluta* Thumb. Linn. Transact. 6, 29, 30.
 † — — — Ann. sc. nat. 16, 20, 21.
 — — — Bot. Mag. 57, 2963, 2964.
 — — — N. Verhandl. Nederl. Ac. 12, 1.
 — — — Denkschr. schles. Ges. 1853, 10.
 — — — *sphaerica* Roxb. Rheede Hort. mal. 3, 13—21.
 † *Cyclamen* L. Kerner Genera 48.
 — — — *africanum* Hort. Fl. d. serres 8, 841.
 — — — *Atkinsii* Hort. Lem. Jard. fl. 3, 297.
 — — — *Clusii* Ldl. Bot. Reg. 12, 1013.
 — — — *coulm* Mill. Bot. Mag. 1, 4.
 — — — Lodd. Cab. 108.
 — — — Tratt. Archiv 175.
 — — — *europaeum* L. Jacq. Fl. austr. 5, 401.
 † — — — Gaertn. Carp. 183.

- † *Cyclamen europaeum* L. Lam. Encycl. 100.
 — — — Schk. Handb. 35.
 — — — Tratt. Archiv 173.
 — — — var. *descendens*, Tratt. Archiv 174.
 — — — Sturm Flora 9, 34.
 — — — Hayne 13, 8.
 — — — Brandt und Ratzeb. 11.
 — — — Engl. Bot. 8, 548.
 — — — Sweet Fl. G. 176.
 — — — *hederaefolium* Ait. Bot. Mag. 25, 1001.
 — — — Tratt. Archiv 231.
 — — — Kerner Hort. 813.
 — — — Lodd. Cab. 992.
 — — — Baxter Brit. Bot. 6, 505.
 † — — — Nees Gen. 5, 10.
 — — — *ibericum* Goldie? Lem. Jard. fl. 3, 297.
 — — — *latifolium* Sm. Sibth. Fl. gr. 185.
 — — — *linearifolium* DC. DC. Ic. Gall. 8.
 — — — Tratt. Archiv 176.
 — — — *litorale* Ldl. Bot. Reg. 32, 56.
 — — — *macrophyllum* Hort. Fl. d. serres 8, 841.
 — — — *neapolitanum* Ten. Tenore Fl. nap. 118.
 — — — Bot. Reg. 24, 49.
 — — — *persicum* Mill. Bot. Mag. 2, 44.
 — — — Lodd. Cab. 751.
 — — — var. *laciniatum* Ldl. Bot. Reg. 13, 1095.
 † — — — Duvernoy Untersuch. 1.
 — — — *Poli Chiaje*. Delle Chiaje Memoria 0.
 — — — *repandum* Sibth. Sibth. Fl. gr. 186.
 — — — Lodd. Cab. 1942.
 — — — Sweet Fl. G. 117.
 — — — *vernum* Rchb. Sweet Fl. G. 9.
 † *Cyclantheae* Poit. Schnizl. Ic. 1, 74^a.
Cyclanthus bipartitus Poit. Mem. Mus. 9, 2.
 — — — Dict. sc. nat. 5, 6.
 — — — Poepp. et Endl. 152, 154.
 — — — *Plumieri* Poit. Mem. Mus. 9, 3.
Cyclobothra alba Benth. Hort. Transact. 8, 14.
 — — — Bot. Reg. 20, 1661.
 — — — *barbata* Sweet. Sweet Fl. G. 273.
 — — — *lutca* Ldl. Bot. Reg. 20, 1663.
 — — — *pulehella* Benth. Hort. Transact. 8, 14.
 — — — Bot. Reg. 20, 1662.
 — — — *purpurea* Sweet. Sweet Fl. G. II. 20.
 † *Cyclobothrya monophylla* Ldl. Journ. Hort. Soc. 4, 81.
 † *Cyclodium confertum* Presl. Hook. Gen. Fil. 49.
Cyclogyne canescens Benth. Paxt. Mag. 7, 109.
 † *Cyclolepis platyphylla* Moq. Ann. sc. nat. II. 1, 9.
 † *Cyclophorus* Desv. Mag. naturf. Fr. 5, 7, fig. 4.
 — — — *stigmatosus* Desv. Desv. Journ. 3, 2.
Cyclopia genistoides R. Br. Lodd. Cab. 1111.
 — — — Kerner Hort. 427.
Cyclopogon ovalifolium Presl. Presl. Reliq. 13.
Cyclostegia strobilifera Benth. Rumpf Amb. 6, 16, fig. 2.
Cycnoches aureum Ldl. Paxt. Fl. G. 75.
 — — — Lem. Jard. fl. 261.
 — — — *barbatum* Ldl. Bot. Mag. 75, 4479.
 — — — *chlorochilon* Ldl. Lindley Sertum 16.
 — — — Hart. Parad. 1, 2.
 — — — *Egertonianum* Batem. Bateman Orchid. 40.
 — — — var. *viride*, Bot. Reg. 32, 46.
 — — — *Loddigesii* Ldl. Lodd. Cab. 2000.
 — — — Knowles et Westc. 15.
 — — — Bot. Reg. 21, 1742.
 — — — var. Bot. Mag. 67, 3855.
 — — — Bot. Mag. 72, 4215.
 — — — Hart. Parad. 2, 3.
 — — — *maculatum* Ldl. Lindley Sertum 33.
 — — — Maund Bot. 4, 156.
 — — — *pentadactylon* Ldl. Bot. Reg. 29, 22.
 — — — *ventricosum* Batem. Bateman Orchid. 8.
 — — — Maund Bot. 2, 54.

- Cynoches ventricosum Batem.* var. *Bot. Mag.* 70, 4054.
 — — — *Annales de Gand* 1848, 187.
Cynogeton Hügelii Endl. *Endl. Iconogr.* 73.
Cynopodium latifolium Naud. *Delessert Ic.* 5, 3.
 † — — — *Ann. sc. nat.* III, 4, 2.
Cydonia chinensis Thoun. *Bot. Reg.* 11, 905.
 — — — *Ann. Mus.* 19, 8, 9.
 — — — *Kerner Hort.* 508.
 — — — *Herb. amat.* 2, 99.
 — — — *japonica Pers.* *Savi Fl. ital.* 1, 18.
 — — — *Herb. amat.* 2, 73.
 — — — var. *umbilicata, Fl. d. serr.* 5, 510—512.
 — — — *speciosa Sweet.* *Guimp. Fr. Holzgew.* 70.
 † — — — *vulgaris Pers.* *Kerner Genera* 214, 215.
 — — — *Hartig* 81.
 — — — *Hayne* 4, 47.
 — — — *Guimp. et Schl.* 17.
 — — — *Wagner* 81.
 † — — — *Ann. sc. nat.* III, 19, 2.
Cylicodaphne Wightiana N. v. E. *Wight Ic. pl.* 5, 1833.
Cylindria rubra Lour. *Rumpf Amb.* 4, 73.
Cylista albiflora Sims. *Bot. Mag.* 43, 1859.
 — — — *scariosa Ait.* *Roxb. Corom.* 92.
 † — — — *Münchn. Denkschr.* 6, C.
 — — — *Wight Ic. pl. Ind. or.* 4, 1597.
 — — — *tomentosa Roxb.* *Roxb. Corom.* 221.
 — — — *Jacq. Ecl. pl.* 138.
Cymaria acuminata Decne. *Delessert Ic.* 3, 86.
Cymbaria borythetica Pall. *Horae berol.* 21.
 † — — — *daurica L.* *Gaertn. Carp.* 53.
 † — — — *Lam. Encycl.* 530.
 — — — *davurica Messersch.* *Horae berol.* 21.
 † *Cymbidium Sw.* *Schrader Journ.* 1799, 2, 1.
 † — — — *aloefolium Bl.* *Blume Tabellen* 19.
 — — — *aloifolium Sw.* *Rheede Hort. mal.* 12, 8.
 — — — *Lodd. Cab.* 967.
 — — — *Wight Ic. pl. Ind. or.* 5, 1687—1688.
 — — — *Andersoni Lamb.* *Andr. Rep.* 10, 651.
 — — — *aphyllum Sw.* *Kerner Hort.* 95.
 — ? *bituberculatum Hook.* *Hook. Exot. Fl.* 116.
 — — — *coccineum Sw.* *Bot. Mag.* 35, 1437.
 — — — *Kerner Hort.* 395.
 — — — *Corallorrhiza Sw.* *Liboschitz Pet.* 25.
 — — — *dependens Lodd.* *Lodd. Cab.* 936.
 — — — *Devonianum Paxt.* *Paxt. Mag.* 10, 97.
 — — — *eburneum Ldl.* *Bot. Reg.* 33, 67.
 — — — *Paxt. Mag.* 15, 148.
 — — — *elegans Ldl.* *Lindley Sertum* 14.
 — — — *ensifolium Sw.* *Bot. Mag.* 42, 1751.
 — — — var. *striatum, Bot. Reg.* 23, 1976.
 — — — *equitans Sw.* *Aubert Orchid.* 91.
 — — — *erectum Wight.* *Wight Ic. pl. Ind. or.* 5, 1753.
 — — — *giganteum Wall.* *Lindley Sertum* 4.
 — — — *Paxt. Mag.* 12, 241.
 — — — *graminoides Sw.* *Swartz Annot.* 1.
 — — — *hyacinthinum Sm.* *Smith Exot. Bot.* 60.
 — — — *Bot. Mag.* 36, 1492.
 † — — — *javanicum Bl.* *Blume Tabellen* 19.
 — — — *lancifolium Hook.* *Hook. Exot. Fl.* 51.
 — — — *Lodd. Cab.* 927.
 — — — *marginatum Willd.* *Bot. Reg.* 18, 1539.
 — — — *Mastersii Griff.* *Bot. Reg.* 31, 50.
 — — — *Paxt. Fl. G.* 78.
 — — — *Lem. Jard. fl.* 3, 289.
 — — — *nutans Sw.* *Kerner Hort.* 96.
 — — — *ochroleucum Ldl.* *Bot. Reg.* 71, 4141.
 — — — *ovatum Willd.* *Rheede Hort. mal.* 12, 7.
 — — — *pendulum Sw.* *Kerner Hort.* 75, 657.
 — — — *Bot. Reg.* 26, 25.
 — — — var. *brevilabre, Bot. Reg.* 30, 24.
 — — — *plicatum Harv.* *Hook. Ic. pl.* 2, 104.
 — — — *pubescens Ldl.* *Bot. Reg.* 27, 38.

- Cymbidium purpureum Hort.* *Herb. amat.* 4, 281.
 — — — *pusillum Sw.* *Swartz Annot.* 1.
 — — — *sinense Willd.* *Lodd. Cab.* 37.
 — — — *stapeloides Link.* *Link Ic.* 1, 52.
 — — — *tenuifolium Willd.* *Rheede Hort. mal.* 12, 5, 6.
 — — — *Wight Ic. pl. Ind. or.* 5, 1689.
 — — — *tessellatum Sw.* *Kerner Hort.* 52.
 — — — *triste Willd.* *Bot. Mag.* 65, 3648.
 — — — *Wight Ic. pl. Ind. or.* 3, 911.
 — — — *xiphiifolium Ldl.* *Bot. Reg.* 7, 529.
 † *Cymbocarpa refracta Miers.* *Linn. Transact.* 18, 38.
Cymbonotus Lawsonianus Gaudich. *Ereynet Voy.* 86.
Cymburus mutabilis Salisb. *Salisb. Parad.* 49.
 — — — *urticaefolius Salisb.* *Salisb. Parad.* 53.
 † *Cymnosma Ankenda Gaertn.* *Gaertn. Carp.* 58.
 — — — *oblongifolia Cunn.* *Bot. Mag.* 61, 3322.
 — — — *pedunculata W. et A.* *Rheede Hort. mal.* 5, 4.
 — — — *Roxb.* *Rheede Hort. mal.* 5, 15.
 — — — *Gaertn.* *Link Ic.* II, 42.
 † — — — *DC.* *Mem. Mus.* 12, 17.
 — — — *Wight Illustr.* 63.
 — — — *resinosa Lour.* *Rumpf Amb.* 3, 122.
Cymodocea aequorea König. *König Annals* 2, 7.
Cynanchum abyssinicum Decne. *Delessert Ic.* 5, 69.
 † — — — *acutum L.* *Gaertn. Carp.* 117.
 † — — — *Lam. Encycl.* 177.
 — — — *Schk. Handb.* 54.
 — — — *Sibth. Fl. gr.* 250.
 — — — *altissimum Jacq.* *Jacq. Hist. stirp. am.* 83.
 — — — *Argel Delile.* *Delile Egypte* 20.
 — — — *Colladon Cass.* 15.
 — — — *Nees Düsseldorf. Suppl.* 13.
 — — — *bicolor Andr.* *Andr. Rep.* 9, 562.
 — — — *carolinense Jacq.* *Jacq. Ic.* 342.
 — — — *clausum Jacq.* *Jacq. Hist. stirp. am.* 87.
 — — — *crispum Thunb.* *Jacq. Fragm.* 34.
 — — — *denticulatum Vahl.* *Vahl Ic.* 8.
 — — — *discolor Sims.* *Bot. Mag.* 31, 1273.
 — — — *erectum L.* *Jacq. Vind.* 38.
 † — — — *Lam. Encycl.* 177.
 — — — *extensum Ait.* *Jacq. Ic.* 54.
 — — — *filiforme Jacq.* *Jacq. Hist. stirp. am.* 86.
 — — — *fimbriatum H. B. K.* *H. B. K. Nov. Gen.* 3, 234.
 † — — — *fruticosum Decne.* *Ann. sc. nat.* II, 9, 12.
 — — — *grandiflorum Cav.* *Cav. Ic.* 21.
 — — — *heterophyllum Delile.* *Callaud Voyage* 63.
 — — — *Jacquemontianum Decne.* *Jacquemont Ind.* 112.
 — — — *Ipecacuanha Willd.* *Berl. Jahrb.* 1795, 2.
 — — — *longiflorum Jacq.* *Jacq. Hist. stirp. am.* 85.
 — — — *Magale Ham.* *Rheede Hort. mal.* 7, 32.
 — — — *maritimum L.* *Jacq. Hist. stirp. am.* 82.
 — — — *microphyllum H. B. K.* *H. B. K. Nov. Gen.* 3, 236.
 — — — *monspeliacum L.* *Cav. Ic.* 60.
 — — — *Jacq. Ic.* 340.
 — — — *Sibth. Fl. gr.* 251.
 — — — *Hayne* 12, 42.
 — — — *mucronatum Andr.* *Andr. Rep.* 8, 515.
 — — — *H. B. K.* *H. B. K. Nov. Gen.* 3, 235.
 — — — *nigrum Cav.* *Cav. Ic.* 159.
 — — — *R. Br.* *Bot. Mag.* 50, 2390.
 — — — *obliquum Jacq.* *Jacq. Ic.* 341.
 — — — *oleaefolium Nect.* *Nectoux Voyage* 3.
 — — — *paniculatum R. Br.* *Wight Ic. pl. Ind. or.* 2, 354.
 — — — *pilosum R. Br.* *Bot. Reg.* 2, 111.
 — — — *planiflorum L.* *Jacq. Hist. stirp. am.* 81.
 — — — *prostratum Cav.* *Cav. Ic.* 7.
 — — — *pyrotechnicum Forsk.* *Delile Egypte* 20.
 — — — *racemosum L.* *Jacq. Hist. stirp. am.* 80.
 — — — *rostratum Vahl.* *Vahl Ic.* 7.
 — — — *sibiricum Willd.* *Neue Schr. naturf. Fr.* 2, 6.
 — — — *undatum Andr.* *Andr. Rep.* 6, 410.
 — — — *undulatum L.* *Jacq. Hist. stirp. am.* 84.

- Cynanchum Vincetoxicum* R. Br. Sturm Flora 3, 9.
 — — — Brandt und Ratzeb. 21.
 — — — Dietr. Fl. bor. 7, 482.
 — — — Hayne 6, 30.
 — — — viridiflorum Sims. Bot. Mag. 44, 1929.
 † *Cynara* L. Kerner Genera 151.
 — — — acaulis L. Desf. Fl. atl. 223.
 — — — Lam. Encycl. 663.
 — — — alba Boiss. Boissier Esp. 109.
 — — — Cardunculus L. var. Bot. Mag. 55, 2862.
 — — — var. Bot. Mag. 60, 3241.
 — — — horrida Ait. Sibth. Fl. gr. 834.
 — — — Webb Canar. 114. (errore 117.)
 † — — — humilis L. Schk. Handb. 231.
 — — — Sibth. Fl. gr. 835.
 † — — — pusilla Lab. Bill. Syr. 3, 7.
 † — — — Scolymus L. Lam. Encycl. 663.
 — — — Woodv. Med. 1, 28.
 — — — Schk. Handb. 231.
 † *Cynocrambe prostrata* Gaertn. Carp. 75.
Cynoctonum alatum DC. Wight Ic. pl. Ind. or. 4, 1280.
 — — — callialatum DC. Wight Ic. pl. Ind. or. 4, 1279.
 — — — eurychiton Decne. Delessert Ic. 5, 66.
 † *Cynodon* Rich. Dumortier Gramin. 15.
 — — — Dactylon Rich. Rchb. Fl. germ. 1, 26.
 † — — — Nees Gen. 1, 39.
 — — — Baxter Brit. Bot. 1, 59.
 — — — pilosissimus Rasp. Annales d'obs. 3, 3.
 — — — tenellus R. Br. Humb. Gram. 133.
Cynoglossum anchusoides Ldl. Bot. Reg. 28, 14.
 † — — — apenninum L. Gaertn. Carp. 67.
 — — — Berteri Colla. Mem. Tur. 38, 43.
 — — — cheirifolium L. Winterl Ind. 17.
 — — — Rchb. Ic. crit. 8, 781.
 — — — clandestinum Desf. Desf. Fl. atl. 42.
 — — — Brotero Phytogr. 158.
 — — — clavatum Viv. Viviani Lib. 5.
 — — — coelestinum Ldl. Bot. Reg. 25, 36.
 — — — Columnae Ten. Tenore Fl. nap. 116.
 — — — divaricatum Lehm. Lehmann Asperif. 15.
 — — — furcatum Wall. Wight Ic. pl. Ind. or. 4, 1395.
 — — — glastifolium Willd. Ann. Mus. 10, 35.
 — — — Desf. Choix 18.
 — — — glochidiatum Wall. Bot. Reg. 27, 15.
 — — — hirsutum Jacq. Jacq. Schoenbr. 4, 489.
 — — — japonicum Thunb. Thunb. Ic. jap. 22.
 † — — — laevigatum L. Gaertn. Carp. 67.
 † — — — Lam. Encycl. 92.
 — — — lanatum Lam. Ann. Mus. 10, 37.
 — — — Desf. Choix 20.
 — — — lateriflorum Lam. Lam. Encycl. 92.
 † — — — linifolium L. Gaertn. Carp. 67.
 — — — longiflorum Royle. Bot. Reg. 26, 50.
 — — — lusitanicum Brot. Brotero Phytogr. 24.
 — — — magellense Ten. Tenore Fl. nap. 117.
 — — — mollissimum Lehm. Lehmann Asperif. 41.
 — — — myosotoides Lab. Bill. Syr. 2, 2.
 — — — nitidum Willd. Bot. Mag. 52, 2529.
 † — — — officinale L. Lam. Encycl. 92.
 — — — Fl. dan. 7, 1147.
 — — — Sv. Bot. 392.
 — — — Curt. Lond. 1, 15.
 — — — Woodv. Med. 2, 109.
 — — — Engl. Bot. 13, 921.
 — — — Baxter Brit. Bot. 6, 477.
 — — — Schk. Handb. 30.
 — — — Sturm Flora 3, 9.
 — — — Schrank Fl. monac. 1, 23.
 — — — Hayne 1, 26.
 — — — Nees Düsseld. Suppl. 37, 38.
 — — — Guimp. et Schl. 124.
 — — — Dietr. Fl. bor. 4, 256.

- † *Cynoglossum officinale* L. Nees Gen. 6, 56.
 — — — omphalodes L. Scop. Fl. carn. 1, 3.
 — — — Bot. Mag. 1, 7.
 — — — Dreves 2, 53.
 — — — Tratt. Archiv 179.
 — — — Herb. amat. 1, 4.
 — — — pictum Ait. Brotero Phytogr. 159.
 — — — Hoffm. Lk. Fl. port. 24.
 — — — Bot. Mag. 47, 2134.
 — — — pilosum Rz et P. Ruiz et Pav. Fl. 111.
 — — — Rindera L. fil. Pallas Fl. ross. 88.
 — — — silvaticum Haenke. Engl. Bot. 23, 1642.
 — — — stamineum Desf. Ann. Mus. 10, 36.
 — — — Desf. Choix 19.
 — — — umbellatum W. et K. W. et Kit. 148.
 — — — viridiflorum Lehm. Lehmann Asperif. 42.
 — — — Ledeb. Ic. 106.
 † *Cynometra* L. Kerner Genera 113.
 — — — cauliflora L. Rumpf Amb. 1, 62.
 — — — Gaertn. Carp. 156.
 † — — — Lam. Encycl. 331.
 — — — cubensis Ramon. Ramon Cuba 41.
 — — — polyandra Roxb. Roxb. Corom. 286.
 — — — ramiflora L. Rheede Hort. mal. 4, 31.
 — — — Rumpf Amb. 1, 63.
 † — — — Lam. Encycl. 331.
 † *Cynomorium coccineum* L. Lam. Encycl. 742.
 — — — Tratt. Thes. 30.
 — — — Desc. Ant. 2, 96.
 † — — — Mem. Mus. 8, 21.
 † — — — Ann. sc. nat. III. 14, 11.
Cynorchis fastigiata Aub. Aubert Orchid. 13.
 — — — Bot. Reg. 23, 1998.
Cynosciadium digitatum DC. DC. Ombellif. 11.
 — — — pinnatum DC. DC. Ombellif. 11.
Cynosorchis purpurascens Aub. Aubert Orchid. 15.
 — — — triphylla Aub. Aubert Orchid. 14.
 † *Cynosurus* L. Dumortier Gramin. 6.
 — — — aureus L. Sibth. Fl. gr. 79.
 — — — Host Gram. 204.
 — — — Cavara Ham. Rheede Hort. mal. 12, 69.
 — — — coeruleus L. Jacq. Ic. 21.
 — — — coracanus L. Rumpf Amb. 5, 76.
 — — — Schreber Gräser 35.
 — — — crista galli Munby. Munby Fl. d'Alg. 2.
 — — — cristatus L. Fl. dan. 2, 238.
 † — — — Lam. Encycl. 47.
 — — — Engl. Bot. 5, 316.
 — — — Knapp Gram. 64.
 — — — Baxter Brit. Bot. 3, 216.
 — — — Sv. Bot. 66.
 — — — Schreber Gräser 8.
 — — — Host Gram. 198.
 — — — Schk. Handb. 15.
 — — — Sturm Flora 1, 4.
 — — — Rchb. Fl. germ. 1, 7.
 † — — — Nees Gen. 1, 76.
 — — — domingensis Jacq. Jacq. Ic. 22.
 — — — durus L. Pollich Palat. 1, 1.
 † — — — echinatus L. Gaertn. Carp. 1.
 † — — — Lam. Encycl. 47.
 — — — Sibth. Fl. gr. 78.
 — — — Host Gram. 195.
 — — — Engl. Bot. 19, 1333.
 — — — Knapp Gram. 65.
 — — — var. Mutel Fl. fr. 84.
 — — — Rchb. Fl. germ. 1, 7.
 † — — — Nees Gen. 1, 76.
 — — — elegans Desf. Desf. Fl. atl. 17.
 — — — Mutel Fl. fr. 84.
 — — — Lima L. Cav. Ic. 91.
 — — — Desf. Fl. atl. 19.

- Cynosurus paspaloides* Vahl. Vahl Symbolae 27.
 — *phleoides* Desf. Desf. Fl. atl. 18.
 — *separius* Desc. Desc. Ant. 4, 264.
 — *siculus* Jacq. Jacq. Obs. 43.
 — *sphaerocephalus* Wulfen. Jacq. Ic. 20.
Cypella Herberti Hook. Maund Bot. 4, 199.
 — — — Lodd. Cab. 1810.
 — — — Rchb. Exot. 20.
 — — — Sweet Fl. G. II. 33.
 — — — Fl. d. serres 5, 337.
† *Cyperaceae* DC. Wiegmann Archiv 2, 6, 3, 5.
† — — Schnitzl. Ic. 1, 43, 43^a.
Cyperus aegyptiacus Glox. Gloxin Observ. 3.
 — *alopencuroides* Rottb. Rottb. Descr. 8.
 — *alternifolius* L. Jacq. Ic. 298.
 — *amentaceus* Rudge. Rudge Pl. Guianae 19.
 — *aristatus* Rottb. Rottb. Descr. 6.
 — *Aucherii* Jaub. Jaubert Illustr. 101.
 — *aureus* Ten. Tenore Fl. nap. 101.
 — — — Rchb. Ic. crit. 3, 212.
 — — — Rchb. Fl. germ. 8, 281.
 — *badius* Desf. Desf. Fl. atl. 7.
† — — — Tenore Fl. nap. 208.
 — — — Rchb. Fl. germ. 8, 283.
 — — — Sturm Flora 18, 78.
 — *chalaranthus* Presl. Presl Reliq. 32.
 — *comosus* Sibth. Sibth. Fl. gr. 44.
 — *compressus* L. Jacq. Vind. 3, 12.
 — — — Rottb. Descr. 9.
† — — — Nees Gen. 2, 21.
 — *conglomeratus* Rottb. Rottb. Descr. 15.
 — *corymbosus* Rottb. Rottb. Descr. 7.
 — *crassipes* Vahl. Pal. B. Fl. d'Oware 97.
 — *cruentus* Rottb. Rottb. Descr. 5.
 — *difformis* L. Sibth. Fl. gr. 46.
 — — — Rottb. Descr. 9.
 — — — Rchb. Fl. germ. 8, 284.
 — *distachyos* All. Allioni Auct. 2.
 — *distans* L. Jacq. Ic. 299.
 — — — Pal. B. Fl. d'Oware 20.
 — *dives* Delile. Delile Egypte 4.
 — *dubius* Rottb. Rottb. Descr. 4.
 — *effusus* Rottb. Rottb. Descr. 12.
 — *elatus* L. Rheede Hort. mal. 12, 42.
 — — — Rottb. Rottb. Descr. 10.
† — *elegans* Rottb. Rottb. Descr. 6.
 — — — Desc. Ant. 6, 402.
 — *esculentus* L. Host Gram. 275.
 — — — Sturm Flora 13, 52.
 — *fascicularis* Desf. Lam. Encycl. 38.
 — *fastigiatus* Rottb. Rottb. Descr. 7.
 — *Fernandezianus* Colla. Mem. Tur. 39, 56.
 — *flicinus* Vahl. Novi Comm. Bonon. 9, 35.
 — *flabelliformis* Rottb. Rottb. Descr. 12.
 — *flavescens* L. Lam. Encycl. 38.
 — — — Schk. Handb. 7.
 — — — Sibth. Fl. gr. 47.
 — — — Host Gram. 272.
 — — — Sturm Flora 13, 52.
 — — — Fl. dan. 10, 1682.
 — — — Rchb. Fl. germ. 8, 278.
 — *flavissimus* Schrad. Comm. Gott. rec. 7, 2.
 — *Fontanesii* Kth. Novi Comm. Bonon. 9, 35.
 — *fuscus* L. Fl. dan. 1, 179.
 — — — Curt. Lond. 4, 83.
 — — — Schk. Handb. 7.
 — — — Sibth. Fl. gr. 48.
 — — — Host Gram. 273.
 — — — Sturm Flora 13, 52.
 — — — Engl. Bot. 2626.
 — — — Rchb. Fl. germ. 8, 280.
 — — — Dict. sc. nat. 12.

- Cyperus glaber* L. Sturm Flora 13, 52.
 — — — Rchb. Ic. crit. 3, 204.
 — — — Rchb. Fl. germ. 8, 280.
 — *globosus* All. Rchb. Ic. crit. 3, 229.
 — — — Rchb. Fl. germ. 8, 279.
 — *glomeratus* L. Host Gram. 271.
 — — — Sturm Flora 13, 52.
 — — — Rchb. Fl. germ. 8, 284.
 — *Grayi* Torr. Torrey New York 138.
 — *Haspan* L. Rottb. Descr. 6.
 — *hexastachyus* R. et Sch. Rumpf Amb. 6, 1, fig. 2.
 — *hexastichos* Rottb. Rottb. Descr. 14.
 — *Hydra* Michx. Elliott Carolina 2.
 — *jeminicus* Rottb. Rottb. Descr. 8.
 — *inundatus* Roxb. Rheede Hort. mal. 12, 56.
 — *jubaeflorus* Rudge. Rudge Pl. Guianae 21.
 — *junciformis* Cav. Cav. Ic. 204.
 — — — Desf. Desf. Fl. atl. 7.
 — *kyllingiaoides* R. et Sch. Rumpf Amb. 6, 2, fig. 1.
 — *laevigatus* L. Rottb. Descr. 16.
 — *ligularis* L. Rottb. Descr. 11.
 — *longus* L. Jacq. Ic. 297.
 — — — Host Gram. 276.
† — — — Tenore Fl. nap. 208.
 — — — Engl. Bot. 19, 1309.
 — — — Sturm Flora 13, 52.
 — — — Rchb. Fl. germ. 8, 282.
 — — — Baxter Brit. Bot. 6, 452.
 — *Luzulae* Rottb. Rottb. Descr. 13.
 — *monostachyus* L. Rottb. Descr. 13.
 — *Monti* L. fil. Host Gram. 367.
 — — — Sturm Flora 13, 52.
 — — — Rchb. Fl. germ. 8, 279.
 — *mucronatus* Willd. Sibth. Fl. gr. 49.
 — — — Rottb. Rottb. Descr. 8.
 — — — Rchb. Fl. germ. 8, 278.
 — *myriostachyus* Ten. Tenore Fl. nap. 207, 208.
 — *niloticus* Vahl. Pal. B. Fl. d'Oware 97.
 — *Nuttallii* Torr. Torrey New York 135.
 — *odoratus* L. Burm. Fl. ind. 8.
 — *officinalis* N. v. E. Nees Düsseld. 25.
 — *olivaris* Targ. Rchb. Fl. germ. 8, 281.
 — *pallescens* Desf. Desf. Fl. atl. 9.
 — *Pangorei* Rottb. Rottb. Descr. 7.
 — *pannonicus* Jacq. Jacq. Fl. austr. 5, c.
 — — — Host Gram. 270.
 — — — Sturm Flora 13, 52.
 — — — Rchb. Fl. germ. 8, 278.
 — *Papyrus* L. Henckel Adumbr. pl. 0.
 — — — Tratt. Archiv 132, 132^a.
 — *patulus* M. v. B. Host Gram. 274.
 — *pes avium* Bert. Novi Comm. Bonon. 9, 31.
 — *pictus* Ten. Tenore Fl. nap. 211.
 — *polystachyus* Rottb. Rottb. Descr. 11.
 — *procerus* L. Rottb. Descr. 5.
 — *protractus* Delile. Delile Egypte 5.
† — *pumilus* L. Gaertn. Carp. 2.
 — — — Rottb. Descr. 9.
 — *pygmaeus* Vahl. Rheede Hort. mal. 12, 54.
 — — — Rottb. Descr. 14.
 — — — Cav. Cav. Ic. 588.
 — *radicosus* Sibth. Sibth. Fl. gr. 45.
 — — — Rchb. Fl. germ. 8, 281.
 — *repens* Ell. Torrey New York 137.
 — *rotundus* L. Rheede Hort. mal. 12, 50.
 — — — Rumpf Amb. 6, 1, fig. 1.
 — — — Nees Düsseld. 25.
 — *rubicundus* Vahl. Webb Canar. 240.
 — *Santonici* Rottb. Rottb. Descr. 9.
 — *scopellatus* Rich. Vahl Ic. 12.
 — *simplex* H. B. K. Presl Reliq. 31.
 — *squarrosus* L. Rottb. Descr. 6.

- Cyperus stellatus* Rudge. Rudge Fl. Guianae 20.
 — strigosus Rottb. Rottb. Descr. 11.
 — — L. Torrey New York 136.
 † — surinamensis Rottb. Rottb. Descr. 6.
 — Tenorei Presl. Rchb. Fl. germ. 8, 281.
 — tenuiflorus Rottb. Rottb. Descr. 14.
 — — Jacq. Ic. 296.
 † — — Ten. Tenore Fl. nap. 208.
 — tetrastachyus Desf. Desf. Fl. atl. 8.
 — thermalis Dumort. Rchb. Fl. germ. 8, 283.
 † — — Nees Gen. 2, 21.
 — tuberosus Rottb. Rottb. Descr. 7.
 — umbellatus Burm. Burm. Fl. ind. 9.
 — ventricosus R. Br. Rheede Hort. mal. 12, 55.
 — viscosus Sw. Jacq. Ic. 295.
Cyphia glandulifera Hochst. Richard Abyssin. 64.
 — Phyteuma Willd. Bot. Reg. 8, 625.
Cyphocarpus rigescens Miers. Miers Illustr. 27.
 — — Gay Chile 50.
 † *Cyphomandra betacea* Sendtn. Flora 1845, 6.
 † — brachypodia Sendtn. Flora 1845, 5.
 † — calycina Sendtn. Flora 1845, 1.
 † — caracasana Sendtn. Flora 1845, 2.
 † — corymbiflora Sendtn. Flora 1845, 8.
 † — diploconos Sendtn. Flora 1845, 3.
 † — divaricata Sendtn. Flora 1845, 9.
 † — pendula Sendtn. Flora 1845, 7.
 † — sciadostylis Sendtn. Flora 1845, 4.
 — — Endl. Bras. 6, 16.
 — sycocarpa Sendtn. Endl. Bras. 6, 15.
 — velutina Sendtn. Endl. Bras. 6, 17.
Cyripedium acaule Ait. Bot. Mag. 6, 192.
 — — Lam. Encycl. 729.
 — album Ait. Schneevogt Ic. 2.
 — — Bot. Mag. 6, 216.
 — — Rchb. Exot. 98.
 — Atsmori Morr. Belgique hort. 1, 21.
 — arietinum R. Br. Bot. Mag. 38, 1569.
 — — Lodd. Cab. 1240.
 — — Sweet Fl. G. 213.
 — barbatum Ldl. Bot. Reg. 28, 17.
 — — Bot. Mag. 72, 4234.
 † — — Ann. sc. nat. III. 13, 2.
 — — Fl. d. serres 3, 190.
 — bulbosum L. Linné Fl. lapp. 12.
 — — Smith Spicil. 11.
 — — Roemer Fl. eur. 1, 7.
 — Calceolus L. Schk. Handb. 275.
 — — Roemer Fl. eur. 4, 5.
 — — Schrank. Fl. monac. 1, 81.
 — — Sturm Flora 2, 8.
 — — Dietr. Fl. bor. 1, 24.
 † — — Nees Gen. 3, x.
 — — Rchb. Fl. germ. 13, 496.
 — — Fl. dan. 6, 999.
 — — Sv. Bot. 524.
 — — Red. Lil. 1, 19.
 — — Herb. amat. 1, 65.
 † — — Lam. Encycl. 729.
 † — — Linn. Transact. 1, 2.
 — — Curt. Lond. 4, 42.
 — — Engl. Bot. 1, 1.
 — — Baxter Brit. Bot. 2, 105.
 — — Lodd. Cab. 363.
 — — Paxt. Mag. 3, 247.
 — caudatum Ldl. Hook. Ic. pl. 7, 658. 659.
 — — Paxt. Fl. G. 9.
 — — Fl. d. serres 6, 566.
 — cordigerum Don. Jacquemont Ind. 166.
 — flavescens Red. Red. Lil. 1, 20.
 — — Dict. sc. nat. 70.
 † — glanduliferum Bl. Blume Rumphia 198.

- Cyripedium guttatum* Sw. Rchb. Ic. crit. 3, 210.
 — — — Rchb. Fl. germ. 13, 495. 520.
 — — — Fl. d. serres 6, 573.
 † — humile Salisb. Linn. Transact. 1, 3.
 — — — Barton Fl. 3, 83.
 — — — Lodd. Cab. 130.
 — — — Sweet Fl. G. II. 161.
 — — — Annales de Gand 1846, 80.
 — japonicum Thunb. Thunb. Ic. jap. 1.
 — javanicum Reinw. Fl. d. serres 7, 703.
 — insigne Wall. Hook. Exot. Fl. 34.
 — — — Lindley Collect. 32.
 — — — Kerner Hort. 686.
 — — — Lodd. Cab. 1321.
 — — — Maund Bot. 2, 56.
 — — — Bot. Mag. 62, 3412.
 — — — Blume Rumphia 195.
 — — — Hart. Parad. 1, 1.
 — irapeanum Ll. et Lex. Bot. Reg. 32, 58.
 — — — Fl. d. serres 3, 186.
 — Lowii Ldl. Annales de Gand 1848, 195.
 — — — Fl. d. serres 4, 375.
 † — — Journ. Hort. Soc. 5, 27.
 — — — Ysabeau Journal 1850, 8.
 — luteum Rafin. Rafin. Med. 30.
 — macranthum Sw. Bot. Reg. 18, 1534.
 — — — Bot. Mag. 56, 2938.
 — — — Rchb. Exot. 99.
 — — — Rchb. Fl. germ. 13, 498.
 — parviflorum Sw. Bot. Mag. 23, 911.
 — — — Lodd. Cab. 414.
 † — — Salisb. Linn. Transact. 1, 2.
 — — — Bot. Mag. 57, 3024.
 — — — Pers. Sweet Fl. G. 80.
 — pubescens Willd. Willd. Hortus 13.
 — — — Kerner Hort. 143.
 — — — Barton Fl. 3, 74.
 — — — Lodd. Cab. 895.
 — — — Herb. amat. 2, 134.
 — — — Hook. Bor. Am. 206.
 — — — Sweet. Fl. G. 71.
 — — — Belgique hort. 1, 21.
 — purpuratum Ldl. Bot. Reg. 23, 1991.
 — — — Wight Ic. pl. Ind. or. 5, 1760.
 — — — Hart. Parad. 1, 1.
 † — spectabile Sw. Linn. Transact. 1, 3.
 — — — Barton Fl. 2, 65.
 — — — Kerner Hort. 589.
 — — — Lodd. Cab. 697.
 — — — Bot. Reg. 20, 1666.
 — — — Sweet Fl. G. 240.
 — — — Fl. d. serres 5, 430.
 — — — Belgique hort. 1, 21.
 — ventricosum Sw. Sweet Fl. G. II. 1.
 — — — Rchb. Fl. germ. 13, 497.
 — venustum Wall. Hook. Ex. Fl. 35.
 — — — Lodd. Cab. 585.
 — — — Kerner Hort. 727.
 — — — Rchb. Exot. 100.
 — — — Bot. Reg. 10, 788.
 — — — Bot. Mag. 47, 2129.
 — — — Hart. Parad. 1, 4.
Cypselea humifusa Turp. Ann. Mus. 7, 12.
Cyrilla americana L. Swartz Obs. 4.
 — aquatica Roxb. Roxb. Corom. 189.
 † — caroliniana Michx. Gaertn. Carp. 209.
 — pulchella L'her. L'her. Stirp. 71.
 — — — Bot. Mag. 11, 374.
 — — — Kerner Hort. 80.
 — — — Savi Fl. ital. 2, 80.
 — racemiflora L. Jacq. Ic. 47.
 — — — Bot. Mag. 51, 2456.

- † *Cyrtandra* Forst. Forster Charact. 3.
 † — — Lam. Encycl. 11.
 — — *cordifolia* Gaudich. Freycinet Voyage 56.
 — — *Endlicheriana* N. v. E. Acta Leop. 19. Suppl. 10.
 — — *Garnotiana* Gaudich. Freycinet Voyage 53.
 † — — *glabra* Gaertn. Gaertn. Carp. 224.
 — — *grandiflora* Gaudich. Freycinet Voyage 55.
 — — *Lessoniana* Gaudich. Freycinet Voyage 54.
 † — — *macrophylla* Jack. Linn. Transact. 14, 2.
 † — — — — Calcutta Journal 1844, 15.
 — — *pendula* Bl. Hook. Ic. pl. 8, 735 — 736.
 — — *staminea* Vahl. Dict. sc. nat. 78.
 — — *triflora* Gaudich. Freycinet Voyage 52.
 † *Cyrtandraceae* Jack. Wight Illustr. 142. 159^b.
Cyrtanthera aurantiaca Hook. Bot. Mag. 75, 4468.
 — — *catalpaefolia* N. v. E. Bot. Mag. 75, 4444.
 — — — — Lem. Jard. fl. 1.
 — — *Ghiesbreghtiana* Decne. Fl. d. serres 4, 339.
 — — *Liboniana* Lem. Lem. Jard. fl. 3, 311.
 — — *magnifica* N. v. E. Endl. Bras. 7, 14.
 † *Cyrtanthus* Ait. Herbert Amar. 33.
 — — *angustifolius* Ait. Bot. Mag. 8, 271.
 — — — — Jacq. Schoenbr. 1, 76.
 — — — — Red. Lil. 7, 388.
 — — — — Lodd. Cab. 368.
 — — — — Herb. amat. 4, 253.
 — — *carneus* Ldl. Bot. Reg. 17, 1462.
 — — *collinus* Burch. Bot. Reg. 2, 162.
 — — *obliquus* Ait. Jacq. Schoenbr. 1, 75.
 — — — — Red. Lil. 7, 381.
 — — — — Andr. Rep. 4, 265.
 — — — — Lodd. Cab. 947.
 — — — — Bot. Mag. 28, 1133.
 — — — — Kerner Hort. 157.
 — — — — Rchb. Exot. 120.
 — — — — Fl. d. serres 2, 156.
 — — *odorus* Ker. Bot. Reg. 6, 503.
 — — *pallidus* Sims. Bot. Mag. 51, 2471.
 — — *spiralis* Burch. Lodd. Cab. 1945.
 — — — — Bot. Reg. 2, 167.
 — — — — Rchb. Exot. 42.
 — — *striatus* Herb. Bot. Mag. 52, 2534.
 — — *uniflorus* Ker. Bot. Reg. 2, 168.
 — — *ventricosus* Willd. Kerner Hort. 234.
 — — *vittatus* Desf. Red. Lil. 4, 182.
Cyrtocarpa procera H. B. K. H. B. K. Nov. Gen. 7, 609.
Cyrtoceras floribundum Maund. Maund Bot. 4, 178.
 — — *reflexum* Bennett. Bennett Java 21.
Cyrtochilum bictoniense Batem. Bateman Orchid. 6.
 — — *citrinum* Hook. Bot. Mag. 75, 4454.
 — — *filipes* Ldl. Bot. Reg. 27, 59.
 — — *flavescens* Ldl. Bot. Reg. 19, 1627.
 — — *leucochilum* Planch. Fl. d. serres 5, 522.
 — — *maculatum* Ldl. Lindley Sertum 25.
 — — — — Knowles et Westc. 57.
 — — — — var. *ecornutum*, Bot. Mag. 67, 3836.
 — — — — Bot. Mag. 68, 3880.
 — — — — Bot. Reg. 24, 44.
 — — *mystacinum* Ldl. Bot. Reg. 25, 62.
 — — *stellatum* Ldl. Lindley Sertum 7.
 — — *undulatum* H. B. K. H. B. K. Nov. Gen. 1, 84.
 — — *volubile* P. et E. Poepp. et Endl. 61.
 † *Cyrtomium caryotideum* Presl. Hook. Gen. Fil. 49.
Cyrtopera Cullenii Wight. Wight Ic. pl. Ind. or. 5, 1754.
 — — *flava* Ldl. Royle Illustr. 88.
 — — *fusca* Wight. Wight Ic. pl. Ind. or. 5, 1690.
Cyrtopodium Andersonii R. Br. Lodd. Cab. 121.
 — — — — Bot. Mag. 43, 1800.
 — — — — Bot. Reg. 27, 8.
 — — *elegans* Ham. Hamilt. Prodr. Fl. Ind. occ. 6.
 — — *flavum* Link et O. Rchb. Hort. 214.
 † — — *glutiniferum* Raddi. Mem. Mod. 19, 0.

- Cyrtopodium glutiniferum* Raddi. Savi Fl. ital. 3, 97.
 — — *punctatum* Ldl. Lindley Sertum 12.
 — — — — Bot. Mag. 63, 3507.
 — — *Willmorei* Kn. et W. Knowles et Westcott 4.
 — — *Woodfordii* Sims. Bot. Mag. 43, 1814.
 — — — — Bot. Reg. 18, 1508.
Cyrtosia altissima Bl. Blume Rumphia 70.
 † — — *javanica* Bl. Blume Tabellen 6.
 — — — — Blume Rumphia 69.
Cyrtostachys Renda Bl. Blume Rumphia 120.
Cyrtostylis reniformis R. Br. Hook. Journ. 1834, 135.
Cyrtotropis carnea Wall. Wall. Pl. asiat. 62.
Cystanche lutea Link. Wight Ic. pl. 4, 1420. 1420^b.
 † — — — — Wight Illustr. 158^b.
Cystanthe sprengeloides R. Br. Delessert Ic. 5, 27.
 — — — — Bot. Mag. 67, 3826.
Cystea angulata Sm. Engl. Bot. 2790.
 — — *angustata* Sm. Newman p. 156.
 — — *dentata* Sm. Newman p. 154.
 — — *fragilis* Sm. Newman p. 155.
 — — *regia* Sm. Newman p. 157.
 † *Cysticapnos africana* Gaertn. Gaertn. Carp. 115.
Cystidianthus campanulatus Hassk. Fl. d. serres 6, 623.
 † *Cystodium sorbifolium* Sm. Hook. Gen. Fil. 96.
 † *Cystogyne* Gasp. Rendic. Acad. Neap. 1844, 8.
Cystopteris alpina Hook. Newman p. 149.
 — — *dentata* Hook. Newman p. 149.
 — — *dimidiata* Decne. Jacquemont Ind. 178.
 † — — *fragilis* Bernh. Schott Gen. Fil. 3.
 † — — — — Hook. Gen. Fil. 52.
 — — — — Newman p. 149 sq.
 — — *montana* Link. Newman p. 159.
 — — *retusa* Decne. Jacquemont Ind. 177.
 — — *rufescens* Fée. Mem. Strassb. 4, 6.
Cytheris Griffithii Wight. Wight Ic. pl. 5, 1751. 1752.
 † *Cytineae* Brongn. Schnizl. Ic. 1, 40. 1, suppl. 3.
Cytinus dioicus Juss. Hook. Ic. pl. 4, 336.
 † — — *Hypocistis* L. Atti Nap. 1788, 18.
 — — — — Brotero Phytogr. 51.
 — — — — Cav. Ic. 171.
 — — — — Hook. Exot. Fl. 153.
 — — — — Tratt. Archiv 197.
 — — — — Tratt. Thes. 29.
 — — — — Sibth. Fl. gr. 938.
 † — — — — Lam. Encycl. 737.
 † — — — — Ann. sc. nat. 1, 4.
 — — — — Dict. sc. nat. 3.
 — — — — Schnizl. Ic. 1, 40.
 — — — — Rchb. Fl. germ. 11, 540.
 — — — — Parlat. Giorn. bot. 2, 1.
 † — — — — Rendic. Acad. Neap. 1852, 0.
Cytisopsis dorycnifolia Jaub. Jaubert Illustr. 84.
Cytisus acutangulus Jaub. Jaubert Illustr. 153.
 — — *aeolicus* Guss. Bot. Reg. 22, 1902.
 — — — — Sweet Fl. G. II. 382.
 — — *albidus* DC. Webb Canar. 49.
 — — *alpinus* Mill. W. et Kit. 260.
 † — — — — Schk. Handb. 203.
 — — — — Guimp. Holzgew. 128.
 — — *Alschingeri* Vis. Visiani Dalm. 54.
 — — *argenteus* L. Brotero Phytogr. 69.
 — — — — Sturm Flora 14, 59.
 — — *austriacus* L. Jacq. Fl. austr. 1, 21.
 — — — — Sturm Flora 14, 59.
 — — — — Guimp. Holzgew. 131.
 — — *biflorus* L'her. W. et Kit. 166.
 — — — — Sturm Flora 14, 59.
 — — — — Ker. Bot. Reg. 4, 308.
 — — *Cajan* L. Gil et Xuares 8.
 — — — — Tuss. Ant. 4, 32.
 — — — — Desc. Ant. 4, 290.
 — — *calycinus* M. v. B. Lodd. Cab. 673.

- † *Cytisus candicans* Lam. Lam. Encycl. 618.
 — *capitatus* Jacq. Jacq. Fl. austr. 1, 33.
 — — — Sturm Flora 14, 59.
 — — — Guimp. Holzgew. 130.
 — — — Lodd. Cab. 497.
 — *divaricatus* Sibth. Sibth. Fl. gr. 704.
 — *L'her.* Bot. Mag. 34, 1387.
 — *elongatus* W. et K. W. et Kit. 183.
 — — — Guimp. Fr. Holzgew. 60.
 — — — Andr. Rep. 10, 632.
 — — — Watson Dendr. 2, 82.
 — — — Bot. Reg. 4, 308.
 — *falcatus* W. et K. W. et Kit. 238.
 — — — Lodd. Cab. 520.
 — *filipes* Webb. Webb Canar. 47.
 — *foliolosus* Ait. Bot. Mag. 12, 426.
 — *hirsutus* L. Jacq. Obs. 96.
 — — — Sibth. Sibth. Fl. gr. 706.
 — *laburno-purpureus* Maund. Maund Bot. 1, 7.
 — *Laburnum* L. Jacq. Fl. austr. 4, 306.
 — — — Schk. Handb. 203.
 — — — Guimp. Holzgew. 127.
 — — — Bot. Mag. 5, 176.
 — — — var. *purpureum*, Bot. Reg. 23, 1965.
 — *leucanthus* W. et K. W. et Kit. 132.
 — — — var. *Rochel* Banat. 13.
 — — — Bot. Mag. 35, 1438.
 — *multiflorus* Ldl. Bot. Reg. 14, 1191.
 — *nanus* Willd. Watson Dendr. 2, 81.
 — *nigricans* L. Jacq. Fl. austr. 4, 387.
 — — — Sturm Flora 3, 12.
 — — — Schrank Fl. monac. 2, 152.
 — — — Lam. Encycl. 618.
 — — — Guimp. Holzgew. 129.
 — — — Dietr. Fl. bor. 9, 642.
 — — — Lodd. Cab. 570.
 — — — Bot. Reg. 10, 802.
 — *nubigenus* DC. Webb Canar. 46.
 — *pauciflorus* Willd. Rchb. Ic. crit. 3, 239.
 — *persicus* Burm. Burm. Fl. ind. 51.
 — *pinnatus* L. Pallas Fl. ross. 47.
 — *proliferus* L. fil. Vent. Cels 13.
 — — — Lodd. Cab. 761.
 — — — Bot. Mag. 44, 1908.
 — — — Bot. Reg. 2, 121.
 — *pseudocajan* Jacq. Jacq. Vind. 119.
 — *purpureus* Scop. Schneevogt Ic. 34.
 — — — Scop. Fl. carn. 2, 43.
 — — — Jacq. Fl. austr. 5, 48.
 — — — Sturm Flora 6, 24.
 — — — Guimp. Fr. Holzgew. 107.
 — — — Bot. Mag. 29, 1176.
 — — — Lodd. Cab. 892.
 — *ramosissimus* Ten. Tenore Fl. nap. 246.
 — *roseus* Camb. Jacquemont Ind. 40.
 — *sessilifolius* L. Bot. Mag. 8, 255.
 — — — Sibth. Fl. gr. 708.
 — — — Lam. Encycl. 618.
 — *spinescens* Presl. Tenore Fl. nap. 242.
 — — — Sieb. Visiani Dalm. 40.
 — *spinosus* Lam. Desc. Ant. 1, 8.
 — *supinus* Jacq. Jacq. Fl. austr. 1, 20.
 — — — Schrank Fl. monac. 2, 173.
 — — — Sturm Flora 14, 59.
 — — — Guimp. Holzgew. 132.
 — *tener* Jacq. Jacq. Ic. 147.
 — *tomentosus* Andr. Andr. Rep. 4, 237.
 — *tribacteolatus* Webb. Webb Otia 3.
 — *triflorus* L'her. Knowles et Westcott 102.
 — *Villarsii* Vis. Visiani Dalm. 55.
 — *violaceus* Aubl. Aublet Guiana 306.
 — *viscosus* Hill. Hill Hortus Kew. 17.

- Cytisus Weldeni* Vis. Visiani Dalm. 39.
 — — — Bot. Reg. 29, 40.
 — *wolgaricus* Willd. Watson Dendr. 2, 83.
 † *Czackia Liliastrum* Andr. Nees Gen. 2, 55.
 — — — Bess. Rchb. Fl. germ. 10, 509.
Daboecia polifolia Don. var. *alba*, Sweet Fl. G. II. 276.
Dacrydium Colensoi Hook. Hook. Ic. pl. 6, 548.
 — *cupressinum* Soland. Pinetum Woburn. 67.
 † — — — Richard Conif. 2.
 — — — Lambert Pinus 2, 51.
 — *elatum* Wall. Blume Rumphia 172^b. 172^c.
 — — — Hook. Lond. Journ. 1843, 2.
 — *Franklinii* Hook. Hook. Lond. Journ. 1845, 6.
 — *laxifolium* Hook. fil. Hook. Ic. pl. 9, 815.
Dactylicapnos thalictrifolia Wall. Wallich Tentamen 39.
 — — — Link Ic. II. 34.
 — — — Sweet Fl. G. II. 127.
 † *Dactylis* Linn. Dumortier Gramin. 6.
 — *abbreviata* Bernh. Rchb. Fl. germ. 1, 59.
 — *caespitosa* Forst. Hook. Lond. Journ. 1843, 9, 10.
 — — — Hook. Fl. ant. 136 — 137.
 — *cynosuroides* L. Linné Fasc. pl. ups. 9.
 — *geniculata* Burm. Burm. Fl. ind. 12.
 — *glomerata* L. Fl. dan. 5, 743.
 † — — — Lam. Encycl. 44.
 — — — Schreber Gräser 8.
 — — — Schk. Handb. 14.
 — — — Host Gram. 194.
 — — — Sturm Flora 2, 6.
 — — — Engl. Bot. 5, 335.
 — — — Knapp Gram. 62.
 — — — Sv. Bot. 32.
 — — — Elliott Carolina 9.
 — — — Rchb. Fl. germ. 1, 59.
 † — — — Münchn. Denkschr. 4, 8.
 — — — Baxter Brit. Bot. 2, 108.
 † — — — Nees Gen. 1, 65.
 — *hispanica* Roth. Rchb. Fl. germ. 1, 59.
 — *lagopodioides* L. Burm. Fl. ind. 12.
 † — — — Lam. Encycl. 44.
 — *litoralis* Willd. Host Gram. 328.
 — *maritima* Schrad. Schrad. Fl. germ. 6.
 — — — Suffr. Rchb. Fl. germ. 1, 59.
 — *pungens* Schreb. Schreber Gräser 27.
 — — — Desf. Fl. atl. 16.
 — *repens* Sieb. Desf. Fl. atl. 15.
 — *Smithii* Link. Webb Canar. 249.
 — *stricta* Ait. Engl. Bot. 6, 380.
 — — — Knapp Gram. 63.
Dactyloctenium mucronatum Willd. Trin. Sp. Gr. 1, 69.
Dactylostegium sparsiflorum N. v. E. Endl. Bras. 7, 31.
 † *Dactylostemon* Klotzsch. Wieg. Archiv 7, 8.
Daemia extensa R. Br. Wight Ic. pl. Ind. or. 2, 596.
 † — *incana* Decne. Ann. sc. nat. II. 9, 12.
 † *Daemonorops* Bl. (Fructus.) Mart. Palm. 175. 176. Z¹².
 — *accedens* Bl. Blume Rumphia 133.
 — *adpersus* Bl. Blume Rumphia 142 — 143.
 — *barbatus* Bl. Blume Rumphia 145.
 — *crinitus* Bl. Blume Rumphia 136.
 — *Draco* Bl. Blume Rumphia 131 — 132. 137.
 — *fissus* Bl. Blume Rumphia 144.
 — *heteracanthus* Bl. Blume Rumphia 139.
 — *hirsutus* Bl. Blume Rumphia 135. 163^b.
 — *hygrophilus* Mart. Mart. Palm. 177. Z⁸.
 † — *Jenkinsianus* Mart. Mart. Palm. Z²¹.
 — *Kirtong* Griff. Griffith Palms 216^b.
 † — *Korthalsii* Bl. Blume Rumphia 163^b.
 — *melanochaetes* Bl. Blume Rumphia 134. 137.
 — — — Mart. Palm. 117. 125.
 — *oblongus* Bl. Blume Rumphia 140. 141.
 † — *palimbanicus* Bl. Blume Rumphia 163^b.
 † — *strictus* Bl. Blume Rumphia 163^b.

- Dahlia* *Barkeriae* *Fl. Cab.* Knowles et Westcott 127.
 — *bidentifolia* *Salisb.* *Salisb. Parad.* 19.
 — *coccinea* *Cav.* *Cav. Ic.* 266.
 — — — *Bot. Mag.* 20, 762.
 — — — *Kerner Hort.* 299. 316. 317.
 — — — *Ann. Mus.* 3, 37.
 — *excelsa* *Maund.* *Maund Bot.* 2, 88.
 — *glabrata* *Ldl.* *Bot. Reg.* 26, 29.
 — — — *Bot. Mag.* 67, 3878.
 — *nana* *Andr.* *Andr. Rep.* 7, 483.
 — — — *var.* *Regel Gartenfl.* 1852, 10.
 — *pinnata* *Cav.* *Cav. Ic.* 80.
 — — — *Andr. Rep.* 6, 418.
 — — — *Ann. Mus.* 3, 37.
 — *purpurea* *Poir.* *Lam. Encycl.* 984.
 — — — *Herb. amat.* 5, 291.
 — *rosea* *Cav.* *Cav. Ic.* 265.
 — — — *Ann. Mus.* 3, 37.
 — *sambucifolia* *Salisb.* *Salisb. Parad.* 16.
 — *scapigera* *Maund.* *Maund Bot.* 4, 161.
 — — — *Knowles et Westcott* 118.
 — *superflua* *R. Br.* *Bot. Reg.* 1, 55.
 — — — *Bot. Mag.* 44, 1885.
 — *variabilis* *Desf.* *Bot. Reg.* 1, 55.
 — — — *Kerner Hort.* 289. 314. 315.
 — — — *Fl. d. serres* 6, 586.
Dais *coccinea* *Gaudich.* *Freyinet Voyage* 44.
 † — *cotinifolia* *L.* *Gaertn. Carp.* 39.
 † — — — *Lam. Encycl.* 368.
 — — — *Bot. Mag.* 5, 147.
 † — — — *Wendl. Beob.* 3.
 — — — *Herb. amat.* 4, 214.
 — *laurifolia* *Jacq.* *Jacq. Ic.* 77.
 — *linifolia* *Lam.* *Lam. Encycl.* 368.
 — *madagascariensis* *Lam.* *Lam. Encycl.* 368.
 — *oetandra* *L.* *Burm. Fl.* ind. 32.
 — *spicata* *Endl.* *Endl. et Fenzl Sert. cab.* 3.
Dalbergia *Barclayii* *Telf.* *Hook. Exot. Fl.* 188.
 — — — *Kerner Hort.* 824.
 — *frondosa* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 266.
 † — *lanceolata* *Lam.* *Lam. Encycl.* 601.
 — *latifolia* *Roxb.* *Roxb. Corom.* 113.
 — — — *Wight Ic. pl. Ind. or.* 3, 1156.
 — *marginata* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 87.
 — *melanoxylon* *Guill.* *Guillemin Seneg.* 53.
 † — *monetaria* *Lam.* *Lam. Encycl.* 601.
 — *ooginensis* *Roxb.* *Wight Ic. pl. Ind. or.* 2, 391.
 — *paniculata* *Roxb.* *Rheede Hort. mal.* 5, 58.
 — — — *Roxb. Corom.* 114.
 — *phoenicea* *Tuss.* *Tuss. Ant.* 1, 19.
 — *reniformis* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 261.
 — *rimosa* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 262.
 — *robusta* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 244.
 — *rubiginosa* *Roxb.* *Roxb. Corom.* 115.
 — *scandens* *Roxb.* *Rheede Hort. mal.* 6, 22.
 — — — *Roxb. Corom.* 192.
 — *stipulata* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 243.
 — *tamarindifolia* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 242.
 — *volubilis* *Roxb.* *Roxb. Corom.* 191.
Dalea *agastachya* *Moric.* *Moricand Pl. Am.* 44.
 — *Alopecurus* *Moric.* *Moricand Pl. Am.* 8.
 — — — *Mem. Genev.* 7, 8.
 — *bicolor* *Willd.* *Willd. Hortus* 89.
 — — — *Bonpland Malm.* 58.
 — — — *Hook. Exot. Fl.* 43.
 — *diffusa* *Moric.* *Mem. Genev.* 6, 6.
 — — — *Moricand Pl. Am.* 6.
 — *gracilis* *H. B.* *Humb. Mim.* 48.
 — *Linnaei* *Michx.* *Michaux Fl.* 38.
 † — *Lippiastrum* *Gaertn.* *Gaertn. Carp.* 51.
 — *macrostachya* *Moric.* *Mem. Genev.* 6, 5.
 — — — *Moricand Pl. Am.* 5.

- Dalea* *mutabilis* *Willd.* *Bonpl. Malm.* 57.
 — — — *Bot. Mag.* 51, 2486.
 — *Mutisii* *H. B.* *Humb. Mim.* 47.
 — *pectinata* *H. B.* *Humb. Mim.* 49.
 — *penicillata* *Moric.* *Moricand Pl. Am.* 45.
 — *Psoralea purpurea* *Lam.* *Lam. Encycl.* 980.
 — *psoraleoides* *Moric.* *Mem. Genev.* 6, 4.
 — — — *Moricand Pl. Am.* 4.
 — *pulchella* *Moric.* *Mem. Genev.* 7, 7.
 — — — *Moricand Pl. Am.* 7.
 — *purpurea* *Vent.* *Vent. Cels* 40.
 — *ramosissima* *Benth.* *Bentham Sulphur* 10.
 — *trifoliata* *Moric.* *Mem. Genev.* 6, 3.
 — — — *Moricand Pl. Am.* 3.
Dalechampia *indica* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1882.
 — *micrantha* *P. et E.* *Poepp. et Endl.* 222.
 — *papposa* *Endl.* *Endl. Alacta* 20. 21.
 — *scandens* *L.* *Jacq. Hist. stirp.* am. 239.
 — *velutina* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1881.
 † — *villosa* *Lam.* *Lam. Encycl.* 788.
Dalenia *pulchra* *Korth.* *Korthals Bot.* 58.
Dalhousiea *bracteata* *Wall.* *Wight Ic. pl. Ind. or.* 1, 265.
† *Dalibarda* *Linn.* *Nestler Potent.* 1.
 — *calycina* *DC.* *Royle Illustr.* 39.
 — *fragarioides* *Michx.* *Michaux Fl.* 28.
 — — — *Bot. Mag.* 38, 1567.
 — — — *Lodd. Cab.* 408.
 — *lobata* *Bakdw.* *Hook. Ic. pl.* 1, 76.
 — *ternata* *Steph.* *Mem. Mosc.* 1, 10.
 — *violaeoides* *Michx.* *Michaux Fl.* 27.
Dalrympelia *pomifera* *Roxb.* *Roxb. Corom.* 279.
Dalzellia *foliosa* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1919.
 — *Lawii* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1919.
 — *pedunculosa* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1919.
 — *ramosissima* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1920.
 — *zeylanica* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1919.
Damasonium *indicum* *Willd.* *Rheede Hort. mal.* 11, 46.
 — — — *Roxb. Corom.* 185.
 — — — *Bot. Mag.* 30, 1201.
Dammara *australis* *Don.* *Pinetum Woburn.* 59.
 — — — *Lambert Pinus* 2, 44.
 † — *graveolens* *Gaertn.* *Gaertn. Carp.* 103.
 — *orientalis* *Don.* *Lambert Pinus* 2, 43.
 — — — *Pinetum Woburn.* 58.
 — *Perousii* *Moore.* *Hook. Journ.* 1852, 4.
† *Damnacanthus* *indicus* *Gaertn. fil.* *Gaertn. Carp.* 182.
† *Dampiera* *ovalifolia* *R. Br.* *Ann. Mus.* 18, 2.
 † — *stricta* *R. Br.* *Ann. Mus.* 18, 2.
Danae *aquilegifolia* *All.* *All. Fl. ped.* 3, 63.
 — — — *Mem. Mosc.* 5, 1. 2.
Danae *androgyna* *Webb.* *Webb Canar.* 224.
 — *Gaya* *Webb.* *Webb Canar.* 224.
† *Danaea* *Sw.* *Schrader Journal* 1801, 2.
 † — — — *Kaulfuss Enum.* 1.
 † — *alata* *Sm.* *Hook. Gen. Fil.* 7.
 — — — *Hook. Ic. Fil.* 1, 18.
 — *elliptica* *Sm.* *Hook. Ic. Fil.* 1, 52.
 — *geniculata* *Raddi.* *Raddi Fil.* 5.
 — *Leprieurii* *Kze.* *Kunze Fil.* 60.
 — *nodosa* *Sm.* *Schk. Fil.* 151.
 — — — *Hook. Ic. Fil.* 1, 51.
 — *paleacea* *Raddi.* *Raddi Fil.* 5.
 — *simplicifolia* *Rudge.* *Rudge Pl. Guianae* 36.
 — — — *Kunze Fil.* 50.
 — *stenophylla* *Kze.* *Kunze Fil.* 28.
 — *trifoliata* *Rehb.* *Kunze Analecta* 2.
 — *Yegua Colla.* *Mem. Tur.* 38, 28.
† *Danais* *fragrans* *Gaertn.* *Gaertn. Carp.* 195.
† *Danthonia* *DC.* *Ann. Mus.* 17, 10.
 — *Anisopogon* *Tr.* *Trin. Sp. Gr.* 1, 61.
 — *cachemiriana* *Jaub.* *Jaubert Illustr.* 331.
 — *caespitosa* *Gaudichd.* *Humb. Gram.* 177.

- Danthonia calycina* *Rchb.* *Rchb. Fl. germ.* 1, 103.
 — *curvifolia* *Schrad.* *Trin. Sp. Gr.* 1, 50.
 — *Forskälilii* *Tr.* *Trin. Sp. Gr.* 1, 49.
 — *lanata* *Schrad.* *Trin. Sp. Gr.* 1, 62.
 — *livida* *Tr.* *Trin. Sp. Gr.* 1, 50.
 — *macrantha* *Schrad.* *Trin. Sp. Gr.* 1, 63.
 — *pallidescens* *Schrad.* *Trin. Sp. Gr.* 1, 64.
 — *pallida* *R. Br.* *Trin. Sp. Gr.* 1, 63.
 — *papillosa* *Schrad.* *Trin. Sp. Gr.* 1, 66.
 — *pilosa* *R. Br.* *Trin. Sp. Gr.* 1, 51.
 † — *provincialis* *DC.* *Nees Gen.* 1, 59.
 — — *Sturm Flora* 19, 86.
 — — *Trin. Sp. Gr.* 1, 67.
 — *semiannularis* *R. Br.* *Trin. Sp. Gr.* 1, 52.
 — *sericea* *Nutt.* *Trin. Sp. Gr.* 1, 53.
 — *spicata* *Pal. Beauv.* *Humb. Gram.* 65.
 — — *Nutt.* *Trin. Sp. Gr.* 1, 54.
 — *Thunbergii* *Kth.* *Humb. Gram.* 176.
 — *tortuosa* *Tr.* *Trin. Sp. Gr.* 1, 0.
 — *Unarede* *Decne.* *Raoul Nouv. Zel.* 3.
 † *Daphne* *Linn.* *Kerner Genera* 190.
 — *alpina* *L.* *Lodd. Cab.* 66.
 — — *Brandt und Ratzeb.* 10.
 — — *Sturm Flora* 6, 22.
 — — *Rchb. Fl. germ.* 11, 553.
 — *altaica* *Pall.* *Pallas Fl. ross.* 35.
 — — *Lodd. Cab.* 399.
 — — *Bot. Mag.* 44, 1875.
 — — *Guimp. Fr. Holzgew.* 13.
 — *andina* *P. et E.* *Poepp. et Endl.* 191.
 — *argentea* *Sibth.* *Sibth. Fl. gr.* 355.
 — *australis* *Cirillo.* *Bot. Reg.* 24, 56.
 — *Blagayana* *Freyer.* *Rchb. Fl. germ.* 11, 555.
 — *buxifolia* *Vahl.* *Sibth. Fl. gr.* 357.
 — — *Jaubert Illustr.* 306.
 — *cannabinata* *Lour.* *Asiat. Res.* 13, 7. 8.
 — *Cneorum* *L.* *Jacq. Fl. austr.* 5, 426.
 — — *Pollich Palat.* 1, 1.
 — — *Bot. Mag.* 9, 313.
 — — *Tratt. Archiv* 92.
 — — *Guimp. Holzgew.* 50.
 — — *Schrank Fl. monac.* 3, 252.
 — — *Brandt und Ratzeb.* 10.
 — — *Lodd. Cab.* 1809.
 — — *Rchb. Fl. germ.* 11, 554.
 — *collina* *Dicks.* *Smith Spicil.* 18.
 — — *Sibth. Fl. gr.* 359.
 — — *Bot. Mag.* 12, 428.
 — — *Roemer Fl. eur.* 7, 4.
 — — *Lodd. Cab.* 1348.
 — — *var. Bot. Reg.* 10, 822.
 — — *Rchb. Fl. germ.* 11, 554.
 — *coridifolia* *Lam.* *Lam. Encycl.* 290.
 — *dioica* *Gouan.* *Gouan Illustr.* 17.
 — *foliis pertusis*, *Desc. Ant.* 7, 512.
 — *Fortunei* *Ldl.* *Journ. Hort. Soc.* 2, 1.
 — — *Fl. d. serres* 3, 208.
 — *Gardneri* *Wall.* *Asiat. Res.* 13, 9.
 — *Genkwa* *Sieb.* *Sieb. Fl. Jap.* 75.
 — *glandulosa* *Bertol.* *Rchb. Fl. germ.* 10, 553.
 — *glomerata* *Lam.* *Jaubert Illustr.* 303.
 — *gnidioides* *Jaub.* *Jaubert Illustr.* 304.
 — *Gnidium* *L.* *Sibth. Fl. gr.* 356.
 — — *Hayne* 3, 45.
 — — *Lodd. Cab.* 150.
 — — *Rchb. Fl. germ.* 11, 553.
 — *hybrida* *Ldl.* *Bot. Reg.* 14, 1177.
 — — *Colb.* *Sweet Fl. G.* 200.
 — *japonica* *Thunb.* *Paxt. Mag.* 8, 175.
 — *jaminea* *Sibth.* *Sibth. Fl. gr.* 358.
 — *indica* *L.* *Herb. amat.* 2, 105.
 — — *Hook. Beechey* 15.

- Daphne involucrata* *Wall.* *Asiat. Res.* 13, 6.
 — *Laureola* *L.* *Jacq. Fl. austr.* 2, 183.
 — — *Curt. Lond.* 5, 206.
 — — *Engl. Bot.* 2, 119.
 — — *Hayne* 3, 44.
 — — *Brandt und Ratzeb.* 9.
 — — *Guimp. Holzgew.* 49.
 — — *Nees Düssel.* 126.
 — — *Rchb. Fl. germ.* 11, 555.
 † — — *Nees Gen.* 4, 46.
 — *Mezereum* *L.* *Fl. dan.* 2, 268.
 † — — *Lam. Encycl.* 290.
 — — *Schk. Handb.* 107^c.
 — — *Sturm Flora* 2, 8.
 — — *Schrank Fl. mon.* 1, 36.
 — — *Liboschitz Pet.* 3.
 — — *Engl. Bot.* 20, 1381.
 — — *Sv. Bot.* 7.
 — — *Hayne* 3, 43.
 — — *Brandt und Ratzeb.* 9.
 — — *Guimp. Holzgew.* 48.
 — — *Guimp. et Schl.* 15.
 — — *Nees Düssel.* 125.
 — — *Wagner* 85.
 — — *Woodv. Med.* 4, 245.
 — — *Dietr. Fl. bor.* 5, 302.
 — — *Rchb. Fl. germ.* 11, 556.
 — — *Sweet Brit. Bot.* 1, 1.
 — — *Baxter Brit. Bot.* 2, 96.
 — — *Dict. sc. nat.* 9.
 † — — *Plée Types* 25.
 † — — *Nees Gen.* 4, 46.
 † — — *Schnizl. Ic.* 2, 109.
 — — *var. foliis purpureis, Fl. d. serres* 6, 592.
 — *mucronata* *Royl.* *Royl. Illustr.* 6, 81.
 — *napolitana* *Lodd.* *Lodd. Cab.* 719.
 — *odora* *Thunb.* *Kaempfer Jap.* 16.
 — — *Jacq. Schoenbr.* 3, 351.
 — — *Smith Exot. Bot.* 47.
 — — *Bot. Mag.* 38, 1587.
 — — *Tratt. Archiv* 224.
 — — *Lodd. Cab.* 1927.
 — — *β. rubra, Sweet Fl. G. II.* 320.
 — — *Herb. amat.* 2, 105.
 — — *Schnizl. Ic.* 2, 109.
 — *oleoides* *L.* *Schreber Ic.* 7.
 — — *Bot. Mag.* 44, 1917.
 — — *Lodd. Cab.* 299.
 — — *var. puberula, Jaubert Illustr.* 305.
 — *papyracea* *Wall.* *Jacquemont Ind.* 148.
 — *pendula* *Sm.* *Smith Ic. Linn.* 34.
 — *pontica* *L.* *Andr. Rep.* 2, 73.
 — — *Bot. Mag.* 31, 1282.
 — *sericea* *Vahl.* *Desf. Choix* 9.
 — — *Ann. Mus.* 10, 20.
 — — *Tratt. Archiv* 225.
 — *Sophia* *Kalenicz.* *Bull. Mosc.* 1849. 1, 3.
 — *striata* *Tratt.* *Tratt. Archiv* 91.
 — — *Brandt und Ratzeb.* 9.
 — — *Rchb. Fl. germ.* 11, 554.
 — *Tartouira* *L.* *Sibth. Fl. gr.* 354.
 — — *Lam. Encycl.* 290.
 — *thesioides* *Lam.* *Lam. Encycl.* 290.
 — *Thymelaea* *L.* *Gerard Fl. gallop.* 17.
 † *Daphnoideae* *Vent.* *Schnizl. Ic.* 2, 109.
 † *Darea flaccida* *Willd.* *Fée Fil.* 5, 27.
 † — *inaequalis* *Willd.* *Fée Fil.* 5, 27.
 — *obtusa* *Desv.* *Desv. Journ.* 4, 12.
 — *rhizophylla* *Lam. Encycl.* 867.
 — *triloba* *Desv.* *Desv. Journ.* 4, 12.
 † — *vivipara* *Willd.* *Fée Fil.* 5, 27.
Dargeria linifolia *Decne.* *Jacquemont Ind.* 121.

- Darlingtonia brachyloba* DC. DC. Legum. 66.
 — *californica* Torr. Smiths. Contr. 5, 12.
Daroea? furcans Bory. Bory Coquille 33.
Dartus perlarius Lour. Rumpf Amb. 4, 57.
Darwinia fascicularis Rudge. Linn. Transact. 11, 22.
 † — — Acta Leop. 19. Suppl. II. 2.
Dasianthera luzonensis Presl. Presl Reliq. 66.
Dasyliro graminifolium Zucc. Münchn. Abh. 3, 1.
 — — Otto Gart. Z. 1841, 1.
Dasyloma bengalense DC. Wight Ic. pl. Ind. or. 2, 568.
Dasyntema pubescens Schott. Poepp. et Endl. 284.
Dasyphyllum argenteum H. B. K. H. B. K. N. G. 4, 308.
Dasyogon bromeliaefolius R. Br. Flinders Voyage 8.
 — — Schnizl. Ic. 1, 51^c.
Dasystemon calycinum DC. DC. Crassulacées 3.
Dasystephana asclepidea Borkh. Schrank Fl. mon. 1, 60.
 † *Datisca cannabina* L. Gaertn. Carp. 30.
 — — Schk. Handb. 336.
 † — — Lam. Encycl. 823.
 — — Sibth. Fl. gr. 960.
 † *Datura* L. Ann. sc. nat. III. 18, 16.
 — *alba* N. v. E. Rheede Hort. mal. 2, 28.
 — — Wight Ic. pl. Ind. or. 3, 832.
 — *arborea* L. Ruiz et Pav. Fl. 128.
 — — Kerner Hort. 8.
 — *ceratocaula* Jacq. Jacq. Schoenbr. 3, 339.
 — — Kerner Hort. 171.
 — — Desc. Ant. 3, 175.
 — — Ort. Bot. Reg. 12, 1031.
 — — Bot. Mag. 61, 3332.
 — *cornigera* Hook. Bot. Mag. 72, 4252.
 — *dubia* Pers. Rheede Hort. mal. 2, 29. 30.
 — *fastuosa* L. Rumpf Amb. 5, 87.
 — — Wight Ic. pl. Ind. or. 4, 1396.
 † — — Wight Illustr. 166^{bis}.
 — *guayaquilensis* Kth. Sweet Fl. G. II. 380.
 — *Hummatu Bernh.* Annales de Gand 1846, 100.
 — *inermis* Jus. Jacq. Vind. 3, 82.
 — *Metel* L. Rumpf Amb. 5, 87.
 — — Bot. Mag. 35, 1440.
 — — Roxb. Wight Ic. pl. Ind. or. 3, 852.
 — *sarmentosa* Lam. Desc. Ant. 3, 194.
 — *Stramonium* L. Fl. dan. 3, 436.
 — — Curt. Lond. 1, 33.
 — — Woodv. Med. 2, 74.
 — — Schk. Handb. 43.
 † — — Lam. Encycl. 113.
 — — Sv. Bot. 43.
 — — Engl. Bot. 18, 1288.
 — — Desc. Ant. 3, 173.
 — — Bigelow Med. 1.
 — — Hayne 4, 7.
 — — Schrank Fl. monac. 2, 118.
 — — Brandt und Ratzeb. 15.
 — — Guimp. et Schl. 45.
 — — Nees Düsseldorf. 192.
 — — Dietr. Fl. bor. 3, 203.
 — — Baxter Brit. Bot. 2, 121.
 — — Nees Gen. 5, 53.
 † — *Tatula* L. Meerburg Pl. sel. 13.
 — — Sweet Fl. G. 83.
Daubentonia punicea DC. Hart. Parad. 1, 13.
Daubenya aurea Ldl. Bot. Reg. 21, 1813.
 — *fulva* Ldl. Bot. Reg. 25, 53.
Dauceria acuta Dennst. Rheede Hort. mal. 5, 12.
 — *obtusa* Dennst. Rheede Hort. mal. 5, 11.
Daucus aureus Desf. Desf. Fl. atl. 61.
 — *bicolor* Sibth. Sibth. Fl. gr. 270.
 — *brachylobus* Boiss. Boissier Esp. 68.
 — *Broteri* Ten. Tenore Fl. nap. 222.
 † — *Carota* L. Gaertn. Carp. 20.
 † — — Lam. Encycl. 192.

- Daucus Carota* L. Fl. dan. 5, 723.
 — — Schk. Handb. 61.
 — — Woodv. Med. 1, 50.
 — — Engl. Bot. 17, 1174.
 — — Sv. Bot. 104.
 — — Rousseau Bot. 28.
 — — Hayne 7, 2.
 — — Guimp. et Schl. 127.
 — — Nees Düsseldorf. 293.
 — — Wagner 61. 62.
 — — Dietr. Fl. bor. 10, 708.
 — — Baxter Brit. Bot. 3, 180.
 † — — Wight Illustr. 117.
 — *coadunatus* Ten. Tenore Fl. nap. 222.
 — *crinitus* Desf. Desf. Fl. atl. 62.
 — *glaberrimus* Desf. Desf. Fl. atl. 64.
 — *gracilis* Steinh. Ann. sc. nat. II. 9, 8.
 — *grandiflorus* Desf. Desf. Fl. atl. 59.
 — *guttatus* Sibth. Sibth. Fl. gr. 269.
 — *halophilus* Brot. Brotero Phytogr. 168.
 — *hispidus* Desf. Desf. Fl. atl. 63.
 — *involutus* Sibth. Sibth. Fl. gr. 271.
 — *littoralis* Sibth. Sibth. Fl. gr. 272.
 † — *maritimus* L. Gaertn. Carp. 20.
 — — Engl. Bot. 36, 2360.
 — *mauritanicus* All. All. Fl. ped. 3, 61.
 — *meifolius* Brot. Brotero Phytogr. 36.
 † — *muricatus* L. Gaertn. Carp. 20.
 — *parviflorus* Desf. Desf. Fl. atl. 60.
 — *polygamus* Gouan. Jacq. Vind. 3, 78.
 — *serratus* Moris. Moris Fl. sard. 77^b.
 — *setifolius* Desf. Desf. Fl. atl. 65.
 — *Visnaga* L. Jacq. Vind. 3, 26.
Davallia achilleaeifolia Wall. Hook. Sp. Fil. 56.
 — *aculeata* Hedw. Hedwig Fil. 23.
 — — Sw. Hook. Sp. Fil. 54.
 — *affinis* Hook. Hook. Sp. Fil. 52.
 — *amboinensis* Hook. Hook. Sp. Fil. 56.
 — *angustata* Wall. Hook. Ic. Fil. 2, 231.
 — *Belangeri* Bory. Belanger Ind. or. 7.
 — *Berteriana* Colla. Mem. Tur. 39, 68.
 — *bidentata* Schk. Schk. Fil. 127.
 — *bifida* Kaulf. Hook. Ic. Fil. 2, 238.
 — *Blumeana* Hook. Hook. Sp. Fil. 54.
 — *Boryana* Presl. Hook. Ic. Fil. 2, 143.
 — *bullata* Wall. Hook. Sp. Fil. 50.
 — *calvescens* Wall. Hook. Sp. Fil. 48.
 — *canariensis* Sm. Lodd. Cab. 142.
 — — Hook. Sp. Fil. 56.
 — *chaerophylla* Wall. Hook. Sp. Fil. 51.
 — *chinensis* Sw. Langsdorf et F. 27.
 — *ciliata* Hook. Hook. Sp. Fil. 60.
 — — Roxb. Calcutta Journal 1844, 32.
 — *contigua* Sw. Hedwig Fil. 20.
 — — Hook. Ic. Fil. 2, 141.
 — *concinna* Schrad. Kunze Fil. 37.
 — *Cumingii* Hook. Hook. Sp. Fil. 45.
 — *decurrens* Hook. Hook. Sp. Fil. 44.
 — *didyma* Hedw. Hedwig Fil. 22.
 — *elata* Sw. Schk. Fil. 127^b.
 — — Hook. Sp. Fil. 55.
 — *elegans* Sw. a. *bidentata*, Hook. Sp. Fil. 43.
 — — J. *conifolia*, Hook. Sp. Fil. 43.
 — *Emersoni* Hook. et Gr. Hook. Ic. Fil. 1, 105.
 — *epiphylla* Forst. Schk. Fil. 127^b.
 — *falcinella* Presl. Presl Reliq. 11.
 — *fejeensis* Hook. Hook. Sp. Fil. 55.
 — *ferruginea* Willd. Acta Leop. II. 1, 12.
 — *flagellifera* Wall. Hook. Ic. Fil. 2, 183.
 — *fumarioides* Sw. Schk. Fil. 129.
 — *gibberosa* Sw. Schk. Fil. 129.
 — — Hedwig Fil. 21.

- Davallia gibberosa* Sw. Sweet Austr. 31.
 — *Goudotiana* Kze. Kunze Anal. 22.
 — — Hook. Sp. Fil. 50.
 — *Griffithiana* Hook. Hook. Sp. Fil. 49.
 — *hemiptera* Bory. Bélanger Ind. or. 7.
 — *heterophylla* Sm. Hook. Ic. Fil. 2, 230.
 — *Hookeriana* Wall. Hook. Sp. Fil. 47.
 — *Imrayana* Hook. Hook. Sp. Fil. 49.
 — *inaequalis* Kze. Hook. Sp. Fil. 57.
 — — *y. minor*, Hook. Sp. Fil. 58.
 — *Khasiyana* Hook. Hook. Sp. Fil. 47, 57.
 — *Lindeni* Hook. Hook. Sp. Fil. 56.
 — *Lindleyi* Hook. Hook. Sp. Fil. 58.
 — *lonchitidea* Wall. Hook. Sp. Fil. 46.
 — *mauritiana* Hook. Hook. Sp. Fil. 55.
 — *membranulosa* Wall. Hook. Sp. Fil. 53.
 — *multiflora* Roxb. Calcutta Journ. 1844, 31.
 — *nitidula* Kze. Kunze Fil. 37.
 — — Hook. Sp. Fil. 44.
 — *Novae Zelandiae* Col. Hook. Sp. Fil. 51.
 — *parallela* Wall. Hook. Sp. Fil. 42.
 — *Parkeri* Hook. Hook. Sp. Fil. 53.
 — *parvula* Wall. Hook. Ic. Fil. 2, 138.
 — *pectinata* Sm. Hook. Ic. Fil. 2, 139.
 — *pedata* Sw. Acta Leop. 11. 1, 13.
 — — Hook. Sp. Fil. 45.
 — *pentaphylla* Bl. Kunze Fil. 108.
 — *pilosa* Roxb. Calcutta Journal 1844, 32.
 — *pinnata* Cav. Hook. Sp. Fil. 60.
 — *polyantha* Hook. Hook. Sp. Fil. 59.
 — *polysperma* Poir. Lam. Encycl. 871.
 — *procera* Hedw. Hedwig Fil. 24.
 — *pulchella* Hook. Hook. Sp. Fil. 53.
 † — *pyxidata* Cav. Hook. Gen. Fil. 27.
 — — Hook. Sp. Fil. 55.
 — *retusa* Cav. Hook. Sp. Fil. 52.
 † — — *Fée* Fil. 5, 27.
 — *Schlechtendalii* Presl. Hook. Sp. Fil. 54.
 — *serraefolia* Wall. Hook. Ic. pl. 93.
 — *sessilifolia* Bl. Kunze Fil. 107.
 — *solida* Sw. Schk. Fil. 126.
 — — *β. latifolia*, Hook. Sp. Fil. 42.
 — *triphylla* Hook. Hook. Sp. Fil. 46.
 — *uncinella* Kze. Kunze Fil. 140.
 — *venusta* Schk. Schk. Fil. 128.
 — *vestita* Bl. Hook. Sp. Fil. 41.
 — *villosa* Wall. Hook. Sp. Fil. 48.
 — *Vogelii* Hook. Hook. Sp. Fil. 59.
Daviesia acicularis Sm. Lodd. Cab. 1234.
 — — Bot. Mag. 53, 2679.
 — *alata* Sm. Bot. Reg. 9, 728.
 — *corymbosa* Andr. Andr. Rep. 10, 611.
 — *denudata* Vent. Vent. Choix 6.
 — — Lam. Encycl. 950.
 — *genistoides* Lodd. Lodd. Cab. 1552.
 — *glauca* Lodd. Lodd. Cab. 43.
 — *latifolia* Andr. Andr. Rep. 10, 638.
 — — Bot. Mag. 42, 1757.
 — — Paxt. Mag. 4, 223.
 — *linearis* Lodd. Lodd. Cab. 1615.
 — *mimosoides* Dryand. Bot. Mag. 45, 1957.
 — *physodes* Cunn. Bot. Mag. 72, 4244.
 — — Annales de Gand 1846, 82.
 — *ulicifolia* Andr. Andr. Rep. 5, 304.
 — *ulicina* Sm. Lodd. Cab. 44.
 — — Paxt. Mag. 4, 29.
 — *umbellata* Lab. Bill. Nov. Holl. 137.
 — *virgata* Cunn. Bot. Mag. 59, 3196.
 † *Davilla Vandellii*. Roemer Scriptores 7.
 — *brasiliensis* DC. Delessert Ic. 1, 71.
 — *ciliata* A. Rich. Ramon Cuba 3.

- Davilla elliptica* St. Hil. St. Hil. Pl. us. 23.
 — *flexuosa* St. Hil. St. Hil. Fl. Bras. 2.
 — *lucida* Presl. Seemann Herald 13.
 — *rugosa* Poir. St. Hil. Pl. us. 22.
 — *Sagraeana* A. Rich. Ramon Cuba 2.
 † *Davya Clausenii* Naud. Ann. sc. nat. III. 3, 7.
 — *guianensis* DC. DC. Melast. 3.
 — *paniculata* DC. Mart. Bras. 261.
Dawsonia Belangeri Bory. Bélanger Ind. or. 16.
Debregeasia velutina Gaudich. Gaudichaud Bonite 90.
Decacheata Haenkeana DC. Delessert Ic. 4, 13.
Decadia aluminosa Willd. Rumpf Amb. 3, 100.
Decaisnea densiflora Brongn. Brongniart Coquille 39.
 † *Decalepis Hamiltonii* W. et A. Wight Illustr. 182.
 — — Wight Ic. pl. Ind. or. 4, 1285.
Decanema Bojerianum Decne. Delessert Ic. 5, 68.
 † — — Ann. sc. nat. II. 9, 12.
Decaneurum courtalense Wight. Wight Ic. pl. Ind. or. 3, 1081.
 — *divergens* DC. Wight Ic. pl. Ind. or. 3, 1084.
 — *Epilegium?* Wight. Rheede Hort. mal. 10, 63.
 — *molle* DC. Delessert Ic. 4, 2.
 — — Wight Ic. pl. Ind. or. 3, 1082.
 — *reticulatum* DC. DC. Composées 1.
 — — Wight Ic. pl. Ind. or. 3, 1080.
 — — Wight Spicil. 104.
 — *silhetense* DC. Wight Ic. pl. Ind. or. 3, 1083.
 † *Decaraphe Fockeana* Mig. Miquel Comment. 10.
Decaschistia crotonifolia W. et A. Wight Ic. pl. Ind. or. 1, 42.
 — *trilobata* Wight. Wight Ic. pl. Ind. or. 1, 88.
 † *Decaspermum Forst.* Forster Charact. 37.
Decaspora Cunninghami DC. Delessert Ic. 5, 25.
Declieuxia chiococcoides H. B. K. H. B. K. Nov. Gen. 3, 281.
Decodon verticillatum Ell. Torrey New York 26.
 † *Decumaria barbara* L. Lam. Encycl. 403.
 — *sarmentosa* Bosc. Act. soc. hist. nat. Par. 13.
Deeringia celosioides R. Br. Rumpf Amb. 5, 83.
 — — Endl. Iconogr. 62.
 — — Bot. Mag. 54, 2717.
 — — Wight Ic. pl. Ind. or. 2, 728.
 — *tetragyna* Roxb. Wight Ic. pl. Ind. or. 2, 729.
Defforgia borbonica Lam. Lam. Encycl. 125.
Deguelia scandens Aubl. Aublet Guiana 300.
 — — Lam. Encycl. 603.
Dehaasia cuneata Bl. Blume Rumphia 46.
 — *elongata* Bl. Blume Rumphia 47.
 — *media* Bl. Blume Rumphia 45.
 — *microcarpa* Bl. Blume Rumphia 44.
Deidamia alata Aub. Aubert Iles d'Afr. 20.
Delaria ovalifolia Desv. Ann. sc. nat. 9, 52.
 — *pyrifolia* Desv. Ann. sc. nat. 9, 53.
Delima hebecarpa DC. Delessert Ic. 1, 72.
 — *sarmentosa* L. Burm. Fl. ind. 37.
 † — — Gaertn. Carp. 106.
 † — — Lam. Encycl. 475.
 — — Bot. Mag. 58, 3058.
Delissea acuminata Gaudich. Freycinet Voyage 76.
 — *clermontoides* Gaudich. Gaudichaud Bonite 47.
 — *Kunthiana* Gaudich. Gaudichaud Bonite 77.
 — *subcordata* Gaudich. Freycinet Voyage 77.
 — *undulata* Gaudich. Freycinet Voyage 78.
 † *Delphinium* L. Gray Genera 15.
 — *Aconiti* L. Vahl Symb. 13.
 — — Rehb. III. Ac. 6.
 — *Ajaxis* L. Rehb. Fl. germ. 4, 67.
 — *albiflorum* DC. Delessert Ic. 1, 58.
 — *alpinum* W. et K. W. et Kit. 246.
 — — Rehb. Fl. germ. 4, 74.
 — *altissimum* Wall. Wall. Pl. asiat. 128.
 — *axilliflorum* DC. Delessert Ic. 1, 50.

- Delphinium azureum* Michx. Delessert Ic. 1, 60.
 — — Bot. Reg. 23, 1999.
 — — Barlowii Hort. Bot. Reg. 23, 1944.
 — — Paxt. Mag. 5, 265.
 — — cashmerianum Royle. Royle Illustr. 12.
 — — cheilanthum Fisch. Rot. Reg. 6, 473.
 — — — Lem. Jard. fl. 49.
 — — — Sweet Fl. G. II. 309.
 — — chinense Fisch. Lodd. Cab. 71.
 — — — Paxt. Mag. 7, 171.
 — — coeruleum Camb. Jacquemont Ind. 6.
 — — Consolida L. Fl. dan. 4, 683.
 † — — — Lam. Encycl. 482.
 — — — Sibth. Fl. gr. 504.
 — — — Engl. Bot. 26, 1839.
 — — — Sv. Bot. 58.
 — — — Rchb. Fl. germ. 4, 66.
 — — — Dietr. Fl. bor. 5, 336.
 † — — — Plée Types 17.
 — — — Baxter Brit. Bot. 4, 297.
 — — cuneatum Stev. Bot. Reg. 4, 327.
 — — — Delessert Ic. 1, 61.
 — — decorum F. et M. Bot. Reg. 26, 64.
 — — divaricatum Led. Eichwald Cauc. 16.
 — — — Knowles et Westc. 16.
 — — — Rchb. Fl. germ. 4, 66.
 † — — elatum L. Gaertn. Carp. 65.
 — — — Schk. Handb. 145.
 ! — — — Arch. Mus. 4, 4.
 — — exsertum DC. Delessert Ic. 1, 53.
 — — fissum W. et K. W. et Kit. 81.
 — — — Rchb. Fl. germ. 4, 70.
 — — flavum DC. Delessert Ic. 5, 54.
 — — flexuosum M. v. B. Marschall Centur. 64.
 — — — Treviranus Obs. 1.
 — — Forskålilii Rchb. Rchb. Ill. Ac. 5.
 — — grandiflorum L. Rchb. Ill. Ac. 12, 13, 14.
 — — — Bot. Mag. 41, 1686.
 — — — β. chinense, Bot. Reg. 6, 472.
 — — — var. Annales de Gand 1846, 83.
 — — halteratum Sibth. Sibth. Fl. gr. 507.
 — — Hoffmeisteri Klotzsch. Prinz Waldem. HIMAL. 39.
 — — Jacquemontianum Camb. Jacquemont Ind. 7.
 — — intermedium Ail. Bot. Reg. 23, 1963.
 — — — var. coerulescens, Bot. Reg. 23, 1984.
 — — — var. pallidum, Bot. Reg. 23, 1969.
 — — — var. palmatifidum, Bot. Reg. 24, 38.
 — — — var. saphirinum, Bot. Reg. 24, 52.
 — — — Rchb. Fl. germ. 4, 72.
 — — junceum DC. Rchb. Fl. germ. 4, 68.
 — — laxiflorum DC. Bot. Reg. 24, 30.
 — — macropetalum DC. Delessert Ic. 1, 56.
 — — magnificum Paxt. Paxt. Mag. 16, 258.
 — — Menziesii DC. Bot. Reg. 14, 1192.
 — — montanum DC. Bot. Reg. 23, 1936.
 — — — Rchb. Fl. germ. 4, 73.
 — — obcordatum DC. Delessert Ic. 1, 57.
 — — Oliverianum DC. Delessert Ic. 1, 51.
 — — pentagynum Lam. Brotero Phytogr. 78.
 — — — Desf. Fl. atl. 111.
 — — peregrinum L. All. Fl. ped. 3, 25.
 — — — Sibth. Fl. gr. 506.
 — — — Rchb. Fl. germ. 4, 68.
 — — pictum Willd. Sweet Fl. G. 123.
 — — puniceum Pall. Knowles et Westc. 7.
 — — pusillum Lab. Bill. Syr. 4, 2.
 — — Reichenii DC. Delessert Ic. 1, 63.
 — — rigidum DC. Delessert Ic. 1, 52.
 — — speciosum M. v. B. Marschall Cent. 5.
 — — — Delessert Ic. 1, 62.
 — — — Bot. Reg. 18, 1503.
 — — — ? var. Wheeleri, Lem. Jard. fl. 196.

- Delphinium Staphisagria* L. Sibth. Fl. gr. 508.
 — — — Woodv. Med. 3, 168.
 — — — Nees Düsseldorf. 392.
 — — — Rchb. Fl. germ. 4, 69.
 — — tenuissimum Sibth. Sibth. Fl. gr. 505.
 — — — Maund Bot. 1, 32.
 — — — Sweet Fl. G. II. 366.
 — — tricornis Michx. Delessert Ic. 1, 59.
 — — — Lodd. Cab. 306.
 — — — Gray Genera 15.
 — — triste Fisch. Knowles et Westcott 54.
 — — urceolatum Jacq. Jacq. Ic. 101.
 — — — Bot. Mag. 43, 1791.
 — — velutinum Bertol. Rchb. Fl. germ. 4, 71.
 — — vimineum Don. Bot. Mag. 64, 3593.
 — — — Sweet Fl. G. II. 374.
 — — virgatum Poir. Delessert Ic. 1, 55.
Delilia Berterii Spr. Bull. philom. 1823, 1.
Delima? Piripiu DC. Rheede Hort. mal. 7, 54.
Delucia ostruthioides DC. Delessert Ic. 4, 40.
Demidovia tetragonoides Pall. Pallas Enum. 1.
Dendrium buxifolium Desv. Herb. amat. 4, 242.
† *Dendrobium Sw.* Schrader Journal 1799, 2, 2.
† — — — Bauer Orchid. 5.
† — — acuminatum Bl. Blume Tabellen 69.
 — — aduncum Wall. Bot. Reg. 32, 15.
 — — aemulum R. Br. Bot. Mag. 56, 2906.
 — — aggregatum Roxb. Bot. Reg. 20, 1695.
 — — — Bot. Mag. 65, 3643.
 — — — Paxt. Mag. 6, 145.
 — — albosanguineum Ldl. Lem. Jard. fl. 203.
 — — — Paxt. Fl. G. 57.
 — — — Fl. d. serres 7, 721.
 — — album Hook. Hook. Exot. Fl. 142.
 — — — Wight. Wight Ic. pl. Ind. or. 5, 1645.
 — — alpestre Sw. Swartz Annot. 1.
 — — — Royle Illustr. 88.
 — — amoenum Wall. Knowles et Westc. 117.
 — — amplum Ldl. Wall. Pl. asiat. 29.
 — — — Paxt. Mag. 7, 121.
 — — anceps Sw. Bot. Reg. 15, 1239.
 — — anosmum Ldl. Paxt. Mag. 15, 97.
 — — antennatum Ldl. Benth. Sulphur 59.
 † — — appendiculatum Ldl. Blume Tabellen 69.
 — — aqueum Ldl. Bot. Reg. 29, 54.
 — — — Lem. Jard. fl. 262.
 — — — Bot. Mag. 78, 4640.
 — — Arachnites Aub. Aubert Orchid. 87.
 — — aureum Ldl. Wight Ic. pl. Ind. or. 5, 1646.
 — — — var. pallidum, Bot. Reg. 25, 20.
 — — barbatulum Ldl. Wight Ic. pl. Ind. or. 3, 910.
 — — Barringtoniae Sw. Hook. Exot. Fl. 119.
 — — bifalce Ldl. Benth. Sulphur 58.
 — — Calceolaria Carey. Hook. Exot. Fl. 184.
 — — Cambridgeanum Paxt. Paxt. Mag. 6, 263.
 — — — Bot. Mag. 75, 4450.
 — — carnosum Presl. Presl Symbolae 24.
 — — chrysanthum Ldl. Bot. Reg. 15, 1299.
 — — chrysotoxum Ldl. Bot. Reg. 33, 36.
 — — coerulescens Wall. Lindley Sertum 18.
 — — compressum Ldl. Bot. Reg. 30, 53.
 — — cretaceum Ldl. Bot. Reg. 33, 62.
 — — — Bot. Mag. 78, 4686.
 — — — Lem. Jard. fl. 4, 344.
 — — — Fl. d. serres 8, 818.
 — — crumenatum Sw. Rumpf Amb. 6, 47, fig. 2.
 — — — Bot. Mag. 69, 4013.
 — — — Bot. Reg. 25, 22.
 — — cucullatum R. Br. Bot. Reg. 7, 748.
 — — — Bot. Mag. 48, 2242.
 — — — Rchb. Exot. 63.
 — — cucumerinum Mac Leay. Bot. Reg. 29, 37.

- Dendrobium cucumerinum* Mac Leay. Bot. Mag. 77, 4619.
- — — Belgique hortic. 2, 69.
- cultrifforme Aub. Aubert Orchid. 86.
- † — — — Mem. hist. nat. Par. 4, 8.
- cupreum Herb. Bot. Reg. 21, 1779.
- cymbidioides Ldl. Bot. Mag. 79, 4753.
- Dalhousieanum Part. Paxt. Mag. 11, 145.
- — — Bot. Reg. 32, 10.
- — — Fl. d. serres 7, 698.
- densiflorum Wall. Wall. Pl. asiat. 40.
- — — Bot. Mag. 62, 318.
- — — Paxt. Mag. 5, 121.
- — — Herb. Bot. Reg. 21, 1828.
- Devonianum Part. Paxt. Mag. 7, 169.
- — — Bot. Mag. 75, 4429.
- — — Lem. Jard. fl. 11.
- — — Fl. d. serres 7, 647.
- — — Belgique hortic. 3, 31.
- — — discolor Ldl. Bot. Reg. 27, 52.
- Farmerii Part. Paxt. Mag. 15, 241.
- — — Lem. Jard. fl. 3, 307.
- — — Fl. d. serres 7, 741.
- — — Bot. Mag. 78, 4659.
- filiforme Wight. Wight Ic. pl. Ind. or. 5, 1642.
- fimbriatum Hook. Hook. Exot. Fl. 71.
- — — Bot. Mag. 71, 4160.
- — — Paxt. Mag. 2, 172.
- — — Paxt. Fl. G. 84.
- — — Lem. Jard. fl. 3, 314.
- — — Wall. Knowles et Westc. 109.
- † — flavesces Ldl. Blume Tabellen 69.
- foliosum Brongn. Brongniart Coquille 41.
- formosum Roxb. Wall. Pl. asiat. 39.
- — — Bot. Reg. 25, 64.
- — — Paxt. Mag. 6, 49.
- — — Fl. d. serres 3, 226.
- — — Annales de Gand 1848, 171.
- funiforme Bl. Blume Rumphia 193.
- fusiforme Aub. Aubert Orchid. 85.
- Gibsonii Part. Paxt. Mag. 5, 169.
- graminifolium Wight. Wight Ic. pl. Ind. or. 5, 1649.
- grandiflorum H. B. K. H. B. K. Nov. Gen. 1, 88.
- Harrisoniae Hook. Hook. Exot. Fl. 120.
- heterocarpum Wall. Wall. Pl. asiat. 196.
- — — Ldl. Bot. Mag. 79, 4708.
- — — Fl. d. serres 8, 842.
- heteroideum Bl. Blume Rumphia 193.
- Heyneanum Ldl. Wight Ic. pl. Ind. or. 3, 909.
- humile Wight. Wight Ic. pl. Ind. or. 5, 1643.
- Jenkinsii Wall. Bot. Reg. 25, 37.
- Jerdonianum Wight. Wight Ic. pl. Ind. or. 5, 1644.
- Kingianum Bidwill. Paxt. Mag. 12, 97.
- — — Bot. Reg. 31, 61.
- — — Bot. Mag. 76, 4527.
- — — Lem. Jard. fl. 143.
- Kuhlil Ldl. Bot. Reg. 33, 47.
- † — lamellatum Ldl. Blume Tabellen 10.
- lanceola Sw. Swartz Annot. 2.
- leopardinum Wall. Wallich Tentamen 28.
- linguiforme Sw. Smith Exot. Bot. 11.
- longicornu Ldl. Bot. Reg. 16, 1315.
- macranthum Ldl. Bot. Mag. 69, 3970.
- — — Fl. d. serres 8, 757.
- macrophyllum Rich. Lindley Sertum 35.
- — — Paxt. Mag. 8, 97.
- macrostachyum Ldl. Bot. Reg. 22, 1865.
- — — Wight Ic. pl. Ind. or. 5, 1647.
- mexicanum Presl. Presl Symbolae 25.
- microbolbon A. Rich. Ann. sc. nat. II. 15, 8.
- Mirbelianum Gaudich. Freycinet Voyage 38.

- Dendrobium moniliforme* Sw. Bot. Reg. 16, 1314.
- — — Maund Bot. 4, 194.
- — — Paxt. Mag. 3, 77.
- — — Bot. Mag. 71, 4153.
- — — Annales de Gand 1847, 137.
- moschatum Wall. Wall. Pl. asiat. 195.
- — — Maund Bot. 1, 37.
- — — Paxt. Mag. 2, 241.
- — — Bot. Mag. 67, 3837.
- — — Hart. Parad. 2, 2.
- nobile Ldl. Lindley Sertum 3.
- — — Hart. Parad. 1, 11.
- — — Paxt. Mag. 7, 7.
- nutans Presl. Presl Symbolae 23.
- Paxtoni Ldl. Paxt. Mag. 6, 169.
- — — Fl. d. serres 7, 725.
- Pierardi Roxb. Hook. Exot. Fl. 9.
- — — Bot. Mag. 52, 2384.
- — — Lodd. Cab. 750.
- — — Bot. Reg. 21, 1756.
- — — Wight Ic. pl. Ind. or. 3, 908.
- polystachyum Aub. Aubert Orchid. 84.
- † — — — Mem. hist. nat. Par. 4, 8.
- — — Lindley Collect. 20.
- — — Lodd. Cab. 458.
- ? pubescens Hook. Hook. Exot. Fl. 124.
- — — Kerner Hort. 836.
- pulchellum Roxb. Lodd. Cab. 1935.
- — — Maund Bot. 1, 3.
- punctatum Sw. Smith Exot. Bot. 12.
- † — pusillum Ldl. Blume Tabellen 69.
- ramosissimum Wight. Wight Ic. pl. Ind. or. 5, 1648.
- rhombeum Ldl. Bot. Reg. 29, 17.
- Ruckeri Ldl. Bot. Reg. 29, 60.
- sanguinolentum Ldl. Bot. Reg. 29, 6.
- secundum Ldl. Bot. Reg. 15, 1291.
- — — Rchb. Exot. 269.
- — — Wall. Bot. Mag. 74, 4353.
- speciosum Sm. Smith Exot. Bot. 10.
- † — — — Bauer Orchid. (Gen.) 6.
- — — Bot. Mag. 58, 3074.
- — — Bot. Reg. 19, 1610.
- squalens Ldl. Bot. Reg. 9, 732.
- — — Lodd. Cab. 1059.
- sulcatum Ldl. Bot. Reg. 24, 65.
- taurinum Ldl. Bot. Reg. 29, 28.
- — — Paxt. Mag. 10, 217.
- teretifolium R. Br. Endl. Iconogr. 99.
- — — Bot. Mag. 79, 4711.
- tortile Ldl. Bot. Mag. 75, 4477.
- transparens Wall. Bot. Mag. 78, 4663.
- — — Paxt. Fl. G. 27.
- — — Lem. Jard. fl. 68.
- triadenium Ldl. Bot. Reg. 33, 1.
- tribuloides Sw. Swartz Annot. 1.
- veratrifolium Ldl. Bentham Sulphur 60.
- † *Dendrochilum pallidiflavens* Bl. Blume Tabellen 52.
- † — — simile Bl. Blume Tabellen 52.
- † *Dendrocolla arachnites* Bl. Blume Tabellen 67.
- † — emarginata Bl. Blume Tabellen 67.
- † *Dendroglossa Fée*. Fée Fil. 5, 7.
- Dendromecon rigidum* Benth. Hook. Ic. pl. 1, 37.
- Dendrophila trifoliata* Bl. Blume Rumphia 190.
- Densophyllis* Aub. Aubert Orchid. 107.
- † *Dentaria* L. Gray Genera 56.
- — — bulbifera L. Schk. Handb. 183.
- — — Fl. dan. 3, 361.
- — — Engl. Bot. 5, 309.
- — — Sv. Bot. 356.
- — — Tratt. Archiv 152.
- — — Sturm Flora 12, 48.

- Dentaria bulbifera* L. Rchb. Fl. germ. 2, 31.
 — — — Baxter Brit. Bot. 2, 145.
 — *canescens* Ten. Tenore Fl. nap. 241.
 — *digitata* Lam. Lodd. Cab. 737.
 — — — Sturm Flora 12, 48.
 — — — Sweet Fl. G. II. 72.
 — *diphylla* Michx. Bot. Mag. 36, 1465.
 — *enneaphylla* L. Jacq. Fl. austr. 4, 316.
 — — — Rchb. Fl. germ. 2, 30.
 — — — Sturm Flora 12, 48.
 — *glandulosa* W. et K. W. et Kit. 272.
 — — — Sturm Flora 12, 45.
 — — — Rchb. Fl. germ. 2, 30.
 — *heptaphyllos* Clus. Rchb. Fl. germ. 2, 32.
 — *laciniata* Mühlent. Barton Flora 3, 72.
 — *maxima* Nutt. Gray Genera 56.
 — *pentaphylla* L. Bot. Mag. 48, 2202.
 — — — Rchb. Fl. germ. 2, 31.
 † — *pinната* Lam. Lam. Encycl. 562.
 — — — Sturm Flora 12, 48.
 — *polyphylla* W. et K. W. et Kit. 160.
 — — — Rchb. Fl. germ. 2, 32.
 — *quinquefolia* M. v. B. Delessert Ic. 2, 33.
 — *trifida* Lam. Lam. Encycl. 562.
 — *trifolia* W. et K. W. et Kit. 139.
 — — — Rchb. Fl. germ. 2, 30.
Dentella repens Forst. Rheede Hort. mal. 9, 39.
 † — — — Forster Char. 13.
 † — — — Lam. Encycl. 118.
Deparia Mathewsii Hook. Hook. Sp. Fil. 30.
 — *Moorii* Hook. Hook. Journ. 1852, 3.
 † — *prolifera* Hook. Hook. Gen. Fil. 44.
 — — — Hook. Ic. Fil. 2, 154.
 — ? — — — Gaudichaud Bonite 80.
Deppea hedyotideia DC. Endl. Atacta 24.
Derderia berardioides Jaub. Jaubert Illustr. 290.
 — *cheirifolia* Jaub. Jaubert Illustr. 180.
 — *macrocephala* Jaub. Jaubert Illustr. 67.
 † *Deschampsia* Pal. Beauv. Dumortier Gramin. 7.
 — — — Trin. Sp. Gr. 3, 253—260.
 — *caespitosa* Pal. B. var. Trin. Sp. Gr. 3, 255.
 † — — — Nees Gen. 1, 43.
 — *calycina* Presl. Trin. Sp. Gr. 3, 257.
 † — *flexuosa* Trin. Nees Gen. 1, 43.
 † *Desfontainea* R. et P. Ruiz et Pav. Prodr. 5.
 — *spinosa* R. et P. Ruiz et Pav. Fl. 186.
 — — — Hook. Ic. pl. 1, 33.
 — — — Gay Chile 56.
 — *splendens* H. B. Humb. Pl. aeq. 45.
Desmanthus depressus H. B. Humb. Mim. 35.
 — *natans* Willd. Rheede Hort. mal. 9, 20.
 — — — Jacq. Ecl. pl. 50.
 — — — Andr. Rep. 10, 629.
 — *trichostachys* DC. DC. Legum. 67.
 — *triqueter* Willd. Wight Ic. pl. Ind. or. 3, 756.
 — *virgatus* Willd. Bot. Mag. 51, 2454.
 † *Desmidorchis* Forsk. Decne. Ann. sc. nat. II. 9, 9.
 — *quadrangula* Ehrenb. Ehrenb. Symb. 7.
 — *retrospiciens* Ehrenb. Ehrenb. Symb. 7.
Desmochaeta atropurpurea DC. Rheede Hort. mal. 10, 89.
 — — — Jacq. Ecl. pl. 96.
 — — — Wight Ic. pl. Ind. or. 2, 731.
 — *flavescens* DC. Jacq. Ecl. pl. 75.
 — *muricata* DC. Wight Ic. pl. Ind. or. 2, 732.
 — *prostrata* DC. Rheede Hort. mal. 10, 79.
 — — — Wight Ic. pl. Ind. or. 2, 733.
Desmodium adscendens DC. Bot. Reg. 10, 815.
 — *canadense* DC. Bot. Mag. 64, 3553.
 — *cephalotes* Wall. Wight Ic. pl. Ind. or. 2, 373.
 — *congestum* Wall. Wight Ic. pl. Ind. or. 1, 209.
 — *diffusum* DC. Wight Ic. pl. Ind. or. 1, 298.
 2, 409.

- Desmodium dubium* Ldl. Bot. Reg. 12, 967.
 — — — Bot. Mag. 57, 2960.
 — *gangeticum* DC. Rumpf Amb. 6, 66.
 — — — Wight Ic. pl. Ind. or. 1, 271.
 — *gyrans* DC. Wight Ic. pl. Ind. or. 1, 294.
 — *latifolium* DC. Bot. Reg. 5, 355.
 — — — Wight Ic. pl. Ind. or. 1, 270.
 — — — Wight. Wight Ic. pl. Ind. or. 1, 272.
 † — *marylandicum* DC. Denkschr. d. Wiener Ak. 1, 3.
 — *nutans* Hook. Bot. Mag. 55, 2867.
 — *patens* Roeb. Wight Ic. pl. Ind. or. 2, 407.
 — *pendulum* Wall. Wall. Pl. asiat. 94.
 — *podocarpum* DC. Hook. Beechey 96.
 — *polycarpum* DC. Wight Ic. pl. Ind. or. 2, 406.
 — *quinqueangulare* Wight. Wight Ic. pl. 1, 293.
 — *recurvatum* Grah. Wight Ic. pl. Ind. or. 2, 374.
 — *rufescens* DC. Wight Ic. pl. Ind. or. 3, 984.
 — — — Wight Illustr. 79.
 — — — Wight Spicil. 57.
 — *sequax* Wall. Wall. Pl. asiat. 157.
 — *strangulatum* W. et A. Wight Ic. pl. Ind. or. 3, 985.
 — — — Wight Spicil. 58.
 — *triflorum* DC. Wight Ic. pl. Ind. or. 1, 291, 292.
 † *Desmoncus* sp. nova, Mart. Palm. Z. 6.
 — *lophacanthos* Mart. Mart. Palm. 165.
 — *macroacanthus* Mart. Wallace Palms 27.
 — *orthacanthos* Mart. Mart. Palm. 69, 98.
 — *polycanthos* Mart. Mart. Palm. 68.
 — *rudentum* Mart. D'Orbigny Voyage 14, 26.
 † *Desmoscelis villosa* Naud. Ann. sc. nat. III. 12, 14.
 † *Desmotrichum augulatum* Bl. Blume Tabellen 36.
 † — *pusillum* Bl. Blume Tabellen 35.
Despretzia mexicana Kth. Humb. Gram. 157.
Destrugesia scabrida Gaudich. Gaudichaud Bonite 57.
 † *Desvauxia* Billardieri R. Br. Acta Leop. 17, 1, 2.
 — *exserta* R. Br. Guillem. Austr. 17.
 — *pulvinata* R. Br. Guillem. Austr. 17.
 — *strigosa* R. Br. Guillem. Austr. 17.
Detarium senegalense Gmel. Guillem. Seneg. 59.
Deutzia corymbosa R. Br. Royle Illustr. 46.
 — — — Bot. Reg. 26, 5.
 — *crenata* Sieb. et Z. Sieb. Fl. Japon. 6.
 — *gracilis* Sieb. et Z. Sieb. Fl. Japon. 8.
 — — — Lem. Jard. fl. 44.
 — — — Fl. d. serres 6, 611.
 — — — Belgique hort. 1, 53.
 — *scabra* Thunb. Thunb. Fl. jap. 24.
 — — — Thunb. Diss. 1, 1.
 † — — — Gaertn. Carp. 184.
 — — — Lam. Encycl. 380.
 — — — Bot. Reg. 20, 1718.
 — — — Bot. Mag. 67, 3838.
 — — — Sieb. Fl. Japon. 7.
 — — — Sweet Fl. G. II. 393.
 — *staminea* R. Br. Wall. Pl. asiat. 191.
 — — — Bot. Reg. 33, 13.
 — — — Annales de Gand 1847, 141.
Devilaea flagelliformis Tul. Arch. Mus. 6, 13.
Deyeuxia effusa H. B. K. H. B. K. Nov. Gen. 1, 46.
 † — *montana* Poir. Lam. Encycl. 907.
 — *recta* H. B. K. H. B. K. Nov. Gen. 7, 686.
 † — *silvatica* Kth. Nees Gen. 1, 34.
 † *Diacalpe aspidioides* Bl. Hook. Gen. Fil. 99.
Diadenium micranthum P. et E. Poepp. et Endl. 71.
Dialesta discolor H. B. K. H. B. K. Nov. Gen. 4, 320.
Dialium guineense Willd. Roemer Archiv 1, 6.
 — *javanicum* Burm. Rumpf Amb. 3, 137.
 — *indum* L. Rumpf Amb. 3, 137.
 — — — Bennett Java 30.
 — *nitidum* Guill. Guillem. Seneg. 58.
 † *Diamorpha* Nutt. DC. Crassulacées 1.
Dianella coerulea Sims. Bot. Mag. 15, 503.

- Dianella coerules* Sims. Red. Lil. 2, 79.
 — *dubia* H. B. K. H. B. K. Nov. Gen. 7, 673.
 — *ensifolia* Ait. Red. Lil. 1, 1.
 — — Bot. Mag. 34, 1404.
 — — Wight Ic. pl. Ind. or. 6, 2053.
 — *longifolia* R. Br. Bot. Reg. 9, 734.
 — *memorosa* Jacq. Jacq. Schoenbr. 1, 94.
 — — Lam. Encycl. 250.
 — *revoluta* R. Br. Bot. Reg. 13, 1120.
 — *strumosa* Ker. Bot. Reg. 9, 751.
 — — Lodd. Cab. 1136.
 — — Rchb. Exot. 90.
Dianthera acuminata R. et P. Ruiz et Pav. Fl. 16.
 — *appendiculata* R. et P. Ruiz et Pav. Fl. 11.
 — *bicalyculata* Retz. Svensk Acad. 1775, 9.
 — *ciliata* R. et P. Ruiz et Pav. Fl. 14.
 — *hirsuta* R. et P. Ruiz et Pav. Fl. 13.
 — *hyssopifolia* Burm. Burm. Fl. ind. 5.
 — *japonica* Thunb. Thunb. Fl. jap. 4.
 † — *malabarica* L. Gaertn. Carp. 51.
 — *mucronata* R. et P. Ruiz et Pav. Fl. 16.
 — *multiflora* R. et P. Ruiz et Pav. Fl. 14.
 — *Petersiana* Klotzsch. Peters Mossamb. 27.
 — *repens* R. et P. Ruiz et Pav. Fl. 15.
 — *secundiflora* R. et P. Ruiz et Pav. Fl. 15.
 — *tetrandra* Retz. Svensk Acad. 1775, 8.
 † *Dianthus* L. Mutel Fl. fr. 11, 12, 13.
 — *aggregatus* Poir. Sweet Fl. G. II. 166.
 — *alpestris* Balb. Mem. Tur. 7, 1.
 — *alpinus* L. Jacq. Fl. austr. 1, 52.
 — — Sturm Flora 13, 51.
 — — Rchb. Fl. germ. 6, 262.
 — — Andr. Rep. 7, 482.
 — — Lodd. Cab. 67.
 — — Bot. Mag. 30, 1205.
 — — Sweet Fl. G. II. 408.
 — *anticarius* B. et R. Willkomm Ic. 1, 11.
 — *arboreus* L. Sibth. Fl. gr. 406.
 — — Lodd. Cab. 459.
 — — Rchb. Ic. crit. 6, 541.
 — *Arbuscula* R. Br. Bot. Reg. 13, 1086.
 — *arenarius* L. DC. Ic. Gall. 41.
 — — Sv. Bot. 613.
 — — Bot. Mag. 46, 2038.
 — — Rchb. Ic. crit. 2, 137.
 — — Rchb. Fl. germ. 6, 256.
 — — Dietr. Fl. bor. 7, 491.
 — *Armeria* L. Fl. dan. 2, 230.
 — — Curt. Lond. 4, 134.
 — — Engl. Bot. 5, 317.
 — — Schk. Handb. 121.
 — — Sturm Flora 6, 23.
 — — Rchb. Fl. germ. 6, 249.
 — *armerio-deltoides* Rchb. Rchb. Fl. germ. 6, 263.
 — *asper* Schleich. Rchb. Ic. crit. 6, 544.
 — — Rchb. Fl. germ. 6, 254.
 — *atrorubens* All. Jacq. Ic. 467.
 — — Bot. Mag. 43, 1775.
 — — Rchb. Ic. crit. 6, 538.
 — — Rchb. Fl. germ. 6, 250.
 — *attenuatus* Sm. Willkomm Ic. 1, 3, 4.
 — *Balbisi* Ser. Sweet Fl. G. II. 23.
 — *barbatus* L. Bot. Mag. 6, 207.
 — — Rchb. Fl. germ. 6, 248.
 — *bebius* Vis. Rchb. Fl. germ. 6, 264.
 — *bicolor* M. v. B. Rchb. Hort. 25.
 — *biflorus* Sibth. Sibth. Fl. gr. 393.
 — *Bisignani* Ten. Tenore Fl. nap. 39.
 — — Rchb. Ic. crit. 6, 591.
 — — Bot. Reg. 24, 29.
 — *Boissieri* Willk. Willkomm Ic. 1, 13.
 — *brachyanthus* Boiss. Boissier Esp. 24.

- Dianthus brachyanthus* Boiss. Willkomm Ic. 1, 5.
 — *caesius* Sm. Engl. Bot. 1, 62.
 — — Tratt. Thes. 67.
 — — Roemer Fl. eur. 5, 5.
 — — Sturm Flora 9, 34.
 — — Rchb. Fl. germ. 6, 265.
 — *campestris* M. v. B. Marschall Cent. 8.
 — — Bot. Mag. 44, 1876.
 — — Rchb. Fl. crit. 6, 520.
 — *capitatus* Pall. Rchb. Ic. crit. 6, 539.
 — — Rchb. Fl. germ. 6, 249.
 — *Carthusianorum* L. Sibth. Fl. gr. 392.
 — — Bot. Mag. 46, 2039.
 — — Sweet Fl. G. II. 282.
 — — Fl. dan. 10, 1694.
 — — Dreves 4, 109.
 — — Schrank Fl. monac. 3, 293.
 — — Sturm Flora 7, 27.
 — — Dietr. Fl. bor. 3, 197.
 — — Rchb. Ic. crit. 6, 536.
 — — Rchb. Fl. germ. 6, 252.
 — *caryophylloides* Schult. Rchb. Fl. germ. 6, 267.
 † — — Willkomm Ic. 1, 12.
 † *Caryophyllus* L. Hill prolif. Bl. 6.
 † — — Lam. Encycl. 376.
 — — Bot. Mag. 2, 39, 39, 1622, 54, 2744.
 — — Engl. Bot. 3, 214.
 — — Woodv. Med. 3, 205.
 — — Baxter Brit. Bot. 2, 81.
 † — — Flora 1821, 2.
 — — Rchb. Fl. germ. 6, 268.
 — *Preuss. Garten-Verein* 8, 1, 2.
 — — Annales de Gand 1846, 75.
 — — Regel Gartenfl. 1, 32.
 — — Flore de serres 7, 711.
 † — — Willkomm Ic. 1, 12.
 — *caucaseus* Sims. Bot. Mag. 21, 795.
 — *caucasicus* M. v. B. Rchb. Ic. crit. (5, 420.) 6, 548.
 — *chinensis* L. Bot. Mag. 1, 25.
 — *ciliatus* Guss. Gussone Pl. rar. 33.
 — — Rchb. Fl. germ. 6, 266.
 — *cinnamomeus* Sibth. Sibth. Fl. gr. 400.
 — *cintranus* Boiss. et Reut. Willkomm Ic. 1, 10.
 — *collinus* W. et K. W. et Kit. 38.
 — — Salisb. Parad. 62.
 — — Rchb. Ic. crit. 6, 542.
 — — Rchb. Fl. germ. 6, 253.
 — *compactus* W. et Kit. Rchb. Fl. germ. 6, 248.
 — *controversus* Gaud. Rchb. Fl. germ. 6, 258.
 — *corymbosus* Sibth. Sibth. Fl. gr. 395.
 — — Rchb. Fl. germ. 6, 255.
 — *Courtoisii* Rchb. Rchb. Fl. germ. 6, 255.
 — *crassipes* de Rômer. Willkomm Ic. 1, 1.
 — *crenatus* Thunb. Bot. Reg. 3, 256.
 — *crinitus* Sm. Sibth. Fl. gr. 401.
 — *cruentus* Griseb. Fl. d. serres 5, 488.
 — — Regel Gartenfl. 1, 26.
 — *deltoides* L. Fl. dan. 4, 577.
 — — Curt. Lond. 5, 195.
 — — Engl. Bot. 1, 61.
 — — Sv. Bot. 477.
 — — Liboschitz Petersb. 7.
 — — Roemer Fl. europ. 1, 4.
 — — Tratt. Thes. 3.
 — — Dietr. Fl. bor. 4, 254.
 — — Rchb. Fl. crit. 6, 519.
 — — var. Rchb. Fl. germ. 6, 263.
 — *dentosus* Fisch. Rchb. Ic. crit. 6, 546.
 — *diffusus* Sibth. Sibth. Fl. gr. 396.
 — *discolor* Sims. Bot. Mag. 29, 1162.
 — *diutinus* Kit. Rchb. Ic. crit. 6, 533.
 — — Rchb. Fl. germ. 6, 251.

- Dianthus elatus* Led. Ledeb. Ic. 420.
 — *erubescens* Trevir. Sprengel Jahrb. 1.
 — *ferrugineus* L. Rchb. Ic. crit. 6, 537.
 — — Bot. Reg. 25, 15.
 — — Maund Bot. 1, 22.
 — *Fischeri* Spr. Rchb. Ic. crit. 6, 545.
 — — Sweet Fl. G. 245.
 — *fragrans* Salisb. Salisb. Parad. 112.
 — — Bot. Mag. 46, 2067.
 — *fruticosus* L. Sibth. Fl. gr. 407.
 — — Jaubert Illustr. 395.
 — *furcatus* Balb. Mem. Tur. 7, 2.
 — — Rchb. Fl. germ. 6, 265.
 — *giganteus* D'Urv. Sweet Fl. G. 288.
 — *glacialis* Haenke. Rchb. Fl. germ. 6, 261.
 — — Sturm Flora 7, 28.
 — *glaucophyllus* Horn. Rchb. Fl. germ. 6, 250.
 — *glaucus* Willd. Rchb. Ic. crit. 6, 550.
 — — L. Rchb. Fl. germ. 6, 263.
 — *gracilis* Sibth. Sibth. Fl. gr. 404.
 — *graniticus* Jord. Willkomm Ic. 1, 8.
 — *guttatus* M. v. B. Rchb. Ic. crit. 5, 462.
 — *Hendersonianus* Part. Paxt. Mag. 14, 126.
 — *hirtus* Vill. Vill. Dauph. 46.
 — — Rchb. Fl. germ. 6, 264.
 — *hispanicus* Asso. Asso Aragon. 3.
 — — var. Willkomm Ic. 1, 9.
 — *hungaricus* Pers. Rchb. Fl. germ. 6, 257.
 — *japonicus* Thunb. Thunb. Fl. jap. 23.
 † — *inodorus* Gaertn. Gaertn. Carp. 129.
 — *integer* Vis. Visiani Dalm. 36.
 — — Rchb. Fl. germ. 6, 264.
 — *lanceolatus* Stev. Rchb. Ic. crit. 6, 549.
 — *laricifolius* B. et R. Willkomm Ic. 1, 6.
 — *latifolius* Willd. Sweet Fl. G. 2.
 — *leptopetalus* Willd. Bot. Mag. 42, 1739.
 — *leucophaeus* Sibth. Sibth. Fl. gr. 405.
 — *Libanotis* Lab. Bill. Syr. 1, 5.
 — — Bot. Reg. 18, 1548.
 — — Sweet Fl. G. II. 231.
 — *liburnicus* Bartl. Rchb. Fl. germ. 6, 249.
 — *longicaulis* Ten. Tenore Fl. nap. 138.
 — — Rchb. Hort. 56.
 — — Rchb. Fl. germ. 6, 268.
 † — *longiflorus* Lam. Lam. Encycl. 376.
 — *longiglumis* Dehile. Richard Abyssin. 12.
 — *lusitanus* Brot. Brotero Phytogr. 70.
 — — Willkomm Ic. 1, 2.
 — *mansicus* Ten. Tenore Fl. nap. 228.
 — *monadelphus* Vent. Vent. Cels 39.
 — *monspessulanus* L. Rchb. Fl. germ. 6, 258.
 — — var. *γ*. Sturm Flora 7, 28.
 — — Willkomm Ic. 1, 7.
 — *montanus* M. v. B. Rchb. Ic. crit. 5, 420.
 — *neglectus* Lois. Rchb. Fl. germ. 6, 261.
 — *nitidus* W. et K. W. et Kit. 191.
 — — Rchb. Fl. germ. 6, 261.
 — *obcordatus* M. et R. Mem. Genev. 8, 2.
 — — Visiani Dalm. 22.
 — *orientalis* Donn. Bot. Mag. 27, 1069.
 — *pallens* Sibth. Sibth. Fl. gr. 399.
 — *petraeus* W. et K. W. et Kit. 222.
 — — Rchb. Fl. germ. 6, 256.
 — — Donn. Bot. Mag. 30, 1204.
 — *plumarius* L. Schrank Fl. monac. 2, 187.
 — — Rchb. Fl. germ. 6, 257.
 — *pomeridianus* Sm. Salisb. Parad. 57.
 — *polymorphus* M. v. B. Rchb. Ic. crit. 6, 534.
 — — Rchb. Fl. germ. 6, 251.
 — *prolifer* L. Fl. dan. 2, 221.
 — — Sibth. Fl. gr. 394.
 — — Engl. Bot. 14, 956.

- Dianthus prolifer* L. Krock. Fl. sil. 4, 4.
 — — Dietr. Fl. bor. 12, 800.
 — *prostratus* Jacq. Jacq. Schoenbr. 3, 271.
 — *Pseudoarmeria* Poir. Bot. Mag. 49, 2288.
 — — M. v. B. Marschall Cent. 70.
 — — Rchb. Ic. crit. 6, 540.
 — *pubescens* Sm. Sibth. Fl. gr. 397.
 — — Sweet Fl. G. II. 27.
 — *pulchellus* Pers. Rchb. Fl. germ. 6, 262.
 — *punctatus* Spr. Lodd. Cab. 896.
 — *pungens* Godr. Willkomm Ic. 1, 6.
 † — *purpureus* Lam. Lam. Encycl. 376.
 — *racemosus* Vis. Visiani Dalm. 35.
 — *ramosissimus* Pall. Ledeb. Ic. 197.
 — *repens* Willd. Seemann Herald 4.
 — *rigidus* M. v. B. Tratt. Thes. 68.
 — *rupicola* Biv. Bivona Fl. sic. 1, 1.
 — *sanguineus* Vis. Visiani Dalm. 36.
 — — Rchb. Fl. germ. 6, 250.
 — *saxicola* Jord. Willkomm Ic. 1, 12.
 — *Scheuchzeri* Rchb. Rchb. Fl. germ. 6, 267.
 — *Schraderi* Rchb. Rchb. Hort. 35.
 — *Seguieri* Vill. Rchb. Ic. crit. 6, 543.
 — — Rchb. Fl. germ. 6, 253.
 — — *β. silvaticus*, Sturm Flora 7, 28.
 — *serotinus* W. et K. W. et Kit. 172.
 — — Rchb. Fl. germ. 6, 256.
 — *serratifolius* Sibth. Sibth. Fl. gr. 402.
 — *serrulatus* Desf. Willkomm Ic. 1, 7.
 — — var. *grandiflorus*, Boiss. Esp. 23.
 — *silvestris* Wulf. Jacq. Ic. 82.
 — — Sturm Flora 7, 28.
 — — Rchb. Fl. germ. 6, 262.
 † — — Willkomm Ic. 1, 13.
 — *speciosus* Rchb. Rchb. Fl. germ. 6, 260.
 — *spinosus* Desf. Ann. Mus. 1, 16.
 — *squarrosus* M. v. B. Marschall Cent. 33.
 — *strictus* Sibth. Sibth. Fl. gr. 403.
 — *suaveolens* Spr. Rchb. Hort. 135.
 — *subacaulis* Vill. Loiseleur Notice 6.
 — — Desv. Journ. 2, 13.
 — — Rchb. Fl. germ. 6, 261.
 — *superbus* L. Jacq. Obs. 25.
 — — Fl. dan. 4, 578.
 — — Smith Spicil. 19.
 — — Bot. Mag. 9, 297.
 — — Sv. Bot. 436.
 — — Roemer Fl. eur. 8, 3.
 — — Schrank Fl. monac. 3, 247.
 — — Herb. amat. 1, 21.
 — — Dietr. Fl. bor. 3, 196.
 — — Rchb. Fl. germ. 6, 259.
 — *tataricus* Fisch. Rchb. Ic. crit. 6, 547.
 — *tener* Balb. Mem. Tur. 7, 3.
 — *tergestinus* Rchb. Rchb. Fl. germ. 6, 266.
 — *toletanus* B. et R. Willkomm Ic. 1, 11.
 — *trifasciculatus* Kit. Rchb. Fl. germ. 6, 254.
 — *tripunctatus* Sibth. Sibth. Fl. gr. 398.
 — *vaginatus* Vill. Rchb. Ic. crit. 6, 535.
 — — Rchb. Fl. germ. 6, 251.
 — *valentinus* Willk. Willkomm Ic. 1, 7.
 — *velutinus* Guss. Gussone Fl. rar. 32.
 — *versicolor* Fisch. Rchb. Hort. 48.
 — *virginicus* L. Jacq. Fl. austr. 1, 15.
 — — Bot. Mag. 42, 1740.
 — — Rchb. Fl. germ. 6, 266.
 — *viridescens* Vis. Visiani Dalm. 53.
 — *viscidus* Bory. Bory et Chaub. Morée 12.
 — *Waldsteinii* Sternb. Rchb. Fl. germ. 6, 259.
 — *Webbianus* Parol. Mem. Ist. ven. 1, 3.
Diapensia lapponica L. Linné Fl. lapp. 1.
 † — — Wahlenbg Fl. lapp. 9.

- Diapensia lapponica* L. Fl. dan. 1, 47.
 — — — Lam. Encycl. 102.
 — — — Sv. Bot. 517.
 — — — Schk. Handb. 32.
 — — — Bot. Mag. 28, 1108.
 — — — Sweet Fl. G. II. 251.
 — — — obtusifolia Pursh. Salisb. Parad. 104.
Diarrhena americana Pal. Beauv. Jacq. Ecl. Gram. 29.
Diarrhena carinatum Jaub. Jaubert Illustr. 105.
Diascia Bergiana Link. Link Ic. L. 2.
Diasia graminifolia DC. Red. Lil. 1, 54. 3, 163.
 — — — iridifolia DC. Red. Lil. 1, 54.
Diastema ochroleuca Hook. Bot. Mag. 72, 4254.
 — — — quinquevulnera Planch. Flore de serres 8, 832.
† *Diblemma saramensis* Sm. Hook. Gen. Fil. 109.
Dibrachion brasiliensis Tulasma. Arch. Mus. 4, 7.
Dicalyx cochinchinensis Lour. Rumpf Amb. 3, 104.
Dicarpaea linifolia Presl. Presl Symbolae 26.
† *Dicella lancifolia* Juss. Arch. Mus. 3, 9.
† — — — ovatifolia Juss. Arch. Mus. 3, 9.
† *Dicentra Borkh.* Gray Genera 50.
 — — — canadensis DC. Gray Genera 50.
 — — — spectabilis Ch. Lem. Fl. d. serres 3, 238.
 — — — DC. Belgique hortic. 1, 11.
† *Dicera Forst.* Forster Charact. 40.
Dicerma biarticulatum DC. Wight Ic. pl. Ind. or. 2, 419.
 — — — pulchellum DC. Wight Ic. pl. Ind. or. 2, 418.
Dicerocaryum sinuatum Bojer. Ann. sc. nat. II. 4.
† *Dicerolepis paludosa* Bl. Blume Mus. 1, 24.
Dichaea calyculata P. et E. Poepp. et Endl. 106.
 — — — maculata P. et E. Poepp. et Endl. 105.
Dichaspermum juncoides Wight. Wight Ic. pl. 6, 2078.
 — — — lanceolatum Wight. Wight Ic. pl. Ind. or. 6, 2078.
 — — — repens Wight. Wight Ic. pl. Ind. or. 6, 2078.
† *Dichaetandra Goudotii* Naud. Ann. sc. nat. III. 12, 14.
† *Dichaetanthra articulata* Naud. Ann. sc. nat. III. 14, 7.
† *Dichasium parallelogrammum* A. Br. Fée Fil. 5, 23.
† — — — patentissimum Fée. Fée Fil. 5, 23.
Dichranthus plocamoides Webb. Ann. sc. nat. III. 5, 2.
Dichilus lebekkoides DC. DC. Legum. 33.
Dichodon anomalum Bartl. Rechb. Fl. germ. 5, 221.
 — — — cerastoides Bartl. Rechb. Fl. germ. 5, 221.
Dichoglottis linifolia Fisch. et M. Goebel Reise 2.
 — — — tubulosa Jaub. Jaubert Illustr. 6.
† *Dichondra Forst.* Forster Charact. 20.
† — — — Swartz Fl. Ind. occ. 11.
 — — — argentea Willd. Willd. Hort. 81.
 — — — repens Forst. Smith Ic. Linn. 8.
 — — — — Lam. Encycl. 183.
 — — — sericea Sw. Swartz Ic. Ind. occ. 10.
Dichopogon undulatus Reg. Regel Gartenfl. 2, 37.
† *Dichorisandra gracilis* N. v. E. Acta Leop. 11. 1, 1.
 — — — leucophthalmos Hook. Bot. Mag. 79, 4733.
 — — — ovata Mart. Paxt. Mag. 15, 5.
 — — — — Annales de Gand 1845, 26.
 — — — oxypetala Hook. Bot. Mag. 54, 2721.
 — — — — Lodd. Cab. 1440.
 — — — picta Lodd. Lodd. Cab. 1667.
 — — — — Bot. Mag. 80, 4760.
† — — — puberula N. v. E. Acta Leop. 11. 1, 1.
 — — — radicalis N. v. E. Acta Leop. 11. 1, 1.
 — — — thysiflora Mik. Mikan Del. Bras. 3.
 — — — — Bot. Reg. 8, 682.
 — — — — Lodd. Cab. 1196.
 — — — — Paxt. Mag. 3, 127.
† *Dichostylis Micheliana* N. v. E. Nees Gen. 2, 13.
 — — — — Rechb. Fl. germ. 8, 312.
† *Dichroanthus mutabilis* Webb. Webb Canar. 8.
Dichrocephala chrysanthemifolia DC. Wight Ic. pl. Ind. or. 3, 1095.
 — — — — Wight Spicil. 108.
 — — — latifolia DC. Wight Ic. pl. Ind. or. 3, 1096.

- Dichrocephala Schmidii* Wight. Wight Ic. pl. 4, 1610.
Dichroma coccinea Cav. Cav. Ic. 482.
Dichromena ciliata Vahl. Presl Reliq. 32.
 — — — leucocephala Michx. Elliott Carolina 3.
Dichrostachys cinerea W. et A. Wight Ic. pl. 2, 357.
Dicksonia abrupta Bory. Bory lles d'Afrique 30.
 — — — adiantoides H. B. K. Hook. Sp. Fil. 26.
 — — — antarctica Lab. Bill. Nov. Holl. 249.
 — — — anthriscifolia Kaulf. Hook. Sp. Fil. 27.
 — — — apiifolia Sw. Hook. Sp. Fil. 26.
 — — — appendiculata Wall. Hook. Sp. Fil. 27.
 — — — arborescens L'her. Hook. Sp. Fil. 22.
 — — — Berteroana Hook. Hook. Sp. Fil. 23.
 — — — conifolia Hook. Hook. Sp. Fil. 24.
 — — — cuneata Hook. Hook. Sp. Fil. 28.
 — — — deltoidea Hook. Hook. Sp. Fil. 28.
 — — — dissecta Sw. Schk. Fil. 130.
 — — — dubia Gaudichaud. Hook. Sp. Fil. 24.
 — — — fibrosa Colenso. Hook. Sp. Fil. 23.
 — — — flaccida Sw. Schk. Fil. 129.
† — — — fragilis Trevir. Mag. naturf. Fr. 7, 3.
 — — — lanata Colenso. Hook. Sp. Fil. 23.
 — — — Linden Hook. Hook. Sp. Fil. 25.
 — — — Martiana Klotzsch. Hook. Sp. Fil. 24.
 — — — ordinata Kaulf. Kunze Fil. 106.
 — — — Pavoni Hook. Hook. Sp. Fil. 26.
 — — — pubescens Schk. Schk. Fil. 131.
 — — — rubiginosa Kaulf. Hook. Sp. Fil. 27.
 — — — scabra Wall. Hook. Sp. Fil. 28.
 — — — Sellowiana Hook. Hook. Sp. Fil. 22.
 — — — Smithii Hook. Hook. Sp. Fil. 28.
 — — — sorbifolia Sm. Hook. Sp. Fil. 25.
 — — — squarrosa Sw. Schk. Fil. 130.
 — — — straminea Lab. Bill. Sert. 10.
 — — — strigosa Sw. Kunze Fil. 94.
† — — — tenera Presl. Hook. Gen. Fil. 61.
 — — — — Mart. Mart. Crypt. bras. 66. 72.
† — — — — Fée Fil. 5, 26.
Diclidanthera laurifolia Mart. Mart. Bras. 197.
 — — — penduliflora Mart. Mart. Bras. 196.
Diclidium lenticulare Schrad. Endl. Bras. 3, 2.
 — — — Maximiliani Schrad. Endl. Bras. 3, 1.
† *Dicliptera Juss.* Ann. Mus. 9, 21.
 — — — bivalvis Juss. Wight Ic. pl. Ind. or. 4, 1551.
† — — — — Wight Illustr. 164.
 — — — cuneata N. v. E. Wight Ic. pl. Ind. or. 4, 1552.
 — — — Pohlana N. v. E. Endl. Bras. 7, 30.
 — — — spinosa Lodd. Lodd. Cab. 1244.
Diclytra tenuifolia DC. Delessert Ic. 2, 9.
Dicoma lanuginosa DC. Wight Ic. pl. Ind. or. 3, 1140.
† — — — — Wight Illustr. 134.
Dicoryphe Aub. Th. Aubert lles d'Afrique 4.
 — — — madagascariensis Poir. Lam. Encycl. 946.
Dicraea dichotoma Tul. Arch. Mus. 6, 9.
 — — — — Wight Ic. pl. Ind. or. 5, 1916.
 — — — elongata Tul. Arch. Mus. 6, 9.
 — — — — Wight Ic. pl. Ind. or. 5, 1917.
 — — — erythrolichen Tul. Arch. Mus. 6, 10.
 — — — longifolia Wight. Wight Ic. pl. Ind. or. 5, 1916.
 — — — rigida Tul. Wight Ic. pl. Ind. or. 5, 1916.
 — — — stylosa Wight. Wight Ic. pl. Ind. or. 5, 1917.
 — — — Wallichii Tul. Wight Ic. pl. Ind. or. 5, 1916.
 — — — Wightii Tul. Wight Ic. pl. Ind. or. 5, 1916.
Dicrananthera hedyotideae Presl. Presl Symbolae 50.
 — — — — Ann. sc. nat. III. 12, 13.
 — — — Salzmanni Naud. Ann. sc. nat. III. 12, 13.
Dicranolepis disticha Planch. Hook. Ic. pl. 8, 798.
 — — — — Hook. Niger Fl. 48.
† *Dicranostachys Trécul.* Anp. sc. nat. III. 8, 1.
† *Dicrypta Baueri* Ldl. Bauer Orchid. (Gen.) 5.
 — — — — Bot. Reg. 12, 1028.
 — — — densifolia P. et E. Poepp. et Endl. 68.

- † *Dictamnus* *L.* Linnaea 1, 7.
 † — *albus* *L.* Lam. Encycl. 344.
 — — — Jacq. Fl. austr. 5, 428.
 — — — Schk. Handb. 114.
 — — — Hayne 6, 7.
 — — — Nees Düssel. 377.
 — — — Woodv. Med. 3, 166.
 — — — Dietr. Fl. bor. 12, 823.
 ! — — — Proc. Hort. Soc. 1838, p. 37.
 — — — *angustifolius* *Don.* Sweet Fl. G. II. 93.
 † — — — *Calodendron* *Lour.* Lam. Encycl. 344.
 — — — *Fraxinella* *Pers.* Sturm Flora 1, 6.
 — — — *Rchb.* Fl. germ. 5, 159.
 † — — — Mem. Mus. 12, 18.
 — — — *himalayanus* *Royle.* Royle Illustr. 29.
 — — — *obtusiflorus* *Koch.* Rchb. Fl. germ. 5, 159.
Dictyanthus *Pavonii* *Decne.* Fl. d. serres 8, 6, 770.
 — — — Bot. Mag. 79, 4750.
 † *Dictyogramme* *japonica* *Fée.* Fée Fil. 5, 15.
Dictyoloma *Vandellianum* *Juss.* Mem. Mus. 12, 24.
 † *Dictyopteris* *attenuata* *Presl.* Hook. Gen. Fil. 71.
 † — — — *macrodonia* *Presl.* Fée Fil. 5, 21.
 † — — — *pteroides* *Presl.* Fée Fil. 5, 21.
Dictyospermum *montanum* *Wight.* Wight Ic. pl. Ind. or. 6, 2069.
 — — — *ovalifolium* *Wight.* Wight Ic. pl. Ind. or. 6, 2070.
 — — — *protensum* *Wight.* Wight Ic. pl. Ind. or. 6, 2071.
 † *Dictyostegia* *Miers.* Endl. Bras. 8, 7.
 † — — — *orobanchioides* *Miers.* Linn. Transact. 18, 37, 38.
 † — — — *umbellata* *Miers.* Linn. Transact. 18, 37.
 † *Dictyoxiphium* *panamense* *Hook.* Hook. Gen. Fil. 62.
 † *Didelta* *capensis* *Lam.* Lam. Encycl. 705.
 † — — — *spinosa* *L'her.* Wendland Beob. 4.
 — — — *tetragoniaefolia* *L'her.* L'herit. Stirp. 28.
Didesmus *aegyptius* *Desv.* Delessert Ic. 2, 92.
Didiscus *coeruleus* *DC.* Bot. Reg. 15, 1225.
 — — — Bot. Mag. 55, 2975.
 — — — *cyaneus* *DC.* DC. Umbellif. 4.
 — — — *humilis* *Hook. fil.* Hook. Ic. pl. 4, 304.
 — — — *pilosus* *Hüg.* Hook. Ic. pl. 4, 307.
Didymanthus *Roëi* *Endl.* Endl. Iconogr. 100.
Didymeles *Aub.* Aubert Iles d'Afrique 1.
Didymocarpus *aromatica* *Wall.* Wall. Pl. asiat. 141.
 † — — — *crinita* *Jack.* Linn. Transact. 14, 2.
 † — — — — — *Calcutta Journal* 1844, 15.
 — — — Bot. Mag. 77, 4554.
 — — — Fl. d. serres 6, 631.
 — — — Lem. Jard. fl. 87.
 — — — *Griffithii* *Wight.* Wight Illustr. 159.
 — — — *Humboldtiana* *Gardn.* Bot. Reg. 79, 4757.
 — — — *lyrata* *Wight.* Wight Ic. pl. Ind. or. 4, 1350.
 — — — *macrophylla* *Wall.* Royle Illustr. 70.
 — — — *oblonga* *Wall.* Wall. Pl. asiat. 140.
 — — — *ovalifolia* *Wight.* Wight Ic. pl. Ind. or. 4, 1351.
 — — — *Rexii* *Bowie.* Hook. Exot. Fl. 227.
 — — — Bot. Mag. 57, 3005.
 — — — Lodd. Cab. 1305.
 — — — *Rottleriana* *Wall.* Wight Ic. pl. Ind. or. 4, 1348.
 — — — *tomentosa* *Wight.* Wight Ic. pl. Ind. or. 4, 1349.
 † — — — — — Wight Illustr. 159 bis.
 † *Didymocheton* *nutans* *Bl.* Mem. Mus. 19, 16.
 † *Didymochlaena* *Desv.* Mag. naturf. Fr. 5, 7, fig. 6.
 — — — *dimidiata* *Kze.* Kunze Fil. 84.
 — — — *sinuosa* *Desv.* Desv. Journ. 3, 2.
 — — — — — Mart. Crypt. bras. 28.
 † — — — — — Hook. Gen. Fil. 8.
 † — — — *Gaudich.* Freycinet Voyage 12.
Didymoglossum *decipiens* *Desv.* Mem. soc. Linn. Par. 6, 7, 11, 9.
 † — — — *Filicula* *Presl.* Prager Abh. 3, 8.
Didymonema *filifolia* *Presl.* Presl Symbolae 3.
Didymoplexis *pallens* *Griff.* Calcutta Journal 1844, 17.

- Diectomis* *fastigiata* *Pal. B.* H. B. K. Nov. Gen. 1, 64.
Dieffenbachia *Seguinum* *Schott.* Maund Bot. 3, 121.
 † *Dielytra* *Borkh.* Wight Illustr. 11^a.
 † — — — Gray Genera 50.
 — — — *canadensis* *DC.* Bot. Mag. 57, 3031.
 — — — — — Gray Genera 50.
 — — — *chrysantha* *H. et A.* Hook. Beechey 73.
 — — — — — Paxt. Fl. G. 103.
 — — — — — Fl. d. serres 8, 820.
 — — — — — Belgique hort. 3, 56.
 — — — *eximia* *DC.* Bot. Reg. 1, 50.
 — — — *spectabilis* *DC.* Bot. Mag. 75, 4458.
 — — — — — Journ. Hort. Soc. 2, 3.
 — — — — — Paxt. Mag. 15, 127.
Dienia *cylindrostachya* *Ldl.* Wight Ic. pl. 5, 1630.
Diervilla *amabilis* *Carrière.* Fl. d. serres 8, 835.
 — — — *canadensis* *Willd.* Hayne 7, 26.
 — — — — — Guimp. Fr. Holzgew. 55.
 — — — *floribunda* *S. et Zucc.* Sieb. Fl. Japon. 32.
 — — — *grandiflora* *S. et Zucc.* Sieb. Fl. Japon. 31.
 — — — *hortensis* *S. et Zucc.* Sieb. Fl. Japon. 29, 30, 33.
 — — — *humilis* *Pers.* Bot. Mag. 43, 1796.
 — — — *versicolor* *S. et Zucc.* Sieb. Fl. Japon. 33.
Diesingia *scandens* *Endl.* Endl. Atacta 1, 2.
Dietes *bicolor* *Sweet.* Annales de Gand 1846, 70.
Dietrichia *coccinea* *Tratt.* Tratt. Archiv 400.
 — — — — — Tratt. Thes. 19.
 † *Digitalis* *L.* Kerner Genera 69.
 † — — — *Lindley Digitalis* 1.
 † — — — Mutel Fl. fr. 44, 45.
 — — — *ambigua* *Schk.* Schk. Handb. 174.
 — — — — — Willd. Schrank Fl. monac. 3, 258.
 — — — — — Bot. Reg. 1, 64.
 — — — — — Murr. Herb. amat. 1, 7.
 — — — — — Lindley Digitalis 7.
 — — — — — Dietr. Fl. bor. 6, 418.
 — — — — — Meyer Fl. hann. 2.
 — — — *aurea* *Ldl.* Lindley Digitalis 13.
 — — — *canariensis* *L.* Lam. Encycl. 325.
 — — — — — Lindley Digitalis 27.
 — — — — — Bot. Reg. 1, 48.
 — — — — — Tratt. Archiv 276.
 — — — — — Herb. amat. 1, 8.
 — — — — — Lodd. Cab. 1329.
 — — — *eristachya* *Bess.* Rchb. Hort. 230.
 — — — *ferruginea* *L.* Lindley Digitalis 12.
 — — — — — Bot. Mag. 43, 1828.
 — — — — — Sibth. Fl. gr. 606.
 — — — — — Rchb. Ic. crit. 2, 156.
 — — — *fucata* *Loiseleur.* Bull. philom. 1812, 6.
 — — — — — Desv. Journ. 4, 16.
 — — — *fulva* *Ldl.* Lindley Digitalis 9.
 — — — — — Rchb. Ic. crit. 2, 157.
 — — — *fuscescens* *W. et K.* W. et Kit. 274.
 — — — — — Rchb. Ic. crit. 2, 158.
 — — — *grandiflora* *Lam.* Rchb. Ic. crit. 2, 159.
 † — — — — — Nees Gen. 5, 33.
 — — — — — *a. acutiflora*, Sturm Flora 3, 11.
 — — — *hybrida* *Dutour.* Desv. Journ. 4, 16.
 — — — — — Bull. philom. 1812, 6.
 ! — — — *Hensl.* Tr. Cambr. Soc. 5, 15, 18.
 — — — *laciniata* *Ldl.* Bot. Reg. 14, 1201.
 — — — — — Boissier Esp. 126.
 — — — *laevigata* *W. et K.* W. et Kit. 158.
 — — — — — Lindley Digitalis 10.
 — — — — — Rchb. Ic. crit. 2, 155.
 — — — *lanata* *Ehrh.* W. et Kit. 74.
 — — — — — Bot. Mag. 29, 1159.
 — — — — — Lindley Digitalis 15.
 — — — — — Sweet Fl. G. 291.
 — — — *leucophaea* *Sibth.* Sibth. Fl. gr. 607.
 — — — — — Lindley Digitalis 14.

- Digitalis lutea* L. Jacq. Vind. 103.
 — — — Bot. Reg. 3, 231.
 — — — Lindley Digitalis 23. 24.
 — — — Rchb. Ic. crit. 2, 151.
 — — — *δ. fucata* Ldl. Bot. Mag. 68, 3925.
 — — — *α. vittata*, Lindley Collect. 35.
 — — — var. *vittata*, Kerner Hort. 787.
 — *lutescens* Ldl. Lindley Digitalis 21.
 — *Mariana* Boiss. Boissier Esp. 126^a.
 — *media* Roth. Rchb. Ic. crit. 2, 152.
 — *micrantha* Roth. Rchb. Ic. crit. 2, 153.
 — *minor* L. Bot. Mag. 47, 2160.
 — — — Lindley Digitalis 5. 6.
 — *obscura* L. Jacq. Vind. 91.
 — — — Tratt. Archiv 275.
 — — — Bot. Mag. 47, 2157.
 — — — Lindley Digitalis 26.
 — *ochroleuca* Jacq. Jacq. Fl. austr. 1, 57.
 — — — Lindley Digitalis 8.
 — — — Dietr. Fl. bor. 6, 419.
 — — — Rchb. Ic. crit. 2, 160.
 — *orientalis* Lam. Bot. Reg. 7, 554.
 — — — Bot. Mag. 48, 2253.
 — — — Lindley Digitalis 16.
 — — — Jaubert Illustr. 409.
 — *parviflora* Jacq. Jacq. Vind. 17.
 — — — Bot. Reg. 3, 237.
 — — — Lindley Digitalis 17.
 — *purpurascens* Roth. Bonpland Malm. 61.
 — — — Lindley Digitalis 20.
 — — — Rchb. Ic. crit. 2, 151.
 — *purpurea* L. Fl. dan. 1, 74.
 — — — Curt. Lond. 1, 34.
 + — — — Gaertn. Carp. 53.
 + — — — Lam. Encycl. 525.
 — — — Engl. Bot. 19, 1297.
 — — — Woodv. Med. 2, 78.
 — — — Rousseau Bot. 27.
 — — — Dreves 2, 46.
 — — — Hayne 1, 45.
 — — — Brandt und Ratzeb. 12.
 — — — Guimp. et Schl. 7.
 — — — Nees Düsseldorf. 154.
 — — — Wagner 17.
 — — — Sturm Flora 3, 11.
 — — — Dietr. Fl. bor. 11, 762.
 — — — Baxter Brit. Bot. 2, 113.
 — — — Lindley Digitalis 2.
 — — — Meyer Fl. hann. 1.
 — — — var. *Paxt. Mag.* 10, 29.
 ! — — — heptandra, Linnaea 1, 6.
 ! — — — Het Institut 1842, o. 1845, 1. 2.
 ! — — — Flora 1844, 1. 1846, 1.
 — *rigida* Ldl. Lindley Digitalis 19.
 — *Sceptrum* L. fil. L'her. Sertum 24.
 — — — Smith Exot. Bot. 73.
 — — — Lindley Digitalis 28.
 — — — Kerner Hort. 40.
 — — — Rchb. Hort. 212.
 — *sibirica* Ldl. Lindley Digitalis 11.
 — *Thapsi* L. Smith Exot. Bot. 43.
 — — — Brotero Phytogr. 150.
 — — — Hoffm. Lk. Fl. portug. 30.
 — — — Lindley Digitalis 3. 4.
 — *tomentosa* Lk et H. Hoffm. Lk. Fl. portug. 29.
 — — — Brotero Phytogr. 149.
 — — — Sims. Bot. Mag. 48, 2194.
 — *tubiflora* Ldl. Lindley Digitalis 22.
 — *viridiflora* Ldl. Lindley Digitalis 18.
 † *Digitalia* Haller. Dumortier Gramin. 13.
 † — *ciliaris* Pal. Beauv. Nees Gen. 1, 18.
 — — — Koel. Rchb. Fl. germ. 1, 27.

- Digitalia filiformis* Koel. Rchb. Fl. germ. 1, 27.
 — — — Pal. B. Torrey New York 147.
 — *humifusa* Pers. Engl. Bot. 2613.
 — *malabarica* R. et Sch. Rheede Hort. mal. 12, 45.
 — *nodosa* Parl. Webb Canar. 246.
 — *pilosa* Michx. Petersb. 2, 4.
 — *sanguinalis* Scop. Baxter Brit. Bot. 5, 332.
 — — — Rchb. Fl. germ. 1, 27.
 — — — Torrey New York 146.
 † — *sarmentosa* Schrad. Fl. germ. 3.
 — *villosa* Pers. Elliott Carolina 7.
 † *Diglotis* N. et M. Acta Leop. 11. 1, 19.
 — *obovata* N. et M. Acta Leop. 11. 1, 25.
 † *Diglyphosa latifolia* Bl. Blume Tabellen 60.
 † *Digrammaria ambigua* Presl. Hook. Gen. Fil. 56.
Dilatris corymbosa Berg. Bergius Cap. 3.
 — — — Smith Exot. Bot. 16.
 † — *viscosa* Thunb. Gaertn. Carp. 182.
 — — — Lam. Encycl. 34.
 — — — Schnizl. Ic. 1, 62.
Dilivaria ebracteata Juss. Rumpf Amb. 6, 71.
 — *ilicifolia* Juss. Rheede Hort. mal. 2, 48.
 — — — Wight Ic. pl. Ind. or. 2, 459.
 — *volubilis* N. v. E. Rumpf Amb. 6, 71. fig. 2.
Dillenia aurea Sm. Smith Exot. Bot. 92. 93.
 — — — Tratt. Archiv 256. 256^a.
 — *bracteata* Wight. Wight Ic. pl. Ind. or. 2, 338.
 — *dentata* Thunb. Linn. Transact. 1, 20.
 — — — Kerner Hort. 588.
 — *elliptica* Thunb. Rumpf Amb. 2, 45.
 — *indica* L. Rheede Hort. mal. 3, 38. 39.
 — — — Hill Decade 3.
 — *integra* Thunb. Lam. Encycl. 492.
 — — — Linn. Transact. 1, 18.
 — — — Kerner Hort. 547.
 — *ornata* Wall. Wall. Pl. asiat. 23.
 — *pentagyna* Roxb. Roxb. Corom. 20.
 — *procumbens* Lab. Bill. Nov. Holl. 156.
 — *retusa* Thunb. Linn. Transact. 1, 19.
 — — — Lam. Encycl. 492.
 — *scabrella* Roxb. Wall. Pl. asiat. 22.
 — *serrata* Thunb. Rumpf Amb. 2, 46.
 — *speciosa* Thunb. Smith Exot. Bot. 2. 3.
 — — — Bot. Mag. 13, 449.
 — — — Tratt. Archiv 257. 257^a.
 — — — Kerner Hort. 505.
 — — — Wight Ic. pl. Ind. or. 3, 823.
 — *volubilis* Vent. Vent. Choix 11.
Dillwynia cinerascens R. Br. Bot. Mag. 48, 2247.
 — — — Lodd. Cab. 527.
 — *clavata* Part. Paxt. Mag. 11, 5.
 — *ericaefolia* Sm. Smith Exot. Bot. 25.
 — — — Bot. Mag. 37, 1545.
 — — — Lodd. Cab. 1277.
 — *floribunda* Sm. Smith Exot. Bot. 26.
 — — — Lodd. Cab. 305.
 — *glaberrima* Sm. Bill. Nov. Holl. 139.
 — — — Bot. Mag. 24, 944.
 — — — Lodd. Cab. 582.
 — *glycinifolia* Sm. Paxt. Mag. 4, 99.
 — *juniperina* Lodd. Lodd. Cab. 401.
 — *laxiflora* Benth. Hügel Archiv 9.
 — *myrtifolia* Sm. Herb. amat. 5, 344.
 — *obovata* Lab. Bill. Nov. Holl. 140.
 † — — — Lam. Encycl. 952.
 — — — Bot. Mag. 31, 1274.
 — *parvifolia* R. Br. Bot. Mag. 37, 1527.
 — — — Lodd. Cab. 559.
 — *pungens* Mackay. Lodd. Cab. 1502.
 — *scabra* Schlecht. Lem. Jard. f. 3, 296.
 — *speciosa* Part. Paxt. Mag. 7, 27.
Dilophia salsa Thomson. Hook. Journ. 1852, 12.

- Dimacria astragalifolia* Sweet. Sweet Ger. 103.
 — *bipartita* Sweet. Sweet Ger. 142.
 — *depressa* Sweet. Sweet Ger. 290.
 — *elegans* Sweet. Sweet Ger. 202.
 — *pinnata* Sweet. Sweet Ger. 46.
 — *sulphurea* Sweet. Sweet Ger. 163.
Dimerezia glauca Lab. Bill. Sert. 51.
 † *Dimeria ornithopoda* Trin. Trin. Fund. 14.
Dimocarpus Longan Lour. Hort. Transact. 2, 28*.
Dimorpha grandiflora Rudge. Linn. Transact. 9, 20.
Dimorphanthus elatus Miq. Miquel Comment. 12.
Dimorpholepis australis A. Gray. Hook. Ic. pl. 9, 886.
Dimorphotheca aurantiaca DC. Bot. Reg. 1, 29.
 — *chrysanthemifolia* DC. Bot. Reg. 1, 40.
 — *graminifolia* DC. Bot. Reg. 4, 289.
Dinaeba aegyptiaca Delile. Delile Egypte 11.
Dinebra arabica Jacq. Jacq. Fragm. 121.
 — *aristoides* H. B. K. H. B. K. Nov. Gen. 7, 695.
 — *bromoides* H. B. K. H. B. K. Nov. Gen. 1, 51.
 — *chondrosioides* H. B. K. H. B. K. Nov. Gen. 1, 53.
 — *repens* H. B. K. H. B. K. Nov. Gen. 1, 52.
 — *retroflexa* Panz. Münchn. Denkschr. 4, 12.
Dinema polybulbon Ldl. Bot. Mag. 70, 4067.
Dinemagonum Gayanum Adr. Juss. Gay Chile 10.
 † *Dinemandra ericoides* Adr. Juss. Arch. Mus. 3, 19.
 — — Gaudichaud Bonite 11.
 — *glaberrima* Adr. Juss. Gay Chile 9.
Dinetus racemosus Sweet. Sweet Fl. G. 127.
Dioclea sericea H. B. K. H. B. K. Nov. Gen. 6, 576.
Diodia spicata Miq. Miquel Surin. 52.
 † — *virginica* L. Gaertn. Carp. 25.
 † — — Lam. Encycl. 63.
 — — Jacq. Ic. 29.
 † *Diolena hygrophila* Naud. Ann. sc. nat. III. 16, 24.
Diomedea thurifera Colla. Mem. Tur. 38, 31.
 † *Dionaea L.* Gray Genera 84, 85.
 — *muscipula* L. Ellis Dionaea 1.
 — — Hill Decade 5.
 — — Lam. Encycl. 362.
 — — Vent. Malm. 29.
 — — Bot. Mag. 20, 785.
 — — Tratt. Thes. 2.
 — — Lodd. Cab. 48.
 — — Dict. sc. nat. 185.
 — — Herb. amat. 5, 349.
 † — — St. Hil. Pl. rem. 7.
 † — — Mem. Mus. 11, 9.
 — — Rchb. Exot. 340.
 — — Fl. d. serres 3, 280.
 — — Gray Genera 84, 85.
 † *Dionycha Bojerii* Naud. Ann. sc. nat. III. 14, 7.
Dioscorea aculeata L. Rheede Hort. mal. 7, 37.
 — — Rumpf Amb. 5, 126.
 — — Wight Ic. pl. Ind. or. 6, 2060.
 — *adenocarpa* Mart. Endl. Bras. 5, 6.
 — *alata* L. Rheede Hort. mal. 7, 38.
 — — Rumpf Amb. 5, 121.
 — — Tussac Ant. 28.
 — — Desc. Ant. 8, 537.
 — — Wight Ic. pl. Ind. or. 3, 810.
 — *altissima* L. Desc. Ant. 8, 535.
 — *amoena* Roxb. Wight Ic. pl. Ind. or. 3, 811.
 — *bulbifera* L. Rheede Hort. mal. 7, 36.
 — — Rumpf Amb. 5, 124, 125.
 — — Wight Ic. pl. Ind. or. 3, 878.
 — *cinnamomifolia* Hook. Bot. Mag. 55, 2825.
 † *Cliffortiana* Lam. Lam. Encycl. 818.
 — *daemonia* Roxb. Wight Ic. pl. Ind. or. 3, 811.
 — *globosa* Roxb. Wight Ic. pl. Ind. or. 3, 812.
 † *hirsuta* Bl. Rheede Hort. mal. 7, 51, 52.
 — *humilis* Colla. Mem. Tur. 39, 51.
 — *linearis* Colla. Mem. Tur. 39, 51.

- Dioscorea oppositifolia* L. Rumpf Amb. 5, 120.
 — — Wight Ic. pl. Ind. or. 3, 813.
 — *pentaphylla* L. Rheede Hort. mal. 7, 34, 35.
 — — Rumpf Amb. 5, 127.
 — — Wight Ic. pl. Ind. or. 3, 814.
 — *pusilla* Hook. Hook. Ic. pl. 7, 678.
 — *Quartiniana* Rich. Richard Abyssin. 96.
 — *quinqueloba* Thunb. Kaempfer Japon. 15.
 — *sativa* L. Rheede Hort. mal. 8, 51.
 — — Rumpf Amb. 5, 180.
 — — Linné Hort. Cliff. 28.
 † — — Gaertn. Carp. 17.
 — — Desc. Ant. 8, 537.
 — *spiculata* Bl. Rumpf Amb. 5, 123.
 — *tamifolia* Salisb. Salisb. Parad. 17.
 — *tomentosa* Koenig. Wight Ic. pl. Ind. or. 3, 815.
 — *triphylla* L. Rheede Hort. mal. 7, 33.
 — — Rumpf Amb. 5, 128.
 — — Jacq. Ic. 627.
 — — Richard Abyssin. 96.
 — *villosa* L. Rumpf Amb. 5, 162.
 — — Jacq. Ic. 626.
 — — Schk. Handb. 329.
 † — — Schnizl. Ic. 1, 57.
 † *Dioscoreae R. Br.* Schnizl. Ic. 1, 57.
 † *Diosma L.* Bartling Diosmeae 1.
 — *acuminata* Lodd. Lodd. Cab. 493.
 — *amoena* Lodd. Lodd. Cab. 161.
 — — Bot. Reg. 7, 553.
 — *ambigua* Lodd. Lodd. Cab. 461.
 — *betulina* Lam. Lam. Encycl. 127.
 — *bifida* Jacq. Jacq. Collect. 3, 20.
 — *capitata* L. Lodd. Cab. 860.
 — *Cerefolium* Vent. Vent. Malm. 93.
 — *ciliata* Willd. Lodd. Cab. 210.
 — — Bot. Reg. 5, 366.
 — *cistoides* Lam. Lam. Encycl. 127.
 — *crenata* L. Lodd. Cab. 404.
 — — Woodv. Med. 5, 14.
 — — Nees Düsseld. 375.
 — *cupressina* L. Wendl. Coll. 61.
 — — Lodd. Cab. 303.
 — *dioica* Ker. Bot. Reg. 6, 502.
 — *ericifolia* Andr. Andr. Rep. 7, 451.
 — *ericoides* L. Bot. Mag. 49, 2332.
 — *fragrans* Sims. Lodd. Cab. 775.
 — — Bot. Mag. 37, 1519.
 † — *hirsuta* L. Gaertn. Carp. 94.
 — — Wendl. Coll. 27.
 — *hirta* Lam. Vent. Malm. 72.
 — — Lodd. Cab. 1122.
 — — Bot. Reg. 5, 369.
 — *imbricata* L. Roemer Mag. 3, 3.
 — *lanceolata* Mill. Bot. Reg. 6, 476.
 — *latifolia* Andr. Andr. Rep. 1, 33.
 — — Lodd. Lodd. Cab. 290.
 — *linifolia* Hort. Lodd. Cab. 400.
 — *longifolia* Wendl. Wendl. Coll. 19.
 — *ovata* Andr. Andr. Rep. 7, 464.
 — — Thunb. Bot. Mag. 39, 1616.
 — *pulchella* L. Bot. Mag. 33, 1357.
 — *rubra* L. Bot. Reg. 7, 563.
 — — Lodd. Cab. 1498.
 — *serratifolia* Curt. Vent. Malm. 77.
 — — Bot. Mag. 13, 456.
 — — Lodd. Cab. 373.
 — — Tratt. Thes. 69.
 — — Nees Düsseld. 376.
 — *speciosa* Sims. Bot. Mag. 31, 1271.
 — *sphaerocephala* Lodd. Lodd. Cab. 1490.
 — *subulata* Wendl. Wendl. Coll. 8.
 — *succulenta* Berg. Wendl. Coll. 1.

- † *Diosma tenuifolia* Willd. Mem. Mus. 12, 18.
 — *tenuissima* Lodd. Lodd. Cab. 1624.
 — *umbellata* Hort. Herb. amat. 3, 163.
 — *uniflora* L. Bot. Mag. 8, 273.
 — — Schrad. Sert. hannov. 8.
 — — Dict. sc. nat. 124.
 — — Herb. amat. 2, 111.
 † *Diospyros* L. Wight Illustr. 148^b.
 — *ambigua* Vent. Vent. Malm. 17.
 — *Candolleana* Wight. Wight Ic. pl. Ind. or. 4, 1221.
 — — 1222.
 — *capitulata* ♂ Wight. Wight Ic. pl. Ind. or. 4, 1224.
 — — ♀ Wight Ic. pl. Ind. or. 4, 1228^{bis}.
 — *chloroxylon* Roxb. Roxb. Corom. 49.
 † *Commersonii* Gaertn. fil. Gaertn. Carp. 208.
 — *cordifolia* Roxb. Roxb. Corom. 50.
 — — Wight Illustr. 148.
 — *decandra* Lour. Rumpf Amb. 3, 6.
 — *digyna* Jacq. Jacq. Schoenbr. 3, 113.
 — *dubia* ♂ Wall. Wight Ic. pl. Ind. or. 4, 1223.
 † *Ebenum* Retz. Gaertn. Carp. 208.
 — — Wight. Wight Ic. pl. Ind. or. 1, 188.
 — *Embryopteris* Pers. Rheede Hort. mal. 3, 41.
 — — Bot. Reg. 6, 499.
 † *Hebenaster* Gaertn. Gaertn. Carp. 179.
 † *hirsuta* Desf. Ann. Mus. 6, 62.
 — *Kaki* Roxb. Wight Ic. pl. Ind. or. 1, 415.
 — *laurifolia* A. Rich. Ramon Cuba 55.
 — *Lotus* L. Pallas Fl. ross. 58.
 † — — Lam. Encycl. 858.
 — — Dict. sc. nat. 65.
 — *lycioides* Desf. Ann. Mus. 6, 62.
 — *Mabola* Roxb. Bot. Reg. 14, 1139.
 — *melanoxylon* Roxb. Roxb. Corom. 46.
 — — Kerner Hort. 64.
 — *montana* Roxb. Roxb. Corom. 48.
 — — ♀ Wight Ic. pl. Ind. or. 4, 1225.
 — *obovata* Jacq. Jacq. Schoenbr. 3, 312.
 — — Wight Ic. pl. Ind. or. 4, 1226.
 — *obtusifolia* H. B. K. H. B. K. Nov. Gen. 3, 247.
 — *ovalifolia* Wight. Wight Ic. pl. Ind. or. 4, 1227.
 — *racemosa* Roxb. Wight Ic. pl. Ind. or. 2, 416.
 — *ramiflora* Roxb. Wight Ic. pl. Ind. or. 1, 189.
 † *rubra* Gaertn. fil. Gaertn. Carp. 208.
 — *Sapota* Roxb. Bot. Mag. 69, 3988.
 — *silvatica* Roxb. Roxb. Corom. 47.
 † *tetrasperma* Sw. Gaertn. Carp. 208.
 — *tomentosa* Roxb. Wight Ic. pl. Ind. or. 1, 182, 183.
 — *vaccinioides* Ldl. Hook. Exot. Fl. 139.
 — — Lodd. Cab. 1549.
 † *virginiana* L. Gaertn. Carp. 207.
 — — Michaux Arb. 2, 12.
 — — Rafn. Med. 32.
 — — Watson Dendr. 2, 146.
 — *Waldemarii* Klotzsch. Prinz Waldem. Him. 55.
Diothonea imbricata Ldl. Lindley Sertum 40.
 † *Diotis ceratoides* Schr. Nees Gen. 4, 65.
 † — *ferruginea* N. v. E. Nees Gen. 4, 65.
 — *maritima* Cass. Curt. Lond. 4, 137.
 — — Baxter Brit. Bot. 6, 499.
Diotosperma Drummondii A. Gray. Hook. Ic. pl. 9, 855.
Dipholis salicifolia DC. Delessert Ic. 5, 40.
 † *Diphyes bicolor* Bl. Blume Tabellen 66.
 † — *crassifolia* Bl. Blume Tabellen 66.
 † — *gibbosa* Bl. Blume Tabellen 66.
 † — *tenella* Bl. Blume Tabellen 66.
 † *Diphylleia* Michx. Gray Genera 33.
 — — *cymosa* Michx. Michaux Fl. 19, 20.
 — — — Lam. Encycl. 937.
 — — — Bot. Mag. 40, 1666.
 — — — Gray Genera 33.
 † *Diphyssa carthagenensis* Jacq. Lam. Encycl. 605.

- † *Diplachne serotina* Lk. Nees Gen. 1, 74.
 — — — Rchb. Fl. germ. 1, 71.
Diplacrum caricinum R. Br. Endl. Iconogr. 25.
 — *tridentatum* Brongn. Brongniart Coquille 26.
Diplacus glutinosus Nutt. Paxt. Fl. G. 92.
 — — — var. Lem. Jard. fl. 3, 308.
 — *punicus* Nutt. Bot. Mag. 65, 3655.
 — — — Knowles et Westcott 107.
 — — — Paxt. Mag. 6, 221.
Dipladenia atropurpurea A. DC. Fl. d. serres 1, 29.
 — *crassinoda* A. DC. Paxt. Mag. 12, 25.
 — — — Bot. Reg. 30, 64.
 — *flava* Hook. Bot. Mag. 79, 4702.
 — *nobilis* Morr. Annales de Gand 1847, 152.
 — — — Paxt. Mag. 16, 4.
 — — — Fl. d. serres 5, 437.
 — *rosa campestris* Ch. Lem. Fl. d. serres 3, 286.
 — *splendens* DC. Fl. d. serres 1, 30.
 — *urophylla* Hook. Bot. Mag. 74, 4414.
 — — — Paxt. Mag. 16, 67.
 — — — Fl. d. serres 5, 425.
 — *vincaeflora* Ch. Lem. Fl. d. serres 2, 74.
Diplandra lopezoides Hook. Hook. Beechey 60.
 † *Diplanthera* Aub. Th. Ann. sc. nat. II, 9, 4.
Diplax avenacea Decne. Raoul Nouv. Zel. 4.
Diplazium acuminatum Raddi. Raddi Fil. 57.
 — *alismaefolium* Presl. Presl Reliq. 8.
 — *ambiguum* Raddi. Raddi Fil. 58.
 — *cordifolium* Bl. Hook. Ic. pl. 2, 184.
 — *juglandifolium* Sw. Schk. Fil. 85.
 — *lanceum* Bory. Bélanger Ind. or. 4.
 — *malabaricum* Bl. Rheede Hort. mal. 12, 15.
 — — Spr. Rumpf Amb. 6, 29.
 † *malaccense* Presl. Fée Fil. 5, 17.
 † *marginatum* Hook. Hook. Gen. Fil. 55.
 — *microphyllum* Desv. Mem. soc. Linn. Par. 6, 7.
 — *pinnatifidum* Kze. Kunze Analecta 16.
 — *plantagineum* Sw. Swartz Syn. Fil. 2.
 — — — Schk. Fil. 85.
 † — — — Hook. Gen. Fil. 55.
 — — — Lodd. Cab. 1588.
 — *pulcherrimum* Raddi. Opusc. sc. Bon. 3, 12.
 — — — Raddi Fil. 59.
 † *radicans* Presl. Hook. Gen. Fil. 55.
 — *serampurens* Spr. Acta Leop. 10, 1, 17.
 — *silvaticum* Sw. Schk. Fil. 85^b.
 † *striatum* Presl. Hook. Gen. Fil. 55.
Diplectrum amoenum Aub. Aubert Orchid. 21, 22.
Diplocalyx chrysophylloides A. Rich. Ramon Cuba 54.
Diplocentrum congestum Wight. Wight Ic. pl. Ind. or. 5, 1682.
 — *longifolium* Wight. Wight Ic. pl. Ind. or. 5, 1681.
 — *recurvum* Ldl. Wight Ic. pl. Ind. or. 5, 1680.
Diplochita bracteata DC. Mart. Bras. 274.
Diploclinium Arnottianum Wight. Wight Ic. pl. Ind. or. 5, 1815.
 — *biloculare* Wight. Wight Ic. pl. Ind. or. 5, 1814.
 — *cordifolium* Wight. Wight Ic. pl. Ind. or. 5, 1816.
 — *Lindleyanum* Wight. Wight Ic. pl. Ind. or. 5, 1817.
Diplocoma villosa Don. Sweet Fl. G. 246.
Diploconchium inocephalum Schauer. Acta Leop. 19, Suppl. 12.
Diplodium australe Sw. Mag. naturf. Fr. 4, 3.
Diplodon arboreus P. et E. Poepp. et Endl. 192.
 † *Diplogenea viscoidea* Ldl. Ann. sc. nat. III, 15, 13.
Diplolaena Dampieri Desf. Mem. Mus. 3, 20.
 — — — Bot. Mag. 70, 4059.
 — — — Bot. Reg. 27, 64.
 — — — Fl. d. serres 2, 61.
 — *grandiflora* Desf. Mem. Mus. 3, 19.
 † — — — Lam. Encycl. 935.

- Diplopappus canescens* Hook. Paxt. Mag. 2, 49.
 — *incanus* Ldl. Paxt. Mag. 2, 49.
 — — — Bot. Mag. 62, 3382.
 — — — Bot. Reg. 20, 1693.
Diplopeltis Hügelii Ldl. Bot. Reg. 25, 69.
Diplophractum auriculatum Desf. Mem. Mus. 5, 1.
 † — — — Lam. Encycl. 964.
Diploprior medicaginoides Viv. Viv. Lib. 19.
Diplopterys paralias Juss. Delessert Ic. 3, 33.
 † — — — Arch. Mus. 3, 20.
Diplosastera tinctoria Pohl. Tausch Hort. Canal. 4.
Diplosiphon oryzetorum Decne. Jacquemont Ind. 167.
Diplospora viridiflora DC. Bot. Reg. 12, 1026.
Diplostephium amygdalinum Cass. Bot. Reg. 18, 1517.
 — *lavandulifolium* H. B. K. H. B. K. Nov. Gen. 4, 335.
Diplotaxis auriculata Durieu. Explor. Alger. 76.
 — *Barrelieri* DC. Rchb. Fl. germ. 2, 83.
 — *erucoides* DC. Rchb. Fl. germ. 2, 84.
 — *hispidia* DC. Delessert Ic. 2, 89.
 — *muralis* DC. Sturm Flora 16, 68.
 — — — var. *subpinnatifida*, Sturm Flora 16, 68.
 — — — Rchb. Fl. germ. 2, 82.
 — *saxatilis* DC. Rchb. Fl. germ. 2, 83.
 — *scaposa* DC. Delessert Ic. 2, 90.
 — *tenuifolia* DC. Sturm Flora 16, 68.
 — — — var. *integrifolia*, Sturm Flora 16, 68.
 — — — var. *subpinnatifida*, Sturm Flora 16, 68.
 — — — Dietr. Fl. bor. 7, 430.
 — — — Rchb. Fl. germ. 2, 82.
 — *viminea* DC. Rchb. Fl. germ. 2, 81.
 — — — Sturm Flora 16, 68.
Diplothemium campestre Mart. Mart. Palm. 76, 78.
 — *caudescens* Mart. Mart. Palm. 70, 77.
 — *litorale* Mart. Mart. Palm. 76.
 — — — D'Orbigny Voyage 9.
 — *maritimum* Mart. Mart. Palm. 75, 77, 77^a.
 — *Torallyi* Mart. D'Orbigny Voyage 15, 28.
Diplosodon alutaceus Pohl. Pohl Bras. 80.
 — *Candollii* Pohl. St. Hil. Fl. Bras. 188.
 — *decussatus* Gardn. Fielding Sertum 1.
 — *divaricatus* Pohl. Pohl Bras. 67.
 — — — Rchb. Exot. 335.
 — *floribundus* Pohl. Pohl Bras. 70.
 — *imbricatus* Pohl. Pohl Bras. 68.
 — *incanus* Gardn. Fielding Sertum 2.
 — *kielmeyeroides* St. Hil. St. Hil. Fl. Bras. 189.
 — *lanceolatus* Pohl. Pohl Bras. 81.
 — *marginatus* Pohl. Pohl Bras. 66.
 — *microphyllus* Pohl. Pohl Bras. 76.
 — *oblongus* Pohl. Pohl Bras. 78.
 — *ovatus* Pohl. Pohl Bras. 69.
 — — — Rchb. Exot. 334.
 — *punctatus* Pohl. Pohl Bras. 72.
 — *ramosissimus* Pohl. Pohl Bras. 77.
 — *rosmarinifolius* St. Hil. St. Hil. Fl. Bras. 189.
 — *scaber* Pohl. Pohl Bras. 79.
 — *strigosus* Pohl. Pohl Bras. 71.
 — *villosus* Pohl. Pohl Bras. 74.
 — *villosissimus* Pohl. Pohl Bras. 75.
 — *virgatus* Pohl. Pohl Bras. 73.
 — — — Rchb. Exot. 333.
Diplycosia ciliolata Hook. fil. Hook. Ic. pl. 9, 894.
Dipodium punctatum R. Br. Bot. Reg. 23, 1980.
 — — — Maund Bot. 2, 66.
 † *Diposis* DC. DC. Ombellif. 2.
 — *Bulbocastanum* DC. Gay Chile 31.
 † *Dipsaceae* Juss. (Coulter.) Mem. Genev. 2, 1, 2.
 † *Dipsacus* L. Mem. Genev. 2, 1.
 † — — — Ann. sc. nat. II, 16, 13.
 — *ferox* Lois. Loiseleur Fl. gall. 3.
 — — — Tratt. Archiv 196.

- Dipsacus ferox* Lois. Jacq. Ecl. pl. 107.
 — — — Rchb. Fl. germ. 12, 706.
 — *fullonum* L. Schk. Handb. 21.
 † — — — Lam. Encycl. 56.
 — — — Engl. Bot. 29, 2080.
 — — — Rchb. Fl. germ. 12, 705.
 † — — — Nees Gen. X, x.
 — *Gmelini* M. v. B. Jacq. Ecl. pl. 106.
 — *laciniatus* L. Jacq. Fl. austr. 5, 403.
 † — — — Gaertn. Carp. 86.
 — — — Lam. Encycl. 56.
 — — — Rchb. Fl. germ. 12, 703.
 — *Leschenaultii* Coult. Wight Illustr. 139.
 — *pilosus* L. Jacq. Fl. austr. 3, 248.
 — — — Curt. Lond. 3, 32.
 — — — Fl. dan. 9, 1448.
 — — — Engl. Bot. 13, 877.
 — — — Dietr. Fl. bor. 8, 520.
 — — — Rchb. Fl. germ. 12, 704.
 — *Roylei* Klotzsch. Prinz Waldem. Him. 84.
 — *silvestris* L. Fl. dan. 6, 965.
 — — — Curt. Lond. 3, 31.
 — — — Engl. Bot. 15, 1032.
 — — — Baxter Brit. Bot. 6, 490.
 — — — Dict. sc. nat. 95.
 — — — Jacq. Fl. austr. 5, 402.
 — — — Schrank Flora monac. 2, 187.
 — — — Dietr. Fl. bor. 7, 493.
 — — — Rchb. Fl. germ. 12, 707.
 — *Walkeri* Arn. Wight Ic. pl. Ind. or. 4, 1166.
Dipteracanthus bahiensis Moric. Moricand Pl. Am. 91.
 — *Blanchetianus* Moric. Moricand Pl. Am. 95.
 — *patulus* N. v. E. Wight Ic. pl. Ind. or. 4, 1805.
 — *spectabilis* Hook. Bot. Mag. 76, 4494.
 — — — Lem. Jard. fl. 10.
 — — — Fl. d. serres 6, 554.
 † *Dipterocalyx hirtus* Chamisso. Linnaea 7, 7.
 † *Dipterocarpeae* Bl. Schnizl. Ic. 213.
Dipterocarpus Baudii Korth. Korthals Bot. 5.
 † — *costatus* Gaertn. Gaertn. Carp. 187.
 — *gracilis* Bl. Blume Java 5, 5.
 — *Hasseltii* Bl. Blume Java 5, 6.
 — *litoralis* Bl. Blume Java 5, 4.
 — *retusus* Bl. Blume Java 5, 2.
 — *Spanoghei* Bl. Blume Java 5, 3.
 — *trinervis* Bl. Blume Cat. Buitenzorg 0.
 — — — Blume Java 5, 1.
 † — *turbinatus* Gaertn. Gaertn. Carp. 188.
 — — — Roxb. Corom. 213.
Dipterygium glaucum Decne. Ann. sc. nat. II, 4, 3.
 † *Dipteryx oleifera* Hook. Hook. Journ. 1850, 7.
Diptychandra aurantiaca Tulame. Arch. Mus. 4, 8.
Dirca palustris L. Lam. Encycl. 293.
 — — — Schk. Handb. 107^b.
 — — — Guimp. Fr. Holzgew. 49.
 — — — Bigelow Med. 37.
 — — — Bot. Reg. 4, 292.
Dircaea cardinalis Reg. Regel Gartenfl. 2, 41.
 — *lobulata* Lem. Lem. Jard. fl. 219—220.
 — *picta* Lem. Lem. Jard. fl. 3, 302.
Dirichletia glabra Klotzsch. Peters Mossamb. 47.
 — *pubescens* Klotzsch. Peters Mossamb. 48.
 † *Disa* Linn. Svensk Acad. 1800, 3.
 † — — — Schrader N. Journal I, 1.
 — *bracteata* Sw. Bot. Reg. 4, 324.
 — *cornuta* Sw. Bot. Mag. 70, 4091.
 — *ferruginea* Sw. Hook. Ic. pl. 3, 214.
 — *graminifolia* Ker. Journ. sc. and arts 6, 1.
 — *grandiflora* L. fil. Lam. Encycl. 727.
 — — — Lindley Sertum 49.
 — — — Bot. Mag. 70, 4073.
 — — — Bot. Reg. 11, 926.

- Disa grandiflora* L. fil. Journ. sc. and arts 4, 6.
 — — — Rchb. Exot. 119.
 — — — Fl. d. serres 2, 160.
 — longicornu L. fil. Lam. Encycl. 727.
 — porrecta Sw. Journ. sc. and arts 5, 1.
 — prasinata Ker. Bot. Reg. 3, 210.
 — pulchella Hochst. Richard Abyssin. 93.
 — scutellifera A. Rich. Richard Abyssin. 94.
 † — — — Ann. sc. nat. II. 14, 18.
 † — spathulata Sw. Bauer Orchid. (Gen.) 14.
 — — — Journ. sc. and arts 4, 6.
 — uniflora Berg. Bergius Cap. 4.
 † *Disandra africana* Lam. Lam. Encycl. 275.
 — — — Mem. Mus. 14, 18.
 † — prostrata L. fil. Gaertn. Carp. 185.
 — — — Jacq. Fragm. 6.
 — — — Bot. Mag. 7, 218.
 — — — Belgique hortic. 2, 44.
Disarrhenum antarcticum Lab. Bill. Nov. Holl. 232.
 † *Discaria americana* Hook. Hook. Bot. Misc. 44.
 † — australis Hook. Hook. Bot. Misc. 45.
 — Toumatou Decne. Raoul Nouv. Zel. 29.
Dischidia bengalensis Colebr. Linn. Transact. 12, 15^b.
 — — — Bot. Mag. 56, 2916.
 † — cochleata Bl. Blume Mus. 1, 27.
 — numularia R. Br. Rumpf Amb. 5, 176.
 — Rafflesiana Wall. Wall. Pl. asiat. 142.
 † — — — Linn. Transact. 20, 17, 18.
 — timorensis Decne. N. Ann. Mus. 3, 17.
 † *Dischisma capitatum* Choisy. Mem. Genev. 2, 1.
 — ciliatum γ. Choisy. Jacq. Ecl. pl. 181.
Discocactus biformis Ldl. Bot. Reg. 31, 9.
 — — — Lem. Jard. fl. 3, 321.
 — insignis Pfeiff. Pfeiffer Cact. 2, 1.
 — — — Acta Leop. 19, 1, 15.
 — tricornis Monv. Pfeiffer Cact. 2, 28.
 † *Discocarpus Klotzsch.* Wiegmann Archiv 7, 9.
Discopleura capillacea DC. DC. Ombellif. 8.
 — Nuttallii DC. DC. Ombellif. 9.
Discopodium penninervium Hochst. Richard Abyss. 79.
Disemma adiantifolia DC. Bot. Reg. 3, 233.
 — aurantia Lab. Bill. Sertum 79.
 — — — Bot. Mag. 71, 4140.
 — Herbertiana DC. Bot. Reg. 9, 737.
Diseris neilgherrensis Wight. Wight Ic. pl. Ind. or. 5, 1719.
Disernestum gummiferum Jaub. Janbert Illustr. 40.
 † *Disparago ericoides* Gaertn. Gaertn. Carp. 173.
 † *Disperis* Sw. Svensk Acad. 1800, 3.
 † — — — Schrader N. Journal 1, 1.
 — alata Lab. Bill. Nov. Holl. 210.
 — capensis Sw. Journ. sc. and arts 5, 1.
 — cucullata Sw. Journ. sc. and arts 6, 1.
 — secunda Sw. Journ. sc. and arts 5, 1.
 — tripetaloidea Ldl. Wight Ic. pl. Ind. or. 3, 930.
 — villosa Sw. Journ. sc. and arts 6, 1.
Disporum ceylanicum Wight. Wight Ic. pl. Ind. or. 6, 2049.
 — Leschenaultianum Don. Wight Ic. pl. Ind. or. 6, 2048.
 — mysorensis Wight. Wight Ic. pl. Ind. or. 6, 2049.
Dissochaeta bracteata Korth. Korthals Bot. 55.
 — cyanocarpa Bl. Korthals Bot. 56.
 † — — — Ann. sc. nat. III. 15, 4.
 † — decipiens Naud. Ann. sc. nat. III. 15, 4.
 † — intermedia Bl. Blume Mus. 1, 5.
 † — pallida Naud. Ann. sc. nat. III. 15, 4.
 † — spoliata Naud. Ann. sc. nat. III. 15, 4.
Dissorhynchium muricatum Schauer. Acta Leop. 19, Suppl. 13.
Dissothrix Gardneri Gray. Hook. Journ. 1851, 5.
Disteganthus basi-lateralis Ch. Lem. Fl. d. serres 3, 227.

- † *Distegocarpus carpinoides* S. et Z. Münchn. Abb. 4, 3.
 † *Distemma carinatum* Van Houtte. Van Houtte Hort. 5.
Distichis Aub. Aubert Orchid. 88.
Distylis Berardiana Gaudich. Freycinet Voyage 80.
Distylium racemosum Sieb. et Z. Sieb. Fl. Japon. 94.
Ditassa decussata Mart. Mart. Bras. 31.
 — manicata Decne. Delessert Ic. 5, 72.
 — mucronata Mart. Mart. Bras. 31.
 — trivialis P. et E. Poepp. et Endl. 277.
Ditaxis dioica H. B. K. H. B. K. Nov. Gen. 7, 639.
Dithyrea californica Harv. Hook. Lond. J. 1845, 5.
Dithyrocarpus petiolatus Wight. Wight Ic. pl. Ind. or. 6, 2079.
 — Rothii Wight. Wight Ic. pl. Ind. or. 6, 2080.
 — undulatus Wight. Wight Ic. pl. Ind. or. 6, 2080.
 † *Ditoca muscosa* Gaertn. Gaertn. Carp. 126.
 † *Diuris* Smith. Svensk Acad. 1800, 3.
 † — — — Schrader N. Journal 1, 1.
 — aurea Sm. Smith Exot. Bot. 9.
 — filifolia Ldl. Lindley Swan River 8.
 — maculata Sm. Smith Exot. Bot. 30.
 — — — Bot. Mag. 59, 3156.
 — punctata Sm. Smith Exot. Bot. 8.
Dobera glabra Juss. Ehrenberg Symb. 3.
Dobrowskia scabra DC. Delessert Ic. 5, 9.
 † *Dodartia orientalis* L. Gaertn. Carp. 83.
 † — — — Lam. Encycl. 539.
 — — — Bot. Mag. 48, 2199.
 — — — Sweet Fl. G. 147.
 — — — Jaubert Illustr. 410.
 † *Dodecatheon* L. Kerner Genera 30.
 — frigidum Cham. Seemann Herald 9.
 — integrifolium Michx. Bot. Mag. 64, 3622.
 † — Meadia L. Gaertn. Carp. 50.
 † — — — Lam. Encycl. 99.
 — — — Bot. Mag. 1, 12.
 — — — Schk. Handb. 34.
 — — γ. Sweet Fl. G. II. 60.
 — — — var. alba, Lodd. Cab. 1489.
 — — — var. laciniata, Annal. de Gand 1846, 71.
 † *Dodonaea* L. Gray Genera 182.
 — angustifolia Lam. Lam. Encycl. 304.
 — asplenifolia Rudge. Linn. Transact. 11, 20.
 — attenuata Cunn. Lodd. Cab. 1470.
 — — — Bot. Mag. 55, 2860.
 — bialata H. B. K. H. B. K. Nov. Gen. 5, 442.
 — Burmanniana DC. Wight Illustr. 52.
 — cuneata Rudge. Linn. Transact. 11, 19.
 — hispidula Endl. Endl. Acta 30.
 — humilis Endl. Endl. Acta 31.
 — oblongifolia Lk. Bot. Reg. 13, 1051.
 — tricuspidata Desc. Desc. Ant. 7, 530.
 — trifoliata Trew. Trew Pl. rar. 9.
 — triquetra Sm. Andr. Rep. 4, 230.
 — — — Tratt. Archiv 396.
 — viscosa L. Rumpf Amb. 4, 50.
 — — — Cav. Ic. 327.
 † — — — Gaertn. Carp. 111.
 † — — — Lam. Encycl. 304.
 — — — Gray Genera 182.
Dolia clavata Miers. Gaudichaud Bonite 111.
 — salsoloides Ldl. Gaudichaud Bonite 113.
 — vermiculata Ldl. Gaudichaud Bonite 112.
 — — — Miers Illustr. 12.
Dolichangis Aub. Aubert Orchid. 66, 69.
Dolichogyne Candollei Remy. Gay Chile 48.
Dolichos acinaciformis Jacq. Jacq. Ic. 559.
 — altissimus L. Jacq. Hist. stirp. am. 190.
 — bengalensis Jacq. Jacq. Vind. 124.
 — bulbosus L. Rumpf Amb. 5, 132, fig. 2.
 — Catjang L. Rumpf Amb. 5, 139, fig. 1.
 — emarginatus Jacq. Jacq. Sohoenbr. 2, 221.

- Dolichos emarginatus* *Pal. B.* Pal. Fl. d'Oware 114.
 — *ensiformis* *L.* Rumpf Amb. 5, 135. fig. 1.
 — — *Kaempfer* Japon. 25.
 — *fabaeformis* *L'her.* L'her. Stirp. 78.
 — *galeatus* *Gaudich.* Freycinet Voyage 115.
 — *gladiatus* *Jacq.?* Kaempfer Japon. 39.
 — — *Jacq.* Ic. 560.
 — *hirsutus* *Thunb.* Andr. Rep. 7, 446.
 — *Lablab* *L.* Schk. Handb. 199⁶.
 † — — *Gaertn.* Carp. 150.
 † — — *Lam.* Encycl. 610.
 — — *Bot. Mag.* 23, 896.
 — *lignosus* *L.* Rumpf Amb. 5, 136.
 — — *Linné* Hort. Cliff. 20.
 — — *Smith* Spicil. 21.
 — — *Bot. Mag.* 11, 380.
 — *luteolus* *Jacq.* Jacq. Vind. 90.
 — *memnonius* *Delile.* Delile Egypte 38.
 — *minimus* *L.* Linné Hort. Cliff. 21.
 — — *Jacq.* Obs. 22.
 — — *Desc.* Ant. 3, 171.
 — *mollis* *Jacq.* Jacq. Fragm. 88.
 — *niloticus* *Delile.* Delile Egypte 38.
 — *obtusifolius* *Lam.* Desc. Ant. 3, 169.
 — *pilosus* *Klein.* Rumpf Amb. 5, 142.
 — *pruriens* *L.* Jacq. Hist. stirp. am. 188.
 — — *Woodv.* Med. 3, 153.
 — — *Desc.* Ant. 1, 49.
 — *pubescens* *L.* Jacq. Vind. 101.
 — *purpureus* *L.* Smith Exot. Bot. 74.
 — — *Bot. Reg.* 10, 830.
 † — *pyramidalis* *Lam.* Lam. Encycl. 610.
 — *ruber* *Jacq.* Jacq. Hist. stirp. am. 191.
 — *sanguineus* *Jacq.* Jacq. Fragm. 55.
 — *scarabaeoides* *L.* Jacq. Ecl. pl. 152.
 — *sesquipedalis* *L.* Jacq. Vind. 67.
 — *sinensis* *L.* Rheede Hort. mal. 8, 41.
 — — *Rumpf* Amb. 5, 134.
 — — *Jacq.* Vind. 3, 71.
 — — *Bot. Mag.* 48, 2232.
 — *Soja* *L.* Svensk Acad. 1764, 9.
 — — *Jacq.* Ic. 145.
 — *tetragonolobus* *L.* Rumpf Amb. 5, 133.
 — *tranquebaricus* *Jacq.* Jacq. Vind. 3, 70.
 — *trilobus* *L.* Burm. Fl. ind. 50.
 — *tuberosus* *L.* Desc. Ant. 8, 534.
 — *uncinatus* *L.* Desc. Ant. 8, 553.
 — *unguiculatus* *L.* Rumpf Amb. 5, 138.
 — — *Jacq.* Vind. 23.
 — *urens* *L.* Jacq. Hist. stirp. am. 189.
 — — *Desc.* Ant. 4, 233.
Doliocarpus Rolandri *Gmel.* Svensk Acad. 1756, 9.
Dollingeria amygdalina *N. v. E.* Bot. Reg. 18, 1517.
Dolomiaea macrocephala *DC.* Delessert Ic. 4, 70.
 — — *Royle* Illustr. 57.
Dolophragma globiflorum *FzL.* Annal. d. Wien. Mus. 1, 7.
 — *juniperinum* *FzL.* Annal. d. Wien. Mus. 1, 7.
 † *Dombeya* *Cav.* Ruiz et Pav. Prodr. 17.
 † — *acerifolia* *Gaertn.* Gaertn. Carp. 137.
 — *acutangula* *Cav.* Cav. Diss. 38.
 — *Ameliae* *Lem.* Fl. d. serres 6, 605.
 — *angulata* *Cav.* Cav. Diss. 39.
 — — *Bot. Mag.* 56, 2905.
 — — *Rchb.* Exot. 164.
 † — *borbonica* *Gaertn.* Gaertn. Carp. 137.
 — *cannabina* *Hels et Boj.* Bot. Mag. 64, 3619.
 † — *chilensis* *Lam.* Lam. Encycl. 828.
 — *decanthera* *Cav.* Cav. Diss. 40.
 — *Erythroxylon* *Willd.* Andr. Rep. 6, 389.
 — *ferruginea* *Cav.* Cav. Diss. 42.
 — *lappacea* *L'her.* L'her. Stirp. 17.
 — — *Salisb.* Ic. rar. 3.

- Dombeya mollis* *Hook.* Bot. Mag. 77, 4578.
 — — *Lem.* Jard. fl. 134.
 — *ovata* *Cav.* Cav. Diss. 41.
 — *palmata* *Cav.* Cav. Diss. 38.
 — — *Wall.* Pl. asiat. 235.
 — *phoenicea* *Cav.* Cav. Diss. 43.
 — *punctata* *Cav.* Cav. Diss. 40.
 — *reflexa* *Drapiez.* Rchb. Exot. 348.
 — *Schimperia* *Dill. et Rich.* Richard Abyss. 19.
 — *tiliaefolia* *Cav.* Cav. Diss. 39.
 — *umbellata* *Cav.* Cav. Diss. 41.
 — *viburniflora* *Bojer.* Bot. Mag. 77, 4568.
 — — *Lem.* Jard. fl. 116.
 — — *Fl. d. serres* 6, 626.
 † *Donatia fascicularis* *Forst.* Forster Char. 5.
 — *magellanica* *Lam.* Lam. Encycl. 51.
 — — *Hook.* Ic. pl. 1, 16.
 — *Novae Zelandiae* *Hook.* Hook. New Zeal. 20.
 † *Dondia Epipactis* *Spr.* Sprengel Umbellif. Prodr. 1.
 — — *Lodd.* Cab. 1832.
Donia ciliata *Nutt.* Hook. Exot. Fl. 45.
 — *glutinosa* *Pursh.* Bot. Reg. 3, 187.
 — *punicea* *Don.* Paxt. Mag. 2, 169.
 — *squarrosa* *Pursh.* Bot. Mag. 41, 1706.
 — *uniflora* *Hook.* Hook. Bor. Am. 124.
Dontostemon micranthus *Led.* Ledeb. Ic. 353.
 — *perennis* *Led.* Ledeb. Ic. 203.
Donzella spinosa *Ten.* Mem. Mod. 22, 2.
Doodia aspera *R. Br.* Hook. Exot. Fl. 8.
 — — *Lodd.* Cab. 39.
 † — — *Hook.* Gen. Fil. 54.
 † — — *Sprengel* Neue Entd. 1, 3.
 — *caudata* *R. Br.* Hook. Exot. Fl. 25.
 — *connexa* *Kze.* Kunze Fil. 6.
 — *dives* *Kze.* Kunze Fil. 105.
 — *Kunthiana* *Gaudich.* Freycinet Voyage 14.
 † — — *Hook.* Gen. Fil. 54.
Doona zeylanica *Thw.* Hook. Journ. 1851, 12.
Dopatrium lobelioides *Benth.* Wight Ic. pl. Ind. or. 3, 859.
Doraena japonica *Thunb.* Thunb. Ic. jap. 23.
 † — — *Gaertn.* Carp. 184.
Doronicum altaicum *Pall.* Pallas Enum. 2.
 — *Arnottii* *DC.* Wight Ic. pl. Ind. or. 3, 1125.
 — *asplenifolium* *Lam.* Lam. Encycl. 679.
 — *austriacum* *Jacq.* Jacq. Fl. austr. 2, 130.
 — — *Sturm* Flora 10, 38, 18, 80.
 — *Bellidiastrum* *L.* Jacq. Fl. austr. 4, 400.
 — *Candolleianum* *Arn.* Wight Ic. pl. Ind. or. 3, 1127.
 — — *Wight* Spicil. 114.
 — *caucasicum* *M. v. B.* Rochel Banat. 31.
 — — *Bot. Mag.* 59, 3143.
 — — *Lodd.* Cab. 1465.
 — — *Sturm* Flora 18, 80.
 — *Columnae* *Ten.* Tenore Fl. nap. 79.
 — *incanum* *Lam.* Lam. Encycl. 679.
 — *Lessingianum* *Arn.* Wight Ic. pl. Ind. or. 3, 1126.
 — — *Wight* Spicil. 113.
 — *macrophyllum* *Fisch.* Sturm Flora 18, 80.
 — *mexicanum* *Cerv.* Link Ic. II. 22.
 † — *oppositifolium* *Lam.* Lam. Encycl. 679.
 — *Pardalianches* *L.* Jacq. Fl. austr. 4, 350.
 † — — *Gaertn.* Carp. 173.
 — — *Schk.* Handb. 249.
 † — — *Lam.* Encycl. 679.
 — — *Curt.* Lond. 4, 88.
 — — *Engl.* Bot. 9, 630.
 — — *Engl.* Bot. 2654.
 — — *Hayne* 6, 21.
 — — *Sturm* Flora 6, 21, 18, 80.
 — — *Baxter* Brit. Bot. 2, 157.

- † *Doronicum reticulatum* Wight. Calcutta Journ. 1847, 3.
 — — — Wight Ic. pl. Ind. or. 3, 1131.
 — — — rotundifolium Desf. Desf. Fl. atl. 235.
 — — — rupestre Wight. Wight Ic. pl. Ind. or. 3, 1128.
 — — — scorioides Willd. Sturm Flora 18, 80.
 — — — Hayne 6, 22.
 — — — tenuifolium Wight. Wight Ic. pl. Ind. or. 3, 1129.
 † — — — tomentosum Wight. Calcutta Journal 1847, 3.
 — — — Wight Ic. pl. Ind. or. 3, 1131.
 — — — Wightii DC. Wight Ic. pl. Ind. or. 3, 1124.
 † *Dorstenia* L. Swartz Observ. 7.
 — — — arifolia Lam. Lam. Encycl. 83.
 — — — Hook. Exot. Fl. 6.
 — — — Lodd. Cab. 999.
 — — — Bot. Mag. 51, 2476.
 — — — var. Endl. Bras. 12, 60.
 — — — asaroides Gardn. Hook. Ic. pl. 4, 399.
 — — — Endl. Bras. 12, 61.
 — — — brasiliensis Lam. Nees Düssel. 99.
 — — — caulescens L. Desc. Ant. 4, 257.
 — — — Vell. Fielding Sertum 13.
 — — — ceratosanthes Lodd. Lodd. Cab. 1216.
 — — — Bot. Mag. 54, 2769.
 — — — Contrajerva L. Jacq. Ic. 614.
 — — — Lam. Encycl. 83.
 † — — — Roemer Archiv I. 7.
 — — — Desc. Ant. 3, 207.
 — — — Dict. sc. nat. 284.
 — — — Nees Düssel. 98.
 — — — Woodv. Med. 4, 240.
 † — — — Schnizl. Ic. 2, 92.
 — — — Drakona L. Lodd. Cab. 677.
 — — — elata Gardn. Hook. Ic. pl. 3, 220.
 — — — Endl. Bras. 12, 55.
 — — — excentrica Moric. Moricand Pl. Am. 59.
 — — — Houstoni L. Schrader Journ. 1800. 1, 1. 2.
 — — — Bot. Mag. 45, 2017.
 — — — Lodd. Cab. 1003.
 — — — indica Wight. Wight Ic. pl. Ind. or. 6, 1964.
 — — — infundibuliformis Lodd. Lodd. Cab. 1784.
 — — — longifolia Moric. Moricand Pl. Am. 58.
 — — — multiformis Miq. Endl. Bras. 12, 57. 58. 59.
 — — — nervosa Desv. Endl. Bras. 12, 56.
 — — — setosa Moric. Moricand Pl. Am. 64.
 — — — tubicina R. et P. Ruiz et Pav. Fl. 102.
 — — — Bot. Mag. 55, 2804.
 — — — vitifolia Gardn. Fielding Sertum 14.
 † *Doranthus excelsa* Correa. Linn. Transact. 6, 23. 24.
 — — — Bauer Illustr. 12 — 14.
 — — — Bot. Mag. 41, 1685 *6.
 — — — Lodd. Cab. 765.
 — — — Glenney Journal 1839, 1. 2.
Dorycnium argenteum Delile. Delile Egypte 40.
 — — — decumbens Jord. Jordan Obs. 3, 4.
 † — — — gracile Jord. Jordan Obs. 3, 4.
 — — — herbaceum Vill. Vill. Dauph. 41.
 † — — — Jordan Obs. 3, 4.
 — — — spectabile Webb. Webb Canar. 58.
 † — — — suffruticosum Vill. Jordan Obs. 3, 4.
 — — — torulosum Presl. Presl Symbolae 11.
Doryphora Sassafras Endl. Endl. Iconogr. 10.
Dorystigma caulescens Miers. Miers Illustr. 6.
 — — — madagascariense Gaudich. Gaudich. Bonite 31.
 † — — — mauritianum Gaudich. Gaudichaud Bonite 13.
 — — — squarrosus Miers. Miers Illustr. 6.
Dossinia marmorata Morr. Annales de Gand 1848, 193.
Donepea tortuosa Camb. Jacquemont Ind. 18.
Douglasia nivalis Ldl. Bot. Reg. 22, 1886.
 — — — Hook. Ic. pl. 2, 180.
 † *Douma thebaica* Duhamel. Lam. Encycl. 900.
 † *Draba* Linn. Mutel Flore franç. 5.
 † — — — Gray Genera 68. 69.

- Draba aizoides* L. Jacq. Fl. austr. 2, 192.
 — — — Bot. Mag. 5, 170.
 — — — Engl. Bot. 18, 1271.
 — — — Rechb. Fl. germ. 2, 18.
 — — — α. alpina, Sturm Flora 14, 60.
 — — — β. affinis, Sturm Flora 14, 60.
 — — — γ. montana, Sturm Flora 14, 60.
 — — — Aizoon Wahlbg. Rechb. Fl. germ. 2, 18.
 — — — alpicola Klotzsch. Prinz Waldem. Him. 34.
 — — — alpina L. Fl. dan. 1, 56.
 — — — Sv. Bot. 771.
 — — — Rechb. Ic. crit. 8, 772.
 — — — Rechb. Fl. germ. 2, 15.
 — — — alyssoides H. B. Hook. Bot. Misc. 32.
 — — — androsacea Wahlbg. Wahlenbg Fl. lapp. 11.
 — — — arabisans Michx. Gray Genera 68.
 — — — arctica Vahl. Fl. dan. 13, 2294.
 — — — aretioides H. B. K. H. B. K. Nov. Gen. 5, 435.
 — — — aurea Vahl. Fl. dan. 9, 1460.
 — — — Bot. Mag. 56, 2934.
 — — — austriaca Crantz. Rechb. Ic. crit. 3, 213.
 — — — carinthiaca Hoppe. Rechb. Ic. crit. 4, 366.
 — — — Rechb. Fl. germ. 2, 13.
 — — — Sturm Flora 15, 65.
 — — — carnica Scop. Scop. Fl. carn. 2, 33.
 — — — ciliaris Gerard. Gerard Fl. gallopr. 13.
 — — — ciliata Scop. Scop. Fl. carn. 2, 33.
 — — — Sturm Flora 14, 60.
 — — — Rechb. Fl. germ. 2, 14.
 — — — confusa Ehrh. Sturm Flora 14, 60.
 — — — Rechb. Ic. crit. 8, 770.
 — — — Rechb. Fl. germ. 2, 14.
 — — — dasycarpa Led. Ledeb. Ic. 264.
 — — — dentata Hook. et Arn. Hook. Ic. pl. 1, 31.
 — — — elongata Host. Sturm Flora 14, 60.
 — — — Visiani Dalm. 32.
 — — — fiadnizensis Wulf. Jacq. Misc. 1, 17.
 — — — Rechb. Ic. crit. 8, 763.
 — — — Rechb. Fl. germ. 2, 13.
 — — — Sturm Flora 15, 65.
 — — — frigida Saut. Rechb. Ic. crit. 3, 213.
 — — — Rechb. Fl. germ. 2, 13.
 — — — Sturm Flora 14, 60.
 — — — funiculosa Hook. Hook. Fl. ant. 89.
 — — — grandiflora Led. Ledeb. Ic. 267.
 — — — Rechb. Ic. crit. 8, 777.
 — — — grandis Langsd. Delessert Ic. 2, 47.
 — — — heterocoma Fenzl. Russegger Reise 16.
 — — — himalayensis Klotzsch. Prinz Waldem. Him. 34.
 — — — hirsuta Crantz. Crantz Crucif. 1.
 — — — hirta Jacq. Jacq. Fl. austr. 5, 432.
 — — — Fl. dan. 1, 142.
 — — — Wahlenbg Fl. lapp. 11.
 — — — Engl. Bot. 19, 1338.
 — — — Sv. Bot. 768.
 — — — Rechb. Ic. crit. 8, 768.
 — — — hispanica Boiss. Boissier Esp. 13.
 — — — Hoppeana Rechb. Rechb. Fl. germ. 2, 15.
 — — — Sturm Flora 15, 65.
 — — — incana L. Fl. dan. 1, 130.
 — — — Engl. Bot. 6, 388.
 — — — Sturm Flora 14, 60.
 — — — Rechb. Ic. crit. 8, 769.
 — — — Rechb. Fl. germ. 2, 14.
 — — — incompta Stev. Delessert Ic. 2, 44.
 — — — Johannis Host. Sturm Flora 14, 60. 15, 65.
 — — — lactea Adams. Ledeb. Ic. 200.
 — — — laevigata Hoppe. Sturm Flora 15, 65.
 — — — Rechb. Ic. crit. 4, 387.
 — — — Rechb. Fl. germ. 2, 13.
 — — — laevipes DC. Delessert Ic. 2, 46.
 — — — lapponica Willd. Sturm Flora 15, 65.

- Draba lapponica* Willd. Rchb. Ic. crit. 8, 766.
 — — — Rchb. Fl. germ. 2, 14.
 — *lasiocarpa* Rochel. Sturm Flora 14, 60.
 — *mollis* Scop. Scop. Fl. carn. 2, 34.
 — *mollissima* Stev. Delessert Ic. 2, 45.
 — *muralis* L. Gmelin Fl. bad. 3, 1.
 — — — Lam. Encycl. 556.
 — — — Curt. Lond. 4, 64.
 — — — Engl. Bot. 18, 912.
 — — — Sturm Flora 14, 60.
 — — — Rchb. Fl. germ. 2, 12.
 — — — Dietr. Fl. bor. 7, 452.
 — *muricella* Wahlenb. Wahlenberg Fl. lapp. 11.
 — — — Sv. Bot. 769.
 — — — Rchb. Ic. crit. 8, 767.
 — *memoralis* Ehrh. Rchb. Fl. germ. 2, 12.
 — — — Sturm Flora 14, 60.
 — *memorosa* L. Sv. Bot. 767.
 — *nivalis* Willd. Rchb. Ic. crit. 8, 778.
 — — — Rchb. Fl. germ. 2, 13.
 — *perryoides* Cham. Erman Reise, Atlas 17.
 — *pontica* Desf. Desf. Choix 51.
 — — — Ann. Mus. 11, 38.
 — — — Tratt. Archiv 349.
 — *praecox* Stev. Rchb. Fl. germ. 2, 12.
 — *pyrenaica* L. All. Fl. ped. 3, 8.
 — — — ? Fl. dan. 1, 143.
 † — — — Bot. Mag. 19, 713.
 — *repens* DC. Ledeb. Ic. 145.
 — — *M. v. B.* Rchb. Ic. crit. 8, 771.
 — *rubra* Crantz. Crantz Crucif. 1.
 — *rupestris* R. Br. Rchb. Fl. germ. 2, 14.
 — — — *β. altaica*, Ledeb. Ic. 260.
 — *Sauteri* Hoppe. Rchb. Ic. crit. 4, 385.
 — — — Rchb. Fl. germ. 2, 15.
 — — — Sturm Flora 14, 60.
 — *spathulata* Lang. Sturm Flora 15, 63.
 — *Spitzkei* Hoppe. Sturm Flora 14, 60.
 — *stellata* Jacq. Jacq. Enum. vind. 4.
 — — — Delessert Ic. 2, 46.
 — — — Lodd. Cab. 32.
 — — — Rchb. Fl. germ. 2, 13.
 — — — Sturm Flora 14, 60.
 — *subamplexicaulis* Led. Ledeb. Ic. 265.
 — *Subularia* Lam. Lam. Encycl. 556.
 — *tomentosa* Wahlenb. Wahlenberg Helvet. 3.
 — — — Rchb. Ic. crit. 8, 764.
 — — — Rchb. Fl. germ. 2, 13.
 — — — Sturm Flora 14, 60.
 — *Traunsteineri* Hoppe. Rchb. Fl. germ. 2, 14.
 — — — Sturm Flora 15, 65.
 † — *verna* L. Gaertn. Carp. 141.
 — — — Lam. Encycl. 556.
 — — — Fl. dan. 6, 983.
 — — — Curt. Lond. 1, 97.
 — — — Engl. Bot. 9, 586.
 — — — Schk. Handb. 179.
 † — — — Usteri Annalen 5, 2.
 — — — Dreves 4, 113.
 — — — Sv. Bot. 298.
 — — — Barton Fl. 3, 98.
 — — — Liboschitz Petersb. 13.
 — — — Schrank Fl. monac. 4, 359.
 — — — Sturm Flora 2, 4, 15, 65.
 — — — Rchb. Fl. germ. 2, 12.
 — — — Baxter Brit. Bot. 1, 38.
 — — — Gray Genera 69.
 — *violacea* DC. Hook. Ic. pl. 1, 35.
 — *Wahlenbergii* Hartm. Sv. Bot. 770.
 — *Zahlbruckneri* Host. Sturm Flora 14, 60.
Dracaena australis Forst. Bot. Mag. 55, 2835.
 — *Boerhaavii* Ten. Ac. Neap. 3, 3.

- Dracaena borealis* Ait. Ait. Hort. Kew. 1, 6.
 — — — Andr. Rep. 3, 206.
 — *cernua* Jacq. Jacq. Schoenbr. 1, 96.
 — *Draco* L. Vandelli Fasc. 2.
 — — — Berens Dracaena 1.
 — — — Ludwig Delectus 6.
 — — — Roemer Scriptores 2, 2^b.
 † — — — Jacq. Fragm. 2.
 — — — Mem. Ac. Berl. 1796, 1, 2.
 † — — — Lam. Encycl. 249.
 — — — Hayne 9, 2.
 — — — Guimp. et Schl. 268.
 — — — Nees Dusseld. 41, 42.
 — — — Ann. sc. nat. 14, 7, 8.
 † — — — Ann. sc. nat. III. 3, 13—15.
 — — — Acta Leop. 13, 2, 35—39.
 — — — Gaudichaud Bonite 1.
 — — — Bot. Mag. 77, 4571.
 — — — Lem. Jard. fl. 124.
 — — — Fl. d. serres 6, 613.
 — *ensifolia* L. Rumpf Amb. 5, 73.
 † — — — Gaertn. Carp. 16.
 — — — Kerner Hort. 24.
 — *ferrea* L. Bot. Mag. 46, 2053.
 — — — Lodd. Cab. 136.
 — *filiformis* Thunb. Thunberg Diss. 0.
 — *fragrans* Gawl. Bot. Mag. 27, 1081.
 — *graminifolia* L. Lam. Encycl. 249.
 — *obliqua* Thunb. Thunberg Diss. 0.
 — *ovata* Gawl. Bot. Mag. 29, 1180.
 — *reflexa* Lam. Red. Lil. 2, 92.
 † — — — Gaudichaud Bonite 126.
 — *Sieboldii* Planch. Fl. d. serres 6, 569.
 — *stricta* Sims. Bot. Mag. 52, 2575.
 — — — Bot. Reg. 12, 956.
 — *surculosa* Ldl. Bot. Reg. 14, 1169.
 — *terminalis* L. Rumpf Amb. 4, 34.
 — — — Jacq. Ic. 148.
 † — — — Medikus Theod. 2.
 — — — Red. Lil. 2, 91.
 — — — Tratt. Archiv 172, 172^a.
 — — — Lodd. Cab. 1224.
 — — — Bot. Reg. 21, 1749.
 — — — Wight Ic. pl. Ind. or. 6, 2054.
 — *umbraculifera* Jacq. Jacq. Schoenbr. 1, 95.
 — — — Lodd. Cab. 289.
Draco yucciformis Vand. Vandelli Diss. 0.
Dracocephalum L. Hillebrandt Monogr. 9, 11, 12, 13, 14.
 — *altaense* L. Rchb. Mag. 96.
 — — — Sweet Fl. G. II. 57.
 — *argunense* Fisch. Lodd. Cab. 797.
 — — — Rchb. Mag. 1.
 — — — Sweet Fl. G. 47.
 — *austriacum* L. Jacq. Ic. 112.
 † — — — (Pelnia.) Schmidt Samml. 2.
 † — — — Tratt. Archiv 258.
 — — — Tratt. Thes. 61.
 — — — Sturm Flora 20, 90.
 † — — — Nees Gen. 6, 23.
 — *canariense* L. Desc. Ant. 5, 372.
 — *canescens* L. Sweet Fl. G. 38.
 — *chamaedryoides* Balb. Mem. Tur. 7, 7.
 — *denticulatum* Ait. Lodd. Cab. 1400.
 — — — Bot. Mag. 6, 214.
 — *foetidum* Led. Ledeb. Ic. 193.
 — *fragile* Turcz. Bull. Mosc. 1851, 2, 8.
 — *grandiflorum* L. Pallas Fl. ross. 3, 12.
 — — — Bot. Mag. 25, 1009.
 — — — Lodd. Cab. 180.
 — — — Paxt. Mag. 13, 51.
 — *integrifolium* Led. Ledeb. Ic. 120.
 — *lamiifolium* Desf. Desf. Choix 15.

- Dracocephalum lamiiifolium* Desf. Ann. Mus. 10, 26.
 — *mexicanum* H. B. K. H. B. K. Nov. Gen. 2, 160.
 — *Moldavica* L. Pallas Fl. ross. 3, 16.
 † — — Lam. Encycl. 513.
 † — — Schk. Handb. 165.
 — — Hayne 8, 32.
 — — Sturm Flora 20, 90.
 — — Nees Dusseld. 182.
 — *nutans* L. Pallas Fl. ross. 3, 15.
 — — Bot. Reg. 10, 841.
 — *origanoides* Steph. Ledeb. Ic. 128.
 — *peltatum* L. Lam. Encycl. 513.
 — *peregrinum* L. Pallas Fl. ross. 3, 17.
 — — Bot. Mag. 27, 1084.
 — — Regel Gartenflora 2, 47.
 — *pinnatum* L. Pallas Fl. ross. 3, 11.
 — — Ledeb. Ic. 445.
 — *Ruyschiana* L. Fl. dan. 1, 121.
 — — Sturm Flora 20, 90.
 — — Nees Gen. 6, 25.
 † — *sibiricum* L. Pallas Fl. ross. 3, 13.
 — — Bot. Mag. 47, 2185.
 — *speciosum* Sweet. Sweet Fl. G. 93.
 † — *thymisiflorum* L. Gaertn. Carp. 66.
 — — Pallas Fl. ross. 3, 14.
 — — Schk. Handb. 165.
 — *variegatum* Vent. Vent. Cels 44.
 — *virginianum* L. Desc. Ant. 5, 371.
Dracontium hexandrum Aubl. Aublet Guiana 326.
 — *lanceaefolium* Jacq. Jacq. Ic. 612.
 — — Lam. Encycl. 738.
 — *pertusum* L. Jacq. Schoenbr. 2, 184, 185.
 — — Desc. Ant. 3, 229.
 — *polyphyllum* L. Desc. Ant. 3, 165.
 — — Bot. Reg. 9, 700^a.
 — — Rchb. Exot. 7, 8.
 — *repens* Lam. Desc. Ant. 7, 499.
 † *Dracontomelon mangiferum* Bl. Blume Mus. 1, 42.
Dracophyllum capitatum R. Br. Lodd. Cab. 1846.
 — — Bot. Mag. 64, 3624.
 — *gracile* R. Br. Lodd. Cab. 1346.
 — — Bot. Mag. 53, 2678.
 — *Lessonianum* A. Rich. Richard Astrolabe 27^b.
 — *longifolium* Forst. Hook. Fl. ant. 31, 32.
 — — R. Br. Richard Astrolabe 27.
 — — retortum, Richard Astrolabe 27.
 — *Milligani* Hook. Hook. Ic. pl. 9, 845.
 — *scoparium* Hook. Hook. Fl. ant. 33.
 — *secundum* R. Br. Guillemain Austr. 1.
 — — Bot. Mag. 60, 3264.
 — — Rchb. Hort. 108.
 — *virginianum* L. Bot. Mag. 13, 467.
Dracopis amplexicaulis Cass. Bot. Mag. 66, 3716.
Dracunculus canariensis Kth. Webb Canar. 219.
 — *crinitus* Schott. Bot. Reg. 10, 831.
 — — Fl. d. serres 5, 445, 446.
 † — *polyphyllum* Bl. Blume Rumphia 37.
 — — Rchb. Fl. germ. 7, 12.
 † *Drapetes* Lam. Journ. d'hist. nat. Par. 1, 10.
 — *Dieffenbachii* Hook. Hook. Lond. Journ. 1843, 17.
 — *ericoides* Hook. fil. Hook. Ic. pl. 9, 895.
 † — *muscoideus* Lam. Gaertn. Carp. 215.
 — — Lam. Encycl. 915.
 — *tasmanica* Hook. fil. Hook. Journ. 1853, 7.
Dregea floribunda E. M. Delessert Ic. 5, 86.
 — — Fielding Sertum 62.
Drejera ramosa N. v. E. Endl. Bras. 7, 17.
Driessenia axantha Korth. Korthals Bot. 53.
 † — — Ann. sc. nat. III, 15, 4.
Drimia acuminata Lodd. Lodd. Cab. 1041.
 — *altissima* Gavl. Bot. Mag. 27, 1074.
 — *ciliaris* Jacq. Jacq. Ic. 377.

- † *Drimia ciliaris* Jacq. Jacq. Collect. 5, 5.
 — — Bot. Mag. 35, 1444.
 — *elata* Jacq. Jacq. Ic. 373.
 † — — Jacq. Fragn. 2.
 — — Red. Lil. 8, 430.
 — — Bot. Mag. 21, 822.
 — *lanceaefolia* Gavl. Bot. Mag. 34, 1380.
 — — Lodd. Cab. 278.
 — *media* Jacq. Jacq. Ic. 375.
 † — — Jacq. Collect. 5, 5.
 — *purpurascens* Jacq. Jacq. Ecl. pl. 30.
 — *pusilla* Jacq. Jacq. Ic. 374.
 — *undulata* Jacq. Jacq. Ic. 376.
 — — Lodd. Cab. 1898.
 — *villosa* Ldl. Bot. Reg. 16, 1346.
 † *Drimys* Forst. Forster Charact. 42.
 — *aromatica* Desc. Desc. Ant. 1, 40.
 † — *axillaris* Forst. Lam. Encycl. 494.
 — — Hook. Ic. pl. 6, 576.
 — *chilensis* DC. Delessert Ic. 1, 83.
 — *colorata* Decne. Raoul Nouv. Zel. 23.
 — *granatensis* L. fil. St. Hil. Pl. usuelles 26, 27, 28.
 — *piperita* Hook. fil. Hook. Ic. pl. 9, 896.
 — *punctata* Lam. Lam. Encycl. 494.
 — *Winteri* Forst. Hayne 9, 6.
 — — Richard Astrolabe 19.
 † *Drimyspermum urens* Reinw. Ann. sc. nat. II, 19, 1.
Droguetia elliptica Gaudich. Gaudichaud Bonite 86.
 — *Thouarsiana* Gaudich. Gaudichaud Bonite 87.
Drosanthe fimbriata Spach. Jaubert Illustr. 34.
 — *helianthemoides* Spach. Jaubert Illustr. 36.
 — *hirtella* Spach. Jaubert Illustr. 35.
 † *Drosera* L. Gray Genera 83.
 — *anglica* Huds. Engl. Bot. 13, 869.
 — — Dietr. Fl. bor. 5, 294.
 — — Hayne 3, 29.
 — *Arcturi* Hook. Hook. Ic. pl. 1, 56.
 — *binata* Lab. Bill. Nov. Holl. 103.
 — — Bot. Mag. 58, 3092.
 — *bulbosa* Hook. Hook. Ic. pl. 4, 375.
 — *Burmanni* Vahl. Wight Ic. pl. Ind. or. 3, 944.
 — — Wight Illustr. 20.
 — — Wight Spicil. 12.
 — *communis* St. Hil. St. Hil. Pl. usuelles 15.
 — *filiformis* Rafin. Bot. Mag. 63, 3540.
 — — Torrey New York 10.
 — — Gray Genera 83.
 † — *gracilis* Hook. Ann. sc. nat. III, 9, 5.
 — *graminifolia* St. Hil. Mem. Mus. 11, 19.
 — — St. Hil. Pl. rem. 25.
 — *indica* L. Rheede Hort. mal. 10, 20.
 — — Wight Illustr. 20.
 — *intermedia* Hayne. Dreves 3, 75.
 — — Fl. dan. 12, 2108.
 — — Rchb. Fl. germ. 3, 24.
 — — Wight Illustr. 20.
 — — Cosson Atlas 9.
 † — — Ann. sc. nat. II, 14, 1.
 † — — Ann. sc. nat. III, 9, 5, 6.
 — *linearis* Goldie. Hook. Bor. Am. 27.
 † — *longifolia* L. Gaertn. Carp. 61.
 — — Lam. Encycl. 220.
 — — Curt. Lond. 5, 183.
 — — Schk. Handb. 87.
 — — Dreves 3, 75.
 — — Fl. dan. 7, 1093.
 — — Sv. Bot. 689.
 — — Dietr. Fl. bor. 5, 295.
 — — Rchb. Fl. germ. 3, 24.
 — — Cosson Atlas 9.
 — — Sm. Engl. Bot. 13, 868.
 — — Hayne 3, 28.

- Drosera Loureirii* Hook. Hook. Beechey 31.
 — *lunata* Buchan. Hook. Ic. pl. 1, 54.
 — *macrophylla* Ldl. Hook. Ic. pl. 4, 376.
 — *maritima* St. Hil. St. Hil. Pl. rem. 25.
 — — Mem. Mus. 11, 19.
 — *Menziesii* R. Br. Hook. Ic. pl. 1, 53.
 — *obovata* M. et K. Rehb. Fl. germ. 3, 24.
 — *peltata* Sm. Smith Exot. Bot. 41.
 — — Bill. Nov. Holl. 106.
 — — var. 'Tratt. Archiv 273.
 — — Wight Illustr. 20.
 — *pusilla* H. B. K. H. B. K. Nov. Gen. 5, 490.
 — *rotundifolia* L. Curt. Lond. 5, 189.
 — — Fl. dan. 6, 1028.
 — — Lam. Encycl. 220.
 — — Engl. Bot. 13, 867.
 — — Sv. Bot. 688.
 † — — Schk. Handb. 87.
 — — Dreves 3, 74.
 — — Hayne 3, 27.
 — — Desc. Ant. 7, 508.
 — — Dietr. Fl. bor. 5, 293.
 — — Rehb. Fl. germ. 3, 24.
 — — Baxter Brit. Bot. 3, 201.
 — — Cosson Atlas 9.
 — *sessilifolia* St. Hil. Mem. Mus. 11, 19.
 — — St. Hil. Pl. rem. 25.
 — *spathulata* Lab. Bill. Nov. Holl. 106.
 — *stenopetala* Hook. Hook. New Zeal. 9.
 — *stolonifera* Endl. Hook. Ic. pl. 4, 389.
 — *tenella* H. B. K. H. B. K. Nov. Gen. 5, 490.
 † *Drusa oppositifolia* DC. Sprengel Umb. Prodr. 1.
 — — Ann. Mus. 10, 38.
 — — Webb Canar. 66^B.
Dryandra arctotidis R. Br. Bot. Mag. 69, 4035.
 — *armata* R. Br. Bot. Mag. 60, 3236.
 — *carduacea* Ldl. var. *angustifolia*, Bot. Mag. 73, 4317.
 — *cordata* Thunb. Kaempfer Japon. 23.
 — — Thunb. Fl. jap. 27.
 — *floribunda* R. Br. Bot. Mag. 38, 1581.
 — *formosa* R. Br. Linn. Transact. 10, 3.
 — — Sweet Austr. 53.
 — — Bot. Mag. 70, 4102.
 — *longifolia* R. Br. Bot. Mag. 38, 1582.
 — — Sweet Austr. 3.
 — — Rehb. Exot. 220.
 — — Paxt. Mag. 3, 171.
 — *nervosa* Mackay. Bot. Mag. 58, 3063.
 — — Sweet Austr. 22.
 — *nobilis* Ldl. Bot. Mag. 78, 4633.
 — — Lem. Jard. fl. 226.
 — — Fl. d. serres 7, 728.
 — *pteridifolia* R. Br. Bot. Mag. 63, 3500.
 — *tenuifolia* R. Br. Bot. Mag. 63, 3513.
 † *vernica* Correa. Ann. Mus. 8, 32.
Dryas Drummondii Richards. Bot. Mag. 57, 2972.
 — *geoides* Pall. Pallas Fl. ross. 3, 4.
 — — Jacq. Vind. 3, 68.
 — *integrifolia* Vahl. Fl. dan. 7, 1216.
 — — Hook. Exot. Fl. 220.
 — *octopetala* L. Pallas Fl. ross. 3, 5.
 — — Fl. dan. 1, 31.
 — — Engl. Bot. 7, 451.
 — — Sv. Bot. 427.
 † — — Gaertn. Carp. 74.
 † — — Lam. Encycl. 443.
 — — Schk. Handb. 137.
 — — Schrank Fl. monac. 3, 236.
 — — Guimp. Holzgew. 103.
 — — Sturm Flora 5, 20.
 † — — Jard. Ann. 10, 7.

- Dryas octopetala* L. Baxter Brit. Bot. 4, 248.
 — *pentapetala* Pall. Pallas Fl. ross. 3, 6.
Drymaria frankenioides H. B. K. H. B. K. Nov. Gen. 6, 515.
 — *stellarioides* Willd. H. B. K. Nov. Gen. 6, 516.
Drymoda picta Ldl. Lindley Sertum 8.
 † *Drymoglossum carnosum* Hook. Hook. Gen. Fil. 78.
 † — *subcordatum* Fée. Fée Fil. 5, 9.
Drymonia bicolor Mart. Bot. Reg. 24, 4.
 — *calcarata* Mart. Mart. Bras. 224.
 — *cristata* Miq. Fl. d. serres 4, 388.
 — *longifolia* P. et E. Poepp. et Endl. 204.
 — *punctata* Ldl. Bot. Mag. 70, 4089.
Drynaria oodes Fée. Mem. Strassb. 4, 7.
 † — *phymatodes* Fée. Fée Fil. 5, 21.
 — *Prieuri* Fée. Mem. Strassb. 4, 2.
 — *Proustiana Bory*. Gaudichaud Bonite 3.
 — *stenoloma* Fée. Mem. Strassb. 4, 4.
 — *stenophylla* J. Sm. Mem. Strassb. 4, 8.
 — *torulosa* Fée. Mem. Strassb. 4, 5.
 — *vestita* Fée. Mem. Strassb. 4, 4.
 † *Dryobalanops aromatica* Gaertn. Gaertn. Carp. 186.
 — *Camphora Colebr.* Asjat. Res. 12, 5.
 — — Hayne 12, 17.
 — — Woodv. Med. 5, 34.
 — — Vriese Archief 3, 1.
 — — Hook. Journ. 1852, 7, 8.
 † *Dryomenis phymatodes* Fée. Fée Fil. 5, 18.
Dryopeia discolor Aub. Aubert Orchid. 2.
 — *oppositifolia* Aub. Aubert Orchid. 1, 4.
 — *tripetaloides* Aub. Aubert Orchid. 3.
Dryopetalum runcinatum Gray. Smiths. Contr. 5, 13.
Dryorchis Aub. Aubert Orchid. 1, 4.
Dryostachyum pilosum Sm. Kunze Fil. 61.
 † — *splendens* Sm. Hook. Gen. Fil. 95.
Drypetes alba Poit. Mem. Mus. 1, 7.
 — *crocea* Poit. Mem. Mus. 1, 8.
 — *glauca* Poit. Mem. Mus. 1, 6.
 — *sessiliflora* All. Allemão Diss. 1844, 0.
 † *Drypis spinosa* L. Gaertn. Carp. 128.
 † — — Lam. Encycl. 214.
 — — Schk. Handb. 86.
 — — Jacq. Vind. 49.
 — — Bot. Mag. 48, 2216.
 — — Rehb. Fl. germ. 6, 238.
 — — Sweet Fl. G. II. 170.
Dubautia plantaginea Gaudich. Freycinet Voyage 84.
Duboisia myoporoides R. Br. Endl. Iconogr. 77.
Dubyaea hispida DC. DC. Composées 19.
Duchesnea fragiformis Sm. Lam. Encycl. 962.
 † *Dufourea alternifolia* R. et Sch. Schnizl. Ic. 2, 85.
 — *sericea* H. B. K. H. B. K. Nov. Gen. 3, 214.
 — — Lam. Encycl. 919.
 † *Dufresnia orientalis* DC. DC. Valerianées 3.
 — — Bull. Mosc. 1851, 2, 13.
Duguetia lanceolata St. Hil. St. Hil. Fl. Bras. 7.
 † — *Spixiana* Mart. Endl. Bras. 2, 5.
Dulichium spathaceum Pers. Elliott Carol. 2.
Dulongia acuminata H. B. K. H. B. K. Nov. Gen. 7, 623.
Dumartroya fagifolia Gaudich. Gaudichaud Bonite 97.
Dumasia congesta Grah. Wight Ic. pl. Ind. or. 2, 445.
 — *pubescens* DC. DC. Legum. 45.
 — — Bot. Reg. 12, 962.
 — *villosa* DC. DC. Legum. 44.
Dumerilia Alamani DC. DC. Composées 17.
 — *axillaris* Lag. Ann. Mus. 19, 6.
 — *paniculata* DC. Ann. Mus. 19, 7.
 — — Dict. sc. nat. 92.
Dunalia lycioides Miers. Miers Illustr. 2.
 — *solanacea* H. B. K. H. B. K. Nov. Gen. 3, 194.
 — — Lam. Encycl. 918.
Dunantia Achyranthes DC. Delessert Ic. 4, 37.

- Duperreya sericea* Gaudich. Freycinet Voyage 63.
Dupontia pilosantha Rupr. Rupr. Fl. Samoj. 6.
 — *scleroclada* Rupr. Rupr. Fl. Samoj. 6.
Dupuisia juglandifolia Guill. Guillemin Seneg. 38.
Duranta Ellisia L. Jacq. Hist. stirp. am. 179.
 — — — Jacq. Vind. 3, 99.
 — — — Lam. Encycl. 545.
 — — — Bot. Mag. 42, 1759.
 — *Plumieri* L. Jacq. Ic. 502.
 † — — — Gaertn. Carp. 57.
 † — — — Lam. Encycl. 545.
 — — — Bot. Reg. 3, 244.
 — — — Lodd. Cab. 280.
 — — — Herb. amat. 4, 270.
 — — — Dict. sc. nat. 41.
Durio zibethinus L. Rumpf Amb. 1, 29.
 — — — Linn. Transact. 7, 14—16.
 † — — — Kerner Genera 55. 56.
 † — — — Lam. Encycl. 641.
Durva. Asiatic Researches 4, 0.
Duvalia oxalidifolia Bonpl. Bonpl. Malm. 53.
 — — — Rchb. Exot. 165.
Duvaua dependens DC. Bot. Reg. 19, 1573.
 — *latifolia* Gillies. Bot. Reg. 19, 1580.
 — *longifolia* Ldl. Bot. Reg. 29, 59.
 — *ovata* Ldl. Bot. Reg. 19, 1568.
Dyckia princeps Lem. Lem. Jard. fl. 224—225.
 — *rariflora* Schult. Bot. Reg. 21, 1782.
 — — — Bot. Mag. 62, 3449.
Dyonisia Aub. Aubert Orchid. 23.
Dypsis forficifolia Mart. Mart. Palm. 143.
 — *pinnatifrons* Mart. Mart. Palm. 158.
Dyschoriste littoralis N. v. E. Wight Ic. pl. Ind. or. 2, 447.
Dysodia incana DC. Bot. Reg. 19, 1602.
Dysodium divaricatum Colla. Mem. Tur. 27, 0.
 † — — — Ann. sc. nat. III. 18, 17.
Dysophylla auricularia Blume. Wight Ic. pl. Ind. or. 4, 1445.
 — *stellata* Benth. Bot. Reg. 31, 23.
 — *tetraphylla* Wight. Wight Ic. pl. Ind. or. 4, 1444.
Dysoxylum alliaceum Bl. Rumpf Amb. 2, 20.
Earina mucronata Ldl. Hook. Ic. pl. 5, 431.
 † *Ebenaceae* Wight Illustr. 148^b.
Ebenidium Lagopus Jaub. Jaubert Illustr. 249.
Ebenoxylum verum Lour. Rumpf Amb. 3, 1.
Ebenus cretica L. Sibth. Fl. gr. 739.
 — — — Sweet Fl. G. II. 260.
 — *erinacea* Jaub. Jaubert Illustr. 255.
 — *hirsuta* Jaub. Jaubert Illustr. 251.
 — *macrophylla* Jaub. Jaubert Illustr. 253.
 — *Montbretii* Jaub. Jaubert Illustr. 250.
 — *pinnata* Desf. Act. soc. hist. nat. Par. 3.
 — — — Sibth. Sibth. Fl. gr. 740.
 — *pogonotropis* Jaub. Jaubert Illustr. 252.
 — *Sibthorpii* DC. DC. Legum. 53.
 — *tragacanthoides* Jaub. Jaubert Illustr. 254.
 † *Ebermaiera glauca* N. v. E. Wight Illustr. 164^b.
 — — — Wight Ic. pl. Ind. or. 4, 1488.
Eburnangis Aub. Aubert Orchid. 65.
 † *Eccecmocarpus* R. et P. R. et P. Prodr. 18.
 — *longiflorus* H. B. Humb. Pl. aeq. 65.
 — — — Lam. Encycl. 972.
 — *scaber* R. et P. Lodd. Cab. 1411.
 — — — Bot. Reg. 11, 939.
Edysanthera glandulifera DC. Wight Ic. pl. Ind. or. 4, 1307.
 — *rosea* Hook. et Arn. Hook. Beechey 42.
Echaltium piscidium Wight. Wight Ic. pl. Ind. or. 2, 472.
Echeandia terniflora Ortega. Red. Lil. 6, 313.
Echenais carlinoides Cass. DC. Hort. genev. 22.
Echeveria acutifolia Ldl. Bot. Reg. 28, 29.

- Echeveria bracteolata* Lk. et Kl. Link Ic. III. 27.
 — *fulgens* Lem. Lem. Jard. fl. 244.
 — *gibbiflora* DC. DC. Crassulacées 5.
 — — — Bot. Reg. 15, 1217.
 — — — Rchb. Exot. 321.
 — *grandifolia* Haw. Sweet Fl. G. 275.
 — *lurida* Ldl. Bot. Reg. 27, 1.
 — *mucronata* Schlecht. Schlechtend. Hort. hal. 10.
 — *pubescens* Schlecht. Schlechtend. Hort. hal. 9.
 — *quitensis* Ldl. Journ. Hort. Soc. 7, 269.
 — *racemosa* Hort. Cl. Bot. Mag. 64, 3570.
 — — — Maund Bot. 1, 11.
 — *retusa* Ldl. Bot. Reg. 33, 57.
 — — — Paxt. Fl. G. 73.
 — *rosea* Ldl. Bot. Reg. 28, 22.
 — *Scheerii* Ldl. Bot. Reg. 31, 27.
 — *secunda* Ldl. Bot. Reg. 26, 57.
 — *teretifolia* DC. DC. Crassulacées 6.
Echinacea Dicksoni Ldl. Bot. Reg. 24, 27.
 — *dubia* Kn. et Westc. Knowles et Westcott 131.
 — *heterophylla* Don. Sweet Fl. G. II. 32.
 — *intermedia* Ldl. Paxt. Mag. 15, 79.
 — — — Fl. d. serres 4, 356.
Echinaria capitata Desf. Rchb. Fl. germ. 1, 56.
 † — — — Nees Gen. 1, 38.
Echinocactus acutissimus Lk. et O. Pfeiffer Cact. 1, 20.
 † — *alteolens* Van Houtte. Van Houtte Hort. 5.
 — *arrigens* Lk. Pfeiffer Cact. 2, 27.
 — *Asterias* Karw. Münchn. Abh. 4, 3.
 — *bicolor* Gal. Pfeiffer Cact. 2, 25.
 — *Bridgesii* Pfeiff. Pfeiffer Cact. 2, 14.
 — *centetarius* Lehm. Pfeiffer Cact. 1, 2.
 — — — Bot. Mag. 69, 3974.
 — *chlorophthalmus* Hook. Bot. Mag. 74, 4373.
 — *cinnabarinus* Hook. Bot. Mag. 73, 4326.
 — — — Annales de Gand 1848, 174.
 — *concinus* Lem. Pfeiffer Cact. 2, 11.
 — — — Bot. Mag. 70, 4115.
 — *coptonogonus* Lem. Pfeiffer Cact. 2, 19.
 — *cornigerus* DC. DC. Cactées 10.
 — — — Mem. Mus. 17, 7.
 — *corynodes* Pfeiff. Bot. Mag. 68, 3906.
 — *crispatus* DC. Mem. Mus. 17, 8.
 — *denudatus* Lk. Link Ic. II. 9.
 — *Echidne* DC. DC. Cactées 11.
 — *echinoides* Salm. Pfeiffer Cact. 2, 29.
 — *ellipticus* Lem. Lem. Jard. fl. 3, 270.
 — *Eyriesii* Otto. Bot. Mag. 62, 3411.
 — — — Bot. Reg. 20, 1707.
 — — — var. *glauca*, Bot. Reg. 24, 31.
 — *fossulatus* Scheidw. Pfeiffer Cact. 2, 13.
 — *hexaedrophorus* Lem. Bot. Mag. 73, 4311.
 — *hybocentrus* Lehm. Pfeiffer Cact. 1, 21.
 † *ingens* Zucc. Acta Leop. 19, 1, 16.
 — *Langsdorffii* Lehm. Link Ic. II. 40.
 — *Leeanus* Hook. Bot. Mag. 71, 4184.
 † — *leucacanthus* Zucc. Münchn. Abh. 2, 2.
 — — — Pfeiffer Cact. 1, 14.
 — *longihamatus* Gal. Pfeiffer Cact. 2, 16.
 — — — Bot. Mag. 78, 4632.
 — *Mackiaeanus* Hook. Bot. Mag. 64, 3561.
 — *macracanthus* Vr. Hoeven Tijdschr. 6, 2.
 — *macrodiscus* Mart. Acta Leop. 16, 1, 26.
 — *mammillarioides* Hook. Bot. Mag. 64, 3558.
 — *marginatus* Salm. Pfeiffer Cact. 2, 30.
 — *melocactiformis* DC. Mem. Mus. 17, 10.
 — *multiflorus* Hook. Bot. Mag. 71, 4181.
 — *myriostigma* Salm. Bot. Mag. 71, 4177.
 — *obvallatus* DC. Mem. Mus. 17, 9.
 — — — Pfeiffer Cact. 2, 22.
 — *Ottomis* Lehm. Link Ic. II. 16.
 — — — Bot. Mag. 58, 3107.

- Echinocactus Ottonis* *Lehm.* Bot. Reg. 24, 42.
 — *oxygonus* *Lk. et O.* Preuss. Gart. Verein 6, 1.
 — — Bot. Reg. 20, 1717.
 — — Bot. Mag. 71, 4162.
 — *pectiniferus* *Lem.* Bot. Mag. 71, 4190.
 — — Fl. d. serres 2, 65.
 — *Pentlandi* *Hort.* Bot. Mag. 70, 4124.
 — *Pfeifferi* *Zucc.* Münchn. Abh. 2, 5.
 — — *Pfeiffer* Cact. 2, 2.
 — — *Hoeven Tijdschr.* 6, 1. fig. 2.
 — *phyllacanthus* *Mart.* *Pfeiffer* Cact. 1, 9.
 — *pilosus* *Galeotti.* Belgique hortic. 4, 2.
 — *pulchellus* *Mart.* Acta Leop. 16, 1, 23.
 — *rhodophthalmus* *Hook.* Bot. Mag. 76, 4486.
 — — var. Bot. Mag. 78, 4634.
 — — *Lem.* Jard. fl. 101.
 † *robustus* *H. Ber.* Acta Leop. 19, 1, 16.
 — *Scopa* *Lk. et O.* Link Ic. II. 41.
 — — Bot. Reg. 25, 24.
 — *Sellovi* *Lk. et O.* *Pfeiffer* Cact. 1, 1.
 — *sessiliflorus* *Mackic.* Bot. Mag. 64, 3569.
 † *spiralis* *Karw.* Acta Leop. 19, 1, 16.
 — *streptocaulon* *Hook.* Bot. Mag. 77, 4562.
 — *tenuispinus* *Lk. et O.* Bot. Mag. 68, 3963.
 — *tetracanthus* *Lem.* *Pfeiffer* Cact. 2, 6.
 — *tortuosus* *Lk.* Link Ic. II. 15.
 — *tubiflorus* *Pfeiff.* Bot. Mag. 65, 3627.
 — *turbiniiformis* *Pfeiff.* *Pfeiffer* Cact. 2, 3.
 — *uncinatus* *Gal.* *Pfeiffer* Cact. 2, 18.
 — *Visnaga* *Hook.* Bot. Mag. 77, 4559.
 — — *Lem.* Jard. fl. 123.
 — — Fl. d. serres 6, 616.
 — — Belgique hortic. 4, 2.
 — *Williamsii* *Lem.* Bot. Mag. 73, 4296.
 — — *Pfeiffer* Cact. 2, 21.
 — *xanthacanthus* *Miq.* Linnaea 11, 4.
 † *Echinochloa crus galli* *Pal. B.* Nees Gen. 1, 21.
 — — *Rchb.* Fl. germ. 1, 29.
 — *eruciformis* *Sm.* *Rchb.* Fl. germ. 1, 29.
Echinocystis lobata *T. et Gr.* Torrey New York 30.
Echinodendrum parviflorum *A. Rich.* Ramon Cuba 47^b.
Echinolaena polystachya *H. B. K.* H. B. K. Nov. Gen. 7, 679.
 — *scabra* *H. B. K.* H. B. K. Nov. Gen. 1, 38.
 † — — *Lam.* Encycl. 911.
Echinolytrum dipsaceum *Desv.* Desv. Journ. 1, 1.
Echinophora platyloba *DC.* Jaubert Illustr. 240.
 — *spinosa* *L.* Cav. Ic. 127.
 † — — *Lam.* Encycl. 190.
 — — *Sibth.* Fl. gr. 265.
 — — *DC.* Ombellif. 16.
 — — *Engl. Bot.* 34, 2413.
 — — *Baxter Brit.* Bot. 6, 478.
 — *tenuifolia* *L.* *Sibth.* Fl. gr. 266.
 † — — *Lam.* Encycl. 290.
 — *Tournefortii* *Jaub.* Jaubert Illustr. 241.
 — *trichophylla* *Sm.* Jaubert Illustr. 239.
 † *Echinops* *L.* (12 species.) Trautv. Monogr. 0.
 — *Acantholepis* *Jaub.* Jaubert Illustr. 273.
 — *bannaticus* *Roch.* *Rchb.* Fl. germ. 15, 733.
 — *exaltatus* *Schrad.* Hort. gott. 9.
 — — *Rchb.* Ic. crit. 10, 992.
 — — *Rchb.* Fl. germ. 15, 733.
 — *lanuginosus* *Sibth.* *Sibth.* Fl. gr. 925.
 — — *Lam.* Encycl. 719.
 — *longifolius* *Rich.* Richard Abyssin. 61.
 — *Neumayeri* *Vis.* Visiani Dalm. 10^c.
 — — *Rchb.* Fl. germ. 15, 736.
 — *niveus* *Wall.* Royle Illustr. 56.
 — *Olivieri* *Jaub.* Jaubert Illustr. 274.
 — *paniculatus* *Jacq.* Jacq. Ecl. pl. 49.
 — — Bot. Reg. 5, 356.

- Echinops Ritro* *L.* Schk. Handb. 268.
 — — — Bot. Mag. 24, 932.
 — — — *Rchb.* Ic. crit. 10, 991.
 — — — *Rchb.* Fl. germ. 15, 732.
 — *ruthenicus* *M. v. B.* Rochel Banat. 37.
 — — — *Rchb.* Ic. crit. 5, 450.
 † — *sphaerocephalus* *L.* Gaertn. Carp. 160.
 † — — *Lam.* Encycl. 719.
 — — — *Sibth.* Fl. gr. 923.
 — — — Fl. dan. 13, 2179.
 — — — *Rchb.* Fl. germ. 15, 734.
 — *spinosus* *L.* *Sibth.* Fl. gr. 924.
 — *strictus* *Sims.* Bot. Mag. 51, 2457.
 — *strigosus* *L.* Bot. Mag. 47, 2109.
 — *tenuissimus* *Sibth.* *Sibth.* Fl. gr. 926.
Echinopsis campylacantha *Pfeiff.* Bot. Mag. 77, 4567.
 — — — *Lem.* Jard. fl. 98.
 — — — Fl. d. serres 6, 635.
 — *cristata* *Salm.* Bot. Mag. 76, 4521. 78, 4687.
 — — — var. *Lem.* Jard. fl. 73. 74.
 — *multiplex* *Zucc.* *Pfeiffer* Cact. 1, 4.
 — *oxygona* *Zucc.* *Pfeiffer* Cact. 2, 4.
 — *pectinata* *Salm.* *Pfeiffer* Cact. 2, 10.
 — *turbinata* *Zucc.* *Pfeiffer* Cact. 2, 7.
 — *valida* *Salm.* Regel Gartenfl. 1, 29.
 † *Echinopterys Lappula* *Juss.* Arch. Mus. 3, 9.
Echinoschoenus sparganioides *Ldl.* Endl. Bras. 3, 10.
Echinosperrum brachycentrum *Led.* Ledeb. Ic. 302.
 — *coelestinum* *Wight.* Wight Ic. pl. Ind. or. 4, 1394.
 — *compressum* *Turcz.* Bull. Mosc. 1850, 12.
 — *cristatum* *Bong.* Acad. Pet. 6, 11.
 — *deflexum* *Lehm.* Sturm Flora 11, 43.
 — *floribundum* *Lehm.* Hook. Bor. Am. 164.
 — *heteracanthum* *Led.* Eichwald Cauc. 21.
 — *intermedium* *Led.* Ledeb. Ic. 180.
 — *Lappula* *Lehm.* Sturm Flora 11, 43.
 — — — *Dietr.* Fl. bor. 4, 267.
 — *macranthum* *Led.* Ledeb. Ic. 29.
 — *microcarpum* *Led.* Ledeb. Ic. 183.
 — *semiglabrum* *Led.* Ledeb. Ic. 28.
 † — *squarrosus* *Rchb.* Nees Gen. 6, 54.
 — — — Sturm Flora 11, 43.
 — *strictum* *Led.* Ledeb. Ic. 27.
 — *tenuis* *Led.* Ledeb. Ic. 182.
 — *tuberosum* *Led.* Eichwald Cauc. 6.
 † — *vulgare* *Sw.* Schrader Asperif. 0.
Echiochilon fruticosum *Desf.* Desf. Fl. atl. 47.
 † *Echioglossum javanicum* *Bl.* Blume Tabellen 28.
Echites acuminata *Rz et P.* Ruiz et Pav. Fl. 134.
 — — — *Roxb.* Wight Ic. pl. Ind. or. 2, 424.
 — *adglutinata* *L.* Burm. Fl. ind. 27.
 — — — *Jacq.* Hist. stirp. am. 30.
 — *antidysenterica* *Roxb.* Wight Ic. pl. Ind. or. 2, 439.
 — *atropurpurea* *Ldl.* Bot. Reg. 29, 27.
 — — — *Paxt.* Mag. 9, 199.
 — *biflora* *L.* *Jacq.* Hist. stirp. am. 28.
 — — — *Desc.* Ant. 7, 510.
 — *bogotensis* *H. B. K.* H. B. K. Nov. Gen. 3, 243.
 — *caryophyllata* *Roxb.* Bot. Mag. 44, 1919.
 — — — Wight Ic. pl. Ind. or. 2, 440.
 — *caudata* *L.* Burm. Fl. ind. 26.
 — *corymbosa* *Jacq.* *Jacq.* Hist. stirp. am. 37.
 — *cymosa* *Roxb.* Wight Ic. pl. Ind. or. 2, 395.
 — *dichotoma* *Roxb.* Wight Ic. pl. Ind. or. 2, 438.
 — *difformis* *Walt.* Barton Fl. 1, 10.
 — *domingensis* *Sw.* *Jacq.* Ic. 53.
 — *edulis* *Thunb.* Thunberg Diss. 0.
 — *Franciscea* *A. DC.* Bot. Reg. 33, 24.
 — — — Bot. Mag. 76, 4547.
 — — — *Lem.* Jard. fl. 67.
 — *frutescens* *Roxb.* Wight Ic. pl. Ind. or. 2, 430.
 — *glandulosa* *Rz et P.* Ruiz et Pav. Fl. 135.

- Echites glandulosa* Rz et P. Kerner Hort. 104.
 — *grandiflora* Roxb. Roxb. Corom. 281.
 — *hircosa* Roxb. Wight Ic. pl. Ind. or. 2, 429.
 — *hirsuta* Rz et P. Ruiz et Pav. Fl. 136.
 — — — Kerner Hort. 386.
 — — — Bot. Mag. 69, 3997.
 — — — Rich. Miquel Surin. 44.
 — *laxa* Rz et P. Ruiz et Pav. Fl. 134.
 — — — Kerner Hort. 260.
 — *longiflora* Desf. Mem. Mus. 5, 20.
 — *macrophylla* Roxb. Rheede Hort. mal. 9, 5. 6.
 — — — Wight Ic. pl. Ind. or. 2, 432.
 — *malabarica* Lam. Rheede Hort. mal. 9, 12.
 — *marginata* Roxb. Wight Ic. pl. Ind. or. 2, 425.
 — *nitida* Vahl. Vahl Eclogae 13.
 — *nobilis* Morr. var. *rosea*, Annales de Gand 1848, 215.
 — *numularia* Burm. Burm. Fl. ind. 28.
 — *nutans* Anders. Bot. Mag. 51, 2473.
 — *paludosa* Vahl. Vahl Ic. 5.
 — *paniculata* Roxb. Wight Ic. pl. Ind. or. 2, 396.
 — *parviflora* Roxb. Wight Ic. pl. Ind. or. 2, 423.
 — *peltata* Vellozo. Fl. d. serres 4, 390.
 — *ptarmica* P. et E. Poepp. et Endl. 278.
 — *pulchella* Gardn. Hook. Ic. pl. 5, 470.
 — *quinqueangularis* L. Jacq. Hist. stirp. am. 32.
 — *repens* Jacq. Jacq. Hist. stirp. am. 33.
 — *rhynchosperma* Wall. Wall. Pl. asiat. 49.
 — *Rosa campestris* Endl. Hart. Parad. 1, 5.
 — *sanguinolenta* Juss. Tussac Ant. 1, 11.
 — *scabra* Lab. Bill. Sertum 31.
 — *scholaris* L. Rumpf Amb. 2, 82.
 — — — Wight Ic. pl. Ind. or. 2, 422.
 — *spicata* Jacq. Jacq. Hist. stirp. am. 36.
 — *splendens* Hook. Bot. Mag. 69, 3976.
 — — — Paxt. Mag. 10, 25.
 — *stellaris* Ldl. Bot. Reg. 20, 1664.
 — *suberecta* L. Jacq. Hist. stirp. am. 33.
 — — — Lam. Encycl. 174.
 — — — Andr. Rep. 3, 187.
 — — — Kerner Hort. 446.
 — — — Bot. Mag. 27, 1064.
 — — — Maund Bot. 3, 143.
 — — — Paxt. Mag. 7, 101.
 — — — Desc. Ant. 7, 468.
 — *succulenta* L. fil. Jacq. Fragm. 117.
 — *tenuifolia* Mik. Mikan Del. Bras. 14.
 — *tomentosa* Vahl. Vahl Ic. 4.
 — *torosa* Jacq. Jacq. Hist. stirp. am. 34.
 — *torulosa* L. Lam. Encycl. 174.
 — — — Desc. Ant. 3, 192.
 — *trifida* L. Jacq. Hist. stirp. am. 31.
 — *umbellata* L. Jacq. Hist. stirp. am. 29.
 — *venenata* Roxb. Wight Ic. pl. Ind. or. 2, 436.
 — *volubilis* Thunb. Thunberg Diss. 0.
Echium aculeatum DC. Lehmann Asperif. 8.
 — *acutifolium* Lehm. Lehmann Asperif. 2.
 — *albicans* Boiss. Boissier Esp. 125.
 — — — Webb Otia 12.
 — *altissimum* Jacq. Jacq. Fl. austr. 5, 16.
 — *angustifolium* Lam. Lehmann Asperif. 22.
 — *arenarium* Guss. Gussone Pl. rar. 17.
 — *argenteum* L. Andr. Rep. 3, 154.
 — *Anubianum* Webb. Webb Canar. 144.
 — *australe* Lam. Sweet Fl. G. 101.
 — *bifrons* DC. Webb Canar. 148.
 — *calycinum* Viv. Viv. Fl. ital. 4.
 — *candicans* Lam. Lam. Encycl. 94.
 — — — L. fil. Jacq. Ic. 30.
 — — — Bot. Reg. 1, 41.
 — — — Savi Fl. ital. 3, 91.
 — *capitatum* L. Lehmann Asperif. 27.

- Echium caudatum* Thunb. Lehmann Asperif. 32.
 — *clavatum* Willd. Lehmann Asperif. 18.
 † — *creticum* L. Gaertn. Carp. 67.
 — — — Sibth. Fl. gr. 183.
 — — — Bot. Mag. 44, 1934.
 — *cyrenaicum* Pacho. Pacho Voyage 97.
 — *Decaisnei* Webb. Webb Canar. 147.
 — *diffusum* Sibth. Sibth. Fl. gr. 182.
 — *distachyum* Viv. Viviani Lib. 5.
 — *fastuosum* Jacq. Jacq. Ecl. pl. 41.
 — *ferocissimum* Andr. Andr. Rep. 1, 39.
 — *flavum* Desf. Desf. Fl. atl. 45.
 — *formosum* Pers. Kerner Hort. 203.
 — *fruticosum* Jacq. Jacq. Schoenbr. 1, 34.
 — — — Bot. Mag. 43, 1772.
 — — — L. Bot. Reg. 1, 36.
 — — — Dict. sc. nat. 44.
 — — — β. Lehmann Asperif. 38.
 — *giganteum* L. fil. Vent. Malm. 71.
 — — — Jacq. Ecl. pl. 63.
 — — — Webb Canar. 149.
 — — — Paxt. Mag. 5, 149.
 — *glabrum* Vahl. Lehmann Asperif. 26.
 — *glaucophyllum* Jacq. Jacq. Ic. 312.
 — — — Andr. Rep. 3, 163.
 — *grandiflorum* Desf. Desf. Fl. atl. 46.
 — — — Andr. Rep. 1, 20.
 — — — Vent. Malm. 97.
 — — — Bot. Reg. 2, 124.
 — — — Tratt. Archiv 279.
 — — — Herb. amat. 3, 195.
 — *hispidum* Sibth. Sibth. Fl. gr. 181.
 — — — Lehmann Asperif. 25.
 — *incanum* Thunb. Lehmann Asperif. 33.
 — *italicum* L. Engl. Bot. 29, 2081.
 — *laevigatum* L. Lehmann Asperif. 3.
 — *lineatum* Jacq. Jacq. Ecl. pl. 42.
 — *longifolium* Delile. Delile Egypte 16.
 — *macrophyllum* Lehm. Lehmann Asperif. 19.
 — *Mertensii* Lehm. Lehmann Asperif. 4.
 — *molle* Lag. Lehmann Asperif. 31.
 — *onosmaefolium* Webb. Webb Canar. 147.
 — *orientale* L. Trew Pl. rar. 1.
 — *paniculatum* Thunb. Lehmann Asperif. 23.
 — *papillosum* Lehm. Lehmann Asperif. 21.
 — *petraeum* Tratt. Tratt. Thes. 34.
 — — — Portenschlag Dalmat. 7.
 — — — Lehmann Asperif. 20.
 — — — Bot. Reg. 29, 26.
 — *Pininana* Webb. Webb Canar. 146.
 — *plantagineum* L. Sibth. Fl. gr. 179.
 — — — var. Jacq. Vind. 45.
 — — — St. Hilaire Pl. usuelles 25.
 — *pomponium* Boiss. Boissier Esp. 124.
 — *prostratum* Desf. Delile Egypte 17.
 — — — Ten. Tenore Fl. nap. 12.
 — *pustulatum* Sibth. Sibth. Fl. gr. 180.
 — *Rauwolfii* Delile. Delile Egypte 19.
 — *rosmarinifolium* Vahl. Lehmann Asperif. 34.
 — *rubrum* Jacq. Jacq. Fl. austr. 5, 3.
 — — — Willd. Bot. Mag. 43, 1826.
 — *scabrum* Lehm. Lehmann Asperif. 35.
 — *Schiffieri* Lang. Sylloge Ratisb. 2, 1.
 — *sericeum* Vahl. Lehmann Asperif. 49.
 — *setosum* Vahl. Delile Egypte 17.
 — *simplex* DC. Webb Canar. 145.
 — *spatulatum* Viv. Viviani Lib. 9.
 — *sphaerocephalum* Vahl. Lehmann Asperif. 28.
 — *spicatum* L. Lehmann Asperif. 1.
 — *stenosiphon* Webb. Hook. Niger Fl. 15.
 — — — Hook. Ic. pl. 8, 772.
 — *strictum* L. fil. Jacq. Schoenbr. 1, 35.

- Elymus arenarius* L. Schreber Gräser 40.
 — — — Host Gram. 312.
 — — — Fl. dan. 5, 847.
 — — — Sv. Bot. 60.
 — — — Engl. Bot. 24, 1672.
 — — — Knapp Gram. 108.
 — — — Rchb. Fl. germ. 1, 10.
 † — — — Nees Gen. 1, 82.
 † — *caninus* L. Schk. Handb. 19.
 — *caput Medusae* L. Schreber Gräser 24.
 — *crinitus* Schreb. Schreber Gräser 24.
 — — — Host Gram. 27.
 — — — Sibth. Fl. gr. 96.
 — — — Rchb. Fl. germ. 1, 9.
 — *dasystachys* Led. Ledeb. Ic. 249.
 † — *europaeus* L. Lam. Encycl. 49.
 — — — Host Gram. 28.
 — — — Fl. dan. 10, 1631.
 — — — Rchb. Fl. germ. 1, 9.
 — — — Engl. Bot. 19, 1317.
 — — — Baxter Brit. Bot. 6, 496.
 † — — — Nees Gen. 1, 82.
 — *geniculatus* Delile. Delile Egypte 13.
 — — — Curt. Jacq. Ecl. Gram. 39.
 — — — Engl. Bot. 23, 1586.
 — — — Knapp Gram. 109.
 — *giganteus* Vahl. Jacq. Ecl. Gram. 37.
 — *Hystrix* L. Jacq. Ic. 305.
 — *juncens* Fisch. Mem. Mosc. 1, 4.
 — *lanuginosus* Led. Ledeb. Ic. 250.
 — *mexicanus* Cav. Jacq. Ecl. Gram. 19.
 — *ovatus* Led. Ledeb. Ic. 251.
 — *sabulosus* M. v. B. Jacq. Ecl. Gram. 38.
 — *sibiricus* L. Schreber Gräser 21.
 — *virginicus* L. Elliott Carolina 12.
 † — — — Nees Gen. 1, 82.
 † *Elyna capillifolia* Decne. Jacquemont Ind. 174.
 — *caricina* M. et K. Baxter Brit. Bot. 6, 484.
 — *spicata* Schrad. Rchb. Fl. germ. 8, 193.
 — — — Sturm Flora 7, 26.
 † — — — Nees Gen. 2, 4.
 † *Elytranthe albida* Bl. Blume Java 8, 22, 23.
 † *Elytraria marginata* Vahl. Pal. Fl. d'Oware 93.
 — *virgata* Michx. Michaux Fl. 1.
 † *Elytrigia Desv.* Desvaux Journ. 3, 3.
 † *Elytrophorus articulatus* Pal. Beauv. Humb. Gram. 154.
 † — — — Lam. Encycl. 912.
 † *Embelia angustifolia* DC. Delessert Ic. 5, 29.
 — *Gardneriana* Wight. Wight Ic. pl. Ind. or. 4, 1208.
 — — — Wight Spicil. 135.
 — *Ribes* Burm. Burm. Fl. ind. 23.
 — — — Lam. Encycl. 133.
 — — — Wight Ic. pl. Ind. or. 4, 1207.
 — *Tsjeriam* Cottam DC. Wight Ic. pl. Ind. or. 4, 1209.
 — *vestita* Roxb. Delessert Ic. 5, 30.
 † *Emblia grandis* Gaertn. Gaertn. Carp. 108.
 † — *officinalis* Gaertn. Gaertn. Carp. 108.
 † — — — Wight Ic. pl. Ind. or. 5, 1896.
 † *Embothrium* Forst. Forster Charact. 8.
 † — — — Ruiz et Pav. Prodr. 3.
 — *buxifolium* Sm. Smith New Holl. 10.
 — — — Andr. Rep. 4, 218.
 — *coccineum* Forst. Cav. Ic. 65.
 † — — — Lam. Encycl. 55.
 — *cytisoides* Cav. Cav. Ic. 386.
 — *dentatum* Rz et P. Ruiz et Pav. Fl. 94.
 — *emarginatum* Rz et P. Ruiz et Pav. Fl. 95.
 — *ferrugineum* Cav. Cav. Ic. 385.
 — *genianthum* Cav. Cav. Ic. 387.
 — *grandiflorum* H. B. Humb. Pl. aeq. 139.

- Embothrium herbaceum* Cav. Cav. Ic. 384.
 — *lanceolatum* Rz et P. Ruiz et Pav. Fl. 96.
 — — — Kerner Hort. 200.
 — *lineare* Andr. Andr. Rep. 4, 272.
 — *linearifolium* Cav. Cav. Ic. 386.
 — *monospermum* Rz et P. Ruiz et Pav. Fl. 98.
 † — *myricoides* Gaertn. Gaertn. Carp. 218.
 — *obliquum* Rz et P. Ruiz et Pav. Fl. 97.
 — *pinnatum* Rz et P. Ruiz et Pav. Fl. 99.
 — *salicifolium* Vent. Vent. Cels 8.
 — *salignum* Andr. Andr. Rep. 3, 215.
 — *sericeum* Sm. Smith New Holl. 9.
 — — — Andr. Rep. 2, 100.
 — — — Bot. Mag. 22, 862.
 — *silaifolium* Sm. Smith New Holl. 8.
 — *spathulatum* Cav. Cav. Ic. 388.
 † — — — Gaertn. Carp. 218.
 — *species nova* Giord. Giordano Osserv. 1.
 — *speciosissimum* Sm. Smith New Holl. 7.
 — — — Bot. Mag. 28, 1128.
 — — — Rchb. Exot. 159.
 — *speciosum* Cav. Salisb. Parad. 111.
 — *strobilinum* Lab. Bill. Nov. Holl. 265.
 — *tinctorium* Lab. Bill. Nov. Holl. 42, 43.
 — *truncatum* Lab. Bill. Nov. Holl. 44.
 † — *umbellatum* Forst. Lam. Encycl. 55.
 † *Embryopteris glutinifera* Roxb. Roxb. Corom. 70.
 — — — Kerner Hort. 127.
 — — — Wight Ic. pl. Ind. or. 3, 843, 844.
 † — *peregrina* Gaertn. Gaertn. Carp. 29.
 † *Emex australis* Steinh. Ann. sc. nat. II. 9, 7.
 † *Emilia flammea* Cass. Cassini Opusc. 1, 4.
 — — — Dict. sc. nat. 91.
 — *scabra* DC. Wight Ic. pl. Ind. or. 3, 1123.
 — *sonchifolia* DC. Rheede Hort. mal. 10, 68.
 † *Empedoclea alnifolia* St. Hil. St. Hil. Fl. Bras. 3.
 † *Empetrum album* L. Gaertn. Carp. 106.
 — — — Hoffm. Lk. Fl. port. 72.
 † — — — Lam. Encycl. 803.
 — *nigrum* L. Fl. dan. 6, 975.
 — — — Schk. Handb. 318.
 † — — — Lam. Encycl. 803.
 — — — Sv. Bot. 239.
 — — — Engl. Bot. 8, 326.
 — — — Rchb. Fl. germ. 5, 158.
 — — — Baxter Brit. Bot. 6, 469.
 † — — — Nees Gen. 4, 42.
 — *rubrum* Willd. Bot. Reg. 21, 1783.
 † — *serrulatum* Ait. Mem. Mus. 12, 20.
 † *Emplectocladus fasciculatus* Torr. Smithson. Contr. 5, 5.
 † *Empleurum* Ait. Bartling Diosmeae 2.
 — *serrulatum* Soland. Smith Exot. Bot. 63.
 † — — — Gaertn. Carp. 211.
 † — — — Lam. Encycl. 86.
 † — — — $\alpha. \beta. \gamma.$ Bot. Zeitung 1853, 12.
 — — — Berg Darstellung 6.
 † *Enargea marginata* Gaertn. Gaertn. Carp. 59.
 † *Enarthrocarpus arcuatus* Lab. Bill. Syr. 5, 2.
 — *pterocarpus* DC. Delessert Ic. 2, 93.
 † *Encelia canescens* Lam. Cav. Ic. 61.
 † — — — Lam. Encycl. 709.
 — — — Bot. Reg. 11, 909.
 — *halimifolia* Cav. Cav. Ic. 210.
 † *Encephalartus Altensteinii* Lehm. Lehm. Pug. 6, 4—5.
 — — — Otto Gart. Z. 1834, 4, 5.
 † — — — Linnaea 19, 5.
 — — — Vriese Descriptions 1, 2, 4.
 † — — — Flora 1853, 2.
 — *brachyphyllus* Lehm. Hoeven Tijdschr. 4, 6, 7.
 — *elongatus* Lehm. Miquel Comment. 13.
 — — — Hoeven Tijdschr. 4, 8.
 — *Friderici* Guilelmi Lehm. Lehm. Pug. 6, 1—3.

- Encephalartus Friderici Guilelmi* *Lehm.* Otto Gart. Z. 1834, 1—3.
- — — Hart. Parad. 1, 7.
 - horridus *Lehm.* Hoeven Tijdschr. 6, 3. 4.
 - latifrons *Lehm.* Hoeven Tijdschr. 4, 9.
 - Lehmanni *Eckl.* Otto Gart. Z. 1836, 1.
 - pungens *Lehm.* Linnæa 19, 4.
 - spinulosus *Lehm.* Hoeven Tijdschr. 4, 7.
 - tridentatus *Lehm.* Miquel Monogr. Cyc. 6.
 - Van Hallii *Vriese.* Hoeven Tijdschr. 4, 10.
- Encholirium Augustae* *Lk.* Preuss. Gart. Verein 18, 2.
- Enchysia erecta* *DC.* Delessert Ic. 5, 13.
- Enckea ceanothifolia* *Miq.* Endl. Bras. 11, 3.
- heptandra *Miq.* Miquel Ill. Pip. 64.
 - Lessertiana *Miq.* Miquel Ill. Pip. 63.
 - Lindenii *Miq.* Miquel Ill. Pip. 66.
 - Martiana *Miq.* Endl. Bras. 11, 3.
 - Sieberi *Miq.* Miquel Ill. Pip. 65.
 - — — Endl. Bras. 11, 3.
- Encyanthus quinqueflorus* *Lour.* Bot. Mag. 40, 1649.
- — — Bot. Reg. 11, 844.
 - — — Lodd. Cab. 1101.
 - — — Rchb. Exot. 300.
 - reticulatus *Ldl.* Icones pl. Chinae 14.
 - — — Bot. Reg. 11, 885.
 - — — Maund Bot. 1, 1.
 - — — Paxt. Mag. 5, 127.
- Encyclia macrostachya* *P. et E.* Poepp. et Endl. 114.
- nana *P. et E.* Poepp. et Endl. 113.
 - patens *Hook.* Bot. Mag. 57, 3013.
 - polystachya *P. et E.* Poepp. et Endl. 113.
 - viridiflora *Hook.* Bot. Mag. 55, 2831.
- Endema grandiflora* *Planch.* Hook. Lond. Journ. 1844, 22.
- Endlichera brasiliensis* *Presl.* Presl Symbolae 49.
- Endopogon capitatus* *Wight.* Wight Ic. pl. Ind. or. 4, 1499.
- foliosus *Wight.* Wight Ic. pl. Ind. or. 4, 1501.
 - rhamnifolius *Wight.* Wight Ic. pl. Ind. or. 4, 1521.
 - strobilanthes *Wight.* Wight Ic. pl. Ind. or. 4, 1500.
 - versicolor *Wight.* Wight Ic. pl. Ind. or. 4, 1497.
- † — — — Wight Illustr. 164^b.
- viscosus *Arn.* Wight Ic. pl. Ind. or. 4, 1498.
- Endymion nutans* *Dumort.* Sturtm Flora 20, 93.
- Engelhardtia aceriflora* *Bl.* Blume Java 7, 2. 5.
- Colebrookeana *Ldl.* Wall. Pl. asiat. 208.
 - rigida *Bl.* Blume Java 7, 3.
 - Roxburghiana *Ldl.* Wall. Pl. asiat. 199.
 - selanica *Bl.* Rumpf Amb. 2, 56.
 - serrata *Reinw.* Blume Java 7, 4. 5.
 - spicata *Leschen.* Blume Java 7, 1. 5.
- Engelmannia suaveolens* *Pfeiff.* Bot. Zeitung 1846, 1.
- † *Enodium* *Link.* Dumortier Gramin. 4.
- Enourea capreolata* *Aubl.* Aublet Guiana 235.
- — — Lam. Encycl. 484.
- Enslenia albida* *Nutt.* Delessert Ic. 5, 63.
- Entada monostachya* *DC.* Rheede Hort. mal. 9, 77.
- polystachya *DC.* DC. Legum. 61. 62.
 - Pursaetha *DC.* Rheede Hort. mal. 8, 32—34.
 - — — Rumpf Amb. 5, 4.
- Entelea arborescens* *R. Br.* Bot. Mag. 51, 2480.
- † *Entoganum laevigatum* *Gaertn.* Gaertn. Carp. 68.
- † *Epacris* *Forst.* Forster Charact. 10.
- — — (Variae hybridæ.) Paxt. Mag. 15, 193.
 - — — (Variae hybridæ.) Lem. Jard. fl. 175.
 - attenuata *Lodd.* Lodd. Cab. 38.
 - autumnalis *Hort.* Paxt. Mag. 11, 195.
 - — — Fl. d. serres 1, 4.
 - campanulata *Lodd.* Lodd. Cab. 1928. 1931.
 - — — var. Copelandii, Annales de Gand 1847, 143.
 - ceraeflora *Grah.* Bot. Mag. 60, 3243.
 - cerinthoides *Lab.* Bill. Nov. Holl. 59.

- Epacris coccinea* *Part.* Paxt. Mag. 6, 123.
- diosmaefolia *Lodd.* Lodd. Cab. 1934.
 - dubia *Ldl.* Bot. Reg. 32, 38.
- † — frondosa *Gaertn.* Gaertn. Carp. 94.
- grandiflora *Sm.* Smith Exot. Bot. 39.
 - — — Bot. Mag. 25, 982.
 - — — Lodd. Cab. 21.
 - — — Paxt. Mag. 1, 52.
 - heteronema *Lab.* Bill. Nov. Holl. 56.
 - — — Bot. Mag. 60, 3257.
 - impressa *Lab.* Bill. Nov. Holl. 58.
 - — — Sweet Austr. 4.
 - — — Lodd. Cab. 1691.
 - — — Maund Bot. 5, 232.
 - — — Bot. Mag. 62, 3407.
 - — — Paxt. Mag. 2, 97. 4, 126.
 - — — β. parviflora, Bot. Reg. 25, 19.
 - lanuginosa *Lab.* Bill. Nov. Holl. 57.
 - longiflora *Cav.* Cav. Ic. 344.
 - — — Herb. amat. 3, 183.
- † — longifolia *Forst.* Lam. Encycl. 111.
- microphylla *R. Br.* Bot. Mag. 65, 3658.
 - miniata *Ldl.* Bot. Reg. 31, 5.
 - — — Paxt. Mag. 12, 5.
 - — — Fl. d. serres 2, 58.
 - myrtifolia *Lab.* Bill. Nov. Holl. 55.
 - nivalis *Lodd.* Lodd. Cab. 1821.
 - — — Bot. Mag. 60, 3253.
 - — — Bot. Reg. 18, 1531.
 - — — Maund Bot. 2, 57.
 - obtusifolia *Sm.* Smith Exot. Bot. 40.
 - — — Bot. Mag. 66, 3775.
 - — — Lodd. Cab. 292.
 - onosmaeflora *Cunn.* Bot. Mag. 59, 3168.
 - paludosa *R. Br.* Lodd. Cab. 1226.
 - pulchella *Cav.* Cav. Ic. 345.
 - — — Bot. Mag. 29, 1170.
 - — — Lodd. Cab. 194.
- † — pumila *Forst.* Lam. Encycl. 111.
- pungens *Cav.* Cav. Ic. 346.
 - — — Bot. Mag. 22, 844. 30, 1199.
 - — — Dict. sc. nat. 72.
 - purpurascens *R. Br.* Lodd. Cab. 237. 876.
 - — — Herb. amat. 3, 155.
 - rosea *Lodd.* Lodd. Cab. 863.
 - spuria *Cav.* Cav. Ic. 347.
 - Tauntoniensis *Part.* Paxt. Mag. 14, 195.
 - variabilis *Lodd.* Lodd. Cab. 1816.
 - — — Paxt. Mag. 4, 125.
 - villosa *Cav.* Cav. Ic. 347.
- Eperua falcata* *Aubl.* Aublet Guiana 142.
- — — Lam. Encycl. 338.
- † *Ephedra* *L.* Ann. sc. nat. 26, 3.
- † — — — (Germinatio.) Acad. Pet. 7, 8.
- — — Alte C. A. M. Acad. Pet. 7, 3.
 - — — altissima *Desf.* Desf. Fl. atl. 283.
- † — — — Richard Conif. 4.
- — — Acad. Pet. 7, 1.
- † — americana *H. B.* Richard Conif. 29.
- botryoides *F. et M.* Acad. Pet. 7, 8.
 - campylopoda *C. A. M.* Acad. Pet. 7, 2.
 - distachya *L.* Sibth. Fl. gr. 961.
 - — — Schk. Handb. 339.
- † — — — Lam. Encycl. 830.
- — — Rchb. Fl. germ. 11, 339.
- † — — — Nees Gen. 4, 13.
- fragilis *Desf.* Acad. Pet. 7, 1.
 - graeca *C. A. M.* Acad. Pet. 7, 5.
- † — helvetica *C. A. M.* Acad. Pet. 7, 8.
- lomatolepia *Schrenk.* Acad. Pet. 7, 6.
- † — monosperma *Gm.* Acad. Pet. 7, 8.
- monostachya *L.* Pallas Fl. ross. 83.

- † *Ephedra monostachya* L. Lam. Encycl. 830.
 — — — Watson Dendr. 2, 142.
 — — — Rehb. Fl. germ. 11, 539.
 — — — procera F. et M. Acad. Pet. 7, 4.
 † — — stenoperma Schrenk. Acad. Pet. 7, 3.
 — — Tweediana F. et M. Acad. Pet. 7, 7.
 † — — vulgaris Rich. Richard Conif. 4.
 † *Ephemerum nemorum* Rehb. Nees Gen. 5, 16.
Ephippiorhynchium polycephalum N. v. E. Endl. Bras.
 — — — 3, 12.
 † *Ephippium ciliatum* Bl. Blume Tabellen 65.
 † — — cornutum Bl. Blume Tabellen 65.
 — — grandiflorum Bl. Blume Rumphia 195. 199.
 † *Epibaterium* Forst. Forster Charact. 54.
Epicampes strictus Presl. Presl Reliq. 39.
Epicarpurus microphyllus Decne. Raoul Nouv. Zel. 9.
 — — orientalis Bl. Wight Ic. pl. Ind. or. 6, 1961.
 — — spinosus Wight. Wight Ic. pl. Ind. or. 6, 1962.
 — — timorensis Decne. N. Ann. Mus. 3, 21.
 — — zeylanicus Thw. Hook. Journ. 1851, 11.
 † *Epicharis speciosa* Juss. Mem. Mus. 19, 15.
 † *Epicranthes javanica* Bl. Blume Tabellen 9.
 † *Epidendrum* L. Ruiz et Pav. Prodr. 27.
 † — — Schrader Journal 1799. 2, 1.
 — — aemulum Ldl. Bot. Reg. 22, 1898.
 — — alatum Batem. Bateman Orchid. 18.
 — — — Bot. Reg. 33, 53.
 — — aloifolium L. Jacq. Schoenbr. 3, 383.
 — — — Red. Lil. 2, 114.
 — — — Bot. Mag. 11, 387.
 — — — Bateman Orchid. 25.
 — — altissimum Jacq. Jacq. Hist. stirp. am. 215.
 — — amabile L. Rumpf Amb. 6, 43.
 — — anceps Jacq. Jacq. Hist. stirp. am. 208.
 — — — Sw. Lodd. Cab. 987.
 — — antenniferum H. B. Humb. Pl. aeq. 28.
 — — armeniacum Ldl. Bot. Reg. 22, 1867.
 — — aromaticum Batem. Bateman Orchid. 10.
 — — aurantiacum Batem. Bateman Orchid. 12.
 — — Barringtoniae Sm. Smith Ic. pict. 15.
 — — basilare Lk et Kl. Link Ic. III. 45.
 — — bicornutum Hook. Bot. Mag. 61, 3332.
 — — — Paxt. Mag. 5, 245.
 — — bifidum Aubl. Red. Lil. 2, 84.
 — — — Bot. Reg. 22, 1879.
 — — brachystachyum Aub. Aubert Orchid. 83.
 — — caespitosum P. et E. Poepp. et Endl. 101.
 — — calocheilum Hook. Bot. Mag. 68, 3898.
 — — Candollei Ldl. Mem. Genev. 9, 3.
 — — cartagenense Jacq. Jacq. Hist. stirp. am. 214.
 — — — Kerner Hort. 120.
 — — caudatum L. Desc. Ant. 6, 439.
 — — Cebolleta Jacq. Jacq. Hist. stirp. am. 217.
 — — cepiforme Don. Bot. Mag. 66, 3765.
 — — chloroleucum Hook. Bot. Mag. 64, 3557.
 — — ciliare L. Jacq. Hist. stirp. am. 209.
 — — — Red. Lil. 2, 82.
 — — — Bot. Mag. 13, 463.
 — — — Lodd. Cab. 9.
 — — — Bot. Reg. 10, 784.
 † — — Bauer Orchid. 10.
 — — cinnabarinum Salzm. Bot. Reg. 28, 25.
 — — — Hart. Parad. 1, 14.
 — — clavatum Ldl. Bot. Reg. 22, 1870.
 — — coccineum L. Jacq. Hist. stirp. am. 205.
 — — cochleatum L. Jacq. Ic. 605.
 — — — Bot. Mag. 5, 152. 16, 572.
 — — — Andr. Rep. 1, 13.
 — — — Red. Lil. 6, 346.
 — — — Lam. Encycl. 730.
 — — — Desc. Ant. 6, 440.
 — — — Herb. amat. 4, 232.

- Epidendrum cochleatum* L. Lodd. Cab. 22.
 — — — Rehb. Exot. 96.
 — — conopseum R. Br. Bot. Mag. 62, 3457.
 — — coriaceum Park. Bot. Mag. 64, 3595.
 — — coriifolium Ldl. Journ. Hort. Soc. 6, 219.
 — — crassifolium Ldl. Bot. Mag. 64, 3543.
 — — crassilabium P. et E. Poepp. et Endl. 102.
 — — cucullatum L. Bot. Mag. 15, 543.
 — — cuspidatum Lodd. Lodd. Cab. 10.
 — — — Bot. Reg. 10, 783.
 — — densiflorum Hook. Bot. Mag. 66, 3791.
 — — difforme Jacq. Jacq. Hist. stirp. am. 206.
 — — diffusum Sw. Bot. Mag. 64, 3565.
 — — — Lodd. Cab. 846.
 — — dipus Ldl. Bot. Reg. 31, 4.
 — — ellipticum Grah. Hook. Exot. Fl. 207.
 — — ellipticum Lodd. Lodd. Cab. 1276.
 — — elongatum Jacq. Jacq. Ic. 604.
 — — — Bot. Mag. 17, 611.
 — — — Lam. Encycl. 730.
 † — — Bauer Orchid. 11.
 — — — Lodd. Cab. 986.
 — — ensifolium L. Thunb. Ic. jap. 8.
 — — — Smith Spicil. 24.
 — — — Andr. Rep. 5, 344.
 — — erubescens Batem. Bateman Orchid. 32.
 — — floribundum H. B. K. H. B. K. Nov. Gen. 1, 86.
 — — — Bot. Mag. 65, 3637.
 — — fragrans R. Br. Andr. Rep. 10, 645.
 — — — Bot. Mag. 40, 1669.
 — — — Lodd. Cab. 1039.
 — — — Paxt. Mag. 2, 217.
 — — fulgens Brongn. Brongniart Coquille 43.
 — — funiferum Morr. Annales de Gand 1848, 199.
 — — furvum L. Rumpf Amb. 6, 46. fig. 1.
 — — fuscatum Sm. Smith Spic. 23.
 — — — Andr. Rep. 7, 441.
 — — — Bot. Reg. 1, 67.
 — — — Bot. Mag. 55, 2844.
 — — — Lodd. Cab. 472.
 — — globosum Jacq. Jacq. Hist. stirp. am. 203.
 — — glumaceum Ldl. Bot. Reg. 26, 6.
 — — gracile Ldl. Bot. Reg. 21, 1765.
 — — Grahmi Hook. Bot. Mag. 68, 3885.
 — — grandiflorum H. B. Humb. Pl. aeq. 27.
 — — guttatum L. Dict. sc. nat. 75.
 — — Harrisoniae Hook. Bot. Mag. 60, 3209.
 — — hircinum A. Rich. Ramon Cuba 77.
 — — humile Sm. Smith Exot. Bot. 98.
 — — labiatum Sw. Swartz Annot. 2.
 † — — lacertinum Ldl. Fl. d. serres 4, 376.
 — — lancifolium Ldl. Bot. Reg. 28, 504.
 — — leiobulbon Ldl. Hook. Journ. 1841, 10.
 — — leucochilum Lk et Kl. Link Ic. III. 46.
 — — lineare L. Jacq. Hist. stirp. am. 201.
 — — — Andr. Rep. 7, 445.
 — — linearifolium Hook. Bot. Mag. 77, 4572.
 — — — Lem. Jard. fl. 145.
 — — longicolle Ldl. Bot. Mag. 71, 4165.
 — — longipetalum Ldl. Paxt. Fl. G. 30.
 — — — Lem. Jard. fl. 81.
 — — macrochilum Hook. Bateman Orchid. 17.
 — — — Bot. Mag. 63, 3534.
 — — — var. Paxt. Mag. 11, 243.
 — — — var. Annales de Gand 1846, 86.
 — — — var. Fl. d. serres 4, 372.
 — — macrostachyum Aub. Aubert Orchid. 82.
 — — marginatum Lk et Kl. Link Ic. III. 36.
 — — microbulbon Hook. Hook. Ic. pl. 4, 347.
 — ? monophyllum Hook. Hook. Exot. Fl. 109.
 — — nematocaulon A. Rich. Ramon Cuba 79.
 — — nervosum Thunb. Thunb. Ic. jap. 10.

- Epidendrum nocturnum* L. Jacq. Hist. stirp. am. 210.
 — — — Lodd. Cab. 713.
 — — — Link Ic. I. 9.
 — — — Bot. Mag. 61, 3298.
 — — — β . latifolium, Bot. Reg. 23, 1961.
 — nodosum L. Jacq. Hist. stirp. am. 213.
 — nutans Sw. Hook. Exot. Fl. 50.
 — — — Bot. Reg. 1, 17.
 — — — Maund Bot. 5, 226.
 — — — Lodd. Cab. 645.
 — oblongatum A. Rich. Ramon Cuba 80.
 — obtusifolium Willd. Desc. Ant. 6, 438.
 — ochraceum Ldl. Bot. Reg. 24, 28.
 — ochranthum A. Rich. Ramon Cuba 78.
 — odoratissimum Ldl. Bot. Reg. 17, 1415.
 — oncioides Ldl. Bot. Reg. 19, 1623.
 — ophioglossoides L. Jacq. Hist. stirp. am. 211.
 — pallidiflorum Hook. Bot. Mag. 57, 2980.
 — papillosum Batem. Bot. Mag. 65, 3631.
 — Parkinsonianum Hook. Bot. Mag. 66, 3778.
 — Pastoris Llave. Link Ic. II. 12.
 — patens Sw. Bot. Mag. 67, 3600.
 — — — Lodd. Cab. 1537.
 — pendulum Roxb. Roxb. Corom. 44.
 — phoeniceum Ldl. Lindley Sertum 46.
 — — — Paxt. Mag. 9, 97.
 — — — Fl. d. serres 2, 47.
 — — — var. Fl. d. serres 4, 306.
 — plicatum Ldl. Bot. Reg. 33, 35.
 — polyanthum Ldl. Bateman Orchid. 34.
 — ? polybulbon Sw. Hook. Exot. Fl. 112.
 — — — Lodd. Cab. 1230.
 — polystachyum Aub. Aubert Orchid. 81.
 — porphyreum Ldl. Hook. Journ. 1841, 7. 8.
 — praecox Sm. Smith Exot. Bot. 97.
 — praemorsum Roxb. Roxb. Corom. 43.
 — pterocarpum Ldl. Bot. Reg. 30, 34.
 — pygmaeum Hook. Bot. Mag. 60, 3233.
 — — — Hook. Journ. 1834, 118.
 — pyriforme Ldl. Bot. Reg. 33, 50.
 — radiatum Ldl. Bot. Reg. 30, 45.
 — radicans Paxt. Paxt. Mag. 12, 145.
 — ramosum Jacq. Jacq. Hist. stirp. am. 202.
 — raniferum Ldl. Bot. Reg. 28, 42.
 — rigidum Jacq. Jacq. Hist. stirp. am. 204.
 — — — Hook. Ic. pl. 4, 314.
 — — — Lodd. Cab. 1690.
 — rubrum Lam. Desc. Ant. 5, 362.
 — ruscifolium L. Jacq. Hist. stirp. am. 212.
 — Schomburgkii Ldl. Bot. Reg. 24, 53.
 — — — Maund Bot. 4, 165.
 — — — Paxt. Mag. 10, 121.
 — scriptum L. Rumpf Amb. 6, 42.
 — secundum L. Jacq. Hist. stirp. am. 207.
 — sinense Andr. Andr. Rep. 3, 216.
 — — — Red. Lil. 2, 113.
 — — — Bot. Mag. 23, 888.
 — — — Rchb. Exot. 97.
 — — — Dict. sc. nat. 74.
 — Skinneri Batem. Bot. Mag. 68, 3951.
 — — — Bot. Reg. 22, 1870, 1881.
 — Stamfordianum Batem. Bateman Orchid. 11.
 — — — Lem. Jard. fl. 251.
 — — — Bot. Mag. 80, 4759.
 — stenopetalum Hook. Bot. Mag. 62, 3410.
 — sterile Lam. Rheede Hort. mal. 12, 22. 23.
 — striatum Sw. Thunb. Ic. jap. 9.
 — teres Thunb. Thunb. Ic. jap. 7.
 + — — — terrestre Gaertn. Gaertn. Carp. 14.
 + — — — Lam. Encycl. 730.
 — tessellatum Roxb. Roxb. Corom. 42.
 — — — Batem. Bot. Mag. 65, 3638.

- Epidendrum tetragonum* Aub. Aubert Orchid. 34.
 — tetrapetalum Jacq. Jacq. Hist. stirp. am. 216.
 — Tridens P. et E. Poepp. et Endl. 103.
 — tripterum Sm. Smith Ic. pict. 14.
 — umbellatum Sw. Bot. Mag. 46, 2030.
 — — — Bot. Reg. 1, 80.
 — — — Maund Bot. 5, 216.
 — — — Lodd. Cab. 26.
 — undulatum Sw. Bot. Mag. 20, 777.
 — Vanilla L. Desc. Ant. 8, 561.
 — variegatum Hook. Bot. Mag. 59, 3151.
 — — — Bot. Reg. 25, 11.
 — verrucosum Ldl. Bot. Reg. 30, 51.
 — — — Lodd. Cab. 1084.
 — — — Paxt. Mag. 13, 101.
 — — — Bot. Mag. 77, 4606.
 — — — Lem. Jard. fl. 253.
 — vincentinum Ldl. Hook. Journ. 1841, 11.
 — violaceum Lodd. Lodd. Cab. 337.
 — — — Bot. Mag. 66, 3751.
 — virescens Lodd. Lodd. Cab. 1867.
 — viridi-purpureum Hook. Bot. Mag. 65, 3666.
 — vitellinum Ldl. Lindley Sertum 45.
 — — — Bot. Reg. 26, 35.
 — — — Bot. Mag. 70, 4107.
 — — — Paxt. Mag. 11, 49.
 — volucre Aub. Aubert Orchid. 80.
Epidorchis Aub. Aubert Orchid. 80.
Epigaea cordifolia Sw. Lam. Encycl. 367.
 — repens L. Bull. philom. 1797. no. 6.
 — — — Mem. Instit. an VII, 9.
 — — — Lam. Encycl. 367.
 — — — Andr. Rep. 2, 102.
 — — — Lodd. Cab. 160.
 — — — Bot. Reg. 3, 201.
 — — — Tratt. Archiv 83.
 — — — Herb. amat. 4, 239.
 — — — β . rubicunda, Sweet Fl. G. II. 384.
Epigynum Griffithianum Wight. Wight Ic. pl. Ind. or. 4, 1308.
 + — — — Wight Illustr. 154 bis.
 + *Epilobium* Linn. Mutel Fl. fr. 16. 17.
 — alpestre Jacq. Rchb. Ic. crit. 2, 200.
 — alpinum L. Lightf. Fl. scot. 1, 10.
 — — — Fl. dan. 2, 322.
 — — — Curt. Lond. 5, 170.
 — — — Engl. Bot. 28, 2001.
 — — — Sv. Bot. 707.
 — — — Sturm Flora 18, 81. 82.
 — alsinifolium Vill. Engl. Bot. 28, 2000.
 — anagallidifolium Lam. Lam. Encycl. 278.
 — angustifolium L. Fl. dan. 2, 289.
 — — — Curt. Lond. 1, 64.
 — — — Engl. Bot. 28, 1947.
 — — — Sv. Bot. 130.
 — — — Schk. Handb. 106.
 — — — Schrank Fl. monac. 2, 107.
 — — — Dietr. Fl. bor. 8, 570.
 — — — Sturm Flora 18, 81.
 — — — Baxter Brit. Bot. 1, 14.
 — angustissimum Ait. Bot. Mag. 3, 76.
 — — — W. et Kit. 76.
 — — — Rchb. Ic. crit. 4, 342.
 — confertifolium Hook. fl. Hook. Ic. pl. 7, 685.
 — cordifolium Dill. et Rich. Richard Abyssin. 80.
 — denticulatum R. et P. Ruiz et Pav. Fl. 314.
 — Dodonaei Vill. Sturm Flora 17, 72.
 — Fleischeri Hochst. Sturm Flora 17, 72.
 — grandiflorum All. var. Rochel Banat. 5.
 — hirsutum L. Fl. dan. 2, 326.
 — — — Curt. Lond. 1, 134.
 — — — Engl. Bot. 12, 836.

- Epilobium hitsutum* L. Schrank Fl. monac. 1, 61.
 — — — Sturm Flora 18, 81.
 — — — Dietr. Fl. bor. 8, 571.
 † — — — Plée Types 33.
 † — — — Cosson Atlas 12.
 — — — Hornemannianum *Rchb.* Rchb. Ic. crit. 2, 180.
 — hypericifolium *Tausch.* Tausch Hort. Canal. 7.
 — — — Sturm Flora 17, 72.
 — lanceolatum *Seb. et M. Sebastiani* Fl. rom. 1.
 — — — Engl. Bot. 2938.
 — latifolium L. Fl. dan. 4, 565.
 — laxum *Royle.* Royle Illustr. 43.
 — linnaeoides *Hook.* Hook. Fl. ant. 6.
 — macranthum *Hook. fil.* Hook. Ic. pl. 3, 297.
 — macropus *Hook.* Hook. Ic. pl. 9, 812.
 — melanocaulon *Hook.* Hook. Ic. pl. 9, 813.
 † — molle *Lam.* Cosson Atlas 12.
 † — montanum L. Gaertn. Carp. 31.
 † — — — Lam. Encycl. 278.
 — — — Curt. Lond. 1, 85.
 — — — Engl. Bot. 17, 1177.
 — — — Fl. dan. 6, 922.
 — — — Rchb. Ic. crit. 2, 189.
 — — — Sturm Flora 17, 72.
 — — — β . verticillatum, Sturm Flora 17, 72.
 — — — γ . lanceolatum, Sturm Flora 17, 72.
 † — — — Cosson Atlas 12.
 — nutans *Hornem.* Fl. dan. 8, 1387.
 — — — *Schm.* Rchb. Ic. crit. 2, 197.
 — obscurum *Schreb.* Rchb. Ic. crit. 2, 199.
 — origanifolium *Lam.* Sturm Flora 18, 81.
 — — — Rchb. Ic. crit. 2, 180.
 — palustre *Sm.* Engl. Bot. 5, 346.
 — — — Fl. dan. 9, 1574.
 — — — L. Sturm Flora 18, 81.
 † — — — Cosson Atlas 12.
 — parviflorum *Schreb.* Curt. Lond. 1, 132.
 — — — Engl. Bot. 12, 793.
 — — — Fl. dan. 2, 347.
 — — — Sturm Flora 18, 81.
 — — — Schrank Fl. monac. 4, 327.
 — — — Dietr. Fl. bor. 8, 572.
 — rivulare *Wahlenbg.* Rchb. Ic. crit. 2, 170.
 — roseum *Schreb.* Fl. dan. 11, 1815.
 — — — Engl. Bot. 10, 693.
 — — — Sv. Bot. 742.
 — — — Sturm Flora 18, 81.
 — — — Rchb. Ic. crit. 2, 190.
 † — — — Cosson Atlas 12.
 — rosmarinifolium *Haenke.* Rchb. Ic. crit. 4, 341.
 — Schmidtianum *Rostk.* Rostk. et Schm. Fl. sed. 2.
 — simplex *Tratt.* Tratt. Archiv 53.
 — sparsiflorum *Schreb.* Winterl Index 16.
 — speciosum *Decne.* Jacquemont Ind. 69.
 † — spicatum *Lam.* Lam. Encycl. 278.
 † — — — Cosson Atlas 12.
 — tetragonum L. Curt. Lond. 1, 133.
 — — — Engl. Bot. 28, 1948.
 — — — Fl. dan. 6, 1029.
 — — — β . Willd. Fl. dan. 8, 1267.
 — — — Sturm Flora 18, 81.
 — — — Rchb. Ic. crit. 2, 198.
 † — — — Cosson Atlas 12.
 — tomentosum *Vent.* Vent. Cels 90.
 — trigonum *Schrank.* Sturm Flora 18, 81.
 — virgatum *Lam.* Lam. Encycl. 278.
 — — — Fr. Sturm Flora 18, 81.
Epimedium alpinum L. Sibth. Fl. gr. 180.
 — — — Engl. Bot. 7, 438.
 — — — Schk. Handb. 24.
 — — — Lam. Encycl. 83.
 — — — Roemer Fl. eur. 2, 1.

- Epimedium alpinum* L. Sturm Flora 11, 41.
 † — — — Ann. sc. nat. II. 2, 12.
 † — — — Ann. sc. nat. III. 18, 14.
 — — — Herb. amat. 5, 302.
 — — — Rchb. Fl. germ. 3, 18.
 — — — Dietr. Fl. bor. 6, 398.
 — — — Baxter Brit. Bot. 1, 47.
 — diphyllum *Lodd.* Lodd. Cab. 1838.
 — — — Bot. Mag. 62, 3448.
 — elatum *Decne.* Jacquemont Ind. 8.
 † — — — Ann. sc. nat. II. 2, 12.
 — hexandrum *Hook.* Hook. Bor. Am. 13.
 — macranthum *Morr.* Ann. sc. nat. II. 2, 13.
 — — — Bot. Reg. 22, 1906.
 — — — Maund Bot. 2, 90.
 — — — Paxt. Mag. 5, 151.
 — Musschianum *Morr.* Bot. Mag. 66, 3745.
 — pinnatum *Fisch.* Jard. Petersb. 1.
 — — — Sert. petrop. 1.
 — — — Annales de Gand 1846, 61.
 — — — Bot. Mag. 75, 4456.
 — pteroceras *Morr.* Annales de Gand 1845, 14.
 — violaceum *Morr.* Bot. Reg. 26, 43.
 — — — Bot. Mag. 66, 3751.
 — — — Paxt. Mag. 5, 123.
 — — — Ann. sc. nat. II. 2, 12.
 † *Epipactis* *Hall.* Svensk Acad. 1800, 3.
 † — — — Schrader N. Journal 1, 1.
 † — — — Linnaea 16, 17.
 — atrorubens *Hoffm.* Dietr. Fl. bor. 7, 435.
 — — — Rchb. Ic. crit. 9, 849.
 — — — *Schult.* Rchb. Fl. germ. 13, 485.
 — atrorubentimicrophylla *Rchb.* Rchb. Fl. germ. 13, 484.
 — cordata *All.* Sv. Bot. 472.
 — — — Liboschitz Petersb. 21.
 — cucullata *Lab.* Bill. Nov. Holl. 211.
 — Dalhousiae *Wight.* Wight Ic. pl. Ind. or. 5, 1723.
 — ensifolia *Sw.* Curt. Lond. 4, 77.
 — gigantea *Dougl.* Hook. Bor. Am. 202.
 † — grandiflora *Gaud.* Bauer Orchid. (Gen.) 19. 20.
 — latifolia *All.* Fl. dan. 2, 267.
 — — — β . Sw. Fl. dan. 11, 1938.
 — — — Curt. Lond. 4, 102.
 — — — Lodd. Cab. 982.
 — — — Dict. sc. nat. 72.
 † — — — Mutel Fl. fr. 67.
 † — — — Ann. sc. nat. 24, 7—9.
 — — — Dietr. Fl. bor. 1, 12.
 † — — — Nees Gen. 3, x.
 — — — Rchb. Fl. germ. 13, 488.
 — — — brevifolia *Irm.* Rchb. Fl. germ. 13, 486.
 — longifolia *Rchb. fil.* Rchb. Fl. germ. 13, 483.
 — — — *Schmidt.* Rchb. Fl. germ. 13, 491.
 — macrostachya *Ldl.* Wight Ic. pl. Ind. or. 5, 1722.
 — microphylla *Sw.* W. et Kit. 270.
 — — — Rchb. Fl. germ. 13, 484.
 — nidus avis *Sw.* Dict. sc. nat. 73.
 — — — Schrank Fl. monac. 3, 294.
 — ovalis *Bab.* Engl. Bot. 2884.
 — ovata *Sw.* Schrank Fl. monac. 3, 292.
 — pallens *Sw.* Curt. Lond. 4, 76.
 — — — Fl. dan. 8, 1400.
 — — — Sv. Bot. 465.
 — palustris *Crantz.* Curt. Lond. 4, 89.
 — — — Sv. Bot. 449.
 — — — Lodd. Cab. 156.
 — — — Baxter Brit. Bot. 4, 317.
 — — — Sturm Flora 4, 13.
 — — — Dietr. Fl. bor. 1, 11.
 † — — — Nees Gen. 3, x.
 — purpurata *Sm.* Engl. Bot. 2775.

- Epipactis purpurata* Sm. Rchb. Fl. germ. 13, 486.
 — *reflexa* Lab. Bill. Nov. Holl. 211.
 — *rubra* Willd. Sibth. Fl. gr. 933.
 — *viridiflora* Hoffm. Rchb. Ic. crit. 9, 850.
 — — Dietr. Fl. bor. 8, 509.
 — — Rchb. Rchb. Fl. germ. 13, 487. 488.
 † *Epiphanes javanica* Bl. Blume Tabellen 4.
Epiphegus americanus Nutt. Endl. Iconogr. 80.
 † — — Wight Illustr. 158⁶.
Epiphyllum Altensteinii Pfeiff. Pfeiffer Cact. 1, 28.
 — *Russellianum* Hook. Bot. Mag. 66, 3717.
 — — Paxt. Mag. 10, 243.
 — *splendidum* Paxt. Paxt. Mag. 1, 49.
 — *truncatum* Haw. Jacq. Ecl. pl. 142.
 — — var. Paxt. Mag. 8, 79.
 † *Epiphystis ophiuroides* Trin. Trin. Fund. 1.
Epipogium aphyllum Sw. Sv. Bot. 512.
 † — — Nees Gen. 3, x.
 — — Rchb. Fl. germ. 13, 468.
 — *Gmelini* Rich. Chevallier Fung. Illustr. 1.
 — — Sturm Flora 5, 18.
 — — Dietr. Fl. bor. 7, 433.
Episcia bicolor Hook. Bot. Mag. 74, 4390.
 — — Annales de Gand 1848, 221.
 — — Lem. Jard. f. 159.
 — — Fl. d. serres 4, 398.
 — *decumbens* Mart. Mart. Bras. 216.
 — *melittifolia* Mart. Hart. Parad. 2, 5.
 — — Bot. Mag. 79, 4720.
 — *reptans* Mart. Mart. Bras. 217.
Epistephium amplexicaule P. et E. Poepp. et Endl. 91.
 — *elatum* H. B. K. H. B. K. Nov. Gen. 7, 632.
 — *monanthum* P. et E. Poepp. et Endl. 92.
 † *Epistylum* Sw. Swartz Fl. Ind. occ. 22.
Epithecia glauca Kn. et Westc. Knowles et Westcott 87.
Epithema ceylanicum Gurdn. Wight Ic. pl. Ind. or. 4, 1354.
 † — — Wight Illustr. 159⁶.
 † *Equisetum* L. Lam. Encycl. 862.
 † — — Bischoff Crypt. Gew. 3, 4, 5.
 † — — (Henderson.) Linn. Transact. 18, 39.
 † — — (Agardh.) Mem. Mus. 9, 13.
 † — — (Vaucher.) Mem. Mus. 10, 27.
 † — — (Milde.) Schles. Denkschr. 1853, 1.
 † — — (Bischoff.) Bot. Zeitung 1853, 2.
 † — — (Bischoff.) Ann. sc. nat. III. 19, 9.
 † — — (Pringsheim.) Bot. Zeitung 1853, 6.
 — *arvense* L. Act. palat. 3, 22.
 — — Schk. Fil. 167.
 — — Curt. Lond. 3, 27.
 — — Engl. Bot. 29, 2020.
 — — Sv. Bot. 474.
 — — Fl. dan. 11, 1942. 12, 2001.
 — — Chevallier Fl. de Paris 19.
 — — Dreves 4, 117.
 — — Hayne 8, 46.
 — — Nees Düsseldorf. Suppl. 34, 35.
 — — Mem. Genev. 1, 1.
 — — Petersb. 1, 5.
 — — Newman p. 77. 82.
 † — — Schnizl. Ic. 1, 23. 1, Suppl. 2.
 — *Burchellii* Vauch. Mem. Genev. 1, 10.
 — *campanulatum* Vauch. Mem. Genev. 1, 12.
 — *debile* Roxb. Calcutta Journ. 1846, 26.
 — *Drummondii* Hook. Engl. Bot. 2777.
 — — Newman p. 63.
 — *eburneum* Schreb. Chevallier Fl. de Paris 19.
 — *elongatum* Willd. Schlechtendal Fil. 1.
 — — Mem. Genev. 1, 13.
 — — Hook. Newman p. 25.
 — *fluviatile* L. Schk. Fil. 168.
 — — Fl. dan. 7, 1184.

- Equisetum fluviatile* L. Dict. sc. nat. 102.
 — — — Mem. Genev. 1, 2. 2^a.
 — — — Newman p. 51.
 — — — Engl. Bot. 29, 2022.
 — — — Newman p. 67. 76.
 — *giganteum* L. Mem. Genev. 1, 7.
 — — — Desc. Ant. 2, 112.
 — *hiemale* L. Act. palat. 3, 23.
 — — — Schk. Fil. 172^a.
 — — — Curt. Lond. 5, 161.
 — — — Engl. Bot. 13, 915.
 — — — Fl. dan. 8, 1409.
 — — — Sv. Bot. 330.
 — — — Mem. Genev. 1, 9.
 — — — Chevallier Fl. de Paris 19.
 — — — Newman p. 17.
 † — — Schnizl. Ic. 1, 25.
 — *incanum* Vauch. Mem. Genev. 1, 13.
 — *limosum* L. Schk. Fil. 171.
 — — — Mem. Genev. 1, 8.
 — — — Chevallier Fl. de Paris 20.
 † — — — Ann. sc. nat. III. 16, 15.
 — — — Sm. Engl. Bot. 13, 929.
 — — — Newman p. 51.
 — *Mackayi* Newm. Newman p. 23.
 — *pallidum* Bory. Bory Morée 35.
 — *palustre* L. Schk. Fil. 169. 170.
 — — — Fl. dan. 7, 1183.
 — — — Sv. Bot. 402.
 — — — Mem. Genev. 1, 5.
 † — — — Acta Leop. 14, 2, 44.
 — — — Chevallier Fl. de Paris 19.
 — — — Engl. Bot. 29, 2021.
 — — — Newman p. 43.
 — — — var. polystachyon, Newman p. 47.
 — — — var. nudum, Newman p. 49.
 — — — Meyer Fl. hann. 15.
 — *pratense* Ehrh. Hoffmann Phyt. Bl. 2.
 — *ramosissimum* Vauch. Mem. Genev. 1, 6.
 — *ramosum* Schleich. Schk. Fil. 172^b.
 — *reptans* Wahlenb. Sv. Bot. 702.
 — *setaceum* Vauch. Mem. Genev. 1, 11.
 † *silvaticum* L. Hedwig Theoria 1. 2.
 — — — Schk. Fil. 166.
 — — — Fl. dan. 7, 1182.
 — — — Mem. Genev. 1, 3.
 — — — Chevallier Fl. de Paris 20.
 — — — Engl. Bot. 27, 1874.
 — — — Newman p. 59. 62.
 † — — — Schles. Denkschrift 1853, 1.
 — *stipulaceum* Vauch. Mem. Genev. 1, 11.
 — *Telmateja* Ehrh. Fl. dan. 9, 1469.
 — — — Newman p. 67. 76.
 — *Thunbergii* Wikstr. Svensk Acad. 1821, 6.
 — *timorianum* Vauch. Mem. Genev. 1, 10.
 — *umbrosum* Willd. Fl. dan. 10, 1770.
 — — — Mem. Genev. 1, 4.
 — — — Newman p. 63.
 — *variegatum* Schleich. Schk. Fil. 172^b.
 — — — Mem. Genev. 1, 12.
 — — — Fl. dan. 14, 2490.
 — — — Engl. Bot. 28, 1987.
 — — — Newman p. 31.
 — — — var. Wilsoni, Newman p. 39.
Equitiris Aub. Aubert Orchid. 91.
Eragrostis arabica Jaub. Jaubert Illustr. 322.
 — *elongata* Jacq. Jacq. Ecl. Gram. 3.
 — *major* Host. Host Gram. 324.
 — *megastachya* Lk. Rchb. Fl. germ. 1, 91.
 — *pilosa* Pal. B. Rchb. Fl. germ. 1, 91.
 † — — — Nees Gen. 1, 58.
 — *poaeformis* Lk. Rchb. Fl. germ. 1, 91.

- †*Eragrostis poaeformis* Lk. Nees Gen. 1, 55.
 — *verticillata* Pal. B. Rchb. Fl. germ. 1, 91.
Eranthemum albiflorum Hook. Bot. Mag. 72, 4225.
 — *angustifolium* L. Lam. Encycl. 17.
 — *bicolor* Spr. Savi Fl. ital. 3, 109.
 — *cinnabarinum* Wall. Wall. Pl. asiat. 21.
 — *coccineum* Ch. Lem. Fl. d. serres 3, 240.
 — *crenulatum* Wall. Bot. Reg. 11, 879.
 — *flavum* Willd. ? Colla Hort. Rip. 29.
 — *foecundum* Ldl. Bot. Reg. 18, 1494.
 — *modestum* N. v. E. Endl. Bras. 7, 29.
 — *montanum* Roxb. Bot. Mag. 70, 4031.
 — — var. *α.* N. v. E. Wight Ic. pl. Ind. or. 2, 466.
 — *nervosum* R. Br. Iconogr. pl. Chin. 7.
 — *parvifolium* L. Lam. Encycl. 17.
 — *pulchellum* Andr. Andr. Rep. 2, 88.
 — — Paxt. Mag. 11, 55.
 — *strictum* Colebr. Bot. Mag. 58, 3068.
 — — Bot. Reg. 10, 867.
 — — Paxt. Mag. 14, 171.
 — — Annales de Gand 1847, 168.
 — *variable* R. Br. Paxt. Mag. 13, 75.
 — — Annales de Gand 1846, 87.
 †*Eranthis hiemalis* Salisb. Plée Types 6.
 — — Rchb. Fl. germ. 4, 101.
Erasmia floribunda Miq. Miquel III. Pip. 24.
Erblichia odorata Seem. Seemann Herald 27.
 †*Ercilla volubilis* Juss. Ann. sc. nat. 25, 3.
Eremia Bartlingiana Klotzsch. Delessert Ic. 5, 20.
Eremocarpus setigerus Benth. Benth. Sulphur 26.
Eremodendron Cunninghami DC. Delessert Ic. 5, 100.
Eremogone procera Rchb. Rchb. Fl. germ. 5, 220.
Eremopyrum orientale Led. Jaubert Illustr. 319.
 — *squarrosus* Jaub. Jaubert Illustr. 320.
Eremostachys laciniata Benth. Bot. Reg. 31, 52.
 — *moluccelloides* Bge. Ledeb. Ic. 437.
 — — Bélanger Ind. or. 0.
 — *phlomoides* Bge. Ledeb. Ic. 122.
 — *superba* Royle. Royle Illustr. 74.
Eremosyne pectinata Endl. Endl. Iconogr. 112.
Eremurus altaicus Stev. Mem. Mosc. 9, 8.
 — *caucasicus* Stev. Mem. Mosc. 9, 6.
 — *spectabilis* M. v. B. Marshall Cent. 61.
 — — Sweet Fl. G. 188.
 — *tauricus* Stev. Mem. Mosc. 9, 7.
Eria acervata Ldl. Journ. Hort. Soc. 6, 58.
 — *alba* Ldl. Wall. Pl. asiat. 197.
 — *armeniaca* Ldl. Bot. Reg. 27, 42.
 — *bractescens* Ldl. Bot. Reg. 30, 29.
 — *convallarioides* Ldl. Bot. Reg. 27, 62.
 — — *β. major*, Bot. Reg. 33, 63.
 — — Wall. Pl. asiat. 159.
 — *Dillwynii* Hook. Bot. Mag. 71, 4163.
 — *excavata* Ldl. Wall. Pl. asiat. 160.
 — *ferruginea* Ldl. Bot. Reg. 25, 35.
 — *floribunda* Ldl. Bot. Reg. 30, 20.
 — *paniculata* Ldl. Wall. Pl. asiat. 36.
 — *pauciflora* Wight. Wight Ic. pl. Ind. or. 5, 1636.
 — *polystachya* A. Rich. Ann. sc. nat. II. 15, 9.
 — — Wight Ic. pl. Ind. or. 5, 1634, 1635.
 — *polyura* Ldl. Bot. Reg. 28, 32.
 — *pubescens* Wight. Wight Ic. pl. Ind. or. 5, 1635.
 — *reticosa* Wight. Wight Ic. pl. Ind. or. 5, 1637.
 — *rosea* Ldl. Bot. Reg. 12, 978.
 — — Lodd. Cab. 1817.
 — *stellata* Ldl. Bot. Reg. 11, 904.
 — — Bot. Mag. 64, 3805.
 — *stricta* Ldl. Lindley Collect. 41.
 — *vestita* Ldl. Bot. Reg. 31, 2.
Eriachne capillaris R. Br. Humb. Gram. 63.
 — *glauca* R. Br. Humb. Gram. 64.

- Eriachne squarrosa* R. Br. Brongniart Coquille 3.
Erianthera serpyllifolia N. v. E. Wight Ic. pl. 2, 517.
Erianthus brevibarbis Michx. Elliott Carolina 1.
 † — *Ravennae* Pal. B. Nees Gen. 1, 90.
 †*Erica* L. Linné Diss. de Erica 1.
 † — — Waitz Heiden 1, 2.
 † — — Hort. eric. Woburn. 1 — 4.
 † — — Aleksandrowitsch Monogr. 1 — 5.
 — *abietina* L. Schneevogt Ic. 23.
 — *acuminata* Andr. Andrews Engr. 3, 145.
 — — Andrews Heathery 3, 101.
 — — *angustiflora*, Andrews Heathery 6, 251.
 — — Lodd. Cab. 216.
 — — Tratt. Archiv 287.
 — *acuta* Andr. Andrews Engr. 2, 73.
 — — Andrews Heathery 1, 1.
 — *acutangula* Lodd. Lodd. Cab. 1868.
 — *aggregata* Wendl. Wendland Ericae 2, 6.
 — — Lodd. Cab. 1678.
 — *Aitoniana* Curt. Bot. Mag. 12, 429.
 — — Andrews Engr. 1, 1.
 — — Andrews Heathery 3, 102.
 — — Lodd. Cab. 144.
 — — Tratt. Archiv 282.
 — *albena* L. Bot. Mag. 13, 440.
 — — Andrews Engr. 1, 2.
 — — Andrews Heathery 1, 2.
 — — Wendland Ericae 1, 31.
 — — Lodd. Cab. 95.
 — — Tratt. Archiv 290.
 — *alopecurioides* Wendl. Wendland Ericae 2, 45.
 — — Lodd. Lodd. Cab. 874.
 — *ambigua* Wendl. Wendland Ericae 2, 24.
 — *amoena* Wendl. Wendland Ericae 2, 28.
 — *ampullacea* Curt. Bot. Mag. 9, 303.
 — — Andrews Engr. 1, 3.
 — — Andrews Heathery 3, 103.
 — — Wendland Ericae 2, 64.
 — — Lodd. Cab. 508.
 — — Kerner Hort. 86.
 — — Kerner Ic. pl. sel. 1.
 — — Tratt. Archiv 285.
 — *andromedaeflora* Andr. Andrews Engr. 3, 146.
 — — Andrews Heathery 4, 151.
 — — *alba*, Andrews Engr. 4, 217.
 — — *alba*, Andrews Heathery 5, 201.
 — — Lodd. Cab. 521.
 † — — Hort. eric. Woburn. 3.
 — — Maund Bot. 3, 132.
 — — Bot. Mag. 31, 1250.
 — — *triumphans*, Bot. Mag. 49, 2322.
 — *arborea* L. Sibth. Fl. gr. 351.
 — *arbuscula* Lodd. Lodd. Cab. 843.
 † — — Hort. eric. Woburn. 3.
 — *arbutiflora* Wendl. Wendland Ericae 3, 12.
 † — — Hort. eric. Woburn. 3.
 — *Archeriana* Andr. Andrews Engr. 2, 74.
 — — Andrews Heathery 1, 3.
 — — Lodd. Cab. 1466.
 — *ardens* Andr. Andrews Engr. 2, 75.
 — — Andrews Heathery 2, 51.
 — — Lodd. Cab. 47.
 — — Bot. Reg. 2, 115.
 † — — Hort. eric. Woburn. 3.
 — *argentiflora* Andr. Andrews Engr. 4, 218.
 — — Andrews Heathery 5, 202.
 — *aristata* Andr. Andrews Engr. 3, 147.
 — — Andrews Heathery 4, 152.
 — — *minor*, Andrews Engr. 4, 219.
 — — *minor*, Andrews Heathery 5, 203.
 — — Lodd. Cab. 73.
 — — Bot. Mag. 31, 1249.

- Erica aristata* Andr. Kerner Hort. 454.
 † — — — Hort. eric. Woburn. 2.
 — — — Hart. Parad. 1, 15.
 — — — major, Annales de Gand 1847, 147.
 † — aristella Bedf. Hort. eric. Woburn. 4.
 — articularis L. Bot. Mag. 12, 423.
 — aspera Andr. Andrews Engr. 3, 148.
 — — — Andrews Heathery 3, 104.
 — aurea Andr. Andrews Engr. 2, 76.
 — — — Andrews Heathery 4, 153.
 — — — pallida, Andrews Engr. 3, 149.
 — — — pallida, Andrews Heathery 5, 204.
 — australis L. Andrews Engr. 3, 150.
 — — — Andrews Heathery 2, 52.
 — — — Wendland Ericae 1, 54.
 — — — Lodd. Cab. 1472.
 † — — — Hort. eric. Woburn. 2.
 — baccans L. Schneevogt Ic. 13.
 — — — Bot. Mag. 10, 358.
 — — — Andrews Engr. 1, 4.
 — — — Andrews Heathery 2, 53.
 — — — Wendland Ericae 1, 36.
 — — — Herb. amat. 3, 168.
 † — — — Hort. eric. Woburn. 3.
 — Bandoniana Andr. Andrews Engr. 4, 220.
 — — — Andrews Heathery 5, 205.
 — Banksiana Andr. Andrews Engr. 1, 5.
 — — — Andrews Heathery 3, 105.
 — — — purpurea, Andrews Engr. 3, 151.
 — — — purpurea, Andrews Heathery 3, 106.
 — — — Wendland Ericae 2, 8.
 — — — Tratt. Archiv 299.
 — — — Paxt. Mag. 7, 243.
 — barbata Andr. major, Andrews Engr. 2, 77.
 — — — major, Andrews Heathery 1, 4.
 — — — minor, Andrews Engr. 2, 78.
 — — — minor, Andrews Heathery 1, 5.
 — — — Lodd. Cab. 124.
 — Baueriana Andr. Andrews Engr. 4, 221.
 — — — Andrews Heathery 6, 252.
 — Beaumontiana Andr. Andrews Engr. 4, 222.
 — — — Andrews Heathery 6, 253.
 — — — Lodd. Cab. 1686.
 — Bergiana L. Wendland Ericae 1, 12.
 — — — glabra, Wendland Ericae 2, 72.
 — — — Lodd. Cab. 939.
 — bicolor Andr. Andrews Engr. 2, 79.
 — — — Andrews Heathery 2, 54.
 — — — Thunb. Wendland Ericae 2, 53.
 — — — Lodd. Cab. 1061.
 — biflora Lodd. Lodd. Cab. 683.
 — Blaeria Thunb. Lodd. Cab. 65.
 — blanda Andr. Andrews Engr. 3, 152.
 — — — Andrews Heathery 3, 107.
 — — — Lodd. Cab. 13.
 — Blandfordiana Andr. Andrews Engr. 3, 153.
 — — — Andrews Heathery 4, 154.
 — — — Lodd. Cab. 115.
 — — — Bot. Mag. 43, 1793.
 † — — — Hort. eric. Woburn. 2.
 — Bonplandiana Lodd. Lodd. Cab. 343.
 — — — Bot. Mag. 47, 2126.
 — Bowiciana Lodd. Lodd. Cab. 842.
 — Broadleyana Andr. Andrews Engr. 3, 154.
 — — — Andrews Heathery 5, 206.
 — Bruckenthalii Spr. Rehb. Ic. crit. 2, 169.
 — bruniades L. Andrews Engr. 1, 6.
 — — — Andrews Heathery 1, 6.
 — — — Wendland Ericae 2, 20.
 — — — Tratt. Archiv 155.
 — — — Lodd. Cab. 1365.
 † — — — Hort. eric. Woburn. 4.

- Erica bucciniflora* Sims. Bot. Mag. 51, 2465.
 — — — Lodd. Cab. 1127.
 — Burnettii Hort. Fl. d. serres 8, 845.
 — caesia Salisb. Wendland Ericae 2, 67.
 — caffra Andr. Andrews Engr. 1, 7.
 — — — Andrews Heathery 1, 7.
 — — — Lodd. Cab. 196.
 † — — — Hort. eric. Woburn. 3.
 — callosa Wendl. Wendland Ericae 2, 33.
 — calostoma Lodd. Lodd. Cab. 1750.
 — calycina Andr. Andrews Engr. 1, 8.
 — — — Andrews Heathery 1, 8.
 — — — major, Andrews Engr. 3, 155.
 — — — major, Andrews Heathery 4, 156.
 — — — minor, Andrews Engr. 3, 156.
 — — — minor, Andrews Heathery 3, 108.
 — — — melastoma, Andrews Heathery 6, 254.
 — — — Lodd. Cab. 594.
 — — — Thunb. Wendland Ericae 1, 59.
 — calyculata Wendl. Wendland Ericae 1, 20.
 — campanulata Andr. Andrews Engr. 1, 9.
 — — — Andrews Heathery 2, 55.
 — — — Wendland Ericae 2, 1.
 — — — Lodd. Cab. 184.
 † — — — Hort. eric. Woburn. 4.
 — canaliculata Andr. Andrews Engr. 3, 157.
 — — — Andrews Heathery 4, 156.
 — — — minor, Andrews Engr. 3, 158.
 — — — minor, Andrews Heathery 4, 157.
 — canescens Wendl. Wendland Ericae 2, 65.
 — cantharæfolius Lodd. Lodd. Cab. 1961.
 — capitata L. Andrews Engr. 1, 10.
 — — — Andrews Heathery 2, 56.
 — — — Wendland Ericae 1, 13.
 — — — Lodd. Cab. 1519.
 — carinata Lodd. Lodd. Cab. 1071.
 — carnea L. Jacq. Fl. austr. 1, 32.
 — — — Sturm Flora 7, 26.
 — — — Savi Fl. ital. 1, 16.
 — — — Lodd. Cab. 1452.
 † — — — Nees Gen. X, x.
 — carniula Lodd. Lodd. Cab. 926.
 — Cavendishiana Paxt. Paxt. Mag. 13, 3.
 — — — Fl. d. serres 2, 78.
 — Celsiana Sweet. Lodd. Cab. 1777.
 — cerinthoides L. Schneevogt Ic. 37.
 — — — Bot. Mag. 7, 220.
 — — — Andrews Engr. 1, 11.
 — — — Andrews Heathery 5, 207.
 — — — Wendland Ericae 1, 40.
 — — — Tratt. Archiv 154.
 — — — Kerner Hort. 10.
 — — — Herb. amat. 2, 108.
 — — — Lodd. Cab. 1679.
 — — — major, Hort. eric. Woburn. 2.
 — cernua Andr. Andrews Engr. 1, 12.
 — — — Andrews Heathery 1, 9.
 — — — Lodd. Cab. 822.
 — cernua lanceolata Wendl. Wendland Ericae 1, 48.
 — chloroloma Ldl. Bot. Reg. 24, 17.
 — ciliaris L. Wendland Ericae 1, 37.
 — — — Bot. Mag. 14, 464.
 — — — Engl. Bot. 2618.
 — — — Lodd. Cab. 1805.
 — cinerea L. Fl. dan. 1, 38.
 — — — Curt. Lond. 2, 65.
 — — — Engl. Bot. 15, 1015.
 — — — atropurpurea, Lodd. Cab. 1409.
 — — — pallida, Lodd. Cab. 1503.
 — — — Dietr. Fl. bor. 4, 235.
 † — clavaeflora Salisb. Hort. eric. Woburn. 2.
 — clavata Andr. Andrews Engr. 3, 159.

- Erica clavata* Andr. Andrews Heathery 5, 208.
 — *Cliffordiana* Lodd. Lodd. Cab. 34.
 — *coarctata* Wendl. Wendland Ericae 2, 37.
 — *coccinea* L. Andrews Engr. 1, 13.
 — — — Andrews Heathery 2, 57.
 — — — Wendland Ericae 1, 16.
 — — — Lodd. Cab. 1375.
 — — — Maund Bot. 4, 162.
 — *codonodes* Ldl. Bot. Reg. 20, 1698.
 — *colorans* Andr. Andrews Engr. 4, 223.
 — — — Andrews Heathery 5, 209.
 — — — Lodd. Cab. 224.
 — — — Link Ic. I. 15.
 — — — Bot. Reg. 7, 601.
 † — — — Hort. eric. Woburn. 4.
 — *comosa* L. Bauer Ericae 13.
 — — — Andrews Engr. 2, 80.
 — — — Andrews Heathery 1, 10.
 — — — rubra, Andrews Engr. 2, 81.
 — — — rubra, Andrews Heathery 1, 11.
 — — — Wendland Ericae 1, 69.
 — — — Tratt. Archiv 289.
 — *Comptoniana* Andr. Andrews Engr. 4, 224.
 — — — Andrews Heathery 6, 255.
 — *concaua* Lodd. Lodd. Cab. 134.
 — — — Bot. Mag. 47, 2149.
 — *concinna* Ait. Schneevogt Ic. 31.
 — — — Andrews Engr. 2, 82.
 — — — Andrews Heathery 2, 58.
 — — — Wendland Ericae 1, 52.
 — — — Bonpland Malm. 22.
 — — — Kerner Hort. 36.
 — — — Tratt. Archiv 297.
 — *conferta* Andr. Andrews Engr. 2, 83.
 — — — Andrews Heathery 2, 59.
 — — — Lodd. Cab. 1335.
 — *confertifolia* Wendl. Wendland Ericae 2, 46.
 — *congesta* Wendl. Wendland Ericae 2, 29.
 — — — Lodd. Lodd. Cab. 1743.
 — *conica* Lodd. Lodd. Cab. 1179.
 — *conspicua* Ait. Bauer Ericae 9.
 — — — Andrews Engr. 1, 14.
 — — — Andrews Heathery 1, 12.
 — — — Wendland Ericae 1, 22.
 — — — Kerner Hort. 380.
 — *copiosa* Wendl. Wendland Ericae 3, 1.
 — *cordata* Andr. Andrews Engr. 3, 160.
 — — — Andrews Heathery 4, 158.
 — *corifolia* L. spicata, Wendland Ericae 2, 70.
 — *coronata* Andr. Andrews Engr. 1, 15.
 — — — Andrews Heathery 3, 109.
 — — — Hort. eric. Woburn. 2.
 — *corsica* DC. DC. Icones Gall. rar. 17.
 — — — Tratt. Archiv 291.
 — *costata* Andr. Andrews Engr. 1, 37.
 — — — Andrews Heathery 1, 16.
 — — — superba, Andrews Engr. 4, 225.
 — — — superba, Andrews Heathery 6, 256.
 — *Coventryana* Andr. Andrews Engr. 4, 226.
 — — — Andrews Heathery 5, 210.
 — — — Lodd. Cab. 423.
 † — — — Hort. eric. Woburn. 4.
 — *crassifolia* Andr. Andrews Engr. 4, 227.
 — — — Andrews Heathery 6, 257.
 — *crinita* Lodd. Lodd. Cab. 1432.
 — *cruciformis* Andr. Andrews Engr. 4, 228.
 — — — Andrews Heathery 6, 258.
 — *cruenta* Ait. Bauer Ericae 7.
 — — — Andrews Engr. 1, 17.
 — — — Andrews Heathery 3, 110.
 — — — Wendland Ericae 1, 23.
 — — — Kerner Hort. 70.

- Erica cruenta* Ait. Lodd. Cab. 1656.
 — *cubica* L. Andrews Engr. 1, 18.
 — — — Andrews Heathery 1, 14.
 — — — minor, Andrews Engr. 2, 84.
 — — — minor, Andrews Heathery 1, 15.
 — — — Wendland Ericae 1, 68.
 — — — Lodd. Cab. 972.
 † — *cupressina* Bedf. Hort. eric. Woburn. 3.
 — *curviflora* L. Andrews Engr. 1, 19.
 — — — Andrews Heathery 1, 16.
 — — — rubra, Andrews Engr. 3, 161.
 — — — rubra, Andrews Heathery 5, 211.
 — — — Wendland Ericae 1, 15.
 — — — Lodd. Cab. 1663.
 — *cyathiformis* Salisb. Regel Gartenfl. 2, 43.
 — *cylindrica* Andr. Andrews Engr. 2, 85.
 — — — Andrews Heathery 2, 60.
 — — — Lodd. Cab. 1734.
 — — — Thunb. Wendland Ericae 1, 63.
 — *Daboecia* Sm. Wendland Ericae 2, 31.
 — — — Roemer Fl. eur. 4, 2.
 — *daphneflora* Wendl. Wendland Ericae 3, 7.
 — — — Lodd. Cab. 543.
 — *daphnoides* Lodd. Lodd. Cab. 154.
 — *declinata* Lodd. Lodd. Cab. 1662.
 — *decora* Andr. Andrews Engr. 3, 162.
 — — — Andrews Heathery 4, 159.
 — — — Lodd. Cab. 1385.
 — *densa* Andr. Andrews Engr. 3, 163.
 — — — Andrews Heathery 5, 212.
 — *dentata* Wendl. Wendland Ericae 2, 38.
 — *denticulata* L. Wendland Ericae 3, 2.
 — — — Lodd. Cab. 1090.
 — *depressa* L. Thunberg Erica 6.
 — — — Andrews Engr. 2, 86.
 — — — Andrews Heathery 1, 17.
 — *dichromata* Lodd. Lodd. Cab. 1813.
 — *Dickinsoni* Lodd. Lodd. Cab. 1793.
 — *discolor* Andr. Andrews Engr. 1, 20.
 — — — Andrews Heathery 4, 160.
 — — — Wendland Ericae 1, 28.
 — — — Lodd. Cab. 1453.
 — *divaricata* Wendl. Wendland Ericae 1, 38.
 — *droseroides* Andr. Andrews Engr. 1, 21.
 — — — Andrews Heathery 1, 18.
 — — — minor, Andrews Engr. 4, 229.
 — — — minor, Andrews Heathery 6, 259.
 — — — Lodd. Cab. 1683.
 — *dumosa* Andr. Andrews Engr. 4, 230.
 — — — Andrews Heathery 5, 213.
 — *echiiflora* Andr. Andrews Engr. 3, 164.
 — — — Andrews Heathery 4, 161.
 — — — purpurea, Andrews Engr. 4, 231.
 — — — purpurea, Andrews Heathery 6, 260.
 — — — Lodd. Cab. 364.
 — *Edelinia* Bonpl. Bonpland Malm. 16.
 — *elata* Andr. Andrews Engr. 2, 87.
 — — — Andrews Heathery 3, 112.
 — — — Lodd. Cab. 1789.
 — — — Kerner Hort. 549.
 — *elegans* Andr. Andrews Engr. 3, 165.
 — — — Andrews Heathery 3, 111.
 — — — Lodd. Cab. 185.
 — — — Bot. Mag. 24, 966.
 † — — — Hort. eric. Woburn. 2. 4.
 — — — var. Fl. d. serres 6, 640.
 — *elongata* Lodd. Lodd. Cab. 738.
 — *emarginata* Andr. Andrews Engr. 3, 166.
 — — — Andrews Heathery 5, 214.
 — *empetrifolia* L. Schneevogt Ic. 17.
 — — — Bot. Mag. 13, 447.
 — — — Wendland Ericae 1, 30.

- Erica empetrifolia* L. glauca, Wendland *Ericae* 1, 65.
 — — — Lodd. Cab. 1875.
 † — — — Hort. eric. Woburn. 3.
 — — — *empetrifolia* Andr. Andrews Engr. 2, 68.
 — — — Andrews Heathery 1, 19.
 — — — Lodd. Cab. 1758.
 — — — *epistomia* Lodd. Lodd. Cab. 1186.
 † — — — Hort. eric. Woburn. 4.
 — — — *eriocephala* Andr. Andrews Engr. 2, 89.
 — — — Andrews Heathery 2, 61.
 — — — Lodd. Cab. 1270.
 — — — *erosa* Lodd. Lodd. Cab. 133.
 — — — *erubescens* Andr. Andrews Engr. 3, 167.
 — — — Andrews Heathery 3, 113.
 — — — Lodd. Cab. 1826.
 — — — *Ewerana* Ait. Lodd. Cab. 1393.
 — — — pilosa, Lodd. Cab. 1992.
 — — — *eximia* Lodd. Lodd. Cab. 1105.
 — — — *exposita* Lodd. Lodd. Cab. 1521.
 — — — *exurgens* Andr. Andrews Engr. 1, 22.
 — — — Andrews Heathery 1, 20, 31.
 — — — hybrida, Andrews Engr. 4, 232.
 — — — hybrida, Andrews Heathery 6, 261.
 — — — longiflora, Andrews Heathery 5, 215.
 — — — Lodd. Cab. 835.
 — — — *exudans* Andr. Andrews Engr. 4, 233.
 — — — Andrews Heathery 5, 216.
 — — — Lodd. Cab. 287.
 — — — *fascicularis* Willd. Bauer *Ericae* 11.
 — — — Wendland *Ericae* 2, 12.
 — — — Kerner Hort. 379.
 — — — *fastigiata* L. Andrews Engr. 2, 90.
 — — — Andrews Heathery 2, 62.
 — — — Wendland *Ericae* 2, 39.
 — — — Lodd. Cab. 207.
 — — — Bot. Mag. 46, 2084.
 — — — *ferruginea* Andr. Andrews Engr. 3, 168.
 — — — Andrews Heathery 4, 162.
 — — — *filamentosa* Andr. Andrews Engr. 2, 91.
 — — — Andrews Heathery 1, 22.
 — — — Lodd. Cab. 395.
 — — — Bot. Reg. 1, 6.
 — — — *fimbriata* Andr. Andrews Engr. 3, 169.
 — — — Andrews Heathery 2, 63.
 — — — Lodd. Cab. 1047.
 † — — — Hort. eric. Woburn. 3.
 — — — *flagelliformis* Andr. Andrews Engr. 4, 234.
 — — — Andrews Heathery 6, 262.
 — — — *flammea* Andr. Andrews Engr. 2, 92.
 — — — Andrews Heathery 1, 23.
 — — — *flava* Andr. Andrews Engr. 2, 93.
 — — — Andrews Heathery 2, 64.
 — — — Lodd. Cab. 882.
 — — — imbricata, Bot. Mag. 43, 1815.
 — — — *flexuosa* Andr. Andrews Engr. 1, 23.
 — — — Andrews Heathery 2, 65.
 — — — Lodd. Cab. 1495.
 — — — *floribunda* Wendl. Wendland *Ericae* 2, 7.
 — — — Lodd. Lodd. Cab. 176.
 — — — *florida* Thunb. Thunberg *Erica* 6.
 — — — Lodd. Cab. 234.
 † — — — Hort. eric. Woburn. 4.
 — — — campanulata, Bot. Mag. 65, 3639.
 — — — *foliacea* Andr. Andrews Engr. 4, 235.
 — — — Andrews Heathery 6, 263.
 — — — *formosa* Thunb. Thunberg *Erica* 3.
 — — — Andr. Andrews Engr. 2, 94.
 — — — Andrews Heathery 3, 114.
 — — — bicolor, Andrews Engr. 4, 236.
 — — — bicolor, Andrews Heathery 5, 217.
 — — — bicolor, Kerner Hort. 671.
 — — — *fragrans* Andr. Andrews Engr. 2, 95.

- Erica fragrans* Andr. Andrews Heathery 4, 163.
 — — — Lodd. Cab. 288.
 — — — Bot. Mag. 47, 2181.
 — — — *fucata* Thunb. Wendland *Ericae* 2, 14.
 — — — *fulgida* Bonpl. Bonpland Malm. 61.
 — — — Lodd. Cab. 1633.
 † — — — Hort. eric. Woburn. 4.
 — — — *galioides* Lam. Lam. Encycl. 287.
 — — — *gelida* Andr. Andrews Engr. 2, 96.
 — — — Andrews Heathery 1, 24.
 — — — Lodd. Cab. 699.
 — — — *gemmafera* Lodd. Lodd. Cab. 457.
 — — — Bot. Mag. 48, 2266.
 — — — *gilva* Wendl. Wendland *Ericae* 2, 6.
 — — — *glandulosa* Andr. Andrews Engr. 2, 97.
 — — — Andrews Heathery 3, 115.
 — — — Thunb. Wendland *Ericae* 2, 2.
 — — — *glauca* Andr. Andrews Engr. 1, 24.
 — — — Andrews Heathery 1, 25.
 — — — Bot. Mag. 16, 580.
 — — — Wendland *Ericae* 3, 11.
 — — — *globosa* Andr. Andrews Engr. 3, 170.
 — — — Andrews Heathery 3, 116.
 — — — *glomerata* Andr. Andrews Engr. 4, 237.
 — — — Andrews Heathery 6, 264.
 — — — *glutinosa* Berg. Bauer *Ericae* 6.
 — — — Andr. Andrews Engr. 1, 25.
 — — — Andrews Heathery 2, 66.
 — — — minor, Andrews Engr. 3, 171.
 — — — minor, Andrews Heathery 2, 67.
 — — — Thunb. Wendland *Ericae* 2, 60.
 — — — *gnaphalodes* Berg. Wendland *Ericae* 2, 42.
 — — — *gracilis* Wendl. Wendland *Ericae* 1, 46.
 — — — Andrews Engr. 2, 98.
 — — — Andrews Heathery 2, 68.
 — — — Lodd. Cab. 244.
 † — — — Hort. eric. Woburn. 3.
 — — — *grandiflora* Ait. Bauer *Ericae* 15.
 — — — Bot. Mag. 6, 189.
 — — — Andrews Engr. 1, 26.
 — — — Andrews Heathery 3, 117.
 — — — brevifolia, Wendland *Ericae* 1, 39.
 — — — longifolia, Wendland *Ericae* 1, 32.
 — — — Bonpland Malm. 10.
 — — — Lodd. Cab. 498.
 — — — Kerner Hort. 562.
 — — — Tratt. Archiv 294.
 — — — Herb. amat. 5, 300.
 — — — *grandinosa* Andr. Andrews Engr. 4, 238.
 — — — Andrews Heathery 6, 265.
 — — — Lodd. Cab. 627.
 † — — — Hort. eric. Woburn. 2.
 — — — *haemastoma* Wendl. Wendland *Ericae* 3, 17.
 — — — *halicacaba* L. Bauer *Ericae* 17.
 — — — Andrews Engr. 2, 91.
 — — — Andrews Heathery 4, 164.
 — — — Wendland *Ericae* 1, 33.
 — — — Lam. Encycl. 288.
 — — — Kerner Hort. 411.
 — — — Tratt. Archiv 160.
 — — — *Hartnello-hiemalis* Planch. Fl. d. serres 8, 846.
 — — — *herbacea* L. Bot. Mag. 1, 11.
 — — — Wendland *Ericae* 1, 51.
 — — — Guimp. Holzgew. 47.
 — — — Schrank Fl. monac. 1, 58.
 — — — Sturm Flora 7, 26.
 — — — Tratt. Archiv 293.
 — — — *Hibbertiana* Andr. Andrews Engr. 3, 172.
 — — — Andrews Heathery 3, 118.
 — — — Kerner Hort. 426.
 — — — Bot. Mag. 42, 1758.
 — — — *hirsuta* Lodd. Lodd. Cab. 754.

- Erica hirta* Thunb. Thunberg Erica 2.
 — — — Wendland Ericae 3, 16.
 — — — Andr. Andrews Engr. 2, 101.
 — — — Andrews Heathery 4, 165.
 — — — viridiflora, Andrews Engr. 3, 173.
 — — — viridiflora, Andrews Heathery 4, 166.
 — — — Lodd. Cab. 1116.
 — — — hirtiflora Curt. Bot. Mag. 14, 481.
 — — — Lodd. Cab. 1812.
 — — — hispida Andr. Andrews Engr. 2, 100.
 — — — Andrews Heathery 2, 69.
 — — — Lodd. Cab. 1982.
 — — — Thunb. Wendland Ericae 3, 14.
 — — — hispidula L. fil. Wendland Ericae 2, 50.
 — — — horizontalis Andr. Andrews Engr. 2, 102.
 — — — Andrews Heathery 2, 70.
 — — — Humeana Lodd. Lodd. Cab. 389.
 — — — hyacinthoides Andr. Andrews Engr. 3, 174.
 — — — Andrews Heathery 4, 167.
 — — — Jacksonii Part. Paxt. Mag. 8, 149.
 — — — jasminiflora Andr. Andrews Engr. 1, 29.
 — — — Andrews Heathery 1, 26.
 — — — minor, Andrews Engr. 4, 241.
 — — — minor, Andrews Heathery 5, 220.
 — — — minor, Kerner Hort. 418.
 — — — Tratt. Archiv 284.
 — — — Bot. Mag. 70, 4074.
 — — — Wendl. Wendland Ericae 3, 13.
 — — — ignescens Andr. Andrews Engr. 2, 103.
 — — — Andrews Heathery 1, 27.
 — — — Wendl. Wendland Ericae 1, 43.
 — — — atropurpurea, Wendland Ericae 2, 44.
 † — — — imbecilla Sweet. Hort. eric. Woburn. 3.
 — — — imbricata L. Andrews Engr. 1, 27.
 — — — Andrews Heathery 3, 119.
 — — — Lodd. Cab. 1243.
 — — — Wendl. Wendland Ericae 2, 51.
 — — — imperialis Andr. Andrews Engr. 4, 239.
 — — — Andrews Heathery 6, 266.
 — — — Kerner Hort. 570.
 — — — incana Wendl. Wendland Ericae 2, 34.
 — — — incarnata Andr. Andrews Engr. 1, 28.
 — — — Andrews Heathery 4, 168.
 — — — Lodd. Cab. 1655.
 — — — Thunb. Wendland Ericae 1, 18.
 — — — incurva Andr. Andrews Engr. 3, 175.
 — — — Andrews Heathery 4, 169.
 — — — Wendl. Wendland Ericae 2, 57.
 — — — inflata Thunb. Thunberg Erica 2.
 — — — infundibuliformis Andr. Andrews Engr. 4, 240.
 — — — Andrews Heathery 5, 218.
 — — — Lodd. Cab. 589.
 † — — — Hort. eric. Woburn. 2.
 — — — intertexta Lodd. Lodd. Cab. 1034.
 — — — Irbyana Andr. Andrews Engr. 3, 176.
 — — — Andrews Heathery 5, 219.
 — — — Lodd. Cab. 816.
 — — — Bot. Mag. 69, 4016.
 — — — Juliana Lodd. Lodd. Cab. 799.
 — — — lachnaea Andr. Andrews Engr. 3, 177.
 — — — Andrews Heathery 3, 120.
 — — — purpurea, Andrews Engr. 3, 178.
 — — — purpurea, Andrews Heathery 4, 170.
 — — — lactiflora Lodd. Lodd. Cab. 991.
 — — — laevis Andr. Andrews Engr. 3, 182.
 — — — Andrews Heathery 5, 221.
 — — — Lodd. Cab. 1393.
 — — — lagenaeformis Salisb. Vent. Malm. 33.
 — — — Tratt. Archiv 283.
 — — — Lambertiana Andr. Andrews Engr. 2, 104.
 — — — Andrews Heathery 4, 171.
 — — — Lodd. Cab. 3.

- Erica Lambertiana* Andr. Maund Bot. 4, 163.
 † — — — Hort. eric. Woburn. 3.
 — — — lanata Andr. Andrews Engr. 3, 179.
 — — — Andrews Heathery 3, 121.
 — — — Wendl. Wendland Ericae 1, 26.
 — — — laniflora Schmidt. Wendland Ericae 1, 9.
 — — — laniflora glabra Wendl. Wendland Ericae 2, 40.
 — — — lanuginosa Andr. Andrews Engr. 3, 180.
 — — — Andrews Heathery 3, 122.
 — — — Tratt. Archiv 300.
 — — — lateralis Andr. Andrews Engr. 1, 30.
 — — — Andrews Heathery 2, 71.
 — — — latifolia Andr. Andrews Engr. 2, 105.
 — — — Andrews Heathery 2, 72.
 — — — Lawsoni Sims. Bot. Mag. 41, 1720.
 — — — Lawsoniana Andr. Andrews Engr. 4, 242.
 — — — Andrews Heathery 6, 267.
 — — — Lodd. Cab. 488.
 — — — laxa Andr. Andrews Engr. 3, 181.
 — — — Andrews Heathery 2, 73.
 — — — Lecana Andr. Andrews Engr. 1, 31.
 — — — Andrews Heathery 2, 74.
 — — — Lodd. Cab. 298.
 — — — leucanthera L. fil. Andrews Engr. 2, 108.
 — — — Andrews Heathery 1, 28.
 — — — Linnaeana Andr. Andrews Engr. 2, 106.
 — — — Andrews Heathery 2, 75.
 — — — Lodd. Cab. 102.
 — — — Tratt. Archiv 278.
 † — — — Hort. eric. Woburn. 2.
 — — — superba, Andrews Engr. 4, 243.
 — — — superba, Andrews Heathery 6, 268.
 — — — superba, Lodd. Cab. 1778.
 † — — — superba, Hort. eric. Woburn. 4.
 — — — linnaeoides Andr. Andrews Engr. 2, 107.
 — — — Andrews Heathery 3, 123.
 — — — longiflora Salisb. Andrews Engr. 3, 163.
 — — — Andrews Heathery 5, 222.
 — — — Lodd. Cab. 983.
 — — — Kerner Hort. 496.
 — — — Dict. sc. nat. 68.
 — — — longifolia Salisb. Bauer Ericae 12.
 — — — Bot. Mag. 19, 706.
 — — — longipedunculata Lodd. Lodd. Cab. 103.
 — — — lucida Andr. Andrews Engr. 2, 109.
 — — — Andrews Heathery 4, 172.
 — — — lusitanica Rud. Hoffm. Lk. Fl. port. 71.
 — — — lutea L. Lam. Encycl. 287.
 — — — Andrews Engr. 1, 32.
 — — — Andrews Heathery 1, 29.
 — — — Wendland Ericae 1, 4.
 — — — Lodd. Cab. 64.
 — — — Lycopodiastrium Lam. Lam. Encycl. 287.
 — — — Mackayana Bab. Engl. Bot. 2900.
 — — — Macnabiana Part. Paxt. Mag. 7, 125.
 — — — magnifica Andr. Andrews Engr. 4, 244.
 — — — Andrews Heathery 5, 223.
 — — — mammosa L. Andrews Engr. 1, 33.
 — — — Andrews Heathery 3, 124.
 — — — Lodd. Cab. 125.
 — — — Herb. amat. 3, 148.
 — — — Hart. Parad. 1, 12.
 — — — minor, Andrews Engr. 3, 184.
 — — — minor, Andrews Heathery 3, 125.
 — — — pallida, Lodd. Cab. 951.
 — — — manipuliflora Salisb. Sibth. Fl. gr. 352.
 — — — margaritacea Ait. Andrews Engr. 1, 35.
 — — — Andrews Heathery 3, 126.
 — — — Wendland Ericae 1, 47.
 — — — marifolia Ait. Bauer Ericae 4.
 — — — Andrews Engr. 1, 29.
 — — — Andrews Heathery 3, 127.

- Erica marifolia* Ait. Wendland *Ericae* 1, 34.
 — — — Kerner Hort. 561.
 — — — longifolia, Wendland *Ericae* 3, 8.
 — Massoni L. fil. Thunberg *Erica* 3.
 — — — Bauer *Ericae* 18.
 — — — Bot. Mag. 10, 356.
 — — — Andrews Engr. 1, 36.
 — — — Andrews Heathery 3, 128.
 — — — Wendland *Ericae* 3, 9.
 — — — Kerner Hort. 38.
 — — — Lodd. Cab. 1069.
 † — — Hort. eric. Woburn. 4.
 — mediterranea L. Bot. Mag. 14, 471.
 — — — β. — Engl. Bot. 2774.
 — — — Wendland *Ericae* 1, 41.
 — melanthera Lodd. Lodd. Cab. 867.
 — melastoma Andr. Andrews Engr. 1, 37.
 — — — Andrews Heathery 1, 30.
 — — — Wendland *Ericae* 2, 25.
 — — — Lodd. Cab. 333.
 † — — Hort. eric. Woburn. 2.
 — metulaeflora Sims. Andrews Engr. 3, 185.
 — — — Andrews Heathery 5, 224.
 — — — discolor, Andrews Heathery 6, 269.
 — — — Bot. Mag. 17, 612.
 — — — Lodd. Cab. 1763.
 † — — bicolor, Hort. eric. Woburn. 4.
 — minima Andr. Andrews Engr. 2, 124.
 — minutiflora Andr. Andrews Engr. 4, 245.
 — — — Andrews Heathery 6, 270.
 — mirabilis Andr. Andrews Engr. 4, 246.
 — — — Andrews Heathery 6, 271.
 — — — Lodd. Cab. 1804.
 — mollis Andr. Andrews Engr. 4, 247.
 — — — Andrews Heathery 6, 272.
 † — — Hort. eric. Woburn. 3.
 — monadelphæ Andr. Andrews Engr. 1, 38.
 — — — Andrews Heathery 3, 129.
 — — — Sims. Bot. Mag. 33, 1370.
 † — — Hort. eric. Woburn. 2.
 — Monsoniana L. fil. Thunberg *Erica* 1.
 — — — Bauer *Ericae* 16.
 — — — Andrews Engr. 2, 110.
 — — — Andrews Heathery 4, 173.
 — — — Wendland *Ericae* 1, 58.
 — — — Kerner Hort. 761.
 — — — Bot. Mag. 44, 1915.
 † — — Hort. eric. Woburn. 2.
 — Mooreana (hybr.) Lem. Jard. fl. 259.
 — moschata Andr. Andrews Engr. 4, 248.
 — — — Andrews Heathery 5, 226.
 — — — Lodd. Cab. 614.
 † — — Hort. eric. Woburn. 4.
 — mucosa L. Bauer *Ericae* 3.
 — — — Andrews Engr. 1, 39.
 — — — Andrews Heathery 4, 174.
 — — — Wendland *Ericae* 1, 24.
 — — — Kerner Hort. 5, 53.
 — — — Lodd. Cab. 33.
 — mucosoides Lodd. Lodd. Cab. 1202.
 — mucronata Andr. Andrews Engr. 3, 186.
 — — — Andrews Heathery 5, 225.
 — multiflora L. Andrews Engr. 2, 111.
 — — — Andrews Heathery 4, 175.
 — — — Wendland *Ericae* 2, 62.
 — — — longipedicellata, Wendland *Ericae* 1, 27.
 — — — Lodd. Cab. 1572.
 — mundula Andr. Andrews Engr. 4, 249.
 — — — Andrews Heathery 6, 273.
 — — — Lodd. Cab. 114.
 † — — Hort. eric. Woburn. 4.
 — Murrayana Paxt. Paxt. Mag. 11, 77.

- Erica Muscari* Andr. Andrews Engr. 1, 40.
 — — — Andrews Heathery 3, 130.
 — — — Wendland *Ericae* 1, 32.
 — mutabilis Andr. Andrews Engr. 3, 187.
 — — — Andrews Heathery 4, 176.
 — — — Lodd. Cab. 46.
 — — — Bot. Mag. 49, 2348.
 — nana Salisb. Wendland *Ericae* 3, 4.
 — Neillii Paxt. Paxt. Mag. 9, 195.
 — — — Fl. d. serres 2, 41.
 — nidularia Lodd. Lodd. Cab. 764.
 — nigrita L. Andrews Engr. 1, 41.
 — — — Andrews Heathery 1, 31.
 — — — Wendland *Ericae* 1, 71.
 — — — Lodd. Cab. 54.
 — nitida Andr. Andrews Engr. 3, 188.
 — — — Andrews Heathery 3, 131.
 — — — Lodd. Cab. 1131.
 — nivalis Andr. Andrews Engr. 4, 250.
 — — — Andrews Heathery 6, 274.
 — Niveniana Andr. Andrews Engr. 2, 112.
 — — — Andrews Heathery 2, 76.
 — — — longiflora, Andrews Engr. 3, 189.
 — — — longiflora, Andrews Heathery 5, 227.
 — nudiflora L. Smith Ic. Linn. 57.
 — nutans Wendl. Wendland *Ericae* 1, 14.
 — obbata Andr. Andrews Engr. 2, 113.
 — — — Andrews Heathery 1, 32.
 — — — umbellata, Andrews Engr. 3, 190.
 — — — umbellata, Andrews Heathery 3, 132.
 — — — Tratt. Archiv 288.
 — obliqua Thunb. Thunberg *Erica* 1.
 — — — Bauer *Ericae* 16.
 — — — Andrews Engr. 1, 42.
 — — — Andrews Heathery 1, 33.
 — — — Wendland *Ericae* 2, 30.
 — — — Lodd. Cab. 14.
 — obtusa Lodd. Lodd. Cab. 1027.
 — octophylla Thunb. Thunberg *Erica* 3.
 — odorata Andr. Andrews Engr. 3, 191.
 — — — Andrews Heathery 4, 177.
 — — — Lodd. Cab. 633.
 — — — Bot. Mag. 34, 1399.
 — ollula Andr. Andrews Engr. 4, 251.
 — — — Andrews Heathery 6, 275.
 — — — Lodd. Cab. 1646.
 † — — Hort. eric. Woburn. 2.
 — oppositifolia Andr. Andrews Engr. 3, 192.
 — — — Andrews Heathery 4, 178.
 — — — Lodd. Cab. 1343.
 — — — rubra, Andrews Engr. 3, 193.
 — — — rubra, Andrews Heathery 4, 180.
 — — — rubra, Lodd. Cab. 1060.
 — — — major, Andrews Heathery 4, 179.
 — orbicularis Lodd. Lodd. Cab. 153.
 — ostrina Lodd. Lodd. Cab. 1218.
 — ovata Lodd. Lodd. Cab. 417.
 † — — Hort. eric. Woburn. 3.
 — pallens Andr. Andrews Engr. 3, 194.
 — — — Andrews Heathery 4, 182.
 — pallida Wendl. Wendland *Ericae* 3, 5.
 — — — Lodd. Lodd. Cab. 1355.
 — palustris Andr. Andrews Engr. 2, 114.
 — — — Andrews Heathery 2, 77.
 — — — Lodd. Cab. 4.
 — paniculata L. alba, Wendland *Ericae* 2, 10.
 — — — Lodd. Lodd. Cab. 1194.
 — Parmentieri Lodd. Lodd. Cab. 197.
 † — parviflora L. Hort. eric. Woburn. 3.
 — patens Andr. Andrews Engr. 2, 115.
 — — — Andrews Heathery 3, 133.
 — — — Wendland *Ericae* 3, 10.

- Erica patens* Andr. Lodd. Cab. 1228.
 — *Patersoniana* Andr. Andrews Engr. 1, 43.
 — — — coccinea, Andrews Engr. 3, 196.
 — — — coccinea, Andrews Heathery 3, 134.
 — — — major, Andrews Engr. 3, 195.
 — — — major, Andrews Heathery 5, 228.
 — — — Wendland *Ericae* 1, 5.
 — — — Bonpland Malm. 44.
 — — — Lodd. Cab. 1727.
 — *pedunculata* Wendl. Wendland *Ericae* 2, 66.
 — — — Andrews Engr. 4, 252.
 — — — Andrews Heathery 5, 229.
 — *pellucida* Andr. Andrews Engr. 3, 197.
 — — — Andrews Heathery 4, 183.
 — — — rubra, Andrews Engr. 4, 253.
 — — — rubra, Andrews Heathery 6, 277.
 — — — Lodd. Cab. 276.
 — *peltata* Andr. Andrews Engr. 4, 254.
 — — — Andrews Heathery 6, 276.
 — *pelvisiformis* Salisb. Regel Gartenfl. 2, 43.
 — *pendula* Wendl. Wendland *Ericae* 1, 60.
 — — — Lodd. Lodd. Cab. 902.
 — *penicillata* Andr. Andrews Engr. 2, 116.
 — — — Andrews Heathery 3, 135.
 — — — Lodd. Cab. 1918.
 — *persolnta* L. Bot. Mag. 10, 342.
 — — — Wendland *Ericae* 2, 11.
 — — — major, Wendland *Ericae* 2, 71.
 — *perspicua* Wendl. Wendland *Ericae* 1, 1.
 — — — Andrews Engr. 4, 255.
 — — — Andrews Heathery 5, 230.
 — — — Hort. eric. Woburn. 4.
 † — *perspicuoides* Bedf. Hort. eric. Woburn. 4.
 † — *petiolata* Thunb. Thunberg *Erica* 6.
 — — — *Salisb.* Andrews Engr. 3, 198.
 — — — Andrews Heathery 3, 136.
 — — — Wendland *Ericae* 3, 15.
 — — — Lodd. Cab. 1150.
 † — — — Hort. eric. Woburn. 3.
 — *Petiveriana* Andr. Andrews Engr. 1, 44.
 — — — Andrews Heathery 2, 78.
 — — — aurantiaca, Andrews Engr. 2, 117.
 — — — aurantiaca, Andrews Heathery 2, 79.
 — — — hirsuta, Andrews Engr. 2, 118.
 — — — hirsuta, Andrews Heathery 2, 80.
 — — — Wendland *Ericae* 2, 9.
 — — — fusca, Wendland *Ericae* 1, 49.
 — — — lutea, Wendland *Ericae* 1, 60.
 — — — Lam. Encycl. 288.
 — — — Lodd. Cab. 1426.
 — *Peziza* Lodd. Lodd. Cab. 265.
 † — — — Hort. eric. Woburn. 3.
 — *physodes* L. Bot. Mag. 13, 443.
 — — — Andrews Engr. 1, 45.
 — — — Andrews Heathery 1, 34.
 — — — Wendland *Ericae* 1, 42.
 — — — Lodd. Cab. 223.
 † — — — Hort. eric. Woburn. 3.
 — *pilosa* Lodd. Lodd. Cab. 606.
 — *pilularis* Lodd. Lodd. Cab. 1563.
 — *pilulifera* L. Andrews Heathery 6, 278.
 — — — Wendland *Ericae* 2, 41.
 — *pinca* Thunb. Andrews Engr. 1, 46.
 — — — Andrews Heathery 1, 35.
 — — — Wendland *Ericae* 1, 3, 2, 4.
 — — — purpurea, Lodd. Cab. 1269.
 — *pinifolia* Andr. Andrews Engr. 3, 199.
 — — — Andrews Heathery 4, 184.
 — — — coccinea, Andrews Engr. 2, 119.
 — — — coccinea, Andrews Heathery 3, 137.
 — — — discolor, Andrews Engr. 3, 200.

- Erica pinifolia* Andr. discolor, Andrews Heathery 3, 138.
 — — — Kerner Hort. 492.
 — *planifolia* L. Andrews Engr. 3, 201.
 — — — Andrews Heathery 4, 185.
 — — — *Wendl.* Wendland *Ericae* 2, 23.
 — *Plukenetii* L. β . Thunberg *Erica* 2.
 — — — Bauer *Ericae* 19.
 — — — Andrews Heathery 4, 186.
 — — — albens, Andrews Engr. 4, 256.
 — — — albens, Andrews Heathery 4, 187.
 — — — nana, Andrews Engr. 1, 47.
 — — — nana, Andrews Heathery 3, 139.
 — — — conferta, Wendland *Ericae* 2, 69.
 — — — inflata, Wendland *Ericae* 2, 55.
 — — — interrupta, Wendland *Ericae* 1, 8.
 — — — pinca, Wendland *Ericae* 1, 2.
 — — — Kerner Hort. 774.
 — — — Lodd. Cab. 1274.
 — *plumosa* Andr. Andrews Engr. 2, 120.
 — — — Andrews Heathery 1, 36.
 — — — Lodd. Cab. 1702.
 — — — *Wendl.* Wendland *Ericae* 1, 68.
 — Pohlmanni Lodd. Lodd. Cab. 1852.
 † — *polytrichifolia* Spach. Spach Suites 88.
 — *praecox* Lodd. Lodd. Cab. 1413.
 — *praegnans* Andr. Andrews Engr. 3, 202.
 — — — Andrews Heathery 5, 231.
 — — — Lodd. Cab. 945.
 † — — — Hort. eric. Woburn. 4.
 — *praestans* Andr. Andrews Engr. 4, 257.
 — — — Andrews Heathery 5, 232.
 — — — Lodd. Cab. 1695.
 — *primuloides* Andr. Andrews Engr. 3, 203.
 — — — Andrews Heathery 5, 233.
 — — — Lodd. Cab. 715.
 — — — Bot. Mag. 38, 1548.
 — *princeps* Andr. Andrews Engr. 2, 121.
 — — — Andrews Heathery 3, 140.
 — — — Lodd. Cab. 647.
 — — — Kerner Hort. 258.
 — *procera* Wendl. Wendland *Ericae* 2, 27.
 — *procumbens* Lodd. Lodd. Cab. 1993.
 — *propendens* Andr. Andrews Engr. 2, 122.
 — — — Andrews Heathery 3, 141.
 — — — Lodd. Cab. 63.
 — — — Bot. Mag. 47, 2140.
 — *pseudo-vestita* Benth. Maund Bot. 3, 104.
 — *pubescens* L. Thunberg *Erica* 5.
 — — — Andrews Engr. 1, 48.
 — — — Andrews Heathery 1, 37.
 — — — minor, Andrews Engr. 2, 123.
 — — — minor, Andrews Heathery 1, 38, 39.
 — — — Wendland *Ericae* 1, 35.
 — — — villosa Thunb. Wendland *Ericae* 1, 29.
 — — — pilosa Wendl. Wendland *Ericae* 2, 16.
 — — — Bot. Mag. 14, 480.
 — — — Lodd. Cab. 167.
 † — — — Hort. eric. Woburn. 3.
 — *pulchella* Thunb. Thunberg *Erica* 4.
 — — — Andr. Andrews Engr. 1, 49.
 — — — Andrews Heathery 1, 40.
 — — — Lodd. Cab. 307.
 — *pulverulenta* Bedf. Paxt. Mag. 16, 161.
 — *pumila* Andr. Andrews Engr. 4, 258.
 — — — Andrews Heathery 5, 234.
 — *pura* Lodd. Lodd. Cab. 72.
 — *purpurea* Andr. Andrews Engr. 1, 50.
 — — — Andrews Heathery 2, 81.
 — — — Wendland *Ericae* 2, 15.
 — — — Bonpland Malm. 28.
 — — — Lodd. Cab. 703.
 — *pygmaea* Andr. Andrews Engr. 4, 259.

- Erica pygmaea* Andr. Andrews Heathery 6, 279.
 — *pyramidalis* Ait. Bot. Mag. 11, 366.
 — — — Andrews Engr. 1, 51.
 — — — Andrews Heathery 3, 142.
 — — — Wendland *Ericae* 1, 25. 2, 68.
 — — — Lodd. Cab. 319.
 — *pyriformis* Maund. Maund Bot. 5, 250.
 — *quadrangularis* Andr. Andrews Engr. 4, 260.
 — — — Andrews Heathery 6, 280.
 † — — — Hort. eric. Woburn. 2.
 — *quadrata* Lodd. Lodd. Cab. 1943.
 — *quadrifolia* Andr. Andrews Engr. 2, 125.
 — — — Andrews Heathery 1, 41.
 — *racemifera* Andr. Andrews Engr. 3, 204.
 — — — Andrews Heathery 4, 188.
 — *racemosa* Thunb. Thunberg *Erica* 5.
 — — — Wendland *Ericae* 1, 53.
 — *radiata* Andr. Andrews Engr. 1, 52.
 — — — Andrews Heathery 1, 42.
 — — — discolor, Andrews Engr. 4, 261.
 — — — Andrews Heathery 6, 281.
 — *ramentacea* L. Lam. Encycl. 287.
 — — — Andrews Engr. 1, 53.
 — — — Andrews Heathery 3, 143.
 — — — Wendland *Ericae* 1, 6.
 — — — Lodd. Cab. 446.
 — *ramosissima* Wendl. Wendland *Ericae* 2, 36.
 — *ramulosa* Viv. Viviani Fl. ital. 7.
 — *recurvata* Andr. Andrews Engr. 4, 262.
 — — — Andrews Heathery 6, 282.
 — — — Lodd. Cab. 1093.
 — — — Bot. Mag. 62, 3427.
 — *reflexa* Link. Andrews Engr. 4, 263.
 — — — Andrews Heathery 6, 283.
 — — — Lodd. Cab. 1787.
 — *refulgens* Andr. Andrews Engr. 4, 264.
 — — — Andrews Heathery 6, 284.
 — *regerminans* Andr. Andrews Engr. 4, 265.
 — — — Andrews Heathery 5, 235.
 — — — Lodd. Cab. 1728.
 — *resinosa* Sims. Bot. Mag. 28, 1139.
 — — — Lodd. Cab. 679.
 — *retorta* Montin. Svensk Acad. 1774, 7.
 — — — Lam. Encycl. 288.
 — — — Bot. Mag. 11, 362.
 — — — Andrews Engr. 1, 54.
 — — — Andrews Heathery 3, 144.
 — — — Wendland *Ericae* 2, 18.
 — — — Lodd. Cab. 804.
 — — — Tratt. Archiv 286.
 — *retroflexa* Wendl. Wendland *Ericae* 1, 45.
 — *rigida* Lodd. Lodd. Cab. 1286.
 — *rigidifolia* Wendl. Wendland *Ericae* 2, 48.
 — *rosea* Andr. Andrews Engr. 2, 126.
 — — — Andrews Heathery 2, 82.
 — — — Lodd. Cab. 782.
 — *rubella* Lodd. Lodd. Cab. 658.
 — — — Bot. Mag. 47, 2165.
 — *rubens* Andr. Andrews Engr. 2, 127.
 — — — Andrews Heathery 1, 43.
 — — — Lodd. Cab. 557.
 — — — Thunb. Wendland *Ericae* 2, 17.
 — *rubida* Lodd. Lodd. Cab. 1166.
 — *rubrocalyx* Andr. Andrews Engr. 4, 266.
 — — — Andrews Heathery 6, 285.
 — *rugosa* Andr. Andrews Engr. 4, 267.
 — — — Andrews Heathery 5, 236.
 — *rupestris* Andr. Andrews Engr. 2, 128.
 — — — Andrews Heathery 3, 145.
 — — — rubra, Andrews Engr. 4, 268.
 — — — rubra, Andrews Heathery 5, 237.
 — — — Lodd. Cab. 855.

- Erica rupestris* Andr. Tratt. Archiv 158.
 — *Russeliana* Andr. Andrews Engr. 4, 269.
 — — — Andrews Heathery 6, 286.
 — — — Lodd. Cab. 1013.
 — *Sainsburyana* Andr. Andrews Engr. 4, 270.
 — — — Andrews Heathery 6, 287.
 — *Salisburyana* Andr. Andrews Engr. 4, 271.
 — — — Andrews Heathery 6, 288.
 — *sanguinea* Lodd. Lodd. Cab. 86.
 — *sanguinolenta* Lodd. Lodd. Cab. 468.
 — — — Bot. Mag. 48, 2263.
 — *Savileana* Andr. Andrews Engr. 3, 205.
 — — — Andrews Heathery 5, 238.
 — — — Lodd. Cab. 96.
 — *scabriuscula* Lodd. Lodd. Cab. 517.
 — *scariosa* Wendl. Wendland *Ericae* 2, 52.
 — — — Lodd. Lodd. Cab. 477.
 — *Schollii* Lodd. Lodd. Cab. 538.
 — *scoparia* L. Bauer *Ericae* 8.
 — *Sebana* Ait. Bauer *Ericae* 20.
 — — — Wendland *Ericae* 1, 56.
 — — — Lodd. Cab. 23.
 — — — Kerner Hort. 402.
 — — — aurantia, Andrews Engr. 1, 55.
 — — — aurantia, Andrews Heathery 2, 83.
 — — — lutea, Andrews Engr. 1, 56.
 — — — lutea, Andrews Heathery 2, 84.
 — — — lutea, Lodd. Cab. 266.
 — — — nana, Andrews Engr. 3, 206.
 — — — nana, Andrews Heathery 4, 189.
 — — — spicata, Andrews Engr. 2, 129.
 — — — spicata, Andrews Heathery 4, 190.
 — — — viridis, Andrews Engr. 1, 57.
 — — — viridis, Andrews Heathery 2, 85.
 — *serpyllifolia* Andr. Andrews Engr. 4, 272.
 — — — Andrews Heathery 6, 289.
 — — — Lodd. Cab. 744.
 — *serratifolia* Andr. Andrews Engr. 1, 58.
 — — — Andrews Heathery 1, 44.
 — — — Lodd. Cab. 1703.
 — *sessiliflora* Andr. Andrews Engr. 2, 130.
 — — — Andrews Heathery 2, 86.
 — — — Wendl. Wendland *Ericae* 2, 56.
 — *setacea* Andr. Andrews Engr. 1, 59.
 — — — Andrews Heathery 2, 87.
 — *sexfaria* Ait. Andrews Engr. 2, 131.
 — — — Andrews Heathery 2, 88.
 † — — — Hort. eric. Woburn. 3.
 — *Shannoneana* Andr. Andrews Engr. 4, 273.
 — — — Andrews Heathery 5, 239.
 — — — Kerner Hort. 425.
 — — — Lodd. Cab. 168.
 — — — Bot. Mag. 70, 4069.
 — *simpliciflora* Willd. Wendland *Ericae* 2, 26.
 — *Smithiana* Lodd. Lodd. Cab. 1614.
 — *socciflora* Salisb. Hort. eric. Woburn. 4.
 † — *Solandriana* Andr. Andrews Engr. 2, 132.
 — — — Andrews Heathery 2, 89.
 — *solandroides* Andr. Andrews Engr. 4, 274.
 — — — Andrews Heathery 6, 290.
 — *sordida* Andr. Andrews Engr. 1, 60.
 — — — Andrews Heathery 4, 191.
 — — — Lodd. Cab. 1973.
 — *Sparmanni* L. fil. Svensk Acad. 1778, 2.
 — *sparsa* Lodd. Lodd. Cab. 1467.
 — *speciosa* Schneev. Schneevogt Ic. 3.
 — — — Andr. Andrews Engr. 2, 133.
 — — — Andrews Heathery 4, 192.
 — — — Lodd. Cab. 575.
 — — — Kerner Hort. 493.
 — — — Tratt. Archiv 305.
 — — — Rchb. Exot. 158.

- Erica spicata* *Thunb.* Thunberg *Erica* 4.
 — — — Andrews Engr. 1, 61.
 — — — Andrews Heathery 1, 45.
 — — — Wendland *Ericae* 1, 11.
 — — — Lodd. Cab. 1203.
 — *spiculifolia* *Salisb.* Sibth. Fl. gr. 353.
 — *splendens* *Wendl.* Wendland *Ericae* 1, 44.
 — — — Andr. Andrews Engr. 4, 275.
 — — — Andrews Heathery 5, 240.
 — — — Kerner Hort. 701.
 † — — — Hort. eric. Woburn. 4.
 — *Sprengelii* *Hort.* Hart. Parad. 1, 0.
 — *spumosa* *Thunb.* Wendland *Ericae* 2, 19.
 — — — Lodd. Cab. 568.
 — *spuria* *Andr.* Andrews Engr. 1, 62.
 — — — Andrews Heathery 2, 90.
 — *squamosa* *Andr.* Andrews Engr. 3, 207.
 — — — Andrews Heathery 2, 91.
 — *staminea* *Andr.* Andrews Engr. 3, 208.
 — — — Andrews Heathery 4, 193.
 — *stellata* *Lodd.* Lodd. Cab. 693.
 — *stellifera* *Andr.* Andrews Engr. 4, 276.
 — — — Andrews Heathery 6, 291.
 — — — Lodd. Cab. 1622.
 — *straminea* *Wendl.* Wendland *Ericae* 3, 18.
 — *stricta* *Don.* Andrews Engr. 2, 134.
 — — — Andrews Heathery 2, 92.
 — *strigosa* *Ait.* Wendland *Ericae* 1, 10.
 — *suaveolens* *Andr.* Andrews Engr. 4, 277.
 — — — Andrews Heathery 6, 292.
 — — — Lodd. Cab. 24.
 — *subulata* *Wendl.* Wendland *Ericae* 2, 47.
 — *sulphurea* *Andr.* Andrews Engr. 4, 278.
 — — — Andrews Heathery 5, 241.
 — — — Lodd. Cab. 1762.
 — — — Bot. Mag. 45, 1984.
 — *Swainsoniana* *Andr.* Andrews Engr. 3, 209.
 — — — Andrews Heathery 5, 242.
 — *taxifolia* *Ait.* Bauer *Ericae* 14.
 — — — Andrews Engr. 1, 63.
 — — — Andrews Heathery 2, 93.
 — — — major, Andrews Engr. 4, 279.
 — — — major, Andrews Heathery 5, 243.
 — — — Wendland *Ericae* 1, 7.
 — — — Kerner Hort. 54.
 — *Templeana* *Andr.* Andrews Engr. 4, 280.
 — — — Andrews Heathery 6, 293.
 † — — — Hort. eric. Woburn. 4.
 — *tenella* *Andr.* Andrews Engr. 2, 135.
 — — — Andrews Heathery 2, 94.
 — — — Wendland *Ericae* 2, 59.
 — — — Lodd. Cab. 375.
 † — — — Hort. eric. Woburn. 3.
 — *tenuiflora* *Andr.* Andrews Engr. 3, 210.
 — — — Andrews Heathery 3, 146.
 — — — alba, Andrews Engr. 3, 211.
 — — — alba, Andrews Heathery 4, 194.
 — — — carnea, Andrews Engr. 4, 281.
 — — — carnea, Andrews Heathery 6, 294.
 — — — Lodd. Cab. 1717.
 — *tenuissima* *Wendl.* Wendland *Ericae* 1, 34.
 — *teretiusecula* *Wendl.* Wendland *Ericae* 2, 54.
 — *tetragona* *Thunb.* Thunberg *Erica* 4.
 — — — Andrews Engr. 3, 212.
 — — — Andrews Heathery 2, 95.
 — — — Wendland *Ericae* 2, 61.
 — — — Lodd. Cab. 1239.
 — *Tetralix* *L.* Fl. dan. 1, 81.
 — — — Sv. Bot. 439.
 — — — Curt. Lond. 3, 122.
 — — — Engl. Bot. 15, 1014.
 — — — Baxter Brit. Bot. 6, 418.

- Erica Tetralix* *L.* Drevles 3, 80.
 — — — Guimpel Holzgew. 46.
 — — — Dietr. Fl. bor. 4, 236.
 — — — Tratt. Archiv 292.
 † — — — Spach Suites 88.
 — *thalictriflora* *Lodd.* Lodd. Cab. 1294.
 — *Thomsonii* *Lem.* Lem. Jard. fl. 259.
 — *Thunbergii* *L. fil.* Andrews Engr. 4, 282.
 — — — Andrews Heathery 5, 244.
 — — — Bot. Mag. 30, 1214.
 — — — Lodd. Cab. 277.
 † — — — Hort. eric. Woburn. 4.
 — *thymifolia* *Andr.* Andrews Engr. 2, 136.
 — — — Andrews Heathery 4, 195.
 — — — Tratt. Archiv 159.
 — *tiaraeflora* *Andr.* Andrews Engr. 3, 213.
 — — — Andrews Heathery 4, 196.
 — *togata* *Sims.* Bot. Mag. 39, 1626.
 — *translucens* *Andr.* Andrews Heathery 6, 295.
 — *transparens* *Andr.* Andrews Engr. 4, 283.
 — — — Andrews Heathery 6, 296.
 — — — Lodd. Cab. 177.
 — *triceps* *Link.* Lodd. Cab. 962.
 — *tricolor* *Past.* Past. Mag. 6, 3.
 — *triflora* *L.* Thunberg *Erica* 5.
 — — — Andrews Engr. 4, 284.
 — — — Andrews Heathery 5, 245.
 — — — Wendland *Ericae* 1, 72.
 — — — aristata, Wendland *Ericae* 2, 58.
 — — — Lodd. Cab. 1733.
 — *triumphans* *Lodd.* Lodd. Cab. 257.
 † — — — Hort. eric. Woburn. 3.
 — *trossula* *Lodd.* Lodd. Cab. 668, 1742.
 — *tubiflora* *L.* Andrews Engr. 1, 64.
 — — — Andrews Heathery 1, 46.
 — — — Wendland *Ericae* 1, 21.
 † — — — Hort. eric. Woburn. 2, 4.
 — *tubiuscula* *Lodd.* Lodd. Cab. 1157.
 † — — — *Bedf.* Hort. eric. Woburn. 3.
 — *tubulosa* *Andr.* Wendland *Ericae* 2, 22.
 — *tumida* *Ker.* Bot. Reg. 1, 65.
 — *turbinata* *Andr.* Andrews Heathery 6, 297.
 — *Uhria* *Andr.* Andrews Engr. 2, 141.
 — — — Andrews Heathery 3, 149.
 — — — pilosa, Andrews Engr. 2, 142.
 — — — pilosa, Andrews Heathery 3, 150.
 — — — Wendland *Ericae* 2, 35.
 — *umbellata* *L.* Bauer *Ericae* 5.
 — — — Andrews Engr. 2, 143.
 — — — Andrews Heathery 2, 99.
 — — — Wendland *Ericae* 1, 19.
 — — — Lodd. Cab. 1217.
 — *umbellifera* *Wendl.* Wendland *Ericae* 3, 6.
 — *undulata* *Andr.* Andrews Engr. 4, 288.
 — — — Andrews Heathery 6, 300.
 — — — Lodd. Cab. 1792.
 — *unicolor* *Wendl.* Wendland *Ericae* 3, 3.
 — *urceolaris* *Berg.* Bauer *Ericae* 2.
 — — — Wendland *Ericae* 1, 53.
 — — — Lodd. Cab. 1894.
 — *vagans* *L.* Engl. Bot. 1, 3.
 — *varia* *Lodd.* Lodd. Cab. 1325.
 — *ventricosa* *Thunb.* Thunberg *Erica* 1.
 — — — Bot. Mag. 10, 350.
 — — — Andrews Engr. 1, 65.
 — — — Andrews Heathery 4, 197.
 — — — Wendland *Ericae* 1, 17.
 — — — Lodd. Cab. 431.
 — — — Herb. amat. 1, 62.
 † — — — Hort. eric. Woburn. 4.
 — *verecunda* *Lodd.* Lodd. Cab. 1827.
 — *vernalis* *Lodd.* Lodd. Cab. 1608.

- Erica vernix* Andr. Andrews Engr. 3, 214.
 — — — Andrews Heathery 5, 259.
 — — — rubra, Andrews Engr. 4, 286.
 — — — rubra, Andrews Heathery 6, 298.
 — — — longiflora, Andrews Engr. 4, 285.
 — — — longiflora, Andrews Heathery 5, 248.
 — — — Lodd. Cab. 1443.
 † — — — Hort. eric. Woburn. 3.
 — — — coccinea, Hort. eric. Woburn. 3.
 — — — *versicolor* Andr. Bonpland Malm. 38.
 — — — Andrews Engr. 1, 67.
 — — — Andrews Heathery 1, 47.
 — — — longiflora, Andrews Heathery 5, 249.
 — — — longiflora, Kerner Hort. 624.
 — — — Wendland Ericae 1, 61.
 — — — ciliata, Wendland Ericae 2, 43.
 — — — Lodd. Cab. 208.
 — — — major, Lodd. Cab. 1316.
 — — — *verticillata* Andr. Andrews Engr. 1, 66.
 — — — Andrews Heathery 1, 48.
 — — — Lodd. Cab. 145.
 — — — *vestita* Thunb. var. Bot. Mag. 12, 402.
 — — — Bonpland Malm. 43.
 — — — alba, Andrews Engr. 1, 68.
 — — — alba, Andrews Heathery 3, 147.
 — — — alba, Wendland Ericae 1, 67.
 — — — alba, Lodd. Cab. 243.
 — — — carnea, Andrews Heathery 5, 246.
 — — — carnea, Lodd. Cab. 1696.
 — — — coccinea, Andrews Engr. 1, 70.
 — — — coccinea, Andrews Heathery 4, 199.
 — — — coccinea, Wendland Ericae 1, 62.
 — — — coccinea, Lodd. Cab. 55.
 — — — formosa, Wendland Ericae 2, 63.
 — — — fulgida, Andrews Engr. 2, 137.
 — — — fulgida, Andrews Heathery 2, 96.
 — — — incarnata, Andrews Engr. 2, 138.
 — — — incarnata, Andrews Heathery 2, 97.
 — — — lutea, Andrews Engr. 3, 215.
 — — — lutea, Andrews Heathery 5, 247.
 — — — purpurea, Andrews Engr. 1, 69.
 — — — purpurea, Andrews Heathery 4, 198.
 — — — purpurea, Wendland Ericae 1, 87.
 — — — purpurea, Lodd. Cab. 217.
 — — — rosea, Andrews Engr. 2, 139.
 — — — rosea, Andrews Heathery 2, 98.
 — — — Tratt. Archiv 295. 296.
 — — — blanda, Lodd. Cab. 1716.
 — — — *villosa* Andr. Andrews Engr. 3, 216.
 — — — Andrews Heathery 4, 200.
 — — — *Wendl.* Wendland Ericae 2, 21.
 — — — *villosinacula* Lodd. Lodd. Cab. 1844.
 — — — *virgata hirta* Wendl. Wendland Ericae 2, 13.
 — — — *virgulata* Wendl. Wendland Ericae 2, 49.
 — — — *viridescens* Lodd. Lodd. Cab. 233.
 — — — *viridiflora* Andr. Andrews Engr. 4, 287.
 — — — Andrews Heathery 6, 299.
 — — — Lodd. Cab. 917.
 — — — *viridis* Andr. Andrews Engr. 2, 140.
 — — — Andrews Heathery 3, 148.
 — — — *viscaria* L. Bauer Ericae 1.
 — — — Andrews Engr. 1, 71.
 — — — Andrews Heathery 1, 49.
 — — — Wendland Ericae 1, 70.
 — — — Lodd. Cab. 726.
 — — — *viscida* Wendl. Wendland Ericae 2, 3.
 † — — — *vulgaris* L. Gaertn. Carp. 63.
 — — — Lam. Encycl. 287.
 — — — Fl. dan. 4, 677.
 — — — Sv. Bot. 53.
 — — — Engl. Bot. 15, 1013.
 — — — Schk. Handb. 107^a.

- Erica vulgaris* L. Schrank Fl. monac. 4, 381.
 — — — Sturm Flora 1, 1.
 — — — Dietr. Fl. bor. 2, 139.
 — — — *Walkeriana* Andr. Andrews Engr. 1, 72.
 — — — Andrews Heathery 1, 50.
 — — — rubra, Andrews Engr. 2, 144.
 — — — rubra, Andrews Heathery 2, 100.
 — — — Tratt. Archiv 156.
 — — — rubra, Tratt. Archiv 157.
 — — — Lodd. Cab. 256.
 — — — *Willmorei* Kn. et W. Knowles et Westcott 73.
 † *Ericaceae* Ldl. Wight Illustr. 141.
 † — — Spach Suites 88.
Ericinella gracilis Benth. Delessert Ic. 5, 19.
Erigenia bulbosa Nutt. Torrey New York 39.
† *Erigeron acris* L. Gaertn. Carp. 170.
† — — — Lam. Encycl. 681.
— — — Schk. Handb. 241.
† — — — Hoffmann D. Fl. 1791, 11.
— — — Curt. Lond. 2, 38.
— — — Engl. Bot. 17, 1158.
— — — Dreves 1, 27.
— — — Hayne 3, 30.
— — — Schrank Fl. monac. 4, 352.
— — — Baxter Brit. Bot. 3, 166.
— — — Dietr. Fl. bor. 9, 621.
† — — — Nees Gen. X, x.
— — — *aegyptiacus* L. Jacq. Vind. 3, 19.
— — — *alpinus* L. Lam. Encycl. 681.
— — — Engl. Bot. 7, 464.
— — — Lodd. Cab. 590.
— — — Sturm Flora 10, 38.
— — — *asteroides* Don. Rehb. Hort. 168.
— — — *bellidifolius* Willd. Bot. Mag. 50, 2402.
† — — — *canadensis* L. Hoffmann D. Fl. 1791, 12.
— — — Dietr. Fl. bor. 9, 622.
— — — Fl. dan. 8, 1274.
— — — Engl. Bot. 29, 2019.
— — — *chinensis* L. Jacq. Schoenbr. 3, 303.
— — — *ciliatus* Led. Ledeb. Ic. 100.
— — — *compositus* Pursh. Fl. dan. 12, 1999.
— — — Linn. Transact. 14, 13.
— — — *delphinifolius* H. B. Willd. Hort. 90.
— — — *droebachiensis* Müll. Fl. dan. 5, 874.
— — — *elongatus* Led. Ledeb. Ic. 31.
— — — *eriocephalus* Vahl. Fl. dan. 13, 2299.
— — — *frigidus* Boiss. Boissier Esp. 89.
— — — *glabellus* Nutt. Lodd. Cab. 1631.
— — — Bot. Mag. 56, 2923.
— — — *glaucus* Ker. Bot. Reg. 1, 10.
— — — *gnaphalioides* H. B. K. H. B. K. Nov. Gen. 4, 331.
— — — *Gouani* L. Jacq. Vind. 3, 79.
— — — *gramineus* L. Lam. Encycl. 681.
— — — *grandiflorus* Hook. Hook. Bor. Am. 123.
— — — *graveolens* L. Sibth. Fl. gr. 666.
— — — *heterophyllus* Mühlbg. Barton Med. 21.
— — — *jamaicensis* L. Swartz Obs. 8.
— — — *integrifolius* Bigelow. Novi Comm. Bon. 8, 32.
— — — *lanatus* Hook. Hook. Bor. Am. 121.
— — — *pappocroma* Lab. Bill. Nov. Holl. 193.
— — — *philadelphicus* L. Barton Med. 20.
— — — Rehb. Hort. 134.
— — — *Pisonis* Burm. Burm. Fl. ind. 59.
— — — *quercifolius* Lam. Lam. Encycl. 681.
— — — *radicatus* Hook. Hook. Bor. Am. 122.
— — — *siculus* L. Mem. Mod. 22, 0.
— — — *trifidus* Hook. Hook. Bor. Am. 120.
— — — *uniflorus* L. Linné Fl. lapp. 9.
— — — Fl. dan. 2, 292.¹ 8, 1397.
— — — Sibth. Fl. gr. 667.
— — — Engl. Bot. 34, 2416.

- Erigeron uniflorus* L. Sturm Flora 10, 38.
 — Villarsii Bell. Mem. Tur. 5, 9.
 — — Bot. Reg. 7, 583.
 — — Lodd. Cab. 1390.
 — viscosus L. Jacq. Vind. 165.
 — Wightii DC. Wight Ic. pl. Ind. or. 3, 1090.
 — — Wight Spicil. 106.
 † *Erinosma* Herb. Herbert Amar. 34.
 † *Erinus alpinus* L. Gaertn. Carp. 55.
 † — — Lam. Encycl. 521.
 — — Schk. Handb. 176.
 — — Bot. Mag. 9, 310.
 — — Lodd. Cab. 969.
 — — Tratt. Archiv 320.
 † — — Mem. Genev. 6, 3.
 — — Sturm Flora 20, 94.
 † — — Nees Gen. 5, 34.
 — lychnidea L. fil. Bot. Mag. 51, 2504.
 — — Bot. Reg. 9, 148.
 — — Lodd. Cab. 957.
Eriobotrya japonica Ldl. Bot. Reg. 5, 365.
 — — Sieb. Fl. Japon. 97.
 — — Wight Ic. pl. Ind. or. 1, 226.
Eriocalia major Sm. Smith Exot. Bot. 78.
 — minor Sm. Smith Exot. Bot. 79.
 † *Eriocaulon* L. Acta Leop. 17, 1, 5.
 — affine Bong. Acad. Pet. 5, 32.
 — amplexicaule Rottb. Rottboell Surin. 1.
 — anthemiflorum Bong. Acad. Pet. 2, 15.
 — arenarium Gardn. Hook. Lond. Journ. 1842, 13.
 — bahiense Bong. Acad. Pet. 3, 20.
 — blepharophorum Bong. Acad. Pet. 2, 16.
 — brachypus Bong. Acad. Pet. 1, 6.
 — Brownianum Mart. Walp. Pl. asiat. 248.
 — bryoides Bong. Acad. Pet. 1, 10.
 — caespitosum Wikstr. Svensk Acad. 1820, 4.
 — chrysanthemifolium Mart. Schnizl. Ic. 1, 46.
 — ciliatum Bong. Acad. Pet. 1, 5.
 — corymbosum Bong. Acad. Pet. 2, 18.
 — crassifolium Bong. Acad. Pet. 5, 29.
 — curvifolium Bong. Acad. Pet. 3, 24.
 — cuyabense Bong. Acad. Pet. 1, 10.
 — decangulare L. Lodd. Cab. 1310.
 — — Bot. Mag. 59, 3126.
 — dendroides H. B. K. H. B. K. Nov. Gen. 1, 69.
 — — Dict. sc. nat. 41.
 — divaricatum Bong. Acad. Pet. 1, 3.
 — elegans Bong. Acad. Pet. 2, 13.
 — elichrysoides Bong. Acad. Pet. 3, 27.
 — ensifolium H. B. K. H. B. K. Nov. Gen. 1, 70.
 — fasciculatum Lam. Lam. Encycl. 50, fig. 3.
 — — Rottboell Surin. 2.
 — flaccidum Bong. Acad. Pet. 1, 4.
 — flagellare Guillem. Delessert Ic. 3, 98.
 — flavescens Bong. Acad. Pet. 5, 35.
 — Freyreisii Thunb. Thunberg Pl. bras. 1.
 — geniculatum Bong. Acad. Pet. 5, 31.
 — glareosum Bong. Acad. Pet. 3, 25.
 — gramineum Bong. Acad. Pet. 3, 26.
 † — Hamiltonianum Mart. Acta Leop. 17, 1, 1.
 — hirsutum Wikstr. Svensk Acad. 1820, 4.
 — lanuginosum Bong. Acad. Pet. 2, 19.
 — lingulatum Bong. Acad. Pet. 2, 12.
 — luzulaefolium Mart. Schnizl. Ic. 1, 46.
 — macrocephalum Bong. Acad. Pet. 5, 33.
 — macrorrhizon Bong. Acad. Pet. 2, 11.
 — Maximiliani Schrad. Acad. Pet. 1, 1.
 — melaleucum Bong. Acad. Pet. 3, 23.
 — microphyllum Guillem. Delessert Ic. 3, 96.
 — mucronatum Bong. Acad. Pet. 2, 19.
 — nitidum Bong. Acad. Pet. 2, 14.
 — paludosum Bong. Acad. Pet. 1, 9.

- Eriocaulon piliferum* Bong. Acad. Pet. 2, 12.
 — plantagineum Bong. Acad. Pet. 2, 17.
 — polyanthum Bong. Acad. Pet. 1, 2.
 — proliferum Bong. Acad. Pet. 5, 28.
 — pusillum Bong. Acad. Pet. 5, 29.
 — ramosum Wikstr. Svensk Acad. 1820, 3.
 — — Schnizl. Ic. 1, 46.
 — repens Lam. Lam. Encycl. 50, fig. 2.
 — — Acad. Pet. 1, 7.
 — Riedelianum Bong. Acad. Pet. 5, 34.
 — rigidum Bong. Acad. Pet. 3, 21.
 — saxatile Bong. Acad. Pet. 5, 30.
 — septangulare With. Engl. Bot. 11, 733.
 — — Curt. Lond. 4, 52.
 — — Baxter Brit. Bot. 6, 465.
 — setaceum L. Rheede Hort. mal. 12, 68.
 † — — Gaertn. Carp. 83.
 — sexangulare Burm. Burm. Fl. ind. 9.
 — Sollyanum Royle. Royle Illustr. 97.
 — splendens Bong. Schnizl. Ic. 1, 46.
 — stellare Guillem. Delessert Ic. 3, 97.
 — striatum Lam. Lam. Encycl. 50, fig. 1.
 — tuberosum Bong. Acad. Pet. 3, 22.
 — umbellatum Lam. Lam. Encycl. 50, fig. 4.
 — Vautherianum Guillem. Delessert Ic. 3, 95.
 — verticillatum Bong. Acad. Pet. 1, 8.
 — viviparum Bong. Acad. Pet. 5, 28^a.
 — Wallichianum Mart. Wall. Pl. asiat. 249.
 — — Schnizl. Ic. 1, 46.
 † *Erioccephalus africanus* L. Lam. Encycl. 717.
 — — Bot. Mag. 22, 833.
 — racemosus L. Jacq. Collect. 5, 11.
 † — — Gaertn. Carp. 168.
 † — — Lam. Encycl. 717.
Eriochilus autumnalis R. Br. Endl. Iconogr. 6.
Eriochloa distachya H. B. K. H. B. K. Nov. Gen. 1, 30.
 — — Lam. Encycl. 909.
 — polystachya H. B. K. H. B. K. Nov. Gen. 1, 31.
 — — Lam. Encycl. 909.
 — villosa Kunth. Humb. Gram. 13.
 † *Eriochrysis cayennensis* Pal. Beauv. Lam. Encycl. 908.
 — — Dict. sc. nat. 20.
 † *Eriocnema fulva* Naud. Ann. sc. nat. III. 3, 7.
 — Hilariana Naud. Ann. sc. nat. III. 16, 24.
 — marmorea Naud. Fl. d. serres 7, 750.
Eriocoma floribunda H. B. K. H. B. K. N. G. 4, 396.
 — fragrans Don. Sweet Fl. G. II. 44.
Eryocycla nuda Ldl. Royle Illustr. 51.
Eriodendron anfractuosum DC. Rheede H. m. 3, 49—51.
 — — Bot. Mag. 61, 3360.
 — — Wight Ic. pl. Ind. or. 2, 400.
 — jasminodorum St. Hil. St. Hil. Fl. Bras. 52.
 — leiantherum DC. Mart. Bras. 96, 97.
 † — — Spach Suites 24.
 — — Rchb. Exot. 349.
 — — Samauma Mart. Mart. Bras. 98.
 — — Spach Suites 24.
Erioglossum cauliflorum A. Rich. Guillem. Seneg. 28.
 — edule Bl. Blume Rumphia 166.
Eriogonum angulosum Benth. Linn. Transact. 17, 18.
 — compositum Dougl. Bot. Reg. 21, 1774.
 — — Bot. Mag. 79, 4703.
 — crassifolium Benth. Hook. Bor. Am. 176.
 — intricatum Benth. Benth. Sulphur 22.
 — multiflorum Benth. Hook. Ic. pl. 3, 250.
 — sphaerocephalum Dougl. Hook. Bor. Am. 175.
 — staticifolium Hook. Hook. Journ. 1853, 10.
 — stellatum Benth. Hook. Bor. Am. 177.
 — tomentosum Michx. Michaux Fl. 24.
 — — Lam. Encycl. 947.
 — umbellatum Benth. Linn. Transact. 17, 18.
Eriogynia pectinata Hook. Hook. Bor. Am. 88.

- Eriolaena Candollii* Wall. Wall. Pl. asiat. 64.
 — *Wallichii* DC. Mem. Mus. 10, 5.
 † *Eriolithis mirabilis* Gaertn. Gaertn. Carp. 140.
Eriope macrostachya Mart. Hook. Ic. pl. 5, 461.
Eriophorum alpinum L. Lam. Encycl. 39.
 — — — Fl. dan. 4, 620.
 — — — Engl. Bot. 5, 311.
 — — — Host Gram. 40.
 — — — Sv. Bot. 426.
 — — — Sturm Flora 3, 10.
 — — — Rchb. Fl. germ. 8, 288.
 † — — — Nees Gen. 2, 20.
 — — — Torrey New York 140.
 — *angustifolium* Roth. Curt. Lond. 2, 99.
 — — — Engl. Bot. 8, 564.
 — — — Fl. dan. 9, 1442.
 — — — Sv. Bot. 490.
 — — — Diet. sc. nat. 14.
 — — — Sturm Flora 3, 10.
 — — — Rchb. Fl. germ. 8, 291.
 † — — — Nees Gen. 2, 20.
 — *caespitosum* Host. Host Gram. 39.
 — *capitatum* Host. Host Gram. 38.
 — — *Schrad.* Fl. dan. 9, 1502.
 — — — Engl. Bot. 34, 2387.
 — — — Sv. Bot. 426.
 — *gracile* Roth. Engl. Bot. 34, 2402.
 — — — Sv. Bot. 490.
 — — *Koch.* Engl. Bot. 2886.
 — — — Sturm Flora 3, 10.
 — — — Rchb. Fl. germ. 8, 290.
 — *Hoefftii* Nyl. Acta fenn. 3, 2.
 — *latifolium* Hoppe. Fl. dan. 8, 1381.
 — — — Host Gram. 373.
 — — — Sturm Flora 3, 10.
 — — — Rchb. Fl. germ. 8, 292.
 — *polystachyum* L. Host Gram. 37.
 † — — — Gaertn. Carp. 2.
 † — — — Lam. Encycl. 39.
 — — — Schk. Handb. 8.
 — — — Sv. Bot. 180.
 — — — Engl. Bot. 8, 563.
 — — — Rchb. Fl. germ. 8, 291, 292.
 — *pubescens* Sm. Engl. Bot. 2633.
 — — — Rchb. Fl. germ. 8, 292.
 — *russeolum* Fries. Acta fenn. 3, 1.
 — *Scheuchzeri* Hoppe. Sturm Flora 3, 10.
 — — — Rchb. Fl. germ. 8, 289.
 — *triquetrum* Hoppe. Host Gram. 374.
 — — — Fl. dan. 9, 1441.
 — — — Sturm Flora 3, 10.
 — — — Rchb. Fl. germ. 8, 290.
 — *vaginatum* L. Lam. Encycl. 39.
 — — — Fl. dan. 2, 236.
 — — — Sv. Bot. 281.
 — — — Curt. Lond. 2, 100.
 — — — Engl. Bot. 13, 873.
 — — — Baxter Brit. Bot. 6, 427.
 — — — Sturm Flora 3, 10.
 — — — Rchb. Fl. germ. 8, 289.
 — — — Torrey New York 141.
 — *virginicum* L. Elliott Carolina 4.
Eriophyllum caespitosum Dougl. Bot. Reg. 14, 1167.
Eriopsis biloba Ldl. Bot. Reg. 33, 18.
 — *rutidobulbon* Hook. Bot. Mag. 75, 4437.
Eriosema incanum Klotzsch. Peters Mossamb. 6.
 † *Eriosorus Ruizianus* Fée. Fée Fil. 5, 13.
 † — *scandens* Fée. Fée Fil. 5, 13.
 † *Eriospermeae* Endl. Schnizl. Ic. 1, 56*.
Eriospermum —? Jacq. Fragm. 47.
 — *folioliferum* Andr. Andr. Rep. 8, 521.
 — — — Bot. Reg. 10, 795.

- Eriospermum lanceaefolium* Jacq. Jacq. Ic. 421.
 — — — Red. Lil. 7, 394.
 — *lanuginosum* Jacq. Jacq. Schoenbr. 3, 264.
 — *latifolium* Jacq. Jacq. Ic. 420.
 — — — Bot. Mag. 34, 1382.
 — *parvifolium* Jacq. Jacq. Ic. 422.
 — *pubescens* Jacq. Jacq. Schoenbr. 3, 265.
 — — — Bot. Reg. 7, 578.
Eriostemon buxifolius Sm. Delessert Ic. 3, 45.
 — — — Lodd. Cab. 1831.
 — — — Bot. Mag. 70, 4101.
 — *corymbosus* Lab. Bill. Sert. 58.
 — *cuspidatus* Cunn. Lodd. Cab. 1247.
 — — — Maund Bot. 1, 1.
 — *dentatus* Colla. Colla Hort. Rip. 30.
 — *intermedius* Hook. Bot. Mag. 75, 4439.
 — — — Fl. d. serres 5, 443.
 † — *lanceolatus* Gaertn. Gaertn. Carp. 210.
 — *myoporoides* DC. Delessert Ic. 3, 47.
 — — — Bot. Mag. 59, 3180.
 — *obcordatus* Cunn. Hook. Ic. pl. 1, 60.
 — *salicifolius* Sm. Linn. Transact. 11, 26.
 † — — — Mem. Mus. 12, 21.
 — — — Delessert Ic. 3, 46.
 — — — Bot. Mag. 55, 2854.
 — *scaber* Paxt. Paxt. Mag. 13, 127.
 — *squameus* Lab. Bill. Nov. Holl. 141.
 † — — — Lam. Encycl. 956.
Eriostomum lusitanicum H. et Lk. Link Fl. port. 7.
 † *Eriosynaphe* DC. DC. Umbellif. 1.
Erisma floribunda Rudge. Rudge Pl. Guian. 1.
 — *violacea* Mart. Mart. Bras. 92.
 — — — Rchb. Exot. 161.
 † *Erithalis fruticosa* L. Gaertn. Carp. 26.
 † — — — Lam. Encycl. 159.
 — — — Desc. Ant. 4, 242.
 † — *uniflora* Gaertn. Gaertn. Carp. 196.
Eritrichium aretioides DC. Seemann Herald 8.
 — *fruticosum* Klotzsch. Prinz Waldem. Him. 62.
 — *Jacquemontii* Decne. Jacquemont Ind. 127.
 — *longifolium* Decne. Jacquemont Ind. 129.
 † — *nanum* Schrad. Nees Gen. 6, 59.
 — — — Sturm Flora 11, 42.
 — *phaceloides* Clos. Gay Chile 52^b.
 — *primuloides* Decne. Jacquemont Ind. 128.
 † — *tergloviense* Endl. Nees Gen. 6, 59.
 † *Ernestia tenella* DC. Ann. sc. nat. III. 12, 14.
 † *Ernodea* Sie. Swartz Fl. Ind. occ. 4.
 — *littoralis* Sw. Jacq. Schoenbr. 1, 31.
 † — — — Gaertn. Carp. 196.
 — *montana* Sibth. Sibth. Fl. gr. 143.
Erodendrum amplexicaule Salisb. Salisb. Parad. 67.
 — — — 67^{bis}.
 — *formosum* Salisb. Salisb. Parad. 76.
 — *speciosum* Knight. Knight Proteaceae 0.
 — *tenax* Salisb. Salisb. Parad. 70.
 — *turbiniiflorum* Salisb. Salisb. Parad. 108.
 † *Erodium* L'her. Gray Genera 151.
 — *absinthioides* Sibth. Sibth. Fl. gr. 652.
 — — *Willd.* Jaubert Illustr. 203.
 — *albiflorum* Moris. Moris Fl. sard. 21.
 — *alpinum* L'her. L'heritier Ger. 3.
 — — — Sibth. Fl. gr. 653.
 — *apenninum* Ten. Tenore Fl. nap. 242.
 — *brevicaule* Bert. Novi Comm. Bon. 6, 9.
 — *cadmaeum* Jaub. Jaubert Illustr. 189.
 — *caucalifolium* Sweet. Sweet Ger. 6.
 — *chamaedryoides* Willd. L'heritier Ger. 6.
 — *chium* Willd. Sibth. Fl. gr. 657.
 — *chrysanthum* L'her. Regel Gartenfl. 1, 27.
 — *chumbulense* Munro. Wight Ic. pl. Ind. or. 3, 1074.

- Erodium ciconium* Willd. Rehb. Fl. germ. 5, 184.
 — *cicutarium* L'her. Curt. Lond. 3, 23.
 — — Engl. Bot. 25, 1768.
 — — Rehb. Fl. germ. 5, 183.
 — — Dietr. Fl. bor. 5, 331.
 — *crassifolium* Willd. Kerner Hort. 296.
 — — Sweet Ger. 111.
 — *daucoides* Boiss. Boissier Esp. 37.
 — *geoides* St. Hil. St. Hil. Fl. Bras. 19.
 — *glaucophyllum* Ait. Sweet Ger. 283.
 — *gruinum* Willd. Sibth. Fl. gr. 656.
 — *Gussonii* Ten. Tenore Fl. nap. 63.
 — — Bot. Mag. 51, 2445.
 — — Sweet Ger. 200.
 — *hirtum* Willd. Jacq. Ecl. pl. 58, 101.
 — *hymenodes* L'her. L'heritier Ger. 4.
 — — Bot. Mag. 29, 1174.
 — — Sweet Ger. 23.
 — *incarnatum* L'her. L'heritier Ger. 5.
 — — Bot. Mag. 8, 261.
 — — Sweet Ger. 94.
 — — Herb. amat. 1, 11.
 — *laciniatum* Sm. Sibth. Fl. gr. 655.
 — — Rehb. Fl. germ. 5, 186.
 — *littoreum* Lam. Rehb. Fl. germ. 5, 186.
 — *macrademum* L'her. L'heritier Ger. 1.
 — *malacoides* Willd. Sibth. Fl. gr. 658.
 — — Rehb. Fl. germ. 5, 185.
 — *malopoides* DC. var. Moris Fl. sard. 25.
 — *Manescavi* Coss. Ann. sc. nat. III. 7, 11.
 — *maritimum* Sm. Engl. Bot. 9, 646.
 — — Rehb. Fl. germ. 5, 186.
 — *moschatum* Ait. Engl. Bot. 13, 902.
 — — Sturm Flora 2, 5.
 — — Rehb. Fl. germ. 5, 184.
 — — Baxter Brit. Bot. 5, 362.
 — *multicaule* Link. Sweet Ger. 137.
 — *pelargoniflorum* Boiss. Regel Gartenfl. 1852, 19.
 — *petraeum* Sibth. Sibth. Fl. gr. 651.
 — *pimpinellifolium* Sm. Rehb. Fl. germ. 5, 183.
 — *Reichardi* L'her. Lam. Encycl. 573.
 — *ribifolium* Jacq. Jacq. Ic. 509.
 — *romanum* Willd. Sibth. Fl. gr. 654.
 — — Bot. Mag. 11, 377.
 — *ruthenicum* M. v. B. Marschall Cent. 48.
 — *sebaceum* Delile. Index sem. Monsp. 1838, 1.
 — *serotinum* Stev. Petersb. 3, 15.
 — — Sweet Fl. G. II. 312.
 — *Sibthorpiatum* Boiss. Jaubert Illustr. 204.
 — *stellatum* Delile. Index sem. Monsp. 1838, 2.
 — *Stephanianum* Willd. Ledeb. Ic. 184.
 — *supracanum* L'her. L'heritier Ger. 2.
 — *texanum* Gray. Gray Genera 151.
 — *trichomanifolium* L'her. Boissier Esp. 37.
 — *trilobatum* Jacq. Jacq. Ic. 508.
 † *Erophila* DC. Gray Genera 69.
 † — *vulgaris* DC. Nees Gen. X, x.
 — — Dietr. Fl. bor. 9, 599.
Erpetina radicans Naud. Ann. sc. nat. III. 15, 14.
Erpetion reniforme Sweet. Sweet Fl. G. 170.
Erporchis Aub. Aubert Orchid. 28.
Eruca sativa Lam. Rehb. Fl. germ. 2, 84.
 † *Erucaria aleppica* Gaertn. Carp. 143.
 — — Vent. Cels 64.
 — — Sibth. Fl. gr. 649.
 — *crassifolia* Delile. Delile Egypte 34.
 — *hypogaea* Viv. Link Ic. II. 44.
 — *latifolia* DC. Delessert Ic. 2, 95.
Erucastrum canariense Webb. Webb Canar. 8.
 — *elongatum* Rehb. Rehb. Fl. germ. 2, 90.
 — *incanum* Koch. Engl. Bot. 2843.
 — *inodorum* Rehb. Rehb. Fl. germ. 2, 89.

- Erucastrum obtusangulum* Schleich. Rehb. Fl. germ. 2, 89.
 — — Sturm Flora 15, 66.
 — *Pollichii* Schimp. et Sp. Sturm Flora 15, 66.
 — *varium* Durieu. Explor. Alger. 76.
Eryum centoides Ten. Tenore Fl. nap. 167.
 † — *Ervilia* L. Gaertn. Carp. 151.
 † — — Lam. Encycl. 634.
 — — Sibth. Fl. gr. 702.
 — *hirsutum* L. Fl. dan. 4, 639.
 — — Schk. Handb. 102.
 — — Curt. Lond. 3, 25.
 — — Engl. Bot. 14, 970.
 — — Baxter Brit. Bot. 5, 322.
 — — Torrey New York 21.
 † — *Lens* L. Schk. Handb. 102.
 † — — Lam. Encycl. 634.
 — — Sturm Flora 8, 32.
 — *Lenticula* Schreb. Sturm Flora 8, 32.
 — *nigricans* M. v. B. Moris Fl. sard. 71.
 — *parviflorum* Bert. Moris Fl. sard. 71.
 — *soloniense* L. Lam. Encycl. 634.
 — *tetraspermum* L. Fl. dan. 1, 95.
 — — Curt. Lond. 3, 26.
 — — Engl. Bot. 17, 1223.
 — *uniflorum* Ten. Tenore Fl. nap. 172.
 — — Sebastiani Fl. rom. 5.
 — — Sebastiani Rom. pl. 2, 4.
 — *vicioides* Desf. Desf. Fl. atl. 198.
Erycibe paniculata Roxb. Roxb. Corom. 159.
 — — Wight Illustr. 180.
 — *Rheedii* Bl. Rheede Hort. mal. 7, 39.
Eryngium alpinum L. Jacq. Ic. 55.
 — — Bot. Mag. 23, 922.
 — — Tratt. Archiv 181. 181^a.
 — *amethystinum* L. W. et Kit. 315.
 — — Tratt. Archiv 182. 182^a.
 † — — Nees Gen. X, x.
 — — dilatatum, Brotero Phytogr. 166.
 — *aquaticum* L. Jacq. Ic. 347.
 — — Tratt. Archiv 190. 190^a.
 — — Bot. Reg. 5, 372.
 — — Desc. Ant. 8, 586.
 — *aquifolium* Cav. Dela Roche Eryng. 10.
 — *asperifolium* Dela R. Dela Roche Eryng. 11.
 — — Tratt. Archiv 321. 321^a.
 — *Billardieri* Dela R. Dela Roche Eryng. 2.
 — — Tratt. Archiv 322. 322^a.
 — *Bonplandii* Dela R. Dela Roche Eryng. 22.
 — *Bourgati* Gouan. Gouan Illustr. 3.
 — — Tratt. Thes. 74.
 — — Tratt. Archiv 183. 183^a.
 — *bromeliaefolium* Dela R. Dela Roche Eryng. 28.
 — — Tratt. Archiv 329.
 — *bupleuroides* Hook. et Arn. Delessert Ic. 3, 78.
 — *campestre* L. Jacq. Fl. austr. 2, 155.
 † — — Gaertn. Carp. 20.
 † — — Lam. Encycl. 187.
 — — Schk. Handb. 59.
 — — Fl. dan. 4, 554.
 — — Engl. Bot. 1, 57.
 — — Rousseau Bot. 32.
 — — Tratt. Archiv 184. 184^a.
 — — Hayne 2, 1.
 — — Nees Düsseld. 294.
 — — Dietr. Fl. bor. 9, 563.
 † — — Nees Gen. X, x.
 — *Carlinae* Dela R. Dela Roche Eryng. 23.
 — — Tratt. Archiv 327.
 — *Cervantesii* Dela R. Dela Roche Eryng. 18.
 — — Tratt. Archiv 330.
 — *comosum* Dela R. Dela Roche Eryng. 7.
 — *corniculatum* Brot. Brotero Phytogr. 38.

Eryngium corniculatum Brot. Dela Roche Eryng. 15.

- — Bot. Mag. 35, 1427.
 - creticum Lam. Dela Roche Eryng. 8.
 - — Tratt. Archiv 324.
 - cyaneum Sibth. Sibth. Fl. gr. 258.
 - cymosum Dela R. Dela Roche Eryng. 31.
 - — Tratt. Archiv 323.
 - dichotomum Desf. Desf. Fl. atl. 55.
 - — Dela Roche Eryng. 14.
 - — Tratt. Archiv 325, 326.
 - dilatatum Lam. Dela Roche Eryng. 4.
 - dubium Tratt. Archiv 188.
 - ebracteatum Lam. Dela Roche Eryng. 32.
 - falcatum Dela R. Dela Roche Eryng. 13.
 - foetidum L. Desc. Ant. 8, 585.
 - frutescens Moris. Mem. Tur. 38, 1.
 - glaciale Boiss. Boissier Esp. 65.
 - glomeratum Lam. Dela Roche Eryng. 6.
 - gracile Dela R. Dela Roche Eryng. 24.
 - — Tratt. Archiv 328.
 - gramineum Dela R. Dela Roche Eryng. 27.
 - Humboldtii Dela R. Dela Roche Eryng. 29.
 - humile Cav. Cav. Ic. 556.
 - — var. Dela Roche Eryng. 18.
 - — var. Hook. Ic. pl. 3, 216.
 - ilicifolium Lam. Desf. Fl. atl. 53.
 - — Hoffm. Lk. Fl. port. 105.
 - longifolium Cav. Cav. Ic. 555.
 - maritimum L. Fl. dan. 5, 875.
 - — Curt. Lond. 5, 185.
 - — Engl. Bot. 10, 718.
 - — Woodv. Med. 1, 46.
 - — Tratt. Archiv 185, 185^a.
 - — Dict. sc. nat. 112.
 - — Baxter Brit. Bot. 3, 162.
 - — Dietr. Fl. bor. 10, 656.
 - monocephalum Cav. Cav. Ic. 553.
 - multifidum Sibth. Sibth. Fl. gr. 259.
 - nasturtifolium Juss. Dela Roche Eryng. 17.
 - nudicaule Lam. Lam. Encycl. 187.
 - Oliverianum Dela R. Dela Roche Eryng. 12.
 - paniculatum Cav. Dela Roche Eryng. 26.
 - Phyteumae Dela R. Dela Roche Eryng. 21.
 - planum L. Jacq. Fl. austr. 4, 391.
 - — Tratt. Archiv 189.
 - — Dietr. Fl. bor. 11, 754.
 - proteaeiflorum Dela R. Dela Roche Eryng. 30.
 - pusillum L. Dela Roche Eryng. 16.
 - — Tratt. Archiv 191.
 - rostratum Cav. Cav. Ic. 552.
 - scariosum Dela R. Dela Roche Eryng. 5.
 - serratum Cav. Cav. Ic. 554.
 - Spinalba Vill. Vill. Dauph. 18.
 - — Dela Roche Eryng. 3.
 - — Tratt. Archiv 186, 186^a.
 - stellatum Mutis. Dela Roche Eryng. 25.
 - subacule Cav. Cav. Ic. 556.
 - ternatum Poir. Tausch Hort. Canal. 6.
 - tricaspidatum L. Dela Roche Eryng. 9.
 - — Tratt. Archiv 187.
 - triquetrum Vahl. Desf. Fl. atl. 54.
 - vesiculosum Lab. Bill. Nov. Holl. 98.
 - virgatum Lam. Dela Roche Eryng. 20.
 - — Lodd. Cab. 1636.
 - virginianum Lam. Dela Roche Eryng. 29.
 - viviparum Gay. Ann. sc. nat. III, 9, 18.
- † *Erysimum* L. Mutel Fl. fr. 2, 3, 4.
- † — — Gray Genera 63.
- Alliaria L. Fl. dan. 6, 935.
 - — Curt. Lond. 3, 85.
 - — Engl. Bot. 12, 796.
 - — Sv. Bot. 208.

- † *Erysimum* Alliaria L. Usteri Ann. 5, 2.
- † — — — Schk. Handb. 183.
- — — Dreves 2, 58.
 - — — Hayne 5, 34.
 - — — Schrank Fl. monac. 2, 128.
 - — — Woodv. Med. 3, 148.
 - altaicum C. A. M. β. Ledeb. Ic. 347.
 - angustifolium Ehrh. W. et Kit. 98.
 - arkansanum Nutt. Gray Genera 63.
 - asperum DC. Hook. Bor. Afr. 22.
 - aureum M. v. B. Delessert Ic. 2, 68.
 - Barbaraea L. Sv. Bot. 194.
 - — — Fl. dan. 6, 985.
 - — — Engl. Bot. 7, 443.
 - — — Schrank Fl. monac. 4, 302.
 - canescens Roth. Rchb. Fl. germ. 2, 69.
 - carniolicum Doll. Rchb. Fl. germ. 2, 68.
 - † — cheiranthoides L. Gaertn. Carp. 143.
 - — — Fl. dan. 5, 731, 6, 923.
 - — — Jacq. Fl. austr. 1, 23.
 - — — Schk. Handb. 183.
 - — — Rchb. Fl. germ. 2, 68.
 - — — Engl. Bot. 14, 942.
 - — — Baxter Brit. Bot. 1, 62.
 - † — — Spach Suites 54.
 - Cheiranthus Pers. Rchb. Pl. crit. 2, 147, 148.
 - — — Rchb. Fl. germ. 2, 67.
 - crepidifolium Rchb. Rchb. Pl. crit. 1, 6.
 - — — Rchb. Fl. germ. 2, 62.
 - diffusum Ehrh. Bot. Reg. 5, 388.
 - — — Rchb. Fl. germ. 2, 69.
 - durum Presl. Rchb. Fl. germ. 2, 63.
 - helveticum DC. Rchb. Fl. germ. 2, 70.
 - hieracifolium L. Fl. dan. 2, 229.
 - — — Jacq. Fl. austr. 1, 73.
 - — — Rchb. Pl. crit. 1, 12.
 - — — Rchb. Fl. germ. 2, 64.
 - lanceolatum R. Br. Rchb. Fl. germ. 2, 68.
 - — — Bot. Mag. 50, 2423.
 - longisiliquum Schlecht. Rchb. Fl. germ. 2, 64.
 - ochroleucum Gay. Rchb. Fl. germ. 2, 67.
 - — — DC. Regel Gartenfl. 2, 54.
 - odoratum Ehrh. Rchb. Pl. crit. 1, 80.
 - — — Rchb. Fl. germ. 2, 63.
 - officinale L. Fl. dan. 4, 360.
 - — — Sv. Bot. 188.
 - — — Engl. Bot. 11, 755.
 - — — Woodv. Med. 3, 147.
 - — — Dreves 1, 29.
 - — — Hayne 2, 13.
 - — — Sturm Flora 2, 5.
 - — — Dietr. Fl. bor. 6, 425.
 - ! — — — Engelmann Anthol. 4.
 - orientale R. Br. Sturm Flora 20, 94.
 - pectinatum Bory et Chaub. Bory Morée 24.
 - Perowskianum F. et M. Knowles et Westc. 96.
 - — — Bot. Mag. 66, 3757.
 - — — Paxt. Mag. 6, 245.
 - praecox Sm. Engl. Bot. 16, 1129.
 - — — Roemer Fl. eur. 14, 4.
 - — — Fl. dan. 10, 1759.
 - pumilum Gaud. Rchb. Fl. germ. 2, 66.
 - — — Lodd. Cab. 898.
 - pusillum Bory et Chaub. Bory Morée 23.
 - pyrenaicum Vill. Vill. Dauph. 38.
 - repandum L. Jacq. Fl. austr. 1, 22.
 - — — Rchb. Pl. crit. 1, 79.
 - — — Rchb. Fl. germ. 2, 62.
 - rhaeticum DC. Rchb. Fl. germ. 2, 70.
 - rigidum DC. Delessert Ic. 2, 67.
 - rupestre DC. Sibth. Fl. gr. 633.
 - siliculosum DC. Delessert Ic. 2, 65.

- Erysimum sisymbrioides* Led. Ledeb. Ic. 266.
 — *suffruticosum* Spr. Rechb. Fl. germ. 2, 66.
 — *virgatum* Roth. DC. Ic. Gall. 36.
 — — — Rechb. Ic. crit. 2, 149.
Erythracanthus obtusus N. v. E. Wight Ic. pl. Ind. or. 4, 1491.
- † *Erythraea* Rich. Kerner Genera 85.
 — *aggregata* Thoun. Sweet Fl. G. 137.
 — *Oenanthium* Pers. var. Schmidt Erythraea 2.
 — — — var. Linnaea 7, 12.
 — — — Wagner 26.
 — — — Schrank Flora monac. 1, 5.
 — — — Sturm Flora 3, 12.
 — — — Dietr. Fl. bor. 3, 160.
 — — — Guimp. et Schl. 3.
 — — — Baxter Brit. Bot. 5, 367.
 † — — — Nees Gen. X, x.
 — *diffusa* Woods. Jard. Ann. 1, 16.
 — — — Ann. sc. nat. III. 7, 14.
 — *emarginata* W. et K. W. et Kit. 275.
 — *latifolia* Sm. Engl. Bot. 2719.
 — *linarifolia* Pers. Rechb. Pl. crit. 1, 88.
 — — — Dietr. Fl. bor. 3, 162.
 — *litoralis* Fries. Sv. Bot. 579.
 — — — Fl. dan. 11, 1814.
 — *major* Lk. Hoffm. Lk. Fl. port. 65.
 — — — Rechb. Ic. crit. 4, 388.
 — *Meyeri* Led. Ledeb. Ic. 159.
 — *portense* Lk. Hoffm. Lk. Fl. port. 66.
 — *pulchella* Sw. Sv. Bot. 579.
 — — — Fl. dan. 10, 1637.
 — — — Dietr. Fl. bor. 3, 161.
 — *ramosissima* Pers. Sv. Bot. 579.
 — *Roxburghii* G. Don. Wight Ic. pl. Ind. or. 4, 1325.
 — *spicata* Pers. Hoffm. Lk. Fl. port. 68.
 — *tenuiflora* Lk. Hoffm. Lk. Fl. port. 67.
 — *triphylla* Schmidt. Schmidt Erythraea 1.
 — — — Linnaea 7, 13.
- Erythrina* —? Icones plant. Chinae 23.
 — *abyssinica* Lam. Richard Abyssin. 41.
 — *arborescens* Roxb. Roxb. Corom. 219.
 — — — Kerner Hort. 529.
 — *Bidwillii* Hort. Paxt. Mag. 15, 51.
 — — — Bot. Reg. 33, 9.
 — *bracteata* Presl. Presl Symbolae 47.
 — *caffra* Thunb. Bot. Reg. 9, 736^a. 736^b.
 — — — Bot. Mag. 50, 2431.
 — — — Rechb. Exot. 312.
 — *carnea* Ait. Bot. Reg. 5, 389. 16, 1327.
 — — — Kerner Hort. 150.
 — *Corallodendron* L. Rumpf Amb. 2, 76.
 † — — — Lam. Encycl. 608.
 — — — N. Comm. Gott. 8, 1.
 — — — Desc. Ant. 4, 298.
 — — — Herb. amat. 3, 170.
 — — — Kerner Hort. 45.
 — — — Rechb. Exot. 313.
 — *Crista galli* L. Smith Exot. Bot. 95.
 — — — Bot. Reg. 4, 313.
 — — — Tratt. Archiz 259.
 — — — Kerner Hort. 327.
 — — — Rechb. Exot. 174.
 — — — Bot. Mag. 47, 2161.
 — — — Lodd. Cab. 296.
 — — — Paxt. Mag. 3, 175.
 — — — Sweet Fl. G. 214.
 — *fissa* Presl. Presl Symbolae 46.
 — *fulgens* Hort. Herb. amat. 4, 262.
 — *fusca* Lour. Rumpf Amb. 2, 78.
 † — *herbacea* L. Lam. Encycl. 608.
 — — — Bot. Mag. 22, 877.
 — — — Lodd. Cab. 851.

- Erythrina herbacea* L. Barton Fl. 1, 3.
 — *indica* Lam. Rheede Hort. mal. 6, 7.
 — — — Kerner Hort. 658.
 — — — Wight Ic. pl. Ind. or. 1, 58.
 — *laurifolia* Jacq. Jacq. Obsery. 51.
 — — — Sweet Fl. G. 142.
 — *mitis* Jacq. Jacq. Schoenbr. 2, 216.
 — *ovalifolia* Roxb. Wight Ic. pl. Ind. or. 1, 247.
 — *picta* L. Rumpf Amb. 2, 77.
 — *poianthes* Brot. Linn. Transact. 14, 10, 11.
 — — — Bot. Reg. 15, 1246.
 — — — var. *subinermis*, Bot. Reg. 19, 1617.
 — — — Bot. Mag. 60, 3234.
 — — — Kerner Hort. 733.
 — *polysperma* Gaudich. Freycinet Voyage 114.
 — *resupinata* Roxb. Roxb. Corom. 220.
 — — — Kerner Hort. 498.
 — *reticulata* Presl. Presl Symbolae 68.
 — *rubicunda* Jacq. Jacq. Fragm. 119.
 — — — Kerner Hort. 511.
 — *secundiflora* Brot. Linn. Transact. 14, 12.
 — — — Kerner Hort. 728.
 — *speciosa* Andr. Andr. Rep. 7, 443.
 — — — Bot. Reg. 9, 750^a. 750^b.
 — *velutina* Jacq. Jacq. Schoenbr. 4, 466.
 — — — Willd. Bot. Mag. 60, 3227.
- Erythrochiton brasiliensis* N. et M. Acta Leop. 11, 1, 18. 22.
 — — — Bot. Reg. 29, 47.
 — — — Bot. Mag. 79, 4742.
- Erythrodrys* Aub. Aubert Orchid. 2.
Erythrolaena conspicua Sweet. Sweet Fl. G. 134.
 — — — Bot. Mag. 56, 2909.
 — — — Rechb. Exot. 178.
- Erythronium americanum* Ker. Bot. Mag. 28, 1113.
 — — — Bigelow Med. 58.
 — — — Barton Fl. 1, 33.
 — *Dens canis* L. Jacq. Fl. austr. 1, 9.
 — — — Bot. Mag. 1, 5.
 — — — Schk. Handb. 92.
 — — — Red. Lil. 4, 194.
 — — — Sturm Flora 9, 34.
 — — — Rechb. Fl. germ. 10, 441.
 — — — Sweet Fl. G. II. 71.
 † — — — Kerner Genera 211.
 † — — — Plée Types 56.
 † — — — Nees Gen. 1, 35.
 — — — Fl. d. serres 8, 850.
 — *flavescens* Hort. Herb. amat. 1, 51.
 — *flavum* Rafin. Rafin. Med. 35.
 — *grandiflorum* Pursh. Bot. Reg. 21, 1786.
 — *longifolium* Mill. Lam. Encycl. 244.
 — — — Sweet Fl. G. II. 76.
 — *ovatifolium* Poir. Lam. Encycl. 244.
- Erythrorhiza rotundifolia* Michx. Michaux Fl. 36.
 † — — — Gaertn. Carp. 210.
- † *Erythrospermum* Lam. Kerner Genera 118.
 — *applanifolium* Aub. Th. Aubert Iles d'Afr. 21.
 — *pauciflorum* Aub. Th. Aubert Iles d'Afr. 21.
 — *pyrifolium* Poir. Lam. Encycl. 274.
 — *verticillatum* Lam. Lam. Encycl. 274.
- Erythrostemon Gussonei* Lk. et Kl. Link Ic. III. 39.
 † *Erythroxyleae* Kth. Schnfz. Iconogr. 229.
- Erythroxylum affine* A. Rich. Ramon Cuba 27.
 — *anguifugum* Mart. Münchn. Abh. 3, 5.
 — *areolatum* L. Lam. Encycl. 383.
 — — — Desc. Ant. 6, 442.
 — *buxifolium* Lam. Cav. Diss. 231.
 — *campestre* St. Hil. Münchn. Abh. 3, 2, 7.
 — *carthagenense* Jacq. Jacq. Hist. stirp. am. 129.
 — *concinatum* Mart. Münchn. Abh. 3, 2.
 — *Coca* Lam. Cav. Diss. 229.

- Erythroxylum Coca* Lam. Hook. Comp. 21.
 — — — Münchn. Abh. 3, 6.
 † — — — *coelophlebium* Mart. Münchn. Abh. 3, 1.
 † — — — *cuspidifolium* Mart. Münchn. Abh. 3, 2.
 — — — *deciduum* St. Hil. St. Hil. Pl. usuelles 69.
 † — — — *distortum* Mart. Münchn. Abh. 3, 1.
 † — — — *ectinocalyx* Mart. Münchn. Abh. 3, 1. 2.
 — — — *ferrugineum* Cav. Cav. Diss. 231.
 — — — *havanense* Jacq. Jacq. Hist. stirp. am. 130.
 — — — *hypericifolium* Lam. Cav. Diss. 230.
 — — — — — Lam. Encycl. 383.
 † — — — *Kunthianum* St. Hil. Münchn. Abh. 3, 1.
 — — — *laurifolium* Lam. Cav. Diss. 226.
 — — — — — Dict. sc. nat. 167.
 — — — *ligustrinum* DC. Delessert Ic. 3, 28.
 — — — *longifolium* Lam. Cav. Diss. 223.
 — — — — — Lam. Encycl. 383.
 — — — *macrocalyx* Mart. Münchn. Abh. 3, 8.
 † — — — *macrocnemium* Mart. Münchn. Abh. 3, 1.
 — — — *macrophyllum* Cav. Cav. Diss. 227.
 † — — — — — Münchn. Abh. 3, 1.
 † — — — *magnoliaefolium* St. Hil. Münchn. Abh. 3, 1.
 — — — *microphyllum* St. Hil. St. Hil. Pl. Bras. 103.
 — — — — — var. Münchn. Abh. 3, 3.
 — — — *monogynum* Roxb. Roxb. Corom. 88.
 — — — *Myrsinites* Mart. Münchn. Abh. 3, 4.
 — — — *nitidum* Spr. Münchn. Abh. 3, 10.
 — — — *orinocense* H. B. K. H. B. K. Nov. Gen. 5, 433.
 — — — *ovatum* Cav. Cav. Diss. 233.
 — — — *Pelleterianum* St. Hil. St. Hil. Pl. Bras. 102.
 — — — *rufum* Cav. Cav. Diss. 232.
 — — — *sideroxyloides* Lam. Cav. Diss. 228.
 — — — *squamatum* Vahl. Vahl Symbolae 63.
 — — — *suberosum* St. Hil. St. Hil. Pl. usuelles 69.
 — — — *vacciniifolium* Mart. Münchn. Abh. 3, 9.
Escallonia alpina P. et E. Poepp. et Endl. 13.
 — — — *arguta* Presl. Presl Reliq. 58.
 — — — *bifida* Lk. Link Ic. II. 23.
 — — — *canescens* St. Hil. St. Hil. Pl. Bras. 181.
 — — — *discolor* Vent. Vent. Ochoix 54.
 — — — *floribunda* H. B. K. Lodd. Cab. 1772.
 — — — — — Rehb. Hort. 202.
 — — — *florida* P. et E. Poepp. et Endl. 14.
 — — — *glandulosa* Lodd. Lodd. Cab. 1291.
 — — — — — Sweet Fl. G. II. 81.
 — — — *illinita* Presl. Presl Reliq. 59.
 — — — — — Bot. Reg. 22, 1900.
 — — — *macrantha* Hook. Bot. Mag. 75, 4473.
 — — — — — Lem. Jard. fl. 55.
 — — — — — Fl. d. serres 6, 632.
 — — — — — Belgique hort. 3, 1.
 — — — *montevidensis* DC. Paxt. Mag. 2, 51.
 — — — — — Bot. Reg. 17, 1467.
 — — — *multiflora* Presl. Presl Reliq. 57.
 † — — — *myrtilloides* L. Gaertn. Carp. 182.
 — — — — — Smith Ic. Linn. 30.
 — — — *organensis* Gardn. Bot. Mag. 72, 4274.
 — — — — — Hook. Ic. pl. 6, 514.
 — — — *pelifolia* Hook. Hook. Ic. pl. 2, 114.
 — — — *pulverulenta* Pers. Sweet Fl. G. II. 310.
 — — — *rubra* P. et E. Poepp. et Endl. 15.
 — — — — — Pers. Lodd. Cab. 1659.
 — — — — — Bot. Mag. 56, 2890.
 — — — *serrata* Sm. Smith Ic. Linn. 31.
 — — — — — Dict. sc. nat. 74.
 — — — — — Richard Astrolabe 14.
 — — — — — Hook. Ic. pl. 6, 540.
 — — — *thyrsoides* Colla. Mem. Tur. 37, 18.
 † *Eschscholtzia* Cham. Abh. Ac. Berl. 1832, 2.
 † — — — (Stigmata.) Hook. Journ. 1849, 10.
 — — — *californica* Cham. Horae berlin. 15.
 — — — — — Bot. Mag. 56, 2887.

- Eschscholtzia californica* Cham. Bot. Reg. 14, 1168.
 — — — Lodd. Cab. 1635.
 — — — Sweet Fl. G. 265.
 — — — Spach Suites 140.
 — — — *crocea* Benth. Bot. Mag. 63, 3495.
 — — — — — Bot. Reg. 20, 1677.
 — — — — — Paxt. Mag. 3, 49.
 — — — — — Sweet Fl. G. II. 299.
 † *Escobedia* R. et P. Ruiz et Pav. Prodr. 18.
 — — — *scabrifolia* R. et P. H. B. K. Nov. Gen. 2, 174.
Esenbeckia febrifuga Mart. Mart. Bras. 233.
 — — — — — Nees Düsseld. Suppl. 68.
 — — — *latifolia* Mart. Mart. Bras. 234.
 — — — *maurioides* Mart. Mart. Bras. 232.
 — — — *pilocarpoides* H. B. K. H. B. K. Nov. Gen. 7, 665.
 — — — — — Schott Rutaceae 5.
 — — — *pumila* Pohl. Pohl Bras. 128.
Esmarchia cerastoides Rehb. Rehb. Fl. germ. 5, 227.
Espadaca amoena A. Rich. Ramon Cuba 55.
Espejoa mexicana DC. Delessert Ic. 4, 41.
Espeletia argentea H. B. Hamb. Pl. aeq. 71.
 † — — — — — Lam. Encycl. 987.
 — — — — — Bot. Mag. 75, 4480.
 — — — *corymbosa* H. B. Humb. Pl. aeq. 72.
 — — — *grandiflora* H. B. Humb. Pl. aeq. 70.
 — — — — — Lam. Encycl. 987.
 — — — *rigida* H. B. Humb. Pl. aeq. 72.
Esterhazyia splendida Mik. Mikan Del. Bras. 8.
 — — — — — Lem. Jard. fl. 71.
Etaballia guianensis Benth. Hook. Ic. pl. 5, 453. 454.
Ethulia conyzoides L. Linné Hort. ups. 1, 1.
 — — — — — Bot. Reg. 9, 695.
 — — — *divaricata* L. Burm. Fl. ind. 58.
 † — — — — — Gaertn. Carp. 164.
 † — — — — — Lam. Encycl. 699.
 — — — *gracilis* Del. Cailliaud Voyage 64.
 — — — *paniculata* Schk. Schk. Handb. 235.
Eucalyptus amygdalina Lab. Bill. Nov. Holl. 154.
 — — — — — Bot. Mag. 60, 3260.
 — — — *capitellata* Sm. Wendl. Coll. 36.
 — — — *cneorifolia* DC. Mem. Genev. 9, 9.
 — — — *coccifera* Hook. Bot. Mag. 78, 4937.
 — — — — — Journ. Hort. Soc. 6, 222.
 — — — — — Fl. d. serres 7, 736.
 — — — — — Lem. Jard. fl. 242.
 — — — *cordata* Lab. Bill. Nov. Holl. 152.
 — — — — — Lodd. Cab. 328.
 † — — — — — Ann. sc. nat. III. 20, 9.
 — — — *corymbosa* Sm. Cav. Ic. 340.
 — — — *diversifolia* Bonpl. Bonpland Malm. 13.
 — — — *gomphocephala* DC. Mem. Genev. 9, 11.
 — — — *incrassata* Lab. Bill. Nov. Holl. 150.
 — — — *Lindleyana* DC. Bot. Reg. 11, 947.
 — — — *longifolia* Lk. Link Ic. I. 45.
 — — — — — Bot. Reg. 11, 947.
 — — — *macrocarpa* Hook. Bot. Mag. 73, 4333.
 — — — — — Hook. Ic. pl. 5, 405. 406. 407.
 — — — — — Paxt. Mag. 15, 29.
 — — — *maculata* Hook. Hook. Ic. pl. 7, 619.
 — — — *micrantha* DC. Mem. Genev. 9, 8.
 — — — *obliqua* L'her. L'her. Sertum 20.
 — — — — — Salisb. Parad. 15.
 — — — — — Lam. Encycl. 422.
 — — — *obtusiflora* DC. Mem. Genev. 9, 10.
 — — — *ovata* Lab. Bill. Nov. Holl. 153.
 — — — *persicifolia* Lodd. Lodd. Cab. 501.
 — — — *piperita* Sm. Rehb. Mag. 42.
 — — — *platypodos* Cav. Cav. Ic. 341.
 — — — *platypus* Hook. Hook. Ic. pl. 9, 849.
 — — — *populifolia* Hook. Hook. Ic. pl. 9, 879.
 — — — *Preissiana* Schauer. Bot. Mag. 72, 4266.
 — — — *pulverulenta* Sims. Bot. Mag. 46, 2087.

- Eucalyptus pulverulenta* Colla. Mem. Tur. 35, 1.
 — *punctata* DC. Mem. Genev. 9, 4.
 — *radiata* Sieb. Mem. Genev. 9, 7.
 — *resinifera* Sm. Smith Exot. Bot. 84.
 — — Andr. Rep. 6, 400.
 — — Hayne 10, 5.
 — — Nees Düssel. Suppl. 11.
 — *robusta* Sm. Smith New Holl. 13.
 — *rostrata* Cav. Cav. Ic. 342.
 — *splachnicarpon* Hook. Bot. Mag. 69, 4036.
 — *stellulata* DC. Mem. Genev. 9, 6.
 — *stricta* Sieb. Mem. Genev. 9, 8.
 — *viminialis* Lab. Bill. Nov. Holl. 151.
 † *Eucapnos spectabilis* Sieb. Zucc. Münchn. Abh. 3, 1.
Euceraea nitida Mart. Mart. Bras. 238.
 † *Euchaetis Bartl.* Bartling Diosmeae 1.
Eucharidium concinnum F. et M. Bot. Mag. 64, 3589.
 — — Bot. Reg. 23, 1962.
Eucharis candida Planch. Fl. d. serres 8, 788.
Euchilus oboordatus E. Br. Bot. Reg. 5, 403.
 — — Lodd. Cab. 60.
Euchresta Horsfieldii Bennett. Bennett Java 31.
Euclea Kellau DC. Richard Abyssin. 66.
 — *racemosa* L. Jacq. Fragm. 1, 63.
Euclidium syriacum R. Br. Rchb. Fl. germ. 2, 1.
 † *Eucleia* Nutt. Gray Genera 61.
Eucnide bartonioides Zucc. Münchn. Abh. 4, 1.
Eucomia bifolia Jacq. Jacq. Ic. 449.
 — — Bot. Mag. 22, 840.
 — — Tratt. Thes. 56.
 — *nana* L'her. Jacq. Schoenbr. 1, 92.
 — — Bot. Mag. 36, 1495.
 — *punctata* Ait. L'her. Sertum 18.
 — — Red. Lil. 4, 208.
 — — Bot. Mag. 23, 913. 37, 1539.
 — — Tratt. Thes. 54.
 — — Rchb. Exot. 54.
 — *purpureocaulis* Andr. Andr. Rep. 6, 369.
 — — Tratt. Thes. 55.
 — *regia* Ait. Red. Lil. 3, 175.
 — *undulata* Ait. Bot. Mag. 27, 1083.
 — — Tratt. Thes. 53.
 † *Eucosia carnea* Bl. Blume Tabellen 18.
Eucrosia bicolor Herb. Hook. Exot. Fl. 209.
 — — Bot. Reg. 3, 207.
 — — Bot. Mag. 61, 2490.
 — — Rchb. Exot. 44.
 — — Kerner Hort. 823.
Eucryphia cordifolia Cav. Cav. Ic. 372.
 — *pinnatifolia* Gay. Gay Chile 8.
Eucrypta foliosa Nutt. Journ. Ac. Philad. II. 1, 24.
Eudema nubigena H. B. Humb. Pl. aeq. 124.
 † — — Lam. Encycl. 974.
 — *rupestris* H. B. Humb. Pl. aeq. 123.
 † — — Lam. Encycl. 974.
Eudesmia tetragona R. Br. Flinders Voyage 3.
 — — Sweet Austr. 21.
Eudianthe coeli rosa Rchb. Rchb. Fl. germ. 6, 303.
 — *corsica* Rchb. Willk. Ic. Hsp. 1, 15.
 — *laeta* Rchb. Willk. Ic. Hsp. 1, 15.
Eugeissona tristis Griff. Mart. Palm. 179. 180. Z¹⁴.
 — — Calcutta Journal 1845, 3, 4.
 — — Griffith Palms 220. 220^{abc}.
Eugenia acuminata Roxb. Wight Ic. pl. Ind. or. 2, 607.
 — *acutangula* L. Rumpf Amb. 3, 115.
 † — — Lam. Encycl. 591.
 — *alba* Roxb. Wight Ic. pl. Ind. or. 2, 548.
 — *albida* H. B. Humb. Pl. aeq. 113.
 — *alternifolia* Wight. Wight Ic. pl. Ind. or. 2, 537.
 — *amplexicaulis* Roxb. Bot. Reg. 12, 1033.
 — — Wight Ic. pl. Ind. or. 2, 608.
 — *angustifolia* Lam. Desc. Ant. 6, 425.

- Eugenia angustifolia* Roxb. Wight Ic. pl. Ind. or. 2, 610.
 — *aquea* Roxb. Wight Ic. pl. Ind. or. 2, 550.
 — *Arnotiana* Wight. Wight Ic. pl. Ind. or. 3, 599.
 — — Wight Spicil. 72.
 — *australis* Colla. Mem. Tur. 31, 8.
 — *balsamica* Jacq. Jacq. Fragm. 45.
 — *baruensis* Jacq. Jacq. Ic. 488.
 — *bifaria* Colebr. Wall. Pl. asiat. 161.
 — *brachiata* Roxb. Wight Ic. pl. Ind. or. 2, 626.
 — *bracteolata* Wight. Wight Ic. pl. Ind. or. 2, 531.
 — *brasiliensis* Lam. St. Hil. Fl. Bras. 152.
 — — Bot. Mag. 76, 4526.
 — — Lem. Jard. fl. 141.
 — *calophyllifolia* Wight. Wight Spicil. 73.
 — — Wight Ic. pl. Ind. or. 3, 1000.
 — *caryophyllaea* Wight. Wight Ic. pl. Ind. or. 2, 540.
 — *caryophyllata* Thunb. Wagner 225.
 — *caryophyllifolia* Roxb. Wight Ic. pl. Ind. or. 2, 553.
 — *cerasoides* Roxb. Wight Ic. pl. Ind. or. 2, 615.
 — *chrysophylloides* DC. Miquel Surin. 10.
 — *Chrysophyllum* Poir. Mem. Genev. 9, 225.
 — *cisplatensis* St. Hil. var. α. St. Hil. Fl. Bras. 151.
 — *claviflora* Roxb. Wight Ic. pl. Ind. or. 2, 606.
 — *Comete* Aubl. Aublet Guiana 196.
 † *cordifolia* Wight. Wight Ic. pl. Ind. or. 2, 544.
 — *corymbosa* Roxb. Wight Ic. pl. Ind. or. 2, 627.
 — *cotinifolia* Lam. Jacq. Obs. 53.
 — *cylindrica* Wight. Wight Ic. pl. Ind. or. 2, 527.
 — *cymosa* Lam. Wight Ic. pl. Ind. or. 2, 555.
 — *Roxb.* Wight Ic. pl. Ind. or. 2, 614. 625.
 — *elliptica* Willd. Bot. Mag. 44, 1872.
 — *ferruginea* Wight. Wight Ic. pl. Ind. or. 2, 554.
 — *formosa* Wall. Wall. Pl. asiat. 108.
 — *fragrans* Willd. Bot. Mag. 31, 1242.
 — *fruticosa* Roxb. Wight Ic. pl. Ind. or. 2, 624.
 — *glandulifera* Roxb. Wight Ic. pl. Ind. or. 2, 629.
 — *glaucescens* St. Hil. St. Hil. Fl. Bras. 151.
 — *grandis* Wight. Wight Ic. pl. Ind. or. 2, 614.
 — *guianensis* Aubl. Aublet Guiana 201.
 — *hemisphaerica* Wight. Wight Ic. pl. Ind. or. 2, 525.
 — — Wight Illustr. 97 bis.
 — *heteroclyta* Tussac. Tussac Ant. 1, 18.
 — *Jambolana* Lam. Wight Ic. pl. Ind. or. 2, 535.
 — *Jambos* L. Rumpf Amb. 1, 39.
 — — Jacq. Schoenbr. 4, 492.
 † — — Lam. Encycl. 418.
 — — Bot. Mag. 41, 1696.
 — — Desc. Ant. 5, 345.
 — — Herb. amat. 2, 77.
 — *inophylla* Roxb. Wight Ic. pl. Ind. or. 2, 623.
 — *lanceaefolia* Roxb. Wight Ic. pl. Ind. or. 2, 621.
 — *lanceolaria* Roxb. Wight Ic. pl. Ind. or. 2, 613.
 — *lanceolata* Lam. Wight Ic. pl. Ind. or. 2, 530.
 — *latifolia* Aubl. Aublet Guiana 199.
 — *laurifolia* Roxb. Wight Ic. pl. Ind. or. 2, 609.
 — *leptantha* Wight. Wight Ic. pl. Ind. or. 2, 528.
 — *macrocarpa* Roxb. Wight Ic. pl. Ind. or. 2, 612.
 — *malaccensis* L. Rumpf Amb. 1, 37.
 — — Smith Exot. Bot. 61.
 — — Tussac Ant. 3, 25.
 — — Andr. Rep. 7, 458.
 — — Lodd. Cab. 555.
 † — — Ann. Mus. 9, 25.
 † — *Michellii* Lam. Lam. Encycl. 418.
 — *Mini* Aubl. Aublet Guiana 197.
 — *montana* Aubl. Aublet Guiana 195.
 — — St. Hil. Fl. Bras. 153.
 — *Wight.* Wight Ic. pl. Ind. or. 3, 1060.
 — *Mooniana* Wight. Wight Ic. pl. Ind. or. 2, 551.
 — *Moritziana* Karst. Karst. Auswahl 6.
 — *Munrenii* Wight. Wight Ic. pl. Ind. or. 2, 546.

- Eugenia myrtifolia* Sims. Bot. Mag. 48, 2230.
 — — — Bot. Reg. 8, 627.
 — — — Lodd. Cab. 625.
 — — — Roxb. Wight Ic. pl. Ind. or. 2, 618.
 — — — Neesiana Arn. Wight Ic. pl. Ind. or. 2, 533.
 — — — nodiflora Aubl. Rumpf Amb. 1, 38. fig. 1.
 — — — oblata Roxb. Wight Ic. pl. Ind. or. 2, 622.
 — — — obscura DC. Bot. Reg. 13, 1044.
 — — — obtusifolia Roxb. Wight Ic. pl. Ind. or. 2, 620.
 — — — operculata Roxb. Wight Ic. pl. Ind. or. 2, 552.
 — — — owariensis Pal. B. Palisot Fl. d'Oware 70.
 — — — Paniala Roxb. Wight Ic. pl. Ind. or. 2, 616.
 — — — paniculata Jacq. Jacq. Collect. 2, 5.
 — — — Patrisii Vahl. Mem. Genév. 9, 20.
 — — — pauciflora Wight. Wight Ic. pl. Ind. or. 2, 526.
 — — — — Wight Illustr. 9, 115.
 — — — periplocaefolia Jacq. Jacq. Collect. 2, 4.
 — — — polyantha Wight. Wight Ic. pl. Ind. or. 2, 543.
 — — — polypetala Wall. Wight Ic. pl. Ind. or. 2, 610.
 — — — praecox Roxb. Wight Ic. pl. Ind. or. 2, 619.
 — — — pseudo-caryophyllus DC. St. Hil. Fl. Bras. 149.
 — — — pseudopsidium Jacq. Jacq. Hb. stirp. am. 140.
 — — — psidioides DC. Mem. Genév. 9, 21.
 — — — pulchella Roxb. Wight Ic. pl. Ind. or. 2, 628.
 — — — purpurea Roxb. Wight Ic. pl. Ind. or. 2, 549.
 — — — racemosa L. Rumpf Amb. 1, 38. fig. 2. 116.
 — — — reticulata Wight. Wight Ic. pl. Ind. or. 2, 541.
 — — — revoluta Wight. Wight Ic. pl. Ind. or. 2, 554.
 — — — Rottleriana W. et A. Wight Ic. pl. Ind. or. 1, 100.
 — — — Roxburghii DC. Hook. Journ. 1834, 124.
 — — — rubens Roxb. Wight Ic. pl. Ind. or. 2, 630.
 — — — rubicunda Wight. Wight Ic. pl. Ind. or. 2, 538.
 — — — salicifolia Wight. Wight Ic. pl. Ind. or. 2, 539.
 — — — silvestris Moon. Wight Ic. pl. Ind. or. 2, 532.
 — — — sinemariensis Aubl. Aublet Guiana 198.
 — — — ternatifolia Camb. St. Hil. Fl. Bras. 150.
 — — — ternatifolia Roxb. Wight Ic. pl. Ind. or. 2, 611.
 — — — Thunbergia Roxb. Wight Ic. pl. Ind. or. 2, 617.
 — — — toddaloides Wight. Wight Ic. pl. Ind. or. 2, 542.
 — — — tomentosa Aubl. Aublet Guiana 200.
 — — — triandra Vahl. Vahl Ic. 19.
 — — — — DC. Bot. Mag. 60, 3223.
 — — — tuberculata DC. Delessert Ic. 3, 76.
 — — — Ugni Hook. et Arn. Bot. Mag. 78, 4526.
 — — — — Lem. Jard. fl. 238.
 — — — — d. serres 7, 724.
 — — — undulata Aubl. Aublet Guiana 202.
 — — — venusta Roxb. Wight Ic. pl. Ind. or. 2, 625.
 — — — Wallichii Wight. Wight Ic. pl. Ind. or. 2, 586.
 — — — Wightiana Wight. Wight Ic. pl. Ind. or. 2, 529.
 — — — Willdenowii DC. Wight Ic. pl. Ind. or. 2, 545.
 — — — zeylanica Willd. Andr. Rep. 10, 619.
 — — — — Lodd. Cab. 690.
Eulalia aurea Kth. Humb. Gram. 93.
 — — — glabrata Brongn. Brongniart Coquille 19.
 — — — nepalensis Trin. Trin. Sp. Gr. 3, 332.
Eulophia cuneata Lth. Rheede Hort. mal. 12, 26.
 — — — ensata Ldl. Bot. Reg. 14, 1147.
 — — — gracilis Ldl. Bot. Reg. 7, 742.
 — — — — Lodd. Cab. 1178.
 — — — guineensis Lodd. Bodd. Cab. 818.
 — — — — Bot. Mag. 51, 2467.
 — — — — Bot. Reg. 8, 686.
 — — — lurida Ldl. Bot. Reg. 21, 1821.
 — — — Mackayana Ldl. Bot. Reg. 17, 1433.
 — — — macrostachya Ldl. Bot. Reg. 23, 1972.
 — — — — Wight Ic. pl. Ind. or. 5, 1667—1668.
 — — — ramentacea Ldl. Wight Ic. pl. Ind. or. 5, 1666.
 — — — streptopetala Ldl. Bot. Reg. 12, 1002.
 — — — — Bot. Mag. 56, 2931.
 — — — — Rchb. Exot. 203.
 — — — virens R. Br. Rheede Hort. mal. 12, 25.

- Eulophia virens* R. Br. Wight Ic. pl. Ind. or. 3, 913.
 † *Eulophus americanus* Nutt. DC. Umbellif. 2.
Eunomia Montbretii Jaub. Jaubert Illustr. 51.
 † *Euparea amoena* Gaertn. Gaertn. Carp. 50.
 † — — — Lam. Encycl. 133.
 † *Eupatorium ageratoides* L. Gaertn. Carp. 166.
 † — — — Lam. Encycl. 672.
 — — — album Thunb. Kaempfer Japon. 26.
 — — — alternifolium Ard. Arduino Anim. 2, 20.
 — — — altissimum L. Jacq. Vind. 164.
 — — — Armani Balb. Mem. Tur. 10, 9.
 — — — aromatisans DC. Ramon Cuba 50.
 — — — auriculatum Vahl. Vahl Symb. 72.
 — — — Aya-pana Vent. Vent. Malm. 3.
 — — — — Aub. Th. Melanges 14.
 — — — — Berl. Jahrb. 1811, 1.
 — — — — Tratt. Thes. 16.
 — — — — Desc. Ant. 3, 203.
 — — — Berterianum Colla. Mem. Tur. 33, 8.
 — — — calamintahaeifolium H. B. K. H. B. K. Nov. Gen. 4, 348.
 — — — canescens Vahl. Vahl Symbolae 73.
 — — — cannabium L. Fl. dan. 5, 746.
 — — — — Schk. Handb. 237.
 — — — — Hayne 8, 44.
 — — — Schrank Fl. monac. 3, 227.
 — — — Engl. Bot. 6, 428.
 — — — Baxter Brit. Bot. 3, 178.
 † — — — Nees Gen. X, x.
 — — — cassinifolium Bert. Novi Comm. Bon. 8, 13.
 — — — cordatum Burm. Burm. Fl. ind. 58.
 — — — cotinifolium Willd. Willd. Phytogr. 7.
 — — — Dalea L. Jacq. Schoenbr. 2, 146.
 — — — deltoideum Jacq. Jacq. Schoenbr. 3, 369.
 — — — — Bonpland Malm. 14.
 — — — fastigiatum H. B. K. H. B. K. Nov. Gen. 4, 347.
 — — — ferrugineum Lab. Bill. Nov. Holl. 180.
 — — — floribundum H. B. K. H. B. K. Nov. Gen. 4, 344.
 — — — Fraseri Lam. Lam. Encycl. 672.
 — — — glandulosum H. B. K. H. B. K. Nov. Gen. 4, 346.
 — — — — Bot. Reg. 20, 1723.
 — — — glastifolium Bert. Novi Comm. Bon. 8, 11.
 — — — grandifolium Regel. Regel Gartenfl. 1852, 12.
 — — — fresinoides H. B. K. H. B. K. Nov. Gen. 4, 340.
 — — — leucolepis T. et Gr. Torrey New York 48.
 — — — macrophyllum L. Jacq. Ecl. pl. 162.
 — — — maculatum L. Tratt. Thes. 14.
 — — — — Barton Fl. 3, 102.
 — — — microphyllum L. fl. Smith Ic. Linn. 70.
 — — — Mikania Desc. Desc. Ant. 3, 197.
 — — — myosotifolium Jacq. Jacq. Ic. 582.
 — — — niveum H. B. K. H. B. K. Nov. Gen. 4, 342.
 — — — numularia H. et A. Fielding Sertum 5.
 — — — omphaliaefolium Kth. Regel Gartenfl. 39.
 — — — parviflorum Aubl. Aublet Guiana 315.
 — — — perfoliatum L. Barton Med. 37.
 — — — — Bigelow Med. 2.
 — — — prunifolium H. B. K. H. B. K. Nov. Gen. 4, 349.
 — — — psidiaefolium DC. var. Miquel Surin. 54.
 — — — pulchellum H. B. K. H. B. K. Nov. Gen. 4, 345.
 † — — — purpureum L. Gaertn. Carp. 166.
 † — — — — Lam. Encycl. 672.
 † — — — — Schk. Handb. 237.
 — — — — Tratt. Thes. 18.
 — — — racemosum Bert. Novi Comm. Bonon. 8, 30.
 — — — rosmarinifolium Lab. Bill. Nov. Holl. 181.
 — — — salviaefolium Sims. Bot. Mag. 45, 2010.
 — — — scabrum L. fl. Smith Ic. Linn. 67.
 — — — scandens L. Jacq. Ic. 169.
 — — — — Desc. Ant. 7, 484.
 — — — sinuatum Lam. Lam. Encycl. 672.
 — — — speciosum Vent. Vent. Cels 79.

- Eupatorium squarrosus* Cav. Cav. Ic. 98.
 — *stigmatosum* Bert. Novi Comm. Bonon. 8, 12.
 — *stoechadifolium* L. fil. Smith Ic. Linn. 69.
 — — H. B. K. Nov. Gen. 4, 343.
 — *syriacum* Jacq. Jacq. Ic. 170.
 — *teucrifolium* Willd. Willd. Hortus 32.
 — *triflorum* Aubl. Aublet Guiana 314.
 — *urticaefolium* L. fil. Smith Ic. Linn. 68.
 — — Schk. Handb. 237.
 — — Tratt. Thes. 15.
 — *veronicaefolium* H. B. K. H. B. K. Nov. Gen. 4, 341.
Eupetalum Lindleyanum Gaudich. Gaudich. Bonite 50.
 — *petalodes* Ldl. Bot. Reg. 21, 1757.
 † *Euphorbia* L. Mutel Fl. fr. 60, 61, 62.
 — *adenoptera* Bert. Novi Comm. Bonon. 6, 23.
 — *agraria* M. v. B. Rchb. Ic. crit. 3, 251.
 — *alata* Hook. Hook. Ic. pl. 7, 700.
 — *aleppica* L. Sibth. Fl. gr. 462.
 — — Rchb. Fl. germ. 5, 142.
 — *alexandrina* Delile. Delile Egypte 30.
 — *alpina* Led. Ledeb. Ic. 188.
 — *altaica* Led. Ledeb. Ic. 191.
 — *ambigua* W. et K. W. et Kit. 135.
 — *amygdaloides* L. Engl. Bot. 4, 256.
 — — Spr. Fl. hal. 4.
 — — Rchb. Fl. germ. 5, 150.
 — *anacampseroides* Lam. Desc. Ant. 2, 117.
 — *anacantha* Ait. Bot. Mag. 51, 2520.
 — — Lodd. Cab. 220.
 — *androsaemoides* Dennst. Rheede Hort. mal. 10, 51.
 — *angulata* Jacq. Jacq. Ic. 481.
 — — Rchb. Ic. crit. 2, 144.
 — — Rchb. Fl. germ. 5, 135.
 — *antiquorum* L. Rheede Hort. mal. 2, 42.
 — — var. *polygona*, Wight Ic. pl. Ind. or. 3, 897.
 — *aphylla* Brouss. Webb Canar. 208.
 — — Willd. Hook. Ic. pl. 2, 182.
 — *arguta* Sol. Sibth. Fl. gr. 468.
 — *articulata* Dennst. Rheede Hort. mal. 10, 58.
 — *atropurpurea* Brouss. Bot. Mag. 61, 3321.
 — — Webb Canar. 207.
 — *balsamifera* Ait. Webb Canar. 209.
 — *Baselisis* Ten. Tenore Fl. nap. 143.
 — — Rchb. Fl. germ. 5, 144.
 — *Berteriana* Balb. Novi Comm. Bonon. 6, 23.
 — *bicephala* Bert. Novi Comm. Bonon. 6, 23.
 — *biglandulosa* Desf. Ann. Mus. 12, 14.
 — — Desf. Choix 67.
 — *biumbellata* Poir. Poir. Reise 4.
 — *blepharophylla* Led. Ledeb. Ic. 887.
 — *Bojeri* Hook. Bot. Mag. 63, 3527.
 — *buxifolia* Jacq. Jacq. Schoenbr. 3, 276.
 — *buchtarmensis* Led. Ledeb. Ic. 189.
 — *bupleurifolia* Jacq. Jacq. Schoenbr. 1, 106.
 — — Jacq. Fragm. 101.
 — — Bot. Mag. 63, 3476.
 — *bupleuroides* Desf. Desf. Fl. atl. 103.
 — *buxifolia* Lam. Desc. Ant. 6, 418.
 — *caespitosa* Guss. Tenore Fl. nap. 143.
 — *calendulaefolia* Desf. Delile Egypte 30.
 † — *californica* Benth. Benth. Sulphur 23.
 — *canaliculata* Lodd. Lodd. Cab. 727.
 — *canariensis* L. DC. Plant. grasses 140, 140 bis.
 — — Guimp. et Schl. 291.
 — — Nees Dusseld. 134, 135.
 — *canescens* L. Cav. Ic. 63.
 — — Jacq. Collect. 5, 2.
 — — Rchb. Fl. germ. 5, 131.
 — *capitata* Lam. Desc. Ant. 3, 227.
 — *capitulata* Rchb. Rchb. Fl. germ. 5, 136.

- Euphorbia Caput Medusae* L. DC. Plant. grasses 150.
 — — — Lodd. Cab. 1315.
 — *carinata* Donn. Bot. Mag. 51, 2514.
 — *carniolica* Jacq. Jacq. Fl. austr. 5, 14.
 — — Rchb. Fl. germ. 5, 134.
 — *cashmeriana* Royle. Royle Illustr. 82.
 — *Cattimandoo* Ell. Wight Ic. pl. Ind. or. 6, 1993.
 — *ceratocarpa* Ten. Tenore Fl. nap. 43.
 — *Chamaesyce* L. Sibth. Fl. gr. 461.
 — — Rchb. Fl. germ. 5, 131.
 — *Characias* L. Martyn Hist. 15.
 — — Jacq. Ic. 89.
 — — Lam. Encycl. 411.
 — — Engl. Bot. 7, 442.
 — — Rchb. Fl. germ. 5, 150.
 — *clandestina* Jacq. Jacq. Schoenbr. 4, 484.
 — *Clava* Jacq. Jacq. Ic. 85.
 — *Clementei* Boiss. Boissier Esp. 159.
 — *consanguinea* Klotzsch. Prinz Waldem. Him. 19.
 — *coralloides* L. Engl. Bot. 2837.
 — — Rchb. Fl. germ. 5, 137.
 — *corollata* L. Bot. Mag. 57, 2992.
 — — Bigelow Med. 53.
 — — Torrey New York 99.
 — — Lodd. Cab. 390.
 — *cotinifolia* L. Hook. Exot. Fl. 59.
 — *cuneifolia* Guss. Gussone Pl. rar. 38.
 — *cuspidata* Bert. Novi Comm. Bonon. 6, 22.
 — *cyathophora* Murr. Comm. Gott. 7, 1.
 — — Roth Abhandl. 7.
 — — Jacq. Ic. 480.
 — — Bot. Reg. 9, 765.
 — *Cyparissias* L. Jacq. Fl. austr. 5, 435.
 — — Fl. dan. 12, 2052.
 — — Engl. Bot. 12, 840.
 — — Lodd. Cab. 118.
 — — Hayne 2, 22.
 — — Brandt und Ratzeb. 45.
 — — Schrank Fl. monac. 2, 134.
 — — Dietr. Fl. bor. 12, 822.
 — — Rchb. Fl. germ. 5, 147.
 — *deflexa* Roth. Sibth. Fl. gr. 466.
 — *dendroides* L. Sibth. Fl. gr. 470.
 — — Rchb. Fl. germ. 5, 140.
 — *dentata* Michx. Rchb. Hort. 173.
 — *denticulata* Lam. Ann. Mus. 12, 15.
 — — Desf. Choix 68.
 — *diffusa* Jacq. Jacq. Ic. 88.
 — *divaricata* Jacq. Jacq. Ic. 87.
 — *divergens* Klotzsch. Prinz Waldem. Him. 18.
 — *Eulcis* L. Sibth. Fl. gr. 464.
 — — Dietr. Fl. bor. 12, 820.
 — — Rchb. Ic. crit. 2, 143.
 — — Rchb. Fl. germ. 5, 135.
 — — Auct. Rchb. Fl. germ. 5, 134.
 — *epithymoides* L. Jacq. Fl. austr. 4, 344.
 — — Bot. Mag. 48, 2258.
 — — Andr. Rep. 10, 616.
 — — Rchb. Fl. germ. 5, 136.
 — *eriocarpa* Bert. Novi Comm. Bonon. 3, 13.
 — *erythrophylla* Bert. Novi Comm. Bon. 4, 41.
 — *Esula* L. Fl. dan. 8, 1270.
 — — Engl. Bot. 20, 1399.
 — — Sprengel Fl. hal. 3.
 — — Hayne 2, 21.
 — — Dietr. Fl. bor. 12, 821.
 — — Rchb. Fl. germ. 5, 146.
 — *esuloides* Ten. Tenore Fl. nap. 232.
 — *exigua* L. Fl. dan. 4, 592.
 — — Curt. Lond. 1, 77.
 — — Engl. Bot. 19, 1336.
 — — Sturm Flora 20, 94.

- Euphorbia exigua* L. Rchb. Fl. germ. 5, 141.
 — — Sv. Bot. 535.
 — *falcata* L. Jacq. Fl. austr. 2, 121.
 — — Rchb. Fl. germ. 5, 141.
 — *filicina* Portsch. Portenschlag Dalm. 8.
 — *foliata* Ham. Rheede Hort. mal. 10, 33.
 — *fragifera* Jan. Rchb. Ic. crit. 7, 647.
 — — Rchb. Fl. germ. 5, 136.
 — *fulgens* Karw. Knowles et Westcott 55.
 — — Paxt. Mag. 4, 31.
 — *Gerardiana* Jacq. Jacq. Fl. austr. 5, 436.
 — — Sprengel Fl. hal. 3.
 — — Rchb. Fl. germ. 5, 147.
 — — Dietr. Fl. bor. 12, 889.
 + — — Nees Gen. 4, 36.
 — *globosa* Sims. Bot. Mag. 53, 2624.
 — — Mem. Genev. 7, 5.
 — *graminea* L. Jacq. Hist. stirp. am. 139.
 — — Jacq. Obs. 31.
 — *helioscopia* L. Fl. dan. 5, 725.
 — — Sv. Bot. 70.
 — — Curt. Lond. 3, 143.
 — — Engl. Bot. 13, 883.
 — — Schk. Handb. 129.
 — — Hayne 2, 20.
 — — Schrank Fl. monac. 2, 183.
 — — Dietr. Fl. bor. 12, 844.
 — — Rchb. Fl. germ. 5, 132.
 — — Baxter Brit. Bot. 5, 368.
 — *heteradena* Jaub. Jaubert Illustr. 131.
 — *heterophylla* Jacq. Jacq. Ic. 480.
 — — Desf. Desf. Fl. atl. 102.
 — *hiberna* L. Engl. Bot. 19, 1397.
 — — Rchb. Fl. germ. 5, 137.
 — *himalayensis* Klotzsch. Prinz Waldem. Him. 20.
 — *Hindsiana* Benth. Benth. Sulphur 24.
 — *hirta* L. Jacq. Collect. 5, 11.
 — *humilis* Led. Ledeb. Ic. 187.
 — — Royle. Royle Illustr. 82.
 — *hypericifolia* L. Hook. Exot. Fl. 36.
 — *Hystrix* Jacq. Jacq. Schoenbr. 2, 207.
 — *jacquiniaefera* Hook. Bot. Mag. 65, 3673.
 — — Maund Bot. 2, 100.
 — *Ipecacuanha* L. Bot. Mag. 36, 1494.
 — — Lodd. Cab. 1145.
 — — Bigelow Med. 52.
 — — Barton Med. 18.
 — *juncea* Ait. Jacq. Schoenbr. 1, 107.
 — — Rchb. Fl. germ. 5, 142.
 — *Klotzschiana* Mig. Miquel Surin. 28.
 — *lateriflora* Jaub. Jaubert Illustr. 130.
 + — *Lathyris* L. Lam. Encycl. 411.
 — — Engl. Bot. 32, 2455.
 — — Rchb. Fl. germ. 5, 143.
 — — Nees Düsseld. 137.
 + — — Mem. Instit. 1830, 2.
 + — — Ann. sc. nat. 17, 13.
 + — — Ann. sc. nat. III. 18, 17.
 + — — Nees Gen. 4, 36.
 — *latifolia* Led. Ledeb. Ic. 185.
 — *leiosperma* Sibth. Sibth. Fl. gr. 465.
 — *leucotricha* Boiss. Boissier Esp. 160.
 — *ligularia* Roxb. Rumpf Amb. 4, 40.
 — *ligulata* Chaub. Annales d'obs. 4, 65.
 — *linifolia* Jacq. Jacq. Ic. 86.
 — *literata* Jacq. Jacq. Ic. 482.
 — *lophogona* Willd. DC. Plantes grasses 124.
 — — Lodd. Cab. 1477.
 — *lucida* W. et K. W. et Kit. 84.
 — — Rchb. Fl. germ. 5, 149.
 — *lutescens* Led. Ledeb. Ic. 12.
 — *macrorrhiza* Led. Ledeb. Ic. 192.

- Euphorbia maculata* L. Jacq. Vind. 186.
 — — Rchb. Fl. germ. 5, 131.
 — *medicaginea* Boiss. Boissier Esp. 162.
 — *mellifera* Ait. Vent. Malm. 30.
 — — Bot. Mag. 32, 1303.
 — *meloformis* Ait. Andr. Rep. 10, 617.
 — — DC. Plantes grasses 139.
 — — König Annals 1, 2.
 — — Wendland Coll. 12.
 — — Lodd. Cab. 436.
 — — Ann. Mus. 1, 16.
 — *micrantha* Steph. Rchb. Fl. germ. 5, 133.
 — *Myrsinites* L. Sibth. Fl. gr. 471.
 — — Rchb. Fl. germ. 5, 148.
 — *nana* Royle. Royle Illustr. 82.
 — *neapolitana* Ten. Tenore Fl. nap. 42.
 — *neriifolia* L. DC. Plantes grasses 46.
 — *nicaeensis* All. All. Fl. ped. 3, 69.
 — — Jacq. Ic. 485.
 — — Rchb. Fl. germ. 5, 148.
 — *Nivulia* Ham. Rheede Hort. mal. 2, 43.
 — — Wight Ic. pl. Ind. or. 5, 1862.
 — *nudiflora* Jacq. Jacq. Ic. 479.
 — *obscura* Lois. Desv. Journ. 2, 12.
 — — Loiseleur Notice 5.
 — — Rchb. Fl. germ. 5, 132.
 — *officinaria* L. Curt. Lond. 2, 101.
 — — DC. Plantes grasses 77.
 — — Dict. sc. nat. 275.
 — — Desc. Ant. 6, 420.
 — — Guimp. et Schl. 256.
 — — Nees Düsseld. 136.
 — — Wagner 64.
 — — Woodv. Med. 5, 22.
 — *ornithopus* Jacq. Jacq. Fragn. 120.
 — *pallens* Dilw. Rheede Hort. mal. 10, 58.
 — *palustris* L. Fl. Dan. 5, 866.
 — — Sv. Bot. 329.
 — — Hayne 2, 23.
 — — Brandt und Ratzeb. 44.
 — — Rchb. Fl. germ. 5, 139.
 + — — Jussieu Euphorb. 18.
 + — — Spach Suites 76.
 — *pannonica* Host. Rchb. Fl. germ. 5, 148.
 — *papillosa* St. Hil. St. Hil. Pl. usuelles 18.
 — *Paralias* L. Jacq. Vind. 188.
 — — Engl. Bot. 3, 195.
 — — Rchb. Fl. germ. 5, 145.
 — *parvula* Delile. Delile Egypte 30.
 — *pentagona* Royle. Royle Illustr. 82.
 — *Peplis* L. Engl. Bot. 28, 2002.
 — — Rchb. Fl. germ. 5, 131.
 — *peplodes* Gouan. Rchb. Fl. germ. 5, 140.
 — *Peplus* L. Curt. Lond. 2, 142.
 — — Engl. Bot. 14, 959.
 — — Fl. dan. 7, 1100.
 — — Rchb. Fl. germ. 5, 140.
 — — Dietr. Fl. bor. 12, 843.
 + — — Ann. sc. nat. III. 18, 17.
 — *petiolaris* Sims. Bot. Mag. 23, 883.
 — *picta* Jacq. Jacq. Ic. 477.
 — *pilosa* L. Engl. Bot. 2787.
 — — Rochel Banat. 6.
 — — Rchb. Ic. crit. 2, 145.
 — — Rchb. Fl. germ. 5, 138, 139.
 — *pilulifera* L. Rumpf Amb. 6, 23.
 — — Jacq. Ic. 478.
 — *pinia* L. Bivona Stirp. rar. Sic. 4, 5.
 — *piscatoria* Ait. Jacq. Schoenbr. 4, 485.
 — *Pithyusa* L. Rchb. Fl. germ. 5, 145.
 — *platycarpus* Jacq. Jacq. Fl. austr. 4, 376.
 — *platylepis* Decne. Jacquemont Ind. 157.

- Euphorbia platyphylla* L. Engl. Bot. 5, 333.
 — — — var. *Rochel* Banat. 7.
 — — — Rechb. Fl. germ. 5, 133.
 — *polygona* Haw. Lodd. Cab. 1334.
 — *polygonifolia* L. Jacq. Collect. 5, 13.
 — *portlandica* L. Jacq. Schoenbr. 4, 487.
 — — — Engl. Bot. 7, 441.
 — — — Rechb. Fl. germ. 5, 145.
 — *procera* M. v. B. Rechb. Ic. crit. 2, 146.
 — *provincialis* Willd. Rechb. Fl. germ. 5, 146.
 — *prunifolia* Jacq. Jacq. Schoenbr. 3, 277.
 — — — Rechb. Hort. 174.
 — *pterococca* Brot. Brotero Phytogr. 76.
 — — — Rechb. Ic. crit. 5, 464.
 — *pubescens* Desf. Jacq. Ecl. pl. 66.
 — — — Vahl. Rechb. Fl. germ. 5, 138.
 — *pumila* Sibth. Sibth. Fl. gr. 460.
 — *punctata* Delile. Delile Egypte 30.
 — *punica* Sw. Jacq. Ic. 484.
 — — — Smith Ic. pict. 3.
 — — — Bot. Reg. 3, 190.
 — — — Bot. Mag. 45, 1861.
 — — — Lodd. Cab. 1901.
 — — — Maund Bot. 2, 69.
 — — — Kerner Hort. 7.
 — — — Rechb. Exot. 163.
 — — — Desc. Ant. 3, 194. 228. 5, 332.
 — *purpurata* Thuill. Rechb. Ic. crit. 2, 143.
 — *pyrenaica* Jord. Jordan Obs. 3, 11.
 — *ragusana* Rechb. Rechb. Fl. germ. 5, 143.
 — *retusa* Cav. Cav. Ic. 34.
 — — — Misc. taur. 2, 3.
 — — — Rechb. Fl. germ. 5, 141.
 — *rigida* M. v. B. Bot. Reg. 4, 274. 24, 43.
 — *Rethiana* Spr. Wight Ic. pl. Ind. or. 5, 1864.
 — *rotundifolia* Lois. Devaux Journ. 2, 12.
 — — — Loiseleur Notice 5.
 — *rubra* Cav. Cav. Ic. 34.
 — *rupestris* Led. Ledeb. Ic. 190.
 — *rupicola* Boiss. Boissier Esp. 161.
 — *salicifolia* Host. W. et Kit. 55.
 — — — Rochel Banat. 7.
 — — — Lodd. Cab. 973.
 — — — Rechb. Fl. germ. 5, 149.
 — *saxatilis* Jacq. Jacq. Fl. austr. 4, 245.
 — — — Rechb. Fl. germ. 5, 144.
 — *scordifolia* Jacq. Jacq. Ic. 476.
 — *segetalis* L. Sibth. Fl. gr. 467.
 — — — Jacq. Fl. austr. 5, 480.
 — — — Rechb. Fl. germ. 5, 142.
 — *serrata* L. Jacq. Ic. 483.
 — — — Rechb. Fl. germ. 5, 144.
 — *silvatica* L. Jacq. Fl. austr. 4, 275.
 — *solissequa* Riv. Rechb. Fl. germ. 5, 134.
 — *spartioides* Jacq. Jacq. Schoenbr. 4, 486.
 — *sphaerorrhiza* Benth. Hook. Ic. pl. 4, 346.
 — *spinosa* L. Sibth. Fl. gr. 463.
 — — — var. α . Desf. Fl. atl. 101.
 — — — Watson Dendr. 1, 45.
 — — — Rechb. Fl. germ. 5, 137.
 — *splendens* Boj. Bot. Mag. 56, 2902.
 — — — Lodd. Cab. 1713.
 — — — Maund Bot. 1, 23.
 — — — Rechb. Exot. 241.
 — *stricta* L. Sibth. Fl. gr. 469.
 — — — Rechb. Fl. germ. 5, 133.
 — — — Dietr. Fl. bor. 12, 358.
 — *subcordata* Led. Ledeb. Ic. 186.
 — *taurinenasis* All. All. Fl. ped. 3, 83.
 — *terraccina* L. Rechb. Fl. germ. 5, 141.
 — — — Ann. sc. nat. III. 18, 17.
 — *Tirucalli* L. Rheede Hort. mal. 2, 44.

- Euphorbia Tirucalli* L. Rumpf Amb. Auct. 29.
 — *tithymaloides* L. Jacq. Hist. stirp. am. 138.
 — *tortilis* Rottl. Desc. Ant. 2, 118.
 — — — Wight Ic. pl. Ind. or. 3, 398.
 — *trapezoidalis* Viv. Viviani Lib. 4.
 — *trichogona* Bert. Negi Comm. Bonon. 6, 23.
 — *tridentata* Lam. DC. Plantes grasses 144.
 — *trigona* Roxb. Wight Ic. pl. Ind. or. 5, 1863.
 — *trinervia* Boiss. Boissier Esp. 163.
 — *tuberculata* Jacq. Jacq. Schoenbr. 2, 208.
 — *uncinata* DC. DC. Plantes grasses 151.
 — *valentina* Willd. Jacq. Schoenbr. 4, 488.
 — *valerianaefolia* Lam. Ann. Mus. 12, 16.
 — — — Desf. Choix 69.
 — *variabilis* Cesati. Cesati Stirp. ital. 0.
 — *variegata* Sims. Bot. Mag. 45, 1747.
 — — — Colla. Mem. Tur. 31, 7.
 — *veneta* Willd. Bot. Reg. 24, 8.
 — — — Rechb. Fl. germ. 5, 150.
 — *verrucosa* Lam. Rechb. Fl. germ. 5, 135.
 — *villosa* W. et K. W. et Kit. 93.
 — *virgata* W. et K. W. et Kit. 162.
 — — — Rechb. Fl. germ. 5, 147.
 — *viridiflora* W. et K. W. et Kit. 280.
 — — — Rechb. Fl. germ. 5, 135.
 † *Euphorbiaceae* Juss. Justien Euphorb. 1 — 18.
 † — — — Roeper Euphorb. 1 — 3.
 † *Euphoria Litchi* Desf. Spach Suites 19.
 — — — Longan Lam. Dict. sc. nat. 172.
 — — — Bot. Reg. 20, 1729.
 — — — Spach Suites 19.
 † — *punica* Lam. Lam. Encycl. 306.
 — — — Dict. sc. nat. 173.
 — *ramboutan* Lab. Mem. sav. etr. 1805, 8.
 — *ramboutan-ake* Lab. Mem. sav. etr. 1805, 9.
 — *verticillata* R. Br. Bot. Reg. 13, 1059.
Euphrasia aspera Brot. Brotero Phytogr. 123.
 — *corsica* Lois. Loiseleur Fl. gall. 10.
 — *cyrenaica* Pacho. Pacho Voyage 98.
 — *grandiflora* Hochst. Seubert Fl. azor. 8.
 — *Jaubertiana* Boreau. Cosson Atlas 18.
 — *longiflora* Palau. Cav. Ic. 62.
 — *lutea* L. Jacq. Fl. austr. 4, 398.
 † — — — Cosson Atlas 18.
 — *Odontites* L. Fl. dan. 4, 623.
 † — — — Schk. Handb. 169.
 — — — Schrank Fl. monac. 4, 356.
 † — — — Cosson Atlas 18.
 † — *officinalis* L. Gaertn. Carp. 54.
 † — — — Lam. Encycl. 518.
 — — — Schk. Handb. 169.
 — — — Fl. dan. 6, 1037.
 — — — Engl. Bot. 20, 1416.
 — — — Sv. Bot. 267.
 — — — α . pratensis, Sturm Flora 1, 3.
 — — — Schrank Fl. monac. 3, 287.
 — — — Dietr. Fl. bor. 2, 91.
 — — — Hayne 9, 8.
 — — — Woodv. Med. 2, 134.
 — — — Baxter Brit. Bot. 1, 72.
 † — — — Nees Gen. 5, 42.
 † — — — Cosson Atlas 18.
 — *Rostkoviana* Hayne. Hayne 9, 7.
 — *salzburgensis* Braune. Braune Fl. salisb. 2, 1.
 — *santolinaefolia* H. B. K. H. B. K. Nov. Gen. 2, 166.
 — *tatarica* Fisch. Ledeb. Ic. 435.
 — *tenuifolia* Pers. Brotero Phytogr. 124.
 — *viscosa* L. Lam. Encycl. 518.
Euphroboscis pygmaea Griffith. Wight Ic. pl. Ind. or. 5, 1732.
 — — — Calcutta Journal 1845, 26.

- Euphronia hirtelloides* Mart. Mart. Bras. 73.
Euphrosyne parthenifolia DC. Delessert Ic. 4, 28.
Euploca convolvulacea Nutt. Hook. Ic. pl. 7, 651.
† *Eupodium Kaulfussii* Sm. Hook. Gen. Fil. 118.
Eupomatia laurina R. Br. Flinders Voyage 2.
Euptelea polyandra S. et Z. Sieb. Fl. Japon. 72.
Eurya acuminata DC. Royle Illustr. 24.
— *chinensis* R. Br. Abel Narrative 3.
— — Lodd. Cab. 1213.
— *japonica* Thunb. Thunb. Fl. jap. 25.
— — Lam. Encycl. 401.
— *nitida* Korth. Korthals Bot. 17.
† *reticulata* Korth. Korthals Bot. 17.
— *Wightiana* Wall. Wight Illustr. 38.
Euryale ferox Salisb. Roxb. Corom. 244.
† — — Kerner Genera 86. 87.
— — Bot. Mag. 35, 1447.
— — Rchb. Exot. 11.
— — Fl. d. serres 8, 778. 779.
† — — (Germination.) Münchn. Abh. 5, 13.
† *Euryandra* Forst. Forster Charact. 41.
† — — Lam. Encycl. 483.
Eurybia corymbosa N. v. E. Bot. Reg. 18, 1532.
— *Cunninghamii* Hook. fil. Hook. New Zeal. 30.
Eurychanes verbasciformis N. v. E. Endl. Bras. 7, 3.
† *Eurycles amboinensis* Herb. Herbert Amar. 33.
— *australasica* Herb. Bot. Reg. 9, 715.
— — Herbert Amar. 34.
— *Cunninghamii* Ldl. Bot. Reg. 18, 1566.
— — Bot. Mag. 62, 3399.
Euryops arabicus Steud. Jaubert Illustr. 355. 356.
— *pinifolius* Rich. Richard Abyssin. 60.
Euryspermum grandiflorum Salisb. Salisbury Parad. 105.
— *salicifolium* Salisb. Salisbury Parad. 75.
Eurythalia germanica Schrank. Schrank Fl. monac. 3, 278.
Euscaphis staphyleoides S. et Z. Sieb. Fl. Japon. 67.
Eustachys distichophylla Kth. Humb. Gram. 54.
Eustegia hastata R. Br. Sprengel N. Entd. 1, 1.
Eustephia coccinea Cav. Cav. Ic. 238.
Eustoma exaltatum Griseb. Bot. Reg. 31, 13.
— — Paxt. Mag. 13, 99.
— — Fl. d. serres 1, 40.
— *silenifolium* Salisb. Salisbury Parad. 34.
Eustrephus latifolius R. Br. Bot. Mag. 31, 1245.
— — Endl. Iconogr. 4.
Eustylis geniculata Hook. Hook. New Zeal. 19.
Eutaxia Baxteri Kn. et W. Knowles et Westcott 43.
— *pungens* Sweet. Sweet Austr. 28.
— — Paxt. Mag. 3, 245.
Euterpe andicola Mart. D'Orbigny Voyage 2. 17.
— *Catinga* Wallace. Wallace Palms 8.
— *edulis* Mart. Mart. Palm. 32. Z¹⁰.
— *ensiformis* Mart. Mart. Palm. 31.
† *globosa* Gaertn. Gaertn. Carp. 9.
† — — Lam. Encycl. 895.
— *Haenkeana* Mart. D'Orbigny Voyage 2. 17.
— *longevaginata* Mart. D'Orbigny Voyage 15. 17.
— *Menziesii* R. Br. Bot. Mag. 66, 3762.
— *montana* Grah. Bot. Mag. 67, 3874.
— *oleracea* Mart. Mart. Palm. 28. 29. 30.
— — Wallace Palms 7.
† *pisifera* Gaertn. Gaertn. Carp. 9. 139.
— *precatoria* Mart. D'Orbigny Voyage 8. 18.
Euthales macrophylla Ldl. Bot. Reg. 27, 3.
— — Maund Bot. 5, 209.
— *trinervis* R. Br. Lodd. Cab. 1106.
Euthemis leucocarpa Jack. Hook. Ic. pl. 8, 711.
Eutoca aretioides H. et A. Hook. Ic. pl. 4, 355.
— *Cumingii* Benth. Gay Chile 53.
— *divaricata* Benth. Bot. Mag. 65, 3706.
— — Bot. Reg. 21, 1784.

- Eutoca Franklinii* R. Br. Bot. Mag. 57, 2985.
—? *lutea* H. et A. Hook. Ic. pl. 4, 354.
— *Menziesii* Benth. Sweet Fl. G. II. 334.
— *multiflora* Dougl. Bot. Reg. 14, 1180.
— *sericea* Grah. Bot. Mag. 57, 3003.
— *viscida* Benth. Bot. Mag. 64, 3572.
— — Bot. Reg. 21, 1808.
— — Sweet Fl. G. II. 368.
— *Wrangeliana* F. et M. Sweet Fl. G. II. 362.
— — Paxt. Mag. 5, 199.
Eutrema arenicola Rich. Hook. Bor. Am. 24.
† — *Edwardsii* R. Br. Parry Voyage tab. A.
— — Ledeb. Ic. 258.
— — Fl. dan. 13, 2242.
Eutriana multiseta N. v. E. Humb. Gram. 138.
— — Trin. Sp. Gr. 3, 295.
Euxenia grata Cham. Horae berol. 16.
Euxolus caudatus Moq. Wight Ic. pl. Ind. or. 5, 1773.
Euzomodendron Bourgeauanum Coss. Webb Otia 43.
Evax asterisciflora Pers. Lam. Encycl. 694.
† — *pygmaea* Pers. Nees Gen. X, x.
— *rotundata* Moris. Moris Fl. sard. 81.
† — *umbellata* Gaertn. Gaertn. Carp. 165.
† — — Lam. Encycl. 694.
Evea guianensis Aubl. Aublet Guiana 39.
† — — Lam. Encycl. 59.
Evelyna capitata P. et E. Poepp. et Endl. 56.
— *graminifolia* P. et E. Poepp. et Endl. 58.
— *oligantha* P. et E. Poepp. et Endl. 57.
Eversmannia hedysaroides Bunge. Goebel Reise 5. 6.
— — var. β . Acad. Pet. 6, 9.
† *Evia acida* Bl. Blume Mus. 1, 41.
† *Evodia* Forst. Forster Charact. 7.
— *drupacea* Lab. Bill. Sertum 74.
— *febrifuga* St. Hil. St. Hil. Pl. usuelles 4.
† — *hortensis* Forst. Mem. Mus. 12, 22.
— *littoralis* Endl. Schott Rutaceae 1.
† *Evodia Ravensara* Gaertn. Gaertn. Carp. 103.
— — — Lam. Encycl. 404.
Evolvulus alsinoides L. Rheede Hort. mal. 11, 64.
† — — Wight Illustr. 168⁶.
— *cordatus* Moric. Moricand Pl. Am. 82.
— *daphnoides* Moric. Moricand Pl. Am. 40.
— *echioides* Moric. Moricand Pl. Am. 37.
— *elegans* Moric. Moricand Pl. Am. 36.
— *emarginatus* Burm. Burm. Fl. ind. 30.
— *frankenioides* Moric. Moricand Pl. Am. 33.
— *gnaphaloides* Moric. Moricand Pl. Am. 41.
— *gypsophiloides* Moric. Moricand Pl. Am. 35.
— *hederaceus* Burm. Burm. Fl. ind. 30.
— *helichrysoides* Moric. Moricand Pl. Am. 80.
— *heterophyllus* Lab. Bill. Sertum 29.
— *hirsutus* Lam. Lam. Encycl. 216.
— *jacobinus* Moric. Moricand Pl. Am. 81.
— *latifolius* Ker. Bot. Reg. 5, 401.
— *linifolius* L. Lam. Encycl. 216.
— *linioides* Moric. Moricand Pl. Am. 83.
— *phyllanthoides* Moric. Moricand Pl. Am. 54.
— *pterocaulon* Moric. Moricand Pl. Am. 84.
— *purpureo-coeruleus* Hook. Bot. Mag. 71, 4202.
— — Paxt. Mag. 15, 171.
— — Fl. d. serres 2, 42.
— *sericeus* Rz et P. Ruiz et Pav. Fl. 252.
— *speciosus* Moric. Moricand Pl. Am. 34.
— *tridentatus* L. Burm. Fl. ind. 16.
— *veronicaefolius* H. B. K. H. B. K. Nov. Gen. 3, 218.
— *villosus* Rz et P. Ruiz et Pav. Fl. 253.
† *Evonymus* L. Gray Genera 171.
— *americanus* L. Lodd. Cab. 1322.
— — — Torrey New York 19.
— — var. *obovatus*, Gray Genera 171.

- Evonymus angulatus* Wight. Wight Ic. pl. Ind. or. 3, 1053.
 — *atropurpureus* Jacq. Jacq. Vind. 120.
 — — Dict. sc. nat. 272.
 — *bullatus* Wall. Lodd. Cab. 1749.
 — *crenulatus* Wall. Wight Spicil. 48.
 — — Wight Ic. pl. Ind. or. 1, 214. 3, 973.
 — *echinatus* Wall. Royle Illustr. 31.
 — — Bot. Mag. 54, 2767.
 † — *europaeus* L. Gaertn. Carp. 113.
 † — — Lam. Encycl. 131.
 — — Schk. Handb. 48.
 — — Fl. dan. 7, 1089.
 — — Sv. Bot. 247.
 — — Engl. Bot. 6, 362.
 — — Baxter Brit. Bot. 2, 123.
 — — Guimp. Holzgew. 16.
 — — Sturm Flora 8, 27.
 — — Rchb. Fl. germ. 6, 309.
 — *garcinifolius* Roxb. Wight Ic. pl. Ind. or. 3, 761.
 — *Goughii* Wight. Wight Ic. pl. Ind. or. 1, 216.
 — *grandiflorus* Wall. Wallich Tentamen 30.
 — — Wall. Pl. asiat. 254.
 — *japonicus* Thunb. Kaempfer Japon. 8.
 — — Hellenius Monogr. 1.
 — — Usteri Delect. 1, 4.
 — — Bot. Reg. 30, 6.
 — — Hook. Beechey 54.
 — *javanicus* Blume. Bennett Java 28.
 — *latifolius* Scop. Jacq. Fl. austr. 3, 289.
 — — Guimp. Holzgew. 18.
 — — Bot. Mag. 50, 2484.
 — — Sturm Flora 8, 27.
 — — Rchb. Fl. germ. 6, 310.
 — *verrucosus* Scop. Jacq. Fl. austr. 1, 49.
 — — Guimp. Holzgew. 17.
 — — Rchb. Fl. germ. 6, 310.
 — *vulgaris* Moench. Schrank Fl. monac. 1, 18.
Evosma albiflora Andr. Andr. Rep. 8, 520.
Evosmia caripensis H. B. Humb. Pl. aeq. 134.
Ewyckia cyanea Bl. Blume Rumphia 8.
 † — — Blume Mus. 1, 1.
 † — — Ann. sc. nat. III. 12, 10.
 — *galeata* Korth. Korthals Bot. 67.
Exacum aureum L. fil. Lam. Encycl. 80.
 — *bicolor* Roxb. Wight Ic. pl. Ind. or. 4, 1321.
 — *courtallense* Arn. Wight Ic. pl. Ind. or. 4, 1323.
 — *filiforme* Willd. Curt. Lond. 4, 86.
 — — Engl. Bot. 4, 235.
 — — Baxter Brit. Bot. 5, 400.
 — — Dietr. Fl. bor. 4, 233.
 † — *grandiflorum* Gaertn. Gaertn. Carp. 114.
 — *guianense* Aubl. Aublet Guiana 26.
 — *ovatum* Lab. Bill. Nov. Holl. 52.
 — *pedunculatum* L. Wight Ic. pl. Ind. or. 2, 336.
 — *Perrottetii* Griseb. Wight Ic. pl. Ind. or. 4, 1322.
 — *petiolare* Griseb. Wight Ic. pl. Ind. or. 4, 1324.
 — *pumilum* Griseb. Wight Ic. pl. Ind. or. 4, 1324.
 — *purpureum* Lam. Lam. Encycl. 80.
 — — Desc. Ant. 1, 20.
 — *pusillum* DC. DC. Ic. Gall. rar. 16.
 † — — Nees Gen. X, x.
 — *sessile* L. Wight Ic. pl. Ind. or. 4, 1324.
 — *tenuifolium* Aubl. Aublet Guiana 26.
 — *tetragonum* Roxb. Wall. Pl. asiat. 276.
 — — var. Bot. Mag. 73, 4340.
 — *vaginale* Lab. Bill. Nov. Holl. 51.
 — *viscosum* Sm. Smith Ic. pict. 18.
 — — Herb. amat. 5, 355.
 † — *Walkeri* Arn. Wight Illustr. 157⁴.
 — *Wightianum* Arn. Wight Ic. pl. Ind. or. 2, 840.
 — *zeylanicum* Roxb. Bot. Mag. 75, 4423.

- Exacum zeylanicum* Roxb. Lem. Jard. fl. 43.
 — — Fl. d. serres 5, 435.
Excoecaria Agallocha L. Rumpf Amb. 2, 79.
 — — Berl. Jahrb. 1796, 1.
 † — — Gaertn. Carp. 108.
 — — Lam. Encycl. 805.
 — — Hook. Comp. 30.
 † — — Wight Ic. pl. Ind. or. 5, 1865.
 — *Camettia* Willd. Rheede Hort. mal. 5, 45.
 — *canjoerensis* Deenst. Rheede Hort. mal. 5, 23.
 — *crenulata* Wight. Wight Ic. pl. Ind. or. 5, 1865.
 † — *lucida* Sw. Jussieu Euph. 16.
Exoacantha heterophylla Lab. Bill. Syr. 1, 2.
 — — Lam. Encycl. 190.
Exocarpus Bidwillii Hook. fil. Hook. New Zeal. 52.
 † — *ovata* Bl. Blume Mus. 1, 37.
Exogonium arenarium Choisy. Mem. Genev. 8, 1.
 — *Purga* Benth. Bot. Reg. 33, 49.
 — — Bot. Mag. 73, 4280.
Exostemma angustifolium R. et Sch. Hayne 7, 46.
 — *australe* St. Hil. St. Hil. Pl. usuelles 3.
 — *brachycarpum* R. et Sch. Hayne 7, 47.
 — *caribaeum* R. et Sch. Hayne 7, 44.
 — *cuspidatum* St. Hil. St. Hil. Pl. usuelles 3.
 — *floribundum* R. et Sch. Hayne 7, 45.
 — — Nees Düsseld. Suppl. 2.
 — *longiflorum* R. et Sch. Bot. Mag. 71, 4186.
 — *maynense* P. et E. Poepp. et Endl. 237.
 — *peruvianum* H. B. Humb. Pl. aeq. 38.
 — *Valenzuelae* A. Rich. Ramon Cuba 48.
Exostyles venusta Schott. Endl. Atacta 25.
Exothea oblongifolia Macf. Hook. Lond. Journ. 1844, 7.
Expangia Aub. Aubert Orchid. 57.
 † *Eydouxia Delessertii* Gaudich. Gaudichaud Bonite 18.
 † — *macrocarpa* Gaudich. Gaudichaud Bonite 18.
Eyselia bellidiflora Rchb. Rchb. Hort. 242.
Eysenhardtia amorphoides H. B. K. H. B. K. Nov. Gen. 6, 592.
Fabago major G. Don. Sweet Fl. G. II. 226.
Fabiana denudata Miers. Miers Illustr. 17.
 † — *imbricata* R. et P. Ruiz et Pav. Prodr. 34.
 — — Ruiz et Pav. Fl. 122.
 — — Bot. Reg. 25, 59.
 — — Hook. Ic. pl. 4, 340.
 — *thymifolia* St. Hil. Mem. Mus. 12, 9.
 — — St. Hil. Pl. rem. 20.
Fabricia laevigata Sm. Bot. Mag. 32, 1304.
 † — *myrtifolia* Gaertn. Gaertn. Carp. 35.
 † — — Lam. Encycl. 423.
 — *stricta* Lodd. Lodd. Cab. 1219.
Facchinia lanceolata Rchb. Rchb. Fl. germ. 5, 209.
 † *Fadyena prolifera* Hook. Hook. Gen. Fil. 53.
Fagara guianensis Lam. Desc. Ant. 6, 414.
 † — *Lunu-Ankenda* Gaertn. Gaertn. Carp. 68.
 — *pentandra* Aubl. Aublet Guiana 30.
 † — *Piperita* L. Gaertn. Carp. 68.
 — *Pterota* L. Lam. Encycl. 84.
 — — Dict. sc. nat. 127.
 — — Desc. Ant. 7, 455.
 — *spinifex* Jacq. Jacq. Fragm. 6.
 — *tragodes* L. Jacq. Hist. stirp. am. 19.
 — *triphylla* Lam. Rumpf Amb. 2, 62.
 † *Fagonia cretica* L. Gaertn. Carp. 113.
 — — Lam. Encycl. 346.
 — — Bot. Mag. 7, 241.
 † — — Mem. Mus. 12, 14.
 — *glutinosa* Delile. Delile Egypte 28.
 — *indica* L. Burm. Fl. ind. 34.
 — *latifolia* Delile. Delile Egypte 28.
 — *mollis* Delile. Delile Egypte 27.
 — *mysorensis* Roth. Wight Illustr. 64.
Fagopyrum cymosum Meisn. Bot. Reg. 32, 26.

- † *Fagopyrum esculentum* Moench. Plée Types 31.
 — *ramoso-spicatum* Klotzsch. Prinz Wald. Him. 87.
 — *sativum* Spach. Spach Suites 72.
 † — *tataricum* Gaertn. Gaertn. Carp. 119.
 † — *vulgare* N. v. E. Nees Gen. 4, 53.
Fagraea auriculata Jack. Wall. Pl. asiat. 229.
 — — Blume Rumphia 72.
 — *ceylanica* Thunb. Svensk Acad. 1782, 4.
 — — Lam. Encycl. 167.
 — *coromandelina* Wight. Wight Ic. pl. 4, 1316.
 † — — Wight Illustr. 156.
 — *crassifolia* Bl. Blume Rumphia 78.
 — *fastigiata* Bl. Blume Rumphia 76.
 — *lanceolata* Bl. Blume Rumphia 77.
 — *litoralis* Bl. Blume Rumphia 74.
 — *malabarica* Wight. Wight Ic. pl. Ind. or. 4, 1317.
 — *minor* Bl. Blume Rumphia 73.
 — *morindaefolia* Bl. Blume Rumphia 73, 79.
 — *obovata* Wall. Bot. Mag. 72, 4205.
 — — Bl. Blume Rumphia 75.
 — *peregrina* Bl. Blume Rumphia 80.
 — — Fielding Sertum 6.
 — *rostrata* Bl. Blume Rumphia 76.
 — *speciosa* Bl. Blume Rumphia 81.
 — *zeylanica* Bl. Blume Rumphia 78.
Fagus alpina P. et E. Poepp. et Endl. 196, 198.
 — *antarctica* Forst. Hook. Fl. ant. 123.
 — — Hook. Journ. 1840, 6.
 — *betuloides* Mirb. Mem. Mus. 14, 25.
 — — Hook. Fl. ant. 124.
 † — *Castanea* L. Lam. Encycl. 782.
 — — Engl. Bot. 13, 886.
 — *cliffortioides* Hook. fil. Hook. Ic. pl. 7, 673.
 — — 9, 816.
 — *Cunninghami* Hook. Hook. Journ. 1840, 7.
 — *Dombeyi* Mirb. Mem. Mus. 14, 24.
 — *dubia* Mirb. Mem. Mus. 14, 26.
 — *ferruginea* Ait. Michaux Arb. 2, 9.
 — — Torrey New York 110.
 † — *Forsteri* Hook. Hook. Fl. ant. 107.
 — — Hook. Journ. 1840, 8.
 — *fusca* Hook. fil. Hook. Ic. pl. 7, 630—631.
 — *glutinosa* P. et E. Poepp. et Endl. 194.
 — *Gunnii* Hook. fil. Hook. Ic. pl. 9, 881.
 — *Menziesii* Hook. fil. Hook. Ic. pl. 7, 632.
 — *obliqua* Mirb. Mem. Mus. 14, 23.
 † — — Poepp. et Endl. 198.
 — *procera* P. et E. Poepp. et Endl. 197.
 — *Pumilio* P. et E. Poepp. et Endl. 195.
 † — *silvatica* L. Gaertn. Carp. 37.
 † — — Lam. Encycl. 782.
 — — Schk. Handb. 303.
 — — Schmidt Samml. 1.
 — — Fl. dan. 8, 1283.
 — — Engl. Bot. 26, 1846.
 — — Baxter Brit. Bot. 5, 331.
 ! — — Linn. Transact. 5, 11.
 — — Sv. Bot. 361.
 — — Tratt. Archiv 162.
 — — Schrank Fl. monac. 4, 392.
 — — Hartig 20.
 — — Dietr. Fl. bor. 12, 819.
 — — Rchb. Fl. germ. 12, 639.
 — — Michaux Arb. 2, 8.
 — — var. *americana*, Torrey New York 110.
 † — — Nees Gen. 4, 24.
 † — — Bot. Zeitung 1850, 8.
 † — — Schacht Baum 4, 5, 6.
 — *Solandri* Hook. fil. Hook. Ic. pl. 7, 639, 9, 816.
 † *Falcaria latifolia* Koch. Nees Gen. X, x.
 † — *Rivini* Host. Nees Gen. X, x.
Falcatula falsotrifolium Brot. Brotero Phytogr. 65.

- Falconeria insignis* Royle. Royle Illustr. 84^a or 98.
 — *malabarica* Wight. Wight Ic. pl. Ind. or. 5, 1866.
 — *Wallichii* Royle. Royle Illustr. 84^a or 98.
Falkia repens L. fil. Bot. Mag. 48, 2228.
 — — — Andr. Rep. 4, 257.
 — — — Tratt. Archiv 363.
 † *Faramaea corymbosa* Aubl. Lam. Encycl. 63.
 — *glandulosa* P. et E. Poepp. et Endl. 234.
 — *quinqueflora* P. et E. Poepp. et Endl. 234.
 — *salicifolia* Presl. Presl Symbolae 70.
 — *sessiliflora* Aubl. Aublet Guiana 40.
Farnesia odora Gasp. Gasparrini Monogr. 1.
Farobaea nemorensis Colla. Mem. Tur. 35, 9.
Farsetia aegyptiaca Turra. Turra Farsetia 1.
 — *clypeata* R. Br. Rchb. Fl. germ. 2, 23.
 — *dalmatica* Vis. Visiani Dalm. 32.
 — *eriocarpa* DC. Delessert Ic. 2, 34.
 — *incana* R. Br. Sturm Flora 12, 48.
 — *linearis* Decne. Hook. Ic. pl. 9, 808.
 — *lunarioides* R. Br. Bot. Mag. 58, 3087.
 — *triquetra* DC. Portenschlag Dalm. 10.
 — — — Rchb. Fl. germ. 2, 23.
Fatona lanceolata Decne. Gaudichaud Bonite 84.
 — *pilosa* Gaudich. Gaudichaud Bonite 84.
 — *subcordata* Gaudich. Gaudichaud Bonite 84.
Faurea saligna Harv. Hook. Lond. Journ. 1847, 15.
† *Favonium spinosum* Gaertn. Gaertn. Carp. 174.
† — — Lam. Encycl. 713.
Faya fragifera Webb. Webb Canar. 216.
† *Fedia* Moench. (28 Species.) Linn. Transact. 17, 21.
 — *Auricula* M. et K. Gaudin Fl. helv. 1, 1.
 — — — Engl. Bot. 2809.
 — — — Rchb. Pl. crit. 1, 63.
 — *brachystephana* Ten. Tenore Fl. nap. 203.
 — *carinata* Lois. Rchb. Pl. crit. 1, 61.
 — — — Stev. Engl. Bot. 2810.
 — — — Baxter Brit. Bot. 6, 432.
 † — *Cornucopiae* Vahl. Gaertn. Carp. 86.
 — — — Rchb. Fl. germ. 12, 717.
 † — *coronata* Vahl. Gaertn. Carp. 86.
 — — — Rchb. Pl. crit. 1, 66.
 — *dentata* Vahl. Rchb. Pl. crit. 1, 62.
 — *discoidea* Vahl. Rchb. Pl. crit. 1, 67, 2, 116.
 — *echinata* Vahl. Rchb. Pl. crit. 1, 68.
 — *eriocarpa* Lois. Rchb. Pl. crit. 1, 65.
 — *Fagopyrum* T. et Gr. Torrey New York 46.
 — *Locusta* Rchb. Rchb. Pl. crit. 1, 60.
 — *microcarpa* Lois. Rchb. Pl. crit. 2, 114.
 † — *olitoria* Vahl. Gaertn. Carp. 86.
 — — — Fl. dan. 10, 1681.
 — *pumila* Vahl. Rchb. Pl. crit. 2, 113.
 † — *sibirica* Gaertn. Gaertn. Carp. 86.
 † — *sphaerocarpa* Guss. Gussone Pl. rar. 4.
 † — *tridentata* Stev. Mem. Mosc. 2, 11.
 — — — Rchb. Pl. crit. 1, 64.
 — *truncata* Rchb. Rchb. Pl. crit. 2, 115.
 — *uncinata* M. v. B. Rchb. Pl. crit. 1, 69.
 — *vesicaria* Vahl. Rchb. Pl. crit. 1, 70.
Felicia Schimperii Hochst. Jaubert Illustr. 354.
Felicianea rubriflora Camb. var. *a*. St. Hil. Fl. Bras. 157.
Fendlera rupicola Gray. Smiths. Contr. 3, 5.
Fenzlia dianthiflora Benth. Hook. Ic. pl. 2, 199.
 — *obtusa* Endl. Endl. Atacta 17.
 — *retusa* Endl. Endl. Atacta 18.
Ferdinandusa elliptica Pohl. Pohl Bras. 106.
 — — — Rchb. Exot. 283.
 — *ovalis* Pohl. Pohl Bras. 107.
 — — — Rchb. Exot. 282.
 — *speciosa* Pohl. Pohl Bras. 108.
 † *Fereiria Vandelli*. Roemer Scriptores 6.
 † *Feretia Delile*. Ann. sc. nat. II, 20, 1.
 † *Fernandezia* R. et P. Ruiz et Pav. Prodr. 27.

- Fernandezia acuta* Ldl. Bot. Reg. 21, 1866.
 — *elegans* Lodd. Lodd. Cab. 1214.
Fernelia axillaris Lam. Lam. Encycl. 67.
 † — *buxifolia* Gaertn. Gaertn. Carp. 197.
 † — *obovata* Gaertn. Gaertn. Carp. 191.
 — — *Lam.* Lam. Encycl. 67.
 † — *pedunculata* Gaertn. Gaertn. Carp. 191.
Ferolia guianensis Aubl. Aublet Guiana 372.
 — *variegata* Lam. Desc. Ant. 7, 456.
Feronia elephantum Correa. Roxb. Corom. 141.
Ferraria antherosa Gawl. Bot. Mag. 20, 751.
 — *atrata* Lodd. Lodd. Cab. 1356.
 — *divaricata* Sweet. Sweet Fl. G. 192.
Ferrariola Thunb. Red. Lil. 8, 484.
 — *obtusifolia* Sweet. Sweet Fl. G. 146.
Pavonia L. Cav. Diss. 189.
 † — — *Lam.* Encycl. 569.
 — — — *Andr.* Rep. 3, 178.
 — — — *Kerner* Hort. 97.
 — *pusilla* Link. Link Ic. I. 59.
Tigridia Sims. Bot. Mag. 15, 532.
 — *uncinata* Sweet. Sweet Fl. G. 161.
 — *undulata L.* Cav. Diss. 190.
 — — — *Jacq.* Vind. 63.
 — — — *Bot. Mag.* 4, 144.
 — — — *Red. Lil.* 1, 28.
 — — — *Dict. sc. nat.* 62.
 — — — *Rchb. Exot.* 74.
 — *viridiflora* Andr. Andr. Rep. 4, 285.
Ferreola buxifolia Roxb. Roxb. Corom. 45.
 † — — — *Ann. Mus.* 8, 65.
 — — — *Wight* Ic. pl. Ind. or. 3, 763.
Ferretia apodanthera Del. Ferret Abyssin. 12.
Ferula asa foetida L. Woodv. Med. 1, 43.
 — — — *Schk. Handb.* 66.
 — — — *Nees Düsseldorf.* 291.
 — — — *Guimp. et Schl.* 216.
 — *Barrelieri* Ten. Tenore Fl. nap. 133.
 — *brevifolia* Link. Hoffm. Lk. Fl. port. 108^a.
 — *capillaris* Link. Hoffm. Lk. Fl. port. 108^b.
 — *caspicum M. v. B.* Sprengel Umbellif. 7.
 † — *communis L.* Lam. Encycl. 205.
 — *Ferulago L.* var. *Rochel* Banat. 24.
 — *geniculata* Guss. Bory Morée 9.
 — *Linkii* Webb. Webb Canar. 75. (errore 78.)
 — *neapolitana* Ten. Tenore Fl. nap. 132.
 — *nodiflora L.* Jacq. Fl. austr. 5, 5.
 — — — *Sibth. Fl. gr.* 279.
 — *nuda* Spr. Sprengel Umbellif. 7.
 — *persica* Willd. Andr. Rep. 9, 558.
 — — — *Bot. Mag.* 46, 2096.
 — — — *Wagner* 168.
 — *sulcata* Desf. Desf. Fl. atl. 67.
 — *thyrsiflora* Sibth. Sibth. Fl. gr. 280.
 † — *tingitana L.* Gaertn. Carp. 85.
 † — — *Lam.* Encycl. 203.
 — *tolucensis H. B. K.* H. B. K. Nov. Gen. 5, 418.
 — ? *tortuosa* Webb. Webb Canar. 77.
Ferulago granatensis Boiss. Boissier Esp. 73.
 — *silvatica* Bess. Rchb. Ic. crit. 4, 371.
 † *Festuca L.* Dumortier Gram. 3.
 † — — *Annales d'observ.* 1, 10.
 — *alpina* Suter. Host Gram. 363.
 — — — *Sturm* Flora 19, 86.
 — — — *Rchb. Fl. germ.* 1, 61.
 — *altaica* Led. Ledeb. Ic. 228.
 — *amethystina* Host. Host Gram. 189.
 — — — *Rchb. Fl. germ.* 1, 61.
 — *argentea* Savi. Usteri Ann. 24, 1.
 — *arundinacea* Liljebl. Sv. Bot. 370.
 — — *Schreb.* Fl. dan. 14, 2463.
 — — — *Rchb. Fl. germ.* 1, 70.

- Festuca aurata* Gaud. Rchb. Fl. germ. 1, 61.
 — *barbata* Brot. Brotero Phytogr. 101.
 — *borealis* Mert. Hook. Bor. Am. 231.
 — *bromoides L.* Lam. Encycl. 46.
 — — — *Fl. dan.* 9, 1445.
 — — — *Engl. Bot.* 20, 1411.
 — — — *Knapp* Gram. 69.
 — *caesia* Sm. Engl. Bot. 27, 1917.
 — *caespitosa* Desf. Desf. Fl. atl. 24.
 — *calamaria* Sm. Engl. Bot. 14, 1005.
 — — — *Host* Gram. 360.
 — — — *Knapp* Gram. 72.
 — *calycina L.* Cav. Ic. 44.
 — — — *Lam. Encycl.* 46.
 — *canescens* Host. Rchb. Fl. germ. 1, 62.
 — *ciliata* Pers. Host Gram. 365.
 — *Cookii* Hook. Hook. Fl. ant. 139.
 — *curvula* Gaud. Rchb. Fl. germ. 1, 62.
 — *cynosuroides* Desf. Desf. Fl. atl. 21.
 — *dactyloides* Sibth. Sibth. Fl. gr. 81.
 — *decidua* Sm. Engl. Bot. 32, 2266.
 — *decolorans M. et K.* Rchb. Fl. germ. 1, 66.
 — *decumbens L.* Fl. dan. 1, 162.
 — *diandra* Michx. Michaux Fl. 10.
 — *dichotoma* Forsk. Mutel Fl. fr. 89.
 — *dimorpha* Guss. Gussone Pl. rar. 6.
 — *divaricata* Desf. Desf. Fl. atl. 22.
 — — — *Mutel* Fl. fr. 89.
 — *dumetorum L.* Fl. dan. 4, 700.
 — — — *Mutel* Fl. fr. 86.
 — *dura* Host. Host Gram. 187.
 — *duriuscula L.* Fl. dan. 5, 848.
 — — — *Host* Gram. 183.
 — — — *Roemer* Fl. eur. 6, 1.
 — — — *Engl. Bot.* 7, 470.
 — — — *Knapp* Gram. 68.
 — — — *Rchb. Fl. germ.* 1, 62.
 † — — — *Nees* Gen. 1, 72.
 — *elatio* L. Schreber Gräser 2.
 — — — *Host* Gram. 179.
 — — — *Curt. Lond.* 3, 66.
 — — — *Engl. Bot.* 23, 1593.
 — — — *Mutel* Fl. fr. 88.
 — *erecta d'Urv.* Brongniart Coquille 7.
 — *eskia* Ram. Mutel Fl. fr. 87.
 — — — *Rchb. Fl. germ.* 1, 66.
 † — *fiabellata* Lam. Annales d'observ. 2, 2. 3. 4.
 — *flavescens* Bell. Host Gram. 219.
 — — — *Rchb. Fl. germ.* 1, 65.
 — *fluitans L.* Fl. dan. 2, 237.
 — — — *Schreber* Gräser 3.
 — — — *Host* Gram. 177.
 — — — *Schk. Handb.* 15.
 — *foliosa* Schrad. Hook. Fl. ant. 53.
 — *fuegiana* Hook. Hook. Fl. ant. 141.
 — *fusca L.* Delile Egypte 11.
 — — *Vill.* Mutel Fl. fr. 87.
 — *gigantea* Vill. Curt. Lond. 3, 52.
 — — — *Engl. Bot.* 26, 1820.
 — — — *Sv. Bot.* 120.
 — *glauca* Lam. Lam. Encycl. 46.
 — — — *Fl. dan.* 10, 1628.
 — — — *Rchb. Fl. germ.* 1, 63.
 † — — *Schreb.* Nees Gen. 1, 72.
 — *granatensis* Boiss. Boissier Esp. 179.
 — *guestfalica* Bönningh. Rchb. Fl. germ. 1, 64.
 — *Halleri* Vill. Rchb. Fl. germ. 1, 61.
 — *heterophylla* Haenke. Host Gram. 218.
 — *hirsuta* Host. Host Gram. 185.
 — — — *Fl. dan.* 10, 1627.
 — — — *Rchb. Fl. germ.* 1, 62.
 — *hispida* Savi. Savi Fl. pis. 1.

- Festuca incrassata* Salzm. Mutel Fl. fr. 86.
 — *inermis* DC. Rchb. Fl. germ. 1, 70.
 — *laevigata* Clairv. Rchb. Fl. germ. 1, 63.
 — *latifolia* Host. Rchb. Fl. germ. 1, 69.
 — *laxa* Host. Host Gram. 180.
 — — Rchb. Fl. germ. 1, 64.
 — *litoralis* Lab. Bill. Nov. Holl. 27.
 — — *Sibth.* Sibth. Fl. gr. 80.
 — *loliacea* Huds. Curt. Lond. 3, 70.
 — — Engl. Bot. 26, 1821.
 — — Fl. dan. 11, 1925.
 — — Knapp Gram. 74.
 — — Mutel Fl. fr. 88.
 — *maritima* L. Mutel Fl. fr. 90.
 — *Michellii* Kth. Mutel Fl. fr. 85.
 — *monostachya* Lam. Desf. Fl. atl. 24.
 — *montana* Sternb. Rchb. Fl. germ. 1, 69.
 — *muralis* H. B. K. H. B. K. Nov. Gen. 7, 691.
 — *Myurus* L. Host Gram. 193.
 — — Engl. Bot. 20, 1412.
 — — Knapp Gram. 70.
 — *nemorum* Leyss. Rchb. Fl. germ. 1, 67.
 — *nervosa* Hook. Hook. Bor. Am. 232.
 — *nigrescens* Lam. Rchb. Fl. germ. 1, 67.
 — *nutans* Host. Host Gram. 361.
 — — Willd. Torrey New York 158.
 — *oryztorum* Poll. Pollini Fl. ver. 1, 1.
 † — *ovina* L. Lam. Encycl. 46.
 — — Host Gram. 184.
 — — Sv. Bot. 78.
 — — Engl. Bot. 9, 585.
 — — Knapp Gram. 66.
 — — Rchb. Fl. germ. 1, 61.
 — — var. *glauca*, Sturm Flora 7, 26.
 — — Fl. dan. 14, 2462.
 — *pallens* Host. Host Gram. 188.
 † — — Münchn. Denkschr. 4, 11.
 — — Rchb. Fl. germ. 1, 63.
 — — Sturm Flora 7, 26.
 — *pannonica* Wulf. Host Gram. 362.
 — — Rchb. Fl. germ. 1, 63.
 — *pectinata* Lab. Bill. Nov. Holl. 25.
 — *Pectinella* Del. Explor. Alger. 41.
 — *phleoides* Desf. Desf. Fl. atl. 23.
 — — Host. Host Gram. 221.
 — *phoenicoides* L. Gerard Fl. gallopr. 2.
 — *pilosa* Hall. Sturm Flora 19, 86.
 — *pinnata* Huds. Knapp Gram. 75.
 — *poaeformis* Host. Host Gram. 181.
 — — Rchb. Fl. germ. 1, 66.
 — *polystachya* Michx. Elliott Carolina 10.
 — *pratensis* Huds. Curt. Lond. 3, 69.
 — — Engl. Bot. 23, 1592.
 — — Knapp Gram. 73.
 — — Baxter Brit. Bot. 5, 324.
 — — Sv. Bot. 54.
 — — Fl. dan. 8, 1323.
 — — Mutel Fl. fr. 88.
 — — Rchb. Fl. germ. 1, 70.
 † — *pulchella* Schrad. Schrader Fl. germ. 5.
 — — Münchn. Denkschr. 7, 3.
 — *pumila* Vill. Host Gram. 191.
 — — Rchb. Fl. germ. 1, 65.
 — — Sturm Flora 8, 29.
 — *pungens* Vahl. Vahl Symbolae 2.
 — *purpurascens* Banks et Sol. Hook. Fl. ant. 140.
 — *quadridentata* H. B. K. H. B. K. Nov. Gen. 7, 690.
 — *repens* Knapp. Knapp Gram. 119.
 — *rigida* Kth. Sturm Flora 19, 86.
 — — Roth. Gussone Pl. rar. 7.
 — *robusta* Mut. Mutel Fl. fr. 89.
 — *rubra* L. Host Gram. 182.

- Festuca rubra* L. Engl. Bot. 29, 2056.
 — — — Hook. Bor. Am. 230.
 — — — Rchb. Fl. germ. 1, 67.
 † — — — Nees Gen. 1, 72.
 — *scabra* Lab. Bill. Nov. Holl. 26.
 — *scabrella* Torr. Hook. Bor. Am. 233.
 — *Schenchzeri* Gaud. Sturm Flora 19, 86.
 — — — Rchb. Fl. germ. 1, 68.
 — *segetum* Savi. Savi Fl. pis. 1.
 — *serotina* Host. Host Gram. 192.
 — *silvatica* Vill. Host Gram. 178.
 — — — Rchb. Fl. germ. 1, 68.
 — — Huds. Knapp Gram. 76.
 — *spadicea* Rudb. Linn. Transact. 1, 10.
 — — — Host Gram. 220.
 — — — Sturm Flora 19, 86.
 — — — Rchb. Fl. germ. 1, 68.
 — *speciosa* Schreb. Fl. dan. 11, 1805.
 — *spectabilis* Jam. Rchb. Fl. germ. 7, 78.
 — *stipoides* Mut. Mutel Fl. fr. 85.
 — — Desf. Mutel Fl. fr. 86.
 — *stricta* Host. Host Gram. 186.
 — *tenella* Willd. Torrey New York 154.
 — *tenuifolia* Sibth. Rchb. Fl. germ. 1, 61.
 — *Thomasiana* Gay. Mutel Fl. fr. 84.
 — *triflora* Desf. Desf. Fl. atl. 20.
 — — Sm. Engl. Bot. 27, 1918.
 — *uniglumis* Ait. Host Gram. 364.
 — — — Engl. Bot. 20, 1430.
 — — — Knapp Gram. 71.
 — *unioloides* Willd. Willd. Hort. 3.
 — *vaginata* W. et K. Rchb. Fl. germ. 1, 64.
 — *valesiaca* Gaud. Rchb. Fl. germ. 1, 63.
 — *varia* Haenke. Host Gram. 190.
 — — — Rchb. Fl. germ. 1, 65.
 — *violacea* Gaud. Rchb. Fl. germ. 1, 62.
 — *vivipara* Sm. Engl. Bot. 19, 1355.
 — — — Knapp Gram. 67.
 — — — Fl. dan. 12, 2043.
 † *Fevillea cordifolia* L. Lam. Encycl. 815.
 — — — Desc. Ant. 3, 198.
 † — — — Spach Suites 49.
 — *hederacea* Poir. Dict. sc. nat. 210. 211.
 † — — — Schnizl. Ic. 201.
 — *pedata* Sm. Bot. Mag. 53, 2681.
 † — *tamniifolia* H. B. K. H. B. K. Nov. Gen. 7, 640.
 † *Fibigia clypeata* Med. Medicus Gatt. 2.
 — *lunarioides* Sm. Sibth. Fl. gr. 625.
Ficaria calthaeifolia Rchb. Rchb. Fl. germ. 3, 1.
 — *ranunculoides* Roth. Schrank Fl. monac. 3, 238.
 — — — Rchb. Fl. germ. 3, 1.
 — — — Dietr. Fl. bor. 2, 100.
Ficinia aphylla N. v. E. Bndl. Atacta 12.
 † — *truncata* Schrad. Comm. Gott. rec. 7, 2.
Ficus L. (Arbor vetustissima.) Blume Rumphia 71.
 † — — (Fructus monstr.) Novi Comm. Bonon. 3, 8.
 † — — Rendic. Ac. Neap. 1844, 1—13. 1847, 1—3.
 — *acuminata* Ham. Bot. Mag. 60, 3282.
 — *acutifolia* Miq. Hook. Lond. Journ. 1848, 5.
 — *Allameeraloo* Roxb. Wight Ic. pl. Ind. or. 2, 650.
 — *Ampelos* Burm. Rumpf Amb. 4, 63.
 — — — Wight Ic. pl. Ind. or. 2, 652.
 — *amplissima* Sm. Rheede Hort. mal. 3, 63.
 — *angustifolia* Roxb. Wight Ic. pl. Ind. or. 2, 660.
 — *antithetophylla* Steud. Hook. Lond. Journ. 1848, 5.
 — *asperifolia* Miq. Hook. Lond. Journ. 1848, 15.
 — *asprima* Roxb. Rheede Hort. mal. 3, 60.
 — — — Wight Ic. pl. Ind. or. 2, 633.
 — *benghalensis* L. Rheede Hort. mal. 1, 28.
 — — — Rumpf Amb. 3, 93.
 — — — Gil et Suarez 20.
 — — — Kerner Hort. 194.

- Ficus benjamina* L. Rheede Hort. mal. 1, 26.
 — — Rumpf Amb. 3, 90.
 — — *callosa* Willd. Mem. Ac. Berl. 1798, 4.
 — — *Caprificus* Risso. Risso Fl. de Nice 19.
 † — — *Carica* L. Gaertn. Carp. 91.
 † — — — Lam. Encycl. 861.
 — — — Schk. Handb. 338.
 — — — Hayne 9, 13.
 — — — Guimp. Fr. Holzgew. 108.
 — — — Guimp. et Schl. 69.
 — — — Nees Düssel. 97.
 — — — var. *Gallesio Pomona* 2, 0.
 — — — Woodv. Med. 4, 244.
 — — — Dict. sc. nat. 285.
 — — — Rechb. Fl. germ. 12, 659.
 † — — — (Embryo.) Ann. sc. nat. III. 11, 10.
 † — — — var. *silvestris*, Nees Gen. 4, 33.
 † — — — Schnizl. Ic. 2, 92.
 † — — — Novi Comm. Bonon. 3, 8.
 † — — — Münchn. Abh. 4, 1.
 — — — *caricoides* Roxb. Wight Ic. pl. Ind. or. 2, 634.
 — — — *chiaese* Gasp. Rend. Ac. Neap. 1844, 4.
 — — — *citrifolia* Lam. Rumpf Amb. 3, 86.
 — — — Kerner Hort. 579.
 — — — Colombo Gasp. Rend. Ac. Neap. 1844, 2.
 — — — *comosa* Roxb. Roxb. Corom. 125.
 — — — Kerner Hort. 216.
 — — — Bot. Mag. 61, 3305.
 — — — Wight Ic. pl. Ind. or. 2, 638.
 — — — *congesta* Roxb. Wight Ic. pl. Ind. or. 2, 644.
 — — — *conglomerata* Roxb. Wight Ic. pl. Ind. or. 2, 669.
 — — — *cordata* Thunb. Thunberg Ficus 1.
 — — — Usteri Del. 1, 5.
 — — — *cordifolia* Roxb. Wight Ic. pl. Ind. or. 2, 640.
 — — — *coriacea* Ait. Hook. Exot. Fl. 223.
 — — — *coronata* Spin. Colla Hort. Rip. 8.
 — — — *cotoneaeifolia* Vahl. Rheede Hort. mal. 3, 57.
 — — — *cunia* Roxb. Wight Ic. pl. Ind. or. 2, 648.
 — — — *Daemona* Roxb. Wight Ic. pl. Ind. or. 2, 641.
 — — — *Dahero* Del. Ferret Abyssin. 15.
 — — — *elastica* Roxb. Wight Ic. pl. Ind. or. 2, 663.
 — — — *erecta* Thunb. Kaempfer Japon. 4.
 — — — *exasperata* Roxb. Wight Ic. pl. Ind. or. 2, 664.
 — — — Vahl. Hook. Lond. Journ. 1848, 14.
 — — — *excelsa* Vahl. Rheede Hort. mal. 3, 58.
 — — — Wight Ic. pl. Ind. or. 2, 650.
 — — — *fruticosa* Roxb. Wight Ic. pl. Ind. or. 2, 654.
 — — — *fulva* Reinw. Vries Descriptions 3, 4.
 — — — *glomerata* Roxb. Rheede Hort. mal. 1, 25.
 — — — Rumpf Amb. 3, 94.
 — — — Roxb. Corom. 123.
 — — — Kerner Hort. 140.
 — — — Wight Ic. pl. Ind. or. 2, 667.
 — — — *hederacea* Roxb. Wight Ic. pl. Ind. or. 2, 653.
 — — — *heterophylla* Roxb. Rheede Hort. mal. 3, 62.
 — — — Wight Ic. pl. Ind. or. 2, 659.
 — — — *hirsuta* Roxb. Wight Ic. pl. Ind. or. 2, 670.
 — — — *hirta* Roxb. Wight Ic. pl. Ind. or. 2, 672.
 — — — *hispidia* Bl. Rheede Hort. mal. 3, 61.
 — — — Rumpf Amb. 3, 95.
 — — — *humilis* Roxb. Wight Ic. pl. Ind. or. 2, 635.
 — — — *indica* L. Rumpf Amb. 3, 84.
 — — — Desc. Ant. 4, 295.
 — — — Guimp. et Schl. 277.
 — — — Hook. Journ. 1841, 13, 14.
 — — — *infectoria* Willd. Rheede Hort. mal. 3, 64.
 — — — Wight Ic. pl. Ind. or. 2, 665.
 — — — *Isiala* Roxb. Wight Ic. pl. Ind. or. 2, 668.
 — — — *laccifera* Roxb. Wight Ic. pl. Ind. or. 2, 656.
 — — — *lanceolata* Roxb. Wight Ic. pl. Ind. or. 2, 645.
 — — — *ludens* Miq. Hook. Lond. Journ. 1848, 15.
 — — — *macrophylla* Roxb. Wight Ic. pl. Ind. or. 2, 673.

- Ficus Migliarolo* Gasp. Rend. Ac. Neap. 1844, 9.
 — — *mollis* Vahl. Mem. Ac. Berl. 1798, 5.
 — — — Willd. Konig Ann. 2, 12.
 — — — *nitida* Thunb. Rheede Hort. mal. 3, 55.
 — — — Hook. Exot. Fl. 111.
 — — — Roxb. Wight Ic. pl. Ind. or. 2, 642.
 — — — *obtusifolia* Roxb. Wight Ic. pl. Ind. or. 2, 662.
 — — — *oppositifolia* Roxb. Roxb. Corom. 124.
 — — — Wight Ic. pl. Ind. or. 2, 638.
 — — — *pachycarpa* Gasp. Rend. Ac. Neap. 1844, 5.
 — — — *palmata* Forsk. Vahl Symbolae 24.
 — — — *panificus* Del. Ferret Abyssin. 16.
 — — — *parasitica* Willd. Mem. Ac. Berl. 1798, 3.
 — — — Konig Ann. 2, 11.
 — — — *pedunculosa* Miq. Hook. Lond. Journ. 1848, 7.
 — — — *Perim teregam* Burm. Rheede Hort. mal. 3, 61.
 † — — *pertusa* L. fil. Nees Gen. 4, 33.
 — — — Bory lles d'Afrique 17.
 — — — *Petitiana* Rich. Richard Abyssin. 80.
 — — — *polycarpa* Roxb. Wight Ic. pl. Ind. or. 2, 632.
 — — — *populifolia* Vahl. Vahl Symbolae 22.
 — — — *pumila* L. Rumpf Amb. 3, 85.
 — — — *pyriformis* H. et Arn. Hook. Lond. Journ. 1848, 6.
 — — — *quercifolia* Roxb. Lodd. Cab. 1540.
 — — — Wight Ic. pl. Ind. or. 2, 646.
 — — — *racemifera* Roxb. Wight Ic. pl. Ind. or. 2, 639.
 — — — *racemosa* L. Rumpf Amb. 3, 87, 88.
 — — — *radicans* Roxb. Wight Ic. pl. Ind. or. 2, 671.
 — — — *ramentacea* Roxb. Wight Ic. pl. Ind. or. 2, 657.
 — — — *rapiformis* Roxb. Wight Ic. pl. Ind. or. 2, 637.
 — — — *Reinwardtii* Link. Link Ic. II. 31.
 — — — *religiosa* L. Rheede Hort. mal. 1, 27.
 — — — Rumpf Amb. 3, 91, 92.
 † — — — Gaertn. Carp. 179.
 — — — Hayne 13, 38.
 — — — Nees Düssel. Suppl. 104.
 — — — Guimp. et Schl. 276.
 — — — *repens* Roxb. Wight Ic. pl. Ind. or. 2, 636.
 — — — *rubiginosa* Desf. Vent. Malm. 114.
 — — — Kerner Hort. 266.
 — — — Bot. Mag. 56, 2939.
 — — — *salicifolia* Vahl. Vahl Symbolae 23.
 — — — *sarnese nero* Gasp. Rend. Ac. Neap. 1844, 7.
 — — — *Saussureana* DC. Mem. Genev. 9, 0.
 — — — *scabra* Jacq. Jacq. Schoenbr. 3, 815.
 — — — Willd. Mem. Ac. Berl. 1798, 2.
 — — — *scabrella* Roxb. Wight Ic. pl. Ind. or. 2, 661.
 — — — *scandens* Roxb. Wight Ic. pl. Ind. or. 2, 643.
 — — — *Schimperiana* Hochst. Ferret Abyssin. 2.
 — — — *septica* Burm. Rheede Hort. mal. 3, 59.
 — — — Spr. Rumpf Amb. 3, 96.
 — — — *setacea* Lodd. Lodd. Cab. 1138.
 — — — *setosa* Hook. Hook. Beechey 49.
 — — — *stipulata* Thunb. Wendl. Coll. 72.
 — — — Kerner Hort. 381.
 — — — *tinctoria* Forst. Tussac Ant. 2, 14.
 — — — Kerner Hort. 653.
 — — — Hook. Lond. Journ. 1848, 6.
 — — — *tomentosa* Roxb. Wight Ic. pl. Ind. or. 2, 647.
 — — — *trifero* Gasp. Rend. Ac. Neap. 1844, 12, 13.
 — — — *Tajela* Ham. Rumpf Amb. 3, 89.
 — — — *tuberculata* Roxb. Wight Ic. pl. Ind. or. 2, 651.
 — — — *undulata*? Ham. Rheede Hort. mal. 3, 56.
 — — — *urophylla* Wall. Lodd. Cab. 1697.
 — — — *vagans* Roxb. Wight Ic. pl. Ind. or. 2, 655.
 — — — *vallis Chondae* Del. Ferret Abyssin. 1.
 — — — *venosa* Willd. Willdenow Hort. 36.
 — — — *virgata* Roxb. Wight Ic. pl. Ind. or. 2, 649.
 — — — *Wassa* Roxb. Wight Ic. pl. Ind. or. 2, 666.
 — — — *yoponensis* Desv. Ann. sc. nat. II. 18, 8.
Fiedleria illyrica Rechb. Rechb. Fl. germ. 6, 246.
Fieldia australis Cunn. Hook. Exot. Fl. 231.

- Fieldia lissochiloides* Gaudich. Freycinet Voyage 36.
 — — — Blume Rumphia 194.
Figaraea aegyptiaca Viv. Viviani Aeg. 1.
Filago arvensis L. Fl. dan. 8, 1275.
 — — — Sv. Bot. 660.
 — — — Sturm Flora 10, 38.
 † — — — Cosson Atlas 26.
 — — — *canescens* Jord. Jordan Obs. 3, 7.
 — — — *eriocephala* Guss. Gussone Pl. rar. 59.
 — — — Jordan Obs. 3, 7.
 — — — *exigua* Sibth. Sibth. Fl. gr. 922.
 † — — — *germanica* L. Gaertn. Carp. 166.
 — — — Schk. Handb. 266.
 — — — Fl. dan. 6, 997.
 — — — Sv. Bot. 661.
 — — — Sturm Flora 3, 12.
 — — — Cosson Atlas 26.
 † — — — Ann. sc. nat. II. 20, 13.
 — — — *Jussieui* Coss. et G. Cosson Atlas 26.
 † — — — Ann. sc. nat. II. 20, 13.
 — — — *lutescens* Jord. Jordan Obs. 3, 7.
 — — — *mareotica* Delile. Delile Egypte 47.
 — — — *minima* Fries. Sturm Flora 10, 38.
 — — — *montana* L. Fl. dan. 8, 1276.
 — — — Sv. Bot. 659.
 — — — Dietr. Fl. bor II, 769.
 † — — — Cosson Atlas 26.
 — — — *pygmaea* Cav. Cav. Ic. 36.
 — — — L. Sibth. Fl. gr. 921.
 — — — *spathulata* Presl. Jordan Obs. 3, 7.
Filangia Aub. Aubert Orchid. 52.
† *Filices* Willd. Maratti De vera florum exist. 1.
† — — — (Hoffmann.) Roemer Magazin 3, 5.
† — — — (Smith.) Mem. Turin. 5, 9*.
† — — — (Smith.) Smith Tracts 1.
† — — — (Smith.) Usteri Annalen 23, 2.
† — — — (Huperz.) Huperz Filicum propag. 1.
† — — — (Fischer.) Fischer Specimen 1.
† — — — (Bernhardi.) Schrader N. Journal 1, 2, 3.
† — — — (Swartz.) Konig Annals 2, 9, 10.
† — — — (Macvicar.) Transact. Edinb. 10, 11.
† — — — (Kaulfuss.) Kaulfuss Wesen d. F. 1.
† — — — (Link.) Abh. Ac. Berlin 1834, 1, 2, 1835, 1, 1840, 1.
† — — — (Gasparrini.) Gasparrini Osserv. 1, 2.
† — — — (Henderson.) Jardine Magazine 1, 11, 12.
† — — — (Brongniart.) Archives Mus. 1, 33.
† — — — (Griffith.) Jardine Annals 10, 5.
† — — — (J. Smith.) Hook. Journ. 1842, 19, 20.
† — — — (Fée.) Fée Fil. 1, 1, 2.
† — — — (Presl.) Prager Abh. 5, 1 — 7.
† — — — (Suminski.) Suminski Entwickl. d. F. 1.
† — — — (Thuret.) Ann. sc. nat. III. 11, 2 — 8.
† — — — (Wigand.) Bot. Zeitung 1849, 1.
† — — — (Hooker.) Hook. et Arn. Brit. Fl. 9 — 12.
† — — — (Hofmeister.) Hofmeister Untersuch. 16, 17.
† — — — (Henfrey.) Linn. Transact. 21, 14 — 16.
Fillaea suaveolens Guill. Guillemain Seneg. 55.
Fimbriaria elegans Juss. St. Hil. Fl. Bras. 173.
Fimbristylis annua R. et Sch. Sturm Flora 19, 85.
 — — — Rchb. Fl. germ. 8, 315.
 — — — *cioniana* Savi. Mem. Valdarnesi 3, 1.
 — — — *dichotoma* Vahl. Sturm Flora 19, 85.
 — — — Rchb. Fl. germ. 8, 315.
 † — — — Nees Gen. 2, 9.
 — — — *ferruginea* Vahl. Delile Egypte 6.
 — — — *marginata* Lab. Bill. Sertum 16.
 † — — — *pubigera* Link. Nees Gen. 2, 9.
 — — — *squarrosa* Vahl. Rchb. Fl. germ. 8, 315.
 — — — *striata* Lab. Bill. Sertum 16.
Finlaysonia obovata Wall. Wall. Pl. asiat. 162.
 † — — — Wight Illustr. 182.

- † *Firmiana platanifolia* Schott et Endl. Spach Suites 69.
 † *Fischera buxifolia* Sw. Mem. Mosc. 5, 1.
 † — — — *compressa* Spr. Sprengel Umb. Prodr. 1.
 — — — *macrocarpa* P. et E. Poepp. et Endl. 276.
 — — — *scandens* DC. Delessert Ic. 5, 77.
Fisquetia macrocarpa Gaudich. Gaudichaud Bonite 4.
 — — — *militaris* Gaudich. Gaudichaud Bonite 5.
 — — — *ornata* Gaudich. Gaudichaud Bonite 5.
 — — — *ovata* Gaudich. Gaudichaud Bonite 4.
† *Fissilia psittacorum* Juss. Lam. Encycl. 28.
Fitchia nutans Hook. Hook. Lond. Journ. 1845, 23, 24.
Fitzroya patagonica Hook. Bot. Mag. 77, 4616.
 — — — Fl. d. serres 7, p. 130.
Flabellaria paniculata Cav. Cav. Diss. 264.
Flabellographis Aub. Aubert Orchid. 39.
Flabellorchis Aub. Aubert Orchid. 40.
Flacourtia cataphracta Roxb. Rheede Hort. mal. 5, 38.
 — — — *inermis* Roxb. Roxb. Corom. 222.
 — — — *prunifolia* H. B. K. H. B. K. Nov. Gen. 7, 654.
 — — — *Ramontchi* L'her. L'her. Stip. 30, 30^b.
 † — — — Lam. Encycl. 826.
 — — — Wight Ic. pl. Ind. or. 1, 88.
 — — — *sapida* Roxb. Roxb. Corom. 69.
 — — — *sepiaria* Roxb. Rheede Hort. mal. 5, 39.
 — — — Roxb. Corom. 68.
 — — — Dict. sc. nat. 150.
Flagellaria indica L. Rheede Hort. mal. 7, 53.
 — — — Rumpf Amb. 5, 59.
 † — — — Gaertn. Carp. 16.
 † — — — Lam. Encycl. 266.
 — — — Red. Lil. 5, 257.
 — — — Schnizl. Ic. 1, 51^b.
† *Flagellarieae* Endl. Schnizl. Ic. 1, 51^b.
Flaveria Contrayerba Pers. Bot. Mag. 50, 2400.
Flavileptis Aub. Aubert Orchid. 25.
Flemingia bracteata Wight. Wight Ic. pl. Ind. or. 1, 268.
 — — — *congesta* Roxb. Wight Ic. pl. Ind. or. 2, 390.
 — — — *lineata* Roxb. Wight Ic. pl. Ind. or. 2, 327.
 — — — *nana* Roxb. Wight Ic. pl. Ind. or. 2, 389.
 — — — *procumbens* Roxb. Wight Ic. pl. Ind. or. 2, 408.
 — — — Wight. Wight Ic. pl. Ind. or. 3, 987.
 — — — Wight Spicil. 60.
 — — — *semialata* Roxb. Roxb. Corom. 249.
 — — — Wight Ic. pl. Ind. or. 2, 326.
 — — — *stricta* Roxb. Roxb. Corom. 248.
 — — — Wight Ic. pl. Ind. or. 2, 329.
 — — — *strobilifera* R. Br. Bot. Reg. 8, 617.
 — — — Wight Ic. pl. Ind. or. 1, 267.
Fleurya cordata Gaudich. Gaudichaud Bonite 83.
 — — — *interrupta* Wight. Wight Ic. pl. Ind. or. 6, 1975.
Flexuosatis Aub. Aubert Orchid. 7, 12.
Flindersia amboinensis DC. Rumpf Amb. 3, 129.
 — — — *australis* R. Br. Flinders Voyage 1.
 — — — Lam. Encycl. 954.
† *Floerkea Willd.* Gray Genera 154.
† — — — *proserpinacoides* Willd. Hook. Journ. 1834, 113.
 — — — Torrey New York 17.
 — — — Gray Genera 154.
Florestina pedata Cass. Cassini Opusc. 1, 7.
 — — — Dict. sc. nat. 86.
Flotovia diacanthoides Less. Poepp. et Endl. 32.
* *Flourensia caespitosa* Jacq. Jacquemont Ind. 29.
 — — — *laurifolia* DC. Delessert Ic. 4, 35.
† *Flüggea japonica* Rich. Schrader N. Journal 2, 1.
† — — — *leucopyrus* Willd. Jussieu Euphorb. 2.
 — — — Wight Ic. pl. Ind. or. 5, 1875.
† — — — *xerocarpa* Juss. Jussieu Euphorb. 2.
Fockea capensis Endl. Endl. Iconogr. 91.
† *Foeniculum officinale* All. Nees Gen. X, x.
 — — — *Panmorium* DC. Wight Ic. pl. Ind. or. 2, 570.
 † — — — *vulgare* Gaertn. Gaertn. Carp. 23.
 — — — Guimp. et Schl. 232.

- Foeniculum vulgare* Gaertn. Baxter Brit. Bot. 3, 176.
 — — — Wight Ic. pl. Ind. or. 2, 515.
 † — — — Wight Illustr. 117.
 † *Foetidia mauritiana* Lam. Lam. Encycl. 419.
 † — — — Jacq. Fragm. 11.
Fontanesia phyllaeoides Lab. Bill. Syr. 1, 1.
 † — — — Gaertn. Carp. 215.
 — — — Lam. Encycl. 22, 902.
 † — — — Kerner Genera 111.
 — — — Guimp. Fr. Holzgew. 91.
 — — — Dict. sc. nat. 37.
 — — — Lodd. Cab. 1308.
 — — — Watson Dendr. 1, 2.
Fontenellea brasiliensis St. Hil. Ann. sc. nat. II, 17, 7.
Forskählea angustifolia Retz. Comm. Gott. 6, 2.
 — — — Lam. Encycl. 388.
 — — — Cossoniana Webb. Webb Otia 45.
 — — — tenacissima L. Linné Fasc. pl. ups. 1.
 — — — Jacq. Vind. 48.
 † — — — Gaertn. Carp. 68.
 † — — — Lam. Encycl. 388.
 — — — Schk. Handb. 125.
 † — — — Schnizl. Ic. 2, 94.
 — — — urticoides Wight. Wight Ic. pl. Ind. or. 6, 1982.
Forstera aretiastriifolia Rich. Richard Astrolabe 16.
 — — — bellidifolia Hook. Hook. Ic. pl. 9, 851.
 — — — clavigera Hook. Hook. Fl. ant. 28.
 † — — — glabra Gaertn. Gaertn. Carp. 28.
 — — — sedifolia L. fil. König Ann. 1, 6.
 — — — — Schrader Journ. 1799, 2, 2.
 — — — uliginosa Rich. Richard Astrolabe 16.
Forsythia suspensa Vahl. Sieb. Fl. Japon. 3.
 — — — viridissima Ldl. Bot. Reg. 33, 39.
 — — — — Bot. Mag. 77, 4887.
 — — — — Lem. Jard. fl. 147.
 — — — — Annales de Gand 1847, 159.
 — — — — Fl. d. serres 3, 261.
Fortunea chinensis Ldl. Journ. Hort. Soc. 1, 131.
 † — — — Fl. d. serres 4, 331.
Fothergilla alnifolia L. fil. Lam. Encycl. 489.
 — — — — Bot. Mag. 33, 1341.
 — — — — Guimp. Fr. Holzgew. 16.
 — — — — Dict. sc. nat. 199.
 — — — — Lodd. Cab. 1576.
 — — — — Gardeni L. Jacq. Ic. 100.
 — — — — Schk. Handb. 143.
 — — — — Lodd. Cab. 1507.
 — — — — major Lodd. Lodd. Cab. 1520.
 — — — — mirabilis Aubl. Aublet Guiana 175.
Fouillioya maritima Gaudich. Gaudichaud Bonite 26.
 — — — racemosa Gaudich. Gaudichaud Bonite 26.
Fouquieria formosa H.B.K. H.B.K. Nov. Gen. 6, 827.
Fourcroya gigantea Vent. Rodati Obs. Agav. 2—5.
 — — — — Red. Lil. 8, 476.
 — — — — DC. Plantes grasses 126, 126 bis.
 — — — — Tussac Ant. 2, 25, 26.
 — — — — Bot. Mag. 48, 2250.
 — — — — Rchb. Exot. 202.
 — — — — Wight Ic. pl. Ind. or. 6, 2025.
 — — — — Regel Gartenfl. 1852, 3.
 — — — — longaeva Karw. et Z. Acta Leop. 16, 2, 48.
 † — — — — Herbert Amar. 33.
 — — — — rigida Haw. Spin Jard. Sebast. 1.
 — — — — tuberosa Ait. Rodati Obs. Agav. 1.
 † *Foveolaria* Rz et P. Ruiz et Pav. Prodr. 9.
 — — — — ferruginea Rz et P. Delessert Ic. 5, 43.
Fragaria chilensis Ehrh. var. Fox, Revue hort. 1853, 2.
 — — — — var. Mammouth, Fl. d. serres 5, 504—6.
 — — — — collina Ehrh. Fl. dan. 8, 1389.
 — — — — Hayne 4, 30.
 — — — — Sv. Bot. 548.
 — — — — Dietr. Fl. bor. 5, 319.

- Fragaria elatior* Ehrh. Hayne 4, 27.
 — — — Engl. Bot. 31, 2197.
 — — — Wight Ic. pl. Ind. or. 3, 988.
 — — — Wight Spicil. 61.
 — — — grandiflora Ehrh. Hayne 4, 29.
 — — — Hagenbachiana Koch. Hagenb. Fl. basil. 3.
 — — — indica Andr. Andr. Rep. 7, 479.
 — — — Bot. Reg. 1, 61.
 — — — Dict. sc. nat. 239.
 — — — Wight Spicil. 62.
 — — — Wight Ic. pl. Ind. or. 3, 989.
 — — — monophylla L. Bot. Mag. 2, 63.
 — — — — Usteri Ann. 14, 1.
 — — — — Journ. d'hist. nat. Par. 2, 41.
 — — — nilagirica Zenk. Zenker Pl. ind. 9.
 — — — pubescens Desc. Desc. Ant. 4, 262.
 — — — semperflorens Hayne. Hayne 4, 25.
 — — — sterilis L. Hoffm. D. Fl. 1791, 6.
 — — — — Tratt. Archiv 271.
 — — — — Fl. dan. 9, 1579.
 — — — — Engl. Bot. 25, 1785.
 † — — — vesca L. Gaertn. Carp. 73.
 — — — — Schk. Handb. 135.
 † — — — — Lam. Encycl. 442.
 — — — — Hayne 4, 26.
 — — — — Sturm Flora 2, 2.
 — — — — Schrank Fl. monac. 1, 39.
 — — — — Dietr. Fl. bor. 5, 318.
 — — — — Sv. Bot. 16.
 — — — — Engl. Bot. 22, 1524.
 — — — — Baxter Brit. Bot. 4, 242.
 — — — — Fl. dan. 13, 2235.
 — — — — β. atrovirens Ldl. Engl. Bot. 2742.
 — — — — virginiana Ehrh. Hayne 4, 28.
 † *Fragosa* Rz et P. Ruiz et Pav. Prodr. 34.
 — — — aretioides H.B.K. H.B.K. Nov. Gen. 5, 424.
 — — — cladorrhiza Rz et P. Ruiz et Pav. Fl. 250.
 — — — corymbosa Rz et P. Ruiz et Pav. Fl. 250.
 — — — crenata Rz et P. Ruiz et Pav. Fl. 249.
 — — — multifida Rz et P. Ruiz et Pav. Fl. 249.
 † — — — — Ann. gen. 4, 51.
 — — — — reniformis Rz et P. Ruiz et Pav. Fl. 249.
Fragrancis Aub. Aubert Orchid. 54.
Franciscea acuminata Pohl. Pohl Bras. 3.
 — — — — Bot. Mag. 71, 4189.
 — — — — Paxt. Mag. 13, 27.
 — — — — Fl. d. serres 2, 76.
 — — — — calycina Hook. Bot. Mag. 77, 4583.
 — — — — confertiflora Pohl. Pohl Bras. 5.
 — — — — divaricata Pohl. Pohl Bras. 6.
 — — — — eximia Scheidw. Lem. Jard. fl. 248.
 — — — — Hopeana Hook. Bot. Mag. 55, 2829.
 — — — — Paxt. Mag. 1, 80.
 — — — — hydrangeaeformis Pohl. Pohl Bras. 7.
 — — — — Bot. Mag. 72, 4209.
 — — — — Paxt. Mag. 13, 121.
 — — — — Rchb. Exot. 288.
 — — — — latifolia Pohl. Pohl Bras. 2.
 — — — — Bot. Mag. 68, 3907.
 — — — — Rchb. Exot. 287.
 — — — — Paxt. Mag. 9, 73.
 — — — — macrantha Lem. Lem. Jard. fl. 249.
 — — — — ramosissima Pohl. Pohl Bras. 4.
 — — — — uniflora Pohl. Pohl Bras. 1.
 — — — — Tratt. Kaiserkranz 0.
 — — — — Lodd. Cab. 1332.
Francoa appendiculata Cav. Cav. Ic. 596.
 — — — — Bot. Reg. 19, 1645.
 — — — — Bot. Mag. 59, 3178.
 — — — — Sweet Fl. G. II. 151.
 — — — — ramosa Don. Bot. Mag. 67, 3824.
 — — — — Sweet Fl. G. II. 223.

- Francoa sonchifolia* A. Juss. Bot. Mag. 61, 3309.
 — — — Lodd. Cab. 1864.
 — — — Ann. sc. nat. 3, 12.
 — — — Sweet Fl. G. II. 169.
 † *Frangula Adanson.* Gray Genera 167.
 — *caroliniana* Gray. Gray Genera 167.
 — *vulgaris* Mill. Hartig 66.
Frankenia Aucheri Jaub. Jaubert Illustr. 187.
 — *capitata* Webb. Webb Canar. 16.
 — *corymbosa* Desf. Desf. Fl. atl. 93.
 — *cymbifolia* Hook. Hook. Ic. pl. 3, 265.
 — *ericifolia* Chr. Smith. Webb Canar. 15.
 — — — *β. microphylla*, Webb Canar. 17.
 — *hirsuta* L. Sibth. Fl. gr. 343.
 — — — Lam. Encycl. 262.
 † — *laevis* L. Gaertn. Carp. 184.
 — — — Lam. Encycl. 262.
 — — — Schk. Handb. 100.
 — — — Engl. Bot. 3, 205.
 — — — Baxter Brit. Bot. 2, 132.
 — *microphylla* Cav. Cav. Ic. 597.
 — *nodiflora* Lam. Lam. Encycl. 262.
 — *pauciflora* DC. Bot. Mag. 56, 2896.
 — — — Lodd. Cab. 1790.
 — *persica* Jaub. Jaubert Illustr. 188.
 — *pulverulenta* L. Sibth. Fl. gr. 344.
 — — — Lam. Encycl. 262.
 — — — Engl. Bot. 31, 2222.
 — — — Dict. sc. nat. 169.
 — *tetrapetala* Lab. Bill. Nov. Holl. 114.
Frankia Schimper Steud. Med. Correspond. 1836, 1. 2.
Franklandia fucifolia R. Br. Flinders Voyage 6.
 — — — Endl. Iconogr. 32.
 † *Franklinia Marsh.* Gray Genera 142.
Franseria ambrosioides Cav. Cav. Ic. 200.
 — *artemisioides* Willd. Willdenow Hort. 2.
Fraseria albicaulis Dougl. Hook. Bor. Am. 154.
 — *speciosa* Dougl. Hook. Bor. Am. 153.
 — *verticillata* Rafn. Rafn. Med. 39.
 † — *Walteri* Michx. Gaertn. Carp. 224.
 — — — Barton Med. 35.
Fraunhoferia multiflora Mart. Mart. Bras. 235.
 † *Fraxinella alba* Gaertn. Gaertn. Carp. 69.
 † *Fraxinus* L. (Folia.) Willd. Baumzucht 2.
 — *acuminata* Lam. Torrey New York 90.
 — *americana* L. Michaux Arb. 3, 8.
 — — — Torrey New York 89.
 † — *canadensis* Gaertn. Gaertn. Carp. 49.
 — *concolor* Michx. Torrey New York 89.
 † — *excelsior* L. Gaertn. Carp. 49.
 † — — — Lam. Encycl. 858.
 — — — Schk. Handb. 357.
 — — — Fl. dan. 6, 969.
 — — — Sv. Bot. 175.
 — — — Hartig 61.
 — — — Sturm Flora 11, 44.
 — — — Hayne 13, 10.
 — — — Nees Düsseldorf. 371.
 — — — Wagner 114.
 — — — Schrank Fl. monac. 2, 163.
 — — — Engl. Bot. 24, 1692.
 — — — Baxter Brit. Bot. 5, 382.
 — *floribunda* Wall. Wall. Pl. asiat. 277.
 — *heterophylla* Vahl. Engl. Bot. 35, 2476.
 — *Ornus* L. Sibth. Fl. gr. 4.
 † — — — Lam. Encycl. 858.
 — — — var. *Rochel* Banat. 7.
 — — — Watson Dendr. 2, 107.
 — — — Woodv. Med. 3, 209.
 — — — Guimp. et Schl. 292. 293.
 — — — Nees Düsseldorf. 372.
 — — — Wagner 113.

- Fraxinus platycarpa* Michx. Michaux Arb. 3, 13.
 — *pubescens*? Walt. Torrey New York 90.
 — *quadrangulata* Michx. Michaux Arb. 3, 11.
 — *rostrata* Guss. Gussone Pl. rar. 63.
 — *sambucifolia* Lam. Michaux Arb. 3, 12.
 — — — Schk. Handb. 357.
 — *tomentosa* Michx. Michaux Arb. 3, 9.
 — *viridis* Bosc. Michaux Arb. 3, 10.
Fremontia californica Torr. Smiths. Contr. 5, 2.
Fresenia leptophylla DC. Endl. Iconogr. 35.
Freyinetia angustifolia Bl. Blume Rumphia 43.
 — *arborea* Gaudich. Freycinet Voyage 41.
 — *Arnottii* Gaudich. Gaudichaud Bonite 35. 36.
 — *Banksii* Cunn. Hook. New Zeal. 54. 55.
 — *Cumingiana* Gaudich. Gaudichaud Bonite 37. 60.
 — *Debregeasiana* Gaudich. Gaudichaud Bonite 37.
 — *Gaudichaudii* Bennett. Bennett Java 9.
 — *javanica* Bl. Blume Rumphia 41.
 — *imbricata* Bl. Blume Rumphia 40.
 — *insignis* Bl. Blume Rumphia 42.
 — *radicans* Gaudich. Freycinet Voyage 43.
 — *scandens* Gaudich. Freycinet Voyage 42.
 — *sphaerocephala* Gaudich. Gaudichaud Bonite 52.
 — *strobilacea* Bl. Rumpf. Amb. 4, 82.
 — — — Blume Rumphia 39.
 — *Urvilleana* Hombr. Richard Astrolabe 2.
 — *Webbiana* Gaudich. Gaudichaud Bonite 27.
 † *Freziera Sw.* Swartz Fl. Ind. occ. 19.
 — *canescens* H. B. Humb. Pl. aeq. 6.
 † — — — H. B. K. Nov. Gen. 5, 463.
 — *chrysophylla* H. B. Humb. Pl. aeq. 7.
 — *nervosa* H. B. Humb. Pl. aeq. 9.
 — *reticulata* H. B. Humb. Pl. aeq. 5.
 — — — Lam. Encycl. 963.
 — *sericea* H. B. Humb. Pl. aeq. 8.
 — *theoides* Sw. Bot. Mag. 76, 4546.
 — — — Lem. Jard. fl. 65.
Fridericia Gulielma N. et M. Acta Leop. 13. 2. B.
 — *speciosa* N. et M. Acta Leop. 13. 2. A.
Friesia peduncularis DC. Bot. Mag. 72, 4246.
 — *racemosa* Cunn. Hook. Ic. pl. 7, 601.
 † *Fritillaria* L. Kerner Genera 16.
 — *barbata* H. B. K. H. B. K. Nov. Gen. 7, 677.
 † — *corona imperialis* Gaertn. Gaertn. Carp. 17.
 — *dagana* Turcz. Trautvetter Imagines 1.
 — *imperialis* L. Bot. Mag. 6, 194. 30, 1215.
 † — — — Lam. Encycl. 245.
 — — — Savi Fl. ital. 3, 82.
 — — — Dict. sc. nat. 57.
 — — — Brandt und Ratzeb. 2.
 — *involucrata* All. Rehb. Fl. germ. 10, 445.
 † — *kamtchatcensis* Fisch. Hook. Bor. Am. 193.
 — *lanceolata* Pursh. Hook. Bor. Am. 193.
 — *latifolia* Willd. Red. Lil. 1, 51.
 — *leucantha* Grah. Bot. Mag. 58, 3083.
 — *longifolia* Hill. Hill Hort. Kew. 15.
 — *lusitanica* Wikstr. Svensk Acad. 1821, 5.
 — *lutea* M. v. B. Marshall Cent. 41.
 — — — Rehb. Fl. germ. 10, 442.
 — — — Belgique hort. 1, 49.
 — *Meleagris* L. Jacq. Fl. austr. 5, 32.
 — — — Curt. Lond. 1, 72.
 — — — Fl. dan. 6, 972.
 — — — Sv. Bot. 376.
 — — — Engl. Bot. 9, 622.
 — — — Red. Lil. 4, 222.
 † — — — Lam. Encycl. 245.
 — — — Herb. amat. 1, 63.
 † — — — Plée Types 39.
 — — — Sturm Flora 5, 18.
 — — — Rehb. Fl. germ. 10, 442.
 — — — Baxter Brit. Bot. 1, 1.

- Fritillaria messanensis* Rafin. Rchb. Fl. germ. 10, 445.
 — — — Belgique hortic. 1, 49.
 — — — minor Led. Ledeb. Ic. 130.
 — — — Bot. Mag. 60, 3280.
 — — — montana Hoppe. Rchb. Fl. germ. 10, 444.
 — — — obliqua Gawl. Bot. Mag. 22, 837.
 — — — oxypetala Royle. Bot. Mag. 79, 4731.
 — — — persica L. Bot. Mag. 24, 962. 37, 1537.
 — — — Tratt. Thes. 79.
 — — — pyrenaica L. Sibth. Fl. gr. 328.
 — — — Bot. Mag. 18, 664.
 — — — Rchb. Fl. germ. 10, 443.
 † — — — Nees Gen. 2, 39.
 — — — racemosa Gawl. Bot. Mag. 24, 952. 30, 1216.
 — — — Roylei Hook. Hook. Ic. pl. 9, 860.
 — — — ruthenica Wikstr. Svensk Acad. 1821, 5.
 — — — Sweet Fl. G. II. 343.
 — — — tenella M. v. B. Rchb. Fl. germ. 10, 443.
 — — — Belgique hortic. 1, 49.
 — — — Thomsoniana Royle. Royle Illustr. 92.
 — — — tulipifolia M. v. B. Marschall Cent. 21.
 — — — verticillata Willd. Royle Illustr. 92.
 — — — Ledeb. Ic. 2.
Froebelia fasciculiflora Regel. Regel Gartenfl. 1852, 18.
Fuchsia alpestris Gardn. Bot. Mag. 69, 3999.
 — — — apetala R. et P. Ruiz et Pav. Fl. 322.
 — — — Kerner Hort. 257.
 — — — arborescens Moc. et S. Bot. Reg. 11, 943.
 — — — Sims. Bot. Mag. 53, 2620.
 — — — Rchb. Exot. 232.
 — — — var. Fl. d. serres 4, 416. 417.
 — — — bacillaris Ldl. Bot. Reg. 18, 1480.
 — — — Bot. Mag. 76, 4506.
 — — — caracasensis Field. Fielding Sertum 29.
 — — — coccinea Ait. Bot. Mag. 3, 97.
 † — — — Usteri Annalen 3, 6.
 — — — Lodd. Cab. 933.
 — — — Kerner Hort. 16.
 — — — Herb. amat. 2, 89.
 — — — conferifolia Field. Fielding Sertum 28.
 — — — conica Ldl. Bot. Reg. 13, 1062.
 — — — cordifolia Benth. Bot. Reg. 27, 70.
 — — — Paxt. Mag. 9, 99.
 — — — var. Hook. Ic. pl. 5, 450.
 — — — corymbiflora R. et P. Ruiz et Pav. Fl. 325.
 — — — Bot. Mag. 69, 4000.
 — — — Bot. Reg. 26, 70.
 — — — var. alba, Fl. d. serres 6, 547.
 — — — corymbosa Paxt. Paxt. Mag. 8, 7.
 — — — cylindracea Ldl. Bot. Reg. 24, 66.
 — — — Knowles et Westcott 80.
 — — — Maund Bot. 4, 189.
 — — — decussata R. et P. Ruiz et Pav. Fl. 323.
 — — — Bot. Mag. 51, 2507.
 — — — denticulata R. et P. Ruiz et Pav. Fl. 325.
 — — — Kerner Hort. 413.
 — — — dependens Hook. Hook. Ic. pl. 1, 63.
 — — — discolor Ldl. Bot. Reg. 21, 1893.
 — — — Bot. Mag. 63, 3498.
 — — — excorticata L. fil. Link Ic. I. 46.
 — — — Lodd. Cab. 1347.
 — — — Bot. Reg. 10, 857.
 — — — exoniensis Paxt. Paxt. Mag. 10, 151.
 — — — fulgens DC. Bot. Reg. 24, 1.
 — — — Bot. Mag. 67, 3801.
 — — — Maund Bot. 2, 63.
 — — — Paxt. Mag. 5, 221.
 — — — globosa Ldl. Bot. Mag. 61, 3364.
 — — — Lodd. Cab. 1981.
 — — — Paxt. Mag. 1, o. 2, 73. 4, 75.
 — — — Bot. Reg. 18, 1556.
 — — — gracilis Ldl. Bot. Reg. 10, 847.

- Fuchsia gracilis* Ldl. *β. multiflora*, Bot. Reg. 13, 1052.
 — — — Lodd. Cab. 934.
 — — — integrifolia Camb. Bot. Mag. 68, 3948.
 — — — loxensis H. B. K. H. B. K. Nov. Gen. 6, 536.
 — — — Kerner Hort. 666.
 — — — lycioides Andr. Andr. Rep. 2, 120.
 — — — Bot. Mag. 26, 1021.
 — — — macrantha Hook. Bot. Mag. 72, 4233.
 — — — Paxt. Mag. 13, 97.
 — — — Annales de Gand 1846, 76.
 — — — Fl. d. serres 2, 151. 152.
 — — — macrostema R. et P. Ruiz et Pav. Fl. 324.
 — — — Bot. Reg. 10, 847.
 — — — Bot. Mag. 63, 3521.
 — — — *γ.* Sweet Fl. G. II. 216.
 — — — Lodd. Cab. 1062.
 — — — Kerner Hort. 512.
 — — — Annales de Gand 1845, 36. 1847, 130.
 — — — magellanica Lam. Lam. Encycl. 282.
 — — — Nouveau Duhamel 1, 13.
 — — — microphylla H. B. K. H. B. K. Nov. Gen. 6, 534.
 — — — Lodd. Cab. 1545.
 — — — Bot. Reg. 15, 1269.
 — — — Sweet Fl. G. II. 16.
 — — — miniata Linden. Fl. d. serres 8, 754.
 — — — montana Camb. St. Hil. Fl. Bras. 135.
 — — — multiflora Lodd. Lodd. Cab. 1415.
 — — — nigricans Linden. Fl. d. serres 5, 481.
 — — — ovalis R. et P. Ruiz et Pav. Fl. 324.
 — — — parviflora Ldl. Bot. Reg. 13, 1048.
 — — — pilosa Field. Fielding Sertum 27.
 — — — procumbens Cunn. Hook. Ic. pl. 5, 421.
 — — — pubescens Camb. St. Hil. Fl. Bras. 134.
 — — — pyriformis Presl. Presl Symbolae 65.
 — — — Queen Victoria Paxt. Paxt. Mag. 11, 73.
 † — — — racemosa Lam. Lam. Encycl. 282.
 — — — Desc. Ant. 2, 109.
 — — — radicans Miers. Bot. Reg. 27, 66.
 — — — Paxt. Mag. 9, 27.
 — — — serratifolia R. et P. Ruiz et Pav. Fl. 323.
 — — — Kerner Hort. 366.
 — — — Bot. Reg. 31, 41.
 — — — Bot. Mag. 71, 4174.
 — — — Paxt. Mag. 12, 169.
 — — — Fl. d. serres 5, 447.
 — — — simplicicaulis R. et P. Ruiz et Pav. Fl. 322.
 — — — Kerner Hort. 204.
 — — — spectabilis Hook. Bot. Mag. 74, 4375.
 — — — Paxt. Mag. 16, 225.
 — — — Fl. d. serres 4, 359. 360.
 — — — spinosa Presl. Presl Reliq. 51.
 — — — splendens Zucc. Bot. Reg. 28, 67.
 — — — Bot. Mag. 70, 4082.
 — — — Pl. d. serres 5, 458.
 — — — Standishii Hort. Bot. Reg. 26, 2.
 — — — Paxt. Mag. 11, 31.
 — — — thymifolia H. B. K. H. B. K. Nov. Gen. 6, 535.
 — — — Bot. Reg. 15, 1284.
 — — — Sweet Fl. G. II. 25.
 † — — — triphylla L. Usteri Annalen 3, 6.
 — — — venusta H. B. K. Fl. d. serres 5, 538.
Fugosia hakeaefolia Hook. Bot. Mag. 72, 4261.
 — — — heterophylla Spach. Bot. Mag. 72, 4218.
 — — — phlomidifolia Juss. St. Hil. Fl. Bras. 50.
 — — — sulphurea Juss. St. Hil. Fl. Bras. 49.
 † *Fuirena L. fil.* Linné Gramin. 1.
 † — — — paniculata L. fil. Lam. Encycl. 39.
 — — — scirpoides Vahl. Michaux Fl. 7.
 — — — squarrosa Michx. Elliott Carolina 1.
 — — — umbellata Rottb. Rottb. Descr. 19.
 — — — Acta Leop. 17, 1, 4.
Fulcaldea laurifolia Poir. Lam. Encycl. 982.

Fumana grandiflora *Jaub.* Jaubert Illustr. 258.

† *Fumaria* *L.* Mutel Fl. fr. 1.

- † — — Cosson Atlas 3.
- — *acaulis* *Wulf.* Jacq. Ic. 554.
- — — *Sturm* Flora 6, 24.
- — *africana* *Lam.* Lam. Encycl. 597.
- — *aurea* *Pursh.* Bot. Reg. 1, 66.
- — *bulbosa* *L.* Fl. dan. 4, 603.
- — *capreolata* *L.* Curt. Lond. 3, 127.
- † — — — *Gaertn.* Carp. 115.
- † — — — *Lam.* Encycl. 597.
- — — *DC.* Ic. Gall. 34.
- — — *Engl.* Bot. 14, 943.
- — — *Rchb.* Fl. germ. 3, 4.
- — — *Sturm* Flora 14, 62.
- † — *cava* *Mill.* Schk. Handb. 194.
- — — *Bot. Mag.* 7, 232. 49, 2340.
- — — *var.* *Lodd.* Cab. 1599.
- — — *Schrank* Fl. monac. 1, 43.
- — *claviculata* *L.* Fl. dan. 2, 340.
- — — *Engl.* Bot. 2, 103.
- — *corymbosa* *Desf.* Act. soc. hist. nat. Par. 6.
- — *crassifolia* *Desf.* Desf. Fl. atl. 173.
- — *Cucullaria* *L.* Bot. Mag. 28, 1127.
- — *enneaphylla* *L.* Lam. Encycl. 597.
- — *eximia* *Ker.* Bot. Reg. 1, 50.
- — *fabacea* *Retz.* Sv. Bot. 15.
- — *formosa* *Andr.* Andr. Rep. 6, 393.
- — — *Bot. Mag.* 33, 1335.
- — *glaucia* *Curt.* Bot. Mag. 5, 179.
- — *Halleri* *Willd.* Fl. dan. 7, 1224.
- — *intermedia* *Ehrh.* Schk. Handb. 194.
- — *lutea* *L.* Engl. Bot. 9, 588.
- † — — — *Lam.* Encycl. 597.
- — *macrosepala* *Boiss.* Boissier Esp. 4.
- — *major* *Bad.* Rchb. Ic. crit. 10, 902.
- — — *Rchb.* Fl. germ. 3, 4.
- — *media* *Lois.* Rchb. Fl. germ. 3, 2.
- — *micrantha* *Lagasca.* Engl. Bot. 2876.
- — — *Hook.* Ic. pl. 4, 363.
- — — *Fl. dan.* 14, 2472.
- † — — — *Cosson* Atlas 3.
- — *muralis* *Sonder.* Fl. dan. 14, 2473.
- — *nobilis* *L.* Jacq. Vind. 116.
- — — *Andr.* Rep. 10, 614.
- — — *Bot. Mag.* 45, 1953.
- — — *Lodd.* Cab. 1630.
- — — *Bot. Reg.* 5, 395.
- — *officinalis* *L.* Fl. dan. 6, 940.
- — — *Curt.* Lond. 2, 75.
- — — *Engl.* Bot. 9, 589.
- — — *Sv. Bot.* 42.
- † — — — *Lam.* Encycl. 597.
- — — *Dreves* 1, 16.
- — — *Hayne* 5, 4.
- — — *Guimp.* et Schl. 94.
- — — *Nees Düssel.* 408.
- — — *Wagner* 59.
- — — *Woodv.* Med. 3, 164.
- — — *Sturm* Flora 14, 62.
- — — *Rchb.* Fl. germ. 3, 3.
- — — *Dietr.* Fl. bor. 5, 348.
- — — *Baxter* Brit. Bot. 4, 278.
- — — *var.* *Moris* Fl. sard. 6.
- † — — — *Ann. sc. nat.* III. 18, 16.
- — *parviflora* *Lam.* Sibth. Fl. gr. 668.
- — — *Engl.* Bot. 9, 590.
- — — *Rchb.* Pl. crit. 1, 50.
- — — *Rchb.* Fl. germ. 3, 1.
- — — *Sturm* Flora 14, 62.
- — *Liljebl.* Sv. Bot. 574.
- — *Wight.* Wight Illustr. 11^a.

Fumaria peregrina *Rud.* Petersb. 1, 19.

- — *Petteri* *Rchb.* Rchb. Fl. germ. 3, 2.
- † — *sempervirens* *L.* Lam. Encycl. 597.
- † — *solida* *Sm.* Schk. Handb. 194.
- — — *Bot. Mag.* 7, 221.
- — — *Engl.* Bot. 21, 1471.
- — *spicata* *L.* Rchb. Fl. germ. 3, 1.
- — *Vaillantii* *Lois.* Engl. Bot. 2877.
- — — *Rchb.* Pl. crit. 1, 50.
- — — *Rchb.* Fl. germ. 3, 1.
- — — *Sturm* Flora 14, 62.
- † *Fumariaceae* *DC.* Parlatoe Monographia Fum. 1.
- Funkia albo-marginata* *Hook.* Bot. Mag. 65, 3657.
- — *grandiflora* *Sieb.* Fl. d. serres 2, 158. 159.
- — *lancifolia* *Spr.* Sweet Fl. G. II. 273.
- — *Sieboldi* *Ldl.* Bot. Reg. 25, 50.
- — *Sieboldiana* *Lodd.* Bot. Mag. 65, 3663.
- † *Furcaria* *DC.* Mem. soc. Linn. Par. 6, 11.
- Fusanus compressus* *L.* Lam. Encycl. 73. 842.
- Fusidendris* *Aub.* Aubert Orchid. 85.
- Gaertnera bifida* *Boj.* Schw. Denkschr. 10, 1.
- † — *calycina* *Boj.* Schw. Denkschr. 10, 2.
- † — *capitata* *Boj.* Schw. Denkschr. 10, 2.
- † — *crassiflora* *Boj.* Schw. Denkschr. 10, 2.
- † — *cuneifolia* *Boj.* Schw. Denkschr. 10, 2.
- † — *edentata* *Boj.* Schw. Denkschr. 10, 2.
- — *Konigii* *Wight.* Wight Ic. pl. Ind. or. 4, 1318.
- † — *longiflora* *Gaertn.* Gaertn. Carp. 191.
- † — *longifolia* *Boj.* Schw. Denkschr. 10, 2.
- † — *pendula* *Boj.* Schw. Denkschr. 10, 2.
- — *racemosa* *Roxb.* Roxb. Corom. 18.
- — — *Andr.* Rep. 9, 600.
- † — *rotundiflora* *Boj.* Schw. Denkschr. 10, 2.
- † — *vaginata* *Lam.* Lam. Encycl. 167.
- † — *Walkerii* *Arn.* Wight Illustr. 156^b.
- † *Gagea arvensis* *Schult.* Nees Gen. 2, 37.
- — — *Dietr.* Fl. bor. 10, 680.
- — — *Rchb.* Fl. germ. 10, 479.
- — — *Sturm* Flora 3, 12.
- — *bohemica* *Schult.* Rchb. Fl. germ. 10, 480.
- — — *Sturm* Flora 6, 23.
- — *bracteolaris* *Salisb.* Sweet Fl. G. 158.
- — *bulbifera* *Schult.* Rchb. Fl. germ. 10, 481.
- — *chlorantha* *Schult.* Rchb. Fl. germ. 10, 478.
- — *chrysantha* *Schult.* Explor. Alger. 45^b.
- — *elegans* *Wall.* Royle Illustr. 95.
- — *fibrosa* *R. et Sch.* Explor. Alger. 45^b.
- — *filiformis* *Led.* Rchb. Fl. germ. 10, 478.
- — *glaucia* *Sweet.* Sweet Fl. G. 177.
- — *gracilis* *Welw.* Rchb. Fl. germ. 10, 478.
- — *intermedia* *Schl.* Rchb. Fl. germ. 10, 476.
- — *Liotardi* *Schult.* Rchb. Fl. germ. 10, 476.
- — *lutea* *Ker.* Bot. Mag. 30, 1200.
- — — *Baxter* Brit. Bot. 1, 41.
- — — *Sturm* Flora 7, 27.
- — — *Dietr.* Fl. bor. 10, 681.
- — — *Rchb.* Fl. germ. 10, 477.
- — *mauritanica* *Durieu.* Explor. Alger. 45^b.
- — *minima* *Schult.* Sturm Flora 6, 23.
- — — *Rchb.* Fl. germ. 10, 475.
- — — *Sweet* Fl. G. II. 29.
- — *pratensis* *Schult.* Rchb. Fl. germ. 10, 474.
- — *pusilla* *Schult.* Rchb. Fl. germ. 10, 477.
- — *pusillo-arvensis* *Welw.* Rchb. Fl. germ. 10, 479.
- — *reflexa* *Led.* Rchb. Fl. germ. 10, 477.
- — *reticulata* *Schult.* Rchb. Fl. germ. 10, 481.
- — — *Explor.* Alger. 45^b.
- — *saxatilis* *Koch.* Dietr. Fl. bor. 10, 682.
- — — *Rchb.* Fl. germ. 10, 480.
- † — *Soleirolii* *Mut.* Mutel Fl. fr. 73.
- — *spathacea* *Schult.* Sturm Flora 7, 27.
- — — *Ker.* Rchb. Fl. germ. 10, 475.

- Gagea spathacea* Ker. Dietr. Fl. bor. 10, 663.
 — *stenopetala* Rchb. Sturm Flora 3, 12.
 † — — — Nees Gen. 2, 37.
 — — — Rchb. Fl. germ. 10, 474.
 — — — Dietr. Fl. bor. 10, 679.
 — *Szovitsii* Bess. Rchb. Fl. germ. 10, 481.
Gagnebina axillaris DC. DC. Legum. 64.
 † *Gahnia procera* Forst. Forster Char. 26.
 † — — — Linné Gramin. 1.
 † — — — Gaertn. Carp. 181.
 † — — — Lam. Encycl. 263.
 — *psittacorum* Lab. Bill. Nov. Holl. 115.
 — *trifida* Lab. Bill. Nov. Holl. 116.
Gaillardia amblyodon Gay. Gray Chloris 4.
 — *aristata* Pursh. Bot. Mag. 56, 2940.
 — — — Bot. Reg. 14, 1186.
 † — *bicolor* Lam. Lam. Encycl. 708.
 — — — Bot. Mag. 39, 1602.
 — — — var. *Drummondii*, Bot. Mag. 61, 3368.
 — — — var. *Dr. integerrima*, Bot. Mag. 64, 3551.
 — — — Tratt. Archiv 238.
 — *Drummondii* DC. Knowles et Westc. 27.
 — *perennis* Hort. Herb. amat. 5, 328.
 — *picta* Don. Sweet Fl. G. II. 267.
 — — — var. *Fl. d. serres* 6, 643.
Gaillonia Brugierii A. Rich. Jaubert Illustr. 77.
 — *calycoptera* Jaub. Jaubert Illustr. 80.
 — *crucianelloides* Jaub. Jaubert Illustr. 81.
 — *eriantha* Jaub. Jaubert Illustr. 78.
 — *hymenostephana* Jaub. Jaubert Illustr. 79.
 — *incana* Jaub. Jaubert Illustr. 76.
 — *Oliverii* A. Rich. Jaubert Illustr. 74.
 — *Richardiana* Jaub. Jaubert Illustr. 75.
Gaimardia australis Gaudich. Freycinet Voyage 30.
Galactia angustifolia Kth. Humb. Mim. 56.
 — *Jussieuana* Kth. Humb. Mim. 55.
 — *longifolia* Wight. Wight Ic. pl. Ind. or. 2, 482.
 — *pendula* Pers. Bot. Reg. 4, 269.
Galactites Durieui Spach. Explor. Alger. 53.
 — *mutabilis* Durieu. Explor. Alger. 52.
 — *tomentosa* Moench. Ann. Mus. 16, 9.
 — — — Rchb. Fl. germ. 15, 819.
Galactodendron utile H. B. K. Bot. Mag. 66, 3723.
 — — — 3724.
 — — — Murray Account of Palo di Vaca 1.
 † *Galanthus* L. Kerner Genera 208.
 † — — — Herbert Amar. 34, 44.
 — — — *nivalis* L. Curt. Lond. 4, 14.
 — — — Engl. Bot. 1, 19.
 — — — Baxter Brit. Bot. 1, 33.
 † — — — Lam. Encycl. 230.
 — — — Red. Lil. 4, 200.
 — — — Herb. amat. 1, 54.
 † — — — Plée Types 34.
 — — — Fl. dan. 10, 1641.
 — — — Jacq. Fl. austr. 4, 313.
 — — — Schk. Handb. 89.
 — — — Dreves 2, 67.
 — — — Roemer Fl. europ. 5, 3.
 — — — Tratt. Archiv 246.
 — — — Sturm Flora 1, 2.
 — — — Schrank Fl. monac. 1, 25.
 — — — Dietr. Fl. bor. 1, 32.
 — — — Rchb. Fl. germ. 9, 363.
 † — — — Nees Gen. 3, x.
 — *plicatus* M. v. B. Bot. Mag. 47, 2162.
 — — — Bot. Reg. 7, 545.
 — — — Journ. Hort. Soc. 5, 138.
 — — — Lodd. Cab. 1823.
 † *Galatella cana* N. v. E. Nees Gen. X, x.
 — *junceae* Ldl. Royle Illustr. 58.
 — *punctata* N. v. E. Bot. Reg. 21, 1818.

- Galax aphylla* L. Bot. Mag. 20, 754.
Galaxia graminea Thunb. Thunb. Diss. 1, 2.
 — — — Jacq. Collect. 2, 18.
 — — — Cav. Diss. 189.
 — — — Lam. Encycl. 568.
 — — — Bot. Mag. 32, 1292.
 — *grandiflora* Andr. Andr. Rep. 3, 164.
 — *ixiaeflora* DC. Red. Lil. 1, 41.
 — *obscura* Cav. Cav. Diss. 189.
 — — — Lam. Encycl. 568.
 — *ovata* Thunb. Thunb. Diss. 1, 2.
 — — — Jacq. Ic. 291.
 — — — Cav. Diss. 189.
 — — — Andr. Rep. 2, 94.
 — — — Red. Lil. 5, 246.
 — — — Lam. Encycl. 568.
 — — — Bot. Mag. 30, 1208. 37, 1516.
 — *plicata* Jacq. Jacq. Ic. 292.
 — *ramosa* Ram. Red. Lil. 1, 41.
 † *Galeandra Baueri* Ldl. Bauer Orchid. (Gen.) 8.
 — — — Bateman Orchid. 19.
 — — — Bot. Reg. 26, 49.
 — — — Paxt. Mag. 14, 49.
 — — — Bot. Mag. 79, 4701.
 — *Devoniana* Ldl. Lindley Sertum 37.
 — — — Paxt. Mag. 8, 145.
 — — — Maund Bot. 5, 231.
 — — — Bot. Mag. 77, 4610.
 — — — Lem. Jard. fl. 195.
 — *gracilis* Ldl. Bot. Reg. 9, 742.
Galedupa elliptica Roxb. Wight Ic. pl. Ind. or. 2, 420.
Galega apollinea Delile. Delile Egypte 53.
 — *biloba* Sweet. Sweet Fl. G. 159.
 — *capensis* Thunb. Jacq. Ic. 574.
 — *caribaea* Jacq. Jacq. Hist. stirp. am. 193.
 — *cinerea* L. Jacq. Ic. 575.
 — *dubia* Jacq. Jacq. Ic. 576.
 — *filiformis* Jacq. Jacq. Ic. 573.
 — *grandiflora* Ait. Bot. Reg. 9, 769.
 — *Heyneana* Roxb. Wight Ic. pl. Ind. or. 2, 388.
 — *incana* Roxb. Wight Ic. pl. Ind. or. 1, 371.
 — *litoralis* L. Jacq. Hist. stirp. am. 192.
 — *longifolia* Jacq. Jacq. Ic. 572.
 — *ochroleuca* Jacq. Jacq. Ic. 150.
 † — *officinalis* L. Lam. Encycl. 625.
 — — — Hayne 6, 34.
 — — — Schk. Handb. 208^a.
 — — — Sibth. Fl. gr. 726.
 — — — Sturm Flora 2, 6.
 — *orientalis* Lam. Bot. Mag. 48, 4192.
 — — — Bot. Reg. 4, 326.
 — — — Marshall Cent. 67.
 — *pentaphylla* Roxb. Wight Ic. pl. Ind. or. 2, 370.
 — *persica* Pers. Sweet Fl. G. 244.
 — *sericea* Lam. Desc. Ant. 3, 179.
 — *spinosa* Roxb. Wight Ic. pl. Ind. or. 2, 372.
 — *tricolor* Hook. Hook. Exot. Fl. 185.
 † *Galenia africana* L. Lam. Encycl. 314.
 — *asiatica* Burm. Burm. Fl. ind. 31.
Galeobdolon luteum Huds. Curt. Lond. 2, 44.
 — — — Engl. Bot. 11, 787.
 — — — Baxter Brit. Bot. 3, 194.
 — — — Schrank Fl. monac. 3, 234.
 — — — Sturm Flora 20, 90.
 — — — Dietr. Fl. bor. 2, 115.
 † — — — Nees Gen. 6, 29.
 † *Galeopsis* L. Mutel Fl. franç. 50.
 † — *angustifolia* Ehrh. Nees Gen. 6, 32.
 — *bifida* Boenn. Sturm Flora 14, 62.
 — *cannabina* Roth. Sv. Bot. 446.
 — *Galeobdolon* L. Fl. dan. 8, 1272.
 † — — — Schk. Handb. 157.

- † *Galeopsis grandiflora* Roth. Schk. Handb. 160.
 — *intermedia* Vill. Vill. Dauph. 9.
 — — Rechb. Pl. crit. 1, 47.
 † — *Ladanum* L. Lam. Encycl. 506.
 — — Schk. Handb. 160.
 — — Engl. Bot. 13, 884.
 — — Schrank Fl. monac. 2, 167.
 — — Sturm Flora 14, 62.
 — — Dietr. Fl. bor. 2, 74.
 — — Fl. dan. 10, 1757.
 † — *ochroleuca* Lam. Nees Gen. 6, 32.
 — — Fl. dan. 10, 1650.
 — — Rechb. Pl. crit. 1, 46.
 — — Sturm Flora 14, 62.
 — — Dietr. Fl. bor. 3, 153.
 — — *pubescens* Bess. Rechb. Pl. crit. 1, 48. 49.
 — — Sturm Flora 14, 62.
 — — Dietr. Fl. bor. 3, 212.
 — — *Tetrahit* L. Curt. Lond. 5, 191.
 — — Engl. Bot. 3, 207.
 — — Fl. dan. 6, 929. 8, 1271.
 — — Rechb. Ic. crit. 9, 877.
 — — Sturm Flora 14, 62.
 — — Dietr. Fl. bor. 3, 154.
 — — *versicolor* Curt. Curt. Lond. 2, 29.
 — — Engl. Bot. 10, 667.
 — — Baxter Brit. Bot. 1, 75.
 — — Rechb. Pl. crit. 1, 57.
 — — Sturm Flora 14, 62.
 — — Dietr. Fl. bor. 2, 75.
 — — *villosa* Sm. Engl. Bot. 33, 2353.
 — — Nees Dusseld. 172.
 † *Galera nutans* Bl. Blume Tabellen 3.
 † *Galiniera Delile*. Ann. sc. nat. III. 20, 1.
 — *coffeoides* Delile. Ferret Abyssin. 6.
 † *Galinsoga Rz et P.* Ruiz et Pav. Prodr. 24.
 — *balbisoides* H. B. K. H. B. K. Nov. Gen. 4, 386.
 † — *brachystephana* Ann. sc. nat. III. 18, 17.
 — *parviflora* Cav. Cav. Ic. 281.
 — *trilobata* Cav. Bot. Mag. 44, 1895.
 — — Cav. Ic. 282.
 — — Sweet Fl. G. 56.
 † *Galipea Candolleana* St. Hil. St. Hil. Pl. rem. 14.
 † — — Mem. Mus. 10, 20.
 — *Cusparia* St. Hil. Guimp. et Schl. 55.
 † — *Fontanesiana* St. Hil. St. Hil. Pl. rem. 14.
 † — — Mem. Mus. 10, 20. 12, 23.
 — *heterophylla* St. Hil. St. Hil. Pl. rem. 12.
 — *odoratissima* Ldl. Bot. Reg. 17, 1420.
 — *officinalis* Hancock. Tr. med. bot. soc. 1829, 2.
 — *ossana* DC. Mem. Mus. 9, 10.
 † — *pentagyna* St. Hil. St. Hil. Pl. rem. 14.
 — *pentandra* St. Hil. St. Hil. Pl. rem. 13.
 — — Mem. Mus. 10, 19. 20.
 — *trifoliata* Aubl. Aublet Guiana 269.
 — — Lam. Encycl. 10.
Galium anglicum Huds. Engl. Bot. 6, 384.
 — — Cosson Atlas 23.
 — *anisophyllum* Vill. Vill. Dauph. 7.
 — — Jordan Obs. 3, 6.
 † — *Aparine* L. Gaertn. Carp. 24.
 — — Fl. dan. 3, 493.
 — — Curt. Lond. 2, 54.
 — — Engl. Bot. 12, 816.
 — — Sv. Bot. 419.
 — — Dreves 2, 55.
 — — Woodv. Med. 1, 68.
 — — var. Cosson Atlas 23.
 — *apiculatum* Sibth. Sibth. Fl. gr. 129.
 — *apricum* Sibth. Sibth. Fl. gr. 126.
 — *argenteum* Vill. Vill. Dauph. 7.
 — *aristatum* L. Engl. Bot. 2784.

- † *Galium asperifolium* Wall. Wight Illustr. 128 bis.
 — *asperum* Thunb. Petersb. 1, 10.
 — *austriacum* Jacq. Jacq. Fl. austr. 1, 80.
 — *baldense* Spr. Poll. Fl. ver. 1, 2.
 — *boreale* L. Fl. dan. 6, 1024.
 — — Sv. Bot. 122.
 — — Engl. Bot. 2, 105.
 — *brevifolium* Sibth. Sibth. Fl. gr. 135.
 — *campanulatum* Vill. Vill. Dauph. 7.
 — *capense* Thunb. Petersb. 1, 7.
 — *capillare* Cav. Cav. Ic. 191.
 — *capitatum* Bory et Chaub. Bory et Chaub. Morée 6.
 — *cinereum* All. All. Fl. ped. 3, 77.
 — — Engl. Bot. 2783.
 — *coriaceum* Led. Ledeb. Ic. 216.
 — *coronatum* Sibth. Sibth. Fl. gr. 125.
 — *cristatum* Jaub. Jaubert Illustr. 194.
 — *cruciatum* Scop. Engl. Bot. 2, 143.
 — — Dietr. Fl. bor. 6, 401.
 — — Sturm Flora 2, 7.
 — — Cosson Atlas 22.
 — *densiflorum* Led. Ledeb. Ic. 194.
 — *divaricatum* Lam. DC. Ic. Gall. 24.
 — *erectum* Huds. Engl. Bot. 29, 2067.
 — *expansum* Thunb. Petersb. 1, 9.
 — *floribundum* Sibth. Sibth. Fl. gr. 134.
 — *frutescens* Cav. Cav. Ic. 206.
 — *glaucum* L. Fl. dan. 4, 609.
 — — Jacq. Fl. austr. 1, 51.
 — *glomeratum* Desf. Desf. Fl. atl. 40.
 — *graecum* L. Sibth. Fl. gr. 136.
 — — Lodd. Cab. 1373.
 — *hercynicum* Weigel. DC. Ic. Gall. 25.
 — — Cosson Atlas 23.
 — *himalayense* Klotzsch. Prinz Wald. Him. 73.
 — *hirsutum* N. v. E. Horae berol. 22.
 † — *hispidum* Gaertn. Gaertn. Carp. 24.
 — *incanum* Sibth. Sibth. Fl. gr. 130.
 — *incurvum* Sibth. Sibth. Fl. gr. 132.
 — *infestum* W. et K. W. et Kit. 202.
 — *intricatum* M. et R. Mem. Genev. 8, 6.
 — *junceum* Sibth. Sibth. Fl. gr. 127.
 — *Jussieui* Vill. Vill. Dauph. 7.
 — *litigiosum* DC. DC. Ic. Gall. 26.
 — *lucidum* All. All. Fl. ped. 3, 77.
 — *magellense* Ten. Tenore Fl. nap. 209.
 — *megalospermum* All. All. Fl. ped. 3, 79.
 — *minutulum* Jord. Jordan Obs. 3, 6.
 — *Mollugo* L. Fl. dan. 3, 455.
 — — Sv. Bot. 357.
 — — Engl. Bot. 24, 1673.
 — — Cosson Atlas 22.
 † — — Nees Gen. X, x.
 — *montanum* Vill. Vill. Dauph. 7.
 — *mucronatum* Thunb. Petersb. 1, 8.
 — *murale* All. All. Fl. ped. 3, 77.
 — — Jordan Obs. 3, 6.
 — *obliquum* Vill. Vill. Dauph. 8.
 — *obovatum* H. B. K. H. B. K. Nov. Gen. 3, 277.
 — *ochroleucum* Kit. Rochel Banat. 8.
 — *olympicum* Boiss. Jaubert Illustr. 193.
 — *palustre* L. Fl. dan. 3, 423.
 — — Curt. Lond. 4, 20.
 — — Engl. Bot. 26, 1857.
 — — Cosson Atlas 23.
 — *parisiense* L. Rochel Banat. 8.
 — *pruinatum* Boiss. Boissier Esp. 85.
 — *pulvinatum* Boiss. Boissier Esp. 85.
 — *pumilum* Lam. Lam. Encycl. 60.
 — — Jordan Obs. 3, 6.
 — *purpureum* L. Nocca et Balb. Fl. tic. 3.
 — *pusillum* L. Fl. dan. 11, 1866.

- Galium pusillum* L. Vill. Dauph. 8.
 — — Sm. Engl. Bot. 2, 74.
 — — *pyrenaeum* Gouan. Gouan Illustr. 1.
 — — Sibth. Fl. gr. 131.
 — — *Requienianum* W. et A. Wight Spicil. 102.
 — — Wight Ic. pl. Ind. or. 3, 1042.
 — — *rotundifolium* L. Jacq. Fl. austr. 1, 94.
 — — *rubroides* L. Rochel Banat. 8.
 — — *rubrum* L. Noeca et Balb. Fl. tic. 4.
 — — *saxatile* L. Fl. dan. 10, 1633.
 — — Engl. Bot. 12, 815.
 — — *scabrum* Jacq. Jacq. Fl. austr. 5, 422.
 — — *silvestre* Poll. var. Cosson Atlas 22.
 — — *spurium* Huds. Engl. Bot. 26, 1871.
 — — *suaveolens* Wahlbg. Fl. dan. 12, 2045.
 — — Sv. Bot. 669.
 — — *suberosum* Sibth. Sibth. Fl. gr. 128.
 — — *tenue* Vill. Vill. Dauph. 7.
 — — Jordan Obs. 3, 6.
 — — *Timeroyi* Jord. Jordan Obs. 3, 6.
 — — *tricornis* With. Engl. Bot. 23, 1641.
 — — Cosson Atlas 23.
 — — *trifidum* L. Fl. dan. 1, 48.
 — — *triflorum* Michx. Willdenow Hort. 66.
 — — *uliginosum* L. Fl. dan. 9, 1509.
 — — Curt. Lond. 4, 21.
 — — Engl. Bot. 28, 1972.
 — — Cosson Atlas 23.
 — — *Vaillantii* DC. Engl. Bot. 2943.
 — — *vernum* Scop. Scop. Fl. carn. 1, 2.
 — — *verrucosum* Sm. Engl. Bot. 31, 2173.
 — — Sibth. Fl. gr. 133.
 — — *verticillatum* Danth. Loiseleur Notice 2.
 — — Desvaux Journ. 2, 9.
 — — *verum* L. Curt. Lond. 1, 37.
 — — Engl. Bot. 10, 660.
 — — Fl. dan. 7, 1146.
 — — Sv. Bot. 165.
 — — Schk. Handb. 23.
 — — Schrank Fl. monac. 3, 282.
 — — Dietr. Fl. bor. 6, 409.
 — — Baxter Brit. Bot. 4, 294.
 — — Cosson Atlas 22.
 — — *Witheringii* Sm. Engl. Bot. 31, 2206.
 — — *zazyanthium* M. et R. Mem. Genev. 8, 6.
 † *Galoglychia* Gasp. Rend. Ac. Neap. 1844, 8.
 † *Galopthalmum brasiliense* N. et M. Acta Leop. 12, 1, 2.
 † *Galphimia* Cav. Gray Genera 173.
 — — *angustifolia* Benth. Benth. Sulphur 5.
 — — *brasiliensis* Juss. St. Hil. Fl. Bras. 178.
 † — — Arch. Mus. 3, 7.
 — — *glandulosa* Cav. Cav. Ic. 563.
 — — H. B. K. Nov. Gen. 5, 452.
 — — *glauca* Cav. Cav. Ic. 489.
 † — — Lam. Encycl. 937.
 — — Maund Bot. 1, 18.
 — — *linifolia* Gray. Gray Genera 173.
 † *Galvania* Vand. Roemer Scriptorum 6.
 † *Galvezia* R. et P. Ruiz et Pav. Prodr. 35.
 † — — *punctata* R. et P. Mem. Mus. 12, 25.
 † *Gamazygis flexuosa* Turcz. Bull. Mosc. 1851, 2, 1.
 † *Gambelia speciosa* Nutt. Journ. Ac. Philad. II, 1, 22.
 † *Gamoplexis orobanchoides* Falc. Linn. Transact. 20, 13.
 † *Ganitrus sphaerica* Gaertn. Gaertn. Carp. 139.
 — — Wight Ic. pl. Ind. or. 1, 66.
 † *Ganymedes* Salisb. Herbert Amar. 39.
 — — *concolor* Haw. Sweet Fl. G. II, 113.
 — — *pulchellus* Salisb. Sweet Fl. G. II, 99.
 † *Garcia nutans* Vahl. Jussieu Euphorb. 13.
 † *Garcilassa rivularis* P. et E. Poepp. et Endl. 251.
 † *Garcinia* L. Kerner Genera 97.
 † — — *Cambogia* Desr. Rheed. Hort. mal. 1, 24.

- Garcinia Cambogia* Desr. Spach Suites 40.
 — — Roxb. Roxb. Corom. 298.
 — — Hayne 9, 4.
 — — Guimp. et Schl. 142.
 — — Nees Düsseldorf. 419.
 — — Wagner 174.
 — — *celebica* L. Rumpf Amb. 1, 44.
 — — Desc. Ant. 7, 489.
 — — *cochinchinensis* DC. Rumpf Amb. 3, 32.
 — — *coniocarpa* Wight. Wight Ic. pl. Ind. or. 1, 121.
 — — *cornea* L. Rumpf Amb. 3, 30.
 — — Wight Ic. pl. Ind. or. 1, 105.
 — — *elliptica*? Wall. Wight Ic. pl. Ind. or. 1, 120.
 — — *Kydiana* Roxb. Wight Ic. pl. Ind. or. 1, 113.
 — — *lanceaeifolia* Roxb. Wight Ic. pl. Ind. or. 1, 103.
 — — *Mangostana* L. Rumpf Amb. 1, 43.
 — — Ellis Monogr. 1.
 — — Marsden Sumatra 3.
 † — — Lam. Encycl. 403.
 — — Desc. Ant. 1, 24.
 — — Lodd. Cab. 845.
 † — — *Massoniana Klotzsch*. Berg Charact. 79.
 — — *merguensis* Wight. Wight Ic. pl. Ind. or. 1, 116.
 † — — *Morella* Desr. Lam. Encycl. 403.
 — — *paniculata* Roxb. Wight Ic. pl. Ind. or. 1, 112.
 — — *papilla* Wight. Wight Ic. pl. Ind. or. 3, 960.
 — — Wight Spicil. 28, 29.
 — — *pedunculata* Roxb. Wight Ic. pl. Ind. 1, 114, 115.
 — — *pictoria* Roxb. Wight Ic. pl. Ind. or. 1, 102.
 — — *Roxburghii* Wight. Wight Ic. pl. Ind. or. 1, 104.
 — — *speciosa* Wall. Wall. Pl. asiat. 258.
 † *Gardenia amoena* Sims. Bot. Mag. 44, 1904.
 — — Bot. Reg. 9, 735.
 — — Lodd. Cab. 935.
 — — *angustifolia* Lodd. Lodd. Cab. 512.
 — — *arborea* Roxb. Wight Ic. pl. Ind. or. 2, 576.
 † — — *campanulata* Roxb. Hoffmannsegg Verz. 1826, 1.
 — — Wight Ic. pl. Ind. or. 2, 578.
 † — — *clusiaeifolia* Jacq. Jacq. Collect. 5, 4.
 — — *corymbosa* Rehb. Rehb. Hort. 106.
 — — *crassicanlis* Salisb. Salisb. Parad. 46.
 — — *Devoniana* Ldl. Bot. Reg. 32, 63.
 — — Paxt. Mag. 13, 269.
 — — Fl. d. serres 3, 191.
 — — *dumetorum* Retz. Roxb. Corom. 136.
 — — Kerner Hort. 455.
 — — Wight Ic. pl. Ind. or. 2, 580.
 — — *enneandra* Koenig. Wight Ic. pl. Ind. or. 2, 574.
 — — *florida* L. Rheed. Hort. mal. 6, 49.
 — — Rumpf Amb. Auct. 14.
 † — — Lam. Encycl. 158.
 — — Bot. Mag. 53, 2627. 61, 3349.
 — — Bot. Reg. 6, 449.
 — — var. *Fortuniana*, Bot. Reg. 32, 43.
 — — var. *Fortuniana*, Fl. d. serres 2, 177.
 — — *fragrans* Roxb. Roxb. Corom. 137.
 — — Kerner Hort. 527.
 † — — *Genipa* Sw. Lam. Encycl. 158.
 — — *gummifera* L. fil. Thunb. Diss. 2, 2.
 — — Wight Ic. pl. Ind. or. 2, 576.
 — — *latifolia* Roxb. Rheed. Hort. mal. 4, 58.
 — — Roxb. Corom. 134.
 — — Wight Ic. pl. Ind. or. 2, 574.
 † — — *Ait.* Gaertn. Carp. 193.
 — — Wight Ic. pl. Ind. or. 2, 759.
 — — *longiflora* R. et P. Ruiz et Pav. Fl. 219.
 — — Kerner Hort. 520.
 — — *longispina* Roxb. Wight Ic. pl. Ind. or. 2, 582.
 — — *longistyla* DC. Bot. Mag. 73, 4322.
 — — *lucida* Roxb. Wight Ic. pl. Ind. or. 5, 575.
 — — *malleifera* Hook. Bot. Mag. 73, 4307.
 — — Fl. d. serres 3, 249.

- Gardenia micrantha* Thunb. Thunb. Diss. 2, 1.
 — *montana* Roxb. Wight Ic. pl. Ind. or. 2, 577.
 — *nitida* Hook. Bot. Mag. 73, 4343.
 — *pannea* Ldl. Bot. Reg. 23, 1952.
 — *parviflora* H. B. K. H. B. K. Nov. Gen. 3, 293.
 — *propinqua* Ldl. Bot. Reg. 12, 975.
 — *radicans* Thunb. Thunb. Fl. jap. 20.
 — — Thunb. Diss. 2, 1.
 — — Andr. Rep. 7, 491.
 — — Bot. Reg. 1, 73.
 — — Bot. Mag. 43, 1842.
 — *Randia* Willd. Bot. Mag. 43, 1841.
 † *Rothmannia* L. fil. Gaertn. Carp. 177.
 — — Bot. Mag. 18, 690.
 — — Tratt. Archiv 368.
 — — Lodd. Cab. 1033.
 — — Kerner Hort. 715, 847.
 — *scandens* Thunb. Thunb. Diss. 2, 2.
 — *Sherbourniae* Hook. Bot. Mag. 69, 4044.
 — — Paxt. Mag. 16, 195.
 — — Fl. d. serres 2, 49.
 — *spinosa* Thunb. Thunb. Diss. 2, 2.
 — *Stanleyana* Hook. Bot. Mag. 71, 4185.
 — — Bot. Reg. 31, 47.
 — — Paxt. Mag. 13, 169.
 — — Fl. d. serres 2, 1.
 † — *sulcata* Gaertn. Gaertn. Carp. 194.
 † — *Thunbergia* L. fil. Gaertn. Carp. 177.
 — — Bot. Mag. 25, 1004.
 — — Kerner Hort. 440.
 — *tubiflora* Andr. Andr. Rep. 3, 183.
 — *turgida* Roxb. Wight Ic. pl. Ind. or. 2, 579.
 — *uliginosa* Retz. Roxb. Corom. 135.
 — — Kerner Hort. 664.
 † — *verticillata* Lam. Lam. Encycl. 158.
 — *Vogelii* Hook. fil. Hook. Niger Fl. 38, 39.
 — — Hook. Ic. pl. 8, 782, 783.
Gardinia Leschenaultiana Decne. Wight Ic. pl. Ind. or. 6, 1976.
Gardnera ovata Wall. Wall. Pl. asiat. 231.
 — *Wallichii* Wight. Wall. Pl. asiat. 281.
 — — Wight Ic. pl. Ind. or. 4, 1313.
 — — Wight Illustr. 156^b.
 † *Gardonia* R. et P. Ruiz et Pav. Prodr. 17.
 — *betonicoides* Ldl. Bot. Mag. 67, 3860.
 — *Gilliesii* Grah. Bot. Reg. 21, 1812.
 — *Hookeri* Benth. Paxt. Mag. 3, 243.
 — — Bot. Reg. 21, 1747.
 — — Sweet Fl. G. II. 271.
 — *multiflora* R. et P. Bot. Mag. 66, 3772.
 — — Maund Bot. 1, 6.
 — — Paxt. Mag. 6, 223.
 — *salviaefolia* Colla. Mem. Tur. 39, 48.
Garhadiolus angulosus Jaub. Jaubert Illustr. 285.
 — *Hedynopsis* Jaub. Jaubert Illustr. 284.
 † *Garidella nigellastrum* L. Gaertn. Carp. 118.
 † — — Lam. Encycl. 379.
 — — Sibth. Fl. gr. 443.
 — — Bot. Mag. 31, 1266.
 — *unguicularis* Lam. Lam. Encycl. 379.
Garnotia stricta Brongn. Brongniart Coquille 21.
Garrelia encholiroides Gaudich. Gaudich. Bonite 115.
Garrya elliptica Dougl. Bot. Reg. 20, 1686.
 — — Ann. soc. d'hortic. 30, x.
 † — — Schnizl. Iconogr. 2, 96****.
 — *Fadyenii* Hook. Hook. Ic. pl. 4, 333.
Garuga madagascariensis DC. Delessert Ic. 3, 57.
 — *pinnata* Roxb. Rheede Hort. mal. 4, 33.
 — — Roxb. Corom. 208.
 — — Wight Ic. pl. Ind. or. 4, 1594, 1595.
Gastonia palmata Roxb. Bot. Reg. 11, 894.
Gastorchis Aub. Aubert Orchid. 31.

- † *Gastridium australe* Pal. B. Nees Gen. 1, 31.
 — *lendigerum* Gaud. Rehb. Fl. germ. 1, 32.
 — — Sturm Flora 7, 26.
 — — Baxter Brit. Bot. 6, 444.
 — — Explor. Alger. 40.
 — *scabrum* Presl. Explor. Alger. 40.
 — *triaristatum* Durieu. Explor. Alger. 40.
Gastrocarpha runcinata Don. Sweet Fl. G. 229.
Gastrochilus longiflora Wall. Wall. Pl. asiat. 25.
 — — Bot. Mag. 69, 4010.
 — *pulcherrima* Wall. Wall. Pl. asiat. 24.
 — — Paxt. Mag. 7, 75.
 — — Bot. Mag. 68, 3930.
Gastrodia sesamoides R. Br. Endl. Iconogr. 5.
Gastrolobium acutum Benth. Bot. Mag. 69, 4040.
 — *bilobum* R. Br. Bot. Mag. 48, 2212.
 — — Bot. Reg. 5, 411.
 — — Lodd. Cab. 70.
 — — Diet. sc. nat. 256.
 — *cordatum* Ldl. Lindley Swan River 5.
 — *cuneatum* Henfr. Lem. Jard. fl. 258.
 — *Huegelii* Henfr. Belgique hort. 3, 6.
 — *ovalifolium* Henfr. Lem. Jard. fl. 247.
 — *retusum* Ldl. Bot. Reg. 19, 1647.
 — — Bot. Mag. 61, 3328.
 — *spinosum* Paxt. Paxt. Mag. 11, 171.
 — *villosum* Benth. Bot. Reg. 33, 45.
 — — Lem. Jard. fl. 4, 341.
Gastronema clavatum Herb. Bot. Mag. 49, 2291.
 — — Fl. d. serres 8, 813.
 — *pallidum* Lodd. Lodd. Cab. 1808.
 — *sanguineum* Ldl. Journ. Hort. Soc. 3, 315.
Gatesia alabamensis Bert. Novi Comm. Bonon. 9, 10.
 † *Gaudichaudia congestiflora* Juss. Arch. Mus. 3, 21.
 — *cynanchoides* H. B. K. H. B. K. Nov. Gen. 5, 445.
 † — *filipendula* Juss. Arch. Mus. 3, 21.
 — *guaranitica* St. Hil. St. Hil. Fl. Bras. 174.
 † — — St. Hil. Pl. rem. 19.
 — — Mem. Mus. 10, 24.
 — *linearifolia* St. Hil. St. Hil. Fl. Bras. 174.
 † — *sericea* St. Hil. St. Hil. Pl. rem. 19.
 † — — Mem. Mus. 10, 24.
Gaudinia fragilis Pal. B. Rehb. Fl. germ. 1, 13.
 † — — Nees Gen. 1, 84.
 † *Gaultheria* L. Kerner Genera 176.
 † — — Wight Illustr. 141.
 — *antarctica* Hook. Hook. Fl. ant. 116.
 — *bracteata* Don. Bot. Mag. 75, 4461.
 — — Annales de Gand 1845, 43.
 — *caespitosa* P. et E. Poepp. et Endl. 40.
 — *erecta* Vent. Vent. Cels 5.
 — *ferruginea* Ch. et Schl. Bot. Mag. 79, 4697.
 — *fragrantissima* Wall. Asiat. Res. 13, 12.
 — *ignescens* Lem. Lem. Jard. fl. 265.
 — *lanigera* Hook. Hook. Ic. pl. 1, 66.
 — *longiflora* Morr. Annales de Gand 1845, 43.
 — *microphylla* Hook. Hook. Fl. ant. 116.
 — *myrsinites* Hook. Hook. Bor. Am. 129.
 — *myrtilloides* P. et E. Poepp. et Endl. 41.
 — *nummularioides* Don. Royle Illustr. 63.
 † — *procumbens* L. Gaertn. Carp. 63.
 † — — Lam. Encycl. 367.
 — — Andr. Rep. 2, 116.
 — — Nouveau Duhamel 1, 12.
 — — Bot. Mag. 45, 1966.
 — — Lodd. Cab. 82.
 — — Barton Med. 15.
 — — Bigelow Med. 22.
 — — Rehb. Exot. 224.
 — *repens* Bl? Rafin. Med. 40.
 — *serpyllifolia* Pursh. Pursh Fl. 13.

- Gaultheria Shallon* Pursh. Pursh Fl. 12.
 — — — Bot. Mag. 55, 2843.
 — — — Bot. Reg. 17, 1411.
 — — — Lodd. Cab. 1372.
 — — — tomentosa H. B. K. Hook. Ic. pl. 4, 393.
 — — — trichophylla Royle. Royle Illustr. 63.
Gaura biennis L. Svensk Acad. 1756, 8.
 † — — — Gaertn. Carp. 127.
 — — — Lam. Encycl. 281.
 — — — Schk. Handb. 105.
 — — — Bot. Mag. 11, 389.
 — — — fruticosa Jacq. Jacq. Ic. 457.
 — — — Lam. Encycl. 281.
 — — — mollis H. B. K. H. B. K. Nov. Gen. 6, 529.
 — — — mutabilis Cav. Cav. Ic. 258.
 — — — parviflora Dougl. Bot. Mag. 63, 3506.
 — — — tripetala Cav. Cav. Ic. 396.
Gautiera P. et E. = *Gaultheria* L.
Gaya aurea St. Hil. St. Hil. Fl. Bras. 38.
 — — — hermannioides H. B. K. H. B. K. Nov. G. 5, 475.
 — — — subtriloba H. B. K. H. B. K. Nov. Gen. 5, 476.
Gaylussacia buxifolia H. B. K. H. B. K. Nov. Gen. 3, 257.
 — — — dumosa T. et Gr. Torrey New York 67.
 — — — hirtella T. et Gr. Torrey New York 67.
 — — — imbricata Pohl. Pohl Bras. 126.
 — — — Pseudovaccinium Cham. Bot. Reg. 30, 62.
 — — — — Paxt. Mag. 12, 101.
 — — — pulchra Pohl. Pohl Bras. 127.
 — — — serrata Ldl. Royle Illustr. 63^a or 79.
 — — — ursina Torr. et Gr. Gray Chloris 10.
 † *Gayoides* Gray. Gray Genera 126.
Gayophytum humile Juss. Gay Chile 22.
 — — — Ann. sc. nat. 25, 4.
Gazania Pavonia R. Br. Bot. Reg. 1, 35.
 — — — Rchb. Mag. 15.
 — — — Rchb. Exot. 221.
 † — — — ringens Gaertn. Gaertn. Carp. 173.
 † — — — Lam. Encycl. 702.
 — — — uniflora Sims. Bot. Mag. 48, 2270.
 — — — Lodd. Cab. 795.
Geijera salicifolia Schott. Schott Rutaceae 4.
Geiseleria chamaedryfolia Kl. Miquel Surin. 30.
Geissois racemosa Lab. Bill. Sertum 50.
Geissomeria longiflora Ldl. Bot. Reg. 13, 1045.
 — — — Rchb. Exot. 211.
Geissorrhiza obtusata Gawl. Bot. Mag. 18, 672.
 — — — secunda Gawl. Bot. Mag. 28, 1105.
 — — — setacea Gawl. Bot. Mag. 31, 1255.
 — — — vaginata Sweet. Sweet Fl. G. 138.
Geissospermum vellosii Allem. Allemão Dias. 1845, 0.
Geitonoplesium cymosum R. Br. Bot. Mag. 59, 3131.
Gela lanceolata Lour. Lodd. Cab. 938.
Gelasine azurea Herb. Bot. Mag. 66, 3779.
Geleznovia verrucosa Turcz. Bull. Mosc. 1849, 2, 1.
† *Gelonium bifarium* Roxb. Jussieu Euphorb. 10.
 † — — — cupanioides Gaertn. Gaertn. Carp. 139.
 — — — fasciculatum Roxb. Bot. Mag. 60, 3231.
 — — — lanceolatum Willd. Wight Ic. pl. Ind. or. 5, 1867.
 † — — — multiflorum Juss. Jussieu Euphorb. 10.
† *Gelpkea pendula* Bl. Blume Mus. 1, 55.
Gelemium lucidum Poir. Herb. amat. 3, 169.
Gendarussa tranquebarensis N. v. E. Wight Ic. pl. 2, 462.
 † — — — Wight Illustr. 164^b.
 — — — vulgaris N. v. E. Wight Ic. pl. Ind. or. 2, 469.
† *Genethyllis* DC. Acta Leop. 19. Suppl. II. 2.
 — — — diosmoides DC. Mem. Genev. 9, 2.
Geniosporum strobiliferum Wall. Hook. Ic. pl. 5, 462.
† *Geniostoma lasiostemon* Bl. Blume Mus. 1, 35.
 — — — ligustrifolium Cum. Hook. Ic. pl. 5, 430.
† *Geniostoma rupestris* Forst. Forster Char. 12.
 † — — — Lam. Encycl. 133.

- † *Genipa americana* L. Gaertn. Carp. 190.
 — — — Desc. Ant. 2, 87.
 — — — barbata Presl. Presl Symbolae 60.
 — — — oblongifolia R. et P. Ruiz et Pav. Fl. 220.
Genista aetnensis DC. Moris Fl. sard. 28.
 — — — amxantica Ten. Tenore Fl. nap. 66.
 — — — Sweet Fl. G. II. 266.
 — — — anglica L. Fl. dan. 4, 619.
 — — — Engl. Bot. 2, 132.
 — — — Guimp. Holzgew. 121.
 — — — aspalathoides Lam. Moris Fl. sard. 29, 30.
 — — — atlantica Spach. Explor. Alger. 87.
 — — — bracteolata Link. Bot. Reg. 26, 23.
 — — — Maund Bot. 5, 235.
 — — — canariensis L. Lodd. Cab. 1201.
 — — — Bot. Reg. 3, 217.
 — — — Webb Canar. 41.
 † — — — candicans L. Gaertn. Carp. 151.
 — — — Watson Dendr. 1, 80.
 — — — cephalantha Spach. Explor. Alger. 85.
 — — — cinerea DC. Watson Dendr. 1, 76.
 — — — commixta Spach. Jaubert Illustr. 150.
 — — — corsica DC. Moris Fl. sard. 31.
 — — — dalmatica Bartl. Rchb. Ic. crit. 4, 383.
 — — — decumbens Dur. Lodd. Cab. 718.
 — — — depressa M. v. B. Tenore Fl. nap. 171.
 — — — diffusa Willd. Sturm Flora 12, 49.
 — — — dracunculoides Spach. Jaubert Illustr. 151.
 — — — Durieu Spach. Explor. Alger. 85.
 — — — elegans Hook. Hook. Bot. Misc. 103.
 — — — ephedroides DC. DC. Legum. 36.
 — — — erioclada Spach. Explor. Alger. 87.
 — — — falcata Brot. Brotero Phytogr. 55.
 — — — germanica L. Sv. Bot. 547.
 — — — Fl. dan. 11, 1826.
 † — — — Schk. Handb. 195.
 — — — Guimp. Holzgew. 122.
 — — — Schrank Fl. monac. 3, 243.
 — — — Sturm Flora 3, 12.
 — — — Dietr. Fl. bor. 12, 839.
 — — — gracilis Spach. Jaubert Illustr. 143.
 — — — Haenseleri Boiss. Boissier Esp. 39.
 — — — Halleri Reyn. Gaudin Fl. helv. 4, 3.
 — — — hispanica L. Cav. Ic. 211.
 — — — Jacq. Ic. 557.
 — — — Lodd. Cab. 1738.
 — — — humifusa L. Vill. Dauph. 44.
 — — — Jord. Obs. 6, 2.
 — — — Jaubertii Spach. Jaubert Illustr. 141.
 — — — involucreta Spach. Jaubert Illustr. 146.
 † — — — juncea Scop. Lam. Encycl. 619.
 — — — Nouveau Duhamel 2, 22.
 — — — leptophylla Spach. Jaubert Illustr. 148.
 — — — linifolia L. Bot. Mag. 13, 442.
 — — — lucida Camb. Mem. Mus. 14, 14.
 — — — lusitanica L. Andr. Rep. 6, 419.
 — — — mantica Poll. Poll. Fl. ver. 2, 4.
 — — — microphylla Chr. Smith. Webb Canar. 42.
 — — — monosperma Lam. Bot. Reg. 22, 1918.
 — — — Morisii Colla. Moris Fl. sard. 32.
 — — — multiflora Poir. Nouveau Duhamel 2, 23.
 — — — numidica Spach. Explor. Alger. 84.
 — — — Oliverii Spach. Jaubert Illustr. 144.
 — — — orientalis Spach. Jaubert Illustr. 145.
 — — — ovata W. et K. W. et Kit. 84.
 — — — Guimp. Fr. Holzgew. 59.
 — — — Lodd. Cab. 482.
 — — — Watson Dendr. 1, 77.
 — — — pilosa L. Fl. dan. 7, 1225.
 — — — Sv. Bot. 678.
 — — — Engl. Bot. 3, 208.
 — — — Jacq. Fl. austr. 3, 208.

- † *Genista pilosa* L. Schk. Handb. 195.
 — — — Guimp. Holzgew. 120.
 — — — Dietr. Fl. bor. 12, 840.
 — *pontica* Spach. Jaubert Illustr. 147.
 — *procumbens* W. et K. W. et Kit. 180.
 — — — Guimp. Holzgew. 119.
 — — — Bot. Reg. 14, 1150.
 — *pulchella* Vis. Visiani Dalm. 40.
 — *rhodorrhizoides* Webb. Webb Canar. 48.
 — *sagittalis* L. Jacq. Fl. austr. 3, 209.
 — — — Guimp. Holzgew. 117.
 — *Salzmanni* DC. Delessert Ic. 3, 65.
 — *scariosa* Viv. Viviani Fl. ital. 8.
 — — — Lodd. Cab. 1135.
 † — *scoparia* Lam. Lam. Encycl. 619.
 — *Scorpius* DC. Watson Dendr. 1, 78.
 — — — Sweet Fl. G. II. 63.
 — *sericea* Wulf. Jacq. Ic. 556.
 — — — Sturm Flora 12, 49.
 — *sibirica* L. Jacq. Vind. 190.
 — *silvestris* Scop. Sturm Flora 12, 49.
 — *Spachiana* Webb. Bot. Mag. 71, 4195.
 — *spartioides* Brig. Ac. Neap. 4, 2.
 — — — Spach. Explor. Alger. 84.
 — *spathulata* Spach. Jaubert Illustr. 149.
 — *sphacelata* Decne. Jaubert Illustr. 142.
 — *splendens* Webb. Webb Canar. 45.
 — *stenopetala* Webb. Webb Canar. 45.
 — *striata* Hill. Hill Hort. Kew. 9.
 — *tetragona* Bess. Rechb. Ic. crit. 4, 391.
 — *tinctoria* L. Fl. dan. 3, 526.
 — — — Sv. Bot. 451.
 — — — Engl. Bot. 1, 44.
 — — — Hayne 9, 11.
 — — — Guimp. Holzgew. 118.
 — — — Nees Düssel. 322.
 — — — Baxter Brit. Bot. 2, 84.
 — *triacantha* Brot. Brotero Phytogr. 54.
 — *triangularis* Willd. var. Rochel Banat. 15.
 — *tricuspidata* Desf. Desf. Fl. atl. 183.
 — *tridentata* L. Ac. Neap. 4, 1.
 — *triquetra* L'her. Bot. Mag. 9, 314.
 — — — Watson Dendr. 1, 79.
 — — — W. et K. W. et Kit. 153.
 — *ulicina* Spach. Explor. Alger. 86.
 — *versicolor* Wall. Royle Illustr. 34.
 — *Villarsiana* Jord. Jordan Obs. 6, 2.
 — *virgata* Willd. Guimp. Fr. Holzgew. 58.
 — — — DC. Bot. Reg. 30, 11.
Genisia aurea St. Hil. Ann. sc. nat. II, 11, 5.
 — *corymbosa* Rechb. Rechb. Exot. 24.
 — *ornata* Mart. Endl. Bras. 9, 21, 22.
Genosiris fragilis Lab. Bill. Nov. Holl. 9.
† *Gentiana* L. Lam. Encycl. 109.
† — — — Kerner Genera 212.
† — — — Mutel Fl. fr. 36.
— *abscondita* Zent. Zenker Pl. ind. 13.
† — *acaulis* L. Gaertn. Carp. 114.
— — — Jacq. Fl. austr. 2, 135.
— — — Sturm Flora 1, 4.
— — — Bot. Mag. 2, 52.
— — — Engl. Bot. 23, 1594.
— — — Herb. amat. 3, 150.
— *adscendens* Pall. Pallas Fl. ross. 94.
— — — Bot. Mag. 19, 705, 723.
— *aestiva* R. et Sch. Sturm Flora 13, 54.
— *algida* Pall. Pallas Fl. ross. 95.
— *alpina* Vill. Vill. Dauph. 10.
— — — Lodd. Cab. 476.
— *altaica* Pall. Pallas Fl. ross. 97.
— *Amarella* L. Fl. dan. 2, 328.
— — — Curt. Lond. 4, 33.

- Gentiana Amarella* L. Engl. Bot. 4, 236.
 — — — var. Rochel Banat. 6.
 — — — Sturm Flora 6, 23.
 — — — Dietr. Fl. bor. 8, 506.
 — *Andrewsii* Griseb. Torrey New York 81.
 — *angulosa* M. v. B. Marshall Cent. 47.
 — — — Rochel Banat. 22.
 — — — Rechb. Ic. crit. 2, 129, 9, 927.
 — *angustifolia* Vill. Sturm Flora 13, 54.
 — *aphylla* Jacq. Jacq. Hist. stirp. am. 89.
 — *aprica* Decne. Jacquemont Ind. 118.
 — *aquatica* L. Pallas Fl. ross. 97.
 — — — Mem. Mosc. 7, 9.
 † — — — Gaertn. Carp. 114.
 — *arctophila* Griseb. Hook. Bor. Am. 149.
 — *asclepiadea* L. Jacq. Fl. austr. 4, 328.
 — — — Lam. Encycl. 109.
 — — — Bot. Mag. 27, 1078.
 — — — Sturm Flora 13, 54.
 — — — Dietr. Fl. bor. 5, 347.
 — *aurea* L. Fl. dan. 2, 344.
 — *auriculata* Pall. Pallas Fl. ross. 92.
 — *axillaris* Schm. Rechb. Ic. crit. 2, 130.
 — *azurea* Bunge. Mem. Mosc. 7, 10.
 — *barbata* Froel. Mem. Mosc. 7, 9.
 — *Baconi* Edgew. Hook. Lond. Journ. 1845, 20.
 — *bavarica* L. Vill. Dauph. 10.
 — — — Jacq. Obs. 71.
 — — — ? Fl. dan. 2, 317.
 — — — Sturm Flora 11, 41.
 — — — Lodd. Cab. 1256.
 — — — Fl. d. serres 7, 651.
 — *bellidifolia* Hook. fil. Hook. Ic. pl. 7, 635.
 — *Biebersteinii* Bunge. Mem. Mosc. 7, 10.
 — *biloba* DC. DC. Ic. Gall. 15.
 — *borealis* Bunge. Mem. Mosc. 7, 10.
 — *Boryi* Boiss. Boissier Esp. 121.
 — *brachypetala* Bunge. Mem. Mosc. 7, 13.
 — *brachyphylla* Vill. Sturm Flora 13, 54.
 — *cacifemirica* Decne. Jacquemont Ind. 117.
 — *calycosa* Griseb. Hook. Bor. Am. 146.
 — *campanulata* Jacq. Jacq. Fl. austr. 5, 29.
 — *Campbelli* Griseb. Richard Astrolabe 31.
 — *campestris* L. Fl. dan. 3, 367.
 — — — Engl. Bot. 4, 237.
 — — — Sv. Bot. 278.
 † — — — Engelmann Anthol. 1.
 — *Catesbaei* Walt. Andr. Rep. 6, 418.
 — — — Bigelow Med. 34.
 — *caucasea* Sims. Bot. Mag. 26, 1039.
 — *Centaurium* L. Fl. dan. 4, 617.
 — — — Sv. Bot. 219.
 — — — Schk. Handb. 59.
 — — — Nees Düssel. 202.
 — *cephalodes* Edgew. Hook. Lond. Journ. 1845, 20.
 — *cerastioides* H. B. K. H. B. K. Nov. Gen. 3, 222.
 — *cerina* Hook. Hook. Fl. ant. 36.
 — *Chirata* Wall. Wall. Pl. asiat. 252.
 — *chloecoides* Brot. Brotero Phytogr. 21.
 — *ciliata* L. Pallas Fl. ross. 92.
 — — — Jacq. Fl. austr. 2, 113.
 — — — Bot. Mag. 17, 639.
 — — — Sturm Flora 6, 23.
 — — — Dietr. Fl. bor. 10, 649.
 — *Columnae* Ten. Tenore Fl. nap. 220.
 — *concinna* Hook. Hook. Fl. ant. 35.
 — *contorta* Royle. Royle Illustr. 68.
 — *coronata* Royle. Royle Illustr. 68.
 — *corymbosa* H. B. K. H. B. K. Nov. Gen. 3, 224.
 — *crinita* Froel. Barton Fl. 3, 80.
 — — — Bot. Mag. 46, 2031.
 — — — Sweet Fl. G. 139.

- Gentiana crispata* Vis. Visiani Dalm. 24.
 — *cruciata* L. Jacq. Fl. austr. 4, 372.
 — — Spach Suites 145.
 — *detonsa* Fries. Fl. dan. 2, 317.
 — — Torrey New York 82.
 — — var. γ . Hook. Ic. pl. 9, 857.
 — *dianthoides* H. B. K. H. B. K. Nov. Gen. 3, 223.
 — *discolor* Hoffgg. Rehb. Ic. crit. 9, 828.
 — *Douglasiana* Bong. Acad. Pet. 2, 6.
 — — Hook. Bor. Am. 148.
 — *elongata* Haenke. Jacq. Collect. 2, 17.
 — *exaltata* L. Desc. Ant. 1, 15.
 — *filiformis* L. Fl. dan. 2, 324.
 — *fimbriata* Andr. Andr. Rep. 8, 509.
 — — Kerner Hort. 675.
 — *frigida* Haenke. Froelich Gentiana 1.
 — — Roemer Archiv III. 3, 1.
 — — Sturm Flora 13, 54.
 — *Froelichii* Hladn. Sturm Flora 13, 54.
 — *Gebleri* Led. Mem. Mosc. 7, 8.
 — — Rehb. Ic. crit. 3, 271.
 — *gelida* M. v. B. Paxt. Mag. 7, 5.
 — *germanica* Willd. Sturm Flora 6, 23.
 — — Dietr. Fl. bor. 4, 234.
 — *glacialis* Vill. Sv. Bot. 726.
 — — Abr. Thom. Sturm Flora 13, 54.
 — *glauca* Pall. Pallas Fl. ross. 93.
 — — Hook. Bor. Am. 147.
 — *gracilis* H. B. K. H. B. K. Nov. Gen. 3, 221.
 — *Grisebachii* Hook. fil. Hook. Ic. pl. 7, 636.
 — *humilis* Stev. var. Rochel Banat. 22.
 † — *hybrida* DC. Mem. hist. nat. Par. 1, 5.
 — *Jamesoni* Hook. Hook. Ic. pl. 1, 61.
 — *imbricata* Froel. Sturm Flora 11, 41.
 — *incarnata* Sims. Bot. Mag. 43, 1856.
 — *intermedia* Sims. Bot. Mag. 49, 2303.
 — — Lodd. Cab. 218.
 — *Kurroo* Royle. Royle Illustr. 68.
 — *limoselloides* H. B. K. H. B. K. Nov. Gen. 3, 220.
 — *linearis* Froel. Münch. Denkschr. 7, 5.
 † — *lutea* L. Mem. hist. nat. Par. 1, 5.
 — — Diet. sc. nat. 55.
 — — Woodv. Med. 2, 25.
 — — Hayne 13, 28.
 — — Guimp. et Schl. 242.
 — — Nees Düsseldorf. 198.
 — — Wagner 136.
 — *macrophylla* Pall. Pallas Fl. ross. 96.
 — — Bot. Mag. 34, 1414.
 — *magellanica* Gaudich. Richard Astrolabe 31.
 — — Hook. Fl. ant. 115.
 — *maritima* L. Cav. Ic. 296.
 — *nana* Wulf. Jacq. Misc. 1, 18.
 — — Sturm Flora 6, 22.
 — *nivalis* L. Fl. dan. 1, 17.
 — — Engl. Bot. 13, 896.
 — — Sv. Bot. 725.
 — — Sturm Flora 6, 22.
 — *nutans* Bunge. Mem. Mosc. 7, 11.
 — *obtusifolia* Willd. Rehb. Ic. crit. 2, 129.
 — — Sturm Flora 13, 54.
 — — Dietr. Fl. bor. 10, 650.
 — *ochroleuca* Willd. Bot. Mag. 38, 1551.
 — *Olivieri* Griseb. Jaubert Illustr. 234.
 — *pannonica* Scop. Jacq. Fl. austr. 2, 136.
 — — Sturm Flora 13, 54.
 — — Wagner 8.
 — — Nees Düsseldorf. 200.
 — — Hayne 13, 30.
 — *patagonica* Griseb. Hook. Fl. ant. 115.
 — *pedicellata* Wall. Wight Ic. pl. Ind. or. 4, 1328.
 — *pinifolia* G. Don. Fielding Sertum 58.

- Gentiana plebeja* Cham. Mem. Mosc. 7, 9.
 — *Pneumonanthe* L. Fl. dan. 2, 269.
 — — Engl. Bot. 1, 20.
 — — Sv. Bot. 651.
 — — Dreves 3, 79.
 — — Sturm Flora 8, 30.
 — — var. Bot. Mag. 27, 1101.
 — — var. depressa, Boissier Esp. 121.
 † — — Plée Types 40.
 — — Baxter Brit. Bot. 3, 185.
 — — Dietr. Fl. bor. 2, 73.
 — *propinqua* Rich. Hook. Bor. Am. 150.
 — *prostrata* Haenke. Jacq. Collect. 2, 17.
 — *pumila* L. Jacq. Obs. 49.
 — — Jacq. Fl. austr. 4, 302.
 — *punctata* L. Jacq. Obs. 39.
 — — Jacq. Fl. austr. 5, 28.
 — — Sturm Flora 13, 54.
 — — Hayne 13, 29.
 — — Guimp. et Schl. 285.
 — — Nees Düsseldorf. 199.
 † — *purpurea* L. Fl. dan. 1, 50.
 — — Mem. hist. nat. Par. 1, 5.
 — — Woodv. Med. 2, 94.
 — — Andr. Rep. 2, 117.
 — — Lodd. Cab. 583.
 — — Hayne 13, 31.
 — — Nees Düsseldorf. 201.
 — *pyramidalis* N. v. E. Sturm Flora 13, 54.
 — *pyrenaica* L. Gouan Ill. 2.
 — — W. et Kit. 207.
 — *quinqueflora* Pers. Bot. Mag. 63, 3496.
 — *quinquefolia* L. Fl. dan. 2, 344.
 — *Romanzowii* Led. Mem. Mosc. 7, 11.
 — *rupicola* H. B. K. H. B. K. Nov. Gen. 3, 220.
 — *Saponaria* L. Bot. Mag. 26, 1039.
 — — Barton Fl. 3, 79.
 — — Lodd. Cab. 815.
 — — Kerner Hort. 232.
 — — Rehb. Exot. 306.
 — — Torrey New York 81.
 — *saxosa* Forst. Svensk Acad. 1777, 5.
 — *Sceptrum* Griseb. Hook. Bor. Am. 145.
 — *sedifolia* H. B. K. H. B. K. Nov. Gen. 3, 225.
 — *septemfida* Pall. Pallas Fl. ross. 92.
 — — Bot. Mag. 30, 1229. 34, 1410.
 — — Lodd. Cab. 89.
 — — Paxt. Mag. 8, 51.
 — — Fl. d. serres 8, 765.
 — *setiflora* Bunge. Mem. Mosc. 7, 9.
 — *spathulata* Barth. Rehb. Pl. crit. 1, 92.
 — *squarrosa* Led. Ledeb. Ic. 14.
 — — Mem. Mosc. 7, 9.
 — *stricta* Klotzsch. Prinz Waldem. Him. 69.
 — *tenella* Fries. Fl. dan. 2, 318.
 — *tenuis* Griseb. Hook. Bor. Am. 151.
 — *terglouensis* Haq. Haq. Pl. alp. 2.
 — *triflora* Pall. Pallas Fl. ross. 93.
 — *uliginosa* Willd. Rehb. Pl. crit. 1, 58.
 — *unalaschkensis* Cham. Mem. Mosc. 7, 9.
 — *utriculosa* L. W. et Kit. 206.
 — — Sturm Flora 8, 30.
 — *verna* L. Bot. Mag. 14, 491.
 — — Engl. Bot. 7, 493.
 — — Roemer Fl. eur. 6, 6.
 — — Sturm Flora 10, 40.
 — — Lodd. Cab. 62.
 — — Herb. amat. 1, 2.
 — — Rehb. Ic. crit. 9, 826.
 — — brachyphylla, Rehb. Ic. crit. 2, 129.
 — — Dietr. Fl. bor. 8, 505.
 — *verticillata* L. Desc. Ant. 1, 16.

- Gentiana verticillata* Roxb. Wight Ic. pl. Ind. or. 2, 600.
 — *villosa* L. Hook. Bor. Am. 152.
 — *viscosa* Ait. Bot. Mag. 47, 2135.
 † *Gentianeae* Juss. Wight Illustr. 157^b.
Gentianella ciliata Borkh. Schrank Fl. monac. 2, 189.
 † *Geodorum appendiculatum* Ldl. Calc. Journ. 1845, 24.
 † — *attenuatum* Griff. Calcutta Journ. 1845, 24.
 — *citrinum* R. Br. Andr. Rep. 10, 636.
 — — Bot. Mag. 48, 2195.
 — *dilatatum* R. Br. Rheed. Hort. mal. 11, 35.
 — — Bot. Reg. 8, 675.
 — — Lodd. Cab. 1797.
 — — Wight Ic. pl. Ind. or. 3, 912.
 — *fucatum* Ldl. Bot. Reg. 20, 1687.
 † — *laxiflorum* Griff. Calcutta Journ. 1845, 24.
 — *pictum* Link. Link Ic. I. 14.
Geoffraea inermis Sw. Woodv. Med. 3, 151.
 — — Nees Düsseld. 336.
 — *racemosa* Poir. Lam. Encycl. 604.
 — *retusa* Lam. Lam. Encycl. 604.
 † — *spinosa* Jacq. Lam. Encycl. 604.
 — *superba* H. B. Humb. Pl. aeq. 180.
 — *surinamensis* Bondt. Bondt Cortex Geoffr. 1.
 — — Nees Düsseld. 337.
 — — Guimp. et Schl. 282.
 — — Rchb. Exot. 157.
 † *Geoffraeae* DC. (Germinatio.) DC. Legum. 20, 21^a.
Geonoma acanlis Mart. Mart. Palm. 4, 19.
 — *acutiflora* Mart. Mart. Palm. 9.
 — *arundinacea* Mart. Mart. Palm. 18.
 — *Brongniartii* Mart. D'Orbigny Voyage 12, 23.
 — *Demarastei* Mart. D'Orbigny Voyage 11, 22.
 — *elegans* Mart. Mart. Palm. 10^a.
 — *interrupta* Mart. Mart. Palm. 7.
 — *Jussieuana* Mart. D'Orbigny Voyage 12, 23.
 — *laxiflora* Mart. Mart. Palm. 11.
 — *macrostachys* Mart. Mart. Palm. 20.
 — — D'Orbigny Voyage 11, 23.
 — *multiflora* Mart. Mart. Palm. 4, 5, 6.
 † — — Kerner Genera 165 — 167.
 — — Wallace Palms 23.
 — *Orbigniana* Mart. D'Orbigny Voyage 11, 22.
 — *paniculigera* Mart. Mart. Palm. 10.
 — — Wallace Palms 24.
 — *pauciflora* Mart. Mart. Palm. 12.
 — *pinnatifrons* Willd. Mart. Palm. 8.
 — *Pohlana* Mart. Mart. Palm. 6^a.
 — *pycnostachys* Mart. Mart. Palm. 17.
 — *rectifolia* Wallace. Wallace Palms 25.
 — *Schottiana* Mart. Mart. Palm. 11^a.
 — *simplicifrons* Willd. Mart. Palm. 8, 14.
 — *Spixiana* Mart. Mart. Palm. 15, 16.
 — *synanthera* Mart. Mart. Palm. 13.
Geophila diversifolia DC. Rheed. Hort. mal. 10, 21.
 — *reniformis* Don. Wight Ic. pl. Ind. or. 1, 54.
 † *Georgina* Willd. Kerner Genera 155 — 157.
 — *Cervantesii* Sweet. Sweet Fl. G. II. 22.
 — *coccinea* Willd. Willdenow Hort. 96.
 — — Kerner Hort. 299, 316, 317.
 — *crocata* Sweet. Sweet Fl. G. 282.
 — *variabilis* Willd. Willdenow Hort. 93 — 95.
 — — Kerner Hort. 289, 314, 315, 712, 713, 714, 719, 753.
 — — — Preuss. Gart. Verein 1, 5.
 — — — Savi Fl. ital. 2, 51.
 — — — Jaume St. Hilaire Les Dahlia 1 — 40.
 — — — Dahlia Register for 1836, 1 — 53.
Geranium L. Dietrich Die Linnéschen Geranien 1 — 24.
 — — Andrews Geraniums 1 — 124.
 † — — Mutel Flore franç. 15.
 † — — Cosson Atlas 6.
 † — — Gray Genera 150.

- Geranium abrotanifolium* L. fil. Cav. Diss. 117.
 — *acerifolium* Cav. Cav. Diss. 112.
 — *acetosum* L. Cav. Diss. 104.
 — *aconitifolium* L'her. L'her. Ger. 40.
 — — Rchb. Fl. germ. 5, 194.
 — *affine* Led. Ledeb. Ic. 371.
 — — W. et A. Wight Illustr. 59.
 — *africanum* Cav. Cav. Diss. 104.
 — *albiflorum* Hook. Hook. Bor. Am. 40.
 — — Bot. Mag. 59, 3124.
 — — Led. Ledeb. Ic. 18.
 — *alchemilloides* L. Cav. Diss. 98.
 — *alpinum* Burm. Cav. Diss. 96.
 — *althaeoides* L. Cav. Diss. 123.
 — *anemonefolium* L'her. L'her. Ger. 36.
 — — Bot. Mag. 6, 206.
 — — Sweet Ger. 244.
 — *angulatum* Curt. Bot. Mag. 6, 203.
 — *appendiculatum* L. fil. Cav. Diss. 121.
 — *arachnoideum* St. Hil. St. Hil. Fl. Bras. 20.
 — *argenteum* L. Vill. Dauph. 49.
 — — Cav. Diss. 77.
 — — Jacq. Ic. 546.
 — — Bot. Mag. 14, 504.
 — — Lodd. Cab. 948.
 — — Sweet Ger. 59.
 — — Roemer Fl. eur. 12, 5.
 — — Rchb. Fl. germ. 5, 198.
 — *articulatum* Cav. Cav. Diss. 122.
 — *asphodeloides* Sibth. Sibth. Fl. gr. 661.
 — — Burm. Schrad. Journ. 1799, 2, 1.
 — *asplenoides* Desf. Desf. Fl. atl. 168.
 — *astragalifolium* Cav. Cav. Diss. 104.
 — — Andr. Andr. Rep. 3, 190.
 — *barbatum* Andr. Andr. Rep. 5, 303, 323, 6, 366.
 — *batrachioides* Cav. Cav. Diss. 85.
 — *betonicum* Cav. Cav. Diss. 118.
 — *bicolor* Jacq. Jacq. Vind. 3, 39.
 — — Cav. Diss. 111.
 — *bifolium* Burm. Cav. Diss. 115.
 — *bipinnatum* Cav. Cav. Diss. 126.
 — *bohemicum* L. Cav. Diss. 81.
 — — Rchb. Fl. germ. 5, 188.
 — *botrys* Cav. Cav. Diss. 90.
 — *bubonifolium* Andr. Andr. Rep. 5, 328.
 — *canescens* L'her. L'her. Ger. 38.
 — *capillare* Cav. Cav. Diss. 97.
 — *capitatum* L. Cav. Diss. 105.
 — *carneum* L. Cav. Diss. 99.
 — *carolinianum* L. Cav. Diss. 84, 124.
 — *chaerophyllum* Cav. Cav. Diss. 95.
 — — Schk. Handb. 190^b.
 — *chamaedroides* Cav. Cav. Diss. 76.
 — *chium* L. Martyn Hist. 3.
 — — Cav. Diss. 92.
 — *ciconium* L. Cav. Diss. 95.
 — — Jacq. Vind. 18.
 — *cicutarium* L. Fl. dan. 6, 986.
 — — Cav. Diss. 93.
 — — Schk. Handb. 190^b.
 — — Schrank Fl. monac. 4, 354.
 — *ciliatum* Cav. Cav. Diss. 118.
 — — Andr. Andr. Rep. 4, 247.
 — *cineraceum* Picot. Picot Pyren. 2.
 — *cinerum* Cav. Cav. Diss. 89.
 — — Lam. Encycl. 573.
 — *citriodorum* Cav. Cav. Ic. 8.
 — *columbinum* L. Fl. dan. 7, 1222.
 — — Cav. Diss. 82.
 — — Engl. Bot. 4, 259.
 — — Rchb. Fl. germ. 5, 189.
 — *cordifolium* Cav. Cav. Diss. 117.

- Geranium coriandrifolium* L. Cav. Diss. 116.
 — *coronillaefolium* Andr. Andr. Rep. 5, 395.
 — *coronopifolium* Andr. Andr. Rep. 5, 338.
 — *cortusaefolium* Andr. Andr. Rep. 2, 121.
 — *crassifolium* Bocc. Cav. Diss. 90.
 — — Andr. Rep. 2, 136.
 — *crataegifolium* Roth. Roth. Abh. 9, 12.
 — *crispum* L. Cav. Diss. 109.
 — *cristatum* Stev. Bot. Mag. 66, 3732.
 — *cucullatum* L. Martyn Hist. 26.
 — — Cav. Diss. 106.
 — *cuneatum* Hook. Hook. Ic. pl. 2, 198.
 — *daucifolium* Murr. Comm. Gott. 3, 4.
 — — Cav. Diss. 120.
 — *delicatulum* Ten. Tenore Fl. nap. 240.
 — *dissectum* L. Fl. dan. 6, 936.
 — — Cav. Diss. 78.
 — — — Curt. Lond. 1, 41.
 — — — Engl. Bot. 11, 753.
 — — — Rchb. Fl. germ. 5, 189.
 — — — Dietr. Fl. bor. 12, 807.
 — *divaricatum* Kit. Winterl. Ind. 10.
 — — W. et Kit. 123.
 — — Ehrh. Rchb. Fl. germ. 5, 188.
 — *echinatum* Andr. Andr. Rep. 3, 168.
 — *elegans* Andr. Andr. Rep. 1, 28.
 — *elongatum* Cav. Cav. Diss. 101.
 — *erianthum* DC. Bot. Reg. 28, 52.
 — *eristemon* Fisch. Sweet Ger. 197.
 — — Rchb. Hort. 9.
 — *exstipulatum* Cav. Cav. Diss. 123.
 — *ferulaceum* Burm. Cav. Diss. 110.
 — *fissifolium* Andr. Andr. Rep. 6, 378.
 — *floribundum* Andr. Andr. Rep. 6, 420.
 — *fragile* Andr. Andr. Rep. 1, 37.
 — *fruticosum* Cav. Cav. Diss. 122.
 — *fulgidum* L. Cav. Diss. 116.
 — *gibbosum* L. Cav. Diss. 103.
 — *glandulosum* Cav. Cav. Diss. 125.
 — *glaucophyllum* L. Cav. Diss. 92.
 — *glaucum* Burm. Burmann Geran. 1.
 — — Cav. Diss. 103.
 — *grandiflorum* Burm. Cav. Diss. 75.
 — — Andr. Rep. 1, 12.
 — *Grevilleanum* Wall. Wall. Pl. asiat. 209.
 — *grossularioides* L. Cav. Diss. 119.
 — *gruinum* L. Cav. Diss. 88.
 — *guttatum* Desf. Desf. Fl. atl. 169.
 — *heliotropioides* Cav. Cav. Diss. 113.
 — *himalayense* Klotzsch. Prinz Waldem. Him. 16.
 — *hirsutum* Burm. Burmann Geran. 2.
 — — Cav. Diss. 101.
 — *hirtum* Burm. Burmann Geran. 1.
 — — Cav. Diss. 117.
 — — Forsk. Ann. Mus. 2, 45.
 — *hispidum* L. Cav. Diss. 110.
 — *humile* Cav. Cav. Diss. 83.
 — *hybridum* L. Cav. Diss. 105.
 — *hymenodes* Andr. Andr. Rep. 6, 413.
 — *ibericum* Cav. Cav. Diss. 124.
 — — Bot. Mag. 34, 1386.
 — — Sweet Ger. 84.
 — *incanum* L. Burmann Geran. 1.
 — — Cav. Diss. 92.
 — *incarnatum* L. Cav. Diss. 91.
 — *incisum* Andr. Andr. Rep. 1, 67.
 — *incrassatum* Andr. Andr. Rep. 4, 246.
 — *inquans* L. Martyn Hist. 2.
 — — Cav. Diss. 106.
 — *laciniatum* Cav. Cav. Diss. 113.
 — — Martyn Hist. 14.
 — — Andr. Rep. 2, 131. 3, 204. 4, 269.

- Geranium laetum* Led. Ledeb. Ic. 148.
 — *laevigatum* L. Cav. Diss. 121.
 — *Lamberti* Sweet. Sweet Ger. 338.
 — *lanceolatum* Cav. Cav. Diss. 102.
 — — Bot. Mag. 2, 56.
 — *lanuginosum* Jacq. Jacq. Schoenbr. 2, 140.
 — *Lindleyanum* Royle. Royle Illustr. 27.
 — *lineare* Andr. Andr. Rep. 3, 193.
 — *lividum* L'her. L'her. Ger. 39.
 — — Sweet Ger. 268.
 — — Rchb. Fl. germ. 5, 197.
 — *lobatum* L. Cav. Diss. 114.
 — *Londesii* Fisch. Rchb. Hort. 68.
 — *longifolium* Burm. Burmann Geran. 2.
 — — Cav. Diss. 102.
 — *lucidum* L. Cav. Diss. 80.
 — — Curt. Lond. 4, 32.
 — — Engl. Bot. 2, 78.
 — — — Fl. dan. 2, 218.
 — — — Sv. Bot. 556.
 — — — Rchb. Fl. germ. 5, 187.
 — — — Dietr. Fl. bor. 12, 805.
 — *luteum* Andr. Andr. Rep. 6, 423.
 — *macrorrhizum* L. Jacq. Ic. 134.
 — — Cav. Diss. 85.
 — — Sweet Ger. 271.
 — — Bot. Mag. 50, 2420.
 — — Rchb. Fl. germ. 5, 193.
 — *maculatum* L. Cav. Diss. 86.
 — — Barton Med. 13.
 — — Bigelow Med. 8.
 — — Gray Genera 150.
 — — Rchb. Ic. crit. 3, 287.
 — — Sweet Ger. 332.
 — *malacoides* L. Cav. Diss. 91.
 — *maritimum* L. Cav. Diss. 88.
 — *melananthum* Andr. Andr. Rep. 3, 209.
 — *menthaeodorum* Nocca. Nocca Pl. select. 6.
 — *microphyllum* Hook. Hook. Fl. ant. 5.
 — *minimum* Cav. Cav. Diss. 121.
 — *molle* L. Cav. Diss. 83.
 — — Fl. dan. 4, 679.
 — — Curt. Lond. 1, 120.
 — — Engl. Bot. 11, 778.
 — — Sv. Bot. 639.
 — — Schrank Fl. monac. 3, 231.
 — — Rchb. Fl. germ. 5, 191.
 — — Ann. st. nat. III. 18, 16.
 † — *moschatum* L. Gaertn. Carp. 79.
 — — Jacq. Vind. 55.
 — — Cav. Diss. 94.
 — — Sturm Flora 2, 5.
 — *multifidum* Sweet. Sweet Ger. 245.
 — *murcicum* Cav. Cav. Diss. 126.
 — *nemorosum* Ten. Tenore Fl. nap. 167.
 — *nepalense* Sweet. Sweet Ger. 12.
 — — Rchb. Hort. 116.
 — *nodosum* L. Cav. Diss. 80.
 — — Engl. Bot. 16, 1091.
 — — Rchb. Fl. germ. 5, 193.
 — *ocellatum* Camb. Jacquemont Ind. 38.
 — *odoratissimum* L. Cav. Diss. 103.
 — *ovatum* Cav. Cav. Diss. 103.
 — *oxalidifolium* Andr. Andr. Rep. 5, 300.
 — *exaloides* Burm. Burmann Geran. 2.
 — — Cav. Diss. 97.
 — *palmatum* Cav. Cav. Diss. 84.
 — *palustre* L. Cav. Diss. 87.
 — — Fl. dan. 4, 596.
 — — Sv. Bot. 677.
 — — Libosch. Petersb. 30.
 — — Schrank Fl. monac. 2, 191.

- Geranium palustre* L. Sweet Ger. 3.
 — — — Rchb. Fl. germ. 5, 198.
 — — — Dietr. Fl. bor. 9, 614.
 — — — *papilionaceum* L. Martyn Hist. 13.
 — — — Cav. Diss. 113.
 — — — *peltatum* L. Cav. Diss. 100.
 — — — Bot. Mag. 1, 20.
 — — — *petraeum* Gouan. Gouan Illustr. 21.
 — — — Cav. Diss. 96.
 — — — *phacum* L. Cav. Diss. 69.
 — — — Fl. dan. 6, 987.
 — — — Engl. Bot. 5, 323.
 — — — Schk. Handb. 190⁶.
 — — — Rchb. Fl. germ. 5, 197.
 — — — *pictum* Andr. Andr. Rep. 3, 168.
 — — — *pilosum* Cav. Cav. Diss. 199.
 — — — Andr. Andr. Rep. 4, 259.
 — — — Sweet Ger. 119.
 — — — *pinnatifidum* Burm. Burmann Geran. 2.
 — — — Cav. Diss. 120.
 — — — *pinnatum* Burm. Cav. Diss. 115.
 — — — Andr. Andr. Rep. 5, 311.
 — — — *potentilloides* Klotzsch. Prinz Waldem. Him. 17.
 — — — *praecox* Cav. Cav. Diss. 126.
 — — — *praemorsum* Andr. Andr. Rep. 3, 150.⁶
 † — — — *pratense* L. Gaertn. Carp. 79.
 — — — Cav. Diss. 87.
 — — — Curt. Lond. 1, 93.
 — — — Engl. Bot. 6, 404.
 — — — Baxter Brit. Bot. 1, 30.
 — — — Dict. sc. nat. 131.
 — — — Herb. amat. 2, 118.
 † — — — Schk. Handb. 190⁶.
 — — — Schrank Fl. mon. 1, 42.
 — — — Dietr. Fl. bor. 12, 804.
 — — — Rchb. Fl. germ. 5, 193.
 — — — *procumbens* Andr. Andr. Rep. 4, 252.
 — — — *proliferum* Burm. Burmann Geran. 2.
 — — — Cav. Diss. 120.
 — — — *prostratum* Cav. Cav. Diss. 76.
 — — — *pulverulentum* Cav. Cav. Diss. 125.
 — — — *punctatum* Andr. Andr. Rep. 1, 60.
 — — — *purpureum* Vill. Vill. Dauph. 40.
 — — — Engl. Bot. 2648.
 — — — Rchb. Fl. germ. 5, 187.
 — — — *pusillum* L. Cav. Diss. 83.
 — — — Curt. Lond. 1, 76.
 — — — Engl. Bot. 6, 385.
 — — — Fl. dan. 12, 1994.
 † — — — Schk. Handb. 190⁶.
 — — — Rchb. Fl. germ. 5, 190.
 — — — *pyrenaicum* L. Gerard Fl. gallopr. 16.
 — — — Cav. Diss. 79.
 — — — Curt. Lond. 1, 121.
 — — — Engl. Bot. 6, 408.
 † — — — Schk. Handb. 190⁶.
 — — — Sturm Flora 2, 5.
 — — — Rchb. Fl. germ. 5, 192.
 — — — Dietr. Fl. bor. 12, 806.
 — — — Fl. dan. 13, 2240.
 — — — *quercifolium* L. Cav. Diss. 119.
 — — — *quinquevulnerum* Andr. Andr. Rep. 2, 114.
 — — — *radiatum* Andr. Andr. Rep. 4, 222.
 — — — *radicatum* Picot. Picot Pyren. 1.
 — — — *Radula* Roth. Roth Abh. 10. 12.
 — — — Cav. Cav. Diss. 101.
 — — — Bot. Mag. 3, 93.
 — — — *reflexum* L. Cav. Diss. 81.
 — — — Andr. Rep. 4, 224.
 — — — Rchb. Fl. germ. 5, 196.
 — — — *Reichardi* Murr. Comm. Gott. 3, 3.
 — — — Bot. Mag. 1, 18.

- Geranium reniforme* Andr. Andr. Rep. 2, 108.
 — — — *reticulatum* Nocca. Nocca Fl. select. 5.
 — — — *revolutum* Andr. Andr. Rep. 5, 354.
 — — — *rivale* L. Vill. Dauph. 40.
 — — — *Robertianum* L. Cav. Diss. 86.
 — — — Fl. dan. 4, 694.
 — — — Curt. Lond. 1, 109.
 — — — Engl. Bot. 21, 1486.
 — — — Libosch. Petersb. 18.
 — — — Dreves 2, 41.
 — — — Hayne 4, 48.
 — — — Schrank Fl. monac. 2, 139.
 — — — Rchb. Fl. germ. 5, 187.
 — — — *romanum* L. Cav. Diss. 94.
 — — — *roseum* Andr. Andr. Rep. 3, 173.
 — — — *rotundifolium* L. Cav. Diss. 93.
 — — — Curt. Lond. 5, 216.
 — — — Engl. Bot. 3, 157.
 — — — Rchb. Fl. germ. 5, 190.
 — — — *rubifolium* Ldl. Bot. Reg. 26, 67.
 — — — *rupestre* Pourr. Cav. Diss. 90.
 — — — *sanguineum* L. Cav. Diss. 76.
 — — — Fl. dan. 7, 1107.
 — — — Curt. Lond. 5, 155.
 — — — Engl. Bot. 4, 272.
 — — — Rchb. Fl. germ. 5, 198.
 — — — Dietr. Fl. bor. 9, 613.
 † — — — Plée Types 23.
 — — — *scabrum* L. Burmann Geran. 1.
 — — — Cav. Diss. 109.
 — — — *selinum* Andr. Andr. Rep. 4, 239.
 — — — *sessiliflorum* Cav. Cav. Diss. 77.
 — — — *sibiricum* L. Jacq. Vind. 19.
 — — — Cav. Diss. 77.
 — — — *silvaticum* L. Fl. dan. 1, 124.
 — — — Engl. Bot. 2, 121.
 — — — Rchb. Fl. germ. 5, 193.
 — — — *spathulatum* Andr. Andr. Rep. 3, 152. 4, 282.
 — — — *spinosum* Burm. Cav. Diss. 75.
 — — — *stipulaceum* L. fil. Cav. Diss. 123.
 — — — *striatum* L. Cav. Diss. 79.
 — — — Bot. Mag. 2, 53.
 — — — Sibth. Fl. gr. 660.
 — — — Tratt. Thes. 4.
 — — — Herb. amat. 1, 9.
 — — — Rchb. Fl. germ. 5, 196.
 — — — *tabulare* L. Burmann Geran. 1.
 — — — Cav. Diss. 100.
 — — — *terebinthinaceum* Murr. Comm. Gott. 7, 4.
 — — — Cav. Diss. 114.
 — — — *ternatum* L. Cav. Diss. 107.
 — — — *tetragonum* Roth. Roth Abh. 11. 12.
 — — — Cav. Diss. 99.
 — — — *tomentosum* Andr. Andr. Rep. 2, 115.
 — — — *tricolor* Andr. Kerner Hort. 11.
 — — — *trifidum* Burm. Cav. Diss. 115.
 — — — *trifolium* Cav. Cav. Diss. 97.
 — — — *triste* L. Cav. Diss. 107.
 — — — *Tuberaria* Camb. Jacquemont Ind. 37.
 — — — *tuberosum* L. Cav. Diss. 78.
 — — — Sweet Ger. 153.
 — — — Sibth. Fl. gr. 659.
 — — — Rchb. Ic. crit. 4, 592.
 — — — Rchb. Fl. germ. 5, 194.
 — — — var. *ramosum*, Bot. Reg. 25, 10.
 — — — *umbrosum* W. et K. W. et Kit. 124.
 — — — Rchb. Fl. germ. 5, 192.
 — — — *undulatum* Andr. Andr. Rep. 5, 292. 317.
 — — — *uniflorum* Pach. Pach. Voyage 96.
 — — — *variegatum* L. Cav. Diss. 118.
 — — — *varium* L'her. L'her. Ger. 37.
 — — — *villosum* Ten. Tenore Fl. nap. 166.

- Geranium coriandrifolium* L. Cav. Diss. 116.
 — *coronillaefolium* Andr. Andr. Rep. 5, 395.
 — *coronopifolium* Andr. Andr. Rep. 5, 338.
 — *cortusaefolium* Andr. Andr. Rep. 2, 121.
 — *crassifolium* Bocc. Cav. Diss. 90.
 — — Andr. Rep. 2, 136.
 — *crataegifolium* Roth. Roth Abh. 9, 12.
 — *crispum* L. Cav. Diss. 109.
 — *cristatum* Stev. Bot. Mag. 66, 3732.
 — *cucullatum* L. Martyn Hist. 26.
 — — Cav. Diss. 106.
 — *cuneatum* Hook. Hook. Ic. pl. 2, 198.
 — *daucifolium* Murr. Comm. Gott. 3, 4.
 — — Cav. Diss. 120.
 — *delicatum* Ten. Tenore Fl. nap. 240.
 — *dissectum* L. Fl. dan. 6, 936.
 — — Cav. Diss. 78.
 — — — Curt. Lond. 1, 41.
 — — — Engl. Bot. 11, 753.
 — — — Rchb. Fl. germ. 5, 189.
 — — — Dietr. Fl. bor. 12, 807.
 — *divaricatum* Kil. Winterl Ind. 10.
 — — W. et Kit. 123.
 — — Ehrh. Rchb. Fl. germ. 5, 188.
 — *echinatum* Andr. Andr. Rep. 3, 168.
 — *elegans* Andr. Andr. Rep. 1, 28.
 — *elongatum* Cav. Cav. Diss. 101.
 — *erianthum* DC. Bot. Reg. 28, 52.
 — *erlostemon* Fisch. Sweet Ger. 197.
 — — Rchb. Hort. 9.
 — *exstipulatum* Cav. Cav. Diss. 123.
 — *ferulaceum* Burm. Cav. Diss. 110.
 — *fissifolium* Andr. Andr. Rep. 6, 378.
 — *floribundum* Andr. Andr. Rep. 6, 420.
 — *fragile* Andr. Andr. Rep. 1, 37.
 — *fruticosum* Cav. Cav. Diss. 123.
 — *fulgidum* L. Cav. Diss. 116.
 — *gibbosum* L. Cav. Diss. 103.
 — *glandulosum* Cav. Cav. Diss. 125.
 — *glaucophyllum* L. Cav. Diss. 92.
 — *glaucum* Burm. Burmann Geran. 1.
 — — Cav. Diss. 103.
 — *grandiflorum* Burm. Cav. Diss. 75.
 — — Andr. Rep. 1, 12.
 — *Grevilleanum* Wall. Wall. Fl. asiat. 209.
 — *grossularioides* L. Cav. Diss. 119.
 — *gruinum* L. Cav. Diss. 88.
 — *guttatum* Desf. Desf. Fl. atl. 169.
 — *heliotropioides* Cav. Cav. Diss. 115.
 — *himalayense* Klotzsch. Prinz Waldem. Him. 16.
 — *hirsutum* Burm. Burmann Geran. 2.
 — — Cav. Diss. 101.
 — *hirtum* Burm. Burmann Geran. 1.
 — — Cav. Diss. 117.
 — — Forsk. Ann. Mus. 2, 45.
 — *hispidum* L. Cav. Diss. 110.
 — *humile* Cav. Cav. Diss. 83.
 — *hybridum* L. Cav. Diss. 105.
 — *hymenodes* Andr. Andr. Rep. 6, 413.
 — *ibericum* Cav. Cav. Diss. 124.
 — — Bot. Mag. 34, 1386.
 — — Sweet Ger. 84.
 — *incanum* L. Burmann Geran. 1.
 — — Cav. Diss. 82.
 — *incarnatum* L. Cav. Diss. 91.
 — *incisum* Andr. Andr. Rep. 1, 67.
 — *incrassatum* Andr. Andr. Rep. 4, 246.
 — *inquians* L. Martyn Hist. 2.
 — — Cav. Diss. 106.
 — *laciniatum* Cav. Cav. Diss. 113.
 — — Martyn Hist. 14.
 — — Andr. Rep. 2, 131. 3, 204. 4, 269.

- Geranium laetum* Led. Ledeb. Ic. 149.
 — *laevigatum* L. Cav. Diss. 121.
 — *Lamberti* Sweet. Sweet Ger. 338.
 — *lanceolatum* Cav. Cav. Diss. 102.
 — — Bot. Mag. 2, 56.
 — *lanuginosum* Jacq. Jacq. Schoenbr. 2, 140.
 — *Lindleyanum* Royle. Royle Illustr. 27.
 — *lineare* Andr. Andr. Rep. 3, 193.
 — *lividum* L'her. L'her. Ger. 39.
 — — Sweet Ger. 268.
 — — Rchb. Fl. germ. 5, 197.
 — *lobatum* L. Cav. Diss. 114.
 — *Londesii* Fisch. Rchb. Hort. 68.
 — *longifolium* Burm. Burmann Geran. 2.
 — — Cav. Diss. 102.
 — *lucidum* L. Cav. Diss. 80.
 — — Curt. Lond. 4, 32.
 — — Engl. Bot. 2, 75.
 — — Fl. dan. 2, 218.
 — — Sv. Bot. 556.
 — — Rchb. Fl. germ. 5, 187.
 — — Dietr. Fl. bor. 12, 805.
 — *lateum* Andr. Andr. Rep. 6, 423.
 — *macrorrhizum* L. Jacq. Ic. 134.
 — — Cav. Diss. 85.
 — — Sweet Ger. 271.
 — — Bot. Mag. 50, 2420.
 — — Rchb. Fl. germ. 5, 195.
 — *maculatum* L. Cav. Diss. 86.
 — — Barton Med. 13.
 — — Bigelow Med. 8.
 — — Gray Genera 150.
 — — Rchb. Ic. crit. 3, 287.
 — — Sweet Ger. 332.
 — *malacoides* L. Cav. Diss. 91.
 — *maritimum* L. Cav. Diss. 88.
 — *melananthum* Andr. Andr. Rep. 3, 209.
 — *menthaeodorum* Nocca. Nocca Pl. select. 6.
 — *microphyllum* Hook. Hook. Fl. ant. 5.
 — *minimum* Cav. Cav. Diss. 121.
 — *molle* L. Cav. Diss. 83.
 — — Fl. dan. 4, 679.
 — — Curt. Lond. 1, 120.
 — — Engl. Bot. 11, 778.
 — — Sv. Bot. 639.
 — — Schrank Fl. monac. 3, 231.
 — — Rchb. Fl. germ. 5, 191.
 — — Ann. st. nat. III. 18, 16.
 — *moschatum* L. Gaertn. Carp. 79.
 — — Jacq. Vind. 58.
 — — Cav. Diss. 94.
 — — Sturm Flora 2, 5.
 — *multifidum* Sweet. Sweet Ger. 245.
 — *muricatum* Cav. Cav. Diss. 126.
 — *nemorosum* Ten. Tenore Fl. nap. 167.
 — *nepalense* Sweet. Sweet Ger. 12.
 — — Rchb. Hort. 116.
 — *nodosum* L. Cav. Diss. 80.
 — — Engl. Bot. 16, 1091.
 — — Rchb. Fl. germ. 5, 195.
 — *ocellatum* Camb. Jacquemont Ind. 38.
 — *odoratissimum* L. Cav. Diss. 103.
 — *ovatum* Cav. Cav. Diss. 103.
 — *oxalidifolium* Andr. Andr. Rep. 5, 300.
 — *exaloides* Burm. Burmann Geran. 2.
 — — Cav. Diss. 97.
 — *palmatum* Cav. Cav. Diss. 84.
 — *palustre* L. Cav. Diss. 87.
 — — Fl. dan. 4, 596.
 — — Sv. Bot. 677.
 — — Libosch. Petersb. 30.
 — — Schrank Fl. monac. 2, 191.

- Geranium palastre* L. Sweet Ger. 3.
 — — — Rchb. Fl. germ. 5, 198.
 — — — Dietr. Fl. bor. 9, 614.
 — — — *papilionaceum* L. Martyn Hist. 13.
 — — — Cav. Diss. 112.
 — — — *peltatum* L. Cav. Diss. 100.
 — — — Bot. Mag. 1, 20.
 — — — *petraeum* Gouan. Gouan Illustr. 21.
 — — — Cav. Diss. 96.
 — — — *phacum* L. Cav. Diss. 89.
 — — — Fl. dan. 6, 987.
 — — — Engl. Bot. 5, 322.
 — — — Schk. Handb. 190^a.
 — — — Rchb. Fl. germ. 5, 197.
 — — — *pictum* Andr. Andr. Rep. 3, 168.
 — — — *pilosum* Cav. Cav. Diss. 199.
 — — — Andr. Andr. Rep. 4, 259.
 — — — Sweet Ger. 119.
 — — — *pinnatifidum* Burm. Burmann Geran. 2.
 — — — Cav. Diss. 120.
 — — — *pinnatum* Burm. Cav. Diss. 115.
 — — — Andr. Andr. Rep. 5, 311.
 — — — *potentilloides* Klotzsch. Prinz Waldem. Him. 17.
 — — — *praecox* Cav. Cav. Diss. 126.
 — — — *praemorsum* Andr. Andr. Rep. 3, 150.
 + — — *pratense* L. Gaertn. Carp. 79.
 — — — Cav. Diss. 87.
 — — — Curt. Lond. 1, 93.
 — — — Engl. Bot. 6, 404.
 — — — Baxter Brit. Bot. 1, 30.
 — — — Dict. sc. nat. 131.
 — — — Herb. amat. 2, 118.
 + — — — Schk. Handb. 190^b.
 — — — Schrank Fl. mon. 1, 42.
 — — — Dietr. Fl. bor. 12, 804.
 — — — Rchb. Fl. germ. 5, 193.
 — — — *procumbens* Andr. Andr. Rep. 4, 252.
 — — — *proliferum* Burm. Burmann Geran. 2.
 — — — Cav. Diss. 120.
 — — — *prostratum* Cav. Cav. Diss. 76.
 — — — *pulverulentum* Cav. Cav. Diss. 125.
 — — — *punctatum* Andr. Andr. Rep. 1, 60.
 — — — *purpureum* Vill. Vill. Dauph. 40.
 — — — Engl. Bot. 2648.
 — — — Rchb. Fl. germ. 5, 187.
 — — — *pusillum* L. Cav. Diss. 83.
 — — — Curt. Lond. 1, 76.
 — — — Engl. Bot. 6, 385.
 — — — Fl. dan. 12, 1994.
 + — — — Schk. Handb. 190^b.
 — — — Rchb. Fl. germ. 5, 190.
 — — — *pyrenaicum* L. Gerard Fl. gallopr. 16.
 — — — Cav. Diss. 79.
 — — — Curt. Lond. 1, 121.
 — — — Engl. Bot. 6, 405.
 + — — — Schk. Handb. 190^b.
 — — — Sturm Flora 2, 5.
 — — — Rchb. Fl. germ. 5, 192.
 — — — Dietr. Fl. bor. 12, 806.
 — — — Fl. dan. 13, 2240.
 — — — *quercifolium* L. Cav. Diss. 119.
 — — — *quinquevulnerum* Andr. Andr. Rep. 2, 114.
 — — — *radiatum* Andr. Andr. Rep. 4, 222.
 — — — *radicatum* Picot. Picot Pyren. 1.
 — — — *Radula* Roth. Roth Abh. 10. 12.
 — — — Cav. Cav. Diss. 101.
 — — — Bot. Mag. 3, 95.
 — — — *reflexum* L. Cav. Diss. 81.
 — — — Andr. Rep. 4, 224.
 — — — Rchb. Fl. germ. 5, 196.
 — — — *Reichardi* Murr. Comm. Gott. 3, 3.
 — — — Bot. Mag. 1, 18.

- Geranium reniforme* Andr. Andr. Rep. 2, 108.
 — — — *reticulatum* Nocca. Nocca Pl. select. 5.
 — — — *revolutum* Andr. Andr. Rep. 5, 354.
 — — — *rivale* L. Vill. Dauph. 40.
 — — — *Robertianum* L. Cav. Diss. 86.
 — — — Fl. dan. 4, 694.
 — — — Curt. Lond. 1, 109.
 — — — Engl. Bot. 21, 1486.
 — — — Libosch. Petersb. 18.
 — — — Dreves 2, 41.
 — — — Hayne 4, 48.
 — — — Schrank Fl. monac. 2, 139.
 — — — Rchb. Fl. germ. 5, 187.
 — — — *romanum* L. Cav. Diss. 94.
 — — — *roseum* Andr. Andr. Rep. 3, 173.
 — — — *rotundifolium* L. Cav. Diss. 93.
 — — — Curt. Lond. 5, 216.
 — — — Engl. Bot. 3, 157.
 — — — Rchb. Fl. germ. 5, 190.
 — — — *rubifolium* Ldl. Bot. Reg. 26, 67.
 — — — *rupestre* Pourr. Cav. Diss. 96.
 — — — *sanguineum* L. Cav. Diss. 76.
 — — — Fl. dan. 7, 1107.
 — — — Curt. Lond. 5, 155.
 — — — Engl. Bot. 4, 272.
 — — — Rchb. Fl. germ. 5, 198.
 — — — Dietr. Fl. bor. 9, 613.
 + — — — Plée Types 23.
 — — — *scabrum* L. Burmann Geran. 1.
 — — — Cav. Diss. 108.
 — — — *selinum* Andr. Andr. Rep. 4, 239.
 — — — *sessiliflorum* Cav. Cav. Diss. 77.
 — — — *sibiricum* L. Jacq. Vind. 19.
 — — — Cav. Diss. 77.
 — — — *silvaticum* L. Fl. dan. 1, 124.
 — — — Engl. Bot. 2, 121.
 — — — Rchb. Fl. germ. 5, 193.
 — — — *spathulatum* Andr. Andr. Rep. 3, 152. 4, 282.
 — — — *spinosum* Burm. Cav. Diss. 75.
 — — — *stipulaceum* L. fil. Cav. Diss. 123.
 — — — *striatum* L. Cav. Diss. 79.
 — — — Bot. Mag. 2, 55.
 — — — Sibth. Fl. gr. 660.
 — — — Tratt. Thes. 4.
 — — — Herb. amat. 1, 9.
 — — — Rchb. Fl. germ. 5, 196.
 — — — *tabulare* L. Burmann Geran. 1.
 — — — Cav. Diss. 100.
 — — — *terebinthinaceum* Murr. Comm. Gott. 7, 4.
 — — — Cav. Diss. 114.
 — — — *ternatum* L. Cav. Diss. 107.
 — — — *tetragonum* Roth. Roth Abh. 11. 12.
 — — — Cav. Diss. 99.
 — — — *tomentosum* Andr. Andr. Rep. 2, 115.
 — — — *tricolor* Andr. Kerner Hort. 11.
 — — — *trifidum* Burm. Cav. Diss. 115.
 — — — *trifolium* Cav. Cav. Diss. 97.
 — — — *triste* L. Cav. Diss. 107.
 — — — *Tuberaria* Camb. Jacquemont Ind. 37.
 — — — *tuberosum* L. Cav. Diss. 78.
 — — — Sweet Ger. 153.
 — — — Sibth. Fl. gr. 659.
 — — — Rchb. Ic. crit. 4, 392.
 — — — Rchb. Fl. germ. 5, 194.
 — — — var. *ramosum*, Bot. Reg. 25, 10.
 — — — *umbrosum* W. et K. W. et Kit. 124.
 — — — Rchb. Fl. germ. 5, 192.
 — — — *undulatum* Andr. Andr. Rep. 5, 292. 317.
 — — — *uniflorum* Pacho. Pacho Voyage 96.
 — — — *variegatum* L. Cav. Diss. 118.
 — — — *varium* L'her. L'her. Ger. 37.
 — — — *villosum* Ten. Tenore Fl. nap. 166.

- Gladiolus albidus* Jacq. Jacq. Ic. 256.
 — *alopecuroides* Pers. Lam. Encycl. 32.
 — *anceps* L. fil. Jacq. Ic. 269.
 — — Thunberg *Gladiolus* 2.
 — *angustus* L. Linné Hort. Cliff. 6.
 — — Jacq. Ic. 252.
 — — Bot. Mag. 17, 602.
 — — Red. Lil. 6, 344.
 — — var. *minor*, Andr. Rep. 9, 589.
 — *bicolor* Thunb. Thunberg *Gladiolus* 2.
 — — Jacq. Ic. 240.
 — *blandus* Gawl. var. $\alpha. \beta. \gamma. \delta.$ Bot. Mag. 17, 626.
 — — — 18, 645. 648. 40, 1665.
 — — — Andr. Rep. 2, 99.
 — *Boucheanus* Schlecht. Mem. Strassb. 3, 0.
 — *brevifolius* Jacq. Jacq. Ic. 249.
 — — Jacq. Fragm. 2.
 — *byzantinus* Mill. Bot. Mag. 22, 874.
 — — Rchb. Ic. crit. 7, 643.
 — *campanulatus* Andr. Andr. Rep. 3, 188.
 — *cardinalis* Curt. Schneevogt Ic. 27.
 — — Bot. Mag. 4, 135.
 — — Red. Lil. 2, 112.
 — — Kerner Hort. 19.
 — — Herb. amat. 1, 32.
 — — Nees Gen. 3, x.
 + — *carneus* Jacq. Jacq. Ic. 255.
 — — Red. Lil. 2, 65.
 — — var. Red. Lil. 7, 377.
 — — Bot. Mag. 16, 591.
 — — Andr. Rep. 4, 240.
 — — Dela Roche Descr. 4.
 — — Kerner Hort. 146.
 — *cochleatus* Sweet. Sweet Fl. G. II. 140.
 — *Colvillii* Sweet. Sweet Fl. G. 153.
 — *communis* L. Sibth. Fl. gr. 37. 38.
 — — Red. Lil. 5, 267.
 — — Bot. Mag. 3, 86. 38, 1575.
 — — Schk. Handb. 6.
 — — Sprengel Gesch. d. Bot. 5.
 — — Sturm Flora 13, 564. 19, 83.
 — — Rchb. Ic. crit. 6, 598.
 — — Rchb. Fl. germ. 9, 349.
 — — Dietr. Fl. bor. 8, 567.
 + — — Mutel Fl. fr. 70.
 + — — Nees Gen. 3, x.
 — *concolor* Salisb. Saliab. Parad. 8.
 — *crispus* L. fil. Thunberg *Gladiolus* 1.
 — — Jacq. Ic. 267.
 — — Andr. Rep. 2, 142.
 — *cristatus* Vogel. Trew Pl. rar. 24.
 + — *Cumonia* Gaertn. Gaertn. Carp. 11.
 — *cuspidatus* Jacq. Jacq. Ic. 257.
 — — Red. Lil. 1, 36.
 — — var. *longiflorus*, Red. Lil. 3, 136.
 — — Bot. Mag. 16, 582.
 — — Andr. Andr. Rep. 3, 147. 4, 219.
 — *debilis* Sims. Bot. Mag. 52, 2585.
 — *edulis* Burch. Bot. Reg. 2, 169.
 — *excisus* Jacq. Jacq. Schoenbr. 4, 491.
 — *falcatus* L. fil. Thunberg *Gladiolus* 1.
 — *fissifolius* Jacq. Jacq. Ic. 268.
 — *fistulosus* Jacq. Jacq. Schoenbr. 1, 16.
 — *flexuosus* Thunb. Thunberg *Gladiolus* 1.
 — *floribundus* Jacq. Jacq. Ic. 254.
 — — Bot. Mag. 17, 610.
 — — Kerner Hort. 420.
 — — Triomphe de Louvain, Annales de Gand
 — — — 1845, 32.
 — — — var. Annales de Gand 1847, 112.
 — — — var. Leopold, Annales de Gand 1848,
 — — — 194.

- Gladiolus floribundus* Jacq. var. *Sosthenie*, Revue hortie.
 — — — 1853, 3.
 — *fragrans* Jacq. Jacq. Schoenbr. 1, 14.
 — *galeatus* Jacq. Jacq. Ic. 258.
 — — Andr. Rep. 2, 122.
 — — Kerner Hort. 243.
 — *gandavensis* Hort. Fl. d. serres 2, 20. 21.
 — — citrinus V. H. Fl. d. serres 5, 539.
 — — Paxt. Mag. 11, 27.
 — *gracilis* Jacq. Jacq. Ic. 246.
 — — Red. Lil. 8, 425.
 — — Bot. Mag. 16, 562.
 — *gramineus* Jacq. Jacq. Ic. 236.
 — — Andr. Rep. 1, 62.
 — *grandiflorus* Andr. Andr. Rep. 2, 118.
 — *hastatus* Thunb. Bot. Mag. 38, 1564.
 — — Rchb. Exot. 35.
 — *hirsutus* Jacq. Jacq. Ic. 250.
 — — Red. Lil. 5, 273.
 — — var. $\alpha. \beta. \gamma.$ Bot. Mag. 16, 574. 19, 727.
 — — — 25, 992. 21, 923.
 — — Rchb. Exot. 33.
 — — Herb. amat. 2, 127.
 — *hyalinus* Jacq. Jacq. Ic. 242.
 — *hybridus* Delbarianus Morr. Annales de Gand
 — — — 1847, 158.
 — *illyricus* Koch. Sturm Flora 19, 83.
 — — Rchb. Fl. germ. 9, 352.
 — *imbricatus* L. Marshall Cent. 60.
 — — Tausch Hort. Canal. 1.
 — — Rchb. Ic. crit. 6, 599.
 — — Rchb. Fl. germ. 9, 350.
 — — Sturm Flora 13, 56. 19, 83.
 — — Dietr. Fl. bor. 1, 44.
 + — — Mutel Fl. fr. 70.
 — *inclinatus* Red. Red. Lil. 1, 44.
 — *insignis* Paxt. Paxt. Mag. 7, 223.
 — *involutus* Dela R. Dela Roche Descr. 3.
 — *iridifolius* Jacq. Jacq. Ic. 234. 235.
 — — Kerner Hort. 335.
 — *juncus* Thunb. Red. Lil. 3, 141.
 — *laccatus* Jacq. Jacq. Ic. 232.
 — — Red. Lil. 6, 343.
 — *lineatus* Salisb. Red. Lil. 1, 55. 7, 460.
 — — Bot. Mag. 14, 487.
 — *longiflorus* Jacq. Jacq. Ic. 262. 263.
 — — Jacq. Collect. 5, 7.
 — — Andr. Andr. Rep. 1, 5.
 — *Ludovicæ* Jan. Kerner Hort. 638.
 — *Merianus* Thunb. Jacq. Ic. 230. 231.
 + — — Wendl. Beob. 1.
 — — Red. Lil. 1, 11.
 — *Milleri* Gawl. Bot. Mag. 17, 632.
 — *montanus* L. fil. Thunberg *Gladiolus* 1.
 — *Mortoni* Herb. Bot. Mag. 65, 3680.
 — *mucronatus* Jacq. Jacq. Ic. 253.
 — — Red. Lil. 3, 142.
 — — Kerner Hort. 228.
 — *namaquensis* Gawl. Bot. Mag. 16, 592.
 — — Rchb. Exot. 36.
 — *nanus* Andr. Andr. Rep. 2, 137.
 — *natalensis* Reinw. Lodd. Cab. 1756.
 — — Sweet Fl. G. II. 281.
 — *orchidiflorus* Andr. Andr. Rep. 4, 241.
 — *Orobanch* DC. Red. Lil. 3, 125.
 — *palustris* Gaud. Rchb. Fl. germ. 9, 351.
 — — Sturm Flora 19, 83.
 — *parviflorus* Jacq. Jacq. Obs. 78.
 — *permeabilis* Dela R. Dela Roche Descr. 2.
 — *plicatus* Jacq. Jacq. Ic. 237. 238.
 + — — Wendl. Beob. 1.
 — — Red. Lil. 2, 90.

- Gladiolus plicatus* Jacq. Andr. Rep. 4, 268.
 — *polystachyus* Andr. Andr. Rep. 4, 266.
 — *praecox* Andr. Andr. Rep. 1, 38.
 — *pratensis* Dietr. Dietrich Programm 1.
 — — Dietr. Fl. bor. 1, 43.
 — *psittacinus* Hook. Bot. Mag. 57, 3032.
 — — Bot. Reg. 17, 1442.
 — — Rchb. Exot. 116.
 — *pubibundus* Sweet. Paxt. Mag. 2, 197.
 — — Sweet Fl. G. II. 176.
 — *punctatus* Jacq. Jacq. Ic. 247.
 — *pyramidatus* Andr. Andr. Rep. 5, 335.
 — *quadrangularis* Gawl. Bot. Mag. 16, 567.
 — *ramosus* Murr. Paxt. Mag. 6, 99.
 — *recurvus* L. Bot. Mag. 16, 578.
 — — Rchb. Exot. 32.
 — *refractus* Jacq. Jacq. Ic. 241.
 — — Red. Lil. 7, 419.
 — *ringens* Andr. Andr. Rep. 1, 27. 4, 227. 275.
 — — Red. Lil. 3, 123.
 — — Kerner Hort. 78.
 — — Fl. d. serres 4, 422.
 — *ringenti-tristis* Herb. Hort. Transact. 4, 2.
 — *roseoalbus* Jacq. Jacq. Schoenbr. 1, 13.
 — *roseus* Jacq. Jacq. Ic. 261.
 — — Andr. Andr. Rep. 1, 11.
 — *sambucinus* Jacq. Jacq. Schoenbr. 1, 15.
 — *securiger* Ait. Jacq. Fragm. 48.
 — — Bot. Mag. 11, 383.
 — *segetum* Gawl. Bot. Mag. 19, 719.
 — — Sturm Flora 19, 83.
 — — Rchb. Ic. crit. 6, 600.
 — — Rchb. Fl. germ. 9, 353.
 † — — Mutel Fl. fr. 70.
 — *silenoideus* Jacq. Jacq. Ic. 270.
 — *Sparmanni* Thunb. Svensk Acad. 1814, 9.
 — *striatus* Jacq. Jacq. Ic. 260.
 — — Andr. Andr. Rep. 2, 111.
 — *strictiflorus* Red. Red. Lil. 7, 399.
 — *strictus* Ait. Red. Lil. 2, 90.
 — *sulphureus* Jacq. Jacq. Ic. 239.
 — *tenellus* Jacq. var. Schneevogt Ic. 40.
 — — Jacq. Ic. 248.
 — — Jacq. Collect. 4, 3.
 — *trichonemifolius* Gawl. Bot. Mag. 36, 1483.
 — *trimaculatus* Lam. Lam. Encycl. 32.
 — *tristi-blandus* Herb. Hort. Transact. 4, 2.
 — *tristi-hirsutus* Herb. Hort. Transact. 4, 2.
 — *tristis* L. Jacq. Ic. 243—245.
 — — Bot. Mag. 8, 272. 27, 1098.
 † — — Wendl. Beob. 1.
 — — Red. Lil. 1, 35.
 — *Truffautii* Hort. Fl. d. serres 7, 697.
 — *tubatus* Jacq. Jacq. Ic. 264. 265.
 — — Red. Lil. 5, 264.
 — *tubiflorus* L. fil. Thunberg Gladiolus 2.
 — — Jacq. Ic. 266.
 — — Red. Lil. 7, 364.
 — *tubulosus* Jacq. Jacq. Ic. 229.
 — *undulatus* L. Schneevogt Ic. 19.
 — — Jacq. Ic. 251.
 — — Red. Lil. 3, 122.
 — — Bot. Mag. 15, 538. 18, 647.
 — *versicolor* Andr. Andr. Rep. 1, 19.
 — — Bot. Mag. 16, 556. 26, 1042.
 — — Rchb. Exot. 34.
 — *viperatus* Gawl. Bot. Mag. 18, 688.
 — — Sweet Fl. G. 156.
 — *Watsonius* Jacq. Jacq. Ic. 233.
 — — Bot. Mag. 13, 450. 16, 569.
 — — Red. Lil. 7, 369.
 — — Lodd. Cab. 1949.

- Gladiolus Willmoreanus* Hort. Fl. d. serres 6, 639.
 — *xanthospilus* DC. Red. Lil. 3, 124.
Glandulifolia umbellata Wendl. Wendl. Coll. 10.
 — *uniflora ovata* Wendl. Wendl. Coll. 33.
Glaucidium palmatum S. et Z. Münchn. Abh. 4, 1.
 † *Glaucium Gaertn.* Kerner Genera 150.
 — *corniculatum* Curt. Curt. Lond. 1, 138.
 — — Rchb. Fl. germ. 3, 12.
 — *flavum* Crantz. Nees Düsseld. 407.
 † — — Spach Suites 55.
 — *fulvum* Sm. Smith Exot. Bot. 7.
 — — Rchb. Fl. germ. 3, 12.
 — — Sweet Fl. G. 35.
 — *luteum* Scop. Curt. Lond. 4, 56.
 — — Engl. Bot. 1, 8.
 — — Baxter Brit. Bot. 2, 131.
 — — Rchb. Fl. germ. 3, 11.
 † — — Nees Gen. X, x.
 † — *phoeniceum Gaertn.* Gaertn. Carp. 115.
 — — Sibth. Fl. gr. 499.
 — — Engl. Bot. 20, 1433.
 — *rubrum* Sm. Sibth. Fl. gr. 488.
 — — Rchb. Fl. germ. 3, 11. 12.
 — *tricolor* Bernh. Rchb. Ic. crit. 3, 227.
 — *violaceum* Juss. Sibth. Fl. gr. 490.
 — — Engl. Bot. 3, 201.
Glaux maritima L. Fl. dan. 4, 548.
 † — — Lam. Encycl. 141.
 — — Curt. Lond. 5, 188.
 — — Engl. Bot. 1, 13.
 — — Baxter Brit. Bot. 4, 246.
 — — Sv. Bot. 443.
 † — — Gaertn. Carp. 184.
 — — Schk. Handb. 50.
 — — Dreves 5, 143.
 — — Dietr. Fl. bor. 8, 512.
 † — — Nees Gen. 5, 12.
Glechoma hederacea L. Curt. Lond. 2, 128.
 — — Woodv. Med. 2, 111.
 — — Engl. Bot. 12, 853.
 — — Baxter Brit. Bot. 2, 136.
 — — Fl. dan. 5, 789.
 — — Sv. Bot. 183.
 † — — Lam. Encycl. 505.
 † — — Plée Types 53.
 — — Schk. Handb. 159.
 — — Dreves 1, 21.
 — — Hayne 2, 8.
 — — Nees Düsseld. 171.
 — — Guimp. et Schl. 68.
 — — Wagner 15.
 — — Sturm Flora 2, 8.
 — — Schrank Fl. monac. 3, 297.
 — — Dietr. Fl. bor. 2, 117.
 † — — Nees Gen. 6, 24.
 — *hirsuta* W. et K. W. et Kit. 119.
 † *Gleditschia* L. Kerner Genera 31.
 † — *caroliniensis* Lam. Lam. Encycl. 857.
 — *horrida* Willd. Watson Dendr. 1, 75.
 — *monosperma* Walt. Michaux Arb. 3, 11.
 † — *triacanthos* L. Gaertn. Carp. 146.
 † — — Lam. Encycl. 857.
 — — Michaux Arb. 3, 10.
 — — Schk. Handb. 356.
 — — Guimp. Fr. Holzgew. 132.
 — — Watson Dendr. 2, 138.
 — — DC. Legum. 1.
 † *Gleichenia* R. Br. Schrader Journ. 1801, 2.
 — *scutifolia* Hook. Hook. Sp. Fil. 8.
 — *alpina* R. Br. Hook. Ic. Fil. 1, 58.
 — *Bancroftii* Hook. Hook. Sp. Fil. 4.
 — *Boryi* Kze. Kunze Fil. 70.

- Gleichenia cryptocarpa* Hook. Hook. Sp. Fil. 6.
 — *Cunninghami* Hew. Hook. Sp. Fil. 6.
 — *dicarpa* R. Br. Kunze Fil. 70.
 — — Hook. Sp. Fil. 1.
 — *excelsa* Sm. Hook. Sp. Fil. 4.
 — *flagellata* R. Br. Bill. Sertum 12.
 — *gigantea* Wall. Hook. Sp. Fil. 3.
 — *glauca* Sw. Hook. Sp. Fil. 3.
 — *hegistophylla* Cunn. Hook. Sp. Fil. 2.
 — *Hermanni* R. Br. Rumpf Amb. 6, 38.
 — — Hook. Ic. Fil. 1, 14.
 — *immersa* H. et Gr. Hook. Ic. Fil. 1, 15.
 — *Klotzschii* Hook. Hook. Sp. Fil. 5.
 — *Mathewsii* Hook. Hook. Sp. Fil. 7.
 † — *microphylla* R. Br. Hook. Gen. Fil. 41.
 — *nervosa* Kaulf. Hook. Sp. Fil. 5.
 — *pedalis* Kaulf. Hook. Sp. Fil. 8.
 — *polypodioides* Sw. Schk. Fil. 149.
 † — — Hook. Gen. Fil. 41.
 — *revoluta* H. B. K. Hook. Sp. Fil. 7.
 — *rupestris* R. Br. Hook. Sp. Fil. 1.
 — *semivestita* Lab. Bill. Sertum 11.
 — — Hook. Sp. Fil. 2.
 — *simplex* Hook. Hook. Ic. pl. 1, 92.
 — *speluncae* R. Br. Guillemain Austr. 12.
 — — Hook. Sp. Fil. 1.
 † *Gleicheniaceae* R. Br. Schnizl. Iconogr. 1, 28.
 † *Glinus dictamnoides* Lam. Lam. Encycl. 413.
 — *lotoides* Burm. Burm. Fl. ind. 36.
 † — — L. Gaertn. Carp. 130.
 † — — Lam. Encycl. 413.
 — — Sibth. Fl. gr. 472.
 — *mucronatus* Klotzsch. Peters Mossamb. 25.
 — *ononioides* Burm. Burm. Fl. ind. 36.
 — *trianthemoides* Heyne. Wight Illustr. 113.
Globba Careyana Roxb. Roscoe Scit. 110.
 — — Lodd. Cab. 691.
 — *erecta* Red. Red. Lil. 3, 174.
 — *marantina* L. Rumpf Amb. 5, 64. fig. 2.
 — — Smith Exot. Bot. 103.
 — — Roscoe Scit. 111.
 — — Lodd. Cab. 100.
 — — Wight. Wight Ic. pl. Ind. or. 6, 2001.
 — *nutans* L. Rumpf Amb. 6, 63.
 — — Red. Lil. 1, 60.
 † — — Ann. sc. nat. 20, 4.
 — *ophioglossa* Wight. Wight Ic. pl. Ind. or. 6, 2002.
 — *orixensis* Roxb. Roxb. Corom. 229.
 — — Kerner Hort. 486.
 † — — Ann. sc. nat. II. 15, 19.
 — *pendula* Roxb. Roxb. Corom. 228.
 — *purpurea* Andr. Andr. Rep. 10, 615.
 — *racemosa* Sm. Smith Exot. Bot. 117.
 — — Kerner Hort. 556.
 — *radicalis* Roxb. Roxb. Corom. 230.
 — *saltatoria* Roxb. Roscoe Scit. 112.
 — — Hart. Parad. 2, 3.
 — *sessiliflora* Sims. Bot. Mag. 35, 1428.
 — *uviformis* L. Rumpf Amb. 6, 59. fig. 2.
Globularia Alypum L. Roemer Mag. 3, 1.
 — — Tratt. Archiv 136.
 † — — Willkomm Glob. 4.
 — *arabica* Jaub. Jaubert Illustr. 260.
 † — — Willkomm Glob. 4.
 — *bellidifolia* Ten. Tenore Fl. nap. 109.
 — *cordifolia* L. Lam. Encycl. 56.
 — — Tratt. Archiv 137.
 — — Sweet Fl. G. 34.
 † — — Willkomm Glob. 4.
 — *ilicifolia* Willk. Willkomm Glob. 3.
 — *incanescens* Viv. Viviani Fl. ital. 3.
 — — Cesati Stirpes ital. x.

- Globularia incanescens* Viv. Rechb. Ic. crit. 9, 812.
 — *longifolia* Ait. Bot. Reg. 8, 685.
 — — Nouveau Duhamel 5, 40.
 — — Dict. sc. nat. 28.
 — *nana* Lam. DC. Ic. Gall. rar. 3.
 — — Tratt. Archiv 138.
 † — — Willkomm Glob. 4.
 — *nudicaulis* L. Tratt. Archiv 139.
 † — — Willkomm Glob. 4.
 — *orientalis* L. Ann. sc. nat. 9, 41.
 — — Jaubert Illustr. 259.
 † — — Willkomm Glob. 4.
 † — *salicina* Lam. Willkomm Glob. 4.
 † — *spinosa* Lam. var. β . Camb. Ann. sc. nat. 9, 40.
 — — Willkomm Glob. 1.
 — *trichosantha* Fisch. et M. Jaubert Illustr. 259.
 † — — Willkomm Glob. 1.
 — *valentina* Willk. Willkomm Glob. 2.
 † — *vulgaris* L. Gaertn. Carp. 44.
 † — — Lam. Encycl. 56.
 — — Schk. Handb. 21.
 — — Tratt. Archiv 140.
 — — Sturm Flora 7, 27.
 — — Lodd. Cab. 1898.
 — — Bot. Mag. 48, 2256.
 — — Sweet Fl. G. 20.
 — — Sv. Bot. 364.
 † — — Ann. sc. nat. 9, 41.
 † — — Nees Gen. X, x.
 † — — Willkomm Glob. 1.
 † *Glochidion* Forst. Forster Charact. 57.
 — *arborescens* Wight. Wight Ic. pl. Ind. or. 5, 1907.
 — *ellipticum* Wight. Wight Ic. pl. Ind. or. 5, 1906.
 † — *ramiflorum* Forst. Juss. Euphorb. 3.
 — *velutinum* Wight. Wight Ic. pl. Ind. or. 5, 1907.
 † — *zeylanicum* Juss. Jussieu Euphorb. 3.
Glochisandra acuminata Wight. Wight Ic. pl. Ind. or. 5, 1905.
 † *Glomera erythrosma* Bl. Blume Tabellen 68.
Gloriosa superba L. Rheede Hort. mal. 7, 57.
 — — Schneevogt Ic. 35.
 † — — Gaertn. Carp. 18.
 — — Lam. Encycl. 247.
 — — Andr. Rep. 2, 129.
 — — Bot. Reg. 1, 77.
 — — Kerner Hort. 29.
 † — — Kerner Genera 13.
 — — Savi Fl. ital. 3, 86.
 — — Rechb. Exot. 51.
 — — Wight Ic. pl. Ind. or. 6, 2047.
 — *virescens* Ldl. Bot. Mag. 52, 2539.
Glossarthen floribundus N. et M. Mart. Bras. 15.
 — *pauciflorus* Mart. Acta Leop. 12, 1, 8.
Glossocardia Boswallia DC. Wight Ic. pl. Ind. 3, 1110.
Glossocomia ovata DC. Bot. Reg. 28, 3.
Glossodia major R. Br. Endl. Iconogr. 41.
Glossonema Boveanum Decne. Delessert Ic. 5, 71.
 † — — Ann. sc. nat. II. 9, 12.
 † *Glossopetalon spinescens* Gray. Smithson. Contr. 5, 14.
Glossospermum velutinum Wall. Wight Ic. pl. Ind. or. 2, 509.
Glossostemon Bruguieri Desf. Mem. Mus. 3, 11.
 † *Glossostigma spathulatum* Arn. Wight Illustr. 165.
Glossula tentaculata Ldl. Bot. Reg. 10, 862.
 † *Gloxinia* L'her. Kerner Genera 171.
 — *caulescens* Ldl. Bot. Reg. 13, 1127.
 — — Lodd. Cab. 1566.
 — *digitaliflora* Paxt. Paxt. Mag. 10, 193.
 — *fimbriata* Hort. Bot. Mag. 75, 4430.
 — *Fyfiiana* Hort. Fl. d. serres 4, 311.
 — *gesnerioides* Ch. Lem. Fl. d. serres 2, 12.
 — *gracilis* Mart. Mart. Bras. 226.

- Gloxinia hirsuta* Ldl. Bot. Reg. 12, 1004.
 — — Bot. Mag. 53, 2690.
 — — Lodd. Cab. 1296.
 — *ichthyostoma* Gardn. Hook. Ic. pl. 5, 472.
 — *maculata* L'her. Bot. Mag. 29, 1191.
 — — Rchb. Mag. 3.
 — — Savi Fl. ital. 3, 98.
 — *maxima* Part. Paxt. Mag. 5, 219.
 — *pallidiflora* Hook. Bot. Mag. 72, 4213.
 — — Fl. d. serres 2, 66.
 — *Passinghamii* Part. Paxt. Mag. 12, 267.
 — *rubra* Part. Paxt. Mag. 7, 271.
 — *Sarmentiana* Gardn. Hook. Ic. pl. 4, 378.
 — *Schottii* Mik. Mikan Del. Bras. 21.
 — *speciosa* Lodd. Lodd. Cab. 28.
 — — Bot. Reg. 3, 213. 30, 48.
 — — Maund Bot. 3, 108. 149.
 — — Kerner Hort. 878.
 — — Rchb. Mag. 4.
 — — Bot. Mag. 44, 1937. 60, 3206. 68, 3934.
 — — — 3943.
 — — — Paxt. Mag. 11, 199. 15, 169.
 — — — Fl. d. serres 3, 268. 6, 574. 578. 610.
 — — — Annales de Gand 1846, 92.
 — — — discolor, Hart. Parad. 1, 2.
 — — — Regel Gartenflora 1852, 4. 1853, 44.
 — — — Prinzessin von Preussen, ibid. 1854, 76.
 — — — Morren Fuchsia 11.
 — *Teuchleri* Hort. Fl. d. serres 3, 220.
 — *tubiflora* Hook. Bot. Mag. 69, 3971.
 — — Bot. Reg. 31, 3.
 † *Gluta* Benghas L. Blume Mus. 1, 39.
 † *Glyceria* R. Br. Dumortier Gramin. 4.
 — *arctica* Hook. Hook. Bor. Am. 229.
 — *airoides* Rchb. Rchb. Fl. germ. 1, 78.
 — *aquatica* Wahlbg. Rchb. Fl. germ. 1, 80.
 † — — R. Br. Nees Gen. 1, 57.
 — *Borreri* Bab. Engl. Bot. 2797.
 — *distans* Wahlbg. Fl. dan. 13, 2222.
 — — Rchb. Fl. germ. 1, 79.
 — *festucaeformis* Host. Rchb. Fl. germ. 1, 80.
 — *fruitans* R. Br. Curt. Lond. 3, 77.
 — — Rchb. Fl. germ. 1, 80.
 † — — Nees Gen. 1, 57.
 — *maritima* Wahlbg. Rchb. Fl. germ. 1, 79.
 — *Michauxii* Kth. Humb. Gram. 85.
 — *plicata* Fries. Fl. dan. 14, 2463.
 — — Rchb. Fl. germ. 7, 79.
Glycine ambigua Jacq. Jacq. Fragm. 135.
 — *angustifolia* Jacq. Jacq. Schoenbr. 2, 231.
 — *Apios* L. Schk. Handb. 198.
 — — Bot. Mag. 30, 1198.
 — *biloba* Ldl. Bot. Reg. 17, 1418.
 — *bimaculata* Curt. Bot. Mag. 8, 263.
 — — Savi Fl. ital. 2, 76.
 — — Herb. amat. 1, 59.
 † — *bituminosa* L. Gaertn. Carp. 134.
 † — — Lam. Encycl. 609.
 — — Bot. Reg. 3, 261.
 — *caribaea* Jacq. Jacq. Ic. 146.
 — — Bot. Reg. 4, 275.
 — *coccinea* Curt. Bot. Mag. 8, 270.
 — — Kerner Hort. 4.
 — *Comptoniana* Andr. Andr. Rep. 9, 602.
 — — Bot. Reg. 4, 298.
 — *crinita* H. B. K. H. B. K. Nov. Gen. 6, 573.
 — *debilis* Ait. Jacq. Ecl. pl. 166.
 — *diffusa* H. B. K. H. B. K. Nov. Gen. 6, 572.
 — *frutescens* L. Nouveau Duhamel 3, 55.
 — — Bot. Mag. 46, 2103.
 — *galactioides* H. B. K. H. B. K. Nov. Gen. 6, 575.
 † — *heterocarpa* Hegetsch. Hegetschw. Comm. 5 — 7.

- Glycine involucreta* Wall. Wall. Pl. asiat. 241.
 — *labialis* L. Jacq. Ecl. pl. 166.
 — — Wight Ic. pl. Ind. or. 1, 168.
 — *mollis* Hook. Hook. Exot. Fl. 201.
 — *monoica* L. Usteri Annalen 12, 2.
 — — Roemer Archiv I. 3, 2.
 — *monophylla* L. Jacq. Schoenbr. 2, 232.
 — *phaseloides* Sw. Bot. Mag. 49, 2284.
 — *rubicunda* Curt. Schneevogt Ic. 28.
 — — Bot. Mag. 8, 268.
 — *rufa* H. B. K. H. B. K. Nov. Gen. 6, 574.
 — *sinensis* Sims. Bot. Mag. 46, 2083.
 — — Bot. Reg. 8, 650.
 — — Lodd. Cab. 173.
 — — Rchb. Mag. 29.
 — *striata* L. fil. Jacq. Vind. 76.
 — *subterranea* L. Linné Hort. ups. 2, 19.
 — — Gil et Xuares 4.
 † — *tetraphylla* Lam. Lam. Encycl. 609.
 — *vincentina* Ker. Bot. Reg. 10, 799.
 — *violacea* Schneev. Schneevogt Ic. 29.
Glycosmis madagascariensis Correa. Risse Orang. 109.
 — *triphylla* Wight. Wight Illustr. in Hook. 39.
 — — Wight Ic. pl. Ind. or. 1, 167.
Glycyrcarpus edulis Dalz. Journ. Bomb. As. Soc. 3, 5. 6.
 — *racemosa* Dalz. Hook. Ic. pl. 9, 842.
Glycyrrhiza echinata L. Jacq. Vind. 98.
 † — — Gaertn. Carp. 148.
 † — — Lam. Encycl. 625.
 — — Schk. Handb. 205.
 — — Sibth. Fl. gr. 708.
 — — Bot. Mag. 47, 2154.
 — — Hayne 6, 41.
 — — Nees Düsseldorf. 327.
 — — Guimp. et Schl. 157.
 — — Wagner 208.
 — *foetida* Desf. Desf. Fl. atl. 199.
 — — Jacq. Ecl. pl. 56.
 — *glabra* L. Woodv. Med. 3, 152.
 — — Sibth. Fl. gr. 709.
 — — Lam. Encycl. 625.
 — — Hayne 6, 42.
 — — Guimp. et Schl. 156.
 — — Wagner 207.
 — *glandulifera* W. et K. W. et Kit. 21.
 — *lepidota* Pursch. Bot. Mag. 47, 2150.
Glyphaea grewioides Hook. fil. Hook. Ic. pl. 8, 760.
 — — Hook. Niger Fl. 22.
Gmelina arborea Roxb. Rheede Hort. mal. 1, 41.
 — — Roxb. Corom. 246.
 — — Wight Ic. pl. Ind. or. 4, 1470.
 — *asiatica* L. Rumpf Amb. 1, 40.
 † — — Lam. Encycl. 542.
 — — Wight Illustr. 174.
 — *indica* Burm. Burm. Fl. ind. 39.
 † — *lobata* Gaertn. Gaertn. Carp. 56.
 — *parvifolia* Roxb. Roxb. Corom. 162.
 — *parviflora* Ham. Rumpf Amb. 2, 40.
 — *Rheedii* Hook. Bot. Mag. 74, 4395.
 — *villosa* Roxb. Rumpf Amb. 2, 39.
Gnaphalium alpinum Lightf. Lightf. Fl. scot. 1, 20.
 — — L. Fl. dan. 2, 332.
 — — Sturm Flora 10, 38.
 — — Rchb. Ic. crit. 8, 750.
 — *apiculatum* Lab. Bill. Nov. Holl. 188.
 — — Bot. Reg. 3, 240.
 — — Bot. Mag. 45, 1985.
 — *arenarium* L. Fl. dan. 4, 641.
 — — Sv. Bot. 658.
 — — Sibth. Fl. gr. 859.
 — — Bot. Mag. 47, 2159.
 — — Hayne 5, 8.

- Gnaphalium bellidiflorum* Viv. Viviani Fl. ital. 19.
 — *carpaticum* Wahlenb. Wahlenberg Carp. 3.
 — — Sturm Flora 10, 38.
 — *cauliflorum* Desf. Bill. Syr. 4, 2.
 — *celosioides* H. B. K. H. B. K. Nov. Gen. 4, 329.
 — *collinum* Lab. Bill. Nov. Holl. 189.
 — *congestum* Lam. Bot. Reg. 3, 243.
 — — Bot. Mag. 49, 2328.
 — *conglobatum* Viv. Viviani Lib. 3.
 — *consanguineum* Gaudich. Richard Astrolabe 11.
 — *crispatum* Del. Delile Egypte 44.
 — *decurrens* Ives. Silliman Journ. 1, 6.
 — *dejectum* Jacq. Jacq. Fragn. 137.
 — *dioicum* L. Lightf. Fl. scot. 1, 20.
 — — Engl. Bot. 4, 267.
 — — Baxter Brit. Bot. 4, 243.
 — — Fl. dan. 7, 1228.
 — — Sv. Bot. 148.
 — — Hayne 5, 6.
 — — Schrank Fl. monac. 3, 223.
 — — Sturm Flora 10, 38.
 — *diosmaefolium* Vent. Vent. Malm. 74.
 — *ericoides* L. Bot. Mag. 13, 438.
 — *eximium* L. Andr. Rep. 10, 654.
 — — Bot. Mag. 9, 300.
 — — Kerner Hort. 491.
 — *ferrugineum* Schrad. et W. Wendl. Sert. hann. 23.
 — *foetidum* Thunb. Bot. Mag. 45, 1987.
 — *fruticans* L. Bot. Mag. 43, 1802.
 — *fuscum* Scop. Scop. Fl. carn. 2, 57.
 — *gallicum* Willd. Engl. Bot. 33, 2369.
 — *germanicum* Huds. Curt. Lond. 4, 43.
 — — Engl. Bot. 14, 946.
 — *glutinosum* Ten. Tenore Fl. nap. 192.
 — *grandiflorum* L. Andr. Rep. 7, 489.
 — *graveolens* M. v. B. Rchb. Ic. crit. 4, 393.
 — *hypoleucum* DC. Wight Ic. pl. Ind. or. 3, 1114.
 — *involueratum* Forst. Bot. Mag. 52, 2382.
 † *legitimum* Gaertn. Gaertn. Carp. 165.
 — *leontopodioides* Willd. Rchb. Ic. crit. 10, 961.
 — *Leontopodium* Jacq. Jacq. Fl. austr. 1, 86.
 — — Jacq. Fragn. 81.
 — — Schk. Handb. 267.
 — — Sturm Flora 10, 38.
 — — Bot. Mag. 45, 1938.
 — *luteo-album* L. Engl. Bot. 14, 1002.
 — — Fl. dan. 10, 1763.
 — — Sturm Flora 10, 38.
 — — Dietr. Fl. bor. 11, 768.
 — *marcescens* Wight. Wight Ic. pl. Ind. or. 3, 1116.
 — *margaritaceum* L. Engl. Bot. 29, 2018.
 — — Sturm Flora 10, 38.
 — *minimum* Sm. Engl. Bot. 17, 1157.
 — *modestum* Sieb. Bot. Mag. 54, 2710.
 — *muscoideus* Desf. Desf. Fl. atl. 231.
 — *neglectum* Soyer. Soyer Will. Monogr. 1.
 — *neilgherryanum* DC. Wight Ic. pl. Ind. or. 2, 478.
 — *norvegicum* Gunn. Sturm Flora 10, 38.
 — *nudum* Hoffm. Rchb. Ic. crit. 8, 753.
 — *orientale* L. Sibth. Fl. gr. 938.
 — *paniculatum* Colla. Mem. Tur. 38, 26.
 — *pedunculare* Ten. Tenore Fl. nap. 191.
 — *pillulare* Wahlenb. Wahlenberg Fl. lapp. 13.
 — *pompejanum* Ten. Tenore Fl. nap. 194.
 — *pulvinatum* Del. Delile Egypte 44.
 — *pusillum* Haenke. Schk. Handb. 267.
 — *rectum* Sm. Engl. Bot. 2, 124.
 — *semipapposum* Lab. Bill. Nov. Holl. 187.
 — *silvaticum* L. Scop. Fl. carn. 2, 56.
 — — *β. fuscum*, Fl. dan. 2, 254.
 — — Fl. dan. 7, 1229.
 — — Engl. Bot. 13, 918.

- Gnaphalium silvaticum* L. Schk. Handb. 243.
 — — Dietr. Fl. bor. 11, 770.
 — *spathulatum* Del. Delile Egypte 44.
 — *spicatum* Lam. Hook. Fl. ant. 113.
 — *squarrosus* L. Jacq. Fragn. 3.
 — *Stoechas* L. Sibth. Fl. gr. 857.
 — *supinum* L. Engl. Bot. 17, 1193.
 — — Sv. Bot. 716.
 — — Hoppe. Sturm Flora 10, 38.
 — *supracanum* Sibth. Sibth. Fl. gr. 861.
 — *uliginosum* L. Fl. dan. 5, 859.
 — — Engl. Bot. 17, 1194.
 — — Dietr. Fl. bor. 11, 771.
 — — var. Fl. dan. 14, 2474.
 — *virgineum* DC. Sibth. Fl. gr. 860.
 † *Gnetaceae* Bl. Schnizl. Iconogr. 2, 79.
Gnetum funiculare Buch. Wight Ic. pl. Ind. or. 6, 1935.
 — *Gnemon* L. Rumpf Amb. 1, 71. 72.
 † — — Blume Rumphia 176. 178^b.
 — — Brongniart Coquille 1.
 † — — Spach Suites 132.
 † — — Schnizl. Iconogr. 2, 79.
 — *latifolium* Bl. Blume Rumphia 174.
 — *microcarpum* Bl. Blume Rumphia 173.
 — *neglectum* Bl. Blume Rumphia 175. 178^b. 184.
 — *ovalifolium* Poir. Rumpf Amb. 1, 73.
 — *scandens* Roxb. Rheede Hort. mal. 7, 22.
Gnidia denudata Ldl. Bot. Reg. 9, 757.
 — *eriocephala* Meism. Wight Ic. pl. Ind. or. 5, 1839.
 — *imberbis* Dryand. Lodd. Cab. 1958.
 — — Bot. Mag. 36, 1463.
 — *imbricata* L. fl. Lodd. Cab. 890.
 † *laevigata* Thunb. Wendl. Beob. 2.
 — — Andr. Rep. 2, 89.
 — *ochroleuca* Lodd. Lodd. Cab. 1184.
 — *oppositifolia* L. Andr. Rep. 4, 223.
 — — Lam. Encycl. 291.
 — — Lodd. Cab. 16.
 — — Bot. Reg. 1, 2.
 — — Bot. Mag. 44, 1902.
 † *pinifolia* L. Wendl. Beob. 2.
 — — Lam. Encycl. 291.
 — — Andr. Rep. 1, 52.
 — — Lodd. Cab. 7.
 — — Bot. Mag. 45, 2016.
 — — Bot. Reg. 1, 19.
 — — var. *ochroleuca* Ker. Bot. Reg. 8, 624.
 † *radiata* L. Wendl. Beob. 2.
 — — Lodd. Cab. 29.
 † *sericea* L. Wendl. Beob. 2.
 — — Lam. Encycl. 291.
 — *simplex* L. Andr. Rep. 1, 70.
 — — Bot. Mag. 21, 812.
 — — Herb. amat. 2, 128.
 † — — Schnizl. Iconogr. 2, 109.
 — *sisparensis* Gardn. Wight Ic. pl. Ind. or. 5, 1860.
 — *tomentosa* L. Bot. Mag. 54, 2761.
Gochnatia vernonioides H. B. K. H. B. K. Nov. Gen. 4, 309.
Godetia albescent Ldl. Bot. Reg. 28, 9.
 † *decumbens* Spach. N. Ann. Mus. 4, 30.
 † — — Spach Suites 86.
 — *Gayana* Spach. Gay Chile 23.
 — *grandiflora* Spach. Bot. Reg. 28, 61.
 — — Lem. Jard. 3, 318.
 — *lepida* Ldl. Bot. Reg. 22, 1849.
 — *Romanzovii* Spach. Bot. Reg. 7, 562.
 — *rubicunda* Ldl. Bot. Reg. 22, 1856.
 — *vinosa* Ldl. Bot. Reg. 22, 1880.
 † *Godoya* R. et P. Ruiz et Pav. Prodr. 11.
 — *gemmaflora* Mart. Mart. Bras. 74.
Goethea cauliflora N. v. E. Acta Leop. 11. 1, 8.

- Goethea semperflorens* N. v. E. Acta Leop. 11. 1, 7.
 — *strictiflora* Hook. Bot. Mag. 78, 4677.
 — — Fl. d. serres 8, 814.
Goethea elegans Wydl. Linnaea 5, 8.
Goldbachia laevigata DC. Delessert Ic. 2, 81.
Goldfussia anisophylla N. v. E. Bot. Reg. 11, 958.
 — — Bot. Mag. 62, 3404.
 † — — Acad. Brux. 12, 1. 2.
 — *Dalhousiana* N. v. E. Wight Ic. pl. Ind. or. 4, 1509.
 — *decurrens* Wight. Wight Ic. pl. Ind. or. 4, 1522.
 — *glomerata* N. v. E. Maund Bot. 4, 155.
 — — Paxt. Mag. 8, 121.
 — — Bot. Mag. 68, 3861.
 — — var. *speciosa*, Bot. Mag. 80, 4767.
 — *isophylla* N. v. E. Maund Bot. 5, 244.
 — — Bot. Mag. 74, 4363.
 — — Annales de Gand 1848, 201.
 — *pentstemonoides* N. v. E. Wight Ic. pl. Ind. or. 4, 1510.
 — *tristis* Wight. Wight Ic. pl. Ind. or. 4, 1508.
 † *Gomara Rz et P.* Ruiz et Pav. Prodr. 19.
Gomesa recurva R. Br. Bot. Mag. 42, 1748.
 — — Lodd. Cab. 660.
 — *tenuiflora* Lodd. Lodd. Cab. 806.
 † *Gomortega nitida* Rz et P. Ruiz et Pav. Prodr. 10.
 — — Ruiz et Pav. Ined. x.
 † *Gomosia granadensis* Mutis. Lam. Encycl. 87.
Gomphandra polymorpha ♂ et ♀ Wight. Wight Spicil. 21—22.
 — — Wight Ic. pl. Ind. or. 3, 953. 954.
Gomphia acuminata DC. Ann. Mus. 17, 25.
 — *aemula* Pohl. Pohl Bras. 182.
 — *angulata* DC. Ann. Mus. 17, 18.
 — *angustifolia* Vahl. Rheede Hort. mal. 5, 48. 52.
 — *cardiosperma* DC. Ann. Mus. 17, 30.
 — *castaneaeifolia* Correa. Ann. Mus. 17, 22.
 — *confertiflora* Pohl. Pohl Bras. 179.
 — *crassifolia* Pohl. Pohl Bras. 185.
 — *dependens* DC. Ann. Mus. 17, 17.
 — *Fieldingiana* Gardn. Fielding Sertum 38.
 — *glaberrima* Pal. B. Pal. B. Fl. d'Oware 71.
 — *glaucescens* St. Hil. St. Hil. Fl. Bras. 13.
 — *glomerata* Pohl. Pohl Bras. 184.
 — *grandiflora* Correa. Ann. Mus. 17, 28.
 — *guianensis* Rich. Ann. Mus. 17, 20.
 — *hexasperma* St. Hil. St. Hil. Pl. usuelles 38.
 — *lanceolata* Pohl. Pohl Bras. 178.
 — *laurifolia* Sw. Ann. Mus. 17, 26.
 — *longifolia* Lam. Ann. Mus. 17, 21.
 — *mexicana* H. B. Humb. Pl. aeq. 74.
 — *multiflora* Pohl. Pohl Bras. 183.
 — *nana* St. Hil. St. Hil. Fl. Bras. 12.
 — *nitida* Sw. Dict. sc. nat. 121.
 — — Ann. Mus. 17, 24.
 — — Spach Suites 14.
 — *obtusifolia* Lam. Ann. Mus. 17, 19.
 — *oleaeifolia* St. Hil. Mem. Mus. 10, 17.
 — — St. Hil. Pl. rem. 9.
 — *ovalis* Pohl. Pohl Bras. 180.
 — *parviflora* DC. Ann. Mus. 17, 27.
 — *reticulata* Pal. B. Pal. B. Fl. d'Oware 72.
 — *rotundifolia* Field. Fielding Sertum 34.
 — *serrata* Pohl. Pohl Bras. 181.
 — *squamosa* DC. Ann. Mus. 17, 23.
 — *sumatrana* Jack. Hook. Ic. pl. 8, 712.
Gomphocarpus arborescens R. Br. Rchb. Mag. 28.
 — *fruticosus* Dryand. Bot. Mag. 39, 1628.
 — *purpurascens* Rich. Richard Abyssin. 69.
 — *robustus* Rich. Richard Abyssin. 70.
Gompholobium aciculare Rchb. Rchb. Hort. 243.

- Gompholobium barbigerrum* DC. Paxt. Mag. 14, 221.
 — — Bot. Mag. 71, 4171.
 — *capitatum* Cunn. Bot. Reg. 18, 1563.
 — *ellipticum* Lab. Bill. Nov. Holl. 132.
 † — — Lam. Encycl. 949.
 — *imbriatum* Sm. Smith Exot. Bot. 58.
 — *furcellatum* Bonpl. Bonpland Malm. 11.
 — *grandiflorum* Sm. Smith Exot. Bot. 5.
 — — Bot. Reg. 6, 484.
 — — Andr. Rep. 10, 642.
 — *Hendersonii* Paxt. Paxt. Mag. 11, 103.
 — *hirsutum* Paxt. Paxt. Mag. 16, 35.
 — *Knightianum* Ldl. Bot. Reg. 17, 1468.
 — *latifolium* Sm. Bill. Nov. Holl. 133.
 † — — Lam. Encycl. 949.
 — *maculatum* Andr. Andr. Rep. 6, 427.
 — *marginatum* R. Br. Bot. Reg. 18, 1490.
 — *pedunculare* DC. Lodd. Cab. 1639.
 — *polymorphum* R. Br. Bot. Mag. 37, 1533.
 — — Paxt. Mag. 6, 151.
 — *psoraleaeifolium* Salisb. Salisb. Parad. 6.
 — *spinosum* Lab. Bill. Nov. Holl. 136.
 † — — Lam. Encycl. 949.
 — *tenuis* Ldl. Bot. Reg. 19, 1615.
 — *tomentosum* Lab. Bill. Nov. Holl. 134.
 † — — Lam. Encycl. 949.
 — — Bot. Reg. 17, 1474.
 — *venulosum* Ldl. Bot. Reg. 19, 1574.
 — *venustum* R. Br. Rchb. Hort. 76.
 — — Bot. Mag. 72, 4258.
 — — Paxt. Mag. 16, 34.
 — *versicolor* Ldl. Bot. Reg. 25, 43.
 — — Paxt. Mag. 12, 219.
 — — var. Bot. Mag. 71, 4179.
 — *virgatum* Sieb. Rchb. Hort. 97.
 — — Annales de Gand 1846, 73.
Gomphosia chlorantha Wedd. Weddell Hist. 26.
 † *Gomphostemma Heyneanum* Wall. Wight Illustr. 176^b.
 — — Wight Ic. pl. Ind. or. 4, 1456.
 — *oblongum* Wall. Wight Ic. pl. Ind. or. 4, 1457.
Gomphrena agrestis Mart. Mart. Bras. 114. 115.
 — *angustiflora* Mart. Mart. Bras. 121.
 — *brasiliensis* Jacq. Jacq. Ic. 346.
 † — — Lam. Encycl. 180.
 — *debilis* Mart. Mart. Bras. 107.
 — *decumbens* Jacq. Jacq. Schoenbr. 4, 482.
 — *demissa* Mart. Mart. Bras. 104.
 — *desertorum* Mart. Mart. Bras. 103.
 — *elegans* Mart. Mart. Bras. 119.
 — *eriphylla* Mart. Mart. Bras. 109.
 — *globosa* L. Rheede Hort. mal. 10, 37.
 — — Rumpf Amb. 5, 100. fig. 2.
 † — — Gaertn. Carp. 128.
 — — Bot. Mag. 55, 2815.
 — — Desc. Ant. 5, 320.
 † — — Schnizl. Ic. 2, 102.
 — — Wight Ic. pl. Ind. or. 5, 1784.
 — *hispida* L. Rheede Hort. mal. 9, 72.
 — *incana* Mart. Mart. Bras. 112.
 — *interrupta* L. L'her. Stirp. 3.
 † — — Lam. Encycl. 180.
 — *leucocephala* Mart. Mart. Bras. 110.
 — *macrocephala* St. Hil. St. Hil. Pl. usuelles 32.
 — *macrorrhiza* Mart. Mart. Bras. 106.
 — *mollis* Mart. Mart. Bras. 111.
 — *nigricans* Mart. Mart. Bras. 113. 115.
 — *officinalis* Mart. Mart. Bras. 101. 102.
 — — St. Hil. Pl. usuelles 31.
 — — Spach Suites 122.
 — *perennis* L. Bot. Mag. 53, 2614.
 — *prostrata* Mart. Mart. Bras. 108.
 — *pulchella* Mart. Bot. Mag. 70, 4064.

- Gomphrena pulchella* Mart. Fl. d. serres 5, 451.
 — *scapigera* Mart. Mart. Bras. 116.
 — *Sellowiana* Mart. Mart. Bras. 117.
 — *sericantha* Mart. Mart. Bras. 108.
 — *vaga* Mart. Mart. Bras. 120.
 — *virgata* Mart. Mart. Bras. 118.
 † *Gomutis Rumphii* Correa. Ann. Mus. 9, 24.
Gonatanthus sarmentosus Link et Kl. Link Ic. III. 14.
 † *Gongora Rz et P.* Ruiz et Pav. Prodr. 25.
 — *atropurpurea* Hook. Hook. Exot. Fl. 178.
 — — Maund Bot. 3, 108.
 — — Bot. Mag. 60, 3220.
 — *bufonia* Ldl. Bot. Reg. 27, 2.
 — — var. *leucochila*, Bot. Reg. 33, 17.
 — *fulva* Ldl. Bot. Reg. 25, 51.
 — *leucochila* Ch. Lem. Fl. d. serres 1, 37.
 † — *macrantha* Hook. Hook. Bot. Misc. 80.
 — *maculata* Ldl. Bot. Reg. 19, 1616.
 — — var. *tricolor*, Bot. Reg. 33, 69.
 — — Bot. Mag. 65, 3687.
 — *odoratissima* Ch. Lem. Fl. d. serres 3, 229.
 — *speciosa* Hook. Bot. Mag. 54, 2755.
 — — Rchb. Exot. 61.
 — *truncata* Ldl. Bot. Reg. 31, 56.
 — — Annales de Gand 1848, 206.
 — *viridi-purpurea* Hook. Bot. Mag. 57, 2978.
Gonianthes Lindeniana A. Rich. Ramon Cuba 49^b.
Goniocarpus micranthus Thunb. Thunb. Fl. jap. 15.
 † — — Gaertn. Carp. 225.
 — — Lam. Encycl. 73.
 † — — Konig Ann. 1, 12.
 † — *scaber* Konig. Konig Ann. 1, 12.
 — *serpyllifolius* J. Hook. Hook. Ic. pl. 3, 290.
 — *tetragynus* Lab. Bill. Nov. Holl. 53.
 — *vernicosus* J. Hook. Hook. Ic. pl. 4, 311.
 † *Goniophlebium ensiforme* Presl. Féc. Fil. 5, 21.
 † — *nereifolium* Hook. Hook. Gen. Fil. 70.
 † — — Féc. Fil. 5, 24.
Goniopogon multicaulis Turcz. Bull. Mosc. 1851, 2.
 † *Goniopteris crenata* Presl. Hook. Gen. Fil. 38.
Gonocytisus pterocladus Spach. Jaubert Illustr. 152.
Gonolobus barbatus H. B. K. H. B. K. Nov. Gen. 3, 239.
 — *diadematus* Ker. Bot. Reg. 3, 252.
 — *floccosus* Bert. Bertoloni Excerpta 1.
 — — Opusc. sc. Bon. 4, 6.
 — *grandiflorus* R. Br. Bot. Reg. 13, 1053.
 — — Lodd. Cab. 1538.
 — *hirsutus* Lodd. Lodd. Cab. 365.
 — — Pursh. Sweet Fl. G. 1.
 — *hispidus* Hook. Bot. Mag. 66, 3786.
 — — Maund Bot. 5, 234.
 — *maritimus* R. Br. Bot. Reg. 11, 931.
 — *Martianus* Hook. Bot. Mag. 75, 4472.
 — — Lem. Jard. fl. 33.
 — *niger* R. Br. Bot. Mag. 55, 2799.
 — *obliquifolius* Colla. Mem. Tur. 38, 37.
 — *obliquus* R. Br. Barton Fl. 3, 99.
 — *uniflorus* H. B. K. H. B. K. Nov. Gen. 3, 238.
 — *viridiflorus* R. et Sch. Bot. Reg. 13, 1126.
 — *viridis* Targ. Mem. Mod. 20, 17.
 — *Voquicillo* Colla. Mem. Tur. 38, 38.
 † *Gonopyrum americanum* C. A. M. Acad. Petersb. 6, 0.
Gonospermum elegans Cass. Webb Canar. 97.
 — *fruticosum* DC. Webb Canar. 98.
 — *multiflorum* DC. Webb Canar. 99.
Gonotheca Blumei DC. Endl. Atacta 22.
 † *Gonyanthes nepalensis* Miers. Linn. Transact. 18, 38.
 † — *pusilla* Miers. Linn. Transact. 18, 39.
 † — *Wallichii* Miers. Linn. Transact. 18, 38.
 † *Gonzalagunia Rz et P.* Ruiz et Pav. Prodr. 3.
 — *dependens* Rz et P. Ruiz et Pav. Fl. 86.
Gonzalea tomentosa H. B. Humb. Pl. aeq. 64.

- Gonzalea tomentosa* H. B. Lam. Encycl. 915.
Goodenia appendiculata Jacq. Jacq. Fragm. 92.
 — *calendulacea* Andr. Andr. Rep. 1, 22.
 — *elongata* Lab. Bill. Nov. Holl. 75.
 — *gracilis* R. Br. Lodd. Cab. 1032.
 — *grandiflora* Bonpl. Bonpland Malm. 6.
 — — Sims. Bot. Mag. 23, 890.
 — — Bot. Reg. 31, 29.
 — *heterophylla* Sm. Cav. Ic. 508.
 — *laevigata* Curt. Bot. Mag. 8, 287.
 — *ovata* Sm. Cav. Ic. 506.
 — — Vent. Cels. 3.
 — — Andr. Rep. 1, 68.
 † — — Gaertn. Carp. 211.
 † — — Ann. Mus. 18, 1.
 † — — Dict. sc. nat. 81.
 † — — Schnizl. Ic. 123.
 — *paniculata* Sm. Cav. Ic. 507.
 — *ramosissima* Sm. Smith New Holl. 5.
 — *repens* Lab. Bill. Nov. Holl. 76.
 — *tenella* Andr. Andr. Rep. 7, 466.
 — — Bot. Mag. 28, 1137.
 † *Goodeniaceae* Endl. Schnizl. Iconogr. 123.
Goodia lotifolia Salisb. Salisb. Parad. 41.
 — — Bot. Mag. 24, 958.
 — — Lodd. Cab. 696.
 — — Herb. amat. 5, 347.
 — *pubescens* Sims. Bot. Mag. 32, 1310.
Goodyera discolor Ker. Lodd. Cab. 143.
 — — Bot. Reg. 4, 271.
 — — Bot. Mag. 46, 2055.
 — *fiabellata* A. Rich. Ann. sc. nat. II. 15, 12.
 — *macrophylla* Lowe. Tr. Cambr. Soc. 4, 1.
 — *nuda* Aub. Th. Aubert Orchid. 29.
 † — — Mem. hist. nat. Par. 4, 6.
 — *occulta* Aub. Th. Aubert Orchid. 28.
 — *ovalifolia* Wight. Wight Ic. pl. Ind. or. 5, 1730.
 — *procera* Hook. Hook. Exot. Fl. 39.
 — — Bot. Reg. 8, 639.
 — — Wight Ic. pl. Ind. or. 5, 1729.
 — *pubescens* R. Br. Lindley Collect. 25.
 — — Lodd. Cab. 1.
 — — Bot. Mag. 52, 2540.
 — — Sweet Fl. G. II. 47.
 — *repens* R. Br. Curt. Lond. 4, 144.
 — — Lodd. Cab. 1987.
 — — Baxter Brit. Bot. 4, 309.
 — — Dietr. Fl. bor. 1, 17.
 † — — Nees Gen. 3, x.
 — — Rchb. Fl. germ. 13, 482.
 — *tessellata* Lodd. Lodd. Cab. 952.
 † *Gordonia Ellis.* Gray Genera 140—142.
 — *excelsa* Bl. Korthals Bot. 27.
 — *javanica* Hook. Bot. Mag. 76, 4539.
 — — Lem. Jard. fl. 46.
 — *Lasianthus* L. Ellis Letters 2.
 — — Cav. Diss. 161.
 — — Bot. Mag. 18, 668.
 — — Nouveau Duhamel 2, 68.
 — — Michaux Arb. 3, 1.
 † — — Lam. Encycl. 594.
 † — — Mem. Mus. 16, 16.
 — — Rchb. Exot. 151.
 — — Gray Genera 140. 141.
 — *obtusa* Wall. Wight Spicil. 20.
 — — Wight Illustr. 39.
 — *ovalis* Korth. Korthals Bot. 28.
 — *pubescens* Lam. Cav. Diss. 162.
 — — Vent. Malm. 1.
 — — Michaux Arb. 3, 2.
 — — Herb. amat. 4, 236.
 — — Gray Genera 142.

- Gorskia conjugata* Bolle. Peters Mossamb. 3.
Gorteria asteroides Jacq. Jacq. Ic. 591.
 † — *cernua* L. fil. Wendl. Beob. 4.
 † — *ciliaris* L. Roemer Archiv I. 7.
 — *heterophylla* Willd. Willdenow Hort. 98.
 — — Kerner Hort. 480.
 † — *ilicifolia* Lam. Lam. Encycl. 702.
 — *pavonia* Andr. Andr. Rep. 8, 528.
 † — *personata* L. Gaertn. Carp. 171.
 — — Jacq. Collect. 4, 21.
 — *rigens* L. Bot. Mag. 3, 90.
 — — Kerner Hort. 27.
 — *spinosa* Jacq. Jacq. Schoenbr. 3, 371.
 † — *squarrosa* L. Wendl. Beob. 4.
Gossypianthus rigidiflorus Hook. Hook. Ic. pl. 3, 281.
Gossypium L. Dela Steyrie Cottonier 1—3.
 — — Bourbon Cotton, Royle Cotton 3.
 — — Brazil Cotton, Royle Cotton 3.
 — — Dacca Cotton, Royle Cotton 3.
 — — Sea Island Cotton, Royle Cotton 3.
 — — Upland Georgian Cotton, Royle Cotton 3.
 † — Annalen d. Pharm. 1849, A. 6.
 † — Reissek Fasergewebe 12—14.
 — *acuminatum* Roxb. Wight Illustr. 27.
 — *arboresum* L. Rheede Hort. mal. 1, 31.
 — — Rumpf Amb. 4, 13.
 — — Cav. Diss. 163.
 — — Tratt. Archiv 143.
 — — Royle Illustr. 23.
 — — Wight Ic. pl. Ind. or. 1, 10.
 — *barbadense* L. Bot. Reg. 1, 84.
 — — Rchb. Exot. 180.
 — — α, β, γ . Wight Illustr. 28^a. 28^b. 28^c.
 — *herbaceum* L. Rumpf Amb. 4, 12.
 — — Cav. Diss. 164.
 — — Herb. amat. 1, 37.
 — — Blumenhain Baumwolle 1. 2.
 — — Roxb. Corom. 269.
 — — Royle Illustr. 23.
 — — Wight Ic. pl. Ind. or. 1, 9. 11.
 — — Rchb. Fl. germ. 5, 180.
 — — Tenore Memoria 1.
 — *hirsutum* L. Cav. Diss. 167.
 — — Tratt. Archiv 147.
 — — Kerner Hort. 762.
 — *indicum* Lam. Cav. Diss. 169.
 — — Desc. Ant. 4, 278.
 — — Royle Cotton in India 2.
 — *latifolium* Murr. N. Comm. Gott. 7, 1.
 — — Tratt. Archiv 146.
 — *micranthum* Cav. Cav. Diss. 193.
 — *Nanking* Meyen. Preuss. Gart. Verein 11, 3.
 — *peruvianum* Cav. Cav. Diss. 168.
 † — — Lam. Encycl. 586.
 — — Royle Cotton in India p. 149.
 — *puniceum* Jacq. Jacq. Ecl. pl. 134.
 — *religiosum* L. Cav. Diss. 164.
 † — — Gaertn. Carp. 134.
 — — Kerner Hort. 665.
 — *siamense* Ten. Tenore Memoria 2.
 — *suffruticosum* Bert. Novi Comm. Bon. 2, 9.
 † — *tricuspidatum* Lam. Lam. Encycl. 586.
 — — Tuss. Ant. 2, 17.
 — — Dict. sc. nat. 136.
 † — — Spach Suites 23.
 — *vitifolium* Lam. Cav. Diss. 166.
Gothofreda cordifolia Vent. Vent. Choix 60.
Gouania leptostachya DC. Wight Spicil. 50.
 — — Wight Ic. pl. Ind. or. 3, 974.
 — *pubescens* Lam. Lam. Encycl. 845.
 — *tiliaefolia* Lam. Roxb. Corom. 98.
 † — — Ann. sc. nat. 10, 16.

- † *Gouania tomentosa* Jacq. Gaertn. Carp. 183.
Goudenia Vent. Bull. philom. 1797. no. 6.
 — *ovata* Vent. Mem. Institut. an VII. 10.
 † *Goudotia tolimensis* Decne. Ann. sc. nat. III. 4, 4.
Gouffea arenarioides Rob. Cast. Rchb. Ic. crit. 4, 399.
 — *crassiuscula* Camb. Jacquemont Ind. 30.
Goughia neilgherrensis Wight. Wight Ic. pl. Ind. or. 5, 1878. 1879.
Goupia glabra Aubl. Aublet Guiana 116.
 † — — Lam. Encycl. 217.
Gourliea decorticans Gill. Hook. Bot. Misc. 106.
Govenia fasciata Ldl. Bot. Reg. 31, 67.
 — *Gardneri* Hook. Bot. Mag. 65, 3660.
 — *liliacea* Ldl. Bot. Reg. 24, 13.
 — — Knowles et Westcott 68.
 — *superba* Ldl. Bot. Reg. 21, 1795.
 — — Knowles et Westcott 41.
 — — Lodd. Cab. 1709.
 — *tingens* P. et E. Poepp. et Endl. 107.
 — *utriculata* Ldl. Bot. Mag. 71, 4151.
Govindooia nervosa Wight. Wight Ic. pl. Ind. or. 6, 2090.
Grabowskia boerhaaviaefolia Schlecht. Bot. Reg. 23, 1985.
 — *duplicata* Arn. Bot. Mag. 67, 3841.
 — *obtusa* Arn. Miers Illustr. 13.
Gracilangis Aub. Aubert Orchid. 76.
Gracilophyllis Aub. Aubert Orchid. 100.
Graemia aromatica Hook. Hook. Exot. Fl. 189.
Graffenrieda jucunda Mart. Mart. Bras. 276.
 † — *ovalifolia* Naud. Ann. sc. nat. III. 18, 5.
 † *Gramineae* Juss. Leers Fl. herb. 1—12.
 † — — Hoffmann D. Fl. 1800, 1—12.
 † — — Hoffmann D. Fl. 1804, 1—12.
 † — — Hornemann Planteläre 1, 1. 2.
 † — — Palisot Essai agrostogr. 1—25.
 † — — Trinius Gram. unif. 1—5.
 † — — Raspail Embryo der Gr. 1—2.
 † — — (Raspail.) Ann. sc. nat. 4, 13. 14. 20. 5, 8. 9. 10. 6, 16. 8, 24.
 † — — (Raspail.) Flora 1826, 1.
 † — — (Dela Harpe.) Ann. sc. nat. 6, 3.
 † — — (Nees von Esenbeck.) Linnæa 8, 2. 3.
 † — — Petermann De flore gram. 1.
 † — — Bravais Analyse d'un brin 1.
 † — — (Mohl.) Bot. Zeitung 1845, 1.
 † — — (Mohl.) Jardine Ann. 15, 13.
 † — — Reichenbach Fl. germ. 7, 72.
 † — — Cosson Atlas 36.
 † — — Schnizl. Iconogr. 1, 42—42^c.
 † — — Hook. et Arn. Br. Fl. 6—9.
Graminisatis Aub. Aubert Orchid. 6. 12.
 † *Grammanthes* DC. DC. Crassul. 1.
 — *chloraeiflora* Haw. Bot. Mag. 77, 4607.
 — — Lem. Jard. fl. 205.
 — — Belgique hort. 1, 66.
 — *gentianoides* DC. Fl. d. serres 5, 518.
 — — Belgique hort. 1, 66.
Grammatocarpus volubilis Presl. Presl Symb. 38.
Grammatophyllum multiflorum Ldl. Bot. Reg. 25, 65.
 — — var. *tigrinum*, Bot. Reg. 28, 69.
 — — Paxt. Mag. 6, 217.
 — *speciosum* Bl. Rumpf Amb. 6, 42.
 † — — Blume Tabellen 20.
 — — Blume Rumphia 191.
 — — Paxt. Fl. G. 69.
 — — Lem. Jard. fl. 235.
Grammatotheca Dregeana Presl. Delessert Ic. 5, 6.
Grammitis adspersa Bl. Blume Java 6, 48.
 — *australis* Br. Richard Astrolabe 2.
 — *Billardiieri* Willd. Kunze Analecta 9.
 — *blechnoides* Grev. Jard. Ann. II. 1, 17.

- Grammitis caespitosa* Bl. Blume Java 6, 46.
 — *Ceterach* Sw. Schk. Fil. 7^b.
 — — Lodd. Cab. 15.
 — *cheilanthoides* Sw. Aub. Th. Mel. 4.
 — *congener* Bl. Blume Java 6, 46.
 — *cucullata* Bl. Blume Java 6, 50.
 — *cuspidata* Zenk. Zenker Pl. ind. 2.
 — *decurrens* Wall. Hook. Ic. Fil. 1, 6.
 — *denticulata* Bl. Blume Java 6, 50.
 — *fasciata* Bl. Blume Java 6, 49.
 — *fasciculata* Bl. Blume Java 6, 47.
 † *furcata* H. et Gr. Hook. Gen. Fil. 72.
 — — Hook. Ic. Fil. 1, 62.
 — *graminoides* Sw. Swartz Syn. Fil. 1.
 — *heterophylla* Lab. Bill. Nov. Holl. 239.
 — *hirta* Bl. Blume Java 6, 47.
 — *humilis* Hombr. Richard Astrolabe 2.
 — *involuta* Don. Hook. Ic. Fil. 1, 53.
 — *lanceolata* Sw. Swartz Syn. Fil. 1.
 — — Schk. Fil. 7.
 — — Hook. Ic. Fil. 1, 43.
 † *leptophylla* Sw. Swartz Syn. Fil. 1.
 — — Gasparini Osserv. 1, 2.
 — *limbata* Fée. Mem. Strassb. 4, 5.
 — *linearis* Sw. Schk. Fil. 7.
 — *longa* Fée. Mem. Strassb. 4, 4.
 — *magellanica* Desv. Desvaux Journ. 3, 10.
 † — — Fée Fil. 5, 20.
 — *marginella* Sw. Schk. Fil. 7.
 — *myosuroides* Sw. Schk. Fil. 7.
 — — Raddi Fil. 22^b.
 — *nana* Fée. Mem. Strassb. 4, 6.
 — *obscura* Bl. Blume Java 6, 50.
 — *organensis* Gardn. Hook. Ic. pl. 6, 509.
 — *pilosiuscula* Bl. Blume Java 6, 46.
 — *pubinervis* Bl. Blume Java 6, 48.
 — *punctata* Raddi. Raddi Fil. 22^b.
 — *pusilla* Bl. Blume Java 6, 46.
 — *Reinwardtii* Bl. Blume Java 6, 48.
 — *rigida* Hombr. Richard Astrolabe 2.
 — *scolopendrina* Bory. Bory Coquille 30.
 — *serrulata* Sw. Schk. Fil. 7.
 — — Hook. Exot. Fl. 78.
 — — Raddi Fil. 22^b.
 — *setosa* Bl. Blume Java 6, 48.
 — *subpinnatifida* Bl. Blume Java 6, 49.
 — *tenella* Kaulf. Kunze Analecta 9.
 † — *totta* Presl. Hook. Gen. Fil. 72.
 † *Grammosciadium* DC. DC. Ombellifères 2.
 † *Granadilla foetida* Gaertn. Gaertn. Carp. 60.
 † — *normalis* Gaertn. Gaertn. Carp. 177.
 † — *suberosa* Gaertn. Gaertn. Carp. 177.
Grangea latifolia Lam. Lam. Encycl. 699.
 — *maderaspatana* Poir. Rheede Hort. mal. 10, 49.
 — — Lam. Encycl. 699.
 — — Wight Ic. pl. Ind. or. 3, 1097.
 — *minima* Poir. Lam. Encycl. 699.
 † *Grangeria borbonica* Lam. Lam. Encycl. 427.
Graphorchis Aub. Aubert Orchid. 39.
Graptophyllum hortense N. v. E. Rumpf Amb. 4, 30.
 — — Bot. Reg. 15, 1227.
Gratiola aurea Mühlenb. Barton Fl. 1, 20.
 — — Lodd. Cab. 1399.
 † — *dominigensis* Gaertn. Gaertn. Carp. 214.
 — *grandiflora* Retz. Roxb. Corom. 179.
 — *hyssopioides* L. Roxb. Corom. 128.
 — *junceae* Roxb. Roxb. Corom. 129.
 — *linifolia* Vahl. Brotero Phytogr. 86.
 — — Hoffm. Lk. Fl. port. 31.
 — *lucida* Vahl. Roxb. Corom. 202.
 — *minima* Roth. Wight Ic. pl. Ind. or. 3, 858.
 — *Monnieria* L. Jacq. Obs. 1.

- Gratiola Monnieria* L. Roxb. Corom. 178.
 — *officinalis* L. Kostrzewski Gratiola 1.
 — — Hartmann Gratiola 1.
 — — Fl. dan. 3, 363.
 † — — Lam. Encycl. 16.
 — — Woodv. Med. 2, 131.
 — — Hayne 3, 13.
 — — Schk. Handb. 2^e.
 — — Nees Düsseld. 155.
 — — Brandt und Ratzeb. 13.
 — — Guimp. et Schl. 10.
 — — Wagner 193.
 — — Dietr. Fl. bor. 4, 260.
 † — — Nees Gen. 5, 35.
 — *oppositifolia* Retz. Roxb. Corom. 155.
 — *parviflora* Roxb. Roxb. Corom. 203.
 — *repens* Sw. Swartz Ic. Ind. occ. 3.
 — *rotundifolia* L. Roxb. Corom. 204.
 — *tetragona* R. Br. Bot. Mag. 59, 3134.
 — *verbenaefolia* Colsm. Rheede Hort. mal. 9, 31.
 — *veronicifolia* Colsm. Roxb. Corom. 154.
 † — *virginiana* L. Gaertn. Carp. 53.
 † *Gravesia bertolonoides* Naud. Ann. sc. nat. III. 12, 10.
Grayia polygaloides Hook. et A. Hook. Ic. pl. 3, 271.
Greenia Wightiana W. et A. Wight Ic. pl. Ind. or. 3, 1161.
Greenovia aurea Webb. Webb Canar. 36.
 — — Bot. Mag. 70, 4087.
 † *Greggia aromatica* Gaertn. Gaertn. Carp. 33.
 — *camporum* Gray. Smiths. Contr. 3, 1.
Grevillea conspicua Sweet. Sweet Ger. 262.
Grevillea acanthifolia Cunn. Bot. Mag. 55, 2807.
 — — Lodd. Cab. 1153.
 — *acuminata* R. Br. Sweet Austr. 55.
 — *arenaria* R. Br. Bot. Mag. 60, 3285.
 — *Banksii* R. Br. Bauer Illustr. 9.
 † — *Baueri* R. Br. Schnizl. Iconogr. 2, 113.
 — *buxifolia* R. Br. Bot. Reg. 6, 443.
 — — Lodd. Cab. 1562.
 — *Caleyii* R. Br. Bot. Mag. 59, 3133.
 — *canescens* R. Br. Bot. Mag. 59, 3185.
 — *cinerea* R. Br. Lodd. Cab. 837.
 — *concinna* R. Br. Sweet Austr. 7.
 — — Bot. Reg. 16, 1383.
 — *dubia* R. Br. Bot. Mag. 67, 3798.
 — *ferruginea* Sieb. Maund Bot. 4, 153.
 — *Gaudichandii* R. Br. Freycinet Voyage 46.
 — *Goodii* R. Br. Guillemain Austr. 16.
 — *juniperina* R. Br. Guillemain Austr. 8.
 — — Lodd. Cab. 1003.
 — — Bot. Reg. 13, 1089.
 — *lavandulacea* Schlecht. Belgique hort. 2, 11.
 — *linearis* R. Br. Lodd. Cab. 50, 858.
 — — Bot. Mag. 53, 2661.
 — — Rchb. Mag. 76.
 — *mucronulata* R. Br. Sweet Austr. 38.
 — *oleoides* Sieb. Rchb. Hort. 104.
 — *planifolia* R. Br. Lodd. Cab. 1737.
 — *pubescens* Hook. Hook. Exot. Fl. 216.
 — — Lodd. Cab. 1229.
 † — — Schnizl. Iconogr. 2, 113.
 — *punicea* R. Br. Bot. Reg. 16, 1319.
 — — Lodd. Cab. 1357.
 — — Rchb. Hort. 105.
 — *riparia* R. Br. Endl. Iconogr. 33.
 — *robusta* Cunn. Bot. Mag. 59, 3184.
 — *rosea* Ldl. Paxt. Fl. G. 56.
 — — Lem. Jard. fl. 3, 288.
 — *rosmarinifolia* Cunn. Sweet Austr. 30.
 — — Lodd. Cab. 1479.
 — *sericea* R. Br. Maund Bot. 5, 240.
 — — Lodd. Cab. 880.

- Grevillea sericea* R. Br. Rchb. Mag. 76.
 — sulphurea Cunn. Lodd. Cab. 1723.
 — venusta R. Br. Guillem. Austr. 11.
Grewia acuminata Juss. Ann. Mus. 4, 48.
 — apetalia Juss. Ann. Mus. 4, 49.
 — asiatica L. Wendl. Coll. 83.
 — betulaefolia Juss. Ann. Mus. 4, 50.
 — bicolor Juss. Ann. Mus. 4, 50.
 — carpinifolia Juss. Ann. Mus. 4, 51.
 — — Pal. B. Fl. d'Oware 30.
 — columnaris Sm. Wight Ic. pl. Ind. or. 1, 44.
 — corylifolia Rich. Guillem. Seneg. 20.
 — cuneifolia Juss. Ann. Mus. 4, 49.
 † — Damine Gaertn. Gaertn. Carp. 106.
 — elastica Royle. Royle Illustr. 22.
 — eriocarpa Juss. Ann. Mus. 4, 51.
 — glandulosa Juss. Ann. Mus. 4, 48.
 — guazumaefolia Juss. Ann. Mus. 4, 48.
 — hirsuta Vahl. Wight Ic. pl. Ind. or. 1, 76.
 — mallocoeca L. Cav. Ic. 369.
 † — — Gaertn. Carp. 106.
 † — — Lam. Encycl. 467.
 — megalocarpa Pal. B. Pal. B. Fl. d'Oware 102.
 — Microcos L. Rheede Hort. mal. 1, 56.
 — — Wight Illustr. 33.
 — micropetala Bert. Novi Comm. Bonon. 4, 6.
 — multiflora Juss. Ann. Mus. 4, 47.
 — nitida Juss. Ann. Mus. 4, 47.
 — occidentalis L. Bot. Mag. 12, 422.
 — — Lam. Encycl. 467.
 — — Lodd. Cab. 1526.
 — — Herb. amat. 2, 93.
 — oppositifolia Buchan. Wight Ic. pl. Ind. or. 1, 82.
 — orientalis L. B. Rumpf Amb. 4, 60.
 † — — Gaertn. Carp. 106.
 † — — Lam. Encycl. 467.
 — pilosa Lam. Rheede Hort. mal. 5, 46.
 — pubescens Pal. B. Pal. B. Fl. d'Oware 108.
 — rotundifolia Juss. Ann. Mus. 4, 50.
 — — Wight Ic. pl. Ind. or. 1, 45.
 — sclerophylla Roxb. Wight Ic. pl. Ind. or. 1, 89.
 — tiliaefolia Juss. Ann. Mus. 4, 51.
 — tomentosa Juss. Ann. Mus. 4, 49.
 — ulmifolia Roxb. Wight Ic. pl. Ind. or. 1, 84.
 — umbellata Roxb. Wight Ic. pl. Ind. or. 1, 83.
 — villosa Willd. Hook. Comp. 10.
 † Grielia laciniatum Gaertn. Gaertn. Carp. 36.
 † — — Lam. Encycl. 388.
 — — Sweet Ger. 306.
 — tenuifolium L. Lam. Encycl. 388.
 — — Sweet Ger. 171.
Griffinia hyacinthina Ker. Bury Hexandr. pl. 14.
 — — Mikan Del. Bras. 15.
 — — Rchb. Exot. 82.
 — — Paxt. Mag. 12, 171.
 — intermedia Ldl. Bot. Reg. 12, 990.
 — Liboniana Hort. Lem. Jard. fl. 3, 290.
 — — Annales de Gand 1845, 13.
 — parviflora Ker. Bot. Reg. 6, 511. 520^b.
Griffithia fragrans W. et A. Rheede Hort. mal. 5, 35.
 — — Wight Ic. pl. Ind. or. 1, 310.
Grimaldia assurgens Schrk. Münchn. Denkschr. 1, 4.
 — decumbens Schrk. Münchn. Denkschr. 1, 5.
 — opifera Schrk. Münchn. Denkschr. 1, 3.
Grindelia angustifolia Dm. Mem. Mus. 5, 7.
 — — Kth. Bot. Reg. 10, 781.
 — grandiflora Hook. Bot. Mag. 78, 4628.
 — — Lem. Jard. fl. 216.
 — — Fl. d. serres 7, 720.
 — — Belgique hort. 2, 58.
 — inuloides Willd. Mem. Mus. 5, 5.
 — — Bot. Reg. 3, 248.

- Grindelia inuloides* Willd. Bot. Mag. 66, 3737.
 — pulchella Dun. Mem. Mus. 5, 6.
Grischovia hirta Karst. Karsten Auswahl 5.
Griselinia litoralis Decne. Raoul Nouv. Zel. 19.
Grislea tomentosa Roxb. Roxb. Corom. 31.
 — — Bot. Reg. 1, 30.
 — — Bot. Mag. 44, 1906.
 — — Rchb. Exot. 336.
 — uniflora Dill. et Rich. Richard Abyssin. 52.
Grobysa Amherstiae Ldl. Bot. Reg. 20, 1740.
 † *Gronovia scandens* L. Houston Rel. 7.
 — — Martyn Hist. 38.
 — — Jacq. Ic. 338.
 — — Lam. Encycl. 144.
 — — Hook. Beechey 97.
 † *Grossularia Uva crispa* Mill. Gaertn. Carp. 28.
Grontia celtidifolia Guill. Guillem. Seneg. 22.
Grubbia rosmarinifolia Berg. Bergius Cap. 2.
 — — Svensk Acad. 1767, 2.
 † — — Münchn. Denkschr. 6, B.
Grumilea congesta W. et A. Wight Spicil. 98.
 — — Wight Ic. pl. Ind. or. 3, 1037.
 — — elongata Wight. Wight Ic. pl. Ind. or. 3, 1036.
 † — nigra Gaertn. Gaertn. Carp. 28.
Gruvelia pusilla DC. Gay Chile 52^b.
Guadua amplexifolia Rupr. Acad. Pet. 5, 14.
 — — distorta Rupr. Acad. Pet. 5, 16.
 † — latifolia Rupr. Acad. Pet. 5, 16.
 † — Tagaora Rupr. Acad. Pet. 5, 16.
 † *Guajacana Tournesf.* Lam. Encycl. 858.
 † *Guajacidium Gray.* Gray Genera 149.
 † *Guajacum L.* Gray Genera 148. 149.
 — — angustifolium Engelm. Gray Genera 149.
 † — officinale L. Gaertn. Carp. 113.
 — — Lam. Encycl. 342.
 — — Tuss. Ant. 4, 35.
 — — Desc. Ant. 7, 463.
 † — — Mem. Mus. 12, 16.
 — — Woodv. Med. 3, 200.
 — — Nees Dusseld. 378.
 — — Hayne 12, 28.
 — — Guimp. et Schl. 99.
 — — Wagner 103.
 — — Bot. Reg. 25, 9.
 — sanctum L. Gray Genera 148.
 † *Guaiaua pyriformis* Gaertn. Gaertn. Carp. 38.
Gualtheria cordifolia H. B. K. H. B. K. Nov. Gen. 3, 261.
 — — fragrantissima Wall. Wight Ic. pl. Ind. or. 4, 1196.
 — — Griffithiana Wight. Wight Ic. pl. Ind. or. 4, 1197.
 — — Leschenaultii DC. Wight Spicil. 130.
 — — Wight Ic. pl. Ind. or. 4, 1195.
 — oppositifolia Hook. fil. Hook. New Zeal. 43.
 — rupestris R. Br. Hook. New Zeal. 42.
 — tomentosa H. B. K. H. B. K. Nov. Gen. 3, 262.
 (Icones reliquae inter Gualtherias quaerendae!)
Guardiola mexicana H. B. Humb. Pl. aeq. 41.
 — — Lam. Encycl. 988.
Guarea alliaria Ham. Rumpf Amb. 2, 20.
 — ? microphylla Hook. Hook. Ic. pl. 2, 129.
 — paniculata Roxb. Wight Ic. pl. Ind. or. 1, 146.
 — ramiflora Vent. Vent. Choix 41.
 † — trichiloides L. Lam. Encycl. 301.
 — — Cav. Diss. 210.
 — — Desc. Ant. 3, 159.
 † — — Mem. Mus. 19, 19.
 † — — Flora 1853, 6.
 — tuberculata Juss. St. Hil. Fl. Bras. 100.
 † *Guatteria Rz et P.* Ruiz et Pav. Prodr. 17.
 — acutiflora Dunal. Rheede Hort. mal. 5, 18.
 — biglandulosa Bl. Blume Java 1, 51.
 — cordata Dunal. Dunal Anon. 30.

- Guatteria eriopoda* DC. Delessert Ic. 1, 90.
 — *ferruginea* St. Hil. Endl. Bras. 2, 12.
 — *imbricata* Bl. Blume Java 1, 46. 52.
 — *incerta* Bl. Blume Java 1, 49.
 — *Korintii* Dunal. Rheede Hort. mal. 5, 14.
 — — Wight Ic. pl. Ind. or. 2, 398.
 — *lateriflora* Bl. Blume Java 1, 50. 52.
 — *laurifolia* Dunal. Dunal Anon. 32.
 — *litoralis* Bl. Blume Java 1, 49.
 — *longifolia* Wall. Wight Ic. pl. Ind. or. 1, 1.
 — *macrophylla* Bl. Blume Java 1, 47.
 — *macropus* Mart. Endl. Bras. 2, 8.
 — *Martiana Schlecht.* Endl. Bras. 2, 7.
 — *maypurensis* H. B. K. Hook. Ic. pl. 3, 227.
 — *odontopetala* Mart. Endl. Bras. 2, 11.
 — *pallida* Bl. Blume Java 1, 48.
 — *Pohlana Schlecht.* Endl. Bras. 2, 9.
 — *psilopus* Mart. Endl. Bras. 2, 7.
 — *rufa* Dunal. Dunal Anon. 29.
 — — Bot. Reg. 10, 836.
 — — Lodd. Cab. 612.
 — *sempervirens* Dunal. Rheede Hort. mal. 5, 16.
 — *sesquipedalis* Wall. Wall. Pl. asiat. 266.
 — *subsessilis* Mart. Endl. Bras. 2, 9.
 — *Toralac* Bl. Blume Java 1, 53.
 — *umbilicata* Dunal. Dunal Anon. 33.
 — *villosissima* St. Hil. Endl. Bras. 2, 10.
 — *virgata* Dunal. Dunal Anon. 31.
Guazuma Bubroma Tuss. Tussac Ant. 4, 24.
 — *polybotrya* Cav. Cav. Ic. 299.
 — *rosea* P. et E. Poepp. et Endl. 283.
 — *tomentosa* H. B. K. Wight Illustr. 31.
 — *ulmifolia* Desf. St. Hil. Pl. us. 47. 48.
 — — Lam. Encycl. 637.
 — — Desc. Ant. 2, 85.
Gubleria baccata Gaudich. Gaudichaud Bonite 104.
Gueldenstaedtia monophylla Fisch. Mem. Mosc. 6, 19.
 — — Delessert Ic. 3, 73.
† *Guettarda argentea* Lam. Lam. Encycl. 154.
 — *aromatica* P. et E. Poepp. et Endl. 232.
 — *calyptata* A. Rich. Ramon Cuba 46.
 — *coccinea* Aubl. Aublet Guiana 123.
 — *crispiflora* Vahl. Vahl Eclogae 6.
† — *odorata* Lam. Lam. Encycl. 154.
† — *scabra* Lam. Lam. Encycl. 154.
 — — Vent. Choix 1.
 — *speciosa* L. Rheede Hort. mal. 4, 47. 48.
† — — Gaertn. Carp. 36.
† — — Lam. Encycl. 154.
 — — Bot. Reg. 17, 1393.
 — — Wight Ic. pl. Ind. or. 1, 40.
 — *xylostoides* H. B. K. H. B. K. Nov. Gen. 3, 292.
Guichenotia ledifolia Gay. Mem. Mus. 7, 20.
 — *macrantha* Turcz. Bot. Mag. 78, 4631.
 — — Lem. Jard. f. 3, 279.
Guiera senegalensis Lam. Lam. Encycl. 360.
 — — Guillemain Seneg. 66.
Guilandina Bonduc L. Rheede Hort. mal. 2, 22.
 — — Rumpf Amb. 5, 48.
 — — Desc. Ant. 2, 90.
 — *Bonduccella* L. Rumpf Amb. 5, 49.
† — — Gaertn. Carp. 148.
† — — Lam. Encycl. 336.
 — *Moringa* L. Rumpf Amb. 1, 74. 75.
 — — Jacq. Ic. 461.
 — — Desc. Ant. 1, 27.
 — *Nuga* L. Rumpf Amb. 5, 50.
 — *psidioides* Hook. Hook. Bot. Misc. 30.
Guilielma insignis Mart. D'Orbigny Voyage 10. 29.
 — *speciosa* Mart. Mart. Palm. 66. 67.
 — — Wallace Palms 3. 36.

- Guilleminia illecebroides* H. B. K. H. B. K. Nov. Gen. 6, 518.
Guioa lentiscifolia Cav. Cav. Ic. 373.
Guizotia oleifera DC. Mem. Genev. 7, 2. 3.
 — — Wight Illustr. 132.
† *Gumilles* Rz et P. Ruiz et Pav. Prodr. 7.
 — *auriculata* Rz et P. Ruiz et Pav. Fl. 248.
† *Gundelia Tournefortii* L. Gaertn. Carp. 163.
† — — Lam. Encycl. 720.
Gunnera chilensis Lam. Lam. Encycl. 801.
 — *falklandica* Hook. Hook. Ic. pl. 5, 489. 490.
 — *macrophylla* Blume. Bennett Java 15.
 — — Schnizl. Iconogr. 2, 94**.
 — *magellanica* Lam. Lam. Encycl. 801.
 — — Richard Astrolabe 31.
 — *monoica Decne.* Raoul Nouv. Zel. 8.
 — *perpensa* L. Bot. Mag. 50, 2376.
 — *scabra* Rz et P. Ruiz et Pav. Fl. 44.
 — — Van Houtte Hort. 4.
† *Gunneraceae* Endl. Schnizl. Iconogr. 2, 94**.
† *Gussonea aphylla* A. Rich. Mem. hist. nat. Par. 4, 11.
 — *cyperoides* Fresl. Presl Reliq. 33.
 — *discolor* Spr. Sprengel Neue Entd. 2, 2.
 — *pauciflora Brongn.* Brongniart Coquille 34.
Gustavia augusta L. Linné Pl. surinam. 1.
† — *meizocarpa* Gaertn. Gaertn. Carp. 138.
 — *pterocarpa* Poit. Mem. Mus. 13, 6.
 — *urceolata* Poit. Mem. Mus. 13, 5. 7.
Gutenbergia Rüppellii Schultz Bip. Gedenkbuch der vierten Jubelf. d. Buchdr. Mainz 1840, 4.
Guyonia tenella Naud. Ann. sc. nat. III. 14, 6.
Guzmania tricolor Rz et P. Ruiz et Pav. Fl. 261.
 — — Hook. Exot. Fl. 163*.
 — — Lindley Collect. 8.
 — — Lodd. Cab. 462.
 — — Annales de Gand 1847, 151.
Gybianthus penduliflorus Mart. Mart. Bras. 236.
† *Gymnadenia albida* Rich. Nees Gen. 3, x.
 — — Rehb. Fl. germ. 13, 419.
 — *Boryana* Rich. Mem. hist. nat. Par. 4, 5.
 — *comigera* Rehb. Rehb. Fl. germ. 13, 423.
 — *Commerstonii* Rich. Mem. hist. nat. Par. 4, 4.
 — *conopsea* R. Br. Curt. Lond. 5, 186.
 — — Baxter Brit. Bot. 6, 409.
 — — Rehb. Ic. crit. 6, 596.
 — — Sturm Flora 20, 94.
 — — Dietr. Fl. bor. 1, 8.
† — — Nees Gen. 3, x.
 — — Rehb. Fl. germ. 13, 422. 423. 518.
 — *cucullata* Rich. Rehb. Ic. crit. 6, 597.
 — — Rehb. Fl. germ. 13, 418.
 — *densiflora* Dietr. Rehb. Fl. germ. 13, 424.
 — *Friwaldii Hampe.* Rehb. Fl. germ. 13, 420.
 — *odoratissima* Rich. Rehb. Ic. crit. 6, 598.
 — — Dietr. Fl. bor. 1, 63.
 — — Rehb. Fl. germ. 13, 421. 518.
† — *purpurascens* Rich. Mem. hist. nat. Par. 4, 6.
 — *sibirica* Turcz. Rehb. Fl. germ. 13, 425.
† — *squamata* Rich. Mem. hist. nat. Par. 4, 6.
 — *viridis* Rich. Rehb. Ic. crit. 6, 594.
 — — Dietr. Fl. bor. 1, 68.
 — *Wahlenbergii Afz.* Rehb. Fl. germ. 13, 423.
Gymnandra altaica Willd. Mag. naturf. Fr. 5, 9.
 — *cashmeriana* Royle. Royle Illustr. 73.
 — *dentata* Willd. Mag. naturf. Fr. 5, 9.
 — *elongata* Willd. Mag. naturf. Fr. 5, 10.
 — *gracilis* Willd. Mag. naturf. Fr. 5, 9.
 — *integrifolia* Willd. Mag. naturf. Fr. 5, 9.
 — *minor* Willd. Mag. naturf. Fr. 5, 9.
 — *ovata* Willd. Mag. naturf. Fr. 5, 10.
 — *reniformis* Willd. Mag. naturf. Fr. 5, 10.
 — *rubra* Hook. Hook. Bor. Am. 172.

- Gymnandra stolonifera* C. Koch. Jaubert Illustr. 257.
Gymnarrhena micrantha Desf. Mem. Mus. 4, 1.
Gymnema Decaisneanum Wight. Wight Ic. pl. Ind. or. 4, 1271.
 — *elegans* W. et A. Wight Ic. pl. Ind. or. 3, 830.
 — *hirsutum* W. et A. Wight Ic. pl. Ind. or. 4, 1272.
 — *nepalense* Wall. Wallich Tentamen 38.
 † — *nitens* Bl. Blume Mus. 1, 29.
 † — *rufescens* Decne. Ann. sc. nat. II. 9, 11.
 — *silvestre* R. Br. Wight Ic. pl. Ind. or. 2, 349.
 — *tingens* Spr. Wight Ic. pl. Ind. or. 2, 592, 593.
Gymnerpis Aub. Aubert Orchid. 29, 30.
Gymnocalycium reductum Pfeiff. Pfeiffer Cact. 2, 12.
Gymnocarpus decandrum Forsk. Viviani Lib. 10.
Gymnocladus canadensis Lam. Michaux Fl. 61.
 — — — Michaux Arb. 2, 23.
 † — — — Lam. Encycl. 823.
 † — — — Kerner Genera 71, 72.
 — — — Rchb. Mag. 40.
Gymnogramme appendiculata Bl. Blume Java 6, 39.
 — *asplenoides* Sw. Svensk Acad. 1817, 3.
 — *aureonitens* Hook. Hook. Ic. pl. 9, 820.
 — *bidentata* Presl. Presl Reliq. 2.
 † — *calomelanos* Kaulf. Hook. Gen. Fil. 37.
 — *canescens* Bl. Blume Java 6, 40.
 — *chaerophylla* Desf. Hook. Ic. Fil. 1, 43.
 — *cheilanthisoides* Kaulf. Hook. Ic. Fil. 1, 24.
 † — *chrysophylla* Desv. Linn. Transact. 21, 14—16.
 — *conspersa* Kze. Kunze Fil. 92.
 — *cordata* Schk. Hook. Ic. Fil. 2, 156.
 — *dealbata* Presl. Presl Reliq. 3.
 — *elongata* Hook. Hook. Journ. 1834, 119.
 — *fiabellata* Hook. Hook. Journ. 1834, 120.
 — *japonica* Desv. Kunze Fil. 116.
 — *javanica* Bl. Blume Java 6, 41.
 — *incisa* Mart. et Gal. Kunze Fil. 132.
 — *leptophylla* Desv. Hook. Ic. Fil. 1, 25.
 — *Lovei* H. et Gr. Hook. Ic. Fil. 1, 89.
 — *microphylla* Hook. Hook. Ic. pl. 10, 916.
 — *obtusata* Bl. Blumé Java 6, 43.
 — *papaverifolia* Kze. Kunze Analecta 8.
 — *peruviana* Kze. Kunze Fil. 32.
 — *pilosa* M. et G. Acad. Brux. 15, 4.
 — *pumila* Spr. Kunze Analecta 8.
 — *reniformis* Mart. Mart. Crypt. bras. 26.
 † — *rufescens* Fée. Fée Fil. 5, 19.
 — *rutaefolia* H. et Gr. Hook. Ic. Fil. 1, 90.
 — — — var. *hispanica*, Hook. Ic. pl. 10, 935.
 — *serrulata* Bl. Blume Java 6, 42.
 — *stegnogramme* Bl. Blume Java 6, 44.
 — *subglandulosa* H. et Gr. Hook. Ic. Fil. 1, 91.
 — *tomentosa* Desv. Svensk Acad. 1817, 4.
 — *Totta* Schlecht. Schlechtendal Fil. 6.
 — — — Blume Java 6, 38.
 — *triangularis* Kaulf. Hook. Ic. Fil. 2, 153.
 — *vestita* Hook. Hook. Ic. pl. 2, 115.
Gymnoloma maculatum Ker. Bot. Reg. 8, 662.
 — *rudbeckioides* H. B. K. H. B. K. Nov. Gen. 4, 374.
 — *tenella* H. B. K. H. B. K. Nov. Gen. 4, 373.
Gymnonychium pubescens Barth. Linnaea 17, 11.
Gymnophytum polycephalum Clos. Gay Chile 32.
Gymnopogon laevis N. v. E. Humb. Gram. 139.
Gymnopsis uniserialis Hook. Hook. Ic. pl. 2, 145.
 — — — Revue hortie. 1853, 14.
 † *Gymnopteris aliena* Presl. Hook. Gen. Fil. 85.
 — *Heudelotii* Fée. Fée Fil. 45.
 — *nicotianaefolia* Presl. Fée Fil. 46.
 — *quercifolia* Bernh. Hook. Ic. pl. 10, 903.
 — *semipinnatifida* Fée. Fée Fil. 44.
 — *subsimplax* Fée. Fée Fil. 40.
 — *trilobata* Sm. Hook. Ic. pl. 10, 907.

- † *Gymnosphaera squamulata* Bl. Hook. Gen. Fil. 100.
Gymnostachys anceps R. Br. Endl. Iconogr. 9.
Gymnostachyum alatum Wight. Wight Ic. pl. Ind. or. 4, 1525.
 — *ceylanicum* Arn. Bot. Mag. 79, 4706.
 — *polyanthum* Wight. Wight Ic. pl. Ind. or. 4, 1494.
 † *Gymnostichum* Schreb. Dumortier Gramin. 1.
 — *gracile* Hook. fil. Hook. New Zeal. 70.
 — *Hystrix* Schreb. Schreber Gräser 47.
Gymnostyles anthemifolia Juss. Ann. Mus. 4, 61.
 — — — Tratt. Archiv 57.
 — *nasturtiifolia* Juss. Ann. Mus. 4, 61.
 — *pterosperma* Juss. Ann. Mus. 4, 61.
Gymnotheca chinensis Decne. Ann. sc. nat. III. 3, 5.
 — *Mertensiana* Presl. Prager Abhandl. 6, 1.
Gymnothrix caudata Schrad. Humb. Gram. 38.
 — *compressa* Brongn. Brongniart Coquille 10.
 — *macrostachys* Brongn. Brongniart Coquille 11.
 — *tristachya* H. B. K. H. B. K. Nov. Gen. 7, 678.
 † *Gynandropsis* DC. Gray Genera 78.
 — *ophitocarpa* DC. Mem. Genev. 5, 2.
 — *palmipes* DC. Delessert Ic. 3, 1.
 — *pentaphylla* DC. Rheede Hort. mal. 9, 24.
 — — — Gray Genera 78.
Gynerium saccharoides H. B. Humb. Pl. aeq. 115.
Gynestum acaule Poit. Mem. Mus. 9, 20.
 — *baculiferum* Poit. Mem. Mus. 9, 17.
 — *deversum* Poit. Mem. Mus. 9, 18.
 — *maximum* Poit. Mem. Mus. 9, 16.
 — — — Dict. sc. nat. 27.
 — *strictum* Poit. Mem. Mus. 9, 19.
 † *Gyneteria incana* Spr. Sprengel Neue Entd. 2, 1.
Gynocardia odorata Roxb. Roxb. Corom. 299.
 † *Gynocephalum* Bl. Ann. sc. nat. III. 8, 2.
Gynoon hirsutum Wight. Wight Ic. pl. Ind. or. 5, 1909.
 — *Jussieuanum* Wight. Wight Ic. pl. Ind. or. 5, 1908.
 † — *rigidum* Juss. Jussieu Euphorb. 3.
Gynopleura linearifolia Cav. Cav. Ic. 376.
 — *tubulosa* Cav. Cav. Ic. 375.
 † *Gynopogon* Forst. Forster Charact. 18.
 † — — — Lam. Encycl. 118.
 — *stellatum* Forst. Bill. Sertum 34.
Gynosperma glutinosa Less. Bot. Reg. 6, 462.
 † *Gynotroches axillaris* Bl. Blume Mus. 1, 31.
Gynoxys fragrans Hook. Bot. Mag. 76, 4611.
 — — — Lem. Jard. fl. 18.
Gynura Finlaysoniana DC. Delessert Ic. 4, 55.
 — *nitida* DC. Wight Ic. pl. Ind. or. 3, 1121.
 — *purpurascens* DC. Delessert Ic. 4, 56.
 — *Walkerii* Wight. Wight Ic. pl. Ind. or. 3, 1122.
Gypsophila acutifolia Fisch. Rchb. Fl. germ. 6, 242.
 — *adscendens* Jacq. Jacq. Vind. 138.
 — *altissima* L. Rchb. Fl. germ. 6, 241.
 — *arenaria* W. et K. W. et Kit. 41.
 — *Arrostii* Guss. Gussone Pl. rar. 30.
 — *cerastoides* Don. var. Jacquemont Ind. 28.
 — *compressa* Desf. Desf. Fl. atl. 97.
 — *cretica* Sibth. Sibth. Fl. gr. 384.
 — *dianthoides* Sibth. Sibth. Fl. gr. 383.
 — *fasciculata* M. et R. Mem. Genev. 8, 1.
 — *fastigiata* L. Ruppert Fl. jen. 2.
 — — — Rchb. Fl. germ. 6, 241.
 — — — Dietr. Fl. bor. 10, 584.
 — *glomerata* Pall. Lodd. Cab. 1384.
 — *Gmelini* Led. Ledeb. Ic. 402.
 — *hispanica* Willk. Willkomm Ic. Hisp. 1, 16.
 — *illyrica* Sibth. Sibth. Fl. gr. 386.
 — *muralis* L. Lam. Encycl. 375.
 — — — Fl. dan. 8, 1268.
 — — — Sibth. Fl. gr. 381.
 — — — Schk. Handb. 120.

- Gypsophila muralis* L. Drevs 5, 151.
 — — — Sturm Flora 1, 1.
 — — — Rechb. Fl. germ. 6, 239.
 — ocellata Sibth. Sibth. Fl. gr. 387.
 — ochroleuca Sibth. Sibth. Fl. gr. 365.
 — paniculata L. Jacq. Fl. austr. 5, 1.
 — — — Rechb. Fl. germ. 6, 242.
 — perfoliata L. var. Ledeb. Ic. 176.
 — — — var. Willkomm Ic. Hesp. 1, 18.
 — prostrata L. Lam. Encycl. 375.
 — — — Bot. Mag. 31, 1281.
 — — — Rechb. Fl. germ. 6, 240.
 — repens L. Gerard Fl. gallopr. 15.
 — — — Jacq. Fl. austr. 5, 407.
 — — — Bot. Mag. 35, 1448.
 — — — Schrank Fl. monac. 3, 284.
 — — — Rechb. Fl. germ. 6, 240.
 — rigida L. Sibth. Fl. gr. 382.
 — Rokejeka Delile. Delile Egypte 29.
 — Saxifraga L. Smith Exot. Bot. 90.
 — — — Tratt. Archiv 272.
 — serotina Hayne. Drevs 5, 152.
 — — — Dietr. Fl. bor. 3, 215.
 — — — Rechb. Fl. germ. 6, 239.
 — stricta Led. Ledeb. Ic. 5.
 — Struthium L. Willkomm Ic. Hesp. 1, 16, 17.
 — thymifolia Sibth. Sibth. Fl. gr. 388.
 — Vaccaria L. Sibth. Fl. gr. 380.
 — viscosa Murr. Comm. Gott. 6, 3.
Gyandra speciosa Benth. Benth. Sulphur 45.
 † *Gyrinops Walla Gaertn.* Gaertn. Carp. 140.
 — — — Hook. Ic. pl. 1, 5.
 — — — Wight Ic. pl. Ind. or. 5, 1850.
 † *Gyrinopsis Decne.* Ann. sc. nat. II. 19, 1.
 † *Gyrocarpeae Dumort.* Schnizl. Iconogr. 2, 107.
Gyrocarpus americanus Jacq. Jacq. Hist. stirp. am. 258.
 † — — — Jacq. Fragm. 93.
 — — — Lam. Encycl. 850.
 † — asiaticus Willd. Jacq. Fragm. 93.
 † — Jacquini Gaertn. Gaertn. Carp. 97.
 † — — — Lam. Encycl. 850.
 — — — Roxb. Corom. 1.
 — — sphenopterus R. Br. Endl. Iconogr. 43.
Gyrostemon attenuatum Hook. Hook. Bot. Misc. 63.
 — cotinifolium Desf. Mem. Mus. 8, 10.
 — ramulosum Desf. Mem. Mus. 6, 6, 8, 10.
 — — — Dict. sc. nat. 280.
Haasia Wightii N. v. E. Wight Ic. pl. Ind. or. 5, 1831.
Habenaria affinis Wight. Wight Ic. pl. Ind. or. 5, 1707.
 — alata Hook. Hook. Exot. Fl. 169.
 — albida R. Br. Sv. Bot. 507.
 — — — Curt. Lond. 4, 107.
 — — — Lodd. Cab. 1121.
 — — — Dietr. Fl. bor. 1, 67.
 † — antennifera A. Rich. Ann. sc. nat. II. 14, 17.
 — arachnoides Aub. Aubert Orchid. 18.
 — autumnalis P. et E. Poepp. et Endl. 78.
 — bifolia R. Br. Curt. Lond. 1, 71.
 — — — Lodd. Cab. 1653.
 — — — Bab. Engl. Bot. 2806.
 — — — Rechb. Ic. crit. 9, 852.
 — blephariglottis Hook. Hook. Exot. Fl. 87.
 — — — Lodd. Cab. 925.
 — bracteata R. Br. Hook. Exot. Fl. 175.
 — — — Sweet Fl. G. 62.
 — coratopetala A. Rich. Richard Abyssin. 88.
 † — — — Ann. sc. nat. II. 14, 16.
 — cephalotes Ldl. Wight Ic. pl. Ind. or. 5, 1711.
 — ciliaris R. Br. Lodd. Cab. 1326.
 — — — Bot. Mag. 40, 1668.
 — citrina Aub. Th. Aubert Orchid. 16.
 — — — Mem. hist. nat. Par. 4, 3.

- Habenaria cordata* R. Br. Bot. Mag. 59, 3164.
 — — — Hook. Bot. Misc. 56.
 † — crassifolia A. Rich. Ann. sc. nat. II. 15, 3.
 — crinifera Ldl. Wight Ic. pl. Ind. or. 3, 926.
 — cristata R. Br. Lodd. Cab. 1661.
 — dilatata Hook. Hook. Exot. Fl. 95.
 — elliptica Wight. Wight Ic. pl. Ind. or. 5, 1706.
 — fimbriata Wight. Wight Ic. pl. Ind. or. 5, 1712.
 — — — R. Br. Lodd. Cab. 552.
 — — — Hook. Exot. Fl. 224.
 — — — Bot. Reg. 5, 405.
 † — foliosa A. Rich. Ann. sc. nat. II. 15, 3.
 — — — Wight Ic. pl. Ind. or. 5, 1700.
 — fornicata Bab. Rechb. Ic. crit. 9, 881.
 — gigantea Hook. Bot. Mag. 62, 3374.
 † — glabra A. Rich. Ann. sc. nat. II. 15, 5.
 — goodyerioides Don. Bot. Mag. 62, 3397.
 — gracilis Colebr. Hook. Exot. Fl. 135.
 — hamigera Griff. Calcutta Journal 1844, 20.
 — Heyneana Ldl. Wight Ic. pl. Ind. or. 3, 923.
 — — — 5, 1703, 1704.
 — Jerdoniana Wight. Wight Ic. pl. Ind. or. 5, 1715.
 — lacera R. Br. Lodd. Cab. 229.
 — — — Sweet Fl. G. II. 73.
 — lancifolia A. Rich. Mem. hist. nat. Par. 4, 1.
 — leptoceras Hook. Bot. Mag. 54, 2726.
 — Lindleyana Wight. Wight Ic. pl. Ind. or. 3, 922.
 — longebracteata Hochst. Seubert Fl. azor. 5.
 † — longicalcarata A. Rich. Ann. sc. nat. II. 15, 3.
 — — — Wight Ic. pl. Ind. or. 3, 925.
 — longicauda Hook. Bot. Mag. 57, 2957.
 — macrantha Hochst. Richard Abyssin. 87.
 — macroceras Spr. Bot. Mag. 56, 2947.
 — marginata Colebr. Hook. Exot. Fl. 136.
 — micrantha Hochst. Seubert Fl. azor. 5.
 † — montana A. Rich. Ann. sc. nat. II. 15, 4.
 — — — Wight Ic. pl. Ind. or. 3, 927, 5, 1714.
 — orbiculata Hook. Hook. Exot. Fl. 145.
 — — — Lodd. Cab. 1623.
 — ovalifolia Wight. Wight Ic. pl. Ind. or. 5, 1708.
 — peristylodes Wight. Wight Ic. pl. Ind. or. 5, 1702.
 † — — A. Rich. Ann. sc. nat. II. 14, 17.
 † — Perrottetiana A. Rich. Ann. sc. nat. II. 15, 4.
 — plantaginea Ldl. Wight Ic. pl. Ind. or. 5, 1710.
 — platyphylla Spr. Wight Ic. pl. Ind. or. 5, 1709.
 — procera Ldl. Bot. Reg. 22, 1858.
 — pumila P. et E. Poepp. et Endl. 77.
 — purpurea Aub. Aubert Orchid. 17.
 — Quartiniana A. Rich. Richard Abyssin. 86.
 † — — — Ann. sc. nat. II. 14, 17.
 — rariflora A. Rich. Wight Ic. pl. Ind. or. 3, 924.
 † — — — Ann. sc. nat. II. 15, 2.
 — Richardiana Wight. Wight Ic. pl. Ind. or. 5, 1713.
 — rupestris P. et E. Poepp. et Endl. 78.
 † — salaccensis Bl. Blume Tabellen 13.
 — Sigillum Aub. Aubert Orchid. 20.
 — speciosa P. et E. Poepp. et Endl. 76.
 † — subpubens A. Rich. Ann. sc. nat. II. 15, 4.
 — tenuis Griff. Calcutta Journal 1844, 20.
 † — trichosantha Ldl. Ann. sc. nat. II. 15, 3.
 — tridactylites Ldl. Webb Canar. 221.
 — tridentata Hook. Hook. Exot. Fl. 81.
 — — — Lodd. Cab. 1637.
 — trinervia Wight. Wight Ic. pl. Ind. or. 5, 1701.
 † — vaginata A. Rich. Ann. sc. nat. II. 14, 17.
 — vesiculosa A. Rich. Mem. hist. nat. Par. 4, 2.
 — viridiflora R. Br. Wight Ic. pl. Ind. or. 5, 1703.
 — viridis R. Br. Sv. Bot. 507.
 — — — Curt. Lond. 4, 130.
 † — — — Nees Gen. 3, x.
Habenorchis Aub. Aubert Orchid. 16.
Haberlea rhodopensis Friv. Frivaldsky Balkan 1.

- Haberlea rhodopensis* Friv. Endl. Iconogr. 69.
Hablitzia tamnoides M. v. B. Marschall Cent. 34.
 — — — Eichwald Cauc. 23.
 — — — Rchb. Ic. crit. 8, 754.
 † *Habranthus Herb.* Herbert Amar. 34. 36.
 † — — — *Andersoni* Herb. Herbert Amar. 24. 34.
 — — — Bot. Reg. 16, 1345.
 — — — Bot. Mag. 64, 3596.
 — — — Lodd. Cab. 1677.
 — — — Sweet Fl. G. II. 70.
 — — — *angustus* Herb. Bot. Mag. 53, 2639.
 — — — *Bagnoldi* Herb. Herbert Amar. 23.
 — — — Bot. Reg. 17, 1396.
 — — — *bifidus* Herb. Bot. Mag. 52, 2597.
 — — — *concolor* Ldl. Bot. Reg. 31, 84.
 — — — *gracilifolius* Herb. Bot. Mag. 51, 2464.
 — — — *β. Boothianus*, Bot. Reg. 23, 1967.
 † — — — *miniatus* Don. Herbert Amar. 26.
 — — — Sweet Fl. G. II. 213.
 — — — *pallidus* Lodd. Lodd. Cab. 1760.
 — — — *parvulus* Herb. Herbert Amar. 26.
 — — — *pedunculatus* Herb. Herbert Amar. 26.
 — — — *phycelloides* Herb. Bot. Reg. 17, 1417.
 — — — *pratensis* Herb. Paxt. Mag. 9, 121.
 — — — Bot. Reg. 28, 35.
 — — — var. Bot. Mag. 68, 3961.
 † — — — *pulcher* Herb. Herbert Amar. 26.
 — — — *pumilus* Lodd. Lodd. Cab. 1771.
 — — — *punctatus* Herb. Herbert Amar. 47.
 — — — *robustus* Herb. Lodd. Cab. 1761.
 — — — Sweet Fl. G. II. 14.
 — — — *rosens* Sweet. Sweet Fl. G. II. 107.
 — — — *speciosus* Herb. Herbert Amar. 23.
 — — — *versicolor* Herb. Bot. Mag. 51, 2485.
Habrothamnus corymbosus Endl. Bot. Mag. 71, 4201.
 — — — Fl. d. serres 2, 19.
 — — — *elegans* Brongn. Fl. d. serres 2, 18.
 — — — *fasciculatus* Endl. Fielding Sertum 72.
 — — — Hart. Parad. 1, 14.
 — — — Bot. Mag. 71, 4183.
 — — — Fl. d. serres 1, 50.
 — — — Hort. Transact. 10, 2.
 — — — Paxt. Mag. 14, 193.
 — — — *purpureus* Ldl. Bot. Reg. 30, 43.
 † *Hacquetia Epipactis* DC. Nees Gen. X, x.
 — — — Sturm Flora 6, 24.
Haemadictyon trifidum P. et E. Poepp. et Endl. 275.
Haemanthus albiflos Jacq. Jacq. Schoenbr. 1, 59.
 — — — Red. Lil. 7, 398.
 — — — Bot. Mag. 31, 1239.
 — — — Lodd. Cab. 602.
 — — — *amarylloides* Jacq. Jacq. Schoenbr. 4, 408.
 † — — — *brevifolius* Herb. Herbert Amar. 30.
 — — — *carneus* Ker. Bot. Mag. 61, 3373.
 — — — Bot. Reg. 6, 509.
 — — — *ciliaris* L. Jacq. Fragm. 40. 41.
 — — — Kerner Hort. 841.
 — — — *coarctatus* Jacq. Jacq. Schoenbr. 1, 57.
 — — — Bot. Reg. 3, 181.
 † — — — Herbert Amar. 31.
 — — — *coccineus* L. Red. Lil. 1, 39.
 † — — — Lam. Encycl. 228.
 — — — Bot. Mag. 27, 1075.
 — — — Herb. amat. 1, 19.
 — — — Lodd. Cab. 240.
 — — — Kerner Hort. 86. 843.
 — — — Rchb. Exot. 189.
 † — — — *concolor* Herb. Herbert Amar. 31.
 — — — *crassipes* Jacq. Jacq. Schoenbr. 4, 412.
 † — — — Herbert Amar. 31.
 † — — — *Hookerianus* Herb. Herbert Amar. 46.
 — — — *humilis* Jacq. Jacq. Schoenbr. 4, 411.

- Haemanthus hyalocarpus* Jacq. Jacq. Schoenbr. 4, 409.
 † — — — Herbert Amar. 31.
 — — — *insignis* Hook. Bot. Mag. 79, 4746.
 † — — — *incarnatus* Herb. Herbert Amar. 31.
 — — — *lanceaefolius* Jacq. Jacq. Schoenbr. 1, 60.
 — — — *moschatus* Jacq. Jacq. Schoenbr. 4, 410.
 — — — Kerner Hort. 226.
 † — — — Herbert Amar. 31.
 — — — *multiflorus* Martyn. Andr. Rep. 5, 318.
 — — — Red. Lil. 4, 204.
 — — — Bot. Mag. 24, 961. 45, 1995.
 — — — Lodd. Cab. 912.
 — — — Rchb. Exot. 59.
 — — — Fl. d. serres 1, 52.
 — — — *pubescens* L. Lodd. Cab. 702.
 — — — Bot. Reg. 5, 382.
 — — — *β. albiflos*, Bot. Reg. 12, 984.
 — — — *Pumilio* Jacq. Jacq. Schoenbr. 1, 61.
 † — — — *punicus* L. Gaertn. Carp. 11.
 — — — Bot. Mag. 32, 1315.
 — — — Red. Lil. 6, 320.
 — — — Lodd. Cab. 1948.
 † — — — Hoeven Tijdschr. 7, 3.
 — — — *quadrivalvis* Jacq. Jacq. Schoenbr. 1, 58.
 — — — Bot. Mag. 37, 1523.
 — — — Kerner Hort. 269. 844.
 † — — — Herbert Amar. 31.
 — — — *rotundifolius* Gawl. Bot. Mag. 39, 1618.
 — — — Rchb. Exot. 58.
 † — — — Herbert Amar. 31.
 — — — *sanguineus* Jacq. Jacq. Schoenbr. 4, 407.
 † — — — Herbert Amar. 31.
 † — — — *strigosus* Herb. Herbert Amar. 30.
 — — — *tenuiflorus* Herb. Bot. Mag. 67, 3870.
 — — — *tigrinus* Jacq. Jacq. Schoenbr. 1, 56.
 — — — Kerner Hort. 164.
 — — — Bot. Mag. 41, 1705.
 † — — — Herbert Amar. 31.
 — — — *toxicarius* Ait. Jacq. Fragm. 39. 41.
 — — — Bot. Mag. 30, 1217.
 — — — Fl. d. serres 5, 434.
 † — — — *undulatus* Herb. Herbert Amar. 30.
 — — — *virescens* Herb. Bot. Reg. 12, 984.
Haematorchis altissima Bl. Blume Rumphia 200^b.
 † *Haematoxylon campechianum* L. Lam. Encycl. 340.
 — — — Tuss. Ant. 1.
 — — — Desc. Ant. 2, 73.
 † — — — Jacq. Fragm. 93.
 — — — Woodv. Med. 3, 163.
 — — — Guimp. et Schl. 165.
 — — — Hayne 10, 44.
 — — — Nees Düsseld. 340.
Haemocharis semiserrata Mart. Mart. Bras. 66.
 — — — *tomentosa* Mart. Mart. Bras. 67.
 † *Haemodoraceae* R. Br. Schnizl. Iconogr. 1, 62.
Haemodorum distichophyllum Hook. Hook. Ic. pl. 9, 866.
 — — — *planifolium* R. Br. Bot. Mag. 39, 1610.
 — — — *spicatum* R. Br. Endl. Iconogr. 98.
 † *Haenkea Rz et P.* Ruiz et Pav. Prodr. 6.
 — — — *flexuosa* Rz et P. Ruiz et Pav. Fl. 231.
Haenselera granatensis Boiss. Boissier Esp. 114.
Hagenbachia brasiliensis N. v. E. Acta Leop. 11. 1, 2.
Hagenia abyssinica Lam. Lam. Encycl. 311.
Hakea acicularis R. Br. Endl. Iconogr. 24.
 — — — Rchb. Mag. 24.
 — — — *Baxteri* R. Br. Hook. Ic. pl. 5, 439. 440.
 — — — *ceratophylla* R. Br. Rchb. Mag. 24.
 — — — *clavata* Lab. Bill. Nov. Holl. 41.
 — — — *conchifolia* Hook. Hook. Ic. pl. 5, 432.
 — — — *cristata* R. Br. Hook. Ic. pl. 5, 443.
 — — — *cucullata* R. Br. Hook. Ic. pl. 5, 441.

- Hedychium coccineum* *Hamilt.* Bot. Reg. 14, 1209.
 — — — *Rchb. Exot.* 184.
 — — — *coronarium Koen.* Rumpf Amb. 5, 69.
 — — — *Jacq. Fragn.* 130, 136.
 — — — *Smith Exot. Bot.* 107.
 — — — *Bot. Mag.* 19, 108.
 — — — *Roscoe Scit.* 51.
 — — — *Red. Lil.* 8, 436.
 — — — *Lodd. Cab.* 507.
 † — — — *Ann. sc. nat.* 17, 7. II. 15, 20.
 † — — — *Mémoires de Lille* 1829, 5.
 — — — *Wight Ic. pl. Ind. or.* 6, 2010.
 — — — *elatum R. Br.* *Roscoe Scit.* 63.
 — — — *Lodd. Cab.* 356.
 — — — *Bot. Reg.* 7, 526.
 — — — *Rchb. Exot.* 270.
 — — — *ellipticum Sm.* *Roscoe Scit.* 55.
 — — — *Lodd. Cab.* 1881.
 — — — *flavescens Rosc.* *Roscoe Scit.* 50.
 — — — *Lodd. Cab.* 723.
 — — — *Wight Ic. pl. Ind. or.* 6, 2008, 2009.
 — — — *flavum Wall.* *Roscoe Scit.* 49.
 — — — *Lodd. Cab.* 604.
 — — — *Bot. Mag.* 50, 2378.
 — — — *Roxb. Bot. Mag.* 58, 3039.
 — — — *Gardnerianum Wall.* *Roscoe Scit.* 62.
 — — — *Bot. Reg.* 9, 714.
 — — — *Rchb. Exot.* 183.
 — — — *glaucum Rosc.* *Roscoe Scit.* 53.
 — — — *heteromallum Ker.* *Bot. Reg.* 9, 767.
 — — — *longifolium Rosc.* *Roscoe Scit.* 59.
 — — — *maximum Rosc.* *Roscoe Scit.* 52.
 — — — *Bot. Reg.* 12, 1022.
 — — — *speciosum Wall.* *Wall. Pl. asiat.* 285.
 — — — *spicatum Sm.* *Roscoe Scit.* 48.
 — — — *Hook. Exot. Fl.* 46.
 — — — *Lodd. Cab.* 653.
 — — — *Bot. Mag.* 49, 2300.
 — — — *stenopetalum Wall.* *Lodd. Cab.* 1902.
 — — — *thyrsiforme Sm.* *Roscoe Scit.* 56.
 — — — *urophyllum Wall.* *Lodd. Cab.* 1785.
 — — — *venustum Wight.* *Wight Ic. pl. Ind. or.* 6, 2012.
 — — — *villosum Wall.* *Roscoe Scit.* 54.
 † *Hedyosmum Sw.* *Swartz Fl. Ind. occ.* 18.
 — — — *Bonplandianum H. B. K.* *H. B. K. Nov. Gen.* 7, 634, 635.
 — — — *Dict. sc. nat.* 287.
Hedyotis affinis W. et A. *Wight Ic. pl. Ind. or.* 3, 1030.
 — — — *americana Jacq.* *Jacq. Hist. stirp. am.* 18.
 — — — *articularis R. Br.* *Wight Ic. pl. Ind. or.* 3, 1028.
 — — — *asperuloides Benth.* *Bentham Sulphur* 13.
 — — — *auricularia L.* *Rheede Hort. mal.* 10, 32.
 — — — *campanuliflora Hook.* *Bot. Mag.* 55, 2840.
 — — — *ciliolata Torr.* *Torrey New York* 44.
 — — — *conferta R. et P.* *Ruiz et Pav. Fl.* 87.
 — — — *conostyla Gaudich.* *Freyinet Voyage* 94.
 — — — *corymbosa Lam.* *Lam. Encycl.* 61, fig. 4.
 — — — *dichotoma Cav.* *Cav. Ic.* 573.
 — — — *filiformis R. et P.* *Ruiz et Pav. Fl.* 87.
 — — — *fruticosa L.* *Lam. Encycl.* 62.
 — — — *gentianoides Endl.* *Endl. Iconogr.* 89.
 — — — *herbacea L.* *Rheede Hort. mal.* 10, 35.
 † — — — *Gaertn. Carp.* 30.
 † — — — *Lam. Encycl.* 62.
 — — — *Heynei W. et A.* *Rheede Hort. mal.* 10, 23.
 — — — *hyssopifolia Cav.* *Cav. Ic.* 575.
 — — — *juniperifolia R. et P.* *Ruiz et Pav.* 87.
 — — — *laricifolia Cav.* *Cav. Ic.* 575.
 — — — *Lawsoniae W. et A.* *Rheede Hort. mal.* 4, 57.
 — — — *Wight Spicil.* 92.
 — — — *Wight Ic. pl. Ind. or.* 3, 1026.
 — — — *Leschenaultiana W. et A.* *Wight Illustr.* 125.

- Hedyotis longifolia Hook.* *Torrey New York* 44.
 — — — *media Cav.* *Cav. Ic.* 574.
 — — — *monosperma W. et A.* *Wight Ic. pl. Ind. or.* 3, 1031.
 — — — *multiflora Cav.* *Cav. Ic.* 574.
 — — — *ovatifolia Cav.* *Cav. Ic.* 573.
 — — — *pilosa P. et E.* *Poepp. et Endl.* 235.
 — — — *racemosa Lam.* *Rheede Hort. mal.* 10, 25.
 — — — *Lam. Encycl.* 62.
 — — — *Wight Ic. pl. Ind. or.* 1, 312.
 — — — *ramosa Blume.* *Wight Ic. pl. Ind. or.* 3, 822.
 — — — *serpens H. B. K.* *H. B. K. Nov. Gen.* 3, 289.
 — — — *setosa R. et P.* *Ruiz et Pav. Fl.* 88.
 — — — *stylosa R. Br.* *Wight Ic. pl. Ind. or.* 3, 1027.
 — — — *Wight Spicil.* 93.
 — — — *subcordata Demst.* *Rheede Hort. mal.* 10, 30.
 — — — *thymifolia R. et P.* *Ruiz et Pav. Fl.* 88.
 — — — *tuberosa Sw.* *Swartz Obs.* 1.
 — — — *verticillaris Wall.* *Wight Spicil.* 94.
 — — — *Wight Ic. pl. Ind. or.* 3, 1029.
Hedypnois autumnalis Sm. *Engl. Bot.* 12, 830.
 — — — *coronopifolia Ten.* *Tenore Fl. nap.* 182.
 — — — *cretica Willd.* *Sibth. Fl. gr.* 813.
 — — — *hirta Sm.* *Engl. Bot.* 8, 555.
 — — — *hispida Sm.* *Engl. Bot.* 8, 554.
 — — — *laciniflora Viv.* *Viviani Lib.* 17.
 — — — *lucida Lam.* *Lam. Encycl.* 654.
 — — — *paludosa Scop.* *Scop. Fl. carn.* 2, 48.
 † — — — *radiata Gaertn.* *Gaertn. Carp.* 160.
 † — — — *Lam. Encycl.* 654.
 — — — *rhagadioloides Willd.* *Sibth. Fl. gr.* 812.
 — — — *Taraxaci Vill.* *Vill. Dauph.* 26.
 — — — *Engl. Bot.* 16, 1109.
 — — — *tubaeformis Ten.* *Tenore Fl. nap.* 73.
 † *Hedysarea DC.* (*Germination.*) *DC. Legum.* 12—14.
 † *Hedysarum L.* *Schk. Handb.* 207, 208⁶.
 — — — *adscendens Sw.* *H. B. K. Nov. Gen.* 6, 597.
 — — — *var. coeruleum, Bot. Reg.* 10, 815.
 — — — *aequidentatum Sibth.* *Sibth. Fl. gr.* 725.
 — — — *album W. et K.* *W. et Kit.* 111.
 — — — *Alhagi L.* *Gmelin Reise* 2, 29.
 — — — *Sibth. Fl. gr.* 720.
 † — — — *alpinum L.* *Gaertn. Carp.* 155.
 † — — — *Lam. Encycl.* 628.
 — — — *Bot. Mag.* 48, 2213.
 — — — *Bot. Reg.* 10, 808.
 — — — *bupleurifolium L.* *Bot. Mag.* 41, 1722.
 — — — *Roxb. Corom.* 184.
 — — — *cajanifolium H. B. K.* *H. B. K. Nov. Gen.* 6, 598.
 — — — *capitatum Burm.* *Burm. Fl. ind.* 54.
 — — — *Desf. Moris Fl. sard.* 68.
 — — — *Bot. Mag.* 31, 1251.
 — — — *Rchb. Ic. crit.* 5, 411.
 — — — *caput galli L.* *Sibth. Fl. gr.* 723.
 — — — *carneum Lodd.* *Lodd. Cab.* 312.
 — — — *carnosum Desf.* *Desf. Fl. atl.* 200.
 — — — *cephalotes Roxb.* *Wight Ic. pl. Ind. or.* 2, 373.
 — — — *cinereum H. B. K.* *H. B. K. Nov. Gen.* 6, 599.
 — — — *cordatum Jacq.* *Jacq. Schoenbr.* 3, 296.
 † — — — *coronarium L.* *Gaertn. Carp.* 155.
 — — — *crinitum L.* *Burm. Fl. ind.* 56.
 — — — *Roxb. Wight Ic. pl. Ind. or.* 2, 411.
 — — — *crista galli L.* *Russell Aleppo* 12.
 — — — *Sibth. Fl. gr.* 724.
 — — — *diffusum Roxb.* *Wight Ic. pl. Ind. or.* 2, 409.
 — — — *echinatum Guss.* *Gussone Pl. rar.* 50.
 — — — *elongatum Lodd.* *Lodd. Cab.* 1401.
 — — — *flexuosum L.* *Schk. Handb.* 207.
 — — — *Fontanesii Boiss.* *Boissier Esp.* 56.
 — — — *frutescens L.* *Jacq. Vind.* 3, 89.
 — — — *gangeticum L.* *Rumpf Amb.* 6, 66.

- Hedysarum gramineum* Koenig. Wendl. Hort. herrenh. 5.
 — *grandiflorum* Pall. Marschall Cent. 63.
 — *gyrans* L. Kerner Beob. 1.
 — — Jacq. Ic. 565.
 — — Jacq. Fragn. 93.
 — — Roxb. Wight Ic. pl. Ind. or. 1, 294.
 —? *horridum* Ham. Rheede Hort. mal. 8, 40.
 — *juncum* L. Linné Hort. ups. 1, 4.
 — *lagopodioides* L. Burm. Fl. ind. 53.
 — *lasiocarpum* Pal. B. Pal. B. Fl. d'Oware 19.
 — *latifolium* Roxb. Bot. Reg. 5, 355.
 — *Lindleyi* Mart. Martius Auswahl 16.
 — *lineatum* L. Burm. Fl. ind. 53.
 — *moniliforme* Burm. Burm. Fl. ind. 52.
 — — Jacq. Fragn. 122.
 — *muricatum* Jacq. Jacq. Ic. 568.
 — *neglectum* Led. Ledeb. Ic. 482.
 — *Nelitali* Roxb. Wight Ic. pl. Ind. or. 2, 405.
 — *obscurum* L. Jacq. Fl. austr. 2, 168.
 — — Sturm Flora 5, 19.
 — — Bot. Mag. 8, 282.
 — — Lodd. Cab. 1434.
 — *Onobrychis* L. Russell Aleppo 11.
 — — Jacq. Fl. austr. 4, 332.
 — — Engl. Bot. 2, 96.
 — — Sturm Flora 5, 19.
 — — Fl. dan. 13, 2243.
 † *paniculatum* L. Wendl. Beob. 3.
 — *patens* Roxb. Wight Ic. pl. Ind. or. 2, 407.
 — *pictum* Jacq. Jacq. Ic. 567.
 — *polycarpum* Poir. Lam. Encycl. 628.
 — *polymorphum* Led. var. Ledeb. Ic. 51.
 — *procumbens* Roxb. Wight Ic. pl. Ind. or. 2, 408.
 — *prostratum* Burm. Burm. Fl. ind. 55.
 — *ptolomaicum* Delile. Delile Egypte 39.
 — *purpureum* Roxb. Wight Ic. pl. Ind. or. 2, 406.
 — *radiatum* Desf. Ann. Mus. 12, 13.
 — — Desf. Choix 66.
 — *recurvatum* Roxb. Wight Ic. pl. Ind. or. 2, 374.
 — *reniforme* L. Burm. Fl. ind. 52.
 — *roseum* Sims. Bot. Mag. 25, 996.
 — *sericeum* Vahl. Vahl Symb. 41.
 — *sibiricum* Poir. Lam. Encycl. 628.
 — — Bot. Reg. 10, 808.
 — — Belgique hort. 3, 6.
 — *siliquosum* Burm. Burm. Fl. ind. 55.
 — *songaricum* Bong. Acad. Pet. 6, 8.
 — *sororium* L. Burm. Fl. ind. 50.
 — *spartium* L. Burm. Fl. ind. 51.
 — *spinosissimum* L. Sibth. Fl. gr. 721.
 — *splendens* DC. Ledeb. Ic. 52.
 — *stipulaceum* Burm. Burm. Fl. ind. 54.
 — *strobiliferum* L. Linné Fl. zeylan. 3.
 — *trifolium* L. Swartz Obs. 6.
 — *triquetrum* L. Burm. Fl. ind. 52.
 — *tuberculosum* Lab. Bill. Sertum 72.
 — *tuberosum* Roxb. Wight Ic. pl. Ind. or. 2, 412.
 — — Jacq. Schoenbr. 3, 297.
 — *uncinatum* Jacq. Jacq. Schoenbr. 3, 298.
 — *varians* Lab. Bill. Sertum 71.
 — *variegatum* Portsch. Portenschlag Dalm. 10.
 — *venosum* Desf. Desf. Fl. atl. 201.
 — — Sibth. Fl. gr. 722.
 — *vespertilionis* L. Jacq. Ic. 565.
Heeria cupheoides Benth. Benth. Sulphur 33.
 — *procumbens* Naud. Ann. sc. nat. III. 14, 5.
Heimia grandiflora Hook. Hook. Ic. pl. 6, 554.
 — *salicifolia* Lk et O. Link Ic. I. 28.
 — — Bot. Reg. 27, 69.
 — — Sweet Fl. G. 281.
 — — Hook. Ic. pl. 6, 554.

- Heinsia jasminiflora* DC. Bot. Mag. 72, 4207.
Heintzia tigrina Karst. Karsten Auswahl 11.
 — — Fl. d. serres 7, 718, 719.
Heinzelia lythroides N. v. E. Endl. Bras. 7, 27.
Heisteria coccinea L. Jacq. Hist. stirp. am. 122.
 † — — Lam. Encycl. 354.
 — — Kerner Hort. 341.
 — *cyanocarpa* P. et E. Poepp. et Endl. 241.
 — *tubicina* P. et E. Poepp. et Endl. 241.
 † *Heladena bunchosoides* Juss. Arch. Mus. 3, 10.
Heldreichia Kotschy Fenzl. Russegger Reise 15.
Helena gracilis Sweet. Sweet Fl. G. II. 136.
 † *Helenia autumnalis* Gaertn. Gaertn. Carp. 169.
 † *Helenium autumnale* L. Lam. Encycl. 688.
 — — Bot. Mag. 57, 2994.
 — — Schk. Handb. 250.
 — — Rafin. Med. 47.
 — — Barton Fl. 1, 26.
 — *canaliculatum* Lam. Journ. d'hist. nat. Par. 2, 38.
 — *quadridentatum* Lab. Act. soc. hist. nat. Par. 4.
 — — Lam. Encycl. 688.
 — — Reich Magazin 15.
 — — Bot. Reg. 7, 598.
Heleocharis R. Br. Rchb. Fl. germ. 8, 294 — 297.
 — *acicularis* R. Br. Sturm Flora 3, 10.
 — *dulcis* Trin. Rumpf Amb. 6, 3. fig. 1.
 — *multicaulis* Sm. Sturm Flora 18, 78.
 — *ovata* R. Br. Sturm Flora 3, 10.
 † — — Nees Gen. 2, 18.
 — *palustris* R. Br. Sturm Flora 3, 9.
 † — — Nees Gen. 2, 18.
 — — Baxter Brit. Bot. 6, 436.
 — *uniglumis* Link. Sturm Flora 18, 78.
Heleochloa alopecuroides Host. Host Gram. 29.
 † — — Münchn. Denkschr. 4, 8.
 — *schoenoides* Host. Host Gram. 30.
Heleogiton fruticans Lk. Rchb. Fl. germ. 8, 298.
 † — — Nees Gen. 2, 12.
Helia oblongifolia Mart. Mart. Bras. 191.
Heliophora nutans Benth. Linn. Transact. 18, 29.
 † *Helianthemum Tournef.* Mutel Fl. fr. 6.
 † — — Ann. sc. nat. 24, 10 — 12.
 † — — Gray Genera 87.
 — *algarvense* Dunal. Sweet Cist. 40.
 — *alpestre* Dunal. Rchb. Fl. crit. 1, 1.
 — — Rchb. Fl. germ. 3, 28.
 — — Sweet Cist. 2.
 — *alyssoides* Vent. Vent. Choix 20.
 — *Andersoni* Sweet. Sweet Cist. 89.
 — *apenninum* DC. Sweet Cist. 62.
 † — — Jordan Obs. 3, 2.
 — — Rchb. Fl. germ. 3, 33.
 — *arabicum* Pers. Sweet Cist. 97.
 — *barbatum* Pers. Sweet Cist. 73.
 — *Barrelieri* Ten. Tenore Fl. nap. 145.
 — — Bot. Mag. 50, 2371.
 — *brasiliense* Pers. Sweet Cist. 43.
 — *Breweri* Planch. Hook. Lond. Journ. 1844, 21.
 — *Broussonetii* Dunal. Webb Canar. 13^B.
 — *canadense* Michx. Sweet Cist. 21.
 — — Gray Genera 87.
 — *canariense* Pers. Webb Canar. 12^B.
 — *candidum* Sweet. Sweet Cist. 25.
 — *canescens* Sweet. Sweet Cist. 51.
 — *canum* Dunal. Sweet Cist. 56.
 — — Rchb. Fl. germ. 3, 27.
 — *Caput felis* Boiss. Boissier Esp. 16.
 — *carolinianum* Michx. Sweet Cist. 99.
 — *cheiranthoides* Pers. Sweet Cist. 107.
 — *confertum* Dunal. Webb Canar. 13.
 — *confusum* Sweet. Sweet Cist. 91.
 — — Rchb. Fl. germ. 3, 33.

- Helianthemum croceum Pers.* Sweet Cist. 53.
 — — — *Rchb.* Fl. germ. 3, 32.
 — — — *cupreum Sweet.* Sweet Cist. 66.
 — — — *diversifolium Sweet.* Sweet Cist. 95.
 — — — *multiplex, Sweet Cist.* 98.
 — — — *ellipticum Pers.* Sweet Cist. 108.
 — — — *ericoides Dunal.* *Rchb.* Fl. germ. 3, 26.
 — — — *ericaulon Dunal.* Sweet Cist. 30.
 — — — *eriosepalum Sweet.* Sweet Cist. 76.
 — — — *Fumana Mill.* Guimpel Holzgew. 109.
 — — — *Rchb.* Fl. germ. 3, 26.
 — — — *Sweet Cist.* 16.
 — — — *formosum Dunal.* Sweet Cist. 50.
 — — — *Maund Bot.* 3, 131.
 — — — *glaucum Pers.* Sweet Cist. 111.
 — — — *glomeratum Lag.* Sweet Cist. 110.
 — — — *glutinosum Pers.* Sweet Cist. 83.
 — — — *Rchb.* Fl. germ. 3, 30.
 — — — *grandiflorum DC.* Sweet Cist. 69.
 — — — *Rchb.* Fl. germ. 3, 31.
 — — — *guttatum Mill.* *Rchb.* Fl. germ. 3, 25.
 — — — *halimifolium Pers.* Sweet Cist. 4.
 — — — *hirtum Pers.* Sweet Cist. 109.
 — — — *Rchb.* Fl. germ. 3, 33.
 — — — *hyssopifolium Ten.* Tenore Fl. nap. 238.
 — — — *β. cupreum, Sweet Cist.* 58.
 — — — *γ. multiplex, Sweet Cist.* 72.
 — — — *α. crocatum, Sweet Cist.* 92.
 — — — *italicum Pers.* *Rchb.* Fl. germ. 3, 27.
 — — — *kahiricum Delile.* Delile Egypte 31.
 — — — *laeve Pers.* *Rchb.* Fl. germ. 3, 29.
 — — — *laevipes Willd.* Sweet Cist. 24.
 — — — *Rchb.* Fl. germ. 3, 29.
 — — — *lanceolatum Sweet.* Sweet Cist. 100.
 — — — *ledifolium Willd.* Sweet Cist. 41.
 — — — *Rchb.* Fl. germ. 3, 28.
 — — — *leptophyllum Dunal.* Sweet Cist. 20.
 — — — *lignosum Sweet.* Sweet Cist. 46.
 — — — *lineare Pers.* Sweet Cist. 48.
 — — — *lunulatum DC.* *Rchb.* Fl. germ. 3, 26.
 — — — *macranthum Sweet.* Sweet Cist. 103.
 — — — *multiplex, Sweet Cist.* 104.
 — — — *marifolium DC.* *Rchb.* Ic. crit. 4, 394.
 — — — *Rchb.* Fl. germ. 3, 28.
 — — — *microphyllum Sweet.* Sweet Cist. 96.
 — — — *Milleri Sweet.* Sweet Cist. 101.
 — — — *mutabile Pers.* Guimpel Fr. Holzgew. 46.
 — — — *β. roseum, Sweet Cist.* 106.
 — — — *Rchb.* Fl. germ. 3, 35.
 — — — *nummularium Mill.* Sweet Cist. 80.
 — — — *ocymoides Pers.* Sweet Cist. 13.
 — — — *oelandicum DC.* Sv. Bot. 499.
 — — — *Rchb.* Pl. crit. 1, 1.
 — — — *Sweet Cist.* 85.
 — — — *obscurum Pers.* *Rchb.* Fl. germ. 3, 31.
 — — — *pannosum Boiss.* Boissier Esp. 14^b.
 — — — *papillare Boiss.* Boissier Esp. 14^b.
 — — — *piliferum Boiss.* Boissier Esp. 17.
 — — — *pilosum Pers.* Sweet Cist. 49.
 — — — *Rchb.* Fl. germ. 3, 33.
 — — — *Jordan Obs.* 3, 2.
 — — — *polifolium Pers.* Sweet Cist. 88.
 — — — *Rchb.* Fl. germ. 3, 35.
 — — — *procumbens Dunal.* Sweet Cist. 68.
 — — — *polygalaeifolium Sweet.* Sweet Cist. 11.
 — — — *pulchellum Sweet.* Sweet Cist. 74.
 — — — *pulverulentum DC.* Sweet Cist. 29.
 — — — *Rchb.* Fl. germ. 3, 34.
 — — — *Jordan Obs.* 3, 2.
 — — — *punctatum Willd.* Sweet Cist. 61.
 — — — *racemosum Dunal.* Sweet Cist. 82.
 — — — *retrofractum Pers.* *Rchb.* Fl. germ. 3, 28.

- Helianthemum rhodanthum Dunal.* Sweet Cist. 7.
 — — — *roseum DC.* Sweet Cist. 55.
 — — — *β. multiplex, Sweet Cist.* 86.
 — — — *Rchb.* Fl. germ. 3, 34.
 — — — *rosmarinifolium Presl.* Presl Symb. 21.
 — — — *rugosum Dunal.* Sweet Cist. 65.
 — — — *salicifolium Pers.* *Rchb.* Fl. germ. 3, 28.
 — — — *Sweet Cist.* 71.
 — — — *scabrosum Pers.* Sweet Cist. 81.
 — — — *semiglaurum Badarri.* Moris Fl. sard. 13.
 — — — *Rchb.* Fl. germ. 3, 35.
 — — — *serpyllifolium Mill.* Sweet Brit. Bot. 1, 1.
 — — — *Sweet Cist.* 60.
 — — — *Rchb.* Fl. germ. 3, 32.
 — — — *Serrae Camb.* Mem. Mus. 14, 11.
 — — — *stramineum Sweet.* Sweet Cist. 93, 94.
 — — — *sulphureum Willd.* Sweet Cist. 37.
 — — — *surrejanum Mill.* Sweet Cist. 28.
 — — — *tauricum Fisch.* Sweet Cist. 105.
 — — — *thymifolium Pers.* Sweet Cist. 102.
 — — — *Rchb.* Fl. germ. 3, 29.
 — — — *Tuberaria Mill.* Sweet Cist. 18.
 — — — *Rchb.* Fl. germ. 3, 25.
 — — — *umbellatum Mill.* Sweet Cist. 5.
 — — — *variegatum Sweet.* Sweet Cist. 38.
 — — — *velutinum Jord.* Jordan Obs. 3, 2.
 — — — *venustum Sweet.* Sweet Cist. 10.
 — — — *versicolor Sweet.* Sweet Cist. 26.
 — — — *vineale Pers.* Guimpel Holzgew. 110.
 — — — *Sprengel Fl. hal.* 5.
 — — — *Sweet Cist.* 77.
 — — — *Rchb.* Fl. germ. 3, 27.
 — — — *virgatum Pers.* Sweet Cist. 79.
 — — — *viride Ten.* Tenore Fl. nap. 47.
 — — — *Rchb.* Fl. germ. 3, 29.
 — — — *viscidulum Boiss.* Boissier Esp. 15.
 — — — *Vivianii Poll.* *Rchb.* Fl. germ. 3, 25.
 — — — *vulgare Gaertn.* Gaertn. Carp. 76.
 — — — *Schrank Fl. monac.* 3, 269.
 — — — *Guimpel Holzgew.* 111.
 — — — *Dietr. Fl. bor.* 4, 220.
 — — — *Rchb.* Fl. germ. 3, 30.
 — — — *Plée Types* 51.
 — — — *Sv. Bot.* 391.
 — — — *Sweet Cist.* 34.
 — — — *Baxter Brit. Bot.* 5, 393.
 — — — *β. multiplex, Sweet Cist.* 64.
 † *Helianthus L.* Ann. sc. nat. II. 16, 13.
 — — — *altissimus L.* Jacq. Vind. 160.
 — — — *angustifolius Willd.* Bot. Mag. 46, 2051.
 — — — *Barton Fl.* 3, 105.
 † — — — *annuus L.* Lam. Encycl. 706.
 — — — *argenteus H. B. K.* H. B. K. Nov. Gen. 4, 376.
 — — — *atrorubens L.* Bot. Mag. 53, 2668.
 — — — *Bot. Reg.* 6, 508.
 — — — *decapetalus L.* Bot. Mag. 63, 3510.
 — — — *dentatus Cav.* Cav. Ic. 220.
 — — — *diffusus Sims.* Bot. Mag. 45, 2020.
 — — — *giganteus L.* Cav. Ic. 219.
 — — — *gracilis Bert.* Nov. Comm. Bon. 9, 18.
 — — — *lenticularis Dougl.* Bot. Reg. 15, 1265.
 — — — *linearis Cav.* Cav. Ic. 218.
 — — — *Bot. Reg.* 7, 523.
 — — — *macrophyllus Willd.* Willdenow Hort. 70.
 — — — *Kerner Hort.* 681.
 — — — *microphyllus H. B. K.* H. B. K. Nov. Gen. 4, 375.
 — — — *mollis Willd.* Bot. Mag. 65, 3689.
 † — — — *multiflorus L.* Gaertn. Carp. 172.
 † — — — *Lam. Encycl.* 706.
 — — — *Bot. Mag.* 7, 227.
 — — — *parviflorus H. B. K.* H. B. K. Nov. Gen. 4, 378.
 — — — *petiolaris Sweet.* Sweet Fl. G. II. 75.

- Helianthus pubescens* Vahl. Bot. Mag. 54, 2778.
 — — Bot. Reg. 7, 524.
 — — *quinqueradiatus* Cav. Cav. Ic. 272.
 — — *speciosus* Hook. Bot. Mag. 61, 3293.
 — — *squarrosus* H. B. K. H. B. K. Nov. Gen. 4, 377.
 — — *tubaeformis* Jacq. Jacq. Schoenbr. 3, 375.
 — — Bot. Reg. 18, 1519.
 — — *tuberosus* L. Jacq. Vind. 161.
 † — — Mem. Mus. 19, 4.
 † — — Schk. Handb. 258.
Helichrysum arenarium DC. Sturm Flora 10, 38.
 — — Dietr. Fl. bor. 11, 767.
 — — *bellidioides* Forst. Hook. Fl. ant. 21.
 — — *bicolor* Lindl. Bot. Reg. 21, 1814.
 — — *bracteatum* Willd. Savi Fl. ital. 1, 6.
 — — *buddleioides* DC. Wight Spicil. 111.
 — — Wight Ic. pl. Ind. or. 3, 1113.
 — — *Cassianum* Gaudich. Freycinet Voyage 87.
 — — *chrysanthum* Pers. Herb. amat. 5, 335.
 — — *citrispinum* Delile. Ferret Abyssin. 13.
 — — *dealbatum* Lab. Bill. Nov. Holl. 190.
 — — *fasciculatum* Schrank. Lodd. Cab. 331.
 — — *flicale* Hook. fil. Hook. New Zeal. 36.
 — — *filiforme* Less. Lodd. Cab. 1954.
 — — *Fontanesii* Camb. Mem. Mus. 14, 17.
 — — *fruticans* Less. Bot. Reg. 9, 726.
 — — *gnaphalioides* H. B. K. H. B. K. Nov. Gen. 7, 330.
 — — *gossypinum* Webb. Webb. Canar. 109.
 — — *Gunnianum* Hook. Hook. Ic. pl. 4, 320.
 — — *Humboldtianum* Gaudich. Freycinet Voyage 88.
 — — *incanum* Hook. Bot. Mag. 56, 2881.
 — — *Lamarckii* Camb. Mem. Mus. 14, 16.
 — — *Leontopodium* Hook. fil. Hook. New Zeal. 37.
 — — *macranthum* Benth. Maund Bot. 2, 92.
 — — Bot. Reg. 24, 58.
 — — Paxt. Mag. 5, 247.
 — — *niveum* Less. Paxt. Mag. 8, 99.
 — — Bot. Mag. 67, 3857.
 † — — *orientale* Tournef. Gaertn. Carp. 166.
 † — — Lam. Encycl. 693.
 — — *papillosum* Lab. Bill. Nov. Holl. 192.
 — — *prostratum* Hook. Hook. Fl. ant. 21.
 — — *proliferum* Willd. Wendl. Coll. 23.
 — — Lodd. Cab. 8.
 — — Bot. Reg. 1, 21.
 — — Bot. Mag. 50, 2365.
 — — Kerner Hort. 295.
 — — *saxatile* Moris. Moris Fl. sard. 82.
 — — *scorpioides* Lab. Bill. Nov. Holl. 191.
 — — *sesamoides* Willd. Lodd. Cab. 1149.
 — — *spectabile* Lodd. Lodd. Cab. 59.
 — — *spirale* Andr. Tratt. Archiv 397.
 — — *splendens* Sims. Bot. Mag. 43, 1773.
 — — *Stachelina* Thunb. Andr. Rep. 6, 428.
 — — *yuccaeifolium* Lam. Lam. Encycl. 693.
Helicia javanica Bl. Bennett Java 18.
Heliconia acuminata Rich. Acta Leop. 15, Suppl. 11, 12.
 † — — *alba* L. Gaertn. Carp. 139.
 — — *angustifolia* Hook. Bot. Mag. 75, 4475.
 — — Fl. d. serres 5, 529.
 — — *bicolor* Hort. Maund Bot. 3, 101.
 † — — *Bihai* Sw. Swartz Obs. 5.
 † — — Lam. Encycl. 148.
 — — Andr. Rep. 10, 640.
 — — Bot. Reg. 5, 374.
 — — Lodd. Cab. 252.
 — — Kerner Hort. 577.
 — — Acta Leop. 15, Suppl. 8, 10.
 — — Rchb. Exot. 101.
 — — *brasiliensis* Hook. Hook. Exot. Fl. 190.
 — — Paxt. Mag. 3, 193.

- Heliconia brasiliensis* Hook. Kerner Hort. 803.
 — — *cannoidea* Rich. Acta Leop. 15, Suppl. 9, 10.
 — — *caribaea* Lam. Desc. Ant. 4, 260.
 — — *humilis* Jacq. Jacq. Schoenbr. 1, 48, 49.
 — — Red. Lil. 7, 382, 383.
 — — *lingulata* Rz et P. Ruiz et Pav. Fl. 304.
 — — Kerner Hort. 650, 651.
 — — *psittacorum* L. fil. Andr. Rep. 2, 124.
 — — Red. Lil. 3, 151.
 — — Tratt. Thes. 26.
 — — Rchb. Exot. 102.
 — — Sw. Bot. Mag. 14, 502.
 — — Herb. amat. 5, 336.
 — — *pulverulenta* Ldl. Bot. Reg. 19, 1648.
 — — Bot. Mag. 78, 4685.
 — — *rostrata* Rz et P. Ruiz et Pav. Fl. 305.
 — — Kerner Hort. 433.
 — — *Strelitzia* Gm. Kerner Hort. 2.
 — — *subulata* Rz et P. Ruiz et Pav. Fl. 303.
 — — Kerner Hort. 421.
 — — *Swartziana* Schult. Kerner Hort. 582.
 † *Helicostylis Trécul.* Ann. sc. nat. III, 8, 5.
 † — — *affinis* Miq. Endl. Bras. 12, 35.
 † — — *Poeppigiana* Trécul. Endl. Bras. 12, 35.
 † *Helicteres althaeaeifolia* Lam. Lam. Encycl. 735.
 — — *barnensis* L. Jacq. Hist. stirp. am. 227.
 † — — Gaertn. Carp. 64.
 — — Lam. Encycl. 735.
 — — *brasiliensis* Mik. Mikan Del. Bras. 19.
 — — *brevispira* Juss. St. Hil. Fl. Bras. 54.
 — — *carthagenensis* L. Jacq. Hist. stirp. am. 228.
 — — *corylifolia* Ham. Rheed Hort. mal. 6, 30.
 — — *furfuracea* A. Rich. Ramon Cuba 18.
 — — *jamaicensis* Jacq. Jacq. Hist. stirp. am. 226.
 — — Jacq. Vind. 143.
 † — — Lam. Encycl. 735.
 — — Rchb. Mag. 48.
 — — *involuta* Moric. Moricand Pl. Am. 63.
 — — *Isora* L. Rumpf Amb. Auct. 17, fig. 1.
 — — Lodd. Cab. 119.
 — — Bot. Mag. 46, 2061.
 — — Desc. Ant. 6, 407.
 — — Rchb. Mag. 48.
 — — Wight Ic. pl. Ind. or. 1, 180.
 — — *Sacrolha* Juss. St. Hil. Pl. us. 64.
 — — *trapezifolia* A. Rich. Ramon Cuba 19.
 — — *verbascifolia* Link. Lodd. Cab. 504.
 — — Bot. Reg. 11, 903.
Heligme Rheedii Wight. Wight Ic. pl. Ind. or. 4, 1303.
Helinus scandens Dill. et Rich. Richard Abyssin. 31.
Heliocarpus americana L. Linné Hort. Cliff. 16.
 † — — Gaertn. Carp. 49.
 — — Jacq. Fragn. 45.
 — — Jacq. Schoenbr. 4, 453.
 † — — Lam. Encycl. 409.
Heliophila abrotanifolia DC. Sonder Hel. 23.
 — — *amplexicaulis* L. fil. Jacq. Fragn. 64.
 — — *arabioides* Curt. Bot. Mag. 14, 496.
 — — *cornuta* Sond. Sonder Hel. 28.
 — — *crithmifolia* Willd. Delessert Ic. 2, 97.
 — — *diffusa* DC. Sonder Hel. 21.
 — — *digitata* L. fil. Bot. Reg. 10, 838.
 — — *dissecta* Thunb. Sonder Hel. 18.
 — — *Dregeana* Sond. Sonder Hel. 21.
 — — *Eckloniana* Sond. Sonder Hel. 20.
 — — *eleomoides* DC. Delessert Ic. 2, 99.
 — — *filiformis* L. fil. Lam. Encycl. 563.
 — — *flacca* Sond. Sonder Hel. 22.
 — — *incana* Burm. Burm. Fl. ind. 46.
 — — *integrifolia* L. Jacq. Ic. 506.
 — — Rchb. Hort. 55.
 — — *longifolia* DC. Sonder Hel. 19.

- Heliophila peltaria* DC. Sonder Hel. 22.
 — *pilosa* Lam. Lam. Encycl. 563.
 — *pinnata* L. fil. Lam. Encycl. 563.
 — — Vent. Malm. 113.
 — *rigidiuscula* Sond. Sonder Hel. 27.
 — *scoparia* Burch. Delessert Ic. 2, 98.
 — *stricta* Sims. Bot. Mag. 52, 2326.
 — *stylosa* Burch. Sonder Hel. 24.
 — *suavissima* Burch. Sonder Hel. 25.
 — *subulata* Burch. Sonder Hel. 26.
 — *tenuisiliqua* DC. Delessert Ic. 2, 96.
 — *trifida* Thunb. Bot. Reg. 32, 64.
 — — Paxt. Mag. 14, 219.
Heliopsis canescens H. B. K. Bot. Reg. 7, 592.
 — *laevis* Pers. Bot. Mag. 61, 3372.
 — *scabra* Dun. Mem. Mus. 5, 8.
 † *Heliotropium* L. Linnaea 4, 5.
 † — — Mutel Fl. fr. 37.
 — *anisophyllum* Pal. B. Pal. B. Fl. d'Oware 96.
 — *Broochianum* Vis. Visiani Aeg. 2.
 † — *chenopodioides* Willd. Schrader Asperif. 1.
 — *cinereum* H. B. K. H. B. K. Nov. Gen. 3, 206.
 — *coromandelianum* Retz. Wight Ic. pl. Ind. or. 4, 1388.
 — *corymbosum* R. et P. Ruiz et Pav. Fl. 107.
 — — Bonpland Malm. 32.
 — — Bot. Mag. 39, 1609.
 — — Rchb. Exot. 162.
 — *crispum* Desf. Desf. Fl. atl. 41.
 — *curassavicum* L. Burm. Fl. ind. 16.
 † — — Gaertn. Carp. 68.
 — — Lam. Encycl. 91.
 — — Bot. Mag. 53, 2669.
 † — — Schrader Asperif. 1.
 — *dasy carpum* Led. Eichwald Cauc. 5.
 — *ellipticum* Led. Eichwald Cauc. 4.
 — *erosum* Lehm. Lehmann Asp. 7.
 — *europaeum* L. Burm. Fl. ind. 16.
 — — Jacq. Fl. austr. 3, 207.
 — — Lam. Encycl. 91.
 — — Schk. Handb. 29.
 † — — Schrader Asperif. 1.
 † — — Nees Gen. 6, 52.
 — *filiforme* H. B. K. H. B. K. Nov. Gen. 3, 240.
 — *fruticosum* L. Burm. Fl. ind. 19.
 — *grandiflorum* Schrank. Herb. amat. 2, 131.
 — *helophilum* Mart. Miquel Sarin. 40.
 — *humifusum* H. B. K. H. B. K. Nov. Gen. 3, 205.
 — *incanum* R. et P. Ruiz et Pav. Fl. 108.
 — *indicum* L. Bot. Mag. 43, 1837.
 † — — Schrader Asperif. 1.
 — — Desc. Ant. 7, 483.
 — *Kowalenskyi* Stsch. Bull. Mosc. 1853, 5.
 — *Kunzei* Lehm. Lehmann Asp. 29.
 — *lanceolatum* R. et P. Ruiz et Pav. Fl. 111.
 — *lineatum* Vahl. Delile Egypte 16.
 — *linifolium* Lehm. Wight Ic. pl. Ind. or. 4, 1391.
 — *longiflorum* Hochst. Jaubert Illustr. 360, 361.
 — *marifolium* Retz. Wight Ic. pl. Ind. or. 4, 1390.
 — *microcalyx* R. et P. Ruiz et Pav. Fl. 109.
 — *microstachyum* R. et P. Ruiz et Pav. Fl. 110.
 — *oppositifolium* R. et P. Ruiz et Pav. Fl. 108.
 — *pallens* Delile. Caillaud Voyage 64.
 — *peruvianum* L. Bot. Mag. 4, 141.
 — *pilosum* R. et P. Ruiz et Pav. Fl. 110.
 — *polyphyllum* Lehm. Lehmann Asp. 8.
 — *Rottleri* Lehm. Wight Ic. pl. Ind. or. 4, 1392.
 — *rotundifolium* Sieb. Lehmann Asp. 30.
 — *scabrum* Retz. Wight Ic. pl. Ind. or. 4, 1389.
 — *strictissimum* Moric. Moricand Pl. Am. 87.
 — *suaveolens* M. v. B. Rchb. Ic. crit. 4, 379.
 — *submolle* Klotzsch. Regel Gartenfl. 2, 63.

- Heliotropium supinum* L. Gouan Fl. monsp. 1.
 — — — Sibth. Fl. gr. 157.
 — — — Wight Ic. pl. Ind. or. 4, 1387.
 — *synkystachyum* R. et P. Ruiz et Pav. Fl. 109.
 — *thymoides* J. et Sp. Jaubert Illustr. 362.
 — *undulatum* Vahl. β. Lehmann Asp. 40.
 — *villosum* Willd. Desf. Choix 16.
 — — — Ann. Mus. 10, 33.
 — *Voltaireanum* Hort. Paxt. Mag. 16, 99.
 — *zeylanicum* Lam. Wight Ic. pl. Ind. or. 3, 392.
Helipterum eximium DC. Bot. Reg. 7, 532.
 — *incanum* DC. Hook. Ic. pl. 4, 318.
Helleborine cordigera Pers. Sebast. Fl. rom. 10.
 — *latifolia* Schrk. Schrank Fl. monac. 3, 215.
 — *longipetala* Ten. Sebast. Fl. rom. 10.
 — *palustris* Schrk. Schrank Fl. monac. 2, 190.
 — *rubra* Schrk. Schrank Fl. monac. 2, 119.
 † *Helleborus* L. Kerner Genera 187.
 — *atrorubens* W. et K. W. et Kit. 271.
 — — — Rchb. Fl. germ. 4, 109.
 — — — Paxt. Fl. G. 82.
 — — — Lem. Jard. fl. 140.
 — — — Bot. Mag. 77, 4581.
 — *angustifolius* Host. Rchb. Fl. germ. 4, 103.
 — *Bocconi* Ten. Tenore Fl. nap. 150.
 — — — Rchb. Fl. germ. 4, 103.
 — *dumetorum* W. et K. Rchb. Fl. germ. 4, 106.
 — — — Sweet Fl. G. 109.
 † — *foetidus* L. Lam. Encycl. 499.
 — — — Engl. Bot. 9, 613.
 — — — Baxter Brit. Bot. 2, 103.
 — — — Dreves 4, 132.
 — — — Hayne 1, 10.
 — — — Brandt und Ratzeb. 35.
 — — — Nees Düsseld. Suppl. 47, 48.
 — — — Woodv. Med. 3, 170.
 — — — Rchb. Fl. germ. 4, 103.
 † — — *Dumas* Thèse 1—6.
 — *graveolens* Host. Rchb. Fl. germ. 4, 104.
 — *hiemalis* L. Bot. Mag. 1, 3.
 — — — Jacq. Fl. austr. 3, 202.
 — — — Dreves 4, 128.
 — — — Fl. dan. 8, 1391.
 — — — Herb. amat. 1, 42.
 — — — Tratt. Archiv 206.
 — *intermedius* Guss. Gussone Pl. rar. 41.
 — — — Annales de Gand 1845, 44.
 — *laxus* Host. Rchb. Fl. germ. 4, 107.
 — *lividus* Ait. Bot. Mag. 2, 72.
 — — — Bot. Reg. 24, 54.
 — — — Sweet Fl. G. II. 190.
 — — — Tratt. Archiv 205, 205^e.
 — — — Moris Fl. sard. 3.
 — *multifidus* Vis. Visiani Dalm. 31.
 — — — Rchb. Fl. germ. 4, 103.
 — *niger* L. Schmidel Icones 6.
 — — — Bot. Mag. 1, 8.
 — — — Jacq. Fl. austr. 3, 201.
 — — — Sturm Flora 2, 3.
 — — — Dreves 4, 129, 130.
 — — — α. β. Hayne 1, 7, 8.
 — — — Woodv. Med. 3, 169.
 — — — Brandt und Ratzeb. 34.
 — — — Nees Düsseld. 391.
 — — — Guimp. et Schl. 66.
 — — — Wagner 12.
 † — — (Radix.) Nees Düsseld. Suppl. 48.
 — — — Rchb. Fl. germ. 4, 111, 112.
 † — — *Spach* Suites 58.
 — — — β. vernalis, Sweet Fl. G. II. 186.
 — — — Berg Darstellung 2^e.
 — *odorus* Kit. Rochel Banat. 10.

- Helleborus odorus* Kit. *Rchb. Fl. germ.* 4, 108.
 — — — *Bot. Reg.* 19, 1643.
 — — — *officinalis Salisb. Sibth. Fl. gr.* 523.
 — — — *olympicus Ldl. Bot. Reg.* 28, 58.
 — — — *orientalis Lam. Desf. Choix* 45.
 — — — *Ann. Mus.* 11, 32.
 — — — *Hayne* 1, 2.
 — — — *Tratt. Archiv* 199.
 — — — *Bot. Reg.* 28, 34.
 — — — *Spach Suites* 58.
 — — — *purpurascens W. et K. W. et Kit.* 101.
 — — — *Rchb. Fl. germ.* 4, 110.
 — — — *Bot. Mag.* 59, 3170.
 — — — *Sweet Fl. G. II.* 142.
 — — — *ranunculinus Sm. Smith Ic. Linn.* 37.
 — — — *Tratt. Archiv* 207.
 — — — *trifolius L. Pallas Fl. ross.* 3, 1.
 — — — *Linné Amoenit.* 2, 4.
 — — — *Tratt. Archiv* 19.
 † — — — *viridis L. Gaertn. Carp.* 65.
 † — — — *Lam. Encycl.* 499.
 — — — *Jacq. Fl. austr.* 2, 106.
 — — — *Curt. Lond.* 2, 53.
 — — — *Engl. Bot.* 3, 200.
 — — — *Schk. Handb.* 154.
 — — — *Dreves* 4, 131.
 — — — *Hayne* 1, 9.
 — — — *Brandt und Ratzeb.* 36.
 — — — *Nees Düsseld. Suppl.* 46, 48.
 — — — *Rchb. Fl. germ.* 4, 105.
 — — — *Dietr. Fl. bor.* 8, 538.
 † — — — *Berg Darstellung* 2f.
Hellenia Allugas Willd. Andr. Rep. 8, 501.
 — — — *coerulea R. Br. Roscoe Scit.* 76.
 — — — *Bot. Reg.* 12, 1037.
 — — — *rufa Presl. Presl Reliq.* 21.
Helleria obovata N. et M. Acta Leop. 12, 1, 7.
Helminthia comosa Boiss. Boissier Esp. 116.
 † — — — *echioides Gaertn. Gaertn. Carp.* 159.
 † — — — *Lam. Encycl.* 648.
 — — — *Baxter Brit. Bot.* 4, 270.
 — — — *spinosa DC. DG. Ic. Gall.* 21.
 — — — *Hoffm. Lk. Fl. port.* 93.
Helminthocarpus abyssinicus Rich. Richard Abyss. 36.
 † *Helminthostachys Kaulf. Kaulfuss Enum.* 1.
 † — — — *zeylanica Hook. Hook. Gen. Fil.* 47.
Helogyne fasciculata Benth. Benth. Sulphur 14.
Helonias asphodeloides L. Bot. Mag. 20, 748.
 — — — *Lodd. Cab.* 394.
 — — — *bracteata Sims. Bot. Mag.* 41, 1703.
 — — — *Lodd. Cab.* 1330.
 — — — *bullata L. Linné Amoenit.* 3, 1.
 — — — *Lam. Encycl.* 268.
 — — — *Red. Lil.* 1, 13.
 — — — *Andr. Rep.* 5, 332.
 — — — *Bot. Mag.* 20, 747.
 — — — *Lodd. Cab.* 961.
 — — — *glaberrima Gawl. Bot. Mag.* 40, 1680.
 — — — *graminea Gawl. Bot. Mag.* 39, 1599.
 — — — *laeta Gawl. Bot. Mag.* 21, 803, 37, 1540.
 — — — *Lodd. Cab.* 998.
 — — — *lutea Gawl. Bot. Mag.* 27, 1062.
 — — — *pumila Jacq. Jacq. Ic.* 453.
 — — — *tenax Pursh. Pursh Fl.* 9.
 — — — *virginica Gawl. Bot. Mag.* 25, 985.
 — — — *viridis Sims. Bot. Mag.* 27, 1096.
Helopus brachystachys Tr. Trin. Sp. Gr. 3, 277.
 — — — *grandiflorus Tr. Trin. Sp. Gr.* 3, 278.
 † — — — *pilosus Tr. Trinius Fund.* 4.
Helosciadium crassipes Koch. Rchb. Ic. crit. 3, 218.
 — — — *gracile Clos. Gay Chile* 31.
 † — — — *intermedium DC. Nees Gen. X.* x.

- Helosciadium inundatum Koch. Sv. Bot.* 740.
 † — — — *Nees Gen. X.* x.
 † — — — *nodiflorum Koch. Nees Gen. X.* x.
 — — — *Baxter Brit. Bot.* 6, 415.
 — — — *repens Koch. Dietr. Fl. bor.* 11, 747.
 † — — — *Nees Gen. X.* x.
 † *Helosis guianensis Rich. Mem. Mus.* 8, 20.
 † — — — *Ann. sc. nat. III.* 14, 11.
 — — — *Dict. sc. nat.* 82.
 — — — *Mart. Bras.* 298, 300.
 † *Helospora flavescens Jack. Linn. Transact.* 14, 4.
 † — — — *Calcutta Journal* 1844, 16.
Helwingia rusciflora Hagen. Hagen Pr. Pf. 2, 1.
 † — — — *Ann. sc. nat. II.* 6, 7.
 — — — *Sieb. Fl. Jap.* 86.
Hemarthria uncinata R. Br. Brongniart Coquille 15.
 † *Hemerocallis L. Kerner Genera* 70.
 — — — *alba Andr. Andr. Rep.* 3, 194.
 — — — *Kerner Hort.* 435.
 — — — *coerulea Andr. Andr. Rep.* 1, 6.
 — — — *Bury Hexandr. pl.* 50.
 — — — *Red. Lil.* 2, 106.
 — — — *Vent. Malm.* 18.
 — — — *Bot. Mag.* 23, 894.
 — — — *Kerner Hort.* 126.
 — — — *Herb. amat.* 3, 206.
 — — — *Dict. sc. nat.* 52.
 † — — — *cordata Thunb. Gaertn. Carp.* 179.
 — — — *disticha Donn. Sweet Fl. G.* 28.
 — — — *flava L. Jacq. Vind.* 139.
 — — — *Bot. Mag.* 1, 19.
 — — — *Red. Lil.* 1, 15.
 — — — *Schk. Handb.* 98.
 — — — *Sturm Flora* 2, 7.
 — — — *Tratt. Thes.* 49.
 — — — *Tratt. Archiv* 203.
 † — — — *Nees Gen.* 2, 56.
 — — — *Rchb. Fl. germ.* 10, 510.
 — — — *fulva L. Bot. Mag.* 2, 64.
 — — — *Schk. Handb.* 98.
 — — — *Red. Lil.* 1, 16.
 — — — *Tratt. Archiv* 204.
 — — — *Rchb. Fl. germ.* 10, 510.
 — — — *graminea Andr. Andr. Rep.* 4, 244.
 — — — *Bot. Mag.* 22, 673.
 — — — *Tratt. Thes.* 50.
 — — — *Kerner Hort.* 732.
 — — — *japonica Thunb. Kaempfer Jap.* 11.
 — — — *Red. Lil.* 1, 3.
 — — — *Bury Hexandr. pl.* 50.
 — — — *Bot. Mag.* 35, 1433.
 — — — *lancifolia Thunb. Lodd. Cab.* 1658.
 † — — — *lutea Gaertn. Gaertn. Carp.* 83.
 † — — — *Lam. Encycl.* 234.
 — — — *Sieboldiana Lodd. Lodd. Cab.* 1869.
 — — — *Paxt. Mag.* 5, 25.
Hemiadelphis polysperma N. v. E. Wight Ic. pl. Ind. or.
 4, 1492.
 † — — — *Wight Illustr.* 164.
Hemiandra pungens R. Br. Lem. Jard. fl. 126.
 — — — *Belgique hort.* 2, 37.
 — — — *rupestris Hügel. Hügel Archiv* 4.
 † *Hemicardion crenatum Fée. Fée Fil.* 5, 22.
 † — — — *Cumingianum Fée. Fée Fil.* 5, 22.
Hemicarpha subsquarrosa N. v. E. Endl. Bras. 3, 4.
Hemichlaena capillifolia Schrad. Comm. Gott. rec. 7, 3.
Hemichoriste montana N. v. E. Wight Ic. pl. Ind. or.
 4, 1538.
Hemiclidia Baxteri R. Br. Bot. Reg. 17, 1455.
Hemicrambe fruticulosa Webb. Ann. sc. nat. III. 16, 19.
Hemicyclia sepiaria W. et Arn. Wight Ic. pl. Ind. or.
 1872.

- Hemidesmus indicus* *R. Br.* Rheede Hort. mal. 10, 34.
 — — — Delessert Ic. 5, 53.
 — — — Wight Ic. pl. Ind. or. 2, 594.
 — pubescens *W. et A.* Wight Ic. pl. Ind. or. 4, 1320.
Hemigraphis latebrosa *N. v. E.* Wight Ic. pl. Ind. or. 4, 1504.
Hemimeris alsinoides *Lam.* Lam. Encycl. 532.
 — coccinea *Willd.* Kerner Hort. 25.
 — linearis *Pers.* Herb. amat. 4, 283.
 † — montana *L. fil.* Gaertn. Carp. 183.
 — peduncularis *Lam.* Lam. Encycl. 532.
 — sabulosa *L. fil.* Lam. Encycl. 532.
 † *Hemionitis cordata* *Roxb.* Hook. Gen. Fil. 74.
 — — — Hook. Ic. Fil. 1, 64.
 — dcalbata *Willd.* Willdenow Hort. 40.
 — lanceolata *L.* Schk. Fil. 6, 18.
 — — — Lam. Encycl. 868.
 — palmata *L.* Lam. Encycl. 868.
 — — — Dict. sc. nat. 83.
 — — — Hook. Exot. Fl. 33.
 † — — — Schott Gen. Fil. 9.
 — pedata *Sw.* Swartz Syn. Fil. 1.
 — reticulata *Sw.* Schk. Fil. 6.
 — rufa *Sw.* Schk. Fil. 6, 17, 21.
 † — sagittata *Fée.* Fée Fil. 5, 14.
 — tomentosa *Raddi.* Raddi Fil. 19.
 — trinervis *Ham.* Rheede Hort. mal. 12, 10.
Hemiphragma heterophyllum *Wall.* Wallich Tentamen 8.
 † *Hemiphragma pusillum* *Presl.* Prager Abh. 3, 9.
Hemipogon acerosus *Dec.* Delessert Ic. 5, 60.
Hemispadon pilosus *Endl.* Flora 1832, 2.
 — — — Endl. Atacta 3.
 † *Hemistegia grandifolia* *Presl.* Fée Fil. 5, 27^c.
 † — horrida *Fée.* Fée Fil. 5, 27^c.
Hemistemma angustifolium *R. Br.* Delessert Ic. 1, 77.
 — Aubertii *DC.* Delessert Ic. 1, 75.
 † — — — Lam. Encycl. 964.
 — Commersonii *DC.* Delessert Ic. 1, 74.
 † — — — Lam. Encycl. 964.
 — dealbatum *R. Br.* Delessert Ic. 1, 76.
Hemistoma ovatum *Ehrenb.* Ehrenb. Symbolae 9.
Hemitelia alternans *Hook.* Hook. Ic. pl. 7, 622.
 † — capensis *R. Br.* Hook. Gen. Fil. 42.
 — grandifolia *Spr.* Hook. Sp. Fil. 14.
 — guianensis *Hook.* Hook. Ic. pl. 7, 648.
 — horrida *R. Br.* Hook. Sp. Fil. 15.
 — Hostmannii *Hook.* Hook. Ic. pl. 7, 646.
 — Imrayana *Hook.* Hook. Ic. pl. 7, 669.
 — integrifolia *Kl.* Hook. Sp. Fil. 1, 13^b.
 — Lindeni *Hook.* Hook. Ic. pl. 8, 706.
 — obtusa *Kaulf.* Hook. Sp. Fil. 14.
 — Parkeri *Hook.* Hook. Ic. pl. 7, 643.
 — petiolata *Hook.* Hook. Sp. Fil. 16.
 — speciosa *Hook.* Hook. Ic. pl. 8, 706.
Hendecandra procumbens *Eschsch.* Hook. Beechey 91.
Henfreyia scandens *Ldl.* Bot. Reg. 33, 31.
 — — — Fl. d. serres 3, 231.
 — — — Paxt. Mag. 16, 131.
 † *Henriettea* *DC.* Ann. sc. nat. III. 4, 3.
 † — multiflora *Naud.* Ann. sc. nat. III. 18, 4.
 — Patrisiana *DC.* Miquel Surin. 12.
Henrya insularis *N. v. E.* Benth. Sulphur 49.
Henschelia luzonensis *Presl.* Presl. Reliq. 63.
Henslowia glabra *Wall.* Schnizl. Iconogr. 2, 99.
 — pubescens *Wall.* Wall. Pl. asiat. 221.
 † — — — Hook. Lond. Journ. 1845, 16.
 — — — Schnizl. Iconogr. 2, 99.
 † — varians *Bl.* Blume Mus. 1, 43.
 † *Hepatica* *Dill.* Gray Genera 5.
 — acutiloba *DC.* Gray Genera 5.
 — americana *Ker.* Bot. Reg. 5, 387.
 — nobilis *Volkam.* Schrank Fl. monac. 1, 62.

- Hepatica nobilis* *Volkam.* Rehb. Fl. germ. 4, 47.
 — triloba *Chair.* Rafin. Med. 48.
 — — — var. obtusa, Barton Fl. 3, 87.
 — — — Dietr. Fl. bor. 4, 246.
Heppiella atrosanguinea *Reg.* Regel Gartenfl. 1853, 70.
 † *Heptapleurum acutangulum* *Gaertn.* Gaertn. Carp. 178.
Heptaptera colladonioides *M. et R.* Mem. Genev. 8, 5.
Heracleum absinthifolium *Vent.* Sibth. Fl. gr. 281.
 — — — Vent. Choix 7.
 † — angustifolium *L.* Jacq. En. vind. 2.
 — — — Jacq. Fl. austr. 2, 173.
 — asperum *M. v. B.* Rochel Banat. 26.
 — aureum *Sibth.* Sibth. Fl. gr. 282.
 — austriacum *Jacq.* Jacq. Fl. austr. 1, 61.
 — barbatum *Led.* Ledeb. Ic. 303.
 † — — — Ann. sc. nat. III. 20, 14.
 — Carmeli *Lab.* Bill. Syr. 5, 1.
 — dissectum *Led.* Ledeb. Ic. 304.
 — dubium *Ten.* Tenore Fl. nap. 221.
 — elegans *Jacq.* Jacq. Fl. austr. 2, 175.
 — gummiferum *Willd.* Willdenow Hort. 83, 54.
 — — — Woodv. Med. 5, 36.
 — Hookerianum *W. et A.* Wight Ic. pl. Ind. or. 3, 1010.
 — longifolium *Jacq.* Jacq. Fl. austr. 2, 174.
 — Orsini *Guss.* Gussone Pl. rar. 27.
 † — Panaces *L.* Lam. Encycl. 200.
 — pedatum *Wight.* Wight Ic. pl. Ind. or. 2, 342.
 — persicum *Desf.* Belgique hortic. 1, 13.
 — pumilum *Vill.* Vill. Dauph. 14.
 — rigens *Wall.* Wight Spicil. 82.
 † — — — Wight Illustr. 117.
 — — — Wight Ic. pl. Ind. or. 3, 1009.
 — Sphondylium *L.* Schk. Handb. 67.
 † — — — Lam. Encycl. 200.
 — — — Sv. Bot. 363.
 — — — Engl. Bot. 14, 939.
 — — — Baxter Brit. Bot. 2, 130.
 — — — Hayne 7, 10.
 — — — Dietr. Fl. bor. 10, 607.
 — Sprengelianum *W. et A.* Wight Ic. pl. Ind. or. 3, 1008.
Herbertia coerulea *Herb.* Bot. Mag. 67, 3862.
 — pulchella *Sweet.* Sweet Fl. G. 222.
 — — — Lodd. Cab. 1547.
 — — — Bot. Mag. 67, 3862.
Heritiera Allughas *Retz.* Retzius Obs. 6, 1.
 — Fomes *Symes.* Symes Ava 28.
 — Gmelini *Michx.* Michaux Fl. 4.
 — litoralis *Ait.* Rheede Hort. mal. 6, 21.
 — — — Rumpf Amb. 3, 63.
 — tinctorum *Walp.* Bull. philom. 1797. no. 19.
 — — — Red. Lil. 5, 247.
Hermannia *L.* Thunberg Hermannia 1. (Non vidi.)
 † — — — Gray Genera 135.
 — abrotanoides *Schrad.* Schrad. Hort. gott. 11.
 † — alnifolia *L.* Gaertn. Carp. 112.
 — — — Bot. Mag. 9, 299.
 — — — Cav. Diss. 179.
 — — — Jacq. Schoenbr. 3, 291.
 † — — — Lam. Encycl. 570.
 — — — Rehb. Mag. 61.
 — althaeifolia *L.* Bot. Mag. 9, 307.
 — — — Cav. Diss. 179.
 — — — Rehb. Mag. 50, 51.
 — — — Jacq. Jacq. Schoenbr. 2, 213.
 — angularis *Jacq.* Jacq. Schoenbr. 1, 126.
 — — — Rehb. Mag. 68.
 — aurea *Jacq.* Jacq. Schoenbr. 2, 214.
 — borraginiflora *Hook.* Hook. Ic. pl. 6, 897.
 — candicans *Ait.* Jacq. Schoenbr. 1, 117.
 — — — Rehb. Mag. 35.

- Hermannia cuneifolia* Jacq. Jacq. Schoenbr. 1, 124.
 — — — Rchb. Mag. 60.
 — — — decumbens Willd. Rchb. Mag. 52.
 — — — denudata L. fil. Jacq. Schoenbr. 1, 122.
 — — — Cav. Diss. 181.
 — — — Rchb. Mag. 58.
 — — — disermaefolia Jacq. Jacq. Schoenbr. 1, 121.
 — — — Rchb. Mag. 68.
 — — — disticha Schrad. Schrad. Sert. hannov. 16.
 — — — Rchb. Mag. 60.
 — — — filifolia L. fil. Cav. Diss. 180.
 — — — Jacq. Schoenbr. 1, 123.
 — — — flammea Jacq. Jacq. Schoenbr. 1, 129.
 — — — Andr. Rep. 8, 550.
 — — — Bot. Mag. 33, 1349.
 — — — Rchb. Mag. 57.
 — — — hirsuta Schrad. Schrad. Sert. hannov. 4.
 — — — Rchb. Mag. 59.
 — — — hispidula Rchb. Rchb. Mag. 69.
 — — — holosericea Jacq. Jacq. Schoenbr. 3, 292.
 — — — Rchb. Mag. 61.
 — — — hyssopifolia L. Cav. Diss. 181.
 — — — Lam. Encycl. 570.
 — — — Rchb. Mag. 49.
 — — — incana Cav. Rchb. Mag. 53.
 — — — inflata Link. Link. Ic. II. 28.
 — — — Dict. sc. nat. 144.
 — — — involucrata Cav. Cav. Diss. 177.
 — — — latifolia Jacq. Jacq. Schoenbr. 1, 119.
 — — — lavandulaefolia L. Cav. Diss. 180.
 — — — Bot. Mag. 9, 304.
 — — — Jacq. Schoenbr. 2, 215.
 — — — Rchb. Mag. 56.
 — — — micans Schrad. Schrad. Sert. hannov. 5.
 — — — Rchb. Mag. 49.
 — — — mollis Willd. Rchb. Mag. 54.
 — — — multiflora Jacq. Jacq. Schoenbr. 1, 128.
 — — — Rchb. Mag. 69.
 — — — odorata Ait. Rchb. Mag. 56.
 — — — plicata Willd. Rchb. Mag. 54.
 — — — procumbens Cav. Cav. Diss. 177.
 — — — pulverata Andr. Andr. Rep. 3, 161.
 — — — Rchb. Mag. 52.
 — — — rotundifolia Jacq. Jacq. Schoenbr. 1, 118.
 — — — salvifolia L. Cav. Diss. 180.
 — — — scabra Cav. Cav. Diss. 182.
 — — — Jacq. Schoenbr. 1, 127.
 — — — Rchb. Mag. 59.
 — — — scordifolia Jacq. Jacq. Schoenbr. 1, 120.
 — — — Rchb. Mag. 58.
 — — — tenuifolia Sims. Bot. Mag. 33, 1348.
 — — — texana Gray. Gray Genera 135.
 — — — tigroensis Hochst. Richard Abyssin. 17.
 — — — trifoliata L. Cav. Diss. 182.
 — — — trifurcata L. Cav. Diss. 178.
 — — — Jacq. Schoenbr. 1, 125.
 — — — Rchb. Mag. 57.
 — — — triphylla L. Cav. Ciss. 178.
 — — — vesicaria Cav. Cav. Diss. 181.
 † *Hermas capitata* L. fil. Lam. Encycl. 851.
 † — — — depauperta L. Gaertn. Carp. 85.
 † — — — Lam. Encycl. 851.
Hermesia castaneifolia H. B. Humb. Pl. aeq. 46.
 — — — Lam. Encycl. 998.
Herminiera elaphroxylon Guill. Guillemin Seneg. 51.
Herminium alpinum Ldl. Rchb. Fl. germ. 13, 416.
 — — — cordatum Ldl. Bot. Reg. 18, 1499.
 — — — gramineum Ldl. Royle Illustr. 87.
 — — — Monorchis R. Br. Curt. Lond. 4, 139.
 — — — Baxter Brit. Bot. 4, 295.
 — — — Sv. Bot. 700.
 — — — Distr. Fl. bor. 1, 9.

- † *Herminium Monorchis* R. Br. Nees Genera 3, x.
 — — — Rchb. Fl. germ. 13, 415.
 — — — unalaschcense Rchb. fil. Rchb. Fl. germ. 13, 417.
Hermione aequilimba Herb. Herbert Amar. 48.
 — — — aperticorona Haw. Sweet Fl. G. II. 191.
 † — — — bifrons Haw. Herbert Amar. 38.
 † — — — brevistyla Herb. Herbert Amar. 41.
 — — — coreyrensis Herb. Herbert Amar. 37.
 † — — — dubia Herb. Herbert Amar. 43.
 † — — — elegans Herb. Herbert Amar. 41.
 † — — — italica Haw. Herbert Amar. 41.
 — — — obsoleta? Haw. Bot. Reg. 33, 22.
 † — — — papyracea Haw. Herbert Amar. 48.
 † — — — serotina Herb. Herbert Amar. 41.
 † — — — Tangieri Herb. Herbert Amar. 41.
 † — — — Tazetta Haw. Herbert Amar. 41.
 — — — tereticaulis Haw. Sweet Fl. G. II. 179.
 — — — Trewiana Haw. Sweet Fl. G. II. 118.
Hermodyctylus longifolius Sweet. Sweet Fl. G. II. 146.
Hernandia guianensis Aubl. Aublet Guiana 329.
 † — — — Lam. Encycl. 755.
 — — — ovigera L. Rumpf Amb. 3, 123.
 † — — — Gaertn. Carp. 40.
 † — — — Lam. Encycl. 755.
 — — — sonora L. Rumpf Amb. 2, 85.
 — — — Linné Hort. Cliff. 33.
 — — — Desc. Ant. 2, 143.
 — — — Wight Ic. pl. Ind. or. 5, 1855.
Herniaria ciliata Bab. Engl. Bot. 2857.
 — — — cinerea DC. DC. Faronych. 3.
 † — — — glabra L. Gaertn. Carp. 213.
 † — — — Lam. Encycl. 180.
 — — — Fl. dan. 3, 529.
 — — — Engl. Bot. 3, 206.
 — — — Schk. Handb. 56.
 — — — Hayne 4, 37.
 — — — Dietr. Fl. bor. 5, 305.
 † — — — Nees Gen. 4, 74.
 — — — hirsuta L. Engl. Bot. 20, 1379.
 — — — Baxter Brit. Bot. 4, 304.
 — — — Dietr. Fl. bor. 5, 306.
 — — — macrocarpa Sibth. Sibth. Fl. gr. 252.
 — — — polygonoides Cav. Cav. Ic. 131.
 — — — scabrida Boiss. Boissier Esp. 62.
Herpestis crenata Pal. B. Pal. B. Fl. d'Oware 112.
 — — — Monnieria H. B. K. Rheede Hort. mal. 10, 14.
 — — — Bot. Mag. 52, 2357.
 † — — — rotundifolia Pursh. Gaertn. Carp. 214.
 — — — stricta Schrad. Rchb. Hort. 52.
Herpetacanthus longiflorus Moric. Moric. Pl. Am. 93.
 — — — Schultzii N. v. E. Endl. Bras. 7, 12.
Herrania albiflora Goudot. Ann. sc. nat. III. 2, 5.
 † *Herreria Rz et P.* Ruiz et Pav. Prodr. 35.
 — — — parviflora Ldl. Bot. Reg. 12, 1042.
 — — — Salsaparilla Mart. Endl. Bras. 5, 4, 5.
 — — — stellata Rz et P. Ruiz et Pav. Fl. 303.
Hersilea ramosa Klotzsch. Prinz Waldem. Him. 83.
 — — — simplex Klotzsch. Prinz Waldem. Him. 83.
 † *Hesiodia bicolor* Moench. Nees Gen. 6, 37.
Hesperantha cinnamomea Gawl. Bot. Mag. 26, 1054.
 — — — pilosa Gawl. Bot. Mag. 31, 1254. 36, 1475.
 — — — radiata Gawl. var. Bot. Mag. 21, 790.
Hesperis acris Forsk. Delile Egypte 35.
 — — — africana L. W. et Kit. 277.
 — — — alyssifolia DC. Delessert Ic. 2, 61.
 — — — aprica Poir. Delessert Ic. 2, 62.
 — — — arcuata Nocca. Nocca Pl. select. 2.
 — — — arenaria Desf. Desf. Fl. atl. 162.
 — — — fragrans Fisch. Sweet Fl. G. 61.
 — — — grandiflora Sims. Bot. Mag. 53, 2683.
 — — — heterophylla Ten. Tenore Fl. nap. 163.
 — — — inodora L. Ruppius Fl. jen. 1.

- Hesperis inodora* L. Fl. dan. 6, 921, 924.
 — — — Jacq. Fl. austr. 4, 347.
 — — — Engl. Bot. 11, 731.
 — — — Rehb. Fl. germ. 2, 59.
 — *laciniata* All. All. Fl. ped. 3, 82.
 — — — Rehb. Fl. germ. 2, 58.
 † — *matronalis* L. Lam. Encycl. 564.
 — — — Baxter Brit. Bot. 6, 425.
 — — — Rousseau Bot. 9.
 — — — Rehb. Fl. germ. 2, 59.
 ! — — — Linnaea 10, 5.
 — *Menziesii* Hook. Hook. Beechey 75.
 — *nitens* Viv. Viviani Lib. 5.
 — *parviflora* DC. DC. Ic. Gall. 35.
 — — — Lois. Fl. gall. 11.
 — *pendula* Murr. N. Comm. Gott. 6, 6.
 — *pinnatifida* Desf. Ann. Mus. 11, 34.
 — — — Desf. Choix 47.
 — *pygmaea* Hook. Hook. Bor. Am. 19.
 — *ramosissima* Desf. Desf. Fl. atl. 161.
 — *runcinata* W. et K. W. et Kit. 200.
 — — — Rehb. Fl. germ. 2, 58.
 — *sibirica* Led. Ledeb. Ic. 394.
 — *speciosa* Sweet. Sweet Fl. G. II. 135.
 † — *tricuspidata* Lam. Lam. Encycl. 564.
 — *tristis* L. Jacq. Fl. austr. 2, 102.
 — — — Bot. Mag. 19, 730.
 — — — Schk. Handb. 184.
 — — — Lodd. Cab. 1951.
 — — — Rehb. Fl. germ. 2, 57.
Hesperomeles heterophylla Hook. Hook. Ic. pl. 9, 846.
Hesperoscordum hyacinthinum Ldl. Bot. Reg. 15, 1293.
 — *lacteum* Ldl. Bot. Reg. 19, 1639.
 — *Lewisii* Hook. Hook. Bor. Am. 198.
 † *Hesseea breviflora* Herb. Herbert Amar. 29, 43.
 † — *stellaris* Herb. Herbert Amar. 29.
Heteracia Szowitsii Fisch. et M. Jaubert Illustr. 287.
Heteractis falcata DC. Delessert Ic. 4, 65.
Heteranthelium piliferum Hochst. Jaubert Illustr. 318.
 † *Heteranthera* R. et P. Ruiz et Pav. Prodr. 2.
 — *graminea* Vahl. Torrey New York 133.
 — *reniformis* R. et P. Ruiz et Pav. Fl. 71.
 — — — Torrey New York 132.
 — *spicata* Presl. Presl. Symb. 10.
 — *zosteraefolia* Mart. Mart. Bras. 3.
Heteranthia decipiens N. v. E. Acta Leop. 11, 1, 3.
Heterocarpus glaber Wight. Wight Ic. pl. Ind. or. 6, 2067.
 — *hirsutus* Wight. Wight Ic. pl. Ind. or. 6, 2067.
 † *Heterocentron undulatum* Naud. Ann. sc. nat. III. 14, 7.
Heterochroa minuatioides Jaub. Jaubert Illustr. 12.
 — *petraea* Led. Ledeb. Ic. 155.
 — *spergulaefolia* Jaub. Jaubert Illustr. 13.
Heterocoma alba DC. Ann. Mus. 16, 7.
 — *bifrons* DC. Ann. Mus. 16, 8.
Heterodendrum oleaefolium Desf. Mem. Mus. 4, 3.
 † — — — Lam. Encycl. 959.
 † *Heteromorpha* Cham. et Schl. Linnaea 1, 5.
Heteroneuron argutum Fée. Fée Fil. 25.
 † — *diversifolium* Fée. Fée Fil. 5, 4.
 † — *meniscioides* Fée. Fée Fil. 53.
 — *paradoxum* Fée. Mem. Strassb. 4, 1.
 — *Preslianum* Fée. Fée Fil. 39.
 — *proliferum* Fée. Fée Fil. 53.
 — *punctulatum* Fée. Fée Fil. 54.
 — *repandum* Fée. Fée Fil. 57.
 — *sculpturatum* Fée. Fée Fil. 56.
 † — *serratifolium* Fée. Fée Fil. 55.
 † — *sinuosum* Fée. Fée Fil. 55.
 † *Heteronoma cubense* Naud. Ann. sc. nat. III. 14, 7.
 — *diversifolium* DC. Link Ic. II. 37.
 — *pachyloma* Mart. Mart. Bras. 273.

- † *Heterophlebium* Fée. Fée Fil. 5, 11.
 † *Heteropogon Allionii* R. et Sch. Nees Gen. 1, 94.
 — — — Rehb. Fl. germ. 1, 53.
 † *Heteropteris africana* Juss. Arch. Mus. 3, 14.
 — *argentea* H. B. K. H. B. K. Nov. Gen. 5, 450.
 — *chrysophylla* H. B. K. Bot. Mag. 60, 3237.
 † — *coerulea* H. B. K. Arch. Mus. 3, 14.
 † — *coleoptera* Juss. Arch. Mus. 3, 14.
 — *cordifolia* Moric. Moricand Pl. Am. 66.
 † — *macrostachya* Juss. Arch. Mus. 3, 14.
 — *nitida* H. B. K. var. aurea, Bot. Reg. 11, 950.
 — — — var. aurea, Rehb. Hort. 241.
 † — *platyptera* DC. Arch. Mus. 3, 14.
 — *pteropetala* Juss. St. Hil. Fl. Bras. 167.
 † — *rufula* Juss. Arch. Mus. 3, 14.
 † — *spectabilis* Juss. Arch. Mus. 3, 14.
 — *umbellata* Juss. St. Hil. Fl. Bras. 166.
 † — — — Arch. Mus. 3, 14.
 † — *venosa* Griseb. Arch. Mus. 3, 14.
Heterosperma pinnata Cav. Cav. Ic. 267.
Heterospermum diversifolium H. B. K. H. B. K. Nov. Gen. 4, 384.
 — *maritimum* H. B. K. H. B. K. Nov. Gen. 4, 383.
Heterostegia juncifolia Desv. H. B. K. Nov. Gen. 1, 54.
 † *Heterostemma acuminatum* Decne. Ann. sc. nat. II. 9, 10.
 — — — Delessert Ic. 5, 89.
 — *jangorensis* W. et A. Wight Ic. pl. Ind. or. 2, 348.
Heterostemon mimosoides Desf. Mem. Mus. 4, 12.
 — — — Lam. Encycl. 977.
 † *Heterostigma Heudelotianum* Gaudich. Gaudichaud Bonite 25.
Heterostylus gramineus Hook. Hook. Bor. Am. 185.
Heterotaenia thalictrifolia Boiss. Boissier Esp. 80^e.
Heterotaxis crassifolia Ldl. Bot. Reg. 12, 1028.
 — — — Lodd. Cab. 1657.
Heterotoma lobelioides Zucc. Endl. Iconogr. 53.
Heterotrichum macradon Planch. Bot. Mag. 75, 4421.
Heterotropia asaroides Morr. et Decne. Ann. sc. nat. II. 2, 10.
 — — — Bot. Mag. 66, 3746.
 † *Heuchera* L. Kerner Genera 110.
 — *acerifolia* Raf. Rafin. Med. 49.
 † — *americana* L. Gaertn. Carp. 36.
 † — — — Lam. Encycl. 184.
 — — — Schk. Handb. 58.
 — — — Novi Comm. Gott. 3, 1.
 — — — Barton Med. 40.
 — *cylindracea* Hook. Bot. Reg. 24, 1924.
 — *glabra* Willd. Hook. Bor. Am. 79.
 — *Menziesii* Hook. Hook. Bor. Am. 80.
 — *micrantha* Ldl. Bot. Reg. 15, 1302.
Heudelotia africana Rich. Guillemain Seneg. 39.
Hevea guianensis Aubl. Desc. Ant. 6, 452.
 — *peruviana* Aubl. Aublet Guiana 335.
 † *Hewardia adiantoides* Sm. Hook. Gen. Fil. 89.
 — — — Hook. Journ. 1841, 16, 17.
 — *tasmanica* Hook. Hook. Ic. pl. 9, 858.
 † *Hewetia bicolor* W. et A. Wight Illustr. 168^b.
 — — — Wight Ic. pl. Ind. or. 3, 835.
Hexacentris mysorensis Wight. Wight Ic. pl. Ind. or. 3, 871.
 — — — Paxt. Fl. G. 88.
 — — — Lem. Jard. fl. 3, 285.
 — — — Fl. d. serres 8, 752.
Hexalobus brasiliensis St. Hil. Ann. sc. nat. II. 17, 6.
 † — *madagascariensis* DC. Mem. Genev. 5, 5.
Hexameria disticha Bennett. Bennett Java 7.
Hexaptera cuneata Gill. et Hook. Gay Chile 5.
 — *cuneifolia* Hook. Hook. Bot. Misc. 74.
 — *Jussieui* Barn. Gay Chile 5.
 — *linearis* Barn. Gay Chile 5.

- Hexaptera pinnatifida *Hook.* Hook. Bot. Misc. 72.
 — spatulata *Hook.* Hook. Bot. Misc. 73.
 Hexarrhena cenchroides *Presl.* Presl Reliq. 45.
 Heylandia hebecarpa *DC.* DC. Legum. 34.
 Heymassoli spinosa *Aubl.* Aublet Guiana 125.
 Heynea trijuga *Roxb.* Roxb. Corom. 260.
 — — — Bot. Mag. 42, 1738.
 † — — — Mem. Mus. 19, 18.
 Hibbertia crenata *Andr.* Andr. Rep. 7, 472.
 — corifolia *Sims.* Bot. Mag. 53, 2672.
 — Cunninghamii *Ait.* Bot. Mag. 59, 3183.
 — dentata *R. Br.* Bot. Mag. 49, 2338.
 — — — Bot. Reg. 4, 282.
 — — — Lodd. Cab. 347.
 — — — Herb. amat. 5, 306.
 † — — — Spach Suites 59.
 — grossulariaefolia *Salisb.* Salisb. Parad. 73.
 — — — Bot. Mag. 30, 1218.
 — — — Lodd. Cab. 879.
 — — — Rchb. Mag. 74.
 — pedunculata *R. Br.* Lodd. Cab. 1139.
 — — — Bot. Reg. 12, 1001.
 — perfoliata *Hügel.* Bot. Reg. 29, 64.
 — virgata *Hook.* Hook. Ic. pl. 3, 267.
 — volubilis *Andr.* Andr. Rep. 2, 126.
 — — — Dict. sc. nat. 116.
 — — — Spach Suites 59.
 † Hibiscus *L.* Schk. Handb. 193.
 † — — Kerner Genera 6.
 † — — Gray Genera 133.
 † — — (Decaisne.) Acad. Brux. 13, 1.
 † — — ? Icones pl. Chinae 24.
 — Abelmoschus *L.* Rheede Hort. mal. 2, 38.
 — — — Rumpf Amb. 4, 15.
 — — — Cav. Diss. 62.
 — — — Desc. Ant. 5, 361.
 — acerifolius *Salisb.* Salisb. Parad. 33.
 — aculeatus *Roxb.* Rheede Hort. mal. 6, 44.
 — acuminatus *Cav.* Cav. Diss. 50.
 — aethiopicus *L.* Cav. Diss. 61.
 — amoenus *Link.* Link Ic. I. 56.
 — aquaticus *DC.* Tussac Ant. 3, 31.
 — — — Savi Fl. ital. 1, 2.
 — — — Kerner Hort. 812.
 — arenarius *Rottb.* Comm. Gott. 7, 3.
 — attenuatus *Bosse.* Preuss. Gart. Verein 4, 1.
 — Berlandierianus *Moric.* Moricand Pl. Am. 15.
 — — — Mem. Genev. 7, 15.
 — bifurcatus *Cav.* Cav. Diss. 51.
 — Boivini *Bel.* Belanger Ind. or. x.
 — calycosus *Rich.* Richard Abyssin. 14.
 — calyphyllus *Cav.* Cav. Diss. 140.
 — Cameroni *Kn. et W.* Knowles et Westcott 82.
 — — — Maund Bot. 5, 245.
 — — — Paxt. Mag. 8, 3.
 — — — Bot. Mag. 68, 3936.
 — — — Link Ic. III. 32.
 — Cameroni-fulgens *Hort.* Bot. Reg. 30, 28.
 — cannabinus *L.* Cav. Diss. 52.
 — — — Roxb. Corom. 190.
 — — — Rchb. Hort. 164.
 — clandestinus *Cav.* Cav. Ic. 2.
 — clypeatus *L.* Cav. Diss. 58.
 — — — Desc. Ant. 7, 517.
 — columnaris *Cav.* Cav. Diss. 59.
 — costatus *A. Rich.* Ramon Cuba 15.
 — cruentus *Bert.* Novi Comm. Bonon. 4, 45.
 — denudatus *Benth.* Benth. Sulphur 3.
 — digitatus *Cav.* Cav. Diss. 70.
 — — — Bot. Reg. 8, 608.
 — diversifolius *Jacq.* Jacq. Ic. 551.
 — — — Bot. Reg. 5, 381.

- Hibiscus diversifolius *Jacq.* Kerner Hort. 609.
 — domingensis *Jacq.* Jacq. Ic. 550.
 — — — Kerner Hort. 816.
 — esculentus *L.* Cav. Diss. 61.
 — — — Gil et Xarez 3.
 — — — Tussac Ant. 1, 10.
 — — — Desc. Ant. 4, 269.
 — ferox *Hook.* Bot. Mag. 74, 4401.
 — — — Fl. d. serres 4, 400.
 — ferrugineus *Cav.* Cav. Diss. 60.
 — ficulneoides *Ldl.* Bot. Reg. 11, 938.
 — ficulneus *L.* Cav. Diss. 51.
 — — — Rchb. Hort. 161.
 — flavescens *Cav.* Cav. Diss. 70.
 — fugax *Mart.* Preuss. Gart. Verein 3, 8.
 — Genevii *Bojer.* Bot. Mag. 59, 3144.
 — grandiflorus *Salisb.* Salisb. Parad. 22.
 — grossulariaefolius *Miq.* Bot. Mag. 73, 4329.
 — — — Annales de Gand 1848, 172.
 — hakeaefolius *Giord.* Giordano Memoria 1.
 — Hamabo *S. et Zucc.* Sieb. Fl. Japon. 93.
 — hastatus *Cav.* Cav. Diss. 50.
 — heterophyllus *Vent.* Vent. Malm. 103.
 — — — Kerner Hort. 611.
 — — — Dict. sc. nat. 137.
 — — — Bot. Reg. 1, 29.
 — hirtus *L.* Rheede Hort. mal. 10, 1.
 — — — Cav. Diss. 67.
 — — — Wight Ic. pl. Ind. or. 1, 41.
 — hispidus *Mill.* Bot. Reg. 10, 806.
 — Jacquinii *Colla.* Mem. Tur. 35, 12.
 — Jerroldianus *Paxt.* Paxt. Mag. 13, 1.
 — incanus *Wendl.* Wendl. Hort. herrenh. 24.
 — — — Kerner Hort. 105.
 — intermedius *Bel.* Belanger Ind. or. x.
 — kitaibeliaefolius *St. Hil.* St. Hil. Fl. Bras. 46.
 — Lambertianus *H. B. K.* H. B. K. Nov. Gen. 5, 478.
 — Lampas *Cav.* Cav. Diss. 56.
 — — — Wight Ic. pl. Ind. or. 1, 5.
 — lasiocarpus *Cav.* Cav. Diss. 70.
 — lavaterioides *Moric.* Moricand Pl. Am. 16.
 — — — Mem. Genev. 7, 16.
 — lilacinus *Ldl.* Bot. Reg. 23, 2009.
 — liliiflorus *Cav.* Cav. Diss. 57.
 — — — Lodd. Cab. 1995.
 — — — Rchb. Exot. 245.
 — — — hybr. Bot. Mag. 56, 2891.
 — Lindleyi *Wall.* Wall. Pl. asiat. 4.
 — — — Lodd. Cab. 1849.
 — — — Bot. Reg. 17, 1395.
 — — — Paxt. Mag. 1, 77.
 — lunarifolius *Willd.* Wight Ic. pl. Ind. or. 1, 6.
 — macrophyllus *Roxb.* Wall. Pl. asiat. 51.
 — maculatus *Desr.* Desc. Ant. 7, 528.
 — Manihot *L.* Cav. Diss. 63.
 — — — Bot. Mag. 41, 1702. 59, 3152.
 — membranaceus *Cav.* Cav. Diss. 57.
 — micans *Cav.* Cav. Diss. 60.
 — micranthus *L. fil.* Cav. Diss. 66.
 — militaris *Cav.* Cav. Diss. 198.
 — — — Bot. Mag. 50, 2385.
 — Moscheutos *L.* Cav. Diss. 65.
 — — — Sweet Fl. G. 286.
 — — — Bot. Reg. 33, 7.
 — — — Gray Genera 133.
 — multifidus *Paxt.* Paxt. Mag. 7, 103.
 — mutabilis *L.* Rheede Hort. mal. 6, 38 — 42.
 — — — Rumpf Amb. 4, 9.
 — — — Cav. Diss. 62.
 — — — Andr. Rep. 4, 228.
 — — — Bot. Reg. 7, 589.

- Hibiscus mutabilis* L. Desc. Ant. 4, 270.
 — — Savi Fl. ital. 2, 71.
 — obtusifolius Willd. Rchb. Hort. 162.
 — ovatus Cav. Cav. Diss. 50.
 — owariensis Pal. B. Pal. B. Fl. d'Oware 117.
 — palmatus Cav. Cav. Diss. 63.
 — palustris L. Cav. Diss. 65.
 — — Bot. Mag. 23, 882.
 — — Kerner Hort. 387.
 — — Rchb. Exot. 141.
 — — Bot. Reg. 17, 1463.
 — panduraeformis Burm. Burm. Fl. ind. 47.
 — Patersonii Ait. Andr. Rep. 4, 286.
 — pedunculatus L. fil. Cav. Diss. 66.
 — — Lodd. Cab. 836.
 — — Bot. Reg. 3, 231.
 — pentacarpos L. Jacq. Ic. 143.
 — — Cav. Diss. 66.
 — pernambucensis Bert. Novi Comm. Bonon. 7, 13.
 — phoeniceus L. Jacq. Vind. 3, 14.
 — — Cav. Diss. 67.
 — — Bot. Reg. 3, 230.
 — Pinonianus Gaudich. Freycinet Voyage 100.
 — populneus L. Rumpf Amb. 2, 74.
 — — Cav. Diss. 66.
 — praemorsus L. fil. Jacq. Ic. 141.
 — — Bot. Mag. 13, 436.
 — pruriens Roxb. Andr. Rep. 8, 498.
 — — Kerner Hort. 896.
 — racemosus Ldl. Bot. Reg. 11, 917.
 — radiatus Cav. Cav. Diss. 54.
 — — Jacq. Schoenbr. 4, 463.
 — — Bot. Mag. 44, 1911.
 — — Kerner Hort. 569.
 — rhombifolius Cav. Cav. Diss. 69.
 — Richardsons Sweet. Bot. Reg. 11, 875.
 — Rosa malabarica Koen. Lodd. Cab. 769.
 — — Bot. Reg. 4, 337.
 — Rosa sinensis L. Rheede Hort. mal. 2, 17, 6, 43.
 — — Rumpf Amb. 4, 8.
 — — Cav. Diss. 69.
 — — Bot. Mag. 5, 158.
 — — Smith Spic. 8.
 — — Kerner Hort. 35.
 — — Lodd. Cab. 513. 932. 963. 998.
 — — Herb. amat. 4, 273.
 — — Tratt. Archiv 398.
 — — Savi Fl. ital. 2, 65.
 — — Bot. Reg. 21, 1826.
 — roseus Thore. Maund Bot. 1, 19.
 — — Sweet Fl. G. 277.
 — — Savi Fl. ital. 1, 1.
 — — Rchb. Fl. germ. 5, 182.
 — Roesii Kn. et W. Knowles et Westcott 82.
 — Sabdariffa L. Cav. Diss. 198.
 — — Bonpland Malm. 29.
 — — Desc. Ant. 1, 31.
 — — Herb. amat. 5, 296.
 — scindicus Stocks. Hook. Ic. pl. 9, 802.
 — senegalensis Cav. - Cav. Diss. 68.
 — sinuatus Cav. Cav. Diss. 52.
 — Solandra L'her. L'her. Stirp. 49.
 — speciosus Ait. Bot. Mag. 10, 360.
 — — Wendl. Hort. herrenh. 11.
 — — Kerner Hort. 47.
 — — Tratt. Archiv 235. 235.
 — — Barton Fl. 1, 9.
 — spicatus Cav. Cav. Diss. 59.
 — spinifex L. Jacq. Hist. stirp. am. 185.
 — — Jacq. Vind. 103.
 — spiralis Cav. Cav. Ic. 162. 500.
 — splendens Frazer. Bot. Mag. 57, 3025.

- Hibiscus splendens* Griseb. Knowles et Westcott 22.
 — — Bot. Reg. 19, 1629.
 — — Lodd. Cab. 1835.
 — — Maund Bot. 5, 225.
 — — Paxt. Mag. 3, 147.
 — striatus Cav. Cav. Diss. 54.
 — strigosus Ldl. Bot. Reg. 10, 860.
 — surattensis L. Rumpf Amb. 4, 16.
 — — Cav. Diss. 53.
 — — Bot. Mag. 33, 1356.
 — — Rchb. Hort. 141.
 — — Wight Ic. pl. Ind. or. 1, 197.
 — syriacus L. Cav. Diss. 69.
 — — Bot. Mag. 3, 83.
 — — var. Paxt. Mag. 2, 3.
 — — var. Paxt. Fl. G. 106.
 — — Rchb. Fl. germ. 5, 181.
 — tampicensis Moric. Moricand Pl. Amer. 14.
 — — Mem. Genev. 7, 14.
 — Telfairiae Hort. Maund Bot. 5, 212.
 — ternatus Cav. Cav. Diss. 64.
 — tiliaceus L. Rumpf Amb. 2, 73.
 — — Cav. Diss. 55.
 — — Gaertn. Carp. 135.
 — — Tussac Ant. 2, 5.
 — — Bot. Reg. 3, 232.
 — — Desc. Ant. 2, 148.
 — tiliaceifolius Salisb. Salisb. Parad. 94.
 — tricuspis Banks. Cav. Diss. 55.
 — trilobus Burm. Cav. Diss. 53.
 — — Desc. Ant. 6, 381.
 — Trionum L. Gaertn. Carp. 134.
 — — Cav. Diss. 64.
 — — Bot. Mag. 6, 209.
 — — Sibth. Fl. gr. 666.
 — — Rchb. Fl. germ. 5, 181.
 — truncatus A. Rich. Ramon Cuba 16.
 — tubulosus Cav. Cav. Diss. 68.
 — — Rchb. Hort. 163.
 — tulipaeflorus Hook. Hook. Ic. pl. 8, 707. 708.
 — unidens Ldl. Bot. Reg. 11, 878.
 — unilateralis Cav. Cav. Diss. 67.
 — — Desc. Ant. 6, 382.
 — urens L. fil. Cav. Diss. 67.
 — vesicarius Cav. Cav. Diss. 64.
 — virginicus L. Jacq. Ic. 142.
 — vitifolius L. Rheede Hort. mal. 6, 46.
 — — Gaertn. Carp. 135.
 — — Cav. Diss. 58.
 — Wrayae Ldl. Bot. Reg. 26, 69.
 — zeylanicus L. Rumpf Amb. 4, 14.
 — — Burm. Fl. ind. 48.
 — Hieracium L. Monnier Essai 1. 5.
 — acutifolium Vill. Villars Précis 3.
 — albidum Vill. Vill. Dauph. 31.
 — alpestre Jacq. Jacq. Fl. austr. 2, 191.
 — alpinum L. All. Fl. ped. 3, 14.
 — — Fl. dan. 1, 27.
 — — Sv. Bot. 644.
 — — Lightf. Fl. scot. 1, 18.
 — — Engl. Bot. 16, 1110.
 — — β . pumilum, Sturm Flora 10, 37.
 — — γ . Halleri, Sturm Flora 10, 39.
 — — Dietr. Fl. bor. 8, 866.
 — amplexicaule L. All. Fl. ped. 3, 15. 30.
 — — Engl. Bot. 2690.
 — — β . petraeum, Sturm Flora 10, 39.
 — andryaloides Vill. Vill. Dauph. 29.
 — angustifolium Willd. Villars Précis 3.
 — — Hoppe. Schw. Denkschr. 3, 5.
 — aurantiacum L. Fl. dan. 7, 1112.
 — — All. Fl. ped. 3, 14.

- Hieracium aurantiacum* L. Jacq. Fl. austr. 5, 410.
 — — — Engl. Bot. 21, 1469.
 — — — Sturm Flora 10, 39.
 — aureum Scop. Vill. Dauph. 33.
 — Auricula L. Fl. dan. 7, 1111.
 — — — Engl. Bot. 33, 2368.
 — — — Sturm Flora 10, 37.
 — — — Dietr. Fl. bor. 10, 674.
 — balsameum Asso. Asso Aragon. 7.
 — bifurcum M. v. B. Dietr. Fl. bor. 11, 734.
 — bulbosum Willd. Sibth. Fl. gr. 798.
 — bupleuroides Gm. Gmelin Fl. bad. 3, 2.
 — capillaceum All. All. Fl. ped. 3, 31.
 — cerinthoides Gouan. Gouan Illustr. 22.
 — — Vill. Vill. Dauph. 32.
 — — Sm. Engl. Bot. 34, 2378.
 — chondrilloides Jacq. Jacq. En. vind. 7.
 — — Jacq. Fl. austr. 5, 429.
 — chrysanthum Led. Ledeb. Ic. 456.
 — collinum Gochn. Gochnat Cichor. 2.
 — — Dietr. Fl. bor. 11, 735.
 — croaticum W. et K. W. et Kit. 218.
 — cymosum Vill. Villars Précis 4.
 — — Dietr. Fl. bor. 11, 737.
 — — Spr. Sprengel Fl. hal. 10.
 — — L. Fl. dan. 5, 810.
 — — — Sturm Flora 10, 39.
 — — — Rchb. Pl. crit. 1, 17. 56.
 — dentatum Hoppe. Sturm Flora 10, 39.
 — denticulatum Sm. Engl. Bot. 30, 2122.
 — dubium L. Fl. dan. 6, 1044.
 — — Schrank Fl. monac. 4, 355.
 — — Sm. Engl. Bot. 33, 2332.
 — echinoides Lumn. W. et Kit. 85.
 — — Dietr. Fl. bor. 11, 736.
 — eriophorum St. Am. Bull. philom. 1811. no. 52.
 — erianthum H. B. K. H. B. K. Nov. Gen. 4, 302.
 — fallax Willd. Rchb. Pl. crit. 1, 39.
 — flagellare Willd. Dietr. Fl. bor. 11, 790.
 — flexuosum W. et K. W. et Kit. 209.
 — florentinum All. Sprengel Fl. hal. 10.
 — — Schrank Fl. monac. 4, 374.
 — — Sturm Flora 10, 39.
 — foetidum Willd. Sibth. Fl. gr. 799.
 — foliosum W. et K. W. et Kit. 145.
 — furcatum Hoppe. Sturm Flora 10, 37.
 — fuscum Vill. Villars Précis 1.
 — glabratum Hoppe. Sturm Flora 10, 37.
 — glanduliferum Hoppe. Sturm Flora 10, 39.
 — glaucum All. All. Fl. ped. 3, 28. 81.
 — grandiflorum All. All. Fl. ped. 3, 29.
 — — W. et Kit. 99.
 — Halleri Vill. Vill. Dauph. 34.
 — — Spr. Curt. Lond. 5, 215.
 — humile Host. Jacq. Fl. austr. 2, 189.
 — hybridum Vill. Vill. Dauph. 26.
 — — Chaix. Villars Précis 2.
 — hyoseridifolium Vill. Soc. d. amat. 1, 2.
 — — Zollik. Alpenfl. 10.
 — Jacquini Vill. Vill. Dauph. 28.
 — javanicum Burm. Burm. Fl. ind. 57.
 — incanum L. Jacq. Fl. austr. 3, 287.
 — incarnatum Scop. Jacq. Ic. 578.
 — incisum Hoppe. Sturm Flora 10, 39.
 — intybaceum Jacq. Jacq. Fl. austr. 5, 43.
 — — Hoppe. Sturm Flora 10, 39.
 — laevigatum Willd. Willdenow Hort. 16.
 — — Dietr. Fl. bor. 11, 792.
 — lampsanoides Gouan. Gouan Illustr. 21.
 — lanatum W. et K. W. et Kit. 127.
 — lanceolatum Vill. Vill. Dauph. 30.
 — laniferum Cav. Cav. Ic. 234.

- Hieracium Lapeyrousii* Froel. Engl. Bot. 2915.
 — Lawsonii Vill. Vill. Dauph. 29.
 — — — Mutel Fl. fr. 34.
 — — — Engl. Bot. 29, 2083.
 — Liotardi Vill. Vill. Dauph. 29.
 — lyrato-acutum Vill. Vill. Dauph. 28.
 — lyratum L. Vill. Dauph. 28.
 — macranthum Ten. Tenore Fl. nap. 184.
 — maculatum Sm. Engl. Bot. 30, 2121.
 — molle Jacq. Jacq. Fl. austr. 2, 119.
 — — — Engl. Bot. 31, 2210.
 — montanum Scop. Scop. Fl. carn. 2, 50.
 — — Jacq. Jacq. Fl. austr. 2, 190.
 — murorum L. All. Fl. ped. 3, 28.
 — — — Sturm Flora 10, 39.
 — — — β . Fl. dan. 7, 1113.
 — — — Engl. Bot. 29, 2082.
 — — — var. Rochel Banat. 29.
 — — — α . β . γ . Johnston Eastern Bord. 2.
 — Nestleri Vill. Villars Précis 4.
 — nigrescens Willd. Willdenow Hort. 10.
 — obscurum Rchb. Rchb. Pl. crit. 1, 55.
 — pallescens W. et K. W. et Kit. 217.
 — paludosum All. All. Fl. ped. 3, 28. 31.
 — — L. Fl. dan. 6, 928.
 — — Schk. Handb. 221.
 — — — Lam. Encycl. 652.
 — — — Engl. Bot. 16, 1094.
 — pappoleucum Vill. Vill. Dauph. 31.
 — Pelletarianum DC. Dietr. Fl. bor. 12, 852.
 — picroides Vill. Villars Précis 1.
 † — Pilosella L. Gaertn. Carp. 158.
 — — — Curt. Lond. 2, 90.
 — — — Engl. Bot. 16, 1093.
 — — — Dreves 1, 17.
 — — — Hayne 3, 42.
 — — — Fl. dan. 7, 1110.
 — — — Sv. Bot. 458.
 — — — Sturm Flora 7, 27.
 — — — Schrank Fl. monac. 2, 196.
 — — — Dietr. Fl. bor. 10, 673.
 — pilosellaeforme Hoppe. Sturm Flora 10, 37.
 — piloselloides Vill. Vill. Dauph. 27.
 — — — Rchb. Pl. crit. 1, 38.
 — — — Sturm Flora 10, 39.
 — polytrichum Led. Ledeb. Ic. 461.
 — porrifolium L. Jacq. En. vind. 6.
 — — — Jacq. Fl. austr. 3, 286.
 — — — Sturm Flora 10, 39.
 — praealtum Vill. Villars Précis 2.
 — — — Rchb. Pl. crit. 1, 55.
 — — — Dietr. Fl. bor. 11, 738.
 — praemorsum L. Fl. dan. 6, 942.
 — pratense Tausch. Sturm Flora 10, 39.
 — — — Dietr. Fl. bor. 11, 791.
 — prenanthoides Vill. Villars Précis 3.
 — — — Engl. Bot. 32, 2235.
 — — — Johnston Eastern Bord. 3.
 — prunellaefolium Gouan. Gouan Illustr. 22.
 — — — All. Fl. ped. 3, 15.
 — pseudo-pilosella Ten. Tenore Fl. nap. 184.
 — pulmonarioides Vill. Vill. Dauph. 34.
 — pulmonarium Sm. Engl. Bot. 33, 2307.
 — pyrenaicum L. Rochel Banat. 29.
 — racemosum W. et K. W. et Kit. 193.
 — ramosum W. et K. W. et Kit. 216.
 — repandum Schrk. Münchn. Denkschr. 4, 16.
 — rupestre All. Allione Auct. 1.
 — sabandum L. Pallas Fl. ross. 3, 3.
 — — — Fl. dan. 5, 872.
 — — — All. Fl. ped. 3, 27.
 — — — Engl. Bot. 5, 349.

- Hieracium sabaudum* L. Schrank Fl. monac. 3, 349.
 — — — Dietr. Fl. bor. 11, 740.
 — — — Johnston Eastern Bord. 3.
 — sabinum Seb. Sebastiani Fl. rom. 6.
 — — — Sebastiani Pl. rom. 1, 1.
 — saxatile Jacq. Jacq. Obs. 50.
 — — — Jacq. Ic. 163.
 — — — Sturm Flora 10, 39.
 — — — Vill. Vill. Dauph. 29.
 — Schmidti Tausch. Dietr. Fl. bor. 12, 851.
 — Schraderi Schleich. Sturm Flora 10, 37.
 — silvaticum Sm. Engl. Bot. 29, 2031.
 — — — Johnston Eastern Bord. 2.
 — — — Schrank Fl. monac. 1, 12.
 — silvestre Tausch. Dietr. Fl. bor. 11, 739.
 — simplex Viv. Viviani Lib. 13.
 — spicatum All. All. Fl. ped. 3, 27.
 — staticifolium All. All. Fl. ped. 3, 81.
 — — — Vill. Dauph. 27.
 — — — Lam. Encycl. 632.
 — — — Sturm Flora 7, 28.
 — — — Schrank Fl. monac. 3, 283.
 — stipitatum Jacq. Jacq. Fl. austr. 3, 293.
 — stoloniferum Viv. Viviani Fl. ital. 20.
 — stoloniflorum W. et K. W. et Kit. 273.
 — strictum Bab. Johnston Eastern Bord. 3.
 — sudeticum Sternb. Regensb. Denkschr. 2, 5.
 — Taraxaci L. Retzius Obs. 4, 2.
 — umbellatum L. Curt. Lond. 1, 87.
 — — — Engl. Bot. 25, 1771.
 — — — Baxter Brit. Bot. 3, 165.
 — — — Fl. dan. 4, 680.
 — — — Sv. Bot. 425.
 — — — Dietr. Fl. bor. 12, 834.
 — — — Johnston Eastern Bord. 3.
 — valdepilosum Vill. Vill. Dauph. 30.
 — variegatum Lam. Lam. Encycl. 632.
 — verbascifolium Pers. Villars Précis 3.
 — villosum L. Jacq. Fl. austr. 1, 87.
 — — — Sturm Flora 10, 37.
 — — — Engl. Bot. 34, 2379.
 — — — var. Rochel Banat. 29.
 — Virga aurea Coss. Ann. sc. nat. III. 7, 12.
 † *Hierochloa* Gmelin. Ann. d'obs. 2, 2, 3, 4.
 † — — — Dumortier Gram. 9.
 — antarctica R. Br. Humb. Gram. 203.
 — — — var. redolens, Brongniart Coquille 23.
 (errore 30.)
 — australis R. et Rch. Sturm Flora 1, 4.
 — — — Rchb. Fl. germ. 1, 107.
 † — — — Nees Gen. 1, 15.
 — borealis R. et Sch. Engl. Bot. 2641.
 — — — Baxter Brit. Bot. 2, 148.
 — — — Rchb. Fl. germ. 1, 107.
 † — — — Nees Gen. 1, 15.
 — Brunonis Hook. Hook. Fl. ant. 52.
 — odorata Wahlenb. Sturm Flora 1, 40.
 — utriculata Kth. Humb. Gram. 8.
Hieronima alchornioides Allem. Allemão Diss. 1848, x.
Higginsia mexicana Link et Kl. Link Ic. III. 23.
Hilaria cenchroides H. B. K. H. B. K. Nov. Gen. 1, 37.
 — — — Dict. sc. nat. 19.
 — — — Lam. Encycl. 911.
Hillia longiflora Sw. Swartz Obs. 5.
 † — — — Gaertn. Carp. 197.
 — — — Andr. Rep. 3, 145.
 — — — Bot. Mag. 19, 721.
 — parasitica L. Jacq. Hist. stirp. am. 97.
 † — — — Lam. Encycl. 257.
 — prasiantha Ch. Lem. Fl. d. serres 3, 188.
 — tetrandra Sw. Swartz Ic. Ind. occ. 11.
 † — — — Gaertn. Carp. 197.

- Himeranthus erosus* Miers. Miers Illustr. 5.
 — runcinatus Miers. Miers Illustr. 4.
 — tridentatus Miers. Miers Illustr. 4.
Hindsia violacea Benth. Paxt. Mag. 11, 197.
 — — — Bot. Reg. 30, 40.
 — — — Bot. Mag. 71, 4135.
 — — — Fl. d. serres 1, 7.
 † *Hippeastrum* Herb. Herbert Amar. 34.
 — ambiguum Herb. Bot. Mag. 64, 3542.
 — aulicum Herb. Knowles et Westcott 52.
 † — barbatum Herb. Herbert Amar. 21.
 † — breviflorum Herb. Herbert Amar. 21.
 — — — Bot. Mag. 64, 3549.
 — decoratum Lem. Lem. Jard. fl. 4, 338.
 † — miniatum Herb. Herbert Amar. 47.
 — pulverulentum Herb. Bot. Mag. 49, 2273.
 — solandriflorum Herb. Bot. Mag. 52, 2573.
 — — — Ldl. Bot. Mag. 66, 3771.
 — spathaceum Herb. Bot. Mag. 49, 2315.
 — splendens Herb. Herbert Appendix 4.
 — stylosum Herb. Bot. Mag. 49, 2278.
 — subbarbatum Herb. Bot. Mag. 51, 2475.
 † — Tweedieanum Herb. Herbert Amar. 21.
 † *Hippia frutescens* L. Gaertn. Carp. 164.
 † — — — Lam. Encycl. 717.
 — — — Bot. Mag. 43, 1855.
 — stolonifera Brot. Brotero Phytogr. 73.
Hippion aestivum Schmidt. Roemer Archiv 1, 4.
 — axillare Schmidt. Roemer Archiv 1, 5.
 — bavaricum Schmidt. Roemer Archiv 1, 5.
 — cruciatum Schmidt. Schrank Fl. monac. 2, 153.
 — Gentianella Schmidt. Roemer Archiv 1, 3.
 — longepedunculatum Schmidt. Roemer Arch. 1, 2.
 — nanum Schmidt. Roemer Archiv 1, 4.
 — obtusifolium Schmidt. Roemer Archiv 1, 2.
 — pusillum Schmidt. Roemer Archiv 1, 3.
 — sexfidum Schmidt. Roemer Archiv 1, 4.
 — vernum Schmidt. Roemer Archiv 1, 4.
 — — — Schrank Fl. monac. 1, 56.
 † *Hippocastanum vulgare* Gaertn. Gaertn. Carp. 111.
 † — — — Lam. Encycl. 273.
 — — — Nouveau Duhamel 2, 13, 14.
Hippocratea arborea Roxb. Roxb. Corom. 205.
 — Arnottiana Wight. Wight Illustr. 46—47.
 — emarginata Rudge. Rudge Pl. Guianae 9.
 — Glaga Korth. Korthals Bot. 40.
 — Grahami Wight. Wight Ic. pl. Ind. or. 2, 380.
 — indica Willd. Roxb. Corom. 130.
 — macrantha Korth. Korthals Bot. 39.
 — malpighiaefolia Rudge. Rudge Pl. Guianae 8.
 — obcordata Lam. Lam. Encycl. 28.
 — obtusifolia Roxb. Wight Ic. pl. Ind. or. 3, 963.
 — ovata Lam. Lam. Encycl. 28.
 — paniculata Vahl. Guillemain Seneg. 25.
 — Richardiana Guill. Guillemain Seneg. 26.
 — scandens Jacq. Jacq. Hist. stirp. am. 12.
 — — — Dict. sc. nat. 162.
 — — — Desc. Ant. 4, 290.
 — Schimperiana Hochst. Richard Abyssin. 22.
 — viridis R. et P. Ruiz et Pav. Fl. 74.
Hippocrepis balearica Jacq. Jacq. Ic. 149.
 — — — Bot. Mag. 12, 427.
 † — — — Lam. Encycl. 630.
 — — — Roemer Fl. eur. 7, 7.
 — ciliata Willd. Mag. naturf. Fr. 2, 5.
 — — — Moris Fl. sard. 67.
 — comosa L. Engl. Bot. 1, 31.
 — — — Baxter Brit. Bot. 5, 369.
 — — — Schrank Fl. monac. 3, 262.
 — glauca Ten. Tenore Fl. nap. 69.
 — multisiliquosa L. Schk. Handb. 206.
 — — — Sibth. Fl. gr. 717.

- Hippocrepis multisiliquosa* L. Moris Fl. sard. 66.
 — *unisiliquosa* L. Sibth. Fl. gr. 716.
 † — — — Lam. Encycl. 630.
 — *valentina* Boiss. Boissier Esp. 55.
Hippoplossum umbellatum Breda. Breda Orch. Jav. 14.
Hippomane biglandulosa L. Desc. Ant. 3, 154.
 — *Mancinella* L. Jacq. Hist. stirp. am. 238.
 † — — — Svensk Acad. 1790, 10.
 — — — Lam. Encycl. 793.
 — — — Dict. sc. nat. 278.
 — — — Tussac Ant. 3, 5.
 † — — — Jussieu Euphorb. 16.
 — — — Ricord Recherches 3.
 — — — Desc. Ant. 3, 153.
 — *spinosa* L. Desc. Ant. 3, 155.
Hippophae rhamnoides L. Pallas Fl. ross. 68.
 — — — Fl. dan. 2, 265.
 — — — Engl. Bot. 6, 425.
 — — — Baxter Brit. Bot. 6, 426.
 — — — Sv. Bot. 353.
 † — — — Mem. hist. nat. Par. 1, 24.
 † — — — Lam. Encycl. 808.
 † — — — Gaertn. Carp. 42.
 — — — Schk. Handb. 321.
 — — — Tratt. Archiv 165.
 — — — Hartig 60.
 — — — Schrank Fl. monac. 1, 76.
 — — — Rchb. Fl. germ. 11, 349.
 † — — — Nees Gen. 4, 44.
 † — — — Schnizl. Iconogr. 2, 111.
Hippotis triflora R. et P. Ruiz et Pav. Fl. 201.
 † *Hippuris* L. Ann. Mus. 3, 39.
 — *lanceolata* Retz. Retzius Obs. 31.
 — *maritima* Hell. Hellenius Monogr. 1.
 — — — Usteri Delectus 1, 1.
 — — — Fl. dan. 8, 1261.
 — — — Rchb. Pl. crit. 1, 86.
 — *montana* Led. Rchb. Pl. crit. 1, 86.
 † — *tetraphylla* L. fil. Lam. Encycl. 5.
 † — *vulgaris* L. Gaertn. Carp. 84.
 † — — — Lam. Encycl. 5.
 — — — Fl. dan. 1, 87.
 — — — Curt. Lond. 2, 1.
 † — — — Konig Ann. 1, 12.
 — — — Engl. Bot. 11, 763.
 — — — Baxter Brit. Bot. 1, 49.
 — — — Sv. Bot. 335.
 — — — Dict. sc. nat. 220.
 — — — Schk. Handb. 1.
 — — — Dreves 3, 93.
 — — — Tratt. Archiv 270.
 — — — Sturm Flora 11, 44.
 — — — Schrank Fl. monac. 3, 275.
 — — — Dietr. Fl. bor. 5, 304.
 † — — — Nees Gen. 4, 2.
Hiptage Madablota Gaertn. Rheede Hort. mal. 6, 59.
 † — — — Gaertn. Carp. 116.
 † — — — Arch. Mus. 3, 16.
 — — — Wight Illustr. 50.
Hiraea argentea Juss. St. Hil. Fl. Bras. 163.
 † — — — Arch. Mus. 3, 19.
 — *Blanchetiana* Moric. Moricand Pl. Am. 65.
 — *cordifolia* Juss. St. Hil. Fl. Bras. 164.
 — *cycloptera* M. et S. Hook. Beechey 58.
 † — *fagifolia* Juss. Arch. Mus. 3, 19.
 — *fulgens* Juss. Miquel Surin. 22.
 — *hirsuta* Wall. Wall. Pl. asiat. 13.
 — *indica* Roxb. Wight Ic. pl. Ind. or. 2, 381.
 † — *reclinata* Jacq. Spach Suites 20.
 † — *Salzmanniana* Juss. Arch. Mus. 3, 19.
 — *sepium* Juss. St. Hil. Fl. Bras. 163.
 † — — — Arch. Mus. 3, 19.

- Hirtella americana* L. Aublet Guiana 98.
 † — — — Gaertn. Carp. 185.
 — — — Jacq. Hist. stirp. am. 11.
 — *filiformis* Presl. Presl Symb. 69.
 — *hexandra* Willd. Miquel Surin. 7.
 — *hispidula* Mig. Miquel Surin. 7.
 — *mollicoma* H. B. K. H. B. K. Nov. Gen. 7, 658.
 — *paniculata* Sw. Vahl Symb. 31.
 — *polyandra* H. B. K. H. B. K. Nov. Gen. 6, 565.
 — *racemosa* R. et P. Ruiz et Pav. Fl. 227.
 — — — Lam. Encycl. 138.
 — *triandra* Sw. Kerner Hort. 138.
Hisingera nitida Hellen. Svensk Acad. 1792, 2.
 — *racemosa* S. et Zucc. Sieb. Fl. Japon. 88, 100.
Hispidella hispanica Lam. Hoffm. Lk. Fl. port. 94.
Hladnickia pastinacifolia Rchb. Rchb. Ic. crit. 9, 825.
Hoarea atra Sweet. Sweet Geran. 72.
 — *atrosanguinea* Sweet. Sweet Geran. 151.
 — *carinata* Sweet. Sweet Geran. 135.
 — *coccinea* Sweet. Sweet Geran. 398.
 — *coluteaefolia* Sweet. Sweet Geran. 311.
 — *Colvillii* Sweet. Sweet Geran. 260.
 — *congesta* Sweet. Sweet Geran. 302.
 — *corydaliflora* Sweet. Sweet Geran. 18.
 — *elegans* Sweet. Sweet Geran. 132.
 — *hedysarifolia* Sweet. Sweet Geran. 355.
 — *labyrinthica* Sweet. Sweet Geran. 276.
 — *Lecana* Sweet. Sweet Geran. 323.
 — *melanantha* Sweet. Sweet Geran. 73.
 — *nivea* Sweet. Sweet Geran. 182.
 — *orobifolia* Sweet. Sweet Geran. 304.
 — *ovalifolia* Sweet. Sweet Geran. 106.
 — *radicata* Sweet. Sweet Geran. 174.
 — *reticulata* Sweet. Sweet Geran. 91.
 — *retusa* Sweet. Sweet Geran. 307.
 — *rosea* Sweet. Sweet Geran. 262.
 — *selinifolia* Sweet. Sweet Geran. 159.
 — *setosa* Sweet. Sweet Geran. 88.
 — *sisymbriifolia* Sweet. Sweet Geran. 292.
 — *undulaeflora* Sweet. Sweet Geran. 263.
 — *varia* Sweet. Sweet Geran. 166.
 — *venosa* Sweet. Sweet Geran. 209.
 — *violaeiflora* Sweet. Sweet Geran. 123.
Hochstetteria Schimper DC. DC. Compos. 6.
Hockinia montana Gardn. Fielding Sertum 47.
 † *Hoffmannia* Sw. Swartz Fl. Ind. occ. 5.
Hoffmanneggia falcata Cav. Cav. Ic. 392.
 † — — — Lam. Encycl. 952.
 — *trifoliata* Cav. Cav. Ic. 393.
 † *Hohenackera dupleurifolia* Fisch. et M. Linnaea 11, 7.
 — — — Sert. petrop. 4.
 — — — Jard. Petersb. 9.
Hoheria angustifolia Decne. Raoul Nouv. Zel. 26.
 — *Lyallii* Hook. Hook. New Zeal. 11.
 — *populnea* Cunn. Hook. Ic. pl. 6, 565, 566.
Hoitzia coccinea Cav. Cav. Ic. 365.
 — — — Knowles et Westcott 99.
 — *coerulea* Cav. Cav. Ic. 366.
 — *glandulosa* Cav. Cav. Ic. 367.
Holarrhena Codaga G. Don. Rheede Hort. mal. 1, 47.
 — — — Wight Ic. pl. Ind. or. 4, 1297.
 — *malaccensis* Wight. Wight Ic. pl. Ind. or. 4, 1298.
Hollboellia acuminata Ldl. Lem. Jard. fl. 144.
 — — — Paxt. Fl. G. 45.
 — *angustifolia* Wall. Wallich Tentamen 17.
 — *latifolia* Wall. Wallich Tentamen 16.
 † — — — Arch. Mus. 1, 12.
 — — — Bot. Reg. 32, 49.
 — *ornithocephala* Hook. Hook. Bot. Misc. 76.
 † *Holcus* L. Mieg Observ. bot. 1.
 † — — — Usteri Delectus 2, 5.
 † — — — Linné Amoenit. 7, 3.

- † *Holcus L.* Dumortier Gramin. 9.
 † — *acicularis Rasp.* Annales d'obs. 4, 10.
 — *alpinus Sw.* Schrader N. Journ. 2, 3.
 — — — Fl. dan. 9, 1508.
 — — — Wahlenberg Fl. lapp. 2.
 — — — Sv. Bot. 438.
 — *atropurpureus Wahlbg.* Sv. Bot. 687.
 — *avenaceus Wigg.* Curt. Lond. 3, 82.
 — — — Engl. Bot. 12, 813.
 — — — Knapp Gram. 39.
 — — — Scop. Schrank Fl. monac. 4, 323.
 — *caespitosus Boiss.* Boissier Esp. 173.
 — — — Webb Otia 1.
 — *Cafrariae Ard.* Arduino Monogr. 1.
 — *coerulescens Gaudich.* Freycinet Voyage 27.
 — *Gayanus Boiss.* Boissier Esp. 173.
 — *halepensis L.* Schreber Gräser 18.
 — — — Host Gram. 1.
 — *lanatus L.* Curt. Lond. 3, 57.
 — — — Engl. Bot. 17, 1169.
 — — — Knapp Gram. 37.
 — — — Baxter Brit. Bot. 1, 64.
 — — — Fl. dan. 7, 1181.
 — — — Sv. Bot. 84.
 — — — Schreber Gräser 20.
 — — — Host Gram. 2.
 — — — Schrank Fl. monac. 4, 351.
 — — — Reichenb. Fl. germ. 1, 105.
 † — — — Nees Gen. 1, 14.
 — *mollis L.* Curt. Lond. 3, 59.
 — — — Engl. Bot. 17, 1170.
 — — — Knapp Gram. 38.
 — — — Fl. dan. 6, 1059.
 — — — Sv. Bot. 198.
 — — — Schreber Gräser 20.
 — — — Host Gram. 3.
 — — — Rchb. Fl. germ. 1, 105.
 — *odoratus L.* Fl. dan. 6, 963.
 — — — Sv. Bot. 168.
 — — — Host Gram. 4.
 — — — Schk. Handb. 344.
 — *repens Host.* Host Gram. 203.
 — *rigidus Hochst.* Seubert Fl. azor. 1.
 † — *saccharatus L.* Gaertn. Carp. 80.
 † — — — Lam. Encycl. 838.
 † — *Sorghum L.* Rumpf Amb. 5, 75^b.
 † — — — Gaertn. Carp. 80.
 † — — — Lam. Encycl. 838.
 — — — Desc. Ant. 8, 541.
 — *spicatus L.* Rheede Hort. mal. 12, 79.
 — — — Lam. Encycl. 838.
 — — — Desc. Ant. 8, 543.
Holigarna longifolia Roxb. Rheede Hort. mal. 4, 9.
 — — — Roxb. Corom. 282.
Holmskioldia sanguinea Retz. Hoffmann Phyt. Bl. 3.
 — — — Smith Exot. Bot. 80.
 — — — Bot. Reg. 9, 692.
 — — — Rchb. Exot. 149.
 — — — Jacquemont Ind. 140.
Hologymne californica Bartl. Bot. Reg. 21, 1823.
 — *glabrata Bartl.* Bot. Mag. 66, 3730.
 — — — Bot. Reg. 21, 1789.
Hololachne soongorica Led. Ledeb. Ic. 443.
Hololepis pedunculata DC. Ann. Mus. 16, 6.
Holopetala integrifolia Planch. Wight Ic. pl. Ind. or. 6, 1968.
Holoschoenus australis Rchb. Rchb. Fl. germ. 8, 317.
 — *filiformis Rchb.* Rchb. Fl. germ. 8, 316.
 — *Linnaei Rchb.* Rchb. Fl. germ. 8, 318.
 † — *vulgaris Lk.* Nees Gen. 2, 11.
Holostemma Adakodien R. Br. Rheede Hort. mal. 9, 7.
 — *Brunonianum Royle.* Royle Illustr. 66.

- Holostemma Rheedii Spr.* Wight Ic. pl. Ind. or. 6, 597.
Holosteuum cordatum L. Lam. Encycl. 51.
 — *diandrum Sw.* Swartz Ic. Ind. occ. 7.
 — *umbellatum L.* Lam. Encycl. 51.
 — — — Fl. dan. 7, 1204.
 — — — Engl. Bot. 1, 27.
 — — — Baxter Brit. Bot. 4, 299.
 † — — — Gaertn. Carp. 130.
 — — — Schk. Handb. 20.
 — — — Dreves 4, 118.
 — — — Roemer Fl. eur. 2, 4.
 — — — Sturm Flora 20, 94.
 — — — Rchb. Fl. germ. 5, 221.
 — — — Dietr. Fl. bor. 5, 321.
Holothrix Harveyana Ldl. Hook. Ic. pl. 2, 103.
 † — *parvifolia Ldl.* Hook. Ic. pl. 2, 103.
 † *Homalium Jacq.* Swartz Fl. Ind. occ. 17.
 — *racemosum Jacq.* Lam. Encycl. 483.
 — — — Desc. Ant. 2, 88.
 — — — Lodd. Cab. 261.
 — — — Bot. Reg. 6, 519.
 — — — Dict. sc. nat. 244.
 — *spicatum Lam.* Lam. Encycl. 483.
Homalonema aromatica Schott. Wight Ic. pl. Ind. or. 3, 808.
Homanthus echinulatus Cass. Richard Astrolabe 10.
Hombronia calathiphora Gaudich. Richard Astrolabe 3.
 † — *edulis Gaudich.* Gaudichaud Bonite 22.
Homeria collina Don. Sweet Fl. G. II. 178.
 — *lineata Sweet.* Sweet Fl. G. 178.
 — *miniata Sweet.* Sweet Fl. G. 152.
 † *Homocentria vagans Naud.* Ann. sc. nat. III. 15, 15.
 † *Homogyne alpina Cass.* Nees Gen. X, x.
 — — — Sturm Flora 6, 21.
 — *discolor Cass.* Sturm Flora 6, 21.
 — *silvestris Cass.* Sturm Flora 6, 21.
 † *Homoianthus DC.* Ann. Mus. 19, 3.
 — *echinulatus Cass.* Hook. Ic. pl. 5, 491.
 † *Homoranthus virgatus Cunn.* Acta Leop. 19. Suppl. II. 3.
Homotropium erythrorhizum N. v. E. Endl. Bras. 7, 2.
 † *Honckenia Ehrh.* Gray Genera 110.
 — *ficifolia Willd.* Usteri Del. 2, 4.
 — *peplodes Ehrh.* Rchb. Fl. germ. 5, 213.
 — — — Gray Genera 110.
 † *Hondala Gaertn.* Gaertn. Carp. 180.
Hookera coronaria Salisb. Salisbury Parad. 98.
 — *pulchella Salisb.* Salisbury Parad. 117.
Hoorebekia chilensis Corn. Mussche Hort. gand. 1.
Hopea Balangeran Korth. Korthals Bot. 7.
 — *lucida Thunb.* Thunb. Ic. jap. 14.
 — *odorata Roxb.* Roxb. Corom. 210.
 † — — — Korthals Bot. 7.
 — *speciosa Rchb.* Rchb. Hort. 19.
 † — *tinctoria L.* Gaertn. Carp. 209.
 — — — Michaux Arb. 3, 9.
 — *Wightiana Wall.* Wight Illustr. 37.
Hopkirkia Eupatoria Spr. Jacq. Ecl. pl. 139.
Hoppia irrigua N. v. E. Endl. Bras. 3, 30.
Hoplophyllum spinosum DC. Endl. Iconogr. 34.
 † *Hordeum L.* Linné Amoenit. 7, 2.
 † — — — Lam. Encycl. 49.
 † — — — Ann. Mus. 17, 7.
 † — — — Dumortier Gramin. 1.
 † — — — Novi Comm. Gott. 6, 2, 3.
 — *Aegiceras Royle.* Royle Illustr. 97.
 — *bulbosum L.* Host Gram. 313.
 — — — Sibth. Fl. gr. 98.
 — — — Rchb. Fl. germ. 1, 12.
 † — — — Verhandl. Rheinl. 7, 6.
 — *distichum L.* Viborg Afh. 3.
 † — — — Gaertn. Carp. 81.
 — — — Host Gram. 236.

- Hordeum distichum* L. Guimp. et Schl. 235.
 — — — Metzger Cereal. 11.
 — — — Woodv. Med. 5, 29.
 — — — geniculatum All. All. Fl. ped. 3, 91.
 † — — hexastichum L. Gaertn. Carp. 81.
 — — — Viborg Afh. 2.
 — — — Host Gram. 235.
 — — — Nees Düsseld. 30.
 — — — Guimp. et Schl. 234.
 — — — Metzger Cereal. 10.
 † — — himalayense trifurcatum Sch. Linnaea 13, 4.
 — — — hirsutum Bert. Novi Comm. Bonon. 5, 40.
 — — — maritimum Roth. Fl. dan. 4, 630. 10, 1632.
 — — — Curt. Lond. 4, 43.
 — — — Engl. Bot. 17, 1205.
 — — — Knapp Gram. 106.
 — — — Host Gram. 34.
 — — — Rchb. Fl. germ. 1, 11.
 — — — murinum L. Fl. dan. 4, 629.
 — — — Curt. Lond. 1, 112.
 — — — Engl. Bot. 28, 1971.
 — — — Knapp Gram. 104.
 — — — Baxter Brit. Bot. 5, 344.
 — — — Schk. Handb. 19.
 — — — Host Gram. 32.
 — — — Rchb. Fl. germ. 1, 11.
 † — — — Nees Gen. 1, 83.
 — — — pratense Huds. Engl. Bot. 6, 409.
 — — — Knapp Gram. 105.
 — — — Rchb. Fl. germ. 1, 11.
 — — — secalinum Schreb. Host Gram. 33.
 — — — Trin. Sp. Gr. 1, 3, 4.
 — — — Gussone Pl. rar. 11.
 — — — silvaticum Huds. Knapp Gram. 107.
 — — — strictum Desf. Desf. Fl. atl. 37.
 — — — vulgare L. Host Gram. 234.
 — — — Metzger Cereal. 9.
 — — — Wagner 147.
 — — — Nees Düsseld. 29.
 — — — Guimp. et Schl. 233.
 † — — — Spach Suites 128.
 † — — — Nees Gen. 1, 83.
 — — — coeleste, Viborg Afh. 1.
 — — — Zeocriton L. Viborg Afh. 4.
 — — — Schreber Gräser 17.
 — — — Host Gram. 237.
 — — — Guimp. et Schl. 236.
 — — — Metzger Cereal. 11.
Horkelia congesta Dougl. Bot. Mag. 56, 2880.
 — — — fusca Ldl. Bot. Reg. 23, 1997.
 — — — Gordoni Hook. Hook. Journ. 1853, 12.
Horminum arborescens tomentosum, Desc. Ant. 6, 437.
 † — — — pyrenaicum L. Lam. Encycl. 515.
 — — — Sweet Fl. G. 352.
 † — — — Nees Gen. 6, 10.
Hormogyne cotinifolia DC. Delessert Ic. 5, 37.
 † *Hornemannia bicolor* Willd. Mem. Genev. 6, 3.
 — — — Rchb. Hort. 37.
 — — — ovata Link. Link Ic. I. 3.
 — — — prostrata Jacq. Jacq. Ecl. pl. 150.
Horsfieldia aculeata Bl. Bennett Java 26.
Hortensia mutabilis Schneev. Schneevogt Ic. 36.
 — — — opuloides Lam. Lam. Encycl. 380.
 — — — Kerner Hort. 101.
 † — — — Jacq. Fragm. 3.
 — — — Nouveau Duhamel 3, 24.
 — — — speciosa Pers. Kerner Hort. 502.
 † *Hortia brasiliiana* Vand. Mem. Mus. 12, 22.
 — — — St. Hil. pl. us. 17.
Hortonia acuminata Wight. Wight Ic. pl. Ind. or. 6, 1999.
 — — — floribunda Wight. Wight Ic. pl. Ind. or. 6, 1997.

- Hortonia ovalifolia* Wight. Wight Ic. pl. Ind. or. 6, 1999.
Hosackia bicolor Benth. Bot. Reg. 15, 1267.
 — — — stolonifera Ldl. Bot. Reg. 23, 1977.
Hosea malabarica Dennst. Rheede Hort. mal. 5, 6.
Hoslundia oppositifolia Vahl. Pal. B. Fl. d'Oware 33.
Hosta coerulea Jacq. Jacq. Schoenbr. 1, 114.
 — — — Tratt. Thes. 51.
 — — — Tratt. Archiv 128, 128^a.
 — — — Rchb. Exot. 284.
 — — — Savi Fl. ital. 3, 88.
 — — — Bot. Reg. 14, 1204.
 — — — japonica Tratt. Tratt. Thes. 52.
 — — — Tratt. Archiv 16, 16^a.
 — — — odorata P. et E. Poepp. et Endl. 269.
Hostmannia elvasioides Planch. Hook. Ic. pl. 8, 709.
Hoteia barbata Hook. Bot. Mag. 67, 3821.
 — — — japonica Morr. et Decne. Ann. sc. nat. II. 2, 11.
 — — — Bot. Reg. 23, 2011.
Hottonia palustris L. Fl. dan. 3, 487.
 — — — Curt. Lond. 1, 16.
 — — — Engl. Bot. 6, 364.
 — — — Baxter Brit. Bot. 6, 421.
 — — — Sv. Bot. 603.
 † — — — Gaertn. Carp. 198.
 † — — — Lam. Encycl. 100.
 — — — Schk. Handb. 35.
 — — — Dietr. Fl. bor. 6, 414.
 † — — — Nees Gen. 5, 22.
 — — — fl. rubro, Fl. dan. 11, 1867.
Houlletia Brocklehurstiana Ldl. Lindley Sertum 43.
 — — — Bot. Mag. 70, 4072.
 — — — Paxt. Mag. 9, 49.
 — — — vittata Ldl. Bot. Reg. 27, 69.
Houmieri balsamifera Aubl. Anblat Guiana 225.
 — — — Lam. Encycl. 462.
 — — — Desc. Ant. 3, 210.
Houstonia coccinea Andr. Andr. Rep. 2, 106.
 — — — Herb. amat. 2, 116.
 — — — coerulea L. Lam. Encycl. 79.
 — — — Bot. Mag. 11, 370.
 — — — Lodd. Cab. 950.
 — — — Barton Fl. 1, 34.
 † — — — longifolia Gaertn. Gaertn. Carp. 49.
 † — — — Lam. Encycl. 79.
 — — — Bot. Mag. 58, 3099.
 — — — purpurea L. Lodd. Cab. 1621.
 — — — rubra Cav. Cav. Ic. 474.
 — — — serpyllifolia Michx. Bot. Mag. 55, 2822.
Houttuynia cordata Thunb. Svensk Acad. 1783, 5.
 — — — Thunb. Fl. jap. 26.
 — — — Lam. Encycl. 739.
 † — — — Meyer Houttuynia 1.
 — — — Bot. Mag. 54, 2731.
 † — — — Schnizl. Iconogr. 2, 82.
Hovea Celsi Bonpl. Bonpland Malm. 51.
 — — — Lodd. Cab. 1488.
 — — — Bot. Mag. 45, 2005.
 — — — Maund Bot. 1, 40.
 — — — Paxt. Mag. 3, 241.
 — — — Rchb. Exot. 148.
 — — — Bot. Reg. 4, 280.
 — — — chorozemaefolia DC. Maund Bot. 3, 130.
 — — — Bot. Reg. 18, 1524.
 — — — elliptica DC. Lodd. Cab. 1450.
 — — — ilicifolia Cunn. Bot. Reg. 30, 58.
 — — — lanceolata Sims. Bot. Mag. 39, 1624.
 — — — var. linearis, Bot. Reg. 17, 1427.
 — — — latifolia Lodd. Lodd. Cab. 30.
 — — — linearis R. Br. Bot. Reg. 6, 463.
 — — — Lodd. Cab. 1222.
 — — — Paxt. Mag. 12, 75.
 — — — longifolia R. Br. Bot. Reg. 8, 614.

- Hovea longifolia* R. Br. Lodd. Cab. 994.
 — *Manglesii* Ldl. Bot. Reg. 24, 62.
 — *pannosa* Cunn. Bot. Mag. 58, 3053.
 — *pungens* Benth. Hügel Archiv 7.
 — — Maund Bot. 4, 164.
 — — Paxt. Mag. 6, 101. 10, 51.
 — *purpurea* Sweet. Sweet Austr. 13.
 — — Maund Bot. 2, 72.
 — — Lodd. Cab. 1457.
 — — Bot. Reg. 17, 1423.
 — *racemulosa* Benth. Bot. Reg. 29, 4.
 — *splendens* Paxt. Paxt. Mag. 10, 103.
 — *villosa* Ldl. Bot. Reg. 18, 1512.
Hovenia acerba Ldl. Bot. Reg. 6, 501.
 — *dulcis* Thunb. Kaempfer Amoenit. p. 808.
 — — Lam. Encycl. 131.
 † — — Ann. sc. nat. 10, 15.
 † — — Spach Suites 15.
 — — Bot. Mag. 50, 2360.
 — — Sieb. Fl. Japon. 73, 74.
Hoya bella Hook. Bot. Mag. 74, 4402.
 — — Paxt. Mag. 15, 243.
 — — Fl. d. serres 4, 399.
 — *campanulata* Bl. Bot. Mag. 76, 4545.
 — — Bot. Reg. 33, 54.
 — — Lem. Jard. fl. 70.
 — *carnea* R. Br. Jacq. Ecl. pl. 2, 101.
 — — Rehb. Mag. 32.
 — — Herb. amat. 3, 200.
 — *cinnamomifolia* Hook. Bot. Mag. 74, 4347.
 — — Fl. d. serres 4, 310.
 — *coriacea* Bl. Blume Rumphia 187.
 — — Bot. Reg. 25, 18.
 — — Bot. Mag. 76, 4318.
 — — Fl. d. serres 6, 378.
 — — Lem. Jard. fl. 37.
 — *Corona Ariadnes* Bl. Blume Rumphia 183.
 — *coronaria* Bl. Rumpf Amb. 5, 172.
 — — Blume Rumphia 182, 184.
 — *fraterna* Bl. Bot. Mag. 78, 4684.
 — — Fl. d. serres 8, 815.
 — *fusca* Wall. Wall. Pl. asiat. 75.
 — *imbricata* Decne. Delessert Ic. 5, 90.
 — *imperialis* Ldl. Bot. Mag. 74, 4397.
 — — Annales de Gand 1848, 228.
 — — Fl. d. serres 4, 393, 394.
 — *lacuna* Wight. Jacquemont Ind. 114.
 † *lacunosa* Bl. Blume Rumphia 184.
 — *macrophylla* Bl. Blume Rumphia 185.
 — *ovalifolia* W. et Arn. Wight Ic. pl. Ind. or. 3, 847.
 — — Lem. Jard. fl. 64.
 — — Paxt. Fl. G. 23.
 — *pallida* Ldl. Bot. Reg. 11, 931.
 — — Lodd. Cab. 1309.
 — — Lem. Jard. fl. 64.
 — *parasitica* Wall. Wight Ic. pl. Ind. or. 2, 887.
 — *pauciflora* Wight. Wight Ic. pl. Ind. or. 4, 1269.
 — *pendula* W. et A. Rheede Hort. mal. 9, 13.
 — — Wight Ic. pl. Ind. or. 2, 474.
 — *picta* Sieb. Annales de Gand 1848, 220.
 † *polystachya* Bl. Blume Mus. 1, 9.
 — *Pottsi* Troill. Hort. Transact. 7, 1.
 — — Bot. Mag. 62, 3423.
 — — Lodd. Cab. 1969.
 — *purpurea* Bl. Blume Rumphia 182.
 — *purpureo-fusca* Hook. Bot. Mag. 76, 4520.
 — — Lem. Jard. fl. 30.
 — — Fl. d. serres 6, 379.
 — *Rumphii* Bl. Rumpf Amb. 5, 175.
 — *variegata* de Vriese. Annales de Gand 1846, 90.
 — — Fl. d. serres 8, 838.
 — — Belgique hort. 3, 46.

- Hoya viridiflora* R. Br. Rheede Hort. mal. 9, 15.
 — — Wight Illustr. in Hook. 1.
 — — Rehb. Hort. 238.
 — — Wight Ic. pl. Ind. or. 2, 586.
Huanaca acaulis Cav. Cav. Ic. 528.
Huberia laurina DC. DC. Melastom. 10.
 † — *ovalifolia* DC. Ann. sc. nat. III. 16, 25.
 — *resinosa* Presl. Presl Symbolae 37.
Hubertia Ambavilla Bory. Bory lles d'Afrique 14.
 — *tomentosa* Bory. Bory lles d'Afrique 14 bis.
 † *Hudsonia* L. Gray Genera 90.
 — *ericoides* L. Svensk Acad. 1778, 1.
 † — — Gaertn. Carp. 210.
 — — Willdenow Hort. 15.
 — — Lam. Encycl. 401.
 — — Lodd. Cab. 192.
 — — Sweet Cist. 36.
 — *tomentosa* Nutt. Sweet Cist. 57.
 — — Torrey New York 9.
 — — Gray Genera 90.
Huegelia coerulca Rehb. Rehb. Hort. 201.
 — — Spach Suites 83.
 — *virgata* Benth. Hook. Ic. pl. 2, 200.
 † *Huertea glandulosa* R. et P. Ruiz et Pav. Prodr. 6.
 — — Ruiz et Pav. Fl. 227.
Hufelandia Thomaea N. v. E. N. v. E. Programm 1, 2.
Hugonia Mystax L. Rheede Hort. mal. 2, 19.
 † — — Gaertn. Carp. 58.
 — — Lam. Encycl. 572.
 — — Cav. Diss. 73.
 — — Wight Illustr. 32.
 — *Planchoni* Hook. fil. Hooker Niger Fl. 27.
 — — Hook. Ic. pl. 8, 777.
 — *tomentosa* Cav. Cav. Diss. 73.
Hugueninia tenacetifolia Rehb. Rehb. Ic. crit. 10, 999.
 — — Rehb. Fl. germ. 2, 81.
Huidobria chilensis Gay. Gay Chile 26.
 † *Humata heterophylla* Sm. Hook. Gen. Fil. 114.
 † — *ophioglossa* Cav. Féc. Fil. 5, 26.
 — *pinnata* Desv. Mem. soc. Linn. Par. 6, 8.
 † *Humbertia madagascariensis* Lam. Lam. Encycl. 103.
 † *Humboldtia* R. et P. Ruiz et Pav. Prodr. 27.
 — *Brunonis* Wall. Wall. Pl. asiat. 233.
 — — Wight Ic. pl. Ind. or. 4, 1606.
 — *laurifolia* Vahl. Vahl Symbolae 56.
 — — Wight Ic. pl. Ind. or. 4, 1605.
 — *Vahlana* Wight. Wight Ic. pl. Ind. or. 4, 1607.
 — — 1608.
Humea elegans Sm. Smith Exot. Bot. 1.
Humirum crassifolium Mart. Mart. Bras. 198, 200.
 — *floribundum* Mart. Mart. Bras. 199, 200.
 — *multiflorum* Mart. Spach Suites 17.
 — *surinamense* Mig. Miquel Surin. 24.
Humulus Lupulus L. Fl. dan. 7, 1239.
 — — Sv. Bot. 332.
 — — Engl. Bot. 6, 427.
 — — Woodv. Med. 5, 26.
 — — Baxter Brit. Bot. 5, 342.
 † — — Lam. Encycl. 813.
 — — Bigelow Med. 60.
 — — Schk. Handb. 326.
 — — Hayne 8, 36.
 — — Guimp. et Schl. 167.
 — — Nees Düsseldorf. 101.
 — — Wagner 110.
 † — — Nees Gen. 4, 31.
 — — Rehb. Fl. germ. 12, 656.
Hunnemannia fumaricifolia Sweet. Sweet Fl. G. 276.
 — — Lodd. Cab. 1779.
 — — Bot. Mag. 58, 3061.
Hunteria corymbosa Roxb. Wight Ic. pl. Ind. or. 2, 428.
 — *Roxburghiana* Wight. Wight Ic. pl. Ind. or. 4, 1294.

- † *Hunteria Roxburghiana* Wight. Wight Illustr. 154^b.
Huntleya Meleagris Ldl. Bot. Reg. 25, 14.
 — — Maund Bot. 3, 146.
 — violacea Ldl. Lindley Sertum 26.
 — — Paxt. Mag. 8, 1.
 — — Hart. Parad. 1, 13.
 — — Fl. d. serres 7, 678.
Hura crepitans L. Linné Hort. Cliff. 34.
 — — Tussac Ant. 4, 5.
 — — Desc. Ant. 2, 124.
 † — — Lam. Encycl. 793.
 — — Dict. sc. nat. 279.
 † — — Spach Suites 76.
Hutchinia indica W. et A. Wight Ic. pl. Ind. or. 2, 355.
Hutchinsia alpina R. Br. Lodd. Cab. 766.
 — — Sturm Flora 5, 20.
 — brevicaulis Hoppe. Sturm Flora 15, 65.
 — calycina Desv. Hook. Bor. Am. 17.
 — chrysantha Jaub. Jaubert Illustr. 52.
 — petraea R. Br. Curt. Lond. 4, 31.
 — — Baxter Brit. Bot. 2, 138.
 — — Sturm Flora 15, 65.
 — stylosa DC. Bot. Mag. 54, 2772.
 — ? tasmanica Hook. Ic. pl. 9, 848.
 — tibetica Thomson. Hook. Ic. pl. 9, 900.
 — trinervia DC. Delessert Ic. 2, 53.
 † *Hyacinthorchis* Bl. Blume Mus. 1, 16.
 † *Hyacinthus* L. Kerner Genera 127.
 — amethystinus L. Red. Lil. 1, 14.
 — — Lodd. Cab. 1952.
 — — Bot. Mag. 50, 2425.
 — — Bot. Reg. 5, 398.
 — — Sweet Fl. G. 135.
 — — Rchb. Ic. crit. 8, 702.
 — — Rchb. Fl. germ. 10, 460.
 — botryoides L. Bot. Mag. 5, 157.
 — cernuus L. Brotero Phytogr. 49.
 — ciliatus Cir. Cirillo Pl. rar. 2, 10.
 — — Tenore Fl. nap. 135.
 — comosus L. Bot. Mag. 4, 133.
 — — Jacq. Fl. austr. 2, 126.
 — convallarioides L. fil. Jacq. Schoenbr. 1, 81.
 — corymbosus L. Jacq. Collect. 3, 19.
 — — Andr. Rep. 5, 345.
 — Muscari L. Schk. Handb. 96.
 † — non scriptus L. Lam. Encycl. 238.
 — — Curt. Lond. 2, 62.
 — — Baxter Brit. Bot. 1, 74.
 — — Rchb. Fl. germ. 10, 461.
 — orchoides L. Jacq. Vind. 178.
 — orientalis L. Schneevogt Ic. 8.
 † — — Saint-Simon 1 — 10.
 — — Red. Lil. 8, 465.
 — — Bot. Mag. 24, 937.
 — — Bot. Reg. 12, 995.
 — — Savi Fl. ital. 1, 17.
 — — Rchb. Fl. germ. 10, 460.
 † — — Nees Gen. 2, 43.
 — pallens M. v. B. Rchb. Ic. crit. 4, 331.
 — racemosus L. Jacq. Fl. austr. 2, 187.
 — — Bot. Mag. 4, 122.
 — — Engl. Bot. 27, 1931.
 — romanus L. Red. Lil. 6, 334.
 — — Sibth. Fl. gr. 340.
 — — Sebast. Rom. pl. 2, 1.
 † — serotinus L. Gaertn. Carp. 12.
 † — — Lam. Encycl. 238.
 — — Brotero Phytogr. 89.
 — — Cav. Ic. 30.
 — — Red. Lil. 4, 202.
 — sessiliflorus Viv. Viviani Lib. 7.
 — spicatus Sm. Bot. Reg. 22, 1869.

- Hyacinthus trifolius* Ten. Tenore Fl. nap. 136.
 — viridis L. Trew Pl. rar. 23.
 — — Jacq. Ic. 66.
 — — Comm. Gott. 4, 5.
 — — Red. Lil. 4, 203.
Hyaenanche globosa Lamb. Lambert Cinchona 10.
 — — Roemer Archiv 3, x.
Hyalea leuzeoides Jaub. Jaubert Illustr. 216.
 — mucronifera Jaub. Jaubert Illustr. 214.
 — Olivieri Jaub. Jaubert Illustr. 292.
 — pergamacea Jaub. Jaubert Illustr. 215.
 — stenophylla Jaub. Jaubert Illustr. 217.
 † *Hyalisma ianthina* Champion. Calc. Journ. 1847, 3.
 — — Transact. Linn. Soc. 21, 7.
Hybanthera biglandulosa Endl. Endl. Iconogr. 63.
 — cordifolia Lk et Kl. Link Ic. III. 44.
Hybanthus havanensis Jacq. H. B. K. Nov. G. 5, 494.
Hydnocarpus alpinus Wight. Wight Spicil. 10.
 — — Wight Ic. pl. Ind. or. 3, 942.
 — heterophyllum Bl. Blume Rumphia 178^b.
 — inebrians Vahl. Rheede Hort. mal. 1, 36.
 — — Wight Illustr. 16.
 † — veneatus Gaertn. Gaertn. Carp. 60.
Hydnophytum formicarum Jack. Rumpf Amb. 6, 55.
 — — fig. 1.
Hydnora africana Thunb. Acta Leop. 16, 2, 58.
 † — — Linn. Transact. 19, 27 — 30.
 † — — Ann. sc. nat. III. 14, 8.
 — — triceps E. M. Acta Leop. 16, 2, 59.
Hydrangea acuminata S. et Zucc. Sieb. Fl. Jap. 56, 57.
 — — altissima Wall. Wallich Tentamen 50.
 † — arborescens L. Gaertn. Carp. 30.
 † — — Lam. Encycl. 370.
 — — Bot. Mag. 13, 437.
 — — Schk. Handb. 119.
 — Azisai Sieb. et Z. Sieb. Fl. Japon. 51.
 — Belzonii Sieb. et Z. Sieb. Fl. Japon. 55.
 — bracteata Sieb. et Z. Sieb. Fl. Japon. 92.
 — Buergeri Sieb. et Z. Sieb. Fl. Japon. 57.
 — cordata Michx. Watson Dendr. 1, 42.
 — cordifolia Sieb. et Z. Sieb. Fl. Japon. 59.
 — hirta Sieb. et Z. Sieb. Fl. Japon. 62.
 — hortensis Sm. Smith Ic. pict. 12.
 — — Bot. Mag. 13, 438.
 — — Savi Fl. ital. 3, 110.
 — japonica Sieb. et Z. Sieb. Fl. Japon. 53.
 — — Bot. Reg. 30, 61.
 — — Paxt. Mag. 12, 199.
 — — var. coerulea, Bot. Mag. 72, 4253.
 — — Fl. d. serres 7, 696.
 — involucrata Sieb. et Z. Sieb. Fl. Japon. 63, 64.
 — — Annales de Gand 1846, 102.
 — — Fl. d. serres 3, 187.
 — nivea Michx. Watson Dendr. 1, 43.
 — Otaksa Sieb. et Z. Sieb. Fl. Japon. 52.
 — paniculata Sieb. et Z. Sieb. Fl. Japon. 61.
 — petiolaris Sieb. et Z. Sieb. Fl. Japon. 54.
 — pubescens Curt. Fl. d. serres 4, 378, 379.
 — quercifolia Bartr. Bartram Travels 7.
 — — Bot. Mag. 25, 975.
 — — Kerner Hort. 457.
 — scandens Poepp. Delessert Ic. 3, 79.
 — stellata Sieb. et Zucc. Sieb. Fl. Japon. 59.
 — Thunbergii Sieb. et Z. Sieb. Fl. Japon. 56.
 — vestita Wall. Wallich Tentamen 49.
 — virens Sieb. et Z. Sieb. Fl. Japon. 60.
Hydranthelium callitrichoides H. B. K. H. B. K. Nov. Gen. 7, 646.
 — — egense P. et E. Poepp. et Endl. 287.
 † *Hydrastis* L. Gray Genera 18.
 — canadensis L. Barton Med. 26.
 — — Bot. Mag. 57, 3019, 60, 3232.

- Hydrastis canadensis* L. Gray Genera 18.
Hydrilla ovalifolia Rich. Mem. Instit. 1811, 2.
Hydrobryum griseum Tul. Wight Ic. pl. Ind. or. 5, 1918.
 — *olivaceum* Tul. Arch. Mus. 6, 9.
 — — — Wight Ic. pl. Ind. or. 5, 1918.
 † *Hydrocharideae* DC. Schnizl. Iconogr. 1, 59.
Hydrocharis morsus ranae L. Curt. Lond. 3, 131.
 — — — Engl. Bot. 12, 808.
 — — — Baxter Brit. Bot. 6, 441.
 — — — Fl. dan. 5, 878.
 — — — Sv. Bot. 598.
 † — — — Mem. Instit. 1811, 9.
 † — — — Lam. Encycl. 820.
 — — — Dict. sc. nat. 77.
 — — — Schk. Handb. 333.
 — — — Tratt. Archiv 48, 48^a.
 — — — Sturm Flora 11, 44.
 — — — Dietr. Fl. bor. 1, 60.
 — — — Rchb. Fl. germ. 7, 62.
 † — — — Nees Gen. 3, x.
 † — — — Schnizl. Iconogr. 1, 59.
 — *spongia* Bosc. Ann. Mus. 9, 30.
Hydrocleis Commersonii Rich. Mem. Mus. 1, 18.
 † — — — Lam. Encycl. 967.
 — — — Endl. Iconogr. 37.
 — *Martii* Seub. Endl. Bras. 8, 16.
 — *parviflora* Seub. Endl. Bras. 8, 13.
Hydrocotyle abbreviata A. Rich. Ann. gen. 4, 58.
 — *aconitifolia* A. Rich. Ann. gen. 4, 53.
 — *acutifolia* R. et P. Ruiz et Pav. Fl. 248.
 — *alata* A. Rich. Ann. gen. 4, 61.
 — *alchemilloides* A. Rich. Ann. gen. 4, 63.
 — *americana* L. Sprengel Umb. 2.
 — — — Ann. gen. 4, 55.
 — *asiatica* L. Rheede Hort. mal. 10, 46.
 — — — Rumpf Amb. 5, 169.
 † — — — Gaertn. Carp. 22.
 — — — Lam. Encycl. 188.
 — — — Ann. gen. 4, 55.
 — — — Wight Ic. pl. Ind. or. 2, 565.
 — *bonariensis* Lam. Cav. Ic. 488.
 — *Bonplandii* A. Rich. Ann. gen. 4, 54.
 — *bupleurifolia* A. Rich. Ann. gen. 4, 67.
 — *capitata* Aub. Aub. Th. Mel. 12.
 — — — Ann. gen. 4, 62.
 — *composita* Pursh. Sprengel Umb. 5.
 — *conferta* Wight. Wight Ic. pl. Ind. or. 3, 1002.
 — *cordifolia* Hook. fl. Hook. Ic. pl. 4, 303.
 — *dentata* A. Rich. Ann. gen. 4, 60.
 — *elegans* A. Rich. Ann. gen. 4, 63.
 — *eriantha* A. Rich. Ann. gen. 4, 56.
 — *ficarioides* Lam. Ann. gen. 4, 53.
 — *geranioides* A. Rich. Ann. gen. 4, 59.
 — *globifera* R. et P. Ruiz et Pav. Fl. 247.
 — *glucimoides* A. Rich. Ann. gen. 4, 58.
 — *gracilis* R. et P. Ruiz et Pav. Fl. 247.
 — *grossularioides* A. Rich. Ann. gen. 4, 62.
 — *Humboldtii* A. Rich. Ann. gen. 4, 53.
 — *javanica* Thunb. Thunb. Diss. 2, 2.
 — *inundata* Sm. Engl. Bot. 4, 227.
 — *leptostachys* A. Rich. Ann. gen. 4, 57.
 — *leucocephala* Cham. et Schl. Link Ic. II. 21.
 — *lineata* Michx. Ann. gen. 4, 66.
 — *macrocarpa* A. Rich. Ann. gen. 4, 67.
 — *moschata* Forst. Ann. gen. 4, 60.
 — *multifida* A. Rich. Ann. gen. 4, 64.
 — *multiflora* R. et P. Ruiz et Pav. Fl. 246.
 — *muscosa* A. Rich. Ann. gen. 4, 61.
 — *natans* Cir. Cirillo Pl. rar. 1, 6.
 — — — Tenore Fl. nap. 124.
 — — — Ann. gen. 4, 59.
 — *nepalensis* Hook. Hook. Exot. Fl. 30.

- Hydrocotyle nitidula* A. Rich. Ann. gen. 4, 63.
 — — — Hook. Exot. Fl. 29.
 — *nummularioides* A. Rich. Ann. gen. 4, 54.
 — *peduncularis* A. Rich. Ann. gen. 4, 61.
 — *plebeja* A. Rich. Ann. gen. 4, 60.
 — *polycephala* W. et A. Wight Spicil. 78.
 — — — Wight Ic. pl. Ind. or. 3, 1003.
 † — — — Wight Illustr. 117.
 — *pusilla* A. Rich. Ann. gen. 4, 52.
 — *quinqueloba* R. et P. Ruiz et Pav. Fl. 248.
 — *ranunculoides* Lam. Sprengel Umb. 1.
 — — — Ann. gen. 4, 58.
 — *repanda* Pers. Sprengel Umb. 2.
 — — — Ann. gen. 4, 57.
 — *rotundifolia* Roxb. Wight Ic. pl. Ind. or. 2, 564.
 — *saniculaefolia* Lam. Lam. Encycl. 188.
 — — — Cav. Ic. 488.
 — *sibthorpioides* Lam. Ann. gen. 4, 54.
 † *Solandra* L. fil. Gaertn. Carp. 22.
 † — — — Lam. Encycl. 188.
 — *Spananthe* Willd. Dict. sc. nat. 111.
 — *spicata* Lam. Ann. gen. 4, 57.
 — *tribotrys* R. et P. Ruiz et Pav. Fl. 246.
 — *tridentata* Thunb. Thunb. Diss. 2, 3.
 — — — Ann. gen. 4, 66.
 — *triflora* R. et P. Ruiz et Pav. Fl. 245.
 — *triloba* Thunb. Thunb. Diss. 2, 3.
 — — — Ann. gen. 4, 65.
 — *tripartita* A. Rich. Ann. gen. 4, 61.
 — — — Hook. Ic. pl. 4, 312.
 — *umbellata* L. Sprengel Umb. 1.
 — — — Ann. gen. 4, 52.
 — *umbellulata* Michx. Ann. gen. 4, 53.
 — *verticillata* Thunb. Thunb. Diss. 2, 3.
 — *villosa* L. fil. Ann. gen. 4, 64.
 — *virgata* Lam. Lam. Encycl. 188.
 — *vulgaris* L. Fl. dan. 1, 90.
 — — — Curt. Lond. 3, 58.
 — — — Engl. Bot. 11, 75 L.
 — — — Baxter Brit. Bot. 3, 168.
 — — — Sv. Bot. 617.
 — — — Lam. Encycl. 188.
 † — — — Ann. gen. 4, 50, 52.
 — — — Schk. Handb. 59.
 — — — Dietr. Fl. bor. 10, 694.
 † — — — Nees Gen. X, x.
Hydroglossum circinatum Willd. Dict. sc. nat. 94.
 — *flexuosum* Willd. Willdenow Farnk. 1.
 — *japonicum* Willd. Willdenow Hort. 84.
 — *longifolium* Willd. Willdenow Farnk. 2.
 — *palmatum* Willd. Willdenow Farnk. 1.
 — *volubile* Raddi. Raddi Fil. 81.
Hydrolea crispa R. et P. Ruiz et Pav. Fl. 244.
 — *dichotoma* R. et P. Ruiz et Pav. Fl. 244.
 — *extraaxillaris* Morren. Annales de Gand 1846, 79.
 — *ovata* Nutt. Mem. Genev. 6, 1.
 † — — — Ann. sc. nat. 30, 16.
 — *spinosa* L. Aublet Guiana 110.
 † — — — Gaertn. Carp. 55.
 † — — — Lam. Encycl. 184.
 — — — Dict. sc. nat. 50.
 — — — Bot. Reg. 7, 566.
 — — — Paxt. Mag. 13, 247.
 — *trigyna* Sw. Cav. Ic. 529.
 — *urens* R. et P. Ruiz et Pav. Fl. 243.
 — *zeylanica* Vahl. Rheede Hort. mal. 10, 28.
 — — — Lam. Encycl. 184.
 — — — Hook. Comp. 26.
 — — — Wight Ic. pl. Ind. or. 2, 601.
 — — — Wight Illustr. 167.
Hydromestus maculatus Scheidw. Bot. Mag. 77, 4886.
Hydropeltis purpurea Michx. Michaux Fl. 29.

- † *Hydropeltis purpurea* Michx. Lam. Encycl. 967.
 — — — Bot. Mag. 28, 1147.
 — — — Dict. sc. nat. 81.
 † — — — Ann. nat. hist. 1853, 3.
 † *Hydrophyllax maritima* L. fil. Lam. Encycl. 76.
 — — — Roxb. Corom. 233.
 — — — Wight Ic. pl. Ind. or. 3, 760.
Hydrophyllum canadense L. Lam. Encycl. 97.
 — — — Bot. Reg. 3, 242.
 — — — magellanicum Lam. Journ. d'hist. nat. Par. 1, 19.
 † — — — virginicum L. Gaertn. Carp. 110.
 † — — — Lam. Encycl. 97.
 — — — Schk. Handb. 38.
 — — — Dict. sc. nat. 46.
 — — — Bot. Reg. 4, 331.
 † — — — Denkschr. d. Wiener Ak. 1, 1.
 † *Hydropityum zeylanicum* Gaertn. Gaertn. Carp. 183.
Hydrostachys distichophylla Juss. Delessert Ic. 3, 94.
 † — — — Arch. Mus. 6, 1.
 — — — imbricata Juss. Delessert Ic. 3, 92.
 — — — multifida Juss. Delessert Ic. 3, 93.
 † — — — plumosa Tul. Arch. Mus. 6, 1.
 — — — verruculosa Juss. Delessert Ic. 3, 91.
 † — — — Arch. Mus. 6, 1.
Hydrotaenia Meleagris Ldk. Bot. Reg. 28, 39.
Hygrophila costata N. v. E. Nees Amoen. bonn. 3.
 — — — Rehb. Hort. 218.
 — — — obovata N. v. E. Rheede Hort. mal. 2, 46.
 — — — Wight Ic. pl. Ind. or. 4, 1489.
 — — — salicifolia N. v. E. Wight Ic. pl. Ind. or. 4, 1490.
Hylacium owariense DC. Pal. B. Fl. d'Oware 113.
Hymenaea Candolliana H. B. K. H. B. K. Nov. Gen. 6, 566.
 — — — Hayne 11, 12.
 — — — confertiflora Mart. Hayne 11, 8.
 — — — confertifolia Hayne. Hayne 11, 9.
 † — — — Courbaril L. Gaertn. Carp. 143.
 — — — Lam. Encycl. 330.
 — — — Desc. Ant. 5, 359.
 — — — Nees Düssel. Suppl. 113.
 — — — Hayne 11, 10.
 — — — floribunda H. B. K. H. B. K. Nov. Gen. 6, 567.
 — — — latifolia Hayne. Hayne 11, 7.
 — — — Martiana Hayne. Hayne 11, 15.
 — — — Olfersiana Hayne. Hayne 11, 14.
 — — — Sellowiana Hayne. Hayne 11, 16.
 — — — stigonocarpa Mart. Hayne 11, 13.
 — — — stilbocarpa Hayne. Hayne 11, 11.
 — — — venosa Vahl. Hayne 11, 6.
 † — — — verrucosa Gaertn. Gaertn. Carp. 139.
 — — — Lam. Encycl. 330.
 † *Hymenandra Wallichii* DC. Ann. sc. nat. II. 16, 5.
Hymenanthera crassifolia Hook. Hook. New Zeal. 7.
 — — — dentata R. Br. Bot. Mag. 59, 3163.
 — — — latifolia Endl. Endl. Iconogr. 108.
Hymenidium suaveolens Klotzsch. Prinz Wald. Him. 48.
 † *Hymenocallis Salisb.* Herbert Amar. 33, 34, 35.
 — — — adnata Herb. var. Bot. Reg. 11, 940.
 — — — litoralis Herb. Bot. Mag. 53, 2621.
Hymenocalyx variabilis Zentk. Zenker Pl. ind. 10.
Hymenoccephalus rigidus Jaub. Jaubert Illustr. 209.
Hymenoclea Salsola Torr. et Gr. Smiths. Contr. 5, 8.
 † *Hymenocystis caucasica* C. A. M. Hook. Gen. Fil. 3.
Hymenodictyon excelsum Wall. Wight Ic. pl. Ind. or. 1, 79.
 — — — flaccidum Wall. Wallich Tentamen 22.
 — — — Wall. Pl. asiat. 188.
 — — — obovatum Wall. Wight Ic. pl. Ind. 1, 80, 3, 1189.
 — — — utile Wight. Wight Ic. pl. Ind. or. 1, 80.
Hymenodium crassifolium Fée. Fée Fil. 53.
 † — — — crinitum Fée. Fée Fil. 5, 4.
 — — — Kunzeanum DC. Fée Fil. 58.

- † *Hymenodium Kunzeanum* Fée. Fée Fil. 5, 4.
Hymenolaena Govaniana DC. Royle Illustr. 52.
 — — — Lindleyana Klotzsch. Prinz Waldem. Him. 49.
 † *Hymenolepis Kaulf.* Kaulfuss Enumer. 1.
 † — — — mucronata Fée. Fée Fil. 5, 6.
 — — — ophioglossioides Kaulf. Kunze Fil. 47.
 † — — — Fée Fil. 5, 6.
 — — — revoluta Blume. Kunze Fil. 47.
Hymenolobus divaricatus Nutt. Hook. Ic. pl. 3, 277.
Hymenolytrum Martii N. v. E. Endl. Bras. 3, 22.
Hymenopappus scabiosaeus L'her. L'her. Monogr. 1.
 † *Hymenophylleae* Mart. Schnizl. Iconogr. 1, 27.
Hymenophyllum abietinum H. et Gr. Hook. Ic. Fil. 2, 127.
 — — — abruptum Hook. Hook. Sp. Fil. 31.
 — — — aeruginosum Carm. Hook. Sp. Fil. 34.
 — — — alatum Schk. Schk. Fil. 135^b.
 — — — Sm. Engl. Bot. 20, 1417.
 † — — — antarcticum Presl. Prager Abh. 3, 12.
 — — — asplenioides Sw. Lam. Encycl. 870.
 — — — attenuatum Hook. Hook. Sp. Fil. 36.
 — — — axillare Sw. Hook. Ic. Fil. 2, 124.
 — — — badium H. et Gr. Hook. Ic. Fil. 1, 76.
 — — — Berteroi Hook. Hook. Sp. Fil. 33.
 — — — bivalve Sw. Schk. Fil. 135^b.
 — — — Hook. Sp. Fil. 35.
 — — — Boryanum Willd. Raddi Fil. 79.
 — — — Hook. Sp. Fil. 31.
 — — — brevifrons Kze. Kunze Fil. 96.
 — — — Bridgesii Hook. Hook. Sp. Fil. 35.
 — — — caespitosum Gaudich. Freycinet Voyage 5.
 — — — canariense Poir. Lam. Encycl. 870.
 — — — capillaceum Roxb. Hook. Sp. Fil. 38.
 — — — caudiculatum Mart. Mart. Crypt. bras. 67.
 — — — Kunze Fil. 87.
 — — — chilense Hook. Hook. Sp. Fil. 32.
 — — — ciliatum Sw. Hook. Ic. Fil. 1, 35.
 — — — crispatum H. et Gr. Hook. Ic. Fil. 1, 77.
 — — — crispum N. et Bl. Acta Leop. 11, 1, 14.
 — — — cristatum H. et Gr. Hook. Ic. Fil. 2, 148.
 — — — cruentum Cav. Hook. Sp. Fil. 31.
 † — — — Cumingii Presl. Prager Abh. 3, 11.
 — — — cuneatum Kze. Kunze Fil. 78.
 — — — cupressiforme Lab. Bill. Nov. Holl. 250.
 — — — demissum Sw. Schk. Fil. 135^c.
 — — — dichotomum Cav. Acta Leop. 11, 1, 13.
 — — — Hook. Sp. Fil. 36.
 — — — dilatatum Sw. Schk. Fil. 135.
 — — — Hook. Ic. Fil. 1, 60.
 — — — elasticum Willd. Hook. Ic. Fil. 2, 135.
 — — — emarginatum Sw. Acta Leop. 11, 1, 13.
 — — — exsertum Wall. Hook. Sp. Fil. 38.
 — — — fimbriatum Sm. Hook. Sp. Fil. 36.
 — — — flabellatum Lab. Bill. Nov. Holl. 250.
 † — — — fraternum Presl. Prager Abh. 3, 12.
 — — — fuciforme Sw. Mem. Tur. 39, 63.
 — — — Hook. Sp. Fil. 36.
 — — — gracile Bory. Hook. Ic. Fil. 2, 198.
 — — — hirsutum Sw. Raddi Fil. 79.
 — — — Hook. Ic. Fil. 1, 84.
 — — — hirtellum Sw. Hook. Sp. Fil. 31.
 — — — humile N. et Bl. Acta Leop. 11, 1, 13.
 — — — Jamesoni Hook. Hook. Sp. Fil. 35.
 — — — infortunatum Bory. Bory Coquille 38.
 — — — interruptum Kze. Kunze Analecta 30.
 — — — Hook. Sp. Fil. 33.
 — — — lanceolatum Hook. et Arn. Hook. Sp. Fil. 34.
 — — — Lindeni Hook. Hook. Sp. Fil. 34.
 — — — marginatum H. et Gr. Hook. Ic. Fil. 1, 34.
 — — — megachilum Presl. Prager Abh. 6, 8.
 — — — multifidum Sw. Schk. Fil. 135^b.
 — — — Hook. Ic. Fil. 2, 167.

- Hymenophyllum myriocarpum* Hook. Hook. Sp. Fil. 37.
 — *nigricans* Colla. Mem. Tur. 39, 62.
 — *nitens* R. Br. Hook. Ic. Fil. 2, 197.
 — *obtusum* Hook. et Arn. Hook. Sp. Fil. 33.
 — *organense* Hook. Hook. Sp. Fil. 32.
 † — *pectinatum* Cav. Prager Abh. 3, 11.
 — — Hook. Sp. Fil. 34.
 — — N. et Bl. Acta Leop. 11. 1, 12.
 — *pendulum* Bory. Bélanger Ind. or. 8.
 — *peruvianum* H. et Gr. Hook. Ic. Fil. 2, 208.
 — *Plamieri* H. et Gr. Hook. Ic. Fil. 2, 123.
 — *polyanthos* Sw. Hook. Ic. Fil. 2, 128.
 — *protrusum* Hook. Hook. Sp. Fil. 37.
 — *pulchellum* Hook. Hook. Sp. Fil. 33.
 — *pulcherrimum* Col. Hook. Sp. Fil. 37.
 — *rarum* R. Br. Kunze Fil. 96.
 — *recurvum* Gaudich. Hook. Sp. Fil. 37.
 — *reniforme* Hook. Hook. Sp. Fil. 38.
 — *rupestre* Raddi. Raddi Fil. 80.
 — *sanguinolentum* Sw. Schk. Fil. 135^e.
 — *secundum* H. et Gr. Hook. Ic. Fil. 2, 133.
 — *semibivalve* H. et Gr. Hook. Ic. Fil. 1, 83.
 — *semiteres* Colla. Mem. Tur. 39, 61.
 † — *Serra Presl*. Prager Abh. 3, 11.
 — *Smithii* Hook. Hook. Sp. Fil. 35.
 — *tomentosum* Kze. Kunze Fil. 69.
 — *tortuosum* H. et Gr. Hook. Ic. Fil. 2, 129.
 — *trifidum* H. et Gr. Hook. Ic. Fil. 2, 196.
 — *tunbridgense* Sm. Curt. Lond. 4, 71.
 — — Engl. Bot. 3, 162.
 — — Schk. Fil. 135^d.
 † — — Hook. Gen. Fil. 32.
 — — Newman p. 321.
 — *valvatum* H. et Gr. Hook. Ic. Fil. 2, 219.
 — *Wilsoni* Hook. Engl. Bot. 2686.
 — — Newman p. 325.
Hymenophyssa pubescens C. A. M. Ledeb. Ic. 165.
Hymenopogon parasiticus Wall. Wall. Pl. asiat. 227.
Hymenoxys californica Hook. Bot. Mag. 67, 3828.
 — *linearifolia* Hook. Hook. Ic. pl. 2, 146.
 — *odorata* DC. Delessert Ic. 4, 42.
Hyobanche coccinea Harv. Hook. Journal 1844, 3.
 — *sanguinea* L. et Thunb. Endl. Iconogr. 62.
 † — — Wight Illustr. 158^b.
Hyophorbe Commersoniana Mart. Mart. Palm. 143. 154.
 † — *indica* Gaertn. Gaertn. Carp. 120.
Hyoscyamus — ? Icones pl. Chinae 8.
 — *agrestis* R. et Sch. Sweet Fl. G. 27.
 † — *albus* L. Gaertn. Carp. 76.
 † — — Lam. Encycl. 117.
 — — Sibth. Fl. gr. 239.
 — — Nees Düsseldorf. Suppl. 6.
 — — Brandt und Ratzeb. 14.
 — *aureus* L. Bot. Mag. 3, 87.
 — — Sibth. Fl. gr. 231.
 — *auriculatus* Ten. Tenore Fl. nap. 219.
 — *canariensis* Ker. Bot. Reg. 3, 180.
 — *muticus* L. Schmidel Ic. 71.
 † — *niger* L. Lam. Encycl. 117.
 — — Woodv. Med. 2, 76.
 — — Engl. Bot. 9, 591.
 — — Baxter Brit. Bot. 5, 321.
 — — Bot. Mag. 50, 2394.
 — — Fl. dan. 9, 1452.
 — — Sv. Bot. 21.
 — — Bigelow Med. 17.
 — — Schk. Handb. 44.
 — — Sturm Flora 1, 3.
 — — Dreves 2, 47.
 — — Schrank Fl. monac. 1, 88.
 — — Hayne 1, 28.
 — — Brandt und Ratzeb. 14.

- Hyoscyamus niger* L. Guimp. et Schl. 155.
 — — Nees Düsseldorf. 191.
 — — Wagner 97. 98.
 — — Dietr. Fl. bor. 3, 204.
 † — — Nees Gen. 5, 54.
 — *orientalis* M. v. B. Bot. Mag. 50, 2414.
 — — Lodd. Cab. 1345.
 — — Sweet Fl. G. 12.
 — *physaloides* L. Pallas Fl. ross. 3, 8.
 — — Linné Amoenit. 7, 6. ☛
 — — Bot. Mag. 22, 852.
 — — Sweet Fl. G. 13.
 — *Scopolia* L. Bot. Mag. 28, 1126.
 — *varians* Vis. Visiani Dalm. 24.
Hyoseris cretica L. Cav. Ic. 43.
 † — — Schk. Handb. 224.
 † — — Gaertn. Carp. 169.
 † — — Lam. Encycl. 654.
 — *foetida* L. W. et Kit. 49.
 † — *Hedynois* L. Schk. Handb. 224.
 — *integrifolia* Poir. Lam. Encycl. 654.
 — *lucida* L. Schmidel Ic. 39. 41.
 — — Jacq. Vind. 150.
 — *minima* L. Fl. dan. 2, 201.
 — — Engl. Bot. 2, 95.
 — — Schk. Handb. 224.
 — *rhagadioloides* Asso. Asso Aragon. 11.
 — *taraxacoides* Vill. Vill. Dauph. 25.
 — *virginica* L. Journ. d'hist. nat. Par. 1, 12.
Hyospatha elegans Mart. Mart. Palm. 1. 2. Z^o.
 — *montana* Mart. D'Orbigny Voyage 6.
Hypecoum aequilobum Viv. Viviani Lib. 3.
 — *glaucescens* Guss. Gussone Pl. rar. 15.
 — *imberbe* Sibth. Sibth. Fl. gr. 156.
 — *littorale* Wulf. Jacq. Ic. 309.
 — — Rchb. Fl. germ. 3, 9.
 — *patens* Willd. Willdenow Hort. 5.
 † — *procumbens* L. Gaertn. Carp. 115.
 † — — Lam. Encycl. 88.
 — — Schk. Handb. 27.
 — — Sibth. Fl. gr. 155.
 — — Gussone Pl. rar. 14.
 — — Rchb. Fl. germ. 3, 9.
 — — Sweet Fl. G. 217.
 † *Hypelate* Sw. Swartz Fl. Ind. occ. 14.
 — *trifoliata* Sw. Delessert Ic. 3, 39.
 † *Hypericoides crux Andree* Poir. Lam. Encycl. 644.
 — *perforata* Poir. Lam. Encycl. 624.
 † *Hypericum* L. Gray Genera 92. 93.
 — *acerosum* H. B. K. H. B. K. Nov. Gen. 5, 457.
 — *adenotrichum* Spach. Jaubert Illustr. 20.
 — *aegypticum* L. Linné Amoenit. 8, 8.
 — — Bot. Reg. 3, 196.
 — *alpinum* W. et K. W. et Kit. 265.
 — *alternifolium* Vahl. Vahl Symbolae 42.
 — — Lab. Bill. Syr. 2, 10.
 — *anagallioides* Jaub. Jaubert Illustr. 24.
 — *androsaemoides* Vill. Vill. Dauph. 44.
 — *Androsaemum* L. Curt. Lond. 2, 127.
 — — Engl. Bot. 18, 1225.
 — *annulatum* Moris. Moris Fl. sard. 22.
 — *arborescens* Vahl. Vahl Symbolae 43.
 — *armenum* Jaub. Jaubert Illustr. 33.
 — *asperum* Led. Ledeb. Ic. 17.
 — *attenuatum* Fisch. Choisy Hyper. 6.
 — *Ancherii* Jaub. Jaubert Illustr. 31.
 — *australe* Ten. Tenore Fl. nap. 179.
 — *aviculariaefolium* Jaub. Jaubert Illustr. 30.
 — *baeticum* Boiss. Boissier Esp. 34.
 — *balearicum* L. Bot. Mag. 4, 137.
 — *barbatum* L. Jacq. Fl. austr. 3, 259.
 — — Engl. Bot. 28, 1986.

- Hypericum barbatum* L. Rchb. Fl. germ. 6, 349.
 — Bonaparteae Bart. Barton Fl. 3, 106.
 — bracteatum Don. Wall. Pl. asiat. 220.
 — Brathys Sm. Smith Ic. Linn. 41.
 — brevistylum Choisy. Choisy Hyper. 7.
 — calycinum L. Jacq. Fragm. 6.
 — — Bot. Mag. 5, 146.
 — — Engl. Bot. 29, 2017.
 — — Sibth. Fl. gr. 771.
 — canariense L. Lodd. Cab. 953.
 — capitatum Choisy. Choisy Hyper. 9.
 — Caprifolium Boiss. Boissier Esp. 33.
 — cernuum Roxb. Jacquemont Ind. 33.
 — chinense Mill. Trew Pl. rar. 21.
 — ciliatum Willd. Brotero Phytogr. 77.
 — — Desf. Choix 33.
 — — Ann. Mus. 11, 41.
 — cistifolium Lam. Rchb. Hort. 175.
 — coadunatum Choisy. Webb Canar. 4.
 — commutatum Nolte. Rchb. Fl. germ. 6, 345.
 — confertum Choisy. Choisy Hyper. 8.
 — connatum Lam. St. Hil. Pl. usuelles 61.
 — Coris L. Bot. Mag. 5, 178.
 — — Sibth. Fl. gr. 771.
 — — Roemer Mag. 3, 4.
 — — Rchb. Fl. germ. 6, 351.
 — crispum L. Sibth. Fl. gr. 776.
 — — Rchb. Fl. germ. 6, 345.
 — cryptopetalum Vogel. Trew Pl. rar. 21.
 — cuneatum Poir. Jaubert Illustr. 25.
 — delphinense Vill. Vill. Dauph. 44.
 — dentatum Lois. Loiseleur Fl. gall. 17.
 — denticulatum H. B. K. H. B. K. Nov. Gen. 5, 458.
 — dolabriforme Vent. Vent. Cels 43.
 — dubium Leers. Roemer Fl. europ. 7, 8.
 — — Engl. Bot. 5, 296.
 — elatum Ait. Watson Dendr. 2, 85.
 — — Lam. Ann. Mus. 3, 17.
 — elegans Steph. Rchb. Ic. crit. 3, 280.
 — — Rchb. Fl. germ. 6, 350.
 — Elodes L. Engl. Bot. 2, 109.
 — — Schk. Handb. 213.
 — — Roemer Fl. europ. 1, 6.
 — — Rchb. Fl. germ. 6, 342.
 — — Dietr. Fl. bor. 4, 248.
 — elongatum Led. Ledeb. Ic. 486.
 — — Rchb. Ic. crit. 3, 282.
 — empetrifolium Willd. Watson Dendr. 2, 141.
 — — Sibth. Fl. gr. 774.
 — ericoides L. Cav. Ic. 122.
 — — Tratt. Archiv 230.
 — euphorbioides St. Hil. St. Hil. Fl. Bras. 69.
 — floribundum Ait. Rchb. Hort. 95.
 — foliosum Jacq. Jacq. Schoenbr. 3, 299.
 — formosum H. B. K. H. B. K. Nov. Gen. 5, 460.
 — Gebleri Led. Ledeb. Ic. 487.
 — glandulosum Ait. Webb Canar. 3.
 — gnidioides Seem. Seemann Herald 17.
 — gramineum Forst. Bill. Sertum 53.
 — grandifolium Choisy. Choisy Hyper. 3.
 — — Rchb. Fl. germ. 6, 352.
 — graveolens Buckley. Gray Genera 92.
 — guianense Aubl. Aublet Guiana 311.
 — guineense L. Linné Amoenit. 8, 8.
 — heterophyllum Vent. Vent. Cels 68.
 — hircinum L. Schk. Handb. 213.
 — — Watson Dendr. 2, 86. 87.
 — — Sibth. Fl. gr. 773.
 — — Spach Suites 41.
 — hirsutum L. Curt. Lond. 2, 49.
 — — Engl. Bot. 17, 1156.
 — — Fl. dan. 5, 802.

- Hypericum hirsutum* L. Rchb. Fl. germ. 6, 349.
 — — Dietr. Fl. bor. 4, 288.
 — Hookerianum W. et A. Wight Spicil. 27.
 — — Wight Ic. pl. Ind. or. 3, 959.
 — humifusum L. Fl. dan. 1, 141.
 — — Curt. Lond. 1, 36.
 — — Engl. Bot. 18, 1226.
 — — Rchb. Fl. germ. 6, 342.
 — — Dietr. Fl. bor. 5, 325.
 — hyssopifolium Vill. Vill. Dauph. 44.
 — — Rchb. Fl. germ. 6, 351.
 — — Bot. Mag. 60, 3277.
 — — Knowles et Westcott 91.
 — japonicum Thunb. Thunberg Fl. jap. 31.
 — — Royle Illustr. 24.
 — Jaubertii Spach. Jaubert Illustr. 18.
 — Kalmianum L. Torrey New York 13.
 — Kohlianum Spr. Sprengel Fl. hal. 9.
 — loricifolium Juss. Ann. Mus. 3, 16.
 — latifolium Aubl. Aublet Guiana 312.
 — laxiusculum St. Hil. St. Hil. Pl. usuelles 62.
 — Leschenaultii Pers. Delessert Ic. 3, 27.
 — linarifolium Vahl. Engl. Bot. 3851.
 — — Rchb. Fl. germ. 6, 350.
 — maculatum All. All. Fl. ped. 3, 83.
 — — Rchb. Fl. germ. 6, 343.
 — mexicanum L. Linné Amoenit. 8, 8.
 — micranthum Choisy. Choisy Hyper. 5.
 — monogynum L. Bot. Mag. 10, 334.
 — montanum L. Fl. dan. 1, 173.
 — — Sv. Bot. 641.
 — — Engl. Bot. 6, 371.
 — — Schrank Fl. monac. 4, 369.
 — — Rchb. Fl. germ. 6, 347.
 — — Dietr. Fl. bor. 11, 729.
 — Montbretii Spach. Jaubert Illustr. 32.
 — nanum Poir. Jaubert Illustr. 23.
 — nudiflorum Michx. Rchb. Hort. 87.
 — nummularium L. Lam. Encycl. 643.
 — — Rchb. Fl. germ. 6, 346.
 — oblongifolium Choisy. Choisy Hyper. 4.
 — — Wall. Pl. asiat. 244.
 — olympicum L. Smith Exot. Bot. 96.
 — — Sibth. Fl. gr. 772.
 — — Bot. Mag. 44, 1867.
 — orientale L. Eichwald Cauc. 36.
 — organifolium Willd. Jaubert Illustr. 16.
 — paniculatum Lam. H. B. K. Nov. Gen. 5, 459.
 — patulum Thunb. Thunb. Ic. jap. 17.
 — Pelletarianum St. Hil. St. Hil. Fl. Bras. 70.
 — perforato-tetrapterum Rchb. Rchb. Fl. germ. 6, 344.
 — perforatum L. Fl. dan. 6, 1043.
 — — Curt. Lond. 1, 92.
 — — Engl. Bot. 5, 295.
 — — Sv. Bot. 75.
 — — Gaertn. Carp. 62.
 — — Lam. Encycl. 643.
 — — Schrank Fl. monac. 2, 113.
 — — Sturm Flora 5, 18.
 — — Hayne 8, 42.
 — — Nees Düsseldorf. 418.
 — — Guimp. et Schl. 83.
 — — Woodv. Med. 3, 208.
 — — Dict. sc. nat. 158.
 — — Rchb. Fl. germ. 6, 343.
 — — Dietr. Fl. bor. 4, 271.
 — — Baxter Brit. Bot. 1, 80.
 — prolificum L. Comm. Gott. 3, 7.
 — — Lam. Encycl. 643.
 — — Watson Dendr. 2, 88.
 — pseudoperforatum Bert. Novi Comm. Bon. 6, 22.

- Hypericum ptarmicaefolium* Spach. Jaubert Illustr. 19.
 — pubescens Boiss. Boissier Esp. 36.
 — pulchrum L. Fl. dan. 1, 75.
 — — — Curt. Lond. 1, 91.
 — — — Engl. Bot. 18, 1227.
 — — — Sv. Bot. 536.
 — — — Lam. Encycl. 643.
 — — — Rchb. Ic. crit. 3, 284.
 — — — Rchb. Fl. germ. 6, 347.
 — — — Dietr. Fl. bor. 4, 247.
 — punctatum Lam. Rchb. Hort. 88.
 — pyramidatum Ait. Vent. Malm. 118.
 — — — Torrey New York 12.
 — quadrangulo-tetrapterum Lasch. Rchb. Fl. germ. 6, 344.
 — quadrangulum L. Fl. dan. 4, 640.
 — — — Curt. Lond. 2, 48.
 — — — Engl. Bot. 6, 370.
 — — — Sv. Bot. 339.
 — — — Hayne 8, 43.
 — — — Rchb. Fl. germ. 6, 343.
 — Quartianum Rich. Richard Abyssin. 21.
 — quinquenervium Walt. Rchb. Hort. 96.
 — reflexum L. fil. Rchb. Hort. 86.
 — repens L. Sibth. Fl. gr. 775.
 — — — Jaubert Illustr. 26.
 — retusum Auch. Jaubert Illustr. 27.
 — Richieri Vill. Vill. Dauph. 44.
 — — — Rochel Banat. 12.
 — — — Rchb. Fl. germ. 6, 348.
 — rupestre Jaub. Jaubert Illustr. 21.
 — — — var. ovalifolia, Jaubert Illustr. 22.
 — Salicaria Rchb. Rchb. Ic. crit. 5, 490.
 — Sarothra Michx. Gray Genera 93.
 — satirejaefolium Jaub. Jaubert Illustr. 28.
 — sessilifolium Aubl. Aublet Guiana 312.
 — silenoides Juss. Ann. Mus. 3, 16.
 — songaricum Led. Rchb. Ic. crit. 3, 283.
 — spectabile Jaub. Jaubert Illustr. 29.
 — struthiolaefolium Juss. Ann. Mus. 3, 16.
 — tetrapterum Fr. Rchb. Fl. germ. 6, 344.
 — — — Dietr. Fl. bor. 4, 272.
 — thuyoides H. B. K. H. B. K. Nov. Gen. 5, 456.
 — thymifolium H. B. K. H. B. K. Nov. Gen. 5, 455.
 — tomentosum L. Moris Fl. sard. 21.
 — — — Rchb. Fl. germ. 6, 346.
 — Tournefortii Spach. Jaubert Illustr. 17.
 — triplinerve Vent. Cels 58.
 — undulatum Schousb. Rchb. Hort. 39.
 — uralum Don. Bot. Mag. 50, 2375.
 — virginicum L. Andr. Rep. 8, 552.
 — Wightianum Wall. Wight Illustr. 43.
 † *Hyphaene coriacea* Gaertn. Gaertn. Carp. 10.
 † — — crinita Gaertn. Gaertn. Carp. 82.
 † — — cucifera Pers. Jacq. Fragn. 133.
 † — — — Kerner Genera 61—64.
 — thebaica Mart. Mart. Palm. 131. 132. 133. S.
Hypocalymma robustum Endl. Bot. Reg. 29, 8.
Hypocalyptus obcordatus Thunb. Delessert Ic. 3, 63.
 — — — Bot. Mag. 68, 3894.
 — — — Maund Bot. 4, 198.
Hypochaeris adscendens Brot. Brotero Phytogr. 25.
 — Berterii Colla. Mem. Tur. 38, 33.
 — glabra L. Fl. dan. 3, 424.
 † — — — Gaertn. Carp. 160.
 † — — — Lam. Encycl. 656.
 — — — Schk. Handb. 225.
 — — — Curt. Lond. 3, 65.
 — — — Engl. Bot. 8, 575.
 — — — Sv. Bot. 751.
 — grandiflora Led. Ledeb. Ic. 440.
 — helvetica L. Jacq. Ic. 165.

- Hypochaeris hispida* Willd. Willdenow Hort. 46.
 — maculata L. Fl. dan. 1, 149.
 — — — Engl. Bot. 4, 225.
 — — — Hayne 6, 43.
 — — — Schrank Fl. monac. 3, 246.
 — minima Desf. Cirillo Pl. rar. 1, 10.
 — — — Sibth. Fl. gr. 816.
 — pinnatifida Cirillo. Tenore Fl. nap. 181.
 — radicata L. Fl. dan. 1, 150.
 — — — Curt. Lond. 2, 107.
 — — — Engl. Bot. 12, 831.
 — — — Sv. Bot. 782.
 — — — Baxter Brit. Bot. 6, 406.
 — — — Dietr. Fl. bor. 9, 649.
 — sonchoides H. B. K. H. B. K. Nov. Gen. 4, 391.
 — uniflora Vill. All. Fl. ped. 3, 14. 32.
 — — — Lam. Encycl. 656.
 — — — Mutel Fl. fr. 34.
 † *Hypochlamys pectinata* Fée. Fée Fil. 5, 17.
Hypocyrtia aggregata Mart. Mart. Bras. 221.
 — gibbosa P. et E. Poepp. et Endl. 207.
 — glabra Hort. Bot. Mag. 74, 4346.
 — gracilis Mart. Mart. Bras. 219.
 — — — Bot. Mag. 76, 4531.
 — — — Lem. Jard. fl. 157.
 — hirsuta Mart. Mart. Bras. 222.
 — leucostoma Hook. Bot. Mag. 73, 4310.
 — — — Fl. d. serres 3, 257.
 — scabrida Ch. Lem. Fl. d. serres 3, 238.
 — strigillosa Mart. Bot. Mag. 69, 4047.
Hypodematum abyssinicum Rich. Richard Abyssin. 83.
 — onustum Kze. Kunze Analecta 28.
 — Rüppelianum Kze. Kunze Fil. 21.
 † *Hypoderris Brownii* J. Sm. Hook. Gen. Fil. 1.
 — — — Hook. Ic. pl. 675—676.
Hypoestes floribunda R. Br. Endl. Iconogr. 105.
 — malaccensis Wight. Wight Ic. pl. Ind. or. 4, 1555.
 — purpurea R. Br. Rumpf Amb. 6, 22. fig. 2.
 — rosea Decne. Pal. B. Fl. d'Oware 100.
Hypolepis anthriscifolia Presl. Hook. Sp. Fil. 95.
 — californica Hook. Hook. Sp. Fil. 88.
 — capensis Hook. Hook. Sp. Fil. 77.
 — distans Colenso. Hook. Sp. Fil. 96.
 — Millefolium Hook. Hook. Sp. Fil. 95.
 — monticola Gardn. Hook. Sp. Fil. 92.
 — nigrescens Hook. Hook. Sp. Fil. 90.
 — parallelogramma Presl. Hook. Sp. Fil. 78.
 — pauperula Hook. Hook. Sp. Fil. 88.
 — pedata Hook. Hook. Sp. Fil. 92.
 — Purdieana Hook. Hook. Sp. Fil. 91.
 — radiata Hook. Hook. Sp. Fil. 91.
 † — — repens Presl. Hook. Gen. Fil. 67.
 † — — — Fée Fil. 5, 12.
 — — — Hook. Sp. Fil. 90.
 — spectabilis Presl. Hook. Sp. Fil. 88.
 — tenuifolia Bernh. Hook. Sp. Fil. 89. 90.
Hypolytrum giganteum Wall. Rheede Hort. mal. 12, 58.
 — laxum Schrad. Endl. Bras. 3, 6.
 — nemorum Pal. B. Pal. B. Fl. d'Oware 67.
 — Schraderianum N. v. E. Endl. Bras. 3, 5.
Hypopithys lanuginosa Michx. Torrey New York 72.
Hypoporum tenellum N. v. E. Endl. Bras. 3, 9.
 † *Hypoxideae* R. Br. Schnizl. Iconogr. 1, 63.
 † *Hypoxis* L. Herbert Amar. 1.
 — alba L. Jacq. Collect. 4, 2.
 — — — Jacq. Fragn. 7.
 — — — Lodd. Cab. 1074.
 — brachystachya Wight. Wight Ic. pl. Ind. 6, 2046.
 — decumbens L. Lam. Encycl. 229.
 — — — Endl. Bras. 8, 7.
 — erecta L. Bot. Mag. 19, 710.
 † — — — Lam. Encycl. 229.

- Hypoxis erecta* L. Red. Lil. 6, 355.
 — — — Lodd. Cab. 710.
 — — — Barton Fl. 1, 35.
 † — *Fabricia Gaertn.* Gaertn. Carp. 11.
 — *fascicularis* L. Russell Aleppo 9.
 — *hygrometrica* Lab. Bill. Nov. Holl. 108.
 — *junceae Sm.* Smith Spicil. 16.
 — *latifolia Wight.* Wight Ic. pl. Ind. or. 6, 2044.
 — *leptostachya Wight.* Wight Ic. pl. Ind. or. 6, 2045.
 — *linearis Andr.* Andr. Rep. 3, 171.
 — *luzulaefolia DC.* Red. Lil. 3, 260.
 — *minor Don.* Royle Illustr. 91.
 — *obliqua Jacq.* Jacq. Ic. 371.
 — — — Andr. Rep. 3, 195.
 — *obtusae Burch.* Bot. Reg. 2, 159.
 — *ovata L. fil.* Bot. Mag. 25, 1010.
 — *pauciflora Wight.* Wight Ic. pl. Ind. or. 6, 2045.
 — *plicata Jacq.* Jacq. Ic. 367.
 — *ramosa Lodd.* Lodd. Cab. 1936.
 — *Roeperti Moore.* Lem. Jard. fl. 3, 303.
 — *scabra Lodd.* Lodd. Cab. 970.
 — *scorzonerifolia Lam.* Desc. Ant. 8, 593.
 — *serrata L. fil.* Jacq. Ic. 369.
 — — — Bot. Mag. 19, 709. 23, 917.
 — *sobolifera Jacq.* Jacq. Ic. 372.
 — — — Bot. Mag. 19, 711.
 — — — Red. Lil. 3, 170.
 — *stellata L. fil.* Jacq. Ic. 368.
 — — — Red. Lil. 3, 159.
 — — — Andr. Rep. 2, 101. 4, 236.
 — — — Bot. Mag. 18, 662. 30, 1223.
 — — — Lodd. Cab. 802.
 — — — Dict. sc. nat. 56.
 — — — Herb. amat. 2, 121.
 — — — Rchb. Exot. 77.
 — *stellipilis Ker.* Bot. Reg. 8, 663.
 — — — Bot. Mag. 65, 3696.
 — *trichocarpa Wight.* Wight Ic. pl. Ind. or. 6, 2045.
 — *villosa L. fil.* Jacq. Ic. 370.
 † — — — Lam. Encycl. 229.
 † — — — Spach Suites 150.
 † — — — Schnizl. Iconogr. 1, 63.
Hyptis atrorubens Poit. Ann. Mus. 7, 27.
 — *capitata Jacq.* Jacq. Ic. 114.
 † — — — Lam. Encycl. 507.
 † — — — Ann. Mus. 7, 27.
 — — — Desc. Ant. 8, 576.
 — *chamaedrys Vahl.* Ann. Mus. 7, 27.
 — *hirsuta H. B. K.* H. B. K. Nov. Gen. 2, 161.
 — *laniflora Benth.* Benth. Sulphur 20.
 — *lantanaefolia Poit.* Ann. Mus. 7, 29.
 — *pectinata Poit.* Ann. Mus. 7, 30.
 — *pseudochamaedrys Poit.* Ann. Mus. 7, 31.
 † — *radiata Willd.* Ann. Mus. 7, 27.
 — *recurvata Poit.* Ann. Mus. 7, 28.
 — *Salzmanni Benth.* Hook. Ic. pl. 5, 463.
 — *scoparia Poit.* Ann. Mus. 7, 31.
 — *spicata Poit.* Ann. Mus. 7, 28.
 — *spicifera Lam.* Desc. Ant. 8, 581.
 — *suaveolens Poit.* Ann. Mus. 7, 29.
 — *verticillata Jacq.* Jacq. Ic. 113.
 — — — Desc. Ant. 8, 575.
 — — — Hook. Ic. pl. 5, 458.
Hysopus Lophanthus L. Jacq. Vind. 182.
 — — — Schk. Handb. 156.
 — *nepetoides L.* Jacq. Vind. 69.
 — *ocymifolius Lam.* Lam. Encycl. 502.
 — — — Schk. Handb. 167.
 — *officinalis L.* Jacq. Fl. austr. 3, 254.
 — — — Schk. Handb. 156.
 — — — Sturm Flora 1, 3.
 † — — — Lam. Encycl. 502.

- Hysopus officinalis* L. Woodv. Med. 2, 113.
 — — — Hayne 6, 18.
 — — — Nees Düsseldorf. 170.
 — — — Guimp. et Schl. 123.
 — — — Wagner 106.
 † — — — Nees Gen. 6, 19.
 — *orientalis Schult.* Jacq. Fragm. 129.
 — — — var. Bot. Mag. 49, 2299.
Jaborosa caulescens Gill. Hook. Bot. Misc. 71.
 — *integrifolia Lam.* Lam. Encycl. 114.
 — — — Bot. Mag. 63, 3489.
 — — — Miers Illustr. 5.
 — *runcinata Lam.* Link Ic. I. 48.
 — — — Rchb. Hort. 237.
Jacaranda acutifolia H. B. Humb. Pl. aeq. 17.
 — *mimosaeifolia Don.* Bot. Reg. 8, 631.
 — — — Rchb. Exot. 143.
 — — — Paxt. Mag. 11, 151.
 — — — Fl. d. serres 3, 185.
 — *obtusifolia H. B.* Humb. Pl. aeq. 18.
 — *ovalifolia R. Br.* Bot. Mag. 49, 2327.
 — *tomentosa Ldl.* Bot. Reg. 13, 1103.
 — — — Rchb. Exot. 214.
 — — — Paxt. Mag. 12, 217.
Jackia ornata Wall. Wall. Pl. asiat. 293.
Jacksonia scoparia R. Br. Lodd. Cab. 427.
 — *Sternbergiana Benth.* Hügel Archiv 3.
Jacobaea carniolica Schrank. Münchn. Denkschr. 4, 15.
 † — *vulgaris Gaertn.* Gaertn. Carp. 170.
 — — — Schrank Fl. monac. 2, 101.
Jacobinia lepida Moric. Moricand Pl. Amer. 92.
 † *Jacquemontia Choisy.* Mem. Genev. 6, 1.
 — *Blanchetii Moric.* Moricand Pl. Amer. 27.
 — *ericaefolia Bel.* Belanger Ind. or. x.
 — *glaucescens Choisy.* Mem. Genev. 8, 3.
 — *pentantha Maund.* Maund Bot. 4.
 — *subsessilis Moric.* Moricand Pl. Amer. 28.
Jacquinia arborea Vahl. Jacq. Fragm. 94.
 — *aristata Kern.* Kerner Hort. 483.
 — *armillaris L.* Jacq. Hist. stirp. am. 56.
 † — — — Gaertn. Carp. 201.
 — — — Lam. Encycl. 121.
 — *aurantiaca Dryand.* Bot. Mag. 40, 1639.
 — — — Herb. amat. 3, 192.
 — *linearis L.* Jacq. Hist. stirp. am. 58.
 — — — Lam. Encycl. 121.
 — *macrocarpa Cav.* Cav. Ic. 483.
 — — — Maund Bot. 3, 127.
 — *pubescens H. B. K.* H. B. K. Nov. Gen. 3, 246.
 † — *revoluta Jacq.* Jacq. Fragm. 95.
 — *ruscifolia L.* Jacq. Hist. stirp. am. 57.
 — — — Jacq. Fragm. 95.
Jacquinotia prostrata Rich. Richard Astrolabe 22.
Jaegeria mnioides H. B. K. H. B. K. Nov. Gen. 4, 400.
 † *Jalapa Adams.* Kerner Genera 11.
Jambolifera pedunculata L. Rumpf Amb. 1, 42.
 † — — — Gaertn. Carp. 36.
 — — — Vahl Symbolae 61.
Jambosa aquae DC. Wight Ic. pl. Ind. or. 1, 216.
 — *malaccensis DC.* Rheede Hort. mal. 1, 18.
 — — — Wight Illustr. 98.
 — — — Bot. Mag. 74, 4408.
 — — — Fl. d. serres 5, 429.
 — *vulgaris DC.* Rheede Hort. mal. 1, 17.
 — — — Bot. Mag. 61, 3356.
 — — — Wight Ic. pl. Ind. or. 2, 435.
Jamesonia adnata Kze. Kunze Fil. 133.
 — *canescens Kze.* Kunze Fil. 133.
 — *cinnamomea Kze.* Kunze Fil. 71.
 — — — Hook. Ic. pl. 8, 713.
 — *formosa Kippist.* Linn. Transact. 20, 16.
 — *hispidula Kze.* Kunze Fil. 82.

- † *Jamesonia imbricata* Hook. Hook. Gen. Fil. 13.
 — *scalaris* Kze. Kunze Fil. 71.
 † — — Fée Fil. 5, 12.
 — *verticalis* Kze. Kunze Fil. 82.
Jamma Mōmu Kaempf. Kaempfer Jap. 37.
Janipha aesculifolia H. B. K. H. B. K. Nov. Gen. 2, 109.
 † — *Manihot* H. B. K. Jussieu Euphorb. 10.
 — — — Bot. Mag. 58, 3071.
Jantha pallidiflora Hook. Hook. Exot. Fl. 113.
Janusia californica Benth. Benth. Sulphur 4.
 † — *guaranitica* Juss. Arch. Mus. 3, 21.
 † *Jarava Ichu* R. & P. Ruiz et Pav. Prodr. 1.
 — — — Ruiz et Pav. Fl. 6.
Jasione amethystina Lag. Boissier Esp. 119.
 — *foliosa* Cav. Cav. Ic. 148.
 — *montana* L. Fl. dan. 2, 319.
 — — — Curt. Lond. 3, 39.
 — — — Engl. Bot. 13, 882.
 — — — Baxter Brit. Bot. 5, 373.
 — — — Sv. Bot. 404.
 † — — — Lam. Encycl. 724.
 † — — — Gaertn. Carp. 30.
 — — — Schk. Handb. 266.
 — — — Sturm Flora 3, 9.
 — — — Dietr. Fl. bor. 3, 211.
 — *penicillata* Boiss. Boissier Esp. 119.
 — *perennis* Lam. Lam. Encycl. 724.
 — — — Lodd. Cab. 923.
 — — — Bot. Reg. 6, 505.
 — — — Bot. Mag. 48, 2198.
 † *Jasminanthus suaveolens* Bl. Blume Mus. 1, 28.
 † *Jasmineae* Juss. Wight Illustr. 151^b.
Jasminum —? Icones pl. Chinae 36.
 — *acuminatum* R. Br. Bot. Reg. 15, 1296.
 — *affine* Royle. Bot. Reg. 31, 26.
 — — — Wight Ic. pl. Ind. or. 4, 1255.
 — *angustifolium* Willd. Rheede Hort. mal. 6, 53.
 — — — var. *laurifolium*, Bot. Reg. 7, 521.
 — — — Wight Ic. pl. Ind. or. 2, 698.
 — *arborescens* Roxb. Wight Ic. pl. Ind. or. 2, 699.
 — *auriculatum* Vahl. Bot. Reg. 4, 264.
 — — — Savi Fl. ital. 2, 64.
 — — — Wight Ic. pl. Ind. or. 2, 700.
 — *azoricum* L. Mem. Acad. Berl. 1790, 1.
 — — — Bot. Reg. 1, 89.
 — — — Bot. Mag. 44, 1889.
 — *bracteatum* Roxb. Wight Ic. pl. Ind. or. 4, 1248.
 — *brevilobum* DC. Wight Ic. pl. Ind. or. 4, 1254.
 — *candatum* Wall. Bot. Reg. 28, 26.
 — *courtallense* Wight. Wight Ic. pl. Ind. or. 4, 1252.
 — *dispermum* Wall. Wall. Pl. asiat. 274.
 — *divaricatum* R. Br. Bill. Sertum 27.
 — *elongatum* Willd. Wight Ic. pl. Ind. or. 2, 701.
 — *erectiflorum* A. DC. Wight Spicil. 151.
 — — — Wight Ic. pl. Ind. or. 4, 1251.
 — *flexile* Jacq. Jacq. Schoenbr. 4, 490.
 — — — Vahl. Wight Ic. pl. Ind. or. 4, 1253.
 † — *fruticans* L. Gaertn. Carp. 42.
 † — — — Lam. Encycl. 7.
 — — — Bot. Mag. 13, 461.
 — — — Nouveau Duhamel 1, 28.
 † — — — Nees Gen. X, x.
 — *fruticosum* Willd. Mem. Acad. Berl. 1790, 2.
 — *Gardnerianum* Wight. Wight Illustr. 153.
 — *geniculatum* Vent. Vent. Choix 8.
 — — — Herb. amat. 4, 221.
 — *glaucum* Ait. Vent. Cels 55.
 — — — Bot. Reg. 23, 2013.
 — *gracile* R. Br. Andr. Rep. 2, 127.
 — — — Bot. Reg. 8, 606.
 — *grandiflorum* L. Rheede Hort. mal. 6, 52.
 — — — Mem. Acad. Berl. 1790, 1.

- Jasminum grandiflorum* L. Bot. Reg. 2, 91.
 — — — Wight Ic. pl. Ind. or. 4, 1257.
 — *heterophyllum* Wall. Wall. Pl. asiat. 275.
 — — — Savi Fl. ital. 1, 8.
 — *hirsutum* Willd. Smith Exot. Bot. 118.
 — — — Bot. Reg. 1, 15.
 — — — Bot. Mag. 45, 1991.
 — — — Wight Ic. pl. Ind. or. 2, 702.
 — *humile* L. Mem. Acad. Berl. 1790, 2.
 — — — Bot. Reg. 5, 350.
 — *Jacquemontii* Decne. Jacquemont Ind. 143.
 — *lanceolatum* R. & P. Ruiz et Pav. Fl. 7.
 — *latifolium* Roxb. Wight Ic. pl. Ind. or. 2, 703.
 — *lineare* R. Br. Hook. Ic. pl. 9, 831.
 — *malabaricum* Wight. Wight Ic. pl. Ind. or. 4, 1250.
 — *multiflorum* Andr. Andr. Rep. 8, 496.
 — *myrtophyllum* Zenk. Zenker Pl. ind. 7.
 — *nudiflorum* Ldl. Bot. Reg. 32, 48.
 — — — Paxt. Mag. 15, 173.
 — — — Annales de Gand 1848, 225.
 — — — Bot. Mag. 78, 4649.
 — — — Lem. Jard. fl. 3, 320.
 — — — Fl. d. serres 8, 762.
 — — — Annales d'hortic. 1852, x.
 — *oblongum* Burm. Burm. Fl. ind. 3.
 — *odoratissimum* L. Mem. Acad. Berl. 1790, 2.
 — — — Bot. Mag. 8, 285.
 — *officinale* L. Bot. Mag. 1, 31.
 — — — Mem. Acad. Berl. 1790, 1.
 — — — Schk. Handb. 2^b.
 † — — — Lam. Encycl. 7.
 † — — — Nouveau Duhamel 1, 27.
 † — — — Plée Types 2.
 † — — — Nees Gen. X, x.
 — *ovalifolium* Wight. Wight Ic. pl. Ind. or. 4, 1256.
 — *paniculatum* Roxb. Lodd. Cab. 469.
 — — — Bot. Reg. 9, 690.
 — *pubescens* Roxb. Rheede Hort. mal. 6, 54.
 — — — Willd. Wight Ic. pl. Ind. or. 2, 702.
 — *revolutum* Sims. Bot. Mag. 42, 1731.
 — — — Bot. Reg. 3, 178.
 — — — Lodd. Cab. 966.
 — — — Rchb. Mag. 75.
 — — — Wight Spicil. 151.
 — — — Wight Ic. pl. Ind. or. 4, 1258.
 — *rigidum* Zenk. Zenker Pl. ind. 6.
 — — — Wight Ic. pl. Ind. or. 4, 1247.
 — — — Wight Illustr. 151^b.
 — *Rotterianum* Wall. Wight Ic. pl. Ind. or. 4, 1249.
 — *Sambac* Ait. Rheede Hort. mal. 6, 50. 51.
 — — — Andr. Rep. 8, 497.
 — — — Lodd. Cab. 1922.
 — — — Bot. Reg. 1, 1.
 — — — Bot. Mag. 43, 1785.
 — — — Wight Ic. pl. Ind. or. 2, 704.
 — *simplicifolium* Forst. Bot. Mag. 25, 980.
 — — — Wight Ic. pl. Ind. or. 2, 705.
 — *trinerve* Vahl. Bot. Reg. 11, 918.
 — *undulatum* Willd. Rheede Hort. mal. 6, 55.
 — — — Icones pl. Chinae 4.
 — — — Bot. Reg. 6, 436.
 — — — Savi Fl. ital. 3, 85.
 — *volubile* Jacq. Jacq. Schoenbr. 3, 321.
 † — — — Jacq. Fragm. 44.
 — *Wallichianum* Ldl. Bot. Reg. 17, 1409.
Jasonia sicula DC. Mem. Mod. 22, x.
Jatropha acuminata Lam. Vent. Malm. 52.
 — *carthagenensis* Jacq. Jacq. Vind. 3, 77.
 † — *Curcas* L. Gaertn. Carp. 108.
 — — — Jacq. Vind. 3, 63.
 — — — Desc. Ant. 2, 141.
 † — — — Jussieu Euphorb. 11.

- † *Jatropha globosa* Gaertn. Gaertn. Carp. 109.
 — *gossypifolia* Jacq. Jacq. Ic. 523.
 — — L. Lodd. Cab. 117.
 — — Bot. Reg. 9, 746.
 † — *herbacea* L. Houstoun Reliq. 15.
 † — — Lam. Encycl. 791.
 — *Janipha* L. Jacq. Hist. stirp. am. 244.
 — *integerrima* Jacq. Bot. Mag. 36, 1464.
 — *Manihot* L. Tussac Ant. 3, 1.
 — — Desc. Ant. 3, 178.
 — — Journ. agr. Soc. India 1850, x.
 — *moluccana* L. Rumpf Amb. 3, 141.
 — *multifida* L. Salisbury Parad. 91.
 — — Kerner Hort. 18.
 — — Desc. Ant. 2, 142.
 † — *napaeifolia* Desr. Jussieu Euphorb. 11.
 — *panduraefolia* Sims. Bot. Mag. 17, 604.
 — — Andr. Rep. 4, 267.
 — — Lodd. Cab. 1604.
 — — Maund Bot. 3, 107.
 — — Kerner Hort. 221.
 — — Herb. amat. 2, 113.
 — — Savi Fl. ital. 1, 30.
 — *peltata* Wight. Wight Ic. pl. Ind. or. 4, 1169.
 — *podagrica* Hook. Bot. Mag. 74, 4376.
 — *urens* L. Jacq. Vind. 21.
 — — Lodd. Cab. 478.
 — — Desc. Ant. 7, 502.
 — *variegata* Vahl. Vahl Symbolae 21.
Jaubertia Aucheri Guill. Jaubert Illustr. 8.
 — *koelpinoides* Spach. Jaubert Illustr. 289.
Ibbetsonia genistoides Sims. Bot. Mag. 31, 1259.
 † *Iberis* L. Nees Gen. X, x.
 † — — Jordan Obs. 6, 1.
 — *acutifolia* Bert. Novi Comm. Bonon. 6, 9.
 † — *amara* L. Medikus Gattungen 2.
 — — Rchb. Fl. germ. 2, 7.
 — — Dietr. Fl. bor. 12, 855.
 — — Engl. Bot. 1, 52.
 — — Baxter Brit. Bot. 5, 351.
 † — — Jordan Obs. 6, 1.
 † — *amoena* Jord. Jordan Obs. 6, 1.
 † — *attica* Jord. Jordan Obs. 6, 1.
 † — *aurosica* Chair. Jordan Obs. 6, 1.
 — *bicolor* Rchb. Rchb. Fl. germ. 2, 7.
 † — *boppardensis* Jord. Jordan Obs. 6, 1.
 † — *Candolleana* Jord. Jordan Obs. 6, 1.
 — *carnea* Willd. W. et Kit. 194.
 — — Sweet Fl. G. II. 6.
 — *cepeaeifolia* Wulf. Jacq. Misc. 2, 1.
 — *ciliata* Willd. Bot. Mag. 26, 1030.
 — — All. Rchb. Fl. germ. 2, 7.
 † — — Jordan Obs. 6, 1.
 † — *collina* Jord. Jordan Obs. 6, 1.
 — *conferta* Lag. Delessert Ic. 2, 54.
 — *coronaria* Don. Sweet Fl. G. II. 359.
 — *divaricata* Tausch. Rchb. Fl. germ. 2, 7.
 † — *Durandii* Lor. et Dur. Jordan Obs. 6, 1.
 — *garrexiana* All. All. Fl. ped. 3, 40. 54.
 — — Rchb. Fl. germ. 2, 7.
 † — — Jordan Obs. 6, 1.
 — *gibraltarica* L. Bot. Mag. 4, 124.
 † — *hortensis* Jord. Jordan Obs. 6, 1.
 — *integerrima* Moris. Moris Fl. sard. 8.
 — *intermedia* Guera. Bull. philom. 1811, no. 82.
 — — Dietr. Fl. bor. 12, 855.
 † — — Jordan Obs. 6, 1.
 † — *linifolia* L. Schk. Handb. 179.
 — — Rchb. Fl. germ. 2, 7.
 † — — Jordan Obs. 6, 1.
 — *nana* All. Allioni Auct. 2.
 — — Rchb. Fl. germ. 2, 7.

- Iberis* nana All. Bot. Mag. 54, 2788.
 † — — — Jordan Obs. 6, 1.
 — *nudicaulis* L. Fl. dan. 2, 323.
 — — Engl. Bot. 5, 327.
 — — Sv. Bot. 732.
 — — Schk. Handb. 179.
 — *odorata* L. Sweet Fl. G. 50.
 † — *panduraeformis* Pourr. Jordan Obs. 6, 1.
 — *petraea* Jord. Jordan Obs. 6, 1.
 — *pinnata* L. Rchb. Fl. germ. 2, 7.
 † — — Jordan Obs. 6, 1.
 † — *polita* Jord. Jordan Obs. 6, 1.
 † — *Prostii* Soyer-Will. Jordan Obs. 6, 1.
 — *rotundifolia* L. Scop. Fl. carn. 2, 37.
 — *saxatilis* L. Gouan Fl. monsp. 3.
 — — Lam. Encycl. 557.
 — — Bot. Mag. 40, 1642.
 — — Rchb. Fl. germ. 2, 8.
 † — — Jordan Obs. 6, 1.
 — *sempervirens* L. Rchb. Fl. germ. 2, 8.
 — *sempervirens* L. Rousseau Bot. 11.
 — — Sibth. Fl. gr. 620.
 — — Rchb. Fl. germ. 2, 8.
 † — *spathulata* Berg. Jordan Obs. 6, 1.
 † — *Spruneri* Jord. Jordan Obs. 6, 1.
 — *stylosa* Ten. Tenore Fl. nap. 160.
 — *Tenoreana* DC. Tenore Fl. nap. 160.
 — — Lodd. Cab. 1721.
 — — Bot. Mag. 54, 2783.
 — — Sweet Fl. G. 88.
 † — *Timeroyi* Jord. Jordan Obs. 6, 1.
 † — *umbellata* L. Medikus Gattungen 2.
 † — — Schk. Handb. 179.
 † — — Gaertn. Carp. 141.
 † — — Lam. Encycl. 557.
 — — Bot. Mag. 3, 106.
 — — Rchb. Fl. germ. 2, 7.
 † — — Jordan Obs. 6, 1.
 † — *Violeti* Jord. Jordan Obs. 6, 1.
Icacina senegalensis Juss. Mem. hist. nat. Par. I, 9.
Icacorea guianensis Aubl. Aublet Guiana 368.
 — — Lam. Encycl. 136.
Ichnanthus fastigiatus Brongn. Brongniart Coquille 18.
 — *leiocarpus* Kth. Humb. Gram. 168.
 — *panicoides* Pal. B. Humb. Gram. 34.
Ichnocarpus frutescens R. Br. Wight Ic. pl. Ind. or. 2, 430.
Ichthyosma Wehdemanni Schlechtend. Linnaea 2, 8.
Ichthyothere curvifolia Moric. Moricand Pl. Am. 89.
 — *rufa* Gardn. Fielding Sertum 9.
 — *suffruticosa* Gardn. Fielding Sertum 8.
Icica altissima Aubl. Aublet Guiana 132.
 — *Aracouchini* Aubl. Aublet Guiana 133.
 — *Copal A. Rich.* Ramon Cuba 37.
 — — Schlecht. Schlechtendal Hortus hal. 12.
 — *enneandra* Aubl. Aublet Guiana 134.
 — *guianensis* Aubl. Aublet Guiana 131.
 — *heptaphylla* Aubl. Aublet Guiana 130.
 † — — Lam. Encycl. 303.
 — *pentandra* Aubl. Aublet Guiana 135.
Ictodes foetidus Big. Bigelow Med. 24.
 † *Jeanneretia* litoralis Gaudich. Gaudichand Bonite 25.
 † *Jeffersonia* Barton. Gray Genera 34.
 — *Bartoni* Michx. Rafin. Med. 85.
 — *diphylla* Pers. Bot. Mag. 37, 1513.
 — — Lodd. Cab. 1036.
 — — Gray Genera 34.
Jenkinsia Griffith. Wight Ic. pl. Ind. or. 5, 1854.
 — *assamica* Griff. Calcutta Journal 1844, 12.
 † — *undulata* Hook. Hook. Gen. Fil. 75.
Jenkinsonia coriandrifolia Sweet. Sweet Geran. 34.
 — *pendula* Sweet. Sweet Geran. 188.

- Jenkinsonia quinata* Sweet. Sweet Geran. 79.
 — *Synnoti* Sweet. Sweet Geran. 342.
 — *tetragona* Sweet. Sweet Geran. 99.
 † *Jerdonia indica* Wight. Wight Illustr. 159 bis.
 — — — Wight Ic. pl. Ind. or. 4, 1352.
Jeronia elephantum Correa. Wight Ic. pl. Ind. or. 1, 15.
 † *Ignatia amara* L. Gaertn. Carp. 179.
Iguanura geonomaeformis Mart. Mart. Palm. 178.
 — *leucocarpa* Bl. Blume Rumphia 117.
Jirasekia alpina Schmidt. Schmidt Neue Beob. 1.
 † — *tenella* Schmidt. Nees Genera 5, 21.
Ilex affinis Gardn. Hook. Ic. pl. 5, 463.
 — *angustifolia* Willd. Watson Dendr. 1, 4.
 — *anomala* Hook. et Arn. Hook. Beechey 25.
 — *Aquifolium* L. Schk. Handb. 28.
 — — — Sturm Flora 2, 7.
 — — — Guimpel Holzgew. 5.
 — — — Hayne 8, 25.
 — — — Nees Dusseld. 361.
 — — — Fl. dan. 3, 508.
 — — — Engl. Bot. 7, 496.
 — — — Baxter Brit. Bot. 4, 262.
 † — — — Lam. Encycl. 89.
 — — — Nouveau Duhamel 1, 1.
 — — — Dict. sc. nat. 271.
 † — — — Spach Suites 16.
 † — — — Mem. Instit. 1850, 5.
 — *canadensis* Michx. Michaux Fl. 49.
 — *canariensis* Poir. Webb Canar. 69.
 — *Cassine* Willd. Willdenow Hort. 31.
 — — *L. angustifolia*, Nouveau Duhamel 1, 3.
 — *chinensis* Sims. Bot. Mag. 46, 2043.
 — *cordata* Desc. Desc. Ant. 6, 451.
 — *crassifolia* Meerb. Meerburg Pl. sel. 4.
 — — *Hook.* Hook. Ic. pl. 2, 149.
 — *cuneifolia* L. Hook. Ic. pl. 3, 294.
 — *Dahoon* Walt. var. Watson Dendr. 2, 114.
 — *denticulata* Wall. Wight Illustr. 49.
 — *diphyrena* Wall. Wall. Pl. asiat. 292.
 — *Gardneriana* Wight. Wight Spicil. 140.
 — — — Wight Ic. pl. Ind. or. 4, 1217.
 — *Gongonha* Don. Lambert Pinus 2, append. 6.
 — *japonica* Thunb. Thunb. Ic. japon. 32.
 — *ligustrina* Jacq. Jacq. Ic. 310.
 — *maderiensis* Lam. Nouveau Duhamel 1, 2.
 — *Martiniana* Don. Lambert Pinus 2, append. 5.
 — *microphylla* Hook. Hook. Ic. pl. 2, 139.
 — *myrtifolia* Lam. Nouveau Duhamel 1, 4.
 — *opaca* Ait. Michaux Arb. 2, 11.
 — — — Rafin. Med. 53.
 — — — Watson Dendr. 1, 3.
 — *paraguayensis* St. Hil. Lambert Pinus 2, app. 4.
 — — — Spach Suites 16.
 — — — Bot. Mag. 69, 3992.
 — — — Hook. Journal 1842, 1—3.
 — — — Journ. agr. Soc. India 1843, x.
 — *Perado* Ait. Lodd. Cab. 549.
 — — — Kerner Hort. 422.
 — *platyphylla* Webb. Webb Canar. 68.
 — — — Bot. Mag. 70, 4079.
 — *prinoides* Ait. Watson Dendr. 2, 115.
 — *pubescens* Hook. et Arn. Hook. Beechey 35.
 — *quercifolia* Meerb. Meerburg Pl. sel. 5.
 — *salicifolia* Jacq. Jacq. Collect. 5, 2.
 — *serrata* Desc. Desc. Ant. 6, 451.
 — *Wightiana* Wall. Wight Spicil. 139.
 — — — Wight Ic. pl. Ind. or. 4, 1216.
Illecebrum capitatum L. Sibth. Fl. gr. 247.
 — *cymosum* L. fil. Brotero Phytogr. 22.
 — — — Schrader Journal 1801, 4.
 † — *echinatum* Desf. Schrader Journal 1801, 4.
 — — — Sibth. Fl. gr. 246.

- Illecebrum echinatum* Desf. Brotero Phytogr. 22.
 — *ficoideum* Jacq. Jacq. Hist. stirp. am. 90.
 — *frutescens* L'her. L'her. Stirp. 37.
 † — *italicum* Vill. Schrader Journal 1801, 4.
 — *Kapela* Hacq. Hacquet Pl. alp. 2.
 — *lugdunense* Vill. Schrader Journal 1801, 4.
 † — *maritimum* Vill. Schrader Journal 1801, 4.
 † — *narbonnense* Vill. Schrader Journal 1801, 4.
 — *Paronychia* L. Sibth. Fl. gr. 246.
 — — — Dict. sc. nat. 192.
 — *polygonifolium* Vill. Vill. Dauph. 15.
 † — — — Schrader Journal 1801, 4.
 — *serpyllifolium* Vill. Schrader Journal 1801, 4.
 — *sessile* L. Rumpf Amb. 6, 15.
 — *verticillatum* L. Fl. dan. 2, 335.
 — — — Engl. Bot. 13, 895.
 — — — Baxter Brit. Bot. 6, 471.
 † — — — Gaertn. Carp. 184.
 † — — — Schrader Journal 1801, 4.
 — — — Schk. Handb. 50.
 — — — Dietr. Fl. bor. 12, 860.
 † — — — Nees Genera 4, 72.
 † *Illicium* L. Gray Genera 21.
 † — *anisatum* L. Gaertn. Carp. 69.
 † — — — Lam. Encycl. 493.
 — — — Hayne 12, 29.
 — — — Nees Dusseld. 369.
 — — — Guimp. et Schl. 274.
 — — — Wagner 175.
 — — — Hoeven Tijdschr. 1, 2.
 — *floridanum* Ellis. Ellis Letter to Linnaeus 1.
 — — — Schneevogt Ic. 9.
 † — — — Gaertn. Carp. 69.
 — — — Lam. Encycl. 493.
 — — — Herb. amat. 3, 171 b.
 — — — Bot. Mag. 13, 439.
 — — — Lodd. Cab. 209.
 — — — Paxt. Mag. 5, 147.
 — — — Bigelow Med. 48.
 — — — Gray Genera 21.
 — *parviflorum* Michx. Vent. Cels 22.
 — — — Kerner Hort. 363.
 — — — Herb. amat. 5, 330.
 † — — — Hoeven Tijdschr. 1, 2.
 — *religiosum* S. et Zucc. Sieb. Fl. Japon. 1.
 — — — Hayne 14, 19.
 — — — Bot. Mag. 69, 3965.
Imatophyllum Aitonii Hook. Bot. Mag. 55, 2856.
 — — — Bot. Reg. 14, 1182.
 † *Imbricaria borbonica* Gaertn. Gaertn. Carp. 206.
 † — *macrocarpa* Gaertn. Gaertn. Carp. 206.
 † — *maxima* Lam. Lam. Encycl. 300.
Imhofia Burchelliana Herb. Herbert Amar. 29.
 † — *filifolia* Herb. Herbert Amar. 29.
 † *Impatiens* L. Gray Genera 152, 153.
 — *albida* Wight. Wight Ic. pl. Ind. or. 3, 743.
 — *Balsamina* L. Rumpf Amb. 5, 90.
 † — — — Lam. Encycl. 725.
 — *bicolor* Royle. Royle Illustr. 28.
 — *biflora* Pursh. Sweet Fl. G. 43.
 — *campanulata* Wight. Wight Ic. pl. Ind. or. 3, 744.
 — *candida* Ldl. Bot. Reg. 27, 20.
 — *coccinea* Sims. Bot. Mag. 31, 1256.
 — *cornigera* Hook. Bot. Mag. 78, 4623.
 — — — Lem. Jard. fl. 236.
 — *cuspidata* W. et A. Wight Ic. pl. Ind. or. 3, 741.
 — *dasyperma* Wight. Wight Ic. pl. Ind. or. 3, 742.
 — *fasciculata* Lam. Wight Ic. pl. Ind. or. 3, 748.
 — — — Bot. Mag. 78, 4631.
 — — — Lem. Jard. fl. 228.
 — *fimbriata* Hook. Hook. Exot. Fl. 146.
 — *fruticosa* Lessch. Wight Spicil. 37.

- Impatiens fruticosa* Lessch. Wight Ic. pl. Ind. or. 3, 966.
 — *fulva* Nutt. Engl. Bot. 2794.
 — — — Rehb. Hort. 101.
 — — — Gray Genera 152, 153.
 — *Gardneriana* Wight. Wight Spicil. 42 bis.
 — — — Wight Ic. pl. Ind. or. 3, 1050.
 — *glandulifera* Royle. Royle Illustr. 28.
 — — — Bot. Reg. 26, 22.
 — — — Bot. Mag. 69, 4020.
 — *Goughii* Wight. Wight Ic. pl. Ind. or. 4, 1603.
 — *Hoffmeisteri* Klotzsch. Prinz Waldem. Him. 15.
 — *Hookeriana* Arn. Bot. Mag. 79, 4704.
 — — — Fl. d. serres 8, 831.
 — *Jerdoniae* Wight. Wight Ic. pl. Ind. or. 4, 1602.
 — — — Bot. Mag. 79, 4739.
 — *inconspicua* Benth. Wight Spicil. 41.
 — — — Wight Ic. pl. Ind. or. 3, 970.
 — *insignis* DC. Wall. Pl. asiat. 194.
 — *Kleinii* W. et A. Wight Ic. pl. Ind. or. 3, 884.
 — *Leschenaultii* Wall. Wight Spicil. 42.
 — — — Wight Ic. pl. Ind. or. 3, 970 bis.
 — *macrochila* Ldl. Bot. Reg. 26, 8.
 — *macrophylla* Gardn. Bot. Mag. 78, 4662.
 — *modesta* Wight. Wight Spicil. 39.
 — — — Wight Ic. pl. Ind. or. 3, 968.
 — *Munronii* Wight. Wight Ic. pl. Ind. or. 3, 1049.
 — *Nolitangere* L. β. Trew Plantae rar. 20.
 — — — Schk. Handb. 270.
 — — — Sturm Flora 2, 5.
 — — — Schrank Fl. monac. 1, 53.
 — — — Rehb. Fl. germ. 5, 198 b.
 — — — Dietr. Fl. bor. 12, 841.
 — — — Liboschitz Petersb. 28.
 — — — Fl. dan. 4, 582.
 — — — Sv. Bot. 371.
 — — — Engl. Bot. 14, 937.
 — — — Baxter Brit. Bot. 2, 125.
 — — — Dict. sc. nat. 134.
 † — — — Plée Types 7.
 † — — — Hopkirk Fl. anomala 1.
 — *oppositifolia* L. Wight Ic. pl. Ind. or. 3, 883.
 — *parviflora* DC. Mem. Genev. 5, 1.
 — — — Ledeb. Ic. 89.
 — *picta* Kn. et W. Knowles et Westcott 128.
 — *platypetala* Ldl. Bot. Reg. 32, 68.
 — — — Fl. d. serres 3, 215.
 — *puberula* Wall. Wall. Pl. asiat. 193.
 — *pulcherrima* Dalz. Bot. Mag. 77, 4615.
 — — — Lem. Jard. fl. 202.
 — *repens* Moon. Wight Illustr. 61.
 — — — Bot. Mag. 74, 4404.
 — — — Fl. d. serres 4, 403.
 — *reticulata* Wall. Wall. Pl. asiat. 19.
 — *rivalis* Wight. Wight Ic. pl. Ind. or. 3, 751.
 — *rosea* Ldl. Bot. Reg. 27, 27.
 — *rosmarinifolia* Retz. Wight Ic. pl. Ind. or. 3, 750.
 — *Roylei* Walp. Belgique hortic. 1, 1.
 — — — Klotzsch. Prinz Waldem. Him. 15.
 — *rufescens* Benth. Wight Spicil. 40.
 — — — Wight Ic. pl. Ind. or. 3, 969.
 — *scabrida*? DC. Wight Ic. pl. Ind. or. 2, 323.
 — *scapiflora* Heyne. Bot. Mag. 64, 3587.
 — — — Paxt. Mag. 5, 101.
 — — — Wight Spicil. 38.
 — — — Wight Ic. pl. Ind. or. 3, 967.
 — *tomentosa* Heyne. Wight Ic. pl. Ind. or. 3, 749.
 — *tricornis* Ldl. Bot. Reg. 26, 9.
 — — — Bot. Mag. 70, 4051.
 — *trilobata* Colebr. Hook. Exot. Fl. 141.
 — *umbellata* Heyne. Wight Ic. pl. Ind. or. 3, 745.
 — *uncinata* Wight. Wight Ic. pl. Ind. or. 3, 747.
 — *viscida* Wight. Wight Ic. pl. Ind. or. 3, 746.

- Impatiens Walkeri* H. et A. Hook. Companion 18.
Imperata arundinacea Cir. Cirillo Pl. rar. 2, 11.
 — — — Host Gram. 340.
 — *cylindrica* Host. Rehb. Fl. germ. 1, 55.
Imperatoria angustifolia Bell. Mem. Tur. 7, 3.
 — *hispanica* Boiss. Boissier Esp. 74.
 † *Ostruthium* L. Gaertn. Carp. 21.
 † — — — Lam. Encycl. 199.
 — — — Schk. Handb. 74.
 — — — Sv. Bot. 369.
 — — — Engl. Bot. 20, 1380.
 — — — Baxter Brit. Bot. 5, 370.
 — — — Woodv. Med. 1, 44.
 — — — Hayne 7, 15.
 — — — Guimp. et Schl. 190.
 — — — Nees Düsseld. 288.
 — — — Wagner 237.
 † — *silvestris* Lam. Lam. Encycl. 199.
 † *Incarvillea* Juss. Kerner Genera 144.
 — *parasitica* Roxb. Roxb. Corom. 291.
 † — *sinensis* Lam. Ann. Mus. 8, 63.
 † — — — Lam. Encycl. 527.
Indigofera amoena Jacq. Jacq. Schoenbr. 2, 234.
 — — — Bot. Reg. 4, 300.
 — *angulata* Ldl. Bot. Reg. 12, 991.
 — *angustifolia* L. Bot. Mag. 13, 465.
 † — *Anil* L. Lam. Encycl. 626.
 — — — Tussac Ant. 2, 9.
 — — — Dict. sc. nat. 252.
 — — — Tratt. Archiv 72.
 — *arborea* Roxb. Wight Ic. pl. Ind. or. 2, 368.
 — *argentea* L. L'her. Stirp. 79.
 — — — Desc. Ant. 8, 548.
 — — — Spach Suites 3.
 — *aspalathoides* Vahl. Rheede Hort. mal. 9, 37.
 — — — Hook. Ic. pl. 2, 188.
 — — — Wight Ic. pl. Ind. or. 2, 332.
 — *atropurpurea* Ham. Bot. Mag. 58, 3065.
 — — — Bot. Reg. 21, 1744.
 — — — Herb. amat. 5, 346.
 — — — Wight Ic. pl. Ind. or. 2, 369.
 — — — Belgique hortic. 1, 66.
 — *australis* Willd. Vent. Malm. 45.
 — — — Lodd. Cab. 149.
 — — — Bot. Reg. 5, 386.
 — *Brunoniana* Grah. Wall. Pl. asiat. 279.
 — *candicans* Ait. Bot. Mag. 6, 198.
 — *coerulea* Roxb. Wight Ic. pl. Ind. or. 2, 366.
 — *cytisoides* Thunb. Jacq. Schoenbr. 2, 235.
 — — — Bot. Mag. 20, 742.
 — *decora* Ldl. Bot. Reg. 32, 22.
 — — — Paxt. Mag. 16, 291.
 — — — Annales d'hortic. 1852, x.
 — *decumbens* Hill. Hill. Hort. Kew. 10.
 — *dendroides* Jacq. Jacq. Ic. 571.
 — *denudata* Thunb. Jacq. Schoenbr. 2, 233.
 — — — Lodd. Cab. 500.
 — *diphylla* Vent. Vent. Choix 30.
 — *disperma* L. Tratt. Archiv 73.
 — *divaricata* Jacq. Jacq. Schoenbr. 3, 365.
 — *Dosua* Ham. Bot. Reg. 28, 57.
 — *echinata* Willd. Wight Ic. pl. Ind. or. 1, 316.
 — *endecaphylla* Jacq. Jacq. Ic. 570.
 — — — Pal. B. Fl. d'Oware 84.
 — — — Bot. Reg. 10, 789.
 — *enneaphylla* L. Roemer Archiv 1, x.
 — — — Wight Ic. pl. Ind. or. 2, 403.
 — *flaccida* Koemig. Wight Ic. pl. Ind. or. 2, 387.
 — *fragrans* Retz. Wight Ic. pl. Ind. or. 2, 385.
 — *glandulosa* Roxb. Wight Ic. pl. Ind. or. 2, 330.
 — *graveolens* Schrad. Schrader Sertum hannov. 12.
 — *hirsuta* L. Rheede Hort. mal. 9, 30.

- Indigofera hirsuta* L. Jacq. Ic. 569.
 — — — Pal. B. Fl. d'Oware 119.
 † — — — Lam. Encycl. 626.
 — — — Hook. Companion 24.
 — — — *incana* Thunb. Bot. Reg. 12, 957.
 — — — *juncea* Lois. Herb. amat. 4, 227.
 — — — *lateritia* Bert. Novi Comm. Bonon. 2, 8.
 — — — *linifolia* Retz. Retzius Obs. 6, 2.
 — — — Roxb. Corom. 193.
 — — — Wight Ic. pl. Ind. or. 1, 313.
 — — — *macrocalyx* Guill. Guillemin Seneg. 46.
 — — — *macrostachya* Vent. Vent. Malm. 44.
 — — — *parvula* Delile. Cailland Voyage 64.
 — — — *paucifolia* Delile. Delile Egypte 37.
 — — — Wight Ic. pl. Ind. or. 2, 331.
 — — — *pedicellata* W. et A. Wight Spicil. 56.
 — — — Wight Ic. pl. Ind. or. 3, 983.
 — — — *pentaphylla* L. Wight Ic. pl. Ind. or. 2, 385.
 — — — *psoraloides* L. Bot. Mag. 14, 476.
 — — — *pulchella* W. et A. Wight Spicil. 55.
 — — — Wight Ic. pl. Ind. or. 2, 367.
 — — — *setulosa* Bert. Novi Comm. Bonon. 2, 8.
 — — — *silvatica* Sieb. Bot. Mag. 57, 3000.
 — — — *stachyoides* Ldl. Bot. Reg. 29, 14.
 — — — *stenophylla* Guill. Guillemin Seneg. 48.
 — — — *stipularis* Link. Maund Bot. 4, 191.
 — — — *stricta* L. fil. Jacq. Schoenbr. 2, 236.
 † — — — *sumatrana* Gaertn. Gaertn. Carp. 148.
 † — — — Lam. Encycl. 626.
 — — — *tephrosioides* H. B. K. H. B. K. Nov. Gen. 6, 580.
 — — — *tinctoria* L. Rheede Hort. mal. 1, 54.
 — — — Rumpf Amb. 5, 80.
 — — — Rousseau Bot. 19.
 — — — Tratt. Archiv 71.
 — — — Desc. Ant. 1, 17.
 † — — — Spach Suites 3.
 — — — Wight Ic. pl. Ind. or. 2, 365.
 — — — *trichopoda* Guill. Guillemin Seneg. 47.
 — — — *trifoliata* L. Wight Ic. pl. Ind. or. 1, 314.
 — — — *trita* L. fil. Hook. Companion 16.
 — — — Wight Ic. pl. Ind. or. 1, 315. 2, 386.
 — — — *uniflora* Ham. Wight Ic. pl. Ind. or. 2, 333.
 — — — *violacea* Roxb. Bot. Mag. 61, 3348.
 — — — *viscosa* Lam. Wight Ic. pl. Ind. or. 2, 404.
Infantea chilensis J. Remy. Gay Chile 48.
Inga adiantifolia H. B. Humb. Mim. 21.
 — — — *anomala* H. B. Humb. Mim. 22.
 — — — *baubiniæfolia* P. et E. Poepp. et Endl. 290.
 — — — *bigemina* Willd. Rheede Hort. mal. 6, 12.
 — — — *biglobosa* Willd. Pal. B. Fl. d'Oware 90.
 — — — *ciliata* Presl. Presl Symbolae 58.
 — — — *darienensis* Seem. Seemann Herald 23.
 — — — *dulcis* Willd. Wight Ic. pl. Ind. or. 1, 198.
 — — — *emarginata* H. B. Humb. Mim. 17.
 — — — Kerner Hort. 592.
 — — — *excelsa* H. B. Humb. Mim. 18.
 — — — *ferruginea* Hort. Fl. d. serres 8, 773.
 — — — *filipes* Vent. Vent. Choix 38.
 — — — *forfex* H. B. Humb. Mim. 16.
 — — — *fulgens* H. B. Humb. Mim. 11.
 — — — *Harrisii* Ldl. Bot. Reg. 25, 41.
 — — — *Houstoni* DC. Rehb. Exot. 107.
 — — — *insignis* H. B. Humb. Mim. 13.
 — — — *lanceolata* H. B. Humb. Mim. 15.
 — — — *martinicensis* Presl. Presl Symbolae 42.
 — — — *mertensioides* N. et M. Acta Leop. 12, 1, 5.
 — — — *mollissima* H. B. Humb. Mim. 19.
 — — — *myriantha* P. et E. Poepp. et Endl. 289.
 — — — *ornata* H. B. Humb. Mim. 14.
 — — — *pulcherrima* Cerv. Paxt. Mag. 11, 147.
 — — — Fl. d. serres 1, 10.
 — — — *purpurea* Willd. Bot. Reg. 2, 129.

- Inga purpurea* Willd. Kerner Hort. 439.
 — — — Rehb. Exot. 109.
 — — — *Saponaria* Willd. Rumpf Amb. 4, 66.
 — — — *spuria* H. B. Humb. Mim. 12.
 — — — *superbiens* Lem. Lem. Jard. fl. 3, 299. 300.
 — — — *taxifolia* H. B. Humb. Mim. 20.
 — — — *umbrosa* Wall. Wall. Fl. asiat. 124.
 — — — *zygia* DC. DC. Legum. 65.
Inocarpus edulis Forst. Rumpf Amb. 1, 63.
 † — — — Forster Charact. 33.
 † — — — Gaertn. Carp. 199. 200.
 † — — — Lam. Encycl. 362.
 — — — Roxb. Corom. 263.
Intsia amboinensis DC. Rumpf Amb. 3, 10.
 † *Intybellia praemorsa* Monn. Monnier Essai 4.
 † — — — *pulehra* Monn. Monnier Essai 4.
Inula arbuscula Delile. Ferret Abyssin. 14.
 — — — *bifrons* L. Rehb. Ic. crit. 4, 346.
 — — — *britannica* L. Fl. dan. 3, 413.
 — — — Schk. Handb. 247.
 — — — Distr. Fl. bor. 7, 495.
 — — — *Bubonium* Jacq. Jacq. Fl. austr. 5, 19.
 — — — *chrysocomoides* Poir. Lam. Encycl. 680.
 — — — *Conyza* DC. Distr. Fl. bor. 11, 772.
 — — — *conyzoides* Desf. Ann. Mus. 11, 23.
 — — — Desf. Choix 38.
 — — — *crispa* Pers. Delile Egypte 45.
 — — — *crithmoides* L. Engl. Bot. 1, 68.
 — — — *dentata* Sibth. Sibth. Fl. gr. 874.
 — — — *dysenterica* L. Fl. dan. 3, 410.
 — — — Curt. Lond. 1, 124.
 — — — Engl. Bot. 16, 1115.
 — — — Schk. Handb. 247.
 — — — Dreves 1, 31.
 — — — Hayne 6, 46.
 — — — *ensifolia* L. Jacq. Fl. austr. 2, 162.
 — — — Sturm Flora 9, 34.
 — — — *germanica* L. Jacq. Fl. austr. 2, 134.
 † — — — Nees Gen. X, x.
 — — — *glandulosa* Willd. Bot. Reg. 4, 334.
 — — — Bot. Mag. 44, 1907.
 — — — *gnaphalioides* Vent. Vent. Cels 75.
 † *Helenium* L. Gaertn. Carp. 170.
 † — — — Lam. Encycl. 680.
 — — — Fl. dan. 5, 728.
 — — — Sv. Bot. 57.
 — — — Woodv. Med. 1, 26.
 — — — Engl. Bot. 22, 1546.
 — — — Baxter Brit. Bot. 4, 265.
 — — — Sibth. Fl. gr. 873.
 — — — Hayne 6, 45.
 — — — Guimp. et Schl. 191.
 — — — Nees Düssel. 239.
 — — — Wagner 123. 124.
 — — — *hirta* L. Jacq. Fl. austr. 4, 358.
 † — — — Nees Gen. X, x.
 — — — *japonica* Thunb. Kaempfer Japon. 30.
 — — — *Oculus Christi* L. Jacq. Fl. austr. 3, 223.
 — — — *Ostelliana* Rehb. Distr. Fl. bor. 8, 560.
 — — — *primulaefolia* Lam. Desc. Ant. 4, 289.
 — — — *Pulicaria* L. Fl. dan. 4, 613.
 — — — Curt. Lond. 1, 123.
 — — — Engl. Bot. 17, 1196.
 — — — Sv. Bot. 738.
 † — — — Lam. Encycl. 680.
 — — — *salicina* L. Fl. dan. 5, 786.
 — — — Distr. Fl. bor. 12, 808.
 — — — *saturejaeoides* Mill. Houstoun Reliq. 19.
 — — — *semiamplexicaulis* Reuter. Mem. Genev. 7, x.
 — — — *squarrosa* L. Krock. Fl. sil. 2, 40.
 — — — Sibth. Fl. gr. 875.
 — — — *suaveolens* Jacq. Jacq. Vind. 3, 51.

- Inula thapsioides* Spr. Rehb. Ic. crit. 4, 347.
 — *undulata* L. Delile Egypte 46.
 — *viscosa* Ait. Brotero Phytogr. 164.
Involucraria Wallichiana Ser. Mem. Genev. 3, 5.
Joschima phalaroides Ten. Tenore Fl. nap. 5.
Jochroma macrocalyx Benth. Hook. Journ. 1845, 13. 14.
 — *tubulosum* Benth. Bot. Reg. 31, 20.
 — — Fl. d. serres 1, 2.
† *Jodanthus* Torr. et Gr. Gray Genera 54.
 — *hesperioides* Torr. et Gr. Gray Genera 54.
Jodes ovalis Blume. Bennett Java 48.
Johannia microphylla Tratt. Tratt. Archiv 8.
Johnia coromandeliana Roxb. Wight Ic. pl. Ind. or. 2, 321.
 — *Petitiana* Rich. Richard Abyssin. 40.
Johnsonia hirta Ldl. Lindley Swan River 7.
 — *lupulina* R. Br. Bauer Illustr. 1.
† *Johrenia* DC. DC. Ombellifères 1.
 — *alpina* Fenzl. Russegger Reise 17.
Joinvillea ascendens Gaudich. Gaudich. Bonite 39. 40.
 — *elegans* Gaudich. Gaudichaud Bonite 39. 40.
Joliffia africana Bojer. Mem. hist. nat. Par. 3, 6.
† *Jondraba Barrelier.* Medikus Gattungen 1.
Jonesia Asoca Roxb. Rheede Hort. mal. 5, 59.
 — — Asiatic Researches 4, x.
 — — Bot. Mag. 57, 3018.
 — — Paxt. Fl. G. 32.
 — — Wight Ic. pl. Ind. or. 1, 206.
 — *pinnata* Willd. Kerner Hort. 685.
† *Jonidium* Vent. Gray Genera 82.
 — *anomalum* H. B. K. H. B. K. Nov. Gen. 5, 500.
 — *bigibbosum* St. Hil. Mem. Mus. 11, 23.
 — — St. Hil. Pl. remarq. 27.
 — *brevicaule* Mart. Münchn. Denkschr. 9, 3.
 — — Nees Düssel. Suppl. 118.
 — *circaeoides* H. B. K. H. B. K. Nov. Gen. 5, 498.
 — *enneaspermum* Vent. Rheede Hort. mal. 9, 60.
 — *ericaeoides* H. K. Nees Düssel. Suppl. 118.
 — *fruticosum* Benth. Benth. Sulphur 2.
 — *Ipecacuanha* Vent. St. Hil. Pl. usuelles 11.
 — — Bot. Mag. 51, 2453.
 — — Nees Düssel. Suppl. 117.
 — *Itubu* H. B. K. H. B. K. Nov. Gen. 5, 496.
† *lanatum* St. Hil. Mem. Mus. 11, 23.
† — — St. Hil. Pl. remarq. 27.
 — *lineare* Torr. Gray Genera 82.
 — *microphyllum* H. B. K. H. B. K. Nov. Gen. 5, 493.
† — — St. Hil. Mem. Mus. 11, 23.
† — — St. Hil. Pl. remarq. 27.
 — *parviflorum* Vent. St. Hil. Pl. usuelles 20.
 — *Poaya* St. Hil. St. Hil. Pl. usuelles 9.
 — — Nees Düssel. Suppl. 117.
 — *polygalaeifolium* Vent. Vent. Malm. 27.
 — — H. B. K. Nov. Gen. 5, 496.
† — — St. Hil. Mem. Mus. 11, 23.
† — — St. Hil. Pl. remarq. 27.
 — *suffruticosum* Gingins. Wight Illustr. 19.
 — — Wight Ic. pl. Ind. or. 1, 308.
 — *urticaefolium* Mart. Münchn. Denkschr. 9, 4.
 — — Nees Düssel. Suppl. 118.
 — *verbenaceum* H. B. K. H. B. K. Nov. Gen. 5, 497.
 — *viscidulum* H. B. K. Miquel Sertum 5.
Jonopsidium acaule DC. Rehb. Ic. crit. 7, 649.
 — — Jacq. Eclogae pl. 132.
 — — Bot. Reg. 32, 51.
 — — Fl. d. serres 4, 389.
 — — Belgique hort. 3, 21.
† — *albiflorum* Durieu. Explor. Alger. 72.
Jonopsis pulchella H. B. K. H. B. K. Nov. Gen. 1, 83.
 — *tenera* Ldl. Bot. Reg. 22, 1904.
 — *utricularioides* Ldl. Lindley Collect. 39.

- Josephia lanceolata* Wight. Wight Ic. pl. Ind. or. 5, 1742.
 — *latifolia* Wight. Wight Ic. pl. Ind. or. 5, 1743.
Josephinia grandiflora R. Br. Endl. Iconogr. 106.
 — *Imperatricis* Vent. Vent. Malm. 67.
 — — Dict. sc. nat. 54.
† *Jossinia indica* Wight. Wight Illustr. 97 bis.
 — — Wight Ic. pl. Ind. or. 2, 523.
 — *Lamarckii* Bl. Flore d. serres 6, 621.
Jovellana punctata Rz et P. Ruiz et Pav. Fl. 18.
 — *scapiflora* Rz et P. Ruiz et Pav. Fl. 18.
 — *triandra* Cav. Cav. Ic. 453.
Joxocarpus laurifolius Wight. Wight Ic. pl. Ind. or. 2, 598.
 — *Roxburghii* W. et A. Wight Ic. pl. Ind. or. 2, 475.
† *Ipomaea* L. Mem. Genev. 6, 1.
 — *acuminata* Rz et P. Ruiz et Pav. Fl. 120.
 — *acutangula* Rz et P. Ruiz et Pav. Fl. 119.
 — — Kerner Hort. 259.
 — *Aitoni* Ldl. Bot. Reg. 21, 1794.
 — *albiflora* Moric. Moricand Pl. Am. 70.
 — *angulata* Rz et P. Ruiz et Pav. Fl. 119.
 — *angustifolia* Jacq. Jacq. Ic. 317.
 — *aquatica* Poir. Rheede Hort. mal. 11, 52.
 — *atrosanguinea* Sims. Bot. Mag. 47, 2170.
 — *Bacii* Choisy. Mem. Genev. 8, 2.
 — *barbigera* Sweet. Sweet Fl. G. 86.
 — *Batatas* Poir. Rheede Hort. mal. 7, 50.
 — — Tussac Ant. 4, 1.
 — — Desc. Ant. 8, 545.
 — *batatoides* Benth. Bot. Reg. 27, 36.
 — *Beladambae* R. et Sch. Rheede Hort. mal. 11, 58.
 — *bignonioides* Sims. Bot. Mag. 53, 2645.
† — *bona nox* L. Gaertn. Carp. 134.
 — — Jacq. Schoenbr. 1, 36.
 — — Cav. Ic. 300.
 — — Bot. Mag. 20, 752.
 — — var. *purpurascens*, Bot. Reg. 4, 290.
 — *bonariensis* Hook. Bot. Mag. 65, 3665.
 — *bracteata* Cav. Cav. Ic. 477.
 — *Wight.* Wight Ic. pl. Ind. or. 4, 1374.
 — *campanulata* L. Rheede Hort. mal. 11, 56.
 — — Wight Ic. pl. Ind. or. 4, 1375.
 — *carnea* L. Jacq. Hist. stirp. am. 25.
 — *chryseides* Ker. Bot. Reg. 4, 270.
 — *Wight.* Wight Ic. pl. Ind. or. 1, 157.
 — *coccinea* L. Schk. Handb. 37.
 — — Bot. Mag. 7, 221.
 — — Andr. Rep. 8, 499.
 — *coerulea* Roxb. Bot. Reg. 4, 276.
 — *crassipes* Hook. Bot. Mag. 70, 4068.
 — *cuspidata* Rz et P. Ruiz et Pav. Fl. 119.
 — *cymosa* Choisy. Rumpf Amb. 5, 158.
 — — Bot. Reg. 29, 24.
 — *dasyperma* Jacq. Jacq. Ecl. pl. 89.
 — *denticulata* R. Br. Bot. Reg. 4, 317.
 — — Jacq. Ecl. pl. 145.
 — *digitata* L. Revue hort. 1853, 20.
 — *discolor* Jacq. Jacq. Schoenbr. 3, 261.
 — *dissecta* Pursh. Willdenow Phytogr. 2.
 — *elegans* Paxt. Paxt. Mag. 1, 27.
 — *ennealoba* Pal. B. Pal. B. Fl. d'Oware 101.
 — *eriocephala* Moric. Moricand Pl. Am. 29.
 — *eriosperma* Pal. B. Pal. B. Fl. d'Oware 105.
 — *eustachiana* Jacq. Jacq. Obs. 36.
 — *evolvuloides* Moric. Moricand Pl. Am. 32.
 — *ficifolia* Ldl. Bot. Reg. 27, 13.
 — — Paxt. Mag. 9, 25.
 — *filiformis* Jacq. Jacq. Hist. stirp. am. 26.
 — *floribunda* Moric. Moricand Pl. Am. 31.
 — *fulva* Bert. Novi Comm. Bonon. 3, 23.
 — *glandulifera* Rz et P. Ruiz et Pav. Fl. 121.
 — — Kerner Hort. 375.

- Ipomaea goyazensis* Gardn. Hook. Ic. pl. 5, 479.
 — *grandiflora* Roxb. Rheede Hort. mal. 11, 50.
 — — Andr. Rep. 6, 403.
 — — Tratt. Thes. 59.
 — — Kerner Hort. 374.
 — *Hardingii* Paxt. Paxt. Mag. 11, 217.
 — *hastata* L. Burm. Fl. ind. 18.
 — *hederacea* L. Jacq. Ic. 36.
 — — Kerner Hort. 6.
 — — Bot. Reg. 1, 85.
 — *hederaefolia* L. Tratt. Thes. 60.
 — *hepaticaeifolia* L. Burm. Fl. ind. 20.
 — *heterophylla* Willd. Jacq. Fragm. 42.
 — *hirsutula* Jacq. Jacq. Ecl. pl. 44.
 — *Horsfalliae* Hook. Bot. Mag. 61, 3315.
 — — Knowles et Westcott 29.
 — — Maund Bot. 1, 31.
 — — Paxt. Mag. 3, 50.
 — *Jalapa* Pursh. Bot. Reg. 4, 342. 8, 621.
 — — Berl. Jahrb. 1820, 2.
 — — Hayne 13, 37.
 — — Nees Düssel. 196. 197.
 — *insignis* Andr. Andr. Rep. 10, 636.
 — — Bot. Mag. 43, 1790.
 — — Bot. Reg. 1, 75.
 — *involutrata* Pal. B. Pal. B. Fl. d'Oware 89.
 — — Rehb. Exot. 285.
 — *Krusensternii* Led. Petersb. 4, 8.
 — *latiflora* R. et Sch. Bot. Reg. 11, 889.
 — *Learii* Paxt. Paxt. Mag. 6, 267.
 — — Marnock Mag. 1840, 10.
 — *leucantha* Jacq. Jacq. Ic. 318.
 — *longifolia* Benth. Bot. Reg. 26, 21.
 — *luteola* Jacq. Jacq. Ic. 35.
 — *luxurians* Moric. Moricand Pl. Am. 39.
 — *malabarica* R. et Sch. Rheede Hort. mal. 11, 51.
 — *maritima* R. Br. Rheede Hort. mal. 11, 57.
 — — Bot. Reg. 4, 319.
 — *mauritanica* Jacq. Jacq. Schoenbr. 2, 200.
 — — Kerner Hort. 65.
 — *mollicoma* Miq. Miquel Surin. 37.
 — *montana* Moric. Moricand Pl. Am. 30.
 — *muricata* Jacq. Jacq. Schoenbr. 3, 323.
 — — Cav. Cav. Ic. 478.
 — — Bot. Mag. 73, 4301.
 — *mutabilis* Ker. Bot. Reg. 1, 39.
 — *neriifolia* Gardn. Hook. Ic. pl. 5, 471.
 — *oblongata* E. M. Lem. Jard. fl. 209.
 — *obscura* Ker. Bot. Reg. 3, 239.
 — *owariensis* Pal. B. Pal. B. Fl. d'Oware 82.
 — *palmata* Forsk. Lem. Jard. fl. 256.
 — — Belgique hort. 2, 63.
 — *pandurata* Ker. Bot. Reg. 7, 588.
 — *paniculata* Burm. Burm. Fl. ind. 21.
 — — R. Br. Rheede Hort. mal. 11, 49.
 — — Bot. Reg. 1, 62.
 — *Papiru* R. et P. Ruiz et Pav. Fl. 120.
 — *peduncularis* Bert. Novi Comm. Bonon. 4, 37.
 — *pendula* R. Br. Andr. Rep. 10, 613.
 — — Kerner Hort. 586. 706.
 — — Bot. Reg. 8, 632.
 — *pentaphylla* Cav. Cav. Ic. 256.
 — — Jacq. Ic. 319.
 — *pes tigridis* L. Rheede Hort. mal. 11, 59.
 — — Wight Ic. pl. Ind. or. 3, 836.
 — *Petersiana* Klotzsch. Peters Mossamb. 38.
 — *pileata* Roxb. Wight Ic. pl. Ind. or. 4, 1363.
 — *pilosa* Cav. Cav. Ic. 323.
 — — Choisy. Wight Ic. pl. Ind. or. 3, 837.
 — *platensis* Herb. Bot. Reg. 4, 333.
 — — Bot. Mag. 65, 3685.
 — — Hart. Parad. 2, 2.

- Ipomaea platensis* Herb. Maund Bot. 5, 205.
 — *pulchella* Roth. Bot. Mag. 73, 4305.
 — — Wight. Wight Ic. pl. Ind. or. 1, 156.
 — *Purga* Wendr. Hayne 12, 33. 34.
 — — Guimpel et Kl. 21. 22.
 — — Nees Düssel. Suppl. 61.
 — *purpurea* Lam. Dict. sc. nat. 48.
 — *Quamoclit* L. Rheede Hort. mal. 11, 60.
 — — Rumpf Amb. 5, 155.
 — — Bot. Mag. 7, 244.
 † — — Lam. Encycl. 104.
 — — Barton Fl. 3, 96.
 — *racemosa* Roth. Wight Illustr. 168.
 — *repanda* Jacq. Jacq. Hist. stirp. am. 27.
 — — Salisb. Parad. 81.
 — *rubro-coerulea* Hook. Bot. Mag. 61, 3297.
 — — Maund Bot. 2, 52.
 — — Paxt. Mag. 3, 99.
 — — Hart. Parad. 1, 2.
 — *rugosa* Choisy. Wight Ic. pl. Ind. or. 3, 887.
 — *sagittaeifolia* Burm. Rheede Hort. mal. 11, 55.
 — — Burmann Fl. ind. 18.
 — — Pursh. Bot. Reg. 6, 437.
 — *sagittata* Poir. Poir. Reise 3.
 — — Lam. Encycl. 104.
 — — Cav. Ic. 107.
 — — Kerner Hort. 623.
 — *sanguinea* Vahl. Bot. Mag. 42, 1769.
 — — Bot. Reg. 1, 9.
 — *Schiedeana* Zucc. Münchn. Abh. 1, 12.
 — *sepiaria* Roxb. Koen. Rheede Hort. mal. 11, 53.
 — — Wight Ic. pl. Ind. or. 3, 838.
 — *sessiliflora* Choisy. Wight Ic. pl. Ind. or. 1, 169.
 — *setosa* Ker. Bot. Reg. 4, 335.
 — *simplex* Thunb. Bot. Mag. 72, 4206.
 — *speciosa* R. et Sch. Rheede Hort. mal. 11, 61.
 — — Pers. Bot. Mag. 51, 2446.
 — *splendens* Sims. Bot. Mag. 53, 2628.
 — *stans* Cav. Cav. Ic. 250.
 — *stipulacea* Jacq. Jacq. Schoenbr. 2, 199.
 — — Kerner Hort. 263.
 — *ternata* Jacq. Jacq. Schoenbr. 1, 37.
 — *ternifolia* Cav. Cav. Ic. 478.
 — *tricolor* Cav. Cav. Ic. 208.
 — *tridentata* Roth. Rheede Hort. mal. 11, 65.
 — *triloba* L. Desc. Ant. 2, 137.
 — *tuberculata* Ker. Bot. Reg. 1, 86.
 — *tuberosa* Jacq. Hort. Transact. 1, 10.
 — — Bot. Reg. 9, 768.
 — *Turpethum* R. Br. Bot. Reg. 4, 279.
 — — Berl. Jahrb. 1820, 1.
 — *tyrianthina* Ldl. Paxt. Mag. 8, 73.
 — — Fl. d. serres 2, 37.
 — *Tweedii* Hook. Bot. Mag. 69, 3978.
 — *vesiculosa* Pal. B. Pal. B. Fl. d'Oware 106.
 — *villosa* R. et P. Ruiz et Pav. Fl. 121.
 — *Wightii* Choisy. Wight Ic. pl. Ind. or. 4, 1364.
 † — *zeylanica* Gaertn. Gaertn. Carp. 178.
Ipomopsis elegans Michx. Smith Exot. Bot. 13.
 — — Sm. Bot. Reg. 15, 1281.
 — *inconspicua* Sm. Smith Exot. Bot. 14.
 — *picta* Paxt. Paxt. Mag. 1, 245.
Ipsea speciosa Ldl. Wight Ic. pl. Ind. or. 5, 1663.
Iresine erianthos Poir. Lam. Encycl. 813.
 — *grandiflora* Hook. Hook. Ic. pl. 2, 102.
 — *javanica* Burm. Burm. Fl. ind. 65.
 — *persica* Burm. Burm. Fl. ind. 65.
 — *polymorpha* Mart. Mart. Bras. 153. 154.
 — *racemosa* Poir. Lam. Encycl. 813.
 † *Iriarteia* R. et P. Mart. Palm. U. V.
 † — *deltoides* R. et P. Ruiz et Pav. Prodr. 32.
 — *exorrhiza* Mart. Mart. Palm. 33. 34.

- Iriarteia exorrhiza* Mart. Wallace Palms 3. 12. 13.
 — *Lamarckiana* Mart. D'Orbigny Voyage 12. 20.
 — *Orbignyana* Mart. D'Orbigny Voyage 5. 20.
 — *phaeocarpa* Mart. D'Orbigny Voyage 5. 19.
 — *setigera* Mart. Mart. Palm. 37.
 — — Wallace Palms 15.
 — *ventricosa* Mart. Mart. Palm. 35. 36.
 — — Wallace Palms 14.
 † *Irideae* R. Br. Schnizl. Iconogr. 1. 61.
 — — Lady South Afric. 2. 3.
Iridorchis Aub. Aubert Orchid. 91.
 † *Iris* L. Lam. Encycl. 33.
 † — — Mutel Fl. franç. 68. 69.
 — — *acuta* Willd. Rchb. Ic. crit. 10, 913.
 — — — Rchb. Fl. germ. 9, 343.
 — — *alata* Poir. Bot. Reg. 22, 1876.
 — — *amoena* Red. Red. Lil. 6, 336.
 — — — Rchb. Ic. crit. 10, 919.
 — — — Sweet Fl. G. II. 165.
 — — *aphylla* Thunb. var. Bot. Mag. 22, 870.
 — — *arenaria* W. et K. Winterl Index 22.
 — — — W. et Kit. 57.
 — — — Red. Lil. 5, 296.
 — — — Bot. Reg. 7, 549.
 — — — Rchb. Fl. germ. 9, 330.
 — — *aurea* Ldl. Bot. Reg. 33, 59.
 — — *bicolor* Ldl. Bot. Reg. 17, 1404.
 — — — Lodd. Cab. 1886.
 — — — Paxt. Mag. 9, 29.
 — — *biflora* L. Rchb. Fl. germ. 9, 332.
 — — — Sweet Fl. G. II. 152.
 — — *biglumis* Vahl. Sweet Fl. G. II. 187.
 — — *bituminosa* L. Thunberg Iris 2.
 — — *Bloudowii* Led. Ledeb. Ic. 101.
 — — *bohemia* Schmidt. Sturm Flora 13, 56.
 — — — Rchb. Fl. germ. 9, 331.
 — — *brachycuspis* Fisch. Bot. Mag. 49, 2326.
 — — *caucasica* Stev. Sweet Fl. G. 255.
 — — *chinensis* Curt. Bot. Mag. 11, 373.
 — — *Clausiana* Tausch. Rchb. Fl. germ. 9, 328.
 — — *crassifolia* Lodd. Lodd. Cab. 1961.
 — — *crispa* Thunb. Thunberg Iris 1.
 — — *cristata* Ait. Smith Spicil. 13.
 — — — Bot. Mag. 12, 412.
 — — — Red. Lil. 7, 376.
 — — — Lodd. Cab. 1366.
 — — *decora* Wall. Wall. Pl. asiat. 86.
 — — *deflexa* Kn. et W. Knowles et Westcott 51.
 — — *desertorum* Balb. Mem. Tur. 7, 2.
 — — *dichotoma* Pall. Rchb. Mag. 31.
 — — — Bot. Reg. 3, 246.
 — — — Sweet Fl. G. 96.
 — — *falcata* Tausch. Tausch Canal. 2.
 — — *Fieberi* Seidel. Sturm Flora 13, 56.
 — — — Rchb. Fl. germ. 9, 333.
 — — *filifolia* Boiss. Boissier Esp. 170.
 — — *fimbriata* Vent. Vent. Cels 9.
 — — — Red. Lil. 3, 152.
 — — — Savi Fl. ital. 2, 79.
 — — *flavescens* Red. Red. Lil. 7, 375.
 — — — Rchb. Ic. crit. 10, 921.
 — — — Sweet Fl. G. II. 56.
 — — *flavissima* Pall. Jacq. Ic. 220.
 — — *flexuosa* Murr. Novi Comm. Gott. 7, 4.
 — — *florentina* L. Bot. Mag. 18, 871.
 — — — Woodv. Med. 4, 262.
 — — — Sibth. Fl. gr. 39.
 — — — Red. Lil. 1, 23.
 — — — Sturm Flora 19, 87.
 — — — Rchb. Fl. germ. 9, 339.
 — — — Hayne 12, 1.
 — — — Nees Dusseld. 56.

- Iris florentina* L. Guimp. et Schl. 135.
 — — — Wagner 218.
 — — *foetidissima* L. Red. Lil. 6, 351.
 — — — Engl. Bot. 9, 596.
 — — — Hayne 12, 5.
 — — — Rchb. Ic. crit. 10, 916.
 — — — Rchb. Fl. germ. 9, 347.
 — — *fragrans* Ldl. Bot. Reg. 26, 1.
 — — *fugax* Ten. Tenore Fl. nap. 4.
 — — *fulva* Gawl. Bot. Mag. 36, 1496.
 — — — Rchb. Exot. 38.
 — — *furcata* M. v. B. Marschall Cent. 51.
 — — — Bot. Mag. 50, 2361.
 — — — Bot. Reg. 10, 801.
 — — *germanica* L. Sibth. Fl. gr. 40.
 — — — Bot. Mag. 18, 670.
 — — — Sv. Bot. 360.
 — — — Red. Lil. 6, 309.
 — — — Dict. sc. nat. 61.
 — — — Hayne 12, 2.
 — — — Nees Dusseld. 57.
 — — — Sturm Flora 19, 87.
 — — — Dietr. Fl. bor. 1, 47.
 — — — Rchb. Ic. crit. 10, 924.
 — — — Rchb. Fl. germ. 9, 338.
 † — — — Nees Genera 3, x.
 — — *glaucescens* Bunge. Ledeb. Ic. 102.
 — — *graminea* L. Jacq. Fl. austr. 1, 2.
 — — — Bot. Mag. 18, 681.
 — — — Red. Lil. 5, 299.
 — — — Sturm Flora 10, 40.
 — — — Rchb. Fl. germ. 9, 346.
 † — — — Nees Genera 3, x.
 — — *Gueldenstaedtii* Lep. Rchb. Ic. crit. 10, 909.
 — — *haematophylla* Fisch. Sweet Fl. G. 118.
 — — *halophila* Pall. Bot. Mag. 22, 875.
 — — *humilis* M. v. B. Marschall Cent. 31.
 — — *hungarica* W. et K. W. et Kit. 226.
 — — — Sturm Flora 13, 56.
 — — — Rchb. Fl. germ. 9, 332.
 — — — Lodd. Cab. 1970.
 — — — Sweet Fl. G. 74.
 — — *imbricata* Ldl. Bot. Reg. 31, 35.
 — — *junccea* Poir. Poir. Reise 1.
 — — — Desf. Desf. Fl. atl. 4.
 — — *livida* Tratt. Tratt. Archiv 129. 129^a.
 — — *longifolia* Schneev. Schneevogt Ic. 20.
 — — — Andr. Andr. Rep. 1, 45.
 — — — Sweet Fl. G. 146.
 — — — Royle Illustr. 91.
 — — *longispatha* Fisch. Bot. Mag. 52, 2528.
 — — *lurida* Solander. Bot. Mag. 18, 669. 25, 986.
 — — — Red. Lil. 6, 318.
 — — — Rchb. Ic. crit. 10, 920.
 — — — Rchb. Fl. germ. 9, 337.
 — — *lusitanica* Gawl. Bot. Mag. 18, 679.
 — — *lutescens* Lam. Red. Lil. 5, 263.
 — — — Bot. Mag. 55, 2861.
 — — — Rchb. Ic. crit. 10, 917.
 — — — Rchb. Fl. germ. 9, 329.
 — — *maritima* Mill. Rchb. Ic. crit. 10, 912.
 — — — Rchb. Fl. germ. 9, 342.
 — — *martinicensis* L. Jacq. Hist. stirp. am. 10.
 — — — Bot. Mag. 12, 416.
 — — — Red. Lil. 3, 172.
 — — — Desc. Ant. 4, 252.
 — — *Monnierii* DC. Red. Lil. 4, 236.
 — — *moraeoides* Ker. Lodd. Cab. 1428.
 — — *neglecta* Hornem. Bot. Mag. 50, 2435.
 — — *nepalensis* Don. Royle Illustr. 90.
 — — — Sweet Fl. G. II. 11.
 — — — Wall. Bot. Reg. 10, 818.

- Iris nertschinskia* Lodd. Lodd. Cab. 1843.
 — *notha* M. v. B. Marshall Cent. 77.
 — — — Rchb. Ic. crit. 10, 915.
 — — — Belgique hort. 3, 56.
 — *nudicaulis* Lam. Rchb. Fl. germ. 9, 331.
 — *ochroleuca* L. Bot. Mag. 2, 61.
 — — — Red. Lil. 6, 350.
 — — — Rchb. Ic. crit. 10, 598.
 — *odoratissima* Jacq. Jacq. Schoenbr. 1, 9.
 — *Pallasii* Fisch. Bot. Mag. 49, 2331.
 — — — Rchb. Ic. crit. 5, 479.
 — *pallida* Lam. Bot. Mag. 18, 685.
 — — — Red. Lil. 7, 366.
 — — — Hayne 12, 3.
 — — — Nees Dusseld. Suppl. 92.
 — — — Wagner 219.
 — — — Sturm Flora 19, 87.
 — — — Rchb. Ic. crit. 10, 922.
 — — — Rchb. Fl. germ. 9, 340.
 † — — — Schnizl. Iconogr. 1, 61.
 — *papilionacea* Thunb. Thunberg Iris 2.
 — — — Jacq. Collect. 5, 3.
 — *pavonia* L. fil. Thunberg Iris 1.
 — — — Bot. Mag. 5, 168.
 — — — Andr. Rep. 6, 364.
 — — — Jacq. Schoenbr. 1, 10.
 — — — Kerner Hort. 21.
 † — *persica* L. Bot. Mag. 1, 1.
 — — — Gaertn. Carp. 13.
 — — — Red. Lil. 4, 189.
 — — — Herb. amat. 1, 48.
 — — — Paxt. Mag. 10, 77.
 — *plicata* Lam. Red. Lil. 6, 356.
 — *pratensis* Lam. Red. Lil. 4, 237.
 † — — — Nees Gen. 3, x.
 — *prismatica* Pursh. Barton Fl. 3, 85.
 — — — Bot. Mag. 37, 1504.
 — *Pseudacorus* L. Fl. dan. 3, 494.
 — — — Sv. Bot. 110.
 — — — Curt. Lond. 1, 70.
 — — — Engl. Bot. 9, 578.
 — — — Woodv. Med. 4, 263.
 — — — Baxter Brit. Bot. 2, 82.
 — — — var. Bot. Mag. 48, 2339.
 — — — Red. Lil. 4, 235.
 † — — — Plée Types 48, 49.
 — — — Schk. Handb. 5^a. 5^b.
 — — — Dreves 2, 43.
 — — — Hayne 12, 4.
 — — — Dietr. Fl. bor. 1, 46.
 — — — Rchb. Fl. germ. 9, 344.
 — *pumila* L. Jacq. Fl. austr. 1, 1.
 — — — Bot. Mag. 1, 9, 30, 1209, 31, 1261.
 — — — Lodd. Cab. 1574.
 — — — Red. Lil. 5, 261, 262.
 — — — Sturm Flora 10, 40.
 — — — Rchb. Fl. germ. 9, 327.
 — — — Spach Suites 95.
 — *reticulata* M. v. B. Marshall Cent. 11.
 — — — Lodd. Cab. 1829.
 — — — Journ. Hort. Soc. 3, 166.
 — — — Sweet Fl. G. II. 189.
 — *ruthenica* Gawl. Bot. Mag. 28, 1123, 34, 1393.
 — — — Lodd. Cab. 1650.
 — — — Rchb. Exot. 39.
 — *sambucina* L. Bot. Mag. 6, 187.
 — — — Red. Lil. 6, 338.
 — — — Jacq. Vind. 2.
 — — — Rchb. Fl. germ. 9, 335.
 — — — Sturm Flora 19, 87.
 — — — Dietr. Fl. bor. 1, 48.
 — *scorpioides* Desf. Desf. Fl. atl. 6.

- Iris scorpioides* Desf. Red. Lil. 4, 211.
 — — — Gussone Fl. sic. 14.
 — *setacea* Thunb. Thunberg Iris 1.
 — *setosa* Pall. Bot. Reg. 33, 10.
 — *sibirica* L. Bot. Mag. 2, 50, 29, 1163, 39, 1604.
 — — — Red. Lil. 7, 420, 8, 438.
 † — — — Gaertn. Carp. 13.
 — — — Jacq. Fl. austr. 1, 3.
 — — — Sturm Flora 10, 40.
 — — — Rchb. Ic. crit. 10, 911.
 — — — Rchb. Fl. germ. 9, 341.
 — — — Dietr. Fl. bor. 1, 45.
 † — — — Schnizl. Iconogr. 1, 61.
 — *Sisyrinchium* L. Cav. Ic. 193.
 — — — Red. Lil. 1, 29, 8, 458.
 — — — Sibth. Fl. gr. 42.
 — *spuria* L. Fl. dan. 5, 734.
 — — — Bot. Mag. 2, 58, 28, 1131, 37, 1514, 15.
 — — — Sweet Fl. G. II. 321.
 — — — Red. Lil. 6, 349.
 — — — Jacq. Fl. austr. 1, 4.
 — — — Sturm Flora 10, 40.
 — — — Rchb. Ic. crit. 10, 914.
 — — — Rchb. Fl. germ. 9, 345.
 — *squalens* L. Bot. Mag. 21, 787.
 — — — Red. Lil. 7, 365.
 — — — Sturm Flora 19, 87.
 — — — Rchb. Ic. crit. 10, 923.
 — — — Rchb. Fl. germ. 9, 336.
 — *stenogyna* DC. Red. Lil. 6, 310.
 — — — Rchb. Ic. crit. 10, 910.
 — *stylosa* Desf. Desf. Fl. atl. 5.
 — *subbiflora* Brot. Brotero Phytogr. 96.
 — — — Bot. Mag. 28, 1130.
 — *susiana* L. Bot. Mag. 3, 91.
 — — — Red. Lil. 1, 18.
 — — — Tratt. Archiv 130, 130^a.
 — — — Savi Fl. ital. 2, 74.
 — *Swertii* Lam. Red. Lil. 6, 306.
 — — — Rchb. Ic. crit. 10, 918.
 — — — Sweet Fl. G. II. 254.
 — *syrtica* Viv. Viviani Lib. 1.
 — *taurica* Lodd. Lodd. Cab. 1506.
 — *tenax* Dougl. Bot. Reg. 15, 1218.
 — — — Bot. Mag. 61, 3343.
 — *Tigridia* Bunge. Ledeb. Ic. 342.
 — *trialata* Brot. Brotero Phytogr. 95.
 — *tricuspis* Thunb. Jacq. Ic. 222.
 — *tridentata* Pursh. Sweet Fl. G. 274.
 — *triflora* Balb. Mem. Tur. 7, 1.
 — — — Red. Lil. 8, 481.
 — *tripetala* L. fil. Jacq. Ic. 221.
 — — — Hook. Bot. Mag. 56, 2886.
 — *tristis* Thunb. Bot. Mag. 16, 677.
 — — — Rchb. Exot. 19.
 — *tuberosa* L. Bot. Mag. 15, 531.
 — — — Engl. Bot. 28, 18.
 — — — Red. Lil. 1, 48.
 — — — Herb. amat. 1, 53.
 — — — Sibth. Fl. gr. 41.
 — — — Rchb. Fl. germ. 9, 348.
 — *variegata* L. Bot. Mag. 1, 16.
 — — — Red. Lil. 5, 292.
 — — — Jacq. Fl. austr. 1, 5.
 — — — Sturm Flora 10, 40.
 — — — Rchb. Fl. germ. 9, 334.
 — *verna* Michx. Sweet Fl. G. 68.
 — — — Lodd. Cab. 1855.
 — *versicolor* L. Bot. Mag. 1, 21.
 — — — Red. Lil. 6, 339.
 — — — Bigelow Med. 16.
 — *villosa* Gawl. Bot. Mag. 16, 571.

- Iris villosa* Gawl. Rechb. Exot. 19.
 — *virescens* Red. Red. Lil. 5, 295.
 — *virginica* L. Jacq. Ic. 223.
 — — Bot. Mag. 19, 703.
 — *viscaria* Thunb. Bot. Mag. 16, 587.
 — *xiphioides* Ehrh. Bot. Mag. 18, 687.
 — — Red. Lil. 4, 212.
 — — Kerner Hort. 313.
 — — Herb. amat. 3, 166.
 — *Xiphium* L. Bot. Mag. 18, 686.
 — — Red. Lil. 6, 337.
 — — Herb. amat. 2, 110.
Iribachia elegans Mart. Mart. Bras. 179.
Iroucana guianensis Aubl. Aublet Guiana 127.
Isachne albens Tr. Trin. Sp. Gram. 1, 85.
 — *dispar* Tr. Trin. Sp. Gram. 1, 86.
 — *mauritanica* Kth. Humb. Gram. 33.
 — *minutula* Kth. Humb. Gram. 117.
 † *Isanthera permollis* N. v. E. Wight Illustr. 159^b.
 — — Wight Ic. pl. Ind. or. 4, 1355.
Isanthus coerulesus Michx. Michaux Fl. 30.
 † *Isatis* L. Medikus Gattungen 1.
 — *alpina* All. Allione Fl. ped. 3, 86.
 — — Rechb. Fl. germ. 2, 4.
 — *bannatica* Link. Rechb. Fl. germ. 2, 4.
 — *brachycarpa* C. A. M. Eichwald Caucasus 19.
 — *costata* Led. Ledeb. Ic. 339.
 — *Garcini* DC. Delessert Ic. 2, 77.
 — *hebecarpa* DC. Delessert Ic. 2, 79.
 — *littoralis* Stev. Delessert Ic. 2, 78.
 — *lusitanica* L. Lam. Encycl. 554.
 — — Tratt. Archiv 208.
 — — Sibth. Fl. gr. 615.
 — *minima* Bunge. Bunge Reliq. Lehm. 6.
 — *platycarpa* Jaub. Jaubert Illustr. 224.
 — *praecox* Kit. Tratt. Archiv 50, 50^a.
 — — Rechb. Fl. germ. 2, 4.
 — *tinctoria* L. Engl. Bot. 2, 97.
 — — Baxter Brit. Bot. 3, 210.
 — — Sv. Bot. 35.
 † — — Gaertn. Carp. 142.
 † — — Lam. Encycl. 554.
 — — Schk. Handb. 188.
 — — Sturm Flora 2, 3.
 — — Tratt. Archiv 49, 49^a.
 — — Rechb. Fl. germ. 2, 4.
 † — — Nees Gen. X, x.
 — *violascens* Bunge. Bunge Reliq. Lehm. 6.
 † *Ischaemum* L. Linné Amoenit. 7, 2.
 — *aristatum* L. Burm. Fl. ind. 21^b.
 — *digitatum* Brongn. Brongniart Coquille 13.
 — *hispidum* H. et K. Humb. Gram. 100.
 — *latifolium* Kth. Humb. Gram. 99.
 — *muticum* L. Rheede Hort. mal. 12, 49.
 † — — Gaertn. Carp. 181.
 † — — Lam. Encycl. 839.
 † — — Ann. d'obs. 4, 10.
 — *paleaceum* Tr. Trin. Sp. Gram. 3, 333.
 — *rugosum* Salisb. Salisb. Ic. rar. 1.
 † — — Gaertn. Carp. 181.
 — *timorense* Kth. Humb. Gram. 98.
 — *Urvilleanum* Kth. Brongniart Coquille 12.
 † *Isertia coccinea* Vahl. Gaertn. Carp. 191.
 — — Lam. Encycl. 259.
 — — Miquel Surin. 48.
 — *commutata* Miq. Miquel Surin. 48.
 — *parviflora* Vahl. Vahl Eclogae 15.
Isias triloba De Not. Mem. Tur. 6, (1844.) x.
Isidrogavia falcata R. et P. Ruiz et Pav. Fl. 302.
Ismelia maderensis Don. Sweet Fl. G. II. 342.
Ismene Amancaes Herb. Paxt. Mag. 3, 267.
 — — var. *sulphurea*, Bot. Reg. 20, 1665.

- Ismene Amancaes* Herb. Fl. d. serres 5, 449.
 — *calathina* Herb. Bot. Mag. 53, 2685.
 — — Fl. d. serres 5, 449.
 — *Knightii* Kn. et W. Knowles et Westcott 59.
 — *Macleana* Herb. Bot. Mag. 65, 3675.
 — *pedunculata* Herb. Herbert Amar. 33.
 — *virescens* Ldl. Bot. Reg. 27, 12.
Isnardia palustris L. Scarella Lettera apol. 1.
 — — Lam. Encycl. 77.
 — — Schk. Handb. 25.
 — — Sturm Flora 6, 22.
 — — Fl. dan. 10, 1745.
 — — Engl. Bot. 2393.
 — — Baxter Brit. Bot. 6, 442.
 — *subhastata* R. et P. Ruiz et Pav. Fl. 86.
Isocarpa divaricata Benth. Bentham Sulphur 41.
Isochilus graminifolius H. B. K. H. B. K. Nov. Gen. 1, 78.
 — *graminoides* Hook. Hook. Exot. Fl. 196.
 — *linearis* R. Br. Bot. Reg. 9, 745.
 — — Lodd. Cab. 1341.
 — *prolifer* R. Br. Bot. Reg. 10, 825.
Isocynis Aub. Aubert Orchid. 13.
 † *Isoetes* Rich. Schnizl. Iconogr. 1, 35.
Isoetes capsularis Roxb. Calcutta Journal 1846, 26.
 — *Durieu* Bory. Explor. Alger. 36.
 — *Hystrix* Durieu. Explor. Alger. 36.
 — *lacustris* L. Linné Schwed. Reise 2.
 — — Fl. dan. 2, 191.
 — — Sv. Bot. 600.
 † — — Wahlenberg Fl. lapp. 26.
 — — Curt. Lond. 4, 131.
 — — Engl. Bot. 16, 1084.
 † — — Jard. Ann. II. 2, 2, 3.
 — — Newman p. 381, 386.
 — — Lam. Encycl. 862.
 — — Schk. Fil. 173.
 — — Sturm Flora II. 5, 1.
 — — Rechb. Fl. germ. 7, 1.
 † — — (Mohl.) Linnæa 14, 3.
 † — — Schnizl. Iconogr. 1, 35.
 — *setacea* Bosc. Mem. Mus. 14, 6, 7.
 — *velata* Al. Br. Explor. Alger. 37.
Isoetopsis graminifolia Turcz. Bull. Mosc. 1851, 3.
Isolepis articulata N. v. E. Rheede Hort. mal. 12, 71.
 — *aucklandica* Hook. Hook. Fl. ant. 50.
 — *Eckloniana* Schrad. Comm. Gott. rec. 7, 1.
 — *lanata* H. B. K. H. B. K. Nov. Gen. 1, 68.
 † — *leptalea* Schrad. Comm. Gott. rec. 7, 1.
 — *minima* Schrad. Comm. Gott. rec. 7, 1.
 — *obtusifolia* R. et Sch. Pal. B. Fl. d'Oware 41.
 — *palustris* Schrad. Comm. Gott. rec. 7, 1.
 — *plebeja* Schrad. Comm. Gott. rec. 7, 1.
 — *rivularis* Schrad. Comm. Gott. rec. 7, 1.
 † — *Saviana* Link. Nees Gen. 2, 10.
 — — Rechb. Fl. germ. 8, 301.
 † — *setacea* Link. Nees Gen. 2, 10.
 — — Rechb. Fl. germ. 8, 301.
 — *squarrosa* R. Br. Rheede Hort. mal. 12, 38.
 † — *supina* R. Br. Nees Gen. 2, 10.
 — — Rechb. Fl. germ. 8, 302.
 — *uninodis* Delile. Delile Egypte 6.
Isolobus iasionoides A. DC. Delessert Ic. 5, 8.
 † *Isoloma lanuginosum* Sm. Hook. Gen. Fil. 102.
 — *pictum* Planch. Fl. d. serres 6, 586.
 — *rubricaula* Regel. Regel Gartenf. 1852, 7.
Isomeris arborea Nutt. Bot. Mag. 67, 3842.
 † *Isonandra* Wight. Wight Illustr. 146^b.
 — *Candolleana* Wight. Wight Ic. pl. Ind. or. 4, 1220.
 — *Gutta* Hook. Hook. Journal 1847, 16.
 — — Archer Pop. Botany x.
 — *lanceolata* Wight. Wight Ic. pl. Ind. or. 2, 359.
 — *Perrottetiana* A. DC. Wight Spicil. 142.

- Isonandra Perrottetiana* A. DC. Wight Ic. pl. Ind. or. 4, 1219.
 — *polyandra* Wight. Wight Ic. pl. Ind. or. 4, 1589.
 — *villosa* Wight. Wight Ic. pl. Ind. or. 2, 360.
Isopetalum Cotyledonis Sweet. Sweet Geran. 126.
Isopogon anemonifolius R. Br. Lodd. Cab. 1337.
 — *attenuatus* R. Br. Bot. Mag. 74, 4372.
 — *axillaris* R. Br. Guillemain Austr. 19.
 — — Hook. Ic. pl. 5, 438.
 — *Baxteri* R. Br. Bot. Mag. 63, 3539.
 — *formosus* R. Br. Bot. Reg. 15, 1288.
 — *longifolius* R. Br. Bot. Reg. 11, 900.
 — *Loudoni* Baxt. Bot. Mag. 62, 3421.
 — *scaber* Ldl. Bot. Mag. 69, 4037.
 — *spathulatus* R. Br. Bot. Mag. 62, 3450.
 — *sphaerocephalus* N. v. E. Bot. Mag. 73, 4332.
 † *Isopyrum* L. Gray Genera 12.
 — *bitermatum* Torr. et Gr. Gray Genera 12.
 — *fumarioides* L. Pallas Fl. ross. 3, 1.
 — — Schk. Handb. 153.
 † — — Gaertn. Carp. 65.
 — *grandiflorum* Fisch. Royle Illustr. 11.
 — *microphyllum* Royle. Royle Illustr. 11.
 — *thalictroides* L. Jacq. Fl. austr. 2, 105.
 — — Rchb. Fl. germ. 4, 113.
Isotoma axillaris Ldl. Bot. Reg. 12, 964.
 — — Lodd. Cab. 1528.
 — — Freycinet Voyage 70.
 † — — Spach Suites 109.
 — *longiflora* Presl. Bot. Reg. 14, 1200.
Isotypus onoserioides H. B. K. H. B. K. Nov. Gen. 4, 307.
 † *Itea* L. Kerner Genera 93.
 — *caroliniana* Lam. Lam. Encycl. 147.
 — *chinensis* Hook. et Arn. Hook. Beechey 39.
 — *Cyrilla* Sw. Swartz Observ. 4.
 — — L'her. Stirp. 66.
 — *spinosa* Spr. Andr. Rep. 5, 314.
 — *virginica* L. Lam. Encycl. 147.
 † — — Gaertn. Carp. 209.
 — — Bot. Mag. 50, 2409.
 — — Watson Dendr. 1, 12.
Ittnera minor Gm. Gmelin Fl. bad. 3, 4.
 — *Najas* Gm. Gmelin Fl. bad. 3, 3.
 † *Juanulloa parasitica* R. et P. Ruiz et Pav. Prodr. 4.
 — — Ruiz et Pav. Fl. 185.
 † — — Kerner Genera 68.
 — — Bot. Mag. 70, 4118.
 — — Hart. Parad. 1, 6.
 † *Jubaea spectabilis* H. B. K. H. B. K. Nov. Gen. 1, 9.
 — — Mart. Palm. 161.
 — — Gaudichaud Bonite 51.
Jubelina riparia Juss. Delessert Ic. 3, 32.
 † — — Arch. Mus. 3, 20.
 † *Jucunda tomentosa* Benth. Miquel Surin. 14.
 † *Juglans* L. Lam. Encycl. 781.
 † — *alba* L. Gaertn. Carp. 89.
 — — Watson Dendr. 2, 148.
 — *amara* Michx. Michaux Arb. 1, 4.
 — *aquatica* Michx. Michaux Arb. 1, 5.
 — *Camirum* Lour. Marsden Sumatra 7.
 — *cathartica* Michx. Michaux Arb. 1, 2.
 — *cinerea* L. Jacq. Ic. 192.
 — — Bigelow Med. 32.
 † — *compressa* Gaertn. Gaertn. Carp. 89.
 — *fraxinifolia* Lam. Desc. Ant. 7, 453.
 — *laciniosa* Michx. Michaux Arb. 1, 8.
 — *myristicaeformis* Michx. Michaux Arb. 1, 10.
 — *nigra* L. Jacq. Ic. 191.
 — — Michaux Arb. 1, 1.
 — — Nouveau Duhamel 4, 48.
 — — Kerner Hort. 767.
 — — Watson Dendr. 2, 158.

- Juglans olivaeformis* Michx. Michaux Arb. 1, 3.
 — *Pitteursii* Morr. Annales de Gand 1848, 197.
 — *porcina* Michx. Michaux Arb. 1, 9.
 — — var. Watson Dendr. 2, 167.
 — *regia* L. Woodv. Med. 1, 90.
 — — Schk. Handb. 302.
 — — Nouveau Duhamel 4, 47.
 — — Dict. sc. nat. 268, 269.
 † — — Ann. sc. nat. 17, 16.
 † — — Mem. Instit. 1830, 5. 8. 1850, 12.
 — — Nees Dusseld. 96.
 — — Guimp. et Schl. 98.
 — — Wagner 5. 6.
 — — Hayne 13, 17.
 † — — Nees Gen. 4, 27.
 † — *rubra* Gaertn. Gaertn. Carp. 89.
 — *squamosa* Michx. Michaux Arb. 1, 7.
 — *tomentosa* Michx. Michaux Arb. 1, 6.
 — — Kerner Hort. 518.
 † *Juncaceae* Baril. Schnizl. Iconogr. 1, 51.
Juncus acutiflorus Ehrh. Engl. Bot. 4, 238.
 — — Fl. dan. 12, 2112.
 — — Rchb. Fl. germ. 9, 406.
 † — — Nees Gen. 2, 29.
 — *acutus* L. Host Gram. 397.
 — — Sturm Flora 16, 71.
 — — Rchb. Fl. germ. 9, 401.
 — — Engl. Bot. 23, 1614.
 — *adscendens* Host. Host Gram. 287.
 — *albidus* Willd. Hoffmann D. Fl. 1791, 4.
 — — Host Gram. 295.
 — *alpinus* Vill. Sturm Flora 16, 71.
 — — Rchb. Fl. germ. 9, 403.
 — — Fl. dan. 13, 2171.
 † — *anceps* La Harpe. Mutel Fl. fr. 75.
 — *andicola* Hook. Hook. Ic. pl. 8, 714.
 — *Angelisii* Ten. Tenore Fl. nap. 227.
 — — Rchb. Fl. germ. 9, 412.
 — *antarcticus* Hook. Hook. Fl. ant. 46.
 — *arcticus* Willd. Curt. Lond. 5, 152.
 — — Sv. Bot. 479.
 — — Sturm Flora 16, 71.
 — — Rchb. Fl. germ. 9, 410.
 † — — Nees Gen. 2, 29.
 — *arcuatus* Wahlenb. Wahlenberg Fl. lapp. 4.
 — *articulatus* L. Fl. dan. 7, 1097.
 † — — Schk. Handb. 98^a.
 — — Dict. sc. nat. 36.
 — *atratus* Krock. Rchb. Fl. germ. 9, 407.
 — *balticus* Willd. Engl. Bot. 2621.
 — — Sturm Flora 16, 71.
 — — Rchb. Fl. germ. 9, 411.
 — *biglumis* L. Fl. dan. 1, 120.
 — — Sv. Bot. 497.
 — — Engl. Bot. 13, 898.
 — — Jacq. Jacq. Enum. vind. 4.
 — *bottnicus* Wahlenb. Wahlenberg Fl. lapp. 5.
 — — Sturm Flora 16, 71.
 — — Rchb. Fl. germ. 9, 398.
 † — *bufonius* L. Leers Fl. herb. 13.
 † — — Gaertn. Carp. 15.
 † — — Schk. Handb. 98^a.
 — — Host Gram. 290.
 — — Sturm Flora 9, 36.
 — — Rchb. Fl. germ. 9, 395.
 † — — Nees Gen. 2, 29.
 — — Fl. dan. 7, 1098.
 — — Engl. Bot. 12, 802.
 — — Lam. Encycl. 250.
 † — — Explor. Alger. 43.
 — *bulbosus* L. Fl. dan. 3, 431. 5, 817.
 † — — Leers Fl. herb. 13.

- Juncus bulbosus* L. Host Gram. 289.
 — — — Sturm Flora 9, 36.
 — — — Rchb. Fl. germ. 9, 399.
 — — — Lam. Encycl. 250.
 — — — Engl. Bot. 13, 934.
 — — — *campestris* L. Linné Fl. lapp. 10.
 — — — Fl. dan. 8, 1333. 1386.
 — — — Engl. Bot. 10, 672.
 — — — Nees Gen. 2, 28.
 † — — — *capitatus* Weigel. Schk. Handb. 98^b.
 — — — Sturm Flora 4, 13.
 — — — Rchb. Fl. germ. 9, 391.
 — — — Fl. dan. 10, 1690.
 — — — Engl. Bot. 2644.
 — — — *caricinus* Durieu. Explor. Alger. 43.
 — — — *castaneus* Sm. Engl. Bot. 13, 900.
 — — — Fl. dan. 8, 1332.
 — — — Roemer Fl. europ. 13, 7.
 — — — Sturm Flora 16, 71.
 — — — Rchb. Fl. germ. 9, 393.
 — — — *coenosus* Bichen. Engl. Bot. 2680.
 — — — *compressus* Jacq. Sturm Flora 9, 36.
 — — — Rchb. Fl. germ. 9, 399.
 — — — *conglomeratus* L. Fl. dan. 7, 1094.
 — — — Sv. Bot. 479.
 — — — Engl. Bot. 12, 835.
 — — — Lam. Encycl. 250.
 — — — Host Gram. 282.
 — — — Sturm Flora 16, 71.
 — — — Rchb. Fl. germ. 9, 408.
 — — — *diffusus* Hoppe. Sturm Flora 18, 77.
 — — — Rchb. Fl. germ. 9, 414.
 — — — *effusus* L. Fl. dan. 7, 1095. 1096.
 — — — Sv. Bot. 479.
 — — — Engl. Bot. 12, 836.
 — — — Host Gram. 283.
 — — — Sturm Flora 16, 71.
 — — — Rchb. Fl. germ. 9, 413.
 — — — *fasciculatus* Bertol. Rchb. Fl. germ. 9, 396.
 — — — *filiformis* L. Fl. dan. 7, 1207.
 — — — Sv. Bot. 479.
 — — — Smith Spicil. 3.
 — — — Engl. Bot. 17, 1175.
 — — — Host Gram. 284.
 — — — Roemer Fl. europ. 2, 3.
 — — — Sturm Flora 9, 36.
 — — — Rchb. Fl. germ. 9, 412.
 — — — *flutuosus* Guss. Rchb. Fl. germ. 9, 409.
 — — — *flavescens* Host. Host Gram. 294.
 — — — *foliosus* Desf. Desf. Fl. atl. 92.
 † — — — Explor. Alger. 43.
 — — — *Forsteri* Sm. Engl. Bot. 18, 1293.
 — — — *fusco-ater* Schreb. Sturm Flora 16, 71.
 — — — *Gerardi* Lois. Sturm Flora 16, 71.
 — — — Rchb. Fl. germ. 9, 398.
 — — — *glaucus* Ehrh. Engl. Bot. 10, 665.
 — — — Fl. dan. 7, 1159.
 — — — Sv. Bot. 479.
 — — — Host Gram. 281.
 — — — Sturm Flora 16, 71.
 — — — Rchb. Fl. germ. 9, 415.
 — — — *gracilis* Sm. Engl. Bot. 31, 2174.
 — — — *grandiflorus* L. Comm. Gott. 9, 5.
 — — — Lam. Encycl. 250.
 — — — *helodes* Link. Rchb. Fl. germ. 9, 411.
 — — — *himalayensis* Klotzsch. Prinz Waldem. Him. 97.
 — — — *Hoffmeisteri* Klotzsch. Prinz Waldem. Him. 98.
 — — — *Hostii* Tausch. Sturm Flora 16, 71.
 — — — Rchb. Fl. germ. 9, 394.
 — — — *Jacquini* L. Jacq. Fl. austr. 3, 221.
 — — — Host Gram. 293.
 — — — Sturm Flora 16, 71.

- Juncus Jacquini* L. Rchb. Fl. germ. 9, 392.
 — — — *inflexus* Retz. Rchb. Fl. germ. 9, 411.
 — — — *insulanus* Viv. Rchb. Fl. germ. 9, 396.
 — — — *intermedius* Host. Host Gram. 299.
 — — — *inundatus* Drejer. Fl. dan. 13, 2287.
 — — — Rchb. Fl. germ. 9, 410.
 — — — *lamprocarpus* Ehrh. Engl. Bot. 30, 2143.
 — — — Baxter Brit. Bot. 5, 399.
 — — — Sturm Flora 16, 71.
 — — — Rchb. Fl. germ. 9, 405.
 — — — *lucidus* Hochst. Seubert Fl. azor. 4.
 — — — *luteus* Lam. Vill. Dauph. 6^b.
 — — — Rostkovius Juncus 2.
 — — — *marginatus* Rostk. Rostkovius Juncus 2.
 — — — *maritimus* Lam. Engl. Bot. 24, 1725.
 — — — Fl. dan. 10, 1689.
 — — — Host Gram. 280.
 — — — Sturm Flora 16, 71.
 — — — Rchb. Fl. germ. 9, 402.
 — — — *maximus* Retz. Host Gram. 298.
 — — — *melananthos* Rchb. Rchb. Fl. germ. 9, 407.
 — — — *monanthos* Jacq. Jacq. Enum. vind. 4.
 — — — Sturm Flora 16, 71.
 — — — Rchb. Fl. germ. 9, 394.
 — — — Fl. dan. 10, 1691.
 — — — *multiflorus* Desf. Desf. Fl. atl. 91.
 — — — *mutabilis* Lam. Cav. Ic. 296.
 — — — *nemorosus* Host. Host Gram. 297.
 — — — *nigricans* Drejer. Rchb. Fl. germ. 9, 407.
 — — — *nigritellus* Don. Engl. Bot. 2643.
 — — — Sturm Flora 18, 78.
 † — — — *nivens* Leers. Leers Fl. herb. 13.
 — — — L. Schk. Handb. 98^a.
 — — — Host Gram. 398.
 — — — *nodosus* Rostk. Rostkovius Juncus 2.
 — — — *nodulosus* Wahlenb. Rchb. Fl. germ. 9, 403.
 — — — Bory et Ch. Bory et Chaubard Morée 11.
 — — — *obtusiflorus* Ehrh. Sv. Bot. 615.
 — — — Fl. dan. 11, 1872.
 — — — Engl. Bot. 30, 2144.
 — — — Sturm Flora 18, 77.
 — — — Rchb. Fl. germ. 9, 404.
 — — — *paniculatus* Hoppe. Sturm Flora 18, 77.
 — — — Rchb. Fl. germ. 9, 412.
 — — — *parviflorus* Retz. Rostkovius Juncus 1.
 — — — *pediformis* Vill. Vill. Dauph. 6^b.
 — — — *pilosus* L. Fl. dan. 3, 141.
 — — — Engl. Bot. 11, 736.
 † — — — Leers Fl. herb. 13.
 — — — Host Gram. 300.
 — — — *pygmaeus* Thuill. Fl. dan. 11, 1871.
 — — — Rchb. Fl. germ. 9, 391.
 — — — *salinus* Durieu. Explor. Alger. 43.
 — — — *setaceus* Rostk. Rostkovius Juncus 1.
 — — — *silvaticus* Sm. Engl. Bot. 11, 737.
 — — — Reichard. Host Gram. 286.
 — — — Sturm Flora 18, 78.
 — — — var. Rochel Banat. 1.
 — — — *spadiceus* All. Vill. Dauph. 6^b.
 — — — Host Gram. 296.
 — — — *sphacelatus* Decne. Jacquemont Ind. 172.
 — — — *sphaerocarpus* N. v. E. Rchb. Fl. germ. 9, 416.
 — — — *spicatus* L. Linné Fl. lapp. 10.
 — — — Fl. dan. 2, 270.
 — — — Engl. Bot. 17, 1176.
 — — — Host Gram. 400.
 — — — *Sprengelii* Schlecht. Willd. Fl. berol. 4.
 — — — *squarrosus* L. Fl. dan. 3, 430.
 — — — Engl. Bot. 13, 933.
 — — — Sturm Flora 9, 36.
 — — — Rchb. Fl. germ. 9, 400.
 — — — *stolonifer* Winkl. Wohlleben Suppl. hal. 1.

- Juncus stygius* L. Smith Ic. Linn. 55.
 — — — Sv. Bot. 497.
 — — — Sturm Flora 16, 71.
 — — — Rchb. Fl. germ. 9, 393.
 — subverticillatus Weig. Host Gram. 288.
 — sudeticus Willd. Host Gram. 399.
 — supinus Moench. Moench Enum. Hass. 5.
 — — — Fl. dan. 7, 1099.
 — — — Rchb. Fl. germ. 9, 397.
 — — — β . repens, Sturm Flora 4, 13.
 — Tenageia Ehrh. Fl. dan. 7, 1160.
 — — — Host Gram. 291.
 — — — Dreves 3, 97.
 — — — Sturm Flora 3, 10.
 — — — Rchb. Fl. germ. 9, 416.
 — tenuis Willd. Rostkovius Juncus 1.
 — — — Rchb. Fl. germ. 9, 398.
 — — — Sturm Flora 16, 71.
 — — — Fl. dan. 14, 2468.
 — triandrus Vill. Vill. Cat. Strasb. 2.
 — — — Gouan. Rchb. Fl. germ. 9, 391.
 — triceps Rostk. Rostkovius Juncus 1.
 — trifidus L. Lightf. Fl. scot. 1, 9.
 — — — Fl. dan. 1, 107.
 — — — Sv. Bot. 727.
 — — — Engl. Bot. 21, 1482.
 — — — Host Gram. 285.
 — — — Sturm Flora 16, 71.
 — — — Rchb. Fl. germ. 9, 394.
 — triglumis L. Linné Fl. lappon. 10.
 — — — Fl. dan. 1, 132.
 — — — Lightf. Fl. scot. 1, 9.
 — — — Engl. Bot. 13, 899.
 — — — Sv. Bot. 497.
 — — — Hoppe Anleitung 2.
 — — — Host Gram. 292.
 — — — Sturm Flora 7, 28.
 — — — Rchb. Fl. germ. 9, 392.
 — uliginosus Roth. Engl. Bot. 12, 801.
 — — — Schk. Handb. 98^b.
 — — — Sturm Flora 4, 13.
 — — — Rchb. Fl. germ. 9, 397.
 — ustulatus Hoppe. Hoppe Anleitung 1.
 — — — verticillatus Pers. Rchb. Fl. germ. 9, 397.
 † *Jungia imbricata* Gaertn. Gaertn. Carp. 35.
 † — — — Lam. Encycl. 133.
 † *Juniperus* L. Hofmeister Untersuchungen 33.
 — — — bermudiana L. Hook. Journal 1843, 1.
 — — — Cedrus Webb. Webb Canar. 217.
 — chinensis L. Pinetum Woburnense 65.
 — — — Sieb. Fl. Japon. 126, 127.
 — communis L. Pallas Fl. ross. 54.
 — — — Fl. dan. 7, 1119.
 — — — Sv. Bot. 289.
 — — — Engl. Bot. 16, 1100.
 — — — Woodv. Med. 1, 6.
 — — — Baxter Brit. Bot. 6, 431.
 † — — — Richard Conif. 5.
 † — — — Lam. Encycl. 829.
 — — — Dict. sc. nat. 307.
 — — — Bigelow Med. 44.
 † — — — Bull. Mosc. 1853, 7.
 † — — — Gaertn. Carp. 91.
 — — — Schk. Handb. 338.
 — — — Hartig 10.
 — — — Nees Düsseld. 86.
 — — — Guimp. et Schl. 170.
 — — — Wagner 92.
 — — — Rchb. Fl. germ. 11, 535.
 † — — — Nees Genera 4, 12.
 — — — davurica Pall. Pallas Fl. ross. 55.
 — — — Andr. Rep. 8, 534.

- Juniperus drupacea* Lab. Bill. Syr. 2, 8.
 — — — excelsa M. v. B. Pinetum Woburnense 64.
 — — — Trautvetter Imagines 15.
 — — — lycia L. Pallas Fl. ross. 56.
 — — — Woodv. Med. 1, 7.
 — — — macrocarpa Sm. Tenore Fl. nap. 247.
 — — — Rchb. Fl. germ. 11, 537.
 — — — nana Willd. Guimpel Holzgew. 207.
 — — — Engl. Bot. 2743.
 † — — — Oxycedrus L. Richard Conif. 6.
 — — — Rchb. Fl. germ. 11, 537.
 — — — phoenicea L. Pallas Fl. ross. 57.
 — — — Rchb. Fl. germ. 11, 536.
 — — — β . Lobellii, Gussone Pl. rar. 62.
 — — — rigida S. et Zucc. Sieb. Fl. Japon. 126.
 — — — Sabina L. Pallas Fl. ross. 56.
 — — — Woodv. Med. 1, 5.
 — — — Schk. Handb. 338.
 — — — Guimpel Holzgew. 205.
 — — — Guimpel et Schl. 169.
 — — — Brandt und Ratzeb. 47.
 — — — Nees Düsseld. 87.
 — — — Wagner 197.
 — — — Rchb. Fl. germ. 11, 536.
 — — — virginiana L. Michaux Arb. 3, 8.
 — — — Schk. Handb. 338.
 — — — Bigelow Med. 45.
 † — — — Richard Conif. 6.
Jurinea cyanoides DC. Dietr. Fl. bor. 11, 774.
 — — — Rchb. Fl. germ. 15, 808.
 — — — mollis DC. Rchb. Fl. germ. 15, 808, 809.
 — — — Neumayerana Vis. Visiani Dalm. 10.
 — — — pinnata DC. Boissier Esp. 113^c.
Jurinella absinthifolia Jaub. Jaubert Illustr. 183.
 — — — Aucheri Jaub. Jaubert Illustr. 183.
 — — — chamaecynara Jaub. Jaubert Illustr. 184.
Jussiaea affinis DC. Miquel Surin. 15.
 — — — angustifolia Lam. Rumpf Amb. 6, 21. fig. 1.
 — — — Lam. Encycl. 280.
 — — — elegans Camb. St. Hil. Fl. Bras. 131.
 † — — — erecta L. Gaertn. Carp. 31.
 — — — Lam. Encycl. 280.
 — — — exaltata Andr. Andr. Rep. 10, 621.
 — — — grandiflora Michx. Bot. Mag. 47, 2122.
 — — — Dict. sc. nat. 218.
 — — — hirsuta Mill. Desc. Ant. 6, 388.
 — — — longifolia DC. Hort. genev. 4.
 — — — Rchb. Hort. 67.
 — — — macrocarpa H. B. K. H. B. K. Nov. Gen. 6, 533.
 — — — maypurensis H. B. K. H. B. K. Nov. Gen. 6, 531.
 — — — myrtifolia Camb. St. Hil. Fl. Bras. 132.
 — — — natans H. B. Humb. Pl. aeq. 3.
 — — — octonervia Lam. Lam. Encycl. 280.
 — — — ovalifolia Sims. Bot. Mag. 52, 2530.
 — — — palmitensis Camb. St. Hil. Fl. Bras. 133.
 — — — pilosa H. B. K. H. B. K. Nov. Gen. 6, 532^{a,b}.
 — — — ramosa Jacq. fil. Rchb. Hort. 75.
 — — — repens L. Rheede Hort. mal. 2, 51.
 — — — Wight Illustr. in Hook. 40.
 — — — salicifolia H. B. K. H. B. K. Nov. Gen. 6, 530.
 — — — sedoides H. B. Humb. Pl. aeq. 3.
 — — — suffruticosa L. Rheede Hort. mal. 2, 50.
 † — — — Gaertn. Gaertn. Carp. 31.
 — — — tenella L. fil. Burmann Fl. ind. 34.
 † *Justicia* L. Ann. Mus. 9, 21.
 — — — acaulis L. Roxb. Corom. 127.
 † — — — Adhatoda L. Lam. Encycl. 12.
 — — — Bot. Mag. 22, 861.
 — — — asperula Wall. Lodd. Cab. 1681.
 — — — assurgens L. Jacq. Ecl. pl. 101.
 — — — Betonica L. Rheede Hort. mal. 2, 21.
 — — — bicalyculata Vahl. Rheede Hort. mal. 6, 23.

- Justicia bicolor* Sims. Bot. Mag. 35, 1423.
 — — — Lodd. Cab. 163.
 — — — Andr. Rep. 10, 643.
 — — — Rehb. Mag. 22.
 — — — Herb. amat. 5, 319.
 — bracteolata Jacq. Jacq. Ic. 205.
 — calcarata Wall. Wall. Pl. asiat. 113.
 — callitricha Lodd. Lodd. Cab. 1921.
 — calycotricha Link. Link Ic. 1, 53.
 — — — Hook. Exot. Fl. 212.
 — — — Bot. Mag. 55, 2816.
 — caracasana Jacq. Jacq. Ic. 206.
 — carnea Ldl. Bot. Reg. 17, 1397.
 — — — Bot. Mag. 62, 3383.
 — carthagenensis Jacq. Jacq. Hist. stirp. am. 7.
 — — — Bot. Reg. 10, 797.
 — chinensis Burm. Burmann Fl. ind. 4.
 — ciliata Jacq. Jacq. Vind. 104.
 — coccinea Aubl. Aublet Guiana 3.
 — — — Schneevogt Ic. 33.
 — — — Smith Ic. pictae 8.
 — — — Bot. Mag. 12, 432.
 — — — Kerner Hort. 61.
 — — — Lodd. Cab. 903.
 — — — Paxt. Mag. 1, 102.
 — — — Cav. Cav. Ic. 199.
 — cristata Jacq. Jacq. Schoenbr. 3, 320.
 — — — Herb. amat. 2, 138.
 — curviflora Wall. Wall. Pl. asiat. 112.
 — Echolium L. Rheede Hort. mal. 2, 20.
 — — — Bot. Mag. 43, 1847.
 — — — Wight Ic. pl. Ind. or. 2, 463.
 — echioides L. Rheede Hort. mal. 9, 46.
 — elegans Pal. B. Pal. B. Fl. d'Oware 50.
 — — — Kerner Hort. 477.
 — eustachiana Jacq. Jacq. Hist. stirp. am. 5.
 — — — Bot. Reg. 4, 309.
 — — — Bot. Mag. 46, 2076.
 — fastuosa Vahl. Vahl Symbolae 1.
 — flavicoma Ldl. Bot. Reg. 12, 1027.
 — formosa Donn. Jacq. Ecl. pl. 103.
 — furcata Jacq. Jacq. Schoenbr. 1, 3.
 — gangetica L. Burmann Fl. ind. 4.
 — Gendarussa L. Rheede Hort. mal. 9, 42.
 — — — Rumpf Amb. 4, 28.
 — — — Jacq. Ecl. pl. 11.
 — — — Bot. Reg. 8, 633.
 — — — Lodd. Cab. 1593.
 — geniculata Sims. Bot. Mag. 51, 2487.
 — guttata Wall. Wall. Pl. asiat. 28.
 — — — Bot. Reg. 46, 334.
 — imbricata Vahl. Vahl Ic. 1.
 — ligulata Lam. Lam. Encycl. 12.
 — — — Cav. Ic. 71.
 — latifolia Vahl. Rheede Hort. mal. 9, 44.
 — lineolata R. et P. Ruiz et Pav. Fl. 13.
 — lithospermifolia Jacq. Jacq. Schoenbr. 1, 4.
 — livida Hamilt. Wight Ic. pl. Ind. or. 4, 1546.
 — longistaminea R. et P. Ruiz et Pav. Fl. 10.
 — lucida Andr. Andr. Rep. 5, 313.
 — — — Bot. Mag. 26, 1014.
 — maculata Lodd. Lodd. Cab. 626.
 — madurensis Burm. Burmann Fl. ind. 4.
 — martinicensis Murr. Jacq. Hist. stirp. am. 6.
 — — — Jacq. Vind. 3, 22.
 — montana Roxb. Roxb. Corom. 176.
 — Moretiana Burm. Rumpf Amb. 6, 23.
 — mucronata R. et P. Ruiz et Pav. Fl. 10.
 — nasuta L. Rheede Hort. mal. 9, 69.
 — — — Bot. Reg. 10, 325.
 — nervosa Vahl. Bot. Mag. 33, 1358.
 — — — Lodd. Cab. 146.

- Justicia nitida* Jacq. Andr. Rep. 9, 570.
 — nodosa Hook. Bot. Mag. 56, 2914.
 — — — Rchb. Exot. 147.
 — nutans Burm. Burmann Fl. ind. 5.
 — oblongata Link. Link Ic. 1, 54.
 — orchiooides L. fil. Vent. Malm. 51.
 — — — Lodd. Cab. 827.
 — palatifera Wall. Wall. Pl. asiat. 92.
 — paniculata Burm. Rheede Hort. mal. 9, 56.
 — — — Vahl. Jacq. Ecl. pl. 34.
 — pectinata L. Lam. Encycl. 12.
 — — — Roxb. Corom. 153.
 — pectoralis Jacq. Jacq. Hist. stirp. am. 4.
 — — — Tussac Ant. 3, 2.
 — — — Desc. Ant. 4, 261.
 — — — Bot. Reg. 10, 796.
 — pedunculosa Michx. Bot. Mag. 50, 2367.
 — periplocaefolia Jacq. Jacq. Collect. 5, 7.
 — peruviana Cav. Cav. Ic. 28.
 — — — Bot. Mag. 12, 430.
 — picta L. Rheede Hort. mal. 6, 60.
 — — — Rumpf Amb. 4, 30.
 — — — Bot. Mag. 44, 1870.
 — — — Bot. Reg. 15, 1227.
 — plumbaginifolia Jacq. Jacq. Ecl. pl. 12.
 — — — Kerner Hort. 451.
 — polystachya Lam. Vahl Symbolae 26.
 — procumbens L. Rheede Hort. mal. 10, 94.
 — pulchella Roxb. Roxb. Corom. 177.
 — pulcherrima L. fil. Jacq. Ic. 204.
 † — purpurea L. Gaertn. Carp. 54.
 — quadrangularis Hook. Bot. Mag. 55, 2845.
 — — — Bot. Reg. 16, 1340.
 — quadrifida Vahl. Herb. amat. 4, 227.
 — — — Kerner Hort. 821.
 — racemosa R. et P. Ruiz et Pav. Fl. 11.
 — repens L. Roxb. Corom. 152.
 — retusa Vahl. Lodd. Cab. 724.
 † — scorpioides L. Houston Reliq. 1.
 — secunda Vahl. Bot. Mag. 46, 2060.
 — sericea R. et P. Ruiz et Pav. Fl. 9.
 — sessilis L. Jacq. Hist. stirp. am. 3.
 — sexangularis Cav. Cav. Ic. 203.
 — speciosa Roxb. Bot. Mag. 54, 2722.
 — — — Lodd. Cab. 1915.
 — — — Maund Bot. 2, 74.
 — spicata R. et P. Ruiz et Pav. Fl. 9.
 — spinosa L. Jacq. Hist. stirp. am. 2.
 — tenuiflora R. et P. Ruiz et Pav. Fl. 12.
 — variegata Aubl. Aublet Guiana 4.
 — ventricosa Wall. Wall. Pl. asiat. 93.
 — — — Bot. Mag. 54, 2766.
 — venusta Wall. Wall. Pl. asiat. 66.
 — — — Bot. Reg. 16, 1380.
 — — — Lodd. Cab. 1791.
 — virgularis Salisb. Salisb. Parad. 50.
 Iva annua L. Schmidel Ic. 16.
 — — — Lam. Encycl. 766.
 — axillaris Pursh. Hook. Bor. Am. 106.
 † — frutescens L. Gaertn. Carp. 164.
 † — — — Lam. Encycl. 766.
 Ivira pruriens Aubl. Aublet Guiana 279.
 Ixerra braxioides Cunn. Hook. Ic. pl. 6, 577, 578.
 Ixia —? Jacq. Fragm. 88.
 — acuta Barton. Barton Flora 2, 66.
 — anemoneiflora Jacq. Jacq. Ic. 273.
 — — — Red. Lil. 2, 85.
 — angusta Jacq. Jacq. Ic. 279.
 — aristata Schneev. Schneevogt Ic. 32.
 — — — Thunb. Bot. Mag. 16, 589.
 — — — Andr. Rep. 2, 87.
 — — — Kerner Hort. 270.

- Ixia bicolor* *Gawl.* Bot. Mag. 15, 548.
 — *bulbifera* *L.* Andr. Rep. 1, 48.
 — — Bot. Mag. 15, 545.
 — — Red. Lil. 3, 128.
 — *Bulbocodium* *L.* Jacq. Ic. 271.
 — — Sibth. Fl. gr. 36.
 — — Andr. Rep. 3, 170.
 — — Bot. Mag. 8, 265.
 — — Engl. Bot. 36, 2549.
 — — Red. Lil. 2, 88.
 † — — Mutel Fl. franç. 70.
 — — *Lam.* Lam. Encycl. 31.
 — *candida* *Red.* Red. Lil. 8, 426.
 — *capillaris* *Thunb.* Thunberg Ixia 2.
 — — Bot. Mag. 16, 570. 17, 617. 25, 1013.
 — *capitata* *Andr.* Andr. Rep. 1, 50. 68. 3, 159. 4, 232.
 — — Kerner Hort. 225.
 † — *carmosina* *Hort.* (Bulbi.) Hoeven Tijdschr. 8, 2.
 — *cepacea* *Red.* Red. Lil. 2, 96.
 † — *chinensis* *L.* Gaertn. Carp. 13.
 — — Bot. Mag. 5, 171.
 — *chloroleuca* *Jacq.* Jacq. Ic. 272.
 — *cinnamomea* *Thunb.* Thunberg Ixia 2.
 — — Lam. Encycl. 31.
 — — Andr. Rep. 1, 44.
 — *coelestina* *Bartr.* Bartram Travels 3.
 — *columnellaris* *Gawl.* Bot. Mag. 17, 630.
 — *columnaris* *Salisb.* Andr. Rep. 3, 203. 211. 213.
 — — 4, 250. 6, 392.
 — *conica* *Salisb.* Bot. Mag. 15, 539.
 — — Red. Lil. 3, 138.
 — *corymbosa* *L.* Jacq. Ic. 288.
 — *crateroides* *Gawl.* Bot. Mag. 16, 594.
 — *crispa* *L. fil.* Thunberg Ixia 2.
 — — Bot. Mag. 17, 599.
 — — Red. Lil. 8, 433.
 — *crispifolia* *Andr.* Andr. Rep. 1, 35.
 — *crocata* *L.* Linné Fasc. pl. ups. 7.
 † — — Wendland Beob. 1.
 — — Bot. Mag. 6, 184.
 — — Andr. Rep. 2, 134.
 — — Red. Lil. 6, 335.
 — *crucinata* *Jacq.* Jacq. Ic. 290.
 — *curta* *Andr.* Andr. Rep. 9, 564.
 — — Lodd. Cab. 1964.
 — *dubia* *Vent.* Vent. Choix 10.
 — — Red. Lil. 2, 64.
 — *erecta* *Berg.* Jacq. Schoenbr. 1, 18.
 † — — Wendland Beob. 1.
 — — Bot. Mag. 17, 623. 22, 846. 29, 1173.
 — *excisa* *Thunb.* Thunberg Ixia 1.
 — — Bot. Mag. 16, 584.
 — *falcata* *Thunb.* Thunberg Ixia 1.
 — — Jacq. Ic. 276.
 — — Bot. Mag. 16, 566.
 † — *fenestrata* *Jacq.* Jacq. Ic. 289.
 — — var. Jacq. Fragn. 32.
 — *filifolia* *DC.* Red. Lil. 5, 251.
 — *filiformis* *Vent.* Vent. Cels 48.
 — — Red. Lil. 1, 30.
 — — Kerner Hort. 187.
 — *fistulosa* *Sims.* Bot. Mag. 15, 523.
 — — Andr. Rep. 1, 59.
 — *flexuosa* *L.* Bot. Mag. 4, 127. 17, 624.
 — *fragrans* *Jacq.* Jacq. Ic. 274.
 — *fruticosa* *L.* Thunberg Ixia 1.
 — — Lam. Encycl. 31.
 — *fucata* *Gawl.* Bot. Mag. 34, 1379.
 — *fusco-citrina* *Red.* Red. Lil. 2, 86.
 — — Kerner Hort. 179.
 — *grandiflora* *Dela Roche.* Red. Lil. 3, 179. 7, 362.
 — — Bot. Mag. 15, 541.

- Ixia grandiflora* *Dela Roche.* Lodd. Cab. 314.
 — *holosericea* *Jacq.* Jacq. Schoenbr. 1, 17.
 — *hyalina* *Red.* Red. Lil. 2, 87.
 — *incarnata* *Jacq.* Jacq. Ic. 282.
 — *lancea* *Thunb.* Jacq. Ic. 281.
 — *leucantha* *Jacq.* Jacq. Ic. 278.
 — *Liliago* *Red.* Red. Lil. 2, 109.
 — *longiflora* *Ait.* Bot. Mag. 8, 256.
 — — Red. Lil. 1, 34.
 † — — Wendland Beob. 1.
 — *longifolia* *Jacq.* Jacq. Vind. 3, 90.
 — *maculata* *L.* Schneevogt Ic. 6. 25.
 — — Jacq. Schoenbr. 1, 19—23.
 — — Red. Lil. 3, 137.
 — — Andr. Rep. 3, 196. 4, 256.
 — — Bot. Mag. 16, 549. 21, 789. 32, 1185.
 — — var. *caesia*, Bot. Reg. 7, 530.
 — — *Rchb.* Exot. 256.
 † — *miniata* *Jacq.* Jacq. Schoenbr. 1, 24.
 — — Jacq. Fragn. 32.
 — — Kerner Hort. 159.
 — — *Red.* var. Red. Lil. 2, 89.
 — *minuta* *L.* Thunberg Ixia 1.
 — *monadelphica* *Dela Roche.* Bot. Mag. 17, 601.
 — — 34, 1378.
 — — Kerner Hort. 749.
 — *paniculata* *Dela Roche.* Dela Roche Descr. 1.
 — *patens* *Ait.* Bot. Mag. 15, 522.
 — — Lodd. Cab. 1142.
 — — Red. Lil. 3, 140.
 — — Kerner Hort. 203.
 — — *Rchb.* Exot. 256.
 — *phlogiflora* *Red.* Red. Lil. 8, 432.
 — *plantaginea* *Ait.* Red. Lil. 4, 198.
 — *polystachya* *Jacq.* Jacq. Ic. 275.
 — — Andr. Rep. 2, 128. 3, 155.
 — — Bot. Mag. 17, 629.
 — — Red. Lil. 3, 126.
 — *pumila* *Forst.* Comm. Gott. 9, 2.
 — *punctata* *Andr.* Andr. Rep. 3, 177.
 — *punicea* *Jacq.* Jacq. Ic. 287.
 — *purpurascens* *Ten.* Tenore Fl. nap. 3.
 — *purpurea* *Jacq.* Jacq. Ic. 286. 286*.
 — *pusilla* *Andr.* Andr. Rep. 4, 245.
 — *radiata* *Jacq.* Jacq. Ic. 280.
 — — Bot. Mag. 16, 573.
 — — Red. Lil. 8, 441.
 — *ramiflora* *Ten.* Ac. Neap. 3, 7.
 — — Tenore Fl. nap. 203.
 — *rapunculoides* *Red.* Red. Lil. 8, 431.
 — *recurva* *DC.* Red. Lil. 5, 251.
 — *reflexa* *Andr.* Andr. Rep. 1, 14.
 — *rochensis* *Gawl.* Bot. Mag. 17, 598.
 — *rubrocyanea* *Jacq.* Jacq. Ic. 285.
 — — Bot. Mag. 12, 410.
 — *scillaris* *L.* var. Bot. Mag. 15, 542.
 — — Red. Lil. 3, 127.
 — *secunda* *Thunb.* Jacq. Ic. 277.
 — — Bot. Mag. 17, 597.
 — — *Dela Roche.* Red. Lil. 7, 406.
 — *speciosa* *Andr.* Andr. Rep. 3, 186.
 — — Kerner Hort. 324.
 — *spicata* *Andr.* Andr. Rep. 1, 29.
 — *tricolor* *Curt.* Schneevogt Ic. 39.
 — — Bot. Mag. 11, 381.
 — — Red. Lil. 3, 129.
 — — Kerner Hort. 20.
 — *uniflora* *L.* Jacq. Ic. 283.
 — *verrucosa* *Vogel.* Trew Pl. rar. 24.
 — *villosa* *Schneev.* Schneevogt Ic. 16.
 — — *Jacq.* Jacq. Ic. 284.
 — — Jacq. Fragn. 14.

- Ixia viridiflora* Lam. Red. Lil. 8, 466.
 — — — Lodd. Cab. 1348.
Ixiolirion montanum Herb. Herbert Amar. 20.
 — — — Bot. Reg. 30, 66.
 — — — Paxt. Mag. 13, 151.
 — — — tataricum Herb. Herbert Amar. 19, 20.
Ixionanthes chinensis R. Br. Linn. Transact. 21, 13.
Ixodia achilleoides R. Br. Bot. Mag. 37, 1534.
Ixora acuminata Roxb. Wight Ic. pl. Ind. or. 2, 706.
 — alba L. Rheede Hort. mal. 2, 14.
 † — — — Gaertn. Carp. 95.
 — — — Roxb. Wight Ic. pl. Ind. or. 2, 707.
 — alternifolia Jacq. Jacq. Hist. stirp. am. 16.
 — americana Jacq. Jacq. Schoenbr. 3, 257.
 — arborea Lodd. Lodd. Cab. 609.
 — Bandhuca Roxb. Bot. Reg. 6, 513.
 — — — Paxt. Mag. 2, 265.
 — — — Wight Ic. pl. Ind. or. 1, 149.
 — barbata Roxb. Bot. Mag. 51, 2505. 76, 4513.
 — — — Wight Ic. pl. Ind. or. 1, 185.
 — — — Lem. Jard. fl. 26.
 — blanda Ker. Bot. Reg. 2, 100.
 — brachiata Roxb. Wight Ic. pl. Ind. or. 2, 710.
 — coccinea L. Rheede Hort. mal. 2, 13.
 — — — Schneevogt Ic. 1.
 — — — Bot. Mag. 5, 169.
 † — — — Gaertn. Carp. 25.
 † — — — Lam. Encycl. 66.
 — — — Dict. sc. nat. 100.
 — — — Herb. amat. 3, 210.
 — — — Lodd. Cab. 386.
 — — — Wight Ic. pl. Ind. or. 1, 153.
 — — — Hart. Parad. 1, 15.
 — crocata Ker. Bot. Reg. 10, 782.
 — — — Lodd. Cab. 965.
 — cuneifolia Roxb. Bot. Reg. 8, 648.
 — — — Lodd. Cab. 1215.
 — — — Wight Ic. pl. Ind. or. 2, 709.
 — fulgens Roxb. Wight Ic. pl. Ind. or. 1, 151.
 — grandiflora Ker. Bot. Reg. 2, 154.
 — — — Wight Illustr. in Hook. 35.
 — — — Paxt. Mag. 3, 75.
 — Griffithii Hook. Bot. Mag. 73, 4325.
 — — — Fl. d. serres 3, 273. 274.
 — — — Lem. Jard. fl. 50.
 — javanica DC. Paxt. Mag. 14, 265.
 — — — Lem. Jard. fl. 156.
 — — — Bot. Mag. 77, 4586.
 — — — Annales de Gand 1848, 190.
 — incarnata DC. Lodd. Cab. 1048.
 — lanceolaria Colebr. Wight Ic. pl. Ind. or. 3, 827.
 — — — Bot. Mag. 74, 4399.
 — laxiflora Sm. Bot. Mag. 75, 4482.
 — — — Lem. Jard. fl. 21.
 — longiflora Sm. Rumpf Amb. 4, 46.
 — nigricans R. Br. Wight Ic. pl. Ind. or. 1, 318.
 — odorata Hook. Bot. Mag. 71, 4191.
 — — — Annales de Gand 1846, 52.
 — — — Fl. d. serres 2, 50. 51.
 — parviflora Lam. Lam. Encycl. 66.
 — — — Vahl. Vahl Symbolae 52.
 — — — Wight Illustr. in Hook. 34.
 — — — Wight Ic. pl. Ind. or. 2, 711.
 — Payetta Andr. Andr. Rep. 2, 76.
 — polyantha Wight. Wight Ic. pl. Ind. or. 3, 1066.
 — rosea Lodd. Lodd. Cab. 729.
 — — — Bot. Mag. 50, 2428.
 — — — Wall. Bot. Reg. 7, 540.
 — salicifolia DC. Bot. Mag. 76, 4523.
 — — — Fl. d. serres 3, 217.
 — — — Lem. Jard. fl. 38.
 — speciosa Willd. Bonpland Malm. 49.

- Ixora speciosa* Willd. Rehb. Exot. 127.
 — stricta Roxb. Wight Ic. pl. Ind. or. 1, 184. 2, 707.
 — ternifolia Cav. Cav. Ic. 305.
 — tomentosa Roxb. Wight Ic. pl. Ind. or. 1, 186.
 — undulata Roxb. Wight Ic. pl. Ind. or. 2, 708.
 — villosa Roxb. Wight Ic. pl. Ind. or. 1, 180.
 † *Izquierdia aggregata* Rz et P. Ruiz et Pav. Prodr. 30.
Kadsura cauliflora Bl. Blume Java 12.
 — grandiflora Wall. Wallich Tentamen 14.
 — japonica L. Kaempfer Amoenit. p. 476.
 — — — Kaempfer Japon. 41.
 — — — Sieb. Fl. Japon. 17.
 — propinqua Wall. Wallich Tentamen 15.
 — scandens Bl. Blume Java 12, 1.
Kaempferia angustifolia Rosc. Roscoe Scitam. 94.
 — — — Red. Lil. 7, 389.
 — candida Wall. Wall. Pl. asiat. 56.
 — elegans Wall. Wall. Pl. asiat. 27.
 — Galanga L. Rheede Hort. mal. 11, 41.
 — — — Rumpf Amb. 5, 69. fig. 2.
 — — — Kaempfer Amoenit. p. 902.
 — — — Linné Hort. Cliff. 3.
 — — — Lam. Encycl. 1.
 — — — Red. Lil. 3, 144.
 — — — Bot. Mag. 22, 830.
 — — — Lodd. Cab. 980.
 — — — Roscoe Scitam. 92.
 — — — Wight Ic. pl. Ind. or. 3, 899.
 — longa Jacq. Jacq. Schoenbr. 3, 317.
 — — — Red. Lil. 1, 49.
 † — — — Ann. sc. nat. II. 15, 20.
 — marginata Carey. Roscoe Scitam. 93.
 — ovalifolia Rosc. Roscoe Scitam. 95.
 — — — Roxb. Corom. 278.
 — pandurata Roxb. Rheede Hort. mal. 11, 10.
 — — — Rumpf Amb. 5, 69. fig. 1.
 — — — Roscoe Scitam. 96.
 — — — Lodd. Cab. 587.
 — — — Bot. Reg. 2, 173.
 — Roscoeana Wall. Bot. Reg. 14, 1212.
 — rotunda L. Rheede Hort. mal. 11, 9.
 — — — Lam. Encycl. 1.
 — — — Desc. Ant. 3, 205.
 — — — Bot. Mag. 23, 920.
 — — — Roscoe Scitam. 97.
 — — — Woodv. Med. 4, 253.
 — — — Paxt. Mag. 1, 125.
 † — — — Hegetschweiler Comment. 2. 3.
 — — — Rehb. Exot. 66.
 — — — Nees Düssel. Suppl. 100.
 — — — Wight Ic. pl. Ind. or. 6, 2029.
Kageneckia Rz et P. Ruiz et Pav. Prodr. 37.
 — crataegifolia Ldl. Bot. Reg. 22, 1836.
 — ovata Colla. Mem. Tur. 37, 15.
Kakile aegyptiaca Willd. Fl. dan. 9, 1583.
Kalanchoe aegyptiaca DC. DC. Plantes grasses 64.
 — crenata Haw. DC. Plantes grasses 176.
 — grandiflora Wall. Wight Spicil. 77.
 — — — Wight Illustr. 111.
 — laciniata DC. DC. Plantes grasses 100.
 — — — Icones pl. Chinae 8.
 — — — Wight Ic. pl. Ind. or. 3, 1158.
 — Quantiniana Rich. Richard Abyssin. 54.
 — spathulata DC. DC. Plantes grasses 65.
 — teretifolia Wall. Wall. Pl. asiat. 166.
 — varians Wall. Wall. Pl. asiat. 167.
 (Vox *Kalanchoe* Ad. supra p. 184. delenda est.)
Kalbfussia Mülleri Schults. Moris Fl. sard. 91.
 — orientalis Jaub. Jaubert Illustr. 283.
 † *Kallstroemia* Scop. Gray Genera 146.
 — maxima Torr. et Gr. Gray Genera 146.
Kalmia angustifolia L. Gil et Suarez 13.

- Kalmia angustifolia* L. Bot. Mag. 10, 331.
 — — — Lodd. Cab. 502.
 † — — — Schk. Handb. 116.
 — — — Guimpel Fr. Holzgew. 138.
 — — — *glauca* Ait. Aiton Hort. Kew. 2, 8.
 — — — Meerburg Pl. sel. 21.
 — — — Bot. Mag. 5, 177.
 — — — Lodd. Cab. 1508.
 — — — Lam. Encycl. 363.
 — — — Guimpel Fr. Holzgew. 139.
 — — — Nouveau Duhamel 1, 45.
 — — — *hirsuta* Curt. Bot. Mag. 4, 138.
 — — — Lodd. Cab. 1058.
 — — — *latifolia* L. Bot. Mag. 5, 175.
 † — — — Gaertn. Carp. 63.
 — — — Schk. Handb. 116.
 — — — Guimpel Fr. Holzgew. 137.
 — — — Michaux Arb. 3, 5.
 — — — Bigelow Med. 13.
 — — — Lam. Encycl. 363.
 — — — Nouveau Duhamel 1, 44.
 — — — Herb. amat. 3, 151.
 — — — Spach Suites 139.
 — — — *polifolia* Wangerh. Schriften naturf. Fr. 8, 5.
Kamptzia albens N. v. E. Acta Leop. 18. Suppl. 1, 2.
 † *Kanahia laniflora* R. Br. Ann. sc. nat. II. 9, 11.
Kandelia Rheedii W. et A. Rheed Hort. mal. 6, 33.
 — — — Wight Illustr. 89.
 — — — Hook. Ic. pl. 4, 362.
 † *Kanilia parviflora* Bl. Blume Mus. 1, 30.
Karivia amplexicaulis Arn. Wight Ic. pl. Ind. or. 2, 502.
Karwinskia glandulosa Zucc. Münchn. Abh. 1, 16.
Kaulfussia aesculifolia Bl. Hook. Ic. Fil. 2, 229.
 † — — — Hook. Gen. Fil. 59.
 — — — *amelloides* N. v. E. Horae berol. 11.
 — — — Bot. Mag. 47, 2177.
 — — — Bot. Reg. 6, 490.
 — — — Paxt. Mag. 8, 195.
 — — — *assamica* Griff. Asiatic Researches 19, 18.
 † — — — Hook. Gen. Fil. 59.
 — — — Hook. Journal 1840, 11, 12.
 — — — Korthalsii Vr. Vriese Maratt. 5.
Kayea floribunda Wall. Wall. Pl. asiat. 210.
Keerlia skirrobasis DC. Delessert Ic. 4, 18.
 — — — Hook. Ic. pl. 3, 240.
 † *Kennedya* Vent. Kerner Genera 19.
 — — — *arenaria* Benth. Regel Gartenfl. 2, 56.
 — — — *bracteata* Gaudich. Freycinet Voyage 113.
 — — — *coccinea* Vent. Vent. Malm. 105.
 — — — Sweet Austr. 23.
 — — — Bot. Mag. 53, 2664.
 — — — Lodd. Cab. 1126.
 — — — var. Paxt. Mag. 2, 99.
 — — — *cordata* Ldl. Bot. Reg. 11, 944.
 — — — *dilatata* Cunn. Bot. Reg. 18, 1536.
 — — — *eximia* Ldl. Paxt. Mag. 16, 35.
 — — — *glabrata* Ldl. Bot. Reg. 22, 1838.
 — — — *inophylla* Ldl. Bot. Reg. 17, 1421.
 — — — *longeracemosa* Lodd. Lodd. Cab. 1940.
 — — — *macrophylla* Ldl. Bot. Reg. 22, 1862.
 — — — *Marryattiana* Ldl. Maund Bot. 2, 83.
 — — — Bot. Reg. 21, 1790.
 — — — *monophylla* Vent. Vent. Malm. 106.
 — — — Lodd. Cab. 758.
 — — — var. *longeracemosa*, Bot. Reg. 16, 1336.
 — — — *nigricans* Ldl. Bot. Reg. 20, 1715.
 — — — Bot. Mag. 65, 3652.
 — — — *ovata* Sims. Bot. Mag. 47, 2169.
 — — — Lodd. Cab. 1007.
 — — — *prostrata* R. Br. Lodd. Cab. 1046.
 — — — *rubicunda* Vent. Vent. Malm. 104.
 — — — Kerner Hort. 286.

- Kennedya rubicunda* Vent. Lodd. Cab. 934.
 — — — Bot. Reg. 13, 1101.
 — — — *splendens* Paxt. Paxt. Mag. 3, 26.
 — — — *Stirlingi* Ldl. Bot. Reg. 22, 1845.
 — — — *tabacina* Lab. Bill. Sertum 70.
Kentia procera Bl. Blume Rumphia 106, 160.
Kentrophyllum arborescens Hook. Bot. Mag. 61, 3302.
Keramocarpus Tordylium Fenzl. Russegger Reise 20.
Keraudrenia hermanniaefolia Gay. Mem. Mus. 7, 23.
Kernera auriculata Rchb. Rchb. Ic. crit. 7, 648.
 — — — *glastifolia* Rchb. Rchb. Fl. germ. 2, 17.
 — — — *saxatilis* Rchb. Rchb. Fl. germ. 2, 17.
Kerria japonica DC. Bot. Reg. 22, 1873.
 — — — Sweet Fl. G. II. 337.
 — — — Sieb. Fl. Japon. 98.
Khaya senegalensis Juss. Guillemain Seneg. 32.
 † — — — Mem. Mus. 19, 21.
Kibessia cordata Korth. Korthals Bot. 66.
 — — — *cupularis* DC. Delessert Ic. 5, 5.
Kickxia arborea Bl. Blume Rumphia 179.
Kielmeyera angustifolia Pohl. Pohl Bras. 129.
 — — — *coriacea* Mart. Mart. Bras. 70.
 — — — *corymbosa* Mart. Mart. Bras. 72.
 — — — *humifusa* Camb. St. Hil. Fl. Bras. 63.
 — — — *microphylla* Pohl. Pohl Bras. 132.
 — — — Rchb. Exot. 351.
 — — — *oblonga* Pohl. Pohl Bras. 130.
 — — — *petiolaris* Mart. Mart. Bras. 69.
 — — — *pumila* Pohl. Pohl Bras. 131.
 — — — *rosea* Mart. Mart. Bras. 68.
 — — — *rubriflora* St. Hil. St. Hil. Fl. Bras. 60.
 — — — *speciosa* St. Hil. St. Hil. Pl. usuelles 58.
 — — — *tomentosa* Camb. St. Hil. Fl. Bras. 61.
 — — — *variabilis* Mart. Mart. Bras. 71.
Kigelia abyssinica Rich. Richard Abyssin. (75).
 — — — *aethiopica* DC. Delessert Ic. 5, 93^a, 93^b.
Kiggelaria africana L. Linné Hort. Cliff. 29.
 † — — — Gaertn. Carp. 44.
 † — — — Lam. Encycl. 821.
 — — — *integrifolia* Jacq. Jacq. Ic. 628.
Kingia australis R. Br. King's Narrative 1.
 † — — — Gaudichaud Bonite 123.
 † — — — Schnizl. Iconogr. 1, 51^c.
 † *Kirganelia phyllanthoides* Desf. Jussieu Euphorb. 4.
Kitabelia vitifolia Willd. W. et Kit. 31.
 † — — — Neue Schr. naturf. Fr. 2, 4.
 — — — Bot. Mag. 21, 821.
 — — — Tratt. Archiv 18, 15^a.
 — — — Rchb. Fl. germ. 5, 165.
Klaprothia mentzeloides H. B. K. H. B. K. Nov. Gen. 6, 537.
Kleinhovia hospita L. Rumpf Amb. 3, 113.
 — — — Cav. Diss. 146.
 † — — — Gaertn. Carp. 137.
 — — — Lam. Encycl. 734.
Kleinia colorata H. B. K. Martius Auswahl 15.
 — — — *gorullensis* H. B. K. H. B. K. Nov. Gen. 4, 356.
 — — — *linearifolia* Juss. Ann. Mus. 2, 61.
 — — — *ruderalis* Willd. Jacq. Hist. stirp. am. 195.
 — — — *suffruticosa* Lodd. Lodd. Cab. 1561.
Klotzschia brasiliensis Chamisso. Endl. Atacta 19.
 † *Klugia Notoniana* DC. Wight Illustr. 159^{bis}.
 — — — Wight Ic. pl. Ind. or. 4, 1353.
 — — — Bot. Mag. 77, 4620.
 — — — Lem. Jard. fl. 212.
 — — — Fl. d. serres 7, 749.
 — — — Belgique hortic. 2, 53.
Knappia agrostoides Sm. Engl. Bot. 16, 1127.
 — — — Curt. Lond. 4, 61.
 — — — Knapp Gram. 110.
 — — — Baxter Brit. Bot. 3, 184.
 — — — *verna* Trin. Trin. Sp. Gram. 1, 17.

- † *Knaulia* *L.* Mem. Genev. 2, 1.
 — *arvensis* *Coult.* Baxter Brit. Bot. 3, 179.
 — — — *Dietr.* Fl. bor. 9, 618.
 † — — — *Nees* Gen. X, x.
 — *orientalis* *L.* Schk. Handb. 22.
 † — — — *Gaertn.* Carp. 86.
 — *propontica* *L.* Tilli Hort. Pis. 48.
 — — — *Lam.* Encycl. 58.
Knightsia excelsa *R. Br.* Linn. Transact. 10, 2.
Knowltonia gracilis *DC.* Delessert Ic. 1, 19.
 — *rigida* *Salisb.* Lodd. Cab. 850.
 — *vesicatoria* *Sims.* Bot. Mag. 20, 775.
 — — — *Bot. Reg.* 11, 936.
Knoxia corymbosa *Willd.* Wight Illustr. 128.
 — *plantaginea* *Wall.* Wall. Pl. asiat. 32.
 † — — — *stricta* *Gaertn.* Gaertn. Carp. 25.
 † — — — *Lam.* Encycl. 59.
 — *zeylanica* *L.* Burmann Fl. ind. 13.
 — — — *Lam.* Encycl. 59.
Kobresia caricina *Willd.* Sv. Bot. 527.
 — — — *Schk.* Handb. 286 Rr.
 — — — *Sturm* Flora 18, 78.
 — — — *Rchb.* Fl. germ. 8, 193.
 † — — — *Nees* Gen. 2, 3.
 — *filiformis* *Torr.* Silliman Journ. 29, 4.
 — *globularis* *Dewey.* Silliman Journ. 29, 4.
 — *scirpina* *Willd.* Sv. Bot. 527.
Kobus *Kaempf.* Kaempfer Japon. 42.
 † *Kochia arenaria* *Roth.* Schrader Journal 1800. 1, 2.
 — — — *Sturm* Flora 7, 28.
 † — — — *Nees* Genera 4, 59.
 — *dentata* *Willd.* Willdenow Hortus 28.
 — *ericifolia* *Viv.* Viviani Aegypt. 2.
 — *eriphora* *Schrad.* Comm. Gott. rec. 1, 3.
 — — — *Schrader* N. Journ. 3, 3.
 — — — *Tratt.* Archiv 81.
 † — *hysopifolia* *Roth.* Nees Genera 4, 59.
 — *indica* *Wight.* Wight Ic. pl. Ind. or. 5, 1791.
 † — *muricata* *Schrad.* Viviani Aegypt. 2.
 — *scoparia* *Schrad.* Comm. Gott. rec. 1, 1.
 — *sericea* *Schrad.* Comm. Gott. rec. 1, 2.
 † *Koeleria Pers.* Dumortier Gram. 6.
 — *Barrelieri* *Ten.* Tenore Fl. nap. 201.
 — *caudata* *Mut.* Mutel Fl. fr. 84.
 — *cristata* *Pers.* Fl. dan. 13, 2223.
 — — — *Sturm* Flora 19, 85.
 — — — *Rchb.* Fl. germ. 1, 93.
 † — — — *Nees* Genera 1, 64.
 — *glauca* *DC.* Rchb. Fl. germ. 1, 93.
 — *glomerata* *Kth.* Humb. Gram. 219.
 — *hirsuta* *Gaud.* Sturm Flora 19, 85.
 — — — *Rchb.* Fl. germ. 1, 93.
 — *phleoides* *Pers.* var. Mutel Fl. fr. 83.
 — *truncata* *Torr.* Torrey New York 160.
 — *valesiaca* *Gaud.* Rchb. Fl. germ. 1, 93.
 — *villosa* *Pers.* Rchb. Fl. germ. 1, 93.
Koelpinia deflexa *Stsch.* Bull. Mosc. 1851. 2, 13.
 — *linearis* *Pall.* Jaubert Illustr. 286.
Koelreuteria molluginoides *Murr.* Novi Comm. Gott. 3, 2.
Koelreuteria paniculata *Lam.* L'her. Sertum 19.
 — — — *Lam.* Encycl. 308.
 — — — *Nouveau Duhamel* 1, 36.
 † — — — *Mem. Mus.* 18, 1.
 — — — *Bot. Reg.* 4, 330.
Koenigia islandica *L.* Fl. dan. 3, 418.
 — — — *Sv. Bot.* 513.
 † — — — *Gaertn.* Carp. 128.
 — — — *Lam.* Encycl. 81.
 — — — *Tratt.* Archiv 89.
 — *monandra* *Decne.* Jacquemont Ind. 147.
Kohautia coccinea *Royle.* Royle Illustr. 53.
 — *seneegalensis* *Cham. et Schl.* Endl. Atacta 23.

- Kohleria ignorata* *Regel.* Regel Gartenfl. 1852, 1.
Kohlrauschia diminuta *Kth.* Rchb. Fl. germ. 6, 247.
 — *obcordata* *Rchb.* Rchb. Fl. germ. 6, 247.
 — *prolifera* *Kth.* Rchb. Fl. germ. 6, 247.
 — *velutina* *Guss.* Rchb. Fl. germ. 6, 247.
Kokoona zeylanica *Thw.* Hook. Journal 1853, 6.
Kokoschkinia paniculata *Turcz.* Bull. Mosc. 1849. 2, 2.
Kolbia elegans *Pal. B.* Pal. B. Fl. d'Oware 120.
 — — — *Rchb.* Exot. 140.
Kolleria herniariaefolia *Presl.* Presl Symbolae 14.
Kolowratia elegans *Presl.* Presl Reliq. 20.
Koniga halimifolia *Rchb.* Rchb. Fl. germ. 2, 18.
 — *maritima* *R. Br.* Sibth. Fl. gr. 621.
 — — — *Rchb.* Fl. germ. 2, 18.
 — — — *Baxter* Brit. Bot. 5, 355.
Konokko Juri *Kaempf.* Kaempfer Jap. 47.
Koockia stellaris *Mog.* Belanger Ind. or. x.
 † *Koon* *Gaertn.* Gaertn. Carp. 180.
Kopsia arborea *Bl.* Blume Rumphia 181.
 — *fruticosa* *DC.* Bot. Mag. 72, 4220.
Korei Utsugi *Kaempf.* Kaempfer Jap. 45.
Korthalsia debilis *Bl.* Blume Rumphia 157 bis.
 — *polystachya* *Mart.* Mart. Palm. 172. Z¹³.
 — *rigida* *Bl.* Blume Rumphia 157.
 — *robusta* *Bl.* Blume Rumphia 157 bis.
 † — *scaphigera* *Mart.* Mart. Palm. Z⁹.
 † *Kosteletzkyia* *Presl.* Gray Genera 132.
 — *sagittata* *Presl.* Presl Reliq. 70.
 — *virginica* *Presl.* Gray Genera 132.
Kotschyia africana *Endl.* Endl. Iconogr. 125.
 † *Krameria L.* Ruiz et Pav. Prodr. 3.
 † — — *Gray* Genera 183. 186.
 — *cistoides* *Hook.* Hook. Beechey 5.
 — *cytisoides* *Cav.* Cav. Ic. 390.
 — *grandiflora* *St. Hil.* St. Hil. Fl. Bras. 97.
 † — — *Mem. Mus.* 17, 31.
 — *Ixina L.* Tussac Ant. 1, 13.
 — — — *Hayne* 8, 13.
 — *lanceolata* *Torr.* Gray Genera 183. 186.
 — *latifolia* *Moric.* Moricand Pl. Am. 43.
 — *parvifolia* *Benth.* Benth. Sulphur 1.
 — *pentapetala* *Rz et P.* Ruiz et Pav. Fl. 94.
 — *triandra* *Rz et P.* Ruiz et Pav. Fl. 93.
 — — — *Ruiz* Disertacion 1.
 — — — *Berl.* Jahrb. 1805, 1.
 — — — *Klein* Abhandl. 1.
 — — — *Hayne* 8, 14.
 — — — *Guimp.* et Schl. 174.
 — — — *Nees* Düsseldorf. 411.
 — — — *Woodv.* Med. 5, 35.
Kremeria paludosa *Durieu.* Explor. Alger. 59.
Kreysigia multiflora *Rchb.* Rchb. Hort. 229.
 — — — *Bot. Mag.* 68, 3905.
Krigia amplexicaulis *Nutt.* Rchb. Hort. 126.
 — *nervosa* *Hook.* Hook. Ic. pl. 3, 237.
 — *tenella* *Rchb.* Rchb. Pl. crit. 1, 87.
Kruberia leptophylla *Hoffm.* Hoffm. Gen. Umbellif. 3.
Kuhlia glauca *H. B. K.* H. B. K. Nov. Gen. 7, 652.
 — *mollis* *P. et E.* Poepp. et Endl. 288.
 — *ulmifolia* *H. B. K.* H. B. K. Nov. Gen. 7, 653.
Kuhnia arguta *H. B. K.* H. B. K. Nov. Gen. 4, 330.
 — *eupatorioides* *L.* Linné Hort. ups. 2, 11.
 — — — *Lam.* Encycl. 126.
 — *linearifolia* *Spr.* Klein Calacia 1.
 — *rosmarinifolia* *Vent.* Vent. Cels 91.
Kumara disticha *Medik.* Medikus Theodora 4.
Kunda gurvaliga *Tel.* Wight Ic. pl. Ind. or. 3, 809.
Kunthia montana *H. B.* Humb. Pl. aeq. 122.
 † — — — *Lam.* Encycl. 999.
 — — — *Mart.* Palm. 142.
Kuroggi *Kaempf.* Kaempfer Jap. 36.
Kydia calycina *Roxb.* Roxb. Corom. 215.

- Kydia calycina* Wight. Wight Ic. pl. Ind. or. 3, 879. 880.
 — *fraterna* Roxb. Roxb. Corom. 216.
 — — Wight Ic. pl. Ind. or. 3, 880.
 — *Roxburghiana* Wight. Wight Ic. pl. Ind. or. 3, 881.
 † *Kyllingia* L. fil. Linné Gram. 1.
 — *brevifolia* Rottb. Rottboell Descr. 4.
 — *bulbosa* Pal. B. Pal. B. Fl. d'Oware 8.
 — *capitata* Pal. B. Pal. B. Fl. d'Oware 31.
 — *incompleta* Jacq. Jacq. Ic. 390.
 — *monocephala* L. fil. Rheede Hort. mal. 12, 53.
 — — Rumpf Amb. 6, 3. fig. 2.
 — — Rottboell Descr. 4.
 — — Lam. Encycl. 38.
 — *panicea* L. fil. Rottboell Descr. 4.
 — *pumila* Michx. Elliott. Carolina 1.
 — *triceps* L. fil. Rheede Hort. mal. 12, 52.
 — — Rottboell Descr. 4.
 — — Lam. Encycl. 38.
 — *umbellata* L. fil. Rottboell Descr. 4.
 — — Pal. B. Fl. d'Oware 56.
 † *Labatia* Sw. Swartz Fl. Ind. occ. 6.
 — *macrocarpa* Mart. Mart. Bras. 161. 162.
 † *Labiatae* Juss. Ann. Mus. 15, 13—21.
 † — — Wight Illustr. 176 bis.
Labichea cassioides Gaudich. Freycinet Voyage 112.
 — *diversifolia* Meisn. Paxt. Fl. G. 52.
 — — Lem. Jard. fl. 162.
 — *punctata* Paxt. Paxt. Mag. 10, 149.
Labisia pothoina Ldl. Bot. Reg. 31, 48.
Lablab microcarpus DC. Rumpf Amb. 5, 141. fig. 1.
 — *perennis* DC. Rumpf Amb. 5, 137.
 — *vulgaris* Savi. β. purpureus DC. Bot. Reg. 10, 830.
 — — — Wight Illustr. in Hook. 15.
 — — — Wight Ic. pl. Ind. or. 1, 57. 203.
Lablavia vulgaris Don. Sweet Fl. G. II. 236.
Labordia fagraeoides Gaudich. Freycinet Voyage 60.
Labourdonnaisia sarcophleia Boj. Mem. Genev. 9, x.
Lacaena bicolor Ldl. Bot. Reg. 30, 50.
Lacathea florida Salisb. Salisb. Parad. 56.
Lacanssadea appendiculata Gaudich. Gaudich. Bon. 119.
 — *montana* Gaudich. Gaudichaud Bonite 118.
 — *rhizophylla* Gaudich. Gaudichaud Bonite 120.
Lacellia libyca Viv. Viviani Lib. 25.
Lacepedia insignis H. B. K. H. B. K. Nov. Gen. 5, 444.
 † — — — Kerner Genera 137.
 — — — Bot. Mag. 75, 4459.
Lachenalia anguinea Sweet. Sweet Fl. G. 179.
 — *angustifolia* Jacq. Jacq. Ic. 381.
 — — — Bot. Mag. 19, 735.
 — — — Red. Lil. 3, 162.
 — — — Tratt. Archiv 119. 120.
 — *bicolor* Lodd. Lodd. Cab. 1129.
 — *bifolia* Gawl. Bot. Mag. 39, 1611.
 — — — Lodd. Cab. 920.
 — *botryoides* Tratt. Tratt. Archiv 98.
 — *contaminata* Ait. Bot. Mag. 34, 1401.
 — *flava* Andr. Andr. Rep. 7, 456.
 — — — Kerner Hort. 819.
 — *fragrans* Jacq. Jacq. Schoenbr. 1, 82.
 — — — Tratt. Archiv 99.
 — — — Andr. Andr. Rep. 5, 302.
 — — — Lodd. Cab. 1140.
 — *glaucina* Jacq. Jacq. Ic. 391.
 — — — Tratt. Archiv 113.
 — — — Bot. Mag. 64, 3552.
 — *hyacinthoides* Jacq. Jacq. Ic. 382.
 — — — Tratt. Archiv 121.
 — *isopetala* Jacq. Jacq. Ic. 401.
 — — — Tratt. Archiv 123.
 — *lanceaeifolia* Jacq. Jacq. Ic. 402.
 — — — Bot. Mag. 17, 643.

- Lachenalia lanceaeifolia* Jacq. Red. Lil. 1, 59.
 — — — Tratt. Archiv 125. 126.
 — *latifolia* Tratt. Tratt. Archiv 100.
 — *liliflora* Jacq. Jacq. Ic. 387.
 — — — Tratt. Archiv 95.
 — *lucida* Gawl. Bot. Mag. 33, 1372.
 — *luteola* Jacq. Jacq. Ic. 395.
 — — — Red. Lil. 5, 297.
 — — — Herb. amat. 1, 56.
 — — — Lodd. Cab. 734.
 — — — Tratt. Archiv 107. 108.
 — *mediana* Jacq. Jacq. Ic. 392.
 — — — Tratt. Archiv 117.
 — *mutabilis* Lodd. Lodd. Cab. 1076.
 — — — Sweet Fl. G. II. 129.
 — *nervosa* Gawl. Bot. Mag. 36, 1497.
 — *orchoides* Ait. Jacq. Ic. 390.
 — — — Tratt. Archiv 112.
 — — — Bot. Mag. 22, 854. 31, 1269.
 — *orthopetala* Jacq. Jacq. Ic. 383.
 — — — Tratt. Archiv 122.
 — *pallida* Ait. Red. Lil. 1, 22.
 — — — Tratt. Archiv 118.
 — — — Bot. Reg. 4, 287. 314. 16, 1350. 23, 1945.
 — *patula* Jacq. Jacq. Ic. 384.
 — — — Tratt. Archiv 114.
 — *pendula* Ait. Jacq. Ic. 400.
 — — — Bot. Mag. 16, 590.
 — — — Red. Lil. 1, 52.
 — — — Andr. Rep. 1, 41.
 — — — Kerner Hort. 214. 358.
 — — — Tratt. Archiv 109. 110.
 — — — Herb. amat. 1, 39.
 — — — Lodd. Cab. 267.
 — — — Rchb. Exot. 119.
 — *punctata* Jacq. Jacq. Ic. 397.
 — — — Lam. Encycl. 237.
 — — — Tratt. Archiv 105.
 — — — Herb. amat. 3, 205.
 — *purpurea* Jacq. Jacq. Ic. 393.
 — — — Tratt. Archiv 101.
 — *purpureo-coerulea* Jacq. Jacq. Ic. 388.
 — — — Bot. Mag. 20, 745.
 — — — Andr. Rep. 4, 257.
 — — — Tratt. Archiv 97.
 — *pusilla* Jacq. Jacq. Ic. 385.
 — — — Tratt. Archiv 102.
 — *pustulata* Jacq. Jacq. Ic. 386.
 — — — Andr. Rep. 5, 330.
 — — — Bot. Mag. 21, 817.
 — — — Tratt. Archiv 93. 94.
 — *quadricolor* Jacq. Jacq. Ic. 396.
 — — — Bot. Mag. 16, 588. 27, 1097. 41, 1704.
 — — — Andr. Rep. 3, 148.
 — — — Lodd. Cab. 746.
 — — — Tratt. Archiv 111.
 — — — Rchb. Exot. 119.
 — *racemosa* Gawl. Bot. Mag. 37, 1517.
 † — *ramosa* Lam. Lam. Encycl. 237.
 — *reflexa* Andr. Andr. Rep. 5, 299.
 — — — Tratt. Archiv 127.
 — *rosea* Andr. Andr. Rep. 5, 296.
 — — — Tratt. Archiv 115.
 — *rubida* Jacq. Jacq. Ic. 398.
 — — — Bot. Mag. 25, 993.
 — — — Tratt. Archiv 103.
 — *sessiliflora* Andr. Andr. Rep. 7, 460.
 — *tigrina* Jacq. Jacq. Ic. 399.
 — — — Tratt. Archiv 104.
 — *tricolor* Jacq. Jacq. Ic. 61.
 — — — Bot. Mag. 8, 82. 26, 1020.
 — — — Red. Lil. 1, 2.

- Lachenalia tricolor* Jacq. Kerner Hort. 176.
 — — — Lodd. Cab. 767.
 — — — Tratt. Archiv 106.
 — — — Herb. amat. 1, 72.
 — — — Savi Fl. ital. 2, 68.
 — — — unicolor Jacq. Jacq. Ic. 389.
 — — — Bot. Mag. 33, 1373.
 — — — Tratt. Archiv 96.
 — — — unifolia Jacq. Jacq. Schoenbr. 1, 83.
 — — — Bot. Mag. 20, 766.
 — — — Tratt. Archiv 116.
 — — — Rchb. Exot. 198.
 — — — violacea Jacq. Jacq. Ic. 394.
 — — — Tratt. Archiv 124.
Lachnaea buxifolia Lam. Lam. Encycl. 292.
 — — — Andr. Rep. 8, 524.
 — — — Bot. Mag. 40, 1657. 1658.
 † — — — eriocephala L. Gaertn. Carp. 215.
 — — — Lam. Encycl. 292.
 — — — Bot. Mag. 32, 1295.
 — — — Andr. Rep. 2, 164.
 — — — Herb. amat. 4, 234.
 — — — glauca Salisb. Salisb. Parad. 109.
 — — — phyllicoides Lam. Lam. Encycl. 292.
 — — — purpurea Andr. Andr. Rep. 5, 293.
 — — — Bot. Mag. 39, 1594.
 — — — Lodd. Cab. 273.
Lachnagrostis Chamissonis Tr. Trin. Sp. Gr. 3, 242.
 † — — — filiformis Tr. Trinius Fund. 10.
 — — — Gussonis Tr. Trin. Sp. Gr. 3, 243.
Lachnoloma Lehmanni Bge. Bunge Reliq. Lehm. 8.
Lachnostachys albicans Hook. Hook. Ic. pl. 5, 414.
 — — — ferruginea Hook. Hook. Ic. pl. 5, 415.
Lachnostoma Balbisii Decne. Delessert Ic. 5, 78.
 — — — triginum H. B. K. H. B. K. Nov. Gen. 3, 232.
Lacis aspera Bong. Acad. Pet. 3, 2.
 — — — ceratophylla Bong. Hook. Companion 20.
 — — — Torrey New York 98.
 — — — Chrysanthemum Schnizl. Schnizl. Iconogr. 2, 85.
 — — — disticha Cham. Linnaea 9, 5.
 — — — Schnizl. Iconogr. 2, 85.
 — — — fucoides Mart. Mart. Bras. 2.
 — — — membranacea Bong. Acad. Pet. 3, 4.
 — — — monadelphina Bong. Acad. Pet. 3, 1.
 — — — Schnizl. Iconogr. 2, 85.
 — — — pygmaea Bong. Acad. Pet. 3, 5.
 — — — Riedelii Bong. Acad. Pet. 3, 3.
 — — — Schiedeana Cham. Linnaea 9, 6.
 — — — Schnizl. Iconogr. 2, 85.
 † *Lacistema Sw.* Swartz Fl. Ind. occ. 21.
 — — — myricoides Sw. Swartz Ic. Ind. occ. 1.
 — — — pubescens Mart. Mart. Bras. 94.
 — — — serrulatum Mart. Mart. Bras. 95.
 — — — Schnizl. Iconogr. 2, 100.
 † *Lacistema meae* Mart. Schnizl. Iconogr. 2, 100.
 † *Lactuca Linn.* Lam. Encycl. 649.
 — — — arabica Jaub. Jaubert Illustr. 282.
 — — — angustana All. All. Fl. ped. 3, 52.
 — — — canadensis L. Desc. Ant. 5, 306.
 — — — Chaixii Vill. Vill. Dauph. 32.
 — — — cretica Desf. Desf. Choix 34.
 — — — Ann. Mus. 11, 19.
 † — — — floridana Gaertn. Gaertn. Carp. 158.
 — — — glabra DC. Wight Spicil. 118.
 — — — Wight Ic. pl. Ind. or. 3, 1145.
 — — — Heyneana DC. Wight Ic. pl. Ind. or. 3, 1146.
 — — — Hoffmeisteri Klotzsch. Prinz Waldem. Him. 79.
 — — — intybacea Jacq. Jacq. Ic. 162.
 — — — leucophaea Sibth. Sibth. Fl. gr. 794.
 — — — longidentata Moris. Moris Fl. sard. 93.
 † — — — muralis DC. Gaertn. Carp. 158.
 — — — Dietr. Fl. bor. 10, 665.

- Lactuca perennis* L. Bot. Mag. 47, 2130.
 — — — prenanthoides Scop. Scop. Fl. carn. 2, 49.
 † — — — quercina L. Schk. Handb. 217.
 — — — Dietr. Fl. bor. 11, 741.
 — — — sagittata W. et K. W. et Kit. 1.
 — — — saligna L. Ruppius Fl. jen. 4.
 — — — Jacq. Fl. austr. 3, 250.
 † — — — Gaertn. Carp. 158.
 — — — Engl. Bot. 10, 707.
 — — — sarmentosa Wight. Wight Illustr. 133.
 † — — — sativa L. Gaertn. Carp. 158.
 — — — Hayne 7, 30.
 — — — Scariola L. Fl. dan. 7, 1227.
 — — — Engl. Bot. 4, 268.
 — — — Sv. Bot. 715.
 † — — — Gaertn. Carp. 158.
 — — — Hayne 1, 46.
 — — — Guimp. et Kl. 20.
 — — — Nees Düssel. 250.
 — — — Wagner 127.
 — — — Dietr. Fl. bor. 10, 663.
 — — — Schimper Jaub. Jaubert Illustr. 281.
 — — — segusiana Balb. Mem. Tur. 7, 8.
 — — — stricta W. et K. W. et Kit. 48.
 — — — tuberosa Jacq. Jacq. Vind. 47.
 — — — undulata Led. Ledeb. Ic. 129.
 — — — vialea Bell. Mem. Tur. 7, 4.
 — — — villosa Jacq. Jacq. Schoenbr. 3, 367.
 — — — virosa L. Woodv. Med. 1, 31.
 — — — Engl. Bot. 28, 1957.
 — — — Baxter Brit. Bot. 4, 315.
 † — — — Gaertn. Carp. 158.
 — — — Schk. Handb. 217.
 — — — Hayne 1, 47.
 — — — Nees Düssel. 249.
 — — — Guimp. et Schl. 201.
 — — — Brandt und Ratzeb. 23.
 — — — Dietr. Fl. bor. 10, 664.
 † — — — Archiv d. Pharm. 1847, 1.
Ladenbergia dichotoma Klotzsch. Weddell Hist. 26.
Laelia acuminata Ldl. Bot. Reg. 27, 24.
 — — — Paxt. Mag. 10, 49.
 — — — Fl. d. serres 1, 9.
 — — — albida Batem. Bot. Reg. 25, 54.
 — — — Bot. Mag. 68, 3957.
 — — — anceps Ldl. Bot. Reg. 21, 1751.
 — — — var. Barkeriana, Bot. Reg. 23, 1947.
 — — — Paxt. Mag. 4, 73.
 — — — Bot. Mag. 67, 3804.
 — — — autumnalis Ldl. Bateman Orchid. 9.
 — — — Bot. Reg. 25, 27.
 — — — Bot. Mag. 67, 3817.
 — — — Paxt. Mag. 6, 121.
 — — — Barkeri Ldl. Knowles et Westcott 30.
 — — — cinnabarina Batem. Lindley Sertum 28.
 — — — Paxt. Mag. 7, 193.
 — — — Bot. Mag. 73, 4302.
 — — — flava Ldl. Bot. Reg. 28, 62.
 — — — furfuracea Ldl. Bot. Reg. 25, 26.
 — — — Bot. Mag. 67, 3810.
 — — — Lindenii Ldl. Ramon Cuba 82.
 — — — majalis Ldl. Bateman Orchid. 23.
 — — — Bot. Reg. 30, 30.
 — — — Paxt. Mag. 12, 1.
 — — — orientalis Desv. Rchb. Fl. germ. 2, 1.
 — — — peduncularis Ldl. Bot. Reg. 31, 69.
 — — — Bot. Mag. 70, 4099.
 — — — Perrinii Batem. Paxt. Mag. 13, 5.
 — — — purpurata Ldl. Paxt. Fl. G. 96.
 — — — rubescens Ldl. Bot. Reg. 26, 41.
 — — — Fl. d. serres 7, 742.
 — — — superbiens Ldl. Bateman Orchid. 38.

- Laelia superbiens* Ldl. Paxt. Mag. 11, 97.
 — — Bot. Mag. 70, 4090.
Laeliopsis domingensis Ldl. Paxt. Fl. G. 105.
Laennocia alpina P. et E. Poepp. et Endl. 262.
Laetia apetala Jacq. Jacq. Hist. stirp. am. 159.
 — — Mart. Bras. 165.
 — crenata A. Rich. Ramon Cuba 11.
 — longifolia A. Rich. Ramon Cuba 10.
 — serrulata Rz et P. Ruiz et Pav. Ic. ined. x.
 † *Lafoensia* Vand. Roemer Scriptores 7.
 — densiflora Pohl. Pohl Bras. 197.
 — microphylla Pohl. Pohl Bras. 199.
 — nummularifolia St. Hil. St. Hil. Fl. Bras. 190.
 — Pacari St. Hil. St. Hil. Fl. Bras. 191.
 — replicata Pohl. Pohl Bras. 198.
Lagarosiphon muscoides Harv. Hook. Journ. 1842, 22.
Lagasca mollis Cav. Anaes de hist. nat. 6, 44.
 — — Desv. Journ. 1, 2.
 — — Bot. Mag. 43, 1804.
 — rubra H. B. K. H. B. K. Nov. Gen. 4, 311.
Lagenaria toxicaria Dalz. Hook. Journ. 1853, 4.
 — vulgaris DC. Rheede Hort. mal. 8, 1. 4. 5.
 † — — Wight Illustr. 105 bis.
 — — β. Icones pl. Chin. 17.
 † — — δ. Mem. Genev. 3, 2.
Lagenocarpus adamantinus N. v. E. Endl. Bras. 3, 20.
 — Martii N. v. E. Endl. Bras. 3, 21.
Lagenophora Commersonii Cass. Hook. Fl. ant. 108.
 — hirsuta Less. Poepp. et Endl. 26.
Lagerstroemia chinensis Lam. Lam. Encycl. 473.
 — elegans Paxt. Paxt. Mag. 14, 269.
 — hirsuta Willd. Rheede Hort. mal. 4, 22.
 — indica L. Rumpf Amb. Auct. 28.
 — — Act. palat. 4, 9.
 — — Bot. Mag. 12, 405.
 — — Lodd. Cab. 1765.
 — — Savi Fl. ital. 1, 24.
 — — Herb. amat. 2, 122.
 — — Wight Illustr. 88.
 — microcarpa Wight. Wight Ic. pl. Ind. or. 1, 109.
 — parviflora Roxb. Roxb. Corom. 66.
 — — Wight Ic. pl. Ind. or. 1, 69.
Münchhausia Willd. Lam. Encycl. 473.
Reginae Roxb. Rheede Hort. mal. 4, 20. 21.
 — — Roxb. Corom. 65.
 — — Kerner Hort. 73.
 — — Späth Suites 36.
 — — Wight Ic. pl. Ind. or. 2, 413.
Lagettia funifera Mart. Mart. Bras. 39.
 — lintearia Lam. Lam. Encycl. 289.
 † — — Gaertn. Carp. 215.
 — — Bot. Mag. 76, 4802.
 — — Hook. Journal 1850, 4.
 — — Lem. Jard. fl. 19.
Lagochilium maximilianum N. v. E. Endl. Bras. 7, 10.
 † *Lagoecia cuminioides* L. Gaertn. Carp. 23.
 † — — Lam. Encycl. 142.
 — — Schk. Handb. 48.
 — — Sibth. Fl. gr. 243.
Lagonychium Stephanianum M. v. B. Delessert Ic. 3, 75.
Lagoseris bursifolia Link. Rchb. Pl. crit. 1, 30.
 — calycina Link. Hoffm. Lk. Fl. port. 90^b.
 — crepioides M. v. B. Marshall Cent. 30.
 — leontodontoides Link. Rchb. Pl. crit. 1, 18.
 — taraxacoides Link. Rchb. Pl. crit. 1, 29.
 — tenuifolia Rchb. Rchb. Pl. crit. 1, 10.
Lagunaea aculeata Cav. Cav. Diss. 71.
 — — Lam. Encycl. 577.
 — Patersonia Sims. Bot. Mag. 20, 769.
 — — Rchb. Exot. 146.
 — squamea Vent. Vent. Malm. 42.
 — — Tratt. Archiv 236. 236^a.

- Lagunaea squamea* Vent. Herb. amat. 3, 196.
 — — Dict. sc. nat. 138.
Laguncularia coccinea Gaudich. Freycinet Voyage 104.
 — lutea Gaudich. Freycinet Voyage 103.
 † — racemosa Gaertn. Gaertn. Carp. 217.
 — rosea Gaudich. Freycinet Voyage 105.
 † *Lagurus* L. Linné Amoenit. 7, 2.
 † — ovatus L. Gaertn. Carp. 1.
 † — — Lam. Encycl. 41.
 — — Schreber Gräser 19.
 — — Schk. Handb. 17.
 — — Host Gram. 146.
 — — Sibth. Fl. gr. 90.
 — — Engl. Bot. 19, 1334.
 — — Baxter Brit. Bot. 4, 256.
 — — Rchb. Fl. germ. 1, 31.
 † — — Dumortier Gram. 12.
 † — — Nees Gen. 1, 45.
Lalage hoveaeifolia Paxt. Paxt. Mag. 9, 171.
 — ornata Ldl. Bot. Reg. 20, 1722.
 — — Maund Bot. 3, 141.
 † *Lamarckia aurea* Moench. Nees Gen. 1, 77.
 — hakeaeifolia Gaudich. Freycinet Voyage 110.
 † *Lambertia* Sm. Kerner Genera 66.
 — Drummondii Ldl. Fielding Sertum 22.
 — formosa Sm. Linn. Transact. 4, 20.
 — — Cav. Ic. 547.
 — — Andr. Rep. 1, 69.
 — — Lodd. Cab. 80.
 — — Bot. Reg. 7, 528.
 — — Rchb. Exot. 145.
 — ilicifolia Hook. Hook. Ic. pl. 6, 553.
 — multiflora Ldl. Fielding Sertum 23.
 † — teretifolia Gaertn. Gaertn. Carp. 217.
 † *Lamium* L. Mutel Fl. fr. 48. 49.
 — album L. Fl. dan. 4, 594.
 — — Curt. Lond. 2, 114.
 — — Engl. Bot. 11, 768.
 — — Baxter Brit. Bot. 1, 31.
 — — Sv. Bot. 55.
 † — — Lam. Encycl. 506.
 — — Rousseau Bot. 21.
 † — — Schk. Handb. 159.
 — — Dreves 4, 111.
 — — Hayne 5, 41.
 — — Sturm Flora 2, 8.
 — — Dietr. Fl. bor. 2, 102.
 † — — Ann. sc. nat. II. 1, 4.
 — amplexicaule L. Fl. dan. 5, 732.
 — — Curt. Lond. 2, 32.
 — — Engl. Bot. 11, 770.
 — — Schk. Handb. 159.
 — — Dietr. Fl. bor. 2, 104.
 — — clandestinum, Rchb. Ic. crit. 8, 708.
 — bifidum Cir. Cirillo Pl. rar. 1, 7.
 — — Tenore Fl. nap. 153.
 — cryptanthum Guss. Rchb. Ic. crit. 8, 707.
 — flexuosum Ten. Tenore Fl. nap. 52.
 — — Rchb. Ic. crit. 8, 708.
 — garganicum L. Smith Exot. Bot. 40.
 † — — Schk. Handb. 159.
 — Grenieri Mutel. Mutel Fl. fr. 49.
 — incisum Sm. Engl. Bot. 27, 1933.
 — — Rchb. Ic. crit. 3, 223.
 — intermedium Fries. Fl. dan. 10, 1701.
 — — Engl. Bot. 2914.
 — — Rchb. Ic. crit. 3, 224. 8, 722.
 — laevigatum L. Rchb. Ic. crit. 3, 216.
 — longiflorum Ten. Tenore Fl. nap. 152.
 — maculatum L. Engl. Bot. 36, 2550.
 — — Sibth. Fl. gr. 556.
 — — Fl. dan. 10, 1649.

- † *Lamium maculatum* L. Schk. Handb. 189.
 — — — Dreves 4, 110.
 — — — Rehb. Ic. crit. 3, 215.
 — — — Dietr. Fl. bor. 2, 116.
 † — — — Nees Gen. 6, 28.
 — — — Orvala L. Rivinus Opus ined. 45.
 — — — W. et Kit. 131.
 — — — Bot. Mag. 5, 172.
 † — — — Nees Gen. 6, 28.
 — — — pannonicum Scop. Scop. Fl. carn. 1, 27.
 — — — purpureum L. Fl. dan. 3, 523.
 — — — Curt. Lond. 2, 109.
 — — — Engl. Bot. 11, 769.
 — — — Dreves 1, 9.
 † — — — Schk. Handb. 159.
 — — — Schrank Fl. monac. 2, 197.
 — — — Dietr. Fl. bor. 2, 103.
 † — — — Nees Gen. 6, 28.
 — — — rhomboideum Benth. Jacquemont Ind. 135.
 — — — rugosum Ait. Sibth. Fl. gr. 555.
 — — — Tenore Fl. nap. 153.
 — — — Rehb. Ic. crit. 3, 217.
 — — — striatum Sibth. Sibth. Fl. gr. 557.
Lamourouxia rhinanthifolia H. B. K. H. B. K. Nov. Gen. 2, 169.
 — — — Kerner Hort. 536.
 † — — — Lam. Encycl. 971.
 — — — scabra Benth. Seemann Herald 33.
 — — — serratifolia H. B. K. H. B. K. Nov. Gen. 2, 168.
 † — — — Lam. Encycl. 971.
 — — — virgata H. B. K. H. B. K. Nov. Gen. 2, 167.
Lampocarya affinis Brongn. Brongniart Coquille 29.
Lampsana communis L. Fl. dan. 3, 500.
 — — — Curt. Lond. 3, 17.
 — — — Engl. Bot. 12, 844.
 — — — Baxter Brit. Bot. 2, 150.
 † — — — Gaertn. Carp. 157.
 † — — — Schk. Handb. 225.
 † — — — Lam. Encycl. 655.
 — — — Dietr. Fl. bor. 9, 622.
 — — — foetida Scop. Schrank Fl. monac. 1, 86.
 — — — Sturm Flora 10, 37.
 — — — japonica Burm. Burm. Fl. ind. 57.
 — — — Koelpinia L. Sibth. Fl. gr. 819.
 — — — minima All. Lam. Encycl. 655.
 — — — pusilla Willd. Curt. Lond. 4, 65.
 — — — Rhagadiolus Scop. Schk. Handb. 225.
 — — — Sibth. Fl. gr. 818.
 † — — — stellata L. Schk. Handb. 225.
 — — — Sibth. Fl. gr. 817.
 — — — virgata Desf. Desf. Fl. atl. 215.
 † — — — Zacintha L. Schk. Handb. 225.
 † *Lanaria plumosa* Ait. Schnizl. Iconogr. 1, 62.
Lancisia lobata Lam. Lam. Encycl. 701.
 — — — pectinata Thunb. Lam. Encycl. 701.
 — — — turbinata Lam. Lam. Encycl. 701.
Lancretia suffruticosa Delile. Delile Egypte 25.
Landolphia owariensis Pal. B. Pal. B. Fl. d'Oware 34.
 — — — Lam. Encycl. 930.
Langsdorffia Sacramento. Münchn. Denkschr. 7, 12.
 — — — hypogaea Mart. Mart. Bras. 298, 299.
 — — — janeirensis Rich. Mem. Mus. 8, 19.
 — — — indica W. et A. Hook. Ic. pl. 3, 205, 206.
 — — — pseudococos Raddi. Mem. Mod. 18, 1.
 † — — — rubiginosa Wedd. Ann. sc. nat. III, 14, 11.
Lankesteria parviflora Ldl. Bot. Reg. 32, 12.
Lannea velutina Rich. Guillem. Seneg. 42.
 † *Lanneoma Delile*. Ann. sc. nat. II, 20, 1.
Lansium — (Rambeh fruit). Marsden Sumatra 6, 9.
 — — — domesticum Correa. Jack. Marsden Sumatra 5.
 † — — — Ann. Mus. 10, 7.
 † — — — Linn. Transact. 14, 4.

- † *Lansium domesticum* Correa. Jack. Calcutta Journal 1844, 16.
 † *Lantana aculeata* L. Gaertn. Carp. 56.
 — — — Bot. Mag. 3, 96.
 — — — Lam. Encycl. 540.
 — — — Desc. Ant. 5, 370.
 — — — annua L. Bot. Mag. 26, 1022.
 — — — brasiliensis Link. Endl. Bras. 10, 43.
 † — — — Camara L. Lam. Encycl. 540.
 — — — Desc. Ant. 4, 304.
 — — — collina Decne. Jacquemont Ind. 141.
 — — — crocea Jacq. Schoenbr. 4, 473.
 — — — Paxt. Mag. 10, 53.
 — — — dubia Wall. Royle Illustr. 73.
 — — — fucata Ldl. Bot. Reg. 10, 798.
 — — — indica Roxb. Wight Ic. pl. Ind. or. 4, 1464.
 — — — Wight Illustr. 173 bis.
 — — — involucrata Med. Acta palat. 3, 16.
 — — — Lodd. Cab. 1907.
 — — — lavandulacea Willd. Jacq. Schoenbr. 3, 361.
 — — — lavendulaefolia Lodd. Lodd. Cab. 1573.
 — — — lilacina Desf. Endl. Bras. 10, 44.
 — — — mixta L. Lodd. Cab. 68.
 — — — Endl. Bras. 10, 42.
 — — — nivea Vent. Vent. Malm. 8.
 — — — Bot. Mag. 45, 1946, 58, 3110.
 — — — Tratt. Archiv 266.
 — — — Savi Fl. ital. 1, 36.
 — — — pseudo-thea St. Hil. St. Hil. Pl. usuelles 70.
 — — — recta Ait. Jacq. Schoenbr. 3, 360.
 — — — salviaefolia Jacq. Jacq. Schoenbr. 3, 285.
 — — — scabrida Ait. Lodd. Cab. 1171.
 — — — Selloviana Link. Link Ic. I. 50.
 — — — Bot. Mag. 57, 2981, 68, 3941.
 — — — Maund Bot. 3, 115.
 † — — — tiliaefolia Chamisso. Linnaea 7, 7.
 — — — trifolia L. Bot. Mag. 35, 1449.
 † — — — Linnaea 7, 7.
 — — — undulata Schrank. Endl. Bras. 10, 44.
 † *Lapageria Rz et P.* Kerner Genera 147.
 — — — alba Rz et P. Belgique hort. 3, 41.
 — — — rosea Rz et P. Ruiz et Pav. Fl. 297.
 — — — Bot. Mag. 75, 4447.
 — — — Fl. d. serres 5, 491.
 — — — Belgique hort. 3, 41.
Lapeyrouisia anceps Ker. Bot. Reg. 22, 1903.
 — — — Sweet Fl. G. 143.
 — — — corymbosa Gawl. Bot. Mag. 16, 595.
 — — — fissifolia Gawl. Bot. Mag. 31, 1246.
 — — — juncea Gawl. Bot. Mag. 17, 606.
 — — — Herb. amat. 3, 186.
Laphamia halimifolia Gray. Smiths. Contr. 3, 9.
 — — — rupestris Gray. Smiths. Contr. 3, 9.
Lapiedra Martinezii Lag. Boissier Esp. 171.
 † *Laplacea* H. B. K. Kerner Genera 104.
 — — — barbinervis Moric. Mem. Genev. 7, 11.
 — — — Moricand Pl. Am. 11.
 — — — Curtyana A. Rich. Ramon Cuba 26.
 † — — — semiserrata St. Hil. Mem. Mus. 16, 16.
 — — — Bot. Mag. 70, 4129.
 — — — speciosa H. B. K. H. B. K. Nov. Gen. 5, 461.
 — — — vulcanica Korth. Korthals Bot. 26.
Laportea latifolia Gaudich. Gaudichaud Bonite 81.
 — — — terminalis Wight. Wight Ic. pl. Ind. or. 6, 1912.
 † *Lappa glabra* Lam. Lam. Encycl. 665.
 — — — intermedia Rehb. fil. Rehb. Fl. germ. 15, 812.
 † — — — major Gaertn. Gaertn. Carp. 162.
 — — — Dietr. Fl. bor. 10, 718.
 — — — minor DC. Dietr. Fl. bor. 10, 719.
 — — — Rehb. Fl. germ. 15, 811.
 — — — officinalis All. Rehb. Fl. germ. 15, 812.
 — — — tomentosa Lam. Dietr. Fl. bor. 10, 717.

- Lappa tomentosa* Lam. Rchb. Fl. germ. 15, 811.
Lappago racemosa Willd. Host Gram. 36.
 — — — Sibth. Fl. gr. 101.
 — — — var. Humb. Gram. 120.
 — — — Sturm Flora 9, 34.
 — — — Rchb. Fl. germ. 1, 30.
Larbrea bracteata Rchb. Rchb. Fl. germ. 5, 226.
 — *crassifolia* Rchb. Rchb. Fl. germ. 5, 226.
 — *uliginosa* Rchb. Rchb. Fl. germ. 5, 226.
† *Lardizabala* Rz et P. Ruiz et Pav. Prodr. 37.
† — *bitermata* Rz et P. Arch. Mus. 1, 11.
† — — — Schnizl. Iconogr. 172^a.
 — — — Bot. Mag. 76, 4501.
 — — — Lem. Jard. fl. 6.
 — — — Belgique hort. 3, 51.
 — *discolor* P. et E. Poepp. et Endl. 189.
 — *trifoliata* DC. Delessert Ic. 1, 92.
 — *tritermata* Rz et P. Delessert Ic. 1, 91.
† *Lardizabaleae* Decaisne. Schnizl. Iconogr. 172^a.
Laretia acaulis Gill. et Hook. Hook. Bot. Misc. 65.
Larix americana Michx. Michaux Arb. 3, 4.
 — *dahurica* Turcz. Trautv. Imagines 32.
 — *europaea* DC. Hartig 3.
 — — — Schrank Fl. monac. 2, 155.
 — — — Rchb. Fl. germ. 11, 531.
† — — — Nees Gen. 4, 9.
† — — — Schacht Baum 3.
 — *microcarpa* Poir. Pinetum Woburnense 47.
 — *pendula* Salisb. Pinetum Woburnense 46.
Laroclea falcata Jacq. Jacq. Fragn. 82.
† *Larradia* Vand. Roemer Scriptores 6.
† *Larrea* Cav. Gray Genera 147.
 — *cuneifolia* Cav. Cav. Ic. 560.
 — *divaricata* Cav. Cav. Ic. 560.
 — *mexicana* Moric. Moricand Pl. Am. 48.
 — — — Gray Genera 147.
 — *nitida* Cav. Cav. Ic. 559.
† — — — Mem. Mus. 12, 15.
† — — — Lam. Encycl. 955.
Laseguea Guilleminiana DC. Delessert Ic. 5, 53.
† *Laserpitium* L. DC. Ombellifères 3.
† — *Aciphylla* Forst. Gaertn. Carp. 85.
 — *alpinum* W. et K. W. et Kit. 253.
 — *aquilegifolium* Jacq. Jacq. Fl. austr. 2, 147.
 — *Archangelica* Jacq. Jacq. Ic. 58.
 — *canescens* Boiss. Boissier Esp. 75.
 — *daucoides* Desf. Desf. Fl. atl. 70.
 — *dauricum* Jacq. Jacq. Vind. 3, 38.
† — *gallicum* L. Gaertn. Carp. 85.
† — — — Lam. Encycl. 199.
 — *glaucum* Cav. Cav. Ic. 190.
 — *gummiferum* Desf. Desf. Fl. atl. 72.
 — *latifolium* L. Jacq. Fl. austr. 2, 146.
 — — — Schk. Handb. 67.
 — — — Fl. dan. 9, 1513.
 — *marginatum* W. et K. W. et Kit. 192.
 — *meoides* Desf. Desf. Fl. atl. 69.
 — *peucedanoides* L. Jacq. Ic. 349.
† — — — Mag. naturf. Fr. 6, 3.
 — — — Desf. Desf. Fl. atl. 71.
 — *prutenicum* L. Jacq. Fl. austr. 2, 153.
 — — — var. Rochel Banat. 27.
 — — — Fl. dan. 10, 1751.
 — *scabrum* Cav. Cav. Ic. 190.
 — *silaifolium* Jacq. Jacq. Fl. austr. 5, 44.
 — *Siler* L. Jacq. Fl. austr. 2, 145.
† — — — Mag. naturf. Fr. 6, 5.
 — — — Hayne 7, 7.
 — *simplex* L. Jacq. Misc. 2, 2.
 — — — Roemer Fl. europ. 8, 2.
 — *thapsiaeforme* Brot. Brotero Phytogr. 34.
 — *thapsioides* Desf. Desf. Fl. atl. 68.

- Laserpitium trilobum* Crantz. Rochel Banat. 27.
 — *triquetrum* Vent. Vent. Cels 97.
 — *verticillatum* W. et K. W. et Kit. 171.
Lasia heterophylla Endl. Wight Ic. pl. Ind. or. 3, 777.
† *Lasiagrostis Calamagrostis* Link. Nees Gen. 1, 25.
 — — — Rchb. Fl. germ. 1, 46.
Lasiandra argentea DC. Rchb. Hort. 249.
† — *barbigera* Naud. Ann. sc. nat. III. 12, 13.
 — *Candolleana* DC. DC. Melast. 7.
 — *coerulea* Rchb. Rchb. Hort. 250.
 — *Endlicheri* Beer et Fenzl. Hart. Parad. 1, 13.
 — *fissinervia* DC. Mart. Bras. 243.
 — *Fontanesiana* DC. Bot. Reg. 8, 671.
 — *Lhotskyana* Presl. Presl Symbolae 52.
† — *macrophylla* Naud. Ann. sc. nat. III. 12, 14.
 — *Martiana* DC. Mart. Bras. 242.
 — *Maximiliana* DC. Mart. Bras. 240, 241.
† — *Moricandiana* DC. Ann. sc. nat. III. 12, 15.
 — *muricata* Presl. Presl Symbolae 45.
 — *oleaeifolia* Mart. Mart. Bras. 244.
 — *petiolata* Griseb. Bot. Mag. 66, 3766.
 — *Urvilleana* DC. Brongniart Coquille 71.
Lasianthera africana Pal. B. Pal. B. Fl. d'Oware 51.
 — — — Lam. Encycl. 931.
Lasianthus venulosus Wight. Wight Spicil. 96.
 — — — Wight Ic. pl. Ind. or. 3, 1032.
Lasiocloa ciliaris Kth. Humb. Gram. 192.
 — *hirta* Kth. Humb. Gram. 194.
 — *longifolia* Kth. Humb. Gram. 193.
 — *pectinata* Trin. Trin. Sp. Gr. 1, 73.
Lasiocorys arabica Jaub. et Sp. Jaub. Illustr. 383, 384.
Lasiolepis paucijuga R. Br. Bennett Java 42.
Lasionema cinchonoides Wedd. Weddell Hist. 27.
 — *roseum* D. Don. Ruiz et Pav. Fl. 199.
† *Lasionotus tenuifolia* Wall. Wight Illustr. 159^b.
Lasiopera aspera Link. Hoffm. Lk. Fl. port. 59.
 — *rhinanthina* Link. Hoffm. Lk. Fl. port. 58.
 — *tenuifolia* Link. Hoffm. Lk. Fl. port. 60.
Lasiopetalum dumosum Lodd. Lodd. Cab. 1564.
 — *ferrugineum* Sm. Vent. Malm. 59.
 — — — Andr. Rep. 3, 208, 7, 459.
 — — — Bot. Mag. 42, 1766.
 — — — Rchb. Mag. 37.
 — — — Mem. Mus. 7, 18.
 — *macrophyllum* Griseb. Bot. Mag. 68, 3908.
 — *parviflorum* Rudge. Linn. Transact. 10, 19.
 — — — Lodd. Cab. 413.
 — — — Mem. Mus. 7, 19.
 — *purpurascens* Hort. Herb. amat. 5, 294.
 — *purpureum* Dryand. Bot. Mag. 42, 1755.
 — — — Lodd. Cab. 361.
 — — — Rchb. Mag. 37.
 — *quercifolium* Dryand. Bot. Mag. 36, 1485.
 — — — Lodd. Cab. 619.
 — — — Rchb. Exot. 243.
 — *solanaceum* Sims. Bot. Mag. 36, 1486.
 — — — Lodd. Cab. 279.
 — — — Rchb. Exot. 243.
 — *triphyllum* Lab. Bill. Nov. Holl. 88.
 — — — Sm. Rchb. Mag. 37.
Lasiopus sonchoides Don. Sweet Fl. G. II. 346.
Lasiorrhiza purpurea Less. Richard Astrolabe 4.
Lasiosiphon speciosus Decne. Jacquemont Ind. 150.
† *Lasiostemum* N. et M. Acta Leop. 11. 1, 19.
 — *silvestre* N. et M. Acta Leop. 11. 1, 26.
Lastarriaea chilensis J. Remy. Gay Chile 58.
Lasthenia californica DC. Bot. Reg. 21, 1823.
 — *glabrata* Ldl. Bot. Reg. 21, 1790.
† *Lastrea crispa* Presl. Hook. Gen. Fil. 43.
 — *cristata* Presl. Newman p. 203, 206.
 — *dilatata* Bab. var. linearis, Newman p. 209.
 — *Filix mas* Presl. Newman p. 197.

- Lastrea multiflora* Newm. Newman p. 215, 218.
 — — — var. *nana*, Newman p. 222.
 — — — var. *collina*, Newman p. 223.
 — *Oreopteris Presl.* Newman p. 187, 190.
 † — *patens Presl.* Hook. Gen. Fil. 45.
 — *recurva Newm.* Newman p. 225.
 — *rigida Presl.* Newman p. 191, 196.
 — *spinosa Newm.* Newman p. 209.
 † — *Thelypteris Presl.* Hook. Gen. Fil. 45.
 — — — Newman p. 183, 196.
 † *Latania chinensis Jacq.* Jacq. Fragn. 11.
 — *Commersonii Spr.* Mart. Palm. 154, 161, W.
 — *rubra Jacq.* Jacq. Fragn. 8.
 † *Lathraea clandestina L.* Lam. Encycl. 551.
 — *squamaria L.* Fl. dan. 1, 136.
 † — — — Gaertn. Carp. 52.
 † — — — Lam. Encycl. 551.
 — — — Schk. Handb. 170.
 — — — Stephan Ic. pl. mosq. 3.
 — — — Sv. Bot. 316.
 — — — Engl. Bot. 1, 50.
 — — — Baxter Brit. Bot. 5, 365.
 — — — Schrank Fl. monac. 1, 33.
 — — — Sturm Flora 20, 94.
 — — — Dietr. Fl. bor. 2, 113.
 † — — — Linn. Transact. 16, 22, 23.
 † — — — Wight Illustr. 158.
 † — — — Nees Gen. 5, 51.
 † — — — (Duchartre.) Mem. sav. étr. 1848, 1-8.
Lathyrus alatus Sibth. Sibth. Fl. gr. 697.
 — — — Ten. Tenore Fl. nap. 175.
 — *altaicus Led.* Ledeb. Ic. 53.
 — *amoenus Fzl.* Russegger Reise 2.
 — *amphicarpos L.* Brotero Phytogr. 66.
 — — — Sibth. Fl. gr. 693.
 — — — Sweet Fl. G. 236.
 — *angulatus L.* Sibth. Fl. gr. 696.
 — *Aphaca L.* Curt. Lond. 1, 141.
 — — — Engl. Bot. 17, 1167.
 — — — Fl. dan. 13, 2245.
 — *aphyllus Link.* Webb Canar. 65^D.
 — *aristatus Vis.* Visiani Dalm. 47.
 — *Armitageanus Kn. et W.* Knowles et Westc. 110.
 — *articulatus L.* Bot. Mag. 8, 253.
 † — — — Gaertn. Carp. 152.
 — — — Lam. Encycl. 632.
 — *Berterianus Colla.* Mem. Tur. 37, 11.
 — *californicus Dougl.* Bot. Reg. 14, 1144.
 — *Cicera L.* Jacq. Ecl. pl. 115.
 — — — Sibth. Fl. gr. 694.
 — *ciliatus Guss.* Gussone Pl. rar. 49.
 — *decaphyllus Pursh.* Bot. Mag. 59, 3123.
 — *dubius Ten.* Tenore Fl. nap. 175.
 — *fruticosus Cav.* Cav. Ic. 84.
 — *gladiatus Hook.* Hook. Ic. pl. 1, 72.
 — *grandiflorus Sims.* Bot. Mag. 44, 1938.
 — — — Sibth. Sibth. Fl. gr. 698.
 — *heterophyllus L.* Dietr. Fl. bor. 12, 794.
 — *himalayensis Camb.* Jacquemont Ind. 53.
 — *hirsutus L.* Engl. Bot. 18, 1255.
 — — — Rochel Banat. 16.
 — — — Schur. Siebenb. Verh. 2, 6.
 — *inconspicuus L.* Jacq. Vind. 86.
 — — — Jacq. Ecl. pl. 117.
 — *incurvus Roth.* Roth Abh. 4.
 — *inermis Rochel.* Frivaldsky Balkan 2.
 — *latifolius L.* Sv. Bot. 254.
 — — — Engl. Bot. 16, 1108.
 — — — Baxter Brit. Bot. 2, 117.
 — *magellanicus Lam.* Sweet Fl. G. II. 344.
 — *mutabilis Sweet.* Sweet Fl. G. 194.
 — *nervosus Lam.* Bot. Mag. 69, 3987.

- Lathyrus Nissolia L.* Curt. Lond. 1, 61.
 — — — Engl. Bot. 2, 112.
 — — — Roemer Fl. eur. 2, 8.
 — *ochroleucus Hook.* Torrey New York 22.
 — *odoratus L.* var. Gil et Xuares 28.
 — — — Bot. Mag. 2, 60.
 — *palustris L.* Fl. dan. 3, 399.
 — — — Engl. Bot. 3, 169.
 — — — Dietr. Fl. bor. 9, 604.
 — *pisiformis L.* Linné Hort. ups. 2, 20.
 — *pratensis L.* Fl. dan. 3, 527.
 — — — Curt. Lond. 2, 23.
 — — — Engl. Bot. 10, 670.
 — — — Sv. Bot. 49.
 — — — var. Rochel Banat. 16.
 — — — Schrank Fl. monac. 2, 115.
 — — — Dietr. Fl. bor. 8, 569.
 — *pubescens Hook. et A.* Bot. Mag. 69, 3996.
 — *purpureo-coeruleus Kn. et W.* Kn. et Westc. 88.
 — *purpureus Desf.* Ann. Mus. 12, 7.
 — — — Desf. Choix 62.
 — *quadrmarginatus Bory.* Bory et Ch. Morée 25.
 — *rotundifolius Willd.* Marschall Cent. 22.
 — — — β. Sweet Fl. G. II. 333.
 † — *sativus L.* Gaertn. Carp. 152.
 † — — — Lam. Encycl. 632.
 — — — Bot. Mag. 4, 115.
 — — — Sibth. Fl. gr. 695.
 — — — Jacq. Ecl. pl. 116.
 — *silvestris L.* Fl. dan. 2, 325, 5, 785.
 — — — Curt. Lond. 1, 68.
 — — — Engl. Bot. 12, 805.
 — — — Dietr. Fl. bor. 8, 568.
 — *sphaericus Retz.* DC. Ic. Gall. 32.
 — — — var. *neapolitanus*, Tenore Fl. nap. 179.
 — *tingitanus L.* Jacq. Vind. 46.
 — — — Bot. Mag. 3, 100.
 — — — Schk. Handb. 201.
 — — — Bot. Reg. 16, 1388.
 — *tomentosus Lam.* Maund Bot. 5, 206.
 — *tuberosus L.* Bot. Mag. 4, 111.
 — — — Fl. dan. 9, 1463.
 — — — Sv. Bot. 382.
 — — — Tratt. Archiv 267.
 — — — Dietr. Fl. bor. 8, 567.
 — *venosus Willd.* Sweet Fl. G. II. 37.
Latipes senegalensis Kth. Humb. Gram. 42.
Latisatis Aub. Aubert Orchid. 10, 12.
Latourea spectabilis Bl. Blume Rumphia 195, 199.
Latreillea peruviana P. et E. Poepp. et Endl. 252.
Laugeria dependens Rz et P. Ruiz et Pav. Fl. 145.
 — *hirsuta Rz et P.* Ruiz et Pav. Fl. 145.
 — *lucida Sw.* Vahl Symbolae 57.
 † — *resinosa Vahl.* Vahl Eclogae 10.
 † — — — Gaertn. Carp. 191.
Laurea tiliaefolia Gaudich. Gaudichaud Bonite 88.
Laurelia Novae Zelandiae Cunn. Hook. New Zeal. 51.
Laurembergia repens Berg. Bergius Cap. 5.
Laurentia arabidea DC. Delessert Ic. 5, 14.
Laureola hypericoides Desc. Desc. Ant. 7, 512.
 † *Laurineae Vent.* Schnizl. Iconogr. 2, 106.
Laurophyllus capensis Thunb. Herb. amat. 4, 271.
Laurus acutifolia Rz et P. Ruiz et Pav. Ined. x.
 — *aggregata Sims.* Bot. Mag. 51, 2497.
 — *aurantiodora Rz et P.* Ruiz et Pav. Ined. x.
 — *balanocarpa Rz et P.* Ruiz et Pav. Ined. x.
 † — *Benzoin L.* Schk. Handb. 110.
 — — — Barton Med. 33.
 — *Borbonia L.* Nouveau Duhamel 2, 33.
 — — — Desc. Ant. 2, 78.
 — *Bowiei Hook.* Hook. Journal 1842, 23.
 — *Burmanni Bl.* Nees Disput. 4, 6.

- Laurus Camphora* L. Kaempfer Amoenit. p. 771.
 — — — Graffenauer Traité 1.
 — — — Nouveau Duhamel 2, 35.
 — — — Desc. Ant. 5, 353.
 — — — Woodv. Med. 4, 236.
 — — — Bot. Mag. 53, 2658.
 — — — Nees Düssel. 130.
 — — — Guimp. et Schl. 263.
 — — — Wagner 86.
 — *canariensis* Willd. Webb Canar. 206.
 — *carolinensis* Michx. Michaux Arb. 3, 2.
 — — — Kerner Hort. 283.
 † — — — Schnizl. Iconogr. 2, 106.
 † — *Cassia* L. N. v. E. Gaertn. Carp. 92.
 † — — — Lam. Encycl. 321.
 — — — Nees Disput. 3.
 — — — Nees Düssel. 129^{ab}.
 — — — Guimp. et Schl. 264.
 — — — Wagner 142.
 — — — Woodv. Med. 5, 25.
 — — — Bot. Mag. 40, 1636.
 — — — Rchb. Exot. 205.
 — — — Wight Ic. pl. Ind. or. 1, 128. 132.
 — *Cinnamomum* L. Jacq. Hist. stirp. am. 117.
 † — — — Gaertn. Carp. 92.
 — — — Nogueira Memoria x.
 — — — Andr. Rep. 9, 596.
 — — — Lodd. Cab. 91.
 — — — Bot. Mag. 46, 2028.
 — — — Woodv. Med. 4, 233.
 — — — Desc. Anf. 8, 565.
 — — — Herb. amat. 5, 334.
 — — — Dict. sc. nat. 12.
 — — — Nees Disput. 1. 2. 6.
 — — — Nees Düssel. 128.
 — — — Guimp. et Schl. 265.
 — — — Wagner 141.
 — — — Wight Ic. pl. Ind. or. 1, 129.
 — *coerulea* R. et P. Ruiz et Pav. Ined. x.
 — *Cullaban* L. Rumpf Amb. 2, 14.
 — *cuneifolia* R. et P. Ruiz et Pav. Ined. x.
 — *cupularis* Lam. Lam. Encycl. 321.
 — *cylindrica* Desc. Desc. Ant. 6, 409.
 — *Diospyrus Pers.* Bot. Mag. 36, 1470.
 — *dysodantha* R. et P. Ruiz et Pav. Ined. x.
 — *ferruginea* R. et P. Ruiz et Pav. Ined. x.
 — *foetens* Ait. Buch Canar. Inseln 1.
 — *furcata* R. et P. Ruiz et Pav. Ined. x.
 — *geniculata* Michx. Bot. Mag. 36, 1471.
 — *heteranthera* R. et P. Ruiz et Pav. Ined. x.
 — *Hihua* R. et P. Ruiz et Pav. Ined. x.
 — *jasminifolia* Desc. Desc. Ant. 6, 436.
 † — *indica* L. Wendland Beob. 3.
 — *involucrata* Roxb. Roxb. Corom. 187.
 — *leptobatra* R. et P. Ruiz et Pav. Ined. x.
 — *limbosa* R. et P. Ruiz et Pav. Ined. x.
 — *lineatifolia* R. et P. Ruiz et Pav. Ined. x.
 — *Lingue* R. et P. Ruiz et Pav. Ined. x.
 — *longifolia* R. et P. Ruiz et Pav. Ined. x.
 — *Malabathrum* Lam. Acta Leop. 17, 2, 45.
 † — *martinicensis* Jacq. Jacq. Collect. 2, 5.
 † — *Meyeniana* N. v. E. Linnaea 8, 1.
 — *Muca* R. et P. Ruiz et Pav. Ined. x.
 — *multiflora* Roxb. Wight Ic. pl. Ind. or. 1, 131.
 — *multiglandulosa* R. et P. Ruiz et Pav. Ined. x.
 — *nitida* R. et P. Ruiz et Pav. Ined. x.
 † — *nobilis* L. Gaertn. Carp. 92.
 — — — Schk. Handb. 110.
 — — — Lam. Encycl. 321.
 — — — Nouveau Duhamel 2, 32.
 — — — Dict. sc. nat. 11.
 — — — Sibth. Fl. gr. 365.

- Laurus nobilis* L. Woodv. Med. 4, 235.
 — — — Nees Düssel. 132.
 — — — Guimpel et Schl. 266.
 — — — Wagner 203.
 — — — Hayne 12, 18.
 — — — Rchb. Fl. germ. 11, 673.
 † — — — Nees Gen. 4, 45.
 — *obovata* R. et P. Ruiz et Pav. Ined. x.
 — *ovalifolia* R. et P. Ruiz et Pav. Ined. x.
 — *Persea* L. Ruiz et Pav. Ined. x.
 — — — Tussac Ant. 3, 3.
 — — — Desc. Ant. 8, 579.
 — *Peumo Dombey*. Ruiz et Pav. Ined. x.
 — *Pichurim* Willd. Desc. Ant. 3, 213.
 — *Pucheri* R. et P. Ruiz et Pav. Ined. x.
 — *punctata* R. et P. Ruiz et Pav. Ined. x.
 — *purpurea* R. et P. Ruiz et Pav. Ined. x.
 — *recurvata* Roxb. Wight Ic. pl. Ind. or. 1, 133.
 — *reticulata* Poir. Ruiz et Pav. Ined. x.
 † — *Sassafras* L. Schk. Handb. 110.
 — — — Michaux Arb. 3, 1.
 — — — Nouveau Duhamel 2, 34.
 — — — Kerner Hort. 480.
 — — — Woodv. Med. 4, 234.
 — — — Bigelow Med. 35.
 — — — Desc. Ant. 7, 464.
 — — — Nees Düssel. 131.
 — — — Guimpel et Schl. 267.
 — *subcordata* R. et P. Ruiz et Pav. Ined. x.
 — *sulcata* R. et P. Ruiz et Pav. Ined. x.
 — *triplinervis* R. et P. Ruiz et Pav. Ined. x.
 † *Lavandula* L. Gingins Monogr. 1. 2.
 — *abrotanoides* L. Gingins Monogr. 10.
 — *angustifolia* Ehrh. Hayne 8, 37.
 † — *Burmanni* Benth. Wight Illustr. 176^b.
 — — — Wight Ic. pl. Ind. or. 4, 1438.
 — *carnea* L. fil. Linné Lavandula 2.
 — *coronopifolia* Poir. Gingins Monogr. 9.
 — *dentata* L. Bot. Mag. 12, 400.
 — — — Gingins Monogr. 5.
 — *lanata* Boiss. Boissier Esp. 135.
 — *latifolia* Vill. Hayne 8, 38.
 — — — Sm. Nees Düssel. 178.
 — *Lawii* Wight. Wight Ic. pl. Ind. or. 4, 1439.
 — *multifida* Burm. Burmann Fl. ind. 38.
 † — — — L. Gaertn. Carp. 66.
 † — — — Lam. Encycl. 504.
 — — — Gingins Monogr. 11.
 — *pedunculata* Cav. Gingins Monogr. 4.
 — *pinnata* L. fil. Linné Lavandula 1.
 — — — Jacq. Ic. 106.
 — — — Bot. Mag. 12, 401.
 — — — Gingins Monogr. 8.
 — *pubescens* Decne. Jaubert Illustr. 375.
 — *pyrenaica* DC. Gingins Monogr. 6.
 — *santolinaefolia* Jaub. et Sp. Jaub. Illustr. 373. 374.
 — *Spica* DC. Schk. Handb. 157.
 — — — Woodv. Med. 2, 114.
 † — — — Lam. Encycl. 504.
 — — — Gingins Monogr. 7.
 — — — Nees Düssel. 177.
 — — — Guimpel et Schl. 40.
 — — — Wagner 36.
 — *Stoechas* L. Sibth. Fl. gr. 549.
 — — — Gingins Monogr. 3.
 — *stricta* Delile. Delile Egypte 32.
 — *vera* DC. Gingins Monogr. 6.
 — — — Guimpel et Schl. 41.
 † — — — Nees Gen. 6, 2.
 — *viridis* L'her. L'her. Sertum 21.
 — — — Hoffm. Lk. Fl. port. 4.
 — — — Brotero Phytogr. 114.

- Lavandula viridis* L'her. Gingins Monogr. 4.
Lavatera acerifolia Cav. Herb. amat. 5, 322.
 — *africana* Cav. Cav. Diss. 139.
 — *arborea* L. Cav. Diss. 139.
 † — — Gaertn. Carp. 136.
 † — — Lam. Encycl. 582.
 — — Sibth. Fl. gr. 665.
 — — Engl. Bot. 26, 1841.
 — — Baxter Brit. Bot. 2, 106.
 — — Rchb. Fl. germ. 5, 178.
 — *cachemiriana* Camb. Jacquemont Ind. 32.
 — *cretica* L. Cav. Diss. 32.
 — — Jacq. Vind. 41.
 — *flava* Desf. Desf. Fl. atl. 172.
 — *hispida* Desf. Desf. Fl. atl. 171.
 — — Bot. Mag. 52, 2541.
 — *maritima* Gouan. Gouan Illustr. 21.
 — — Cav. Diss. 32.
 — — Rchb. Fl. germ. 5, 178.
 — *mauritanica* Durieu. Explor. Alger. 69.
 — *neapolitana* Ten. Tenore Fl. nap. 65.
 — *oblongifolia* Boiss. Boissier Esp. 33.
 — *olbia* L. Jacq. Vind. 73.
 — — Cav. Diss. 32.
 † — — Lam. Encycl. 582.
 — — Rchb. Fl. germ. 5, 177.
 — *phoenicea* Vent. Vent. Malm. 120.
 — — Kerner Hort. 208.
 — *plebeja* Sims. Bot. Mag. 48, 2269.
 — — Mem. Tur. 31, 14.
 — *punctata* All. Rchb. Fl. germ. 5, 176.
 — *silvestris* Brot. Brotero Phytogr. 179.
 — — Nees Amoen. bonn. 6.
 — — Cirillo. Tenore Fl. nap. 168.
 — *thuringiaca* L. Jacq. Fl. austr. 4, 311.
 — — Cav. Diss. 31.
 † — — Gaertn. Carp. 136.
 — — Bot. Mag. 16, 517.
 — — Rchb. Fl. germ. 5, 177.
 — *triloba* L. Jacq. Vind. 74.
 — — Cav. Diss. 31.
 — — Bot. Reg. 12, 1039.
 — — Bot. Mag. 48, 2226.
 — *trimestris* L. Jacq. Vind. 72.
 — — Cav. Diss. 31.
 — — Bot. Mag. 4, 109.
 † — — Gaertn. Carp. 136.
 † — — Lam. Encycl. 582.
 — — Schk. Handb. 193.
 — — Rchb. Fl. germ. 5, 176.
 — *Weinmanniana* Bess. Rchb. Hort. 60.
 † *Lavauxia Nuttallii* Spach. Nouv. Ann. Mus. 4, 31.
 † — — Spach Suites 85.
 † *Lavoisiera* Naud. Ann. sc. nat. III. 3, 6.
 — *alba* DC. Mart. Bras. 268.
 — *cataphracta* DC. Mart. Bras. 266.
 — *cerifera* Gardn. Fielding Sertum 63.
 — *crassifolia* DC. Mart. Bras. 267.
 — *gentianoides* DC. Mart. Bras. 267.
 — *imbricata* DC. Mart. Bras. 265.
 — *insignis* DC. DC. Melastom. 2.
 — *itambana* DC. Mart. Bras. 271.
 — *lycopodioides* Gardn. Hook. Ic. pl. 6, 502.
 — *mucorifera* DC. Mart. Bras. 269.
 — *pulcherrima* DC. Mart. Bras. 272.
 — *punctata* DC. Mart. Bras. 270.
 — *reticulata* Moric. Moricand Pl. Am. 99.
Lavradia alpestris Mart. Mart. Bras. 22.
 — *capillaris* Desf. Mem. Mus. 11, 10.
 — — St. Hil. Pl. rem. 8.
 — *elegantissima* Desf. Mem. Mus. 11, 8.
 — — St. Hil. Pl. rem. 8.

- Lavradia ericoides* Desf. Mem. Mus. 11, 7.
 — — St. Hil. Pl. rem. 4.
 — *glandulosa* Desf. Mem. Mus. 11, 9.
 — — St. Hil. Pl. rem. 7.
 — *montana* Mart. Mart. Bras. 23.
 — — Spach Suites 42.
 — *Vellozii* St. Hil. St. Hil. Pl. rem. 6.
 † — — Spach Suites 42.
Lawia acuminata Wight. Wight Ic. pl. Ind. or. 3, 1070.
Lawrenzia glomerata Hook. Hook. Ic. pl. 5, 417.
 — *spicata* Hook. Hook. Ic. pl. 3, 261, 262.
Lawsonia Acronychia Lab. Bill. Sertum 65.
 † — — Lam. Encycl. 296.
 † — *alba* Lam. Lam. Encycl. 296.
 — — Wight Illustr. 87.
 — *falcata* Lour. Rumpf Amb. 6, 25, fig. 1.
 — *inermis* L. Desc. Ant. 8, 596.
 — *spinosa* L. Rheede Hort. mal. 1, 40.
 — — Rumpf Amb. 4, 17.
 † *Laxmannia arborea* Forst. Forster Char. 47.
Laxmannia gracilis R. Br. Endl. Iconogr. 97.
 † — — Schnizl. Iconogr. 1, 55^d.
 — *grandiflora* Ldl. Lindley Swan River 7.
 — *sessiliflora* Decne. Nouv. Ann. Mus. 3, 16.
Layia emarginata Hook. et Arn. Hook. Beechey. 38.
 † *Leandra* Raddi. Mem. Mod. 18, 5.
 † — *capillaris* Raddi. Mem. Mod. 20, 12.
 — *corcovadensis* Raddi. Mem. Mod. 20, 10.
 † — *estrellensis* Raddi. Mem. Mod. 20, 12.
 † — *fimbriata* Raddi. Mem. Mod. 20, 12.
 † — *hirsutissima* Raddi. Mem. Mod. 20, 12.
 — *hirta* Raddi. Mem. Mod. 20, 10.
 — *involucrata* Raddi. Mem. Mod. 20, 10.
 — — Mart. Bras. 283.
 — *punicea* Raddi. Mem. Mod. 20, 9.
 — *rubella* Raddi. Mem. Mod. 20, 11.
 — *salicifolia* Raddi. Mem. Mod. 20, 10.
 † — *staminea* Raddi. Mem. Mod. 20, 12.
 † — *variabilis* Raddi. Mem. Mod. 20, 12.
 † *Leavenworthia* Torrey. Gray Genera 57.
 — *aurea* Torr. Gray Genera 57.
Lebeckia contaminata Thunb. Bot. Reg. 2, 104.
 — *nuda* Sims. Bot. Mag. 48, 2214.
Lebretonia acuminata Dill. et Rich. Richard Abyss. 13.
 — *procumbens* Wight. Wight Ic. pl. Ind. or. 1, 4.
 † *Lecanium membranaceum* Presl. Prager Abb. 3, 1.
Lecanocarpus nepalensis N. v. E. Nees Amoen. bonn. 2.
Lecanopteris carnosia Bl. Blume Java 6, 94.
 † — — Hook. Gen. Fil. 110.
 — *pumila* Bl. Blume Java 6, 94.
 † *Lechea* L. Gray Genera 88, 89.
 — *Drummondii* Torr. et Gr. Gray Genera 89.
 — *major* L. Linné Amoenit. 3, 1.
 — — Lam. Encycl. 52.
 † — *minor* L. Gaertn. Carp. 129.
 — — Lam. Encycl. 52.
 — *racemulosa* Michx. Lam. Encycl. 281, fig. 3.
 — *thymifolia* Pursh. Gray Genera 88.
Lechenaultia arcuata De Vries. Bot. Mag. 72, 4265.
 — — Paxt. Mag. 14, 245.
 — — Fl. d. serres 3, 219.
 — *biloba* Ldl. Bot. Reg. 28, 2.
 — — Paxt. Mag. 8, 151.
 — — Marnock Mag. 1841, 9.
 — — Hart. Parad. 1, 10.
 — *formosa* R. Br. Sweet Austr. 26.
 — — Bot. Mag. 52, 2600.
 — — Bot. Reg. 11, 916.
 — — Lodd. Cab. 1066.
 — — Rchb. Hort. 247.
 † — — Schnizl. Iconogr. 123.
 — *multiflora* Lodd. Lodd. Cab. 1579.

- Lechenaultia oblata* Sweet. Sweet Austr. 46.
 — *splendens* Hook. Bot. Mag. 72, 4256.
 — — — Paxt. Mag. 14, 243.
 — — — Fl. d. serres 2, 176.
 † *Leciscium drupaceum* Gaertn. Gaertn. Carp. 220.
 † *Lecokia cretica* DC. DC. Ombellif. 2.
 † *Lecythis* L. (Germinatio.) Aubert Essais x.
 — *amara* Aubl. Aublet Guiana 285. 286.
 — *bracteata* Willd. Dict. sc. nat. 227—229.
 — *corrugata* Poit. Mem. Mus. 13, 3.
 — *grandiflora* Aubl. Aublet Guiana 283. 284. 285.
 † — — — Lam. Encycl. 476.
 — — — Desc. Ant. 6, 396.
 — *Idatimon* Aubl. Aublet Guiana 289.
 — *longipes* Poit. Mem. Mus. 13, 2. 7.
 — *minor* Jacq. Jacq. Hist. stirp. am. 160.
 — *ovata* Camb. St. Hil. Fl. Bras. 158.
 — *parviflora* Aubl. Aublet Guiana 287.
 — *Zabucajo* Aubl. Aublet Guiana 288.
Ledebouria hyacinthina Roth. Jacquemont Ind. 171.
 — — — Bot. Mag. 60, 3226.
 — — — Wight Ic. pl. Ind. or. 6, 2040.
Ledocarpum argenteum Presl. Presl Symbolae 44.
 — *chiloense* Desf. Mem. Mus. 4, 13.
 † — — — Lam. Encycl. 958.
 — *pedunculare* Ldl. Bot. Reg. 17, 1392.
 — *Reynoldsii* Hook. Hook. Ic. pl. 1, 14.
Ledum buxifolium Ait. Lodd. Cab. 52.
 — *canadense* Lodd. Lodd. Cab. 1049.
 — *groenlandicum* Oeder. Fl. dan. 4, 567.
 — *latifolium* Lam. Meerburg Pl. sel. 20.
 — — — Lam. Encycl. 363.
 — — — Jacq. Ic. 464.
 — — — Nouveau Duhamel 4, 27.
 — — — Herb. amat. 4, 241.
 — — — Lodd. Cab. 534.
 — — — Guimpel Fr. Holzgew. 50.
 — *palustre* L. Fl. dan. 6, 1031.
 — — — Curt. Lond. 5, 212.
 — — — Lodd. Cab. 560.
 — — — Baxter Brit. Bot. 6, 508.
 — — — Sv. Bot. 18.
 — — — Liboschitz Petersb. 5.
 † — — — Gaertn. Carp. 112.
 — — — Hayne 3, 21.
 — — — Schk. Handb. 117.
 — — — Guimpel Holzgew. 51.
 — — — Nees Dusseld. 218.
 — — — Guimpel et Schl. 53.
 — — — Brandt und Ratzeb. 22.
 — — — Wagner 121.
 — — — Dietr. Fl. bor. 4, 255.
 — *thymifolium* Pers. Lam. Encycl. 363.
Leea macrophylla Roxb. Wight Ic. pl. Ind. or. 3, 1154.
 — *pinnata* Andr. Andr. Rep. 5, 355.
 — *sambucina* R. et Sch. Rumpf Amb. 4, 45.
 — *Staphylea* Roxb. Wight Illustr. 58.
 — — — Wight Ic. pl. Ind. or. 1, 78.
 † *Leersia* Sw. Swartz Fl. Ind. occ. 4.
 — *aristata* Roxb. Rheede Hort. mal. 10, 12.
 — *lenticularis* Michx. Humb. Gram. 2.
 — — — Elliott Carolina 5.
 — *mexicana* H. B. K. Humb. Gram. 1.
 — *oryzoides* Sw. Host Gram. 35.
 — — — Engl. Bot. 2908.
 — — — Fl. dan. 10, 1744.
 — — — Rchb. Fl. germ. 1, 52.
 † — — — Nees Gen. 1, 1.
 — *virginiana* Willd. Humb. Gram. 201.
Lefeburea abyssinica Dill. et Rich. Richard Abyss. 55.
 † — — — Ann. sc. nat. II, 14, 15.
Legendrea mollissima Webb. Webb Canar. 137.

- † *Legnotis* Sw. Swartz Fl. Ind. occ. 17.
 † *Leguminosae* Juss. Desvaux Journal 3, 4—6.
 † — — — DC. Legum. 1—28.
 † — — — Acta Leop. 19. 1, 9—11. et 2, 40—48.
 † — — — Bot. Zeitung 1851, 10.
Lehmannia ocymoidea Jacq. Jacq. Ecl. pl. 108.
Leianthus longifolius Griseb. Bot. Reg. 11, 880.
 — — — Paxt. Mag. 13, 29.
 — — — Bot. Mag. 71, 4169.
 — — — Fl. d. serres 2, 8.
 — *nigrescens* Griseb. Bot. Mag. 69, 4043.
 — — — Paxt. Mag. 14, 149.
 — *umbellatus* Griseb. Hook. Ic. pl. 7, 687—688.
 — — — Bot. Mag. 72, 4243.
 — — — Fl. d. serres 2, 171.
Leicestertia formosa Wall. Wall. Pl. asiat. 120.
 — — — Bot. Reg. 25, 2.
 — — — Bot. Mag. 65, 3699.
 † — — — Wight Illustr. 121.
Leighia grandiflora Gardn. Fielding Sertum 54. 55.
 — *linearis* DC. Bot. Reg. 7, 523.
Leimanthium virginicum Willd. Torrey New York 134.
Leiospermum ferrugineum Wall. Wight Ic. pl. Ind. or. 2, 721.
Leiothamnus Elisabethae Schomb. Preuss. Garten-Verein 18, 1.
Leloutrea aplocaryoides Gaudich. Gaudich. Bonite 110.
† *Lemia* Vand. Roemer Scriptores 7.
Lemmatium rotundifolium DC. Delessert Ic. 4, 44.
† *Lemna* L. Wolff Diss. de Lemna 1.
 † — — — Ann. sc. nat. II, 14, 10. 11. 12.
 † — *arrhiza* L. Lam. Encycl. 747.
 — — — Sturm Flora 11, 44.
 — — — Rchb. Fl. germ. 7, 14.
 † — — — Auct. Hoeven Tijdschr. 4, 3.
 — *gibba* L. Curt. Lond. 5, 211.
 — — — Engl. Bot. 18, 1233.
 — — — Sv. Bot. 324.
 — — — Fl. dan. 9, 1588.
 † — — — Lam. Encycl. 747.
 † — — — Guillemin Arch. 1, 6. 2, 12.
 † — — — Hook. Bot. Misc. 42.
 — — — Schk. Handb. 281.
 — — — Sturm Flora 11, 44.
 — — — Flora 1824, 1.
 — — — Rchb. Fl. germ. 7, 14.
 † — — — Nees Gen. 3, x.
 — *minor* L. Curt. Lond. 4, 120.
 — — — Engl. Bot. 16, 1095.
 — — — Baxter Brit. Bot. 6, 424.
 — — — Fl. dan. 9, 1587.
 — — — Sv. Bot. 324.
 † — — — Lam. Encycl. 747.
 † — — — Guillemin Arch. 2, 12.
 — — — Schk. Handb. 281.
 — — — Sturm Flora 11, 44.
 — — — Rchb. Fl. germ. 7, 14.
 † — — — Nees Gen. 3, x.
 — *orbicularis* Kit. Rchb. Fl. germ. 7, 15.
 — *polyrrhiza* L. Engl. Bot. 35, 2458.
 — — — Fl. dan. 9, 1589.
 — — — Sv. Bot. 324.
 † — — — Lam. Encycl. 747.
 — — — Schk. Handb. 281.
 — — — Sturm Flora 11, 44.
 — — — Rchb. Fl. germ. 7, 15.
 — *trisulca* L. Curt. Lond. 4, 119.
 — — — Engl. Bot. 13, 926.
 — — — Fl. dan. 9, 1586.
 — — — Sv. Bot. 324.
 † — — — Lam. Encycl. 747.
 — — — Sturm Flora 11, 44.

- Lemna trisulca* L. Rchb. Fl. germ. 7, 15.
 † — — — Nees Gen. 3, x.
 † *Lemnaceae* DC. Schnizl. Iconogr. 1, 72.
Lemonia spectabilis Ldl. Bot. Reg. 26, 59.
 — — — Paxt. Mag. 14, 73.
Lennea robinoides Link et Kl. Link Ic. III. 26.
 † *Lentibulariaceae* Rchb. Wight Illustr. 142.
Leobordea genistoides Fenzl. Russegger Reise 4.
 — — — Jaubert Illustr. 256.
 — *lupinifolia* Boiss. Boissier Esp. 52.
Leonia glycyarpa Rz et P. Ruiz et Pav. Fl. 222.
Leonotis intermedia Ldl. Bot. Reg. 10, 850.
 — *nepetaefolia* R. Br. Rivinus Opus ined. 11.
 — — — Bot. Reg. 4, 281.
 — — — Bot. Mag. 65, 3700.
 † — — — Wight Illustr. 176^b.
 — — — Wight Ic. pl. Ind. or. 3, 867.
 † *Leontice* L. Gray Genera 32.
 — *altaica* Pall. Lam. Encycl. 254.
 † — — — Ann. sc. nat. II. 2, 12.
 — — — Bot. Mag. 60, 3243.
 — *armeniaca* Bel. Bélanger Ind. or. x.
 — *Chrysogonum* L. Maund Bot. 1, 50.
 — — — Knowles et Westcott 98.
 † *Leontopetalum* L. Lam. Encycl. 254.
 † *thalictroides* L. Linn. Transact. 12, 7.
 — — — Lodd. Cab. 1473.
 — — — Gray Genera 32.
 — *vesicaria* Pall. Goebel Reise 1.
Leontodon alpinus Vill. Vill. Dauph. 24.
 — — — Jacq. Jacq. Fl. austr. 1, 93.
 — *apenninus* Ten. Tenore Fl. nap. 182.
 — *autumnalis* L. Fl. dan. 3, 501.
 — *Berinii* Barth. Rchb. Ic. crit. 9, 829.
 — *Boryi* Boiss. Boissier Esp. 115.
 — *ceratophorus* Led. Ledeb. Ic. 34.
 — *ciliatus* Scop. Scop. Fl. carn. 2, 51.
 — *coronopifolius* Desf. Desf. Fl. atl. 214.
 — *crispus* Vill. Vill. Dauph. 25.
 — *glaucaanthos* Led. Ledeb. Ic. 33.
 — *hastilis* L. Jacq. Fl. austr. 2, 164.
 † — — — Lam. Encycl. 653.
 — — — Dietr. Fl. bor. 9, 611.
 — — — *β. glabratus*, Sturm Flora 10, 37.
 — *hirtus* Müll. Fl. dan. 6, 901.
 — — — Vill. Vill. Dauph. 25.
 — *hispidus* L. Cav. Ic. 149.
 — — — Fl. dan. 5, 862.
 — — — Lam. Encycl. 653.
 — *incanus* Schrank. Sturm Flora 7, 27.
 — *leucanthus* Led. Ledeb. Ic. 132.
 — *livens* All. All. Fl. ped. 3, 32.
 — *lividus* W. et K. W. et Kit. 115.
 — *lyratus* Led. Ledeb. Ic. 497.
 — *muricatus* L'her. L'her. Stirp. 82.
 — *obliquus* Fries. Fl. dan. 11, 1935.
 — *obovatus* Willd. Willdenow Hort. 47.
 — *palustris* Sm. Engl. Bot. 8, 553.
 — — — Fl. dan. 10, 1708.
 — *proteiformis* Vill. Vill. Dauph. 24.
 — *pyrenaicus* Gouan. Gouan Illustr. 22.
 — — — Sturm Flora 10, 37.
 — *serotinus* W. et K. W. et Kit. 114.
 — — — Sibth. Sibth. Fl. gr. 796.
 — *squamosus* Lam. Lam. Encycl. 253.
 — *Taraxaci* Lois. Sturm Flora 10, 37.
 — *Taraxacum* L. Fl. dan. 4, 574.
 — — — Curt. Lond. 1, 28.
 — — — Woodv. Med. 1, 16.
 — — — Engl. Bot. 8, 510.
 — — — Baxter Brit. Bot. 3, 163.
 — — — Sv. Bot. 4.

- Leontodon Taraxacum* L. Rousseau Bot. 35.
 † — — — Gaertn. Carp. 158.
 — — — Schk. Handb. 219.
 — — — Dreves 1, 4.
 — — — Schrank Fl. monac. 4, 400.
 — — — Hayne 2, 4.
 — — — Guimpel et Schl. 2.
 — — — Nees Düssel. 249.
 — — — Wagner 51.
 † — — — Bull. Mosc. 1850, 16.
 — *terglouensis* Hacq. Hacquet Pl. alp. 2.
Leontophthalmum peruvianum H. B. K. H. B. K. Nov. Gen. 4, 409.
Leonurus Cardiaca L. Fl. dan. 5, 727. 10, 1756.
 — — — Sv. Bot. 195.
 — — — Engl. Bot. 4, 286.
 — — — Baxter Brit. Bot. 2, 126.
 † — — — Lam. Encycl. 509.
 † — — — Schk. Handb. 162.
 — — — Sturm Flora 3, 9.
 — — — Hayne 3, 41.
 — — — Dietr. Fl. bor. 3, 201.
 † — — — Nees Gen. 6, 30.
 — *crispus* Murr. Novi Comm. Gott. 8, 4.
 — *Galeobdolon* Willd. Dreves 1, 20.
 — *glaucescens* Led. Ledeb. Ic. 179.
 — *heterophyllus* Sweet. Sweet Fl. G. 197.
 — *lanatus* Pers. Rchb. Ic. crit. 8, 736.
 — — — Nees Düssel. Suppl. 42.
 — — — Berg Darstellung 2^d.
 — *Marrubiastrum* L. Jacq. Fl. austr. 5, 405.
 — — — Schk. Handb. 162.
 — — — Dietr. Fl. bor. 5, 354.
 — *sibiricus* L. Smith Exot. Bot. 94.
 † — — — Schk. Handb. 162.
 — — — Rchb. Ic. crit. 4, 337.
 — — — Sweet Fl. G. 204.
 — *tataricus* L. Rchb. Ic. crit. 4, 338.
 † *Leopardanthus scandens* Bl. Blume Mus. 1, 15.
Leopoldinia major Wallace. Wallace Palms 5.
 — *Piassaba* Wallace. Wallace Palms 6.
 — *pulchra* Mart. Mart. Palm. 52. 53.
 — — — Wallace Palms 2, 4.
 † *Lepanthes* Sw. Schrader Journal 1799. 2, 2.
 — *cochlearifolia* Sw. Swartz Annot. 2.
 — *concinna* Sw. Swartz Annot. 2.
 † — — — monoptera Ldl. Hook. Journal 1834, 114.
 — *pulchella* Sw. Swartz Annot. 2.
 — *sanguinea* Hook. Bot. Mag. 70, 4112.
 — *tridentata* Sw. Swartz Annot. 2.
 — — — Bot. Reg. 21, 1762.
Lepechinia spicata Willd. Willdenow Hort. 21.
 — — — Bot. Reg. 15, 1292.
 † *Lepeocercis serrata* Trin. Trinius Fund. 18.
Lepeostegeres gemmiflorus Bl. Blume Java 8, 21. 23.
Lepidadenia glabrata Wight. Wight Ic. pl. Ind. or. 5, 1838.
 — *Griffithii* Wight. Wight Ic. pl. Ind. or. 5, 1846.
 — *Neesiana* Wight. Wight Ic. pl. Ind. or. 5, 1840.
 — *ovalifolia* Wight. Wight Ic. pl. Ind. or. 5, 1839.
 — *Wightiana* N. v. E. Wight Ic. pl. Ind. or. 5, 1837.
Lepidagathis cristata Willd. Roxb. Corom. 267.
 † — — — Wight Illustr. 164^b.
 — — — Wight Ic. pl. Ind. or. 2, 455.
 — *humifusa* Decne. Delessert Ic. 3, 84.
 — *longifolia* Wight. Wight Ic. pl. Ind. or. 4, 1564.
 — *nervosa* Wight. Wight Ic. pl. Ind. or. 4, 1620.
 — *pungens* N. v. E. Wight Ic. pl. Ind. or. 2, 456.
 — *scariosa* N. v. E. Wight Ic. pl. Ind. or. 2, 457.
 — *Walkeriana* N. v. E. Wight Ic. pl. Ind. or. 4, 1830.
 † *Lepidanche Compositarum* Engelm. Silliman J. 43, 6.
 † — — — Hook. Journal 1843, 3.
 † *Lepidium* L. Gray Genera 73.

- Lepidium africanum* DC. Delessert Ic. 2, 73.
 — *alpinum* L. Fl. dan. 4, 569.
 — — Jacq. Fl. austr. 2, 137.
 — — Lam. Encycl. 566.
 — — Schrank Fl. monac. 3, 216.
 — *campestre* R. Br. Curt. Lond. 2, 115.
 — — Rehb. Fl. germ. 2, 9.
 — *Cardamines* L. Svensk Acad. 1755, 8, 9.
 — *cordatum* DC. Ledeb. Ic. 154.
 — *crassifolium* W. et K. W. et Kit. 4.
 — — Rehb. Fl. germ. 2, 10.
 — *Draba* L. Engl. Bot. 2683.
 — — Sturm Flora 16, 68.
 — *glastifolium* Desf. Desf. Fl. atl. 147.
 — *graminifolium* Cav. Cav. Ic. 151.
 — — Sibth. Fl. gr. 618.
 — — Sturm Flora 16, 68.
 — — Rehb. Fl. germ. 2, 10.
 — — Dietr. Fl. bor. 7, 454.
 — *hirtum* Sm. Rehb. Fl. germ. 2, 9.
 † — *Iberis* L. Schk. Handb. 180.
 † — — Lam. Encycl. 556.
 — — Desc. Ant. 1, 41.
 — *lacerum* Led. Ledeb. Ic. 162.
 — *latifolium* L. Fl. dan. 4, 557.
 — — Sv. Bot. 638.
 — — Engl. Bot. 3, 182.
 — — Baxter Brit. Bot. 3, 236.
 — — Sturm Flora 16, 68.
 — — Rehb. Fl. germ. 2, 10.
 — *latipes* Hook. Hook. Ic. pl. 1, 41.
 — *micranthum* Led. Ledeb. Ic. 92.
 — *micropterum* Miq. Miquel Surin. 32.
 — *oppositifolium* Forst. Bill. Syr. 5, 9.
 — *perfoliatum* L. Trew Pl. rar. 13.
 — — Jacq. Fl. austr. 4, 346.
 — — Tratt. Archiv 218.
 — — Sturm Flora 16, 68.
 — — Rehb. Fl. germ. 2, 10.
 — *petraeum* L. Jacq. Fl. austr. 2, 131.
 — — Engl. Bot. 2, 111.
 † — *procumbens* L. Lam. Encycl. 566.
 — *prostratum* Santi. Santi Viaggi 2, 1.
 — *Ramburei* Boiss. Boissier Esp. 14.
 — *rotundifolium* All. All. Fl. ped. 3, 55.
 — *rotundum* DC. Hook. Ic. pl. 7, 609.
 — *ruderales* L. Fl. dan. 2, 184.
 — — Sv. Bot. 321.
 — — Engl. Bot. 23, 1595.
 — — Tratt. Archiv 217.
 — — Sturm Flora 16, 68.
 — — Dietr. Fl. bor. 9, 624.
 — — Rehb. Fl. germ. 2, 10.
 † — — Nees Gen. X, x.
 † — *sativum* L. Gaertn. Carp. 141.
 — — Hayne 6, 11.
 — — Fl. dan. 10, 1761.
 — — Sibth. Fl. gr. 616.
 — — Rehb. Fl. germ. 2, 9.
 — — Wight Illustr. 12.
 † — — Nees Gen. X, x.
 — — *β. crispum*, Sturm Flora 3, 9.
 — *spinescens* DC. Delessert Ic. 2, 72.
 — *spinosum* L. Arduino Anim. 2, 16.
 — — Sibth. Fl. gr. 617.
 — *stylatum* Lag. Boissier Esp. 5.
 — — Webb Otia 42.
 — *subulatum* L. Asso Arag. 6.
 — *virginicum* L. Rehb. Fl. germ. 2, 10.
 — — Gray Genera 73.
Lepidocaryum gracile Mart. Mart. Palm. 45, 46.
 — *tenue* Mart. Mart. Palm. 47.

- Lepidocarium tenue* Mart. Wallace Palms 2, 22.
Lepidoceras punctulatum Clos. Gay Chile 32.
 — *squamifer* Clos. Gay Chile 32.
 † *Lepidoneuron punctulatum* Fée. Fée Fil. 5, 23.
Lepidopelma podocarpifolia Klotzsch. Prinz Waldem. Him. 22.
Lepidopirionia cenchrifolmis Rich. Richard Abyssin. 101.
Lepidosperma elatius Lab. Bill. Nov. Holl. 11.
 — *filiforme* Lab. Bill. Nov. Holl. 15.
 — *gladiatum* Lab. Bill. Nov. Holl. 12.
 — *globosum* Lab. Bill. Nov. Holl. 14.
 — *longitudinale* Lab. Bill. Nov. Holl. 13.
 † — *Rottboellii* Schrad. Comm. Gott. rec. 7, 4.
 — *squamatum* Lab. Bill. Nov. Holl. 16.
 — — Lam. Encycl. 905.
 — *tetragonum* R. Br. Bill. Nov. Holl. 17.
 — — Lam. Encycl. 905.
 † — *thermale* R. et Sch. Comm. Gott. rec. 7, 5.
Lepinia taitensis Decne. Ann. sc. nat. III. 12, 9.
 — — Fl. d. serres 7, p. 226.
Lepisia ustulata Presl. Presl Symbolae 5.
Lepismium commune Pfeiff. Bot. Mag. 66, 3763.
 — *Myosurus* Pfeiff. Bot. Mag. 66, 3755.
 † *Lepistemon* Bl. Mem. Genev. 6, 2.
 — *flavescens* Bl. Wight Ic. pl. Ind. or. 4, 1362.
 † *Lepiurus Dumortieri*. Dumortier Gram. 15.
Leptacanthus Walkeri N. v. E. Wight Ic. pl. Ind. 4, 1507.
 † *Leptadenia Forskalii* Decne. Ann. sc. nat. II. 9, 10.
 — *Jacquemontiana* Decne. Hook. Ic. pl. 9, 838.
 — *reticulata* W. et A. Wight Ic. pl. Ind. or. 2, 330.
Leptaleum filifolium DC. Delessert Ic. 2, 68.
 — *pygmaeum* DC. Delessert Ic. 2, 68.
Leptandra purpurea Rafin. Rafin. Med. 59.
Leptanthe macrostachya Klotzsch. Prinz Wald. Him. 63.
Leptanthus gramineus Michx. Michaux Fl. 5.
 — — Hook. Exot. Fl. 94.
 — *ovalis* Michx. Michaux Fl. 5.
Leptarrhena pyrolaeifolia R. Br. Hook. Bor. Am. 89.
Leptaspis urceolata R. Br. Bennett Java 6.
Leptinella lanata Hook. Hook. Fl. ant. 19.
 — *plumosa* Hook. Hook. Fl. ant. 20.
Leptocarpus simplex R. Br. Hook. New Zeal. 61.
Leptocaulis divaricatus DC. DC. Ombellif. 10.
 — *inermis* Nutt. DC. Ombellif. 10.
 † *Leptochilus Kaulf.* Kaulfuss Enumer. 1.
 † — *axillaris* Kaulf. Fée Fil. 5, 3.
 — *decurrens* Fée. Fée Fil. 48.
 — *hilocarpus* Fée. Fée Fil. 48.
 — *lanceolatus* Fée. Fée Fil. 47.
 — *Linnaeanus* Fée. Fée Fil. 47.
 — *minor* Fée. Fée Fil. 25.
 — *subquinquefidus* Fée. Fée Fil. 49.
 — *taccaefolius* Fée. Fée Fil. 50.
Leptochloa Lindleyana Kth. Humb. Gram. 215.
 — *mollis* Kth. Humb. Gram. 135.
Leptocionium sororium Presl. Prager Abh. 6, 11.
Leptodactylon californicum Hook. Hook. Beechey 89.
Leptodermis lanceolata Wall. Jacquemont Ind. 90.
Leptolaena multiflora Aub. Th. Aub. Th. Iles d'Afr. 11.
Leptomeria acida R. Br. Endl. Iconogr. 74.
Leptonema Lindenii Hook. Hook. Ic. pl. 7, 692.
 † — *venosum* Juss. Jussieu Euphorb. 4.
Leptopetalum mexicanum Hook. Hook. Beechey 61.
 † *Leptopleuria abrupta* Hook. Hook. Gen. Fil. 60.
 † *Leptopteris sumatrana* Bl. Blume Mus. 1, 34.
 — *superba* Hook. Hook. Ic. pl. 10, 910.
Leptopus cordifolius Decne. Jacquemont Ind. 156.
Leptopyrum fumarioides Rehb. Rehb. Fl. germ. 4, 113.
Leptorchis Aub. Aubert Orchid. 25.
Leptosiphon androsacens Benth. Hort. Transact. 8, 18.
 — — Bot. Mag. 63, 3491.
 — — Bot. Reg. 20, 1710.

- Leptosiphon androsaceus* Benth. Paxt. Mag. 3, 219.
 — densiflorus Benth. Hort. Transact. 8, 18.
 — — Bot. Mag. 64, 3578.
 — — Bot. Reg. 20, 1725.
 — — Paxt. Mag. 3, 220.
Leptosolena Haenkei Presl. Presl Reliq. 18.
 † *Leptospermum* Forst. Forster Charact. 36.
 — ambiguum Sm. Smith Exot. Bot. 59.
 — — Jacq. Schoenbr. 4, 404.
 — — Lodd. Cab. 1998.
 † — arachnoides Sm. Gaertn. Carp. 35.
 † — — Lam. Encycl. 423.
 — brevifolium Rudge. Linn. Transact. 8, 14.
 — emarginatum Wendl. Rchb. Hort. 103.
 — — Savi Fl. ital. 2, 50.
 — flavescens Sm. Bot. Mag. 53, 2695.
 — flexuosum Link. Mem. Tur. 31, 2.
 — — Rchb. Hort. 115.
 — grandiflorum Lodd. Lodd. Cab. 514.
 — grandifolium Sm. Bot. Mag. 43, 1810.
 — — Lodd. Cab. 701.
 — juniperifolium Cav. Cav. Ic. 331.
 — juniperinum Sm. Vent. Malm. 89.
 — lanigerum Ait. Lodd. Cab. 1192.
 — linearifolium DC. Mem. Genev. 9, 12.
 — marginatum Lab. Bill. Nov. Holl. 148.
 — multiflorum Cav. Cav. Ic. 331.
 — obovatum Sweet. Sweet Austr. 36.
 — parvulum Lab. Bill. Sertum 61.
 — persiciflorum Rchb. Rchb. Hort. 220.
 — pinifolium Lab. Bill. Sertum 62.
 — porophyllum Cav. Cav. Ic. 330.
 — recurvum Hook. fil. Hook. Ic. pl. 9, 893.
 — rupestre Hook. fil. Hook. Ic. pl. 4, 308.
 — scoparium Forst. Andr. Rep. 10, 622.
 — — var. Bot. Mag. 62, 3419.
 — sericeum Lab. Bill. Nov. Holl. 147.
 † — squarrosus Gaertn. Gaertn. Carp. 35.
 † — — Lam. Encycl. 423.
 — — Herb. amat. 5, 308.
 — stellatum Cav. Cav. Ic. 330.
 — triloculare Vent. Vent. Malm. 88.
 — — Lodd. Cab. 791.
 † — umbellatum Gaertn. Gaertn. Carp. 35.
 † — — Lam. Encycl. 423.
 — virgatum Forst. Lam. Encycl. 423.
Leptostachya pectoralis N. v. E. Bot. Reg. 10, 796.
 — Wallichii N. v. E. Wight Ic. pl. Ind. or. 4, 1543.
Leptostelma maximum Don. Sweet Fl. G. II. 38.
Leptotes bicolor Ldl. Bot. Reg. 19, 1625.
 — — var. Bot. Mag. 66, 3734.
 — serrulata Ldl. Lindley Sertum 11.
Lepturus filiformis Trin. Rchb. Fl. germ. 1, 2.
 † — incurvatus Trin. Trinius Fund. 8.
 — — Rchb. Fl. germ. 1, 2.
 — repens R. Br. Brongniart Coquille 16.
Lepyrodis hermaphrodita Desv. Ann. sc. nat. 13, 3.
Lerchea longicauda L. Bennett Java 23.
Lespedeza elegans Camb. Jacquemont Ind. 52.
 — kanaoriensis Camb. Jacquemont Ind. 51.
 — polystachya Michx. Michaux Fl. 40.
 — procumbens Michx. Michaux Fl. 39.
 — variegata Camb. Jacquemont Ind. 50.
Lessertia annua DC. Hook. Exot. Fl. 84.
 — brachystachya DC. Delessert Ic. 3, 70.
 — — Mem. Genev. 11, 2.
 — falciformis DC. DC. Legum. 46.
 — fruticosa Ldl. Bot. Reg. 12, 970.
 — macrostachya DC. Delessert Ic. 3, 69.
 — pulchra Sims. Bot. Mag. 46, 2064.
 † *Lessingia Chamisso*. Linnaea 4, 2.
Lestibudesia spicata Aub. Th. Aub. Th. Hes d'Afr. 16.

- † *Lettsomia Rz et P.* Ruiz et Pav. Prodr. 14.
 † *Lettsomia aggregata* Roxb. Wight Illustr. 168^b.
 — — Wight Ic. pl. Ind. or. 4, 1359.
 — setosa Roxb. Wight Ic. pl. Ind. or. 4, 1360.
Leucadendrum argenteum R. Br. Bot. Reg. 12, 979.
 — corymbosum R. Br. Bot. Reg. 5, 402.
 — grandiflorum Salisb. Salisb. Parad. 116.
 — — R. Br. Bot. Mag. 40, 1650.
 — tortum R. Br. Bot. Reg. 10, 826.
Leucanthemum vulgare Lam. Dietr. Fl. bor. 8, 545.
Leucas biflora R. Br. Wight Ic. pl. Ind. or. 3, 866.
 — capitata Desf. Mem. Mus. 11, 4.
 — cephalotes Spr. Wight Ic. pl. Ind. or. 2, 337.
 — glaberrima Jaub. et Sp. Jaubert Illustr. 387.
 — glabrata R. Br. Jaubert Illustr. 385.
 — helianthemifolia Desf. Mem. Mus. 11, 1.
 — lamiifolia Desf. Mem. Mus. 11, 2.
 — lanceaefolia Desf. Mem. Mus. 11, 2.
 — — Wight Ic. pl. Ind. or. 4, 1452.
 — marrubioides Desf. Mem. Mus. 11, 3.
 — obliqua Ham. Rheede Hort. mal. 10, 91.
 — procumbens Desf. Mem. Mus. 11, 3.
 — rosmarinifolia Benth. Wight Ic. pl. Ind. or. 4, 1455.
 — suffruticosa Benth. Wight Ic. pl. Ind. or. 4, 1454.
 — ternifolia Desf. Mem. Mus. 11, 1.
 — — Wight Ic. pl. Ind. or. 4, 1453.
 — trachyphylla Jaub. et Sp. Jaubert Illustr. 386.
 † — urticaefolia R. Br. Wight Illustr. 176^b.
 — — Wight Ic. pl. Ind. or. 4, 1451.
 — vestita Benth. Wight Ic. pl. Ind. or. 2, 338.
 — zeylanica R. Br. Wight Illustr. 176.
Leuceria acanthoides Don. Delessert Ic. 4, 85.
 — andryaloides Don. Delessert Ic. 4, 86.
 — floribunda DC. Delessert Ic. 4, 88.
 — tenuis Less. Delessert Ic. 4, 87.
Leuchtenbergia Principis Hort. Bot. Mag. 74, 4393.
Leucocarpus alatus Don. Sweet Fl. G. II. 124.
Leucocoryne alliacea Ldl. Paxt. Mag. 11, 101.
 — odorata Ldl. Bot. Reg. 15, 1293.
 — — Lodd. Cab. 1768.
 — purpurea Gay. Gay Chile 69.
 † *Leucojum L.* Herbert Amar. 34.
 — aestivum L. Jacq. Fl. austr. 3, 263.
 — — Curt. Lond. 1, 38.
 — — Engl. Bot. 9, 621.
 — — Bot. Mag. 30, 1210.
 — — Baxter Brit. Bot. 1, 55.
 — — Lam. Encycl. 230.
 — — Red. Lil. 3, 135.
 — — Fl. dan. 8, 1265.
 — — Tratt. Archiv. 241. 241^a.
 — — Sturm Flora 19, 88.
 — — Rchb. Fl. germ. 9, 362.
 † — — Nees Gen. 3, x.
 — autumnale L. Bot. Mag. 24, 960.
 — — Salisb. Parad. 21.
 — — Lodd. Cab. 812.
 — — Red. Lil. 3, 150.
 — — Tratt. Archiv. 244.
 — — Rchb. Fl. germ. 9, 362.
 — gsandiflorum Red. Red. Lil. 4, 217.
 — — Tratt. Archiv. 243.
 — pulchellum Salisb. Salisb. Parad. 74.
 — — Lodd. Cab. 1478.
 — roseum Loia. Loiseleur Fl. gall. 8.
 — — Rchb. Ic. crit. 8, 704.
 — strumosum Ait. Aiton Hort. Kew. 1, 5.
 — trichophyllum Brot. Red. Lil. 3, 150.
 — — Bot. Reg. 7, 544.
 — — Schousb. Tratt. Archiv. 245.
 — — Rchb. Ic. crit. 8, 703.

- Leucojum vernum* L. Jacq. Fl. austr. 4, 312.
 — — — Bot. Mag. 2, 46, 45, 1993.
 † — — — Lam. Encycl. 230.
 — — — Schk. Handb. 89.
 — — — Sturm Flora 3, 11.
 † — — — Kerner Genera 7.
 — — — Tratt. Archiv 242.
 — — — Schrank Fl. monac. 1, 32.
 — — — Dietr. Fl. bor. 9, 387.
 — — — Rchb. Fl. germ. 9, 362.
Leucolaena peltigera Hook. Hook. Ic. pl. 1, 45.
Leucomeris spectabilis Don. Wall. Pl. asiat. 111.
 — — — Delessert Ic. 4, 78.
Leucomphalos capparideus Benth. Hook. Niger Fl. 31.
 — — — Hook. Ic. pl. 8, 784.
 † *Leuconotis anceps* Jack. Linn. Transact. 14, 4.
 † — — — Calcutta Journal 1844, 16.
Leucophaea argosphaeculus Webb. Webb Canar. 169.
 — — — *candicans* Webb. Webb Canar. 168.
 — — — *dasygnaphala* Webb. Webb Canar. 170.
 — — — *macrostachya* Webb. Webb Canar. 172.
 — — — *Massoniana* Webb. Webb Canar. 171.
Leucophyllum ambiguum H. B. Humb. Pl. aeq. 109.
 † — — — Lam. Encycl. 970.
Leucopogon acuminatus R. Br. Brongniart Coquille 53.
 — — — *appressus* R. Br. Guillemain Austr. 10.
 — — — *Bellignianus* Decne. Raoul Nouv. Zel. 12.
 — — — *Cunninghami* R. Br. Annal. de Gand 1846, 68.
 — — — *Cymbulae* Lab. Bill. Sertum 39.
 — — — *interruptus* R. Br. Lodd. Cab. 1451.
 — — — *juniperinus* R. Br. Lodd. Cab. 447.
 — — — *lanceolatus* R. Br. Sweet Austr. 47.
 — — — Bot. Mag. 59, 3162.
 — — — *lanceifolius* Hook. fil. Hook. Ic. pl. 9, 898.
 — — — *parviflorus* Ldl. Bot. Reg. 18, 1560.
 — — — *polystachyus* Lodd. Lodd. Cab. 1436.
 — — — *Richei* R. Br. Bot. Reg. 18, 1560.
 — — — Bot. Mag. 60, 3251.
Leucosceptrum canum Sm. Smith Exot. Bot. 116.
Leucosmia Burnettiana Benth. Benth. Sulphur 57.
Leucospermum medium R. Br. Tratt. Thes. 10.
 † *Leucostegia immersa* Presl. Hook. Gen. Fil. 52.
Leucostemma angustifolium Royle. Royle Illustr. 21.
 — — — *latifolium* Benth. Royle Illustr. 21.
Leucothoe floribunda Don. Paxt. Mag. 4, 101.
 — — — *latifolia* A. Rich. Ramon Cuba 52.
 — — — *neriifolia* DC. Bot. Mag. 77, 4593.
 — — — Lem. Jard. fl. 155.
 — — — *pulchra* DC. Bot. Mag. 73, 4314.
Leuwenhookia pusilla R. Br. Bauer Illustr. 15.
Leuzea australis Gaudich. Freycinet Voyage 92.
 — — — *conifera* DC. Ann. Mus. 16, 14.
 — — — Rchb. Fl. germ. 15, 815.
 — — — *longifolia* Link. Hoffm. Lk. Fl. port. 96.
Levisticum officinale Koch. Dietr. Fl. bor. 11, 755.
Lewisia rediviva Pursh. Hook. Beechey 86.
 — — — β . Hook. Bot. Misc. 70.
 † *Leyssera callicornia* Thunb. Lam. Encycl. 688.
 — — — *gnaphaloides* Leyss. Leysser Fl. hal. 1.
 — — — L. Jacq. Ic. 588.
 — — — Lam. Encycl. 688.
 † — — — *paleacea* Gaertn. Gaertn. Carp. 173.
Lhotskyia acutifolia Hook. Hook. Journal 1840, 15.
 † — — — *ericoides* Schauer. Acta Leop. 19, Suppl. II. 7.
Liabum eriocaulon P. et E. Poepp. et Endl. 249.
Liatris borealis Paxt. Paxt. Mag. 5, 27.
 — — — *dubia* Bart. Barton Med. 49.
 — — — *elegans* Willd. Bot. Reg. 4, 267.
 — — — *gracilis* Pursh. Lodd. Cab. 1909.
 — — — *intermedia* Ldl. Bot. Reg. 11, 948.
 — — — *lanceolata* Bert. Novi Comm. Bonon. 8, 10.
 — — — *odoratissima* Willd. Andr. Rep. 10, 633.

- Liatris odoratissima* Willd. Sweet Fl. G. II. 184.
 — — — *pilosa* Willd. Bot. Reg. 7, 595.
 — — — Lodd. Cab. 336.
 — — — *propinqua* Hook. Bot. Mag. 67, 3829.
 — — — *pumila* Lodd. Lodd. Cab. 147.
 — — — *punctata* Hook. Hook. Bor. Am. 105.
 — — — *radians* Bert. Novi Comm. Bon. 8, 8.
 — — — *scariosa* Willd. Bot. Mag. 41, 1709.
 — — — Bot. Reg. 7, 590, 20, 1654.
 — — — Lodd. Cab. 944.
 — — — *sessiliflora* Bert. Novi Comm. Bon. 8, 9.
 — — — *sphaeroidea* Michx. Lodd. Cab. 1417.
 — — — Sweet Fl. G. 87.
 † — — — *spicata* Willd. Gaertn. Carp. 167.
 — — — Bot. Mag. 34, 1411.
 — — — Rchb. Mag. 45.
 — — — Torrey New York 47.
 — — — Sweet Fl. G. 49.
 — — — *squarrosa* Willd. Sweet Fl. G. 44.
 — — — *umbellata* Bert. Novi Comm. Bon. 8, 11.
 † *Libanotis Crantz.* DC. Obellif. 3.
 — — — *arctica* Rupr. Ruprecht Fl. Samoj. 2.
 † — — — *cretensis* Gaertn. Gaertn. Carp. 21.
 — — — *major* Hall. Gouan Illustr. 26.
 — — — *montana* All. All. Fl. ped. 3, 62.
 — — — Sv. Bot. 760.
 — — — *nitida* Vis. Visiani Dalm. 28.
 — — — *rupestris* Scop. Scop. Fl. carn. 1, 9.
Libertia arduennensis Lej. Acta Leop. 12, 2, 65.
Libertia formosa Grah. Bot. Reg. 19, 1630.
 — — — Bot. Mag. 61, 3294.
 — — — *ixioides* Spr. Rchb. Hort. 157.
Libocedrus decurrens Torr. Smiths. Contrib. 5, 3.
Licania arborea Seem. Seemann Herald 25.
 — — — *hypoleuca* Benth. Benth. Sulphur 32.
 — — — *incana* Aubl. Aublet Guiana 45.
 † — — — Lam. Encycl. 122.
Licaria guianensis Aubl. Aublet Guiana 121.
Lichenora Jerdoniana Wight. Wight Ic. pl. Ind. or. 5, 1738.
 † *Lichtensteinia Chamisso.* Linnaea 1, 5.
Lichtensteinia oleaeifolia Wendl. Wendl. Coll. 39.
Lichtensteinia undulata Willd. Mag. naturf. Fr. 2, 1.
Licuala acutifida Mart. Mart. Palm. 135. V.
 — — — Griffith Palms 222^{ab}.
 — — — *elegans* Bl. Blume Rumphia 90.
 — — — *glabra* Griff. Griffith Palms 223.
 — — — *gracilis* Bl. Blume Rumphia 87. 92.
 — — — *horrida* Bl. Blume Rumphia 89.
 — — — *longipes* Griff. Griffith Palms 224^{ab}.
 — — — *nana* Bl. Blume Rumphia 93.
 — — — *paludosa* Griff. Griffith Palms 221^{abc}.
 — — — *peltata* Roxb. Mart. Palm. 134. 162.
 — — — Griffith Palms 222.
 — — — *pumila* Bl. Blume Rumphia 91.
 — — — *rotundifolia* Bl. Mart. Palm. 135.
 — — — *Rumphii* Bl. Blume Rumphia 89.
 — — — *spinosa* Thunb. Rumpf Amb. 1, 9.
 † — — — Gaertn. Carp. 139.
 — — — Mart. Palm. 135.
 — — — Blume Rumphia 82. 88.
 — — — *triphylla* Griff. Griffith Palms 225.
Lidbeckia pectinata Berg. Bergius Cap. 5.
Liebigia speciosa DC. Bot. Mag. 73, 4315.
 — — — Fl. d. serres 3, 271. 272.
Ligea flexuosa Tul. Arch. Mus. 6, 5.
 — — — *longifolia* Tul. Arch. Mus. 6, 4.
 — — — *Richardiana* Tul. Arch. Mus. 6, 6.
 — — — *secundiflora* Tul. Arch. Mus. 6, 7.
 † *Lightfootia Vahl.* Swartz Fl. Ind. occ. 17.
 — — — *oxycoccoides* L'her. L'her. Sertum 4.
 — — — Smith Exot. Bot. 69.

- Lightfootia oxycoccoides* L'her. Tratt. Archiv 84.
 — *subulata* L'her. L'her. Sertum 5.
 † — *tenella* A. DC. DC. Camp. 3.
 — — — Lodd. Cab. 1038.
 † *Ligia Fasano*. Atti Nap. 1788, 18, 19.
Ligularia arnicoides DC. Royle Illustr. 69.
 — *Kaempferi* S. et Z. Sieb. Fl. Japon. 35.
 — *gigantea* S. et Z. Sieb. Fl. Japon. 36.
 — *nana* Decne. Jacquemont Ind. 99.
 — *sibirica* DC. Bot. Reg. 10, 812.
Ligusticum Ajowan Roxb. Wight Ic. pl. Ind. or. 2, 566.
 — *antipodium* Rich. Richard Astrolabe 3.
 — *austriacum* L. All. Fl. ped. 3, 43.
 — — — Jacq. Fl. austr. 2, 151.
 — *cicutaeifolium* Vill. Vill. Dauph. 15.
 — *cornubiense* L. Smith Ic. pict. 11.
 — — — Engl. Bot. 10, 683.
 † — — — Mem. Mosc. 5, 1.
 — *cuneifolium* Guss. Gussone Pl. rar. 26.
 — *diffusum* Roxb. Wight Ic. pl. Ind. or. 2, 569.
 — *discolor* Led. Ledeb. Ic. 310.
 — *ferulaceum* All. All. Fl. ped. 3, 60.
 — *garganicum* Ten. Tenore Fl. nap. 24.
 — *Gmelini* Vill. Vill. Dauph. 13^b.
 † — *Levisticum* L. Gaertn. Carp. 85.
 — — — Schk. Handb. 68.
 — — — Woodv. Med. 1, 55.
 — — — Hayne 7, 6.
 — — — Guimp. et Schl. 178.
 — — — Nees Düsseldorf. 277.
 — — — Wagner 88, 89.
 — *Mutellina* All. All. Fl. ped. 3, 60.
 — *nodiflorum* Vill. Vill. Dauph. 13.
 † — *peloponnense* Lam. Gaertn. Carp. 85.
 † — — — Lam. Encycl. 198.
 — *peloponnesiacum* L. Jacq. Fl. austr. 5, 13.
 — *peregrinum* L. Jacq. Vind. 3, 18.
 — *pyrenaicum* Gouan. Gouan Illustr. 7.
 — *scoticum* L. Fl. dan. 2, 207.
 — — — Sv. Bot. 622.
 — — — Engl. Bot. 17, 1207.
 — — — Baxter Brit. Bot. 6, 472.
 — — — Roemer Fl. eur. 13, 5.
 — *simplex* All. All. Fl. ped. 3, 71.
 — — — Vill. Dauph. 14.
 — *tolucense* H. B. K. H. B. K. Nov. Gen. 5, 422.
Ligustrum coeruleum Desc. Desc. Ant. 7, 488.
 — *japonicum* Thunb. Thunb. Fl. jap. 1.
 — — — Herb. amat. 4, 264.
 — *lucidum* Ait. Bot. Mag. 52, 2565.
 — — — Watson Dendr. 2, 137.
 — *neilgherrense* Wight. Wight Spicil. 148.
 — — — Wight Ic. pl. Ind. or. 4, 1243.
 — *nepalense* Wall. Wall. Pl. asiat. 270.
 — — — Bot. Mag. 56, 2921.
 — *Perrottetii* DC. Wight Ic. pl. Ind. or. 4, 1244.
 † — *vulgare* L. Gaertn. Carp. 92.
 † — — — Lam. Encycl. 7.
 — — — Fl. dan. 7, 1141.
 — — — Sv. Bot. 415.
 — — — Curt. Lond. 3, 49.
 — — — Engl. Bot. 11, 764.
 — — — Baxter Brit. Bot. 2, 119.
 — — — Nouveau Duhamel 3, 49.
 † — — — Plée Types 4.
 — — — Schk. Handb. 2^a.
 — — — Tratt. Archiv. 161.
 — — — Hayne 5, 25.
 — — — Guimpel Holzgew. 1.
 — — — Sturm Flora 4, 14.
 — — — Schrank Fl. monac. 1, 49.
 — — — Dietr. Fl. bor. 11, 761.

- † *Ligustrum vulgare* L. Nees Genera X, x.
Lilac persica Lam. Nouveau Duhamel 2, 62.
 — *rothomagensis* Mirb. Nouveau Duhamel 2, 63.
 † — *vulgaris* Lam. Lam. Encycl. 7.
 — — — Nouveau Duhamel 2, 61.
Lilaea subulata H. B. Humb. Pl. aeq. 63.
 — — — Lam. Encycl. 993.
 — — — Dict. sc. nat. 40.
 — — — Schnizl. Iconogr. 1, 49.
 † *Liliaceae* Juss. Schnizl. Iconogr. 1, 55 — 55^c.
Lilium aurantiacum Sieb. Paxt. Mag. 6, 127.
 † — *aureum* Don. Schnizl. Iconogr. 1, 55^d.
 — *autumnale* Lodd. Lodd. Cab. 338.
 — *Brownii* Ch. Lem. Annales de Gand 1845, 41.
 — — — Fl. d. serres 1, 47.
 † — *bulbiferum* L. Gaertn. Carp. 83.
 † — — — Lam. Encycl. 246.
 — — — Bot. Mag. 1, 36, 26, 1018.
 — — — Jacq. Fl. austr. 3, 226.
 — — — Rousseau Bot. 1.
 — — — Red. Lil. 4, 210.
 — — — Sv. Bot. 399.
 — — — Rchb. Fl. germ. 10, 454.
 — *Buschianum* Lodd. Lodd. Cab. 1628.
 — *callosum* S. et Zucc. Sieb. Fl. Japon. 41.
 — — — Hart. Parad. 1, 11.
 — — — Fl. d. serres 3, 230.
 — *camtschatkense* L. Linn. Transact. 10, 11.
 — *canadense* L. Bury Hex. pl. 12.
 — — — Bot. Mag. 21, 800, 22, 858.
 — *candidum* L. Bot. Mag. 8, 278.
 — — — Bury Hex. pl. 38.
 — — — Woodv. Med. 4, 254.
 — — — Red. Lil. 4, 199.
 † — — — Rousseau Bot. 2.
 † — — — Lam. Encycl. 246.
 — — — Hayne 8, 26.
 — — — Nees Düsseldorf. 54.
 — — — Rchb. Fl. germ. 10, 455.
 — — — flore striato, Fl. d. serres 7, 735.
 — *carniolicum* Bernh. Rchb. Fl. germ. 10, 452.
 — *carolinianum* Michx. Bot. Reg. 7, 580.
 — — — Bot. Mag. 49, 2280.
 — — — Rchb. Exot. 52.
 — *Catesbaei* Walt. Bot. Mag. 8, 259.
 — — — Lodd. Cab. 807.
 — — — Kerner Hort. 87.
 — — — Sweet Fl. G. II. 185.
 — *chalcidonicum* L. Bot. Mag. 1, 30.
 — — — Bury Hex. pl. 36.
 — — — Jacq. Fl. austr. 5, 20.
 — — — Red. Lil. 5, 276.
 — — — Schk. Handb. 91.
 — — — Rchb. Fl. germ. 10, 483.
 — *colchicum* Fisch. Fl. d. serres 5, 507 — 509.
 — *concolor* Salisb. Salisb. Parad. 47.
 — — — Andr. Rep. 10, 662.
 — — — Bot. Mag. 29, 1165.
 — — — Kerner Hort. 382.
 — *cordifolium* Thunb. Sieb. Fl. Japon. 14.
 — — — Fl. d. serres 3, 216.
 — *croceum* Chaix. Lodd. Cab. 784.
 — — — Savi Fl. ital. 2, 46.
 — — — Rchb. Fl. germ. 10, 454.
 — *elegans* Thunb. Petersb. 3, 3.
 — *excelsum* Hort. Hart. Parad. 2, 4.
 — *extimium* Courtois. Fl. d. serres 3, 283 — 84.
 — *giganteum* Wall. Wallich Tentamen 12, 13.
 — — — Bot. Mag. 78, 4673.
 — — — Fl. d. serres 8, 771 — 772.
 — — — Belgique hort. 3, 21.
 — *japonicum* Thunb. Bury Hexandrian pl. 2.

- Lilium japonicum* Thunb. Bot. Mag. 38, 1591.
 — — — Lodd. Cab. 438.
 — — — Rchb. Exot. 88.
 — — — Petersb. 3, 5.
 — lancifolium Thunb. Petersb. 3, 3.
 — — — var. roseum, Paxt. Mag. 5, 267.
 — Loddigesianum R. et Sch. Annales de Gand 1846, 85.
 — — — Lem. Jard. fl. 204.
 — — — Paxt. Fl. G. 58.
 — — — Fl. d. serres 5, 507—509.
 — longiflorum Thunb. Lodd. Cab. 985.
 — — — Bury Hexandrian pl. 8.
 — — — Bot. Reg. 7, 560.
 — — — Petersb. 3, 4.
 — — — Fl. d. serres 3, 270.
 — — — Wall. Wallich Tentamen 29.
 — maculatum Thunb. Petersb. 3, 5.
 — Martagon L. Bury Hexandrian pl. 36.
 — — — Bot. Mag. 23, 893. 39, 1634.
 — — — Engl. Bot. 2799.
 — — — Baxter Brit. Bot. 6, 501.
 — — — Sv. Bot. 381.
 — — — Red. Lil. 3, 146.
 — — — Lam. Encycl. 246.
 + — — — Gaertn. Carp. 83.
 — — — Jacq. Fl. austr. 4, 351.
 — — — Schrank Fl. monac. 1, 13.
 — — — Hayne 8, 28.
 — — — Sturm Flora 20, 93.
 + — — — Nees Genera 2, 40.
 — — — Rchb. Fl. germ. 10, 451.
 — monadelphum M. v. B. Marschall Cent. 4.
 — — — Bot. Mag. 34, 1465.
 — — — Rchb. Exot. 89.
 — neilgherrense Wight. Wight Ic. pl. Ind. or. 6, 2031. 2032.
 — nepalense Don. Wall. Pl. asiat. 291.
 — penduliflorum Red. Red. Lil. 2, 105. 6, 301.
 — pennsylvanicum Gawl. Bot. Mag. 22, 872.
 — peregrinum Mill. Hayne 8, 27.
 — — — Sweet Fl. G. II. 367.
 — philadelphicum L. Bot. Mag. 15, 519.
 — — — Lodd. Cab. 976.
 — — — Red. Lil. 2, 104.
 — — — Herb. amat. 2, 92.
 — — — Kerner Hort. 755.
 — — — β. andinum, Bot. Reg. 7, 594.
 — pomponium L. Red. Lil. 1, 7.
 — — — Bot. Mag. 21, 798. 25, 971.
 — — — Rchb. Fl. germ. 10, 452.
 — pudicum Pursh. Pursh Fl. 8.
 — pumilum Red. Red. Lil. 7, 378.
 — — — Lodd. Cab. 358.
 — — — Bot. Reg. 2, 132.
 — pyrenaicum Gouan. Red. Lil. 3, 145.
 — — — Bury Hexandrian pl. 49.
 — — — Rchb. Fl. germ. 10, 453.
 — roseum Wall. Bot. Mag. 79, 4725.
 — — — Belgique hortic. 1853, 21.
 — sanguineum Hort. Bot. Reg. 32, 50.
 — speciosum Andr. Andr. Rep. 9, 586.
 — — — Thunb. Maund Bot. 1, 45.
 — — — Bot. Reg. 23, 2000.
 — — — Paxt. Mag. 5, 1.
 — — — var. album, Paxt. Mag. 8, 127.
 — — — var. album, Bot. Mag. 66, 3783.
 — — — var. rubrum, Fl. d. serres 3, 276. 277.
 — — — Sieb. Fl. Japon. 12.
 — — — var. cordifolium, Sieb. Fl. Japon. 13.
 — — — var. punctatum, Hart. Parad. 1, 1.
 — spectabile Salisb. Salisb. Ic. rar. 5.

- Lilium spectabile* Lk. Sweet Fl. G. 75.
 — — — Rchb. Hort. 30.
 — — — Fisch. Trautv. Imagines 19.
 — — — superbum L. Red. Lil. 2, 103.
 — — — Bury Hexandrian pl. 36.
 — — — Bot. Mag. 24, 936.
 — — — Savi Fl. ital. 2, 52.
 — Szovitsianum Fisch. et Lall. Fl. d. serres 5, 507—9.
 — tenuifolium Fisch. Bot. Mag. 59, 3140.
 — — — Sweet Fl. G. II. 275.
 — — — Hornem. Rchb. Mag. 79.
 — testaceum Ldl. Bot. Reg. 29, 11.
 — — — Paxt. Mag. 10, 221.
 — — — Fl. d. serres 1, 39.
 — Thomsonianum Ldl. Bot. Reg. 31, 1.
 — Thunbergianum R. et Sch. Bot. Reg. 25, 38.
 — — — Maund Bot. 4, 158.
 — tigrinum Gawl. Bot. Mag. 31, 1237.
 — — — Red. Lil. 7, 393. 8, 478.
 — — — Herb. amat. 2, 91.
 — — — Kerner Hort. 396.
 — — — Savi Fl. ital. 1, 10.
 + — — — Nees Genera 2, 40.
 — tubiflorum Wight. Wight Ic. pl. Ind. or. 6, 2033. 2034.
 — — — venustum Kth. Fl. d. serres 7, 657.
 — — — Wallichianum R. et Sch. Wight Ic. pl. Ind. or. 6, 2035.
 — — — Bot. Mag. 77, 4561.
 — — — Lem. Jard. fl. 105. 106.
 — — — Fl. d. serres 6, 612.
 + Limatodis pauciflora Bl. Blume Tabellen 62.
 — — — rosea Ldl. Paxt. Fl. G. 81.
 Limbarda tricuspidata Cass. Baxter Brit. Bot. 6, 494.
 + Limeum africanum L. Gaertn. Carp. 76.
 + — — — Lam. Encycl. 275.
 + Limia Vand. Roemer Scriptores 7.
 + Limnanthemum cristatum Griseb. Wight Illustr. 137^b.
 + — — — lacunosum Griseb. Jard. Ann. 1, 1.
 + — — — nymphoides Gm. Nees Genera X, x.
 Limnanthes Douglasii R. Br. Endl. Atacta 27.
 — — — Bot. Reg. 20, 1673.
 — — — Bot. Mag. 64, 3554.
 — — — Sweet Fl. G. II. 378.
 — — — rosea Benth. Journ. Hort. Soc. 4, 78.
 + Limnas Stelleri Trin. Trinius Fund. 6.
 — — — Trin. Sp. Gr. 1, 18.
 Limnetis cynosuroides Pers. Petersb. 2, 6.
 — — — pungens Pers. Host Gram. 366.
 Limnobia Boscii Rich. Mem. Instit. 1811, 8.
 + Limnocharis H. B. Kerner Genera 100.
 — — — emarginata H. B. Humb. Pl. aeq. 34.
 — — — Humboldtii Rich. Mem. Mus. 1, 19.
 — — — Bot. Reg. 19, 1640.
 — — — Bot. Mag. 60, 3248.
 — — — Plumieri Rich. Mem. Mus. 1, 19. 20.
 — — — Bot. Mag. 52, 2525.
 — — — Endl. Iconogr. 26.
 Limnophila chamaedrifolia Don. Rheede Hort. mal. 9, 85.
 — — — gratioloides R. Br. Rheede Hort. mal. 12, 36.
 — — — Freycinet Voyage 57.
 — — — gratissima Bl. Rheede Hort. mal. 10, 6.
 — — — hypericifolia Benth. Wight Ic. pl. Ind. or. 4, 1409.
 — — — polystachya Benth. Wight Ic. pl. Ind. or. 3, 860.
 — — — racemosa Benth. Wight Ic. pl. Ind. or. 3, 861.
 — — — serrata Gaudich. Freycinet Voyage 57.
 + Limodorum L. Schrader Journal 1799. 2, 1.
 — — — abortivum Sw. Risso Fl. de Nice 16.
 — — — Sturm Flora 10, 40.
 — — — Dietr. Fl. bor. 1, 72.
 — — — Rchb. Fl. germ. 13, 481. 491.
 + — — — Nees Genera 3, x.

- Limodorum altum* Jacq. Jacq. Ic. 602.
 — — — Bot. Mag. 24, 930.
 — — — Kerner Hort. 41.
 — aphyllum Roxb. Roxb. Corom. 41.
 — boreale Sw. Liboschitz Petersb. 36.
 † — callosum Bl. Blume Tabellen 61.
 — concolor Aub. Aubert Orchid. 45.
 — diurnum Jacq. Jacq. Ic. 603.
 — ensatum Thunb. Kaempfer Japon. 3.
 — Epigogium Sw. Fl. dan. 8, 1399.
 — falcatum Sw. Thunberg Ic. jap. 6.
 — — — Bot. Reg. 4, 283.
 — — — Bot. Mag. 46, 2097.
 — filiforme Sw. Swartz Annot. 1.
 — flabellatum Aub. Aubert Orchid. 39.
 — grandiflorum Aub. Aublet Guiana 321.
 — Incarvillei Pers. Tratt. Archiv 252. 252.
 — maculatum Lodd. Lodd. Cab. 496.
 — nutans Roxb. Roxb. Corom. 40.
 — pendulum Aubl. Aublet Guiana 322.
 — plantagineum Aub. Aubert Orchid. 41.
 — pulchrum Aub. Aubert Orchid. 43. 44.
 — purpureum Red. Red. Lil. 2, 83.
 — recurvum Roxb. Roxb. Corom. 39.
 — scriptum Aub. Aubert Orchid. 46.
 — striatum Thunb. Kaempfer Japon. 2.
 — Tankervilleae Ait. Aiton Hort. Kew. 3, 12.
 — — — Schneevogt Ic. 5.
 — — — Kerner Hort. 49.
 — — — Andr. Rep. 6, 426.
 — — — Red. Lil. 1, 43.
 — — — Herb. amat. 3, 157.
 † — tetragonum A. Rich. Mem. hist. nat. Par. 4, 7.
 — tuberculatum Aub. Aubert Orchid. 31.
 — tuberosum L. Martyn Hist. 48.
 — — — Bot. Mag. 4, 116.
 — — — Paxt. Mag. 2, 146.
 — unguiculatum Lab. Bill. Serium 25.
 — utriculatum Sw. Jacq. Fragm. 32.
 † — verecundum Sw. Linn. Transact. 7, 1.
 — villosum Aub. Aubert Orchid. 32.
 — virens Roxb. Roxb. Corom. 38.
Limonia acidissima L. Rheede Hort. mal. 4, 14.
 — — — Rumpf Amb. 2, 43.
 † — — — Lam. Encycl. 353.
 — alata Wall. Wight Illustr. 41.
 — arborea Roxb. Roxb. Corom. 85.
 — — — Bot. Mag. 46, 2074.
 — crenulata Roxb. Roxb. Corom. 86.
 — Laureola Wall. Wall. Pl. asiat. 245.
 — Missionis Wight. Wight Illustr. in Hook. 33.
 — — — Wight Ic. pl. Ind. or. 1, 175.
 — monophylla L. Roxb. Corom. 83.
 — parviflora Sims. Bot. Mag. 50, 2416.
 — pentaphylla Retz. Roxb. Corom. 84.
 † — pusilla Gaertn. Gaertn. Carp. 58.
 — trifoliata L. Burm. Fl. ind. 36.
 — — — Jacq. Ic. 463.
 — — — Andr. Rep. 2, 143.
 — — — Lodd. Cab. 18.
 — — — Lam. Encycl. 353.
Limosella aquatica L. Ruppius Fl. jen. 6.
 † — — — Gaertn. Carp. 50.
 † — — — Lam. Encycl. 535.
 — — — Schk. Handb. 176.
 — — — Krock. Fl. sil. 2, 27.
 — — — Tratt. Archiv 88.
 — — — Sturm Flora 8, 30.
 — — — Dietr. Fl. bor. 10, 654.
 † — — — Nees Genera 5, 37.
 — — — Fl. dan. 1, 69.
 — — — Curt. Lond. 4, 62.

- Limosella aquatica* L. Engl. Bot. 5, 357.
 — — — Baxter Brit. Bot. 3, 212.
 — — — diandra Krock. Krock. Fl. sil. 2, 27.
 † *Linaria* Mill. (Peloriae.) Linné Peloria 1.
 † — — — Linné Amoenit. 1, 3.
 † — — — Curt. Lond. 1, 118.
 † — — — Engl. Bot. 4, 260.
 † — — — Hopkirk Fl. anomala 7.
 † — — — Sv. Bot. 196.
 † — — — Gmelin Fl. bad. 2, 4.
 † — — — Schmidt Sammlungen 2.
 † — — — Tratt. Thes. 62. 63.
 † — — — Dict. sc. nat. 31.
 † — — — Chavannes Antirr. 8. 9.
 † — — — Ratzeburg Peloria 1.
 † — — — Linnaea 17, 2.
 † — — — Van Houtte Hortus 5.
 † — — — Verhandl. Rheinl. 7, 1.
 † — — — Chavannes Antirr. 5.
 — acutiloba Fisch. Rchb. Ic. crit. 5, 424.
 — aegyptiaca Desf. Delile Egypte 32.
 — aequitriloba Viv. Bot. Mag. 56, 2941.
 — alpina Moench. Schrank Fl. monac. 3, 283.
 — — — Sturm Flora 13, 51.
 — — — Lodd. Cab. 415.
 — amethystea Desf. Hoffm. Lk. Fl. port. 47.
 — arenaria DC. DC. Ic. Gall. 14.
 — arvensis Desf. Sturm Flora 16, 70.
 — Besseriensis Rchb. Rchb. Ic. crit. 5, 433.
 — Biebersteinii Bess. Rchb. Pl. crit. 5, 434.
 — bipartita Willd. Sweet Fl. G. 30.
 — canadensis Spr. Bot. Mag. 63, 3473.
 — capraria Moris. Mem. Tur. 2, (1840.) 3.
 — chloraefolia Rchb. Rchb. Pl. crit. 5, 436.
 — circinata Don. Sweet Fl. G. II. 235.
 — Clementei Haens. Boissier Esp. 129.
 — commutata Bernh. Rchb. Ic. crit. 9, 815.
 — corifolia Desf. Ann. Mus. 11, 3.
 — — — Desf. Choix 22.
 — Cymbalaria Mill. Curt. Lond. 1, 39.
 — — — Baxter Brit. Bot. 1, 23.
 — — — Rousseau Bot. 26.
 — — — Sturm Flora 16, 70.
 — — — Dietr. Fl. bor. 2, 112.
 † — — — Nees Genera 5, 31.
 — dalmatica Mill. Rchb. Pl. crit. 5, 438.
 — — — Bot. Reg. 20, 1683.
 — dealbata Link. Hoffm. Lk. Fl. port. 35.
 — delphinioides Gay. Knowles et Westcott 115.
 — diffusa Link. Hoffm. Lk. Fl. port. 49.
 — Elatine Desf. Rivinus Opus ined. 71.
 — — — Curt. Lond. 2, 105.
 — — — Sturm Flora 16, 70.
 — elatinoides Desf. Desf. Fl. atl. 132.
 — fastigiata Chav. Chavannes Antirr. 7.
 — flava Desf. Desf. Fl. atl. 136.
 — flexuosa Desf. Desf. Fl. atl. 139.
 — fruticosa Desf. Desf. Fl. atl. 133.
 — genistifolia Mill. Lodd. Cab. 380.
 — — — Bot. Mag. 47, 2183.
 — — — Rchb. Pl. crit. 5, 435.
 † — — — Nees Genera 5, 31.
 — glacialis Boiss. Boissier Esp. 131.
 — glaucophylla Link. Hoffm. Lk. Fl. port. 46.
 — glutinosa Link. Hoffm. Lk. Fl. port. 39.
 — grandiflora Desf. Ann. Mus. 11, 2.
 — — — Desf. Choix 21.
 — hepatica Led. Ledeb. Ic. 91.
 — heterophylla Desf. Desf. Fl. atl. 140.
 — — — Schousb. Webb Canar. 181.
 — italica Trev. Rchb. Ic. crit. 5, 421.
 — juncea DC. Rchb. Ic. crit. 5, 425.

- Linaria juncea* Desf. Rchb. Ic. crit. 9, 813.
 — *lanigera* Desf. Desf. Fl. atl. 130.
 — — Hoffm. Lk. Fl. port. 34.
 — *latifolia* Desf. Desf. Fl. atl. 134.
 — *laxiflora* Desf. Desf. Fl. atl. 138.
 — *linifolia* Willd. Rochel Banat. 22.
 — — Rchb. Ic. crit. 5, 422.
 — *linogrisea* Link. Hoffm. Lk. Fl. port. 41.
 — *litoralis* Bernh. Sturm Flora 16, 70.
 — *lusitana* Link. Hoffm. Lk. Fl. port. 43.
 — *macroua* M. v. B. Marshall Cent. 27.
 — — Rchb. Ic. crit. 5, 432.
 — *maritima* DC. DC. Ic. Gall. 12.
 — — Loes. Rchb. Ic. crit. 6? fig. 612. 613.
 — *meonanthe* Link. Hoffm. Lk. Fl. port. 38.
 — *Michauxii* Chav. Chavannes Antirrh. 7.
 — *minor* Desf. Curt. Lond. 1, 51.
 — — Sturm Flora 16, 70.
 — — Dietr. Fl. bor. 2, 81.
 — *multipunctata* Brot. Hoffm. Lk. Fl. port. 48.
 — *origanifolia* DC. Chavannes Antirrh. 6.
 — *pallida* Ten. Tenore Fl. nap. 159.
 — *parviflora* Desf. Desf. Fl. atl. 137.
 — *pauciflora* Bonpl. Bonpland Malm. 18.
 — *pedunculata* Spr. Boissier Esp. 132.
 — *Pelisseriana* DC. Engl. Bot. 2832.
 — *platycalyx* Boiss. Boissier Esp. 130.
 — *polygalaefolia* Link. Hoffm. Lk. Fl. port. 44.
 — *praecox* Link. Hoffm. Lk. Fl. port. 37.
 — — Ledeb. Ic. 431.
 — *pyrenaica* DC. DC. Ic. Gall. 11.
 — — Hoffm. Lk. Fl. port. 45.
 — *ramosissima* Wall. Wall. Pl. asiat. 153.
 — — Wight Illustr. 165.
 — *Raveyi* Boiss. Boissier Esp. 132.
 † *repens* Steud. Ann. sc. nat. 8, 27.
 — *reticulata* Desf. Rchb. Ic. crit. 5, 431.
 — — Lem. Jard. fl. 260.
 — — Belgique hort. 2, 48.
 — *Salzmanni* Boiss. Boissier Esp. 128.
 — *sapphirina* Link. Hoffm. Lk. Fl. port. 42.
 — *satureioides* Boiss. Boissier Esp. 133.
 — *saxatilis* DC. DC. Ic. Gall. 13.
 — — Hoffm. Lk. Fl. port. 40.
 — *scariosa* Desf. Desf. Fl. atl. 131.
 — *scoparia* Brouss. Webb Canar. 182.
 — *silenifolia* Rchb. Rchb. Pl. crit. 5, 437.
 — *simplex* DC. Sturm Flora 16, 70.
 — *spartea* Link. Hoffm. Lk. Fl. port. 36.
 — — Rchb. Ic. crit. 9, 814.
 — *speciosa* Jacq. Jacq. Ecl. pl. 95.
 — — Tenore Fl. nap. 159.
 — *spuria* Mill. Curt. Lond. 2, 28.
 — — Sturm Flora 16, 70.
 — — Dietr. Fl. bor. 7, 447.
 — *stricta* Hornem. Rchb. Ic. crit. 5, 423.
 — *triornithophora* Willd. Lodd. Cab. 1010.
 — — Knowles et Westcott 24.
 — *verticillata* Boiss. Boissier Esp. 132.
 — *virgata* Desf. Desf. Fl. atl. 135.
 — *vulgaris* Mill. Curt. Lond. 1, 117.
 — — Hayne 6, 33.
 — — Guimpel et Schl. 52.
 — — Sturm Flora 16, 70.
 — — Dietr. Fl. bor. 2, 80.
 ! — — (Hemfler.) Linnaea 17, 2.
Linconia alpeocuroidea L. Mag. naturf. Fr. 4, 4.
 † — — Ann. sc. nat. 8, 37.
 — *cuspidata* Sw. Mag. naturf. Fr. 5, 7.
 — *thymifolia* Sw. Mag. naturf. Fr. 4, 4.
Lindackeria laurina Presl. Presl Reliq. 65.
 — *maynensis* P. et E. Poepp. et Endl. 270.

- Lindenbergia urticaefolia* Lehm. Link Ic. II. 48.
 — — Hook. Ic. pl. 9, 875.
Lindenia acutiflora Hook. Hook. Ic. pl. 5, 475.
 — *rivalis* Benth. Hook. Ic. pl. 5, 476.
Lindera umbellata Thunb. Thunb. Diss. 1, 3.
 — — Thunb. Fl. jap. 21.
 — — Lam. Encycl. 263.
Lindernia capensis Thunb. Hook. Ic. pl. 2, 151.
 — *dilatata* Elliott. Barton Fl. 1, 31.
 — *pyxidaria* L. Misc. Taur. 3, 5.
 † — — Gaertn. Carp. 184.
 — — Schk. Handb. 178.
 — — Lam. Encycl. 522.
 — — Sturm Flora 8, 30.
 † — — Nees Genera 5, 36.
Lindleya glabra H. B. K. H. B. K. Nov. Gen. 5, 479.
 — *mespiloides* H. B. K. H. B. K. Nov. Gen. 6, 562.
 — — Bot. Reg. 30, 27.
 — — Annales de Gand 1848, 210.
 — — Fl. d. serres 4, 357.
 — *mollis* H. B. K. H. B. K. Nov. Gen. 5, 489.
Lindsaya adiantoides J. Sm. Hook. Sp. Fil. 61.
 — *apiculata* Kze. Kunze Fil. 85.
 — *arcuata* Kze. Kunze Fil. 119.
 — *Catharinae* Hook. Hook. Sp. Fil. 65.
 — *concinna* J. Sm. Hook. Sp. Fil. 61.
 — *cordata* Gaudich. Hook. Sp. Fil. 66.
 — *crenulata* Fée. Fée Fil. 5, 28.
 — *cultrata* Sw. Schk. Fil. 114.
 — — Hook. Ic. Fil. 2, 144.
 — *davallioides* Blume. Kunze Fil. 7.
 — — Hook. Sp. Fil. 68.
 — *divergens* H. et Gr. Hook. Ic. Fil. 2, 226.
 — *dubia* Spr. Kunze Analecta 26.
 — — Hook. Sp. Fil. 64.
 — *elegans* Hook. Hook. Ic. pl. 1, 98.
 — *elongata* Lab. Bill. Sertum 9.
 — *ensifolia* Sw. Hook. Ic. Fil. 1, 111.
 — *falcata* Dryand. Linn. Transact. 3, 7.
 — *falciformis* Hook. Hook. Sp. Fil. 64.
 — *filiformis* Hook. Hook. Sp. Fil. 63.
 — *flabellata* Dryand. Linn. Transact. 3, 8.
 — — var. *γ*. Hook. Sp. Fil. 63.
 — *Fraseri* Hook. Hook. Sp. Fil. 70.
 — *Gardneri* Hook. Hook. Sp. Fil. 65.
 — *Griffithiana* Hook. Hook. Sp. Fil. 68.
 — *guianensis* Dryand. Hook. Sp. Fil. 62.
 — *heterophylla* Dryand. Linn. Transact. 3, 8.
 — *horizontalis* Hook. Hook. Sp. Fil. 62.
 — *javitensis* H. B. K. Raddi Fil. 75.
 — *intermedia* Hook. Hook. Sp. Fil. 67.
 — *lanceolata* Lab. Bill. Nov. Holl. 248.
 — *lanuginosa* Wall. Hook. Sp. Fil. 69.
 — *Leprieurii* Hook. Hook. Sp. Fil. 62.
 — *Lessonii* Bory. Bory Coquille 37.
 — *linearis* Sw. Swartz Syn. Fil. 3.
 — — Kunze Fil. 16.
 — *Lobbiana* Hook. Hook. Sp. Fil. 62.
 — *macrophylla* Kaulf. Kunze Analecta 25.
 — — Hook. Ic. pl. 2, 193.
 — *microphylla* Presl. Presl Reliq. 10.
 — — Sw. Hook. Ic. Fil. 2, 194.
 — *multifrondulosa* Fée. Fée Fil. 5, 28.
 — *oblongifolia* Reim. Hook. Sp. Fil. 61.
 — *odorata* Roxb. Calcutta Journal 1844, 34.
 — *ovata* J. Sm. Hook. Sp. Fil. 64.
 — *pendula* Klotzsch. Hook. Sp. Fil. 65.
 — *pentaphylla* Hook. Hook. Sp. Fil. 67.
 — *polymorpha* Wall. Hook. Ic. Fil. 1, 75.
 † — — Hook. Fée Fil. 5, 11.
 — *propinqua* Hook. Hook. Sp. Fil. 66.
 — *quadrangularis* Raddi. Raddi Fil. 74.

- Lindsaya recurvata* Wall. Hook. Sp. Fil. 70.
 — *reniformis* Dryand. Linn. Transact. 3, 7.
 — — Kunze Fil. 16.
 — *rigida* J. Sm. Hook. Sp. Fil. 63.
 — *sagittata* Dryand. Hook. Ic. Fil. 1, 87.
 — *scandens* Hook. Hook. Sp. Fil. 63.
 — *Schomburgkii* Klotzsch. Kunze Fil. 128.
 — *securifolia* Presl. Kunze Fil. 85.
 — *stricta* Dryand. Schk. Fil. 114.
 — *tenera* Dryand. Linn. Transact. 3, 10.
 — *trapeziformis* Dryand. Linn. Transact. 3, 9.
 — — Langsdorf et Fischer 24.
 † — — Hook. Gen. Fil. 63.
 — *trichomanoides* Dryand. Linn. Transact. 3, 11.
 — — Schk. Fil. 114.
 — *variabilis* H. et Arn. Hook. Beechey 52.
 — *virescens* Sw. Svensk Acad. 1817, 4.
 — *Walkeræ* Hook. Hook. Sp. Fil. 69.
 † *Lindsaynum rigidum* Fée. Fée Fil. 5, 27^b.
Linkia laevis Cav. Cav. Ic. 389.
 — *splendens* Poir. Lam. Encycl. 928.
Linnaea borealis L. Linné Fl. lapp. 12.
 — — Linné Fl. suecica 1.
 — — Fl. dan. 1, 3.
 — — Sv. Bot. 1.
 † — — Wahlenberg Fl. lapp. 9.
 — — Curt. Lond. 5, 199.
 — — Engl. Bot. 7, 433.
 — — Baxter Brit. Bot. 5, 340.
 — — Lodd. Cab. 183.
 — — Lam. Encycl. 536.
 — — Dict. sc. nat. 107.
 — — Liboschitz Petersb. 31.
 — — Usteri Annalen 12, 1.
 — — Schk. Handb. 176.
 — — Braune Flora 2, 1.
 — — Dreves 4, 123.
 — — Hayne 4, 13.
 — — Sturm Flora 5, 17.
 — — Tratt. Archiv 151.
 — — Fée Vie de Linné 4.
 — — Dietr. Fl. bor. 4, 217.
 † *Linociera* Sw. Swartz Fl. Ind. occ. 2.
 — *glomerata* Pohl. Pohl Bras. 164.
 † — *intermedia* Wight. Wight Illustr. 151^b.
 — — Wight Spicil. 149.
 — — Wight Ic. pl. Ind. or. 4, 1245.
 † — *latifolia* Vahl. Gaertn. Carp. 215.
 — *malabarica* Wall. Wight Ic. pl. Ind. or. 4, 1246.
 † — *phyllireoides* Gaertn. Gaertn. Carp. 215.
Linostoma decandrum Meism. Regensb. Denkschr. 3, 7.
Linosyris mexicana Schlecht. Schlechtendal Hort. 4.
 — *nudata* Bert. Novi Comm. Bonon. 8, 31.
 — *vulgaris* Cass. Dietr. Fl. bor. 8, 529.
 † — — Nees Gen. X, x.
 † *Linum* L. Gray Genera 143.
 — *africanum* L. Jacq. Ic. 353.
 — — Bot. Mag. 12, 403.
 — — Rchb. Hort. 46.
 — *alpinum* L. Jacq. Fl. austr. 4, 321.
 — — Sweet Fl. G. 17.
 — *angustifolium* Huds. et Sm. Engl. Bot. 6, 381.
 — — Lodd. Cab. 1543.
 — — Rchb. Fl. germ. 6, 329.
 — *arborescens* L. Bot. Mag. 7, 234.
 — — Sibth. Fl. gr. 305.
 — *ascyrisfolium* Sims. Bot. Mag. 27, 1087.
 — *aureum* W. et K. W. et Kit. 177.
 — *austriacum* L. Jacq. Fl. austr. 5, 416.
 — — Bot. Mag. 27, 1086.
 — *Beauharnaisianum* Spad. Spadoni Lino di Si-beria 1.

- Linum* Berendieri Hook. Bot. Mag. 63, 3480.
 — *caespitosum* Sibth. Sibth. Fl. gr. 306.
 — *campanulatum* L. Lodd. Cab. 1254.
 — *catharticum* L. Fl. dan. 5, 851.
 — — Curt. Lond. 1, 54.
 — — Engl. Bot. 6, 382.
 — — Woodv. Med. 5, 18.
 — — Sv. Bot. 250.
 — — Schk. Handb. 87.
 — — Hayne 8, 18.
 — — Dietr. Fl. bor. 2, 92.
 — *corymbiferum* Desf. Desf. Fl. atl. 80.
 — *cribrosum* Rchb. Rchb. Fl. germ. 6, 330.
 — *Cumingii* Lodd. Lodd. Cab. 1996.
 — *decumbens* Desf. Desf. Fl. atl. 79.
 — — Rchb. Fl. germ. 6, 332.
 — *diffusum* Schult. Rchb. Hort. 128.
 — *flavum* L. Bot. Mag. 9, 312.
 — — Jacq. Fl. austr. 3, 214.
 — — Sturm Flora 7, 26.
 — — Sweet Fl. G. II. 303.
 — *gallicum* L. Gerard Fl. gallopr. 16.
 — — Sibth. Fl. gr. 303.
 — *grandiflorum* Desf. Desf. Fl. atl. 78.
 — *hirsutum* L. Scop. Fl. carn. 1, 11.
 — — Jacq. Fl. austr. 1, 31.
 — — Sibth. Fl. gr. 302.
 — — Rchb. Fl. germ. 6, 333.
 — *hologynum* Rchb. Rchb. Fl. germ. 6, 331.
 — *hypericifolium* Salisb. Salisb. Parad. 79.
 — — Bot. Mag. 28, 1048.
 — *juncum* St. Hil. St. Hil. Fl. Bras. 26.
 — *laeve* Scop. Scop. Fl. carn. 1, 11.
 — *Lewisii* Mühlenb. Barton Fl. 1, 8.
 — *maritimum* L. Jacq. Vind. 154.
 — — Rchb. Fl. germ. 6, 334.
 — *mexicanum* H. B. K. Bot. Reg. 16, 1326.
 — *monogynum* Forst. Bot. Mag. 64, 3574.
 — — Sweet Fl. G. II. 270.
 — *montanum* Lodd. Lodd. Cab. 674.
 — *Mülleri* Moris. Moris Fl. sard. 23.
 — *mysorensis* Heyne. Wight Illustr. 60.
 — *narbonne* L. Lodd. Cab. 190.
 — — Rchb. Fl. germ. 6, 331.
 — *nervosum* W. et K. W. et Kit. 105.
 — — Rchb. Fl. germ. 6, 332.
 — *nodiflorum* L. Sibth. Fl. gr. 307.
 — *pallescent* Led. Ledeb. Ic. 142.
 † — *perenne* L. Gaertn. Carp. 112.
 † — — Lam. Encycl. 219.
 — — Engl. Bot. 1, 40.
 — *quadrifolium* L. Bot. Mag. 12, 431.
 — — Kerner Hort. 273.
 — *Radiola* L. Fl. dan. 1, 178.
 — — Sv. Bot. 652.
 — *setaceum* Brot. Brotero Phytogr. 41.
 — *sibiricum* DC. var. *Lewisii*, Bot. Reg. 14, 1163.
 — *Sibthorpium* M. et R. Mem. Genev. 8, 3.
 — *silvestre* Scop. Scop. Fl. carn. 1, 11.
 — *strictum* L. Sibth. Fl. gr. 304.
 — *suffruticosum* L. Cav. Ic. 108.
 — *tenuifolium* Desf. Desf. Fl. atl. 81.
 — *tenuifolium* L. Jacq. Fl. austr. 3, 215.
 — *trigynum* Sm. Smith Exot. Bot. 17.
 — — Bonpland Malm. 17.
 — — Bot. Mag. 27, 1100.
 — — Andr. Rep. 7, 449.
 — — Lodd. Cab. 1193.
 — — Paxt. Mag. 11, 51.
 — — Dict. sc. nat. 135.
 — — Herb. amat. 5, 290.
 — — Kerner Hort. 472.

- Linum trigynum* Sm. Savi Fl. ital. 2, 60.
 — *usitatissimum* L. Curt. Lond. 3, 40.
 — — — Woodv. Med. 3, 202.
 — — — Engl. Bot. 19, 1357.
 — — — Baxter Brit. Bot. 5, 353.
 † — — — Lam. Encycl. 219.
 † — — — Plée Types 18.
 — — — Dreves 3, 96.
 — — — Sturm Flora 7, 26.
 — — — Hayne 8, 17.
 — — — Guimpel et Schl. 78.
 — — — Nees Düsseld. 387.
 — — — Wagner 69.
 — — — Rchb. Fl. germ. 6, 329.
 — — — var. regale, Fl. d. serres 7, 710.
 † — — — Reissek Fasergewebe 1—9.
 † — — — Annalen d. Pharm. 1849, B. 4.
 — *venustum* Andr. Andr. Rep. 7, 477.
 — — — Kerner Hort. 826.
 — *virginianum* L. Meerburg Pl. sel. 15.
 — — — Rchb. Hort. 198.
 — — — Gray Genera 143.
 — *viscosum* L. Rchb. Fl. germ. 6, 333.
Liparia hirsuta Thunb. Lodd. Cab. 33.
 — — — Bot. Reg. 1, 8.
 — — — Rchb. Mag. 21.
 — *parva* Vogel. Bot. Mag. 69, 4034.
 — *sericea* L. Lady South Afr. 4.
 — *sphaerica* L. Bonpland Malm. 54.
 — — — Andr. Rep. 9, 568.
 — — — Bot. Mag. 31, 1241.
 — — — Lodd. Cab. 642.
 — — — Maund Bot. 2, 97.
 — *vestita* Thunb. Bot. Mag. 48, 2223.
 — — — Rchb. Exot. 144.
 — *villosa* Andr. Andr. Rep. 6, 382.
Liparis atropurpurea Ldl. Wight Ic. pl. Ind. or. 3, 904.
 — *biloba* Wight. Wight Ic. pl. Ind. or. 5, 1633.
 † — *densiflora* A. Rich. Ann. sc. nat. II. 15, 1.
 — *elata* Ldl. Bot. Reg. 14, 1175.
 — — — Lodd. Cab. 1558.
 — *elliptica* Wight. Wight Ic. pl. Ind. or. 5, 1735.
 — *foliosa* Ldl. Bot. Reg. 11, 882.
 — — — Bot. Mag. 54, 2709.
 — — — Lodd. Cab. 1097.
 — *guineensis* Ldl. Bot. Reg. 20, 1671.
 † — *Loeselii* Rich. Bauer Orchid. (Genera.) 2.
 — — — Baxter Brit. Bot. 6, 414.
 — — — Dietr. Fl. bor. 1, 15.
 † — — — Nees Genera 3, x.
 — *longipes* Ldl. Wall. Pl. asiat. 35.
 — — — Wight Ic. pl. Ind. or. 3, 906.
 — *odorata* Ldl. Rheed. Hort. mal. 12, 28.
 — *olivacea* Ldl. Wight Ic. pl. Ind. or. 3, 903.
 — *priochilus* Lodd. Lodd. Cab. 1751.
 — *ramosa* P. et E. Poepp. et Endl. 112.
 — *revoluta* Hook. Hook. Beechey 16.
 — *Walkeriae* Grah. Bot. Mag. 66, 3770.
 — — — Wight Ic. pl. Ind. or. 3, 908.
Lipochaeta amazonica P. et E. Poepp. et Endl. 256.
 — *umbellata* DC. Delessert Ic. 4, 36.
Lippaya telephioides Endl. Endl. Atacta 13.
Lippia americana L. Gil et Xuares 15.
 † — — — Houston Reliq. 12.
 † — — — Gaertn. Carp. 56.
 † — — — Lam. Encycl. 539.
 — *asperifolia* Rich. Rchb. Hort. 169.
 — *betulaefolia* H. B. K. Endl. Bras. 10, 38.
 — *Chamissonis* Dietr. Endl. Bras. 10, 37.
 — *hederaefolia* Mart. Endl. Bras. 10, 41.
 — *hemisphaerica* L. Jacq. Hist. stirp. am. 168.
 † — — — Lam. Encycl. 539.

- Lippia hirta* Schauer. Endl. Bras. 10, 37.
 — *lasiocalycina* Cham. Endl. Bras. 10, 39.
 — *lycioides* Steud. Endl. Bras. 10, 36.
 — *microcephala* Cham. Endl. Bras. 10, 38.
 — *nodiflora* Rich. Rivinus Opus ined. 39.
 — — — Wight Ic. pl. Ind. or. 4, 1463.
 † — — — Wight Illustr. 173⁶.
 — — — Belgique hort. 1, 17.
 — *purpurea* Armano: Jacq. Ecl. pl. 85.
 — *rhodocnemis* Mart. Endl. Bras. 10, 40.
 — *rotundifolia* Cham. Endl. Bras. 10, 39.
 — *stachyoides* Cham. Endl. Bras. 10, 37.
 — *umbellata* Cav. Cav. Ic. 194.
Liquidambar Altingiana Bl. Blume Java 2, 1. 2.
 — — — Nees Düsseld. Suppl. 36.
 † — *styraciflua* L. Gaertn. Carp. 90.
 — — — Schk. Handb. 307.
 — — — Nees Düsseld. 98.
 — — — Hayne 11, 25.
 — — — Guimpel et Schl. 148.
 — — — Michaux Arb. 3, 4.
 — — — Nouveau Duhamel 2, 10.
 † — — — Lam. Encycl. 783.
Liquiritia officinalis Moench. Nees Düsseld. 326.
 † *Liriodendrum* L. Kerner Genera 1:
 † — — — Gray Genera 24.
 — *liliifera* L. Rumpf Amb. 2, 69.
 — *Tulipifera* L. Gil et Xuares 2.
 — — — Mem. Ac. Berl. 1796, 3.
 † — — — Gaertn. Carp. 178.
 — — — Schk. Handb. 147.
 — — — Guimpel Fr. Holzgew. 29.
 — — — Bot. Mag. 8, 275.
 — — — Michaux Arb. 3, 5.
 — — — Nouveau Duhamel 3, 18.
 † — — — Lam. Encycl. 491.
 — — — Barton Med. 8.
 — — — Bigelow Med. 31.
 — — — Gray Genera 24.
Liriosma candida P. et E. Poepp. et Endl. 239.
 — *pauciflora* DC. Delessert Ic. 5, 41.
Lisianthus acutangulus R. et P. Ruiz et Pav. Fl. 122.
 — — — Bot. Mag. 73, 4324.
 — *alatus* Aubl. Aublet Guiana 80.
 — *alpestris* Mart. Mart. Bras. 171.
 — *amplissimus* Mart. Mart. Bras. 178.
 — *angustifolius* Mart. Mart. Bras. 178.
 — *calygonus* R. et P. Ruiz et Pav. Fl. 126.
 — — — Kerner Hort. 343.
 † — *carinatus* Lam. Lam. Encycl. 107.
 † — *chelonoides* L. Gaertn. Carp. 193.
 — *coerulescens* Aubl. Aublet Guiana 82.
 — — — Mart. Bras. 178.
 — *corymbosus* R. et P. Ruiz et Pav. Fl. 124.
 — *cuspidatus* Bert. Novi Comm. Bonon. 4, 38.
 — *daturoides* Griseb. Hook. Ic. pl. 2, 196.
 — *elegans* Mart. Mart. Bras. 177.
 — *frigidus*, Sw. Hook. Ic. pl. 2, 195.
 — *glaber* L. fil. Smith Ic. Linn. 29.
 — *glandulosus* A. Rich. Ramon Cuba 58.
 — *glaucifolius* Jacq. Jacq. Ic. 33.
 — *grandiflorus* Aubl. Aublet Guiana 81.
 — *inflatus* Mart. Mart. Bras. 174.
 † — *longifolius* L. Lam. Encycl. 107.
 — — — Bot. Reg. 11, 880.
 — *pendulus* Mart. Mart. Bras. 172.
 — *princeps* Ldl. Fl. d. serres 6, 557.
 — *pulcher* Hook. Bot. Mag. 75, 4424.
 — — — Fl. d. serres 5, 441.
 — *pulcherrimus* Mart. Mart. Bras. 176.
 — *purpurascens* Aubl. Aublet Guiana 79.
 † — — — Lam. Encycl. 107.

- Lisianthus revolutus* *Rz et P.* Ruiz et Pav. Fl. 127.
 — *Russellianus* *Hook.* Bot. Mag. 65, 3626.
 — — — *Maund* Bot. 3, 148.
 — — — *Paxt.* Mag. 6, 31.
 — — — *Hart.* Parad. 2, 1.
 — *splendens* *Hook.* Hook. Journal 1847, 8.
 † — — — *FL. d. serres* 4, 353.
 — *viridiflorus* *Mart.* Mart. Bras. 173.
 — *viscosus* *Rz et P.* Ruiz et Pav. Fl. 125.
Lissanthe daphnoides *R. Br.* Lodd. Cab. 466.
 — *sapida* *R. Br.* Bot. Reg. 15, 1275.
 — — — *Bot. Mag.* 59, 3147.
Lissoschilus parviflorus *Ldl.* Maund Bot. 4, 172.
 — *roseus* *Ldl.* Bot. Reg. 30, 12.
 — *speciosus* *R. Br.* Lindley Collect. 31.
 — — — *Bot. Reg.* 7, 573.
 — — — *Paxt. Mag.* 4, 25.
Listera convallarioides *Nutt.* Barton Fl. 2, 39.
 — — — *Hook.* Bor. Am. 205.
 — *cordata* *R. Br.* Curt. Lond. 4, 143.
 — — — *Lodd. Cab.* 532.
 — — — *Rchb. Fl. germ.* 13, 489.
 — *Eschscholtziana* *Cham.* Rchb. Fl. germ. 13, 478.
 — *nidus avis* *Hook.* Curt. Lond. 4, 58.
 — — — *Baxter Brit. Bot.* 5, 387.
 — *ovata* *R. Br.* Rivinus Orchid. 7.
 — — — *Curt. Lond.* 3, 20.
 — — — *Sturm Flora* 8, 29.
 † — — — *Nees Gen.* 3, x.
 — — — *Rchb. Ic. crit.* 6, 593.
 — — — *Rchb. Fl. germ.* 13, 479.
Litanthus pusillus *Harv.* Hook. Journal 1844, 9.
 † *Lithagrostis Lacryma Jobi* *Gaertn.* Gaertn. Carp. 1.
Lithocarpus javensis *Bl.* Blume Java 4, 20.
 † *Lithophila muscoides* *Sw.* Swartz Fl. Ind. occ. 1.
Lithospermum apulum *Vahl.* Sibth. Fl. gr. 158.
 — *arvense* *L.* Fl. dan. 3, 456.
 † — — — *Gaertn. Carp.* 67.
 — — — *Engl. Bot.* 2, 123.
 — — — *Sv. Bot.* 385.
 — — — *Dreves* 5, 149.
 — — — *Schrank Fl. monac.* 4, 307.
 — *calabrum* *Ten.* Tenore Fl. nap. 212.
 — *callosum* *Vahl.* Delessert Egypte 16.
 — *calycinum* *Moris.* Mem. Tur. 37, 22.
 — *canescens* *Lehm.* Bot. Mag. 74, 4389.
 — *chilense* *Colla.* Mem. Tur. 38, 40.
 † — *ciliatum* *Forsk.* Viviani Aeg. 2.
 — *cornutum* *Led.* Ledeb. Ic. 23.
 — *davuricum* *Lehm.* Sweet Fl. G. 121.
 — *decumbens* *Vent.* Vent. Cels 37.
 — *dichotomum* *Rz et P.* Ruiz et Pav. Fl. 111.
 — *dispermum* *L.* Linné Hort. ups. 1, 7.
 — *distichum* *Ortega.* Jacq. Fragn. 48.
 — *elongatum* *Decne.* Jacquemont Ind. 126.
 — *fruticosum* *L.* Brotero Phytogr. 155.
 — — — *Hoffm. Lk. Fl. port.* 21.
 — — — *Sibth. Fl. gr.* 161.
 — *graminifolium* *Viv.* Viviani Fl. ital. 5.
 — *hispidissimum* *Lehm.* Lehmann Asperif. 39.
 — *hispidulum* *Sibth.* Sibth. Fl. gr. 162.
 — — — *Lehmann Asperif.* 48.
 — *incisum* *Lehm.* Hook. Bor. Am. 168.
 — *incrassatum* *Guss.* Visiani Dalm. 23.
 — *latifolium* *Michx.* Jacq. Ecl. pl. 136.
 — *mandanense* *Spr.* Hook. Bor. Am. 166.
 — *maritimum* *Lehm.* Curt. Lond. 3, 64.
 — *micranthum* *Viv.* Viviani Lib. 1.
 — *obtusum* *Vis.* Visiani Aeg. 2.
 — *officinale* *L.* Fl. dan. 7, 1084.
 — — — *Woodv. Med.* 2, 105.
 — — — *Engl. Bot.* 2, 134.

- Lithospermum officinale* *L.* Sv. Bot. 177.
 † — — — *Gaertn. Carp.* 67.
 † — — — *Lam. Encycl.* 91.
 — — — *Dreves* 5, 148.
 — — — *Schk. Handb.* 29.
 — — — *Sturm Flora* 2, 5.
 — — — *Hayne* 6, 29.
 — — — *Nees Dusseld.* 185.
 † — — — *Schrader Asperif.* x.
 † — — — *Nees Gen.* 6, 61.
 — *orientale* *L.* Bot. Mag. 15, 515.
 — — — *Sibth. Fl. gr.* 160.
 — *ovalifolium* *Decne.* Jacquemont Ind. 124.
 — *Pallasii* *Led.* Ledeb. Ic. 23.
 — *prostratum* *Lois.* Loiseleur Fl. gall. 4.
 — *purpureo-coeruleum* *L.* Gmelin Reise 4, 18.
 — — — *Jacq. Fl. austr.* 1, 14.
 — — — *Curt. Lond.* 4, 12.
 — — — *Engl. Bot.* 2, 117.
 — — — *Lodd. Cab.* 1766.
 — — — *Baxter Brit. Bot.* 4, 301.
 — — — *Roemer Fl. eur.* 8, 1.
 — *rosmarinifolium* *Ten.* Tenore Fl. nap. 114.
 — — — *Bot. Reg.* 20, 1736.
 — *secundiflorum* *Decne.* Jacquemont Ind. 123.
 — *sibiricum* *Led.* Ledeb. Ic. 207.
 — *tenuiflorum* *L. fil.* Jacq. Ic. 313.
 — — — *Sibth. Fl. gr.* 159.
 — *tinctorium* *Rz et P.* Ruiz et Pav. Fl. 114.
 — — — *Vahl.* Vahl Symbolae 28.
 — — — *L. Andr. Rep.* 9, 576.
 — *villosulum* *Lehm.* Lehmann Asperif. 46.
 † *Litobrochia* *Presl.* Fée Fil. 5, 11.
 † — *Endlicheriana* *Hook.* Hook. Gen. Fil. 65.
 † — *hastata* *Presl.* Hook. Gen. Fil. 65.
Litsaea apetala *Pers.* Kerner Hort. 443.
 — *Baueri* *Endl.* Endl. Iconogr. 44.
 — *ceylanica* *N. v. E.* Nees Disp. Cinn. 5, 6.
 — — — *Wight Ic. pl. Ind. or.* 1, 132. 5, 1844.
 — *oblonga* *N. v. E.* Wight Ic. pl. Ind. or. 5, 1845.
Littaea geminiflora *Brign.* Tagliabue Storia x.
 — — — *Journ. sc. and arts* 2, 1.
Littonia modesta *Hook.* Bot. Mag. 79, 4723.
Littorella lacustris *L.* Curt. Lond. 5, 168.
 — — — *Engl. Bot.* 7, 468.
 — — — *Baxter Brit. Bot.* 4, 284.
 — — — *Sv. Bot.* 532.
 — — — *Lam. Encycl.* 758.
 — — — *Schk. Handb.* 287.
 — — — *Sturm Flora* 11, 41.
 — — — *Dietr. Fl. bor.* 3, 206.
 † — — — *Nees Gen.* 5, 1.
Livistona chinensis *Mart.* Mart. Palm. 146.
 — — — *Griffith Palms* 226^d.
 — *humilis* *R. Br.* Mart. Palm. 109—111.
 — *Jenkinsiana* *Griff.* Griffith Palms 226^{ab}.
 — *inermis* *R. Br.* Mart. Palm. 145. 146.
 — ? *Martii* *Gaudich.* Gandichaud Bonite 58. 59.
 † — *spectabilis* *Griff.* Mart. Palm. Z¹¹.
 — — — *Griffith Palms* 226^c.
 † *Llagunoa* *Rz et P.* Ruiz et Pav. Prodr. 28.
 — *glandulosa* *Walp.* Gay Chile 11.
Lloydia alpina *Salisb.* Rchb. Fl. germ. 10, 440.
 — *himalayensis* *Royle.* Royle Illustr. 93.
 — *kunawurensis* *Royle.* Royle Illustr. 93.
 — *longiscapa* *Hook.* Hook. Ic. pl. 9, 834.
 — *serotina* *Salisb.* Sturm Flora 7, 28.
 — — — *Rchb. Fl. germ.* 10, 440.
 † — — — *Nees Gen.* 2, 38.
Loasa acanthifolia *Lam.* Ann. Mus. 5, 3.
 — — — *Bot. Reg.* 10, 785.
 — *acerifolia* *Domb.* Ann. Mus. 5, 1.

- Loasa alba* Don. Sweet Fl. G. II. 192.
 — *ambrosiaefolia* Juss. Ann. Mus. 5, 4.
 — — Bot. Reg. 16, 1390.
 — *argemonoides* H. B. Humb. Pl. aeq. 15.
 — *atriplicifolia* Presl. Presl Symbolae 39.
 — *contorta* Lam. Lam. Encycl. 426.
 — — Ann. Mus. 5, 3.
 — *grandiflora* Domb. Ann. Mus. 5, 4.
 — — Dict. sc. nat. 213.
 — *Herbertii* Paxt. Paxt. Mag. 9, 269.
 — *hispida* L. Bot. Mag. 58, 3057.
 — *incana* Grah. Bot. Mag. 58, 3048.
 — *lateritia* Hook. Bot. Mag. 65, 3632.
 — — Bot. Reg. 24, 22.
 — — Paxt. Mag. 5, 77.
 — *multifida* Gay. Gay Chile 27.
 — *nitida* Lam. Ann. Mus. 5, 2.
 — — Bot. Mag. 50, 2372.
 — — Hook. Exot. Fl. 83.
 — — Sweet Fl. G. II. 195.
 — *palmata* Spr. Acta Leop. 13. 1, 12.
 — *pentlandica* Paxt. Paxt. Mag. 9, 7.
 — *Pentlandii* Paxt. Bot. Mag. 70, 4095.
 — *picta* Hook. Bot. Mag. 75, 4428.
 — — Fl. d. serres 5, 439.
 — *Placei* Ldl. Bot. Reg. 19, 1599.
 — — Bot. Mag. 60, 3218.
 — *ranunculifolia* H. B. Humb. Pl. aeq. 14.
 — *rupestris* Gardn. Hook. Ic. pl. 7, 663.
 — *sclareaefolia* Juss. Ann. Mus. 5, 1.
 — *tricolor* Ker. Bot. Reg. 8, 667.
 — *triloba* Domb. Ann. Mus. 5, 1.
 — *triphylla* Juss. Ann. Mus. 5, 5.
 — *urens* Jacq. Jacq. Obs. 38.
 — — Lam. Encycl. 426.
 — — Tratt. Archiv 55.
 — *volubilis* Domb. Ann. Mus. 5, 5.
 — *xanthiifolia* Juss. Ann. Mus. 5, 2.
 † *Lobadium* Gray. Gray Genera 160.
Lobelia dependens Planch. Hook. Journal 1847, 3.
Lobelia acuminata Sw. Tussac Ant. 3, 36.
 — — Kerner Hort. 834.
 — *alata* Lab. Bill. Nov. Holl. 72.
 † *amoena* Michx. Ann. Mus. 18, 1.
 — *Andropogon* Cav. Cav. Ic. 515.
 — *antisiphilitica* L. Hayne 13, 9.
 — *arabidoides* Hook. Hook. Beechey 66.
 — *arguta* Ldl. Bot. Reg. 12, 973.
 — *aromatica* Moen. Wight Ic. pl. Ind. or. 4, 1172.
 — *assurgens* L. Andr. Rep. 9, 553.
 — *barbata* Cav. Cav. Ic. 519.
 — *beslerioides* H. B. K. H. B. K. Nov. Gen. 3, 269.
 — *bicolor* Sims. Jacq. Fragm. 95.
 — — Bot. Mag. 15, 514.
 — *biserrata* Cav. Cav. Ic. 514.
 — *Bridgesii* H. et Arn. Bot. Mag. 65, 3671.
 — *campanulata* Cav. Cav. Ic. 517.
 — *campanuloides* Thunb. Bot. Reg. 9, 733.
 — *camporum* Pohl. Pohl Bras. 165.
 — *Caoutschuc* Humb. Berl. Jahrb. 1824, 1.
 — *cardinalis* L. Bot. Mag. 9, 320.
 — — Schk. Handb. 269.
 † — — Lam. Encycl. 724.
 — — Desc. Ant. 7, 466.
 — — Barton Med. 43.
 — — Torrey New York 64.
 — — γ. Milleri, Sweet Fl. G. II. 372.
 — *Cavanillesii* R. et Sch. Martius Auswahl 9.
 — — Bot. Mag. 64, 3600.
 — — Maund Bot. 5, 236.
 — *Cliffortiana* L. Linné Hort. Cliff. 26.
 — *coelestis* Don. Paxt. Mag. 15, 103.

- Lobelia coerulea* Sims. Bot. Mag. 53, 2701.
 — — Lodd. Cab. 1206.
 — *colorata* Sweet. Sweet Fl. G. II. 180.
 — *Columnae* L. Smith Ic. Linn. 22.
 — *comosa* Cav. Cav. Ic. 512.
 — — L. Schk. Handb. 269^b.
 — *cordigera* Cav. Cav. Ic. 523.
 — *coronopifolia* L. Bot. Mag. 17, 644.
 — — Andr. Rep. 5, 339.
 † — — Schk. Handb. 269.
 — — Rchb. Hort. 89.
 — *corymbosa* Sims. Bot. Mag. 53, 2693.
 — — Lodd. Cab. 1298.
 — *cuneifolia* Link. Link Ic. I. 39.
 — *cuneiformis* Lab. Bill. Nov. Holl. 73.
 — *debilis* Thunb. Rchb. Hort. 189.
 — *decumbens* Sims. Bot. Mag. 49, 2277.
 — *decurrens* Cav. Cav. Ic. 521.
 — — Bot. Reg. 22, 1842.
 — — Sweet Fl. G. II. 86.
 — *densiflora* Paxt. Paxt. Mag. 16, 66.
 — *dentata* Cav. Cav. Ic. 522.
 — *discolor* Link et Kl. Link Ic. III. 2.
 — *divaricata* Hook. Hook. Beechey 67.
 — *Dortmanna* L. Fl. dan. 1, 39.
 — — Lightf. Fl. scot. 1, 21.
 — — Engl. Bot. 2, 140.
 — — Curt. Lond. 5, 187.
 — — Sv. Bot. 452.
 — *erinoides* L. Bot. Mag. 64, 3609.
 † *Erinus* L. Schk. Handb. 269.
 — — Bot. Mag. 23, 901.
 — — var. Paxt. Mag. 10, 75.
 — *exaltata* Pohl. Pohl Bras. 166.
 — *excelsa* Bonpl. Bonpland Malm. 46.
 — — Lesch. Wight Spicil. 121—122.
 — — Wight Ic. pl. Ind. or. 4, 1173. 1174.
 — *fenestralis* Cav. Cav. Ic. 512.
 — — Bot. Reg. 24, 47.
 — *filiformis* Lam. Cav. Ic. 511.
 — *fulgens* Willd. Willdenow Hort. 85.
 — — Bonpland Malm. 7.
 — — Andr. Rep. 10, 659.
 — — Bot. Reg. 2, 165.
 — — Lodd. Cab. 1435.
 — — Paxt. Mag. 2, 52. 15, 7.
 — — Savi Fl. ital. 3, 90.
 — *Gaudichaudii* DC. Gaudichaud Bonite 45.
 — *gibbosa* Lab. Bill. Nov. Holl. 71.
 — *gigantea* Cav. Cav. Ic. 513.
 — — Sims. Bot. Mag. 32, 1325.
 — — Bot. Reg. 12, 973.
 — *glabrata* H. B. K. H. B. K. Nov. Gen. 3, 270.
 — *glandulosa* Walt. Bot. Reg. 32, 6.
 — *goodenioides* Willd. Willdenow Hort. 30.
 — *gracilis* Andr. Andr. Rep. 5, 340.
 — — Bot. Mag. 20, 741.
 — *gruina* Cav. Cav. Ic. 511.
 — *heterophylla* Lab. Bill. Nov. Holl. 74.
 — — Bot. Mag. 66, 3784.
 — — Bot. Reg. 23, 2014.
 — — Paxt. Mag. 6, 197. 9, 101.
 — — Fl. d. serres 1, 34.
 — *hirsuta* L. Andr. Rep. 7, 444.
 — *hirta* Cav. Cav. Ic. 520.
 — — L. Schk. Handb. 269^b.
 — *hypocrateriformis* R. Br. Bot. Mag. 58, 3075.
 — *ignea* Paxt. Paxt. Mag. 6, 247.
 — *ilicifolia* Sims. Bot. Mag. 44, 1896.
 † *inflata* L. Schk. Handb. 269.
 — — Nees Düssel. 205.
 — — Barton Med. 16.

- Lobelia inflata* L. Bigelow Med. 19.
 — — — Torrey New York 63.
 — — — Sweet Fl. G. 90.
 — — — Berg Darstellung 1^a.
 — *Kalmii* L. var. *gracilis*, Barton Fl. 1, 34.
 — — — Bot. Mag. 48, 2238.
 — *Kraussii* Grah. Bot. Mag. 57, 3012.
 — *laevigata* L. fil. Herb. amat. 3, 149.
 — *longiflora* L. Jacq. Vind. 27.
 — — — Bot. Mag. 52, 2563.
 — — — Bot. Reg. 14, 1209.
 — — — Tussac Ant. 4, 25.
 — — — Desc. Ant. 3, 156.
 — *longifolia* Jacq. Jacq. Hist. stirp. am. 200.
 — *lutea* L. Bot. Mag. 32, 1319.
 — *macrostachys* Hook. Gandichaud Bonite 46.
 — *micrantha* Hook. Hook. Exot. Fl. 44.
 — *minima* Sims. Bot. Mag. 46, 2077.
 — *minuta* L. Bot. Mag. 52, 2590.
 — *mucronata* Cav. Cav. Ic. 516.
 — — — Bot. Mag. 60, 3207.
 — *nana* H. B. K. H. B. K. Nov. Gen. 3, 272.
 — *nicotianaefolia* Heyne. Wight Illustr. 135.
 — *pedunculata* Sims. Bot. Mag. 48, 2251.
 — *persicifolia* Cav. Cav. Ic. 518.
 — *physaloides* Cunn. Hook. Ic. pl. 6, 555. 556.
 — *pinifolia* L. Andr. Rep. 4, 273.
 — — — Lam. Encycl. 724.
 — *polyphylla* Hook. et Arn. Bot. Mag. 64, 3550.
 — — — Sweet Fl. G. II. 242.
 — *propinqua* Paxt. Paxt. Mag. 2, 52.
 — *puberula* Michx. var. Bot. Mag. 61, 3292.
 — *pubescens* Ait. Jacq. Schoenbr. 2, 178.
 — — — Schk. Handb. 269^b.
 — *pulverulenta* Pers. Hook. Journal 1834, 131.
 — *pumila* Burm. Burmann Fl. ind. 60.
 — *purpurea* Ldl. Bot. Reg. 16, 1325.
 — — — Low. Bot. Reg. 17, 1445.
 — *pyramidalis* Wall. Bot. Mag. 50, 2387.
 — *racemosa* Sims. Bot. Mag. 47, 2137.
 — *ramosa* Benth. Maund Bot. 2, 93.
 — *rhizophyta* Link. Bot. Mag. 51, 2519.
 — *robusta* Grah. Bot. Mag. 59, 3138.
 — *rosea* Wall. Wall. Pl. asiat. 152.
 — *Salzmanniana* Presl. Presl Symbolae 20.
 — *senecioides* Cunn. Bot. Mag. 53, 2702.
 — *senegalensis* DC. Delessert Ic. 5, 10.
 — *sessilifolia* Lamb. Linn. Transact. 10, 6.
 — *setacea* Sibth. Sibth. Fl. gr. 221.
 — *speciosa* Sweet. Sweet Fl. G. II. 174.
 — *Speculum* Andr. Andr. Rep. 10, 644.
 — — — Bot. Mag. 36, 1499.
 — *splendens* Willd. Willdenow Hort. 86.
 — — — Kerner Hort. 332.
 — — — Bot. Reg. 1, 60.
 — — — var. Bot. Mag. 69, 4002.
 + — — — Spach Suites 109.
 — *surinamensis* L. Bot. Mag. 7, 225.
 — — — Andr. Rep. 8, 502.
 — — — Lodd. Cab. 749.
 — — — Bonpland Malm. 39.
 — — — Rchb. Exot. 280.
 — *syphilitica* L. Rivinus Opus ined. 95.
 — — — Jacq. Ic. 597.
 + — — — Schk. Handb. 269.
 — — — Woodv. Med. 2, 88.
 — — — Lam. Encycl. 724.
 — — — Dict. sc. nat. 80.
 — — — Desc. Ant. 7, 465.
 — — — Barton Med. 47.
 — — — Lodd. Cab. 955.
 — — — Bot. Reg. 7, 537.

- Lobelia syphilitica* L. var. *hybrida*, Bot. Mag. 64, 3604.
 — — — Petersb. 4, 10.
 — — — Torrey New York 62.
 — — — Nees Düssel. 206.
 + — — — Schnizl. Iconogr. 124.
 + — *Taccada Gaertn.* Gaertn. Carp. 25.
 — *tenella* Biv. Bivona Pl. sic. 1, 2.
 — *texensis* Rafn. Link Ic. III. 33.
 — *thapsoidea* Schott. Pohl Bras. 167.
 — — — Bot. Mag. 71, 4150.
 — *trichandra* Wight. Wight Ic. pl. Ind. or. 4, 1171.
 — *trigona* Roxb. Hook. Ic. pl. 4, 338.
 — — — Wight Spicil. 120.
 — — — Wight Ic. pl. Ind. or. 4, 1170.
 — *triphylla* Presl. Presl Symbolae 40.
 — *Tupa* L. Bot. Mag. 52, 2560.
 — — — Bot. Reg. 19, 1612.
 — — — Sweet Fl. G. 284.
 — *umbellata* H. B. K. H. B. K. Nov. Gen. 3, 268.
 — *unidentata* Dryand. Bot. Mag. 36, 1484.
 — — — Marnock Mag. 1841, 1.
 — *urens* L. Curt. Lond. 3, 10.
 — — — Engl. Bot. 14, 953.
 — — — Baxter Brit. Bot. 1, 79.
 — *variifolia* Sims. Bot. Mag. 41, 1692.
 — *volubilis* H. B. K. H. B. K. Nov. Gen. 3, 271.
 — *Westiniana* Thunb. Thunberg Pl. bras. 1.
 — — — Rchb. Hort. 80.
 + *Lobeliaceae* Juss. Schnizl. Iconogr. 124.
Loboptera subsessilis Colla. Mem. Tur. 10, (1849.) x.
 + *Lobostemon echioides* Lehm. Linnæa 5, 5.
Lobularia maritima Desv. Sturm Flora 12, 48.
 + — — — Nees Genera X, x.
Lockhartia elegans Hook. Bot. Mag. 54, 2715.
Loddigesia oxalidifolia Sims. Bot. Mag. 24, 965.
Lodhra crataegoides Decne. Jacquemont Ind. 110.
Lodoicea Sechellarum Lab. Sonnerat Voyage 3—7.
 — — — Ann. Mus. 9, 13.
 + — — — Kerner Genera 21—26.
 — — — Mart. Palm. 109. 122. X.
 — — — Bot. Mag. 54, 2734—2738.
 — — — Fl. d. serres 5, 523—526.
 + *Loeflingia* L. Gray Genera 106.
 — *caspiaca* Gm. Gmelin Reise 3, 35. fig. 1.
 — *hispanica* L. Svensk Acad. 1758, 1.
 — — — Loeffling Iter 1.
 — — — Cav. Ic. 94.
 + — — — Gaertn. Carp. 129.
 — — — Lam. Encycl. 29.
 — *pentandra* Cav. Cav. Ic. 148.
 — *squarrosa* Nutt. Gray Genera 106.
 — *texana* Hook. Hook. Ic. pl. 3, 285.
 + *Loeselia ciliata* L. Gaertn. Carp. 62.
 + — — — Lam. Encycl. 527.
 — — — Hagen Preussens Pfl. 1, 1.
Logania campanulata R. Br. Hook. Ic. pl. 9, 832.
 — *floribunda* R. Br. Lodd. Cab. 1118.
 — — — Endl. Iconogr. 87.
 + — — — Schnizl. Iconogr. 131.
 — *latifolia* R. Br. Sprengel Neue Entd. 1, 2.
 — *pusilla* R. Br. Endl. Iconogr. 58.
 + *Loganiaceae* R. Br. Wight Illustr. 156^b.
 + — — — Schnizl. Iconogr. 131.
 + *Logfia gallica* Coss. et G. Ann. sc. nat. II. 20, 13.
 + — — — Cossion Atlas 26.
Loiseleuria procumbens Desv. Dict. sc. nat. 71.
 + *Lolium* L. Linné Amoenit. 7, 2.
 + — — — Dumortier Gram. 2.
 + — — — Mutel Fl. fr. 91.
 ! — — — (Metamorphose en Festuca.) Annales d'obs. 4, 10.
 — *arvense* With. Engl. Bot. 16, 1125.

- Lolium arvense* *Wüh.* Knapp Gram. 102.
 — — — Sv. Bot. 593.
 — — — Fl. dan. 11, 1864.
 — — — Host Gram. 225.
 — — — Rchb. Fl. germ. 1, 4.
 — *Boucheanum* *Kth.* Humb. Gram. 220.
 — — — Rchb. Fl. germ. 7, 77.
 — *complanatum* *Schrad.* Rchb. Fl. germ. 1, 4.
 — *festucaceum* *Lk.* Rchb. Fl. germ. 1, 6.
 — *italicum* *A. Br.* Rchb. Fl. germ. 7, 77.
 — *linicola* *Sonder.* Engl. Bot. 2955.
 — *multiflorum* *Lam.* Rchb. Fl. germ. 1, 5.
 — *perenne* *L.* Schreber Gräser 37.
 — — — Fl. dan. 5, 747.
 — — — Sv. Bot. 71.
 — — — Curt. Lond. 4, 18.
 — — — Engl. Bot. 5, 315.
 — — — Baxter Brit. Bot. 2, 116.
 † — — — Lam. Encycl. 48.
 — — — Dict. sc. nat. 17.
 — — — Host Gram. 25.
 — — — Knapp Gram. 100.
 — — — Rchb. Fl. germ. 1, 6.
 † — — — Nees Gen. 1, 78.
 — *robustum* *Rchb.* Rchb. Fl. germ. 1, 4.
 — *subulatum* *Vis.* Visiani Dalm. 3.
 — *temulentum* *L.* Schreber Gräser 36.
 — — — Fl. dan. 1, 160.
 — — — Schk. Handb. 18.
 — — — Host Gram. 26.
 † — — — Lam. Encycl. 48.
 — — — Engl. Bot. 16, 1124.
 — — — Knapp Gram. 101.
 — — — Sv. Bot. 192.
 — — — Brandt und Ratzeb. 1.
 — — — Rchb. Fl. germ. 1, 6.
 † — — — Nees Gen. 1, 78.
 † *Lomagramma pteroides* *Sm.* Hook. Gen. Fil. 98.
Lomandra longifolia *Lab.* Bill. Nov. Holl. 119.
 — *rigida* *Lab.* Bill. Nov. Holl. 120.
 — — — Lam. Encycl. 936.
 † *Lomaria Willd.* Fée Fil. 5, 5.
 — *alpina* *R. Br.* Hook. Fl. ant. 180.
 — *brasiliensis* *Raddi.* Raddi Fil. 72, 72^b.
 † — *chilensis* *Kaulf.* Hook. Gen. Fil. 64.
 — *Colensoi* *Hook. fil.* Hook. Ic. pl. 7, 627 — 628.
 — *cycadifolia* *Colla.* Mem. Tur. 39, 71.
 — *euphlebia* *Kze.* Kunze Fil. 125.
 — *Fraseri* *Cunn.* Hook. Ic. pl. 2, 185.
 — *fraxinifolia* *Raddi.* Raddi Fil. 73.
 — *gibba* *Lab.* Bill. Sertum 4, 5.
 — *Gilliesii* *H. et Gr.* Hook. Ic. Fil. 2, 207.
 — *glauca* *Bl.* Kunze Fil. 138.
 — *hastata* *Kze.* Kunze Fil. 55.
 — *inflexa* *Kze.* Kunze Fil. 68.
 — *lanceolata* *Spr.* Hook. Ic. pl. 5, 429.
 — *L'Herminieri* *Bory.* Kunze Fil. 73.
 — *obtusata* *Lab.* Bill. Sertum 6.
 — *Patersonii* *Spr.* Kunze Fil. 34.
 — *procera* *Spr.* Richard Astrolabe 2.
 — — — var. Hook. Ic. pl. 5, 427, 428.
 — *pteropus* *Kze.* Kunze Fil. 46.
 — *pubescens* *Kze.* Kunze Fil. 55.
 — *pumila* *Decne.* Raoul Nouv. Zel. 2.
 — *punctata* *Bl.* Kunze Fil. 137.
 — *rotundifolia* *Decne.* Raoul Nouv. Zel. 2.
 — *Ryani* *Kaulf.* var. Kunze Analecta 12.
 — *scandens* *Willd.* Rheede Hort. mal. 12, 35.
 — — — Rumpf Amb. 6, 31.
 — *Schottii* *Colla.* Mem. Tur. 39, 72.
 — *Spicant* *Desv.* Newman p. 89, 90.
 † *Lomariobotrys Meyeriana* *Fée.* Fée Fil. 5, 5.

- Lomariopsis cochinchinensis* *Fée.* Fée Fil. 26.
 — *cuspidata* *Fée.* Fée Fil. 27.
 † — *erythroides* *Fée.* Fée Fil. 5, 1.
 — *leptocarpa* *Fée.* Fée Fil. 29.
 — *ludens* *Fée.* Fée Fil. 30.
 — *Prieuriana* *Fée.* Fée Fil. 25.
 — *recurvata* *Fée.* Fée Fil. 28.
 — *Smithii* *Fée.* Fée Fil. 33, 53.
 — *spinescens* *Fée.* Fée Fil. 33.
 — *variabilis* *Fée.* Fée Fil. 31, 32.
 † *Lomatia angustifolia* *Schnizl.* Schnizl. Ic. 2, 113.
 — *ilicifolia* *R. Br.* Bot. Mag. 69, 4023.
 — *longifolia* *R. Br.* Bot. Reg. 6, 442.
 — *silaifolia* *R. Br.* Bot. Mag. 31, 1272.
 — — — Herb. amat. 3, 144.
 — *tinctoria* *R. Br.* Bot. Mag. 70, 4110.
Lomatogonium carinthiacum *A. Br.* Sturm Flora 6, 22.
 † — *inodora* *Gaertn.* Gaertn. Carp. 168.
 † *Lonchitis L.* Fée Fil. 5, 11.
 — *aurita* *L.* Lam. Encycl. 868.
 — *glabra* *Sw.* Schlechtendal Fil. 27.
 — — *Bory.* Kunze Fil. 66.
 — *hirsuta* *L.* Schk. Fil. 2, 86.
 — *Lindeniana* *Hook.* Hook. Sp. Fil. 89.
 — *madagascariensis* *Hook.* Hook. Sp. Fil. 87.
 — *natalensis* *Hook.* Hook. Sp. Fil. 89.
 † — *pubescens* *Kaulf.* Schott Gen. Fil. 6.
 † — — — Hook. Gen. Fil. 68.
Lonchophora Capiomontiana *Durieu.* Explor. Alger. 72.
 — *Guyoniana* *Durieu.* Explor. Alger. 72.
Lonchostoma acutiflorum *Wikstr.* Svensk Acad. 1818, 9.
 † — *obtusiflorum* *Wikstr.* Svensk Acad. 1818, 9.
Longiphyllis Aub. Aubert Orchid. 97.
 † *Lonicera L.* Wight Illustr. 121.
 — *alpigena* *L.* Jacq. Fl. austr. 3, 274.
 — — — Nouveau Duhamel 1, 16.
 — — — Guimpel Holzgew. 10.
 † — — — Nees Gen. X, x.
 — *altaica* *Pall.* Pallas Fl. ross. 37.
 — *angustifolia* *Wall.* Journ. Hort. Soc. 3, 238.
 — *arborea* *Boiss.* Boissier Esp. 82.
 — *Aucherii* *Jaub.* Jaubert Illustr. 73.
 — *bicolor* *Klotzsch.* Prinz Waldem. Him. 71.
 — *biflora* *Desf.* Desf. Fl. atl. 52.
 — *bracteata* *Royle.* Royle Illustr. 13.
 — *Caprifolium* *L.* Jacq. Fl. austr. 4, 352.
 † — — — Lam. Encycl. 150.
 — — — Engl. Bot. 12, 799.
 — — — Dict. sc. nat. 105.
 — — — Hayne 2, 37.
 — — — Guimpel Holzgew. 6.
 — *caucasica* *Pall.* Jaubert Illustr. 72.
 — *chinensis* *Wats.* Watson Dendr. 2, 117.
 — — — Bot. Mag. 61, 3316.
 — *ciliata* *Mühlb.* Torrey New York 42.
 — *coerulea* *L.* Jacq. Fl. austr. 5, 17.
 — — — Nouveau Duhamel 1, 17.
 — — — Bot. Mag. 45, 1965.
 — — — Sv. Bot. 355.
 — — — Guimpel Holzgew. 11.
 † — — — Hoeven Tijdschr. 6, 5.
 — *connata* *Meerb.* Meerb. Pl. sel. 11.
 — *cyrenaica* *Viv.* Viviani Lib. 8.
 — *davurica* *Pall.* Pallas Fl. ross. 38.
 — *Diervilla L.* Linné Hort. Cliff. 7.
 — — — Nouveau Duhamel 1, 18.
 — — — Nees Dusseld. 263.
 — *dioica* *L.* Bot. Reg. 2, 138.
 — *discolor* *Ldl.* Bot. Reg. 33, 44.
 — *diversifolia* *Wall.* Hook. Ic. pl. 9, 807.
 — — — Bot. Reg. 30, 33.
 — *etrusca* *Santi.* Santi Viaggi 1, 1.

- Lonicera etrusca* *Santi*. *Regel Gartenfl.* 2, 38.
 — *flava* *Sims*. *Bot. Mag.* 32, 1318.
 — — — *Lodd. Cab.* 338.
 — — — *Herb. amat.* 3, 162.
 — *flexuosa* *Thunb.* *Bot. Reg.* 9, 712.
 — — — *Savi Fl. ital.* 3, 103.
 — — — *Lodd. Cab.* 1037.
 — *glauca* *Hill*. *Hill Hortus Kew.* 18.
 — — — *Meerburg Pl. sel.* 12.
 — *heterophylla* *Decne.* *Jacquemont Ind.* 88.
 — *hirsuta* *Eaton*. *Bot. Mag.* 58, 3103.
 — *hispidula* *Led.* *Ledeb. Ic.* 212.
 — *hypoleuca* *Decne.* *Jacquemont Ind.* 89.
 — *japonica* *Thunb.* *Andr. Rep.* 9, 583.
 — — — *Kerner Hort.* 717.
 — — — *Herb. amat.* 2, 132.
 — — — *Bot. Reg.* 1, 70.
 — *iberica* *M. v. B.* *Marschall Cent.* 13.
 — *implexa* *Ait.* *Bot. Mag.* 17, 640.
 — *involucrata* *Banks.* *Bot. Reg.* 14, 1179.
 — *Ledebourii* *Eschsch.* *Regel Gartenfl.* 1853, 64.
 — *Leschenaultii* *Wall.* *Wight Illustr.* 120.
 — *ligustrina* *Wall.* *Wight Spicil.* 91.
 — — — *Wight Ic. pl. Ind. or.* 3, 1025.
 — *longiflora* *DC.* *Bot. Reg.* 15, 1232.
 — *Loureirii* *Bl.* *Hook. Ic. pl.* 9, 806.
 — *macrogyne* *Klotzsch.* *Prinz Waldem. Him.* 72.
 — *media* *Murr.* *N. Comm. Gott.* 7, 3.
 — *microphylla* *Led.* *Ledeb. Ic.* 213.
 — *nigra* *L.* *Jacq. Fl. austr.* 4, 314.
 — — — *Guimpel Holzgew.* 8.
 — *numulariaefolia* *Jaub.* *Jaubert Illustr.* 70.
 — *oblongifolia* *Hook.* *Hook. Bor. Am.* 100.
 — *orientalis* *Lam.* *Jaubert Illustr.* 71.
 — *Pallasii* *Led.* *Ledeb. Ic.* 131.
 — *Periclymenum* *L.* *Fl. dan.* 6, 908.
 — — — *Curt. Lond.* 1, 23.
 — — — *Engl. Bot.* 12, 800.
 — — — *Baxter Brit. Bot.* 4, 287.
 — — — *Sv. Bot.* 140.
 — — — *Schk. Handb.* 40.
 — — — *Hayne* 2, 38.
 — — — *Guimpel Holzgew.* 7.
 — — — *Nees Gen. X, x.*
 — *persica* *Jaub.* *Jaubert Illustr.* 69.
 — *punicea* *Sims.* *Bot. Mag.* 51, 2469.
 — *pyrenaica* *L.* *Nouveau Duhamel* 1, 15.
 — *sempervirens* *L.* *Bot. Mag.* 20, 781. 42, 1753.
 — — — *β. minor*, *Bot. Reg.* 7, 556.
 — — — *Savi Fl. ital.* 3, 120.
 — — — *var.* *Regel Gartenfl.* 2, 38.
 — *splendida* *Boiss.* *Boissier Esp.* 81.
 — *tatarica* *L.* *Pallas Fl. ross.* 36.
 — — — *Jacq. Ic.* 37.
 — — — *Guimpel Fr. Holzgew.* 87.
 — — — *Bot. Reg.* 1, 31.
 — *Xylosteum* *L.* *Fl. dan.* 5, 808.
 — — — *Sibth. Fl. gr.* 223.
 — — — *Engl. Bot.* 13, 916.
 — — — *Sv. Bot.* 319.
 — — — *Schrank Fl. monac.* 2, 117.
 — — — *Guimpel Holzgew.* 9.
 — — — *Sturm Flora* 20, 93.
 — — — *Nees Gen. X, x.*
 — *zeylanica* *Gaertn.* *Gaertn. Carp.* 27.
 † *Lontarus domestica* *Gaertn.* *Gaertn. Carp.* 8.
 † *Lopezia* *Cav.* *Ann. Mus.* 3, 30.
 † — — — *Kerner Genera* 2.
 — — — *coronata* *Andr.* *Andr. Rep.* 8, 531.
 — — — *Jacq. Ecl. pl.* 110.
 — — — *Sweet Fl. G.* 108.
 — *hirsuta* *Jacq.* *Jacq. Collect.* 5, 15.

- Lopezia lineata* *Zucc.* *Bot. Reg.* 26, 40.
 — *macrantha* *Benth.* *Schw. Zeitschr. f. G.* 8, p. 25.
 — *macrophylla* *Benth.* *Bot. Mag.* 79, 4724.
 — — — *Fl. d. serres* 7, 709.
 — *mexicana* *Jacq.* *Jacq. Ic.* 203.
 — *miniata* *DC.* *Jacq. Ecl. pl.* 109.
 — *racemosa* *Cav.* *Cav. Ic.* 18.
 — — — *Bot. Mag.* 8, 254.
 † — — — *König Ann.* 1, 12.
 — — — *Bonpland Malm.* 25.
 — — — *Herb. amat.* 4, 275.
 † *Lophanthera Kunthiana* *Juss.* *Arch. Mus.* 3, 6.
 † *Lophanthus Forst.* *Forster Charact.* 14.
 † — — — *Lam. Encycl.* 143.
 — — — *anisatus* *Benth.* *Bot. Reg.* 15, 1282.
 — — — *nepetoides* *Benth.* *Rivinus Opus ined.* 38.
Lophatherum gracile *Brongn.* *Brongniart Coquille* 8.
Lophidium latifolium *Rich.* *Dict. sc. nat.* 93.
Lophiola aurea *Gawl.* *Bot. Mag.* 39, 1896.
 — — — *Lodd. Cab.* 1314.
 † *Lophira alata* *Gaertn.* *Gaertn. Carp.* 188.
 — — — *Guillemin Seneg.* 24.
Lophochloa phleoides *Rehb.* *Rehb. Fl. germ.* 1, 73.
 † — — — *Nees Gen.* 1, 63.
Lophogyne arcuifera *Tul.* *Arch. Mus.* 6, 8.
 — *helicandra* *Tul.* *Arch. Mus.* 6, 8.
Lopholaena californica *Hook.* *Hook. Beechey* 98.
 — *Dregeana* *DC.* *Delessert Ic.* 4, 59.
Lophopetalum Wightianum *Arn.* *Wight Ic. pl. Ind. or.* 1, 162.
 † *Lophophytum bolivianum* *Wedd.* *Ann. sc. nat. III.* 14, 10.
 — — — *mirabile* *Sch. et E.* *Schott et Endl. Melet.* 1.
 † — — — *Ann. sc. nat. III.* 14, 10.
Lophopterys splendens *Juss.* *Delessert Ic.* 3, 29.
 † — — — *Arch. Mus.* 3, 11.
 † *Lophosciadium* *DC.* *DC. Umbellifères* 2.
Lophospermum atrosanguineum *Zucc.* *Münchn. Abh.* 1, 13.
 — — — *erubescens* *Don.* *Bot. Reg.* 16, 1381.
 — — — *Maund Bot.* 5, 242.
 — — — *var.* *Paxt. Mag.* 8, 75.
 — *Rhodochiton* *Don.* *Sweet Fl. G. II.* 250.
 — *scandens* *Don.* *Bot. Mag.* 57, 3037. 3038. 65, 3650.
 — — — *Maund Bot.* 1, 17.
 — — — *Chavannes Antirrh.* 1.
 — — — *Sweet Fl. G. II.* 68. 401.
Lophostachys floribunda *Pohl.* *Pohl Bras.* 162.
 — *sessilifolia* *Pohl.* *Pohl Bras.* 163.
 — *villosa* *Pohl.* *Pohl Bras.* 161.
Lophostylis angustifolia *Hochst.* *Richard Abyssin.* 10.
 — *pallida* *Klotzsch.* *Peters Mossamb.* 22.
Lopimia malacophylla *Mart.* *Bot. Mag.* 74, 4368.
 — — — *Fl. d. serres* 4, 350.
 † *Loranthaceae* *Ldl.* *Schnizl. Iconogr.* 166.
 † *Loranthus* *L. (Ovulum.)* *Linn. Transact.* 18, 4—9.
 — — — 19, 19. 20. 21.
 † — — — *Ann. sc. nat. II.* 11, 3.
 † — — — *Wight Illustr.* 122.
 — *Acaciae* *Zucc.* *Münchn. Abh.* 3, 2.
 — *acutifolius* *Rz et P.* *Ruiz et Pav. Fl.* 274.
 — *albiflorus* *Hook.* *Hook. Ic. pl.* 7, 683.
 — *americanus* *Jacq.* *Jacq. Hist. stirp. am.* 98.
 — — — *Lam. Lam. Encycl.* 258.
 — — — *Desc. Ant.* 6, 390.
 — *amplexifolius* *DC.* *Wight Ic. pl. Ind. or.* 1, 301.
 — *atropurpureus* *Bl.* *Blume Java* 8, 1.
 — *bicolor* *Roxb.* *Roxb. Corom.* 139.
 — — — *Kerner Hort.* 441.
 — *budleoides* *Desr.* *Lam. Encycl.* 258.
 — *calyculatus* *DC.* *DC. Loranthaceae* 10.
 — *Candolleanus* *Wight et Arn.* *Wight Ic. pl. Ind. or.* 1, 305.

Loranthus capitellatus Wight et Arn. Wight Ic. pl. Ind. or. 1, 304.

- *carinatus* Wall. DC. Lorantheae 3.
- *chinensis* DC. DC. Lorantheae 7.
- *chrysanthus* Bl. Blume Java 8, 5.
- *cinnamomeus* Wall. DC. Lorantheae 6.
- *coccineus* Jack. Hook. Bot. Misc. 58.
- *Colensoi* Hook. fil. Hook. Ic. pl. 7, 633.
- *congener* Sieb. DC. Lorantheae 2.
- *cucullaris* Lam. Journ. d'hist. nat. Par. 1, 23.
- *cuneatus* Heyne. Hook. Companion 13.
- *cuneifolius* R. et P. Ruiz et Pav. Fl. 276.
- *curvatus* Bl. Blume Java 8, 13.
- *dichotomus* R. et P. Ruiz et Pav. Fl. 274.
- — Kerner Hort. 261.
- *dodoneaeifolius* DC. DC. Lorantheae 9.
- *elasticus* Desr. Rheede Hort. mal. 10, 3.
- — Wight Ic. pl. Ind. or. 2, 343.
- *ellipticus* R. et P. Ruiz et Pav. Fl. 276.
- *Euphorbiae* Wight. Wight Ic. pl. Ind. or. 3, 1063.
- *europaeus* L. Jacq. En. vind. 3.
- — Jacq. Fl. austr. 1, 30.
- — Schk. Handb. 99.
- — Sturm Flora 9, 34.
- — Wagner 96.
- *evenius* Bl. Blume Java 8, 16.
- *farinosus* Desr. DC. Lorantheae 4.
- *fasciculatus* Bl. Blume Java 8, 6.
- *ferrugineus* Roxb. Hook. Bot. Misc. 59.
- *flavidus* Hook. Hook. New Zeal. 27.
- *floribundus* Lab. Bijl. Nov. Holl. 113.
- *formosus* Bl. Blume Java 8, 15.
- *fuscus* Bl. Blume Java 8, 7.
- *glaucus* Thunb. Ruiz et Pav. Fl. 275.
- *grandiflorus* R. et P. Ruiz et Pav. Fl. 273.
- — Kerner Hort. 466.
- *heterophyllus* R. et P. Ruiz et Pav. Fl. 273.
- *indicus* Desr. Lam. Encycl. 238.
- *Kanneli* W. et A. Rheede Hort. mal. 10, 5.
- *lageniferus* Wight. Wight Ic. pl. Ind. or. 1, 306.
- — Hook. Ic. pl. 3, 229, 230.
- *lanceolatus* R. et P. Ruiz et Pav. Fl. 278.
- *Pal. B.* Pal. B. Fl. d'Oware 64.
- *lepidotus* Bl. Blume Java 8, 8.
- *leptanthus* Wall. DC. Lorantheae 5.
- *longiflorus* Desr. Rheede Hort. mal. 10, 4.
- — Wight Ic. pl. Ind. or. 1, 302.
- *longifolius* Hook. Hook. Ic. pl. 9, 880.
- *loniceroides* L. Rheede Hort. mal. 7, 29.
- — Wight Ic. pl. Ind. or. 1, 303.
- *macranthus* Hook. Hook. Ic. pl. 8, 743, 744.
- *macrophyllus* Zenk. Zenker Pl. ind. 16.
- *maculatus* Bl. Blume Java 8, 13.
- *marginatus* H. B. K. H. B. K. Nov. Gen. 3, 299.
- *memecylifolius* Wight et Arn. Wight Ic. pl. Ind. or. 1, 142.
- *microphyllus* H. B. K. H. B. K. Nov. Gen. 3, 300.
- *mutabilis* P. et E. Poepp. et Endl. 183.
- *neilgherrensis* W. et A. Zenker Pl. ind. 17.
- — Wight Spicil. 88.
- — Wight Ic. pl. Ind. or. 3, 1020.
- *obovatus* Bl. Blume Java 8, 9.
- *obtusatus* Wall. Wight Illustr. 119.
- *ovalifolius* R. et P. Ruiz et Pav. Fl. 277.
- *parviflorus* Lam. Dict. sc. nat. 108.
- *pendulus* Sieb. DC. Lorantheae 1.
- *Pentagonia* DC. DC. Lorantheae 8.
- *pentandrus* L. Blume Java 8, 10, 11.
- *pentapetalus* Roxb. Wall. Pl. asiat. 225.
- — Blume Java 8, 14, 23.
- *Poeppigii* DC. Poepp. et Endl. 184.
- *praelongus* Bl. Blume Java 8, 12.

Loranthus punctatus R. et P. Ruiz et Pav. Fl. 277.

- *repandus* Bl. Blume Java 8, 3.
- *retroflexus* R. et P. Ruiz et Pav. Fl. 279.
- *ruficaulis* P. et E. Poepp. et Endl. 185.
- *sarmentosus* R. et P. Ruiz et Pav. Fl. 278.
- *Schiedeanus* Schlecht. Hook. Ic. pl. 4, 374.
- *Schultesii* Bl. Blume Java 8, 2.
- *Scurrula* L. Roxb. Corom. 140.
- *sessilifolius* Pal. B. Pal. B. Fl. d'Oware 63.
- — Rchb. Exot. 278.
- *sphaerocarpus* Bl. Blume Java 8, 17, 23.
- *sphenoides* Bl. Blume Java 8, 4.
- *spicatus* L. Jacq. Hist. stirp. am. 99.
- *subumbellatus* Bl. Blume Java 8, 18.
- *tetragonus* Bl. Blume Java 8, 19.
- *tetrandrus* R. et P. Ruiz et Pav. Fl. 275.
- *tomentosus* Heyne. Wight Ic. pl. Ind. or. 2, 378.
- *uniflorus* L. Jacq. Hist. stirp. am. 100.
- *vestitus* Wall. Wall. Pl. asiat. 230.
- *Wallichianus* Schult. Wight Ic. pl. Ind. or. 1, 143.
- † *Lorinseria arceolata* Presl. Fée Fil. 5, 17.
- † *Loroglossum hircinum* Rich. Nees Gen. 3, x.
- † *Loteae* DC. (Germinatio.) DC. Legum. 5 — 11.
- Lotus albidus* Lodd. Lodd. Cab. 1063.
- — Maund Bot. 5, 211.
- *ampylociadus* Webb. Webb Canar. 62.
- *anthylloides* Vent. Vent. Malm. 92.
- *arabicus* L. Russell Aleppo 14.
- — Jacq. Vind. 155.
- *arenarius* Brot. Bot. Rég. 18, 1488.
- *aurantiacus* Boiss. Boissier Esp. 53.
- *australis* Andr. Andr. Rep. 10, 624.
- — Bot. Mag. 33, 1365.
- *biflorus* Desf. Desf. Fl. atl. 210.
- *Broussonetii* Choisy. Webb Canar. 57.
- *Brunneri* Webb. Hook. Niger Fl. 3.
- — Hook. Ic. pl. 8, 754.
- *conimbricensis* Brot. Brotero Phytogr. 53.
- *corniculatus* L. Fl. dan. 6, 991, 12, 1995.
- — Sv. Bot. 334.
- — Curt. Lond. 2, 136.
- — Engl. Bot. 30, 2090.
- — Baxter Brit. Bot. 4, 249.
- — Schrank Fl. monac. 3, 279.
- — Dietr. Fl. bor. 7, 486.
- † — — Cosson Atlas 11.
- ! — — Morren Fuchsia 9.
- *creticus* L. Cav. Ic. 156.
- — Sibth. Fl. gr. 758.
- — Rchb. Hort. 50.
- *cytisoides* L. All. Fl. ped. 3, 20.
- *diffusus* Sm. Sibth. Fl. gr. 757.
- — Engl. Bot. 13, 925.
- *Dioscoridis* All. All. Fl. ped. 3, 59.
- *Dorycnium* L. Sibth. Fl. gr. 760.
- *edulis* L. Cav. Ic. 157.
- — Sibth. Fl. gr. 756.
- *eripithalmus* Webb. Webb Canar. 59.
- *Gebelia* Vent. Vent. Cels 57.
- *glaucus* Ait. Webb Canar. 61.
- *gracilis* W. et K. W. et Kit. 229.
- *hirsutus* L. Bot. Mag. 10, 336.
- — Sibth. Fl. gr. 759.
- *hispidus* Desf. Loiseleur Fl. gall. 16.
- — Lois. Engl. Bot. 2823.
- *holosericeus* Webb. Webb Canar. 63.
- *jacobaeus* L. Bot. Mag. 3, 79.
- *major* Scop. Engl. Bot. 30, 2691.
- † — — Cosson Atlas 11.
- *maritimus* L. Fl. dan. 5, 800.
- — Sv. Bot. 448.
- *microphyllus* Hook. Bot. Mag. 55, 2808.

- Lotus odoratus* Donn. Bot. Mag. 30, 1233.
 — *ornithopodioides* L. Cav. Ic. 163.
 — — Schk. Handb. 211.
 — *parviflorus* Desf. Desf. Fl. atl. 211.
 — — DC. Ic. Gall. 30.
 — *pedunculatus* Cav. Cav. Ic. 164.
 — *persicus* Burm. Burmann Fl. ind. 49.
 — *pinnatus* Hook. Bot. Mag. 56, 2913.
 † *platycarpus* Viv. Viviani Aeg. 2.
 — *purpureus* Webb. Hook. Ic. pl. 8, 757.
 — — Hook. Niger Fl. 6.
 — *pusillus* Viv. Viviani Lib. 17.
 — *secundiflorus* Viv. Viviani Lib. 21.
 — *sessilifolius* DC. Webb Canar. 60.
 — *siliquosus* L. Jacq. Fl. austr. 4, 361.
 † — — Gaertn. Carp. 153.
 † — — Lam. Encycl. 611.
 — *spartioides* Webb. Webb Canar. 64.
 — *subpinnatus* Lag. Hook. Beechey 8.
 — *tenuis* W. et K. Engl. Bot. 2615.
 — *tetragonolobus* L. Bot. Mag. 5, 151.
 — — Sibth. Fl. gr. 753.
 — *tetraphyllus* L. Mem. Mus. 14, 15.
 — *trigonelloides* Webb. Webb Canar. 65.
 — *uliginosus* Hoffm. Fl. dan. 9, 1521.
 — — Dietr. Fl. bor. 7, 487.
 — *unibracteatus* Viv. Viviani Lib. 18.
Louichea Pteranthus L'her. L'her. Stirp. 65.
Lourea Vesperilionis Desv. Wight Ic. pl. Ind. or. 1, 285.
Loureira Cav. Bull. philom. 1800. no. 25.
 — *cuneifolia* Cav. Cav. Ic. 429.
 — *glandulosa* Cav. Cav. Ic. 430.
Lowea berberifolia Ldl. Bot. Reg. 15, 1261.
 — — Rehb. Exot. 341.
Loxanthera speciosa Bl. Blume Java 8, 20, 23.
Loxodon chilensis DC. Gay Chile 36.
 † *Loxogramme lanceolata* Presl. Hook. Gen. Fil. 73.
Loxonia acuminata R. Br. Bennett Java 25.
 † — — Wight Illustr. 159^b.
Loxostylis alata Spr. Rehb. Hort. 205.
Loxotis obliqua R. Br. Bennett Java 24.
Loxsoma Cunninghamii R. Br. Hook. Companion 31, 32.
 — — Hook. Gen. Fil. 15.
 † *Lubinia atropurpurea* Link. Link Ic. I. 27.
 — — Sweet Fl. G. II. 34.
 — *spatulata* Vent. Vent. Cels 96.
Lucaea gracilis Kth. Humb. Gram. 159.
Lucilia chilensis H. et A. Poepp. et Endl. 258.
Luciola sudetica Sm. Johnston Fl. of Berwick 1, 2.
Luculia gratissima Sweet. Sweet Fl. G. 145.
 — — Maund Bot. 1, 41.
 — — Lodd. Cab. 1919.
 — — Bot. Mag. 68, 3946.
 — — Hart. Parad. 1, 9.
 — *Pinciana* Hook. Bot. Mag. 71, 4132.
 — — Fl. d. serres 1, 11.
 † *Lucuma domingense* Gaertn. fil. Gaertn. Carp. 204.
 † — *mammosum* Gaertn. fil. Gaertn. Carp. 203, 204.
 — — Desc. Ant. 2, 104.
 † — *pallidum* Gaertn. fil. Gaertn. Carp. 204.
 † — *Rivicoa* Gaertn. fil. Gaertn. Carp. 204.
Ludia heterophylla Lam. Lam. Encycl. 466.
 — — Bory des d'Afrique 24.
 — *myrtifolia* Lam. Lam. Encycl. 466.
 — *tuberculata* Jacq. Jacq. Schoenbr. 1, 112.
Ludovia funifera Poit. Mem. Mus. 9, 1.
 — *latifolia* Pers. Bot. Mag. 56, 2950, 2951.
Ludwigia alternifolia L. Trew Pl. rar. 2.
 † — — Gaertn. Carp. 31.
 † — — Lam. Encycl. 77.
 — *diffusa* Ham. Rheede Hort. mal. 2, 49.
 — *jussieuoides* Lam. DC. Onagrariées 3.

- Ludwigia macrocarpa* Michx. Barton Fl. 1, 14.
 — *parviflora* Roxb. Wight Illustr. 101.
 — *prostrata* Roxb. Wight Ic. pl. Ind. or. 3, 762.
 — *repens* Sw. Swartz Ic. Ind. occ. 8.
 — *sphaerocarpa* Ell. Torrey New York 29.
Luehea divaricata Mart. Mart. Bras. 63.
 — — St. Hil. Fl. Bras. 58.
 — — Rehb. Exot. 353.
 — *grandiflora* Mart. Mart. Bras. 61.
 — *macrophylla* Pohl. Pohl Bras. 186.
 — *microphylla* Pohl. Pohl Bras. 187.
 — *paniculata* Mart. Mart. Bras. 62.
 — — St. Hil. Pl. usuelles 66.
 — *platypetala* A. Rich. Ramon Cuba 23.
 — *rufescens* St. Hil. St. Hil. Fl. Bras. 58.
 — *speciosa* Willd. Neue Schr. naturf. Fr. 3, 5.
 — *uniflora* St. Hil. St. Hil. Fl. Bras. 57.
Luetkea sibbaldioides Bong. Acad. Pet. 2, 2.
Luffa acutangula Roxb. Rheede Hort. mal. 8, 7.
 — *Cattu-picinna* DC. Rheede Hort. mal. 8, 8.
 — *foetida* Cav. Cav. Ic. 9, 10.
 — — Bot. Mag. 40, 1638.
 — *pentandra* Roxb. Wight Ic. pl. Ind. or. 2, 499.
 † — — Wight Illustr. 105^{bis}.
Lugoa revoluta DC. Webb Canar. 88.
Luisia teretifolia Gaudich. Freycinet Voyage 37.
 — — Blume Rumphia 194, 197.
Lumnitzera racemosa Willd. Rheede Hort. mal. 6, 37.
Lunania racemosa Hook. Hook. Journal 1844, 11, 12.
 † *Lunaria* L. Medicus Gatt. 2.
 — *annua* L. Schk. Handb. 182.
 — — Sv. Bot. 478.
 † — — Lam. Encycl. 561.
 † — — Mem. Instit. 1830, 9.
 — — Dict. sc. nat. 183.
 — *argentea* All. All. Fl. ped. 3, 54.
 — *biennis* Moench. Fl. dan. 11, 1880.
 — — Sturm Flora 12, 48.
 — — Rehb. Fl. germ. 2, 23.
 † — — Nees Gen. X, x.
 — *halimifolia* All. All. Fl. ped. 3, 54, 86.
 — *libyca* Viv. Viviani Lib. 16.
 — *parviflora* Delile. Delile Egypte 35.
 † — *rediviva* L. Gaertn. Carp. 142.
 — — Rousseau Bot. 12.
 † — — Lam. Encycl. 561.
 — — Sturm Flora 12, 48.
 — — Rehb. Fl. germ. 2, 23.
 — — Fl. dan. 13, 2241.
 † — *Ricotia* Gaertn. Gaertn. Carp. 142.
 — *suffruticosa* Vent. Vent. Cels 19.
Lundia asuminata Decne. Revue hortic. 1853, 12.
Lupinaster Ecklonianus Presl. Presl Symbolae 32.
 — *macrocephalus* Pursh. Pursh Fl. 23.
Lupinus albifrons Benth. Bot. Reg. 19, 1642.
 † — *albus* L. Schk. Handb. 198.
 † — — Lam. Encycl. 616.
 — — Memorie Valdarnesi 3, 1.
 — *angustifolius* L. Sibth. Fl. gr. 685.
 — *arboreus* Sims. Bot. Mag. 18, 682.
 — — Bot. Reg. 24, 32.
 — *arbustus* Dougl. Bot. Reg. 15, 1230.
 — *arenarius* Gardn. Hook. Ic. pl. 6, 511.
 — *aridus* Dougl. Bot. Reg. 15, 1242.
 — *arvensis* Benth. Bot. Reg. 30, 1.
 — *Barkeri* Ldl. Bot. Reg. 25, 56.
 — — Knowles et Westcott 122.
 — *bicolor* Ldl. Bot. Reg. 13, 1109.
 — *bimaculatus* Hook. Sweet Fl. G. II. 314.
 — *canaliculatus* Sweet. Sweet Fl. G. 283.
 — *concinus* Ag. Agardh Lupinus 1.
 — *Cruckshanksii* Hook. Bot. Mag. 58, 3056.

- Lupinus densiflorus* Benth. Bot. Reg. 20, 1689.
 — *digitatus* Forsk. Visiani Aeg. 5.
 — *Ehrenbergii* Schlecht. Bot. Reg. 33, 11.
 — *elegans* H. B. K. Bot. Reg. 19, 1881.
 — *gracilis* H. B. Humb. Mim. 52.
 — — *Agardh*. Agardh Lupinus 1.
 — *Hartwegii* Ldl. Bot. Reg. 25, 31.
 — — Lem. Jard. fl. 100.
 — *hirsutus* L. Moris Fl. sard. 72.
 — *Hornemanni* Agardh. Agardh Lupinus 2.
 — *incanus* Grah. Bot. Mag. 60, 3283.
 — *latifolius* Agardh. Bot. Reg. 22, 1891.
 — *laxiflorus* Dougl. Bot. Reg. 14, 1140.
 — *lepidus* Dougl. Bot. Reg. 14, 1149.
 — — Lodd. Cab. 1980.
 — *leptocarpus* Benth. Bot. Reg. 26, 38.
 — *leptophyllus* Benth. Bot. Reg. 20, 1670.
 — *leucophyllus* Dougl. Bot. Reg. 13, 1124.
 — *linifolius* Roth. Roth Abhandl. 5.
 — *litoralis* Dougl. Bot. Mag. 56, 2952.
 — — Bot. Reg. 14, 1198.
 — *luteus* L. Schk. Handb. 198.
 — — Bot. Mag. 4, 140.
 — — Sibth. Fl. gr. 686.
 — *macrophyllus* Benth. Sweet Fl. G. II. 356.
 — *Marshallianus* Sweet. Sweet Fl. G. II. 139.
 — *mexicanus* Lag. Bot. Reg. 6, 457.
 — *micranthus* Dougl. Bot. Reg. 15, 1251.
 — *microcarpus* Sims. Bot. Mag. 50, 2413.
 — *mutabilis* Sweet. Sweet Fl. G. 130.
 — — var. β . Sweet Fl. G. II. 203.
 — — Bot. Mag. 53, 2682.
 — — Bot. Reg. 18, 1539.
 — *nanus* Dougl. Hort. Transact. 8, 14.
 — — Benth. Bot. Reg. 20, 1705.
 — — Sweet Fl. G. II. 257.
 — *nootkatensis* Donn. Bot. Mag. 32, 1311. 47, 2136.
 — — Lodd. Cab. 897.
 — *nubigenus* H. B. Humb. Mim. 50.
 — *ornatus* Dougl. Bot. Reg. 14, 1216.
 — — Sweet Fl. G. II. 212.
 — *parvifolius* Gardn. Hook. Ic. pl. 6, 521.
 — *perennis* L. Bot. Mag. 6, 202.
 — — Herb. amat. 2, 139.
 — — Barton Fl. 2, 38.
 — *pilosus* L. Sibth. Fl. gr. 684.
 — *plumosus* Dougl. Bot. Reg. 15, 1217.
 — *polyphyllus* Ldl. Bot. Reg. 13, 1096.
 — — var. *albiflorus*, Bot. Reg. 16, 1377.
 — — Rchb. Exot. 176.
 — *pubescens* Benth. Lem. Jard. fl. 100.
 — *pulchellus* Sweet. Sweet Fl. G. II. 67.
 — *ramosissimus* Benth. Bot. Reg. 31, 25.
 — *rivularis* Dougl. Bot. Reg. 19, 1595.
 — *Sabinianus* Dougl. Bot. Reg. 17, 1435.
 — *Smithianus* H. B. Humb. Mim. 51.
 — *subcarneus* Hook. Bot. Mag. 63, 3467.
 — *texensis* Hook. Bot. Mag. 63, 3492.
 † — *Thermis* Gasp. Acad. Neap. 6, (1851.) x.
 — *tomentosus* DC. Sweet Fl. G. 261.
 — *trifoliatus* Cav. Cav. Ic. 59.
 — *variegatus* Poir. Rchb. Mag. 20.
 † — *varius* L. Gaertn. Carp. 150.
 † — — Lam. Encycl. 616.
 † — — Mem. Instit. 1830, 10.
 † — — Ann. sc. nat. III. 18, 16.
 — *versicolor* Ldl. Bot. Reg. 23, 1979.
 — — Sweet Fl. G. II. 12.
 — *villosus* Willd. Pursh Fl. 21.
 † *Lupulus communis* Gaertn. Gaertn. Carp. 75.
Luteola complicata Webb. Webb Otia 14.
Luvunga scandens Hamilt. Bot. Mag. 76, 4522.

- Luvunga scandens* Hamilt. Lem. Jard. fl. 78.
Luxemburgia ciliosa Gardn. Bot. Mag. 70, 4048.
 — — Paxt. Mag. 11, 3.
 — — Hook. Ic. pl. 6, 516.
 — *corymbosa* St. Hil. Mem. Mus. 12, 4.
 — — St. Hil. Pl. rem. 30.
 — *speciosa* St. Hil. Mem. Mus. 12, 3.
 — — St. Hil. Pl. rem. 29.
Luziola brasiliensis Moric. Moricand Pl. Am. 60.
 — *peruviana* Juss. Meyer Essequibo 2.
 † *Luzula Desvauz.* Linn. Transact. 12, 9.
 † — — Desvauz Journal 1, 5—6.
 — *albida* Desv. Sturm Flora 9, 36.
 — — Rchb. Fl. germ. 9, 385. 386.
 — — Fl. dan. 14, 2467.
 — *alpina* Hoppe. Sturm Flora 18, 77.
 — *arcuata* Wahlenb. Curt. Lond. 5, 151.
 — — Hook. Engl. Bot. 2688.
 — — Sm. Rchb. Fl. germ. 9, 378.
 — *campestris* Desv. Curt. Lond. 2, 7.
 — — Baxter Brit. Bot. 5, 379.
 — — Sturm Flora 18, 77.
 — — Rchb. Fl. germ. 9, 375. 376.
 † — — Nees Gen. 2, 28.
 — — Spach Suites 113.
 — *canariensis* Poir. Webb Canar. 237.
 — *congesta* Hornem. Fl. dan. 10, 1692.
 — — Lejeune. Engl. Bot. 2718.
 — — Rchb. Fl. germ. 9, 376.
 — *crinita* Hook. Hook. Fl. ant. 48.
 — *decolor* Webb. Webb Canar. 235.
 — *flavescens* Gaud. Sturm Flora 18, 77.
 — — Rchb. Fl. germ. 9, 383.
 — *Forsteri* Sm. DC. Ic. Gall. 2.
 — — Curt. Lond. 4, 68.
 — — Sturm Flora 18, 77.
 — — Rchb. Fl. germ. 9, 382.
 — *gigantea* Desv. H. B. K. Nov. Gen. 7, 697.
 — *glabrata* Hoppe. Sturm Flora 7, 28.
 — — Desv. Rchb. Fl. germ. 9, 386.
 — *hyperborea* R. Br. Rchb. Fl. germ. 9, 378.
 — *lactea* Link. Rchb. Fl. germ. 9, 386.
 — *lutea* Desv. Sturm Flora 18, 77.
 — — Rchb. Fl. germ. 9, 385.
 — *maxima* DC. Curt. Lond. 1, 147.
 — — Sturm Flora 9, 36.
 — — Willd. Rchb. Fl. germ. 9, 390.
 — *multiflora* Lej. Rchb. Fl. germ. 9, 377.
 — — Sturm Flora 18, 77.
 — *nemorosa* Host. Rchb. Fl. germ. 9, 376.
 — *nigricans* Desv. Rchb. Fl. germ. 9, 376.
 — — Sturm Flora 18, 77.
 — *nivea* Desv. Sturm Flora 9, 36.
 — — Rchb. Fl. germ. 9, 384.
 — *pallidescens* Hoppe. Sturm Flora 18, 77.
 — — Rchb. Fl. germ. 9, 377.
 — *parviflora* Desv. Fl. dan. 11, 1929.
 — — Rchb. Fl. germ. 9, 388.
 — *pediformis* DC. Rchb. Fl. germ. 9, 380.
 — *pilosa* Willd. Curt. Lond. 1, 146.
 — — Sturm Flora 18, 77.
 — — Rchb. Fl. germ. 9, 381.
 † — — Nees Genera 2, 28.
 — *purpurea* Link. Webb Canar. 236.
 — *purpureosplendens* Seub. Seubert Fl. azor. 4.
 — *Sieberi* Tausch. Rchb. Fl. germ. 9, 389.
 — *silvatica* Bichen. Rchb. Fl. germ. 9, 390.
 — *spadicea* DC. Sturm Flora 7, 28.
 — — Rchb. Fl. germ. 9, 387.
 — *spicata* Desv. Sturm Flora 7, 28.
 — — Rchb. Fl. germ. 9, 379.
 — *vernalis* DC. Sv. Bot. 444.

- Luzuriaga radicans* *Rz et P.* Ruiz et Pav. Fl. 298.
 † — — Kerner Genera 148.
Lyallia kerguelensis *Hook.* Hook. Fl. ant. 122.
Lycaste fulvescens *Hook.* Bot. Mag. 71, 4193.
 — *gigantea* *Ldl.* Bot. Reg. 31, 34.
 — *macrophylla* *Ldl.* Annales de Gand 1848, 222.
 — *plana* *Ldl.* Bot. Reg. 29, 35.
 — *Skinneri* *Ldl.* Paxt. Mag. 11, 1.
 — — Bot. Mag. 75, 4443.
 — — Fl. d. serres 4, 303, 304.
 † *Lychnis* *L.* Lam. Encycl. 391.
 † — — Mutel Fl. franç. 13.
 — — *alpina* *L.* Fl. dan. 1, 65.
 — — Sv. Bot. 693.
 — — Bot. Mag. 11, 394.
 — — Engl. Bot. 32, 2254.
 — — Tratt. Thes. 66.
 — — Sturm Flora 13, 51.
 — — Rchb. Fl. germ. 6, 307.
 — *apetala* *L.* Linné Fl. lapp. 12.
 — — Wahlenberg Fl. lapp. 7.
 — — Fl. dan. 5, 806.
 — *arvensis* *Roth.* Schrank Fl. monac. 1, 84.
 — *Bungeana* *Fisch.* et *M.* Bot. Mag. 64, 3594.
 — — Bot. Reg. 22, 1864.
 — *chaledonica* *L.* Bot. Mag. 8, 257.
 † — — Gaertn. Carp. 130.
 — — Rchb. Fl. germ. 6, 305.
 — *coronata* *Thunb.* Bot. Mag. 7, 223.
 — — Kerner Hort. 3.
 — — Lodd. Cab. 1433.
 — — Herb. amat. 1, 25.
 — *Cyrtilli* *Richter.* Rchb. Fl. germ. 6, 306.
 — *dioica* *L.* Fl. dan. 5, 792.
 — — Curt. Lond. 3, 126.
 — — Engl. Bot. 22, 1579.
 — — Schk. Handb. 124.
 — — Dreves 2, 57.
 — — Hayne 2, 3.
 — — Dietr. Fl. bor. 3, 189.
 — — Rchb. Fl. germ. 6, 304.
 — *diurna* *Sibth.* Sturm Flora 6, 23.
 — — Rchb. Fl. germ. 6, 304.
 — — Dietr. Fl. bor. 12, 799.
 — *divaricata* *Rchb.* Rchb. Ic. crit. 4, 303.
 — *fimbriata* *Wall.* Royle Illustr. 20.
 — *flos cuculi* *L.* Fl. dan. 4, 590.
 — — Curt. Lond. 3, 119.
 — — Engl. Bot. 8, 573.
 — — Baxter Brit. Bot. 1, 71.
 — — Dreves 1, 13.
 — — Schrank Fl. monac. 2, 172.
 — — Dietr. Fl. bor. 3, 195.
 — — Rchb. Fl. germ. 6, 306.
 † — *flos Jovis* *Desr.* Mem. Instit. 1830, 5.
 † — — Ann. sc. nat. 17, 16.
 — — Rchb. Fl. germ. 6, 303.
 — *fulgens* *Fisch.* Bot. Mag. 46, 2104.
 — — Bot. Reg. 6, 478.
 — — Rchb. Mag. 5.
 — — Kerner Hort. 660.
 — *Githago* *Lam.* Sturm Flora 2, 5.
 — — Schrank Fl. monac. 1, 31.
 — — Dietr. Fl. bor. 3, 194.
 — *grandiflora* *Jacq.* Jacq. Ic. 84.
 — — Spach Suites 38.
 — — Dict. sc. nat. 191.
 — — Paxt. Mag. 2, 1.
 — — Sieb. Fl. Japon. 48.
 — *laeta* *Ait.* Brotero Phytogr. 74.
 — *macrocarpa* *Boiss.* Explor. Alger. 80.
 — *nemoralis* *Heuff.* Rchb. Fl. germ. 6, 303.

- Lychnis pyrenaica* *Berg.* Bot. Mag. 60, 3269.
 — *Senno* *S. et Z.*, Sieb. Fl. Japon. 49.
 — *silvestris* *Schrank.* Schrank Fl. monac. 1, 79.
 — — *Rafn.* Fl. dan. 13, 2172.
 — *suecica* *Lodd.* Lodd. Cab. 881.
 — *triflora* *R. Br.* Fl. dan. 13, 2173.
 — *tristis* *Led.* Ledeb. Ic. 3.
 — *variegata* *Desf.* Ann. Mus. 11, 44.
 — — Desf. Choix 56.
 — *vespertina* *Sibth.* Sturm Flora 6, 23.
 — — Explor. Alger. 80.
 — *Viscaria* *L.* Fl. dan. 6, 1032.
 — — Sv. Bot. 672.
 — — Engl. Bot. 11, 788.
 — — Rchb. Fl. germ. 6, 307.
 — — Dietr. Fl. bor. 6, 411.
Lycium afrum *L.* Rivinus Opus ined. 97.
 — — Lam. Encycl. 112.
 — — Nouveau Duhamel 1, 29.
 — — Bot. Reg. 5, 354.
 — — Sweet Fl. G. II. 324.
 — *aggregatum* *Rz et P.* Ruiz et Pav. Fl. 182.
 — *barbarum* *L.* Schk. Handb. 46.
 † — — Gaertn. Carp. 132.
 — — Watson Dendr. 1, 9.
 — — Dict. sc. nat. 33.
 † — — Nees Gen. 5, 61.
 — *chilense* *Colla.* Mem. Tur. 38, 44.
 — *chinense* *Mill.* Lam. Encycl. 112.
 — — Nouveau Duhamel 1, 30.
 — — *Du Hamel.* Watson Dendr. 1, 8.
 — *cinereum* *Willd.* Linn. Transact. 9, 16.
 — *europaeum* *L.* Rivinus Opus ined. 97.
 — — Sibth. Fl. gr. 236.
 — — Jaubert Illustr. 403.
 — *fuchsoides* *H. B.* Humb. Pl. aeq. 42.
 — — Bot. Mag. 71, 4149.
 — — Fl. d. serres 1, 27.
 — *heterophyllum* *Murr.* Comm. Gott. 6, 2.
 — *horridum* *Willd.* Linn. Transact. 9, 17.
 — *japonicum* *Thunb.* Thunberg Fl. jap. 17.
 — — Bot. Mag. 11, 361.
 † — *indicum* *Wight.* Wight Illustr. 166^b.
 — — Wight Ic. pl. Ind. or. 4, 1403.
 — *lanceolatum* *Poir.* Nouveau Duhamel 1, 32.
 — *obovatum* *Rz et P.* Ruiz et Pav. Fl. 183.
 — *quitense* *Hook.* Hook. Ic. pl. 8, 723.
 — *rigidum* *Willd.* Linn. Transact. 9, 14.
 — *ruthenicum* *Murr.* Comm. Gott. 2, 2.
 — *salsum* *Rz et P.* Ruiz et Pav. Fl. 183.
 — *spathulatum* *Rz et P.* Ruiz et Pav. Fl. 183.
 — *tataricum* *Pall.* Pallas Fl. ross. 49.
 — *tetrandrum* *Thunb.* Linn. Transact. 9, 15.
 — *turbinatum* *Mill.* Nouveau Duhamel 1, 31.
 — *umbellatum* *Rz et P.* Ruiz et Pav. Fl. 182.
 † *Lycopersicum cerasiforme* *Dun.* Ann. sc. nat. III. 19, 14.
 † — *esculentum* *Mill.* Wight Illustr. 166^b.
 † — — Nees Gen. 5, 59.
 — — var. *flavum*, Annales de Gand 1846, 99.
 † — — Ann. sc. nat. III. 18, 16.
 — *peruvianum* *Mill.* var. *commutatum*, Link Ic. III. 35.
 † — *pyriforme* *Dun.* Ann. sc. nat. III. 19, 14.
 † *Lycopodiaceae* *Sw.* Bischoff Crypt. Gew. 10. 11. 12.
 † — — *Jard.* Ann. 19, 2 — 6.
 † — — Arch. Mus. 1, 32.
 † — — Schnitzl Iconogr. 1, 36.
 † *Lycopodium* *L.* Hofmeister Untersuchungen 23.
 — *acrostachyum* *Wall.* Hook. Ic. Fil. 2, 181.
 — *aloifolium* *Wall.* Hook. Ic. Fil. 2, 223.
 — — *Zenker* Fl. ind. 12.
 — *alopecuroides* *L.* Schk. Fil. 160.

- Lycopodium alpinum* L. Linné Fl. lapp. 11.
 — — — Fl. dan. 1, 79.
 — — — Schk. Fil. 161.
 — — — Sturm Flora II. 2, 12.
 — — — Engl. Bot. 4, 234.
 — — — Newman p. 365.
 — — — *annotinum* L. Fl. dan. 1, 127.
 — — — Sv. Bot. 570.
 — — — Engl. Bot. 24, 1727.
 — — — Schk. Fil. 162.
 — — — Sturm Flora II. 2, 10.
 — — — Newman p. 361.
 — — — *Arbuscula* Kaulf. Hook. Ic. Fil. 2, 200.
 — — — *articulatum* Kze. Kunze Fil. 99.
 — — — *atrovirens* Presl. Presl Reliq. 12.
 — — — *atroviride* Wall. Hook. Ic. Fil. 1, 39.
 † — — — Hook. Gen. Fil. 117.
 — — — *Belangeri* Bory. Bélanger Ind. or. 1.
 — — — *biforme* Hook. Hook. Ic. pl. 3, 228.
 — — — *brasiliense* Raddi. Raddi Fil. 1.
 — — — *catharticum* Hook. Jard. Ann. 1, 14.
 — — — *cernuum* L. Rheede Hort. mal. 12, 39.
 — — — — Rumpf Amb. 6, 40. fig. 1.
 — — — — Desc. Ant. 4, 249.
 — — — *clavatum* L. Fl. dan. 1, 126.
 — — — — Engl. Bot. 4, 224.
 — — — — Sv. Bot. 59.
 — — — — Lam. Encycl. 872.
 — — — — Schk. Fil. 162.
 — — — — Sturm Flora II. 2, 9.
 — — — — Schrank Fl. monac. 4, 371.
 — — — — Hayne 8, 47.
 — — — — Nees Düsseld. 13.
 — — — — Guimpel et Schl. 18.
 — — — — Wagner 182.
 — — — — Newman p. 353.
 ! — — — (caulis fascic.) Kunze Analecta 1.
 — — — *compactum* Hook. Hook. Ic. pl. 3, 244.
 — — — *complanatum* L. Fl. dan. 1, 78.
 — — — — Sv. Bot. 95.
 — — — — Schk. Fil. 163.
 — — — — Sturm Flora II. 2, 11.
 † — — — — Hook. Gen. Fil. 117.
 — — — *contextum* Mart. Mart. Crypt. bras. 20.
 — — — *crassum* Humb. Hook. Ic. Fil. 2, 224.
 — — — *curvifolium* Kze. Kunze Analecta 1.
 — — — *diaphanum* Sw. Hook. Ic. Fil. 2, 227.
 — — — *debile* Bory. Bélanger Ind. or. 1.
 — — — *dendroideum* Michx. Schk. Fil. 164.
 — — — — Hook. Exot. Fl. 7.
 — — — *densum* Lab. Bill. Nov. Holl. 251.
 † — — — *denticulatum* L. (Germinatio.) Linn. Transact. 12, 19.
 — — — *dichotomum* Sw. Jacq. Hist. stirp. am. 252.
 — — — — Jacq. Vind. 3, 45.
 — — — *Douglasii* H. et Gr. Hook. Ic. pl. 2, 177.
 — — — *erythropus* Mart. Mart. Crypt. bras. 20.
 — — — *filiforme* Sw. Swartz Synopsis Fil. 4.
 — — — — Raddi Fil. 4^b.
 — — — *Flagellaria* Bory. Brongniart Coquille 26.
 — — — *fontinaloides* Spring. Endl. Bras. 1, 5.
 — — — *funiforme* Bory. Kunze Fil. 79.
 — — — *gnidioides* L. fil. Schlechtendal Fil. 2.
 — — — — Hook. Ic. Fil. 1, 50.
 — — — *gracillimum* Kze. Kunze Fil. 100.
 — — — *haematodes* Kze. Kunze Fil. 30.
 — — — *helveticum* L. Jacq. Fl. austr. 2, 196.
 — — — — Schk. Fil. 165.
 — — — — Sturm Flora II. 2, 16.
 — — — *heterophyllum* H. et Gr. Hook. Ic. Fil. 1, 113.
 — — — *Hookeri* Wall. Hook. Ic. Fil. 2, 185.
 — — — *inflexum* Sw. Dict. sc. nat. 78.

- Lycopodium inundatum* L. Fl. dan. 2, 336.
 — — — Engl. Bot. 4, 239.
 — — — Newman p. 369.
 — — — Sv. Bot. 612.
 † — — — Wahlenberg Fl. lapp. 26.
 — — — Schk. Fil. 160.
 — — — Sturm Flora II. 2, 13.
 — — — *jungermannoides* Gaudich. Dict. sc. nat. 77.
 — — — *Jussieu* Desv. Hook. Ic. pl. 2, 186.
 — — — *laterale* Lab. Bill. Sertum 15.
 — — — *lepidophyllum* H. et Gr. Hook. Ic. pl. 2, 162. 163.
 — — — — Linnaea 12, 3.
 — — — *macrophyllum* Mart. Münchn. Denkschr. 6, J.
 — — — *mandiocanum* Raddi. Raddi Fil. 4.
 — — — *marginatum* Raddi. Raddi Fil. 1.
 — — — *Mathewsii* Hook. Hook. Ic. pl. 1, 26.
 — — — *Menziesii* H. et Gr. Hook. Ic. Fil. 2, 200.
 — — — *myrtifolium* N. et Bl. Acta Leop. 11. 1, 12.
 — — — *nitens* Schlecht. Kunze Fil. 80.
 — — — *nummularifolium* Bl. Hook. Ic. Fil. 2, 212.
 — — — *ovalifolium* H. et Gr. Hook. Ic. Fil. 2, 177.
 — — — *pachystachyum* Spring. Gaudichaud Bonite 34.
 — — — *paradoxum* Mart. Mart. Crypt. bras. 20.
 — — — *pendulinum* Hook. Hook. Ic. pl. 1, 90.
 — — — *peruvianum* Mill. Bot. Mag. 55, 2814.
 — — — *Phlegmaria* L. Rheede Hort. mal. 12, 14.
 — — — — Rumpf Amb. 6, 41.
 — — — — Dict. sc. nat. 79.
 — — — *phlegmarioides* Gaudich. Freycinet Voyage 23.
 — — — *pichinchense* Hook. Hook. Ic. pl. 1, 85.
 — — — *piliferum* Raddi. Raddi Fil. 3.
 — — — *plumosum* L. Schk. Fil. 165.
 — — — *pulcherrimum* Wall. Hook. Ic. Fil. 1, 38.
 — — — *pumilum* Schlecht. Schlechtendal Fil. 3.
 — — — — *α. pygmaeum*, Schlechtendal Fil. 3.
 — — — — *β. bryoides*, Schlechtendal Fil. 3.
 — — — *pygmaeum* Kaulf. Kunze Fil. 100.
 — — — *quadrangulare* Spring. Endl. Bras. 1, 5.
 — — — *reflexum* Willd. Schk. Fil. 159.
 — — — — Kunze Fil. 90.
 — — — *repens* Sw. Schlechtendal Fil. 4.
 — — — *rubrum* Cham. Kunze Fil. 40.
 — — — *rufescens* Hook. Hook. Ic. pl. 1, 36.
 — — — *rupestre* L. Schk. Fil. 165.
 — — — — Raddi Fil. 4^b.
 — — — *sabinaefolium* Willd. Hook. Bor. Am. 238.
 — — — *sanguinolentum* L. Linné Amoenit. 2, 4.
 — — — *Saururus* Lam. Bory des d'Afrique 16.
 — — — *scandens* Pal. B. Kunze Fil. 10.
 — — — *scariosum* Hook. Hook. Ic. pl. 1, 89.
 — — — *selaginoides* L. Fl. dan. 1, 70.
 — — — — Sv. Bot. 612.
 † — — — Wahlenberg Fl. lapp. 26.
 — — — Engl. Bot. 16, 1148.
 — — — Newman p. 371.
 — — — Schk. Fil. 165.
 — — — Sturm Flora II. 2, 15.
 — — — *Selago* L. Fl. dan. 1, 104.
 † — — — Hedwig Theoria 9.
 — — — Schk. Fil. 159.
 — — — Sv. Bot. 119.
 — — — Sturm Flora II. 2, 14.
 — — — Engl. Bot. 4, 233.
 — — — Newman p. 375.
 — — — *serratum* Thunb. Thunberg Fl. jap. 38.
 — — — — Hook. Ic. Fil. 1, 37.
 — — — — Dict. sc. nat. 76.
 — — — *Springii* Gaudich. Gaudichaud Bonite 12.
 — — — *stoloniferum* Raddi. Raddi Fil. 2.
 — — — *subulifolium* H. et Gr. Hook. Ic. Fil. 1, 49.
 † — — — *taxifolium* Sw. Hook. Gen. Fil. 88.
 — — — — Hook. Ic. Fil. 2, 131.

- Lycopodium tenue* H. B. K. H. B. K. Nov. Gen. 7, 671.
 — *tetragonum* H. et Gr. Hook. Ic. Fil. 1, 109.
 — *uliginosum* Lab. Bill. Nov. Holl. 251.
 — *D'Urvillaei* Bory. Brongniart Coquille 25.
 — *varium* R. Br. Hook. Ic. Fil. 1, 112.
 — *venustum* Gaudich. Freycinet Voyage 22.
 — *volubile* Forst. Hook. Ic. Fil. 2, 170.
 — *Willdenowii* Desv. Hook. Ic. Fil. 1, 57.
 — *yemensse* Sw. Swartz Synopsis Fil. 4.
Lycopsis arvensis L. Fl. dan. 3, 435.
 — — — Curt. Lond. 3, 38.
 — — — Engl. Bot. 14, 938.
 — — — Baxter Brit. Bot. 1, 21.
 † — — — Lam. Encycl. 92.
 — — — Schk. Handb. 31.
 — — — Schrank Fl. monac. 2, 148.
 — — — Dietr. Fl. bor. 3, 200.
 † — — — Nees Gen. 6, 72.
 — *bullata* Cir. Cirillo Pl. rar. 1, 11.
 — — — Tenore Fl. nap. 115.
 — *mollis* Vis. Mem. Ist. ven. 1, 6.
 — *nigricans* Lam. Hoffm. Lk. Fl. port. 23.
 — *pulla* L. Jacq. Fl. austr. 2, 188.
 † — — — Gaertn. Carp. 67.
 — *rosea* Lehm. Rchb. Ic. crit. 4, 330.
 — *variegata* L. Sibth. Fl. gr. 178.
 † *Lycopus europaeus* L. Lam. Encycl. 18.
 — — — Fl. dan. 7, 1081.
 — — — Curt. Lond. 3, 33.
 — — — Engl. Bot. 16, 1105.
 — — — Baxter Brit. Bot. 3, 167.
 — — — Sv. Bot. 262.
 — — — Schk. Handb. 4.
 — — — Dietr. Fl. bor. 2, 78.
 † — — — Nees Gen. 6, 7.
 — *exaltatus* L. Rivinus Opus ined. 16.
 — — — Sibth. Fl. gr. 12.
 — *pinnatifidus* Pall. Pallas Fl. ross. 3, 2.
 — *virginicus* L. Rafin. Med. 61.
Lycoris aurea Herb. Fl. d. serres 4, 410.
Lycurus phleoides H. B. K. H. B. K. Nov. Gen. 1, 45.
Lygeum Spartum L. Loefling Iter 2.
 † — — — Linné Amoenit. 7, 2.
 — — — Schreber Gräser 52. 53.
 † — — — Gaertn. Carp. 181.
 — — — Mem. soc. hist. nat. Par. 1799, 3.
 — — — Konig Annals 2, 15.
 † — *spathaceum* Lam. Lam. Encycl. 39.
Lygodesmia juncea Don. Hook. Bor. Am. 103.
 — *minor* Hook. Hook. Bor. Am. 103.
 † *Lygodictyon Forsteri* Sm. Hook. Gen. Fil. 111.
 † *Lygodisodea Rz et P.* Ruiz et Pav. Prodr. 5.
 — *brasiliensis* Gardn. Hook. Journal 1840, 2.
 — *foetida* Rz et P. Ruiz et Pav. Fl. 188.
 † *Lygodium Sw.* Schrader Journal 1801, 2.
 † — — — Kaulfuss Enumeratio 1.
 — *circinatum* R. Br. Rumpf Amb. 6, 33.
 — *dichotomum* Sw. Hook. Ic. Fil. 1, 55.
 — *flexuosum* Sw. Rheede Hort. mal. 12, 32.
 — *hastatum* Mart. Mart. Crypt. bras. 57.
 — *heterodoxum* Kze. Kunze Fil. 113.
 — *microphyllum* R. Br. Rumpf Amb. 6, 32. fig. 2. 3.
 — *palmatum* Sw. Schk. Fil. 140.
 — — — Barton Fl. 3, 88.
 — — — Torrey New York 161.
 — *pinnatifidum* Sw. Rheede Hort. mal. 12, 33.
 — *reticulatum* Sw. Schk. Fil. 139.
 — *scandens* Sw. Rheede Hort. mal. 12, 34.
 — — — Schk. Fil. 138.
 — — — Lodd. Cab. 742.
 — *venustum* Sw. Schk. Fil. 139.
 † — *volubile* Hook. Hook. Gen. Fil. 28.

- Lyonia capreaefolia* Wats. Watson Dendr. 2, 127.
 — *jamaicensis* Don. Bot. Mag. 72, 4273.
 — *multiflora* Wats. Watson Dendr. 2, 128.
 — *paniculata* Nutt. Watson Dendr. 1, 37.
 — *salicifolia* Wats. Watson Dendr. 1, 38.
Lyperanthus nigricans R. Br. Endl. Iconogr. 7.
Lyperia canariensis Webb. Webb Canar. 184.
Lyrocárpa Coulteri Hook. et Harv. Hook. Journ. 1845, 4.
Lysiloma Schiedeana Benth. Benth. Sulphur 31.
Lysimachia anagalloides Sibth. Sibth. Fl. gr. 190.
 — *atropurpurea* L. Sibth. Fl. gr. 187.
 — — — Comm. Gott. 5, 1.
 — — — Hook. Exot. Fl. 180.
 — *azorica* Hornem. Bot. Mag. 60, 3273.
 — *bulbifera* Curt. Bot. Mag. 3, 104.
 — *ciliata* L. Engl. Bot. 2922.
 — *daurica* Led. Ledeb. Ic. 214.
 — *deltoidea* Wight. Wight Illustr. 144.
 — *dubia* Ait. Sibth. Fl. gr. 188.
 — *Ephemerum* L. Comm. Gott. 5, 2.
 — — — Bot. Mag. 49, 2346.
 — *glaucophylla* Hook. Hook. Beechey 68.
 — *japonica* Thunb. Thunb. Ic. jap. 16.
 — *Leschenaultii* Duby. Mem. Gener. 10, 4.
 — — — Wight Spicil. 132.
 — — — Wight Ic. pl. Ind. or. 4, 1204.
 — *lineariloba* Hook. Hook. Beechey 56.
 † — *Linum stellatum* L. Gaertn. Carp. 50.
 — — — Sibth. Fl. gr. 189.
 — *lobelioides* Ldl. Bot. Reg. 28, 6.
 — *longifolia* Pursh. Lodd. Cab. 1422.
 — *nemorum* L. Fl. dan. 1, 174.
 — — — Curt. Lond. 1, 45.
 — — — Engl. Bot. 8, 527.
 — — — Baxter Brit. Bot. 4, 310.
 — — — Dreves 4, 103.
 — — — Sturm Flora 1, 1.
 — — — Schrank Fl. monac. 4, 383.
 — — — Dietr. Fl. bor. 10, 632.
 † — — — Nees Gen. 5, 16.
 — *Numularia* L. Fl. dan. 3, 493.
 — — — Curt. Lond. 2, 34.
 — — — Engl. Bot. 8, 528.
 — — — Schk. Handb. 36.
 — — — Hayne 8, 16.
 — — — Schrank Fl. monac. 3, 276.
 — — — Dietr. Fl. bor. 2, 89.
 † — — — Nees Gen. 5, 15.
 — *Otani Asso.* Asso Aragon. 2.
 — *punctata* L. Jacq. Fl. austr. 4, 366.
 — *quadriflora* Sims. Bot. Mag. 18, 660.
 † — *quadrifolia* L. Gaertn. Carp. 50.
 † — — — Lam. Encycl. 101.
 — *Quartiniana* Rich. Richard Abyssin. 65.
 — *racemosa* Michx. Barton Fl. 1, 1.
 — *repens* D'Urv. Hook. Ic. pl. 6, 536.
 — *thyrsiflora* L. Fl. dan. 3, 517.
 — — — Engl. Bot. 3, 176.
 — — — Bot. Mag. 45, 2012.
 — — — Dietr. Fl. bor. 5, 326.
 — *verticillata* M. v. B. Marshall Cent. 32.
 — — — Bot. Mag. 49, 2295.
 — — — Sweet Fl. G. 21.
 — — — Herb. amat. 3, 209.
 † — — — Nees Gen. 5, 15.
 † — *vulgaris* L. Fl. dan. 4, 689.
 — — — Lam. Encycl. 101.
 — — — Curt. Lond. 3, 28.
 — — — Engl. Bot. 11, 761.
 — — — Sv. Bot. 345.
 — — — Dreves 2, 59.
 — — — Hayne 8, 15.

- Lysimachia vulgaris* L. Schrank Fl. monac. 2, 105.
 — — Dietr. Fl. bor. 2, 90.
Lysionotus ternifolia Wall. Wall. Pl. asiat. 119.
Lysipomia acaulis H. B. K. H. B. K. Nov. Gen. 3, 267.
 — aretioides H. B. K. H. B. K. Nov. Gen. 3, 267.
 — montioides H. B. K. H. B. K. Nov. Gen. 3, 266.
 — muscoides Hook. Hook. Journal 1847, 9.
 — reniformis H. B. K. H. B. K. Nov. Gen. 3, 266.
Lythrum alatum Persch. Bot. Mag. 43, 1812.
 — anomalum St. Hil. St. Hil. Fl. Bras. 186.
 — cashmerianum Royle. Royle Illustr. 44.
 — diffusum Sweet. Sweet Fl. G. 149.
 — divaricatum Colla. Mem. Tur. 37, 14.
 — fruticosum L. Andr. Rep. 7, 467.
 — — Roxb. Corom. 31.
 — geminiflorum Jord. Jordan Obs. 5, 2.
 — Graefferi Ten. Tenore Fl. nap. 142.
 — — Lodd. Cab. 1338.
 — Hyssopifolia L. Ruppin Fl. jen. 6.
 — — Jacq. Fl. austr. 2, 133.
 — — Schk. Handb. 128.
 — — Dietr. Fl. bor. 12, 815.
 — — Engl. Bot. 5, 292.
 † — — Plée Types 54.
 — Pemphis L. Lam. Encycl. 408.
 — Salicaria L. Scherbius Lythrum 1.
 — — Freyer Lythrum 1.
 — — Fl. dan. 4, 671.
 — — Curt. Lond. 1, 108.
 — — Engl. Bot. 15, 1061.
 — — Baxter Brit. Bot. 3, 229.
 — — Woodv. Med. 5, 19.
 — — Lam. Encycl. 408.
 — — Sv. Bot. 256.
 † — — Usteri Annalen 5, 1.
 † — — Schk. Handb. 128.
 — — Schrank Fl. monac. 1, 52.
 — — Hayne 3, 39.
 — — Nees Düssel. 295.
 — — Wagner 90.
 — — Dietr. Fl. bor. 2, 121.
 — — var. Verhandl. Rheinl. 5, 1.
 — — Salzmanni Jord. Jordan Obs. 5, 2.
 — — verticillatum β. Bert. Novi Comm. Bonon. 6, 21.
 — — virgatum L. Jacq. Fl. austr. 1, 7.
 † — — Gaertn. Carp. 62.
 — — Bot. Mag. 25, 1003.
 — — Dict. sc. nat. 233.
 † — — Spach Suites 36.
 † Maba Forst. Forster Charact. 61.
 — — buxifolia Juss. Wight Ic. pl. Ind. or. 3, 763.
 — — Ebenus Spr. Wight Ic. pl. Ind. or. 4, 1228. 29.
 — — elliptica Forst. Bill. Sertum 35.
 † — — Lam. Encycl. 803.
 † — — neilgherrensis Wight. Wight Illustr. 148 bis.
 — — rufa Lab. Bill. Sertum 36.
Mabea Piriri Aubl. Aublet Guiana 334.
 — — — Lam. Encycl. 773.
 † — — — Jussieu Euphorb. 13.
 — — Taquari Aubl. Aublet Guiana 334.
 † — — — Lam. Encycl. 773.
Macahanea guianensis Aubl. Aublet Guiana 371.
Macairea Adenostemon DC. DC. Melastom. 6.
 † *Macaranga flexuosa* Wight. Wight Ic. pl. Ind. 6, 1949.
 — — indica Wight. Wight Ic. pl. Ind. or. 5, 1883.
 — — — — — 6, 1949.
 † — — Roxburghii Wight. Wight Ic. pl. Ind. or. 6, 1949.
 † — — tomentosa Wight. Wight Ic. pl. Ind. or. 6, 1949.
Macarisa pyramidata Aub. Th. Aubert Iles d'Afr. 14.
Macarthuria australis Huegel. Hook. Ic. pl. 5, 408.
Maclellandia Griffithiana Wight. Wight Ic. pl. Ind. or. 6, 1996.

- Macdonaldia antennifera* Ldl. Lindley Swan River 9.
 — — Smithiana Ldl. Lindley Swan River 9.
Machaeranthra tanacetifolia N. v. E. Bot. Mag. 78, 4624.
Machaonia acuminata H. B. Humb. Pl. aeq. 29.
 — — — — — Lam. Encycl. 922.
Machilus glaucescens Wight. Wight Ic. pl. Ind. or. 5, 1825.
 — — macranthus N. v. E. Wight Ic. pl. Ind. or. 5, 1824.
 — — odoratissimus N. v. E. Rumpf Amb. 3, 42.
 — — peduncularis N. v. E. Rumpf Amb. 3, 41.
Machlis hemisphaerica DC. Delessert Ic. 4, 50.
Macleanea angulata Hook. Bot. Mag. 69, 3979.
 — — cordata Ch. Lem. Fl. d. serres 4, 312.
 — — floribunda Hook. Hook. Ic. pl. 2, 109.
 — — longiflora Ldl. Bot. Reg. 30, 25.
 — — punctata Hook. Bot. Mag. 75, 4426.
Maclura affinis Miq. Endl. Bras. 12, 52.
 — — aurantiaca Nutt. Lamb. Pinus 2, app. 3.
 † — — — — — Ann. sc. nat. III. 8, 14. 15.
 — — brasiliensis Endl. Endl. Bras. 12, 54.
 — — tinctoria Endl. Endl. Bras. 12, 51.
 — — xanthoxylon Endl. Endl. Bras. 12, 53.
Maconbea guianensis Aubl. Aublet Guiana 378.
Macoucoua guianensis Aubl. Aublet Guiana 34.
 † — — — — — Lam. Encycl. 75.
Macradenia lutescens R. Br. Bot. Reg. 8, 612.
 — — — — — Lodd. Cab. 1556.
 — — — — — Rchb. Exot. 117.
 — — triandra Ldl. Bot. Reg. 21, 1815.
Macraea Gardneriana Wight. Wight Ic. pl. Ind. or. 5, 1902.
 — — myrtifolia Wight. Wight Ic. pl. Ind. or. 5, 1902.
 — — oblongifolia Wight. Wight Ic. pl. Ind. or. 5, 1902.
 — — ovalifolia Wight. Wight Ic. pl. Ind. or. 5, 1902.
 — — Rheedii Wight. Wight Ic. pl. Ind. or. 5, 1901.
 — — rosea Ldl. Hook. Bot. Misc. 50.
 † *Macroceratides Raddi*. Mem. Mod. 18, 5.
Macrochilus Fryanus Kn. et W. Knowles et Westc. 43.
Macrocladus silvicola Griff. Griffith Palms 239⁴⁰.
Macrocnemum candidissimum Vahl. Vahl Symbolae 30.
 — — coccineum Vahl. Vahl Symbolae 29.
 — — corymbosum R. et P. Ruiz et Pav. Fl. 189.
 — — jamaicense L. Swartz Obs. 3.
 — — microcarpon R. et P. Ruiz et Pav. Fl. 188.
 — — speciosum Jacq. Jacq. Schoenbr. 1, 43.
 — — tetrandrum Cav. Annales de hist. nat. 7, 45.
 — — venosum R. et P. Ruiz et Pav. Fl. 190.
Macrogyne convallariaefolia Link. Link Ic. I. 31.
Macrolobium bijugum Colebr. Linn. Transact. 12, 17.
Macrolomia bracteata Schrad. Endl. Bras. 3, 24.
Macromeria exserta DC. Bot. Reg. 33, 26.
 † *Macrophthalma Gasp.* Rendic. Acad. Neap. 1844, 8.
 † *Macropiper Miq.* Miquel Comment. 4.
 — — latifolium Miq. Miquel Illustr. Pip. 27.
 † *Macroplacis cordata* Bl. Blume Mus. 1, 3.
Macropodium laciniatum Hook. Hook. Bot. Misc. 68.
 † — — nivale R. Br. Hook. Bot. Misc. 67.
 — — — — — Bot. Mag. 67, 3805.
Macrotrhynchus coronopifolius Hook. Hook. Fl. ant. 112.
 — — pumilus DC. Hook. Fl. ant. 112.
Macroscelis obovata H. B. K. H. B. K. Nov. Gen. 3, 233.
Macrostepis Aub. Aubert Orchid. 82.
Macrostigma australe Hook. Hook. Ic. pl. 5, 412.
 † *Macrostomium aloefolium* Bl. Blume Tabellen 37.
 † *Macrostylis Bartl.* Bartling Diosmeae 2.
 — — disticha Breda. Breda Orchid. Javae 2.
 † — — lanceolata Bartl. Mem. Mus. 12, 20.
Macrosyphonia caespitosa Duby. Mem. Genev. 10, 2.
 † *Macrozamia Freissii* Lehmann. Linnaea 19, 2. 3.
 † — — — — — Acta Leop. 21. 1, 10—13.
 — — spiralis Miq. Miquel Monogr. Cyc. 4. 5.
 † *Madacarpus belgaumensis* Wight. Calcutta J. 1847, 3.

- Madacarpus belgaumensis* Wight. Wight Ic. pl. Ind. or. 3, 1152.
Madaraglossa heterotricha DC. Hook. Ic. pl. 4, 326.
Madaria corymbosa DC. Endl. Iconogr. 36.
Madia elegans Don. Bot. Reg. 17, 1458.
 — — — Bot. Mag. 64, 3548.
 — *mellosa* Jacq. Jacq. Schoenbr. 3, 302.
 — *sativa* Molina. Pasquier Monogr. 1—3.
 — *viscosa* Cav. Cav. Ic. 298.
 — — — Bot. Mag. 52, 2574.
Madiola reptans St. Hil. St. Hil. Fl. Bras. 43.
Maccharanthera tanacetifolia N. v. E. Lem. Jard. fl. 222.
Maelenia paradoxa Dum. Acad. Brux. 9, x.
Maerna angolensis DC. Delessert Ic. 3, 13.
 — *angustifolia* Rich. Guillemin Seneg. 8.
 — *oblongifolia* Dill. et Rich. Richard Abyssin. 6.
 — *ovalifolia* Decne. Jacquemont Ind. 24.
 — *scabra* Decne. Jacquemont Ind. 23.
 — *senegalensis* Rich. Guillemin Seneg. 7.
 — *triphylla* Dill. et Rich. Richard Abyssin. 7.
† *Maesa argentea* Wall. Ann. sc. nat. II. 16, 5.
 — *indica* A. DC. Wight Spicil. 134.
 — — — Wight Ic. pl. Ind. or. 4, 1206.
† — *lanceolata* Forsk. Ann. sc. nat. II. 16, 5.
 — *ovata* Wall. Linn. Transact. 17, 4.
Magallana porrifolia Cav. Cav. Ic. 374.
 — — — Lam. Encycl. 942.
† *Magnolia* L. Kerner Genera 73—74.
† — — Gray Genera 22, 23.
 — *acuminata* L. Michaux Arb. 3, 3.
 — — — Bot. Mag. 50, 2427.
 — — — Lodd. Cab. 418.
 — — — Guimpel Fr. Holzgew. 17.
 — — — Kerner Hort. 590.
 — — — Rchb. Exot. 251.
 — *annonaefolia* Salisb. Salisb. Parad. 5.
 — — — Lodd. Cab. 1072.
 — *auricularis* Salisb. Salisb. Parad. 43.
 — — — Kerner Hort. 360.
 — *auriculata*? Fraser. Walter Carol. x.
 — — — Lam. Michaux Arb. 3, 6.
 — — — Bot. Mag. 30, 1206.
 — — — Andr. Rep. 9, 573.
 — *conspicua* Salisb. Salisb. Parad. 38.
 — — — Bot. Reg. 11, 1164.
 — — — Bot. Mag. 39, 1621.
 — — — Kerner Hort. 362.
 — — — Guimpel Fr. Holzgew. 12.
 — *cordata* Michx. Michaux Arb. 3, 4.
 — — — Lodd. Cab. 474.
 — — — Bot. Reg. 4, 325.
 — — — Rchb. Exot. 250.
 — *dealbata* Zucc. Münchn. Abh. 2, 3, 4.
 — *discolor* Vent. Vent. Malm. 24.
 — — — Nouveau Duhamel 2, 66 bis.
 — *excelsa* Wall. Wallich Tentamen 2.
 — *fuscata* Andr. Andr. Rep. 4, 229.
 — — — Bot. Mag. 25, 1008.
 — — — Lodd. Cab. 1073.
 — — — Kerner Hort. 528.
 — — — Colla Hort. Rip. 4.
 — *glauca* L. Michaux Arb. 3, 2.
 — — — Bonpland Malm. 42.
 — — — Nouveau Duhamel 2, 66.
 — — — Schk. Handb. 148.
 — — — Lodd. Cab. 215.
 — — — Bot. Mag. 47, 2164.
 — — — var. *major*, Rchb. Exot. 342.
 — — — Bigelow Med. 27.
 — — — Barton Med. 7.
 — — — Torrey New York 5.
 — — — Gray Genera 22.

- Magnolia gracilis* Salisb. Salisb. Parad. 87.
† — *grandiflora* L. Gaertn. Carp. 70.
 — — — Michaux Arb. 3, 1.
 — — — Andr. Rep. 8, 518.
 — — — Lodd. Cab. 814.
 — — — Bot. Mag. 45, 1932.
 — — — Kerner Hort. 124.
 — — — Nouveau Duhamel 2, 65.
 — — — Lam. Encycl. 490.
 — — — Savi Fl. ital. 2, 43.
† — — — (Folium.) Mem. Instit. 1849, 3, 1850, 4.
 — *insignis* Wall. Wallich Tentamen 1.
 — — — Wall. Pl. asiat. 192.
 — *linguifolia* Desc. Desc. Ant. 2, 103.
 — *macrophylla* Michx. Michaux Arb. 3, 7.
 — — — Bonpland Malm. 39.
 — — — Bot. Mag. 48, 2189.
 — — — Kerner Hort. 655.
 — — — Rchb. Exot. 139.
 — *obovata* Thunb. Kerner Hort. 67.
 — — — Guimp. Fr. Holzgew. 52.
 — *pterocarpa* Roxb. Roxb. Corom. 266.
 — — — Kerner Hort. 667.
 — *pumila* Andr. Andr. Rep. 4, 226.
 — — — Bot. Mag. 25, 977.
 — — — Lodd. Cab. 1555.
 — — — Vent. Malm. 37.
 — — — Dict. sc. nat. 117.
 — *purpurea* Curt. Bot. Mag. 11, 390.
 — — — Andr. Rep. 5, 324.
 — *pyramidata* Pursh. Bot. Reg. 5, 407.
 — — — Lodd. Cab. 1092.
 — *Soulangeana* Hort. Sweet Fl. G. 260.
 — *speciosa* Geel. Rchb. Exot. 343.
 — *tomentosa* Thunb. Thunberg Ic. jap. 48.
 — *tripetala* L. Michaux Arb. 3, 5.
 — — — Guimp. Fr. Holzgew. 18.
 — *umbrella* Lam. Herb. amat. 3, 198.
 — — — Gray Genera 23.
 — *Yulan* Desf. Bonpland Malm. 20.
 — — — Herb. amat. 5, 297.
 — — — Lodd. Cab. 1187.
 — — — var. *Soulangeana*, Bot. Reg. 14, 1164.
Magonia pubescens St. Hil. Mem. Mus. 12, 12, 13.
 — — — St. Hil. Pl. remarq. 23, 24.
Mahernia biserrata Cav. Cav. Diss. 200.
 — *diffusa* Jacq. Jacq. Schoenbr. 2, 201.
 — — — Lodd. Cab. 187.
 — — — Rchb. Mag. 64.
 — *fragrans* Rchb. Bot. Mag. 65.
 — *glabrata* Cav. Cav. Diss. 200.
 — — — Jacq. Schoenbr. 1, 53.
 — — — Rchb. Mag. 66.
 — *grandiflora* Burch. Lodd. Cab. 293.
 — — — Bot. Reg. 3, 224.
 — *heterophylla* Cav. Cav. Diss. 178.
 — *incisa* Jacq. Jacq. Schoenbr. 1, 54.
 — — — Bot. Mag. 10, 353.
 — — — Lodd. Cab. 907.
 — — — Rchb. Mag. 63.
 — *odorata* Andr. Andr. Rep. 2, 85.
 — — — Rchb. Mag. 67.
 — *pinnata* L. Cav. Diss. 176.
 — — — Bot. Mag. 8, 277.
 — — — Lam. Encycl. 278.
 — — — Rchb. Mag. 62.
 — *pulchella* Cav. Cav. Diss. 177.
 — *rutilla* Jacq. Jacq. Schoenbr. 3, 263.
 — *verticillata* L. Cav. Diss. 176.
 — — — Lam. Encycl. 218.
Mahonia Aquifolium Nutt. Paxt. Mag. 9, 5.
 — *diversifolia* Sweet. Sweet Fl. G. II. 94.

- Mahonia fascicularis* DC. Delessert Ic. 2, 3.
 — *glumacea* DC. Paxt. Mag. 7, 55.
 — *nepalensis* DC. Delessert Ic. 2, 4.
 † — *repens* G. Don. Ann. sc. nat. III. 18, 14.
Mahurea palustris Aubl. Aublet Guiana 222.
 — — — Lam. Encycl. 464.
 † — — — Mem. Mus. 16, 16.
 † *Majanthemum* Wigg. Kerner Genera 207.
 — *bifolium* DC. Red. Lil. 4, 216.
 — — — Rchb. Fl. germ. 10, 436.
 — — — Sturm Flora 4, 13.
 — — — Dietr. Fl. bor. 1, 37.
 † — — — Nees Gen. 2, 62.
 — *canadense* Desf. Red. Lil. 4, 216.
 — *Convallaria* Roth. Stephan Ic. pl. mosq. 7.
 — *cordifolium* Moench. Schrank Fl. monac. 4, 303.
Maieta annulata Vent. Vent. Choix 32.
 — *guianensis* Aubl. Aublet Guiana 176.
 — *hypophysca* DC. Mart. Bras. 280.
 — *scalpta* Vent. Vent. Choix 33.
 † *Majorana hortensis* Moench. Nees Gen. 6, 15.
 † — *paniculata* Spenner. Nees Gen. 6, 15.
 — *smyrnaea* N. v. E. Nees Düssel. Suppl. 22.
Maireana tomentosa Moq. Ann. sc. nat. II. 15, 13.
Mairia crenata N. v. E. Bot. Reg. 10, 855.
Malachadenia clavata Ldl. Bot. Mag. 73, 4334.
Malachium aquaticum Fries. Sturm Flora 15, 63.
 — — — Rchb. Fl. germ. 6, 237.
 — *cœruleum* Jaub. Jaubert Illustr. 232.
 — *manticum* Rchb. Sturm Flora 15, 63.
 † *Malachodendron* Cav. Gray Genera 139.
 — *ovatum* Cav. Cav. Diss. 158.
 † — — — Lam. Encycl. 593.
 — — — Bot. Reg. 13, 1104.
 † *Malachra* L. Gray Genera 129.
 — *alceaefolia* Jacq. Jacq. Ic. 549.
 — *bracteata* Cav. Cav. Diss. 34.
 — *capitata* L. Cav. Diss. 33.
 † — — — Lam. Encycl. 580.
 — *fasciata* Jacq. Jacq. Ic. 548.
 — — — Bot. Reg. 6, 467.
 — *mexicana* Schrad. Gray Genera 129.
 — *palmata* Moench. Mem. Genev. 5, 5.
 — *radiata* L. Cav. Diss. 33.
 † — — — Lam. Encycl. 580.
 † *Malacochaete litoralis* N. v. E. Nees Gen. 2, 14.
 — *riparia* N. v. E. Gay Chile 71.
 † *Malacoxylon pinnatum* Jacq. Jacq. Fragn. 35.
Malanea sarmentosa Aubl. Aublet Guiana 41.
 — — — Lam. Encycl. 66.
 — *verticillata* Lam. Lam. Encycl. 66.
Malaspinaea laurifolia Presl. Presl Reliq. 61.
 † *Malaxis* Sw. Swartz Fl. Ind. occ. 28.
 † — — — Svensk Acad. 1800, 3.
 † — — — Schrader Neues Journal 1, 1.
 † — *affinis* Bl. Blume Tabellen 54.
 — *caespitosa* Aub. Aubert Orchid. 89.
 † — *compressa* Bl. Blume Tabellen 54.
 † — *decurrens* Bl. Blume Tabellen 54.
 — *disticha* Aub. Aubert Orchid. 88.
 — *flavescens* Aub. Aubert Orchid. 25.
 — *lilifolia* Sw. Bot. Mag. 45, 2004.
 — — — Lodd. Cab. 198.
 — *longifolia* Bart. Barton Fl. 3, 75.
 — *monophylla* Sw. Fl. dan. 9, 1525.
 — — — Sv. Bot. 663.
 — — — Dietr. Fl. bor. 1, 14.
 — *ophioglossoides* Mühlenb. Barton Fl. 3, 92.
 — — — Lodd. Cab. 1146.
 — *paludosa* Sw. Svensk Acad. 1789, 6.
 — — — Sv. Bot. 662.
 — — — Curt. Lond. 5, 197.

- Malaxis paludosa* Sw. Engl. Bot. 1, 72.
 — — — Baxter Brit. Bot. 5, 394.
 † — — — Ann. sc. nat. 19, 4.
 — — — Roemer Fl. europ. 3, 4.
 † — — — Bauer Orchid. (Genera.) 1.
 — — — Flora 1838, 1.
 — — — Dietr. Fl. bor. 1, 13.
 † — — — Nees Gen. 3, x.
 — — — Rchb. Fl. germ. 13, 494.
 — *Parthoni* Morr. Bull. de Brux. 5, x.
 — *purpurascens* Aub. Aubert Orchid. 26, 27.
 † — *Rheedii* Bl. Blume Tabellen 54.
 — *subulata* Lab. Bill. Nov. Holl. 212.
Malcolmia aegyptiaca Spr. Visiani Aeg. 4.
 — *africana* R. Br. Winterl Index 1.
 — — — Rchb. Fl. germ. 2, 57.
 — *bicolor* Boiss. Regel Gartenfl. 1852, 23.
 — *Broussonetii* DC. Delessert Ic. 2, 60.
 — *clia* Link. Sweet Fl. G. 40.
 — *flexuosa* Sm. Sibth. Fl. gr. 634.
 — *incrassata* DC. Delessert Ic. 2, 59.
 — *litorea* R. Br. Sweet Fl. G. 54.
 — — — Rchb. Fl. germ. 2, 56.
 — — — Bot. Mag. 78, 4672.
 — *lyrata* DC. Sibth. Fl. gr. 635.
 — *maritima* R. Br. Rchb. Fl. germ. 2, 56.
 — *Orsiniana* Ten. Tenore Fl. nap. 243.
 — *stricta* Decne. Jacquemont Ind. 16.
Malesherbia coronata Don. Sweet Fl. G. II. 167.
 — *fasciculata* Endl. Endl. Atacta 9.
 — *linearifolia* Poir. Bot. Mag. 61, 3362.
 — *thyrsiflora* R. et P. Ruiz et Pav. Fl. 254.
 † *Malesherbiaceae* Don. Schnizl. Iconogr. 198.
 † *Mallea* Rothii Juss. Mem. Mus. 19, 13.
 † *Mallocoeca* Forst. Forster Charact. 39.
Malope malacoides L. Cav. Diss. 27.
 † — — — Lam. Encycl. 583.
 — — — Rchb. Fl. germ. 5, 165.
 — *parviflora* L'her. L'her. Stürp. 50.
 — *trifida* Cav. Cav. Diss. 27.
 † — — — Lam. Encycl. 583.
 — — — Sweet Fl. G. 153.
 — — — var. Paxt. Mag. 1, 177.
Malouetia albiflora Miq. Miquel Surin. 45.
 — *obtusiloba* A. DC. Miquel Surin. 46.
 — *Tamaquarina* DC. Delessert Ic. 5, 47.
Malpighia altissima Aubl. Aublet Guiana 181.
 — *angustifolia* L. Cav. Diss. 236.
 — — — Lodd. Cab. 321.
 — *aquifolia* L. Cav. Diss. 236.
 — — — Lodd. Cab. 1079.
 — *argentea* Jacq. Jacq. Fragn. 83.
 — *armeniaca* Cav. Cav. Diss. 238.
 † — *biflora* Poir. Arch. Mus. 3, 4.
 — *coccifera* L. Cav. Diss. 235.
 — — — Lam. Encycl. 381.
 — — — Lodd. Cab. 1317.
 — — — Bot. Reg. 7, 568.
 — — — Herb. amat. 4, 215.
 — *coccigera* L. Jacq. Ic. 470.
 — *crassifolia* L. Aublet Guiana 182.
 — — — Andr. Rep. 1, 49.
 — — — Kerner Hort. 331.
 — — — Desc. Ant. 2, 110.
 — *dubia* Cav. Cav. Diss. 242.
 — *fucata* Ker. Bot. Reg. 3, 189.
 — — — Lodd. Cab. 1937.
 — *glabra* L. Cav. Diss. 234.
 — — — Bot. Mag. 21, 813.
 — — — Lodd. Cab. 533.
 — — — Rchb. Mag. 38.
 — — — Paxton Fl. G. 41.

- Malpighia glandulifera* Jacq. Jacq. Ic. 469.
 — — — Jacq. Collect. 5, 5.
 — — — Kerner Hort. 597.
 — glandulosa Cav. Cav. Diss. 239.
 — ? heteranthera Wight. Wight Illustr. 49.
 — lucida Sw. Bot. Mag. 51, 2462.
 — macrophylla Pers. Colla Hort. Rip. 11.
 — — — Dict. sc. nat. 164.
 — Moureila Aubl. Aublet Guiana 183.
 — — — Cav. Diss. 241.
 — nitida Jacq. Cav. Diss. 239.
 — peruviana Moric. Moricand Pl. Am. 67.
 — polystachya Andr. Andr. Rep. 9, 604.
 — puniceifolia L. Cav. Diss. 234.
 — — — Desc. Ant. 1, 30.
 † — — — Arch. Mus. 3, 4.
 † — Semeruco Juss. Arch. Mus. 3, 4.
 — spicata Cav. Cav. Diss. 237.
 — — — Desc. Ant. 2, 91.
 — tomentosa Pav. Moricand Pl. Am. 68.
 — tuberculata Jacq. Jacq. Schoenbr. 1, 104.
 — uniflora Tuss. Tussac Ant. 3, 27.
 — — — Kerner Hort. 830.
 — urens L. Cav. Diss. 235.
 † — — — Lam. Encycl. 381.
 — — — Bot. Reg. 2, 96.
 — — — Desc. Ant. 2, 3, 8, 669.
 — — — Rchb. Mag. 38.
 — — — Spach Suites 20.
 — verbascifolia L. Aublet Guiana 184.
 — — — Cav. Diss. 240.
 — volubilis Sims. Bot. Mag. 21, 809.
 † Malpighiaceae Juss. Arch. Mus. 3, 1—3.
 † — — — Schnizl. Iconogr. 228.
Maltebrunia leersioides Kth. Humb. Gram. 3.
Malus apiosa Hort. Dict. sc. nat. 242.
 † — cerasifera Spach. Spach Suites 10.
 — coronaria Desf. Michaux Arb. 3, 10.
 † — — — Spach Suites 8.
 † — Fontanesii Spach. Spach Suites 8.
 † — heterophylla Spach. Spach Suites 8.
 — japonica Desf. Andr. Rep. 7, 462.
 † — prunifolia Willd. Spach Suites 9.
 — sempervirens Desf. Herb. amat. 3, 154.
 † — — — Spach Suites 8.
 — spectabilis Desf. Kerner Hort. 321.
 — — — Herb. amat. 2, 82.
 † *Malva* L. Schkuhr Handb. 192^a.
 † — — — Mutel Fl. fr. 14.
 † — — — Gray Genera 116.
 — abulensis Cav. Cav. Diss. 34.
 — abutiloides L. Cav. Diss. 16.
 — — — Jacq. Schoenbr. 3, 293.
 — — — Bot. Mag. 52, 2544.
 — acaulis Domb. Cav. Diss. 35.
 — aegyptia L. Cav. Diss. 17.
 — — — Jacq. Vind. 63.
 — Alcea L. Cav. Diss. 17.
 † — — — Gaertn. Carp. 136.
 † — — — Lam. Encycl. 582.
 — — — Sv. Bot. 691.
 — — — Fl. dan. 11, 1882.
 — — — Bot. Mag. 49, 2297.
 — — — Hayne 2, 30.
 — — — Dietr. Fl. bor. 3, 192.
 — — — Rchb. Fl. germ. 5, 169.
 — alceoides Ten. Tenore Fl. nap. 64.
 — althaeoides Cav. Cav. Ic. 135.
 — — — Sibth. Fl. gr. 664.
 — americana Cav. Cav. Diss. 22.
 — amoena Soland. Bot. Mag. 45, 1998.
 — angustifolia Cav. Cav. Diss. 20.

- Malva angustifolia* Cav. Cav. Ic. 69.
 — — — Bot. Mag. 55, 2839.
 — anomala Link. Link Ic. 1, 22.
 — asperrima Jacq. Jacq. Schoenbr. 2, 139.
 — balsamica Jacq. Jacq. Ic. 140.
 — Belloa Gay. Gay Chile 7.
 — Bismalva Bernh. Rchb. Fl. germ. 5, 172.
 — bonariensis Cav. Cav. Diss. 22.
 — borealis Wallm. Rchb. Pl. crit. 1, 20.
 — bryonifolia L. Schk. Handb. 192^b.
 — calycina Cav. Cav. Diss. 22.
 — — — Bot. Reg. 4, 297.
 — campanulata Paxt. Paxt. Mag. 9, 173.
 — campanuloides Lodd. Lodd. Cab. 1670.
 — capensis L. Cav. Diss. 24.
 † — — — Gaertn. Carp. 136.
 — — — Bot. Reg. 4, 295, 296.
 — capitata Cav. Cav. Diss. 137.
 — caroliniana L. Martyn Hist. 32.
 — — — Cav. Diss. 15.
 — concinna Kn. et W. Knowles et Westcott 38.
 — Creeana Hort. Bot. Mag. 65, 3698.
 — — — Paxt. Mag. 6, 55.
 — creeano-miniata Regel. Regel Gartenf. 1852, 16.
 — cretica Cav. Cav. Diss. 138.
 — crispa L. Cav. Diss. 23.
 — — — Rchb. Fl. germ. 5, 166.
 — cuneifolia Cav. Cav. Diss. 20.
 — decumbens Host. Rchb. Fl. germ. 5, 172.
 — divaricata Andr. Andr. Rep. 3, 182.
 — elegans Cav. Cav. Diss. 16.
 — — — Jacq. Collect. 4, 6.
 — excisa Rchb. Rchb. Fl. germ. 5, 170.
 — fastigiata Cav. Cav. Diss. 23.
 — — — Rchb. Fl. germ. 5, 171.
 — fragrans Jacq. Jacq. Vind. 3, 33.
 — — — Cav. Diss. 23.
 — — — Bot. Reg. 4, 296.
 — grandiflora Morr. Annales de Gand 1847, 167.
 — grossulariaefolia Cav. Cav. Diss. 24.
 — — — Bot. Reg. 7, 561.
 — hispanica L. Cav. Diss. 19.
 — — — Desf. Fl. atl. 170.
 — — — Asso. Asso Aragon. 5.
 — involucreta Torr. et Gr. Bot. Mag. 78, 4681.
 — italica Poll. Rchb. Fl. germ. 5, 170.
 — lateritia Hook. Bot. Mag. 67, 3846.
 — leprosa Ortega. Jacq. Fragn. 122.
 — limensis L. Cav. Diss. 19.
 — — — Jacq. Vind. 141.
 — — — Schk. Handb. 192^b.
 — littoralis Deth. Rchb. Fl. germ. 5, 167.
 — lobata Cav. Cav. Diss. 18.
 — mauritiana L. Cav. Diss. 25.
 — — — Brotero Phytogr. 179.
 — — — Hayne 2, 29.
 — — — Rchb. Fl. germ. 5, 168.
 — — — Sweet Fl. G. 81.
 — microcarpa Desf. Rchb. Fl. germ. 5, 166.
 — miniata Cav. Cav. Ic. 278.
 — — — Jacq. Fragn. 132.
 — — — Sweet Fl. G. II. 120.
 — Morenii Poll. Pollini Fl. ver. 2, 3.
 — — — Bot. Mag. 55, 2793.
 — — — Rchb. Fl. germ. 5, 171.
 — moschata L. Cav. Diss. 18.
 † — — — Gaertn. Carp. 136.
 — — — Fl. dan. 6, 905.
 — — — Cart. Lond. 2, 46.
 — — — Engl. Bot. 11, 754.
 — — — var. Bot. Mag. 49, 2298.
 — — — Baxter Brit. Bot. 1, 25.

- Malva moschata* L. Rchb. Fl. germ. 5, 169.
 — *Munroana* Dougl. Bot. Reg. 16, 1306.
 — — Bot. Mag. 63, 3537.
 — — Paxt. Mag. 4, 289.
 — *neilgherrensis* Wight. Wight Spicil. 16.
 — — Wight Ic. pl. Ind. or. 3, 950.
 — *nicaeensis* All. Cav. Diss. 25.
 — — Rchb. Fl. germ. 5, 168.
 — *obtusiloba* Hook. Bot. Mag. 54, 2787.
 — *odorata* Maund. Maund Bot. 5, 218.
 — *operculata* Cav. Cav. Diss. 35.
 — *ovata* Cav. Cav. Diss. 20.
 — *Papaver* Cav. Cav. Diss. 15.
 — *parviflora* L. Cav. Diss. 26.
 — — Jacq. Vind. 39.
 — *pedunculata* Rafin. Rafinesque Caratteri 19.
 — *peruviana* L. Cav. Diss. 19.
 — — Jacq. Vind. 156.
 — *polystachya* Cav. Cav. Diss. 138.
 — *prostrata* Cav. Cav. Diss. 16.
 — — Bot. Mag. 51, 2515.
 — *purpurata* Ldl. Bot. Reg. 16, 1362.
 — — Bot. Mag. 67, 3814.
 — *pusilla* Sm. Engl. Bot. 4, 241.
 — — Fl. dan. 11, 1825.
 — — Dietr. Fl. bor. 3, 189.
 — *reflexa* Wendl. Wendl. Hort. herrenh. 4.
 — — Andr. Andr. Rep. 2, 135.
 — *retusa* Cav. Cav. Diss. 21.
 — *rotundifolia* L. Cav. Diss. 26.
 — — Fl. dan. 5, 721.
 — — Sv. Bot. 142.
 — — Curt. Lond. 2, 41.
 — — Engl. Bot. 16, 1092.
 † — — Plée Types 27.
 — — Schrank Fl. monac. 4, 373.
 — — Hayne 2, 27.
 — — Guimpel et Schl. 79.
 — — Nees Düsseldorf. 412.
 — — Wagner 42.
 — — Rchb. Pl. crit. 1, 20.
 — — Rchb. Fl. germ. 5, 167.
 — — Dietr. Fl. bor. 3, 190.
 — — Gray Genera 116.
 — *scabra* Cav. Cav. Diss. 138.
 † — *scabrosa* L. Gaertn. Carp. 136.
 — *scoparia* Domb. Cav. Diss. 21.
 — — L'her. L'her. Stip. 27.
 — — Jacq. Jacq. Ic. 139.
 — *Sherardiana* L. Cav. Diss. 26.
 — — Jacq. Vind. 142.
 — *silvestris* L. Cav. Diss. 26.
 † — — Gaertn. Carp. 136.
 † — — Lam. Encycl. 582.
 — — Fl. dan. 7, 1223.
 — — Curt. Lond. 2, 108.
 — — Engl. Bot. 10, 671.
 — — Woodv. Med. 3, 199.
 — — Sv. Bot. 602.
 — — Schrank Fl. monac. 3, 287.
 — — Hayne 2, 28.
 — — Guimpel et Schl. 80.
 — — Nees Düsseldorf. 413.
 — — Wagner 43.
 — — Rchb. Fl. germ. 5, 168.
 — — Dietr. Fl. bor. 3, 191.
 — *sinensis* Cav. Cav. Diss. 25.
 — *spicata* L. Cav. Diss. 20.
 — *spithamea* Cav. Cav. Diss. 18.
 — *stipulacea* Cav. Cav. Diss. 15.
 — *stricta* Jacq. Jacq. Schoenbr. 3, 294.
 — *subhastata* Cav. Cav. Diss. 21.

- Malva tenella* Cav. Cav. Ic. 422.
 — *Tournefortiana* L. Cav. Diss. 17.
 — *tridactylites* Cav. Cav. Diss. 21.
 — *trifida* Cav. Cav. Diss. 137.
 — *umbellata* Cav. Cav. Ic. 95, 500.
 — — Kerner Hort. 459.
 — — Lodd. Cab. 223.
 — — Bot. Reg. 19, 1608.
 — *verticillata* L. Cav. Diss. 25.
 — — Jacq. Vind. 40.
 † — — Gaertn. Carp. 136.
 — — Engl. Bot. 2953.
 — — Hook. Journal 1847, 7.
 — *virgata* Murr. Cav. Diss. 18, 22, 24.
 — — Comm. Gott. 2, 6.
 — *vitifolia* Cav. Cav. Ic. 20.
 — *vulgaris* Fries. Rchb. Fl. germ. 5, 167.
 † *Malvaceae*. (Duchartre.) Ann. sc. nat. III. 4, 6, 7, 8.
 † *Malvastrum* DC. Gray Genera 121, 122.
 — *coccineum* Gray. Gray Genera 121.
 — *Wrightii* Gray. Gray Genera 122.
 † *Malvaviscus* Dill. Kerner Genera 10.
 † — — Gray Genera 131.
 — *arboreus* Dill. Cav. Diss. 48.
 — — Desc. Ant. 6, 383.
 — *Drummondii* Torr. et Gr. Gray Genera 131.
 † — *populneus* Gaertn. Gaertn. Carp. 135.
 — *Sagraeanus* A. Rich. Ramon Cuba 14.
Mammea americana L. Jacq. Hist. stirp. am. 248.
 — — Lam. Encycl. 458.
 — — Dict. sc. nat. 157.
 — — Tussac Ant. 3, 7.
 — — Desc. Ant. 1, 2.
 † — *humilis* Vahl. Vahl Eclogae 20.
 † *Mammillaria* Haw. Münchn. Abhandl. 2, 4.
 — *affinis* DC. DC. Cactées 6.
 — *atrata* Hort. Bot. Mag. 65, 3642.
 — *bicolor* Lehm. Pfeiffer Cact. 1, 3.
 — *cirrhiifera* Mart. Pfeiffer Cact. 1, 7.
 — *Clava* Pfeiff. Bot. Mag. 74, 4358.
 — *conoidea* DC. DC. Cactées 2.
 — — Pfeiffer Cact. 2, 26.
 — *criniformis* DC. DC. Cactées 4.
 — *crinita* DC. DC. Cactées 3.
 — *crucigera* Mart. Acta Leop. 16, 1, 25.
 — *densa* Link. Link Ic. II. 35.
 — *discolor* DC. Mem. Mus. 17, 2.
 — — Lodd. Cab. 1671.
 — *elephantidens* Lem. Pfeiffer Cact. 2, 20.
 — *ericantha* Link et O. Pfeiffer Cact. 1, 25.
 — *floribunda* Hook. Bot. Mag. 65, 3647.
 — *geminispina* DC. Mem. Mus. 17, 3.
 — *glochidiata* Mart. Acta Leop. 16, 1, 23.
 — *Helicteres* DC. Mem. Mus. 17, 5.
 — *Karwinskiana* Mart. Acta Leop. 16, 1, 22.
 — *lanifera* DC. Mem. Mus. 17, 4.
 — *Lehmanni* Pfeiff. Bot. Mag. 65, 3634.
 — *longimamma* DC. DC. Cactées 3.
 — *macracantha* DC. DC. Cactées 9.
 — *Mystax* Mart. Acta Leop. 16, 1, 21.
 — *nigricans* Fennel. Pfeiffer Cact. 2, 23.
 — *polyedra* Mart. Acta Leop. 16, 1, 18.
 — *polythele* Mart. Acta Leop. 16, 1, 19.
 — *pulchra* Haw. Bot. Reg. 16, 1329.
 — *pusilla* DC. Mem. Mus. 17, 2.
 — *pyncacantha* Mart. Acta Leop. 16, 1, 17.
 — — Pfeiffer Cact. 1, 26.
 — — Bot. Mag. 69, 3972.
 — *recurvispina* Vriese. Hoeven Tijdschr. 6, 1, fig. 1.
 — *rhodantha* Link. Link Ic. II. 26.
 — *Scheerii* Mühlenpf. Otto Garten-Z. 1847, 2.
 — *Seitziana* Mart. Pfeiffer Cact. 1, 8.

- Mammillaria Semperviri* DC. DC. Cactées 8.
 — *simplex* Haw. DC. Cactées 7.
 — *sphacelata* Mart. Acta Leop. 16. 1, 25.
 — *tenuis* DC. DC. Cactées 1.
 — — Bot. Reg. 18, 1523.
 — — Bot. Mag. 65, 3646.
 — *tetracantha* Salm. Bot. Mag. 70, 4060.
 — *turbinata* Hort. Bot. Mag. 69, 3984.
 — *uberiformis* Zucc. Pfeiffer Cact. 1, 13.
 — *uncinata* Zucc. Münchn. Abh. 2, 4.
 — — Pfeiffer Cact. 1, 19.
 — *Vetula* Mart. Acta Leop. 16. 1, 24.
 — *zephyranthoides* Scheidw. Pfeiffer Cact. 2, 8.
 — *Zuccariniana* Mart. Acta Leop. 16. 1, 20.
Manabea arborescens Aubl. Aublet Guiana 24.
 — *laevis* Aubl. Aublet Guiana 25.
 — *villosa* Aubl. Aublet Guiana 23.
Managa guianensis Aubl. Aublet Guiana 369.
Mancinella venenata Tuss. Tussac Ant. 3, 5.
 † — — Kerner Genera 194.
 — — Dict. sc. nat. 278.
Mandevilla suaveolens Ldl. Bot. Reg. 26, 7.
 — — Bot. Mag. 67, 3797.
 — — Paxt. Mag. 16, 290.
 † *Mandragora acaulis* Gaertn. Gaertn. Carp. 131.
 — *autumnalis* Bertol. Sweet Fl. G. II. 325.
 — — Fl. d. serres 5, 457.
 — *microcarpa* Bertol. Novi Comm. Bonon. 2, 25.
 — *officinarum* L. Novi Comm. Bonon. 2, 24.
 — *praecox* Sweet. Sweet Fl. G. 198.
 — *vernalis* Bertol. Novi Comm. Bonon. 2, 23.
 — — Brandt und Ratzeb. 18.
Manettia acutifolia Rz et P. Ruiz et Pav. Fl. 89.
 — *bicolor* Part. Paxt. Mag. 10, 27.
 — — Fl. d. serres 2, 8.
 — *coccinea* Willd. Bot. Reg. 9, 693.
 — *cordifolia* Mart. Münchn. Denkschr. 9, 7.
 — — Bot. Mag. 59, 3202.
 — — Bot. Reg. 22, 1866.
 — — Paxt. Mag. 2, 267.
 — — Maund Bot. 2, 87.
 — *glabra* Cham. Sweet Fl. G. II. 233.
 — *hispida* P. et E. Poepp. et Endl. 228.
 — *miniata* Ch. Lem. Fl. d. serres 4, 317.
 — *racemosa* Rz et P. Ruiz et Pav. Fl. 89.
 — *umbellata* Rz et P. Ruiz et Pav. Fl. 90.
 † *Mangifera domestica* Gaertn. Gaertn. Carp. 100.
 — *indica* L. Rheede Hort. mal. 4, 1. 2.
 — — Rumpf Amb. 1, 25. 26.
 — — Jacq. Ic. 337.
 † — — Lam. Encycl. 138.
 — — Andr. Rep. 6, 425.
 — — Tussac Ant. 2, 15.
 — — Desc. Apt. 1, 25.
 † — — (Germinatio.) Acta Leop. 12. 1, 37.
 † — — Kerner Genera 161—162.
 — — Dict. sc. nat. 262.
 — — Spach Suites 11.
 — — Bot. Mag. 76, 4510.
 — *pinnata* L. Rumpf Amb. 1, 60.
 — *Utana* Ham. Rumpf Amb. 1, 27.
 † *Manglesia cuneata* Endl. Bot. Zeitung 1853, 10.
 — *purpurea* Ldl. Lindley Swan River 3.
Manglietia glauca Bl. Blume Java 9, 6.
 † *Mangostana Cambogia* Gaertn. Gaertn. Carp. 105.
 † — *Garcinia* Gaertn. Gaertn. Carp. 103.
 † — *Morella* Desr. Gaertn. Carp. 103.
 † *Manicaria saccifera* Gaertn. Gaertn. Carp. 175.
 † — — Lam. Encycl. 774.
 † — — Kerner Genera 139—142.
 — — Mart. Palm. 98. 99.
 — — Wallace Palms 2. 26.

- Manihot Aipi* Pohl. Pohl Bras. 23.
 — *anomala* Pohl. Pohl Bras. 21.
 — *arcuata* Pohl. Pohl Bras. 34.
 — *cajaniformis* Pohl. Pohl Bras. 38.
 — *caricaefolia* Pohl. Pohl Bras. 32.
 — *cecropiaefolia* Pohl. Pohl Bras. 42.
 — *cleomaefolia* Pohl. Pohl Bras. 44.
 — *crotonariaeformis* Pohl. Pohl Bras. 18.
 — *dalechampiaeformis* Pohl. Pohl Bras. 36.
 — *digitiformis* Pohl. Pohl Bras. 27.
 — *divergens* Pohl. Pohl Bras. 33.
 — *flabellifolia* Pohl. Pohl Bras. 23.
 — *gracilis* Pohl. Pohl Bras. 16.
 — *Grahami* Hook. Hook. Ic. pl. 6, 530.
 — *heterophylla* Pohl. Pohl Bras. 31.
 — — Rchb. Exot. 344.
 — *laciniosa* Pohl. Pohl Bras. 48.
 — *longipetiolata* Pohl. Pohl Bras. 19.
 — *orbicularis* Pohl. Pohl Bras. 12.
 — *paviaefolia* Pohl. Pohl Bras. 45.
 — *peltata* Pohl. Pohl Bras. 13.
 — *pentaphylla* Pohl. Pohl Bras. 46.
 — *porrecta* Pohl. Pohl Bras. 39.
 — *pronifolia* Pohl. Pohl Bras. 17.
 — *pruinosa* Pohl. Pohl Bras. 22.
 — *pubescens* Pohl. Pohl Bras. 40.
 — *purpureo-costata* Pohl. Pohl Bras. 11.
 — *pusilla* Pohl. Pohl Bras. 26.
 — *quinqueloba* Pohl. Pohl Bras. 14.
 — *sagittato-partita* Pohl. Pohl Bras. 15.
 — *salicifolia* Pohl. Pohl Bras. 10.
 — *sinuata* Pohl. Pohl Bras. 41.
 — *sparsifolia* Pohl. Pohl Bras. 20.
 — *tenerima* Pohl. Pohl Bras. 30.
 — *tenuifolia* Pohl. Pohl Bras. 29.
 — *tomentella* Pohl. Pohl Bras. 37.
 — *tomentosa* Pohl. Pohl Bras. 43.
 — *triphylla* Pohl. Pohl Bras. 28.
 — *utilissima* Pohl. Pohl Bras. 24.
 — *varians* Pohl. Pohl Bras. 47.
 — *violacea* Pohl. Pohl Bras. 35.
 † *Manisuris* L. fil. Linné Gramina x.
 † — *granularis* L. fil. Gaertn. Carp. 175.
 † — — Lam. Encycl. 839.
 — — Roxb. Corom. 118.
 — *Myurus* L. fil. Schreber Gräser 43.
 — — Roxb. Corom. 117.
 — *polystachya* Pal. B. Pal. B. Fl. d'Oware 14.
Mantisia saltatoria Sims. Bot. Mag. 32, 1320.
 — — Lodd. Cab. 137.
 — — Rchb. Exot. 67.
 † — — Ann. sc. nat. II. 15, 19.
Manulea angustifolia Link. Link Ic. I. 20.
 † — *hirta* Gaertn. Gaertn. Carp. 55.
 † — — Lam. Encycl. 520.
 — *oppositiflora* Vent. Vent. Malm. 15.
 — *tomentosa* L. Jacq. Ic. 498.
 — — Bot. Mag. 9, 322.
 † — — Lam. Encycl. 520.
 — — Link Ic. I. 19.
Mapania silvatica Aubl. Aublet Guiana 17.
 — — Lam. Encycl. 37.
Mapouria guianensis Aubl. Aublet Guiana 67.
 — — Desc. Ant. 6, 389.
 † *Mappa glabra* Juss. Jussieu Euphorb. 14.
 — *moluccana* Spr. Wight Ic. pl. Ind. or. 3, 816.
 — *peltata* Wight. Wight Ic. pl. Ind. or. 3, 817.
Mappia racemosa Jacq. Jacq. Schoenbr. 1, 47.
Maprounea brasiliensis St. Hil. St. Hil. Pl. usuelles 65.
 — *guianensis* Aubl. Aublet Guiana 342.
 † — — Jussieu Euphorb. 17.
Maquira guianensis Aubl. Aublet Guiana 389.

- † *Marantia* *L.* Linnaea 6, 3. 4. 5.
 — *Allouya* *Aubl.* Jacq. Fragn. 71.
 — — — Desc. Ant. 1, 24.
 — *angustifolia* *Sims.* Bot. Mag. 50, 2398.
 — *Arouma* *Aubl.* Jacq. Fragn. 72. 73.
 — *arundinacea* *L.* Martyn Hist. 37.
 † — — — Lam. Encycl. 1.
 — — — Red. Lil. 1, 57.
 — — — Roscoe Scit. 25.
 — — — Bot. Mag. 49, 2307.
 † — — — Hegetschweiler Comm. 4.
 — — — Hayne 9, 25.
 — — — Guimpel et Schl. 106.
 — — — Nees Düssel. 69. 70.
 — *bicolor* *Ker.* Roscoe Scit. 32.
 — — — Bot. Reg. 10, 786.
 — — — Lodd. Cab. 921.
 — — — var. minor, Lodd. Cab. 1924.
 — *Cachibou* *Jacq.* Jacq. Fragn. 69. 70.
 — *capitata* *Rz et P.* Ruiz et Pav. Fl. 5.
 † — *Casupito* *Jacq.* Jacq. Fragn. 64.
 † — *Casupo* *Jacq.* Jacq. Fragn. 63.
 — *cuspidata* *Roscoe.* Roscoe Scit. 31.
 — *dichotoma* *A. Dietr.* Rumpf Amb. 4, 7.
 — *divaricata* *Roscoe.* Roscoe Scit. 27. 28.
 — *Galanga* *L.* Rumpf Amb. 5, 63.
 † — *geniculata* *Lam.* Lam. Encycl. 1.
 — *gibba* *Sm.* Roscoe Scit. 29.
 — *gracilis* *Rudge.* Rudge Pl. Guianae 3.
 — *indica* *Roscoe.* Roscoe Scit. 26.
 — — — Tussac Ant. 1, 26.
 — — — Desc. Ant. 8, 549.
 — — — Hayne 9, 26.
 — — — Guimpel et Schl. 107.
 — *lutea* *Lam.* Jacq. Ic. 201.
 — *malaccensis* *Burm.* Rumpf Amb. 5, 71.
 — *obliqua* *Rudge.* Rudge Pl. Guianae 2.
 — *ornata* *Hort.* Fl. d. serres 4, 413. 414.
 — *petiolata* *Rudge.* Rudge Pl. Guianae 37.
 — *ramosissima* *Wall.* Wall. Pl. asiat. 286.
 — *sanguinea* *Hort.* Fl. d. serres 8, 785.
 — *Tonchat* *Aubl.* Roscoe Scit. 30.
 — *virgata* *Wall.* Wight Ic. pl. Ind. or. 6, 2015.
 — *zebrina* *Sims.* Bot. Mag. 44, 1926.
 — — — Lodd. Cab. 494.
 — — — Bot. Reg. 5, 385.
 — — — Kerner Hort. 793. 794.
 — — — Rehb. Exot. 271.
 † *Marantaceae* *Ldl.* Schnizl. Iconogr. 1, 69.
Maranthes multiflora *Korth.* Korthals Bot. 70.
Marathrum foeniculaceum *H. B.* Humb. Pl. aeq. 11.
 — — — Lam. Encycl. 941.
 — — — Dict. sc. nat. 42.
 † — — — Schnizl. Iconogr. 2, 85.
 — *pauciflorum* *Tul.* Arch. Mus. 6, 1.
 — *utile* *Tul.* Arch. Mus. 6, 2.
 † *Marattia* *Sw.* Swartz Fl. Ind. occ. 29.
 † — — — Schrader Journal 1801, 2.
 † — — — Kaulfuss Enumeratio 1.
 — *alata* *Sw.* Smith Ic. Linn. 46.
 — — — Schk. Fil. 152.
 — — — Raddi Fil. 83. 84.
 † — — — Hook. Gen. Fil. 26.
 — *attenuata* *Lab.* Bill. Sertum 13. 14.
 † — *Calliodous* *Vr.* Vriese Maratt. 3, fig. 20.
 — *cicutaeifolia* *Mart.* Mart. Crypt. bras. 69 — 72.
 † — *cuneiformis* *Vr.* Vriese Maratt. 3, fig. 21. 4, fig. 21.
 — *fraxinea* *Sm.* Smith Ic. Linn. 48.
 — — — Schk. Fil. 152.
 — — — Dict. sc. nat. 93.
 — — — Raddi Fil. 82.
 — — — Schnizl. Iconogr. 1, 31.

- Marattia indica* *Bl.* Rumpf Amb. 6, 28.
 — *laevis* *Sw.* Smith Ic. Linn. 47.
 — — — Schk. Fil. 152.
 — *laxa* *Kze.* Kunze Fil. 95.
 † — *macrophylla* *Vr.* Vriese Maratt. 3, fig. 17.
 † — *purpurascens* *Vr.* Vriese Maratt. 3, fig. 19.
 — — — 4, fig. 19.
 † — *Raddiana* *Schott.* Schott Gen. Fil. 20.
 — *salicifolia* *Schrad.* Kunze Fil. 38.
 † — *salicina* *Sm.* Vriese Maratt. 3, fig. 18^a.
 — — — 4, fig. 18^a. 18^b.
 † — *silvatica* *Bl.* Vriese Maratt. 3, fig. 23.
 † — *ternatea* *Vr.* Vriese Maratt. 3, fig. 16.
 † *Marattiaceae* *Kaulf.* Schnizl. Iconogr. 1, 31.
 † — — — Vriese Marattiaceae 1 — 9.
Marcellia villosa *Choisy.* Mem. Gen. 10, x.
Marcetia decussata *DC.* Maund Bot. 5, 223.
 — *excoriata* *DC.* Mart. Bras. 248.
 — — — Bot. Reg. 29, 31.
 † — *latifolia* *Naud.* Ann. sc. nat. III. 14, 7.
 — *sertularia* *DC.* DC. Melastom. 5.
Maragravia spiciflora *Juss.* Ann. Mus. 14, 25.
 — *umbellata* *L.* Jacq. Hist. stirp. am. 143.
 — — — Tratt. Archiv 214.
 — — — Hook. Exot. Fl. 160.
 — — — Tussac Ant. 4, 13.
 — — — Desc. Ant. 4, 239.
 † — — — Lam. Encycl. 447.
 — — — Dict. sc. nat. 154.
 † — — — Spach Suites 45.
Margaranthus solanaceus *Schlecht.* Schlecht. Hort. 1.
Marginaria minima *Bory.* Brongniart Coquille 31.
 † — *piloselloides* *Presl.* Hook. Gen. Fil. 51.
 † — *verrucosa* *Hook.* Hook. Gen. Fil. 14.
 † *Margyricarpus* *Rz et P.* Ruiz et Pav. Prodr. 33.
 — *setosus* *Rz et P.* Ruiz et Pav. Fl. 8.
Margotia laserpitioides *Boiss.* Boissier Esp. 79.
Maria-Antonia orientalis *Parl.* Parlatore Monogr. 1.
 † *Marialva* *Vand.* Roemer Scriptores 7.
 — *amazonica* *P. et E.* Poepp. et Endl. 212.
 — *brasiliensis* *Mart.* Mart. Bras. 167.
Marianthus coeruleo-punctatus *Link.* Link. Ic. III. 11.
 — — — Paxt. Mag. 8, 247.
 — — — Bot. Mag. 68, 3893.
Marica californica *Gawl.* Bot. Mag. 25, 983.
 — *coerulea* *Ker.* Lodd. Cab. 407.
 — — — Bot. Reg. 9, 713.
 — — — Hook. Exot. Fl. 222.
 — — — Knowles et Westcott 46.
 — — — Paxt. Mag. 1, 128.
 — — — Rehb. Exot. 21.
 — *gladiata* *Ker.* Bot. Reg. 3, 229.
 — *gracilis* *Herb.* Bot. Mag. 66, 3713.
 — *humilis* *Herb.* Lodd. Cab. 1081.
 — — — var. *lutea*, Bot. Mag. 67, 3809.
 — *iridifolia* *Ker.* Bot. Reg. 8, 646.
 — *longifolia* *Link.* Link. Ic. I. 58.
 — *martinicensis* *Ker.* Lodd. Cab. 1362.
 — *Northiana* *Gawl.* Bot. Mag. 18, 654.
 — — — Lodd. Cab. 873.
 — *paludosa* *Willd.* Bot. Mag. 18, 646.
 — *plicata* *Gawl.* Bot. Mag. 18, 655.
 — *Sabini* *Ldl.* Hort. Transact. 6, 1.
 — — — Lodd. Cab. 1164.
 — — — Paxt. Mag. 1, 81.
 — *semiaperta* *Ldl.* Lodd. Cab. 685.
 — *striata* *Gawl.* Bot. Mag. 19, 701.
Marignia acutifolia *DC.* Rumpf Amb. 2, 52.
 — *obtusifolia* *DC.* Delessert Ic. 3, 55.
 † *Marila racemosa* *Sw.* Mem. Mus. 16, 17.
 — *tomentosa* *P. et E.* Poepp. et Endl. 213.
Maripa scandens *Aubl.* Aublet Guiana 91.

- † *Maripa scandens* Aubl. Lam. Encycl. 110.
Mariscus appendiculatus Brongn. Brongn. Coquille 34.
 — *aureus* Bert. Novi Comm. Bonon. 9, 34.
 † — *biglumis* Gaertn. Gaertn. Carp. 2.
 — *echinatus* Ell. Elliott Carolina 3.
 — *macrophyllus* Brongn. Brongniart Coquille 33.
 — *Mutisii* H. B. K. H. B. K. Nov. Gen. 1, 66.
 — *pycnostachyus* H. B. K. H. B. K. Nov. Gen. 1, 65.
 † — *retrofractus* Gaertn. Gaertn. Carp. 2.
 — *rufus* H. B. K. H. B. K. Nov. Gen. 1, 67.
 — *umbellatus* Vahl. Rheede Hort. mal. 12, 63.
Marlea affinis Decne. Jacquemont Ind. 83.
 — — — Schnizl. Iconogr. 262.
 — *begonifolia* Roxb. Roxb. Corom. 283.
 — — — Bot. Reg. 24, 61.
 † — — — Hook. Journal 1850, 5.
Martiereae suaveolens Camb. St. Hil. Fl. Bras. 156.
Marrubium apulum Ten. Tenore Fl. nap. 154.
 — *astracanicum* Jacq. Jacq. Ic. 109.
 — — — Rechb. Ic. crit. 3, 270.
 † — *candidissimum* L. Nees Genera 6, 38.
 — *catariaefolium* Lam. Jacq. Ecl. pl. 64.
 — — — Rechb. Ic. crit. 4, 313.
 — *cinereum* Lam. Brotero Phytogr. 110.
 — — — Hoffm. Lk. Fl. port. 8.
 — *creticum* Mill. Sprengel Fl. hal. 6.
 — — — Rechb. Ic. crit. 3, 288.
 — *hispanicum* L. Schk. Handb. 162.
 — *leonaroides* Desrouss. Rechb. Ic. crit. 3, 299.
 — *paniculatum* Desrouss. Rechb. Ic. crit. 3, 300.
 — *peregrinum* L. Jacq. Fl. austr. 2, 160.
 — — — Sprengel Fl. hal. 6.
 — — — Rechb. Ic. crit. 4, 312.
 † — — — Koch. Nees Genera 6, 38.
 — *pseudodictamnus* L. Sibth. Fl. gr. 562.
 † — — — Lam. Encycl. 508.
 — *rupestre* Biv. Bivona Stirp. rar. Sic. 2, 1.
 — *sericeum* Boiss. Boissier Esp. 148.
 — *Vaillantii* Coss. et G. Ann. sc. nat. II. 20, 14.
 — — — Cosson Atlas 21.
 — *velutinum* Sibth. Sibth. Fl. gr. 561.
 — *vulgare* L. Fl. dan. 6, 1036.
 — — — Woodv. Med. 2, 118.
 — — — Engl. Bot. 6, 410.
 — — — Baxter Brit. Bot. 3, 171.
 — — — Rousseau Bot. 23.
 — — — Lam. Encycl. 508.
 † — — — Schk. Handb. 162.
 — — — Hayne II, 40.
 — — — Nees Düsseldorf. 173.
 — — — Guimpel et Schl. 77.
 — — — Wagner 45.
 — — — Dietr. Fl. bor. 3, 202.
 — — — Nees Gen. 6, 38.
 † — — — Cosson Atlas 21.
Marsdenia Brunoniana W. et A. Wight Ic. pl. 2, 356.
 — *flavescens* Cunn. Bot. Mag. 60, 3299.
 — *maculata* Hook. Bot. Mag. 73, 4299.
 — *suaveolens* R. Br. Linn. Transact. 10, 21.
 — — — Guillemin Austr. 9.
 — — — Lam. Encycl. 933.
 — — — Bot. Reg. 6, 489.
 — — — Lodd. Cab. 968.
 † — *syringaeifolia* Decne. Ann. sc. nat. II. 9, 10.
 — *tenacissima* W. et A. Wight Ic. pl. Ind. or. 2, 590.
 — *tinctoria* R. Br. Rheede Hort. mal. 9, 8.
 — — — Marsden Sumatra 8.
 — — — Wight Ic. pl. Ind. or. 2, 589.
Marshallia caespitosa Nutt. Bot. Mag. 65, 3704.
 — *Schreberi* Gmel. Tratt. Archiv 80.
Marsilea aegyptiaca Delile. Delile Egypte 59.
 — *brasiliensis* Mart. Mart. Crypt. bras. 73.

- Marsilea cormandelica* Burm. Burm. Fl. ind. 62.
 — *crenata* Presl. Presl Reliq. 12.
 — *Fabri* Dunal. Dunal Mémoire 1 — 3.
 † — — — Ann. sc. nat. II. 7, 12, 13. 9, 13.
 † — — — Mettenius Rhizoc. 3.
 — *macropus* Hook. Hook. Ic. pl. 10, 909.
 — *minuta* L. Burm. Fl. ind. 62.
 † — — — Hedwig Theoria 8.
 † — *natans* L. Hedwig Theoria 8.
 — *polycarpa* Hook. Hook. Ic. Fil. 2, 160.
 — *pubescens* Ten. Tenore Fl. nap. 250.
 † — — — Explor. Alger. 38.
 † — — — Hofmeister Untersuchungen 22.
 — *quadrifolia* L. Schk. Fil. 173.
 — — — Sturm Flora II. 1, 1.
 † — — — Lam. Encycl. 963.
 — — — Dict. sc. nat. 103.
 † — — — Schnizl. Iconogr. 1, 34.
 † — — — Mettenius Rhizoc. 2, 3.
 — *salvinoides* Neck. Acta palat. 3, 21.
 — *vestita* Hook. Hook. Ic. Fil. 2, 159.
 † *Marsiliaceae* Barth. Schnizl. Iconogr. 1, 34.
 † *Marsippospermum* Desv. Desvaux Journal 1, 12.
 — *grandiflorum* Hook. Hook. Ic. pl. 6, 533.
Marsypianthes hyptoides Mart. Hook. Ic. pl. 5, 457.
Martia Sacram. Münchn. Denkschr. 7, 12.
 — *mexicana* Zucc. Münchner Abh. 1, 14, 15.
 † *Martinezia* R. et P. Ruiz et Pav. Prodr. 32.
 — *caryotaefolia* H. B. K. H. B. K. Nov. Gen. 7, 699.
 — — — Mart. Palm. 161.
 — *truncata* Mart. D'Orbigny Voyage 2, 28.
Martiniera potentilloides Guill. Delessert Ic. 3, 40.
Martusia parvifolia Benth. Fielding Sertum 11, 12.
 † *Martynia* L. Gloxin Observat. 1.
 † — *alternifolia* Lam. Lam. Encycl. 537.
 † — *angulosa* Lam. Lam. Encycl. 537.
 — — — Dict. sc. nat. 53.
 — — — Desc. Ant. 4, 272.
 — *annua* L. Martyn Hist. 40.
 — — — Kretzschmar Beschreibung 1, 2.
 † — — — Houston Rel. 10.
 † — — — Gaertn. Carp. 110.
 — *diandra* Gloxin. Jacq. Schoenbr. 3, 289.
 — — — Andr. Rep. 9, 575.
 — — — Bot. Reg. 23, 2001.
 — — — Herb. amat. 2, 123.
 — *fragrans* Ldl. Bot. Reg. 27, 6.
 — — — Bot. Mag. 73, 4292.
 — — — Marnock Mag. 1842, 2.
 — *lutea* Ldl. Bot. Reg. 11, 934.
 — — — Paxt. Mag. 11, 149.
 — *perennis* L. Linné Hort. Cliff. 18.
 — *Proboscidea* Willd. Bot. Mag. 26, 1056.
 — *speciosa* Hort. Herb. amat. 4, 225.
Marumia affinis Korth. Korthals Bot. 60.
 — *muscosa* Bl. Blume Rumphia 4.
 † — — — Ann. sc. nat. III. 15, 12.
 — *pachygyna* Korth. Korthals Bot. 69.
 — *zeylanica* Bl. Blume Rumphia 5.
Maruta Cotala Cass. Guimpel et Kl. 17.
 † — — — Nees Gen. X, x.
Mascarenhasia lisianthifolia DC. Delessert Ic. 5, 54.
 † *Masdevallia* R. et P. Ruiz et Pav. Prodr. 27.
 — *bicolor* P. et E. Poepp. et Endl. 108.
 — *constricta* P. et E. Poepp. et Endl. 108.
 — *elephanticeps* Rechb. Rechb. Xenia 1, 3.
 — *feneestrata* Ldl. Bot. Mag. 71, 4164.
 — *pumila* P. et E. Poepp. et Endl. 108.
 — *uniflora* R. et P. H. B. K. Nov. Gen. 1, 89.
 † *Massonia* L. Kerner Genera 98.
 — *angustifolia* L. fil. Aiton Hort. Kew. 1, 4.
 — — — Bot. Mag. 19, 736.

- Massonia angustifolia* L. *fil.* Red. Lil. 7, 392.
 — — — Lam. Encycl. 233.
 — — — *cordata* Jacq. Jacq. Schoenbr. 4, 459.
 — — — *coronata* Jacq. Jacq. Schoenbr. 4, 460.
 — — — *corymbosa* Gawl. Bot. Mag. 25, 991.
 — — — *ensifolia* Gawl. Bot. Mag. 16, 554.
 — — — *grandiflora* Ldl. Bot. Reg. 12, 958.
 — — — *hirsuta* Link. Link Ic. II. 1.
 — — — *lanceaefolia* Jacq. Jacq. Schoenbr. 4, 456.
 — — — *latifolia* L. Ait. Hort. Kew. 1, 3.
 — — — Bot. Mag. 22, 848.
 — — — Jacq. Schoenbr. 4, 455.
 † — — — Gaertn. Carp. 182.
 — — — Lam. Encycl. 233.
 — — — *longifolia* Jacq. Jacq. Schoenbr. 4, 457.
 — — — *β. candida*, Bot. Reg. 9, 694.
 — — — *muricata* Gawl. Bot. Mag. 16, 559.
 — — — Kerner Hort. 162.
 — — — Rchb. Exot. 50.
 † — — — *nodicarpa* Gaertn. Gaertn. Carp. 182.
 — — — *obovata* Jacq. Jacq. Schoenbr. 4, 458.
 — — — *pustulata* Jacq. Jacq. Schoenbr. 4, 454.
 — — — Bot. Mag. 17, 642.
 — — — Red. Lil. 4, 183.
 — — — Rchb. Hort. 224.
 — — — *sanguinea* Jacq. Jacq. Schoenbr. 4, 461.
 — — — *scabra* Banks. Andr. Rep. 4, 220.
 — — — *violacea* Andr. Andr. Rep. 1, 46.
 — — — Red. Lil. 7, 386.
Mastacanthus sinensis Endl. Bot. Reg. 32, 2.
Mastigophorus Gaudichaudii Cass. Richard Astrol. 16.
† *Mastixia trichotoma* Bl. Blume Mus. 1, 58.
Mastostigma varians Stocks. Hook. Ic. pl. 9, 863.
Mataiba guianensis Aubl. Aublet Guiana 128.
 — — — Lam. Encycl. 298.
Matelea latifolia Aubl. Aublet Guiana 109.
 — — — Delessert Ic. 5, 76.
 † — — — *linearis* Decne. Ann. sc. nat. II. 9, 11.
 — — — *palustris* Aubl. Aublet Guiana 109.
 — — — Lam. Encycl. 179.
Mathewsia foliosa Hook. Hook. Bot. Misc. 96.
Matisia cordata H. B. Humb. Pl. aeq. 2, 2^b.
 — — — *oblongifolia* P. et E. Poepp. et Endl. 150.
Matonia pectinata R. Br. Wall. Pl. asiat. 16.
 † — — — Hook. Gen. Fil. 43.
Matourea guianensis Aubl. Aublet Guiana 259.
 † — — — *pratensis* Aubl. Lam. Encycl. 533.
Matricaria absinthifolia Desc. Desc. Agt. 8, 592.
 — — — *carnosa* Lam. Lam. Encycl. 678.
 ! — — — *Chamomilla* L. Hill prolif. Bl. 7.
 — — — Curt. Lond. 1, 142.
 — — — Engl. Bot. 18, 1232.
 — — — Baxter Brit. Bot. 5, 335.
 — — — Fl. dan. 10, 1764.
 — — — Sv. Bot. 50.
 — — — Schk. Handb. 253^b.
 — — — Dreves 4, 124.
 — — — Hayne 1, 3.
 — — — Guimpel et Schl. 122.
 — — — Nees Düssel. 240.
 — — — Wagner 73.
 — — — Rchb. Fl. germ. 15, 997.
 † — — — *coronaria* Desr. Lam. Encycl. 678.
 — — — *Courrantiana* DC. Webb Canar. 89.
 — — — *discoidea* DC. Rchb. Fl. germ. 15, 997.
 — — — *glastifolia* Hil. Hill Hort. Kew. 3.
 — — — *graminifolia* Desr. Lam. Encycl. 678.
 — — — *laxa* M. v. B. Tratt. Archiv. 200.
 — — — *Parthenium* L. Woodv. Med. 1, 30.
 — — — Fl. dan. 4, 674.
 † — — — *suaveolens* L. Gaertn. Carp. 168.
 † — — — Lam. Encycl. 678.

- Matthiola acaulis* DC. Visiani Aeg. 3.
 — — — *coronopifolia* DC. Sibth. Fl. gr. 637.
 — — — *glandulosa* Vis. Visiani Dalm. 22.
 — — — *incana* R. Br. Rchb. Fl. germ. 2, 45.
 — — — Baxter Brit. Bot. 6, 445.
 † — — — Hook. Journal 1849, 5.
 — — — *livida* DC. Delessert Ic. 2, 12.
 — — — *maderensis* Lowe. Regel Gartenfl. 1, 34.
 — — — *nodosa* Lam. Risso Fl. de Nice 3.
 — — — *odoratissima* R. Br. Bot. Mag. 41, 1711.
 — — — Bot. Reg. 25, 25.
 — — — *oxyceras* DC. Delessert Ic. 2, 11.
 — — — *parviflora* R. Br. Webb Canar. 7.
 — — — *Pumilio* DC. Sibth. Fl. gr. 638.
 — — — *sinuata* R. Br. Sibth. Fl. gr. 640.
 — — — Rchb. Fl. germ. 2, 45.
 — — — *tomentosa* Decne. Bélanger Ind. or. x.
 — — — *tricuspidata* R. Br. Sibth. Fl. gr. 639.
 — — — Sweet Fl. G. 46.
 — — — *tristis* R. Br. Rchb. Fl. germ. 2, 46.
 — — — *varia* DC. Gaudin Fl. helv. 4, 3.
 — — — Sibth. Fl. gr. 636.
 — — — Sturm Flora 6, 22.
 — — — Rchb. Fl. germ. 2, 46.
 † *Matthisonia Raddii*. Mem. Mod. 18, 5.
Mattia Aucheri A. DC. Jaubert Illustr. 365.
 — — — *himalayensis* Klotzsch. Prinz Waldem. Him. 64.
 — — — *leptophylla* A. DC. Jaubert Illustr. 364.
 † — — — *umbellata* Schult. Nees Gen. 6, 58.
Mauhlia ensifolia Thunb. Thunberg Prodr. Cap. 3.
Maurandia antirrhiniflora Willd. Willdenow Hort. 83.
 † — — — Chavannes Antirrh. 2.
 — — — Bot. Mag. 40, 1643.
 — — — Rchb. Exot. 291.
 — — — *Barclayana* Ldl. Bot. Reg. 13, 1108.
 — — — Lodd. Cab. 1381.
 — — — Chavannes Antirrh. 2.
 — — — *semperflorens* Ort. Bot. Mag. 13, 460.
 — — — Jacq. Schoenbr. 3, 288.
 — — — Rchb. Exot. 291.
Mauria heterophylla H. B. K. H. B. K. Nov. Gen. 7, 606.
 — — — *simplicifolia* H. B. K. H. B. K. Nov. Gen. 7, 605.
Mauritia aculeata H. B. Mart. Palm. 39, 44, 2^b.
 — — — Wallace Palms 19.
 — — — *armata* Mart. Mart. Palm. 41, 42, 43.
 — — — D'Orbigny Voyage 14, 21.
 — — — *carana* Wallace. Wallace Palms 18.
 — — — *flexuosa* L. *fil.* Mart. Palm. 40.
 — — — Wallace Palms 2, 17.
 — — — *gracilis* Wallace. Wallace Palms 20.
 — — — *pumila* Wallace. Wallace Palms 21.
 — — — *vinifera* Mart. Mart. Palm. 38, 39.
 — — — D'Orbigny Voyage 13, 21.
 † *Maxillaria Rz et P.* Ruiz et Pav. Prodr. 25.
 — — — *acicularis* Herb. Bot. Mag. 74, 4374.
 — — — *acutipetala* Hook. Bot. Mag. 69, 3966.
 — — — *angustifolia* Hook. Hook. Ic. pl. 4, 348.
 — — — *aromatica* Grah. Hook. Exot. Fl. 219.
 — — — Bot. Reg. 22, 1871.
 — — — *atropurpurea* Lodd. Lodd. Cab. 1877.
 — — — *aureo-fulva* Hook. Bot. Mag. 65, 3629.
 — — — Knowles et Westcott 83.
 — — — *Barringtoniae* Lodd. Lodd. Cab. 1824.
 — — — Bot. Reg. 14, 1206.
 — — — *Batemani* P. et E. Poepp. et Endl. 65.
 — — — *breviscapa* P. et E. Poepp. et Endl. 62.
 — — — *ciliata* Rz et P. Bot. Reg. 14, 1206.
 — — — Bot. Mag. 70, 4081.
 — — — *cristata* Ldl. Bot. Reg. 21, 1811.
 — — — Maund Bot. 2, 75.
 — — — *crocea* Ldl. Bot. Reg. 21, 1799.
 — — — *cruenta* Ldl. Bot. Reg. 28, 13.

- Maxillaria cucullata* Ldl. Bot. Reg. 26, 12.
 — — Bot. Mag. 68, 3945.
 — *curtipes* Hook. Hook. Ic. pl. 4, 384.
 — *decolor* Ldl. Bot. Reg. 18, 1549.
 — — Bot. Mag. 69, 3981.
 — *densa* Ldl. Bot. Reg. 21, 1804.
 — *Deppei* Lodd. Lodd. Cab. 1612.
 — — Bot. Mag. 62, 3395.
 — — Paxt. Mag. 2, 268.
 — — Mem. Genev. 9, 2.
 ! — — *triandra*, Schweizer Denkschr. 5, 7.
 — *eburnea* Ldl. Lindley Sertum 40.
 — *galeata* Ldl. Lodd. Cab. 1645.
 — *gracilis* Lodd. Lodd. Cab. 1837.
 — *Harrisoniae* Ldl. Bot. Reg. 11, 897.
 — — Bot. Mag. 56, 2927.
 — — Paxt. Mag. 2, 196.
 — — var. *Regel* Gartenf. 2, 52.
 — *Henchmanni* Hook. Bot. Mag. 64, 3614.
 — *heteroclita* P. et E. Poepp. et Endl. 63.
 — *Heynderycxii* Morr. Annales de Gand 1845, 9.
 — *leptosepala* Hook. Bot. Mag. 75, 4434.
 — *macrobulbon* Hook. Bot. Mag. 72, 4228.
 — *macrophylla* P. et E. Poepp. et Endl. 64.
 — *nana* Hook. Hook. Ic. pl. 4, 315.
 — *ochroleuca* Lodd. Lodd. Cab. 1904.
 — *pallidiflora* Hook. Bot. Mag. 55, 2806.
 — *Parkeri* Hook. Bot. Mag. 54, 2729.
 — *parvula* Hook. Hook. Exot. Fl. 217.
 — *picta* Hook. Bot. Mag. 59, 3154.
 — — Bot. Reg. 21, 1802.
 — *placantha* Hook. Bot. Mag. 59, 3173.
 — — Bot. Reg. 18, 1510.
 — *pumila* Hook. Bot. Mag. 64, 3613.
 — *punctata* Lodd. Lodd. Cab. 1914.
 — *racemosa* Hook. Bot. Mag. 54, 2789.
 — — Bot. Reg. 19, 1566.
 — — Lodd. Cab. 1319.
 — *Rollissonii* Ldl. Bot. Reg. 24, 40.
 — *rufescens* Hook. Bot. Reg. 22, 1848.
 — *Skinneri* Batem. Bateman Orchid. 35.
 — *splendens* P. et E. Poepp. et Endl. 66.
 — *squalens* Hook. Bot. Mag. 56, 2953.
 — *stapelioides* Link. Bot. Mag. 67, 3877.
 — — Bot. Reg. 25, 17.
 — *Steelii* Hook. Bot. Mag. 64, 3573.
 — — Bot. Reg. 23, 1986.
 — *supina* P. et E. Poepp. et Endl. 67.
 — *tenuifolia* Ldl. Bot. Reg. 25, 8.
 — — Maund Bot. 3, 140.
 — *tetragona* Ldl. Bot. Reg. 17, 1428.
 — — Bot. Mag. 59, 3146.
 — *viridis* Ldl. Bot. Reg. 18, 1510.
 — *vitellina* Ldl. Bot. Reg. 25, 12.
 — *Warreana* Lodd. Lodd. Cab. 1884.
 — — Bot. Mag. 72, 4235.
Maximiliana insignis Mart. Mart. Palm. 94.
 — *princeps* Mart. D'Orbigny Voyage 4.
 — *regia* Mart. Mart. Palm. 91. 92. 93.
 — — D'Orbigny Voyage 15. 31.
 — — Wallace Palms 3. 47.
Mayaca fluviatilis Aubl. Aublet Guiana 15.
 — — Lam. Encycl. 36.
 — *Vandelli* Sch. et E. Schott et Endl. Melet. 3.
Mayepea guianensis Aubl. Aublet Guiana 31.
 — — Lam. Encycl. 72.
 † *Mayna brasiliensis* Raddi. Mem. Mod. 18, 5.
 — — Münchn. Abh. 2, 5. 6.
 — *longifolia* P. et E. Poepp. et Endl. 271.
 — *odorata* Aubl. Aublet Guiana 352.
 — — Lam. Encycl. 491.
 † *Mays Zea Gaertn.* Gaertn. Carp. 1.

- † *Mays Zea Gaertn.* Dumortier Gramin. 15.
Maytenus chilensis DC. Bot. Reg. 20, 1702.
Mazentoxeron reflexum Lab. Labill. Relation 19.
 — *rufum* Lab. Labill. Relation 17.
Mazus Pumilio R. Br. Endl. Iconogr. 102.
 — — Hook. Ic. pl. 6, 567.
 — *rugosus* Lour. Sweet Fl. G. 36.
 — *surculosus* Don. Wight Ic. pl. Ind. or. 4, 1407.
Meborea guianensis Aubl. Aublet Guiana 323.
 — — Lam. Encycl. 731.
Mecardonia pusilla Mart. Mart. Bras. 208.
Meconella oregana Nutt. Hook. Ic. pl. 4, 360.
Meconopsis aculeata Royle. Royle Illustr. 15.
 † — *cambrica* Vig. Mem. Genev. 1, 2.
 — — Baxter Brit. Bot. 1, 54.
 — *Guilelmi Waldemarii Klotzsch.* Prinz Waldem.
 Him. 36.
 — *heterophylla* Benth. Hook. Ic. pl. 8, 732.
 — *Wallichii* Hook. Bot. Mag. 78, 4668.
 — — Lem. Jard. f. 3, 315.
 — — Fl. d. serres 8, 753.
Mecopus nidulans R. Br. Bennett Java 32.
 † *Mecosa angustata* Bl. Blume Tabellen 1.
Medeola angustifolia L. Ait. Red. Lil. 7, 393.
 — *asparagoides* L. Lam. Encycl. 266.
 — — Red. Lil. 8, 442.
 — *virginica* L. Lam. Encycl. 266.
 — — Bot. Mag. 32, 1316.
 — — Barton Med. 39.
 † *Medicago* L. Gaertn. Carp. 155.
 † — — Schk. Handb. 212^a. 212^b.
 † — — Lam. Encycl. 612.
 — *agrestis* Ten. Tenore Fl. nap. 183.
 — *arborea* L. Nouveau Duhamel 4, 44.
 — — Lodd. Cab. 1379.
 — — Sibth. Fl. gr. 767.
 — — Moris Fl. sard. 35.
 — *arenaria* Ten. Tenore Fl. nap. 183.
 — *canariensis* Benth. Webb Canar. 56.
 — *carstiensis* Jacq. Jacq. Ic. 156.
 — — Bot. Mag. 23, 909.
 ! — — Denkschr. d. W. Akad. 1, 3.
 — *ciliaris* Willd. Moris Fl. sard. 51.
 — *circinata* L. Sibth. Fl. gr. 768.
 — — Moris Fl. sard. 34.
 — *connivens* Trautv. Trautvetter Im. 20.
 — *corrugata* Durieu. Explor. Alger. 88.
 — — Munby Fl. d'Algérie 6.
 — *corymbifera* Schm. Linnaea 4, 1.
 — *crassipina* Vis. Visiani Dalm. 43.
 — *cretacea* M. v. B. Marshall Cent. 76.
 — *denticulata* Willd. Engl. Bot. 2634.
 — — Moris Fl. sard. 47. 48.
 — *Echinus* DC. Moris Fl. sard. 52. 53.
 — *elegans* Jacq. Moris Fl. sard. 38.
 — *falcata* L. Fl. dan. 2, 233.
 — — Sv. Bot. 248.
 — — Engl. Bot. 15, 1016.
 — — Schrank Fl. monac. 2, 179.
 — *flexuosa* Ten. Tenore Fl. nap. 178.
 — *Gerardi* W. et Kit. Moris Fl. sard. 43.
 — *glomerata* Balb. DC. Ic. Gall. 27.
 — *Helix* Willd. β. spinosa, Webb Canar. 56.
 — — Moris Fl. sard. 39.
 — *heterocarpa* Spach. Explor. Alger. 89.
 — *histris* Ten. Tenore Fl. nap. 178.
 † — *intertexta* Willd. Gaertn. Carp. 155.
 — *litoralis* Rhode. Moris Fl. sard. 40.
 — — Explor. Alger. 89.
 — *lupulina* L. Fl. dan. 6, 992.
 — — Curt. Lond. 3, 115.
 — — Engl. Bot. 14, 971.

- Medicago lupulina* L. Dietr. Fl. bor. 6, 372.
 — *maculata* Willd. Curt. Lond. 3, 121.
 — — — Moris Fl. sard. 80.
 — *marina* L. Cav. Ic. 130.
 — — — Sibth. Fl. gr. 770.
 — *minima* Desr. Engl. Bot. 2635.
 — — — var. Rochel Banat. 15.
 — — — Dietr. Fl. bor. 12, 803.
 — *Noccae* Balb. Brugn. Giorn. 1815, 2.
 — — — Nocca et Balbis Fl. tic. 11.
 — *obscura* Retz. Retz. Obs. 1, 1.
 — — — Gussone Pl. rar. 52.
 — *orbicularis* All. Moris Fl. sard. 37.
 — *plagiospira* Durieu. Explor. Alger. 89.
 — *polymorpha* L. Engl. Bot. 23, 1616.
 — — — var. minor, Fl. dan. 2, 211.
 — — — var. pinnatifida, Jacq. Collect. 5, 15.
 — *praecox* DC. Moris Fl. sard. 49.
 — *prostrata* Jacq. Winterl. Index 4.
 — — — Jacq. Vind. 89.
 † — *pusilla* Viv. Viviani Aeg. 2.
 — *sativa* L. Engl. Bot. 25, 1749.
 — — — Baxter Brit. Bot. 5, 329.
 — — — Rousseau Bot. 17.
 — — — Lam. Encycl. 612.
 — — — Fl. dan. 13, 2244.
 — — — Schrank Fl. monac. 3, 245.
 — *scutellata* Willd. Sibth. Fl. gr. 769.
 — — — All. Moris Fl. sard. 36.
 — *secundiflora* Durieu. Explor. Alger. 88.
 — *sphaerocarpa* Bert. Sebastiani Fl. rom. 3.
 — — — Sebastiani Rom. pl. 2, 3.
 — — — Moris Fl. sard. 46.
 — *suffruticosa* DC. DC. Ic. Gall. 28.
 — *Tenoreana* DC. Tenore Fl. nap. 178.
 — *tribuloides* Desr. Moris Fl. sard. 41, 42.
 — *tuberculata* Willd. Moris Fl. sard. 44.
 — *turbinata* Willd. Moris Fl. sard. 45.
Medinilla erythrophylla Ldl. Paxt. Mag. 10, 79.
 — *javanensis* Bl. Bot. Mag. 77, 4569.
 † — — — Ann. sc. nat. III. 15, 12.
 — — — Lem. Jard. fl. 96.
 † — *loranthoides* Naud. Ann. sc. nat. III. 15, 13.
 — *macrocarpa* Bl. Blume Rumphia 2.
 — *magnifica* Ldl. Bot. Mag. 76, 4533.
 — — — Paxt. Fl. G. 12.
 — — — Lem. Jard. fl. 56 — 57.
 — — — Fl. d. serres 6, 572.
 — *polyantha* Korth. Korthals Bot. 61.
 — *pteroaula* Bl. Blume Rumphia 1.
 — *radicans* Bl. Blume Rumphia 3.
 — *rosea* Gaudich. Freycinet Voyage 106.
 † — — — Ann. sc. nat. III. 15, 12.
 † — *rubicunda* Bl. Ann. sc. nat. III. 15, 13.
 — *Sieboldiana* Planch. Bot. Mag. 78, 4650.
 — — — Fl. d. serres 5, 482.
 — — — Lem. Jard. fl. 3, 298.
 — *speciosa* Bl. Bot. Mag. 73, 4321.
 † *Meesia serrata* Gaertn. Gaertn. Carp. 50.
 † — — — Lam. Encycl. 143.
Megacarpaea laciniata Led. Ledeb. Ic. 372, 380.
Megaclinium falcatum Ldl. Bot. Reg. 12, 989.
 † — — — Acad. Brux. 15, 0.
 — *maximum* Ldl. Bot. Reg. 23, 1959.
 — — — Bot. Mag. 69, 4028.
Meionectes Brownii J. Hook. Hook. Ic. pl. 4, 306.
Meisneria arenaria Mart. Mart. Bras. 258.
 — *microlicioides* Naud. Ann. sc. nat. III. 12, 11.
 — *paludosa* Mart. Mart. Bras. 258.
 † *Meisteria cernua* S. et Z. Münchn. Abhandl. 4, 3.
 † *Melaleuca* L. Lam. Encycl. 641.
 † — — — Kerner Genera 109.

- † *Melaleuca angustifolia* Gaertn. Gaertn. Carp. 38.
 — *armillaris* Wendl. Wendland Coll. 29.
 — — — Herb. amat. 2, 117.
 — *Cajuputi* Roxb. Guimpel et Schl. 67.
 — — — Woodv. Med. 5, 16.
 — *canescens* Link. Link Ic. 1, 37.
 — *chlorantha* Bonpl. Bonpland Malm. 8.
 — *coronata* Andr. Andr. Rep. 4, 278.
 — *cuticularis* Lab. Bill. Nov. Holl. 171.
 — *decussata* R. Br. Bot. Mag. 48, 2268.
 — — — Lodd. Cab. 1208.
 — — — Colla Hort. Rip. 15.
 — *densa* R. Br. Herb. amat. 5, 325.
 — — — Colla. Mem. Tur. 31, 4.
 — *diosmaefolia* Andr. Andr. Rep. 7, 476.
 — *discolor* Rchb. Rchb. Hort. 113.
 — *elliptica* Lab. Bill. Nov. Holl. 173.
 — *empetrifolia* Rchb. Rchb. Hort. 102.
 — *ericaefolia* Sm. Smith Exot. Bot. 34.
 — — — Vent. Malm. 76.
 — — — Nouveau Duhamel 4, 46.
 — — — Andr. Andr. Rep. 3, 175.
 — *erubescens* Otto. Rchb. Hort. 82.
 — *fascicularis* Lab. Bill. Nov. Holl. 170.
 — *Fraseri* Hook. Bot. Mag. 60, 3210.
 — *fulgens* R. Br. Bot. Reg. 2, 103.
 — — — Lodd. Cab. 378.
 — *genistaefolia* Sm. Smith Exot. Bot. 55.
 — *gibbosa* Lab. Bill. Nov. Holl. 172.
 — *gnidiaefolia* Vent. Vent. Malm. 4.
 — *hamata* Gardn. Fielding Sertum 74.
 — *hypericifolia* Sm. Andr. Rep. 3, 200.
 — — — Lodd. Cab. 199.
 — — — Wendland Coll. 18.
 — — — Vent. Cels 10.
 — — — Nouveau Duhamel 4, 45.
 — — — Kerner Hort. 364.
 — — — Savi Fl. ital. 3, 100.
 — *incana* R. Br. Bot. Reg. 5, 410.
 — *juniperina* Sieb. Rchb. Hort. 112.
 — *Leucadendron* L. Rumpf Amb. 2, 16, 17.
 — — — Woodv. Med. 3, 193.
 — — — Hayne 10, 9.
 — — — Nees Düsseldorf. 299.
 — — — Roxb. Nees Düsseldorf. Suppl. 66.
 — — — Lam. Lam. Encycl. 641.
 — *linarifolia* Sm. Smith Exot. Bot. 56.
 — *linearis* Schrad. Schrader Sert. hannov. 11.
 — *myrtifolia* Vent. Vent. Malm. 47.
 — *neriifolia* Sims. Bot. Mag. 26, 1058.
 — *nodosa* Sm. Smith Exot. Bot. 35.
 — — — Wendland Coll. 60.
 — — — Vent. Malm. 112.
 — *parviflora* Otto. Rchb. Hort. 31.
 — *pentagona* Lab. Bill. Nov. Holl. 166.
 — *pulchella* R. Br. Lodd. Cab. 200.
 — — — Herb. amat. 5, 325.
 — — — Rchb. Mag. 8.
 — *salicifolia* Andr. Andr. Rep. 7, 485.
 — *scabra* R. Br. Sweet Austr. 10.
 — *scoparia* L. Schrader Sert. hannov. 15.
 — *splendens* Lee. Kerner Hort. 639.
 — *sprengelioides* DC. Mem. Genev. 9, 3.
 — *squamea* Lab. Bill. Nov. Holl. 168.
 — — — Bot. Reg. 6, 477.
 — *squarrosa* Lab. Bill. Nov. Holl. 169.
 — — — Bot. Mag. 44, 1935.
 — — — Lodd. Cab. 1139.
 — — — Tratt. Thea. 72.
 — *striata* Lab. Bill. Nov. Holl. 165.
 — *stypelioides* Colla. Mem. Tur. 35, 6.
 † — *suaveolens* Gaertn. Gaertn. Carp. 35.

- Melaleuca* *Thea* *Schrad.* *Schrader Sert. hannov.* 14.
 — *thymifolia* *Sm.* *Smith Exot. Bot.* 36.
 — — — *Bot. Mag.* 44, 1868.
 — — — *Lodd. Cab.* 439.
 — — — *Rchb. Mag.* 8.
 — *thymoides* *Lab.* *Bill. Nov. Holl.* 167.
 — *tomentosa* *Colla.* *Colla Hort. Rip.* 37.
 — *virgata* *Forst.* *Rumpf Amb.* 2, 18.
 † *viridiflora* *Sol.* *Gaertn. Carp.* 35.
 — — — *Link Ic.* III. 47.
Melampodium americanum *L.* *Houstoun Reliq.* 21.
 † — — — *Gaertn. Carp.* 169.
 † — — — *Lam. Encycl.* 713.
 — *hispidum* *H. B. K.* *H. B. K. Nov. Gen.* 4, 399.
 — *humile* *Moriz.* *Mem. Tur.* 36, 9.
 — *ovatifolium* *Rchb.* *Rchb. Hort.* 42.
 — *sericeum* *H. B. K.* *H. B. K. Nov. Gen.* 4, 398.
 † *Melampyrum* *L.* *Mutzel Fl. fr.* 43.
 — *arvense* *L.* *Fl. dan.* 6, 911.
 — — — *Curt. Lond.* 4, 63.
 — — — *Engl. Bot.* 1, 53.
 — — — *Baxter Brit. Bot.* 6, 457.
 † — — — *Lam. Encycl.* 518.
 — — — *Schrank Fl. monac.* 1, 53.
 — — — *Dietr. Fl. bor.* 4, 270.
 — *barbatum* *W. et K.* *W. et Kit.* 86.
 — *cristatum* *L.* *Fl. dan.* 7, 1104.
 — — — *Engl. Bot.* 1, 41.
 — — — *Dietr. Fl. bor.* 4, 268.
 † — — — *Nees Gen.* 5, 47.
 — *nemorosum* *L.* *Fl. dan.* 2, 303.
 — — — *Sv. Bot.* 423.
 † — — — *Schk. Handb.* 170.
 — — — *Sturm Flora* 8, 29.
 — — — *Schrank Fl. monac.* 2, 138.
 — — — *Dietr. Fl. bor.* 2, 136.
 — *pratense* *L.* *Engl. Bot.* 2, 113.
 — — — *Sv. Bot.* 287.
 — — — *Fl. dan.* 13, 2238.
 † — — — *Gaertn. Carp.* 53.
 † — — — *Lam. Encycl.* 518.
 — — — *Schk. Handb.* 170.
 — — — *Sturm Flora* 3, 9.
 — — — *Schrank Fl. monac.* 4, 398.
 — — — *Dietr. Fl. bor.* 2, 135.
 † — — — *Nees Gen.* 5, 47.
 — *silvaticum* *L.* *Fl. dan.* 1, 145.
 — — — *Curt. Lond.* 5, 176.
 — — — *Engl. Bot.* 12, 804.
 — — — *Sturm Flora* 3, 9.
 † *Melanocranis scariosa* *Vahl.* *Comm. Gott. rec.* 7, 2.
Melanocenchris Jacquemontii *Jaub.* *Jaub. Illustr.* 325.
 — *Perrottetii* *Jaub.* *Jaubert Illustr.* 326.
Melanopsidium nigrum *Colla.* *Colla Hort. Rip.* 35.
Melanorrhoea glabra *Wall.* *Wall. Pl. asiat.* 283.
 — *usitata* *Wall.* *Wall. Pl. asiat.* 11—12.
Melanoseris lyrata *Decne.* *Jacquemont Ind.* 109.
Melanosticta Burchellii *DC.* *DC. Legum.* 69.
Melanthesa obliqua *Wight.* *Wight Ic. pl. Ind. or.* 5, 1898.
 — *rhamnoides* *Bl.* *Wight Ic. pl. Ind. or.* 5, 1898.
 — *turbinata* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1897.
 † *Melanthiaceae* *R. Br.* *Schnizl. Iconogr.* 1, 53.
Melanthium capense *L.* *Lam. Encycl.* 269.
 — *ciliatum* *L.* *Jacq. Fragm.* 3.
 — *densum* *Desr.* *Lam. Encycl.* 269.
 — *dieline* *Willk.* *Willkomm Ic. Hisp.* 1, 14.
 — *eucnoides* *Jacq.* *Jacq. Ic.* 452.
 — — — *Bot. Mag.* 17, 641.
 — *gramineum* *Cav.* *Anales de hist. nat.* 3, 27.
 — — — *Cav. Ic.* 587.
 — — — *Red. Lil.* 5, 249.
 — *junceum* *Jacq.* *Jacq. Ic.* 451.

- Melanthium junceum* *Jacq.* *Bot. Mag.* 16, 558.
 — — — *Lodd. Cab.* 978.
 — — — *Herb. amat.* 1, 50.
 — *massoniaefolium* *Andr.* *Andr. Rep.* 6, 368.
 — *monopetalum* *L.* *Bot. Mag.* 32, 1291.
 —? *pumilum* *Forst.* *Comm. Gott.* 9, 6.
 — *punctatum* *Cav.* *Anales de hist. nat.* 3, 26.
 — — — *Cav. Ic.* 588.
 — *secundum* *Desr.* *Lam. Encycl.* 269.
 — *sibiricum* *L.* *Linné Amoenit.* 2, 4.
 — *spicatum* *Houtt.* *Bot. Mag.* 19, 694.
 — *uniflorum* *Jacq.* *Jacq. Ic.* 450.
 — — — *Bot. Mag.* 20, 767.
 — *virginicum* *L.* *Lam. Encycl.* 269.
 — — — *Torrey New York* 134.
 — *viride* *L.* *Andr. Rep.* 4, 233.
 — — — *Bot. Mag.* 25, 994.
Melastanthus glaucus *Pohl.* *Pohl Bras.* 65.
 — *integrifolius* *Pohl.* *Pohl Bras.* 64.
 — *longispicatus* *Pohl.* *Pohl Bras.* 61.
 — *rhomboidalis* *Pohl.* *Pohl Bras.* 62.
 — *triphyllus* *Pohl.* *Pohl Bras.* 63.
 — *villosus* *Pohl.* *Pohl Bras.* 60.
 — — — *Rchb. Exot.* 281.
Melasma scabrum *Berg.* *Bergius Cap.* 3.
 † — — — *Gaertn. Carp.* 55.
 —? *Zeyheri* *Hook.* *Hook. Ic. pl.* 3, 255.
Melaspheerula graminea *Gawl.* *Bot. Mag.* 17, 615.
 — *parviflora* *Lodd.* *Lodd. Cab.* 1444.
Melastoma — *Icones pl. Chinae* 2.
 — *acuminatum* *Vahl.* *Vahl Eclogae* 7.
 — *acutipetalum* *Rich.* *Humb. Melast.* 38.
 — *agreste* *Aubl.* *Aublet Guiana* 166.
 — *alatum* *Aubl.* *Aublet Guiana* 158.
 — *albicans* *Raddi.* *Mem. Mod.* 20, 11.
 † — *alpestre* *Jack.* *Linn. Transact.* 14, 1.
 † — — — *Calcutta Journal* 1844, 11.
 — *ambiguum* *Bonpl.* *Humb. Melast.* 25.
 — *amygdalinum* *Desr.* *Humb. Melast.* 36.
 — *angustifolium* *Sw.* *Vahl Ic.* 26.
 — — — *Humb. Melast.* 10.
 — *aplostachyum* *Bonpl.* *Humb. Melast.* 1.
 — *aquaticum* *Aubl.* *Aublet Guiana* 169.
 — *arborescens* *Aubl.* *Aublet Guiana* 163.
 — *aspergillare* *Bonpl.* *Humb. Melast.* 19.
 † — *asperum* *L.* *Gaertn. Carp.* 126.
 — *biglomeratum* *Bonpl.* *Humb. Melast.* 15.
 — *bivalve* *Aubl.* *Aublet Guiana* 155.
 — *Boryanum* *Korth.* *Korthals Bot.* 50.
 — *bracteolatum* *Bonpl.* *Humb. Melast.* 20.
 — *brumeum* *Vahl.* *Vahl Ic.* 23.
 — *Cacatin* *Aubl.* *Aublet Guiana* 173.
 — *caelatum* *Bonpl.* *Humb. Melast.* 6.
 — *calycopteris* *Rich.* *Humb. Melast.* 42.
 — *calyptratum* *Desr.* *Humb. Melast.* 46.
 — *capitellatum* *Bonpl.* *Humb. Melast.* 3.
 — *caudatum* *Bonpl.* *Humb. Melast.* 7.
 — *ciliatum* *Desr.* *Humb. Melast.* 28.
 — *coccineum* *Vahl.* *Vahl Ic.* 16.
 — — — *Humb. Melast.* 14.
 — — — *Kerner Hort.* 280.
 — *compressum* *Vahl.* *Vahl Ic.* 17.
 — *cornifolium* *Desr.* *Humb. Melast.* 41.
 — *coronatum* *Bonpl.* *Humb. Melast.* 56.
 — *corymbosum* *Sims.* *Bot. Mag.* 23, 904.
 — — — *Lodd. Cab.* 984.
 — *crenatum* *Vahl.* *Vahl Ic.* 24.
 — *crispatum* *L.* *Rumpf Amb.* 5, 35.
 — *cymbifolium* *Rich.* *Humb. Melast.* 26.
 — *cymosum* *Schrad.* *Schrader Sertum hann.* 10.
 — — — *Vent. Malm.* 14.
 — — — *Rchb. Mag.* 43.

- Melastoma cymosum* Schrad. Herb. amat. 2, 138.
 — *decumbens* Pal. B. Pal. B. Fl. d'Oware 41.
 — — Kerner Hort. 584.
 — *denticulatum* Lab. Bill. Sertum 64.
 — *discolor* L. Jacq. Hist. stirp. am. 125.
 — — Humb. Melast. 34.
 — *diversifolium* Bonpl. Humb. Melast. 59.
 — *elacagnoides* Sw. Vahl Ic. 28.
 — — Humb. Melast. 13.
 — *elegans* Aubl. Aublet Guiana 167.
 † *exiguum* Jack. Linn. Transact. 14, 1.
 † — — Calcutta Journal 1844, 11.
 — *extinctorium* Bonpl. Humb. Melast. 57.
 — *flavescens* Aubl. Aublet Guiana 164.
 — *floribundum* Bonpl. Humb. Melast. 53.
 — *Fothergillii* Rich. Humb. Melast. 32.
 — *fulvum* Rich. Humb. Melast. 11.
 — — Kerner Hort. 318.
 — *furfuraceum* Vahl. Vahl Ic. 22.
 † *Gandichaudianum* Naud. Ann. sc. nat. III. 15, 5.
 — *grandiflorum* Aubl. Aublet Guiana 160.
 — — Desc. Ant. 7, 521.
 — *granulosum* Bonpl. Humb. Melast. 12.
 — — Desr. Bot. Reg. 8, 671.
 — — Bot. Mag. 51, 2441.
 — *guayaquilense* Bonpl. Humb. Melast. 49.
 — *heteromallum* Don. Bot. Mag. 49, 2337.
 — — Bot. Reg. 8, 644.
 — *hirtum* L. Bot. Mag. 45, 1971.
 — — Desc. Ant. 5, 345.
 — *holosericeum* L. Humb. Melast. 23.
 — — var. *acuminata*, Humb. Melast. 24.
 — *hymenonervium* Raddi. Mem. Mod. 20, 11.
 — *ibaguense* Bonpl. Humb. Melast. 45.
 — *impetiolare* Sw. Vahl Ic. 25.
 — — Humb. Melast. 29.
 — *lacerum* Bonpl. Humb. Melast. 5.
 — *laevigatum* Aubl. Aublet Guiana 159.
 — — L. Bot. Reg. 5, 363.
 — *longifolium* Aubl. Aublet Guiana 170.
 — *loxense* Bonpl. Humb. Melast. 43.
 — *lutescens* Bonpl. Humb. Melast. 17.
 — *macrocarpum* Don. Hart. Parad. 2, 2.
 — *malabathricum* L. Rheede Hort. mal. 4, 42.
 — — Rumpf Amb. 4, 72.
 † — — Gaertn. Carp. 126.
 — — Lam. Encycl. 361.
 — — Bot. Mag. 15, 329.
 — — Bot. Reg. 8, 672.
 — — Lodd. Cab. 1932.
 † — — Linn. Transact. 14, 1.
 † — — Calcutta Journal 1844, 11.
 † — — Miquel Comment. 10.
 — — Wight Illustr. 95.
 — *mandioccanum* Raddi. Mem. Mod. 20, 13.
 — *mexicanum* Bonpl. Humb. Melast. 55.
 — *minutiflorum* Bonpl. Humb. Melast. 22.
 — *mucronatum* Desr. Humb. Melast. 18.
 — *multiflorum* Desr. Humb. Melast. 37.
 — *Mutisii* Bonpl. Humb. Melast. 58.
 — *nepalense* Lodd. Lodd. Cab. 707.
 — *nigricans* Vahl. Vahl Ic. 27.
 — *niveum* Desr. Humb. Melast. 44.
 — *obscurum* Bonpl. Humb. Melast. 52.
 — *octonum* Bonpl. Humb. Melast. 4.
 — *osbeckioides* Sims. Bot. Mag. 48, 2235.
 — *parvisporum* Aubl. Aublet Guiana 171.
 — *pendulifolium* Bonpl. Humb. Melast. 35.
 † — *polyanthum* Bl. Blume Mus. 1, 6.
 — *procerrum* Sw. Humb. Melast. 51.
 — *pulcherrimum* Korth. Korthals Bot. 49.
 — *punctatum* Desr. Humb. Melast. 40.

- Melastoma purpurascens* Aubl. Aublet Guiana 154.
 — *pyramidale* Bonpl. Humb. Melast. 21.
 — *racemosum* Aubl. Aublet Guiana 156.
 — — Humb. Melast. 27.
 — *rariflorum* Bonpl. Humb. Melast. 50.
 — *reclinatum* Bonpl. Humb. Melast. 48.
 — *repens* Desr. Lam. Encycl. 361.
 † — — Ann. sc. nat. III. 13, 5.
 — *rigidum* Sw. Kerner Hort. 178.
 — *rubiginosum* Bonpl. Humb. Melast. 47.
 — *rubrolimbatum* Link. Link Ic. I. 41.
 — *rubrum* Aubl. Aublet Guiana 161.
 — — Rich. Humb. Melast. 39.
 — *rufescens* Aubl. Aublet Guiana 157.
 — *sanguineum* Don. Bot. Mag. 48, 2241.
 — — Paxt. Mag. 12, 265.
 — *scandens* Aubl. Aublet Guiana 172.
 — *semicrenatum* Rich. Humb. Melast. 31.
 — *sessiliflorum* Vahl. Vahl Ic. 18.
 — *setinodis* Bonpl. Humb. Melast. 2.
 — *spicatum* Aubl. Aublet Guiana 165.
 — *stenobotrys* Rich. Humb. Melast. 30.
 — *strangulatum* Raddi. Mem. Mod. 20, 9.
 — *strigillosum* Sw. Kerner Hort. 199.
 — *suaveolens* Raddi. Mem. Mod. 20, 11.
 — *subtripplinervium* Link. Link Ic. II. 24.
 — *succosum* Aubl. Aublet Guiana 162.
 — *Swartzianum* Rich. Humb. Melast. 33.
 † — *taitense* DC. Ann. sc. nat. III. 13, 5.
 — *tetrandrum* Sw. Swartz Ic. Ind. occ. 13.
 — *theaezans* Bonpl. Humb. Melast. 9.
 — — Dict. sc. nat. 230.
 — *tomentosum* Rich. Humb. Melast. 16.
 — *trivalve* Aubl. Aublet Guiana 155.
 — *tunicatum* Bonpl. Humb. Melast. 60.
 — *umbrosum* Sw. Vahl Ic. 29.
 — *vaccinioides* Bonpl. Humb. Melast. 8.
 — *villosum* Aubl. Aublet Guiana 168.
 — — Lodd. Lodd. Cab. 853.
 — — Bot. Mag. 53, 2630.
 — *xalapense* Bonpl. Humb. Melast. 54.
 † *Melastomaceae* Juss. (DC.) Mem. Genev. 4, 2. 3. 4.
 † — — (Naudin.) Ann. sc. nat. III. 6. 7. 4, 2. 3.
 — — 13, 5—8.
 † — — Schweizer Denkschr. 5, 2.
 † *Melastomastrum erectum* Naud. Ann. sc. nat. III. 13, 5.
Melhania abutiloides Arn. Wight Ic. pl. Ind. or. 1, 23.
 — *abyssinica* Hochs. Richard Abyssin. 18.
 — *Hamiltoniana* Wall. Wall. Pl. asiat. 77.
 — *Leprieurii* Webb. Hook. Niger Fl. 4. 5.
 — — Hook. Ic. pl. 8, 753. 755.
Melia Azadirachta L. Cav. Diss. 208.
 — *Azedarach* L. Cav. Diss. 207.
 — — Bot. Mag. 27, 1066.
 — — Lam. Encycl. 352.
 † — — Mem. Mus. 19, 13.
 — — Desc. Ant. 1, 46.
 — — Wight Ic. pl. Ind. or. 1, 160.
 — *sempervirens* Sw. Bot. Reg. 8, 643.
 † *Meliantheae* Planch. Linn. Transact. 20, 20.
Melanthus major L. Rivinus Irreg. hexap. 23.
 † — — Gaertn. Carp. 211.
 † — — Lam. Encycl. 552.
 † — — Mem. Mus. 12, 28.
 — — Bot. Reg. 1, 43.
 — *minor* L. Rivinus Irreg. hexap. 23.
 — — Bot. Mag. 9, 301.
 † *Melica* L. Linné Amoenit. 7, 3.
 † — — Dumortier Gram. 4.
 — *altissima* L. Host Gram. 109.
 — — Rchb. Fl. germ. 1, 72.
 — *aurantiaca* Lam. Cav. Ic. 472.

- Melica Bauhini* *All.* Host Gram. 323.
 — — — *Rchb.* Fl. germ. 1, 72.
 — *ciliata* *L.* Sv. Bot. 365.
 — — — *Sibth.* Fl. gr. 70.
 — — — Host Gram. 112.
 — — — *Rchb.* Fl. germ. 1, 72.
 † — — — *Nees* Gen. 1, 60.
 — *coerulea* *L.* Curt. Lond. 3, 98.
 — — — *Engl. Bot.* 11, 750.
 — — — *Knapp* Gram. 40.
 — — — *Sv. Bot.* 401.
 — — — *Schk. Handb.* 13.
 — — — Host Gram. 108.
 — *cyrenaica* *Viv.* Viviani Lib. 25.
 — *glabra* *Michx.* Elliott Carolina 9.
 — *humilis* *Boiss.* Boissier Esp. 177.
 — *Jacquemontii* *Decne.* Jacquemont Ind. 175.
 — *imperfecta* *Trin.* Trin. Sp. Gr. 3, 353.
 — *laxiflora* *Cav.* Cav. Ic. 473.
 — *Lobelii* *Vill.* Vill. Dauph. 3.
 — *nutans* *L.* Schreber Gräser 6.
 — — — Vill. Dauph. 3.
 — — — Fl. dan. 6, 962.
 — — — Cav. Ic. 175.
 † — — — *Gaertn. Carp.* 80.
 † — — — *Lam. Encycl.* 44.
 — — — *Sv. Bot.* 354.
 — — — Curt. Lond. 2, 80.
 — — — *Engl. Bot.* 15, 1059.
 — — — *Knapp* Gram. 42.
 — — — *Baxter Brit. Bot.* 2, 144.
 — — — Host Gram. 110.
 — — — *Schrank Fl. monac.* 4, 315.
 — — — *Rchb.* Fl. germ. 1, 72.
 † — — — *Nees* Gen. 1, 60.
 — *pallida* *H. B. K.* H. B. K. Nov. Gen. 7, 693.
 — *persica* *Kth.* Humb. Gram. 59.
 — *rariflora* *Schreb.* Schreber Gräser 54.
 — *rigida* *Cav.* Cav. Ic. 473.
 — *saxatilis* *Sibth.* Sibth. Fl. gr. 71.
 — *uniflora* *Retz.* Fl. dan. 7, 1144.
 — — — Curt. Lond. 2, 82.
 — — — *Engl. Bot.* 15, 1058.
 — — — *Knapp* Gram. 41.
 — — — Host Gram. 111.
 — — — *Rchb.* Fl. germ. 1, 72.
 — *violacea* *Cav.* Cav. Ic. 472.
 † *Melicocca bijuga* *L.* Gaertn. Carp. 42.
 † — — — *Lam. Encycl.* 306.
 — *carpoodea* *Juss.* Mem. Mus. 3, 4.
 — *dentata* *Juss.* Mem. Mus. 3, 6.
 — *diversifolia* *Juss.* Mem. Mus. 3, 6, 7.
 — *paniculata* *Juss.* Mem. Mus. 3, 5.
 — *trijuga* *Juss.* Mem. Mus. 3, 8.
Melicoccus bijugatus *Jacq.* Jacq. Hist. stirp. am. 109.
Melicope indica *Wight.* Wight Ic. pl. Ind. or. 3, 1051.
 — *simplex* *Cann.* Hook. Ic. pl. 6, 585.
 † *ternata* *Forst.* Forster Charact. 28.
 † — — — *Lam. Encycl.* 294.
 — — — Hook. Ic. pl. 7, 603.
Melicytus lanceolatus *Hook.* Hook. New Zeal. 8.
 † — *ramiflorus* *Forst.* Forster Charact. 62.
 † — — — *Lam. Encycl.* 812.
 † — *umbellatus* *Gaertn.* Gaertn. Carp. 44.
 † — — — *Lam. Encycl.* 812.
Melilotus alba *Desr.* Dietr. Fl. bor. 10, 696.
 — *arvensis* *Waltr.* Nees Düssel. Suppl. 12.
 — — — *Engl. Bot.* 2969.
 † — — — *Cosson Atlas* 11.
 † — *coerulea* *Lam.* Gaertn. Carp. 153.
 † — — — *Lam. Encycl.* 613.
 — — — *Sturm Flora* 4, 15.

- Melilotus coerulea* *Lam.* var. *Rochel* Banat. 14.
 † — *cretica* *Desf.* Gaertn. Carp. 153.
 † — — — *Lam. Encycl.* 613.
 — *dentata* *Willd.* Sturm Flora 4, 15.
 — — — Fl. dan. 11, 1883.
 — *elegans* *Salzm.* Moris Fl. sard. 57.
 — *indica* *Desv.* Rheede Hort. mal. 9, 40.
 † — — — *Gaertn. Carp.* 153.
 † — — — *Lam. Encycl.* 613.
 — — — *All.* Moris Fl. sard. 56.
 † — *italica* *Lam.* Gaertn. Carp. 153.
 † — — — *Lam. Encycl.* 613.
 † — — — *Acad. Neap.* 6, (1851.) x.
 — *leucantha* *Koch.* Engl. Bot. 2689.
 † — — — *Cosson Atlas* 11.
 — *longifolia* *Ten.* Tenore Fl. nap. 176.
 — *macrorrhiza* *Pers.* Winterl Index 14.
 — — — *Distr. Fl. bor.* 10, 697.
 — *messanensis* *All.* Moris Fl. sard. 58.
 — *neapolitana* *Ten.* Tenore Fl. nap. 176.
 — *officinalis* *Willd.* Fl. dan. 6, 934.
 † — — — *Lam. Encycl.* 613.
 — — — *Dreves* 2, 44.
 — — — *Schrank Fl. monac.* 4, 322.
 — — — *Guimpel et Schl.* 194.
 — — — *Wagner* 65.
 — — — *Baxter Brit. Bot.* 5, 363.
 † — — — *Cosson Atlas* 11.
 — *Petitpierreana* *Hayne.* Sturm Flora 4, 15.
 † *polonica* *Gaertn.* Gaertn. Carp. 153.
 † — — — *Lam. Encycl.* 613.
 — *rotundifolia* *Ten.* Tenore Fl. nap. 176.
 — *speciosa* *Durieu.* Explor. Alger. 90.
 — *sulcata* *Desf.* Moris Fl. sard. 59.
 — *vulgaris* *Willd.* Fl. dan. 10, 1705.
Meliosma lanceolata *Bl.* Blume Rumphia 168.
 — *nitida* *Bl.* Blume Rumphia 169.
Meliphlea vitifolia *Zucc.* Münch. Abh. 2, 9.
Melissa alba *W. et K.* W. et Kit. 205.
 — *altissima* *Sm.* Rivinus Opus ined. 31.
 — — — *Sibth.* Fl. gr. 579.
 — *arundana* *Boiss.* Boissier Esp. 146.
 — *Calamintha* *L.* Lam. Encycl. 512.
 — *grandiflora* *L.* Bot. Mag. 6, 208.
 — — — *Schk. Handb.* 165.
 — *hirsuta* *Hort. Par.* Nees Düssel. Suppl. 41.
 — *maxima* *Ard.* Arduino Anim. 2, 13.
 — *officinalis* *L.* Woodv. Med. 2, 119.
 — — — *Lam. Encycl.* 512.
 — — — Sturm Flora 3, 11.
 — — — Hayne 6, 32.
 — — — Nees Düssel. 179.
 — — — *Guimpel et Schl.* 143.
 — — — *Wagner* 55.
 † — — — *Nees* Gen. 6, 11.
 — *Pulegium* *Roch.* Rochel Banat. 22.
 — *pyrenaica* *Scop.* Jacq. Vind. 183.
 — — — *Lodd. Cab.* 1853.
 — *subnuda* *W. et K.* W. et Kit. 262.
 — *umbrosa* *M. v. B.* Wight Ic. pl. Ind. or. 4, 1447.
 † *Melistaureum* *Forst.* Forster Charact. 72.
 † *Melittis* *L.* Mutel Fl. fr. 49.
 — *grandiflora* *Sm.* Curt. Lond. 2, 117.
 — — — *Engl. Bot.* 9, 636.
 — — — *Rchb. Ic. crit.* 3, 242.
 — *japonica* *Thunb.* Thunberg Ic. jap. 28.
 — *Melissophyllum* *L.* Engl. Bot. 9, 577.
 — — — *Baxter Brit. Bot.* 4, 285.
 † — — — *Lam. Encycl.* 513.
 — — — *Jacq. Fl. austr.* 1, 26.
 — — — *Schk. Handb.* 166.
 — — — *Schrank Fl. monac.* 3, 203.

- Melittis Melissophyllum* L. Sturm Flora 20, 90.
 — — — Rchb. Ic. crit. 3, 241.
 — — — Dietr. Fl. bor. 12, 826.
 † — — — Nees Gen. 6, 27, 27^a.
 † *Mella* Vand. Roemer Scriptores 7.
 † *Melocactus* Salm. Acta Leop. 18. Suppl. 1—4.
 — *acutatus* Link. Preuss. Garten-Verein 3, 23.
 — *Besleri* Link. Preuss. Garten-Verein 3, 21.
 — *communis* DC. Mem. Mus. 17, 6.
 — — — Preuss. Garten-Verein 3, 11.
 — — — Bot. Mag. 58, 3090.
 — *depressus* Hook. Bot. Mag. 65, 3691.
 — *dichroacanthus* Miq. Acta Leop. 18. Suppl. 6.
 — *gladiatus* Link. Preuss. Garten-Verein 3, 17.
 — *intricatus* Link. Preuss. Garten-Verein 3, 24.
 — *Lehmanni* Miq. Acta Leop. 18. Suppl. 8.
 — *macracanthoides* Miq. Acta Leop. 18. Suppl. 11.
 — *macracanthus* Link. Preuss. Gart. Verein 3, 12.
 — *meonacanthus* Link. Preuss. Gart. Verein 3, 15.
 — *microcephalus* Miq. Acta Leop. 18. Suppl. 9.
 — *Miquellii* Lehm. Acta Leop. 18. Suppl. 7.
 — *Monvillianus* Miq. Acta Leop. 18. Suppl. 5.
 — *orthacanthus* Link. Preuss. Garten-Verein 3, 18.
 — *platyacanthus* Link. Preuss. Garten-Verein 3, 14.
 — *polyacanthus* Link. Preuss. Garten-Verein 3, 16.
 — *pyramidalis* Link. Preuss. Garten-Verein 3, 25.
 — *recurvus* Link. Preuss. Garten-Verein 3, 20.
 — *rufispinus* Bert. Novi Comm. Bonon. 3, 26.
 — *Salmianus* Otto. Preuss. Garten-Verein 3, 13.
 — *Selloi* DC. Preuss. Garten-Verein 3, 22.
 — *subuliferus* Link. Preuss. Garten-Verein 3, 27.
 — *tenuispinus* Link. Preuss. Garten-Verein 3, 19.
 — *tephracanthus* Link. Preuss. Garten-Verein 3, 16.
 — *tuberculatus* Link. Preuss. Garten-Verein 3, 26.
 — *Zuccarinii* Miq. Acta Leop. 18. Suppl. 10.
 † *Melochia* L. Gray Genera 134.
 — *borbonica* Cav. Cav. Diss. 174.
 — *caracasana* Jacq. Jacq. Ic. 507.
 — *concatenata* L. Cav. Diss. 178.
 — *corchorifolia* L. Cav. Diss. 174.
 — *crenata* Vahl. Vahl Symbolae 68.
 — *depressa* L. Cav. Diss. 173.
 — *frutescens* Jacq. Jacq. Obs. 44.
 — *graminifolia* St. Hil. St. Hil. Fl. Bras. 31.
 — *hermannioides* St. Hil. St. Hil. Fl. Bras. 32.
 — *hirsuta* Cav. Cav. Diss. 175.
 — *odorata* Forst. Cav. Diss. 173.
 — *pyramidata* L. Jacq. Vind. 30.
 — — — Cav. Diss. 172.
 † — — — Gaertn. Carp. 113.
 † — — — Lam. Encycl. 571.
 — — — Gray Genera 134.
 — *tomentosa* L. Cav. Diss. 172.
 † — — — Lam. Encycl. 571.
 — *Turpiniana* H. B. K. H. B. K. Nov. Gen. 5, 482.
Melodinus Baueri Endl. Endl. Iconogr. 59.
 — *monogynus* Carey. Bot. Reg. 10, 834.
 — — — Bot. Mag. 52, 2527.
 — — — Wight Ic. pl. Ind. or. 2, 394.
 † — *orientalis* Bl. Blume Mus. 1, 52.
 — *phillyraeoides* Lab. Bill. Sertum 33.
 † — *scandens* Forst. Forster Charact. 19.
 † — — — Lam. Encycl. 179.
Melothria indica DC. Rumpf Amb. 5, 171.
 — *pendula* L. Lam. Encycl. 28.
 — *prunifera* P. et E. Poepp. et Endl. 174.
Memecylon amplexicaule Roxb. Wight Ic. pl. Ind. or. 1, 279.
 — *angustifolium* Wight. Wight Ic. pl. Ind. or. 1, 276.
 — *capitellatum* L. Lam. Encycl. 284.
 — *cordatum* Lam. Lam. Encycl. 284.
 — *edule* Roxb. Roxb. Corom. 82.

- Memecylon grande* Retz. Rheed. Hort. mal. 2, 15.
 — *Heyneanum* Benth. Wight Ic. pl. Ind. or. 1, 278.
 — *jambosoides* Wight. Wight Ic. pl. Ind. or. 1, 277.
 — *laxiflorum* DC. Rheed. Hort. mal. 5, 19.
 — *tinctorium* Koenig. Wight Illustr. 93.
 † — — — Blume Mus. 1, 38.
 † — *umbellatum* Gaertn. Gaertn. Carp. 127, 179.
 † — — *Nic. Burn.* Blume Mus. 1, 38.
 † *Menarda cryptophila* Comm. Jussieu Euphorb. 6.
Mendezia bicolor DC. Delessert Ic. 4, 29.
 † *Mendozia Vandellii*. Roemer Scriptores 7.
 † — — — Ruiz et Pav. Prodr. 17.
 — *multiflora* P. et E. Poepp. et Endl. 208.
 — *pilosa* Mart. Mart. Bras. 209.
 — *puberula* Mart. Mart. Bras. 211.
 — *Vellosiana* Mart. Mart. Bras. 210.
Meniocus filifolius Jaub. Jaubert Illustr. 53.
 — *grandiflorus* Jaub. Jaubert Illustr. 53.
 — *linifolius* DC. Delessert Ic. 2, 42.
Meniscium cuspidatum Bl. Blume Java 6, 43.
 — *macrophyllum* Kze. Kunze Fil. 44.
 — *palustre* Raddi. Raddi Fil. 20.
 † — — — Hook. Gen. Fil. 40.
 — *reticulatum* Sw. Schk. Fil. 5.
 — *simplex* Hook. Hook. Journal 1842, 11.
 — *sorbifolium* Willd. Langsd. et Fischer 4.
 † — — — Schott Gen. Fil. 10.
 — *triphyllum* Sw. Hook. Ic. Fil. 1, 120.
 — — — Kunze Fil. 52.
 † *Menispermea* DC. Schnizl. Iconogr. 172.
 † *Menispermum* L. Gray Genera 29.
 — *Abuta* Lam. Desc. Ant. 4, 256.
 — *canadense* L. Schk. Handb. 337.
 — — — Bot. Mag. 44, 1910.
 — — — Lam. Encycl. 824.
 — — — Dict. sc. nat. 120.
 † — — — Spach Suites 62.
 † — — — Schnizl. Iconogr. 172.
 † — — — Ann. sc. nat. III. 18, 15.
 — — — Gray Genera 29.
 † — *Cocculus* Gaertn. Gaertn. Carp. 70.
 — *Wall.* Asiat. Res. 13, 15, 16.
 — — — Nees Dusseld. 363, 364.
 † — — — Ann. sc. nat. III. 18, 15.
 — *crispum* Burm. Rumpf Amb. 5, 44, fig. 2.
 — *dauricum* DC. Delessert Ic. 1, 100.
 † — *fenestratum* Gaertn. Gaertn. Carp. 46.
 † — *lacunosum* Lam. Berliner Jahrb. 1822, 1.
 — *Leaeba* Delile. Delile Egypte 51.
 — *palmatum* Lam. Hayne 9, 48.
 — — — Nees Dusseld. 362.
 — — — Nees Dusseld. Suppl. 72.
 — — — Wagner 230.
Menodora africana Hook. Hook. Ic. pl. 6, 586.
 — *helianthemoides* H. B. Humb. Pl. aeq. 110.
 — — — Lam. Encycl. 903.
Menonvillea filifolia F. et M. Sweet Fl. G. II. 371.
 — *linearis* DC. Delessert Ic. 2, 56.
 † *Mentha* L. (Rochel.) Linnaea 12, 6.
 † — — — Mutel Fl. fr. 47, 48.
 — *acutifolia* Sm. Engl. Bot. 34, 2415.
 — — — Rchb. Ic. crit. 10, 973.
 — *agrestis* Sole. Sole Menthae 14.
 — — — Engl. Bot. 30, 2120.
 — — — Rchb. Ic. crit. 10, 971.
 — *aquatica* L. Fl. dan. 4, 673.
 — — — Sole Menthae 10, 11.
 — — — Lam. Encycl. 503.
 — — — Schrank Fl. monac. 3, 211.
 — — — Dietr. Fl. bor. 5, 313.
 — — — Wagner 220.
 † — — — Cosson Atlas 20.

- Mentha arvensis* L. Fl. dan. 3, 512.
 — — — Sole Menthae 12.
 — — — Engl. Bot. 30, 2119.
 — — — Sv. Bot. 279.
 — — — Rchb. Ic. crit. 10, 968—972.
 — — — Dietr. Fl. bor. 5, 314.
 † — — — Nees Genera 6, 6^a.
 † — — — Cosson Atlas 20.
 — *austriaca* Jacq. All. Fl. ped. 3, 75.
 — — — Jacq. Fl. austr. 5, 430.
 — *blanda* Wall. DC. Hortus gener. 8.
 — *citrata* Ehrh. Rchb. Ic. crit. 10, 977.
 — *crispa* L. Hayne 11, 38.
 — — — Nees Düssel. 162.
 — — — Guimpel et Schl. 108.
 — — — Wagner 111.
 — — — Engl. Bot. 2785.
 — *crispata* Schrad. Guimpel et Schl. 109.
 — — — Nees Düssel. 163.
 — — — Hayne 11, 35.
 — *diffusa* Lej. Rchb. Ic. crit. 10, 972.
 — *emarginata* Rchb. Rchb. Ic. crit. 10, 979.
 — *exigua* L. Smith Ic. Linn. 38.
 — *gentilis* L. Fl. dan. 5, 736.
 — — — Sole Menthae 15.
 — — — Engl. Bot. 30, 2118.
 — — — Schk. Handb. 158.
 — — — Rchb. Ic. crit. 10, 974.
 — *gracilis* Sm. Sole Menthae 16.
 — — — Engl. Bot. 7, 749.
 — *hirsuta* Sm. Engl. Bot. 7, 747.
 — — — Curt. Lond. 5, 166.
 — — — Baxter Brit. Bot. 5, 398.
 — *Langii* Geiger. Nees Düssel. Suppl. 25.
 — *lapponica* Wahlenb. Wahlenberg Fl. lapp. 10.
 — *latifolia* Nolte. Fl. dan. 12, 2057.
 — *macrostachya* Ten. Tenore Fl. nap. 56.
 — *Michellii* Ten. Rchb. Ic. crit. 10, 981.
 — *neapolitana* Ten. Tenore Fl. nap. 242.
 — *neglecta* Ten. Tenore Fl. nap. 157.
 — *niliaca* Juss. Jacq. Vind. 3, 87.
 — *odorata* Sole. Sole Menthae 9.
 — — — Engl. Bot. 15, 1025.
 — *ovata* Cav. Cav. Ic. 360.
 — *paludosa* Sole. Sole Menthae 22.
 — *palustris* Mill. Sole Menthae 6.
 — — — Moench. var. Rchb. Ic. crit. 10, 976.
 — *piperita* L. Knigge Mentha 0.
 — — — officinalis, Sole Menthae 7.
 — — — silvestris, Sole Menthae 24.
 — — — vulgaris, Sole Menthae 8.
 — — — Woodv. Med. 2, 120.
 — — — Engl. Bot. 10, 687.
 — — — Hayne 11, 37.
 — — — Nees Düssel. 164.
 — — — Guimpel et Schl. 110.
 — — — Wagner 112.
 — *praecox* Sole. Sole Menthae 13.
 — *pratensis* Sole. Sole Menthae 17.
 — *pubescens* Willd. Rchb. Ic. crit. 10, 978.
 — *Pulegium* L. Sole Menthae 23.
 — — — Woodv. Med. 2, 122.
 — — — Engl. Bot. 15, 1026.
 — — — Lam. Encycl. 503.
 — — — Fl. dan. 10, 1755.
 — — — Nees Düssel. 166.
 — — — Wagner 32.
 † — — — Cosson Atlas 20.
 — *pyramidalis* Ten. Tenore Fl. nap. 55.
 † — — — Cosson Atlas 20.
 — *rivalis* Sole. Sole Menthae 20.
 — *Rosani* Ten. Tenore Fl. nap. 158.

- Mentha rotundifolia* Sole. Sole Menthae 4.
 — — — Engl. Bot. 7, 446.
 — — — Dietr. Fl. bor. 5, 311.
 † — — — Cosson Atlas 20.
 — *rubra* Sm. Sole Menthae 18.
 — — — Engl. Bot. 20, 1413.
 — — — var. Rchb. Ic. crit. 10, 975.
 — *sativa* L. var. Rivinus Opus ined. 34.
 — — — Fl. dan. 5, 794.
 — — — Sole Menthae 21.
 — — — Engl. Bot. 7, 448.
 — — — Nees Düssel. Suppl. 26.
 † — — — Nees Genera 6, 6^a.
 † — — — Cosson Atlas 20.
 — *serotina* Ten. Tenore Fl. nap. 156.
 — *silvestris* Sole. Sole Menthae 3.
 — — — L. Fl. dan. 3, 484. 11, 1932.
 — — — Engl. Bot. 10, 686.
 — — — Schrank Fl. monac. 2, 150.
 — — — Hayne 11, 34.
 — — — Rchb. Ic. crit. 10, 982—984.
 — — — Dietr. Fl. bor. 5, 310.
 † — — — Nees Genera 6, 6.
 † — — — Koch. Cosson Atlas 20.
 — *suavis* Guss. Gussone Pl. rar. 66.
 — *undulata* Willd. Nees Düssel. Suppl. 27.
 — — — Rchb. Ic. crit. 10, 980.
 — *urticaefolia* Ten. Tenore Fl. nap. 157.
 — *variegata* Sole. Sole Menthae 19.
 — *verticillata* Roxb. Bot. Mag. 56, 2907.
 — *villosa* Huds. Sole Menthae 1. 2.
 — *viridis* L. Sole Menthae 5.
 — — — Woodv. Med. 2, 121.
 — — — Engl. Bot. 34, 2424.
 — — — Fl. dan. 11, 1876.
 — — — Hayne 11, 36.
 — — — Nees Düssel. 165.
 — — — Dietr. Fl. bor. 5, 309.
Mentzelia aspera L. Cav. Ic. 70.
 — — — Cav. Tratt. Archiv 274.
 — *hispida* Willd. Lam. Encycl. 425.
 — — — Bot. Mag. 59, 3205.
 — *oligosperma* Nutt. Bot. Mag. 42, 1760.
 — *stipitata* Moq. et S. Maund Bot. 1, 34.
 † *Menyanthes* L. Kerner Genera 129.
 — *crista galli* Hook. Hook. Bot. Misc. 24.
 — *cristata* Roxb. Roxb. Corom. 105.
 — *exaltata* Sol. Bot. Mag. 26, 1029.
 — *indica* L. Rumpf Amb. 6, 72. fig. 3.
 — — — Bot. Mag. 18, 658.
 — — — Desc. Ant. 1, 24.
 — *nymphaeoides* L. Fl. dan. 2, 339.
 — — — Engl. Bot. 4, 217.
 † — — — Gaertn. Carp. 114.
 † — — — Lam. Encycl. 100.
 — — — Sturm Flora 4, 13.
 — *ovata* L. Bot. Mag. 44, 1909.
 — *sarmentosa* Sims. Bot. Mag. 32, 1328.
 — *trifoliata* L. Fl. dan. 4, 541.
 — — — Woodv. Med. 2, 97.
 — — — Curt. Lond. 1, 14.
 — — — Engl. Bot. 7, 495.
 — — — Baxter Brit. Bot. 4, 245.
 — — — Sv. Bot. 22.
 — — — Bigelow Med. 46.
 † — — — Gaertn. Carp. 198.
 † — — — Lam. Encycl. 100.
 — — — Schk. Handb. 35.
 — — — Sturm Flora 4, 8.
 — — — Tratt. Archiv 76.
 — — — Schrank Fl. monac. 4, 309.
 — — — Hayne 3, 14.

- Menyanthes trifoliata* L. Nees Düssel. 203.
 — — — Guimpel et Schl. 93.
 — — — Wagner 188.
 — — — Dietr. Fl. bor. 6, 404.
 † — — — Nees Genera X, x.
 — — — verna Rafin. Rafinesque Med. 63.
Menziesia aleutica Spr. Acad. Pet. 2, 3.
 — bryantha Sw. Linn. Transact. 10, 30.
 — coerulea Sw. Engl. Bot. 35, 2469.
 — — — Lodd. Cab. 164.
 — — — Linn. Transact. 10, 30.
 — — — Sv. Bot. 535.
 — Daboeci DC. Engl. Bot. 1, 35.
 — empetrifolia Sm. Bot. Mag. 59, 3176.
 — ferruginea Sm. Smith Ic. Linn. 56.
 — — — Bot. Mag. 38, 1571.
 † — — — Gaertn. Carp. 209.
 † — — — Lam. Encycl. 263.
 — — — Tratt. Archiv 226.
 — globularis Salisb. Salisbury Parad. 44.
 — — — Hook. Bor. Am. 132.
 — — — Tratt. Archiv 227.
 — pilosa Willd. Guimpel Fr. Holzgew. 27.
 — polifolia Juss. var. nana, Lodd. Cab. 1907.
 — — — Baxter Brit. Bot. 6, 449.
 † *Meratia fragrans* N. v. E. (Fructus.) Acta Leop. 11. 1, 10.
 — — — Herb. amat. 3, 173.
Merciera brevifolia DC. Delessert Ic. 5, 17.
 — tenuifolia DC. DC. Campanul. 5.
Mercurialis ambigua L. fil. Rchb. Fl. germ. 5, 151.
 — — — Engl. Bot. 2816.
 — androgyna L. Linné Hort. ups. 1, 8.
 † — annua L. Usteri Annalen 5, 6.
 † — — — Gaertn. Carp. 107.
 † — — — Lam. Encycl. 820.
 † — — — Jussieu Euphorb. 14.
 † — — — Nees Genera 4, 40.
 † — — — Bot. Zeitung 1851, 3.
 — — — Curt. Lond. 2, 119.
 — — — Engl. Bot. 8, 559.
 — — — Fl. dan. 11, 1890.
 — — — Schk. Handb. 332.
 — — — Sturm Flora 8, 29.
 — — — Dreves 4, 116.
 — — — Hayne 5, 11.
 — — — Rchb. Fl. germ. 5, 151.
 — — — Dietr. Fl. bor. 10, 699.
 — elliptica Lam. Vent. Cels 12.
 — ovata Hoppe et Sternb. Regensb. Denkschr. 1, 4.
 — — — Rchb. Fl. germ. 5, 151.
 — perennis L. Fl. dan. 3, 400.
 — — — Sv. Bot. 455.
 — — — Curt. Lond. 2, 116.
 — — — Engl. Bot. 26, 1672.
 — — — Baxter Brit. Bot. 2, 143.
 — — — Hayne 5, 10.
 — — — Rchb. Fl. germ. 5, 152.
 — — — Dietr. Fl. bor. 10, 698.
 † *Merendera* Ramond. Kerner Genera 12.
 — Bulbocodium Ram. Bull. philom. 1800, no. 47.
 — — — Red. Lil. 1, 25.
 — caucasica M. v. B. Marshall Cent. 50.
 — — — Bot. Mag. 65, 3690.
 — — — Schnizl. Iconogr. 1, 53.
Meriandra benghalensis Benth. Jacquemont Ind. 139.
 † *Meriania* Sw. Swartz Fl. Ind. occ. 15.
 † — — — Kerner Genera 36.
 — ciliaris Vent. Vent. Choix 34.
 — Karstenii Ldl. Fl. d. serres 8, 767.
 — purpurea Sw. Tussac Ant. 1, 7.
 — — — Kerner Hort. 345.
 † — quintuplinervis Naud. Ann. sc. nat. III. 18, 5.

- Meriania rosea* Tuss. Tussac Ant. 1, 6.
 — — — Desc. Ant. 4, 303.
 † *Merimea* Camb. Gray Genera 96.
 — arenarioides Camb. St. Hil. Fl. Bras. 107.
 — texana Hook. Hook. Ic. pl. 3, 278.
 † *Meringium Meyenianum* Presl. Prager Abh. 3, 8.
Merostachys? capitata Hook. Hook. Ic. pl. 3, 273. 274.
 † — Kunthii Rupr. Acad. Pet. 5, 10.
 † — Neesii Rupr. Acad. Pet. 5, 10.
 † — sparsiflora Rupr. Acad. Pet. 5, 10.
 — speciosa Spr. Humb. Gram. 79.
 † — — — Acad. Pet. 5, 10.
 † — ternata N. v. E. Acad. Pet. 5, 10.
Merremia convolvulacea Dennst. Rheede Hort. mal. 8, 27.
Mertensia bifida Sw. Svensk Acad. 1804, 5.
 — crassifolia Presl. Prager Abh. 6, 13.
 — decurrens Raddi. Raddi Fil. 7.
 — dichotoma Willd. Schk. Fil. 148.
 — — — Langsd. et Fischer 29.
 — emarginata Raddi. Raddi Fil. 6.
 — farinosa Kunth. Kunze Analecta 3.
 — flexuosa Mart. Mart. Crypt. bras. 60.
 † — gigantea Presl. Hook. Gen. Fil. 39.
 — gracilis Mart. Mart. Crypt. bras. 59.
 — laevigata H. B. K. H. B. K. Nov. Gen. 2, 103.
 — pectinata Willd. Svensk Acad. 1804, 4.
 — — — Langsd. et Fischer 30.
 — pennigera Mart. Mart. Crypt. bras. 59.
 — plumeiformis Presl. Prager Abh. 6, 15.
 — pteridifolia Presl. Prager Abh. 6, 14.
 — simplex Desv. Dict. sc. nat. 91.
 — truncata Willd. Svensk Acad. 1804, 5.
 † *Meryta* Forst. Forster Charact. 60.
 † — agglomerata Poir. Lam. Encycl. 803.
Mesembrianthemum abbreviatum Haw. Salm Monogr. §. 19, 5.
 — acinaciforme L. Gil et Suarez 27.
 — — — Salisb. Parad. 90.
 — — — DC. Plantes grasses 69.
 — — — Andr. Rep. 9, 580.
 — — — Kerner Hort. 555.
 — — — Savi Fl. ital. 2, 72.
 — — — Salm Monogr. §. 19, 6.
 — acutangulum Haw. Salm Monogr. §. 36, 5.
 — acutum Haw. Salm Monogr. §. 13, 1.
 — adscendens Haw. Salm Monogr. §. 8, 4.
 — aduncum Jacq. Jacq. Fragm. 51.
 — — — Haw. Salm Monogr. §. 47, 3.
 — aequilaterale Haw. Salm Monogr. §. 19, 1.
 — — — var. chilense, Salm Monogr. §. 19, 1. 7.
 — agninum Haw. Salm Monogr. §. 5, 8.
 — Aitonis Jacq. Jacq. Vind. 3, 7.
 — albidum L. DC. Plantes grasses 169.
 — — — Bot. Mag. 43, 1824.
 — — — Dict. sc. nat. 196.
 † — — — Spach Suites 37.
 — — — Salm Monogr. §. 5, 10.
 — — — β. hybridum, Salm Monogr. §. 5, 10. β.
 — aloides Haw. Salm Monogr. §. 4, 3.
 — amoenum Salm. Salm Monogr. §. 27, 2.
 — anatomicum Haw. Salm Monogr. §. 62, 1.
 — anceps Haw. Salm Monogr. §. 22, 2.
 — angustum Haw. Salm Monogr. §. 7, 6.
 — — — β. heterophyllum, Salm Monogr. §. 7, 6. β.
 — asperulum Salm. Salm Monogr. §. 50, 2.
 — asperum Haw. Salm Monogr. §. 22, 3.
 — attenuatum Haw. Salm Monogr. §. 51, 2.
 — aurantiacum Haw. Salm Monogr. §. 25, 2.
 — aureum L. Bot. Mag. 8, 262.
 — — — DC. Plantes grasses 11.
 — — — Salm Monogr. §. 25, 3.
 — australe Ait. Salm Monogr. §. 18, 2.

Mesembrianthemum barbatum L. Bot. Mag. 2, 70.

- — — DC. Plantes grasses 28.
- — — Lam. Encycl. 438.
- — — Salm Monogr. §. 52, 1.
- bellidiflorum L. DC. Plantes grasses 41.
- — — Salm Monogr. §. 12, 1.
- — — β . viride, Salm Monogr. §. 12, 1. β .
- — — γ . subulatum, Salm Monogr. §. 12, 1. γ .
- bicolorum L. Bot. Mag. 2, 59.
- — — Salm Monogr. §. 46, 3.
- bidentatum Haw. Salm Monogr. §. 7, 1.
- blandum Haw. Lodd. Cab. 599.
- — — Bot. Reg. 7, 392.
- — — Salm Monogr. §. 26, 1.
- brachiatum Ait. DC. Plantes grasses 129.
- bracteatum Ait. Lodd. Cab. 251.
- brevicaulis Haw. Salm Monogr. §. 16, 2.
- brevifolium Ait. Salm Monogr. §. 50, 4.
- bulbosum Haw. Salm Monogr. §. 52, 3.
- calamiforme L. DC. Plantes grasses 5.
- — — Salm Monogr. §. 10, 1.
- calycinum Haw. Salm Monogr. §. 51, 3.
- canaliculatum Haw. Salm Monogr. §. 56, 1.
- candens Haw. Salm Monogr. §. 51, 4.
- caninum Haw. DC. Plantes grasses 93.
- — — Salm Monogr. §. 5, 9.
- capitatum Haw. Bot. Reg. 6, 494.
- — — Salm Monogr. §. 16, 3.
- carinatum Vent. Vent. Malm. 109.
- — — Kerner Hort. 220.
- caulescens Mill. Salm Monogr. §. 30, 1.
- clavatum Jacq. Jacq. Schoenbr. 1, 108.
- clavellatum Haw. Salm Monogr. §. 18, 1.
- coccineum Haw. DC. Plantes grasses 83.
- — — Lodd. Cab. 1033.
- — — Salm Monogr. §. 46, 1.
- compressum Haw. Salm Monogr. §. 22, 4.
- concavum Haw. Salm Monogr. §. 62, 3.
- conspicuum Haw. Salm Monogr. §. 27, 1.
- coticum L. Jacq. Vind. 3, 6.
- coralliflorum Salm. Salm Monogr. §. 40, 2.
- cordifolium L. fil. Jacq. Ic. 487.
- — — Smith Spicil. 6.
- — — DC. Plantes grasses 102.
- † — — — Ann. sc. nat. III. 18, 10.
- — — Salm Monogr. §. 61, 1.
- corniculatum L. DC. Plantes grasses 108.
- — — Salm Monogr. §. 15, 6.
- crassicaule Haw. Salm Monogr. §. 62, 6.
- crassifolium L. DC. Plantes grasses 175.
- — — Salm Monogr. §. 18, 3.
- crassulinum DC. Salm Monogr. §. 56, 3.
- croceum Jacq. Jacq. Fragn. 11.
- — — Salm Monogr. §. 38, 3.
- cruciatum Haw. Salm Monogr. §. 7, 7.
- † — crystallinum L. Gaertn. Carp. 126.
- † — — — Lam. Encycl. 438.
- — — DC. Plantes grasses 128.
- — — Sibth. Fl. gr. 487.
- crystallophanes Eckl. Salm Monogr. §. 60, 2.
- cultratum Salm. Salm Monogr. §. 8, 5.
- cuneifolium Jacq. Jacq. Ic. 488.
- — — Lam. Encycl. 438.
- — — DC. Plantes grasses 134.
- curtum Haw. Salm Monogr. §. 36, 6.
- curviflorum Haw. Salm Monogr. §. 26, 2.
- curvifolium Haw. Salm Monogr. §. 47, 2.
- defoliatum Haw. Salm Monogr. §. 43, 1.
- deltoides L. DC. Plantes grasses 53.
- — — Salm Monogr. §. 30, 2.
- densum Haw. Bot. Mag. 30, 1220.
- dentatum Kern. Kerner Hort. 26.

Mesembrianthemum denticulatum Haw. Herb. amat. 4,

- 282.
- depressum Haw. Bot. Mag. 44, 1866.
- — — Salm Monogr. §. 8, 7.
- difforme Haw. Salm Monogr. §. 7, 3.
- diversifolium Haw. Salm Monogr. §. 15, 2.
- — — β . congestum, Salm Monogr. §. 15, 2. β .
- dolabriforme L. Bot. Mag. 1, 32.
- — — DC. Plantes grasses 6.
- — — Herb. amat. 2, 74.
- — — Salm Monogr. §. 6, 3.
- dubium Haw. Salm Monogr. §. 15, 4.
- echinatum Ait. Jacq. Schoenbr. 4, 437.
- — — DC. Plantes grasses 24.
- — — Herb. amat. 2, 97.
- — — Salm Monogr. §. 53, 2.
- † — edule L. Ann. sc. nat. III. 18, 10.
- elegans Jacq. Jacq. Schoenbr. 4, 436.
- elongatum Haw. var. β . Bot. Reg. 6, 493.
- — — Salm Monogr. §. 16, 1.
- erigeriflorum Jacq. Jacq. Schoenbr. 4, 477.
- erminium Haw. Salm Monogr. §. 5, 6.
- expansum L. DC. Plantes grasses 47.
- — — Salm Monogr. §. 62, 2.
- falcatum L. Salm Monogr. §. 29, 2.
- falciforme Haw. Salm Monogr. §. 29, 1.
- felinum Lam. DC. Plantes grasses 152.
- — — Salm Monogr. §. 5, 2.
- filamentosum L. DC. Plantes grasses 60.
- — — Salm Monogr. §. 20, 1.
- filicaule Haw. Salm Monogr. §. 47, 4.
- flaccidum Jacq. Jacq. Schoenbr. 4, 478.
- flavum Haw. Salm Monogr. §. 50, 7.
- flexuosum Haw. Salm Monogr. §. 44, 7.
- floribundum Haw. Salm Monogr. §. 51, 7.
- forficatum L. Jacq. Vind. 26.
- — — Salm Monogr. §. 31, 1.
- formosum Haw. Lodd. Cab. 1293.
- — — Salm Monogr. §. 27, 4.
- fragrans Salm. Link Ic. I. 43.
- — — Salm Monogr. §. 8, 2.
- geminatum Jacq. Jacq. Fragn. 50.
- geminiflorum Haw. Salm Monogr. §. 17, 4.
- gemmiflorum Lodd. Lodd. Cab. 1160.
- geniculiflorum L. DC. Plantes grasses 17.
- — — Salm Monogr. §. 57, 1.
- glabrum Haw. Andr. Rep. 1, 57.
- gladiatum Jacq. Jacq. Schoenbr. 4, 438.
- glaucum L. Jacq. Schoenbr. 4, 439.
- — — DC. Plantes grasses 146.
- — — Salm Monogr. §. 25, 1.
- glomeratum L. Lodd. Cab. 1043.
- gracile Haw. Salm Monogr. §. 22, 1.
- grandiflorum Haw. Salm Monogr. §. 8, 3.
- granulicaule Haw. Salm Monogr. §. 45, 2.
- grossum Ait. Salm Monogr. §. 54, 3.
- Haworthii Donn. Salm Monogr. §. 40, 1.
- helianthoides Ait. DC. Plantes grasses 135.
- heteropetalum Haw. Salm Monogr. §. 21, 2.
- heterophyllum Andr. Andr. Rep. 8, 540.
- hispidum L. DC. Plantes grasses 66.
- — — Herb. amat. 2, 133.
- — — Salm Monogr. §. 51, 6.
- inaequale Haw. Salm Monogr. §. 46, 4.
- inclaudens Haw. Andr. Rep. 6, 388.
- — — Bot. Mag. 40, 1663.
- — — Kerner Hort. 407.
- — — Salm Monogr. §. 21, 4.
- incomptum Haw. Lodd. Cab. 1311.
- — — Salm Monogr. §. 56, 4.
- incurvum Haw. Lodd. Cab. 1265.
- intonsum Haw. Salm Monogr. §. 52, 2.

- Mesembrianthemum junceum* Haw. Salm Monogr. §. 45, 1.
 — *lacerum* Haw. DC. Plantes grasses 174.
 — — — Lodd. Cab. 1279.
 — — — Salm Monogr. §. 21, 1.
 — *lateriflorum* DC. DC. Plantes grasses 164.
 — *Lehmanni* Eckl. Salm Monogr. §. 42, 1.
 — *lineolatum* Haw. Salm Monogr. §. 33, 7.
 — *linguiforme* L. DC. Plantes grasses 71.
 — — — Lodd. Cab. 1307.
 — — — Herb. amat. 1, 66.
 — *longispinulum* Haw. Salm Monogr. §. 54, 4.
 — *longistylum* DC. DC. Plantes grasses 147.
 — *longum* Haw. β . declive, Salm Monogr. §. 8, 9. β .
 — *lunatum* Willd. Salm Monogr. §. 29, 3.
 — *luteum* Haw. Salm Monogr. §. 38, 2.
 — *macrorrhizum* Haw. Salm Monogr. §. 49, 3.
 — *maximum* Haw. Bot. Reg. 5, 358.
 — *micans* L. Bot. Mag. 13, 448.
 — — — DC. Plantes grasses 158.
 — — — Herb. amat. 3, 158.
 — — — Salm Monogr. §. 50, 8.
 — *micranthum* Haw. Salm Monogr. §. 45, 3.
 — *minutum* Haw. Bot. Mag. 34, 1376.
 — *multiflorum* Haw. Salm Monogr. §. 37, 1.
 — *multipunctatum* Salm. Salm Monogr. §. 3, 6.
 — *multiradiatum* Jacq. Jacq. Fragm. 53.
 — *muricatum* Haw. Salm Monogr. §. 30, 3.
 — *marinum* Haw. Salm Monogr. §. 5, 4.
 — *musculinum* Haw. Salm Monogr. §. 5, 7.
 — *mustellinum* Salm. Salm Monogr. §. 5, 5.
 — *mutabile* Haw. Salm Monogr. §. 21, 3.
 — *nitidum* Haw. Salm Monogr. §. 54, 1.
 — *nobile* Haw. Salm Monogr. §. 4, 1.
 — *noctiflorum* L. DC. Plantes grasses 10.
 — — — Lodd. Cab. 495.
 — — — Salm Monogr. §. 43, 2.
 — *nodiflorum* L. DC. Plantes grasses 88.
 — — — Sibth. Fl. gr. 480.
 — *obconellum* Haw. Salm Monogr. §. 1, 3.
 — *obcordellum* Haw. Bot. Mag. 40, 1647.
 — *obliquum* Haw. Bot. Reg. 10, 863.
 — — — Salm Monogr. §. 50, 5.
 — *pallens* Ait. Jacq. Schoenbr. 3, 279.
 — — — Salm Monogr. §. 63, 2.
 — *parviflorum* Jacq. Jacq. Schoenbr. 3, 278.
 — *parvifolium* Haw. Salm Monogr. §. 50, 3.
 — *patulum* Haw. Salm Monogr. §. 22, 5.
 — *perfoliatum* Haw. Salm Monogr. §. 33, 1.
 — *pinnatifidum* Ait. Bot. Mag. 2, 67.
 — — — DC. Plantes grasses 142.
 — *polyanthum* Haw. Lodd. Cab. 1281.
 — *pomeridianum* L. Linné Hort. ups. 2, 13.
 — — — Jacq. Ic. 489.
 — — — Bot. Mag. 15, 540.
 — — — Kerner Hort. 448.
 — — — Salm Monogr. §. 65, 1.
 — *praepingue* Haw. Salm Monogr. §. 7, 5.
 — *productum* Haw. Salm Monogr. §. 40, 4.
 — *pugioniforme* L. DC. Plantes grasses 72.
 — — — Kerner Hort. 160.
 — — — Salm Monogr. §. 16, 4.
 — *pulchellum* Haw. Salm Monogr. §. 34, 1.
 — *punicum* Jacq. Jacq. Schoenbr. 4, 442.
 — — — Kerner Hort. 239.
 — *purpureo-album* Haw. Salm Monogr. §. 15, 3.
 — *pustulatum* Haw. Salm Monogr. §. 8, 10.
 — — — β . lividum, Salm Monogr. §. 8, 10. β .
 — *radicans* DC. DC. Plantes grasses 171.
 — *rapaceum* Jacq. Jacq. Fragm. 52.
 — *relaxatum* Willd. Salm Monogr. §. 63, 1.
 — *rhomboideum* Salm. Salm Monogr. §. 6, 5.
 — *rigidicaule* Haw. Salm Monogr. §. 17, 2.

- Mesembrianthemum ringens* L. β . *felinum*, Mart. Hist. 28.
 — *roseum* Willd. Salm Monogr. §. 29, 4.
 — *Rossi* Haw. Salm Monogr. §. 19, 2.
 — *rostellum* Haw. Salm Monogr. §. 35, 1.
 — *rostratum* L. Salm Monogr. §. 3, 7.
 — — — β . *brevibractentum*, Salm Mon. §. 3, 7. β .
 — *rubricaule* Haw. Salm Monogr. §. 20, 3.
 — *rubrocinctum* Haw. Bot. Reg. 20, 1732.
 — *Salmii* Haw. Link Ic. I. 44.
 — — — Salm Monogr. §. 7, 8.
 — *salmoneum* Haw. Salm Monogr. §. 56, 2.
 — *sarmentosum* Haw. Salm Monogr. §. 17, 3.
 — *scabrum* L. DC. Plantes grasses 163.
 — *scalpratum* Haw. Salm Monogr. §. 8, 1.
 — *scapiger* Haw. Salm Monogr. §. 6, 1.
 — *Schollii* Salm. Salm Monogr. §. 17, 1.
 — *semicylindricum* Haw. Salm Monogr. §. 7, 2.
 — *semidentatum* Salm. Salm Monogr. §. 33, 8.
 — *serrulatum* Haw. Salm Monogr. §. 20, 2.
 — *spectabile* Haw. Bot. Mag. 11, 396.
 — — — Jacq. Schoenbr. 4, 441.
 — — — DC. Plantes grasses 153.
 — — — Kerner Hort. 81.
 — — — Herb. amat. 5, 356.
 — — — Salm Monogr. §. 27, 3.
 — *spiniforme* Haw. Salm Monogr. §. 47, 1.
 — *spinosum* L. Salm Monogr. §. 41, 1.
 — *spinuliferum* Haw. Salm Monogr. §. 54, 2.
 — *splendens* L. DC. Plantes grasses 35.
 — *stellatum* DC. DC. Plantes grasses 29.
 — *stelligerum* Haw. Salm Monogr. §. 52, 4.
 — *stenum* Haw. Salm Monogr. §. 46, 5.
 — *stipulaceum* L. Salm Monogr. §. 40, 3.
 — *striatum* Haw. DC. Plantes grasses 130.
 — — — Salm Monogr. §. 51, 1.
 — *strumosum* Haw. Salm Monogr. §. 53, 1.
 — *suaveolens* Jacq. Jacq. Fragm. 99.
 — *subcompressum* Haw. Salm Monogr. §. 51, 5.
 — *subincanum* Haw. Salm Monogr. §. 49, 4.
 — *sulcatum* Haw. Salm Monogr. §. 44, 1.
 — *tenellum* Haw. Salm Monogr. §. 36, 1.
 — *tenuiflorum* Jacq. Jacq. Fragm. 52.
 — *tenuifolium* L. DC. Plantes grasses 82.
 — — — Salm Monogr. §. 46, 6.
 — *testiculare* Haw. Bot. Mag. 38, 1573.
 — *testiculatum* Jacq. Jacq. Fragm. 12.
 — *tigrinum* Haw. Bot. Reg. 3, 260.
 — — — Salm Monogr. §. 5, 1.
 — *tortuosum* L. DC. Plantes grasses 94.
 — — — Salm Monogr. §. 62, 4.
 — *tricolor* Willd. Willdenow Hort. 22.
 — — — Jacq. Schoenbr. 4, 440.
 — — — Bot. Mag. 47, 2144.
 — — — Paxt. Mag. 9, 219.
 — *tricolorum* Haw. Salm Monogr. §. 15, 7.
 — *Tripolium* L. Salm Monogr. §. 64, 1.
 — *tuberculatum* DC. DC. Plantes grasses 170.
 — *tuberosum* L. DC. Plantes grasses 78.
 — *tumidulum* Haw. Salm Monogr. §. 37, 3.
 — *turbinatatum* Jacq. Jacq. Schoenbr. 4, 476.
 — — — Kerner Hort. 212.
 — *umbelliflorum* Jacq. Jacq. Schoenbr. 4, 478.
 — — — Salm Monogr. §. 44, 6.
 — *uncatum* Salm. Salm Monogr. §. 8, 6.
 — *uncinatum* L. DC. Plantes grasses 54.
 — *uncinellum* Haw. Salm Monogr. §. 33, 4.
 — *validum* Haw. Salm Monogr. §. 15, 8.
 — *variabile* Haw. Salm Monogr. §. 46, 2.
 — *verruculatum* L. DC. Plantes grasses 36.
 — — — Salm Monogr. §. 39, 1.
 — *violaceum* DC. DC. Plantes grasses 84.
 — — — Herb. amat. 3, 176.

† *Mesembrianthemum violaceum* DC. Ann. sc. nat. III. 18, 10.

- *virens* Haw. Salm Monogr. §. 24, 1.
- *virescens* Haw. Salm Monogr. §. 19, 3.
- *virgatum* Haw. Salm Monogr. §. 23, 1.
- *viride* Haw. Salm Monogr. §. 33, 2.
- *viridiflorum* Ait. Bot. Mag. 10, 326.
- — Jacq. Fragm. 52.
- — DC. Plantes grasses 159.
- — Salm Monogr. §. 54, 5.
- *Zeyheri* Salm. Salm Monogr. §. 40, 5.
- Mesogramma apiifolium* DC. Delessert Ic. 4, 58.
- † *Mespilus* L. Spach Suites 10.
- *acuminata* Wall. Lodd. Cab. 919.
- *Amelanchier* L. Jacq. Fl. austr. 3, 300.
- *arborea* Michx. Michaux Arb. 3, 11.
- *Aronia* Willd. Watson Dendr. 2, 165.
- *Azarolus* Poir. Nouveau Duhamel 4, 42.
- *Chamaemespilus* L. Guimpel Holzgew. 70.
- *coccinea* W. et K. W. et Kit. 256.
- — Watson Dendr. 1, 62.
- *communis* Pall. Pallas Fl. ross. 13.
- *cordata* Mill. Watson Dendr. 1, 63.
- — Guimpel Fr. Holzgew. 142.
- *Cotoneaster* L. Pallas Fl. ross. 14.
- — Fl. dan. 1, 112.
- — Sv. Bot. 295.
- — Guimpel Holzgew. 71.
- *crus galli* Wats. Watson Dendr. 1, 56.
- *elliptica* Hayne. Guimpel Fr. Holzgew. 144.
- *eriocarpa* DC. Watson Dendr. 1, 53.
- *flava* Willd. Watson Dendr. 1, 59.
- *flexispina* Moench. Moench Weissenst. 4.
- † — *germanica* L. Gaertn. Carp. 87.
- † — — Lam. Encycl. 436.
- — Nouveau Duhamel 4, 38.
- — Dict. sc. nat. 243.
- † — — Spach Suites 7.
- — Engl. Bot. 22, 1523.
- — Baxter Brit. Bot. 6, 493.
- — Hartig 82.
- *glabra* Colla. Colla Hort. Rip. 36.
- *glandulosa* Willd. Watson Dendr. 1, 58.
- *grandiflora* Sm. Smith Exot. Bot. 18.
- *japonica* Thunb. Kaempfer Japon. 18.
- — Hortie. Transact. 3, 11.
- † — — Jacq. Fragm. 136.
- — Vent. Malm. 19.
- — Nouveau Duhamel 4, 39.
- — Herb. amat. 4, 229.
- — Ann. gen. 2, 32.
- — Bot. Reg. 5, 365.
- — var. *monosperma*, Kerner Hort. 494.
- *lobata* Poir. Bot. Mag. 62, 3442.
- *monogyna* Jacq. Hartig 85.
- *nigra* Willd. Watson Dendr. 1, 64.
- — Guimpel Fr. Holzgew. 106.
- *odoratissima* Andr. Andr. Rep. 9, 590.
- — Bot. Mag. 49, 2314.
- † — *oxyacantha* Gaertn. Gaertn. Carp. 87.
- † — — Lam. Encycl. 436.
- — Nouveau Duhamel 4, 41.
- — Guimpel Fr. Holzgew. 72.
- — Engl. Bot. 35, 2504.
- *parvifolia* Mill. Watson Dendr. 1, 65.
- *prunifolia* Poir. Nouveau Duhamel 4, 40.
- *pubescens* H. B. K. H. B. K. Nov. Gen. 6, 553.
- *punctata* Willd. Watson Dendr. 1, 57.
- *purpurea* Bosc. Watson Dendr. 1, 60.
- *pyracantha* L. Pallas Fl. ross. 13.
- — Schk. Handb. 133.
- *pyrifolia* Willd. Watson Dendr. 1, 61.

- Mespilus pyrifolia* Willd. Guimpel Fr. Holzgew. 143.
- *sorbifolia* Poir. Herb. amat. 5, 354.
- *tanacetifolia* Sm. Smith Exot. Bot. 85.
- — Andr. Rep. 9, 591.
- *tomentosa* Ait. Guimpel Fr. Holzgew. 105.
- *xanthocarpus* Ehrh. Moench Weissenst. 3.
- Messerschmidia Arguzia* L. Gmelin Reise 2, 27.
- † — — Gaertn. Carp. 109.
- — Lam. Encycl. 95.
- *cancellata* Willd. Asso Arag. 1.
- *fruticosa* L. Bot. Reg. 6, 464.
- — var. *angustifolia*, Webb Canar. 143.
- Mesua coromandelina* Wight. Wight Ic. pl. Ind. or. 1, 117.
- *ferrea* L. Rheede Hort. mal. 3, 53.
- — Rumpf Amb. Auct. 2.
- † — — Mem. Mus. 16, 17.
- — Wight Ic. pl. Ind. or. 1, 118.
- *pedunculata* Wight. Wight Ic. pl. Ind. or. 1, 119.
- *speciosa* Choisy. Wight Spicil. 30 — 31.
- — Wight Ic. pl. Ind. or. 3, 961.
- Metastelma californicum* Benth. Benth. Sulphur 18.
- *linearifolium* A. Rich. Ramon Cuba 57.
- † *Metaxya rostrata* Presl. Hook. Gen. Fil. 42.
- Methonica Leopoldi* Ch. Lem. Fl. d. serres 2, 163. 164.
- *superba* Lam. Red. Lil. 1, 26.
- — Herb. amat. 4, 219.
- Methorium canum* Sch. et E. Schott et Endl. Melet. 5.
- Metrasachme indica* Wight. Wight Ic. pl. Ind. or. 4, 1601.
- † — — Wight Illustr. 156 bis.
- *malaccensis* Wight. Wight Ic. pl. Ind. or. 4, 1601.
- Metrodorea atropurpurea* Fisch. Fl. d. serres 4, 337.
- *nigra* St. Hil. St. Hil. Fl. Bras. 16.
- — Lem. Jard. fl. 130 — 131.
- † *Metrosideros albiflora* Gaertn. Gaertn. Carp. 34.
- *anomala* Vent. Vent. Malm. 5.
- — Herb. amat. 5, 326.
- *armillaris* Cav. Cav. Ic. 335.
- † — — Gaertn. Gaertn. Carp. 34.
- † — — Lam. Encycl. 421.
- *buxifolia* Cunn. Bot. Mag. 76, 4515.
- — Fl. d. serres 6, 570.
- — Lem. Jard. fl. 24.
- *calycina* Cav. Cav. Ic. 336.
- *ciliata* Sm. Bill. Sertum 59.
- *citrina* Curt. Bot. Mag. 8, 260.
- *corifolia* Vent. Vent. Malm. 46.
- † — *costata* Gaertn. Gaertn. Carp. 34.
- † — — Lam. Encycl. 421.
- *diffusa* Sm. Hook. Ic. pl. 6, 569.
- † — *excelsa* Gaertn. Gaertn. Carp. 34.
- † — — Lam. Encycl. 421.
- *floribunda* Sm. Vent. Malm. 75.
- *florida* Sm. Bot. Mag. 75, 4471.
- — Fl. d. serres 6, 577.
- — Hook. New Zeal. 15.
- † — *fulgens* Gaertn. Gaertn. Carp. 34.
- *glauca* Bonpland. Bonpland Malm. 34.
- — Dict. sc. nat. 226.
- † — *gummifera* Gaertn. Gaertn. Carp. 34.
- † — — Lam. Encycl. 421.
- *hirsuta* Andr. Andr. Rep. 4, 281.
- *hispida* Sm. Smith Exot. Bot. 42.
- — Lodd. Cab. 106.
- — Bot. Mag. 45, 1060.
- *hypericifolia* A. Cunn. Hook. New Zeal. 16.
- *hyssopifolia* Cav. Cav. Ic. 336.
- *lanceolata* Sm. Jacq. Schoenbr. 4, 406.
- — Kerner Hort. 117.
- — Savi Fl. ital. 1, 32.
- *linearis* Sm. Jacq. Schoenbr. 4, 405.
- — Herb. amat. 4, 257.
- *lophantha* Vent. Vent. Cels. 69.

- Metrosideros lophanta* Vent. Nouveau Duhamel 3, 56.
 — *macrophylla* Lam. Lam. Encycl. 421.
 — *marginata* Cav. Cav. Ic. 332.
 † — *myrtifolia* Gaertn. Gaertn. Carp. 34.
 † — *nodosa* Gaertn. Gaertn. Carp. 34.
 — — Cav. Ic. 334.
 — *obovata* Hook. Hook. Beechey 12.
 — *operculata* Lab. Bill. Sertum 60.
 — *pallida* Bonpl. Bonpland Malm. 41.
 — *pinifolia* Wendl. Wendland Coll. 16.
 — *polymorpha* Gaudich. Freycinet Voyage 108. 109.
 — *quinquenervia* Cav. Cav. Ic. 333.
 — *robusta* Cunn. Journ. Hort. Soc. 3, 311.
 — — Hook. New Zeal. 17.
 † — *salicifolia* Gaertn. Gaertn. Carp. 34.
 † — — Lam. Encycl. 421.
 — *saligna* Sm. Vent. Cels 70.
 — — Bonpland Malm. 4.
 — — Bot. Mag. 43, 1821.
 † — *scandens* Gaertn. Gaertn. Carp. 34.
 — *semperflorens* Lodd. Lodd. Cab. 523.
 — *speciosa* Sims. Bot. Mag. 42, 1761.
 — — Lodd. Cab. 285.
 † — *spectabilis* Gaertn. Gaertn. Carp. 34.
 — *tomentosa* A. Rich. Bot. Mag. 76, 4488.
 — — Lem. Jard. fl. 146.
 — *umbellata* Cav. Cav. Ic. 337.
 — *vera* Ldl. Rumpf Amb. 3, 7.
 — — Lindley Collect. 18.
 † — *viminialis* Gaertn. Gaertn. Carp. 34.
 † — — Lam. Encycl. 421.
 — *viridiflora* Sims. Bot. Mag. 52, 2602.
 — — Rehb. Exot. 138.
Metroxylon Rumphii Mart. Mart. Palm. 159.
 — *Sago* Konig. Konig Annals 1, 4.
 — — Mart. Palm. 102.
Metternichia Principis Mik. Mikan Del. Bras. 13.
 — — Lem. Jard. fl. 72.
 — — Miers Illustr. 14.
 — — Bot. Mag. 79, 4747.
 † *Meum athamanticum* Jacq. Gaertn. Carp. 23.
 — — Curt. Lond. 5, 182.
 — — Engl. Bot. 32, 2249.
 — — Baxter Brit. Bot. 4, 314.
 † — *Mutellina* Gaertn. Gaertn. Carp. 23.
Meyenia Hawtayneana N. v. E. Maund Bot. 4, 188.
 — — Wight Ic. pl. Ind. or. 4, 1487.
 † — — Wight Illustr. 164 bis.
Meyeria myrtifolia DC. Delessert Ic. 4, 46.
Meziera salaziensis Gaudich. Gaudichaud Bonite 32.
Mezoneuron glabrum Desf. Mem. Mus. 4, 10.
 — — Lam. Encycl. 951.
 — *pubescens* Desf. Mem. Mus. 4, 11.
 † *Mibora verna* Pal. B. Dumortier Gramin. 13.
 — — Rehb. Fl. germ. 1, 26.
Michauxia campanuloides L'her. L'her. Monogr. 1. 2.
 — — Bot. Mag. 7, 219.
 — — Lam. Encycl. 293.
 † — — DC. Campan. 4.
 — *laevigata* Vent. Vent. Cels 81.
 † — — Gaertn. Carp. 211.
 — — Bot. Mag. 59, 3128.
 — — Bot. Reg. 17, 1451.
Michelaria bromioides Dumort. Dumortier Gramin. 16.
 † *Michelia* L. Houstoun Reliq. 8.
 — *aurantiaca* Wall. Wall. Pl. asiat. 147.
 — *Champaca* L. Rheede Hort. mal. 1, 19.
 — — Rumpf Amb. 2, 67.
 — — Hill Decade 10.
 — — Lam. Encycl. 493.
 — *BL* Blume Java 9, 1.
 — *Doltsopa* DC. Wallich Tentamen 3.

- Michelia evonymoides* Burm. Rumpf Amb. 2, 68.
 — *Kisopa* DC. Wallich Tentamen 4.
 — *lanuginosa* Wall. Wallich Tentamen 5.
 — *longifolia* BL. Blume Java 9, 2. 3.
 — *montana* BL. Blume Java 9, 5.
 — *nilagirica* Zenk. Zenker Pl. ind. 20.
 — — Wight Spicil. 6.
 — — Wight Ic. pl. Ind. or. 3, 938.
 — *parviflora* Rumpf. Delessert Ic. 1, 85.
 — *pubinervia* BL. Blume Java 9, 4.
 — *pulneyensis* Wight. Wight Illustr. 5.
 — *Tsiampaca* L. Rumpf Amb. 2, 68.
 † — — Gaertn. Carp. 137.
Miconia argyrophylla DC. Mart. Bras. 284.
 † — *eriphora* Mig. Miquel Comment. 10.
 — *Fockeana* Mig. Miquel Comment. 11.
 † — — Miquel Surin. 14.
 — *laevigata* DC. Bot. Reg. 5, 363.
 † *Miconiastrum Lambertianum* Naud. Ann. sc. nat. III. 16, 25.
Micranthemum orbiculatum Michx. Michaux Fl. 2.
 † — — Gaertn. Carp. 214.
Micranthera clusioides Choisy. Mem. hist. n. Par. 1, 11. 12.
Micranthemum ericoides Desf. Mem. Mus. 4, 14.
 † — — Lam. Encycl. 994.
 † *Micrargeria Wightii* Benth. Wight Illustr. 165 b.
 — — Wight Ic. pl. Ind. or. 4, 1417.
Microcarpaea cochlearifolia Sm. Wight Ill. in Hook. 29.
 — *spatulata* Wight. Wight Illustr. in Hook. 4.
Microchilus major Presl. Presl Symbolae 15.
 — *minor* Presl. Presl Symbolae 16.
 — *pictus* Morr. Annales de Gand 1845, 18.
Microchlaena quinquelocularis W. et A. Wight Ic. pl. Ind. or. 3, 892.
Microchloa setacea R. Br. H. B. K. Nov. Gen. 1, 22.
Microcodon depressum A. DC. Delessert Ic. 5, 16.
 — *glomeratum* A. DC. DC. Campan. 19.
 † *Microcos paniculata* L. Gaertn. Carp. 57.
 — *tomentosa* Sm. Hook. Bot. Misc. 60.
Microderis filii Hochst. Seubert Fl. azor. 13.
 — *umbellata* Hochst. Seubert Fl. azor. 12.
Microdesmis puberula Hook. fl. Hook. Niger Fl. 26.
 — — Hook. Ic. pl. 8, 758.
 † *Microdon ovatum* Choisy. Mem. Genev. 2, 1.
Microelus Roeperianus W. et Arn. Wight Ic. pl. Ind. or. 5, 1840.
 † *Microgonium Berteroanum* Presl. Prager Abh. 3, 6.
 † — *cuspidatum* Presl. Prager Abh. 3, 6.
 † *Microgramma persicariaefolia* Presl. Hook. Gen. Fil. 73.
 † *Microlepis inaequalis* Presl. Hook. Gen. Fil. 58.
 † — *polypodioides* Presl. Hook. Gen. Fil. 58.
 † *Microlicia* Naud. Ann. sc. nat. III. 3, 7.
 — *crenulata* Cham. Mart. Bras. 251.
 — *euphorbioides* Mart. Mart. Bras. 252.
 — *graveolens* DC. Mart. Bras. 253.
 — *setosa* DC. Mart. Bras. 253.
 — *variabilis* Mart. Mart. Bras. 254.
Microlonchus Delestrei Spach. Explor. Alger. 55.
 — *salmaticus* DC. Rehb. Fl. germ. 15, 750.
Micromelum? monophyllum Wight. Wight Illustr. 42.
Micromeria Benthani Webb. Webb Canar. 159.
 — *biflora* Benth. Jacquemont Ind. 134.
 — — Wight Ic. pl. Ind. or. 4, 1446.
 † — — Wight Illustr. 176 bis.
 — *Buchii* Webb. Webb Canar. 161.
 — *densiflora* Benth. Webb Canar. 163.
 — *helianthemifolia* Webb. Webb Canar. 162.
 — *herpyllomorpha* Webb. Webb Canar. 155.
 — *hyssopifolia* Webb. Webb Canar. 154.
 — *julianoides* Webb. Webb Canar. 160.
 — *lachnophylla* Webb. Webb Canar. 156.
 — *lanata* Benth. Webb Canar. 160.

- Micromeria lasiophylla* Webb. Webb Canar. 156.
 — *lepida* Webb. Webb Canar. 157.
 — *polioides* Webb. Webb Canar. 158.
 — *Preauxii* Webb. Webb Canar. 157.
 † *tenuifolia* Benth. Nees Gen. 6, 20.
 — *tenuis* Benth. Webb Canar. 158.
 — *terebinthinacea* Webb. Webb Canar. 164.
 — *thymoides* Webb. Webb Canar. 153.
 — *Tragothymus* Webb. Webb Canar. 155.
 † *Microphyssa quadrialata* Naud. Ann. sc. nat. III. 18, 3.
 † *Micropiper* Mig. Miquel Comment. 4.
 — *bilineatum* Mig. Miquel Comment. 8.
 — *Blumei* Mig. Miquel Comment. 8.
 — *candidum* Mig. Miquel Comment. 8.
 — *convexum* Mig. Miquel Comment. 8.
 — *exiguum* Mig. Miquel Comment. 9.
 — *laevifolium* Mig. Miquel Comment. 9.
 — *Langsdorffii* Mig. Miquel Comment. 8.
 — *melanostigma* Mig. Miquel Comment. 9.
 — *nervoso-venosum* Mig. Miquel Comment. 6.
 — *pusillum* Mig. Miquel Comment. 5.
 — *recurvatum* Mig. Miquel Comment. 9.
 — *subrotundum* Mig. Miquel Comment. 8.
 — *tomentosum* Mig. Miquel Comment. 9.
 † *Micropteris* Desv. Mem. soc. Linn. Par. 6, 11.
Micropus erectus L. Loeffling Iter 1.
 — — — Lam. Encycl. 694.
 — — — Gaudin Fl. helv. 5, 1.
 † — — — Ann. sc. nat. II. 20, 13.
 † — — — Nees Genera X, x.
 — *supinus* L. Cav. Ic. 33.
 — — — Schk. Handb. 267.
 — — — Tratt. Archiv 166.
 † — — — Gaertn. Carp. 164.
 † — — — Lam. Encycl. 694.
 † — — — Nees Genera X, x.
Micropyxix rubricaulis Duby. Mem. Genev. 10, 4.
 — *tenella* Wight. Wight Ic. pl. Ind. or. 4, 1585.
Microrrhynchus arabicus Jaub. Jaubert Illustr. 277.
 — *fallax* Jaub. Jaubert Illustr. 276.
 — *glaber* Wight. Wight Spicil. 118.
 — — — Wight Ic. pl. Ind. or. 3, 1145.
 — *glomeratus* Jaub. Jaubert Illustr. 275.
 — *sarmentosus* DC. Wight Illustr. 133.
Microsemma salicifolia Lab. Bill. Sertum 57.
 † *Microsorium iridioides* Fée. Fée Fil. 5, 20.
 † — *irregulare* Link. Fée Fil. 5, 20.
 † — *longissimum* Fée. Fée Fil. 5, 20.
Microsperma bartonioides Walp. Bot. Mag. 76, 4491.
 — — — Fl. d. serres 5, 532.
 — — — Lem. Jard. fl. 15.
 — *lobata* Hook. Hook. Ic. pl. 3, 234.
 † *Microstachys bicornis* Juss. Jussieu Euphorb. 15.
Microstemma tuberosum R. Br. Endl. Iconogr. 60.
Microstigma Bungei Trautv. Trautvetter Imag. 25.
Microstylis diphyllus Ldl. Rchb. Fl. germ. 13, 493.
 — *discolor* Ldl. Wight Ic. pl. Ind. or. 5, 1631.
 — *hictionantha* Link. Link Ic. III. 5.
 — — — Bot. Mag. 70, 4103.
 — *luteola* Wight. Wight Ic. pl. Ind. or. 5, 1632.
 — *monophylla* Ldl. Rchb. Fl. germ. 13, 493.
 — *ophioglossioides* Nutt. β. mexicana, Bot. Reg. 15, 1290.
 — *Rheedii* Ldl. Rheede Hort. mal. 12, 27.
 — — — Wight Ic. pl. Ind. or. 3, 902.
 — *rupestris* P. et E. Poepp. et Endl. 111.
 — *versicolor* Ldl. Wight Ic. pl. Ind. or. 3, 901.
 † *Microtea debilis* Sw. Swartz Fl. Ind. occ. 12.
 — — — Lam. Encycl. 182.
Microtis media R. Br. Bot. Mag. 62, 3378.
 — *parviflora* R. Br. Bot. Mag. 62, 3377.
 — — — Endl. Iconogr. 15.

- Microtropis densiflora* Wight. Wight Ic. pl. Ind. or. 3, 1052.
 — *garcinifolia* Wall. Wight Ic. pl. Ind. or. 3, 761.
 — *microcarpa* Wight. Wight Spicil. 46.
 — — — Wight Ic. pl. Ind. or. 3, 975.
 — *ovalifolia* Wight. Wight Spicil. 47.
 — — — Wight Ic. pl. Ind. or. 3, 976.
 — *ramiflora* Wight. Wight Spicil. 48.
 — — — Wight Ic. pl. Ind. or. 3, 977.
Miersia chilensis Ldl. Gay Chile 68.
Mikania angularis H. B. Humb. Pl. aeq. 106.
 — *argyrostigma* Mig. Miquel Surin. 55.
 — *armigera* P. et E. Poepp. et Endl. 260.
 — *Guaco* H. B. Humb. Pl. aeq. 105.
 † — — — Lam. Encycl. 983.
 — *laurifolia* Willd. H. B. K. Nov. Gen. 4, 350.
 † *Milium* L. Linné Amoenit. 7, 3.
 † — — — Dumortier Gramin. 13.
 — *amphicarpum* Pursh. Pursh Fl. 2.
 — *arundinaceum* Sibth. Sibth. Fl. gr. 66.
 — *coerulescens* Schousb. Desf. Fl. atl. 12.
 — *confertum* Mill. Rchb. Fl. germ. 1, 45.
 — *effusum* L. Fl. dan. 7, 1143.
 — — — Sv. Bot. 162.
 — — — Curt. Lond. 2, 14.
 — — — Engl. Bot. 16, 1106.
 — — — Knapp Gram. 19.
 — — — Baxter Brit. Bot. 4, 247.
 — — — Schk. Handb. 11.
 — — — Host Gram. 222.
 — — — Rchb. Fl. germ. 1, 45. 7, 73.
 † — — — Nees Genera 1, 17.
 — *lanatum* β. R. et Sch. Humb. Gram. 163.
 — *latifolium* Cav. Cav. Ic. 273.
 — *lendigerum* L. Schreber Gräser 23.
 — — — Host Gram. 224.
 — — — Sibth. Fl. gr. 65.
 — — — Engl. Bot. 16, 1107.
 — *multiflorum* Cav. Rchb. Fl. germ. 1, 45.
 — *paradoxum* L. Scop. Fl. carn. 1, 1.
 — — — Schreber Gräser 28.
 — — — Host Gram. 223.
 — — — Rchb. Fl. germ. 1, 45.
 — *paspaloides* Ell. Elliott Carolina 6.
 — *tenellum* Cav. Cav. Ic. 274.
 — *vernale* M. v. B. Jacq. Eclogae Gram. 41.
 — — — Rchb. Fl. germ. 1, 45.
 — — — van Hall. Van Hall Syn. Gr. Belg. 1.
Millusa Leschenaultii DC. Mem. Genev. 5, 3.
Milla biflora Cav. Cav. Ic. 196.
 † — — — Kerner Genera 145.
 — — — Bot. Reg. 18, 1555.
 — *uniflora* Grah. Bot. Mag. 61, 3327.
Millieria angustifolia Cav. Cav. Ic. 223.
 — *biflora* L. Linné Hort. Cliff. 25.
 — — — Martyn Hist. 45.
 † — — — Lam. Encycl. 710.
 — *Contrayerva* Cav. Cav. Ic. 4.
 † — — — Lam. Encycl. 710.
 — *dichotoma* Cav. Cav. Ic. 82.
 † — — — Lam. Encycl. 710.
 — *quinqueflora* L. Martyn Hist. 39.
 † — — — Gaertn. Carp. 168.
 † — — — Lam. Encycl. 710.
Milletia macrophylla Benth. Hook. Niger Fl. 32, 33.
 — — — Hook. Ic. pl. 8, 788. 789.
 — ? *piscidia* W. et A. Wight Ic. pl. Ind. or. 1, 86.
 — *rubiginosa* W. et A. Wight Ic. pl. Ind. or. 1, 207.
Milligania cordifolia Hook. fil. Hook. Ic. pl. 3, 299.
 — *longifolia* Hook. fil. Hook. Journal 1853, 9.
Millingtonia Arnottiana Wight. Wight Illustr. 53.
 † — *hortensis* L. fil. Wight Illustr. 161 bis.

- Millingtonia pungens* Wall. Wight Spicil. 34, 35.
 — — Wight Ic. pl. Ind. or. 3, 964^c.
 — — *simplicifolia* Roxb. Roxb. Corom. 254.
Milnea edulis Roxb. Rheede Hort. mal. 4, 16.
 — — *Roxburghiana* Wight. Wight Ic. pl. Ind. or. 1, 166.
Miltianthus portulacoides Bge. Bunge Reliq. 9.
Miltonia candida Ldl. Lindley Sertum 21.
 — — — Paxt. Mag. 6, 241.
 — — — var. Bot. Mag. 66, 3793.
 — — *Clowesii* Ldl. Lindley Sertum 34.
 — — — Bot. Mag. 70, 4109.
 — — — Paxt. Mag. 9, 241.
 — — *cuneata* Ldl. Bot. Reg. 31, 8.
 — — *Karwinskii* Ldl. Paxt. Mag. 16, 162.
 † — — Journ. Hort. Soc. 4, 83.
 — — *Russelliana* Part. Paxt. Mag. 7, 217.
 — — *spectabilis* Ldl. Bot. Mag. 72, 4204. 75, 4425.
 — — — Bot. Reg. 23, 1992.
 — — — var. Lem. Jard. fl. 108.
 — — — Paxt. Mag. 7, 97.
 — — — Hart. Parad. 1, 11.
Mimetes Hartogii R. Br. Rchb. Hort. 93.
 — — *hirta* R. Br. Rchb. Hort. 92.
 † *Mimosa* —? Jacq. Fragn. 43.
 — — *albida* H. B. Humb. Mim. 1.
 — — — Kerner Hort. 566.
 — — *amara* Roxb. Roxb. Corom. 122.
 — — *angustifolia* Jacq. Jacq. Schoenbr. 3, 391.
 — — *arabica* Lam. Roxb. Corom. 149.
 — — *arborea* L. Gmelin Reise 3, 40.
 — — — Thumb. Kaempfer Japon. 19.
 — — *asperata* L. Houston Reliq. 24.
 — — — DC. Legum. 63.
 † — — *bimucronata* Savi. Mem. Mod. 21, 6.
 — — *botrycephala* Vent. Vent. Cels 1.
 — — — Herb. amat. 1, 6.
 — — *Bourgoni* Aubl. Aublet Guiana 358.
 — — *caracasana* Jacq. Jacq. Ic. 632.
 — — *Catechu* L. Roxb. Corom. 175.
 — — — Woodv. Med. 3, 157.
 — — *cinerea* L. Roxb. Corom. 174.
 — — *cochlearis* Lab. Bill. Nov. Holl. 234.
 † — — *cyclocarpa* Jacq. Jacq. Fragn. 34.
 — — *decipiens* König. König Annals 1, 8.
 — — *decurrens* Vent. Vent. Malm. 61.
 — — *discolor* Andr. Andr. Rep. 4, 235.
 — — *distachya* Cav. Cav. Ic. 295.
 — — — Vent. Cels 20.
 — — *divaricata* Jacq. Jacq. Schoenbr. 3, 395.
 — — *dulcis* Roxb. Roxb. Corom. 99.
 — — — Kerner Hort. 102.
 — — *eburnea* L. Roxb. Corom. 199.
 — — *elegans* Andr. Andr. Rep. 9, 563.
 — — *fagifolia* Jacq. Jacq. Hist. stirp. am. 247.
 — — *Farnesiana* L. Nouveau Duhamel 2, 28.
 † — — — Lam. Encycl. 846.
 — — — Desc. Ant. 1, 1.
 — — *fastuosa* Jacq. Jacq. Fragn. 10.
 — — *filioides* Cav. Cav. Ic. 78.
 — — *floribunda* Vent. Vent. Choix 13.
 — — — H. B. Hook. Ic. pl. 4, 373.
 — — — Lem. Jard. fl. 4, 345.
 — — *foetida* Jacq. Jacq. Schoenbr. 3, 390.
 — — *glandulosa* Michx. Vent. Choix 27.
 — — *grandiflora* L'her. Andr. Rep. 9, 592.
 — — *guianensis* Aubl. Aublet Guiana 357.
 — — *heterophylla* Lam. Journ. d'hist. nat. Par. 1, 15.
 — — *hispidula* Sm. Smith New Holl. 16.
 — — *horridula* Michx. Vent. Choix 28.
 — — *Inga* L. Desc. Ant. 5, 316.
 — — *intermedia* H. B. Humb. Mim. 6.
 — — *juliflora* Sw. Desc. Ant. 8, 530.

- Mimosa juniperina* Vent. Vent. Malm. 64.
 — — *lacustris* H. B. Humb. Pl. acq. 16.
 — — *lanceolata* Jacq. Jacq. Fragn. 53, 54.
 — — *leucacantha* Jacq. Jacq. Schoenbr. 3, 393.
 — — *leucophloea* Roxb. Roxb. Corom. 150.
 — — *ligustrina* Jacq. Jacq. Fragn. 32.
 — — — Vahl. Vahl Eclogae 27.
 — — *linearis* Wendl. Wendl. Hort. herrenh. 18.
 — — *linifolia* Vent. Vent. Cels 2.
 — — — Andr. Rep. 6, 394.
 — — *longifolia* Andr. Andr. Rep. 3, 207.
 — — — Vent. Malm. 62.
 — — — Kerner Hort. 177.
 — — *lucida* Vahl. Vahl Eclogae 24.
 — — — Kerner Hort. 428.
 — — *macrostachys* Vahl. Vahl Eclogae 26.
 — — *microcephala* H. B. Humb. Mim. 8.
 — — *montana* H. B. Humb. Mim. 10.
 — — *myrtifolia* Sm. Smith New Holl. 16.
 — — — Bot. Mag. 9, 302.
 — — *natans* Vahl. Roxb. Corom. 119.
 — — *nigricans* Lab. Bill. Nov. Holl. 238.
 — — — Vahl. Vahl Eclogae 29.
 — — *nilotica* L. Woodv. Med. 3, 158.
 — — *obliqua* Lam. Journ. d'hist. nat. Par. 1, 5.
 — — *octandra* Roxb. Roxb. Corom. 200.
 — — *odoratissima* L. Roxb. Corom. 120.
 — — *pectinata* H. B. Humb. Mim. 2.
 — — *pellita* H. B. Humb. Mim. 9.
 — — *plena* L. Houston Reliq. 23.
 — — *polycarpa* H. B. Humb. Mim. 3.
 — — *polydactyla* H. B. Humb. Mim. 5.
 — — *portoricensis* Jacq. Jacq. Ic. 633.
 — — *procera* Roxb. Roxb. Corom. 121.
 — — *ptericina* Poir. Lam. Encycl. 846.
 — — *pubescens* Vent. Vent. Malm. 21.
 — — — Bot. Mag. 31, 1263.
 — — — Herb. amat. 2, 137.
 † — — *pudica* L. Gaertn. Carp. 155.
 † — — — Lam. Encycl. 846.
 — — — Andr. Rep. 8, 544.
 — — — Dict. sc. nat. 258.
 — — — Bot. Reg. 11, 941.
 † — — — Spach Suites 1.
 † — — — Mem. Strassb. 4, x.
 — — *purpurea* L. Andr. Rep. 6, 372.
 — — *quadrivalvis* L. Houston Reliq. 25.
 — — *rosea* Vahl. Vahl Eclogae 25.
 — — *rubicaulis* Lam. Hook. Ic. pl. 2, 156.
 — — *saligna* Lab. Bill. Nov. Holl. 235.
 — — *Saman* Jacq. Jacq. Fragn. 9.
 — — *scandens* L. Desc. Ant. 3, 200.
 † — — *scoparia* Poir. Lam. Encycl. 846.
 — — *sensitiva* L. Lodd. Cab. 249.
 — — — Bot. Reg. 1, 25.
 — — — Desc. Ant. 8, 584.
 — — *simplicifolia* L. fil. Rumpf Amb. 3, 81.
 — — — Jacq. Fragn. 44.
 — — *somnians* H. B. Humb. Mim. 7.
 — — *Sophorae* Lab. Bill. Nov. Holl. 237.
 — — *speciosa* Jacq. Jacq. Ic. 198.
 — — *stricta* Andr. Andr. Rep. 1, 53.
 — — — Bot. Mag. 28, 1121.
 — — *suaveolens* Sm. Bill. Nov. Holl. 236.
 — — *Sundra* Roxb. Roxb. Corom. 225.
 — — *tamarindifolia* L. Jacq. Schoenbr. 3, 396.
 — — *tenuifolia* L. Desc. Ant. 2, 93.
 — — *tomentosa* H. B. Humb. Mim. 4.
 — — — Kerner Hort. 600.
 — — *trapezifolia* Vahl. Vahl Eclogae 28.
 — — *trichodes* Jacq. Jacq. Schoenbr. 3, 394.
 — — *ulicifolia* Wendl. Wendland Coll. 6.

- Mimosa unguis cati* L. Jacq. Schoenbr. 3, 392.
 — — — Desc. Ant. 1, 11.
 — *uruguensis* Benth. Bot. Reg. 28, 33.
 — *verticillata* L'her. Bot. Mag. 4, 110.
 — — — Vent. Malm. 63.
 — — — Wendland Coll. 30.
 — *virgata* L. Jacq. Vind. 80.
 — *virgultosa* Vahl. Vahl Ic. 20.
 — *xylocarpa* Roxb. Roxb. Corom. 100.
 — — — Kerner Hort. 108.
 † *Mimoseae* DC. (Germinatio.) DC. Legum. 19.
Mimulus alatus Ait. Barton Fl. 3, 94.
 — — — Lodd. Cab. 410.
 — *aurantiacus* Curt. Bot. Mag. 10, 354.
 — *cardinalis* Ldl. Hort. Transact. 9, 3.
 — — — Maund Bot. 1, 2.
 — — — Bot. Mag. 64, 3560.
 — — — Paxt. Mag. 3, 197.
 — — — Sweet Fl. G. II. 358.
 — *floribundus* Ldl. Bot. Reg. 13, 1125.
 — *glutinosus* Wendl. Jacq. Schoenbr. 3, 364.
 — — — Herb. amat. 1, 24.
 — *guttatus* Fisch. Rchb. Hort. 204.
 — *Harrisoniae* Paxt. Paxt. Mag. 4, 173.
 — *Lewisii* Pursh. Pursh Fl. 20.
 — *luteus* L. Bonpland Malm. 60.
 — — — Andr. Rep. 10, 661.
 — — — Jacq. Ecl. pl. 92.
 — — — Bot. Mag. 36, 1501.
 — — — var. *variegatus*, Bot. Mag. 61, 3336.
 — — — var. *Youngeanus*, Bot. Mag. 61, 3363.
 — — — var. *rivularis*, Bot. Reg. 12, 1030.
 — — — var. *variegatus*, Bot. Reg. 21, 1796.
 — — — J. Wilsoni, Sweet Fl. G. II. 406.
 — *Macclaineanus* Paxt. Paxt. Mag. 9, 147.
 — — — Marnock Mag. 1841, 12.
 — *moschatus* Dougl. Bot. Reg. 13, 1118.
 — *numularius* Gay. Gay Chile 57.
 — *parviflorus* Ldl. Bot. Reg. 11, 874.
 — *perfoliatus* H. B. K. Bot. Mag. 58, 3067.
 — *propinquus* Ldl. Bot. Reg. 16, 1330.
 — *punctatus* Lois. Herb. amat. 3, 152.
 — *punicus* Maund. Maund Bot. 4, 169.
 — *ringens* L. Linné Hort. ups. 1.
 — — — Bot. Mag. 8, 283.
 † — — — Gaertn. Carp. 53.
 † — — — Lam. Encycl. 523.
 — *rivularis* Lodd. Lodd. Cab. 1575.
 — *roseo-cardinalis* Henslow. Maund Bot. 2, 51.
 — *roseus* Ldl. Bot. Reg. 19, 1591.
 — — — Bot. Mag. 61, 3353. 68, 3924.
 — — — Lodd. Cab. 1976.
 — — — Paxt. Mag. 1, 29.
 — — — Sweet Fl. G. II. 210.
 — — — Spach Suites 142.
 — *Smithii* Ldl. Bot. Reg. 20, 1674.
 — — — Paxt. Mag. 1, 54.
 — *variegatus* Lodd. Lodd. Cab. 1872.
 — — — Paxt. Mag. 1, 79.
 † *Mimuspops* L. Kerner Genera 59.
 † — *Balata* Gaertn. Gaertn. Carp. 205.
 — *dissecta* R. Br. Bot. Mag. 59, 3157.
 — *Elengi* L. Rheede Hort. mal. 1, 20.
 — — — Rumpf Amb. 2, 63. 64.
 † — — — Gaertn. Carp. 42.
 † — — — Lam. Encycl. 300.
 — — — Roxb. Corom. 14.
 — — — Wight Ic. pl. Ind. or. 4, 1586.
 † — *globosa* Gaertn. Gaertn. Carp. 205.
 — *hexandra* Roxb. Roxb. Corom. 15.
 — — — Kerner Hort. 636.
 — *indica* DC. Wight Ic. pl. Ind. or. 4, 1587.

- Mimuspops Kauki* L. Rheede Hort. mal. 4, 25.
 — — — Rumpf Amb. 3, 8.
 † — *racemosa* Jacq. Jacq. Collect. 5, 3.
 — *Roxburghiana* Wight. Wight Ic. pl. Ind. 4, 1586.
 † — — — Wight Illustr. 148 bis.
Mina lobata La Ll. et Lex. Bot. Reg. 28, 24.
 — — — Paxt. Mag. 16, 100.
Minuartia guianensis Aubl. Aublet Guiana 370.
Minuartia campestris L. Svensk Acad. 1758, 1.
 — *dichotoma* L. Loeffling Iter 1.
 — — — Svensk Acad. 1758, 1.
 — — — Cav. Ic. 277.
 — *fasciculata* Rchb. Rchb. Fl. germ. 5, 206.
 — *fastigiata* Rchb. Rchb. Fl. germ. 5, 206.
 — *montana* L. Loeffling Iter 1.
 — — — Svensk Acad. 1758, 1.
 — — — Annales de hist. nat. 2, 21.
 — — — Cav. Ic. 368.
 — — — Lam. Encycl. 52.
 — *rostrata* Rchb. Rchb. Fl. germ. 5, 206.
Minuphylis Aub. Aubert Orchid. 109.
Miquelia azurea Bl. Blume Rumphia 189.
 † — *celebica* Bl. Blume Mus. 1, 8.
Mirabilis aggregata Cav. Cav. Ic. 437.
 — *corymbosa* Cav. Cav. Ic. 379.
 — *dichotoma* L. Martyn Hist. 1.
 — — — Desc. Ant. 2, 139.
 — *Jalapa* L. Rheede Hort. mal. 10, 75.
 — — — Rumpf Amb. 5, 89.
 — — — Bot. Mag. 11, 371.
 — — — Schk. Handb. 41.
 † — — — Lam. Encycl. 105.
 — — — Spach Suites 146.
 † — — — Ann. sc. nat. III. 18, 16.
 † — — — Schnizl. Iconogr. 2, 104.
 — *lengiflora* L. Svensk Acad. 1755, 6.
 — — — Smith Exot. Bot. 23.
 † — — — Gaertn. Carp. 127.
 — — — Nees Düsseldorf. Suppl. 103.
 † — — — Schnizl. Iconogr. 2, 104.
 — *procera* Bert. Novi Comm. Bon. 3, 1.
 — *viscosa* Cav. Cav. Ic. 19.
 — — — Dict. sc. nat. 22.
Mirbelia Baxteri Mackay. Bot. Reg. 17, 1434.
 — *cordata* Sm. Bot. Reg. 12, 1003.
 — *dilatata* R. Br. Lodd. Cab. 1367.
 — — — Bot. Reg. 12, 1041.
 — *floribunda* Paxt. Paxt. Mag. 8, 103.
 — *grandiflora* Ait. Bot. Mag. 54, 2771.
 — *Meisneri* Hook. Bot. Mag. 75, 4419.
 — *reticulata* Sm. Vent. Malm. 119.
 — — — Nouveau Duhamel 4, 37.
 — — — Bot. Mag. 30, 1211.
 — — — Lodd. Cab. 1371.
 — *speciosa* Sieb. Bot. Reg. 27, 58.
 — — — Sweet Austr. 34.
 — — — Rchb. Hort. 191.
Mirmecodia echinata Gaudich. Freycinet Voyage 96.
 — *inermis* Gaudich. Freycinet Voyage 95.
 † *Misodendrum brachystachyum* DC. DC. Loranthacées 12.
 — *imbricatum* P. et E. Poepp. et Endl. 3.
 — *lineare* P. et E. Poepp. et Endl. 1.
 — *oblongifolium* DC. Delessert Ic. 3, 80.
 — — — Poepp. et Endl. 2.
 — *punctulatum* Banks. DC. Loranthacées 11.
 † — *quadriflorum* DC. DC. Loranthacées 12.
Missiessya celtidifolia Gaudich. Gaudichaud Bonite 93.
 — *fagifolia* Gaudich. Gaudichaud Bonite 93.
 † *Mitchella repens* L. Gaertn. Carp. 192.
 † — — — Lam. Encycl. 63.
 — — — Barton Fl. 3, 95.

- Mitchella repens* L. Lodd. Cab. 979.
† *Mitscherlichia spectabilis* Kunth. Abh. Ac. Berl. 1832, 3.
Mitella cordifolia Lam. Lam. Encycl. 373.
† — *diphylla* L. Gaertn. Carp. 44.
† — — — Lam. Encycl. 373.
— — — Schk. Handb. 120.
— — — Barton Fl. 3, 89.
— — — Bot. Reg. 2, 166.
— *pentandra* Hook. Bot. Mag. 56, 2933.
— *reniformis* Lam. Lam. Encycl. 373.
— *trifida* Grah. Hook. Bor. Am. 82.
Mitostigma tomentosum Decne. Delessert Ic. 5, 59.
† *Mitracarpum* Zucc. Linnaea 3, 3.
— *Schizangium* DC. Hook. Beechey 99.
Mitragyna speciosa Korth. Korthals Bot. 33.
Mitraria coccinea Cav. Anales de hist. nat. 3, 31.
— — — Cav. Ic. 579.
— — — Bot. Mag. 75, 4462.
— — — Paxt. Mag. 15, 147.
— — — Fl. d. serres 4, 385.
Mitrasacme pilosa Lab. Lam. Encycl. 913.
— *villosa* Lab. Bill. Nov. Holl. 49.
Mitreola oldenlandioides Wall. Hook. Ic. pl. 9, 827.
† — *ophiorrhizoides* Rich. Mem. hist. nat. Par. 1, 3.
— *paniculata* Wall. Wight Ic. pl. Ind. or. 4, 1600.
— — — Hook. Ic. pl. 9, 828.
Mitrospora recurvata N. v. E. Endl. Bras. 3, 11.
Mnasion sphaerocephalum Rudge. Rudge Pl. Guianae 12.
— *Theophrasti* Stackh. Stackhouse Extr. 2.
— *unilaterale* Rudge. Rudge Pl. Guianae 11.
Mnemon cheiranthifolium Webb. Webb Canar. 14 B.
— *elegans* Spach. Spach Suites 121.
— *palmense* Webb. Webb Canar. 14.
† *Mniarum biflorum* Forst. Forster Charact. 1.
† — — — Lam. Encycl. 6.
— — — Comm. Gott. 9, 1.
— *fasciculatum* R. Br. Hook. Ic. pl. 3, 283.
— *pedunculatum* Lab. Bill. Nov. Holl. 2.
— — — Lam. Encycl. 901.
Mniopsis Hookeriana Tul. Arch. Mus. 6, 8.
— — — Wight Ic. pl. Ind. or. 5, 1918.
— *Johnsonii* Wight. Wight Ic. pl. Ind. or. 5, 1918.
— *scaturiginum* Mart. Mart. Bras. 1.
— — — Schnizl. Iconogr. 2, 85.
— *Weddeliana* Tul. Arch. Mus. 6, 8.
Modecca australis R. Br. Endl. Iconogr. 114, 115.
— *cordifolia* Bl. Blume Rumphia 49.
— *lobata* Jacq. Jacq. Fragm. 131.
— — — Bot. Reg. 5, 433.
— *obtusata* Bl. Blume Rumphia 48.
— *palmata* Lam. Rheede Hort. mal. 8, 20 — 23.
— — — Wight Ic. pl. Ind. or. 1, 201.
— *populifolia* Bl. Blume Rumphia 50.
— *trilobata* Roxb. Roxb. Corom. 297.
— *Wightiana* Wall. Wight Ic. pl. Ind. or. 1, 179.
† *Modiola Moench*. Gray Genera 128.
— *caroliniana* Don. Gray Genera 128.
† *Moehringia* L. Gray Genera 112.
— *heterophylla* Doll. Rechb. Fl. germ. 5, 215.
— *lateriflora* Fenzl. Gray Genera 112.
— *muscosa* L. Jacq. Fl. austr. 5, 449.
† — — — Gaertn. Carp. 129.
† — — — Lam. Encycl. 314.
— — — Schk. Handb. 108.
— — — Rechb. Fl. germ. 5, 213, 214.
— — — var. Mem. Tur. 7, 5.
— *polygonoides* Wulf. Rechb. Fl. germ. 5, 215.
— *Ponae* Rechb. Rechb. Fl. germ. 5, 214.
— *sedifolia* Willd. Mag. naturf. Fr. 2, 3.
— *Balb.* Rechb. Fl. germ. 5, 214.
— *sphagnoides* Froel. Rechb. Fl. germ. 5, 215.

- Moehringia stricta* Sibth. Sibth. Fl. gr. 362.
— *trinervia* Clairv. Rechb. Fl. germ. 5, 216.
— *villosa* Wulf. Rechb. Fl. germ. 5, 214.
Moenchia erecta G. M. Sch. Baxter Brit. Bot. 6, 460.
— — — Rechb. Fl. germ. 5, 227.
— *glauca* Pers. Curt. Lond. 1, 69.
— *saxatilis* Schrank. Schrank Fl. monac. 4, 372.
Mogiphanes brasiliensis Mart. Mart. Bras. 133, 134.
— *hirtula* Mart. Mart. Bras. 129.
— *multicaulis* Mart. Mart. Bras. 131, 134.
— *ramosissima* Mart. Mart. Bras. 130.
— *straminea* Mart. Mart. Bras. 135.
— *villosa* Mart. Mart. Bras. 132, 134.
Mogorium Sambac Lam. Lam. Encycl. 6.
— *triflorum* Lam. Lam. Encycl. 6.
Mohlana nemoralis Mart. Mart. Bras. 290.
Mohria thurifraga Sw. Swartz Synopsis Fil. 5.
— — — Schk. Fil. 143.
† — — — Hook. Gen. Fil. 104.
Mokkwuren Kaempf. Kaempfer Japon. 43, 44.
† *Moldavica punctata* Moench. Nees Genera 6, 26.
Moldenhawera cuprea Pohl. Pohl Bras. 160.
† *Molina R. et P.* Ruiz et Pav. Prodr. 24.
— *chilensis* Gay. Gay Chile 62.
— *racemosa* Cav. Cav. Diss. 263.
— — — Lam. Encycl. 349.
Molinaea alternifolia Willd. Lam. Encycl. 305.
— *canescens* Roxb. Roxb. Corom. 60.
— *laevis* Willd. Lam. Encycl. 305.
Molinera plicata Colla. Mem. Tur. 31, 18.
Molinia aquatica Wibel. Sv. Bot. 587.
— *coerulea* Moench. Rechb. Fl. germ. 1, 78.
† — — — Nees Genera 1, 61.
— *litoralis* Host. Rechb. Fl. germ. 1, 78.
— *squarrosa* Ledeb. Ledeb. Ic. 227.
Mollia diffusa Willd. Willdenow Hortus 11.
Mollia speciosa Mart. Mart. Bras. 60.
† *Mollinedia R. et P.* Ruiz et Pav. Prodr. 15.
† *Mollugo* L. Gray Genera 101.
— *disticha* Ser. Wight Ic. pl. Ind. or. 1, 3.
— *glinoides* Camb. St. Hil. Fl. Bras. 109.
— *stricta* L. Burmann Fl. ind. 5.
† — *verticillata* L. Gaertn. Carp. 130.
† — — — Lam. Encycl. 52.
— — — Gray Genera 101.
Moltkia coerulea Lehm. Lehmann Asperif. 43.
— *libanotica* Zucc. Münchn. Abh. 3, 3.
— *punctata* Lehm. Lehmann Asperif. 44.
Moluccella acutiloba Ledeb. Eichwald Cauc. 33.
— *frutescens* L. All. Fl. ped. 3, 2.
— — — Sibth. Fl. gr. 568.
— *grandiflora* Steph. Ledeb. Ic. 436.
† — *laevis* L. Gaertn. Carp. 66.
— — — Lam. Encycl. 510.
— — — Sibth. Fl. gr. 566.
— — — Bot. Mag. 43, 1852.
— *Marrubium* Steph. Mem. Mosc. 2, 4.
— — — Ledeb. Ic. 150.
— *persica* L. Burmann Fl. ind. 38.
— *spinosa* L. Rivinus Opus ined. 47.
† — — — Lam. Encycl. 510.
— — — Sibth. Fl. gr. 567.
† *Momordica Balsamina* L. Gaertn. Carp. 88.
† — — — Lam. Encycl. 794.
— — — Desc. Ant. 3, 164.
— — — Dict. sc. nat. 208, 209.
† — — — Kerner Genera 204, 205.
— *Charantia* L. Rheede Hort. mal. 8, 9, 10.
— — — Rumpf Amb. 5, 151, 152.
† — — — Lam. Encycl. 794.
— — — Desc. Ant. 8, 594.
— — — Bot. Mag. 51, 2453.

- Momordica Charantia* L. Wight Ic. pl. Ind. or. 2, 504.
 † — — Wight Illustr. 105 bis.
 — dioica Roxb. Rheede Hort. mal. 8, 12, 18.
 — — Wight Ic. pl. Ind. or. 2, 505, 506.
 — — Jacquemont Ind. 71.
 — Elatarium L. Woodv. Med. 2, 72.
 — — Schk. Handb. 313.
 — — Bot. Mag. 44, 1914.
 — — Sibth. Fl. gr. 939.
 — — Hayne 8, 45.
 — — Nees Düssel. 271.
 — Luffa L. Rumpf Amb. 5, 147.
 — macropoda P. et E. Poepp. et Endl. 173.
 — monadelpha Roxb. Rheede Hort. mal. 8, 11.
 — Morkhorra Dill. et Rich. Richard Abyssin. 53.
 — sicyoides Ser. Icones pl. Chin. 12.
 — subangulata Bl. Rumpf Amb. 5, 153.
 — trifoliata L. Rumpf Amb. 5, 152.
Monachanthus Bushnani Hook. Bot. Mag. 67, 3832.
 — discolor Ldl. Bot. Reg. 20, 1735.
 — — Bot. Mag. 64, 3601.
 — fimbriatus Gardn. Bot. Mag. 65, 3708.
 — longifolius Ldl. Bot. Mag. 67, 3819.
 — roseo-albus Hook. Bot. Mag. 67, 3796.
 — viridis Ldl. Bot. Reg. 21, 1752.
 — — Linn. Transact. 17, 29.
Monachosorum davallioides Kze. Kunze Fil. 101.
Monactis flaverioides H. B. K. H. B. K. Nov. Gen. 4, 403.
Monadenia prasinata Ldl. Bot. Reg. 3, 210.
Monandraira Berteroana Em. Desv. Gay Chile 79.
 — glauca Em. Desv. Gay Chile 79.
Monarda affinis Link. Rchb. Hort. 182.
 — altissima Willd. Rchb. Hort. 170.
 — amplexicaulis Fisch. Belgique hort. 1, 6.
 — aristata Nutt. Bot. Mag. 63, 3526.
 — coccinea Michx. Rafinesque Med. 64.
 — — Desc. Ant. 5, 369.
 — contorta Morr. Belgique hort. 1, 6.
 — didyma L. Schk. Handb. 2⁶.
 — — Bot. Mag. 15, 546.
 † — fistulosa L. Gaertn. Carp. 66.
 — — Bot. Mag. 5, 145, 61, 3310.
 — — Rchb. Hort. 172.
 — Kalmiana Pursh. Pursh Fl. 1.
 — media Willd. Sweet Fl. G. 98.
 — menthaefolia Grah. Bot. Mag. 57, 2958.
 — mollis L. Rchb. Hort. 171.
 — punctata L. Andr. Rep. 8, 546.
 — — Lodd. Cab. 1437.
 — — Bot. Reg. 1, 87.
 — — Savi Fl. ital. 3, 105.
 † — purpurea Lam. Lam. Encycl. 19.
 — — Lodd. Cab. 1396.
 — Russeliana Nutt. Hook. Exot. Fl. 130.
 — — Sweet Fl. G. 166.
 — — Bot. Mag. 51, 2513.
 — — Rchb. Hort. 226.
 — undulata Tausch. Rchb. Hort. 181.
Monardella villosa Benth. Benth. Sulphur 21.
Monenteles sphacelatus Lab. Bill. Sertum 44.
 — spicatus Lab. Bill. Sertum 43.
 † *Monerma subulata* Pal. B. Nees Genera 1, 88.
Monetia barlerioides L'her. L'her. Stirp. 1.
 † — — Gaertn. Carp. 225.
Monimia ovalifolia Aub. Aubert Iles d'Afr. 7.
 — rotundifolia Aub. Aubert Iles d'Afr. 7.
 — — Dict. sc. nat. 290.
 † *Monimiaceae* Juss. Schnizl. Iconogr. 2, 103.
 † *Monnieria cuneifolia* Michx. Gaertn. Carp. 214.
 — trifolia L. Aublet Guiana 293.
 — — Desc. Ant. 3, 224.

- † *Monnieria trifolia* L. Mem. Mus. 12, 22.
 † — — Lam. Encycl. 596.
 † *Monnina Rz et P.* Mem. Mus. 17, 30.
 — cardiocarpa St. Hil. St. Hil. Fl. Bras. 93.
 — cestrifolia H. B. K. H. B. K. Nov. Gen. 5, 502.
 — cuneata St. Hil. St. Hil. Fl. Bras. 95.
 — linearifolia Rz et P. Hook. Beechey 6.
 — nemorosa H. B. K. H. B. K. Nov. Gen. 5, 504.
 — obtusifolia H. B. K. Bot. Mag. 58, 3122.
 — phytolaccaefolia H. B. K. H. B. K. Nov. Gen. 5, 503.
 — polystachya Rz et P. Ruiz et Pav. Memoria x.
 — — Lambert Cinchona x.
 — pubescens H. B. K. H. B. K. Nov. Gen. 5, 505.
 — resedoides St. Hil. St. Hil. Fl. Bras. 94.
 — revoluta H. B. K. H. B. K. Nov. Gen. 5, 501.
 † *Monnuria trifolia* N. et M. Acta Leop. 11, 1, 18.
Monocera aromatica Ell. Elliott Carolina 11.
Monocera ferruginea Wight. Wight Ic. pl. Ind. or. 1, 205.
 — grandiflora Hook. Bot. Mag. 78, 4680.
 — — Lem. Jard. fl. 4, 339.
 — — Fl. d. serres 8, 817.
 — Munronii Wight. Wight Spicil. 18.
 — — Wight Ic. pl. Ind. or. 3, 952.
 — Roxburghii Wight. Wight Ic. pl. Ind. or. 1, 63.
 — rugosa Wight. Wight Ic. pl. Ind. or. 1, 61.
 — tuberculata W. et Arn. Wight Illustr. 35.
 — — Wight Ic. pl. Ind. or. 1, 62.
 † *Monochaetum* Naud. Ann. sc. nat. III. 4, 2.
 — umbellatum Naud. Delessert Ic. 5, 4.
Monochilus affinis Ldl. Wight Ic. pl. Ind. or. 5, 1728.
 — flabellatus Wight. Wight Ic. pl. Ind. or. 5, 1727.
 — gloxinifolius F. et M. Endl. Bras. 10, 32.
Monodora Myristica Dun. Bot. Mag. 58, 3059.
Monodynamis humilis Pohl. Pohl Bras. 144.
Monogramma furcata Desv. Hook. Gen. Fil. 84.
 — graminea Desv. Desvaux Journ. 3, 2.
 — linearifolia Desv. Desvaux Journ. 3, 2.
 — — Mag. naturf. Fr. 5, 7, fig. 5.
 † — linearis Kaulf. Schott Gen. Fil. 11.
 † — — Fée Fil. 5, 9.
Monographis Aub. Aubert Orchid. 45.
Monolophus scaposus Dalz. Wight Ic. pl. Ind. or. 6, 2030.
Monolopia major DC. Bot. Mag. 67, 3839.
 — — Hook. Ic. pl. 4, 344.
 — minor DC. Hook. Ic. pl. 4, 343.
Monomeria barbata Ldl. Lindley Sertum Frontisp. x.
Monopogon avenaceus Presl. Presl Reliq. 44.
 † *Monoporandra elegans* Thw. Hook. Journ. 1854, 2.
Monoporus paludosus A. DC. Ann. sc. nat. II. 16, 7.
Monopsis conspicua Salisb. Hort. Transact. 2, 2.
 — debilis Presl. Delessert Ic. 5, 7.
Monosis Wightiana DC. Wight Spicil. 105.
 — — Wight Ic. pl. Ind. or. 3, 1085.
Monotaxis linifolia Brongn. Brongniart Coquille 49.
 — tridentata Endl. Endl. Atacta 8.
Monothea mascatensis DC. Delessert Ic. 5, 35.
Monotropa hypophegea Waltr. Rchb. Ic. crit. 5, 482.
 — Hypopitys L. Fl. dan. 2, 232, 12, 2051.
 — — Sv. Bot. 97.
 — — Curt. Lond. 4, 105.
 — — Engl. Bot. 2, 69.
 — — Baxter Brit. Bot. 4, 275.
 † — — Gaertn. Carp. 185.
 † — — Lam. Encycl. 362.
 — — Schk. Handb. 116.
 — — α. glabra, Sturm Flora 4, 13.
 — — Rchb. Ic. crit. 5, 481.
 — — Dietr. Fl. bor. 7, 442.
 † — — Nees Genera X, x.
 † — — (Embryo.) Ann. sc. nat. III. 9, 1.
 — lanuginosa Michx. Torrey New York 72.

- Monotropa uniflora* L. Lam. Encycl. 362.
 — — — Dict. sc. nat. 76.
 — — — Hook. Exot. Fl. 85.
 — — — Barton Fl. 3, 86.
 — — — Torrey New York 71.
 † *Monoxora spectabilis* Wight. Wight Illustr. 97 bis.
 — — — Wight Ic. pl. Ind. or. 2, 524.
Monsonia emarginata L'her. L'her. Geran. 41.
 — filia L. fil. Cav. Diss. 74.
 — — — Andr. Rep. 4, 276.
 — — — Rchb. Mag. 34.
 — lobata Ait. Bot. Mag. 11, 383.
 — — — Sweet Geran. 273.
 † — — — Lam. Encycl. 638.
 — — — Herb. amat. 1, 5.
 — ovata Cav. Cav. Diss. 113.
 — — — Rchb. Hort. 179.
 — pilosa Willd. Rchb. Mag. 35.
 — — — Sweet Geran. 199.
 — — — var. Colla Hort. Rip. 2.
 — speciosa L. Bot. Mag. 3, 73.
 — — — Cav. Diss. 74.
 — — — Kerner Hort. 9.
 — — — Lam. Encycl. 638.
 — — — Lodd. Cab. 898.
 — — — Sweet Geran. 77.
 — — — Rchb. Mag. 36.
 — — — Spach Suites 22.
 — spinosa L'her. L'her. Geran. 42.
Montabea longifolia P. et E. Poepp. et Endl. 186.
Montbretia securigera Red. Red. Lil. 1, 53.
Monteverdia buxifolia A. Rich. Ramon Cuba 36.
Montia fontana L. Fl. dan. 1, 131. 11, 1926.
 — — — Cirillo Pl. rar. 1, 11.
 — — — Lam. Encycl. 50.
 — — — Sv. Bot. 540.
 — — — Curt. Lond. 3, 103.
 — — — Engl. Bot. 17, 1206.
 — — — Baxter Brit. Bot. 3, 196.
 † — — — Gaertn. Carp. 129.
 — — — Schk. Handb. 20.
 — — — α. minor, Sturm Flora 3, 11.
 † — — — Linnaea 6, 7.
 † — lamprosperma Cham. Linnaea 6, 7.
 — minor L. Dietr. Fl. bor. 10, 662.
 † *Montinia acris* L. fil. Lam. Encycl. 808.
 — caryophyllacea Thunb. Smith Spicil. 15.
 † — fruticosa Gaertn. Gaertn. Carp. 33.
Montira guianensis Aubl. Aublet Guiana 257.
 † — — — Lam. Encycl. 523.
Monttea chilensis Gay. Gay Chile 51.
Moonia Arnottiana Wight. Wight Spicil. 110.
 — — — Wight Ic. pl. Ind. or. 3, 1105.
Moorcroftia penangiana Choisy. Mem. Genev. 6, 4.
Moquilea canomensis Mart. Mart. Bras. 166.
 — chrysocalyx P. et E. Poepp. et Endl. 286.
 — guianensis Aubl. Aublet Guiana 208.
 — — — Lam. Encycl. 427.
Moquinia polymorpha DC. DC. Composées 13.
 — tomentosa Bong. Acad. Pet. 5, 9.
 — velutina Bong. Acad. Pet. 5, 8.
Mora excelsa Schomb. Linn. Transact. 18, 16. 17.
Moraea angusta Gawl. Bot. Mag. 31, 1276.
 — aphylla Thunb. Thunberg Moraea 2.
 — bicolor Auct. Fl. d. serres 7, 744.
 — bituminosa Gawl. Bot. Mag. 26, 1045.
 — bulbifera Jacq. Jacq. Schoenbr. 2, 197.
 — catenulata Ldl. Bot. Reg. 13, 1074.
 — ciliata Gawl. Bot. Mag. 25, 1012. 27, 1061.
 — coerulea Thunb. Thunberg Moraea 2.
 — collina Thunb. Jacq. Ic. 226.
 — — — Bot. Mag. 26, 1033. 28, 1103. 39, 1612.

- Moraea crispa* Gawl. Bot. Mag. 20, 759. 32, 1284.
 — edulis Ker. Bot. Mag. 17, 613. 31, 1238.
 — elegans Jacq. Jacq. Schoenbr. 1, 12.
 — Ferrariola Jacq. Jacq. Schoenbr. 4, 450.
 — filiformis Thunb. Thunberg Moraea 1.
 — flexuosa L. fil. Bot. Mag. 19, 695.
 — fugax Jacq. Jacq. Vind. 3, 20.
 — Herberti Ldl. Bot. Reg. 11, 949.
 † — iridioides L. Gaertn. Carp. 13.
 † — — — Lam. Encycl. 31.
 — — — Jacq. Schoenbr. 2, 196.
 — — — Red. Lil. 1, 45.
 — — — Bot. Mag. 19, 693.
 — — — Herb. amat. 3, 175.
 † — juncea L. Gaertn. Carp. 13.
 — longiflora Gawl. Bot. Mag. 19, 712.
 — lurida Ker. Bot. Reg. 4, 312.
 — melaleuca Thunb. Thunberg Moraea 1.
 — miniata Andr. Andr. Rep. 6, 404.
 — Northiana Schneev. Schneevogt Ic. 41. 42.
 — — — Andr. Rep. 4, 255.
 — — — Kerner Hort. 51.
 — odora Salisb. Salisb. Parad. 10.
 — palmifolia Jacq. Jacq. Ic. 227.
 — papilionacea Ker. Bot. Mag. 20, 750.
 — pavonia Gawl. Bot. Mag. 31, 1247.
 — ramosa Gawl. Bot. Mag. 20, 771.
 — — — Hart. Parad. 1, 5.
 — sertata Jacq. Jacq. Schoenbr. 1, 11.
 — Sisyrrinchium Gawl. Bot. Mag. 34, 1407.
 — sordescens Jacq. Jacq. Ic. 225.
 — — — Red. Lil. 2, 71.
 — spathacea Thunb. Thunberg Moraea 1.
 — — — Lam. Encycl. 31.
 — spicata Gawl. Bot. Mag. 32, 1283.
 — spiralis Thunb. Bot. Mag. 15, 520.
 — Tenoreana Sweet. Sweet Fl. G. 110.
 — tenuis Ait. Bot. Mag. 26, 1047.
 — tricolor Ait. Andr. Rep. 2, 83.
 — tricuspidis Gawl. Bot. Mag. 19, 696. 20, 772.
 — — — Sweet Fl. G. II. 249.
 — tripetala Thunb. Bot. Mag. 19, 702.
 — unguiculata Gawl. Bot. Mag. 16, 593.
 — vaginata DC. Red. Lil. 1, 56.
 — — — Kerner Hort. 174.
 — vegeta L. Jacq. Ic. 224.
 — villosa Ker. Rchb. Exot. 19.
 — virgata Jacq. Jacq. Ic. 228.
 † *Morea* Gaertn. Gaertn. Carp. 180.
 † *Moreae* Endl. Schnitzl. Iconogr. 2, 92.
Morelotia gahniaeformis Gaudich. Freycinet Voyage 28.
 † *Morenia* R. et P. Ruiz et Pav. Prodr. 32.
 — fragrans R. et Sch. D'Orbigny Voyage 3. 16.
 — Poeppigiana Mart. Mart. Palm. 140. 141.
Morgania pubescens R. Br. Endl. Iconogr. 103.
Moricandia arvensis DC. Rchb. Ic. crit. 5, 403.
 — — — Rchb. Fl. germ. 2, 90.
 — — — Bot. Mag. 57, 3007.
 — — — Sweet Fl. G. 278.
Morina longifolia Wall. Wall. Pl. asiat. 202.
 — — — Bot. Reg. 26, 36.
 — — — Bot. Mag. 70, 4092.
 — — — Annales de Gand 1847, 127.
 — persica L. Sibth. Fl. gr. 28.
 † — — — Lam. Encycl. 21.
 † — — — Mem. Genev. 2, 1.
 — Wallichiana Royle. Royle Illustr. 55.
Morinda angustifolia Roxb. Roxb. Corom. 237.
 — bracteata Roxb. Wight Illustr. 126.
 — citrifolia L. Rheede Hort. mal. 1, 32.
 — — — Rumpf Amb. 3, 99.
 † — — — Gaertn. Carp. 29.

- † *Morinda citrifolia* L. Lam. Encycl. 153.
 — — — Kerner Hort. 465.
 — *jasminoides* Cunn. Bot. Mag. 61, 3351.
 — *muscosa* Jacq. Jacq. Hist. stirp. am. 66.
 — *phyllireoides* Lab. Bill. Sertum 49.
 — *Royoc* L. Jacq. Vind. 16.
 † — — — Lam. Encycl. 153.
 — — — Desc. Ant. 2, 129.
 — *sessiliflora* Bert. Novi Comm. Bon. 4, 4.
 — *umbellata* L. Rheede Hort. mal. 7, 27.
 — — — Rumpf Amb. 3, 98.
 † — — — Gaertn. Carp. 29.
 † — — — Lam. Encycl. 153.
Moringa aptera Gaertn. Ann. sc. nat. II. 4, 6.
 † — *edulis* Med. Medikus Theodora 2.
 † — *oleifera* Lam. Lam. Encycl. 337.
 — — — Tussac Ant. 4, 16.
 — *pterygosperma* Gaertn. Rheede Hort. mal. 6, 11.
 † — — — Gaertn. Carp. 147.
 — — — Wight Illustr. 77.
Morisia hypogaea Gay. Moris Fl. sard. 7.
 — — — Sweet Fl. G. II. 290.
 † *Morisonia americana* L. Gaertn. Carp. 78.
 † — — — Lam. Encycl. 595.
 — — — Jacq. Hist. stirp. am. 144.
 — — — Cav. Diss. 163.
 — — — Desc. Ant. 7, 532.
Mormodes aromatica Ldl. Bot. Reg. 29, 56.
 — *atropurpurea* Ldl. Bot. Reg. 22, 1861.
 — — — Knowles et Westcott 34.
 — — — Bot. Mag. 77, 4577.
 — *Cartoni* Hook. Bot. Mag. 72, 4214.
 — *Hookeri* Lem. Lem. Jard. fl. 118.
 — *igneae* Ldl. Paxt. Fl. G. 93.
 — — — Lem. Jard. fl. 4, 330.
 — *lentiginosa* Hook. Bot. Mag. 75, 4455.
 — *lineata* Batem. Bot. Reg. 28, 43.
 — *luxata* Ldl. Bot. Reg. 29, 33.
 — *pardina* Batem. Bateman Orchid. 14.
 — — — Knowles et Westcott 113.
 — — — Bot. Mag. 68, 3879. 3900.
Mormolyca lineolata Fzl. Denkschr. d. W. Ak. I, 2.
Morna nitida Ldl. Bot. Reg. 23, 1941.
 — *nivea* Ldl. Bot. Reg. 24, 9.
Moronobea coccinea Aubl. Aublet Guiana 313.
 — — — Lam. Encycl. 644.
 — — — Mart. Bras. 287.
Mortonia sempervirens Gray. Smiths. Contr. 3, 4.
 † *Morus alba* L. Gaertn. Carp. 126.
 † — — — Lam. Encycl. 762.
 — — — Schk. Handb. 290.
 — — — Hartig 59.
 — — — Rchb. Fl. germ. 12, 657.
 † — — — Nees Gen. 4, 32.
 † — — — Schnizl. Iconogr. 2, 92.
 — *atropurpurea* Roxb. Wight Ic. pl. Ind. or. 2, 677.
 — *Brunoniana* Endl. Endl. Atacta 32.
 — *indica* L. Rumpf Amb. Auct. 5.
 — — — Wight Ic. pl. Ind. or. 2, 674.
 — *intermedia* Perr. Guillem. Arch. I, 7.
 — *mauritanica* Jacq. Jacq. Ic. 617.
 — — — Jacq. Fragm. 5.
 — *multicaulis* Perr. Annales de Fromont 1829, 3.
 — *nigra* L. Lam. Encycl. 762.
 — — — Woodv. Med. 4, 243.
 — — — Watson Dendr. 2, 159.
 — — — Nees Dusseld. 100.
 — — — Guimpel et Schl. 226.
 — — — Hayne 13, 16.
 — — — Wagner 181.
 — — — Rchb. Fl. germ. 12, 658.
 † — — — Nees Gen. 4, 32.

- † *Morus nigra* L. Schnizl. Iconogr. 2, 92.
 — *pabularia* Decne. Jacquemont Ind. 151.
 — *paniculata* Roxb. Wight Ic. pl. Ind. or. 2, 676.
 — *papyrifera* L. Kaempfer Amoenit. p. 472.
 — — — Gil et Xarez 8.
 † — — — Schk. Handb. 290.
 — *rubra* L. Michaux Arb. 3, 10.
 — *tatarica* Pall. Pallas Fl. ross. 52.
 — — — Wight Ic. pl. Ind. or. 2, 675.
 — *tinctoria* L. Desc. Ant. 6, 431.
Moscharia pinnatifida Rz et P. Bot. Reg. 18, 1564.
Moschosma oeymoides Benth. Jacq. Ecl. pl. 108.
 † *Moschoxylum elegans* Juss. Mem. Mus. 19, 19.
Mougeotia inflata H. B. K. H.B.K. Nov. Gen. 5, 484.
 — *polystachya* H. B. K. H.B.K. Nov. Gen. 5, 483.
 483^a.
Moulinsia cupanioides Camb. Mem. Mus. 18, 2.
Mourera fluvialis Aubl. Aublet Guiana 233.
 † — — — Lam. Encycl. 480.
 † — — — Arch. Mus. 6, 1.
 — *Weddeliana* Tul. Arch. Mus. 6, 1.
Mouriria arborea Gardn. Hook. Ic. pl. 6, 515.
 † — *brevipes* Naud. Ann. sc. nat. III. 12, 10.
 — *guianensis* Aubl. Aublet Guiana 180.
 — — — Lam. Encycl. 360.
 — *parvifolia* Benth. Benth. Sulphur 36.
 — *polyantha* Miq. Miquel Surin. 11.
 — *Pusa* Gardn. Hook. Journal 1840, 1.
Mouroucoa violacea Aubl. Aublet Guiana 54.
 † — — — Lam. Encycl. 103.
Moussonia elegans Decne. Fl. d. serres 5, 489.
Moutabea guianensis Aubl. Aublet Guiana 274.
Moutouchi suberosa Aubl. Aublet Guiana 299.
Mozinna canescens Benth. Benth. Sulphur 26.
 — *spathulata* Ortega. Hook. Ic. pl. 4, 357.
Mucronea californica Benth. Linn. Transact. 17, 20.
Mucuna anguina Wall. Wall. Pl. asiat. 236.
 — *gigantea* DC. Rheede Hort. mal. 8, 36.
 — — — Rumpf Amb. 5, 6.
 — — — Wight Illustr. in Hook. 14.
 — *macrocarpa* Wall. Wall. Pl. asiat. 47.
 — — — Paxt. Mag. 16, 97.
 — *monosperma* DC. Wight Illustr. in Hook. 12.
 — — — Wight Ic. pl. Ind. or. 1, 35^{bis}.
 — *pruriens* DC. Rheede Hort. mal. 8, 35.
 — — — Wight Illustr. in Hook. 13.
 — — — Bot. Reg. 24, 18.
 — *utilis* Wall. Wight Ic. pl. Ind. or. 1, 280.
Muehlenbergia Beyrichiana Kth. Humb. Gram. 213.
 — *diffusa* Willd. Schreber Gräser 51.
 — — — Elliott Carolina 5.
 † — — — Lam. Encycl. 907.
 — — — Petersb. 2, 4.
 — *erecta* Schreb. Schreber Gräser 50.
 † — — — Lam. Encycl. 907.
 — — — Petersb. 2, 4.
 — *rariflora* Hook. Hook. Fl. ant. 131.
Muelleria moniliformis L. fil. Miquel Surin. 4.
Muenchhausia speciosa L. Murray Prodr. gött. 2.
Mukia scabrella Arn. Wight Ic. pl. Ind. or. 2, 501.
 † — — — Wight Illustr. 105^{bis}.
 † *Muldera* Miq. Miquel Comment. 4.
 — *baccata* Miq. Miquel III. Pip. 59.
 — *recurva* Miq. Miquel III. Pip. 60.
 — *trichostachya* Miq. Wight Ic. pl. Ind. or. 6, 1944.
 — *Wightiana* Miq. Wight Ic. pl. Ind. or. 6, 1943.
Mulgedium alpinum Cass. Dietr. Fl. bor. 8, 565.
 — *macrorrhizon* Royle. Royle Illustr. 61.
 — — — Bot. Reg. 32, 17.
 — — — Fl. d. serres 2, 64.
 — *neilgherrense* Wight. Wight Spicil. 119.
 — — — Wight Ic. pl. Ind. or. 3, 1144.

- Mulgedium sagittatum* Royle. Royle Illustr. 61.
Mulinum ulicinum Gill. Hook. Bot. Misc. 64.
 † *Mundia* H. B. Mem. Mus. 17, 30.
 — *brasiliensis* St. Hil. St. Hjl. Fl. Bras. 92.
 † *Munnozia* R. et P. Ruiz et Pav. Prodr. 23.
 — *javanica* R. Br. Bennett Java 38.
 — *neilgherrica* Wight. Wight Illustr. 54.
 — *pumila* Wight. Wight Ic. pl. Ind. or. 1, 91.
Muntingia Calabura L. Jacq. Hist. stirp. am. 158.
 † — — — Gaertn. Carp. 59.
 — — — Lam. Encycl. 468.
 — — — Tussac Ant. 4, 21.
 — — — Desc. Ant. 5, 368.
 † *Muraltia Heisteria* DC. Mem. Mus. 17, 29.
 — — — Rchb. Mag. 87.
 — — — Paxt. Mag. 4, 150.
 — *mixta* Rchb. Rchb. Mag. 87.
 — *stipulacea* Burch. Paxt. Mag. 4, 149.
Murdannia scapiflora Royle. Royle Illustr. 95.
Murraya exotica L. Rumpf Amb. 5, 18.
 — — — Comm. Gott. 9, 1.
 — — — Gaertn. Carp. 93.
 — — — Lam. Encycl. 352.
 — — — Bot. Reg. 5, 434.
 — — — Wight Ic. pl. Ind. or. 1, 96.
 — *paniculata* DC. Hook. Exot. Fl. 134.
Murucua aurantia Forst. Kerner Hort. 688.
 — *Baueri* Ldl. Lindley Collect. 36.
 — *ocellata* Pers. Tussac Ant. 2, 7.
 — — — Kerner Hort. 647.
 — — — Spach Suites 51.
Musa Bihai L. Rumpf Amb. 5, 62.
 — *Cavendishii* Paxt. Paxt. Mag. 3, 51.
 — *coccinea* Roxb. Andr. Rep. 1, 47.
 — — — Lodd. Cab. 475.
 — — — Bot. Mag. 38, 1559.
 — — — Red. Lil. 6, 307, 308.
 — — — Kerner Hort. 349.
 † — — — Hegetschw. Comm. 4.
 — — — Rchb. Exot. 272.
 — — — Fl. d. serres 7, 722, 723.
 — *glauca* Roxb. Roxb. Corom. 300.
 — *maculata* Jacq. Jacq. Schoenbr. 4, 446.
 — — — Kerner Hort. 677.
 — *paradisica* L. Rheede Hort. mal. 1, 12—14.
 — — — Rumpf Amb. 5, 60.
 — — — Linné Musa Clifortiana 1.
 — — — Gil et Xuares 19.
 — — — Tilesius Musa 1—4.
 — — — Lodd. Cab. 684.
 — — — Red. Lil. 8, 443, 444.
 — — — Tussac Ant. 1, 1, 2.
 — — — Lam. Encycl. 836, 837.
 † — — — Dict. sc. nat. 67.
 — — — Spach Suites 102.
 † — — — Acta Leop. 15, S. 1.
 † — *rosacea* Jacq. Jacq. Fragm. 132.
 — — — Jacq. Fragm. 4, 445.
 — — — Kerner Hort. 253.
 — — — Lodd. Cab. 615.
 — — — Bot. Reg. 9, 706.
 — — — Rchb. Exot. 72.
 † — *sapientum* L. Gaertn. Carp. 11.
 — — — Roxb. Corom. 275.
 — — — Kerner Hort. 397—399.
 — — — Dict. sc. nat. 66.
 — — — (Colla.) Mem. Tur. 25, 13—15.
 — *speciosa* Ten. Atti d. Acc. Pontan. 1830, x.
 — *superba* Roxb. Roxb. Corom. 223.
 — — — Kerner Hort. 674.
 — — — Bot. Mag. 67, 3849, 3850.
 — — — Wight Ic. pl. Ind. or. 6, 2017, 2018.

- Musa Troglodytarum* L. Rumpf Amb. 5, 61.
 † — — — Gaertn. Carp. 11.
 † *Musaceae* DC. (Lestiboudois.) Ann. sc. nat. II, 17, 11, 12.
 † — — — Schnizl. Iconogr. 1, 70.
Muscari ambrosiacum Moench. Red. Lil. 3, 132.
 — *botryoides* Mill. Red. Lil. 7, 361.
 — — — Sturm Flora 2, 7.
 — — — Schrank Fl. monac. 3, 217.
 — — — Dietr. Fl. bor. 1, 40.
 — — — Rchb. Fl. germ. 10, 456.
 † — — — Nees Gen. 2, 41.
 — — — Sweet Fl. G. 15.
 — *ciliatum* Ker. Bot. Reg. 5, 394.
 — *commutatum* Guss. Tenore Fl. nap. 229.
 — — — Sweet Fl. G. II, 369.
 — *comosum* Mill. Red. Lil. 4, 231.
 — — — Sturm Flora 20, 93.
 — — — Dietr. Fl. bor. 1, 42.
 — — — Rchb. Fl. germ. 10, 437.
 † — — — Nees Gen. 2, 41.
 — *glaucum* Ldl. Bot. Reg. 13, 1085.
 — *macrocarpum* Sweet. Sweet Fl. G. 210.
 — *monstrosum* Mill. Herb. amat. 1, 12.
 — *moschatum* Desf. Bot. Mag. 19, 734, 38, 1865.
 — — — Rchb. Fl. germ. 10, 457.
 — *pallens* Fisch. Sweet Fl. G. 259.
 — *racemosum* Mill. Red. Lil. 4, 232.
 † — — — Plée Types 41.
 — — — Baxter Brit. Bot. 2, 92.
 — — — Rchb. Fl. germ. 10, 456.
 — — — Dietr. Fl. bor. 1, 41.
Mussaenda Afzelii Don. Van Houtte Hort. 3.
 — *Belilla* Hamilton. Rheede Hort. mal. 2, 18.
 — *formosa* Jacq. Jacq. Hist. stirp. am. 70.
 — *frondosa* L. Rumpf Amb. 4, 51.
 † — — — Gaertn. Carp. 28.
 — — — Lam. Encycl. 157.
 — — — Bot. Reg. 6, 517.
 — — — γ. Wight Illustr. 124.
 — — — Morren Fuchsia 12.
 — — — Revue hortie. 1853, 22.
 — *glabra* Vahl. Lodd. Cab. 1269.
 — *latifolia* Poir. Lam. Encycl. 157.
 — *luteola* Del. Cailliaud Voyage 62.
 — *macrophylla* Wall. Wall. Pl. asiat. 180.
 — — — Bot. Reg. 32, 24.
 — — — Paxt. Mag. 12, 197.
 — — — Journ. Hort. Soc. 3, 248.
 — *pubescens* Dryand. Bot. Mag. 46, 2099.
 — — — Lodd. Cab. 481.
 — *spinosa* L. Jacq. Hist. stirp. am. 71.
 — *tetracantha* Cav. Cav. Ic. 435.
 † *Musschia aurea* Dumort. DC. Campan. 4.
 — — — Bot. Reg. 1, 57.
Mustelia eupatoria Spr. Linn. Transact. 6, 13.
 † *Mutisia* R. et P. Ruiz et Pav. Prodr. 23.
 — *acerosa* P. et E. Poepp. et Endl. 30.
 — *Candolleana* Gardn. Fielding Sertum 45, 46.
 — *Clematis* L. fil. Cav. Ic. 492.
 — — — Lam. Encycl. 690.
 — — — Kerner Hort. 628.
 † — — — Ann. Mus. 19, 3.
 — *decurrens* Cav. Cav. Ic. 497.
 — — — Kerner Hort. 605.
 — *grandiflora* H. B. Humb. Pl. aeq. 50.
 — *hastata* Cav. Cav. Ic. 494.
 — *ilicifolia* Cav. Cav. Ic. 493.
 — — — Hook. Bot. Misc. 4.
 — — — Paxt. Mag. 15, 101.
 — *inflexa* Cav. Cav. Ic. 496.
 — — — Kerner Hort. 627.

- Mutisia inflexa* Cav. Hook. Bot. Misc. 6.
 — *latifolia* Don. Poepp. et Endl. 27.
 — — Sweet Fl. G. II. 288.
 — *linearifolia* Cav. Cav. Ic. 500.
 — — Hook. Hook. Bot. Misc. 8.
 — *linifolia* Hook. Hook. Bot. Misc. 9.
 — *oligodon* P. et E. Poepp. et Endl. 29.
 — *peduncularis* Cav. Cav. Ic. 491.
 — *retrorsa* Cav. Cav. Ic. 498.
 — *rosea* P. et E. Poepp. et Endl. 31.
 — *runcinata* Willd. Hook. Bot. Misc. 5.
 — *sinuata* Cav. Cav. Ic. 499.
 — *speciosa* Ait. Bot. Mag. 54, 2705.
 — — Lodd. Cab. 1809.
 — *subspinosa* Cav. Cav. Ic. 495.
 — — Hook. Bot. Misc. 7.
 — *tridens* P. et E. Poepp. et Endl. 28.
 — *viciaefolia* Cav. Cav. Ic. 490.
 — — Lam. Encycl. 690.
 † *Myagrum Tournef.* Medikus Gattungen 1.
 † — *aegyptiacum* L. Desvaux Journal 5, 25.
 — *arborescens* Jacq. Jacq. Ic. 120.
 — *austriaca* Jacq. Jacq. Fl. austr. 2, 111.
 † — — Schk. Handb. 178.
 † — *Erucago* Lam. Lam. Encycl. 553.
 — *iberioides* Brot. Brotero Phytogr. 42.
 — *littorale* Scop. Scop. Fl. carn. 2, 36.
 — *paniculatum* L. Fl. dan. 2, 204.
 † — — Schk. Handb. 178.
 — *perenne* L. Jacq. Fl. austr. 5, 414.
 † — *perfoliatum* L. Gaertn. Carp. 141.
 † — — Lam. Encycl. 553.
 — — Schk. Handb. 178.
 — — Rchb. Fl. germ. 2, 4.
 † — — Nees Gen. X, x.
 — *rostratum* Scop. Scop. Fl. carn. 2, 35.
 — *sativum* L. Fl. dan. 6, 1038.
 — — Cav. Ic. 66.
 † — — Schk. Handb. 178.
 — *saxatile* L. Jacq. Fl. austr. 2, 128.
 — *sphaerocarpum* Jacq. Jacq. Obs. 41.
 † — *verrucosum* Lam. Lam. Encycl. 553.
Myangis Aub. Aubert Orchid. 60.
Myanthus barbatus Ldl. Bot. Reg. 21, 1778.
 — — Bot. Mag. 63, 3514.
 — — Paxt. Mag. 2, 124.
 — — var. Knowles et Westcott 37.
 — *cernuus* Ldl. Bot. Reg. 20, 1721.
 — *deltoides* Ldl. Bot. Reg. 22, 1896.
 — — Bot. Mag. 68, 3923.
 — *fimbriatus* Morren. Annales de Gand 1848, 232.
 — *spinous* Hook. Bot. Mag. 67, 3802.
 † *Mycaranthes latifolia* Bl. Blume Tabellen 57.
 — *stricta* Ldl. Wight Ic. pl. Ind. or. 5, 1733.
Myginda myrsinoides H. B. K. H. B. K. Nov. Gen. 7, 620.
 — ? *myrtifolia* Nutt. Hook. Bor. Am. 41.
 — *Rhacoma* Sw. Jacq. Ic. 311.
 — *uragoga* Jacq. Jacq. Hist. stirp. am. 72.
 — — Lam. Encycl. 76.
 — — Tussac Ant. 2, 23.
 — — Desc. Ant. 4, 251.
Mylocaryum lignistrinum Willd. Bot. Mag. 39, 1625.
 — — Pursh Fl. 14.
 † — — Lam. Encycl. 952.
Myonima multiflora Rich. Hook. Bot. Misc. 67.
 — *myrtifolia* Lam. Lam. Encycl. 68.
 — *obovata* Lam. Lam. Encycl. 68.
 † — — Gaertn. Carp. 193.
Myoporum debile R. Br. Bot. Mag. 43, 1830.
 — *insulare* R. Br. Rchb. Mag. 26.
 — *obscurum* Endl. Endl. Iconogr. 65.

- Myoporum oppositifolium* R. Br. Rchb. Mag. 2.
 — *parvifolium* R. Br. Bot. Mag. 41, 1693.
 — — Lodd. Cab. 837.
 — — Rchb. Mag. 2.
 — — Dict. sc. nat. 40.
 — *serratum* R. Br. Bot. Reg. 31, 15.
 † *Myoschilos* Rz et P. Ruiz et Pav. Prodr. 34.
 — *oblonga* Rz et P. Ruiz et Pav. Fl. 242.
Myoseris purpurea Link. Rchb. Fl. crit. 1, 9.
Myosotis alba Colla. Mem. Tur. 38, 41.
 — *alpestris* Schmidt. Curt. Lond. 5, 145.
 — — Sturm Flora 11, 42.
 — *antarctica* Hook. Hook. Fl. ant. 38.
 — *arvensis* Hoffm. Engl. Bot. 2629.
 — — Sibth. Engl. Bot. 36, 2558.
 — — Dreves 2, 51.
 — — var. *multicaulis*, Sturm Flora 11, 42.
 — — var. *basiantha*, Sturm Flora 11, 42.
 — — Schrank Fl. monac. 2, 200.
 — *azorica* Watson. Bot. Mag. 70, 4122.
 — — Lem. Jard. fl. 4, 340.
 — — Paxt. Fl. G. 97.
 — *barbata* M. v. B. Marshall Cent. 36.
 — *borbonica* Lam. Lehmann Beschreibung 2.
 — *caespitosa* Schultz. Sturm Flora 11, 42.
 — — Fl. dan. 13, 2283.
 — — Engl. Bot. 2661.
 — *capitata* Hook. Hook. Fl. ant. 37.
 — *ciliata* Rud. Petersb. 1, 11.
 — *collina* Ehrh. Sturm Flora 11, 42.
 — *deflexa* Wahlenb. Svensk Acad. 1809, 4.
 — — Fl. dan. 9, 1568.
 — *echinophora* Pall. Pallas Reise 3, ii.
 — *glomerata* Nutt. Hook. Bor. Am. 162.
 — *grandiflora* H. B. K. H. B. K. Nov. Gen. 3, 199.
 — *hispida* Schlecht. Fl. dan. 13, 2284.
 — — Cosson Atlas 15.
 — *Hortensia* Decne. Delessert Ic. 5, 99.
 — *intermedia* Link. Sturm Flora 11, 42.
 — — Cosson Atlas 15.
 † *Lappula* L. Gaertn. Carp. 68.
 — — Lam. Encycl. 91.
 — — Fl. dan. 4, 692.
 — *laxiflora* Rchb. Sturm Flora 11, 42.
 — *leucophaea* Dougl. Hook. Bor. Am. 163.
 — *linearis* Colla. Mem. Tur. 38, 42.
 — *lithospermifolia* Hornem. Sturm Flora 11, 42.
 — *macrophylla* M. v. B. Marshall Cent. 14.
 — *nana* Vill. Vill. Dauph. 13.
 — — Sturm Flora 11, 42.
 — *obtusata* W. et K. W. et Kit. 100.
 — *palustris* Roth. Curt. Lond. 3, 87.
 — — Engl. Bot. 28, 1973.
 — — Baxter Brit. Bot. 1, 57.
 — — Schk. Handb. 29.
 — — Sturm Flora 2, 5, 11, 42.
 — — Schrank Fl. monac. 1, 100.
 † — — Nees Genera 6, 60.
 — — Fl. dan. 12, 1988.
 — — Cosson Atlas 15.
 — *pectinata* Pall. Pallas Reise 3, E.
 † *peduncularis* Trev. Mag. naturf. Fr. 7, 2.
 — — Rchb. Hort. 6.
 — *pusilla* Lois. Desvaux Journal 2, 8.
 — — Loiseleur Notice 1.
 — *refracta* Boiss. Boissier Esp. 125.
 — *repens* Donn. Engl. Bot. 2703.
 — — Sturm Flora 11, 42.
 — *rupestris* Pall. Pallas Reise 3, E.
 — *rupicola* Sm. Engl. Bot. 36, 2559.
 — *scorpioides* L. Fl. dan. 4, 563.
 — — Sv. Bot. 72.

- Myosotis scorpioides* L. Lodd. Cab. 169.
 — *silvatica* Ehrh. Sturm Flora 11, 42.
 — — Engl. Bot. 2630.
 † — — Nees Gen. 6, 60.
 — *sparsiflora* Mik. Fl. dan. 10, 1688.
 — — Tratt. Archiv 251.
 — — Sturm Flora 11, 42.
 — *spathulata* Forst. Lehmann Beschreibung 1.
 — *spinocarpos* Vahl. Lehmann Beschreibung 1.
 — *stricta* Link. Fl. dan. 13, 2285.
 — — Cosson Atlas 15.
 — *strigulosa* Rchb. Sturm Flora 11, 42.
 — *suaveolens* Kit. Sturm Flora 11, 42.
 — *tenuiflora* Viv. Viviani Lib. 1.
 — *terglouensis* Hacq. Hacquet Pl. alp. 2.
 — *versicolor* Roth. Engl. Bot. 7, 480.
 — — Sturm Flora 11, 42.
 — — Cosson Atlas 15.
 — *villosa* Led. Ledeb. Ic. 215.
 † *Myosurus* L. Gray Genera 8.
 — *apetalus* Gay. Gay Chile 1.
 — *minimus* L. Gmelin Reise 2, 31.
 — — Fl. dan. 3, 406.
 — — Sv. Bot. 690.
 — — Curt. Lond. 3, 4.
 — — Engl. Bot. 7, 435.
 — — Baxter Brit. Bot. 3, 204.
 † — — Gaertn. Carp. 74.
 † — — Lam. Encycl. 221.
 — — Schk. Handb. 88.
 — — Tratt. Archiv 87.
 — — Sturm Flora 3, 11.
 — — Rchb. Fl. germ. 3, 1.
 — — Dietr. Fl. bor. 3, 174.
 — — Gray Genera 8.
Myoxanthus monophyllus P. et E. Poepp. et Endl. 88.
Myrcia acris DC. Bot. Mag. 59, 3153.
 — *crassinervia* DC. Mem. Genev. 9, 15.
 — *glauca* Camb. St. Hil. Fl. Bras. 145.
 — *goyazensis* Camb. St. Hil. Fl. Bras. 143.
 — *imbricata* Gardn. Fielding Sertum 75.
 — *linearifolia* Camb. St. Hil. Fl. Bras. 148.
 — *nivea* Camb. St. Hil. Fl. Bras. 146.
 — *pinifolia* Camb. St. Hil. Fl. Bras. 147.
 — *reticulata* Camb. St. Hil. Fl. Bras. 142.
 — *rubella* Camb. var. *a.* St. Hil. Fl. Bras. 144.
 — *silvatica* DC. Miquel Surin. 9.
 — *surinamensis* Miq. Miquel Surin. 9.
Myriactis Wightii DC. Wight Spicil. 107.
 — — Wight Ic. pl. Ind. or. 3, 1091.
Myriangis Aub. Aubert Orchid. 73.
Myrianthus arboreus Pal. B. Pal. B. Fl. d'Oware 11, 12.
† *Myriaspora decipiens* Naud. Ann. sc. nat. III. 18, 3.
Myrica arguta H. B. K. H. B. K. Nov. Gen. 2, 98.
 — — Dict. sc. nat. 298.
 — *banksiaefolia* Wendl. Wendland Coll. 24.
 — *californica* Cham. Journ. Hort. Soc. 7, 283.
 † — *cerifera* L. Gaertn. Carp. 39.
 † — — Lam. Encycl. 899.
 — — Gil et Xuares 18.
 — — Schk. Handb. 322.
 — — Bigelow Med. 43.
 — *Faya* Ait. Nouveau Duhamel 2, 56.
 — *Gale* L. Fl. dan. 2, 327.
 — — Sv. Bot. 76.
 — — Engl. Bot. 8, 562.
 — — Baxter Brit. Bot. 6, 489.
 — — Nouveau Duhamel 2, 57.
 — — var. Mem. Mus. 14, 28.
 — — Schk. Handb. 322.
 — — Guimpel Holzgew. 200.
 — — Rchb. Fl. germ. 11, 620.

- † *Myrica* Gale L. Nees Gen. 4, 26.
 † — — Spach Suites 97.
 — *javanica* Bl. Blume Java 10, 1.
 — *integrifolia* Roxb. Wight Ic. pl. Ind. or. 3, 764. 5.
 — *macrophylla* Mirbel. Mem. Mus. 14, 27.
 — *pennsylvanica* Lam. Nouveau Duhamel 2, 58.
 † — — Mem. Institut. 1830, 6.
 — *quercifolia* Jacq. Jacq. Fragn. 1.
 — *sapida* Wall. Wallich Tentamen 45.
 — *segregata* Jacq. Jacq. Ic. 625.
 — *spathulata* Mirbel. Mem. Mus. 14, 28.
Myricaria bracteata Royle. Royle Illustr. 44.
 — *Hoffmeisteri* Klotzsch. Prinz Waldem. Him. 25.
Myriocarpa stipitata Benth. Benth. Sulphur 55.
† *Myriophyllum* L. Ann. Mus. 3, 30.
 — *alterniflorum* DC. Fl. dan. 12, 2061.
 — — Engl. Bot. 2854.
 — *ambiguum* Nutt. var. Torrey New York 98.
 — *amphibium* Lab. Bill. Nov. Holl. 220.
 — *intermedium* DC. Wight Illustr. 102.
 — *spicatum* L. Gmelin Reise 2, 33.
 — — Fl. dan. 4, 681.
 † — — Gaertn. Carp. 68.
 † — — Lam. Encycl. 775.
 — — Engl. Bot. 2, 83.
 — — Schk. Handb. 296.
 — — Roemer Fl. europ. 12, 7.
 † — — Nees Gen. 4, 3.
 — *variaefolium* J. Hook. Hook. Ic. pl. 3, 289.
 — *verticillatum* L. Fl. dan. 6, 1048.
 — — Engl. Bot. 4, 218.
 † — — Konig Annals 1, 12.
 — — Baxter Brit. Bot. 5, 376.
 — — Roemer Fl. europ. 12, 8.
 — — Dict. sc. nat. 217.
† *Myriopteris* Fée. Fée Fil. 5, 12.
 — *gracilis* Fée. Fée Fil. 5, 29.
 — *villosa* Fée. Fée Fil. 5, 28.
Myrtotheca fraxinea Sm. Lam. Encycl. 866.
Myristica amygdalina Wall. Wall. Pl. asiat. 90.
 — *aromatica* Lam. Roxb. Corom. 274.
 — — Lam. Encycl. 832. 833.
 — — Desc. Ant. 8, 562.
 — — Dict. sc. nat. 14.
 — — Nees Düssel. 133.
 — *dactyloides* Gaertn. Rheede Hort. mal. 4, 5.
 † — — Gaertn. Carp. 41.
 — *fatua* Sw. Blume Rumphia 59.
 — *fragrans* Thunb. Blume Rumphia 55.
 — *glabra* Bl. Blume Rumphia 64.
 — *glauca* Bl. Blume Rumphia 60.
 † — *globularia* Lam. Blume Rumphia 64.
 — *glomerata* Thunb. Svensk Acad. 1799, 2.
 — *Horsfieldii* Spr. Blume Rumphia 63.
 — *javanica* Bl. Blume Rumphia 62.
 — *iners* Bl. Blume Rumphia 58.
 † — *Irya* Gaertn. Gaertn. Carp. 41.
 † — — Lam. Encycl. 833.
 † — *Iryaghaedi* Gaertn. Gaertn. Carp. 41.
 † — — Lam. Encycl. 833.
 † — *laevigata* Bl. Blume Rumphia 64.
 — *laurina* Bl. Blume Rumphia 61.
 — *lepidota* Bl. Blume Rumphia 57.
 † — *malabarica* Lam. Lam. Encycl. 833.
 — *moschata* Thunb. Rumpf Amb. 2, 4. 5.
 † — — Sonnerat Voyage 116—118.
 — — Svensk Acad. 1782, 1.
 — — Woodv. Med. 4, 238.
 — — Hayne 9, 12.
 — — Nees Düssel. 133.
 — — Guimpel et Schl. 73. 74.
 — — Wagner 155.

- Myristica moschata* Thunb. Rehb. Exot. 276. 277.
 † — *officinalis* L. fil. Gaertn. Carp. 41.
 — — — Roemer Mag. 2, 1. 2.
 — — — Hook. Exot. Fl. 155. 156.
 — — — Bot. Mag. 54, 2756. 2757.
 — — — Spach Suites 143.
 — *Otoba* H. B. Humb. Pl. aeq. 103.
 — — — Kerner Hort. 356.
 — *salicifolia* Willd. Rumpf Amb. 2, 6.
 — *sebifera* Sw. Desc. Ant. 6, 432.
 — *sphaerocarpa* Wall. Wall. Pl. asiat. 89.
 — *tomentosa* Thunb. Svensk Acad. 1782, 1.
 — *tubiflora* Bl. Blume Rumphia 56.
Myrmecodia tuberosa Jack. Rumpf Amb. 6, 55. fig. 2.
 † *Myrmecostylum tortuosum* Presl. Prager Abh. 3, 10.
 † *Myrobalanus Bellirica* Gaertn. Gaertn. Carp. 97.
 † — — — Lam. Encycl. 849.
 † — *Chebulu* Gaertn. Gaertn. Carp. 97.
 † — — — Lam. Encycl. 849.
 † — *citrina* Gaertn. Gaertn. Carp. 97.
 † — — — Lam. Encycl. 849.
 — *rhomboldea* Poir. Lam. Encycl. 849.
 † — *Terminalia* Poir. Lam. Encycl. 849.
Myrobroma fragrans Salisb. Salisb. Parad. 82.
Myrocarpus fastigiatus Allem. Allemão Diss. 1847, x.
 — *frondosus* Allem. Allemão Diss. 1848, x.
 † *Myrodia* Sw. Swartz Fl. Ind. oec. 22.
 — *penduliflora* Juss. St. Hil. Fl. Bras. 53.
 — *turbinata* Sw. St. Hil. Fl. Bras. 53.
 † *Myrosmodon nubigenum* Rehb. Xenia 1, 8.
Myrospermum frutescens Jacq. Jacq. Hist. stirp. am. 118.
 — — — H. B. K. Nov. Gen. 6, 570. 571.
 † — — — Lam. Encycl. 341.
 — — — Berl. Jahrb. 1825, 1. 2.
 — *pedicellatum* Lam. Lam. Encycl. 341.
 — — — Desc. Ant. 5, 360.
 † *Myroxylon* Forst. Forster Charact. 63.
 — *peruiferum* L. fil. Lambert Cinchona x.
 — — — Woodv. Med. 5, 13.
 — — — Opusc. sc. Bon. 1, 5.
 † — — — Bertol. Amoen. it. 1.
 — — — Hayne 14, 11.
 — — — Guimpel et Schl. 278.
 — — — Nees Düssel. 320.
 — — — Wagner 226.
 — *punctatum* Klotzsch. Hayne 14, 12.
 — *toluiferum* A. Rich. Ramon Cuba 38.
 — — — Nees Düssel. 321.
 — — — Guimpel et Schl. 279.
Myrrhinum atropurpureum Schott. Mart. Bras. 291.
Myrrhis andicola H. B. K. H. B. K. Nov. Gen. 5, 419.
 † — *aurea* Spr. Gaertn. Carp. 23.
 † — *bulbosa* Gouan. Comm. Gott. rec. 2, 1.
 — — — Fl. dan. 11, 1868.
 † — *Bunium* Spr. Comm. Gott. rec. 2, 1.
 † — *canadensis* Nutt. Gaertn. Carp. 23.
 — *Claytoni* Spr. Sprengel Umb. 3.
 † — *crinita* Spr. Comm. Gott. rec. 2, 1.
 — *cynapioides* Guss. Gussone Pl. rar. 24.
 † — *odorata* Scop. Gaertn. Carp. 23.
 — — — Fl. dan. 11, 1928.
 — — — Baxter Brit. Bot. 5, 374.
 — *silvestris* Spr. Schrank Fl. monac. 4, 379.
 † — *temula* Gaertn. Gaertn. Carp. 23.
Myrsine africana Lam. Lam. Encycl. 122.
 — — — Nouveau Duhamel 2, 70.
 — *capitellata* Wall. Wallich Tentamen 25.
 — — — Bot. Mag. 60, 3222.
 — — — Wight Spicil. 137.
 — — — Wight Ic. pl. Ind. or. 4, 1211.
 — *ciliata* H. B. K. H. B. K. Nov. Gen. 3, 245.
 † — *glabra* Gaertn. Gaertn. Carp. 59.

- Myrsine Myrtillus* Hook. Hook. Ic. pl. 9, 825.
 — *myrtoides* Hook. Hook. Ic. pl. 9, 877.
 — *retusa* Ait. Jacq. Schoenbr. 4, 424.
 — — — Vent. Cels 86.
 — — — Lodd. Cab. 469.
 — *semiserrata* Wall. Wallich Tentamen 24.
 † *Myrsineaceae* DC. Ann. sc. nat. II, 16, 8. 9.
 † — — — Wight Illustr. 142.
 † *Myrtaceae* DC. Wight Illustr. 97 bis.
Myrtus acris Sw. Kerner Hort. 699.
 — — — Nees Düssel. Suppl. 116.
 — *bicolor* H. B. K. H. B. K. Nov. Gen. 6, 540.
 — *Billardiana* H. B. K. H. B. K. Nov. Gen. 6, 544.
 — *bullata* Sol. Hook. Ic. pl. 6, 557.
 — *caryophyllata* L. Desc. Ant. 3, 214.
 — *casearioides* H. B. K. H. B. K. Nov. Gen. 6, 546.
 † — *communis* L. Gaertn. Carp. 38.
 † — — — Lam. Encycl. 419.
 — — — romana, Nouveau Duhamel 1, 43.
 — — — Sibth. Fl. gr. 475.
 — — — Hayne 10, 36.
 † — — — Ann. sc. nat. III, 20, 9.
 — *cotinifolia* Poir. Desc. Ant. 2, 105.
 — *Cumini* L. Rumpf Amb. 1, 41.
 — *disticha* Sw. Bot. Mag. 22, 867.
 — — — Lindley Collect. 19.
 — *excelsa* Camb. St. Hil. Fl. Bras. 140.
 — *filifolia* Linden. Linden Prix Courant 1854, x.
 — *fimbriata* H. B. K. H. B. K. Nov. Gen. 6, 542.
 — *Gudilla* Colla. Mem. Tur. 37, 15.
 — *horizontalis* Vent. Vent. Malm. 60.
 — *Lindleyana* H. B. K. H. B. K. Nov. Gen. 6, 543.
 — *microphylla* H. B. Humb. Pl. aeq. 4.
 — *mucronata* Camb. St. Hil. Fl. Bras. 141.
 — *myricoides* H. B. K. H. B. K. Nov. Gen. 6, 539.
 † — *numularia* Lam. Ann. sc. nat. 5, 2.
 — ? *obscura* Ldl. Bot. Reg. 13, 1044.
 — *orbiculata* Spr. Bot. Mag. 77, 4558.
 — — — Lem. Jard. fl. 83.
 — *pedunculata* Hook. fil. Hook. Ic. pl. 7, 629.
 — *Pimenta* L. Ortega Malaguetta x.
 † — — — Gaertn. Carp. 38.
 — — — Woodv. Med. 3, 194.
 — — — var. *longifolia*, Bot. Mag. 30, 1236.
 — — — var. *latifolia*, Lodd. Cab. 178.
 — — — Tussac Ant. 4, 12.
 — — — Desc. Ant. 3, 215.
 — — — Hayne 10, 37.
 — — — Guimpel et Schl. 96.
 — — — Nees Düssel. 297.
 — *pimentoides* N. v. E. Nees Düssel. Suppl. 115.
 — *polyantha* H. B. K. H. B. K. Nov. Gen. 6, 545.
 — *salicifolia* H. B. K. H. B. K. Nov. Gen. 6, 541.
 — *tomentosa* Ait. Bot. Mag. 7, 250.
 — — — Kerner Hort. 55.
 — — — Herb. amat. 4, 267.
 — — — Wight Spicil. 71.
 † — — — Wight Illustr. 97 bis.
 — — — Wight Ic. pl. Ind. or. 2, 522.
 — — — Lem. Jard. fl. 170.
 — *xylopioides* H. B. K. H. B. K. Nov. Gen. 7, 657.
Mystropetalon Polemanni Harv. Jard. Ann. 2, 20.
 — *Thomii* Harv. Jard. Ann. 2, 19.
 † *Myxopyrum nervosum* Bl. Blume Mus. 1, 51.
 † *Myzodendron* DC. Ann. sc. nat. III, 5, 5—9.
 † — *brachystachyum* DC. Ann. sc. nat. III, 5, 5. 8.
 — — — Hook. Fl. ant. 103. 105—107^{bc}.
 — *imbricatum* Poepp. Hook. Fl. ant. 104.
 — *linearifolium* DC. Hook. Fl. ant. 107^c.
 † — *punctulatum* Banks. Ann. sc. nat. III, 5, 5. 7.
 — — — Hook. Fl. ant. 102. 104. 107^{bc}.
 † — *quadriflorum* DC. Hook. Fl. ant. 107^c.

- Nabalus alatus* Hook. Hook. Bor. Am. 102.
Nacibaea alba Aubl. Aublet Guiana 37.
 — *coccinea* Aubl. Aublet Guiana 37.
 — — Lam. Encycl. 64.
 † — *glabra* Gaertn. Gaertn. Carp. 197.
Nageia japonica Gaertn. Kaempfer Amoenit. p. 774.
 † — — Gaertn. Carp. 39.
 — *Putranjiva* Roxb. Rheed. Hort. mal. 7, 59.
Nahusia coccinea Schneev. Schneevogt Ic. 21.
 † *Najadeae* Rich. Schnizl. Iconogr. 1, 71.
Najas canadensis Michx. Hook. Bor. Am. 184.
 † — *fluviatilis* Lam. Lam. Encycl. 799.
 — *graminea* Delile. Delile Egypte 50.
 — *major* Roth. Sturm Flora 11, 41.
 — — Linnaea 9, 7, 10, 1.
 † — — Nees Gen. 3, x.
 — *marina* L. Svensk Acad. 1838, 8.
 — — Fl. dan. 12, 2121.
 — — Flora 1840, 1.
 — *minor* Roth. Schk. Handb. 296.
 † — — Nees Gen. 3, x.
 — *monosperma* Willd. Sturm Flora 11, 41.
 — *muricata* Delile. Delile Egypte 50.
 † *Nama jamaicensis* L. Gaertn. Carp. 44.
 † — — Lam. Encycl. 184.
 — *longiflora* Choisy. Mem. Genev. 6, 2.
 — *origanifolia* H. B. K. H. B. K. Nov. Gen. 3, 218.
 — *undulata* H. B. K. Mem. Genev. 6, 2.
 † — — Ann. sc. nat. 30, 16.
 — *zeylanica* L. Linné Fl. zeylan. 2.
Namóme Kaempf. Kaempfer Japon. 35.
Nananthea perpusilla DC. Delessert Ic. 4, 45.
Nandina domestica Thunb. Kaempfer Japon. 13, 14.
 † — — Gaertn. Carp. 92.
 — — Lam. Encycl. 261.
 — — Bot. Mag. 28, 1109.
 † — — Ann. sc. nat. II, 2, 12.
 — — Herb. amat. 4, 281.
 † *Nanodea muscosa* Gaertn. Gaertn. Carp. 225.
 † — — Ann. sc. nat. 5, 2.
Nanodes discolor Ldl. Bot. Reg. 18, 1541.
 † *Napaea* L. Gray Genera 119.
 † — *dioica* L. Gaertn. Carp. 136.
 — — Gray Genera 119.
 — *laevis* L. Lam. Encycl. 579.
 — *scabra* L. Lam. Encycl. 579.
Napimoga guianensis Aubl. Aublet Guiana 237.
 — — Lam. Encycl. 484.
Napoleona Heudelotii Juss. Ann. sc. nat. III, 2, 4.
 — — Fl. d. serres 1, 1^b.
 — — Annales d'hortic. 1852, x.
 — *imperialis* Pal. B. Pal. B. Fl. d'Oware 78.
 — — Dict. sc. nat. 66.
 — — Rchb. Exot. 137.
 — — Bot. Mag. 74, 4387.
 — — Fl. d. serres 1, 1.
 — *Vogelii* Hook. Hook. Niger Fl. 49, 50.
 — — Hook. Ic. pl. 8, 799, 800.
 — *Whitfieldii* Ldl. Fl. d. serres 4, 386, 387.
 — — Revue hortie. 1853, 16.
 † *Narcissus* L. Herbert Amar. 38, 41.
 — — (Var. hybridae.) Bot. Reg. 29, 38.
 — — Icones pl. Chinae 20.
 — *Amancaes* Rz et P. Ruiz et Pav. Fl. 283.
 — *angustifolius* Curt. Bot. Mag. 6, 193.
 — *aureus* DC. Herb. amat. 3, 147.
 — *bicolor* L. Bot. Mag. 29, 1187.
 — *biflorus* Curt. Bot. Mag. 6, 197.
 — — Engl. Bot. 4, 276.
 — — Red. Lil. 7, 405.
 — — Rchb. Fl. germ. 9, 365.
 — *bifrons* Gawl. Bot. Mag. 29, 1186, 32, 1299.

- Narcissus Bulbocodium* L. Bot. Mag. 3, 88.
 — — Red. Lil. 1, 24.
 — — Roemer Fl. eur. 13, 6.
 — — Herb. amat. 2, 76.
 — *calathinus* L. Bot. Mag. 24, 934.
 — — Red. Lil. 3, 177, 7, 410.
 — *candidissimus* Red. Red. Lil. 4, 188.
 — *conspicuus* Don. Sweet Fl. G. II, 326.
 — *Cypri* Haw. Sweet Fl. G. II, 92.
 — *difficiens* Herb. Bot. Reg. 33, 22.
 — *dubius* Gouan. Red. Lil. 8, 429.
 — — Rchb. Fl. germ. 9, 366.
 — *Gouani* Red. Red. Lil. 4, 220.
 — *gracilis* Sabine. Bot. Reg. 10, 816.
 — *incomparabilis* Curt. Bot. Mag. 4, 121.
 — — Rchb. Fl. germ. 9, 370.
 — *intermedius* Lois. Loiseleur Fl. gall. 7.
 — — Red. Lil. 8, 427.
 — *Jonquilla* L. Bot. Mag. 1, 15.
 — — Red. Lil. 3, 159.
 — — Rchb. Fl. germ. 9, 366.
 — *italicus* Gawl. Bot. Mag. 29, 1188.
 — *juncifolius* Req. var. minor, Bot. Reg. 33, 22.
 — *laetus* DC. Red. Lil. 8, 427, 428.
 — *Salisb.* Rchb. Fl. germ. 9, 370.
 — *Macleaii* Ldl. Bot. Reg. 12, 987.
 — — Bot. Mag. 52, 2588.
 † — *majalis* Curt. Herbert Amar. 40.
 — — Rchb. Fl. germ. 9, 364.
 — *major* Curt. Bot. Mag. 2, 31, 32, 1301.
 — — Rchb. Fl. germ. 9, 369.
 — *maximus* Don. Sweet Fl. G. II, 286.
 — *minor* L. Bot. Mag. 1, 6.
 — — Red. Lil. 8, 480.
 — — Herb. amat. 3, 165.
 — *montanus* Ker. Bot. Reg. 2, 123.
 — *moschatus* L. Bot. Mag. 24, 924, 32, 1300.
 — *odorus* L. Bot. Mag. 3, 78.
 — — Red. Lil. 3, 157.
 — — Herb. amat. 2, 75.
 — — Rchb. Fl. germ. 9, 370.
 — *orientalis* L. Bot. Mag. 24, 940, 946, 948.
 — — 25, 1011, 26, 1026, 27, 1298.
 — *pachybolbus* Durieu. Explor. Alger. 47.
 — *papyraceus* Gawl. Bot. Mag. 24, 947.
 — *poeticus* L. Red. Lil. 3, 160.
 — — Dict. sc. nat. 54.
 — — Engl. Bot. 5, 275.
 — — Schk. Handb. 90.
 — — Schrank Fl. monac. 3, 220.
 — — Rchb. Fl. germ. 9, 364.
 † — — Nees Gen. 3, x.
 — *polyanthos* Lois. Herb. amat. 3, 146.
 — — Rchb. Fl. germ. 9, 367.
 — *praecox* Ten. Tenore Fl. nap. 27.
 — *Pseudo-Narcissus* L. Engl. Bot. 1, 17.
 — — Baxter Brit. Bot. 1, 73.
 — — Red. Lil. 3, 158.
 — — Fl. dan. 13, 2170.
 † — — Herbert Amar. 38, 39, 40.
 † — — Lam. Encycl. 229.
 † — — Plée Types 20.
 — — Brandt und Ratzeb. 3.
 — — Rchb. Fl. germ. 9, 369.
 † — — Nees Gen. 3, x.
 — *pumilus* Red. Red. Lil. 7, 409.
 — *radiatus* Red. Red. Lil. 8, 459.
 — — Spach Suites 96.
 — *radiiflorus* Salisb. Rchb. Fl. germ. 9, 364.
 † — *recurvus* Haw. Herbert Amar. 40.
 — — Sweet Fl. G. II, 188.
 — *Sabini* Ldl. Bot. Reg. 9, 762.

- Narcissus serotinus* L. Desf. Fl. atl. 82.
 — *stellaris* Haw. Sweet Fl. G. II. 132.
 — *stellatus* DC. Rchb. Fl. germ. 9, 368.
 — *Tazetta* L. Sibth. Fl. gr. 308.
 — — Bot. Mag. 24, 925.
 — — Red. Lil. 1, 17.
 — — Lam. Encycl. 229.
 — — Rousseau Bot. 5.
 — — Herb. amat. 3, 147.
 — — Rchb. Fl. germ. 9, 366.
 † — — Nees Gen. 3, x.
 — *tenuifolius* Red. Red. Lil. 8, 486.
 — — Haw. Sweet Fl. G. 114.
 — *tenuior* Curt. Bot. Mag. 11, 379.
 — *triandrus* L. Bot. Mag. 2, 48, 31, 1262.
 — *trilobus* L. Bot. Mag. 24, 945.
 † — *tripodalis* Herb. Herbert Amar. 40.
 — *unicolor* Ten. Tenore Fl. nap. 26.
 — — Colla. Mem. Tur. 35, 10.
 — *verbanensis* Herb. Herbert Amar. 37.
 — *viridiflorus* Schousb. Schousboe Marocco 2.
 — — Bot. Mag. 41, 1687.
 † *Nardosmia fragrans* Rchb. Nees Gen. X, x.
 — *palmata* Hook. Torrey New York 49.
Nardostachys grandiflora DC. DC. Valer. 2.
 — *Jatamansi* DC. Asiatic Researches 2, x. 4, 16.
 — — DC. Valer. 1.
 — — Royle Illustr. 54.
 — — Nees Düssel. Suppl. 60.
Nardurus Salzmanni Boiss. Boissier Esp. 178.
 † *Nardus* L. Linné Amoenit. 7, 2.
 † — — Dumortier Gramin. 14.
 — *aristata* L. Vill. Dauph. 2.
 — *indica* L. Roxb. Corom. 132.
 — *stricta* L. Cav. Ic. 204.
 — — Lam. Encycl. 39.
 — — Fl. dan. 6, 1022.
 — — Sv. Bot. 174.
 — — Curt. Lond. 5, 175.
 — — Engl. Bot. 5, 290.
 — — Knapp Gram. 2.
 — — Baxter Brit. Bot. 4, 300.
 — — Schreber Gräser 7.
 — — Host Gram. 104.
 — — Schk. Handb. 9.
 — — Rchb. Fl. germ. 1, 110.
 † — — Nees Gen. 1, 86.
Naregamia alata W. et A. Rheede Hort. mal. 10, 22.
 — — Wight Ic. pl. Ind. or. 1, 90.
Narthecium americanum Gawl. Bot. Mag. 37, 1505.
 — *ossifragum* Huds. Curt. Lond. 4, 139.
 — — Engl. Bot. 8, 535.
 — — Baxter Brit. Bot. 3, 186.
 — — Sv. Bot. 489.
 — — Lam. Encycl. 268.
 — — Sturm Flora 18, 78.
 — — Rchb. Fl. germ. 10, 421.
 † — — Nees Gen. 2, 30.
 † *Nasmythia septangularis* Huds. Acta Leop. 17, 1, 2.
Nassauvia aculeata P. et E. Poepp. et Endl. 20.
 † — *Gaudichaudii* Cass. Ann. sc. nat. 5, 3.
 — *nivalis* P. et E. Poepp. et Endl. 22.
 — *pumila* P. et E. Poepp. et Endl. 21.
 — *serpens* D'Urv. Brongniart Coquille 56.
 — — Hook. Fl. ant. 114.
 — *sprengelioides* DC. DC. Composées 14.
 — *suaveolens* Lam. Lam. Encycl. 721.
 — — Brongniart Coquille 56.
Nassella pungens Em. Desv. Gay Chile 75.
 † *Nasturtium castratum* Med. Medikus Gattungen 2.
 † *Nasturtium* R. Br. Gray Genera 53.
 — *alpinum* Crtz. Crantz Crucif. 1.

- Nasturtium amphibium* R. Br. Sv. Bot. 697.
 — — — *a. β.* Sturm Flora 11, 43.
 — — — Rchb. Fl. germ. 2, 51, 52.
 — — — Dietr. Fl. bor. 9, 625.
 — *anceps* Rchb. Rchb. Fl. germ. 2, 54.
 — — — Sturm Flora 12, 45.
 — — — Sv. Bot. 696.
 — *aquaticum* Wahlbg. Sv. Bot. 624.
 — *austriacum* Crtz. Rchb. Fl. germ. 2, 51.
 — *brachycarpum* Led. Ledeb. Ic. 261.
 — *glaucophyllum* DC. Delessert Ic. 2, 14.
 — *lipizzense* DC. Rchb. Fl. germ. 2, 55.
 — *madagascariense* DC. Wight Illustr. 13.
 — *microphyllum* Bönn. Rchb. Fl. germ. 2, 50.
 — *natans* DC. Delessert Ic. 2, 15.
 — *officinale* R. Br. Curt. Lond. 3, 120.
 — — — Baxter Brit. Bot. 4, 271.
 — — — Sturm Flora 11, 43.
 — — — Rchb. Fl. germ. 2, 50.
 — — — Dietr. Fl. bor. 10, 788.
 — *palustre* DC. Sv. Bot. 694.
 — — — Sturm Flora 11, 43.
 — — — Rchb. Fl. germ. 2, 53.
 — — — Dietr. Fl. bor. 9, 627.
 — *petraeum* Crtz. Crantz Crucif. 2.
 — *pyrenaicum* R. Br. Rochel Banat. 13.
 — — — Sturm Flora 12, 45.
 — — — Rchb. Fl. germ. 2, 54.
 — *rivulare* Rchb. Rchb. Pl. crit. 6, 517.
 — — — Rchb. Fl. germ. 2, 53.
 — *sessiliflorum* Nutt. Gray Genera 53.
 — *siifolium* Rchb. Rchb. Ic. crit. 9, 840.
 — — — Rchb. Fl. germ. 2, 50.
 — *silvestre* R. Br. Fl. dan. 11, 1881.
 — — — Sv. Bot. 695.
 — — — Curt. Lond. 3, 51.
 — — — *β. brevistylum*, Sturm Flora 11, 43.
 — — — Rchb. Fl. germ. 2, 55.
 — — — Dietr. Fl. bor. 9, 626.
 — *terrestre* R. Br. Curt. Lond. 3, 53.
Nastus arundinaceus Sm. Lam. Encycl. 264.
 † — *barbatus* Trin. Acad. Petersb. 5, 17.
 † — *borbonicus* Gmel. Acad. Petersb. 5, 17.
 — *capitatus* Kth. Humb. Gram. 75.
 † — — — Acad. Petersb. 5, 16.
 — *verticillatus* Sm. Lam. Encycl. 264.
Natalia paullinioides Planch. Hook. Niger Fl. 29.
 — — — Hook. Ic. pl. 8, 780.
Nathusia alata Hochst. Richard Abyssin. 67.
Nauchea clypeata Desc. Desc. Ant. 8, 591.
 — *pubica* Desc. Mem. soc. Linn. Par. 4, 1.
 — — — Desc. Ant. 8, 589.
 — *virginiana* Desc. Desc. Ant. 8, 590.
Nauclea Adina Sm. Bot. Mag. 53, 2613.
 — — — Bot. Reg. 11, 895.
 — — — Lodd. Cab. 1284.
 — *adinoides* Ldl. Bot. Reg. 11, 895.
 — *Cadamba* Roxb. Rheede Hort. mal. 3, 33.
 — *cordifolia* Roxb. Roxb. Corom. 53.
 — — — Kerner Hort. 367.
 — *Gambir* Hunter. Linn. Transact. 9, 22.
 — — — Nees Düssel. Suppl. 7.
 — — — Hayne 10, 3.
 — *guianensis* Lam. Lam. Encycl. 153.
 — *orientalis* Lam. Rumpf Amb. 3, 55.
 — — — Lam. Encycl. 153.
 † — *Gaertn.* Gaertn. Carp. 30.
 † — *parvifolia* Roxb. Roxb. Corom. 52.
 — — — Hoffmannsegg Verz. 1826, 1.
 — — — Wight Illustr. 123.
 — *platanocarpa* Hook. fil. Hook. Ic. pl. 8, 787.
 — *purpurea* Roxb. Roxb. Corom. 54.

- Nauclea purpurea* Roxb. Kerner Hort. 131.
Naucleopsis macrophylla Miq. Endl. Bras. 12, 35.
Naudinia argyrophylla A. Rich. Ramon Cuba 44¹.
† *Naumburgia thyrsoiflora* Rchb. Nees Gen. 5, 14.
Nauplius intermedius Webb. Webb Canar. 86.
— *sericeus* Cass. Webb Canar. 87.
— *stenophyllus* Webb. Webb Canar. 86^B.
Navaea phoenicea Webb. Webb Canar. 1^c.
Nectandra cuspidata N. v. E. Miquel Surin. 59.
— *leucantha* N. v. E. Miquel Surin. 58.
— *pallida* N. v. E. Miquel Surin. 59.
— *Pisi* Miq. Miquel Surin. 60.
Nectaroscordum siculum Ldl. Bot. Reg. 22, 1913.
Nectouxia formosa H. B. K. H. B. K. Nov. Gen. 3, 193.
— — — Lam. Encycl. 918.
† *Neeaea Rz et P.* Ruiz et Pav. Prodr. 9.
— *hirsuta* P. et E. Poepp. et Endl. 161.
— *laxa* P. et E. Poepp. et Endl. 162.
Needhamia Pumilio DC. var. *β*. Delessert Ic. 5, 26.
Neesia altissima Bl. Acta Leop. 17, 1, 6.
† *Negretia Rz et P.* Ruiz et Pav. Prodr. 21.
— *urens* Rz et P. Tussac Ant. 2, 13.
† *Negundo Moench.* Gray Genera 175.
— *aceroides Moench.* Gray Genera 175.
— *californicum* Hook. Hook. Beechey 77.
Neja gracilis Don. Lodd. Cab. 1814.
— — — Sweet Fl. G. II. 78.
Neilreichia eupatorioides Fzl. Denkschr. d. W. Ak. 1, 1.
† *Nelitris Jambosella Gaertn.* Gaertn. Carp. 27.
† — *paniculata* Ldl. Wight Illustr. 97^{bis}.
— — — Wight Ic. pl. Ind. or. 2, 521.
† — *polymorpha* Bl. Blume Mus. 1, 60.
Nelsonia campestris R. Br. Endl. Iconogr. 79.
† *Nelumbium Juss.* Mem. Genev. 1, 1.
† — — — Gray Genera 40, 41.
— *caspicum* Fisch. Bot. Reg. 30, 14.
— — — Fl. d. serres 3, 265, 266.
† — *indicum* Lam. Lam. Encycl. 453.
— *luteum* Willd. Bot. Mag. 66, 3733.
— — — Diet. sc. nat. 180.
— — — Maund Bot. 1, 14.
— — — Rafin. Med. 66.
— — — Gray Genera 40, 41.
— *speciosum* Willd. Rheede Hort. mal. 11, 30, 31.
— — — Rumpf Amb. 6, 73.
— — — Sprengel Gesch. d. Bot. 8.
— — — Bot. Mag. 23, 903^a, 903^b. 68, 3916.
— — — Rchb. Exot. 17, 18.
— — — Wight Illustr. 9^a, 6.
— — — Fl. d. serres 5, 523^f.
— — — var. *caspicum*, Fl. d. serres 3, 265, 266.
† — — — Ann. nat. hist. 1853, 3.
† *Nelumbo Adans.* Gmelin Reise 3, 44, 45.
— *jamaicensis* Desc. Desc. Ant. 8, 599.
— *javanica* Poir. Rumpf Amb. 6, 73.
— *indica* Tuss. Tussac Ant. 3, 23.
† — *nucifera* Gaertn. Gaertn. Carp. 19.
† — — — (Mirbel.) Ann. Mus. 13, 34.
† — — — (Correa.) Ann. Mus. 14, 8.
Nematanthera guianensis Miq. Linnaea 18, 11.
Nematanthus chloronema Mart. Mart. Bras. 220.
— — — Bot. Mag. 70, 4080.
— *heterophyllus* P. et E. Poepp. et Endl. 203.
— *ionema* Mart. Bot. Mag. 75, 4460.
— — — Fl. d. serres 5, 498.
— *longipes* DC. Bot. Mag. 69, 4018.
Nematoceras macrantha Hook. fil. Hook. New Zeal. 57.
— *oblonga* Hook. fil. Hook. New Zeal. 57.
† *Nemodra elaeagnoides* Juss. Mem. Mus. 19, 14.
Nemesia floribunda Lehm. Bot. Reg. 24, 39.
— *foetens* Vent. Vent. Malm. 41.

- † *Nemesia foetens* Vent. Ann. sc. nat. 8, 27.
Nemochloa macrantha N. v. E. Endl. Bras. 3, 14.
— *sparsiflora* N. v. E. Endl. Bras. 3, 15.
Nemopanthus canadensis DC. DC. Hort. genev. 3.
Nemophila atomaria Fisch. et M. Bot. Mag. 66, 3774.
— — — Bot. Reg. 23, 1940.
— — — Paxt. Mag. 5, 99.
— — — Sweet Fl. G. II. 376.
— *aurita* Ldl. Bot. Reg. 19, 1601.
— — — Sweet Fl. G. II. 338.
— *discoidalis* Hort. Fl. d. serres 2, 78.
— *insignis* Benth. Bot. Mag. 63, 3485.
— — — Bot. Reg. 20, 1713.
— — — Paxt. Mag. 3, 151.
— — — Sweet Fl. G. II. 329.
— — — Spach Suites 141.
— *liniflora* Fisch. et M. Sert. petrop. 8.
— — — Jard. Petersb. 5.
— *maculata* Benth. Journ. Hort. Soc. 3, 320.
— — — Paxt. Mag. 16, 6.
— — — Fl. d. serres, 5, 431.
— — — Belgique hort. 1, 11.
— *Nuttallii* Colla. Mem. Tur. 31, 5.
— *phacelioides* Bart. Barton Fl. 2, 61.
— — — Bot. Reg. 9, 740.
— — — Bot. Mag. 50, 2373.
— — — Sweet Fl. G. 32.
† *Nenax acerosa* Gaertn. Gaertn. Carp. 32.
Nenuphar luteum Ait. Hayne 4, 36.
† *Neottia Jacq.* Swartz Fl. Ind. occ. 28.
† — — — Svensk Acad. 1800, 3.
† — — — Schrader Neues Journal 1, 1.
— *acaulis* Sm. Smith Exot. Bot. 105.
— *aestivalis* DC. Engl. Bot. 2817.
— *aphylla* Hook. Bot. Mag. 55, 2797.
— *australis* R. Br. var. *β*. Bot. Reg. 7, 602.
— *bicolor* Ker. Bot. Reg. 10, 794.
— *calcarata* Sw. Bot. Mag. 62, 3403.
— *camptchatea* Rchb. fil. Rchb. Fl. germ. 13, 478.
— *cernua* Willd. Bot. Mag. 38, 1568.
— — — Sweet Fl. G. 42.
— *cordata* Rich. Dietr. Fl. bor. 1, 22.
— *elata* Sw. Red. Lil. 3, 164.
— — — Bot. Mag. 46, 2026.
— — — Lodd. Cab. 343.
— *gemmaipara* Sm. Engl. Bot. 2786.
— *glandulosa* Sims. Bot. Mag. 22, 842.
— *grandiflora* Hook. Bot. Mag. 54, 2730.
— ? — — Bot. Mag. 57, 2956.
— *latifolia* Rich. Dietr. Fl. bor. 1, 10.
— *Lindleyana* Decne. Jacquemont Ind. 163.
— *minor* Jacq. Jacq. Ic. 601.
— — — Andr. Rep. 6, 376.
— *nidus avis* Rich. Rivinus Irreg. hexap. 7.
— — — Dietr. Fl. bor. 1, 21.
— — — Rchb. Fl. germ. 13, 473.
— *orchiioides* Sw. Bot. Mag. 26, 1036.
— — — Bot. Reg. 9, 701.
— *Petola* Bl. Rumpf Amb. 6, 41.
— — — Blume Tabellen 2.
† — *picta* Sims. Bot. Mag. 38, 1562.
— — — Lodd. Cab. 214.
— — — Rchb. Exot. 92.
— *plantaginea* Hook. Hook. Exot. Fl. 226.
— *procera* Ker. Bot. Reg. 8, 639.
— — — Lodd. Cab. 776.
— *speciosa* Jacq. Jacq. Ic. 600.
— — — Andr. Rep. 1, 3.
— — — Bot. Mag. 34, 1374.
— — — Lodd. Cab. 838.
— — — Hook. Exot. Fl. 3, 4.
— — — Red. Lil. 7, 404.

- Neottia speciosa* Jacq. Herb. amat. 4, 228.
 — *spiralis* Sw. Curt. Lond. 1, 140.
 — — Lodd. Cab. 931.
 — *squamulosa* H. B. K. H. B. K. Nov. Gen. 1, 71.
 — — Lam. Encycl. 990.
 — *tortilis* Sw. Barton Fl. 1, 35.
 † *Neottidium nidus avis* Schl. Nees Gen. 3, x.
 † *Neottopteris Nidus* Sm. Hook. Gen. Fil. 113.
Nepa Boivini Webb. Webb Otia 24.
 — *Cossonii* Webb. Webb Otia 23.
 — *Escayracii* Webb. Webb Otia 28.
 — *lurida* Webb. Webb Otia 21.
 — *megalorites* Webb. Webb Otia 25.
 — *Salzmanni* Webb. Webb Otia 26.
 — *Vaillantii* Webb. Webb Otia 27.
 — *Webbiana* Coss. Webb Otia 22.
 † *Nepenthes* L. Ann. sc. nat. 1, 5.
 † — — Korthals Bot. 4, 20, 21, 22.
 † — — Schnizl. Iconogr. 2, 115.
 — *nova species*, Marnock Mag. 1841, 3.
 — *ampullaria* Jack. Lambert Pinus 2, app. 8.
 — — Korthals Bot. 13.
 † — — Belgique hort. 2, 38, 39.
 — *Bongso* Korth. Korthals Bot. 14.
 — *Boschiana* Korth. Korthals Bot. 2, 4.
 — *destillatoria* L. Rumpf Amb. 5, 59.
 — — Hill Decade 9.
 † — — Gaertn. Carp. 83.
 — — Schriften naturf. Fr. 11, 3.
 — — Bot. Mag. 55, 2798.
 — — Lodd. Cab. 1017.
 — — Rchb. Exot. 254.
 — — Paxt. Mag. 4, 1.
 † — — Belgique hort. 2, 38, 39.
 — *gracilis* Korth. Korthals Bot. 1, 4.
 — — Spach Suites 144.
 — *gymnamphora Reinw.* Korthals Bot. 3, 4.
 — — Ann. sc. nat. 3, 19, 20.
 — *indica* Lam. Dict. sc. nat. 4.
 † — *laevis* Morren. Belgique hort. 2, 40, 41.
 — *maxima* Reinw. Ann. sc. nat. 3, 20.
 — *phyllamphora Willd.* Korthals Bot. 4, 15.
 — — Bot. Mag. 53, 2629.
 — *Raffesiana* Jack. Lambert Pinus 2, app. 7.
 — — Bot. Mag. 73, 4285.
 — — Annales de Gand 1847, 105.
 — — Fl. d. serres 3, 213, 214.
 † — — Belgique hort. 2, 38, 39.
 — *villosa* Hook. fil. Hook. Ic. pl. 9, 888.
Nepeta argolica Bory. Bory et Chaub. Morée 16.
 — *bipinnata* Cav. Cav. Ic. 49.
 — *Cataria* L. Fl. dan. 4, 580.
 — — Sv. Bot. 410.
 — — Engl. Bot. 2, 137.
 — — Baxter Brit. Bot. 5, 378.
 — — Lam. Encycl. 502.
 † — — Schk. Handb. 157.
 — — Hayne 4, 8.
 — — Schrank Fl. monac. 4, 310.
 — — Sturm Flora 19, 84.
 — — Dietr. Fl. bor. 10, 695.
 † — — Nees Gen. 6, 23.
 — *granatensis* Boiss. Boissier Esp. 144.
 — *grandiflora* M. v. B. Rchb. Ic. crit. 3, 279.
 † — *graveolens* Vill. Mutel Fl. fr. 51.
 — *incana* Lam. Rchb. Ic. crit. 4, 305.
 — *italica* L. Jacq. Vind. 112.
 — — Sibth. Fl. gr. 548.
 — — Rchb. Ic. crit. 5, 483.
 — *lanata* Jacq. Jacq. Obs. 75.
 — *lanceolata* Lam. Sturm Flora 19, 84.
 — — Rchb. Ic. crit. 6, 586.

- † *Nepeta leucophylla* Benth. Wight Illustr. 176^b.
 — *longibracteata* Benth. Jacquemont Ind. 137.
 — *longiflora* Vent. Vent. Cels 66.
 — — Bot. Mag. 23, 923.
 — *malabarica* Rheed. Rumpf Amb. 6, 68.
 — *marifolia* Cav. Anales de hist. nat. 2, 22.
 — — Cav. Ic. 576.
 — *melissaefolia* Desf. Ann. Mus. 10, 23.
 — — Desf. Choix 12.
 — *micrantha* Led. Ledeb. Ic. 412.
 — *mollis* Med. Acta palat. 3, 14.
 — *multibracteata* Desf. Desf. Fl. atl. 133.
 — — Brotero Phytogr. 111.
 — — Hoffm. et Link Fl. port. 5.
 — *multifida* L. Trew Pl. rar. 25.
 — — Lam. Encycl. 502.
 — — Rchb. Ic. crit. 6, 530.
 — *Mussini* Spr. Rchb. Ic. crit. 6, 587.
 — *Nepetella* L. All. Fl. ped. 3, 2.
 — — Rchb. Ic. crit. 3, 261.
 — — Sturm Flora 19, 84.
 † — — Mutel Fl. Fr. 51.
 — *nuda* L. Jacq. Fl. austr. 1, 24.
 — — Sibth. Fl. gr. 547.
 — — Sturm Flora 19, 84.
 — *pannonica* Jacq. Jacq. Fl. austr. 2, 129.
 — — Sturm Flora 19, 84.
 † — — Nees Gen. 6, 23.
 — *racemosa* Lam. Rchb. Ic. crit. 6, 585.
 — *reticulata* Desf. Desf. Fl. atl. 124.
 — — Rchb. Pl. crit. 5, 440.
 — *Scorditis* L. Rivinus Opus ined. 35.
 — — Viviani Lib. 6.
 — *serpyllifolia* M. v. B. Marschall Cent. 28.
 — — Rchb. Ic. crit. 3, 219.
 — *Teydea* Webb. Webb Canar. 165.
 — *thibetica* Benth. Jacquemont Ind. 136.
 — *tuberosa* L. Rchb. Pl. crit. 5, 439.
 — *violacea* L. Schk. Handb. 157.
 † *Nephelaphyllum pulchrum* Bl. Blume Tabellen 22.
 † *Nepheium lappaceum* L. Gaertn. Carp. 140.
 — — Lam. Encycl. 764.
 — — Marsden Sumatra 4.
 — *Litchi* Wight. Wight Ic. pl. Ind. or. 1, 43.
 — *Longana* Camb. Bot. Mag. 70, 4096.
 — *rubrum* Wight. Wight Ic. pl. Ind. or. 1, 24, 25.
Nephrodium deflexum Presl. Presl Reliq. 5.
 — *delicatum* Decne. Jacquemont Ind. 179.
 — *elongatum* Hook. Hook. Ic. Fil. 2, 234.
 — *fragrans* Rich. Hook. Ic. Fil. 1, 70.
 — *Gaimardianum* Gaudich. Freycinet Voyage 12.
 — *Goldianum* Hook. Hook. Ic. Fil. 1, 102.
 — *membranifolium* Presl. Presl Reliq. 5.
 † — *molle* Schott. Schott Gen. Fil. 14.
 † — — Hook. Gen. Fil. 48.
 — *Napoleonis* Bory. Bélanger Ind. or. 6.
 — *pallidum* Bory. Bory Morée 36.
 — *Plumula* Presl. Presl Reliq. 5.
 — *pubescens* Hook. Hook. Ic. Fil. 2, 162.
 — *trapezioides* Presl. Presl Reliq. 6.
 † — *unitum* Hook. Hook. Gen. Fil. 48.
 † *Nephrolepis exaltata* Schott. Schott Gen. Fil. 15.
 † — — Hook. Gen. Fil. 35.
 † — — Fée Fil. 5, 23.
 † — *punctulata* Presl. Hook. Gen. Fil. 48.
 † — *tuberosa* Presl. Fée Fil. 5, 25.
Nephrophyllum abyssinicum Rich. Richard Abyssin. 76.
 † *Nepsera aquatica* Naud. Ann. sc. nat. III 12, 14.
Neptunia plena Benth. Bot. Reg. 32, 3.
 — — Bot. Mag. 79, 4695.
Neraudia melastomaeifolia Gaudich. Freycinet Voyage 117.

- Neraudia sericea* Gaudich. Gaudichand Bonite 133.
Neriandra hancorniaefolia DC. Delessert Ic. 5, 50.
† *Nerine* Herb. Herbert Amar. 36.
— *aurea* Sweet. Bury Hexandrian plants 3.
— *humilis* Herb. Lodd. Cab. 1674.
— *hybrida* Herb. Herbert Appendix 3.
— *Mitchamiae* Herb. Herbert Amar. 45.
— *pulchella* Herb. Bot. Mag. 50, 2407.
— *rosea* Herb. Bot. Mag. 47, 2124.
— — Rechb. Exot. 46.
— *undulata* Herb. Lodd. Cab. 1669.
Nerium caudatum Roxb. Wight Ic. pl. Ind. or. 2, 599.
— coccineum Roxb. Lodd. Cab. 894.
— — Wight Ic. pl. Ind. or. 2, 442.
— coronarium Ait. Jacq. Ic. 52.
— — Bot. Mag. 44, 1865.
— grandiflorum Roxb. Wight Ic. pl. Ind. or. 3, 832.
— odorum Willd. Rheede hort. mal. 9, 1. 2.
† — — Jacq. Fragm. 3.
— — Bot. Mag. 43, 1799. 46, 2032.
— — var. β. Bot. Reg. 1, 74.
— — Kerner Hort. 293. 452.
— — var. Savi Fl. ital. 1, 14.
— Oleander L. Rumpf Amb. Auct. 9.
— — Schk. Handb. 52.
— — Sibth. Fl. gr. 248.
† — — Lam. Encycl. 174.
— — Nouveau Duhamel 5, 23.
— — Herb. amat. 2, 79. 80.
— — Desc. Ant. 6, 410.
— — Lodd. Cab. 666. 700.
— — Brandt und Ratzeb. 20.
— — Savi Fl. ital. 1, 9.
— — Paxt. Mag. 11, 53.
† — — Nees Gen. X, x.
† — — (Folium.) Mem. Instit. 1850, 9.
— piscidium Roxb. Wight Ic. pl. Ind. or. 2, 472.
— reticulatum Roxb. Wight Ic. pl. Ind. or. 2, 494.
— thyrsoiflorum Paxt. Paxt. Mag. 3, 73.
— tinctorium Roxb. Wight Ic. pl. Ind. or. 2, 444.
— tomentosum Roxb. Rheede Hort. mal. 9, 3. 4.
— — Wight Ic. pl. Ind. or. 2, 443.
† — zeylanicum L. Gaertn. Carp. 117.
Nerophila gentianoides Naud. Ann. sc. nat. III. 13, 8.
Nertera assurgens Aub. Aubert Th. Mel. 11.
— depressa Banks. Aubert Th. Mel. 10.
† — — Gaertn. Carp. 26.
— — Smith Ic. Linn. 28.
— — Tratt. Archiv 86.
— dichondraefolia Hook. fil. Hook. New Zeal. 28.
— repens R. et P. Ruiz et Pav. Prodr. 33.
— — Ruiz et Pav. Fl. 90.
— setulosa Hook. fil. Hook. New Zeal. 28.
Nervilia aragoana Gaudich. Freycinet Voyage 35.
Nesaea erecta Guill. Guillemin Seneg. 69.
— radicans Guill. Guillemin Seneg. 70.
— salicifolia Kth. Rechb. Hort. 166.
— triflora Kth. Wight Ic. pl. Ind. or. 1, 259.
Neslia paniculata Desv. Dietr. Fl. bor. 11, 760.
— — Rechb. Fl. germ. 2, 24.
Neumayera austriaca Rechb. Rechb. Fl. germ. 5, 210.
— filiceulis Weh. Rechb. Fl. germ. 5, 210.
— Villarsii Rechb. Rechb. Fl. germ. 5, 210.
Neuracanthus Lawii Wight. Wight Ic. pl. Ind. or. 4, 1531.
— sphaerostachys Dalz. Hook. Ic. pl. 9, 835.
— trinervius Wight. Wight Ic. pl. Ind. or. 4, 1532.
Neurachne montana Gaudich. Freycinet Voyage 26.
† *Neurada procumbens* L. Gaertn. Carp. 32.
— — Lam. Encycl. 393.
— — Wight Ic. pl. Ind. or. 4, 1596.
— — Hook. Ic. pl. 9, 840.

- Neurocallis praestantissima* Fée. Fée Fil. 1, 52. 5, 4.
Neurocalyx Hookerianus Wight. Wight Ic. pl. Ind. or. 1, 52.
— zeylanicus Hook. Hook. Ic. pl. 2, 174.
† *Neurocarpum* Desv. Kerner Genera 169.
— angustifolium Kth. Humb. Mim. 60.
— cajanifolium Presl. Presl Symbolae 9.
— simplicifolium Kth. Humb. Mim. 69.
† *Neurodium lanceolatum* Fée. Fée Fil. 5, 8.
† *Neurogramme tomentosa* Link. Fée Fil. 5, 14.
† *Neuropeltis ovata* Wall. Mem. Genev. 6, 2.
† — racemosa Wall. Mem. Genev. 6, 2.
— — Delessert Ic. 5, 96.
† *Neurophyllum pinnatum* Presl. Prager Abh. 3, 4.
Neuroplatyceros aethiopicus Pluk. Fée Fil. 64.
† — biformis Fée. Fée Fil. 64.
† *Neuropteris* Desv. Mem. soc. Linn. Par. 6, 11.
— elegans Desv. Mem. soc. Linn. Par. 6, 8.
Neuroscapha Guilleminiana Tul. Arch. Mus. 4, 6.
† *Neuwiedia* Bl. Schnizl. Iconogr. 1, 67.
Nhandiroba scandens Desc. Desc. Ant. 3, 198.
† *Nhandirobeae* St. Hil. Schnizl. Iconogr. 201.
Nicandra anomala Link. Link Ic. I. 35.
† — physaloides Gaertn. Gaertn. Carp. 131.
— — Bot. Mag. 51, 2458.
† — — Ann. sc. nat. III. 18, 16.
Nicolletia Edwardsii Gray. Smiths. Contr. 3, 8.
Nicolsonia cayennensis DC. DC. Legum. 51.
† — congesta Wight. Calcutta Journal 1847, 2.
— — Wight Ic. pl. Ind. or. 3, 1056.
Nicotiana acuminata Hook. Bot. Mag. 56, 2919.
— alata Link. Link Ic. II. 32.
— angustifolia R. et P. Ruiz et Pav. Fl. 130.
† — Cav. Mem. Genev. 6, 3.
— bonariensis Lehm. Lehmann Nic. 1.
— cerinthoides Hornem. Lehmann Nic. 2.
— cirrhoides Miers. Miers Illustr. 22.
— crispa Desf. Jacq. Fragm. 84.
— — Dietr. sc. nat. 34.
— glauca Grah. Bot. Mag. 55, 2837.
— glutinosa L. Svensk Acad. 1753, 2.
— — Andr. Rep. 7, 484.
— — Sweet Fl. G. 107.
— Langsdorffii Weinm. Horae berol. 10.
— — Bot. Mag. 48, 2221.
— — Bot. Mag. 52, 2555.
— longiflora Cav. Sweet Fl. G. II. 196.
— multivalvis Ldl. Bot. Reg. 13, 1057.
— nana Ldl. Bot. Reg. 10, 833.
— noctiflora Hook. Bot. Mag. 54, 2783.
— — Sweet Fl. G. 262.
— nyctaginiflora Lehm. Preuss. Garten-Verein 1, 1.
— paniculata L. Svensk Acad. 1753, 1.
— — Ruiz et Pav. Fl. 129.
— persica Ldl. Bot. Reg. 19, 1592.
— quadrivalvis Pursh. Lehmann Nic. 4.
— — Bot. Mag. 43, 1778.
— repanda Willd. Lehmann Nic. 3.
— — Bot. Mag. 51, 2484.
— rustica L. Barton Fl. 1, 25.
† — — Plée Types 14.
† *Tabacum* L. Gaertn. Carp. 55.
† — — Lam. Encycl. 113.
— — Woodv. Med. 2, 77.
— — Schk. Handb. 44.
— — Nees Düsseld. 193.
— — Guimpel et Schl. 105.
— — Hayne 12, 41.
— — Wagner 101.
— — Desc. Ant. 6, 413.
— — Bigelow Med. 40.
† — — Wight Illustr. 166 bis.

- † *Nicotiana Tabacum* L. Nees Gen. 5, 52.
 — *tomentosa* R. et P. Ruiz et Pav. Fl. 129.
 — *undulata* Vent. Vent. Malm. 10.
 — — Bot. Mag. 18, 673.
 — — Jacq. Fragn. 86.
 — — R. et P. Ruiz et Pav. Fl. 136.
Niebuhreria linearis DC. Hook. Ic. pl. 2, 124.
 — — Wight Ic. pl. Ind. or. 1, 174.
 — *oblongifolia* DC. Hook. Ic. pl. 2, 127.
Nierembergia angustifolia H. B. K. H. B. K. Nov. Gen. 3, 198.
 — *anomala* Miers. Miers Illustr. 20.
 — *aristata* Don. Sweet Fl. G. II. 255.
 — *Atkinsiana* Sweet. Sweet Fl. G. II. 268.
 — *calycina* Hook. Bot. Mag. 61, 3371.
 — — Sweet Fl. G. II. 319.
 — *filicaulis* Ldl. Bot. Reg. 19, 1649.
 — — Bot. Mag. 61, 3370.
 — — Sweet Fl. G. II. 243.
 — *gracilis* Hook. Bot. Mag. 58, 3108.
 — — Sweet Fl. G. II. 172.
 — *graveolens* St. Hil. Mem. Mus. 12, 10.
 — — St. Hil. Pl. rem. 21.
 — *hippomanica* Miers. Miers Illustr. 18.
 — *intermedia* Grah. Sweet Fl. G. II. 237.
 — *linifolia* Miers. Miers Illustr. 29.
 — *phoenicea* Don. Sweet Fl. G. II. 193. 354.
 — *repens* R. et P. Ruiz et Pav. Fl. 123.
 — *rigida* Miers. Miers Illustr. 19.
 — *rivularis* Miers. Miers Illustr. 18.
 — *stricta* Miers. Miers Illustr. 19.
Nigella aristata Sibth. Sibth. Fl. gr. 510.
 — *arvensis* L. Schk. Handb. 146.
 † — — Lam. Encycl. 488.
 — — Sibth. Fl. gr. 512.
 — — Hayne 6, 17.
 — — Rchb. Fl. germ. 4, 120.
 — — Dietr. Fl. bor. 7, 436.
 — *ciliaris* DC. Delessert Ic. 1, 45.
 † *damascena* L. Gaertn. Carp. 118.
 † — — Lam. Encycl. 488.
 † — — Schk. Handb. 146.
 — — Bot. Mag. 1, 22.
 — — Sibth. Fl. gr. 509.
 — — Hayne 6, 15.
 — — Rchb. Fl. germ. 4, 120.
 — *divaricata* Beauv. Delessert Ic. 1, 46.
 — *hispanica* L. Desf. Fl. atl. 112.
 — — Bot. Mag. 31, 1265.
 † *orientalis* L. Gaertn. Carp. 118.
 — — Bot. Mag. 31, 1264.
 † *sativa* L. Gaertn. Carp. 118.
 † — — Lam. Encycl. 488.
 — — Sibth. Fl. gr. 511.
 — — Hayne 6, 16.
 — — Nees Düssel. Suppl. 45.
 — — Guimpel et Kl. 23.
 — — Rchb. Fl. germ. 4, 120.
 — *segetalis* M. v. B. Marshall Cent. 25.
 † *truncata* Viv. Viviani Aeg. 2.
Nigrina spicifera Lam. Lam. Encycl. 71.
Nigritella angustifolia Rich. Lodd. Cab. 1643.
 — — Rchb. Ic. crit. 6, 568. 8, 762.
 † — — Nees Genera 3, x.
 — *fragrans* Sauter. Rchb. Ic. crit. 8, 763.
 — *nigra* Rchb. fl. Rchb. Fl. germ. 13, 467.
 — *suaveolens* Koch. Rchb. Fl. germ. 13, 466. 513.
Niota lucida Wall. Wall. Pl. asiat. 168.
 — *pendula* Sm. Rheede Hort. mal. 6, 18.
 — *tetrapetala* Lam. Lam. Encycl. 299.
Nipa fruticans Thunb. Rumpf Amb. 1, 16.
 † — — Mem. Mus. 5, 22. 23.

- † *Nipa fruticans* Thunb. Lam. Encycl. 897.
 — — — Mart. Palm. 108. 171. 172.
 — — — Blume Rumphia 105. 164. 165.
 — — — Gaudichaud Bonite 6. 7.
Niphaea albo-lineata Hook. Bot. Mag. 73, 4282.
 — — — Fl. d. serres 3, 210.
 — *argyreneura* Planch. Fl. d. serres 8, 823.
 — *oblonga* Ldl. Bot. Reg. 28, 5.
 — *rubida* Ch. Lem. Fl. d. serres 3, 251.
Nipholobus africanus α. β. Kze. Kunze Fil. 33.
 — *albicans* Bl. Blume Java 6, 25.
 — *bicolor* Kauf. Hook. Ic. Fil. 1, 44.
 — *carinosus* Bl. Rheede Hort. mal. 12, 29.
 — — — Blume Java 6, 19.
 — *caudatus* Bl. Blume Java 6, 22.
 — *elongatus* Bl. Blume Java 6, 20.
 — *fissus* Bl. Blume Java 6, 24.
 — *flocciger* Bl. Blume Java 6, 26.
 — *glaber* Bl. Blume Java 6, 27.
 — *Lingua Spr.* Kunze Fil. 63.
 — *macrocarpus* Hook. Hook. Beechey 18.
 † *penangianus* Hook. Hook. Gen. Fil. 83.
 — — — Hook. Ic. pl. 3, 203.
 — *puberulus* Bl. Blume Java 6, 23.
 — *rupestris* Spr. Hook. Ic. Fil. 1, 93.
 — *sphaerocephalus* Hook. Hook. Ic. Fil. 1, 94.
 — *varius* Bl. Blume Java 6, 21.
 — *venosus* Bl. Blume Java 6, 28.
Nissolia fruticosa L. Jacq. Hist. stirp. am. 187.
 — — — Jacq. Vind. 167.
 † — — — Jacq. Fragn. 33.
 † — — — Gaertn. Carp. 145.
 † — — — Lam. Encycl. 600.
 — — — Hook. Ic. pl. 6, 599.
 † *punctata* Lam. Lam. Encycl. 600.
 — *quinata* Aubl. Aublet Guiana 297.
 — — — Lam. Encycl. 600.
 — *racemosa* DC. Delessert Ic. 3, 68.
 † *reticulata* Lam. Lam. Encycl. 600.
Nitella Brongniartiana Coss. et G. Cosson Atlas 40.
 — *glomerata* Coss. et G. Cosson Atlas 41.
 — *gracilis* Agardh. Cosson Atlas 41.
 — *mucronata* Coss. et G. Cosson Atlas 40.
 — *stelligera* Coss. et G. Cosson Atlas 41.
 † *syncarpa* Coss. et G. Ann. sc. nat. III. 16, 9.
 — — — Cosson Atlas 39.
 — *tenuissima* Coss. et G. Cosson Atlas 41.
 — *translucens* Coss. et G. Cosson Atlas 40.
Nitraria Olivieri Jaub. Jaubert Illustr. 295.
 — *Schoberi* L. Pallas Fl. ross. 50.
 — — — Murray Prodr. gött. 1.
 † — — — Gaertn. Carp. 58.
 — — — Andr. Rep. 8, 529.
 — — — Watson Dendr. 2, 130.
 — — — Lodd. Cab. 1395.
 — *senegalensis* Lam. Lam. Encycl. 403.
 — *sericea* Jaub. Jaubert Illustr. 294.
 — *sibirica* Lam. Lam. Encycl. 403.
 — *tridentata* Desf. Jaubert Illustr. 293.
Nocca latifolia Cerv. Sweet Fl. G. 215.
 — *rigida* Cav. Cav. Ic. 224.
 — — — Sweet Fl. G. II. 26.
Noccaea alpina Rchb. Rchb. Fl. germ. 2, 11.
 — *brevicaulis* Rchb. Rchb. Fl. germ. 2, 11.
 — *mollis* Jacq. Jacq. Fragn. 85.
Nochotta oleracea Gm. Gmelin Reise 3, 3.
Noisetia frangulaefolia H. B. K. H. B. K. Nov. Gen. 4, 499^a. 499^b.
 — *longifolia* H. B. K. H. B. K. Nov. Gen. 5, 499^b.
 — *pyrifolia* Mart. Mart. Bras. 16.
 † *Roquefeuilleana* St. Hil. Mem. Mus. 11, 22.
 † — — — St. Hil. Pl. rem. 26.

- † *Nolana* *L.* Kerner Genera 75.
 — *atriplicifolia* *Don.* Sweet Fl. G. II. 305.
 — *Chastenayana* *Gaudich.* Gaudichaud Bonite 33.
 — *coronata* *Rz et P.* Ruiz et Pav. Fl. 112.
 — — Kerner Hort. 789.
 — *inflata* *Rz et P.* Ruiz et Pav. Fl. 112.
 — *paradoxa* *Ldl.* Bot. Reg. 10, 865.
 — — Bot. Mag. 52, 2604.
 — *polymorpha* *Gaudich.* Gaudichaud Bonite 101.
 — *prostrata* *L.* Linné Hort. ups. 1, 2.
 — — Bot. Mag. 19, 731.
 — — Schk. Handb. 32.
 † — — Gaertn. Carp. 132.
 — — Lam. Encycl. 97.
 — *revoluta* *Rz et P.* Ruiz et Pav. Fl. 113.
 — *rupicola* *Gaudich.* Gaudichaud Bonite 28.
 — *spathulata* *Rz et P.* Ruiz et Pav. Fl. 113.
 — — Kerner Hort. 563.
Nomaphila pinnatifida *Dalz.* Hook. Ic. pl. 9, 843.
Nomismia capitata *W. et A.* Wight Ic. pl. Ind. or. 1, 293.
 — *nummularia* *W. et A.* Wight Ic. pl. Ind. or. 1, 293.
Nonatelia longiflora *Aubl.* Aublet Guiana 71.
 — *lutea* *Aubl.* Aublet Guiana 74.
 — *officinalis* *Aubl.* Aublet Guiana 70.
 — — Desc. Ant. 4, 296.
 — *paniculata* *Aubl.* Aublet Guiana 70.
 — *racemosa* *Aubl.* Aublet Guiana 72.
 — — Lam. Encycl. 135.
 — *violacea* *Aubl.* Aublet Guiana 73.
 — — Lam. Encycl. 155.
Nonea planeranthra *Viv.* Viviani Lib. 1.
 — *pulla* *DC.* Dietr. Fl. bor. 8, 541.
 † — — Nees Gen. 6, 73.
 † — *violacea* *DC.* Nees Gen. 6, 73.
Norantea adamantium *Camb.* St. Hil. Fl. Bras. 62.
 — — Spach Suites 45.
 — *anomala* *H. B. K.* H. B. K. Nov. Gen. 7, 647^b.
 — *guianensis* *Aubl.* Aublet Guiana 220.
 — *japurensis* *Mart.* Mart. Bras. 293.
 — *paraensis* *Mart.* Mart. Bras. 296.
 — *violacea* *Poir.* Lam. Encycl. 447.
Noronhea chartacea *Hook.* Hook. Bot. Misc. 88.
Norysca mysorensis *Arn.* Wight Ic. pl. Ind. or. 1, 56.
Notarisia lycopodioides *Colla.* Mem. Tur. 39, 75.
Notelaea excelsa *Webb.* Webb Canar. 186.
 — *longifolia* *Vent.* Vent. Choix 23.
 — *ovata* *R. Br.* Endl. Iconogr. 55.
Noterophila inundata *Mart.* Mart. Bras. 254.
 — *pusilla* *Naud.* Ann. sc. nat. III. 12, 13.
Nothochlaena cheilanthoides *Spr.* Acta Leop. 10. 1, 17.
 — *dealbata* *Kze.* Kunze Fil. 124.
 — *densa* *Sm.* Kunze Fil. 64.
 — *distans* *Lab.* Bill. Sertum 7.
 — *Doradilla* *Colla.* Mem. Tur. 39, 73.
 † — *eriophora* *Fée.* Fée Fil. 5, 13.
 — *Fendleri* *Kze.* Kunze Fil. 136.
 — *hypoleuca* *Kze.* Kunze Fil. 53.
 — *inaequalis* *Kze.* Kunze Fil. 64.
 — *incana* *Presl.* Presl Reliq. 1.
 — *mollis* *Kze.* Kunze Fil. 53.
 — *nivea* *Desv.* Kunze Fil. 22.
 — *semiglaba* *Kze.* Kunze Fil. 124.
 — *sinuata* *Kauf.* Kunze Fil. 45.
 — — Bot. Mag. 79, 4699.
 — *sulcata* *Meyen.* Kunze Fil. 3.
 † — *tenera* *Gill.* Hook. Gen. Fil. 76.
 — — Kunze Fil. 22.
 — — Bot. Mag. 58, 3055.
Nothria repens *Berg.* Bergius Cap. 1.
Notoceras canariense *R. Br.* Jacq. Ecl. pl. 111.
 — *cardaminifolium* *DC.* Delessert Ic. 2, 18.
 — *hispanicum* *DC.* Delessert Ic. 2, 17.

- Notoceras quadricorne* *DC.* Delessert Ic. 2, 16.
Notonia abyssinica *Rich.* Richard Abyssin. 59.
 — *corymbosa* *DC.* Wight Ic. pl. Ind. or. 2, 484.
 — *grandiflora* *DC.* Delessert Ic. 4, 61.
 † — — Wight Illustr. 134.
Notylia multiflora *Hook.* Hook. Journal 1844, 10.
 — *punctata* *Ldl.* Bot. Reg. 9, 759.
 — *sagittifera* *Lk et Kl.* Link Ic. III. 18.
Nowodworskya agrostoides *Presl.* Presl Reliq. 40.
† *Noyera Trécul.* Ann. sc. nat. III. 8, 5.
† *Nunnezharia* *Rz et P.* Ruiz et Pav. Prodr. 31.
† *Nuphar* *Sm.* Mem. Genev. 1, 1.
 † — — Gray Genera 44.
 — *advena* *Ait.* Rehb. Exot. 12.
 — — Gray Genera 44.
 — *japonica* *DC.* Delessert Ic. 2, 6.
 — *lutea* *Sm.* Curt. Lond. 4, 141.
 — — Engl. Bot. 3, 159.
 — — Baxter Brit. Bot. 4, 281. 282.
 † — — Spach Suites 87.
 — — Sturm Flora 8, 30.
 — — Rehb. Fl. germ. 7, 63.
 — — Dietr. Fl. bor. 11, 766.
 † — — Ann. sc. nat. III. 4, 10 — 13.
 † — — Flora 1853, 7.
 — *minima* *Sm.* Engl. Bot. 32, 2292.
 — — Flora 1827, 1.
 — *pumila* *DC.* Curt. Lond. 5, 163.
 — — Rehb. Ic. crit. 2, 119.
 — — Rehb. Fl. germ. 7, 65.
 — *sericea* *Lang.* Rehb. Ic. crit. 2, 120.
 — — Rehb. Fl. germ. 7, 64.
 — *Spenneriana* *Gaud.* Rehb. Fl. germ. 7, 66.
Nuphyllis *Aub.* Aubert Orchid. 106.
Nuttallia cerasiformis *Hook.* Hook. Beechey 82.
 — *cordata* *Ldl.* Bot. Reg. 23, 1938.
 — *digitata* *Dick.* Hook. Exot. Fl. 171.
 — — Barton Fl. 2, 62.
 — — Bot. Mag. 53, 2612.
 — — Sweet Fl. G. 129.
 — *grandiflora* *Part.* Paxt. Mag. 5, 217.
 — — Annales de Gand 1847, 167.
 — *malvaeflora* *F. et M.* Paxt. Mag. 7, 31.
 — *Papaver* *Grah.* Bot. Mag. 60, 3287.
 — — Paxt. Mag. 6, 173.
 — — Sweet Fl. G. II. 279.
 — *pedata* *Nutt.* Hook. Exot. Fl. 172.
Nuxia verticillata *Lam.* Lam. Encycl. 71.
Nuytsia floribunda *Ldl.* Lindley Swan River 4.
† *Nyctagineae* *Juss.* Ann. sc. nat. III. 16 — 19.
 † — — Schnizl. Iconogr. 2, 104.
† *Nyctago hortensis* *Juss.* Flora 1853, 2.
Nyctanthes angustifolia *L.* Wight Ic. pl. Ind. or. 2, 698.
 — *arbor tristis* *L.* Rheede Hort. mal. 1, 21.
 † — — Lam. Encycl. 6.
 — — Bot. Reg. 5, 399.
 — *multiflora* *Burm.* Burm. Fl. ind. 3.
 — *Sambac* *L.* Rumpf Amb. 5, 30.
 † — — Gaertn. Carp. 106.
 — *triflora* *Burm.* Burm. Fl. ind. 2.
Nycterinia lychnidea *Don.* Bot. Reg. 9, 748.
 — — Sweet Fl. G. II. 239.
† *Nycterisition* *Rz et P.* Ruiz et Pav. Prodr. 5.
 — *argenteum* *H. B. K.* H. B. K. Nov. Gen. 3, 244.
 — *ferrugineum* *Rz et P.* Ruiz et Pav. Fl. 187.
Nyctetium amazonium *Sims.* Bot. Mag. 43, 1801.
 — *cordifolium* *Vent.* Vent. Malm. 85.
 — — Kerner Hort. 198.
Nymphaea acutiloba *DC.* Icones pl. Chin. 18.
 — *advena* *Ait.* Willdenow Hortus 38.
 — — Bot. Mag. 18, 684.
 — — Kerner Hort. 188.

- Nymphaea alba* L. Fl. dan. 4, 602.
 — — — Curt. Lond. 4, 140.
 — — — Engl. Bot. 3, 160.
 — — — Baxter Brit. Bot. 3, 181. 182.
 — — — Sv. Bot. 92.
 — — — Dict. sc. nat. 179.
 — — — Schk. Handb. 142.
 — — — Sturm Flora 8, 30.
 — — — Hayne 4, 35.
 — — — Schrank Fl. monac. 4, 345.
 — — — Rehb. Fl. germ. 7, 67. 68.
 — — — Dietr. Fl. bor. 11, 765.
 † — — — Gaertn. Carp. 19.
 † — — — Lam. Encycl. 453.
 † — — — Bull. philom. 1811. no. 57.
 † — — — Mem. Instit. 1830, 6.
 † — — — Mem. Genev. 1, 2.
 † — — — Plée Types 36. 37.
 † — — — Gray Genera 42. 43.
 † — — — Flora 1853, 7.
 † — — — Acad. Neap. 4, 0.
 — — — var. minor, Belgique hort. 1, 59.
 — — — Desc. Desc. Ant. 8, 574.
 — — — ampla DC. Bot. Mag. 75, 4469.
 — — — biradiata Sommer. Rehb. Fl. germ. 7, 69.
 — — — cachemiriana Decne. Jacquemont Ind. 10.
 — — — candida Presl. Rehb. Fl. germ. 7, 70.
 — — — coerulea Savigny. Delile Egypte 60.
 — — — Vent. Malm. 6.
 — — — Kerner Hort. 99.
 — — — Ann. Mus. 1, 25.
 — — — Bot. Mag. 16, 552. 78, 4647.
 — — — Spach Suites 87.
 — — — Fl. d. serres 7, 653.
 — — — (Germinatio.) Münchn. Abh. 5, 13.
 † — — — Andr. Andr. Rep. 3, 197.
 — — — dentata Schum. et Thonn. Bot. Mag. 72, 4257.
 — — — Fl. d. serres 6, 627. 628.
 — — — devoniensis Part. Paxt. Fl. G. 98.
 — — — Bot. Mag. 78, 4665.
 — — — Lem. Jard. fl. 4, 346. 347.
 — — — elegans Hook. Bot. Mag. 77, 4604.
 — — — Lem. Jard. fl. 180.
 — — — gigantea Hook. Bot. Mag. 78, 4647.
 — — — Fl. d. serres 7, 751.
 — — — Lem. Jard. fl. 240 — 241.
 — — — Kalmiana Sims. Bot. Mag. 31, 1243.
 — — — Lotus W. et K. W. et Kit. 15.
 — — — L. Delile Egypte 60.
 — — — Pal. B. Fl. d'Oware 88.
 — — — Bot. Mag. 21, 797.
 — — — Andr. Rep. 6, 391.
 — — — Desc. Ant. 8, 597.
 — — — Sprengel Gesch. d. Bot. 7.
 — — — Kerner Hort. 147.
 — — — Rehb. Exot. 14.
 † — — — lutea L. Fl. dan. 4, 603.
 † — — — Gaertn. Carp. 19.
 † — — — Lam. Encycl. 453.
 — — — Sv. Bot. 266.
 — — — Schk. Handb. 142.
 — — — Schrank Fl. monac. 1, 20.
 — — — micrantha Guill. Bot. Mag. 76, 4535.
 — — — Lem. Jard. fl. 52.
 — — — Belgique hort. 1, 59.
 — — — Nelumbo L. Rumpf Amb. 6, 73.
 — — — Delile Egypte 61.
 — — — var. flava, Hill Decade 8.
 — — — nitida Sims. Bot. Mag. 33, 1359.
 — — — Rehb. Exot. 13.
 — — — odorata Willd. Willdenow Hortus 39.
 — — — Kerner Hort. 231.

- Nymphaea odorata* Ait. Bot. Mag. 21, 819.
 — — — var. rosea, Bot. Mag. 40, 1652.
 — — — Andr. Rep. 5, 297.
 — — — Kerner Hort. 676.
 — — — Bigelow Med. 55.
 — — — Gray Genera 42. 43.
 — — — Ortgisiano-rubra V. H. Fl. d. serres 8, 775. 776.
 — — — pubescens Willd. Rheede Hort. mal. 11, 26.
 — — — Kerner Hort. 540.
 — — — pygmaea Dryand. Bot. Mag. 37, 1525.
 — — — reniformis Walt. Delessert Ic. 2, 5.
 — — — rubra Roxb. Andr. Rep. 8, 503.
 — — — Bot. Mag. 31, 1280. 33, 1364.
 — — — Kerner Hort. 361.
 — — — Rehb. Exot. 16.
 — — — Wight Illustr. 10.
 — — — Paxt. Mag. 11, 265.
 — — — Paxt. Fl. G. 50.
 — — — Lem. Jard. fl. 173. 174.
 — — — Fl. d. serres 6, 629. 8, 759. 760.
 — — — scutifolia DC. Fl. d. serres 6, 645.
 — — — stellata Willd. Rheede Hort. mal. 11, 27.
 — — — Andr. Rep. 5, 330.
 — — — Kerner Hort. 406.
 — — — Bot. Mag. 46, 2058.
 — — — Fl. d. serres 8, 854.
 — — — Wight Ic. pl. Ind. or. 1, 178.
 — — — thermalis DC. Rehb. Fl. germ. 7, 71.
 — — — Fl. d. serres 7, 706. 707.
 — — — Belgique hort. 1, 59.
 — — — versicolor Sims. Bot. Mag. 29, 1189.
 — — — Rehb. Exot. 15.
 † *Nyssa angulifolia* Michx. Ann. sc. nat. III. 17, 17—20.
 † — — — angulosa Poir. Lam. Encycl. 851.
 — — — aquatica L. Michaux Arb. 2, 22.
 † — — — biflora Michx. Gaertn. Carp. 216.
 — — — capitata Walt. Michaux Arb. 2, 20.
 † — — — caroliniana Poir. Lam. Encycl. 851.
 † — — — denticulata Ait. Gaertn. Carp. 216.
 — — — grandidentata Michx. Michaux Arb. 2, 19.
 † — — — montana Gaertn. Gaertn. Carp. 216.
 — — — multiflora Wangenh. Emery Rep. Mass. 17.
 — — — Torrey New York 95.
 — — — silvatica Michx. Michaux Arb. 2, 21.
 † — — — uniflora Wangenh. Wangenheim Beitrag 27.
Oakesia Conradii Tuckerm. Gray Chloris 1.
 — — — Hook. Ic. pl. 6, 531.
Obeliscaria Drummondii Maund. Maund Bot. 5, 201.
Oberonia Arnottiana Wight. Wight Ic. pl. Ind. or. 5, 1628.
 — — — brevifolia Ldl. Brongniart Coquille 40.
 — — — Brunoniana Wight. Wight Ic. pl. Ind. or. 5, 1622.
 — — — denticulata Wight. Wight Ic. pl. Ind. or. 5, 1625.
 — — — Griffithiana Ldl. Lindley Sertum 8.
 — — — imbricata Blume. Wight Ic. pl. Ind. or. 5, 1629.
 — — — iridifolia Ldl. Bot. Mag. 76, 4517.
 — — — Lem. Jard. fl. 113.
 — — — Lindleyana Wight. Wight Ic. pl. Ind. or. 5, 1624.
 — — — Brongniart Coquille 40.
 — — — platycaulon Wight. Wight Ic. pl. Ind. or. 5, 1623.
 — — — rufilabris Ldl. Lindley Sertum 8.
 † — — — stachyoides A. Rich. Ann. sc. nat. II. 15, 1.
 — — — verticillata Wight. Wight Ic. pl. Ind. or. 5, 1626.
 — — — Wightiana Ldl. Wight Ic. pl. Ind. or. 5, 1627.
Obetia scifolia Gaudich. Gaudichaud Bonite 82.
Obione fera Moq. Wight Ic. pl. Ind. or. 5, 1788.
 — — — Konigii Moq. Wight Ic. pl. Ind. or. 5, 1790.
 † — — — muricata Gaertn. Gaertn. Carp. 126.
 † — — — sibirica Gaertn. Nees Genera 4, 64.
 — — — Stocksii Wight. Wight Ic. pl. Ind. or. 5, 1789.
Obolaria virginica L. Barton Fl. 3, 90.
 — — — Darlington Fl. cestr. 2.
 — — — Gray Chloris 3.

- Ochna atropurpurea* DC. Bot. Mag. 76, 4519.
 — — — Lem. Jard. fl. 29.
 — — — *ciliata* Lam. Ann. Mus. 17, 14.
 — — — *dubia* Guillem. Guillem. Seneg. 35.
 † — — — *Jabotapita* L. Gaertn. Carp. 70.
 — — — — — Lam. Encycl. 472.
 — — — *leucophloeos* Hochst. Richard Abyssin. 29.
 — — — *lucida* Lam. Lam. Encycl. 472.
 — — — *mauritiana* Lam. Ann. Mus. 17, 15, 16.
 — — — *mossambicensis* Klotzsch. Peters Mossamb. 16.
 — — — *multiflora* DC. Ann. Mus. 17, 13.
 — — — *nitida* Thunb. Ann. Mus. 17, 12.
 — — — *parvifolia* Vahl. Ann. Mus. 17, 30.
 — — — *pulchra* Hook. Hook. Ic. pl. 6, 588.
 — — — *squarrosa* L. Rumpf Amb. 3, 13.
 — — — — — Roxb. Corom. 89.
 — — — — — Ann. Mus. 17, 11.
 — — — — — Wight Illustr. 69.
 — — — *Wightiana* Wall. Wight Ic. pl. Ind. or. 1, 223.
Ochradenus baccatus Delile. Delile Egypte 31.
Ochranthe arguta Ldl. Bot. Reg. 21, 1819.
† *Ochroma* Swartz. Svensk Acad. 1792, 6.
† — — — Swartz Fl. Ind. occ. 23.
† *Ochropteris angusta* Fée. Fée Fil. 5, 29.
† — — — *pallens* J. Sm. Hook. Gen. Fil. 106.
* — — — — — Hook. Sp. Fil. 77.
† — — — — — Fée Fil. 5, 29.
† — — — *peltigera* Fée. Fée Fil. 5, 29.
Ochrosia elliptica Lab. Bill. Sertum 30.
 — — — *maculata* Jacq. Jacq. Ic. 321.
Ochroxylon punctatum Mart. Münchn. Denkschr. 6, A.
Ochrus hirsutus L. Sibth. Fl. gr. 690.
Ochthocharis paniculata Korth. Korthals Bot. 64.
† — — — — — Ann. sc. nat. III. 15, 15.
Ochthocosmus africanus Hook. fil. Hook. Niger Fl. 23.
 — — — — — Hook. Ic. pl. 8, 773.
Ocimum americanum L. Jacq. Vind. 3, 86.
 — — — — — Desc. Ant. 4, 301.
 — — — *Basilicum* L. var. *anisatum*, Rheede Hort. mal. 11, 87.
† — — — — — Lam. Encycl. 514.
 — — — — — Hayne 11, 3.
 — — — — — Guimpel et Schl. 137.
 — — — — — Nees Düsseldorf. 183.
† — — — — — Nees Genera 6, 1.
 — — — — — var. *thyrsiflorum*, Wight Ic. pl. Ind. or. 3, 868.
 — — — *bracteosum* Benth. Hook. Ic. pl. 5, 455.
 — — — *canum* Sims. Bot. Mag. 51, 2452.
 — — — *febrifugum* Ldl. Bot. Reg. 9, 753.
 — — — *grandiflorum* L'her. L'her. Stirp. 43.
 — — — *gratissimum* L. Rheede Hort. mal. 10, 86.
 — — — — — Rumpf Amb. 5, 92, fig. 2.
 — — — — — Jacq. Ic. 495.
 — — — *heptodon* Pal. B. Pal. B. Fl. d'Oware 94.
 — — — *menthoides* Burm. Rumpf Amb. 5, 93, fig. 2.
 — — — *minimum* L. Rumpf Amb. 5, 93, fig. 1.
 — — — — — Schk. Handb. 166.
 — — — *monostachyum* Pal. B. Pal. B. Fl. d'Oware 95.
 — — — *montanum* Hook. Bot. Mag. 75, 2996.
 — — — *polystachyum* L. N. Comm. Gott. 3, 3.
 — — — *sanctum* L. Rheede Hort. mal. 10, 92.
 — — — — — Rumpf Amb. 5, 92, fig. 1.
 — — — *scutellarioides* L. Rumpf Amb. 5, 101, 102, fig. 3.
 — — — — — Bot. Mag. 35, 1446.
 — — — *sericum* Med. Acta palat. 4, 7.
 — — — *stamineum* Sims. Bot. Mag. 51, 2452.
 — — — *thyrsiflorum* L. Jacq. Vind. 3, 72.
 — — — — — N. Comm. Gott. 8, 5.
 — — — *virgatum* Thunb. Rheede Hort. mal. 10, 83.
 — — — *zeylanicum* Med. Acta palat. 4, 6.
Ocotea guianensis Aubl. Aublet Guiana 310.

- † *Ocotea guianensis* Aubl. Gaertn. Carp. 222.
Octoceras Lehmanni Bge. Bunge Reliq. Lehm. 4.
† *Octomeria Baueri* Ldl. Bauer Orchid. (Genera.) 4.
† — — — *graminifolia* R. Br. Bauer Orchid. (Genera.) 4.
 — — — — — Bot. Mag. 54, 2764.
 — — — — — Lodd. Cab. 1891.
 — — — *paucifolia* Breda. Breda Orchid. Jav. 11.
 — — — *racemosa* Breda. Breda Orchid. Jav. 12.
 — — — *serratifolia* Hook. Bot. Mag. 55, 2823.
 — — — *vaginata* Breda. Breda Orchid. Jav. 5.
† *Octomeris Naud.* Ann. sc. nat. III. 4, 2.
Odina Wodier Roxb. Rheede Hort. mal. 4, 32.
 — — — — — Royle Illustr. 31.
 — — — — — Wight Ic. pl. Ind. or. 1, 60.
Odonia tomentosa Bertol. Opusc. sc. Bonon. 4, 8.
 — — — — — Bertoloni Lucubr. 1.
Odontarrhena microphylla Led. Ledeb. Ic. 143.
 — — — *obovata* Led. Ledeb. Ic. 277.
Odontites granatensis Boiss. Boissier Esp. 134.
 — — — *lutea* Rchb. Dietr. Fl. bor. 8, 516.
† — — — — — Nees Gen. 5, 41.
 — — — *rubra* Pers. Dietr. Fl. bor. 2, 79.
† — — — — — Nees Gen. 5, 41.
† — — — *semicomposita* Spr. Mag. naturf. Fr. 6, 5.
Odontocarpa Gayana Remy. Gay Chile 44.
Odontoglossum bictoniense Ldl. Bot. Reg. 26, 66.
 — — — *Cervantesii* Ldl. Bot. Reg. 31, 36.
 — — — — — Paxt. Mag. 12, 193.
 — — — — — Paxt. Fl. G. 15.
 — — — *citrosimum* Ldl. Bot. Reg. 29, 3.
 — — — — — Lem. Jard. fl. 90.
 — — — — — Fl. d. serres 6, 633.
 — — — *cordatum* Ldl. Knowles et Westcott 100.
 — — — — — Paxt. Mag. 13, 147.
 — — — *Ehrenbergii* Link et Kl. Link Ic. III. 15.
 — — — — — Fl. d. serres 8, 846.
 — — — *epidendroides* H. B. K. H. B. K. Nov. Gen. 1, 83.
 — — — — — Lam. Encycl. 992.
 — — — *grande* Ldl. Bateman Orchid. 24.
 — — — — — Hart. Parad. 1, 13.
 — — — — — Bot. Mag. 68, 3955.
 — — — — — Paxt. Mag. 8, 49.
 — — — — — Fl. d. serres 1, 21.
 — — — — — Annales de Gand 1845, 37.
 — — — *hastatum* Ldl. Bateman Orchid. 20.
 — — — *hastilabium* Ldl. Bot. Mag. 72, 4272.
† — — — *Insleayi* Ldl. Jour. Hort. Soc. 8, 55.
 — — — *laeve* Ldl. Bot. Reg. 30, 39.
 — — — *maculatum* Ldl. Bot. Reg. 26, 30.
 — — — *membranaceum* Ldl. Bot. Reg. 32, 34.
 — — — — — Annales de Gand 1845, 10.
 — — — *naevium* Ldl. Paxt. Fl. G. 18.
 — — — — — Fl. d. serres 6, 594.
 — — — *Pescatorei* Linden. Paxt. Fl. G. 90.
 — — — — — Lem. Jard. fl. 4, 331.
 — — — *pulchellum* Batem. Bot. Reg. 27, 48.
 — — — — — Bot. Mag. 70, 4104.
 — — — *Rossii* Ldl. Bot. Reg. 25, 48.
 — — — — — Maund Bot. 5, 222.
 — — — — — var. Knowles et Westcott 129.
 — — — *Warneri* Ldl. var. *purpuratum*, Bot. Reg. 33, 20.
Odontoloma acuminatum H. B. K. H. B. K. Nov. Gen. 4, 319.
† — — — *Boryanum* J. Sm. Hook. Gen. Fil. 114.
† — — — — — Fée Fil. 5, 26.
 — — — *pulchellum* J. Sm. Fielding Sertum 51.
† *Odontosoria uncinella* Fée. Fée Fil. 5, 27.
Odontostemma glandulosum Benth. Endl. Atacta 34.
Odontostigma Galeottianum A. Rich. Ramon Cuba 56.
Odonstylis multiflora Breda. Breda Orchid. Jav. 4.
 — — — *triflora* Breda. Breda Orchid. Jav. 4.
† *Oedera aliena* L. fil. Jacq. Fragm. 2.

- Oedera aliena* L. *fil.* Jacq. Schoenbr. 2, 154.
 † — *prolifera* L. Gaertn. Carp. 172.
 — — — Lam. Encycl. 720.
 — — — Bot. Mag. 40, 1637.
Oedmannia lancea Thunb. Svensk Acad. 1800, 4.
Oenanthe apiifolia Brot. Brotero Phytogr. 33.
 — *crocata* L. Jacq. Vind. 3, 55.
 † — — — Gaertn. Carp. 22.
 — — — Woodv. Med. 1, 38.
 — — — Curt. Lond. 5, 201.
 — — — Engl. Bot. 33, 2313.
 — — — Baxter Brit. Bot. 2, 166.
 — *filiformis* Lam. Lam. Encycl. 203.
 † — *fistulosa* L. Gaertn. Carp. 22.
 † — — — Lam. Encycl. 203.
 — — — Fl. dan. 5, 846.
 — — — Engl. Bot. 6, 363.
 — — — Sv. Bot. 619.
 — — — Schk. Handb. 70.
 — — — Dreves 3, 98.
 — — — Brandt und Ratzeb. 26.
 — *fluviatilis* Colem. Jardine Ann. 13, 3.
 — — — Engl. Bot. 2944.
 † — *globulosa* L. Gaertn. Carp. 22.
 — — — Gouan Illustr. 9.
 — *incrassans* Bory. Bory et Chaubard Morée 8.
 — *Jordani* Ten. Tenore Fl. nap. 218.
 — *Karstia* Hacq. Hacquet Pl. alp. 3.
 — *Lisae* Moris. Moris Fl. sard. 77.
 — *peucedanifolia* Poll. Pollich Palat. 1, 2.
 — — — Sm. Engl. Bot. 5, 348.
 — *Phellandrium* Lam. Nees Düssel. 280.
 — *pimpinelloides* Sm. Engl. Bot. 5, 347.
 — — — Fl. dan. 9, 1454.
 — — — Jacq. Fl. austr. 4, 394.
 † — — — Gaertn. Carp. 22.
 — *prolifera* L. Jacq. Vind. 3, 62.
 — *stolonifera* DC. Wight Ic. pl. Ind. or. 2, 571.
Oenocarpus Bacaba Mart. Mart. Palm. 26.
 — — — Wallace Palms 9.
 — *Batana* Mart. Mart. Palm. 24, 25.
 — — — Wallace Palms 10, 11.
 — *circumtexta* Mart. Mart. Palm. 26.
 — *disticha* Mart. Mart. Palm. 22, 23.
 — *minor* Mart. Mart. Palm. 27.
 — *Tarampabo* Mart. D'Orbigny Voyage 8, 18.
 † *Oenothera* L. Ann. sc. nat. II, 18, 11, 12.
 — *acaulis* Cav. Cav. Ic. 399.
 — — — Bot. Reg. 9, 763.
 — *albicans* Lam. Lam. Encycl. 279.
 — *alyssoides* H. et A. Hook. Ic. pl. 4, 339.
 — *amoena* Lehm. Acta Leop. 14, 2, 45.
 — *anisoloba* Sweet. Bot. Reg. 18, 1479.
 — — — Sweet Fl. G. II, 165.
 — *anomala* Curt. Bot. Mag. 11, 388.
 — *biennis* L. Fl. dan. 3, 446.
 † — — — Lam. Encycl. 279.
 — — — Sv. Bot. 549.
 — — — Engl. Bot. 22, 1534.
 — — — Baxter Brit. Bot. 4, 257.
 — — — var. *grandiflora*, Bot. Reg. 19, 1604.
 † — — — Plée Types 32.
 — — — Sturm Flora 1, 5.
 — — — Schrank Fl. monac. 1, 36.
 — — — Dietr. Fl. bor. 3, 214.
 — *bifrons* Don. Bot. Mag. 66, 3764.
 — — — Bot. Reg. 17, 1405.
 — — — Sweet Fl. G. II, 386.
 — *caespitosa* Sims. Bot. Mag. 39, 1593.
 — *cheiranthifolia* Hornem. Bot. Reg. 12, 1040.
 — *concinna* Don. Sweet Fl. II, 163.
 — *corymbosa* Sims. Bot. Mag. 45, 1974.

- Oenothera decumbens* Dougl. Bot. Reg. 15, 1321.
 — — — Bot. Mag. 56, 2889.
 — *densiflora* Ldl. Bot. Reg. 19, 1593.
 — *dentata* Rz et P. Ruiz et Pav. Fl. 317.
 — — — Cav. Cav. Ic. 398.
 — — — Lindley Collect. 10.
 — *Drummondii* Hook. Bot. Mag. 61, 3361.
 — *Fraseri* Pursh. Bot. Mag. 40, 1674.
 — *fruticosa* L. Bot. Mag. 10, 332.
 — — — var. Bot. Mag. 64, 3545.
 — — — var. *indica*, Bot. Reg. 27, 11.
 — *glauca* Michx. Bot. Mag. 39, 1606.
 — — — Bot. Reg. 18, 1511.
 — *graciliflora* H. et A. Hook. Ic. pl. 4, 338.
 — *grandiflora* Rz et P. Ruiz et Pav. Fl. 318.
 — — — Ait. Barton Fl. 1, 8.
 — — — Bot. Mag. 46, 2068.
 — *humifusa* Nutt. Bot. Reg. 22, 1429.
 — *laciniata* Hill. Hill Hort. Kew. 6.
 — *Lindleyi* Dougl. Bot. Mag. 55, 2832.
 — — — Sweet Fl. G. II, 19.
 — *longiflora* L. Jacq. Vind. 172.
 — — — Bot. Mag. 11, 365.
 — *macrocarpa* Pursh. Sweet Fl. G. 5.
 — *minima* Pursh. Pursh Fl. 15.
 — *missouriensis* Sims. Bot. Mag. 39, 1592.
 — *mollissima* L. Schk. Handb. 105.
 — *multicaulis* Rz et P. Ruiz et Pav. Fl. 317.
 — *muricata* Murr. N. Comm. Gott. 6, 1.
 — — — Fl. dan. 10, 1752.
 — *nocturna* Jacq. Jacq. Ic. 458.
 — *octovalvis* L. Jacq. Hist. stirp. am. 105.
 — *odorata* Jacq. Jacq. Ic. 456.
 — — — Hook. Exot. Fl. 183.
 — — — Bot. Mag. 50, 2403.
 — — — Bot. Reg. 2, 147.
 † — — — N. Ann. Mus. 4, 30.
 † — — — Spach Suites 86.
 — *pallida* Ldl. Bot. Reg. 14, 1142.
 — *prostrata* Rz et P. Ruiz et Pav. Fl. 316.
 — *pumila* L. Bot. Mag. 10, 355.
 — *purpurea* Curt. Bot. Mag. 10, 352.
 — *quadrivulnera* Dougl. Bot. Reg. 13, 1119.
 — *repanda* Med. Acta palat. 3, 8.
 — *Romanzowii* Led. Petersb. 8, 11.
 — — — Bot. Reg. 7, 562.
 — *rosea* Ait. Meerb. Pl. sel. 17.
 — — — Bot. Mag. 10, 347.
 — *roseo-alba* Bernh. Rchb. Hort. 47, 150.
 — — — Sweet Fl. G. 268.
 — *rubra* Cav. Cav. Ic. 409.
 — *serotina* Sweet. Sweet Fl. G. 184.
 — — — Bot. Reg. 22, 1840.
 — *serrulata* Nutt. Hook. Exot. Fl. 140.
 — — — Sweet Fl. G. 133.
 — *sinuata* L. N. Comm. Gott. 5, 9.
 — — — Bot. Mag. 62, 3392.
 — *speciosa* Nutt. Hook. Exot. Fl. 80.
 — — — Bot. Mag. 59, 3189.
 — — — Kerner Hort. 744.
 — — — Sweet Fl. G. 253.
 — *stricta* Led. Petersb. 8, 12.
 — *subulata* Rz et P. Ruiz et Pav. Fl. 316.
 — *taraxacifolia* Sweet. Sweet Fl. G. 294.
 — *tenella* Cav. Cav. Ic. 396.
 — — — Ruiz et Pav. Fl. 316.
 — — — Bot. Mag. 50, 2424.
 — — — Sweet Fl. G. 167.
 — — — var. *tenuifolia*, Bot. Reg. 19, 1587.
 — *tenuifolia* Cav. Cav. Ic. 397.
 — — — Ruiz et Pav. Fl. 317.
 — *tetraptera* Cav. Cav. Ic. 279.

- Oenothera tetraptera* Cav. Bot. Mag. 13, 468.
 — *triloba* Bart. Barton Fl. 2, 49.
 — — Bot. Mag. 52, 2566.
 — — Rchb. Hort. 145.
 — *vitifolia* Dougl. Bot. Mag. 55, 2873.
 — — Bot. Reg. 15, 1220.
 — *virgata* R. et P. Ruiz et Pav. Fl. 315.
 † *Oenotheraceae* Endl. (Embryo.) Ann. sc. nat. III. 9, 4.
Oginetia indica Roxb. Wight Ic. pl. Ind. or. 3, 895.
O-Higginsia aggregata R. et P. Ruiz et Pav. Fl. 83.
 — *obovata* R. et P. Ruiz et Pav. Fl. 85.
 — *verticillata* R. et P. Ruiz et Pav. Fl. 85.
Ohlendorffia rosulata N. v. E. Bot. Reg. 22, 1882.
Oiospermum Wighianum DC. Delessert Ic. 4, 1.
 † *Olacineae* Mirbel. Wight Illustr. 142.
Olax scandens Roxb. Roxb. Corom. 102.
 † — — Gaertn. Carp. 201.
 — *stricta* R. Br. Dict. sc. nat. 6.
 † — *zeylanica* L. Gaertn. Carp. 179.
Oldenburgia arbuscula DC. DC. Composées 12.
 † *Oldenlandia corymbosa* L. Gaertn. Carp. 30.
 † — — Lam. Encycl. 61.
 — — Desc. Ant. 1, 50.
 — *Deppeana* DC. Knowles et Westcott 1.
 — — Maund Bot. 5, 249.
 — *paniculata* L. Burm. Fl. ind. 15.
 — *ramosa* Roxb. Wight Ic. pl. Ind. or. 3, 822.
 — *repens* L. Rumpf Amb. 5, 170. fig. 4.
 — — Burm. Burm. Fl. ind. 15.
 — *tenuifolia* Burm. Burm. Fl. ind. 14.
 — *umbellata* L. Roxb. Corom. 3.
 — *verticillata* L. Rumpf Amb. 6, 10.
Oldfieldia africana Benth. et Hook. Hook. Journ. 1850, 6.
Olea americana L. Michaux Arb. 3, 6.
 — *apetala* Andr. Andr. Rep. 5, 316.
 — — Vahl. Endl. Iconogr. 54.
 — *capensis* L. Bot. Reg. 8, 613.
 — *clavata* G. Don. Wight Ic. pl. Ind. or. 2, 736.
 — *dioica* Roxb. Rheede Hort. mal. 4, 54.
 — — Wight Illustr. 151.
 — *emarginata* Lam. Lam. Encycl. 8.
 † — *europaea* L. Gaertn. Carp. 93.
 † — — Lam. Encycl. 8.
 † — — Kerner Genera 130.
 — — Lehr Olea x.
 — — Tavanti tab. 1—5.
 — — Couture Traité 1, 1—5. 2, 1. 2.
 — — Sibth. Fl. gr. 3.
 — — Woodv. Med. 2, 98.
 — — var. *longifolia*, Lodd. Cab. 456.
 — — Nouveau Duhamel 5, 28—32.
 — — Hillhouse Description 1.
 — — Dict. sc. nat. 38.
 — — Spach Suites 106.
 — — Hayne 10, 10.
 — — Nees Düssel. 211.
 — — Guimpel et Schl. 248.
 — — Wagner 54.
 — *exasperata* Jacq. Jacq. Schoenbr. 3, 251.
 — *ferruginea* Royle. Royle Illustr. 65.
 — *fragrans* Thunb. Thunberg Fl. jap. 2.
 — — Bot. Mag. 38, 1552.
 — — Lodd. Cab. 1786.
 — — Nouveau Duhamel 5, 24.
 — — Nees Düssel. 212.
 † — — (Folium.) Mem. Instit. 1850, 8.
 † — *glandulifera* Wall. Wight Illustr. 151^b.
 — — Wight Ic. pl. Ind. or. 4, 1239.
 — *linocieroides* Wight. Wight Ic. pl. Ind. or. 4, 1241.
 — *montana* Hook. fil. Hook. New Zeal. 46.
 — *nigra* Loiseleur. Herb. amat. 4, 256.
 — *paniculata* Roxb. Wight Ic. pl. Ind. or. 2, 735.

- Olea polygama* Wight. Wight Ic. pl. Ind. or. 4, 1239.
 — — — — — 1240.
 — *robusta* Wall. Wight Spicil. 147.
 — — — Wight Ic. pl. Ind. or. 4, 1242.
 — *Roxburghii* R. et Sch. Wight Ic. pl. Ind. or. 2, 735.
 — *undulata* Jacq. Jacq. Schoenbr. 1, 2.
 — — — Bot. Mag. 58, 3089.
 — — — Lodd. Cab. 379.
 † *Oleaceae* Endl. Wight Illustr. 151^{bis}.
Oleandra hirtella Miq. Kunze Fil. 129.
 † — *pilosa* Hook. Hook. Gen. Fil. 45.
Olearia Colensoi Hook. fil. Hook. New Zeal. 29.
 — ? *grandiflora* Hook. Hook. Ic. pl. 9, 862.
 — *Gunniana* Hook. fil. Bot. Mag. 78, 4638.
 — — — Lem. Jard. fl. 243.
Olfersia corcovadensis Raddi. Opusc. sc. Bon. 3, 11.
 — — — Raddi Fil. 14. 15.
 † — — — Hook. Gen. Fil. 79.
 † — — — Schott Gen. Fil. 5.
Oligogyne Burchellii Hook. Hook. Ic. pl. 2, 101.
 — *tampicana* DC. Delessert Ic. 4, 38.
Oligolepis amaranthoides Wight. Wight Ic. pl. Ind. or. 3, 1149.
Oligomeris glaucescens Decne. Jacquemont Ind. 25.
 † *Oligopholis tubulosa* Wight. Wight Illustr. 158^b.
 — — — Wight Ic. pl. Ind. or. 4, 1422.
 † *Oligosporus emarginatus* Gaudich. Ann. sc. nat. 5, 3.
 † *Oligothrix* DC. Ann. sc. nat. II. 12, 4.
 — *gracilis* DC. Delessert Ic. 4, 57.
Olinia acuminata Klotzsch. Link Ic. III. 21.
 — *capensis* Klotzsch. Link Ic. III. 3.
 — *cymosa* Thunb. Link Ic. III. 24.
Oliveria decumbens Vent. Vent. Cels 21.
 — — — Lam. Encycl. 935.
 † *Olmedia* R. et P. Ruiz et Pav. Prodr. 28.
 † — — Ann. sc. nat. III. 8, 2.
 — *angustifolia* P. et E. Poepp. et Endl. 143.
 — *aspera* R. et P. H. B. K. Nov. Gen. 7, 633.
 — *calophylla* P. et E. Poepp. et Endl. 146.
 — *mollis* P. et E. Poepp. et Endl. 144.
 — *tomentosa* P. et E. Poepp. et Endl. 145.
 † *Olyra* L. Linné Amoenit. 7, 3.
 † — — Ann. Mus. 17, 6.
 — *axillaris* Lam. Lam. Encycl. 751.
 — *capillata* Trin. Trin. Sp. Gr. 3, 341.
 — *cordifolia* Willd. Trin. Sp. Gr. 3, 342.
 — *fasciculata* Trin. Trin. Sp. Gr. 3, 343.
 — *filiformis* Trin. Trin. Sp. Gr. 3, 344.
 — *floribunda* Raddi. Trin. Sp. Gr. 3, 345.
 — *humilis* N. v. E. Brongniart Coquille 22.
 † — *latifolia* L. Gaertn. Carp. 181.
 — — — Lam. Encycl. 751.
 — *micrantha* Humb. Kth. Humb. Gram. 12.
 — *paniculata* Sw. Trin. Sp. Gr. 3, 346.
 — *semiovata* Trin. Trin. Sp. Gr. 3, 347.
 † *Omalanthus Leschenaultianus* Juss. Juss. Euphorb. 16.
 — *populifolius* Grah. Bot. Mag. 54, 2780.
Ombrophytum peruvianum P. et E. Poepp. et Endl. 155.
 † — *zamioides* Wedd. Ann. sc. nat. III. 14, 10.
Omphacarpus hirsutus Korth. Korthals Bot. 42.
 † *Omphalea axillaris* Poir. Lam. Encycl. 753.
 — *diandra* L. Aublet Guiana 328.
 † — — — Lam. Encycl. 753.
 † — *triandra* L. Swartz Obs. 10.
 † — — — Lam. Encycl. 753.
 — — — Lodd. Cab. 519.
 — — — Tussac Ant. 4, 9.
 — — — Desc. Ant. 2, 80.
 † — — — Jussieu Euphorb. 17.
 † *Omphalobium indicum* Gaertn. Gaertn. Carp. 46.
 — *Patrisii* DC. Mem. hist. nat. Par. 2, 20.
 — *Perrottetii* DC. Mem. hist. nat. Par. 2, 20.

- Omphalobium rubrum* *P. et E. Poepp. et Endl.* 288.
 — *Schotia Jacq. Jacq. Ecl. pl.* 126.
 — *villosum DC. Delessert Ic.* 3, 58.
Omphalocarpum procerum *Pal. B. Fl. B. Fl. d'Ow.* 5. 6.
 † — — — *Lam. Encycl.* 966.
 † — — — *Kerner Genera* 91, 92.
Omphalodes amplexicaulis *Lehm. Mag. naturf. Fr.* 8, 3.
 — *cornifolia Lehm. Mag. naturf. Fr.* 8, 2.
 — *longiflora A. DC. Regel Gartenfl.* 2, 46.
 — *Luciliae Boiss. Janbert Illustr.* 366.
 — *nitida Link. Hoffm. et Link Fl. port.* 25.
 — *scorpioides Lehm. Mag. naturf. Fr.* 8, 4.
 — — — *Sturm Flora* 6, 21.
 — *verna Moench. Sturm Flora* 6, 21.
 † — — — *Nees Genera* 6, 57.
 † *Omphalopus fallax Naud. Ann. sc. nat. III.* 15, 4.
 † *Onagra biennis Moench. Gaertn. Carp.* 32.
 † *Onagrarieae DC. Spach Suites* 85, 86.
 † *Oncidium Sw. Svensk Acad.* 1800, 3.
 † — — — *Schrader Neues Journal* 1, 1.
 — *altissimum Ldl. Bot. Reg.* 19, 1851. 22, 1851.
 — — — *Bot. Mag.* 57, 2990.
 — — — *Kerner Hort.* 394.
 — *amictum Ldl. Bot. Reg.* 33, 66.
 — *ampliatum Ldl. Bot. Reg.* 20, 1699.
 — *barbatum Ldl. Lindley Collect.* 27.
 — — — *Kerner Hort.* 791.
 — *Barkeri Ldl. Lindley Sertum* 48.
 — — — *Paxt. Mag.* 14, 97.
 — — — *Lemaire Illustr.* 1854, 2.
 — *Batemanianum Parm. Knowles et Westcott* 137.
 † — *Baueri Ldl. Bauer Orchid. (Genera.)* 7.
 — *bicallosum Ldl. Bot. Reg.* 29, 12.
 — — — *Bot. Mag.* 71, 4148.
 — *bicolor Ldl. Bot. Reg.* 29, 66.
 — *bicornutum Hook. Bot. Mag.* 58, 3109.
 — — — *Bot. Reg.* 12, 1007.
 — *bifolium Sims. Bot. Mag.* 36, 1491.
 — — — *Lodd. Cab.* 1845.
 — *carthagenense Sw. Lodd. Cab.* 662.
 — — — *Link Ic. III.* 6.
 — *Cavendishianum Batem. Bateman Orchid.* 3.
 — *Cebolleta Sw. Bot. Reg.* 23, 1994.
 — — — *Bot. Mag.* 64, 3568.
 — *ciliatum Ldl. Bot. Reg.* 20, 1660.
 — *citrinum Ldl. Bot. Reg.* 21, 1758.
 — — — *Paxt. Mag.* 4, 77.
 — ? *concolor Hook. Bot. Mag.* 66, 3752.
 — *cornigerum Ldl. Bot. Reg.* 18, 1842.
 — — — *Bot. Mag.* 63, 3486.
 — *crispum Lodd. Lodd. Cab.* 1854.
 — — — *Bot. Mag.* 63, 3499.
 — — — *Bot. Reg.* 23, 1920.
 — — — *Maund Bot.* 1, 26.
 — — — *Knowles et Westcott* 64.
 — *cucullatum Ldl. Paxt. Fl. G.* 87.
 — — — *Lem. Jard. fl.* 3, 317.
 — — — *Fl. d. serres* 8, 835.
 — *curtum Ldl. Bot. Reg.* 33, 68.
 — *deltoides Lodd. Bot. Reg.* 23, 2006.
 — *divaricatum Ldl. β. cupreum, Bot. Reg.* 13, 1030.
 — — — *Paxt. Mag.* 3, 4.
 — — — *Lodd. Cab.* 1212.
 — — — *Rchb. Exot.* 95.
 — *echinatum H. B. K. H. B. K. Nov. Gen.* 1, 79.
 — *fiabelliferum Pin. Paxt. Mag.* 16, 65.
 — *flexuosum Lodd. Lodd. Cab.* 424.
 — — — *Bot. Mag.* 48, 2203.
 — — — *Rchb. Exot.* 94.
 — *Forbesii Hook. Bot. Mag.* 65, 3705.
 — *gallopavinum Morr. Annales de Gand* 1845, 1.
 — *Geertianum, Morr. Annales de Gand* 1848, 179.

- Oncidium haematichilum Ldl. Paxt. Fl. G.* 6.
 — *Harrisonianum Ldl. Bot. Reg.* 19, 1569.
 — — — *Lodd. Cab.* 1917.
 — *heteranthum P. et E. Poepp. et Endl.* 60.
 — *Huntianum Hook. Bot. Mag.* 67, 3886.
 — *incurvum Barker. Bateman Orchid.* 29.
 — — — *Bot. Reg.* 31, 64.
 — *Insleayii Ldl. Bateman Orchid.* 21.
 — — — *Paxt. Mag.* 8, 265.
 — — — *Fl. d. serres* 1, 43.
 — *intermedium Kn. et W. Knowles et Westcott* 60.
 — *iridifolium Ldl. Bot. Reg.* 22, 1911.
 — *lacerum Ldl. Bot. Reg.* 32, 27.
 — *Lanceanum Ldl. Hort. Transact.* 9, 5.
 — — — *Bot. Reg.* 22, 1887.
 — — — *Knowles et Westcott* 79.
 — — — *Paxt. Mag.* 4, 169.
 — — — *var. superbum, Hart. Parad.* 1, 12.
 — *Lemonianum Ldl. Bot. Reg.* 21, 1789.
 — *leucochilum Batem. Bateman Orchid.* 1.
 — — — *Paxt. Mag.* 7, 241.
 — *longifolium Ldl. Bot. Reg.* 28, 4.
 — *lunatum Ldl. Bot. Reg.* 23, 1929.
 — *luridum Ldl. Bot. Reg.* 9, 727.
 — — — *Bot. Mag.* 64, 3603.
 — — — *var. guttatum, Bot. Reg.* 25, 16.
 — — — *var. Henchmanni, Knowles et Westc.* 97.
 — *macrantherum Hook. Bot. Mag.* 67, 3845.
 — *microchilum Batem. Bot. Reg.* 29, 23.
 — *monoceras Hook. Bot. Mag.* 68, 3890.
 — *Normani Hort. Glenny Journal* 1839, x.
 — *ornithorhynchum H. B. K. H. B. K. N. G.* 1, 80.
 — — — *Bot. Reg.* 26, 10.
 — — — *Bot. Mag.* 68, 3912.
 — — — *Bateman Orchid.* 4.
 — — — *Knowles et Westcott* 136.
 — *pachyphyllum Hook. Bot. Mag.* 67, 3807.
 — *panchrysium Ldl. Journal Hort. Soc.* 4, 267.
 — *panduriferum H. B. K. H. B. K. Nov. Gen.* 1, 82.
 — *Papilio Ldl. Bot. Reg.* 11, 910.
 — — — *Bot. Mag.* 55, 2795. 66, 3733.
 — — — *Lodd. Cab.* 1086.
 — — — *Maund Bot.* 1, 10.
 — — — *Paxt. Mag.* 5, 175.
 — — — *Knowles et Westcott* 12.
 — — — *Rchb. Exot.* 62.
 — — — *Hart. Parad.* 1, 9.
 — *pectorale Ldl. Lindley Sertum* 39.
 — *pelicanum Mart. Bot. Reg.* 33, 70.
 — *pictum H. B. K. H. B. K. Nov. Gen.* 1, 81.
 — — — *Lam. Encycl.* 992.
 — — — *Kerner Hort.* 499.
 — *planilabre Ldl. Journal Hort. Soc.* 6, 60.
 — *pubes Ldl. Bot. Reg.* 12, 1007.
 — — — *var. Bot. Mag.* 68, 3926.
 — *pulchellum Hook. Bot. Mag.* 54, 2773.
 — — — *Bot. Reg.* 21, 1787.
 — — — *Lodd. Cab.* 1984.
 — *pulvinatum Ldl. Bot. Reg.* 25, 42.
 — *pumilum Ldl. Bot. Reg.* 11, 920.
 — — — *Bot. Mag.* 64, 3581.
 — — — *Lodd. Cab.* 1732.
 — *raniferum Ldl. Bot. Reg.* 24, 48.
 — — — *Bot. Mag.* 66, 3712.
 — *reflexum Ldl. Maund Bot.* 3, 116.
 — *Rigbyanum Paxt. Paxt. Mag.* 16, 257.
 — *Russelianum Ldl. Bot. Reg.* 22, 1830.
 — *sanguineum Ldl. Lindley Sertum* 27.
 — *sessile Paxt. Paxt. Fl. G.* 21.
 — *sphacelatum Ldl. Bot. Reg.* 28, 30.
 — *spilopterum Ldl. Bot. Reg.* 31, 40.
 — — — *Paxt. Mag.* 15, 200.

- Oncidium stramineum* Ldl. Bot. Reg. 26, 14.
 — *tenue* Ldl. Journal Hort. Soc. 3, 77, 7, 271.
 — *tricolor* Hook. Bot. Mag. 70, 4130.
 — *trilingue* Ldl. Paxt. Fl. G. 63.
 — — Lem. Jard. fl. 217.
 — *triquetrum* R. Br. Bot. Mag. 62, 3393.
 — *trulliferum* Ldl. Bot. Reg. 25, 57.
 — *uniflorum* Booth. Bot. Reg. 29, 43.
 — *urophyllum* Lodd. Bot. Reg. 28, 54.
 — *varicosum* Ldl. Lem. Jard. fl. 206 — 207.
 — *variegatum* Sw. Lem. Jard. fl. 99.
 — — Paxt. Fl. G. 33.
 — *Wentworthianum* Batem. Bateman Orchid. 39.
 — *Wrayae* Hook. Bot. Mag. 67, 3854.
Oncoba spinosa Forsk. Lam. Encycl. 471.
 — — Perrottet. Guillemin Seneg. 10.
Oncosperma filamentosa Bl. Blume Rumphia 82, 103.
† *Oncostemum Capeliceranum* Juss. Mem. Mus. 19, 11.
 — *Commersonianum* Juss. Mem. Mus. 19, 11.
† *Onobroma coeruleum* Gaertn. Carp. 160.
Onobrychis cretica Desv. Desvaux Journ. 5, 23.
† — *Crista galli* Lam. Gaertn. Carp. 148.
 — *diffusa* Decne. Jacquemont Ind. 49.
 — *horrida* Desv. Desvaux Journ. 5, 22.
 — *Pallasii* M. v. B. Marschall Cent. 35.
 — *radiata* M. v. B. Marschall Cent. 55.
 — — Bot. Reg. 33, 37.
 — — Knowles et Westcott 3.
 — *sativa* Lam. Sturm Flora 5, 19.
 — — Schrank Fl. monac. 4, 320.
 — — Dietr. Fl. bor. 9, 605.
 — — Baxter Brit. Bot. 2, 134.
 — *saxatilis* Lam. All. Fl. ped. 3, 19.
 — *squarrosa* Viv. Viviani Aeg. 2.
Onoclea Boryana Sw. Schk. Fil. 105^b.
 — *crispa* Liljeblad. Sturm Flora II. 1, 8.
 — *nodulosa* Michx. Schk. Fil. 104.
 — *nuda* Lab. Bill. Nov. Holl. 246.
 — *obtusilobata* Schk. Schk. Fil. 103.
 — — Lodd. Cab. 1578.
 — — Torrey New York 160.
 — *scandens* Sw. Schk. Fil. 106, 107.
 — *sensibilis* L. Schk. Fil. 102.
 — — Dict. sc. nat. 90.
 — — Lam. Encycl. 864.
 — — var. Torrey New York 160.
† — — Hook. Gen. Fil. 82.
 — *Struthiopteris* Sw. Schk. Fil. 105.
Onoctonia calcarata Naud. Ann. sc. nat. III. 12, 12.
 — *crassipes* Naud. Ann. sc. nat. III. 12, 12.
 — *pauciflora* Naud. Ann. sc. nat. III. 12, 12.
Ononis aggregata Asso. Asso Aragon. 6.
 — *alba* Poir. Moris Fl. sard. 33^b.
 — *alopecuroides* L. Picot Pyrénées 9.
 — — Schk. Handb. 194.
 — *antiquorum* L. Sibth. Fl. gr. 675.
 — — Jaubert Illustr. 154.
 — — Rchb. Pl. crit. 1, 7.
 — — Sturm Flora 17, 72.
 — — Baxter Brit. Bot. 4, 289.
† — — Mutel Fl. fr. 15.
 — *aragonensis* Asso. Asso Aragon. 6.
 — *arborescens* Desf. Desf. Fl. atl. 193.
 — *arthropodia* Brot. Brotero Phytogr. 58.
 — *arvensis* L. var. *spinosa*, Engl. Bot. 10, 682.
 — — var. *spinosa*, Sv. Bot. 243.
 — — Engl. Bot. 2659.
 — *Aucherii* Jaub. Jaubert Illustr. 96.
 — *barbata* Cav. Cav. Ic. 153.
 — *biflora* Desf. Moris Fl. sard. 33.
 — *calycina* Viv. Viviani Lib. 18.
 — *capitata* Cav. Cav. Ic. 154.

- Ononis cenisia* L. All. Fl. ped. 3, 10.
 — *cephalotes* Boiss. Boissier Esp. 47.
 — *Cherleri* Sibth. Sibth. Fl. gr. 677.
 — *cintrana* Brot. Brotero Phytogr. 57.
 — *Columnae* All. Allione Fl. ped. 3, 20.
 — — Brotero Phytogr. 56.
 — — Sibth. Fl. gr. 676.
 — *crispa* L. Roemer Archiv I. 1.
 — — Sibth. Fl. gr. 680.
 — *Dehnhardtii* Ten. Acad. Neap. 3, 4.
 — — Tenore Fl. nap. 169.
 — *dentata* Soland. Transact. Cambr. Soc. 4, 4.
 — *diacantha* Sieb. Rchb. Pl. crit. 1, 7.
 — *diffusa* Ten. Tenore Fl. nap. 169.
 — *ervoides* Sieb. Sieber Creta 11.
 — *euphrasioides* Desf. Desf. Fl. atl. 184.
 — *falcata* Viv. Viviani Lib. 18.
 — *filicaulis* Salzm. Boissier Esp. 46.
 — *flexipes* Webb. Webb Canar. 54.
 — *foetens* All. All. Fl. ped. 3, 41.
 — *fruticosa* L. Bot. Mag. 9, 317.
 — — Lodd. Cab. 1569.
 — — Nouveau Duhamel 2, 36.
 — *gibraltarica* Boiss. Boissier Esp. 43.
 — *hebecarpa* Webb. Webb Canar. 52.
 — *hircina* Jacq. Jacq. Vind. 93.
 — — Hayne 11, 42.
 — — Sturm Flora 17, 72.
 — — Fl. dan. 9, 1584.
 — *hispanica* L. Brotero Phytogr. 177.
 — — Bot. Mag. 51, 2450.
 — *hispida* Desf. Desf. Fl. atl. 189.
 — *juncea* Asso. Asso Arag. 5.
 — *latifolia* Asso. Asso Arag. 11.
 — *laxiflora* Desf. Desf. Fl. atl. 190.
 — — Webb Canar. 53.
 — *longifolia* Willd. Webb Canar. 51.
 — *Masquillierii* Bert. Novi Comm. Bonon. 4, 5.
 — *minutissima* Jacq. Jacq. Fl. austr. 3, 240.
 — *mollis* Savi. Mem. Mod. 9, x.
 — *monophylla* Desf. Desf. Fl. atl. 188.
 — *Natrix* L. Bot. Mag. 10, 329.
 — — Sturm Flora 17, 72.
 — — Guimpel Holzgew. 125.
 — *ohgophylla* Ten. Tenore Fl. nap. 67.
 — *ornithopodioides* L. Cav. Ic. 192.
 — — Sibth. Fl. gr. 679.
 — *parviflora* Lam. Cav. Ic. 154.
 — *peduncularis* Ldl. Bot. Reg. 17, 1447.
 — *pendula* Desf. Desf. Fl. atl. 191.
 — *persica* Burm. Burm. Fl. ind. 49.
 — *Picardi* Boiss. Boissier Esp. 45.
 — *picta* Desf. Desf. Fl. atl. 187.
 — *polymorpha* Guss. Gussone Fl. rar. 49.
 — *ramosissima* Desf. Desf. Fl. atl. 186.
 — *reclinata* L. Engl. Bot. 2838.
 — *repens* L. Sturm Flora 17, 72.
 — — Hayne 11, 44.
† — — Cosson Atlas 11.
 — *rosea* Durieu. Explor. Alger. 83.
 — *rotundifolia* L. Jacq. Fl. austr. 5, 49.
 — — Bot. Mag. 10, 335.
 — — Lodd. Cab. 1496.
 — — Lam. Encycl. 616.
 — — Herb. amat. 2, 119.
 — — Sturm Flora 17, 72.
 — — Guimpel Holzgew. 126.
 — *serrata* Forsk. β. *prostrata*, Webb Canar. 55.
 — *sicula* Guss. Boissier Esp. 46.
 — *speciosa* Lag. Boissier Esp. 44.
 — *spinosa* L. Fl. dan. 5, 783.
 — — Schk. Handb. 194.

- † *Ononis spinosa* L. Gaertn. Carp. 154.
 † — — — Lam. Encycl. 616.
 — — — Guimpel Holzgew. 124.
 — — — Schrank Fl. monac. 4, 333.
 — — — Sturm Flora 17, 72.
 — — — Guimpel et Schl. 166.
 — — — Wagner 214.
 — — — Nees Düssel. 323.
 — — — Hayne 11, 43.
 † — — — Cosson Atlas 11.
 — *syriaca* Jaub. Jaubert Illustr. 155.
 — *tridentata* L. Cav. Ic. 152.
 — *ulicina* Webb. Webb. Canar. 51^B.
 — *vaginalis* Vahl. Vent. Cels 32.
 — — — Viviani Lib. 4.
 — *variegata* L. Desf. Fl. atl. 185.
 — *vestita* Viv. Viviani Lib. 18.
 — *villosissima* Desf. Desf. Fl. atl. 192.
 — *viscosa* L. Sibth. Fl. gr. 678.
Onopordon Acanthium L. Fl. dan. 6, 909.
 — — — Curt. Lond. 2, 20.
 — — — Engl. Bot. 14, 977.
 — — — Baxter Brit. Bot. 4, 273.
 — — — Sv. Bot. 227.
 — — — Schk. Handb. 230.
 — — — Hayne 6, 44.
 — — — Schrank Fl. monac. 1, 67.
 — — — Dietr. Fl. bor. 8, 521.
 — — — Rchb. Fl. germ. 15, 813.
 — *acaulis* L. Jacq. Ic. 167.
 — *arabicum* L. Jacq. Vind. 149.
 — — — Bot. Mag. 61, 3299.
 — *elatum* Sibth. Sibth. Fl. gr. 833.
 — *graecum* Gouan. Gouan Illustr. 25.
 — *illyricum* L. Jacq. Vind. 148.
 † — — — Gaertn. Carp. 161.
 † — — — Lam. Encycl. 664.
 † — — — Schk. Handb. 230.
 — — — Rchb. Fl. germ. 15, 814.
 — *macroacanthum* Schousb. Schousboe Mar. 5^a, 5^b.
 — — — Sibth. Fl. gr. 832.
 — *nervosum* Boiss. Boissier Esp. 108^a.
 — *rotundifolium* All. All. Fl. ped. 3, 38.
 — *tauricum* Willd. Rchb. Fl. germ. 15, 814.
 — *uniflorum* Cav. Cav. Ic. 88.
Onoseris hieracioides H. B. K. H. B. K. Nov. Gen. 4, 304.
 — *hyssopifolia* H. B. K. H. B. K. Nov. Gen. 4, 306.
 — *linifolia* Colla. Mem. Tur. 38, 25.
 † — *purpurata* Willd. Ann. Mus. 19, 3.
 — *speciosa* H. B. K. H. B. K. Nov. Gen. 4, 305.
Onosma angustifolium Lehm. Lehmann Asperif. 14.
 — *arenarium* W. et K. W. et Kit. 279.
 — — — Nees Düssel. Suppl. 33.
 † — — — Nees Gen. 6, 67.
 — *echinatum* Desf. Desf. Fl. atl. 43.
 — — — Viviani Lib. 26.
 — *echioides* L. Jacq. Fl. austr. 3, 295.
 — — — Schk. Handb. 31.
 † — — — Lam. Encycl. 93.
 — — — β. Sibth. Fl. gr. 172.
 — — — Lodd. Cab. 1741.
 — — — Nees Düssel. Suppl. 32.
 — *erectum* Sibth. Sibth. Fl. gr. 173.
 — *fruticosum* Lab. Bill. Syr. 3, 6.
 — — — Sibth. Fl. gr. 174.
 — *giganteum* Lam. Tausch Hort. Canal. 3.
 — *Gmelini* Led. Ledeb. Ic. 280.
 — — — Rchb. Ic. crit. 4, 380.
 — *polyphyllum* Led. Ledeb. Ic. 24.
 — *rigidum* Led. Ledeb. Ic. 238.
 — *rupestre* M. v. B. Lehmann Asperif. 12.
 — — — Lodd. Cab. 1880.

- Onosma sericeum* Willd. Lehmann Asperif. 10.
 — *setosum* Led. Ledeb. Ic. 196.
 — — — Knowles et Westcott 111.
 † — *simplicissimum* L. Gaertn. Carp. 67.
 — — — Marshall Cent. 57.
 — — — Bot. Mag. 48, 2248.
 — — — Lehmann Asperif. 13.
 — *stamineum* Led. Eichwald Cauc. 3.
 — *stellulatum* W. et K. W. et Kit. 173.
 — — — Kerner Hort. 850.
 — *syriacum* Lab. Bill. Syr. 3, 5.
 — *tauricum* Pall. Bot. Mag. 23, 869.
 — — — Lodd. Cab. 1403.
 — *tinctorium* M. v. B. Marshall Cent. 79.
 — — — Lehmann Asperif. 11.
 — *trinervium* Lehm. Lehmann Asperif. 9.
Onosmodium hispidum Michx. Torrey New York 79.
 — *molle* Michx. Michaux Fl. 15.
 † *Onychium* Kaulf. Kaulfuss Enumeratio 1.
 † — *auratum* Kaulf. Fée Fil. 5, 7.
 † — *capense* Kaulf. Fée Fil. 5, 7.
 † — *lucidum* Kaulf. Hook. Gen. Fil. 11.
 — *melanolepis* Decne. Kunze Fil. 104.
 — — — Hook. Ic. pl. 10, 902.
Ooclinium Sideritis DC. Delessert Ic. 4, 14.
Opalatoa spicata Aubl. Aublet Guiana 147.
 (cf. *Apalatoa* supra p. 82.)
Opercularia apiciflora Lab. Bill. Nov. Holl. 48.
 † — *aspera* Gaertn. Gaertn. Carp. 24.
 † — — — Lam. Encycl. 58.
 — — — Ann. Mus. 4, 70.
 — *hyssopifolia* Juss. Ann. Mus. 4, 71.
 — *ligustrifolia* Juss. Ann. Mus. 4, 71.
 — — — Dict. sc. nat. 102.
 — *ocimifolia* Juss. Ann. Mus. 4, 71.
 † — *paleata* Young. Linn. Transact. 3, 5.
 — — — Roemer Archiv II, 1, 3.
 — *sessiliflora* Juss. Ann. Mus. 4, 70.
 — *spermacoclea* Lab. Bill. Nov. Holl. 47.
 † — *umbellata* Gaertn. Gaertn. Carp. 24.
 † — — — Lam. Encycl. 58.
 — *vaginata* Lab. Bill. Nov. Holl. 46.
 † *Opetiola myosuroides* Gaertn. Gaertn. Carp. 2.
 † *Ophelia affinis* W. et A. Wight Illustr. 157^{bis}.
 † — *alba* W. et A. Wight Illustr. 157^{bis}.
 † — *cordata* Don. Wight Illustr. 157^{bis}.
 — *corymbosa* Griseb. Bot. Mag. 76, 4489.
 — — — Wight Ic. pl. Ind. or. 4, 1329.
 † — *Dalhousiae* Griseb. Wight Illustr. 157^{bis}.
 — *elegans* Wight. Wight Ic. pl. Ind. or. 4, 1331.
 — *Grisebachiana* Wight. Wight Ic. pl. Ind. or. 4, 1330.
 † — *Lawii* W. et A. Wight Illustr. 157^{bis}.
 — *minor* Griseb. Wight Ic. pl. Ind. or. 4, 1332.
 — *nuda* Klotzsch. Prinz Waldemar Him. 67.
 † — *purpurascens* Don. Wight Illustr. 157^{bis}.
 † — *trilobata* W. et A. Wight Illustr. 157^{bis}.
 † — *umbellata* Wight. Wight Illustr. 157^{bis}.
Ophioglosseae R. Br. Schnizl. Iconogr. 1, 32.
Ophioglossum Bergianum Schlecht. Hook. Ic. pl. 3, 263.
 — *bulbosum* Michx. Barton Fl. 2, 56.
 — *capense* Schlecht. Schlechtendal Fil. 1.
 — *circinatum* Burm. Rumpf Amb. 6, 33.
 — *ellipticum* H. et Gr. Hook. Ic. Fil. 1, 40.
 — *filiforme* Rozb. Calcutta Journal 1844, 26.
 — *gramineum* Willd. Willdenow Farnk. 1.
 — *lusitanicum* L. Lam. Encycl. 864.
 — — — Hook. Ic. Fil. 1, 80.
 — *macrorrhizum* Kze. Kunze Fil. 29.
 — *microstichum* Achar. Sv. Bot. 378.
 — *nudicaule* L. fil. Swartz Synopsis Fil. 4.
 — — — Kunze Fil. 29.
 — *ovatum* Bl. Rumpf Amb. 6, 68.

- Ophioglossum palmatum* L. Hook. Ic. pl. 1, 4.
 — — — Dict. sc. nat. 97.
 — — — pedatum *Burm.* Burmann Fl. ind. 66.
 — — — pedunculatum *Desv.* Kunze Fil. 29.
 — — — pendulum L. Rumpf Amb. 6, 37. fig. 3.
 — — — — Hook. Ic. Fil. 1, 19.
 — — — petiolatum *Hook.* Hook. Exot. Fl. 66.
 — — — reticulatum L. Lam. Encycl. 864.
 — — — — Desc. Ant. 7, 486.
 — — — — Hook. Ic. Fil. 1, 20.
 — — — scandens L. Calcutta Journal 1844, 26.
 — — — stipatum *Colla.* Mem. Tur. 39, 75.
 — — — vulgatum L. Fl. dan. 1, 147.
 — — — — Curt. Lond. 4, 78.
 — — — — Engl. Bot. 2, 108.
 — — — — Sv. Bot. 378.
 — — — — Schk. Fil. 153.
 — — — — Hayne 6, 48.
 — — — — Barton Fl. 2, 55.
 — — — — Lam. Encycl. 864.
 — — — — Sturm Flora II. 1, 11.
 — — — — Hopkirk Fl. anom. 7.
 — — — — Flora 1822, 1.
 — — — — Hook. Gen. Fil. 59.
 — — — — Newman p. 349.
 — — — — Schnizl. Iconogr. 1, 32.
 — — — — ypanemense *Mart.* Mart. Crypt. bras. 73.
 † *Ophiomeris macahensis* *Miers.* Linn. Transact. 20, 15.
Ophiopogon Jaburan *Lodd.* Lodd. Cab. 1876.
 — — — japonicus *Ker.* Kaempfer Amoenit. p. 824.
 — — — — Bot. Mag. 27, 1063.
 — — — indicus *Wight.* Wight Ic. pl. Ind. or. 6, 2050.
 — — — intermedius *Don.* Royle Illustr. 96.
 — — — spicatus *Ker.* Bot. Reg. 7, 593.
 — — — — Lodd. Cab. 694.
 † *Ophiopogoneae* *Endl.* Schnizl. Iconogr. 1, 56^{**}.
Ophiorrhiza eriantha *Wight.* Wight Ic. pl. Ind. 3, 1067.
 — — — grandiflora *Wight.* Wight Ic. pl. Ind. or. 3, 1069.
 — — — Harrisonii *Heyne.* Wight Ic. pl. Ind. or. 3, 1162.
 — — — Mitreola L. Swartz Observ. 3.
 — — — — Lam. Encycl. 107.
 † — — — Mungos L. Gaertn. Carp. 55.
 † — — — — Lam. Encycl. 107.
 — — — — Mem. hist. nat. Par. 1, 2.
 — — — Richardiana *Gaudich.* Freycinet Voyage 97.
 — — — Roxburghiana *Wight.* Wight Ic. pl. Ind. or. 3, 1068.
Ophiostachys virginica *Red.* Red. Lil. 8, 464.
Ophioxylon ceylanicum *Wight.* Wight Ic. pl. Ind. 4, 1291.
 — — — neilgherrense *Wight.* Wight Ic. pl. Ind. or. 4, 1292.
 — — — serpentinum L. Rheede Hort. mal. 6, 47.
 — — — — Rumpf Amb. Auct. 16.
 — — — — Jacq. Schoenbr. 3, 389.
 — — — — Bot. Mag. 20, 784.
 † — — — — Roemer Archiv 1, 7.
 † — — — — Lam. Encycl. 842.
 — — — — Wight Ic. pl. Ind. or. 3, 849.
 † — — — trifoliatum *Gaertn.* Gaertn. Carp. 109.
Ophira stricta L. Lam. Encycl. 293.
 † *Ophiurus corymbosus* *Gaertn.* Gaertn. Carp. 181.
 † — — — incurvatus *Pal. B.* Gaertn. Carp. 181.
 † — — — — Nees Gen. 1, 89.
 † — — — pannonicus *Pal. B.* Nees Gen. 1, 89.
 — — — subulatus *Link.* Rchb. Fl. germ. 1, 3.
Ophrysoscleria lucida *N. v. E.* Endl. Bras. 3, 25.
 † *Ophrys* L. Svensk Acad. 1800, 3.
 † — — — Schrader Neues Journal 1, 1.
 † — — — Ann. sc. nat. II. 3, 8.
 † — — — Mutel Fl. fr. 66. 67.
 † — — — Bory Morée 32.
 — — — alpina L. Jacq. Enum. vind. 9.
 — — — — Fl. dan. 3, 432.
 — — — — Sv. Bot. 683.

- Ophrys alpina* L. Lodd. Cab. 1188.
 — — — anthropophora L. Fl. dan. 1, 103.
 — — — — Engl. Bot. 1, 29.
 † — — — — Lam. Encycl. 727.
 — — — apiculata *J. C. Schmidt.* Rchb. Fl. germ. 13, 454.
 — — — apifera subterrostranca *Brot.* Brotero Phyt. 90.
 — — — apifera *Huds.* Curt. Lond. 1, 101.
 — — — — Engl. Bot. 6, 383.
 † — — — — Baxter Brit. Bot. 1, 8.
 † — — — — Bauer Orch. 11.
 — — — — Dict. sc. nat. 71.
 † — — — — var. Mem. Strassb. 2, 1.
 † — — — — Cosson Atlas 32.
 — — — — Schrank Fl. monac. 1, 4.
 — — — — Dietr. Fl. bor. 11, 724.
 — — — — Verhandl. Rheinf. 7, 7.
 — — — — Rchb. Ic. crit. 9, 866.
 — — — — Rchb. Fl. germ. 13, 457. 464. 465.
 — — — — Fl. d. serres 9, 882.
 — — — aquisgranensis *Kaltenb.* Verhandl. Rheinf. 7, 7.
 — — — Arachnites *Reichard.* Rivinus Irreg. hexap. 13.
 — — — — Engl. Bot. 2596.
 — — — — Bot. Mag. 51, 2516.
 † — — — — Lam. Encycl. 727.
 † — — — — Spach Suites 123.
 † — — — — Cosson Atlas 32.
 — — — — Dietr. Fl. bor. 1, 71.
 — — — — Rchb. Ic. crit. 9, 872.
 — — — — Rchb. Fl. germ. 13, 461.
 — — — arachnoides *Andr.* Andr. Rep. 7, 470.
 — — — araneola *Rchb.* Rchb. Ic. crit. 9, 861.
 — — — — Rchb. Fl. germ. 13, 450.
 — — — aranifera *Huds.* Curt. Fl. Lond. 1, 29.
 — — — — Engl. Bot. 1, 65.
 — — — — var. limbata, Bot. Reg. 14, 1197.
 — — — — triandra, Guill. Arch. 2, 16.
 — — — — Spach Suites 123.
 † — — — — Cosson Atlas 32.
 — — — — Dietr. Fl. bor. 1, 70.
 — — — — Rchb. Ic. crit. 9, 862 — 864.
 — — — — Rchb. Fl. germ. 13, 449. 454. 464. 465.
 517. 521.
 — — — atrata *Ldl.* Bot. Reg. 13, 1087.
 — — — — Rchb. Ic. crit. 9, 858.
 — — — — Rchb. Fl. germ. 13, 452.
 — — — aurita *Brot.* Brotero Phytogr. 91.
 — — — Bertolonii *Moretti.* Rchb. Ic. crit. 9, 865.
 — — — — Rchb. Fl. germ. 13, 455. 517.
 — — — bicornis *Sadl.* Nendtwich Quinque Eccl. 1.
 † — — — bombyliflora *Link.* Mem. Strassb. 2, 1.
 — — — — Rchb. Ic. crit. 9, 867.
 — — — — Rchb. Fl. germ. 13, 456.
 — — — brachyotus *Rchb.* Rchb. Ic. crit. 9, 871.
 — — — — Rchb. Fl. germ. 13, 462.
 † — — — brevis *Stev.* Mem. Mosc. 2, 11.
 — — — camtschatea L. Linné Amoenit. 2, 4.
 — — — ciliata *H. B. K.* H. B. K. Nov. Gen. 1, 74.
 — — — — Bivona. Tenore Fl. nap. 95.
 — — — Corallorrhiza L. Fl. dan. 3, 451.
 — — — — Lightf. Fl. scot. 1, 23.
 — — — — Engl. Bot. 22, 1547.
 — — — cordata L. Fl. dan. 8, 1278.
 — — — — Engl. Bot. 5, 358.
 — — — corniculata *Brot.* Brotero Phytogr. 93.
 † — — — cornuta *Stev.* Mem. Mosc. 2, 11.
 — — — — Rchb. Ic. crit. 9, 870.
 — — — — Bot. Reg. 32, 52.
 — — — crabonifera *Mauri.* Mauri Rom. pl. XIII, 2.
 — — — crucigera *Jacq.* Jacq. Ic. 185.
 — — — densiflora *Desf.* Ann. Mus. 10, 16.
 — — — — Desf. Choix 6.
 — — — exaltata *Ten.* Tenore Fl. nap. 96.

- Ophrys exaltata* Ten. Rchb. Fl. germ. 13, 465. 521.
 — *Ferrum equinum* Desf. Ann. Mus. 10, 15.
 — — — Desf. Choix 5.
 — — — Sprengel Gesch. d. Bot. 6.
 — — — Bot. Reg. 33, 46.
 — — — Rchb. Fl. germ. 13, 451.
 — *flavicans* Vis. Rchb. Fl. germ. 13, 521.
 — *fucifera* Sm. Engl. Bot. 2649.
 — — — Rchb. Fl. germ. 13, 465.
 — *fuciflora* Hall. Bot. Reg. 33, 25.
 — — — Rchb. Ic. crit. 9, 868. 869.
 † — — — Nees Gen. 3, x.
 — *fusca* Link. Brotero Phytogr. 93.
 — — — Tenore Fl. nap. 92.
 — — — Sibth. Fl. gr. 930.
 — — — Bot. Reg. 13, 1071.
 — — — Rchb. Ic. crit. 9, 855.
 — — — Rchb. Fl. germ. 13, 444. 462.
 † — — — Mem. Strassb. 2, 1.
 — *grandiflora* Ten. Tenore Fl. nap. 94.
 — *hiulca* Mauri. Mauri Rom. pl. XIII, 2.
 — — — Spruner. Rchb. Fl. germ. 13, 453.
 — *hybrida* Pokorny. Rchb. Fl. germ. 13, 465. 521.
 — *iricolor* Desf. Desf. Choix 3.
 — — — Rchb. Ic. crit. 9, 856.
 — — — Rchb. Fl. germ. 13, 444. 445. 464.
 — *labrofossa* Brot. Brotero Phytogr. 88.
 — *lilifolia* L. Red. Lil. 8, 437.
 — — — Andr. Rep. 1, 65.
 — *Loeselii* L. Engl. Bot. 1, 47.
 — — — Roemer Fl. europ. 2, 5.
 — *lunulata* Parl. Rchb. Fl. germ. 13, 450.
 — *lutea* Cav. Cav. Ic. 160.
 — — — Brotero Phytogr. 3.
 — — — Hook. Exot. Fl. 10.
 — — — Kerner Hort. 729.
 — — — Rizzo Fl. de Nice 15.
 † — — — Mem. Strassb. 2, 1.
 — — — Rchb. Ic. crit. 9, 857.
 — — — Rchb. Fl. germ. 13, 446.
 — — — Sweet Fl. G. 206.
 — *Bivona*. Bivona Pl. sic. 2, 5.
 — *mammosa* Desf. Ann. Mus. 10, 12.
 — — — Desf. Choix 2.
 — — — Rchb. Fl. germ. 13, 453.
 — *monophyllos* L. Jacq. Collect. 4, 13.
 — *Monorchis* L. Fl. dan. 1, 102.
 — — — Engl. Bot. 1, 71.
 — — — Roemer Fl. europ. 2, 6.
 — — — Schrank Fl. monac. 3, 232.
 — *muscifera* Huds. Rivinus Irreg. hexap. 13. 21.
 — — — Curt. Lond. 4, 30.
 — — — Engl. Bot. 1, 64.
 — — — Sturm Flora 10, 40.
 — — — Rchb. Fl. germ. 13, 447.
 — *myodes* Jacq. Jacq. Ic. 184.
 — — — Fl. dan. 8, 1398.
 — — — Sv. Bot. 293.
 — — — Andr. Rep. 7, 471.
 † — — — Lam. Encycl. 727.
 — — — Dietr. Fl. bor. 1, 69.
 — — — Rchb. Ic. crit. 9, 854.
 † — — — Nees Gen. 3, x.
 † — — — Cosson Atlas 32.
 — — — Fl. d. serres 9, 882.
 — *nidus avis* L. Fl. dan. 2, 181.
 — — — Engl. Bot. 1, 48.
 † — *oestrifera* Stev. Mem. Mosc. 2, 11.
 — — — Bory Morée 31.
 — *ovata* L. Fl. dan. 1, 137.
 — — — Schk. Handb. 273.
 — — — Engl. Bot. 22, 1548.

- Ophrys oxyrrhynchos* Tod. Rchb. Fl. germ. 13, 462.
 — *pallida* Raf. Rchb. Fl. germ. 13, 443.
 — *paludosa* Mull. Fl. dan. 5, 877.
 — — — L. Fl. dan. 7, 1234.
 † — *pectus* Mutel. Mem. Strassb. 2, 1.
 — — — Ann. sc. nat. II, 11, 1.
 — — — Rchb. Fl. germ. 13, 443.
 — *pseudospeculum* DC. Rchb. Ic. crit. 9, 869.
 — *pulla* Cirillo. Tenore Fl. nap. 97.
 — *purpurata* Tausch. Rchb. Fl. germ. 13, 465.
 — *rostrata* Ten. Tenore Fl. nap. 245.
 — *Scolopax* Brot. Brotero Phytogr. 3.
 — — — Cav. Cav. Ic. 161.
 † — — — Mem. Strassb. 2, 1.
 — — — Rchb. Fl. germ. 13, 458. 459. 460. 517.
 — *Speculum* Bertol. Bivona Pl. sic. 1, 3.
 — — — Link. Bot. Reg. 5, 379.
 † — — — Mem. Strassb. 2, 1.
 — — — Rchb. Ic. crit. 9, 859.
 — — — Rchb. Fl. germ. 13, 448.
 — *spiralis* L. Fl. dan. 3, 387.
 — — — Engl. Bot. 8, 541.
 — *tabanifera* Willd. Rchb. Ic. crit. 9, 873.
 — — — Bot. Reg. 33, 46.
 — — — Bory Morée 31.
 — *Tenoreana* Ldl. Bot. Reg. 13, 1093.
 — — — Rchb. Ic. crit. 9, 876.
 — *tenthredinifera* Willd. Brotero Phytogr. 87.
 — — — Bivona Pl. sic. 2, 4.
 — — — Tenore Fl. nap. 93.
 — — — Sibth. Fl. gr. 929.
 — — — Bot. Mag. 44, 1930.
 — — — Bot. Reg. 3, 205. 13, 1093.
 † — — — Mem. Strassb. 2, 1.
 — — — Rchb. Exot. 93.
 — — — Rchb. Ic. crit. 9, 874.
 — — — Rchb. Fl. germ. 13, 463. 517.
 — *tricolor* Desf. Ann. Mus. 10, 13.
 — *umbilicata* Desf. Ann. Mus. 10, 15.
 — — — Desf. Choix 5.
 — *villosa* Desf. Ann. Mus. 10, 14.
 — — — Desf. Choix 4.
 — — — Rchb. Ic. crit. 9, 875.
Ophthalmoblapton macrophyllum All. All. Diss. 1849, x.
Opilia amentacea Roxb. Roxb. Corom. 158.
 — — — Wight Illustr. 40.
Opizia stolonifera Presl. Presl Reliq. 41.
 † *Opismenus* Pal. B. Dumortier Gramin. 14.
 — *africanus* Pal. B. Pal. B. Fl. d'Oware 68.
 — — — Trin. Sp. Gr. 2, 188.
 † — — — Nees Gen. 1, 20.
 — *bromoides* R. et Sch. Rumpf Amb. 6, s. fig. 2.
 — *Burmanni* Pal. B. Rumpf Amb. 6, s. fig. 3.
 — — — Trin. Sp. Gr. 2, 193.
 — *undulatifolius* Pal. B. Trin. Sp. Gr. 2, 192.
 † — — — Nees Gen. 1, 20.
Oplothea floridana Nutt. Barton Fl. 2, 59.
 — — — Bot. Mag. 52, 2603.
 — — — Hook. Ic. pl. 3, 256.
 — *lanata* Mart. Mart. Bras. 146.
Opopanax Chironium Koch. Nees Düsseld. 290.
 † *Oporanthus Fischerianus* Herb. Herbert Amar. 47.
 † — *lutens* Herb. Herbert Amar. 21.
Oporinia autumnalis Don. Dietr. Fl. bor. 9, 612.
 — *microcephala* Boiss. Boissier Esp. 115.
Opuntia amyclaea Ten. Acad. Neap. 5, 2.
 — — — Ten. Fl. nap. 236.
 † — — — Acad. Neap. 6, (1851.) 1. 2.
 — *aurantiaca* Ldl. Bot. Reg. 19, 1606.
 — *brasiliensis* Haw. Bot. Mag. 61, 3293.
 — — — Pfeiffer Cact. 1, 29.
 — *coccinellifera* Mill. Kerner Hort. 683.

- Opuntia coccinellifera* Mill. Pfeiffer Cact. 1, 24.
 — *curassavica* Mill. Pfeiffer Cact. 1, 6.
 — *cylindrica* DC. Bot. Mag. 61, 3301.
 † — *Darwinii* Henslow. Jardine Mag. 1, 14.
 — *decumbens* Salm. Bot. Mag. 68, 3914.
 — *Dillenii* Haw. Wight Illustr. 114.
 — *Drummondii* Maund. Maund Bot. 5, 246.
 † — *Ficus indica* Mill. Acad. Neap. 6, (1851.) 1, 2.
 — *foliosa* Salm. Pfeiffer Cact. 1, 18.
 † — *galapageia* Henslow. Jardine Mag. 1, 14.
 — *Hernandezii* DC. Mem. Mus. 17, 16.
 — *monacantha* Haw. Bot. Mag. 68, 3911.
 — — Bot. Reg. 20, 1726.
 — *rosea* DC. Mem. Mus. 17, 15.
 — *Salmiana* Parm. Pfeiffer Cact. 1, 6.
 — — Bot. Mag. 76, 4542.
 — — Fl. d. serres 7, 670.
 — — Lem. Jard. fl. 194.
 — *Tuna* Mill. Spach Suites 46.
 † — *vulgaris* Mill. Ann. sc. nat. III. 18, 11.
Orania Macrocladus Mart. Mart. Palm. 177.
 — *porphyrocarpa* Mart. Mart. Palm. 157.
 — *regalis* Bl. Blume Rumphia 85, 95.
 † *Orbignya dubia* Mart. Mart. Palm. 169.
 † — *humilis* Mart. Mart. Palm. 169.
 — — D'Orbigny Voyage 10, 32.
 — *phalerata* Mart. Mart. Palm. 170.
 — — D'Orbigny Voyage 13, 32.
 † *Orchideae* Juss. (Waechter.) Roemer Archiv II. 2, 6.
 † — (Richard.) Mem. Mus. 4, 5.
 † — (Lestiboudois.) Ann. sc. nat. II. 17, 13.
 † — (Amici.) Parlatore Giorn. bot. 2, 2.
 † — (Amici.) Ann. sc. nat. III. 7, 10.
 † — (Schacht.) Ann. sc. nat. III. 15, 5.
 † — (Mutel.) Mem. Strassb. 3, 1—5.
 † — (Link.) Abh. Ac. Berl. 1849, 1—4.
 † — (A. Henry.) Verhandl. Rheinl. 7, 2. 3. 6.
 † — *Todaro* Orchideae sic. 1, 2.
 † — *Schnizl.* Iconogr. 1, 66. 66^a.
 — — Rchb. Fl. germ. 13, 353—356.
Orchidium boreale Sw. Sv. Bot. 518.
Orchipeda foetida Bl. Blume Rumphia 179, 180.
Orchipedum plantaginifolium Breda. Breda Orchid. Javae 10.
 † *Orchis* L. Svensk Acad. 1800, 3.
 † — — Schrader Neues Journal 1, 1.
 † — — Lam. Encycl. 726.
 † — — Mutel Fl. fr. 64. 65. 66.
 † — — Linnaea 16, 14.
 — *abortiva* L. Jacq. Fl. austr. 2, 193.
 — *acuminata* Desf. Desf. Fl. atl. 247.
 — — Bot. Mag. 44, 1932.
 † — — Jordan Obs. 1, 4.
 † — — Rchb. Fl. germ. 13, 507.
 — *affinis* C. Koch. Rchb. Fl. germ. 13, 408.
 — *anatolica* Boiss. Rchb. Fl. germ. 13, 389.
 — *angustifolia* L. Krock. Fl. sil. 3, 3.
 — — *Lois.* Rchb. Ic. crit. 9, 848.
 — — *Rchb. Fries.* Rchb. Fl. germ. 13, 394. 507.
 — *aristata* Fisch. Rchb. Fl. germ. 13, 410.
 — *bicornis* Jacq. Jacq. Schoenbr. 2, 179.
 — — Andr. Rep. 5, 315.
 — *bifolia* L. Fl. dan. 2, 235.
 — — Sv. Bot. 314.
 — — Engl. Bot. 1, 22.
 † — — Schk. Handb. 271.
 — — Schrank Fl. monac. 2, 136.
 — — Nees Düssel. 73.
 † — — Ann. sc. nat. 24, 5.
 — *Boryi* Rchb. fl. Rchb. Fl. germ. 13, 503.
 — *bractealis* Salisb. Salisb. Parad. 110.
 — *Brancifortii* Biv. Bivona Stirp. rar. Sic. 1, 1.

- Orchis brevicornu* Viv. Viviani Fl. ital. 12.
 — — — Rchb. Fl. germ. 13, 384. 509.
 — *brevifolia* Rchb. Rchb. Fl. germ. 13, 403.
 — *Burmänniana* L. Weber Archiv 3.
 — *canariensis* Ldl. Webb Canar. 220.
 — — — Rchb. Fl. germ. 13, 385.
 — *candidissima* Krock. Krock. Fl. sil. 3, 2.
 — *Champagneuxii* Barn. Rchb. Fl. germ. 13, 365.
 — *ciliaris* L. Andr. Rep. 1, 42.
 — *commutata* Todaro. Rchb. Fl. germ. 13, 371.
 — *Comperiana* Stev. Mem. Mosc. 7, 12.
 — — — Rchb. Fl. germ. 13, 510.
 — *conica* Willd. Brotero Phytogr. 91.
 — *conopsea* L. Fl. dan. 2, 224.
 — — — Engl. Bot. 1, 10.
 † — — Schk. Handb. 271.
 — — — Schrank Fl. monac. 3, 268.
 — *cordata* Willd. Brotero Phytogr. 90.
 — *cordigera* Fries. Rchb. Fl. germ. 13, 411.
 — *coriophora* L. symphyetala, Brotero Phyt. 89.
 — — — Rivinus Irreg. hexap. 18.
 — — — Jacq. Fl. austr. 2, 122.
 † — — Schk. Handb. 271.
 — — — Dietr. Fl. bor. 1, 3.
 — — — Rchb. Ic. crit. 6, 567.
 — — — Rchb. Fl. germ. 13, 367. 504.
 — — — Sweet Fl. G. 219.
 — *corsica* Viv. Risso Fl. de Nice 14.
 — *cruenta* Müll. Fl. dan. 5, 876.
 — — — Rchb. Fl. germ. 13, 393.
 — — — Retz. Rochel Banat. 1.
 — *cucullata* L. Stephan Ic. pl. mosq. 1.
 — — — Liboschitz Petersb. 27.
 — *Cyrtilli* Ten. Tenore Fl. nap. 87.
 — *elator* Afz. Rchb. Fl. germ. 13, 396.
 — *elodes* Griseb. Rchb. Fl. germ. 13, 406.
 — *expansa* Ten. Tenore Fl. nap. 197.
 — *extensa* Hartm. Rchb. Fl. germ. 13, 398.
 — *fasciculata* Tineo. Rchb. Fl. germ. 13, 519.
 — *flavescens* C. Koch. Rchb. Fl. germ. 13, 414.
 — *foliosa* Solander. Lindley Sertum 44.
 — — — Bot. Reg. 20, 1701.
 — — — Rchb. Fl. germ. 13, 401.
 — *formosa* Stev. Rchb. Fl. germ. 13, 358.
 — *fragrans* Poll. Rchb. Fl. germ. 13, 366.
 † — *fuciflora* Vill. Vill. Dauph. 2.
 — *fusca* Jacq. Rivinus Irreg. hexap. 16.
 — — — Jacq. Fl. austr. 4, 367.
 — — — Curt. Lond. 1, 23.
 — — — Engl. Bot. 1, 16.
 — — — Sturm Flora 11, 41.
 — — — Dietr. Fl. bor. 1, 64.
 † — — — Cosson Atlas 32.
 — — — Rchb. Fl. germ. 13, 378.
 † — — *Godr.* Rchb. Fl. germ. 13, 513.
 — *fuscescens* L. Lodd. Cab. 1748.
 † — *galeata* Lam. Cosson Atlas 32.
 † — — — Rchb. Fl. germ. 13, 513.
 † — — — hybr. Ann. sc. nat. III. 18, 1.
 — *Gennarii* Rchb. fl. Rchb. Fl. germ. 13, 520.
 — *gigantea* Sm. Smith Exot. Bot. 100.
 — *globosa* L. Jacq. Fl. austr. 3, 265.
 — — — Dietr. Fl. bor. 11, 723.
 — — — Rchb. Ic. crit. 6, 562.
 — — — Rchb. Fl. germ. 13, 381. 507.
 — *Habenaria* L. Swartz Obs. 9.
 — *Hanrii* Jord. Jordan Obs. 1, 4.
 — — — Rchb. Fl. germ. 13, 371.
 — *hircina* Sw. Curt. Lond. 4, 96.
 — *Hostii* Tratt. Tratt. Archiv 79.
 — *hybrida* Bönningh. Rchb. Fl. germ. 13, 377.
 — *hyperborea* L. Retz. Obs. 4, 3.

- † *Orchis Jacquini* *Godr.* *Rchb. Fl. germ.* 13, 513.
 — *japonica* *Thunb.* *Thunberg Ic. jap.* 3.
 — *iberica* *M. v. B.* *Rchb. Fl. germ.* 13, 408. 506.
 — *incarnata* *L.* *Rivinus Irreg. hexap.* 9.
 — — — *Tratt. Archiv.* 268.
 — — — *Fl. dan.* 14, 2476.
 — — — *Rchb. Ic. crit.* 9, 810.
 — — — *Rchb. Fl. germ.* 13, 397—99. 514—16.
 — *lactea* *Poir.* *Rchb. Fl. germ.* 13, 370.
 † — *laeta* *Steinh.* *Ann. sc. nat.* II. 9, 7.
 — — — *Rchb. Fl. germ.* 13, 388.
 — *lagotis* *Rchb.* *Rchb. Fl. germ.* 13, 403.
 — *lanceata* *Dietr.* *Dietr. Fl. bor.* 1, 5.
 — — — *Rchb. Ic. crit.* 6, 564.
 — *lapponica* *Laest.* *Rchb. Fl. germ.* 13, 403.
 — *latifolia labrovaria* *Brot.* *Brotero Phytogr.* 92.
 — *latifolia* *L.* *Fl. dan.* 2, 266.
 — — — *Curt. Lond.* 2, 86.
 — — — *Engl. Bot.* 33, 2308.
 † — — — *Ann. sc. nat.* 24, 5. 6.
 † — — — *Mem. hist. nat. Par.* 1, 3.
 † — — — *Morren Resp.* 1—6.
 — — — *Rivinus Irreg. hexap.* 8. 9.
 — — — *Sturm Flora* 2, 7.
 † — — — *Schk. Handb.* 271.
 — — — *Schrank Fl. monac.* 1, 85.
 — — — *Dietr. Fl. bor.* 1, 4.
 — — — *α. majalis* *Rchb.* *Guimpel et Kl.* 13.
 — — — *β. angustifolia* *Lois.* *Guimp. et Kl.* 14.
 — — — *Rchb. Ic. crit.* 6, (564.) 565.
 — — — *Rchb. Fl. germ.* 13, 398. 402—404. 515.
 — — — — — 516. 522.
 — *laxiflora* *Lam.* *Rivinus Irreg. hexap.* 18.
 — — — *Hayne* 14, 18.
 — — — *Guimpel et Kl.* 10.
 — — — *Rchb. Fl. germ.* 13, 393.
 — — — *Engl. Bot.* 2828.
 — *longebracteata* *Biv.* *Bivona Pl. sic.* 1, 4.
 — — — *Bot. Reg.* 5, 357.
 — — — *Rchb. Fl. germ.* 13, 379.
 — *longicornu* *Desf.* *Desf. Fl. atl.* 246.
 — — — *Bot. Reg.* 3, 202.
 — — — *Bot. Mag.* 45, 1944.
 — — — *Sweet Fl. G.* 249.
 — — — *Rchb. Fl. germ.* 13, 364.
 — — — *Poir.* *Rchb. Fl. germ.* 13, 507.
 — *longicurris* *Link.* *Brotero Phytogr.* 87.
 — — — *Rchb. Fl. germ.* 13, 375.
 — *maculata* *L.* *Rivinus Irreg. hexap.* 11.
 — — — *Fl. dan.* 6, 933.
 — — — *Curt. Lond.* 4, 112.
 — — — *Engl. Bot.* 9, 632.
 — — — *Sv. Bot.* 413.
 — — — *Schrank Fl. monac.* 2, 112.
 — — — *Dietr. Fl. bor.* 1, 6.
 — — — *Guimpel et Kl.* 12.
 — — — *Rchb. Ic. crit.* 6, 566.
 — — — *Rchb. Fl. germ.* 13, 406—408. 516.
 — *majalis* *Rchb.* *Rchb. Ic. crit.* 6, 565.
 — *mascula* *L.* *Fl. dan.* 3, 457.
 — — — *Sv. Bot.* 220.
 — — — *Curt. Lond.* 2, 43.
 — — — *Engl. Bot.* 9, 631.
 — — — *Woodv. Med.* 4, 264.
 † — — — *Bauer Orchid.* 3.
 — — — *Tenore Fl. nap.* 196.
 — — — *Jacq. Ic.* 180.
 † — — — *Schk. Handb.* 271.
 — — — *Dietr. Fl. bor.* 8, 508.
 — — — *Nees Düsseld.* 71.
 — — — *Wagner* 150.
 † — — — *Nees Gen.* 3, x.

- Orchis mascula* *L.* *Rchb. Ic. crit.* 6, 563.
 — — — *Rchb. Fl. germ.* 13, 390. 509.
 — *matodes* *Rchb.* *Rchb. Fl. germ.* 13, 398.
 — *maxima* *C. Koch.* *Rchb. Fl. germ.* 13, 502.
 — *militaris* *L.* *Fl. dan.* 8, 1277.
 — — — *Sv. Bot.* 340.
 — — — *Engl. Bot.* 27, 1873.
 — — — *Engl. Bot.* 2673.
 — — — *Sweet Fl. G.* 163.
 — — — *var. iodicranus* *Morr.* *Belg. hort.* 2, 37.
 — — — *Jacq. Ic.* 598.
 — — — *Roemer Fl. europ.* 5, 7.
 — — — *Schrank Fl. monac.* 1, 74.
 — — — *Dietr. Fl. bor.* 1, 63.
 † — — — *Nees Gen.* 3, x.
 — — — *Guimpel et Kl.* 11.
 — — — *Hayne* 14, 17.
 — — — *Rchb. Ic. crit.* 8, 701.
 — — — *Rchb. Fl. germ.* 13, 376.
 — *moravica* *Jacq.* *Jacq. Ic.* 182.
 — *Morio* *L.* *Fl. dan.* 2, 253.
 — — — *Sv. Bot.* 233.
 — — — *Curt. Lond.* 1, 10.
 — — — *Engl. Bot.* 29, 2059.
 † — — — *Linn. Transact.* 7, 1. 21; 2.
 † — — — *Ann. sc. nat.* III. 9, 1.
 — — — *Rivinus Irreg. hexap.* 13.
 — — — *var. Krocke* *Fl. sil.* 3, 1.
 — — — *Schk. Handb.* 271.
 — — — *Schrank Fl. monac.* 2, 116.
 — — — *Sturm Flora* 20, 94.
 — — — *Dietr. Fl. bor.* 1, 1.
 — — — *Nees Düsseld.* 72.
 — — — *Wagner* 149.
 — — — *Guimpel et Kl.* 9.
 — — — *Hayne* 14, 24.
 — — — *Rchb. Fl. germ.* 13, 363. 502. 504.
 — *Morio-laxiflora* *Reut.* *Rchb. Fl. germ.* 13, 393. 514.
 — *mutabilis* *Stev.* *Linn. Transact.* 11, 39.
 — *Nicodemi* *Ten.* *Tenore Fl. nap.* 90.
 — — — *Rchb. Fl. germ.* 13, 365.
 — *nigra* *Sw.* *Sv. Bot.* 500.
 — *odoratissima* *L.* *Jacq. Fl. austr.* 3, 264.
 — — — *Sv. Bot.* 542.
 — *olida* *Breb.* *Rchb. Fl. germ.* 13, 504.
 — *ornithis* *Jacq.* *Jacq. Fl. austr.* 2, 138.
 — *pallens* *L.* *Jacq. Fl. austr.* 1, 45.
 — — — *Dietr. Fl. bor.* 11, 722.
 — — — *Rchb. Ic. crit.* 9, 808.
 — — — *Rchb. Fl. germ.* 13, 386. 509.
 — *palustris* *Jacq.* *Rivinus Irreg. hexap.* 19. 21.
 — — — *Jacq. Ic.* 181.
 — — — *Dietr. Fl. bor.* 1, 2.
 — — — *Rchb. Ic. crit.* 9, 831.
 — — — *Rchb. Fl. germ.* 13, 302.
 — *papilionacea* *L. rubra*, *Brotero Phytogr.* 88.
 — — — *Sibth. Fl. gr.* 928.
 — — — *Bot. Reg.* 14, 1155.
 — — — *Rchb. Fl. germ.* 13, 362. 507.
 — *parvifolia* *Chaub.* *Rchb. Fl. germ.* 13, 512.
 — *patens* *Desf.* *Desf. Fl. atl.* 248.
 — — — *Rchb. Fl. germ.* 13, 384.
 — *pauciflora* *Ten.* *Tenore Fl. nap.* 88.
 — — — *Rchb. Fl. germ.* 13, 388.
 — — — *Fisch.* *Rchb. Fl. germ.* 13, 522.
 — *pectinata* *Sm.* *Smith Exot. Bot.* 99.
 — *picta* *Lois.* *Rchb. Fl. germ.* 13, 365.
 — *plantaginea* *Roxb.* *Roxb. Corom.* 37.
 — *platychila* *C. Koch.* *Rchb. Fl. germ.* 13, 511.
 — *provincialis* *Balb.* *Mem. Tur.* 9, 2.
 — — — *Rchb. Fl. germ.* 13, 387. 509.
 — *pseudopallens* *C. Koch.* *Rchb. Fl. germ.* 13, 511.

- Orchis pseudosambucina* Ten. Tenore Fl. nap. 86.
 — — — Rchb. Fl. germ. 13, 413.
 — — — punctulata Stev. Rchb. Fl. germ. 13, 369. 502.
 — — — purpurea Huds. Rivinus Irreg. hexap. 16.
 — — — pyramidalis L. Jacq. Fl. austr. 3, 266.
 — — — — — Curt. Lond. 4, 106.
 — — — — — Engl. Bot. 2, 110.
 — — — — — Sv. Bot. 584.
 — — — — — Fl. dan. 12, 2113.
 — — — — — Rchb. Ic. crit. 6, 561.
 † — — — — — Linn. Transact. 21, 2.
 † — — — — — *M. v. B.* Rchb. Fl. germ. 13, 513.
 — — — — — quadripunctata Ten. Tenore Fl. nap. 89.
 — — — — — Rchb. Fl. germ. 13, 508. 512.
 — — — — — radiata Thunb. Thunberg Ic. jap. 2.
 — — — — — recurva Nyl. Rchb. Fl. germ. 13, 406.
 — — — — — Rivini Gouan. Rivinus Irreg. hexap. 15.
 — — — — — Sweet Fl. G. 162.
 — — — — — Robertiana Lois. Loiseleur Fl. gall. 21.
 — — — — — — — Herb. amat. 5, 353.
 — — — — — — — Tenore Fl. nap. 91.
 — — — — — romana Seb. Sebastiani Pl. rom. 1, 3.
 — — — — — — — Sebastiani Fl. rom. 9.
 — — — — — rubra Jacq. Jacq. Ic. 183.
 — — — — — — — Roemer Fl. europ. 8, 8.
 — — — — — — — saccata Ten. Rchb. Fl. germ. 13, 382. 509.
 — — — — — — — saccifera Brongn. Bory Morée 30.
 — — — — — — — Rchb. Fl. germ. 13, 409.
 — — — — — — — salina Turcz. Rchb. Fl. germ. 13, 395. 522.
 — — — — — — — sambucina L. Rivinus Irreg. hexap. 12.
 — — — — — — — — — Jacq. Fl. austr. 2, 108.
 — — — — — — — — — Baumgarten Fl. lips. 2.
 — — — — — — — — — Fl. dan. 7, 1232.
 — — — — — — — — — Sv. Bot. 362.
 — — — — — — — — — Roemer Fl. europ. 4, 8.
 — — — — — — — — — Dietr. Fl. bor. 4, 227.
 — — — — — — — — — Sweet Fl. G. 299.
 — — — — — — — — — Rchb. Ic. crit. 9, 809. 810.
 — — — — — — — — — Rchb. Fl. germ. 13, 412. 512.
 † — — — — — — — — — satyroides Stev. Mem. Mosc. 2, 11.
 — — — — — — — — — Schleicheri Sweet. Sweet Fl. G. 199.
 † — — — — — — — — — sepulchralis Boiss. Rchb. Fl. germ. 13, 507.
 — — — — — — — — — sesquipedalis L. K. var. algerica, Rchb. Fl. germ. 13, 396.
 — — — — — — — — — Willd. Rchb. Fl. germ. 13, 400. 405.
 † — — — — — — — — — Simia Lam. Cosson Atlas 32.
 — — — — — — — — — speciosa Host. Jacq. Schoenbr. 4, 481.
 — — — — — — — — — — — Rchb. Fl. germ. 13, 391.
 — — — — — — — — — spectabilis L. Hook. Exot. Fl. 69.
 — — — — — — — — — — — Lodd. Cab. 78.
 — — — — — — — — — — — Sweet Fl. G. 65.
 — — — — — — — — — sphaerica M. v. B. Rchb. Fl. germ. 13, 380. 507.
 — — — — — — — — — Spitzelii Saut. Rchb. Fl. germ. 13, 383.
 — — — — — — — — — spuria Rchb. fil. Rchb. Fl. germ. 13, 374.
 — — — — — — — — — stabiana Ten. Tenore Fl. nap. 196.
 — — — — — — — — — — — Rchb. Fl. germ. 13, 391.
 — — — — — — — — — Stevenii Rchb. fil. Rchb. Fl. germ. 13, 372.
 — — — — — — — — — suaveolens Vill. Vill. Dauph. 1.
 — — — — — — — — — sulphurea Schrad. Bot. Mag. 52, 2569.
 — — — — — — — — — Susannae L. Rumpf Amb. 5, 99. fig. 2.
 — — — — — — — — — taurica Ldl. Rchb. Fl. germ. 13, 505.
 — — — — — — — — — Tenoreana Guss. Rchb. Fl. germ. 13, 507.
 — — — — — — — — — tenuifolia C. Koch. Rchb. Ic. crit. 6, 564.
 — — — — — — — — — tephrosanthos Vill. Curt. Lond. 4, 82.
 — — — — — — — — — — — Bot. Mag. 62, 3426.
 — — — — — — — — — — — Bot. Reg. 5, 375.
 — — — — — — — — — — — Baxter Brit. Bot. 3, 213.
 — — — — — — — — — — — Rchb. Fl. germ. 13, 373. 505.
 — — — — — — — — — tharandina Rchb. Rchb. Fl. germ. 13, 403.
 — — — — — — — — — Traunsteineri Koch. Rchb. Ic. crit. 6, 564.
 — — — — — — — — — trichocera Brongn. Bory Morée 30.
 — — — — — — — — — tridentata Mühlenb. Barton Fl. 1, 15.

- Orchis tridentata* Scop. Rchb. Fl. germ. 13, 371.
 — — — — — undulatifolia Biv. Bivona Pl. sic. 2, 6.
 — — — — — — — Sibth. Fl. gr. 927.
 — — — — — ustulata L. Rivinus Irreg. hexap. 17.
 — — — — — — — Curt. Lond. 4, 36.
 — — — — — — — Engl. Bot. 1, 18.
 — — — — — — — Sv. Bot. 351.
 — — — — — — — Sturm Flora 3, 12.
 — — — — — — — Schrank Fl. monac. 3, 204.
 — — — — — — — Dietr. Fl. bor. 4, 226.
 — — — — — — — Hayne 14, 16.
 — — — — — — — Rchb. Ic. crit. 6, 569.
 — — — — — — — Rchb. Fl. germ. 13, 368.
 — — — — — variegata All. Rivinus Irreg. hexap. 15.
 — — — — — — — Ruppius Fl. jen. 6.
 — — — — — — — Jacq. Ic. 599.
 — — — — — — — Bot. Reg. 5, 387.
 — — — — — — — Dietr. Fl. bor. 7, 434.
 † — — — — — — — Jordan Obs. 1, 4.
Oreas involucrata Cham. et Schl. Linnaea 1, 1.
Orelia grandiflora Aubl. Aublet Guiana 106.
Oreobliton thesioides Dur. et Moq. Explor. Alger. 79.
† *Oreobolus obtusangulus* Gaudich. Ann. sc. nat. 5, 2.
 — — — — — pectinatus Hook. Hook. Fl. ant. 49.
Oreochloa disticha Link. Rchb. Fl. germ. 1, 12.
† — — — — — — — Nees Gen. 1, 52.
† *Oreocosmus monticola* Naud. Ann. sc. nat. III. 12, 14.
Oreodaphne bullata N. v. E. Bot. Mag. 68, 3931.
 — — — — — foetens N. v. E. Webb Canar. 205.
Oreodoxa oleracea Mart. Mart. Palm. 156. 163. Z.
 — — — — — regia H. B. Mart. Palm. 156. S.
Oreomyrrhis andicola Endl. Hook. Fl. ant. 101.
Oreophila odorata P. et E. Poepp. et Endl. 263.
Oreoseris lanuginosa DC. Delessert Ic. 4, 76.
Oriastrum pusillum P. et E. Poepp. et Endl. 237.
Origanum benghalense Burn. Burm. Fl. ind. 38.
 — — — — — compactum Benth. Boiss. Esp. 147.
 — — — — — creticum L. Schk. Handb. 164.
 — — — — — — — Hayne 8, 7.
 — — — — — — — Guimpel et Schl. 159.
 — — — — — — — Nees Düsseld. 176.
 — — — — — — — Mem. Tur. 38, 1.
 — — — — — Dictamnus L. Rivinus Opus ined. 41.
 — — — — — — — Bot. Mag. 9, 298.
 — — — — — — — Woodv. Med. 2, 129.
 — — — — — — — Hayne 8, 6.
 — — — — — hirtum Link. Sturm Flora 20, 90.
 — — — — — macrostachyum Link. Hoffm. Lk. Fl. port. 10.
 — — — — — — — Brotero Phytogr. 113.
 — — — — — — — Nees Düsseld. Suppl. 23.
 — — — — — Majorana L. Woodv. Med. 2, 124.
 — — — — — — — Hayne 8, 9.
 — — — — — — — Nees Düsseld. 175.
 — — — — — — — Guimpel et Schl. 158.
 — — — — — — — Mem. Tur. 38, 1.
 — — — — — Maru L. Sibth. Fl. gr. 573.
 — — — — — — — Bot. Mag. 52, 2605.
 — — — — — Onitis L. Sibth. Fl. gr. 572.
 — — — — — sipyleum L. Lam. Encycl. 511.
 — — — — — — — Sibth. Fl. gr. 570.
 — — — — — smyrnaeum L. Sibth. Fl. gr. 571.
 — — — — — syriacum L. Mem. Tur. 38, 2.
 — — — — — Tournefortii Ait. Andr. Rep. 8, 537.
 — — — — — — — Lodd. Cab. 238.
 — — — — — — — Sibth. Fl. gr. 569.
 — — — — — virens Link. Hoffm. Lk. Fl. port. 9.
 — — — — — — — Brotero Phytogr. 112.
 — — — — — vulgare L. Fl. dan. 4, 638. 9, 1581.
 — — — — — — — Sv. Bot. 188.
 — — — — — — — Woodv. Med. 2, 123.
 — — — — — — — Curt. Lond. 3, 44.
 — — — — — — — Engl. Bot. 16, 1143.

- Origanum vulgare* L. Baxter Brit. Bot. 5, 334.
 † — — — Lam. Encycl. 511.
 — — — Sturm Flora 1, 3.
 — — — Schrank Fl. monac. 1, 98.
 — — — Hayne 8, 8.
 — — — Nees Düssel. 174.
 — — — Guimpel et Schl. 161.
 — — — Wagner 129.
 — — — Dietr. Fl. bor. 2, 86.
 † — — — Nees Gen. 6, 14.
Orithya nutans Trautv. Trautvetter Imag. 10.
 — — — uniflora Don. Sweet Fl. G. II. 336.
 † *Orum Desv.* Desvaux Journal 5, 25.
Orixa japonica Thunb. Thunberg Ic. jap. 12.
Orlaya grandiflora Hoffm. Dietr. Fl. bor. 11, 745.
Ormenis aurea Durieu. Explor. Alger. 61.
 † — — — mixta DC. Explor. Alger. 61.
Ormocarpum sennoides DC. Wight Ic. pl. Ind. or. 1, 297.
 — — — verrucosum Pal. B. Pal. B. Fl. d'Oware 88.
 — — — — — Lam. Encycl. 978.
Ormosia coarctata Jacks. Linn. Transact. 10, 27.
 — — — coccinea Jacks. Linn. Transact. 10, 25.
 — — — dasycarpa Jacks. Linn. Transact. 10, 26.
 — — — — — Kerner Hort. 576.
 — — — glauca Wall. Wall. Pl. asiat. 125.
Ornithidium album Hook. Bot. Mag. 61, 3306.
 — — — aureum P. et E. Poepp. et Endl. 96.
 — — — coccineum Salisb. Hook. Exot. Fl. 36.
 — — — — — Kerner Hort. 790.
Ornithocephalus gladiatus Hook. Hook. Exot. Fl. 127.
Ornithochilus abyssinicus Hochst. Richard Abyssin. 82.
Ornithogalum aequipetalum Colla. Mem. Tur. 39, 53.
 — — — alliaceum Lodd. Lodd. Cab. 1818.
 — — — arabicum Brot. Brotero Phytogr. 45.
 — — — — — Red. Red. Lil. 2, 63.
 — — — — — L. Bot. Mag. 19, 728.
 — — — — — Bot. Reg. 11, 906.
 — — — — — Rchb. Fl. germ. 10, 470.
 — — — — — arvense Pers. Usteri Ann. 11, 1.
 — — — — — Sibth. Fl. gr. 332.
 — — — — — Fl. dan. 11, 1869.
 — — — — — aureum Curt. Bot. Mag. 6, 190.
 — — — — — Lodd. Cab. 1183.
 — — — — — Red. Lil. 8, 439.
 — — — — — Herb. amat. 3, 191.
 — — — — — Paxt. Mag. 12, 175.
 — — — — — Hart. Parad. 1, 1.
 — — — — — Fl. d. serres 2, 13.
 — — — — — barbatum Jacq. Jacq. Schoenbr. 1, 91.
 — — — — — biflorum Don. Sweet Fl. G. II. 246.
 — — — — — bifolium Lodd. Lodd. Cab. 1802.
 — — — — — bohemicum Zauschn. Sturm Flora 6, 23.
 — — — — — bulbiferum L. Rchb. Ic. crit. 2, 117.
 — — — — — caudatum Ait. Jacq. Ic. 423.
 — — — — — — — Bot. Mag. 21, 805.
 — — — — — chloroleucum Ldl. Bot. Reg. 22, 1853.
 — — — — — circinatum L. fil. Rchb. Fl. germ. 10, 461.
 — — — — — coarctatum Jacq. Jacq. Ic. 435.
 — — — — — coccineum Lodd. Lodd. Cab. 301.
 — — — — — collinum Guss. Rchb. Fl. germ. 10, 468.
 — — — — — comosum L. Jacq. Ic. 426.
 — — — — — — — Rchb. Fl. germ. 10, 468.
 — — — — — conicum Jacq. Jacq. Ic. 428.
 — — — — — — — Bot. Mag. 63, 3538.
 — — — — — contortum Ten. Tenore Fl. nap. 220.
 — — — — — corymbosum Rz et P. Ruiz et Pav. Fl. 300.
 — — — — — — — Bot. Reg. 11, 906.
 — — — — — — — Bot. Mag. 59, 3179.
 — — — — — — — Sweet Fl. G. II. 89.
 — — — — — cuspidatum Bert. Novi Comm. Benon. 5, 42.
 — — — — — dichotomum Lab. Bill. Nov. Holl. 109.
 — — — — — divaricatum Ldl. Bot. Reg. 28, 28.

- Ornithogalum elatum* Andr. Andr. Rep. 8, 528.
 — — — exscapum Ten. Tenore Fl. nap. 34, 226.
 — — — — — Rchb. Fl. germ. 10, 469.
 — — — — — Schultz. Flora 1827, 2.
 — — — fibrosum Desf. Desf. Fl. atl. 84.
 — — — filiforme Led. Ledeb. Ic. 392.
 — — — fimbriatum Willd. Lindley Collect. 28.
 — — — — — Bot. Mag. 58, 3077.
 — — — — — Bot. Reg. 7, 555.
 — — — — — Sweet Fl. G. II. 111.
 — — — fistulosum Ram. Red. Lil. 4, 221.
 — — — — — Rchb. Fl. germ. 10, 476.
 — — — flavescens Jacq. Jacq. Ic. 437.
 — — — flavissimum Jacq. Jacq. Ic. 436.
 — — — — — Andr. Rep. 8, 505.
 — — — fuscatum Jacq. Jacq. Ic. 429.
 — — — garganicum Ten. Ac. Neap. 3, 6.
 — — — — — Rchb. Fl. germ. 10, 468.
 — — — giganteum Jacq. Jacq. Schoenbr. 1, 87.
 — — — gramineum Sims. Bot. Mag. 50, 2419.
 — — — Grimaldi Nocca. Nocca Fl. select. 4.
 — — — Gussonii Ten. Tenore Fl. nap. 226.
 — — — intermedium Schultz. Flora 1827, 2.
 — — — — — var. bulbiferum, Flora 1827, 2.
 — — — juncifolium Jacq. Jacq. Schoenbr. 1, 90.
 — — — — — Bot. Mag. 25, 972.
 — — — lacteum Jacq. Jacq. Ic. 434.
 — — — — — Andr. Rep. 4, 274.
 — — — — — Bot. Mag. 28, 1134.
 — — — — — Red. Lil. 7, 418.
 — — — — — Lodd. Cab. 1159.
 — — — — — Rchb. Exot. 53.
 — — — — — Vill. Rchb. Fl. germ. 10, 472.
 — — — lanceolatum Lab. Bill. Syr. 5, 8.
 — — — latifolium L. Jacq. Ic. 424.
 — — — — — Bot. Mag. 22, 876.
 — — — — — Bot. Reg. 23, 1978.
 — — — Liotardi Sternb. Regensb. Denkschr. 2, 3.
 — — — longibracteatum Jacq. Jacq. Vind. 3, 29.
 — — — — — Red. Lil. 2, 120.
 — — — — — Lodd. Cab. 1789.
 — — — luteum L. Fl. dan. 3, 378.
 — — — — — Curt. Lond. 4, 121.
 — — — — — Red. Lil. 6, 302.
 — — — — — Engl. Bot. 1, 21.
 — — — — — Sv. Bot. 634.
 — — — — — Liboschitz Petersb. 19.
 — — — — — Sturm Flora 3, 12.
 — — — — — Schrank Fl. monac. 1, 38.
 — — — maculatum Jacq. Jacq. Collect. 2, 18.
 — — — marginatum Ldl. Bot. Reg. 31, 21.
 — — — miniatum Jacq. Jacq. Ic. 438.
 — — — — — Kerner Hort. 22.
 — — — minimum L. Fl. dan. 4, 612. 8, 1331.
 — — — — — Sv. Bot. 494.
 — — — — — Red. Lil. 6, 302.
 — — — — — Sturm Flora 3, 12.
 — — — montanum Cirillo. Tenore Fl. nap. 33.
 — — — — — Bot. Reg. 24, 28.
 — — — — — Rchb. Fl. germ. 10, 470.
 — — — — — Sweet Fl. G. II. 42.
 — — — nanum Brot. Brotero Phytogr. 46.
 — — — — — Sm. Sibth. Fl. gr. 333.
 — — — — — Tenore Fl. nap. 226.
 — — — — — Bot. Reg. 31, 39.
 — — — narbonnense L. Bot. Mag. 51, 2510.
 — — — — — Rchb. Ic. crit. 10, 906.
 — — — — — Rchb. Fl. germ. 10, 472.
 — — — niveum Ait. Bot. Reg. 3, 235.
 — — — nudiscapum Schultz. Flora 1827, 2.
 — — — nutans L. Jacq. Fl. austr. 4, 301.
 — — — — — Fl. dan. 6, 912.

- Ornithogalum nutans* L. Bot. Mag. 8, 269.
 — — — Curt. Lond. 4, 44.
 — — — Engl. Bot. 28, 1897.
 — — — Red. Lil. 5, 253.
 — — — Dietr. Fl. bor. 1, 55.
 — — — octandrum Fingerh. Linnaea 4, 4.
 — — — odoratum Jacq. Jacq. Ic. 432.
 — — — Andr. Rep. 4, 260.
 — — — Kerner Hort. 731.
 — — — orthophyllum Ten. Tenore Fl. nap. 225.
 — — — paradoxum Jacq. Jacq. Collect. 5, 1.
 — — — polyphyllum Jacq. Jacq. Ic. 430.
 — — — prasinum Ker. Bot. Reg. 2, 158.
 — — — pratense Pers. Usteri Annalen 11, 2.
 — — — Fl. dan. 13, 2225.
 — — — pusillum Schmidt. Rchb. Ic. crit. 2, 117.
 — — — pyramidale L. Jacq. Ic. 425.
 — — — Red. Lil. 8, 422.
 † — — — Gaertn. Carp. 17.
 † — — — Lam. Encycl. 242.
 — — — pyrenaicum L. Jacq. Fl. austr. 2, 103.
 — — — Red. Lil. 4, 334.
 — — — Engl. Bot. 7, 499.
 — — — Rchb. Ic. crit. 10, 907.
 — — — Rchb. Fl. germ. 10, 471.
 † — — — Nees Gen. 2, 48.
 — — — refractum Kit. Tenore Fl. nap. 225.
 — — — Rchb. Ic. crit. 2, 142.
 — — — Rchb. Fl. germ. 10, 469.
 — — — Sweet Fl. G. II. 58.
 — — — revolutum Jacq. Jacq. Schoenbr. 1, 89.
 — — — Bot. Mag. 18, 653.
 — — — Bot. Reg. 4, 315.
 — — — Rudolphi Jacq. Jacq. Ecl. pl. 20.
 — — — saxatile Vis. Visiani Dalm. 4.
 — — — Rchb. Fl. germ. 10, 468.
 — — — scilloides Jacq. Jacq. Schoenbr. 1, 89.
 — — — secundum Jacq. Jacq. Ic. 333.
 — — — sessile Pacho. Pacho Voyage 97.
 — — — silvaticum Pers. Usteri Annalen 11, 1.
 — — — spathaceum Hayne. Usteri Annalen 21, 1.
 — — — Sibth. Fl. gr. 331.
 — — — Red. Lil. 5, 242.
 — — — Sv. Bot. 494.
 — — — Squilla Gawl. Bot. Mag. 23, 918.
 — — — stachyoides Ait. Rchb. Fl. germ. 10, 472.
 — — — Sternbergii Haenke. Lodd. Cab. 1209.
 — — — suaveolens Jacq. Jacq. Ic. 431.
 — — — sulphureum Bert. Rchb. Fl. germ. 10, 471.
 — — — tenellum Jacq. Jacq. Ic. 427.
 — — — tenuifolium Red. Red. Lil. 6, 312.
 — — — Guss. Rchb. Fl. germ. 10, 467.
 — — — thyrsoides Jacq. Jacq. Vind. 3, 28.
 — — — Red. Lil. 6, 333.
 — — — Bot. Mag. 29, 1164.
 — — — β. flavescens, Bot. Reg. 4, 305.
 — — — α. album, Bot. Reg. 4, 316.
 † — — — Ann. sc. nat. 23, 1.
 — — — triandrum Lab. Bill. Nov. Holl. 110.
 — — — triflorum Led. Ledeb. Ic. 379.
 — — — Rchb. Fl. germ. 10, 478.
 — — — trigynum Red. Red. Lil. 7, 417.
 — — — umbellatum L. Jacq. Fl. austr. 4, 343.
 — — — Curt. Lond. 4, 45.
 — — — Engl. Bot. 2, 130.
 — — — Baxter Brit. Bot. 2, 124.
 — — — Fl. dan. 8, 1266.
 — — — Sv. Bot. 388.
 — — — Red. Lil. 3, 143.
 † — — — Lam. Encycl. 242.
 — — — Schk. Handb. 94.
 — — — Dietr. Fl. bor. 1, 56.

- Ornithogalum umbellatum* L. Rchb. Fl. germ. 10, 467.
 † — — — Nees Gen. 2, 48.
 — — — unifolium Gawl. Bot. Mag. 24, 935. 933.
 — — — villosum M. v. B. Rchb. Fl. germ. 10, 479.
 — — — virens Ldl. Bot. Reg. 10, 814.
Ornithoglossum glaucum Salisb. Salisb. Parad. 54.
 — — — undulatum Spr. Sweet Fl. G. 131.
Ornithopus compressus L. Sibth. Fl. gr. 714.
 — — — coriandrinus Hochst. Fielding Sertum 49.
 — — — durus Cav. Cav. Ic. 41.
 — — — ebracteatus Brot. Brotero Phytogr. 68.
 — — — Loiseleur Fl. gall. 13.
 — — — heterophyllum Brot. Brotero Phytogr. 67.
 — — — lotoides Viv. Viviani Fl. ital. 9.
 — — — purpusillus L. Fl. dan. 5, 730.
 — — — Curt. Lond. 1, 75.
 — — — Engl. Bot. 6, 369.
 — — — Baxter Brit. Bot. 5, 358.
 — — — Lam. Encycl. 631.
 — — — Viviani Fl. ital. 14.
 — — — Schk. Handb. 206.
 — — — Dietr. Fl. bor. 8, 542.
 — — — pygmaeus Viv. Viviani Fl. ital. 14.
 — — — repandus Poir. Lam. Encycl. 631.
 — — — scorpioides L. Cav. Ic. 37.
 † — — — Schk. Handb. 206.
 † — — — Gaertn. Carp. 153.
 † — — — Lam. Encycl. 631.
 — — — Sibth. Fl. gr. 715.
Ornithophe integrifolia Lam. Lam. Encycl. 309.
 — — — occidentalis Willd. Lam. Encycl. 309.
 — — — panigera Lab. Bill. Sertum 52.
 — — — serrata Roxb. Roxb. Corom. 61.
 — — — villosa Roxb. Wight Ic. pl. Ind. or. 2, 401.
Ornus dipetala Hook. Hook. Beechey 87.
 — — — europaea Pers. Hayne 13, 11.
 — — — rotundifolia Moench. Hayne 13, 12.
Orobanche acaulis Roxb. Roxb. Corom. 292.
 — — — Kerner Hort. 668.
 — — — alba Steph. Marshall Cent. 52.
 — — — Rchb. Ic. crit. 7, 679. 680. 681.
 — — — amethystea Thuill. Rchb. Ic. crit. 7, 685. 686.
 — — — ammophila Led. Ledeb. Ic. 389.
 — — — amoena Led. Ledeb. Ic. 385.
 — — — apiculata Wallr. Rchb. Ic. crit. 7, 652.
 — — — arenaria Borkh. Rchb. Ic. crit. 7, 693. 694.
 — — — Dietr. Fl. bor. 9, 579.
 † — — — Mutel Fl. fr. 43.
 † — — — Schultz Orobanche 1.
 — — — Artemisiae Gaud. Vaucher Orobanche 13. 14.
 — — — barbata Brot. Brotero Phytogr. 142.
 — — — Poir. Engl. Bot. 2859.
 — — — Rchb. Ic. crit. 7, 655.
 — — — bicolor Led. Ledeb. Ic. 390.
 † — — — bipontina Schultz. Schultz Orobanche 1.
 — — — Buekii Dietr. Dietr. Fl. bor. 3, 145.
 — — — caesia Rchb. Rchb. Ic. crit. 7, 698.
 — — — caryophyllacea Sm. Tratt. Archiv 3.
 — — — Gaudin Fl. helv. 4, 1.
 — — — Rchb. Ic. crit. 7, 660. 9, 835.
 — — — Engl. Bot. 2639.
 † — — — Schultz Orobanche 1.
 — — — citrina Dietr. Dietr. Fl. bor. 7, 441.
 — — — coccinea M. v. B. Marshall Cent. 56.
 — — — Rchb. Ic. crit. 7, 699.
 — — — coerulea Vill. Engl. Bot. 6, 423.
 — — — Roemer Fl. europ. 9, 7.
 † — — — Mutel Fl. fr. 43.
 — — — Rchb. Ic. crit. 7, 692.
 — — — var. Millefolii, Rchb. Ic. crit. 8, 784.
 † — — — Schultz Orobanche 1.
 — — — Dietr. Fl. bor. 3, 150.

- Orobanchae coerulesa* Vill. Vaucher Orobanchae 15.
 — *coerulescens* Steph. Rchb. Ic. crit. 7, 690.
 — — — Dietr. Fl. bor. 8, 511.
 — *comosa* Wallr. Hook. Bor. Am. 169.
 — — — Vaucher Orobanchae 15.
 — *compacta* Viv. Viviani Lib. 25.
 — *condensata* Moris. Rchb. Ic. crit. 7, 666.
 — *crinita* Viv. Rchb. Ic. crit. 7, 687.
 — *cruenta* Bert. Rchb. Ic. crit. 7, 665.
 † — — — Mutel Fl. fr. 42.
 † — — — Cosson Atlas 19.
 — *cumana* Wallr. Rchb. Ic. crit. 7, 691.
 † — *curviflora* Viv. Viviani Aeg. 2.
 — *Dorycnii* Vauch. Vaucher Orobanchae 3.
 — *elator* Sutton. Linn. Transact. 4, 17.
 — — — Engl. Bot. 8, 568.
 — — — Fl. dan. 8, 1338.
 — — — Roemer Fl. europ. 9, 5.
 — — — Rchb. Ic. crit. 7, 669. 670.
 — — — Dietr. Fl. bor. 3, 148.
 † — — — Schultz Orobanchae 1.
 — *Epithymum* DC. Vaucher Orobanchae 6.
 — — — Rchb. Ic. crit. 7, 638. 639.
 — — — Dietr. Fl. bor. 4, 251.
 † — — — Schultz Orobanchae 1.
 † — — — Nees Gen. 5, 30.
 † — — — Mutel Fl. fr. 40.
 † — — — Cosson Atlas 19.
 † — — — Wight Illustr. 158^b.
 — *Eryngii* Duby. Vaucher Orobanchae 10.
 † — — — Cosson Atlas 19.
 — *fasciculata* Nutt. Hook. Bor. Am. 170.
 † — *fiava* Mart. Schultz Orobanchae 1.
 — *foetida* Desf. Desf. Fl. atl. 144.
 — — — Brotero Phytogr. 145.
 — — — Hoffm. Lk. Fl. port. 62.
 — — — Rchb. Ic. crit. 7, 689.
 — *fuliginosa* Jord. Jordan Obs. 3, 9.
 — *Galii* Duby. Rchb. Ic. crit. 7, 661—664.
 — — — Sturm Flora 20, 94.
 — — — Dietr. Fl. bor. 3, 146.
 † — — — Mutel Fl. fr. 41.
 † — — — Cosson Atlas 19.
 — *gilva* Dietr. Dietr. Fl. bor. 7, 439.
 — *glabra* Hook. Hook. Bor. Am. 167.
 — *glabrata* C. A. M. Eichwald Cauc. 17.
 — *gracilis* Sm. Rchb. Ic. crit. 7, 667.
 — *grandiflora* Boiry. Bory et Chaubard Morée 22.
 — *Hederae* Vauch. Vaucher Orobanchae 8.
 † — *Kochii* F. Schultz. Flora 1847, 1.
 — *Krausei* Dietr. Dietr. Fl. bor. 7, 437.
 — *laevis* L. Schk. Handb. 176.
 — *Laserpitii* Sileris Jord. Jordan Obs. 3, 9.
 — *lavandulacea* Rchb. Rchb. Ic. crit. 7, 697.
 — *laxiflora* Rchb. Dietr. Fl. bor. 4, 253.
 † — *longiflora* Trev. Mag. naturf. Fr. 7, 2.
 — — — Rchb. Ic. crit. 7, 695.
 — *loricata* Rchb. Rchb. Ic. crit. 7, 682. 683.
 — — — Dietr. Fl. bor. 9, 580.
 — *macrantha* Dietr. Dietr. Fl. bor. 7, 438.
 † — *major* L. Gaertn. Carp. 185.
 — — — Curt. Lond. 3, 109.
 — — — Engl. Bot. 6, 421.
 — — — Sv. Bot. 596.
 — — — Roemer Fl. europ. 9, 4.
 — — — Schrank Fl. monac. 3, 242.
 — — — Rchb. Ic. crit. 5, 470. 7, 668.
 † — *Medicaginis* Duby. Mutel Fl. fr. 42.
 — — — Vaucher Orobanchae 2.
 — — — Rchb. Ic. crit. 7, 684.
 — *minor* Sutton. Engl. Bot. 6, 422.
 — — — Baxter Brit. Bot. 5, 381.

- Orobanchae minor* Sutton. Fl. dan. 7, 1219.
 — — — Roemer Fl. europ. 9, 6.
 — — — Rchb. Ic. crit. 7, 652—654.
 — — — Vaucher Orobanchae 4.
 † — — — Cosson Atlas 19.
 † — *Mutelii* Schultz. Mutel Fl. fr. 43. Suppl. 2.
 — *Nicotianae* Wight. Wight Illustr. 158.
 — *nudiflora* Wallr. Rchb. Ic. crit. 7, 656. 662.
 — *papyraea* DC. Vaucher Orobanchae 7.
 † — *pedunculata* Viv. Viviani Aeg. 2.
 — *Picridis* Schultz. Engl. Bot. 2956.
 — — — Vaucher Orobanchae 12.
 † — — — Cosson Atlas 19.
 † — *procera* Koch. Flora 1836, 1.
 † — — — Mutel Fl. fr. Suppl. 1.
 — *pruinosa* Lap. Vaucher Orobanchae 5.
 — — — Rchb. Ic. crit. 7, 678.
 — *purpurea* L. Jacq. Fl. austr. 3, 267.
 † — *ramosa* L. Gaertn. Carp. 185.
 † — — — Schultz Orobanchae 1.
 † — — — Mutel Fl. fr. 43.
 † — — — (Vaucher.) Mem. Mus. 10, 16.
 — — — Brotero Phytogr. 145.
 — — — Engl. Bot. 3, 184.
 — — — Gmelin Fl. bad. 2, 8.
 — — — Roemer Fl. europ. 9, 8.
 — — — Sibth. Fl. gr. 608.
 — — — Lam. Encycl. 551.
 — — — Vaucher Orobanchae 16.
 — — — Rchb. Ic. crit. 7, 696.
 — — — Dietr. Fl. bor. 4, 250.
 — *Rapum* Thuill. Rchb. Ic. crit. 7, 688.
 — — — Vaucher Orobanchae 1.
 — — — Dietr. Fl. bor. 4, 249.
 † — — — Cosson Atlas 19.
 — *robusta* Dietr. Dietr. Fl. bor. 3, 151.
 — *rubens* Wallr. Sturm Flora 20, 94.
 — *Rubi* Vauch. Vaucher Orobanchae 9.
 — *rubiginosa* Dietr. Dietr. Fl. bor. 4, 252.
 — *rubra* Sm. Curt. Lond. 4, 103.
 — — — Engl. Bot. 25, 1786.
 — — — Rchb. Ic. crit. 7, 657.
 — *Scabiosae* Koch. Vaucher Orobanchae 11.
 † — *Schultzii* Mutel. Mutel Fl. fr. Suppl. 2.
 — *sordida* Led. Ledeb. Ic. 386.
 — *speciosa* Dietr. Dietr. Fl. bor. 3, 149.
 † — *stigmatodes* Wimmer. Flora 1847, 1.
 — *strobiligena* Rchb. Rchb. Ic. crit. 7, 673. 674.
 † — *Tencrii* Holandra. Mutel Fl. fr. 41. Suppl. 3.
 — — — Flora 1835, 1.
 — *torquata* Rchb. Rchb. Ic. crit. 9, 636.
 — — — Dietr. Fl. bor. 7, 440.
 — *tuberosa* Hook. Hook. Bor. Am. 168.
 — *tubiflora* Dietr. Dietr. Fl. bor. 3, 147.
 † — *Tussilaginis* Mutel. Mutel Fl. fr. 42.
 — *uniflora* L. Barton Med. 50.
 — — — Dict. sc. nat. 29.
 — *variegata* Wallr. Rchb. Ic. crit. 7, 671. 672.
 — *virginiana* L. Barton Med. 27.
 † — *vulgaris* Poir. Lam. Encycl. 551.
 — — — Gaudin Fl. helv. 4, 2.
 — — — Rchb. Ic. crit. 7, 651. 675—677.
 † *Orobancheae* Vent. Wight Illustr. 158^{bis}.
 † *Orobanchia* Vandelli. Roemer Scriptores 7.
Orobis albus Willd. Sweet Fl. G. 22.
 — *alpestris* W. et K. W. et Kit. 126.
 — *angustifolius* Reichard. var. Schneevogt Ic. 10.
 — *atropurpureus* Desf. Desf. Fl. atl. 196.
 — — — Bot. Reg. 21, 1763.
 — *aurantius* M. v. B. Sweet Fl. G. II. 198.
 — *aureus* Steven. Lodd. Cab. 1955.
 — *canescens* L. fil. Bot. Mag. 58, 3117.

- Orobis coccineus* Lodd. Lodd. Cab. 883.
 — *croceus* Desf. Ann. Mus. 12, 9.
 — — Desf. Choix 64.
 — *digitatus* Ten. Tenore Fl. nap. 243.
 — *divaricatus* Lapeyr. Mem. Mus. 2, 11.
 — *ensifolius* Lapeyr. Mem. Mus. 2, 12.
 — *Fischeri* Sweet. Sweet Fl. G. 289.
 — — Lodd. Cab. 1740.
 — *flaccidus* Kit. Rchb. Ic. crit. 10, 939.
 — *formosus* Stev. Linn. Transact. 11, 36.
 — *hirsutus* L. Bot. Mag. 49, 2345.
 — — Lodd. Cab. 929.
 — — Sweet Fl. G. II. 302.
 — *intermedius* Led. Ledeb. Ic. 484.
 — *Jordani* Ten. Tenore Fl. nap. 170.
 — *lacteus* M. v. B. β. Ledeb. Ic. 485.
 — *laevigatus* W. et K. W. et Kit. 243.
 — *lathyroides* L. Bot. Mag. 46, 2098.
 — — Lodd. Cab. 698.
 — *laxiflorus* Desf. Ann. Mus. 12, 8.
 — — Desf. Choix 63.
 — *luteus* L. Lodd. Cab. 783.
 — — Sweet Fl. G. II. 115.
 — *montanus* Scop. Scop. Fl. carn. 2, 41.
 — *niger* L. Fl. dan. 7, 1170.
 † — — Gaertn. Carp. 151.
 † — — Schk. Handb. 200.
 † — — Lam. Encycl. 633.
 — — Bot. Mag. 48, 2261.
 — — Engl. Bot. 2788.
 — — Dietr. Fl. bor. 9, 603.
 — *ochroleucus* W. et K. W. et Kit. 118.
 — *pannonicus* Jacq. Jacq. Fl. austr. 1, 39.
 — *saxatilis* Vent. Vent. Cels 94.
 — *sessilifolius* Sibth. Sibth. Fl. gr. 692.
 — — Bot. Mag. 55, 2796.
 — *silvaticus* L. Lightf. Fl. scot. 1, 16.
 — — Curt. Lond. 4, 8.
 — — Engl. Bot. 8, 516.
 — — Lodd. Cab. 1181.
 — — Roemer Fl. europ. 11, 8.
 — *stipulaceus* Hook. Bot. Mag. 56, 2937.
 — *subvillosus* Led. Ledeb. Ic. 483.
 — *Tournefortii* Lapeyr. Mem. Mus. 2, 10.
 — *tuberosus* L. Fl. dan. 5, 781.
 — — Curt. Lond. 1, 98.
 — — Engl. Bot. 17, 1153.
 — — Baxter Brit. Bot. 6, 433.
 — — Schk. Handb. 200.
 — — Sturm Flora 6, 21.
 — — Dietr. Fl. bor. 7, 484.
 — *variegatus* Ten. Tenore Fl. nap. 68.
 — — Lodd. Cab. 1168.
 — — Sweet Fl. G. II. 28.
 — *varius* Solander. Hill Hort. Kew. 11.
 — — Bot. Mag. 18, 675.
 — *vernus* L. Fl. dan. 7, 1226.
 — — Bot. Mag. 15, 521.
 † — — Lam. Encycl. 633.
 — — Sv. Bot. 640.
 — — Sibth. Fl. gr. 691.
 — — var. Rochel Banat. 16.
 — — Sturm Flora 2, 7.
 — — Dietr. Fl. bor. 7, 483.
 † *Orontiaceae* R. Br. Schnizl. Iconogr. 1, 72^b. 72^{bb}.
 † *Orontium* L. Kerner Genera 114.
 — *aquaticum* L. Linné Amoenit. 3, 1.
 — — Barton Fl. 2, 37.
 — — Lodd. Cab. 402.
 — — Hook. Exot. Fl. 19.
 † — — Lam. Encycl. 251.
 — *japonicum* Thunb. Kaempfer Japon. 12.

- Orontium japonicum* Thunb. Bot. Mag. 23, 898.
 — — — Lam. Encycl. 251.
 † *Oropetium thomaeum* Trin. Trinius Fund. 3.
Orophea polycarpa DC. Mem. Genev. 5, 4.
Orothamnus Zeyheri Pappe. Bot. Mag. 74, 4357.
 — — — Fl. d. serres 4, 338.
Orphium frutescens E. M. Paxt. Mag. 13, 221.
Ortegia dichotoma All. Misc. Taur. 3, 4.
 — *hispanica* L. Cav. Ic. 47.
 — — — Lam. Encycl. 29.
 † — — — Gaertn. Carp. 129.
Orthanthera viminea Wight. Jacquemont Ind. 115.
 — — — Royle Illustr. 66.
Orthocarpus strictus Hook. Hook. Bor. Am. 173.
Orthoclada laxa Pal. B. Humb. Gram. 71.
Orthopogon Burmanni R. Br. Petersb. 10, 22.
 — — — Rchb. Fl. germ. 1, 28.
 — *imbecillis* R. Br. Trin. Sp. Gr. 2, 191.
 — *undulatifolius* R. Br. Rchb. Fl. germ. 1, 28.
Orthosiphon bracteatus Wight. Wight Ic. pl. Ind. or. 4, 1428.
 — *incurvus* Benth. Bot. Mag. 67, 3847.
 — — — Maund Bot. 4, 173.
 — *rubicundus* Benth. Hook. Ic. pl. 5, 459.
 † *Orthosporum Bonus Henricus* C. A. M. Nees Gen. 4, 57.
 † — *rubrum* C. A. M. Nees Gen. 4, 57.
Orthotactus venosus N. v. E. Endl. Bras. 7, 21.
Orthrosanthus multiflorus Sweet. Sweet Austr. 11.
 — — — Lodd. Cab. 1474.
 — — — Paxt. Mag. 11, 245.
Oryza latifolia Desv. Humb. Gram. 4.
 — *sativa* L. Rumpf Amb. 5, 75^b.
 — — — Tidyman Dissert. 1, 2.
 — — — Host Gram. 325.
 — — — Metzger Cer. 13.
 — — — Nees Düsseld. 36.
 — — — Desc. Ant. 8, 547.
 † — — — Linné Amoenit. 7, 3.
 † — — — Gaertn. Carp. 80.
 † — — — Lam. Encycl. 264.
 † — — — Ann. Mus. 17, 10.
 † — — — Spach Suites 127.
 † — — — Nees Gen. 1, 2.
 — *subulata* N. v. E. Humb. Gram. 101.
Oryzopsis asperifolia Rich. Michaux Fl. 9.
 † — — — Lam. Encycl. 908.
Osbeckia angustifolia Don. Wall. Pl. asiat. 251.
 † — *antherotoma* Naud. Ann. sc. nat. III. 13, 6.
 — *aspera* Blume. Wight Ic. pl. Ind. or. 3, 377.
 † — *brachystemon* Naud. Ann. sc. nat. III. 13, 7.
 — *canescens* Graham. Knowles et Westcott 123.
 — — — Maund Bot. 5, 229.
 — — — Bot. Mag. 66, 3790.
 — *chinensis* L. Lam. Encycl. 283.
 — — — Lodd. Cab. 665.
 — — — Bot. Reg. 7, 542.
 — — — Bot. Mag. 69, 4026.
 — *cupularis*? W. et A. Rheede Hort. mal. 4, 43.
 — *Gardneriana* Wight. Wight Spicil. 69.
 — — — Wight Ic. pl. Ind. or. 3, 997.
 — *glomerata* DC. Bot. Mag. 55, 2838.
 † — *hirta* Gaertn. Gaertn. Carp. 126.
 — *hispidissima* Wight. Wight Ic. pl. Ind. or. 4, 1612.
 — *Leschenaultiana* DC. Wight Spicil. 68.
 — — — Wight Ic. pl. Ind. or. 3, 996.
 † — *linearis* Bl. Blume Mus. 1, 19.
 † — — — Ann. sc. nat. III. 13, 7.
 — *nepalensis* Hook. Hook. Exot. Fl. 31.
 — — — Mem. Genev. 4, 1.
 — — — var. albiflora, Bot. Reg. 17, 1475.
 † — — — Ann. sc. nat. III. 13, 7.
 † — *Perrottetii* Naud. Ann. sc. nat. III. 13, 7.

- † *Osbeckia Royeni* *Miq.* Miquel Comment. 10.
 — *stellata* *Don.* Hook. Exot. Fl. 37.
 — — Bot. Reg. 8, 674. 30, 53.
 — — *Rchb.* Exot. 239.
 — — *Lem.* Jard. fl. 168.
 — *ternifolia* *Don.* Wall. Pl. asiat. 240.
 — *truncata* *Don.* Wight Ic. pl. Ind. or. 2, 375.
 — *virgata* *Don.* Rheede Hort. mal. 4, 44.
 — — Wight Ic. pl. Ind. or. 2, 376.
 — *Wightiana* *Benth.* Wight Spicil. 70.
 — — Wight Ic. pl. Ind. or. 3, 998.
 † — *zanzibariensis* *Naud.* Ann. sc. nat. III. 13, 7.
 — *zeylanica* *L.* Lam. Encycl. 283.
 — — Bot. Reg. 7, 563.
 † *Osbeckiastrum Heudelotii* *Naud.* Ann. sc. nat. III. 13, 7.
Oserya Culteriana *Tul.* Arch. Mus. 6, 10.
 — *fiabellifera* *Tul.* Arch. Mus. 6, 10.
 † *Osmites asteriscoides* *L.* Gaertn. Carp. 174.
 † — — Lam. Encycl. 704.
 — *calycina* *L.* Lam. Encycl. 704.
 † — *camphorina* *Gaertn.* Gaertn. Carp. 174.
 † — — Lam. Encycl. 704.
Osmorrhiza brevistylis *DC.* Hook. Bor. Am. 97.
 — *laxa* *Royle.* Royle Illustr. 52.
 — *longistylis* *DC.* Hook. Bor. Am. 96.
 — — *Torrey* New York 38.
Osmunda africana *Schk.* Schk. Fil. 147.
 — *bifurcata* *Jacq.* Jacq. Collect. 3, 20.
 — *cinnamomea* *L.* Schk. Fil. 146.
 — *crispa* *L.* Fl. dan. 3, 496.
 — *deltoidea* *Cav.* Cav. Ic. 593.
 — *fulva* *Cav.* Cav. Ic. 593.
 — *gracilis* *Link.* Kunze Fil. 39.
 — *humilis* *Cav.* Cav. Ic. 592.
 — *javanica* *Bl.* Kunze Fil. 111.
 — *imbricata* *Kze.* Kunze Fil. 112.
 — *interrupta* *Michx.* Schk. Fil. 144.
 — *lanceolata* *Roxb.* Desc. Ant. 2, 146.
 — — *Calcutta Journal* 1844, 27.
 — *lunaria* *L.* Fl. dan. 1, 18.
 — — Engl. Bot. 5, 318.
 — — Lam. Encycl. 865.
 — — *Sturm* Flora II. 1, 12.
 — *Matricariae* *Schrank.* Sturm Flora II. 2, 8.
 — *oblongifolia* *Cav.* Cav. Ic. 592.
 — *regalis* *L.* Fl. dan. 2, 217.
 — — Curt. Lond. 5, 150.
 — — Engl. Bot. 3, 209.
 — — *Newman* p. 331. 333.
 — — *Sv. Bot.* 366.
 — — *Dict. sc. nat.* 99.
 † — — Lam. Encycl. 865.
 † — — Hook. Gen. Fil. 46.
 — — Schk. Fil. 143.
 — — *Sturm* Flora II. 2, 7.
 — *Spicant* *L.* Fl. dan. 1, 99.
 † — — *Hedwig* Theoria 5.
 — *Struthiopteris* *L.* Fl. dan. 1, 169.
 — *tenella* *Cav.* Cav. Ic. 592.
 — *ternata* *Thunb.* Thunb. Fl. jap. 32.
 — *trifida* *Jacq.* Jacq. Collect. 3, 20.
 — *Vachellii* *Hook.* Hook. Ic. pl. 1, 15.
 — *zeylanica* *L.* Rumpf Amb. 6, 68.
 — — Kunze Fil. 122.
 † *Osmundaceae* *Mart.* Schnizl. Iconogr. 1, 30.
Osteomeles anthyllidifolia *Ldl.* Linn. Transact. 13, 8.
 — *glabrata* *H. B. K.* H. B. K. Nov. Gen. 6, 553.
 — *latifolia* *H. B. K.* H. B. K. Nov. Gen. 6, 554.
Osteospermum coeruleum *Jacq.* Jacq. Ic. 179.
 † — *moniliferum* *L.* Gaertn. Carp. 168.
 † — — Lam. Encycl. 714.
 — *pinnatifidum* *L'her.* L'her. Stirp. 6.,

- Osteospermum spinosum* *Jacq.* Jacq. Schoenbr. 3, 377.
 — *palustre* *Bess.* *Rchb.* Ic. crit. 5, 402.
 † *Ostrya carpinifolia* *Scop.* Nees Gen. 4, 21.
 — *virginica* *Willd.* *Torrey* New York 102.
 † — — *Bull. Mosc.* 1850, 15.
 — *vulgaris* *Willd.* *Watson* Dendr. 2, 143.
 — — *Hartig* 22.
 — — *Rchb.* Fl. germ. 12, 635.
 † — — *Bull. Mosc.* 1850, 15.
 † *Osyricera crassifolia* *Bl.* Blume Tabellen 58.
 † *Osyris alba* *L.* Gaertn. Carp. 216.
 † — — — Lam. Encycl. 802.
 † — — — Ann. sc. nat. II. 6, 6.
 † — — — Nees Gen. 4, 49.
 — — — Schk. Handb. 319.
 — — — *Sibth.* Fl. gr. 954.
 — — — *Rchb.* Fl. germ. 11, 548.
 — *japonica* *Thunb.* *Thunberg* Ic. jap. 21.
 † — *nepalensis* *Griff.* (Ovulum.) Linn. Transact. 19, 18.
 — *peltata* *Roxb.* Wight Ic. pl. Ind. or. 3, 817.
 † — *quadripartita* *Decne.* Ann. sc. nat. II. 6, 6.
 — *Wightiana* *Wall.* Wight Ic. pl. Ind. or. 5, 1853.
Otanthra bracteata *Korth.* *Korthals* Bot. 51.
 — *moluccana* *Bl.* Rumpf Amb. 4, 71.
 † — — — *Blume* Mus. 1, 20.
Othera japonica *Thunb.* *Thunberg* Ic. jap. 13.
Othonna abrotanifolia *L.* Bot. Reg. 2, 108.
 — — — *Lodd.* Cab. 1698.
 — *amplexicaulis* *Thunb.* Bot. Mag. 32, 1312.
 — *Athanasiae* *Jacq.* Jacq. Schoenbr. 2, 242.
 — *cheirifolia* *L.* Bot. Reg. 4, 266.
 † — *coronopifolia* *L.* Gaertn. Carp. 170.
 † — — — Lam. Encycl. 714.
 — *denticulata* *Thunb.* Bot. Mag. 45, 1979.
 — *filicaulis* *Jacq.* Jacq. Schoenbr. 2, 241.
 — *fiabellifolia* *Lodd.* Lodd. Cab. 728.
 — *frutescens* *L.* Bot. Mag. 69, 3967.
 — *Lingua* *Thunb.* Jacq. Schoenbr. 2, 238.
 — *pectinata* *L.* Bot. Mag. 9, 306.
 — *perfoliata* *Jacq.* Jacq. Schoenbr. 2, 240.
 — *pinnata* *L. fil.* Bot. Mag. 60, 768.
 — *retrofracta* *Jacq.* Jacq. Schoenbr. 3, 376.
 — *Tagetes* *L.* Comm. Gott. 3, 5.
 — *tenuissima* *L.* Jacq. Schoenbr. 2, 239.
 — *tuberosa* *Thunb.* Bot. Mag. 69, 4038.
Othonnopsis angustifolia *J. et Sp.* *Jaubert* Illustr. 357.
 † *Othostemma lacunosum* *Bl.* *Blume* Mus. 1, 11.
Otidia alternans *Sweet.* Sweet Geran. 286.
 — *carnea* *Sweet.* Sweet Geran. 98.
 — *crithmifolia* *Sweet.* Sweet Geran. 354.
 — *laxa* *Sweet.* Sweet Geran. 196.
 † *Otillia zeylanica* *Gaertn.* Gaertn. Carp. 57.
Otocarpus virgatus *Durieu.* Explor. Alger. 77.
Otochilus fusca *Ldl.* Wall. Pl. asiat. 68.
 — — — Bot. Mag. 68, 3921.
Otoptera Burchellii *DC.* DC. Legum. 42.
Otostegia arabica *Jaub. et Sp.* *Jaubert* Illustr. 380.
 — *Aucherii* *Boiss.* *Jaubert* Illustr. 382.
 — *Benthamiana* *Jaub. et Sp.* *Jaubert* Illustr. 379.
 — *microphylla* *Boiss.* *Jaubert* Illustr. 381.
 — *moluccoides* *Jaub. et Sp.* *Jaubert* Illustr. 378.
 † *Ottelia alismoides* *Rich.* Mem. Instit. 1811, 7.
 — *lancifolia* *Rich.* Richard Abyssin. 95.
Ottoa oenanthoides *H. B. K.* H. B. K. Nov. Gen. 5, 423.
 † *Otonia Anisum* *Spr.* Miquel Ill. Pip. 92.
 — — — *Endl.* Bras. 11, 22.
 — *Blanchetii* *Moric.* *Moricand* Pl. Am. 57.
 — *corcovadensis* *Miq.* *Endl.* Bras. 11, 23.
 — *Lessertiana* *Miq.* Miquel Ill. Pip. 92.
 — *macrophylla* *Miq.* *Endl.* Bras. 11, 22.
 — *macrostachya* *Miq.* *Endl.* Bras. 11, 22.
 — *Pohlana* *Miq.* *Endl.* Bras. 11, 23.

- Ottonia Waracabacoura* *Miq.* Endl. Bras. 11, 24.
Ouratea guianensis *Aubl.* Aublet Guiana 152.
Ourisia alpina *P. et E.* Poepp. et Endl. 6.
— *antarctica* *Hook.* Hook. Fl. ant. 118.
— *breviflora* *Benth.* Hook. Fl. ant. 118.
— *macrophylla* *Hook.* Hook. Ic. pl. 6, 545, 546.
† — *magellanica* *Pers.* Gaertn. Carp. 185.
— — — Poepp. et Endl. 4.
— *microphylla* *P. et E.* Poepp. et Endl. 7.
— *pallens* *P. et E.* Poepp. et Endl. 5.
Ourouparia guianensis *Aubl.* Aublet Guiana 68.
Outea guianensis *Aubl.* Aublet Guiana 9.
— — — Lam. Encycl. 26.
Outreya carduiformis *Jaub.* Jaubert Illustr. 68.
Ouvirandra Bernieriana *Decne.* Delessert Ic. 3, 100.
— *fenestralis* *Poir.* Delessert Ic. 3, 99.
— *undulata* *Edgew.* Hook. Journal 1844, 18.
Ovieda mitis *L.* Burm. Fl. ind. 43.
† — — — Gaertn. Carp. 57.
† — — — Lam. Encycl. 538.
† — *spinosa* *L.* Lam. Encycl. 538.
— — — Desc. Ant. 7, 467.
† Oxalideae *DC.* Payer Organogénie 11.
† *Oxalis* *L.* Gray Genera 144.
† — *Acetosella* *L.* Jacquin Oxalis 80.
† — — — Gaertn. Carp. 113.
† — — — Lam. Encycl. 391.
† — — — Plée Types 29.
— — — Fl. dan. 6, 980.
— — — Woodv. Med. 3, 201.
— — — Curt. Lond. 1, 17.
— — — Engl. Bot. 11, 762.
— — — Baxter Brit. Bot. 5, 327.
— — — Sv. Bot. 10.
— — — Dreves 1, 1.
— — — Schk. Handb. 123.
— — — Schrank Fl. monac. 1, 57.
— — — Hayne 5, 39.
— — — Nees Düsseldorf. 383.
— — — Guimp. et Schl. 86.
— — — Dietr. Fl. bor. 2, 131.
— — — Rchb. Fl. germ. 5, 199.
— *alata* *Mart.* Münchn. Denkschr. 9, 1.
— *alba* *Hort. bot.* Sweet Fl. G. II. 398.
† — *ambigua* *Salisb.* Linn. Transact. 2, 23.
— *ambigua* *Jacq.* Jacquin Oxalis 43.
— *amoena* *Jacq.* Jacq. Schoenbr. 2, 206.
— *anthelmintica* *Rich.* Richard Abyssin. 23.
— *arbuscula* *Barn.* Gay Chile 14.
— *arcuata* *Jacq.* Jacquin Oxalis 31.
— *arenaria* *Colla.* Mem. Tur. 37, 3.
— *asinina* *Jacq.* Jacquin Oxalis 24.
— *Barrelieri* *L.* Jacquin Oxalis 3.
— — — Bot. Mag. 66, 3748.
— *Berteroana* *Barn.* Gay Chile 14.
— *bifida* *Thunb.* Thunberg Oxalis 1.
— — — Jacquin Oxalis 79.
— *bifurca* *Lodd.* Lodd. Cab. 1056.
— *bipartita* *St. Hil.* St. Hil. Fl. Bras. 23.
— *bipunctata* *Grah.* Bot. Mag. 54, 2781.
— *Bowieana* *Lodd.* Lodd. Cab. 1782.
— — — Maund Bot. 1, 25.
— — — Bot. Reg. 19, 1585.
— *brasiliensis* *Lodd.* Lodd. Cab. 1962.
— — — Knowles et Westcott 62.
— *breviscapa* *Jacq.* Jacquin Oxalis 58.
— — — Kerner Hort. 71.
— *Bridgesii* *Colla.* Mem. Tur. 37, 4.
— *bupleurifolia* *St. Hil.* St. Hil. Fl. Bras. 23.
— *canescens* *Jacq.* Jacquin Oxalis 11.
— *caprina* *Thunb.* Jacquin Oxalis 76.
— — — Bot. Mag. 7, 237.

- Oxalis caprina* *Thunb.* Lodd. Cab. 1109.
— *carnosa* *Molina.* Lodd. Cab. 1647.
— — — Bot. Reg. 13, 1063.
— — — Bot. Mag. 55, 2866.
— *casta* *Mart.* Münchn. Denkschr. 9, 6.
— *cataractae* *Cunn.* Hook. Ic. pl. 5, 418.
— *cernua* *Thunb.* Thunberg Oxalis 2.
— — — Jacquin Oxalis 6.
† — — — Jacq. Fragn. 6.
— — — Lodd. Cab. 1154.
— — — Kerner Hort. 298.
— *ciliaris* *Jacq.* Jacquin Oxalis 30.
— *compressa* *L. fil.* Jacquin Oxalis 78.
— — — Jacq. Fragn. 37.
— — — Kerner Hort. 158.
— *confertissima* *St. Hil.* St. Hil. Fl. Bras. 24.
— *convexula* *Jacq.* Jacquin Oxalis 55.
— — — Kerner Hort. 303.
— *cordata* *St. Hil.* St. Hil. Pl. usuelles 45.
— *corniculata* *L.* Jacquin Oxalis 5.
— — — Fl. dan. 5, 873. 10, 1753.
— — — Engl. Bot. 24, 1726.
— — — Sibth. Fl. gr. 451.
† — — — Schk. Handb. 123.
— — — Sturm Flora 1, 1.
— — — Dietr. Fl. bor. 4, 240.
— — — Rchb. Fl. germ. 5, 199.
— — — Wight Ic. pl. Ind. or. 1, 18.
— *crassicaulis* *Zucc.* Münchn. Abh. 1, 8.
— *cratensis* *Hook.* Hook. Ic. pl. 4, 361.
— *crenata* *Jacq.* Sweet Fl. G. II. 125.
— *crispa* *Jacq.* Jacquin Oxalis 23.
— *cruentata* *Jacq.* Jacq. Ecl. pl. 45.
— *Cumingi* *Ldl.* Bot. Reg. 18, 1545.
— *cuneata* *Jacq.* Jacquin Oxalis 40.
— *cuneifolia* *Jacq.* Jacquin Oxalis 41.
— *cuprea* *Lodd.* Lodd. Cab. 824.
— *Darwelliana* *Kn. et W.* Knowles et Westcott 93.
— *decaphylla* *H. B. K.* H. B. K. Nov. Gen. 5, 468.
— *dentata* *Jacq.* Jacquin Oxalis 7.
— *Deppei* *Lodd.* Lodd. Cab. 1500.
— — — Hénon Notice 1—3.
— — — Sweet Fl. G. II. 98.
— *discolor* *Klotzsch.* Link Ic. III. 29.
— *disticha* *Jacq.* Jacquin Oxalis 18.
— *divergens* *Benth.* Bot. Reg. 19, 1620.
— *dormiens* *Mart.* Münchn. Denkschr. 9, 5.
— *ebracteata* *Savigny.* Lam. Encycl. 391.
— *Ehrenbergii* *Schlechtld.* Schlechtendal Hortus 6.
— *elegans* *H. B. K.* H. B. K. Nov. Gen. 5, 466.
— — — Paxt. Mag. 16, 258.
— — — Bot. Mag. 76, 4490.
— *elongata* *Jacq.* Jacquin Oxalis 37.
— *enneaphylla* *Cav.* Cav. Ic. 411.
— — — Hook. Ic. pl. 5, 494.
— *exaltata* *Jacq.* Jacquin Oxalis 49.
— *fabaeifolia* *Jacq.* Jacquin Oxalis 27.
— — — Kerner Hort. 215.
— *fallax* *Jacq.* Jacquin Oxalis 67.
— *ferruginata* *Jacq.* Jacq. Schoenbr. 3, 274.
— *filicaulis* *Jacq.* Jacq. Schoenbr. 2, 205.
— *filifolia* *Jacq.* Jacq. Schoenbr. 3, 273.
— *filiformis* *H. B. K.* H. B. K. Nov. Gen. 5, 469.
— *fiabellifolia* *Jacq.* Jacquin Oxalis 74.
— *flaccida* *Jacq.* Jacquin Oxalis 51.
— *flava* *L.* Jacquin Oxalis 73.
— — — Bot. Reg. 2, 117.
— *floribunda* *Lehm.* Link Ic. II. 10.
— — — Bot. Reg. 13, 1123.
— — — Sweet Fl. G. II. 54.
— *frutescens* *L.* Desc. Ant. 1, 32.
— *fruticosa* *St. Hil.* Bot. Reg. 27, 41.

- Oxalis fulgida* Ldl. Bot. Reg. 13, 1073.
 — *fulva* St. Hil. St. Hil. Pl. usuelles 44.
 — *fuscata* Jacq. Jacquin Oxalis 45.
 — *geniculata* Kn. et W. Knowles et Westcott 21.
 — *glabra* Thunb. Thunberg Oxalis 2.
 — — Jacquin Oxalis 76.
 — *glandulifera* Salisb. Salisbury Parad. 66.
 — *glandulosa* Jacq. Jacquin Oxalis 46.
 — *glauca* H. B. K. H. B. K. Nov. Gen. 5, 471.
 — *gracilis* Jacq. Jacquin Oxalis 33.
 — *grandiflora* Jacq. Jacquin Oxalis 54.
 — *hirta* L. Jacquin Oxalis 13, 77.
 — — Lodd. Cab. 213.
 — *hirtella* Jacq. Jacquin Oxalis 14.
 — *incarnata* L. Jacquin Oxalis 71.
 — *laburnifolia* Jacq. Jacquin Oxalis 28.
 — *laciniata* Cav. Cav. Ic. 412.
 — *lanata* L. fil. Jacquin Oxalis 77.
 — *lanceifolia* Jacq. Jacquin Oxalis 26.
 — *lasiandra* Hook. Bot. Mag. 68, 3896.
 — *lasiopetala* Zucc. Bot. Mag. 68, 3932.
 — *lateriflora* Jacq. Jacq. Schoenbr. 2, 204.
 — *latifolia* H. B. K. H. B. K. Nov. Gen. 5, 467.
 — *laxula* Jacq. Jacquin Oxalis 57.
 — *lepidia* Jacq. Jacquin Oxalis 21.
 — *leporina* Jacq. Jacquin Oxalis 25.
 — *libyca* Viv. Viviani Lib. 13.
 — *lindsaeaefolia* Hook. Hook. Journal 1844, 1, 2.
 — *linearis* Jacq. Jacquin Oxalis 32.
 — *livida* Jacq. Jacquin Oxalis 8.
 — *lobata* Sims. Bot. Mag. 50, 2386.
 — *lotoides* H. B. K. Hook. Ic. pl. 7, 661.
 — *lupinifolia* Jacq. Jacquin Oxalis 72.
 — *luteola* Jacq. Jacquin Oxalis 65.
 — *macrogonia* Jacq. Jacquin Oxalis 70.
 — *macrostylis* Jacq. Jacquin Oxalis 9.
 — *magellanica* Forst. Hook. New Zeal. 13.
 — *mallobolba* Cav. Cav. Ic. 393.
 — *mandioccana* Raddi. Münchn. Denkschr. 9, 1.
 — *marginata* Jacq. Jacquin Oxalis 69.
 — *Martiana* Zucc. Lodd. Cab. 1523.
 — — Bot. Mag. 68, 3938.
 — *mauritanica* Lodd. Lodd. Cab. 1780.
 — *mimosoides* St. Hil. St. Hil. Pl. Bras. 21.
 — *miniata* Jacq. Jacquin Oxalis 35.
 — *minuta* Thunb. Thunberg Oxalis 2.
 — — Jacquin Oxalis 79.
 — *monophylla* L. Thunberg Oxalis 1.
 — — Jacquin Oxalis 79.
 — *multiflora* Jacq. Jacquin Oxalis 15.
 — — Jacq. Ic. 472.
 — *natans* L. Thunberg Oxalis 1.
 — — Jacquin Oxalis 76.
 — *obtusica* Jacq. Jacquin Oxalis 79.
 — *Ottonis* Klotzsch. Link Ic. III. 4.
 — *papilionacea* Hoffmgg. Münchn. Abhandl. 1, 7.
 — — Lodd. Cab. 1551.
 — *pectinata* Jacq. Jacquin Oxalis 75, 79.
 — — Jacq. Fragm. 6.
 — — Kerner Hort. 741.
 — *pentantha* Jacq. Jacquin Oxalis 1.
 — *pentaphylla* Sims. Bot. Mag. 38, 1549.
 — *Piotiae* Colla. Colla Hort. Rip. 1.
 — — Bot. Reg. 21, 1817.
 — *Plumieri* Jacq. Bot. Reg. 10, 810.
 — *polymorpha* Mart. Münchn. Denkschr. 9, 3.
 — *polyphylla* Jacq. Jacquin Oxalis 39.
 — — Jacq. Ic. 473.
 — *psoraloides* H. B. K. H. B. K. Nov. Gen. 5, 470.
 — *pulchella* Jacq. Jacquin Oxalis 69.
 — *punctata* L. Thunberg Oxalis 1.
 — — Jacquin Oxalis 66.

- Oxalis purpurata* Jacq. Jacq. Schoenbr. 3, 356.
 — *purpurea* Jacq. Jacquin Oxalis 56.
 — — Kerner Hort. 106.
 † — *pusilla* Salisb. Linn. Transact. 2, 23.
 — — Jacq. Jacquin Oxalis 42.
 — *reclinata* Jacq. Jacquin Oxalis 34.
 — *repens* Thunb. Thunberg Oxalis 1.
 — — Jacquin Oxalis 78.
 — — St. Hil. Pl. usuelles 43.
 — *reptatrix* Jacq. Jacquin Oxalis 20.
 — — Herb. amat. 3, 161.
 — *rhombifolia* Jacq. Jacquin Oxalis 2.
 — *rigidula* Jacq. Jacquin Oxalis 59.
 — *rosacea* Jacq. Jacquin Oxalis 17.
 — — Bot. Mag. 41, 1698.
 — *rosea* Jacq. Bot. Mag. 50, 2415, 55, 2830.
 — — Bot. Reg. 13, 1123.
 — *roselata* St. Hil. St. Hil. Pl. Bras. 22.
 — *rostrata* Jacq. Jacquin Oxalis 22.
 — *rubella* Jacq. Jacquin Oxalis 16.
 — — Jacq. Ic. 471.
 — — Bot. Mag. 26, 1031.
 — *rubrocincta* Ldl. Bot. Reg. 28, 64.
 — *rubroflava* Jacq. Jacquin Oxalis 50.
 — *rusciformis* Mik. Mikán Del. Bras. 9.
 — — Münchn. Denkschr. 9, 2.
 — *sanguinea* Jacq. Jacquin Oxalis 29.
 — *sarmentosa* Zucc. Münchn. Abhandl. 1, 9.
 — *secunda* Jacq. Jacquin Oxalis 12.
 — *sensitiva* L. Rumpf Amb. 5, 104.
 — — Hill Decade 4.
 — — Bot. Reg. 31, 68.
 † — — Jacquin Oxalis 78.
 † — — Münchn. Denkschr. 9, 5.
 — *sericea* L. Jacquin Oxalis 77.
 — *somnians* Mart. Münchn. Denkschr. 9, 4.
 — *speciosa* Jacq. Jacquin Oxalis 60.
 — — Kerner Hort. 9, 740.
 — *stricta* L. Jacquin Oxalis 4.
 — — Hayne 5, 40.
 — — Sturm Flora 1, 1.
 — — Rchb. Fl. germ. 5, 199.
 — — Dietr. Fl. bor. 2, 132.
 — *strumosa* Jacq. Jacquin Oxalis 64.
 — *suggillata* Jacq. Jacquin Oxalis 61.
 — *sulphurea* Jacq. Jacquin Oxalis 63.
 — *tenella* Jacq. Jacquin Oxalis 19.
 — — Lodd. Lodd. Cab. 1096.
 — *tenera* Spr. Bot. Reg. 13, 1046.
 — *tenuifolia* Jacq. Jacquin Oxalis 38.
 — — Lodd. Lodd. Cab. 712.
 — *tetraphylla* Cav. Cav. Ic. 237.
 — — Lodd. Cab. 790.
 — — Jacq. Ecl. pl. 8.
 — — Link Ic. II. 11.
 — *tomentosa* L. fil. Jacquin Oxalis 81.
 — *tortuosa* Ldl. Bot. Reg. 15, 1249.
 — *tricolor* Jacq. Jacquin Oxalis 47, 48.
 — *truncatula* Jacq. Jacquin Oxalis 62.
 — *tubiflora* Jacq. Jacquin Oxalis 10.
 — *undulata* Jacq. Jacquin Oxalis 44.
 — *variabilis* Jacq. Jacquin Oxalis 52, 53.
 — — Kerner Hort. 231.
 — — Bot. Mag. 41, 1683, 1712.
 — — Bot. Reg. 18, 1505.
 — *versicolor* L. Jacquin Oxalis 36, 77.
 — — Bot. Mag. 5, 155.
 — — Smith Ic. pict. 7.
 — — Herb. amat. 1, 53.
 — — Van H. Fl. d. serres 8, 834.
 — *villosa* M. v. B. Rchb. Fl. germ. 5, 199.
 † — *violacea* L. Jacquin Oxalis 80.

- Pachypodium tuberosum* Ldl. Lodd. Cab. 1676.
Pachypterygium brevipes Bge. Bunge Rel. Lehm. 7.
 — *lamprocarpum* Bge. Bunge Rel. Lehm. 7.
 — *multicaule* Kar. et Kir. Bunge Rel. Lehm. 7.
Pachyrrhizus angulatus Rich. Rumpf Amb. 5, 132. fig. 1.
Pachysandra? coriacea Hook. Hook. Exot. Fl. 148.
 — ? — Bot. Reg. 12, 1012.
 — *procumbens* Michx. Michaux Fl. 45.
 — — Bot. Mag. 45, 1964.
 — — Bot. Reg. 1, 33.
 — — Lodd. Cab. 910.
 † — — Jussieu Euphorb. 1.
 — — Lam. Encycl. 994.
 — — Dict. sc. nat. 277.
 — — Herb. amat. 1, 3.
 † *Pachystemon trilobum* Bl. Wight Ic. pl. Ind. or. 6, 1949.
Pachystigma pteleoides Hook. Bot. Mag. 75, 4436.
 — — Hook. Ic. pl. 7, 698. 699.
 † *Pachystoma pubescens* Bl. Blume Tabellen 29.
Pacouria guianensis Aubl. Aublet Guiana 105.
 — — Lam. Encycl. 169.
Pacourina edulis Aubl. Aublet Guiana 316.
 † — — Lam. Encycl. 665.
Paederia foetida L. Rumpf Amb. 5, 160.
 — — Kaempfer Japon. 9.
 † — — Gaertn. Carp. 193.
 — — Lam. Encycl. 166.
 — *lanuginosa* Wall. Wall. Pl. asiat. 165.
 — *secundiflora* Poir. Lam. Encycl. 166.
 — ? Valli Kara DC. Rheede Hort. mal. 7, 18.
Paederota Ageria L. Sturm Flora 6, 24.
 † — — Nees Gen. 5, 39.
 — *Bonarota* L. Jacq. Vind. 121.
 — — Schk. Handb. 2^o.
 — — Sturm Flora 6, 24.
 † — — Nees Gen. 5, 39.
 — *coerulea* L. Jacq. Fl. austr. 5, 39.
 — — Lam. Encycl. 13.
 — *nudicaulis* Lam. Lam. Encycl. 13.
 † *Paeonia* L. Lam. Encycl. 481.
 — *albiflora* Pall. Pallas Fl. ross. 84.
 — — Andr. Rep. 1, 64. 10, 612.
 — — Bonpland Malm. 47.
 — — var. *fragrans*, Hort. Transact. 2, 18.
 — — Bot. Mag. 42, 1756.
 — — var. *rosea*, Bot. Mag. 56, 2888.
 — — var. *β. Willd.* Bot. Reg. 1, 42.
 — — var. *fragrans*, Bot. Reg. 6, 488.
 — — var. *Whitleyi*, Bot. Reg. 8, 630.
 — — var. *Pottsi*, Bot. Reg. 17, 1436.
 — — var. *Pottsi*, Sweet Fl. G. II. 351.
 — — Fl. d. serres 8, 790. 791. 828. 829.
 — — Savi Fl. ital. 3, 104.
 — — Rchb. Mag. 85.
 — *anomala* L. Comm. Gott. 7, 5.
 — — Schk. Handb. 144.
 — — Andr. Rep. 8, 514.
 — — Bot. Mag. 42, 1754.
 — — Kerner Hort. 524. 718.
 — *arborea* Don. var. *odorata*, Kerner Hort. 645.
 — *banatica* Roch. Rochel Banat. 11.
 — — Rchb. Fl. germ. 4, 125.
 — *Brownii* Dougl. Bot. Reg. 25, 30.
 — *corallina* Rets. Engl. Bot. 22, 1513.
 — — Baxter Brit. Bot. 3, 217.
 — — Moris Fl. sard. 4.
 — — Rchb. Fl. germ. 4, 128.
 — *coriacea* Boiss. Boissier Esp. 3.
 — *cretica* Sabine. Bot. Reg. 10, 819.
 — *daurica* Anderson. Andr. Rep. 7, 486.
 — — Bot. Mag. 35, 1441.
 — — Bonpland Malm. 9.

- Paeonia edulis* Salisb. Salisbury Parad. 78.
 — — var. *sinensis*, Bot. Mag. 42, 1768.
 — — var. *Reevesiana*, Paxt. Mag. 1, 197.
 — *humilis* Retz. Bot. Mag. 35, 1422.
 — *hybrida* Pall. Pallas Fl. ross. 86.
 — — Bot. Reg. 14, 1208.
 — *lobata* Desf. Rchb. Fl. germ. 4, 123.
 — — Sweet Fl. G. 70.
 — *mollis* Anderson. Bot. Reg. 6, 474.
 — — Lodd. Cab. 1263.
 — *Moutan* Sims. Bot. Mag. 29, 1154. 47, 2175.
 † — — Mem. Genev. 1, 1.
 — — Bonpland Malm. 1, 23.
 — — Herb. amat. 2, 142.
 — — var. *papaveracea*, Lodd. Cab. 547.
 — — var. *rosea*, Lodd. Cab. 1039.
 — — Bot. Reg. 5, 379. 17, 1456. 20, 1678.
 — — 21, 1771.
 — — Knowles et Westcott 56.
 — — Rchb. Exot. 131.
 — — var. *Salmonia*, Paxt. Fl. G. 20. 31.
 — — var. *variegata*, Sweet Fl. G. II. 238.
 — — var. *coccinea*, Sweet Fl. G. II. 297.
 — — var. *Fl. d. serres* 7, 747.
 — *officinalis* Retz. Woodv. Med. 3, 173.
 — — Bot. Mag. 43, 1784. 59, 3175.
 — — var. *Sabini*, Lodd. Cab. 1075.
 — — Hayne 5, 26.
 — — Nees Düsseldorf. 395.
 — — Guimpel et Schl. 101.
 — — Rchb. Fl. germ. 4, 127.
 — *papaveracea* Andr. Andr. Rep. 7, 463.
 — — Kerner Hort. 473.
 — *paradoxa* Anderson. Sweet Fl. G. 19.
 — *peregrina* Mill. Bot. Mag. 26, 1050.
 — — Rchb. Fl. germ. 4, 123.
 — *promiscua* Tausch. Rchb. Fl. germ. 4, 126.
 — *pubens* Sims. Bot. Mag. 48, 2264.
 — — Kerner Hort. 656.
 — — Rchb. Fl. germ. 4, 124.
 — *Russi* Bivona. Bot. Mag. 62, 3431.
 — — Sweet Fl. G. 122.
 — *sessiliflora* Sims. Bot. Mag. 53, 2648.
 — *sibirica* Pall. Pallas Fl. ross. 85.
 — *suffruticosa* Andr. Andr. Rep. 6, 373.
 — — var. *purpurea*, Andr. Rep. 7, 448.
 — — Kerner Hort. 229. 530.
 — *tenuifolia* L. Pallas Fl. ross. 87.
 † — — Linné Fasc. pl. ups. 5.
 — — Gaertn. Carp. 65.
 — — Bot. Mag. 24, 926.
 — — Rochel Banat. 12.
 — — Rchb. Fl. germ. 4, 122.
 — — plena, Fl. d. serres 4, 308.
 — — plena, Sweet Fl. G. II. 345.
 — *villosa* Sweet. Sweet Fl. G. 113.
 — *Wittmanniana* Hartwiss. Bot. Reg. 32, 9.
 — — Annales de Gand 1846, 64.
Paepalanthus compactus Gardn. Hook. Ic. pl. 6, 527.
 — *distichophyllus* Mart. Hook. Ic. pl. 6, 510.
 — *flaccidus* Kth. Hook. Ic. pl. 6, 526.
 — *laricifolius* Gardn. Hook. Ic. pl. 6, 524.
 † — *rigidulus* Mart. Acta Leop. 17, 1, 2.
 — *rupestris* Gardn. Hook. Ic. pl. 6, 525.
 — *speciosus* Gardn. Hook. Ic. pl. 6, 512.
 — *Spixianus* Mart. Acta Leop. 17, 1, 1.
 † — *subtilis* Miq. Miquel Surin. 65.
 — *uncinatus* Gardn. Hook. Ic. pl. 6, 523.
Pagamea guianensis Aubl. Aublet Guiana 44.
 — — Lam. Encycl. 88.
 † *Pajanelia Rheedii* Wight. Wight Illustr. 161 bis.
 — — Wight Ic. pl. Ind. or. 4, 1343. 1344.

- Palafoxia linearis* Lagasca. Bot. Mag. 47, 2132.
 — *texana* DC. Hook. Ic. pl. 2, 148.
 † *Palauxa Rz et P.* Ruiz et Pav. Prodr. 22.
 — *malvifolia* Cav. Cav. Diss. 11.
 † — — Lam. Encycl. 577.
 — *moschata* Cav. Cav. Diss. 11.
 † — — Lam. Encycl. 577.
 — *rhombifolia* Grah. Bot. Mag. 58, 3100.
 — — Bot. Reg. 16, 1375.
 — *scabra* H. B. K. H. B. K. Nov. Gen. 7, 648, 649.
 — *tomentosa* H. B. K. H. B. K. Nov. Gen. 7, 650.
 † *Paliavana Vandellii*. Roemer Scriptores 7.
Palicourea apicata H. B. K. H. B. K. Nov. Gen. 3, 285.
 — *guianensis* Aubl. Aublet Guiana 66.
 † — *longifolia* St. Hil. Mem. Mus. 12, 11.
 † — — St. Hil. Pl. rem. 22.
 — *Marcgraviæ* St. Hil. Mem. Mus. 12, 11.
 — — St. Hil. Pl. rem. 22.
Paliurus aculeatus Lam. Lam. Encycl. 210.
 — — Nouveau Duhamel 3, 17.
 † — — Ann. sc. nat. 10, 12.
 † — *australis* Gaertn. Gaertn. Carp. 43.
 — — Sibth. Fl. gr. 240.
 — *reticulatus* Vahl. Vahl Eclogae 23.
 — *virgatus* Don. Bot. Mag. 52, 2535.
 † *Palladia antarctica* Lam. Lam. Encycl. 285.
 † *Pallasia caspica* L. Gaertn. Carp. 184.
 — *dentata* H. B. Humb. Pl. aeq. 111.
 — *Pterococcus* Pall. Pallas Fl. ross. 77, 78.
 † *Pallenis spinosa* Cass. Nees Gen. X, x.
 — — Rehb. Fl. germ. 16, 938, 939.
 † *Palma Maripa* Aubl. Ann. Mus. 8, 34.
 † — *Mocaya* Aubl. Ann. Mus. 10, 7.
 † *Palmae* Juss. (Karsten.) Abh. Ac. Berl. 1847, 1—9.
 † — — Blume Rumphia 104, 105, 121.
 † — — Mart. Palm. 166, 167, 175, 176, Z. 21, 22.
 † — — Schnitzl. Iconogr. 1, 75, 75 a, 75 b.
Palouea guianensis Aubl. Aublet Guiana 141.
 † — — Lam. Encycl. 323.
 † *Paltoria Rz et P.* Ruiz et Pav. Prodr. 33.
 — *ovalis* Rz et P. Ruiz et Pav. Fl. 84.
Pamea guianensis Aubl. Aublet Guiana 359.
Pamphalea Tweedii Gardn. Fielding Sertum 21.
Pamphilia styracifolia A. DC. Delessert Ic. 5, 42.
Panargyrum abbreviatum Hook. Richard Astrolabe 17.
 — *glomeratum* Gillies. Gay Chile 42.
 — *spinosa* Don. DC. Composées 16.
Panax aculeatum Ait. Jacq. Ic. 634.
 — — Lodd. Cab. 977.
 — *anomalum* Hook. Hook. Journal 1843, 12.
 — *arborescens* Forst. Annalen d. Wien. Mus. 1, 15.
 — — Hook. Journal 1843, 11.
 † — *chrysophyllum* Vahl. Vahl Eclogae 10.
 — *cochleatum* DC. Rumpf Amb. 4, 31.
 — *Colensoi* Hook. fil. Hook. New Zeal. 21.
 — *fruticosum* L. Rumpf Amb. 4, 33.
 — — Andr. Rep. 9, 593.
 — — Wight Ic. pl. Ind. or. 2, 573.
 — *horridum* Sm. Hook. Bor. Am. 98.
 — *pinnatum* DC. Rumpf Amb. 4, 32.
 — *pseudoginseng* Wall. Wall. Pl. asiat. 137.
 — *pusillum* Sims. Bot. Mag. 33, 1344.
 — *quinquefolium* L. Woodv. Med. 1, 58.
 — — Bot. Mag. 33, 1333.
 — — Barton Med. 45.
 — — Bigelow Med. 29.
 — — Nees Dusseld. Suppl. 111.
 † — — Lam. Encycl. 860.
 — — Desc. Ant. 8, 570.
 — — Dict. sc. nat. 113.
 — — Spach Suites 39.
 — *Schinseng* N. v. E. Nees Dusseld. Suppl. 112.

- Panax simplex* Forst. Richard Astrolabe 30.
 — — Hook. Fl. ant. 12.
 — *trifolium* L. Lodd. Cab. 405.
 † — — Lam. Encycl. 860.
 — — Nees Dusseld. Suppl. 111.
 — *undulatum* Aubl. Aublet Guiana 360.
 † — — H. B. K. Nov. Gen. 5, 417.
Panciatia purpurea Picc. Picciuoli Hort. Panc. 1.
 † *Pancratium* L. Herbert Amar. 33, 34.
 — *Amancaes* Ker. Bot. Mag. 30, 1224.
 — — Lodd. Cab. 1266.
 — — Bot. Reg. 7, 600.
 — — Bury Hexandrian pl. 37.
 — — Rehb. Exot. 83.
 — — Fl. d. serres 5, 449.
 — — Hart. Parad. 1, 3.
 — *amboinense* L. Rumpf Amb. 6, 70, fig. 1.
 — — Red. Lil. 7, 384.
 — — Bot. Mag. 35, 1419.
 — — Herb. amat. 5, 314.
 — — Bury Hexandrian pl. 20.
 — *amoenum* Salisb. Linn. Transact. 2, 10.
 — — Kerner Hort. 129.
 — — Andr. Rep. 9, 556.
 — — Lodd. Cab. 286.
 — — Bot. Mag. 36, 1467.
 — — Bury Hexandrian pl. 28.
 — *angustum* Ker. Bot. Reg. 3, 221.
 — *australasicum* Ker. Bot. Reg. 9, 715.
 — *calathiforme* Red. Red. Lil. 6, 353.
 — — Kerner Hort. 468.
 — — Bot. Reg. 3, 215.
 — — Bot. Mag. 38, 1561.
 — — Bury Hexandrian pl. 10.
 — — Paxt. Mag. 4, 53.
 — *cambayense* Herb. Herbert Amar. 12.
 — *canariense* Ker. Bot. Reg. 2, 174.
 — *caribacum* L. Martyn Hist. 25.
 — — Willdenow Hortus 73.
 — — Bot. Mag. 21, 826.
 — — Desc. Ant. 8, 556.
 — *carolinianum* L. Bot. Reg. 11, 927.
 — *coccineum* Rz et P. Ruiz et Pav. Fl. 285.
 — *croceum* Red. Red. Lil. 4, 187.
 — *declinatum* Jacq. Jacq. Hist. stirp. am. 102.
 — — Jacq. Vind. 3, 11.
 — — Red. Lil. 6, 358, 7, 414.
 — — Lodd. Cab. 558.
 — *disciforme* Red. Red. Lil. 3, 155.
 — — Kerner Hort. 237.
 — *distichum* Sims. Bot. Mag. 44, 1879.
 — *expansum* Sims. Bot. Mag. 44, 1941.
 — *flavum* Rz et P. Ruiz et Pav. Fl. 284.
 — *fragrans* Salisb. Linn. Transact. 2, 11.
 — — Red. Lil. 7, 413.
 — — Lodd. Cab. 834.
 — — Kerner Hort. 430.
 — *guianense* Ker. Bot. Reg. 4, 265.
 — *humile* Cav. Cav. Ic. 207.
 — *illyricum* L. Bot. Mag. 19, 718.
 — — Red. Lil. 3, 153.
 — — Rehb. Fl. germ. 9, 371.
 — *latifolium* Rz et P. Ruiz et Pav. Fl. 284.
 — *litorale* Jacq. Jacq. Hist. stirp. am. 101.
 — — Jacq. Vind. 3, 75.
 — — Linn. Transact. 2, 13.
 — — Bot. Mag. 21, 825.
 — — Red. Lil. 3, 154.
 — — Kerner Hort. 245.
 — *longiflorum* Roxb. Herbert Amar. 42.
 — *maritimum* L. Cav. Ic. 56.
 — — Linn. Transact. 2, 9.

- Pancrasium maritimum* L. Red. Lil. 1, 8.
 — — — Sibth. Fl. gr. 309.
 — — — Bot. Reg. 2, 161.
 — — — Rchb. Exot. 84.
 — — — Rchb. Fl. germ. 9, 371.
 † — — — Nees Gen. 3, x.
 — — — *mexicanum* L. Lam. Encycl. 228.
 — — — Lodd. Cab. 274.
 — — — Bot. Reg. 11, 940.
 — — — *narcissiflorum* Jacq. Jacq. Fragm. 138.
 — — — Kerner Hort. 490.
 — — — *nervifolium* Salisb. Salisb. Parad. 84.
 — — — *nutans* Ker. Hart. Parad. 1, 3.
 — — — *ovatum* Mill. Bot. Reg. 1, 43.
 — — — Lodd. Cab. 510.
 — — — *parviflorum* Desf. Red. Lil. 8, 471.
 — — — *pedale* R. et Sch. Lodd. Cab. 809.
 — — — Bot. Reg. 19, 1641.
 — — — *recurvatum* R. et P. Ruiz et Pav. Fl. 285.
 — — — *ringens* R. et P. Ruiz et Pav. Fl. 283.
 — — — Hart. Parad. 1, 10.
 — — — *rotatum* Ker. Bot. Mag. 21, 827. 27, 1062.
 — — — Lodd. Cab. 19.
 — — — var. *repandum*, Hart. Parad. 2, 2.
 — — — *speciosum* L. fil. Linn. Transact. 2, 12.
 — — — Bot. Mag. 35, 1453.
 — — — Red. Lil. 3, 156. 7, 412.
 — — — Bury Hexandrian pl. 47.
 — — — Rchb. Exot. 85.
 — — — *stellare* Salisb. Linn. Transact. 2, 14.
 — — — *tiaeriflorum* Salisb. Salisb. Parad. 86.
 — — — *verecundum* Solander. Rheed. Hort. mal. 11, 40.
 — — — Bot. Reg. 5, 413.
 — — — Wight Ic. pl. Ind. or. 6, 2023.
 — — — *zeylanicum* L. Rumpf Amb. 6, 70. fig. 2.
 — — — Lam. Encycl. 228.
 — — — Bot. Mag. 52, 2538.
 — — — Bot. Reg. 6, 479.
 † *Pandaneae* R. Br. Schnitzl. Iconogr. 1, 74.
Pandanus of Nicobar, Asiat. Researches 3, x.
 † — — — *amaryllidifolius* Roxb. Mem. Instit. 1842, 12.
 † — — — *Boryi* Gaudich. Gaudichaud Bonite 22.
 — — — *Candelabrum* Pal. B. Pal. B. Fl. d'Oware 21. 22.
 — — — *concidens* Lam. Rumpf Amb. 4, 77.
 † — — — *Douglasii* Gaudich. Gaudichaud Bonite 22.
 — — — *fascicularis* Lam. Rheed. Hort. mal. 2, 1. 6.
 † — — — *fragrans* Gaudich. Gaudichaud Bonite 22.
 — — — *furcatus* Roxb. Rheed. Hort. mal. 2, 8.
 — — — *humilis* Willd. Rumpf Amb. 4, 76.
 † — — — Jacq. Fragm. 14.
 † — — — *Linnaei* Gaudich. Gaudichaud Bonite 22.
 † — — — *Loureirii* Gaudich. Gaudichaud Bonite 22.
 † — — — *Menziesii* Gaudich. Gaudichaud Bonite 22.
 — — — *odoratissimus* L. Rheed. Hort. mal. 2, 2—5.
 — — — Rumpf Amb. 4, 74. 75.
 — — — Roxb. Corom. 94. 95. 96.
 — — — Kerner Hort. 133—136.
 † — — — Jacq. Fragm. 13. 14.
 † — — — Lam. Encycl. 798.
 — — — Desc. Ant. 8, 540.
 — — — *pygmaeus* Aub. Th. Bot. Mag. 79, 4736.
 † — — — *Rheedii* Gaudich. Gaudichaud Bonite 22.
 † — — — *Rumphii* Gaudich. Gaudichaud Bonite 22.
 — — — *unispillatus* Dennst. Rheed. Hort. mal. 2, 7.
 — — — *utilis* Bory. Dict. sc. nat. 10. 11.
 † — — — Gaudichaud Bonite 129.
Pangium edule Reimo. Bennett Java 43.
 — — — Blume Rumphia 178.
 † *Paniceae* Trin. Acad. Petersb. 3, x.
Panicularia Berteri Colla. Mem. Tur. 39, 64.
 † *Panicum* L. Linné Amoenit. 7, 2.
 † — — — Dumortier Gramin. 13.

- Panicum abortivum* R. Br. Trin. Sp. Gr. 2, 181.
 — — — *acariferum* Tr. Trin. Sp. Gr. 1, 87.
 — — — *accrescens* Tr. Trin. Sp. Gr. 1, 88.
 — — — *adpersum* Tr. Trin. Sp. Gr. 2, 169.
 — — — *agrostoides* Mühlent. Trin. Sp. Gr. 3, 261.
 — — — Torrey New York 148.
 — — — *almadense* N. v. E. Trin. Sp. Gr. 2, 217.
 — — — *amplexicaule* Rudge. Rudge Pl. Guianae 27.
 — — — Trin. Sp. Gr. 2, 205.
 — — — *angustum* Tr. Trin. Sp. Gr. 3, 334.
 — — — *ansatum* Tr. Trin. Sp. Gr. 3, 279.
 — — — *arenarium* Brot. Brotero Phytogr. 6.
 — — — *argenteum* R. Br. Trin. Sp. Gr. 2, 170.
 — — — *arnacites* Tr. Trin. Sp. Gr. 3, 317.
 — — — *arvense* Kth. Humb. Gram. 109.
 — — — *asperrimum* Lagasca. Jacq. Ecl. Gram. 31.
 — — — *attenuatum* Willd. Jacq. Ecl. Gram. 33.
 — — — *aturense* H. B. K. H. B. K. Nov. Gen. 1, 33.
 — — — *aureum* Tr. Trin. Sp. Gr. 1, 97.
 — — — *barbinode* Tr. Trin. Sp. Gr. 3, 318.
 — — — *Beyrichii* Kth. Humb. Gram. 27.
 — — — *brachystachyum* Tr. Trin. Sp. Gr. 2, 157.
 — — — *brizoides* Retz. Jacq. Ecl. Gram. 2.
 — — — Trin. Sp. Gr. 2, 158. 159.
 — — — *Burmanni* Retz. Trin. Sp. Gr. 2, 193.
 — — — *caespitosum* Sw. Trin. Sp. Gr. 2, 184.
 — — — *campestre* N. v. E. Trin. Sp. Gr. 2, 229.
 — — — *capillare* L. Host Gram. 316.
 — — — Rchb. Fl. germ. 7, 82.
 — — — *caucasicum* Tr. Trin. Sp. Gr. 3, 262.
 — — — *chnoodes* Tr. Trin. Sp. Gr. 2, 241. 3, 247.
 — — — *ciliare* Retz. Host Gram. 315.
 — — — Trin. Sp. Gr. 2, 144.
 — — — *clandestinum* Lam. Petersb. 2, 5.
 — — — *colonum* L. Jacq. Ecl. Gram. 32.
 — — — Trin. Sp. Gr. 2, 160.
 — — — *coloratum* L. Jacq. Ic. 12.
 — — — *commelinaefolium* Rudge. Rudge Pl. G. 28.
 — — — *compositum* L. Trin. Sp. Gr. 2, 187—190.
 — — — *coryophorum* Kth. Humb. Gram. 107.
 — — — *Crus Galli* L. Fl. dan. 5, 832. 9, 1564.
 — — — Curt. Lond. 1, 21.
 — — — Engl. Bot. 13, 876.
 — — — Knapp Gram. 11.
 — — — Baxter Brit. Bot. 6, 462.
 † — — — Schrader Fl. germ. 3.
 — — — Host Gram. 119.
 — — — Trin. Sp. Gr. 2, 161. 162.
 — — — *ctenodes* Trin. Trin. Sp. Gr. 2, 171.
 — — — *cultratum* Trin. Trin. Sp. Gr. 2, 145.
 — — — *cuspidatum* Roxb. Petersb. 10, 22.
 — — — *cyaneus* N. v. E. Trin. Sp. Gr. 2, 230.
 — — — *Dactylon* L. Rheed. Hort. mal. 12, 47.
 — — — Sibth. Fl. gr. 60.
 — — — Host Gram. 118.
 — — — Engl. Bot. 12, 830.
 — — — Knapp Gram. 13.
 — — — *decumbens* R. et Sch. Humb. Gram. 16.
 — — — Trin. Sp. Gr. 2, 146.
 — — — *demissum* Tr. Trin. Sp. Gr. 3, 319.
 — — — *diandrum* Kth. Humb. Gram. 110.
 — — — *dichotomum* Lam. Petersb. 2, 5.
 — — — *diffusum* Sw. Trin. Sp. Gr. 3, 263.
 — — — *dimidiatum* L. Burmann Fl. ind. 8.
 — — — *discolor* Tr. Trin. Sp. Gr. 2, 231.
 — — — *distachyum* L. Lam. Encycl. 43.
 — — — *distans* Tr. Trin. Sp. Gr. 2, 172.
 — — — *distichophyllum* Tr. Trin. Sp. Gr. 2, 182.
 — — — *divaricatum* L. Humb. Gram. 29.
 — — — Jacq. Schoenbr. 1, 25.
 — — — *echinatum* Jacq. Jacq. Ecl. Gram. 20.
 — — — Willd. Trin. Sp. Gr. 2, 162.

- Panicum effusum* R. Br. Trin. Sp. Gr. 3, 244.
 — *elatus* L. fil. Jacq. Ecl. Gram. 49.
 — *erichryoides* N. v. E. Trin. Sp. Gr. 1, 90.
 — *eruciforme* Sibth. Sibth. Fl. gr. 59.
 — — Trin. Sp. Gr. 3, 262.
 — *erythrosperrum* Hornem. Jacq. Ecl. Gram. 24.
 — *exaratum* Tr. Trin. Sp. Gr. 2, 194.
 — *excurrens* Tr. Trin. Sp. Gr. 1, 89.
 — *falciferum* Tr. Trin. Sp. Gr. 2, 147.
 — *ferrugineum* Kth. Humb. Gram. 165.
 — — Trin. Sp. Gr. 1, 90.
 — *filiforme* L. Jacq. Observ. 70.
 — — Trin. Sp. Gr. 2, 148.
 — — Torrey New York 147.
 — *flavidum* Retz. Humb. Gram. 17.
 — — Trin. Sp. Gr. 2, 158.
 — *frondescens* Meyer. Trin. Sp. Gr. 2, 218.
 — *frumentaceum* Roxb. Petersb. 10, 22.
 — — Trin. Sp. Gr. 2, 164.
 — *fuscum* Sw. Trin. Sp. Gr. 2, 206.
 — *Gaudichaudii* Kth. Humb. Gram. 106.
 — *Gayanum* Kth. Humb. Gram. 31.
 — *germanicum* Willd. Host Gram. 115.
 — — Trin. Sp. Gr. 2, 199.
 — *gibbosum* R. Br. Humb. Gram. 105.
 — *glabrum* Gaud. Trin. Sp. Gr. 2, 149.
 † *glaucum* L. Gaertn. Carp. 1.
 — — Schreber Gräser 25.
 — — Host Gram. 116.
 — — Fl. dan. 13, 2162.
 — — Trin. Sp. Gr. 2, 195, 196.
 — *glutinosum* Lam. Lam. Encycl. 43.
 — *gongylodes* Jacq. Jacq. Ecl. Gram. 21.
 — *granulare* Lam. Trin. Sp. Gr. 2, 159, 172.
 — *grossarium* Auct. Trin. Sp. Gr. 2, 185.
 — *grumosum* N. v. E. Trin. Sp. Gr. 2, 207.
 — *Helopus* Tr. Trin. Sp. Gr. 2, 183.
 — *hirsutum* Koenig. Petersb. 10, 21.
 — *hirtellum* L. Burmann Fl. ind. 12.
 — — Host Gram. 252.
 — *hirtum* Lam. Humb. Gram. 24.
 — *Hoffmannseggii* R. et Sch. Trin. Sp. Gr. 2, 219.
 — *holcoides* Jacq. Jacq. Ecl. Gram. 22.
 — *holosericeum* R. Br. Humb. Gram. 18.
 — — Trin. Sp. Gr. 2, 173.
 — *hordeiforme* Thunb. Thunberg Fl. jap. 9.
 — *ignoratum* Kth. Humb. Gram. 20.
 — *imbecille* Tr. Trin. Sp. Gr. 2, 191.
 — *incomtum* Tr. Trin. Sp. Gr. 2, 232.
 — *inconstans* Tr. Trin. Sp. Gr. 3, 320, 321.
 — *indicum* L. Trin. Sp. Gr. 2, 197.
 — *italicum* L. Rumpf Amb. 5, 75^b.
 — — Host Gram. 314.
 — — Desc. Ant. 8, 342.
 — — Trin. Sp. Gr. 2, 198, 199.
 — — Metzger Cer. 17, 19.
 — *jubiflorum* Trin. Petersb. 10, 21.
 — *juniperinum* N. v. E. Humb. Gram. 26.
 — *laetum* Kth. Humb. Gram. 113.
 — *laeve* Lam. Jacq. Ecl. Gram. 43.
 — *lanatum* Rottb. Rottboell Surinam 1.
 — *lasianthum* Tr. Trin. Sp. Gr. 3, 245.
 — *latissimum* Mik. Trin. Sp. Gr. 2, 208.
 — — var. Trin. Sp. Gr. 3, 324.
 — *laxiflorum* Lam. Petersb. 2, 5.
 — *laxum* Sw. Trin. Sp. Gr. 2, 215.
 — *Leandri* Tr. Trin. Sp. Gr. 3, 335.
 — *leucophaeum* Kth. Trin. Sp. Gr. 2, 220.
 — *lineare* L. Burmann Fl. ind. 10.
 — *lineatum* Tr. Trin. Sp. Gr. 2, 233.
 — *loreum* Tr. Trin. Sp. Gr. 3, 246, 247.
 — *marginatum* R. Br. Trin. Sp. Gr. 2, 209.

- Panicum Martianum* N. v. E. Trin. Sp. Gr. 2, 217.
 — *maximum* Jacq. Jacq. Ic. 13.
 — *megastachyum* N. v. E. Trin. Sp. Gr. 2, 234.
 — *miliaceum* L. Rheede Hort. mal. 12, 61.
 — — Host Gram. 120.
 — — Metzger Cer. 18.
 — — Trin. Sp. Gr. 2, 221.
 — — Rchb. Fl. germ. 7, 82.
 † — — Nees Gen. 1, 19.
 — *monostachyum* H. et Kth. Humb. Gram. 104.
 — — Trin. Sp. Gr. 2, 145.
 — *muscarium* Tr. Trin. Sp. Gr. 2, 235.
 — *nemorosum* Sw. Trin. Sp. Gr. 2, 210, 216.
 — *nervosum* Lam. Humb. Gram. 25.
 — *numidianum* Lam. Desf. Fl. atl. 11.
 — — Petersb. 10, 22.
 — — Trin. Sp. Gr. 2, 174.
 — *obliquum* Roth. Trin. Sp. Gr. 1, 86.
 — *obtusifolium* Delile. Delile Egypte 5.
 — *obtusum* H. et Kth. Humb. Gram. 116.
 — *oryzoides* Ard. Arduino Anim. 2, 5.
 — *ovalifolium* Pal. B. Pal. B. Fl. d'Oware 110.
 — *ovuliferum* Tr. Trin. Sp. Gr. 2, 222.
 — *pallens* Sw. Trin. Sp. Gr. 2, 211, 212.
 — *paludicola* N. v. E. Trin. Sp. Gr. 2, 218.
 — *palustre* Tr. Trin. Sp. Gr. 2, 218.
 — *pappophorum* N. v. E. Trin. Sp. Gr. 2, 194.
 — *paradoxum* R. Br. Humb. Gram. 32.
 — — Freycinet Voyage 24.
 — *parvifolium* Lam. Trin. Sp. Gr. 2, 236.
 — *paspaloides* Pers. Trin. Sp. Gr. 2, 168.
 — — Webb Canar. 245.
 — *patens* L. Burmann Fl. ind. 10.
 — *pellitum* Tr. Trin. Sp. Gr. 2, 237.
 — *penicillatum* Tr. Trin. Sp. Gr. 2, 231.
 — *perforatum* N. v. E. Trin. Sp. Gr. 2, 175.
 — *Perrottetii* Kth. Humb. Gram. 111.
 — *Petiverii* Tr. Trin. Sp. Gr. 2, 176, 180.
 — *petrosum* Tr. Trin. Sp. Gr. 3, 280.
 — *phaeothrix* Tr. Trin. Sp. Gr. 1, 91.
 — *pilosum* Sw. Trin. Sp. Gr. 2, 213.
 — *plantagineum* Lk. Trin. Sp. Gr. 3, 335.
 — *platycarpum* Tr. Trin. Sp. Gr. 3, 356.
 — *plicatum* Lam. Jacq. Ecl. Gram. 1.
 — — Trin. Sp. Gr. 2, 223.
 — *polygonatum* Schrad. Humb. Gram. 209.
 — *polyphyllum* R. Br. Trin. Sp. Gr. 2, 177.
 — *proboscideum* Tr. Trin. Sp. Gr. 3, 322.
 — *procurrens* N. v. E. Trin. Sp. Gr. 2, 224.
 — *prostratum* Lam. Jacq. Ecl. Gram. 42.
 — — Trin. Sp. Gr. 2, 184, 185.
 — *pruriens* Tr. Trin. Sp. Gr. 1, 92.
 — *pulchellum* Raddi. Trin. Sp. Gr. 2, 178.
 — *pungens* Tr. Trin. Sp. Gr. 3, 248.
 — *pyramidale* Lam. Humb. Gram. 23.
 — *rarpilum* Kth. Humb. Gram. 114.
 — *rarum* R. Br. Humb. Gram. 15.
 — — Trin. Sp. Gr. 2, 200.
 — *repandum* N. v. E. Trin. Sp. Gr. 2, 150.
 — *repens* L. Burmann Fl. ind. 11.
 — — Cav. Ic. 110.
 — — Sibth. Fl. gr. 61.
 — *reptans* Kth. Humb. Gram. 21.
 — *Riedelii* Tr. Trin. Sp. Gr. 3, 323.
 — *rigidifolium* Tr. Trin. Sp. Gr. 2, 214.
 — *rivulare* Tr. Trin. Sp. Gr. 3, 264.
 — *rottboelliioides* H. B. K. H. B. K. Nov. Gen. 1, 32.
 — — Trin. Sp. Gr. 3, 281, 282.
 — *rugulosum* Tr. Trin. Sp. Gr. 2, 238.
 — *rupestre* Tr. Trin. Sp. Gr. 2, 239.
 — *sabulicolum* N. v. E. Trin. Sp. Gr. 2, 163.
 — *saccharoides* Kth. Humb. Gram. 30.

- Panicum sanguinale* L. Burmann Fl. ind. 10.
 — — — Fl. dan. 3, 388.
 — — — Schreber Gräser 16.
 — — — Schk. Handb. 10.
 — — — Host Gram. 117.
 — — — Curt. Lond. 1, 20.
 — — — Engl. Bot. 12, 849.
 — — — Knapp Gram. 12.
 — — — Trin. Sp. Gr. 1, 93. 94. 2, 144.
 — — — Torrey New York 146.
 — — — scandens Tr. Trin. Sp. Gr. 2, 201.
 — — — sciurdia Trin. Humb. Gram. 210.
 — — — sclerochloa Tr. Trin. Sp. Gr. 3, 283.
 — — — scoparium Rudge. Rudge Pl. Guianae 29.
 — — — scopuliferum Tr. Trin. Sp. Gr. 2, 165.
 — — — secundum Tr. Trin. Sp. Gr. 3, 324.
 — — — serratum R. Br. Humb. Gram. 19.
 — — — Trin. Sp. Gr. 2, 168.
 — — — setigerum Pal. B. Pal. B. Fl. d'Oware 49.
 — — — setosum Sw. Trin. Sp. Gr. 1, 95. 96.
 — — — silvaticum Lam. Trin. Sp. Gr. 2, 190.
 — — — spectabile N. v. E. Trin. Sp. Gr. 2, 166.
 — — — squarrosus Retz. Retzius Obs. 5, 1.
 — — — Roxb. Corom. 206.
 — — — stagninum Host. Host Gram. 251.
 — — — stenocladium Tr. Trin. Sp. Gr. 2, 240.
 — — — stigmatum Tr. Trin. Sp. Gr. 2, 225.
 — — — stoloniferum Poir. Humb. Gram. 22.
 — — — Trin. Sp. Gr. 2, 171.
 — — — Trin. var. major, Humb. Gram. 108.
 — — — strictum R. Br. Trin. Sp. Gr. 2, 179.
 — — — subalbidum Kth. Humb. Gram. 112.
 — — — subulatum Spr. Humb. Gram. 167.
 — — — Trin. Sp. Gr. 2, 240.
 — — — subquadriparium Trin. Petersb. 10, 21.
 — — — Trin. Sp. Gr. 2, 186.
 — — — tenuiculme Meyer. Trin. Sp. Gr. 2, 215.
 — — — trachystachyum N. v. E. Trin. Sp. Gr. 2, 167.
 — — — thrasyoides Tr. Trin. Sp. Gr. 2, 151.
 — — — trinerve Tr. Trin. Sp. Gr. 2, 226.
 — — — truncatum Trin. Petersb. 10, 21.
 — — — Trin. Sp. Gr. 2, 168.
 — — — turgidum Forsk. Delile Egypte 9.
 — — — Trin. Sp. Gr. 2, 227.
 — — — uncinatum Raddi. Trin. Sp. Gr. 2, 216.
 — — — undulatifolium Ard. Arduino Anim. 2, 4.
 — — — Trin. Sp. Gr. 2, 192.
 — — — unilaterale Rasp. Ann. d'obs. 1, 11.
 — — — Urvilleanum Kth. Humb. Gram. 115.
 — — — Brongniart Coquille 9.
 — — — vaginatum N. v. E. Humb. Gram. 166.
 — — — velutinosum N. v. P. Trin. Sp. Gr. 2, 180.
 † — — — verticillatum L. Lam. Encycl. 43.
 — — — Host Gram. 113.
 — — — Curt. Lond. 3, 132.
 — — — Engl. Bot. 13, 874.
 — — — Knapp Gram. 9.
 — — — Fl. dan. 13, 2163.
 — — — Trin. Sp. Gr. 2, 202.
 — — — vilvodes Tr. Trin. Sp. Gr. 2, 204.
 — — — virgatum L. Petersb. 2, 5.
 — — — Trin. Sp. Gr. 2, 228.
 — — — viride L. Curt. Lond. 2, 126.
 — — — Engl. Bot. 13, 875.
 — — — Knapp Gram. 10.
 — — — Host Gram. 114.
 — — — Trin. Sp. Gr. 2, 203.
 — — — viscidum Ell. Elliott Carolina 7.
 — — — xanthophysum Gray. Torrey New York 146.
 — — — Trin. Sp. Gr. 3, 357.
 — — — zizanioides Humb. Kth. Humb. Gram. 28.
 † *Papaver* L. Viguier Monographie 1.

- † *Papaver* L. Kerner Genera 14.
 † — — — Elkan Monogr. 1.
 — — — alpinum L. Jacq. Fl. austr. 1, 83.
 — — — Rchb. Ic. crit. 8, 745.
 — — — Rchb. Fl. germ. 3, 13.
 — — — β . flaviflorum, Sturm Flora 5, 17.
 — — — Lodd. Cab. 434.
 — — — Sweet Fl. G. 247.
 — — — apulum Ten. Tenore Fl. nap. 238.
 — — — Argemone L. Fl. dan. 5, 867.
 — — — Sv. Bot. 538.
 — — — Curt. Lond. 1, 130.
 — — — Engl. Bot. 9, 643.
 † — — — Schk. Handb. 140.
 — — — Schrank Fl. monac. 4, 313.
 — — — Hayne 6, 37.
 — — — Rchb. Fl. germ. 3, 14.
 — — — Dietr. Fl. bor. 3, 187.
 — — — argemonoides Cesati. Cesati Stirp. ital. x.
 — — — bracteatum Ldl. Lindley Collect. 23.
 — — — Bot. Reg. 8, 658.
 — — — Kerner Hort. 649.
 — — — Rchb. Exot. 339.
 — — — Burseri Crantz. Rchb. Ic. crit. 8, 744.
 — — — Rchb. Fl. germ. 3, 13.
 — — — cambricum L. Engl. Bot. 1, 66.
 — — — caucasicum M. v. B. Bot. Mag. 40, 1675.
 — — — croceum Led. Ledeb. Ic. 141.
 — — — Bot. Mag. 57, 3035.
 — — — dubium L. Fl. dan. 6, 902.
 — — — Sv. Bot. 457.
 — — — Curt. Lond. 1, 128.
 — — — Engl. Bot. 9, 644.
 — — — Jacq. Fl. austr. 1, 25.
 — — — Schk. Handb. 140.
 — — — Schrank Fl. monac. 3, 229.
 — — — Hayne 6, 39.
 — — — Rchb. Fl. germ. 3, 15.
 — — — Dietr. Fl. bor. 3, 186.
 — — — floribundum Desf. Ann. Mus. 11, 33.
 — — — Desf. Choix 46.
 — — — Bot. Reg. 2, 134.
 — — — gariepinum Burch. Bot. Mag. 64, 3623.
 — — — horridum Spr. Sweet Fl. G. 173.
 — — — hybridum L. Engl. Bot. 1, 43.
 — — — Rchb. Fl. germ. 3, 14.
 — — — Dietr. Fl. bor. 3, 188.
 — — — intermedium Beck. Rchb. Fl. germ. 3, 16.
 — — — laevigatum M. v. B. Rchb. Ic. crit. 4, 332.
 — — — Rchb. Fl. germ. 3, 16.
 — — — miniatum Rchb. Rchb. Ic. crit. 8, 746.
 — — — nudicaule L. Fl. dan. 1, 41.
 — — — Curt. Lond. 5, 214.
 — — — Bot. Mag. 39, 1633. 49, 2344.
 — — — Engl. Bot. 2681.
 — — — Rchb. Ic. crit. 8, 742.
 — — — officinale Gmel. Nees Düssel. 402.
 — — — Wagner 148.
 — — — Rchb. Fl. germ. 3, 17.
 — — — oligophyllum Bvn. Bélanger Ind. or. x.
 † — — — orientale L. Gaertn. Carp. 60.
 — — — Bot. Mag. 2, 57.
 — — — Ann. gen. 7, 100.
 — — — Savi Fl. ital. 1, 37.
 — — — persicum Ldl. Bot. Reg. 19, 1570.
 — — — pilosum Sm. Sibth. Fl. gr. 492.
 — — — Bot. Mag. 79, 4749.
 — — — Regel Gartenfl. 1, 31.
 — — — pyrenaicum Willd. Rchb. Ic. crit. 8, 743.
 — — — Rchb. Fl. germ. 3, 13.
 — — — Rhoeas L. Curt. Lond. 2, 78.
 — — — Engl. Bot. 9, 645.

- Papaver Rhoeas* *L.* Woodv. Med. 2, 139.
 — — — Fl. dan. 9, 1580.
 — — — Sv. Bot. 519.
 † — — — Plée Types 10.
 † — — — Spach Suites 55.
 — — — Sturm Flora 5, 17.
 — — — Schrank Fl. monac. 1, 29.
 — — — Hayne 6, 38.
 — — — Nees Düsseld. 404.
 — — — Guimpel et Schl. 87.
 — — — Wagner 56.
 — — — Rchb. Fl. germ. 3, 15.
 — — — Dietr. Fl. bor. 3, 183.
 — — — Rubiaci Vig. Viguier Monographie 1.
 — — — *rupifragum* Boiss. et R. Regel Gartenfl. 2, 45.
 — — — *setigerum* DC. Delessert Ic. 2, 7.
 — — — Sweet Fl. G. 172.
 — — — *somniferum* *L.* Woodv. Med. 2, 138.
 — — — Engl. Bot. 30, 2145.
 — — — Baxter Brit. Bot. 1, 53.
 — — — Sv. Bot. 525.
 — — — Sibth. Fl. gr. 491.
 — — — Dict. sc. nat. 177.
 † — — — Lam. Encycl. 451.
 † — — — Mem. Genev. 1, 2.
 — — — Hayne 6, 40.
 — — — Brandt und Ratzeb. 43.
 — — — Guimpel et Schl. 88.
 — — — Nees Düsseld. 403.
 — — — Wagner 210.
 — — — Rchb. Fl. germ. 3, 17.
 † — — — Hamburger Symb. 2.
 — — — *trilobum* Wallr. Wallroth Sched. 1.
 — — — Rchb. Fl. germ. 3, 15.
 † *Papaveraceae* Juss. Ann. sc. nat. 6, 11.
 † — — — Cesati Stirpes ital. x.
 † *Papaya Carica* Gaertn. Gaertn. Carp. 122.
 — — — *sativa* Tuss. Tussac Ant. 3, 10, 11.
 † — — — *vulgaris* Lam. Lam. Encycl. 821.
 † *Papayaceae* Mart. Schnitzl. Iconogr. 200.
Paphnia cristata Ldl. Fl. d. serres 4, 335.
Pappea capensis Eckl. et Z. Hook. Ic. pl. 4, 352.
Pappophorum alopecuroides Vahl. Vahl Symbolae 51.
 — — — *Aucher* Jaub. Jaubert Illustr. 323.
 — — — *brachystachyum* Jaub. Jaubert Illustr. 324.
 — — — *pallidum* R. Br. Humb. Gram. 51.
 — — — *polystachyum* Schrad. Humb. Gram. 131, 132.
 † *Papyrus japonicus* Lam. Lam. Encycl. 762.
Papyrus antiquorum Willd. Caylus Dissertation 1—4.
 — — — Cirillo Papyrus 1, 2.
 — — — Henckel v. D. Adumbr. pl. 1.
 — — — Smyth Sicily 2.
 — — — Tratt. Archiv 132, 132^a.
 † — — — Spach Suites 110.
 — — — *junciformis* Schrad. Endl. Bras. 3, 3.
 † *Paractaenium Novae Hollandiae* Pal. B. Lam. Enc. 910.
Paralea guianensis Aubl. Aublet Guiana 231.
 — — — Lam. Encycl. 454.
Paranephelis uniflorus P. et E. Poepp. et Endl. 248.
Parapetalifera odorata Wendl. Wendland Coll. 15.
 — — — *serrata* Wendl. Wendland Coll. 34.
Paratropia venulosa W. et A. Rheed. Hort. mal. 7, 28.
 — — — Wight Illustr. 118.
Pardanthus chinensis Bl. Rheed. Hort. mal. 11, 37.
 — — — Lodd. Cab. 1874.
Parentucellia floribunda Viv. Viviani Lib. 21.
Pariana campestris Aubl. Aublet Guiana 337.
 — — — Lam. Encycl. 776.
Parietaria alsinefolia Delile. Delile Egypte 50.
 — — — *appendiculata* Webb. Webb Canar. 214.
 — — — *arborea* L'her. Webb Canar. 213.
 — — — *cretica* *L.* Sibth. Fl. gr. 154.

- Parietaria diffusa* M. et K. Rchb. Fl. germ. 12, 651.
 — — — *erecta* M. et K. Sturm Flora 3, 9.
 — — — *filamentosa* Webb. Webb Canar. 212.
 † — — — *judaica* *L.* Gaertn. Carp. 119.
 — — — Lam. Encycl. 853.
 — — — Schk. Handb. 346.
 — — — Rchb. Fl. germ. 12, 651.
 — — — *micrantha* Led. Ledeb. Ic. 22.
 — — — *officinalis* *L.* Fl. dan. 3, 521.
 — — — Cart. Lond. 3, 12.
 — — — Engl. Bot. 13, 879.
 — — — Baxter Brit. Bot. 3, 224.
 — — — Woodv. Med. 4, 239.
 — — — Lam. Encycl. 853.
 — — — Schk. Handb. 346.
 — — — Hayne 5, 12.
 — — — Sturm Flora 3, 9.
 — — — Dietr. Fl. bor. 10, 689.
 † — — — Nees Gen. 4, 29.
 — — — Rchb. Fl. germ. 12, 651.
 — — — *orientalis* Tournef. Martyn Hist. 7.
Parilia malabarica Dennst. Rheed. Hort. mal. 5, 3.
 † *Parilium arbor tristis* Gaertn. Gaertn. Carp. 51.
Parinarium campestre Aubl. Aublet Guiana 206.
 — — — *excelsum* G. Don. Guillemin Seneg. 62.
 — — — *montanum* Aubl. Aublet Guiana 204, 205.
 — — — Lam. Encycl. 429.
 — — — *senegalense* Guill. Guillemin Seneg. 61.
Paris incompleta M. v. B. Marshall Cent. 74.
 — — — *obovata* Led. Ledebour Monogr. 1.
 — — — Ledebour Ic. 16.
 — — — *polyphylla* Sm. Wall. Pl. asiat. 126.
 — — — *quadrifolia* *L.* Fl. dan. 1, 139.
 — — — Sv. Bot. 6.
 — — — Engl. Bot. 1, 7.
 — — — Baxter Brit. Bot. 1, 6.
 — — — Red. Lil. 4, 226.
 — — — Lam. Encycl. 319.
 — — — Liboschitz Petersb. 20.
 † — — — Gaertn. Carp. 83.
 † — — — Kerner Genera 99.
 — — — Schk. Handb. 109^a.
 — — — Hayne 3, 7.
 — — — Sturm Flora 3, 12.
 — — — Schrank Fl. monac. 1, 35.
 — — — Brandt und Ratzeb. 6.
 — — — Dietr. Fl. bor. 1, 39.
 — — — Rchb. Fl. germ. 10, 430.
 † — — — Nees Gen. 2, 58.
Paritium sterculiaceifolium Guill. Guillemin Seneg. 13.
 — — — *tiliaceum* St. Hil. Wight Ic. pl. Ind. or. 1, 7.
 — — — *tortuosum* Dilw. Rheed. Hort. mal. 1, 30.
Parivoo grandiflora Aubl. Aublet Guiana 303.
 † — — — Abh. Ac. Berl. 1832, 3.
 — — — *tomentosa* Aubl. Aublet Guiana 304.
Parkeria pteridoides Hook. Hook. Exot. Fl. 147, 231.
 † — — — Hook. Gen. Fil. 50.
 — — — Hook. Ic. Fil. 1, 97.
Parkia africana R. Br. Pal. B. Fl. d'Oware 90.
 — — — Rchb. Exot. 231.
Parkinsonia aculeata *L.* Linné Hort. Cliff. 13.
 — — — Jacq. Hist. stirp. am. 119.
 — — — Lam. Encycl. 336.
 — — — Desc. Ant. 1, 12.
 — — — *orientalis* Spr. Rumpf Amb. 3, 128.
Parmentiera cereifera Seem. Seemann Herald 32.
 † *Parnassia* *L.* Gray Genera 86.
 — — — *asarifolia* Vent. Vent. Malm. 39.
 — — — Tratt. Thes. 6.
 — — — *caroliniana* Michx. Bot. Mag. 35, 1459.
 — — — Torrey New York 11.
 — — — Gray Genera 86.

- Parnassia fimbriata* Banks. Hook. Bot. Misc. 23.
 — *Kotzebuei* Cham. et Schl. Hook. Bor. Am. 28.
 — — Fl. dan. 13, 2286.
 — *mysorensis* Heyne. Wight Illustr. 21.
 — *nubicola* Wall. Royle Illustr. 50.
 — — Wight Illustr. 21.
 — *obtusiflora* Rupr. Rupr. Fl. Samoj. 3.
 — *ovata* Led. Ledeb. Ic. 212.
 † *palustris* L. Gaertn. Carp. 60.
 † — — Lam. Encycl. 216.
 — — — Fl. dan. 4, 584.
 — — — Sv. Bot. 172.
 — — — Curt. Lond. 4, 1.
 — — — Engl. Bot. 2, 82.
 — — — Baxter Brit. Bot. 1, 70.
 — — — Liboschitz Petersb. 8.
 — — — Dict. sc. nat. 186.
 — — — Dreves 3, 85.
 — — — Hayne 2, 42.
 — — — Schk. Handb. 86.
 — — — Tratt. Thes. 5.
 — — — Schrank Fl. monac. 2, 144.
 — — — Sturm Flora 4, 13.
 — — — Dietr. Fl. bor. 2, 143.
 — *parviflora* DC. Hook. Bor. Am. 27.
 — *Schmidii* Zenk. Zenker Pl. ind. 5.
 — *Wightiana* Wall. Wight Spicil. 13.
 — — — Wight Ic. pl. Ind. or. 3, 945.
 — — — Wight Illustr. 21.
Parochetus communis Hamilt. Royle Illustr. 35.
 — *maculatus* R. Br. Bennett Java 34.
 — *major* Don. Wight Ic. pl. Ind. or. 2, 483.
Parolinia ornata Webb. Ann. sc. nat. II. 13, 3.
† *Paronychia* Juss. Gray Genera 105.
 — *arabica* Juss. Delile Egypte 18.
 — *aretioides* DC. Boissier Esp. 62.
 — *argyrocoma* Nutt. Gray Genera 105.
† — *bonariensis* DC. Nees Gen. 4, 73.
 — *canariensis* Juss. Webb Canar. 20.
† — *capitata* DC. Nees Gen. 4, 73.
 — *illecebroides* Webb. Hook. Niger Fl. 7.
 — — — Hook. Ic. pl. 8, 756.
 — *lanuginosa* Poir. Tussac Ant. 2, 21.
† — *nitida* Gaertn. Gaertn. Carp. 128.
 — ? *ramosissima* DC. DC. Paronychiées 4.
 — *Rosetta* Camb. St. Hil. Fl. Bras. 113.
 — *sessiliflora* Nutt. Hook. Bor. Am. 75.
† — *verticillata* DC. Lam. Encycl. 180.
Paropsia edulis Aub. Th. Aubert Iles d'Afrique 19.
Parrotia Jacquemontiana Decne. Jacquemont Ind. 82.
† *Parrya arctica* R. Br. Parry Voyage tab. B.
 — *exscapa* Led. Ledeb. Ic. 86.
 — *macrocarpa* R. Br. Hook. Bor. Am. 15.
Parsonsia capsularis Endl. Delessert Ic. 5, 49.
 — *heterophylla* Cunn. Journ. Hort. Soc. 5, 195.
 — *rosea* Decne. Raoul Nouv. Zel. 11.
Parthenium Hystrophorus L. Bot. Mag. 49, 2275.
 — — — Desc. Ant. 6, 385.
 — *incanum* H. B. K. H. B. K. Nov. Gen. 4, 391.
 — *integrifolium* L. Schk. Handb. 293.
 — — — Willdenow Hortus 4.
† — — — Gaertn. Carp. 168.
† — — — Lam. Encycl. 766.
† *Parvatia Brunoniana* Decne. Arch. Mus. 1, 12.
Pascalina glauca Ortega. Andr. Rep. 8, 549.
 — — — Paxt. Mag. 8, 125.
† *Paspalum* L. Linné Amoenit. 7, 3.
 — *ammodes* Tr. Trin. Sp. Gr. 2, 182.
 — *angustifolium* N. v. E. Trin. Sp. Gr. 1, 111.
 — *annulatum* Flügge. Trin. Sp. Gr. 2, 133.
 — *arenarium* Schrad. Trin. Sp. Gr. 1, 109.
 — *aspidiotes* Tr. Trin. Sp. Gr. 3, 269.

- Paspalum aureum* H. B. K. H. B. K. Nov. Gen. 1, 27.
 — — — Trin. Sp. Gr. 1, 97.
 — *barbatum* N. v. E. Trin. Sp. Gr. 1, 98.
 — *blepharophorum* R. et Sch. Trin. Sp. Gr. 2, 134.
 — *caespitosum* Flügge. Trin. Sp. Gr. 2, 121.
 — *candidum* H. B. K. H. B. K. Nov. Gen. 1, 25.
 — *canescens* N. v. E. Trin. Sp. Gr. 1, 99.
 — *capillare* Lam. Humb. Gram. 11.
 — — — Trin. Sp. Gr. 1, 100.
 — *carinatum* Kth. Trin. Sp. Gr. 1, 119.
 — *chrysostachyum* Schrad. Trin. Sp. Gr. 1, 101.
 — *ciliatum* H. B. K. H. B. K. Nov. Gen. 1, 24.
 — — — Lam. Pal. B. Fl. d'Oware 92.
 — *Commersonii* Lam. Lam. Encycl. 43.
 — *commutatum* N. v. E. Trin. Sp. Gr. 2, 124.
 — *conjugatum* Berg. Trin. Sp. Gr. 1, 102.
 — *corcovadense* Raddi. Trin. Sp. Gr. 2, 153.
 — *coryphaeum* Tr. Trin. Sp. Gr. 3, 272.
 — *cuyabense* Tr. Trin. Sp. Gr. 3, 284.
 — *densum* Poir. Trin. Sp. Gr. 2, 122.
 — *denticulatum* Tr. Trin. Sp. Gr. 2, 123.
 — *dilatatum* Poir. Humb. Gram. 10.
 — — — Trin. Sp. Gr. 2, 139.
 — *dissectum* L. Trin. Sp. Gr. 2, 124.
 — *dissitiflorum* Trin. Trin. Sp. Gr. 1, 103.
 — *distichophyllum* H. B. K. Trin. Sp. Gr. 2, 141.
† — *distichum* L. Gaertn. Carp. 80.
 — — — Swartz Observ. 2.
 — *elegans* Flügge. Jacq. Ecl. Gram. 23.
 — *erianthum* N. v. E. Trin. Sp. Gr. 2, 135.
 — *eucomum* N. v. E. Trin. Sp. Gr. 1, 110.
 — *fasciculatum* Willd. Trin. Sp. Gr. 3, 270.
 — *Fernandezianum* Colla. Mem. Tur. 39, 59.
 — *ferrugineum* Tr. Trin. Sp. Gr. 2, 136.
 — *fimbriatum* H. B. K. H. B. K. Nov. Gen. 1, 28.
 — *firmum* Tr. Trin. Sp. Gr. 2, 125.
 — *glabrum* Poir. Trin. Sp. Gr. 2, 126.
 — *gracile* Rudge. Rudge Pl. Guianae 26.
 — *guttatum* Tr. Trin. Sp. Gr. 1, 104.
 — *heterotrichum* Tr. Trin. Sp. Gr. 3, 285.
 — *hirtum* H. et Kth. Humb. Gram. 205.
 — *Humboldtianum* Flügge. H. B. K. Nov. Gen. 1, 23.
 — *inaequivalve* Raddi. Humb. Gram. 207.
 — *ischnocaulon* Tr. Trin. Sp. Gr. 2, 126.
 — *Kora* Willd. Willdenow Hortus 74.
 — — — Pal. B. Fl. d'Oware 85.
 — *lanatum* H. B. K. H. B. K. Nov. Gen. 1, 29.
 — *lanciflorum* Tr. Trin. Sp. Gr. 3, 286.
 — *lentiferum* Lam. Trin. Sp. Gr. 2, 137.
 — *lineare* Tr. Trin. Sp. Gr. 1, 111.
 — *littorale* R. Br. Trin. Sp. Gr. 1, 112.
 — *longiflorum* Retz. Rheede Hort. mal. 12, 44.
 — — — Pal. B. Fl. d'Oware 85.
 — *longifolium* Roxb. Trin. Sp. Gr. 2, 138.
 — *maculosum* Tr. Trin. Sp. Gr. 1, 113.
 — *malacophyllum* Tr. Trin. Sp. Gr. 3, 271.
 — *mandiocanum* Tr. Trin. Sp. Gr. 2, 154.
 — *marginatum* Tr. Trin. Sp. Gr. 1, 105.
 — *membranaceum* Lam. Lam. Encycl. 43.
 — *notatum* Flügge. Trin. Sp. Gr. 1, 114.
 — *obtusifolium* Raddi. Trin. Sp. Gr. 2, 115.
 — *ovatum* N. v. E. Trin. Sp. Gr. 2, 139.
 — *pallidum* H. et Kth. Humb. Gram. 204.
† — *paniculatum* L. Gaertn. Carp. 80.
 — — — Trin. Sp. Gr. 2, 127.
 — *parviflorum* Rohde. Trin. Sp. Gr. 1, 116.
 — *pectinatum* N. v. E. Trin. Sp. Gr. 1, 117.
 — *pellitum* N. v. E. Trin. Sp. Gr. 1, 106.
 — *platense* Spr. Trin. Sp. Gr. 2, 139.
 — *platycaule* Poir. Trin. Sp. Gr. 1, 118.
 — *plicatulum* Michx. Trin. Sp. Gr. 2, 140.
 — *polyphyllum* N. v. E. Trin. Sp. Gr. 2, 141.

- Paspalum pruinatum* Tr. Trin. Sp. Gr. 3, 272.
 — *pulchellum* H. B. K. H. B. K. Nov. Gen. 1, 26.
 — *punctatum* Flügge. Trin. Sp. Gr. 2, 153.
 — *purpurascens* Ell. Elliott Carolina 6.
 — *pusillum* Vent. Humb. Gram. 208.
 — — Trin. Sp. Gr. 3, 273.
 — *quadrifarium* Lam. Trin. Sp. Gr. 2, 128.
 — *racemosum* Jacq. Jacq. Ic. 302.
 — *ramosissimum* N. v. E. Humb. Gram. 164.
 — *reimarioides* Brongn. Brongniart Coquille 20.
 — *saccharoides* N. v. E. Trin. Sp. Gr. 1, 107.
 — *sanguinolentum* Tr. Trin. Sp. Gr. 2, 142.
 — *scalare* Tr. Trin. Sp. Gr. 3, 274.
 — *scrobiculatum* L. Trin. Sp. Gr. 2, 143.
 — *serotinum* Flügge. Humb. Gram. 206.
 — *setaceum* Michx. Trin. Sp. Gr. 2, 129.
 — *stellatum* Kunth. Trin. Sp. Gr. 1, 119. 3, 284.
 — *stoloniferum* Bosc. Linn. Transact. 2, 16.
 — *strictum* Brot. Brotero Phytogr. 5.
 — *succinctum* Tr. Trin. Sp. Gr. 2, 156.
 — *suffultum* Mik. Trin. Sp. Gr. 1, 108.
 — *supinum* Bosc. Trin. Sp. Gr. 2, 130.
 † — *tenuis* Gaertn. Gaertn. Carp. 80.
 — *vaginatum* Pal. B. Pal. B. Fl. d'Oware 92.
 — — Sw. Trin. Sp. Gr. 1, 120.
 — *villosum* Thunb. Thunberg Fl. jap. 8.
 — *virgatum* L. Jacq. Ic. 11.
 † — — Gaertn. Carp. 80.
 — — Trin. Sp. Gr. 2, 131. 132.
 † *Passerina* L. Atti Nap. 1788, 18. 19.
 — *annua* Wikstr. Dietr. Fl. bor. 8, 527.
 † — — Nees Gen. 4, 47.
 — *canescens* Schousb. Boissier Esp. 157.
 † — *capitata* L. Wendland Beob. 2.
 — — Lam. Encycl. 291.
 — *elliptica* Boiss. Boissier Esp. 158.
 — *filiformis* L. Linné Hort. Cliff. 11.
 † — — Wendland Beob. 2.
 — *globosa* Poir. Lam. Encycl. 291.
 — *grandiflora* L. fil. Bot. Mag. 9, 292.
 † — *hirsuta* L. Wendland Beob. 2.
 — — Bot. Mag. 45, 1949.
 — — Sibth. Fl. gr. 360.
 — — Rehb. Fl. germ. 11, 550.
 † — — Nees Gen. 4, 47.
 † — *laxa* L. fil. Wendland Beob. 2.
 — — Lodd. Cab. 755.
 — *nitida* Desf. Desf. Fl. atl. 94.
 — *nivalis* Ramond. Bull. philom. 1800. no. 40.
 † — — Gaertn. Carp. 215.
 — *racemosa* Led. Ledeb. Ic. 374.
 † — *spicata* L. fil. Wendland Beob. 2.
 — — Lodd. Cab. 311.
 — *striata* Lam. Lam. Encycl. 291.
 † — *Tartouira* Wikstr. Nees Gen. 4, 47.
 † — *Thymelaea* Wikstr. Nees Gen. 4, 47.
 † — *uniflora* L. Wendland Beob. 2.
 — — Lam. Encycl. 291.
 — *villosa* Wikstr. Boissier Esp. 157.
 — *virgata* Desf. Desf. Fl. atl. 95.
 † *Passiflora* L. (Folia.) Linné Amoenit. 1, 10.
 † — — Ann. gen. 2, 22. 23.
 † — — Kerner Genera 168 — 170.
 — *Actinia* Hook. Bot. Mag. 69, 4009.
 — — Fl. d. serres 2, 39.
 — *adiantifolia* Willd. Bot. Reg. 3, 233.
 — *adulterina* L. fil. Cay. Diss. 278.
 — — Smith Ic. Linn. 24.
 † — *alata* Ait. Linn. Transact. 2, 3.
 — — Bot. Mag. 2, 66.
 — — Lodd. Cab. 246.
 — — Wendland Coll. 46.

- Passiflora alata* Ait. Kerner Hort. 392.
 — — — Savi Fl. ital. 2, 77.
 † — — — Dict. sc. nat. 216.
 — — — Herb. amat. 1, 60.
 † — — — Spach Suites 51.
 — *alato-coerulea* Ldl. Bot. Reg. 10, 848.
 — *alba* Sello. Link Ic. II. 33.
 — *albida* Ker. Bot. Reg. 8, 677.
 — *albo-nigra* Regel. Regel Gartenflora 1852, 8.
 — *amabilis* Ch. Lem. Bot. Mag. 74, 4406.
 — — — Fl. d. serres 3, 209.
 — — — Ysabeau Journal 1850, 3.
 — *amethystina* Mik. Mikan Del. Bras. 20.
 — *angustifolia* Sw. Bot. Mag. 45, 1983.
 — — — Bot. Reg. 3, 188.
 — *aurantia* Andr. Andr. Rep. 5, 295.
 — *biflora* Lam. Cav. Diss. 289.
 — *bilobata* Juss. Ann. Mus. 6, 37.
 — *capsularis* L. Bot. Mag. 55, 2868.
 — *ciliata* Ait. Bot. Mag. 8, 288.
 — — — Jacq. Ecl. pl. 122.
 — *cinerea* P. et E. Poepp. et Endl. 177.
 — *cirrhiiflora* Juss. Ann. Mus. 6, 41.
 — *coccinea* Aubl. Aublet Guiana 324.
 — — — Cav. Diss. 280.
 — — — Desc. Ant. 5, 350.
 — *coerulea* L. Schk. Handb. 84^b,
 — — — Cav. Diss. 295.
 — — — Bot. Mag. 1, 28.
 † — — — Linn. Transact. 2, 4.
 † — — — Nouveau Duhamel 2, 12.
 — — — Lam. Encycl. 732.
 — — — Herb. amat. 2, 102.
 — — — Desc. Ant. 1, 34.
 — — — Bot. Reg. 6, 488.
 — *coeruleo-racemosa* Sabine. Hortic. Transact. 4, 9.
 — — — Lodd. Cab. 573.
 — — — Kerner Hort. 663.
 — *Colvillii* Sweet. Sweet Fl. G. 126.
 — *coriacea* Juss. Ann. Mus. 6, 39.
 — *cuneifolia* Cav. Cav. Diss. 292.
 — *cuprea* L. Martyn Hist. 35.
 — — — Jacq. Ic. 606.
 — — — Cav. Diss. 273.
 — *discolor* Link. Link Ic. I. 5.
 — — — Lodd. Cab. 565.
 — — — Kerner Hort. 602.
 — *edulis* Sims. Bot. Mag. 45, 1989.
 — — — Jacq. Ecl. pl. 124.
 — — — Annales de Gand 1845, 35.
 — *emarginata* H. B. Humb. Pl. aeq. 23.
 — *filamentosa* Cav. Cav. Diss. 294.
 — — — Bot. Mag. 46, 2023.
 — — — Bot. Reg. 7, 584.
 — — — Fl. d. serres 6, 543.
 — — — Spach Suites 51.
 † — *foetida* L. Cav. Diss. 289.
 — — — Bot. Mag. 53, 2619.
 — — — Bot. Reg. 4, 321.
 — — — Lodd. Cab. 725.
 — — — Desc. Ant. 5, 375.
 — *glabra* Wendl. Wendland Coll. 17.
 — *glandulosa* Cav. Cav. Diss. 281.
 — *glauca* H. B. Humb. Pl. aeq. 22.
 — — — Jacq. Schoenbr. 3, 384.
 — — — Bot. Reg. 1, 88.
 — — — Kerner Hort. 405. 827.
 — *gossypifolia* Desv. Link Ic. II. 46.
 — — — Bot. Reg. 19, 1634.
 — *gracilis* Link. Jacq. Ecl. pl. 168.
 — — — Bot. Reg. 11, 870.
 — — — Kerner Hort. 784.

- Passiflora guazumaefolia* Juss. Ann. Mus. 6, 39.
 — *Herbertiana* Ker. Bot. Reg. 9, 737.
 — — Lodd. Cab. 1364.
 — *heterophylla* Ait. Jacq. Schoenbr. 2, 181.
 — *hibiscifolia* Lam. f. Jacq. Ecl. pl. 123.
 — *hirsuta* Lodd. Lodd. Cab. 138.
 — — Ait. Jacq. Ecl. pl. 123.
 — *holosericea* L. Martyn Hist. 49.
 — — Cav. Diss. 291.
 — — Bot. Mag. 45, 2015.
 — — Bot. Reg. 1, 59.
 — — Kerner Hort. 32.
 — *Horsfieldii* Bl. Blume Rumphia 52.
 — *incarnata* L. Jacq. Ic. 187.
 — — Cav. Diss. 293.
 — — Hort. Transact. 3, 3.
 — — Bot. Reg. 2, 152. 4, 332.
 — — Bot. Mag. 65, 3697.
 — *kermesina* Link et O. Preuss. Gart. Verein 2, 15.
 — — Bot. Reg. 19, 1633.
 — — Bot. Mag. 63, 3503.
 — — Knowles et Westcott 6.
 — — Maund Bot. 3, 118.
 — — Paxt. Mag. 1, 23. 14, 151.
 — *laurifolia* L. Schneevogt Ic. 38.
 — — Jacq. Hist. stirp. am. 219.
 — — Jacq. Vind. 162.
 — — Cav. Diss. 284.
 — — Linn. Transact. 2, 4.
 — — Bot. Reg. 1, 13.
 — — Desc. Ant. 1, 36.
 — *Leschenaultii* DC. Zenker Pl. ind. 8.
 — — Hook. Ic. pl. 4, 353.
 — — Wight Spicil. 76.
 — — Wight Ic. pl. Ind. or. 1, 39.
 — *ligularis* Juss. Ann. Mus. 6, 40.
 — — Bot. Mag. 57, 2967.
 — — Bot. Reg. 16, 1339.
 — *longifolia* Lam. Cav. Diss. 270.
 — *longipes* Juss. Ann. Mus. 6, 38.
 — *Lowe* Heer. Regel Gartenflora 1852, 9.
 — *lunata* Sm. Smith Ic. pictae 1.
 — — Linn. Transact. 2, 5.
 — — Andr. Rep. 10, 657.
 — — Lodd. Cab. 181.
 — — Bot. Mag. 49, 2354.
 — — Bot. Reg. 7, 577.
 — — Poepp. et Endl. 178.
 — *lutea* L. Jacq. Ic. 607.
 — — Cav. Diss. 267.
 — — Bot. Reg. 1, 79.
 — *lyraefolia* Tuss. Tussac Ant. 1, 4.
 — — Desc. Ant. 4, 255.
 — — Kerner Hort. 488.
 — *maliformis* L. Jacq. Schoenbr. 2, 180.
 — — Andr. Rep. 4, 217.
 — — Bot. Reg. 2, 94.
 — — Kerner Hort. 845.
 — *mauritiana* Aub. Th. Ann. Mus. 6, 65.
 — *Maximiliana* Bory. Ann. gen. 2, 24.
 — *Medusaea* Ch. Lem. Fl. d. serres 5, 528.
 — — Bot. Mag. 79, 4752.
 — *mexicana* Juss. Ann. Mus. 6, 38.
 — *Middletoniana* Paxt. Paxt. Mag. 9, 51.
 — *minima* L. Jacq. Vind. 20.
 — — Cav. Diss. 266.
 — — Linn. Transact. 2, 5.
 — — Bot. Reg. 2, 144.
 — *mixta* L. Smith Ic. Linn. 25.
 — *moluccana* Reinw. Blume Rumphia 51.
 — *Mooreana* Hook. Bot. Mag. 66, 3773.
 — *mucronata* Lam. Cav. Dis. 282.

- Passiflora multiflora* L. Cav. Diss. 272.
 — *multiformis* Jacq. Jacq. Fragm. 67.
 — — Jacq. Ecl. pl. 121.
 — *Murucua* L. Cav. Diss. 287.
 — — Bot. Reg. 7, 574.
 — — Desc. Ant. 1, 62.
 — — Rchb. Exot. 215.
 † — *myriadenia* Van Houtte. Van Houtte Hort. 5.
 — *nepalensis* Wall. Wallich Tentamen 11.
 — *Neumannii* Paxt. Paxt. Mag. 15, 270.
 — *nigelliflora* Tweed. Bot. Mag. 65, 3635.
 † — *nigra* Jacq. Jacq. Observ. 46.
 — *odora* Link. Link Ic. II. 47.
 — *onychina* Ldl. Bot. Reg. 24, 21.
 — — Bot. Mag. 67, 3820.
 — *orbiculata* Cav. Cav. Diss. 286.
 — *pallida* L. Bot. Reg. 8, 660.
 — — Desc. Ant. 7, 460.
 — *pallidiflora* Moris. Mem. Tur. 36, 6.
 — *palmata* Lodd. Lodd. Cab. 97.
 — *pedata* L. Herb. amat. 5, 303.
 — — Desc. Ant. 5, 351.
 — *peduncularis* Cav. Cav. Ic. 426.
 — *peltata* Cav. Cav. Diss. 274.
 — — Bot. Reg. 6, 507.
 — *penduliflora* Bertero. Bot. Mag. 77, 4565.
 — — Lem. Jard. fl. 114.
 — — Fl. d. serres 7, 656.
 — *perfoliata* L. Jacq. Schoenbr. 2, 182.
 — — Andr. Rep. 8, 547.
 — — Bot. Reg. 1, 76.
 — — Kerner Hort. 94.
 — — Kerner Ic. pl. sel. 2.
 — *phoenicea* Ldl. Bot. Reg. 19, 1603.
 — *picturata* Ker. Bot. Reg. 8, 673.
 — — Lodd. Cab. 1050.
 — — Rchb. Exot. 136.
 — *pinnatistipula* Cav. Cav. Ic. 428.
 — *princeps* Lodd. Lodd. Cab. 94.
 — — Rchb. Exot. 305.
 — — Savi Fl. ital. 2, 73. 77.
 — *punctata* L. Cav. Diss. 269.
 — — Lodd. Lodd. Cab. 101.
 — *quadrangularis* L. Jacq. Hist. stirp. am. 218.
 — — Cav. Diss. 283.
 † — — Linn. Transact. 2, 3.
 — — Bot. Mag. 46, 2041.
 — — Bot. Reg. 1, 14.
 — — Tussac Ant. 4, 10. 11.
 — — Desc. Ant. 1, 60.
 — — Dict. sc. nat. 215.
 — — Kerner Hort. 479.
 — — Rchb. Exot. 304.
 — — var. *Decaisneana*, Fl. d. serres 8, 948.
 — *racemosa* Brot. Bot. Mag. 45, 2001.
 — — Bot. Reg. 4, 285.
 — — Linn. Transact. 12, 6.
 — — Kerner Hort. 542.
 — *reflexiflora* Cav. Cav. Ic. 425.
 — *rigidula* Jacq. Jacq. Ecl. pl. 124.
 — *rotundifolia* L. Cav. Diss. 290.
 † — — Jacq. Observ. 46.
 — *rubra* L. Jacq. Ic. 186.
 — — Cav. Diss. 268.
 — — Bot. Reg. 2, 96.
 — *rubricaulis* Jacq. Jacq. Ecl. pl. 169.
 — *sanguinea* Colla. Mem. Tur. 33, 6.
 — — Sm. Fl. d. serres 8, 903.
 — *serrata* L. Cav. Diss. 296.
 — — Desc. Ant. 5, 349.
 — *serratifolia* L. Martyn Hist. 34.
 — — Jacq. Vind. 10.

- Passiflora serratifolia* L. Cav. Diss. 279.
 — — — Bot. Mag. 18, 631.
 — — — Lodd. Cab. 193.
 † — serrulata Jacq. Jacq. Observ. 46.
 — sexiflora Juss. Ann. Mus. 6, 37.
 — speciosa Gardn. Fielding Sertum 17.
 — stipulata Aubl. Aublet Guiana 323.
 — suberosa L. Jacq. Vind. 163.
 — — — Cav. Diss. 265.
 — — — Smith Exot. Bot. 28.
 — Tacso Cav. Cav. Diss. 277.
 — tiliaefolia L. Cav. Diss. 283.
 — tinifolia Juss. Ann. Mus. 6, 41.
 — tomentosa Lam. Cav. Diss. 275, 276.
 — trifoliata Cav. Cav. Ic. 427.
 — tuberosa Jacq. Jacq. Schoenbr. 4, 496.
 — — — Bot. Reg. 5, 432.
 — tucumanensis Hook. Bot. Mag. 65, 3636.
 — variolata P. et E. Poepp. et Endl. 179.
 — verrucifera Ldl. Bot. Reg. 26, 52.
 — Vespertilio L. Martyn Hist. 50.
 — — — Cav. Diss. 271.
 — — — Bot. Reg. 7, 597.
 — viridiflora Cav. Cav. Ic. 424.
 — Walkeriae Wight. Wight Illustr. 108.
 † *Passifloreae* Juss. Schnizl. Iconogr. 197.
Passoura guianensis Aubl. Aublet Guiana 380.
Pastinaca dissecta Vent. Vent. Cels 78.
 — Hookeriana Wight. Wight Ic. pl. Ind. or. 3, 1010.
 — ligusticifolia W. et A. Wight Illustr. 116.
 — lucida L. Gouan Illustr. 11, 12.
 — — — Jacq. Vind. 199.
 — Opoponax L. Gouan Illustr. 13, 14.
 — — — Woodv. Med. 1, 47.
 — — — W. et Kit. 211.
 — — — Sibth. Fl. gr. 288.
 † — rectistyla Ces. Linnaea 11, 7.
 — rigens Wight. Wight Spicil. 82.
 — — — Wight Ic. pl. Ind. or. 3, 1009.
 † — sativa L. Gaertn. Carp. 21.
 † — — — Lam. Encycl. 206.
 — — — Fl. dan. 7, 1206.
 — — — Engl. Bot. 8, 556.
 — — — Baxter Brit. Bot. 3, 172.
 — — — Schk. Handb. 76.
 — — — Hayne 7, 16.
 — — — Schrank Fl. monac. 4, 396.
 — — — Dietr. Fl. bor. 10, 701.
 — — — var. Rochel Banat. 25.
 — Sprengeliana Wight. Wight Ic. pl. Ind. or. 3, 1008.
 — triquinata Spr. Sprengel Umb. 6.
Patabea coccinea Aubl. Aublet Guiana 43.
 — — — Lam. Encycl. 65.
Patagonula americana L. Lam. Encycl. 96.
 — bahiensis Moric. Moricand Pl. Am. 86.
 † *Patania erosa* Math. Hook. Gen. Fil. 61.
Patersonia glabrata R. Br. Bot. Reg. 1, 51.
 — — — Lodd. Cab. 768.
 — glauca R. Br. Bot. Mag. 53, 2677.
 — — — Lodd. Cab. 1182.
 — — — Endl. Iconogr. 50.
 — lanata R. Br. Sweet Austr. 15.
 — longiscapa Sweet. Sweet Austr. 39.
 — sapphirina Ldl. Bot. Reg. 25, 60.
 — sericea R. Br. Bot. Mag. 26, 1041.
Patima guianensis Aubl. Aublet Guiana 77.
 — — — Lam. Encycl. 159.
Patrinia intermedia Hornem. Rchb. Hort. 83.
 — scabiosaefolia Fisch. Lodd. Cab. 1340.
 — — — Sweet Fl. G. 154.
 — — — Rchb. Hort. 20.
 — serratulifolia Fisch. Rchb. Hort. 94.

- Patrisia parviflora* DC. Delessert Ic. 3, 14.
Pattonia macrantha Wight. Wight Ic. pl. Ind. or. 5, 1750.
 † *Pauletia* Cav. (Folia 11 spec.) Acad. Pet. 4, 4, 5, 7.
 — aculeata Cav. Cav. Ic. 410.
 — bicolor Bong. Acad. Pet. 4, 6.
 — inermis Cav. Cav. Ic. 409.
 † *Paullinia* L. (Folia 14 specierum.) Jacq. Observ. 61, 62.
 — affinis St. Hil. St. Hil. Fl. Bras. 78.
 † — australis St. Hil. Mem. Mus. 12, 13.
 — — — St. Hil. Pl. remarq. 24.
 — caracasana Jacq. Jacq. Schoenbr. 1, 99.
 — cauliflora Jacq. Jacq. Ic. 458.
 — Cururu L. Desc. Ant. 3, 181.
 — glabra Bert. Novi Comm. Bonon. 4, 40.
 — hispida Jacq. Jacq. Schoenbr. 3, 268.
 — meliaefolia Juss. Ann. Mus. 4, 66.
 — — — Hook. Exot. Fl. 110.
 † — pinnata L. Gaertn. Carp. 79.
 † — — — Lam. Encycl. 318.
 — rhizantha P. et E. Poepp. et Endl. 243.
 † — Seriana L. Gaertn. Carp. 79.
 — sericea St. Hil. St. Hil. Fl. Bras. 77.
 — sinuata Poir. Lam. Encycl. 318.
 — tenera P. et E. Poepp. et Endl. 243.
 — thalictrifolia Juss. Ann. Mus. 4, 66.
 — tomentosa Jacq. Jacq. Observ. 10.
 — triternata L. Desc. Ant. 4, 237.
 — velutina DC. Delessert Ic. 3, 37.
Paulownia imperialis Sieb. et Z. Sieb. Fl. Japon. 10.
 — — — Paxt. Mag. 10, 7.
 — — — Annales de Gand 1846, 104.
 — — — Bot. Mag. 77, 4666.
 † — — — Ann. sc. nat. III, 8, s. III, 19, 5.
Pavetta breviflora DC. Wight Ic. pl. Ind. or. 3, 1035.
 — Brunonis Wall. Wight Ic. pl. Ind. or. 3, 1065.
 — caffra Thunb. Bot. Mag. 64, 3580.
 — — — Maund Bot. 4, 193.
 — — — Lem. Jard. fl. 3, 293, 294.
 — foetidissima Cfr. Cirillo Pl. rar. 1, 1.
 — indica L. Rheede Hort. mal. 5, 10.
 — — — Rumpf Amb. 4, 47.
 — — — Burmann Fl. ind. 13.
 † — — — Gaertn. Carp. 25.
 — — — Bot. Reg. 3, 198.
 — — — Herb. amat. 5, 331.
 — — — Wight Ic. pl. Ind. or. 1, 148.
 — owariensis Pal. B. Pal. B. Fl. d'Oware 52.
Pavia carnea Spach. Sweet Fl. G. II, 301.
 — indica Wall. Jacquemont Ind. 35.
 — lutea Poir. Nouveau Duhamel 3, 38.
 — — — Michaux Arb. 3, 11.
 — macrostachys DC. Herb. amat. 3, 212.
 † — Michauxii Spach. Spach Suites 18.
 — rubra Lam. Lam. Encycl. 273.
 — — — Dict. sc. nat. 165, 166.
 † *Pavonia* Rz et P. Ruiz et Pav. Prodr. 28.
 † — — — Gray Genera 130.
 — acerifolia Link. Link Ic. I, 1.
 — — — Kerner Hort. 768.
 — acuminata Spr. Kerner Hort. 786.
 — aristata Cav. Cav. Diss. 45.
 — cancellata Cav. Rchb. Hort. 215.
 — coccinea Cav. Cav. Diss. 47.
 — — — Lam. Encycl. 585.
 — — — Desc. Ant. 6, 383.
 — Columella Cav. Cav. Diss. 48.
 — — — Jacq. Schoenbr. 4, 462.
 — cuneifolia Cav. Cav. Diss. 45.
 — diuretica St. Hil. St. Hil. Pl. usuelles 53.
 — geminiflora Moric. Moricand Pl. Am. 73.
 — glechomoides St. Hil. St. Hil. Fl. Bras. 45.
 — hastata Cav. Cav. Diss. 47.

- Pavonia hastata* Cav. Rchb. Hort. 227.
 † — — Payer Organogénie 7.
 — — — humilis Jacq. Jacq. Fragm. 122.
 — — — linearis A. Rich. Ramon Cuba 13.
 — — — multiflora Juss. St. Hil. Fl. Bras. 47.
 — — — muricata St. Hil. St. Hil. Fl. Bras. 44.
 — — — odorata Willd. Rchb. Hort. 203.
 — — — paniculata Cav. Cav. Diss. 46.
 — — — papilionacea Cav. Cav. Diss. 49.
 — — — pentacarpos Poir. Rchb. Fl. germ. 5, 179.
 — — — praemorsa Willd. Lodd. Cab. 371.
 — — — prostrata Moric. Moricand Pl. Am. 72.
 — — — Rosa campestris St. Hil. St. Hil. Fl. Bras. 46.
 — — — rosea Moris. Mem. Tur. 36, 10.
 — — — Schrankii Spr. Bot. Mag. 65, 3692.
 — — — sempervirens Rz et P. Ruiz et Pav. Ined. x.
 — — — speciosa H. B. K. H. B. K. Nov. Gen. 5, 477.
 — — — spicata Cav. Cav. Diss. 46.
 — — — spinifex Cav. Cav. Diss. 45.
 — — — — Bot. Reg. 4, 339.
 — — — spiralis Cav. Cav. Ic. 434.
 — — — Typhalea Cav. Cav. Diss. 197.
 — — — urens Cav. Cav. Diss. 49.
 — — — — Jacq. Ic. 532.
 — — — — Lam. Encycl. 585.
 — — — varians Moric. Moricand Pl. Am. 74.
 — — — velutina St. Hil. Fl. d. serres 4, 350.
 — — — veneta Spr. Rchb. Fl. germ. 5, 179.
 — — — Wrightii Gray. Gray Genera 130.
 — — — zeylanica Cav. Cav. Diss. 48.
Paxtonia rosea Cunn. Bot. Reg. 24, 60.
 — — — — Maund Bot. 5, 210.
Paypayrola guianensis Aubl. Aublet Guiana 99.
 — — — — Lam. Encycl. 125.
Pectangis Aubl. Aubert Orchid. 51.
† *Pectinea zeylanica* Gaertn. Gaertn. Carp. 111.
† *Pectis canescens* H. B. K. H. B. K. Nov. Gen. 4, 393.
 — — — elongata H. B. K. H. B. K. Nov. Gen. 4, 392.
† — — — linifolia Gaertn. Gaertn. Carp. 171.
† — — — — Lam. Encycl. 684.
 — — — pinnata Lam. Journ. d'hist. nat. Par. 2, 31.
 — — — prostrata Cav. Cav. Ic. 324.
 — — — punctata L. Jacq. Hist. stirp. am. 196.
Pectocarya chilensis DC. Gay Chile 52.
Pectophyllum pedunculare H. B. K. H. B. K. Nov. Gen. 5, 425.
Pedaliium Murex L. Rheede Hort. mal. 10, 12.
 — — — — Burmann Fl. ind. 45.
† — — — — Gaertn. Carp. 38.
† — — — — Lam. Encycl. 538.
 — — — — Wight Ic. pl. Ind. or. 4, 1615.
Peddica africana Harvey. Hook. Journal 1840, 10.
Pedicularis abrotanifolia M. v. B. Mem. Mosc. 6, 5.
 — — — — Ledeb. Ic. 278.
 — — — — acanthis Scop. Scop. Fl. carn. 1, 31.
 — — — — Jacq. Collect. 1, 14.
 — — — — achilleaefolia Steph. Ledeb. Ic. 446.
 — — — — adunca M. v. B. Mem. Mosc. 6, 5.
 — — — — aequinoctialis H. B. K. Mem. Mosc. 6, 3.
 — — — — altaica Steph. Ledeb. Ic. 442.
 — — — — amoena Adams. Mem. Mosc. 6, 7.
 — — — — asplenifolia Floerke. Bot. Zeitung 1803, 1.
 — — — — — Sturm Flora 5, 20.
 — — — — atrorubens Schleich. Schweizer Denkschr. 3, 6.
 — — — — — Mem. Mosc. 6, 13.
 — — — — bicornuta Klotzsch. Prinz Waldem. Him. 61.
 — — — — brachystachys Led. Ledeb. Ic. 427.
 — — — — canadensis L. Bot. Mag. 51, 2506.
 — — — — — Sweet Fl. G. 67.
 — — — — capitata Adams. Mem. Mosc. 6, 3.
 — — — — — Trautv. Imagines 36.
 — — — — carnosa Wall. Wall. Pl. asiat. 154.

- Pedicularis caucasica* M. v. B. Mem. Mosc. 6, 8.
 — — — Chamissonis Stev. Mem. Mosc. 6, 4.
 — — — comosa L. All. Fl. ped. 3, 4.
 — — — — Mem. Mosc. 6, 14.
 — — — — Stephan Monogr. x.
 — — — — Stephan Ic. pl. mosq. 3.
 — — — compacta Steph. Mem. Mosc. 6, 11.
 — — — condensata M. v. B. Mem. Mosc. 6, 17.
 — — — elata Willd. Mem. Mosc. 6, 11.
 — — — euphrasioides Steph. Rchb. Pl. crit. 1, 14.
 — — — flammea L. Linné Fl. lapp. 4.
 — — — — Fl. dan. 1, 30. 11, 1878.
 — — — flava Pall. Ledeb. Ic. 439.
 — — — foliosa L. Jacq. Fl. austr. 2, 139.
 — — — — Sturm Flora 5, 20.
 — — — Friderici Augusti Tomm. Linnaea 13, 2.
† — — — gladiata Michx. Mem. Mosc. 6, 1.
 — — — grandiflora Fisch. Mem. Mosc. 6, 2.
 — — — groenlandica Retz. Fl. dan. 7, 1166.
 — — — gyroflexa Vill. Vill. Dauph. 9.
 — — — himalayca Klotzsch. Prinz Waldem. Him. 58.
 — — — hirsuta L. Linné Fl. lapp. 4.
 — — — — Fl. dan. 7, 1105.
 — — — — All. Fl. ped. 3, 3.
 — — — Hoffmeisteri Klotzsch. Prinz Waldem. Him. 60.
 — — — Jacquinii Koch. Sturm Flora 5, 20.
 — — — incarnata Jacq. Jacq. Fl. austr. 2, 140.
 — — — — All. Fl. ped. 3, 3. 4.
 — — — — Retzius Obs. 4, 1.
 — — — — Sturm Flora 8, 30.
 — — — — Lam. Encycl. 517.
 — — — interrupta Steph. Mem. Mosc. 6, 6.
 — — — — Ledeb. Ic. 434.
 — — — labellata Decne. Jacquemont Ind. 123.
 — — — lanata Cham. Fl. dan. 11, 1821.
 — — — lanceolata Michx. Mem. Mosc. 6, 4.
 — — — — Torrey New York 75.
 — — — Langsdorffii Fisch. Mem. Mosc. 6, 9.
 — — — — var. gymnostemon, Trautv. Imag. 39.
 — — — lapponica L. Linné Fl. lapp. 4.
 — — — — Fl. dan. 1, 2.
 — — — — Sv. Bot. 750.
 — — — — Lam. Encycl. 517.
 — — — — Rchb. Pl. crit. 1, 14.
 — — — lasiostachys Led. Ledeb. Ic. 340.
 — — — longiflora Rudolphi. Petersb. 4, 3.
 — — — lusitanica Link. Hoffm. Lk. Fl. port. 61.
 — — — macrantha Klotzsch. Prinz Waldem. Him. 59.
 — — — mollis Wall. Bot. Mag. 77, 4599.
 — — — — Lem. Jard. fl. 166.
 — — — nasuta M. v. B. Mem. Mosc. 6, 15.
 — — — palustris L. Stephan Ic. pl. mosq. 6.
 — — — — Engl. Bot. 6, 399.
 — — — — Fl. dan. 12, 2055.
† — — — — Lam. Encycl. 517.
 — — — — Schk. Handb. 171.
 — — — — Hayne 8, 33.
 — — — — Schrank Fl. monac. 4, 368.
 — — — — Dietr. Fl. bor. 2, 87.
 — — — Perrottetii Benth. Wight Ic. pl. Ind. or. 4, 1418.
 — — — Portenschlagii Saut. Rchb. Ic. crit. 5, 401.
 — — — punctata Decne. Jacquemont Ind. 122.
 — — — ramosa Wormsk. Fl. dan. 10, 1758.
 — — — recutita L. Jacq. Fl. austr. 3, 258.
 — — — — Sturm Flora 8, 30.
 — — — rosea Jacq. Jacq. Ic. 115.
 — — — — Sturm Flora 5, 20.
 — — — — Mutel Fl. fr. 44.
 — — — rostrata Jacq. Jacq. Fl. austr. 3, 205.
 — — — — Sturm Flora 5, 20.
 — — — rubens Steph. Ledeb. Ic. 441.
 — — — Sceptum Carolinum L. Linné Fl. lapp. 4.

- Pedicularis Sceptrum Carolinum* L. Fl. dan. 1, 26.
 — — — Sv. Bot. 303.
 — — — Stephan Ic. pl. mosq. 4.
 — — — Schrank Fl. monac. 1, 8.
 — — — Sturm Flora 8, 30.
 — — — *silvatica* L. Fl. dan. 2, 225.
 — — — Sv. Bot. 338.
 — — — Engl. Bot. 6, 400.
 — — — Baxter Brit. Bot. 4, 266.
 — — — Hayne 8, 34.
 — — — Sturm Flora 4, 13.
 — — — Dietr. Fl. bor. 2, 88.
 † — — — Mem. Mosc. 6, 1.
 † — — — Nees Gen. 5, 45.
 † — — — *striata* Pall. Mem. Mosc. 6, 1.
 — — — *sudetica* Willd. Mem. Mosc. 6, 15.
 — — — Rchb. Ic. crit. 4, 390.
 — — — *teucriifolia* M. v. B. Mem. Mosc. 6, 10.
 — — — *tristis* L. Mem. Mosc. 6, 10.
 — — — *tuberosa* L. Sturm Flora 8, 30.
 — — — *tubiformis* Klotzsch. Prinz Waldem. Him. 57.
 — — — *uncinata* Steph. Mem. Mosc. 6, 12.
 — — — *versicolor* Wahlenb. Rchb. Pl. crit. 1, 14.
 † — — — Mutel Fl. fr. 44.
 — — — Royle Illustr. 72.
 — — — *verticillata* L. Jacq. Fl. austr. 3, 206.
 † — — — Gaertn. Carp. 53.
 — — — Sturm Flora 5, 20.
 — — — *Wilhelmsiana* Stev. Mem. Mosc. 6, 16.
 — — — *Wlassoviana* Stev. Mem. Mosc. 6, 9.
 † — — — *zeylanica* Benth. Wight Illustr. 163^b.
 — — — Wight Ic. pl. Ind. or. 4, 1419.
Pedilanthus angustifolius Poit. Ann. Mus. 19, 19.
 † — — — *macrocarpus* Benth. Bentham Sulphur 23.
 — — — *tithymaloides* Poit. Ann. Mus. 19, 19.
 — — — Bot. Reg. 10, 837.
 † *Pedileia* Ldl. Lindley Orchid. scel. 27.
 † *Pedilonum undulatum* Bl. Blume Tabellen 36.
Peganum crithmifolium Retz. Eichwald Cauc. 15.
 — — — *Harmala* L. Gmelin Reise 2, 27.
 — — — Schk. Handb. 127.
 — — — Lam. Encycl. 401.
 — — — Sibth. Fl. gr. 456.
 † — — — Gaertn. Carp. 95.
 † — — — Mem. Mus. 12, 16.
 † — — — Payer Organogénie 14.
 — — — Rchb. Fl. germ. 5, 158.
Pegia? Colebrookiana Wight. Wight Ic. pl. Ind. or. 1, 236.
Pegoletia senegalensis Cass. Jaubert Illustr. 341.
Peixotoa glabra Juss. St. Hil. Fl. Bras. 172.
 † — — — Arch. Mus. 3, 13.
Pekea butyrosa Aubl. Aublet Guiana 238.
 † — — — Lam. Encycl. 486.
 — — — *tuberculosa* Aubl. Aublet Guiana 239.
 † — — — Lam. Encycl. 486.
Pelargonium L. (Formae hortenses.) Fl. d. serres 4, 319. 382. 7, 708. 8, 833. 877.
 — — — Abdel Kader Hort. Annales de Gand 1845, 31.
 — — — *abrotanifolium* Jacq. Jacq. Schoenbr. 2, 136.
 — — — Sweet Geran. 351.
 — — — *abutiloides* Sweet. Sweet Geran. 403.
 — — — *acerifolium* L'her. L'her. Geran. 21.
 — — — *aceroides* Sweet. Sweet Geran. 242.
 — — — *acetabulosum* Sweet. Sweet Geran. 443.
 — — — *acetosum* L'her. Bot. Mag. 3, 103.
 — — — *acidum* Sweet. Sweet Geran. 261.
 — — — *acugnaticum* Aub. Aub. Th. Mélanges 13.
 — — — *acutidentatum* Sweet. Sweet Geran. 440.
 — — — *acutilobum* Sweet. Sweet Geran. 184.
 — — — *adulterinum* L'her. L'her. Geran. 34.
 — — — Sweet Geran. 22.
 — — — *adventitium* Sweet. Sweet Geran. 430.

- Pelargonium acmulum* Sweet. Sweet Geran. 160.
 — — — *affine* Sweet. Sweet Geran. 277.
 — — — *affluens* Sweet. Sweet Geran. 194.
 — — — *alatum* Colla. Colla Hort. Rip. 5.
 — — — *albinotatum* Sweet. Sweet Geran. 359.
 — — — *Allenii* Sweet. Sweet Geran. 229.
 — — — *alternans* Wendl. Wendl. Hort. herrenh. 10.
 — — — *althaeoides* Jacq. Jacq. Collect. 4, 21.
 — — — L'her. Geran. 10.
 — — — *altum* Sweet. Sweet Geran. 426.
 — — — *amoenum* Sweet. Sweet Geran. 121.
 — — — *amplissimum* Wendl. Wendland Coll. 63.
 — — — *anacamptum* Sweet. Sweet Geran. 464.
 — — — *anceps* Jacq. Jacq. Collect. 4, 22.
 — — — *anemonaeifolium* Jacq. Jacq. Ic. 535.
 — — — *anisodonton* Sweet. Sweet Geran. 399.
 — — — *Annleyanum* Sweet. Sweet Geran. 456.
 — — — *anomalum* Sweet. Sweet Geran. 315.
 — — — *anthriscifolium* Sweet. Sweet Geran. 233.
 — — — *apiifolium* Jacq. Jacq. Ecl. pl. 27.
 — — — *ardens* Sweet. Sweet Geran. 45.
 — — — Lodd. Cab. 139.
 — — — Colla Hort. Rip. 14.
 — — — Kerner Hort. 546.
 — — — *ardescens* Sweet. Sweet Geran. 231.
 — — — Kerner Hort. 837.
 — — — *argutum* Sweet. Sweet Geran. 344.
 — — — *armatum* Sweet. Sweet Geran. 214.
 — — — *asperifolium* Sweet. Sweet Geran. 169.
 — — — Kerner Hort. 467.
 — — — *astragalifolium* Pers. Jacq. Ic. 511.
 — — — *Atkinsianum* Sweet. Sweet Geran. 499.
 — — — *atrofulgens* Kern. Kerner Hort. 804.
 — — — *atrofuscum* Sweet. Sweet Geran. 82.
 — — — *atropurpureum* Sweet. Sweet Geran. 152.
 — — — *atrovirens* Sweet. Sweet Geran. 474.
 — — — *atrum* L'her. L'her. Geran. 44.
 — — — *augustum* Kern. Kerner Hort. 595.
 — — — *aurantiacum* Sweet. Sweet Geran. 198.
 — — — *australe* Willd. Jacq. Ecl. pl. 100.
 — — — Sweet Geran. 68.
 — — — *Avronianum* Sweet. Sweet Geran. 394.
 — — — *Baileyianum* Sweet. Sweet Geran. 87.
 — — — *Bakerianum* Sweet. Sweet Geran. 240.
 — — — *balsameum* Jacq. Jacq. Ic. 543.
 — — — *barbatum* Jacq. Jacq. Ic. 513.
 — — — *Barclayanum* Sweet. Sweet Geran. 384.
 — — — *Barnardianum* Sweet. Sweet Geran. 127.
 — — — *basilicum* Sweet. Sweet Geran. 360.
 — — — *Beadoniae* Sweet. Sweet Geran. 191.
 — — — *Beaufortianum* Pers. Sweet Geran. 138.
 — — — Kerner Hort. 698.
 — — — *Belladonna* Sweet. Sweet Geran. 270.
 — — — *bellulum* Sweet. Sweet Geran. 60.
 — — — *Berterianum* Colla. Mem. Tur. 33, 4.
 — — — *betonicum* Jacq. Jacq. Ic. 531.
 — — — *betulinum* Ait. Bot. Mag. 5, 148.
 — — — Kerner Hort. 631.
 — — — *bicolor* Ait. Bot. Mag. 6, 201.
 — — — Sweet Geran. 97.
 — — — Savi Fl. ital. 1, 26.
 — — — *biflorum* Sweet. Sweet Geran. 287.
 — — — *bipinnatifidum* Sweet. Sweet Geran. 462.
 — — — *Bishopae* Sweet. Sweet Geran. 272.
 — — — *Blandfordianum* Sweet. Sweet Geran. 101.
 — — — *blandum* Sweet. Sweet Geran. 4.
 — — — *blattarium* Jacq. Jacq. Schoenbr. 2, 131.
 — — — *Bluntianum* Sweet. Sweet Geran. 479.
 — — — *Boyleae* Sweet. Sweet Geran. 50.
 — — — *Breesianum* Sweet. Sweet Geran. 64.
 — — — *Brightianum* Sweet. Sweet Geran. 227.
 — — — *Broadleyae* Kern. Kerner Hort. 772.

Pelargonium Broughtoniae Sweet. Sweet Geran. 181.

- Brownii Sweet. Sweet Geran. 146.
- bryoniaefolium Sweet. Sweet Geran. 320.
- bullatum Jacq. Jacq. Ic. 530.
- Burdini Colla. Mem. Tur. 33, 3.
- Burnettianum Sweet. Sweet Geran. 369.
- calamistratum Sweet. Sweet Geran. 436.
- calliston Sweet. Sweet Geran. 409.
- calocephalon Sweet. Sweet Geran. 201.
- calycinum Sweet. Sweet Geran. 81.
- campyliaeflorum Sweet. Sweet Geran. 251.
- campylosepalum Sweet. Sweet Geran. 379.
- canariense Willd. Willdenow Hortus 17.
- candidum Sweet. Sweet Geran. 128.
- carbasinum Sweet. Sweet Geran. 438.
- carduifolium Sweet. Sweet Geran. 18.
- carinatum Wendl. Wendland Coll. 71.
- — Sweet Geran. 21.
- carnescens Sweet. Sweet Geran. 388.
- carneum Jacq. Jacq. Ic. 512.
- cartilagineum Sweet. Sweet Geran. 382.
- caryophyllaceum Sweet. Sweet Geran. 347.
- cancalifolium Jacq. Jacq. Ic. 529.
- ceratophyllum L'her. L'her. Geran. 13.
- — Bot. Mag. 9, 315.
- chaerophyllum Sweet. Sweet Geran. 257.
- chamaedryfolium Jacq. Jacq. Ic. 523.
- Charwoodii Sweet. Sweet Geran. 880.
- chelidoniifolium Sweet. Sweet Geran. 341.
- chenopodiifolium Sweet. Sweet Geran. 328.
- chrysanthemifolium Sweet. Sweet Geran. 124.
- ciliatum L'her. L'her. Geran. 7.
- — Jacq. Jacq. Ic. 519.
- — — Lam. Encycl. 574.
- — — Kerner Hort. 303.
- clarum Sweet. Sweet Geran. 366.
- clathratum Sweet. Sweet Geran. 485.
- Clintoniae Sweet. Sweet Geran. 392.
- coarctatum Sweet. Sweet Geran. 70.
- coilophyllum Sweet. Sweet Geran. 433.
- columbinum Jacq. Jacq. Schoenbr. 2, 133.
- Colvillii Sweet. Sweet Geran. 86.
- Colleyanum Sweet. Sweet Geran. 483.
- compactum Sweet. Sweet Geran. 470.
- Comptoniae Sweet. Sweet Geran. 122.
- comptum Sweet. Sweet Geran. 255.
- concavifolium Wendl. Wendland Coll. 64.
- concavum Sweet. Sweet Geran. 237.
- conchylatum Sweet. Sweet Geran. 495.
- concinnum Sweet. Sweet Geran. 108.
- conclaum Sweet. Sweet Geran. 303.
- concolor Sweet. Sweet Geran. 140.
- concretum Sweet. Sweet Geran. 424.
- confertifolium Sweet. Sweet Geran. 297.
- congestum Sweet. Sweet Geran. 325.
- contiguum Sweet. Sweet Geran. 473.
- cordatum Ait. L'her. Geran. 22.
- — Sweet Geran. 67.
- cordifolium Curt. Bot. Mag. 5, 165.
- — Kerner Hort. 702.
- cordiforme Sweet. Sweet Geran. 449.
- coriandrifolium Jacq. Jacq. Ic. 528.
- — Sweet Geran. 34.
- coronopifolium Jacq. Jacq. Ic. 526.
- — Kerner Hort. 141.
- cortusaefolium L'her. L'her. Geran. 25.
- — Sweet Geran. 14.
- — Jacq. Jacq. Ic. 539.
- coruscans Sweet. Sweet Geran. 173.
- Cosmianum Sweet. Sweet Geran. 189.
- Cotyledonis L'her. L'her. Geran. 27.
- Couttsiae Sweet. Sweet Geran. 269.

Pelargonium crassicaule L'her. L'her. Geran. 26.

- — — Bot. Mag. 14, 477.
- — — Sweet Geran. 192.
- crataegifolium Sweet. Sweet Geran. 419.
- crenulatum Sweet. Sweet Geran. 162.
- crispum L'her. L'her. Geran. 32, 33.
- — — Sweet Geran. 383.
- crithmifolium Sm. Smith Ic. pict. 13.
- cruentum Sweet. Sweet Geran. 170.
- Cumingiae Sweet. Sweet Geran. 435.
- cuneiflorum Sweet. Sweet Geran. 330.
- cynosbatifolium Willd. Willdenow Hortus 78.
- — — Sweet Geran. 259.
- daedaleum Sweet. Sweet Geran. 500.
- Daleyanum Sweet. Sweet Geran. 463.
- dasycaulon Haw. Bot. Mag. 46, 2029.
- daucoides Jacq. Jacq. Ic. 522.
- Daveyanum Sweet. Sweet Geran. 32.
- Deburghae Sweet. Sweet Geran. 421.
- decorum Sweet. Sweet Geran. 415.
- delicatum Sweet. Sweet Geran. 267.
- Dennisianum Sweet. Sweet Geran. 20.
- denticulatum Jacq. Jacq. Schoenbr. 2, 135.
- — — Kerner Hort. 461.
- — — Sweet Geran. 109.
- dependens Sweet. Sweet Geran. 195.
- depressum Jacq. Jacq. Ic. 520.
- difforme Sweet. Sweet Geran. 105.
- dilatatum Sweet. Sweet Geran. 314.
- dilatilobum Sweet. Sweet Geran. 378.
- dilutum Sweet. Sweet Geran. 293.
- dimacriaeflorum Sweet. Sweet Geran. 220.
- dioicum R. Br. Bot. Mag. 48, 2234.
- dipetalum L'her. L'her. Geran. 43.
- dissectum Sweet. Sweet Geran. 247.
- dissimile Sweet. Sweet Geran. 460.
- divergens Sweet. Sweet Geran. 439.
- diversifolium Wendl. Wendland Coll. 58.
- diversilobum Sweet. Sweet Geran. 361.
- Dobreeanum Sweet. Sweet Geran. 253.
- Drakeae Sweet. Sweet Geran. 496.
- dumosum Sweet. Sweet Geran. 19.
- echinatum Curt. Bot. Mag. 9, 309.
- — — Kerner Hort. 742.
- — — Sweet Geran. 54.
- electum Sweet. Sweet Geran. 238.
- elegans Willd. Kerner Hort. 329.
- — — Sweet Geran. 36.
- Endlicherianum Fenzl. Russegger Reise 3.
- eratinum Sweet. Sweet Geran. 430.
- erectum Sweet. Sweet Geran. 187.
- eriocaulon Sweet. Sweet Geran. 357.
- eriophorum Sweet. Sweet Geran. 490.
- eriophyllum Sweet. Sweet Geran. 141.
- eriosepalum Sweet. Sweet Geran. 375.
- eriostemon Jacq. Jacq. Schoenbr. 2, 132.
- eximium Sweet. Sweet Geran. 26.
- — — Ysabeau Journal 1850, 5.
- exornatum Sweet. Sweet Geran. 381.
- exquisitum Sweet. Sweet Geran. 455.
- exstipulatum Ait. L'her. Geran. 35.
- Fairlieae Sweet. Sweet Geran. 178.
- fastuosum Sweet. Sweet Geran. 499.
- filipendulifolium Sweet. Sweet Geran. 85.
- flabellifolium Sweet. Sweet Geran. 448.
- flaccidum Sweet. Sweet Geran. 337.
- flagrans Sweet. Sweet Geran. 416.
- flavum Sweet. Sweet Geran. 254.
- flexuosum Sweet. Sweet Geran. 180.
- floccosum Sweet. Sweet Geran. 129.
- floridum Sweet. Sweet Geran. 41.
- Foljambeae Sweet. Sweet Geran. 312.

- Pelargonium foliosum Sweet.* Sweet Geran. 340.
 — *formosissimum Sweet.* Sweet Geran. 215.
 — *formosum Sweet.* Sweet Geran. 120.
 — — Kerner Hort. 724.
 † *Fothergillii Sweet.* Kerner Hort. 469.
 — *fragrans Willd.* Willdenow Hortus 77.
 — — Sweet Geran. 172.
 — *Francisci Sweet.* Sweet Geran. 349.
 — *fulgidum Sweet.* Sweet Geran. 69.
 — *fuscatum Jacq.* Jacq. Ic. 540.
 — — Sweet Geran. 210.
 — *gibbosum Sweet.* Sweet Geran. 61.
 — *glabrescens Sweet.* Sweet Geran. 445.
 — *glaucofolium Sweet.* Sweet Geran. 779.
 — *glaucoides Wendl.* Wendl. Coll. 63.
 — *glaucum L'her.* L'her. Geran. 29.
 — — Kerner Hort. 308.
 — — Sweet Geran. 57.
 — *glomeratum Donn.* Jacq. Ecl. pl. 98.
 — *glorianum Sweet.* Sweet Geran. 482.
 — *glutinosum Ait.* L'her. Geran. 20.
 — — Bot. Mag. 4, 143.
 — — Jacq. Ic. 131.
 — *Goweri Sweet.* Sweet Geran. 333.
 — *grandidentatum Sweet.* Sweet Geran. 217.
 — *grandiflorum Sweet.* Sweet Geran. 29.
 — *graphicum Sweet.* Sweet Geran. 412.
 — *graveolens Ait.* L'her. Geran. 17.
 — *Grenvilleae Hortul.* Kerner Hort. 507.
 — *Gurneyanum Sweet.* Sweet Geran. 393.
 — *haemastictum Sweet.* Sweet Geran. 418.
 — *hamatum Jacq.* Jacq. Schoenbr. 2, 138.
 — *Hammerslicae Sweet.* Sweet Geran. 225.
 — *Harewoodiae Sweet.* Sweet Geran. 389.
 — *heracleifolium Lodd.* Lodd. Cab. 437.
 — — Sweet Geran. 211.
 — *Heritieri Jacq.* Jacq. Ecl. pl. 140.
 — *hermanniaefolium Jacq.* Jacq. Ic. 545.
 — *Hesilrigeae Sweet.* Sweet Geran. 319.
 — *heterogamum L'her.* L'her. Geran. 18.
 — — Kerner Hort. 811.
 — *heteromallum Sweet.* Sweet Geran. 432.
 — *heterophyllum Jacq.* Jacq. Ic. 516.
 — *heterotrichum Sweet.* Sweet Geran. 303.
 — *Hillianum Sweet.* Sweet Geran. 451.
 — *hirtum Jacq.* Jacq. Ic. 536.
 — — Sweet Geran. 113.
 — *hoareaeflorum Sweet.* Sweet Geran. 133.
 — *Hoareanum Sweet.* Sweet Geran. 80.
 — *Humei Sweet.* Sweet Geran. 324.
 — *humifusum Willd.* Jacq. Ecl. pl. 99.
 — — Sweet Geran. 42.
 — *Husseyanum Sweet.* Sweet Geran. 92.
 — *hybridum Sweet.* Sweet Geran. 63.
 — *iconicum Sweet.* Sweet Geran. 488.
 — *Jenkinsoni Sweet.* Sweet Geran. 154.
 — *ignescens Sweet.* Sweet Geran. 2, 65.
 — — Lodd. Cab. 109.
 — — Kerner Hort. 575, 704.
 — *imbricatum Sweet.* Sweet Geran. 65.
 — *imperiale Sweet.* Sweet Geran. 365.
 — *incanescens Sweet.* Sweet Geran. 203.
 — *incarnatum Sweet.* Sweet Geran. 308.
 — *incisum Sweet.* Sweet Geran. 93.
 — *incrassatum Sims.* Bot. Mag. 20, 761.
 — — Kerner Hort. 227.
 — *inodorum Willd.* Willdenow Hortus 34.
 — — Sweet Geran. 56.
 — *inquinans Willd.* Rivinus Opus ined. 112.
 † — — Spach Suites 22.
 † — — Payer Organogénie 13.
 — *inscriptum Sweet.* Sweet Geran. 193.

- Pelargonium inculptum Sweet.* Sweet Geran. 65.
 — *insignitum Sweet.* Sweet Geran. 300.
 — *instratum Sweet.* Sweet Geran. 478.
 — *intertextum Sweet.* Sweet Geran. 185.
 — *involutum Sweet.* α. maximum, Sweet Ger. 33.
 — *jonquillinum Sweet.* Sweet Geran. 241.
 — *Kenrickae Sweet.* Sweet Geran. 450.
 — *Kingii Sweet.* Sweet Geran. 248.
 — *Knipeae Sweet.* Sweet Geran. 372.
 — *lacerum Jacq.* Jacq. Ic. 532.
 — *Laconiae Sweet.* Sweet Geran. 374.
 — *Lamberti Sweet.* Sweet Geran. 104.
 — *lanceolatum Hortul.* Kerner Hort. 632.
 — *lanosum Sweet.* Sweet Geran. 484.
 — *lasiocaulon Sweet.* Sweet Geran. 364.
 — *lasiophyllum Sweet.* Sweet Geran. 296.
 — *lateripes L'her.* L'her. Geran. 24.
 — *latidentatum Sweet.* Sweet Geran. 428.
 — *latifolium Sweet.* Sweet Geran. 335.
 — *latilobum Sweet.* Sweet Geran. 236.
 — *laurum Sweet.* Sweet Geran. 491.
 — *Lawranceanum Sweet.* Sweet Geran. 423.
 — *laxiflorum Sweet.* Sweet Geran. 216.
 — *laxulum Sweet.* Sweet Geran. 475.
 — *Leghkeckae Sweet.* Sweet Geran. 377.
 — *lepidum Sweet.* Sweet Geran. 156.
 — *ligulatum Sweet.* Sweet Geran. 301.
 — *limoneum Sweet.* Sweet Geran. 278.
 — *lineatum Sweet.* Sweet Geran. 16.
 — *litorale Hügel.* Hügel Archiv 5.
 — *Littleanum Sweet.* Sweet Geran. 472.
 — *lobatum Willd.* Bot. Mag. 45, 1986.
 — — Kerner Hort. 557.
 — — Sweet Geran. 51.
 — *longicaule Jacq.* Jacq. Ic. 533.
 — *longiflorum Jacq.* Jacq. Ic. 521.
 — *longifolium Jacq.* Jacq. Ic. 518.
 — *Loudonianum Sweet.* Sweet Geran. 417.
 — *Lousadianum Sweet.* Sweet Geran. 44.
 — *lucidum Sweet.* Sweet Geran. 373.
 — *luridum Sweet.* Sweet Geran. 281.
 — *macranthum Sweet.* Sweet Geran. 83.
 — *magnifolium Sweet.* Sweet Geran. 410.
 — *magnistipulatum Sweet.* Sweet Geran. 313.
 — *malachraefolium Sweet.* Sweet Geran. 402.
 — *malacophyllum Sweet.* Sweet Geran. 397.
 — *malvaefolium Jacq.* Jacq. Ecl. pl. 97.
 — *mammulosum Wendl.* Wendl. Coll. 70.
 — *Mattocksianum Sweet.* Sweet Geran. 234.
 — *megalanthum Sweet.* Sweet Geran. 404.
 — *megaleion Sweet.* Sweet Geran. 405.
 — *megaloctistum Sweet.* Sweet Geran. 408.
 — *melananthum Jacq.* Jacq. Ic. 514.
 — — Lodd. Cab. 87.
 — *melancholicum Sweet.* Sweet Geran. 453.
 — *melanostictum Sweet.* Sweet Geran. 406.
 — *melissinum Sweet.* Sweet Geran. 5.
 — *millefolium Sweet.* Sweet Geran. 230.
 — *mirabile Sweet.* Sweet Geran. 457.
 — *mixtum Sweet.* Sweet Geran. 71.
 — *modestum Sweet.* Sweet Geran. 204.
 — *mollifolium Sweet.* Sweet Geran. 477.
 — *monstrum Sweet.* Sweet Geran. 13.
 — *Moreanum Sweet.* Sweet Geran. 285.
 — *Mostynae Sweet.* Sweet Geran. 10.
 — *mucronatum Sweet.* Sweet Geran. 275.
 — *multicaule Jacq.* Jacq. Ic. 534.
 — *multiflorum Sweet.* Sweet Geran. 396.
 — *multinerve Sweet.* Sweet Geran. 17.
 — *multiradiatum Wendl.* Wendl. Coll. 59.
 — — Sweet Geran. 145.
 — *mundulum Sweet.* Sweet Geran. 288.

Pelargonium Murrayanum Colla. Mem. Tur. 33, 2.

- — Sweet Geran. 164.
- mutabile Sweet. Sweet Geran. 213.
- Nairnii Sweet. Sweet Geran. 376.
- nanum Sweet. Sweet Geran. 102.
- nervifolium Jacq. Jacq. Ic. 517.
- nervosum Sweet. Sweet Geran. 47.
- Newshamianum Sweet. Sweet Geran. 144.
- nitidum Sweet. Sweet Geran. 298.
- nodosum Sweet. Sweet Geran. 420.
- notatum Sweet. Sweet Geran. 208.
- nubilum Sweet. Sweet Geran. 420.
- nummifolium Salisb. Salisb. Parad. 23.
- nutans Sweet. Sweet Geran. 466.
- obcordatum Sweet. Sweet Geran. 310.
- oblatum Sweet. Sweet Geran. 35.
- obovatum Sweet. Sweet Geran. 365.
- Obrienianum Sweet. Sweet Geran. 411.
- obscurum Sweet. Sweet Geran. 89.
- obtusidentatum Sweet. Sweet Geran. 492.
- obtusifolium Sweet. Sweet Geran. 25.
- obtusilobum Sweet. Sweet Geran. 8.
- odoratissimum Sweet. Sweet Geran. 299.
- oenanthifolium Sweet. Sweet Geran. 413.
- Oenotherae L. fil. Jacq. Ic. 525.
- optabile Sweet. Sweet Geran. 62.
- opulifolium Sweet. Sweet Geran. 53.
- ornatum Sweet. Sweet Geran. 39.
- ovale L'her. L'her. Geran. 28.
- — Sweet Geran. 235.
- pallens Sweet. Sweet Geran. 148.
- pallidulum Sweet. Sweet Geran. 497.
- Palkii Sweet. Sweet Geran. 224.
- paniculatum Jacq. Jacq. Schoenbr. 2, 137.
- pannifolium Sweet. Sweet Geran. 9.
- papilionaceum Sweet. Sweet Geran. 27.
- papyraceum Sweet. Sweet Geran. 422.
- particeps Sweet. Sweet Geran. 49.
- parviflorum Wendl. Wendland Coll. 66.
- patens Sweet. Sweet Geran. 123.
- patentissimum Wendl. Wendland Coll. 69.
- patulum Jacq. Jacq. Ic. 541.
- paucidentatum Sweet. Sweet Geran. 186.
- pavoninum Sweet. Sweet Geran. 40.
- pectinifolium Sweet. Sweet Geran. 66.
- pedicellatum Sweet. Sweet Geran. 250.
- pedunculatum Sweet. Sweet Geran. 346.
- peltatum Ait. Rivinus Opus ined. 110.
- — Kerner Hort. 705.
- penicillatum Willd. Willdenow Hortus 37.
- pentastictum Sweet. Sweet Geran. 425.
- peramphum Sweet. Sweet Geran. 461.
- Peytoniae Sweet. Sweet Geran. 446.
- phoeniceum Sweet. Sweet Geran. 207.
- picturatum Sweet. Sweet Geran. 444.
- pinguifolium Sweet. Sweet Geran. 52.
- — Hoffmannsegg Verz. 1826, 1.
- † — pinnatum L'her. L'her. Geran. 8.
- — Bot. Mag. 16, 579.
- planifolium Sweet. Sweet Geran. 219.
- platanifolium Sweet. Sweet Geran. 326.
- platypetalum Sweet. Sweet Geran. 116.
- plectophyllum Sweet. Sweet Geran. 441.
- poculifolium Sweet. Sweet Geran. 431.
- politum Sweet. Sweet Geran. 487.
- polytrichum Sweet. Sweet Geran. 274.
- porphyreum Sweet. Sweet Geran. 489.
- Potteri Sweet. Sweet Geran. 147.
- praeclarum Sweet. Sweet Geran. 467.
- Princeanum Sweet. Sweet Geran. 386.
- principissae Sweet. Sweet Geran. 139.
- psilophyllum Sweet. Sweet Geran. 356.

Pelargonium pulchellum Sims. Bot. Mag. 15, 524.

- — Salisb. Parad. 39.
- — Sweet Geran. 31.
- pulcherrimum Sweet. Sweet Geran. 134.
- pulchrum Sweet. Sweet Geran. 197.
- pullaceum Sweet. Sweet Geran. 476.
- pulverulentum Sweet. Sweet Geran. 218.
- pumilum Willd. Münchn. Denkschr. 5, 5.
- purum Sweet. Sweet Geran. 334.
- pustulosum Sweet. Sweet Geran. 11.
- pyrethrifolium Sweet. Sweet Geran. 153.
- quadriflorum Sweet. Sweet Geran. 321.
- quercifolium Ait. L'her. Geran. 14, 15.
- — Kerner Hort. 775.
- quinatum Sims. Bot. Mag. 15, 547.
- quinquelobum Colla. Colla Hort. Rip. 33.
- quinquevulnerum Willd. Herb. amat. 1, 28.
- — Sweet Geran. 161.
- radicatum Vent. Vent. Malm. 65.
- — Bot. Mag. 41, 1718.
- — Kerner Hort. 244, 436.
- Radula Ait. L'her. Geran. 16.
- ramigerum Sweet. Sweet Geran. 362.
- ramulosum Sweet. Sweet Geran. 177.
- rapaceum Jacq. Jacq. Ic. 510.
- — Bot. Mag. 44, 1877.
- recurvatum Sweet. Sweet Geran. 223.
- recurvifolium Sweet. Sweet Geran. 343.
- regium Sweet. Sweet Geran. 368.
- reniforme Curt. Bot. Mag. 14, 493.
- — Sweet Geran. 48.
- revolutum Jacq. Jacq. Ic. 133.
- rhodanthum Sweet. Sweet Geran. 282.
- rhodolentum Sweet. Sweet Geran. 291.
- rhodopetalum Sweet. Sweet Geran. 414.
- ribifolium Jacq. Jacq. Ic. 538.
- Richianum Sweet. Sweet Geran. 370.
- rigescens Sweet. Sweet Geran. 112.
- ringens Sweet. Sweet Geran. 256.
- Robinsoni Sweet. Sweet Geran. 150.
- Rollisoni Sweet. Sweet Geran. 371.
- roseum striatum Wise. Fl. d. serres 6, 607.
- rotundilobum Sweet. Sweet Geran. 252.
- rubens Willd. Wendland Coll. 54.
- rubescens Sweet. Sweet Geran. 30.
- rugosum Andr. Kerner Hort. 687.
- Russellianum Sweet. Sweet Geran. 385.
- rutaceum Sweet. Sweet Geran. 279.
- saepeflorens Sweet. Sweet Geran. 58.
- salebrosum Sweet. Sweet Geran. 309.
- sanguineum Wendl. Wendland Coll. 53.
- — Jacq. Ecl. pl. 57.
- — Sweet Geran. 76.
- — Herb. amat. 5, 320.
- — Mart. Münchn. Denkschr. 5, 4.
- saturatum Sweet. Sweet Geran. 437.
- Saundersii Sweet. Sweet Geran. 205.
- scabrum Ait. L'her. Geran. 31.
- — Jacq. Ic. 542.
- Scarboroviae Sweet. Sweet Geran. 117.
- schizopetalum Sweet. Sweet Geran. 232.
- schizophyllum Sweet. Sweet Geran. 289.
- scintillans Sweet. Sweet Geran. 28.
- scitulum Sweet. Sweet Geran. 390.
- Scottii Sweet. Sweet Geran. 264.
- scutatum Link. Link. Ic. I. 23.
- — Sweet Geran. 95.
- selectum Sweet. Sweet Geran. 190.
- semitrilobum Jacq. Jacq. Schoenbr. 2, 130.
- senecioides L'her. L'her. Geran. 11.
- — Sweet Geran. 327.
- serratifolium Sweet. Sweet Geran. 221.

- Pelargonium Seymouriae* Sweet. Sweet Geran. 37.
 — *signatum* Sweet. Sweet Geran. 275.
 — *Smithii* Sweet. Sweet Geran. 110.
 — *solubile* Sweet. Sweet Geran. 24.
 — *Southcoteanum* Sweet. Sweet Geran. 348.
 — *speciosum* Willd. Kerner Hort. 738.
 — *spectabile* Sweet. Sweet Geran. 136.
 — *speculum* Sweet. Sweet Geran. 452.
 — *spharocephalum* Sweet. Sweet Geran. 317.
 — *sphondyliifolium* Sweet. Sweet Geran. 246.
 — *Spinii* Colla. Colla Hort. Rip. 7.
 — — Sweet Geran. 362.
 — *splendens* Willd. Willdenow Hortus 76.
 — *staphysagrioides* Sweet. Sweet Geran. 498.
 — *Stapletoni* Sweet. Sweet Geran. 212.
 — *Stewartii* Sweet. Sweet Geran. 363.
 — *striatum* Sweet. Sweet Geran. 1.
 — *succulentum* Sweet. Sweet Geran. 469.
 — *suffusum* Sweet. Sweet Geran. 447.
 — *tabulare* L'her. L'her. Geran. 9.
 — *tanacetifolium* Sweet. Sweet Geran. 336.
 — *tenuifolium* L'her. L'her. Geran. 12.
 — *ternatum* L. fil. Bot. Mag. 12, 413.
 — — Jacq. Ic. 544.
 — — Sweet Geran. 165.
 — *tetragonum* L'her. L'her. Geran. 23.
 — — Bot. Mag. 4, 136.
 — — Jacq. Ic. 132.
 — — DC. Plantes grasses 96.
 — *Thynneae* Sweet. Sweet Geran. 74.
 — *Tibbittsianum* Sweet. Sweet Geran. 158.
 — *tinctum* Sweet. Sweet Geran. 429.
 — *tomentosum* L'her. Bot. Mag. 15, 818.
 — — Sweet Geran. 168.
 — — Jacq. Jacq. Ic. 537.
 — *torrefactum* Sweet. Sweet Geran. 243.
 — *tortuosum* Sweet. Sweet Geran. 443.
 — *translucens* Sweet. Sweet Geran. 400.
 — *trichostemon* Jacq. Jacq. Ic. 524.
 — *tricolor* Curt. Bot. Mag. 7, 240.
 — — Kerner Hort. 453.
 — — Herb. amat. 1, 10.
 — *tricuspidatum* L'her. L'her. Geran. 30.
 — *trifidum* Jacq. Jacq. Schoenbr. 2, 134.
 — *trifoliatum* Sweet. Sweet Geran. 294.
 — *trilobatum* Schrad. Schrader Hort. gott. 2.
 — *tripartitum* Sweet. Sweet Geran. 115.
 — *triphylum* Jacq. Jacq. Ic. 514.
 — *triste* Ait. Bot. Mag. 40, 1641.
 — — Herb. amat. 1, 27.
 — *tyrianthinum* Sweet. Sweet Geran. 183.
 — *undulaeflorum* Sweet. Sweet Geran. 329.
 — *urbanum* Sweet. Sweet Geran. 450.
 — *ursinum* Sweet. Sweet Geran. 494.
 — *Vandesiae* Sweet. Sweet Geran. 7.
 — *variifolium* Sweet. Sweet Geran. 280.
 — *Veitchianum* Sweet. Sweet Geran. 481.
 — *veniflorum* Sweet. Sweet Geran. 258.
 — *venustum* Sweet. Sweet Geran. 167.
 — *verbenaeifolium* Sweet. Sweet Geran. 149.
 — *verecundum* Sweet. Sweet Geran. 316.
 — *versicolor* Sweet. Sweet Geran. 478.
 — *vespertinum* Sweet. Sweet Geran. 239.
 — *vestitum* Sweet. Sweet Geran. 427.
 — *Victorianum* Sweet. Sweet Geran. 407.
 — *villosum* Sweet. Sweet Geran. 100.
 — *violareum* Jacq. Jacq. Ic. 527.
 — *viridifolium* Sweet. Sweet Geran. 331.
 — *viscosissimum* Sweet. Sweet Geran. 119.
 — *vitifolium* Ait. L'her. Geran. 19.
 — *volatiferum* Sweet. Sweet Geran. 264.
 — *Watsoni* Sweet. Sweet Geran. 130.

- Pelargonium Wellsianum* Sweet. Sweet Geran. 175.
 — *Willdenowii* Link. Kerner Hort. 815.
 — *Youngii* Sweet. Sweet Geran. 131.
 — *Zingibainum* Sweet. Sweet Geran. 442.
 — *zonale* Willd. Rivinus Opus ined. 112.
Peloxia pauciflora P. et E. Poepp. et Endl. 124.
 — *spiranthoides* Ldl. Bot. Reg. 12, 965.
Peliosanthes courtallensis Wight. Wight Ic. pl. Ind. or. 6, 2051.
 — *humilis* Andr. Andr. Rep. 10, 634.
 — — Bot. Mag. 37, 1532.
 — *neilgherrensis* Wight. Wight Ic. pl. Ind. or. 6, 2052.
 — *Teta* Andr. Andr. Rep. 9, 605.
 — — Bot. Mag. 32, 1302.
 — — Red. Lil. 7, 415.
 — — Rchb. Mag. 74.
 † — — Schnizl. Iconogr. 1, 56**.
 † *Pella ribesioides* Gaertn. Gaertn. Carp. 28.
 † *Pellacalyx axillaris* Korth. Hoeven Tijdschr. 3, 2.
Pellaea abyssinica Fée. Mem. Strassb. 4, 3.
Pelletiera verna St. Hil. Ann. sc. nat. II, 11, 4.
Pellionia elatostemoides Gaudich. Freycinet Voyage 119.
Peltandra longipes Wight. Wight Ic. pl. Ind. or. 5, 1891.
 — *parvifolia* Wight. Wight Ic. pl. Ind. or. 5, 1892.
 — *virginica* Rafn. Torrey New York 124.
 † *Peltaria Desv.* Desvaux Journal 5, 25.
 † — *alliacea* L. Gaertn. Carp. 141.
 — — Jacq. Fl. austr. 2, 123.
 — — Sturm Flora 12, 48.
 — — Rchb. Fl. germ. 2, 12.
 — *Garzini* Burm. Burmann Fl. ind. 46.
 — *glastifolia* DC. Delessert Ic. 2, 43.
Peltobryon attenuatum Klotzsch. Miquel Ill. Pip. 67.
 — — Endl. Bras. 11, 5.
 — *exserens* Mig. Endl. Bras. 11, 5.
 — *Martianum* Mig. Endl. Bras. 11, 5.
 — *pubescens* Mig. Endl. Bras. 11, 4.
Peltodon pusillus Pohl. Pohl Bras. 54.
 — *radicans* Pohl. Pohl Bras. 55.
 — *tomentosus* Pohl. Pohl Bras. 56.
Peltophyllum luteum Gardn. Linn. Transact. 19, 15.
Pemphis acidula Forst. Rumpf Amb. 3, 84.
 † — — Forster Charact. 34.
Penaea fucata L. Lam. Encycl. 78.
 — *imbricata* Grah. Bot. Mag. 55, 2809.
 — *lateriflora* Thunb. Mag. naturf. Fr. 1, 3.
 † — *mucronata* L. Gaertn. Carp. 223.
 † — — Wendland Beob. 1.
 — — Vent. Malm. 87.
 — — Lodd. Cab. 1770.
 — — Schnizl. Iconogr. 2, 112.
 — *Sarcocolla* Lam. Lam. Encycl. 78.
 — — Mag. naturf. Fr. 1, 3.
 — *squamosa* L. Bot. Reg. 2, 106.
 † — — Schnizl. Iconogr. 2, 112.
 — *tomentosa* Thunb. Mag. naturf. Fr. 1, 3.
 † *Penaeaceae* Kth. Schnizl. Iconogr. 2, 112.
Pendiphyllis Aub. Aubert Orchid. 103.
Penicillaria Plukenetii Link. Jacq. Ecl. Gram. 47.
 — *spicata* Willd. Jacq. Ecl. Gram. 17.
 † *Pennantia corymbosa* Forst. Forster Charact. 67.
 † — — Lam. Encycl. 954.
 — — Linnaea 16, 12.
 — — Endl. Iconogr. 121.
 — — Hook. New Zeal. 12.
 — *Endlicheri* Reiss. Linnaea 16, 13.
Pennisetum Alopecuros Jacq. Jacq. Ecl. Gram. 45.
 — *articulare* Tr. Trin. Sp. Gr. 3, 267.
 — *borbonicum* Kth. Humb. Gram. 41.
 — *cenchroides* Rich. Webb Canar. 244.
 — *compressum* R. Br. Trin. Sp. Gr. 1, 19.
 — *dichotomum* Delile. Delile Egypte 8.

- Pennisetum geniculatum* Jacq. Jacq. Ecl. Gram. 26.
 — *japonicum* Tr. Trin. Sp. Gr. 1, 19.
 — *macrochaeton* Jacq. Jacq. Ecl. Gram. 25.
 — *parviflorum* Tr. Trin. Sp. Gr. 3, 288.
 — *Prieurii* Kth. Humb. Gram. 119.
 — *Richardi* Kth. Humb. Gram. 39.
 — *scandens* Jacq. Jacq. Ecl. Gram. 44.
 — *setosum* Rich. Rumpf Amb. 6, 7. fig. 2^b.
 — — Trin. Sp. Gr. 1, 20.
 — *typhoideum* Rich. Delile Egypte 8.
 — *uniflorum* H. B. K. H. B. K. Nov. Gen. 1, 34.
 — *violaceum* Kth. var. *major*, Humb. Gram. 40.
Pentacaena polycnemoides Barth. Presl Reliq. 49.
† *Pentacoelium bontoides* S. et Z. Münchn. Abh. 4, 3.
† *Pentacrypta atropurpurea* Lehm. Linnaea 5, 5.
† *Pentadactylon angustifolium* Gaertn. Gaertn. Carp. 220.
Pentagonia macrophylla Benth. Benth. Sulphur 39.
 — *pinnatifida* Seem. Hook. Journal 1848, 18.
 — *Tinajita* Seem. Seemann Herald 28.
Pentameris curvifolia N. v. E. Humb. Gram. 218.
 — *Thouarsii* Pal. B. Humb. Gram. 66.
Pentanema divaricatum Cass. Fielding Sertum 68.
 — — Janbert Illustr. 350.
 — *pulicariaeforme* J. et Sp. Jaubert Illustr. 351.
† *Pentanura sumatrana* Bl. Blume Mus. 1, 21.
Pentapera sicula Klotzsch. Link Ic. III. 19.
Pentapetes acerifolia L. Cav. Diss. 44.
 — *Erythroxylon* Ait. Bot. Mag. 25, 1000.
 — *ovata* DC. Lam. Encycl. 576.
 — *phoenicea* L. Rheede Hort. mal. 10, 56.
 — — Rumpf Amb. 5, 100.
 — — Trew Pl. rar. 5.
† — — Gaertn. Carp. 134.
 — — Lam. Encycl. 575.
 — — Bot. Reg. 7, 575.
 — *suberifolia* L. Cav. Diss. 43.
Pentaphylax euryoides Gardn. Linn. Transact. 21, 12.
† *Pentaphyllum norvegicum* Gaertn. Gaertn. Carp. 73.
Pentaple mantica Richb. Richb. Fl. germ. 5, 227.
Pentaptera arjuna DC. Mem. Genev. 4, 2.
 — *tomentosa* DC. Mem. Genev. 4, 1.
Pentarraphia cubensis Decne. Journ. Hort. Soc. 5, 86.
 — — Fl. d. serres 3, 297.
Pentarraphis scabra H. B. K. H. B. K. Nov. Gen. 1, 60.
Pentarrhinum abyssinicum Decne. Delessert Ic. 5, 70.
Pentas carnea Benth. Bot. Reg. 30, 32.
 — — Bot. Mag. 70, 4086.
 — — Paxt. Mag. 11, 125.
Pentastachme Wallichii Wight. Delessert Ic. 5, 87.
Pentatopsis microphylla W. et A. Wight Ic. pl. 2, 352.
† — *spiralis* Decne. Ann. sc. nat. II. 9, 11.
† *Penthorum* L. DC. Crassulacées 1.
 — *chinense* Pursh. DC. Crassulacées 13.
† — *sedoides* L. Gaertn. Carp. 65.
 — — Lam. Encycl. 390.
Pentiphragma begoniaefolium Wall. Hook. Bot. Misc. 57.
Pentlandia miniata Ldl. Bot. Reg. 25, 68.
Pentopetia androsaemifolia Decne. Delessert Ic. 5, 88.
Pentstemon acuminatus Dougl. Bot. Reg. 15, 1288.
 — *angustifolius* Ldl. Bot. Reg. 13, 1122.
 — — Lodd. Cab. 1420.
 — *argutus* Paxt. Paxt. Mag. 6, 271.
 — *atropurpureus* G. Don. Lodd. Cab. 1429.
 — *attenuatus* Dougl. Bot. Reg. 15, 1295.
 — *azureus* Benth. Paxt. Fl. G. 64.
 — — Lem. Jard. fl. 211.
 — — Moore Mag. 1850, 209.
 — *baccharidifolius* Hook. Bot. Mag. 78, 4627.
 — — Fl. d. serres 7, 717.
 — — Lem. Jard. fl. 227.
 — *barbatus* Ldl. var. *carneus*, Bot. Reg. 25, 21.
 — *breviflorus* Ldl. Bot. Reg. 23, 1946.

- Pentstemon campanulatus* Willd. Jacq. Schoenbr. 3, 362.
 — — Bot. Mag. 44, 1878. 68, 3884.
 — — Kerner Hort. 163.
 — *centranthifolius* Ldl. Bot. Reg. 20, 1737.
 — *Cobaea* Nutt. Bot. Mag. 63, 3465.
 — — Paxt. Mag. 4, 243.
 — — Sweet Fl. G. II. 348.
 — *confertus* Dougl. Bot. Reg. 15, 1280.
 — *cordifolius* Benth. Journ. Hort. Soc. 5, 89.
 — — Bot. Mag. 76, 4497.
 — — Fl. d. serres 6, 568.
 — — Lem. Jard. fl. 14.
 — *crassifolius* Ldl. Bot. Reg. 24, 16.
 — — Paxt. Mag. 9, 197.
 — — Fl. d. serres 1, 25.
 — *cyananthus* Hook. Bot. Mag. 75, 4464.
 — — Fl. d. serres 6, 583.
 — *denstus* Dougl. Bot. Reg. 16, 1318.
 — *diffusus* Dougl. Bot. Reg. 14, 1132.
 — — Bot. Mag. 65, 3645.
 — — Richb. Exot. 173.
 — *Digitalis* Sims. Bot. Mag. 52, 2587.
 — — Richb. Exot. 292.
 — *frutescens* Lamb. Linn. Transact. 10, 6.
 — *gentianoides* Benth. Bot. Reg. 24, 3.
 — — var. *transparens*, Bot. Reg. 31, 16.
 — — Bot. Mag. 65, 3661.
 — — Paxt. Mag. 4, 265. 9, 175.
 — — Paxt. Fl. G. 71.
 — — Lem. Jard. fl. 231.
 — — Fl. d. serres 7, 730.
 — — Annales de Gand 1848, 222.
 — *giganteus* Morr. var. *elegans*, Ann. de G. 1846, 63.
 — — Belgique hort. 1, 27.
 — *glaber* Pursh. Bot. Mag. 40, 1672.
 — *glandulosus* Dougl. Bot. Reg. 15, 1262.
 — — Bot. Mag. 65, 3688.
 — *glaucus* Grah. Bot. Reg. 15, 1286.
 — *Gordoni* Hook. Bot. Mag. 73, 4319.
 — — Fl. d. serres 3, 269.
 — — Annales de Gand 1847, 162.
 — *gracilis* Nutt. Bot. Mag. 56, 2945.
 — — Lodd. Cab. 1541.
 — *heterophyllus* Ldl. Bot. Reg. 22, 1899.
 — — Bot. Mag. 67, 3853.
 — — Moore Mag. 1850, 137.
 — *laevigatus* Ait. Bot. Mag. 35, 1425.
 — *lanceolatus* Benth. Annales de Gand 1848, 173.
 — *Mac Ewani* Paxt. Paxt. Mag. 14, 174.
 — *Mackayanus* Kn. et W. Knowles et Westcott 74.
 — *miniatus* Ldl. Bot. Reg. 33, 14.
 — — Fl. d. serres 3, 232.
 — *Murrayanus* Hook. Bot. Mag. 63, 3472.
 — — Paxt. Mag. 3, 265.
 — *nemorosus* Ldl. Bot. Reg. 14, 1311.
 — *ovatus* Dougl. Bot. Mag. 56, 2903.
 — — Lodd. Cab. 1626.
 — — Paxt. Mag. 13, 199.
 — — Sweet Fl. G. II. 211.
 — — var. *Annales de Gand* 1848, 210.
 — *procerus* Dougl. Bot. Mag. 56, 2984.
 — — Lodd. Cab. 1616.
 — *pruinosis* Dougl. Bot. Reg. 15, 1280.
 — *pubescens* Ait. Bot. Mag. 35, 1424.
 — — Barton Fl. 3, 103.
 — *pulchellus* Ldl. Lodd. Cab. 1438.
 — — Bot. Reg. 14, 1138.
 — *Richardsonii* Dougl. Bot. Reg. 13, 1121.
 — — Bot. Mag. 62, 3391.
 — — Lodd. Cab. 1641.
 — *Scouleri* Ldl. Bot. Reg. 15, 1277.
 — *speciosus* Dougl. Bot. Reg. 15, 1270.

- Pentstemon speciosus* Dougl. Rchb. Exot. 217.
 — — — Paxt. Mag. 6, 171.
 — — — Sweet Fl. G. II. 259.
 — — — *staticifolius* Ldl. Bot. Reg. 21, 1770.
 — — — *triphyllus* Dougl. Bot. Reg. 15, 1245.
 — — — *venustus* Dougl. Bot. Reg. 16, 1309.
 — — — *Wrightii* Hook. Bot. Mag. 77, 1601.
 — — — Fl. d. serres 7, 685.
 — — — Lem. Jard. fl. 190.
 — — — Belgique hortie. 2, 32.
Peperidium tubulatum Ldl. Bot. Reg. 9, 777.
 † *Peperomia* Rz et P. Ruiz et Pav. Prodr. 2.
 † — — — Kerner Genera 191.
 † — — — Miquel Commentarii 4.
 — — — *acuminata* Rz et P. Ruiz et Pav. Fl. 51.
 — — — *alata* Rz et P. Ruiz et Pav. Fl. 48.
 — — — *arabica* Decne. Miquel Illustr. Pip. 12.
 — — — *arifolia* Miq. Miquel Illustr. Pip. 4.
 — — — — — Endl. Bras. 11, 2.
 — — — *Berteroana* Miq. Miquel Illustr. Pip. 11.
 † — — — *blanda* H. B. K. H. B. K. Nov. Gen. 1, 3.
 — — — — — Hook. Exot. Fl. 21.
 — — — — — Dict. sc. nat. 293, 294.
 † — — — *brasiliensis* Miq. Endl. Bras. 11, 1.
 — — — *campotricha* Miq. Miquel Illustr. Pip. 19.
 — — — *clusiifolia* Hook. Bot. Mag. 56, 2943.
 — — — *colorata* H. B. K. H. B. K. Nov. Gen. 1, 11.
 — — — *concaua* Rz et P. Ruiz et Pav. Fl. 46.
 — — — *congesta* H. B. K. H. B. K. Nov. Gen. 1, 14.
 — — — *conjugata* H. B. K. H. B. K. Nov. Gen. 1, 9.
 — — — *courtallensis* Miq. Wight Ic. pl. Ind. or. 6, 1923.
 — — — *dendrophila* Schlecht. Miquel Illustr. Pip. 7.
 — — — *dependens* Rz et P. Ruiz et Pav. Fl. 48.
 — — — *Deppeana* Miq. Endl. Bras. 11, 2.
 — — — *dindygulensis* Miq. Miquel Illustr. Pip. 13.
 — — — — — Wight Ic. pl. Ind. or. 6, 1921.
 — — — *dissimilis* H. B. K. H. B. K. Nov. Gen. 1, 13.
 — — — *distachya* Dietr. Miquel Illustr. Pip. 23.
 † — — — — — Endl. Bras. 11, 1.
 — — — *dolabriformis* H. B. K. H. B. K. Nov. Gen. 1, 4.
 — — — *emarginata* Rz et P. Ruiz et Pav. Fl. 49.
 — — — *filiformis* Rz et P. Ruiz et Pav. Fl. 47.
 — — — *fimbriata* Miq. var. β . Linnaea 20, 1.
 — — — — — Endl. Bras. 11, 2.
 — — — *foliflora* Rz et P. Ruiz et Pav. Fl. 45.
 — — — *Galeottiana* Hook. Hook. Ic. pl. 4, 327.
 — — — *galioides* H. B. K. H. B. K. Nov. Gen. 1, 17.
 — — — — — Miquel Illustr. Pip. 20.
 — — — — — Endl. Bras. 11, 2.
 — — — *Gardneriana* Miq. Miquel Illustr. Pip. 5.
 — — — — — Endl. Bras. 11, 2.
 — — — *Heyneana* Miq. Wight Ic. pl. Ind. or. 6, 1922.
 — — — *hydrocotyloides* Miq. Linnaea 20, 1.
 — — — — — Endl. Bras. 11, 2.
 — — — *hypoleuca* Miq. Miquel Illustr. Pip. 17.
 — — — *inaequalifolia* Rz et P. Ruiz et Pav. Fl. 46.
 — — — *incana* Dietr. Hook. Exot. Fl. 23.
 — — — — — Miquel Illustr. Pip. 23.
 † — — — — — Endl. Bras. 11, 1.
 † — — — — — Schnizl. Iconogr. 2, 81.
 — — — *lancifolia* Hook. Hook. Ic. pl. 4, 332.
 — — — *latifolia* Miq. Miquel Illustr. Pip. 15.
 — — — *laxiflora* H. B. K. H. B. K. Nov. Gen. 1, 10.
 — — — *maculosa* Hook. Hook. Exot. Fl. 92.
 — — — *margaritifera* Bert. Hook. Ic. pl. 1, 91.
 — — — — — Miquel Illustr. Pip. 10.
 — — — *Martiana* Miq. Endl. Bras. 11, 1.
 — — — *maypurensis* H. B. K. Miquel Illustr. Pip. 16.
 — — — *mexicana* Miq. Miquel Illustr. Pip. 6.
 — — — *microphylla* H. B. K. H. B. K. Nov. Gen. 1, 15.
 — — — *muscosa* Miq. Linnaea 20, 1.
 — — — — — Endl. Bras. 11, 1.

- Peperomia myriocarpa* Miq. Endl. Bras. 11, 1.
 — — — *myrtifolia* Miq. Linnaea 20, 1.
 — — — — — var. Endl. Bras. 11, 2.
 — — — *nivalis* Miq. Miquel Illustr. Pip. 9.
 — — — *obliqua* Rz et P. Ruiz et Pav. Fl. 51.
 † — — — *obtusifolia* Lam. H. B. K. Nov. Gen. 1, 3.
 † — — — — — Dict. sc. nat. 294.
 — — — *ovalifolia* Hook. Hook. Exot. Fl. 165.
 — — — *peltoides* H. B. K. H. B. K. Nov. Gen. 1, 7.
 — — — *pereskiaefolia* H. B. K. Hook. Exot. Fl. 67.
 — — — *perforata* Opiz. Presl Reliq. 30.
 — — — *pilosa* Rz et P. Ruiz et Pav. Fl. 50.
 — — — *plicata* Opiz. Presl Reliq. 29.
 — — — *polybotrya* H. B. K. H. B. K. Nov. Gen. 1, 5.
 — — — *polystachya* Dietr. Hook. Exot. Fl. 23.
 † — — — — — Miquel Illustr. Pip. 8.
 † — — — — — Endl. Bras. 11, 1.
 — — — *portulacoides* Dietr. Wight Ic. pl. Ind. or. 6, 1922.
 — — — *pulicaris* Opiz. Presl Reliq. 30.
 — — — *pumila* Opiz. Presl Reliq. 30.
 — — — *purpurea* Rz et P. Ruiz et Pav. Fl. 49.
 — — — *quadrifolia* H. B. K. Hook. Exot. Fl. 22.
 — — — *reflexa* H. B. K. H. B. K. Nov. Gen. 1, 16.
 — — — — — Dietr. Wight Ic. pl. Ind. or. 6, 1923.
 — — — *reniformis* Hook. Hook. Exot. Fl. 164.
 † — — — *repens* Miq. Endl. Bras. 11, 1.
 — — — *rhombea* Rz et P. Ruiz et Pav. Fl. 46.
 — — — *rotundata* H. B. K. H. B. K. Nov. Gen. 1, 12.
 — — — *rubella* Hook. Hook. Exot. Fl. 58.
 — — — *sandwicensis* Miq. Miquel Illustr. Pip. 14.
 — — — *scandens* Rz et P. Ruiz et Pav. Fl. 51.
 — — — *scutellaeifolia* Rz et P. Ruiz et Pav. Fl. 44.
 — — — *secunda* Rz et P. Ruiz et Pav. Fl. 45.
 — — — — — Miquel Illustr. Pip. 22.
 — — — *Seemanniana* Miq. Seemann Herald 37.
 — — — *Sellowiana* Miq. Endl. Bras. 11, 2.
 — — — *septemnervia* Rz et P. Ruiz et Pav. Fl. 47.
 — — — *striata* Rz et P. Ruiz et Pav. Fl. 52.
 — — — *subpeltata* Dietr. Rumpf Amb. 6, 59. fig. 1.
 — — — *taliniifolia* H. B. K. H. B. K. Nov. Gen. 1, 8.
 — — — *tenera* Miq. Endl. Bras. 11, 1.
 — — — *tenerrima* Schlecht. Miquel Illustr. Pip. 21.
 — — — *tetragona* Rz et P. Ruiz et Pav. Fl. 47.
 — — — *tomentosa* Dietr. Miquel Illustr. Pip. 18.
 — — — *trinervis* Rz et P. Ruiz et Pav. Fl. 50.
 — — — — — Miquel Illustr. Pip. 8.
 — — — *trineura* Miq. Linnaea 20, 1.
 — — — — — Endl. Bras. 11, 2.
 — — — *tristachya* H. B. K. H. B. K. Nov. Gen. 1, 6.
 — — — — — Opiz. Presl Reliq. 30.
 — — — *umbilicata* Rz et P. Ruiz et Pav. Fl. 45.
 — — — — — H. B. K. Nov. Gen. 1, 15.
 — — — *valantioides* Miq. Linnaea 20, 1.
 — — — — — Endl. Bras. 11, 2.
 — — — *variegata* Rz et P. Ruiz et Pav. Fl. 52.
 — — — *Wightiana* Miq. Wight Ic. pl. Ind. or. 6, 1924.
Peplidium humifusum Delile. Delile Egypte 4.
 † — — — — — Wight Illustr. 163^b.
Peplis alternifolia Led. Ledeb. Ic. 391.
 — — — *Boraei* Jord. Jordan Obs. 3, 5.
 — — — *nummulariaefolia* Jord. Jordan Obs. 3, 5.
 — — — *Portula* L. Fl. dan. 1, 64.
 † — — — — — Gaertn. Carp. 51.
 — — — — — Lam. Encycl. 262.
 — — — — — Curt. Lond. 3, 86.
 — — — — — Engl. Bot. 17, 1211.
 — — — — — Baxter Brit. Bot. 3, 220.
 — — — — — Sv. Bot. 592.
 — — — — — Dreves 4, 108.
 — — — — — Schk. Handb. 99.
 — — — — — Sturm Flora 1, 1.
 — — — — — Dietr. Fl. bor. 10, 669.

- Peplis Portula L.* Jordan Obs. 3, 5.
 — *tetrandra L.* Jacq. Hist. stirp. am. 103.
 — — Swartz Obs. 1.
 — *Timeroyi Jord.* Jordan Obs. 3, 5.
Pera arborea Mutis. Svensk Acad. 1784, 8.
Peraltea lupinoides H. B. K. H. B. K. Nov. Gen. 6, 589.
Perama dichotoma P. et E. Poepp. et Endl. 235.
 — *hirsuta Aubl.* Aublet Guiana 18.
 — — Lam. Encycl. 68.
Perdicium divaricatum H. B. K. H. B. K. Nov. Gen. 4, 355.
 — *lactuoides Vahl.* Skrifter nat. Selsk. 1791, 5.
 — *laevigatum Berg.* Svensk Acad. 1772, 7.
 † — — Gaertn. Carp. 170.
 † — — Lam. Encycl. 677.
 — *magellanicum L.* Skrifter nat. Selsk. 1791, 4.
 — *purpureum Vahl.* Skrifter nat. Selsk. 1791, 3.
 † — *radiale L.* Lam. Encycl. 677.
 — *recurvatum Vahl.* Skrifter nat. Selsk. 1791, 7.
 — *squarrosum Vahl.* Skrifter nat. Selsk. 1791, 6.
 — *Taraxaci Vahl.* Skrifter nat. Selsk. 1791, 1.
 — *tomentosum Thunb.* Skrifter nat. Selsk. 1791, 2.
 † *Perebea Aubl.* Ann. sc. nat. III. 8, 5.
 — *guianensis Aubl.* Aublet Guiana 361.
 † — *laurifolia Trécul.* Endl. Bras. 12, 35.
Pereilema crinitum Presl. Presl Reliq. 37.
 — — Trin. Sp. Gr. 3, 388.
Pereskia aculeata DC. Bot. Reg. 23, 1928.
 — *Bleo DC.* Bot. Mag. 63, 3478.
 — — Bot. Reg. 17, 1473.
 — — Rechb. Exot. 328.
 — — Pfeiffer Cact. 1, 30.
 — *grandifolia Haw.* Rechb. Exot. 329.
 — *lychnidiflora DC.* Mem. Mus. 17, 18.
 — *opuntiaeflora DC.* Mem. Mus. 17, 19.
 — *rotundifolia DC.* Mem. Mus. 17, 20.
 — *zinniaeflora DC.* Mem. Mus. 17, 17.
Perezia Gayana DC. Delessert Ic. 4, 94.
 † *Pergularia bifida Zipp.* Ann. sc. nat. II. 9, 10.
 — *glabra L.* Rumpf Amb. 5, 29. fig. 2.
 — *minor Andr.* Andr. Rep. 3, 184.
 — — Bot. Mag. 20, 755.
 — *odoratissima Sm.* Smith Ic. pict. 16.
 — — Andr. Rep. 3, 185.
 — — Bot. Reg. 5, 412.
 — — Savi Fl. ital. 2, 59.
 — — Wight Ic. pl. Ind. or. 2, 414.
 — *pallida W. et A.* Wight Ic. pl. Ind. or. 2, 585.
 — *sanguinolenta Ldl.* Bot. Mag. 52, 2532.
 — *tomentosa L.* Lam. Encycl. 176.
Periandra caespitosa Jacq. Jacquemont Ind. 29.
Pericallis cruenta Webb. Webb Canar. 104.
 — *multiflora Webb.* Webb Canar. 105.
 — *papyracea Webb.* Webb Canar. 106.
 — *populifolia Webb.* Webb Canar. 103.
 — *Tussilaginis Sweet.* Sweet Fl. G. II. 228.
Pericycla penduliflora Bl. Blume Rumphia 94.
 † *Peridium Schott.* Wiegmann Archiv 7, 7.
 † *Perilla ocymoides L.* Lam. Encycl. 503.
 — — Bot. Mag. 50, 2395.
Perilomia ocymoides H. B. K. Bot. Reg. 17, 1394.
 — *scutellarioides H. B. K.* H. B. K. Nov. Gen. 2, 159.
 † *Periphragmos Rz et P.* Ruiz et Pav. Prodr. 4.
 — *dependens Rz et P.* Ruiz et Pav. Fl. 133.
 — *flexuosus Rz et P.* Ruiz et Pav. Fl. 131.
 — *foetidus Rz et P.* Ruiz et Pav. Fl. 132.
 † *Periploca L.* Jacq. Genit. Ascl. x.
 — *africana L.* Andr. Rep. 9, 557.
 — *angustifolia Lqb.* Bill. Syr. 2, 7.
 — *aphylla Decne.* Jacquemont Ind. 116.
 — *emetica Retz.* Willdenow Phytogr. 5.
 — *esculenta L.* Roxb. Corom. 11.
 — — Kerner Hort. 76.

- Periploca graeca L.* Lam. Encycl. 177.
 — — Schk. Handb. 53.
 — — Sibth. Fl. gr. 249.
 — — Bot. Mag. 49, 2289.
 — — Bot. Reg. 10, 803.
 — — Lodd. Cab. 1389.
 † — — Wight Illustr. 182.
 — *mauritiana Poir.* Rumpf Amb. 5, 10.
 — *punicaefolia Cav.* Cav. Ic. 217. 500^b.
 — *rigida Viv.* Viviani Lib. 6.
 — *silvestris Retz.* Willdenow Phytogr. 5.
 — *tunicata Retz.* Willdenow Phytogr. 5.
Peristeria Barkeri Batem. Bateman Orchid. 8.
 † — — Mem. Genev. 11, 1.
 — — Bot. Mag. 72, 4203.
 — *cerina Ldl.* Bot. Reg. 23, 1953.
 — *elata Hook.* Bot. Mag. 58, 3116.
 — *Humboldtii Ldl.* Bot. Reg. 29, 18.
 — — var. Bot. Mag. 71, 4156.
 — *guttata Kn. et W.* Knowles et Westcott 70.
 — *pendula Hook.* Bot. Mag. 63, 3479.
Peristrophe montana N. v. E. Wight Ic. pl. Ind. 4, 1553.
 — *tinctoria N. v. E.* Rumpf Amb. 6, 22. fig. 1.
Peristylus albidus Ldl. Rivinus Irreg. hexap. 3.
 — — Baxter Brit. Bot. 5, 387.
 † — *brachyphyllus A. Rich.* Ann. sc. nat. II. 15, 2.
 — *cordatus Ldl.* Bot. Reg. 18, 1499.
 — *exilis Wight.* Wight Ic. pl. Ind. or. 5, 1698.
 — *goodyeroides Ldl.* Royle Illustr. 87.
 † — *grandis Bl.* Blume Tabellen 30.
 † — *lancifolius A. Rich.* Ann. sc. nat. II. 15, 2.
 — *Lawii Wight.* Wight Ic. pl. Ind. or. 5, 1695.
 † — *Lefeburianus A. Rich.* Ann. sc. nat. II. 14, 16.
 — *Petitianus A. Rich.* Richard Abyssin. 84.
 — *plantagineus Ldl.* Wight Ic. pl. Ind. or. 3, 921.
 — *Quartinianus A. Rich.* Richard Abyssin. 85.
 † — — Ann. sc. nat. II. 14, 16.
 — *Richardianus Wight.* Wight Ic. pl. Ind. or. 5, 1697.
 — *robustior Wight.* Wight Ic. pl. Ind. or. 5, 1699.
 † — *spiralis A. Rich.* Ann. sc. nat. II. 15, 2.
 — — Wight Ic. pl. Ind. or. 5, 1696.
Perityle californica Benth. Benth. Sulphur 15.
Pernettya angustifolia Ldl. Bot. Reg. 26, 63.
 — — Bot. Mag. 68, 3889.
 — *ciliaris Don.* Journ. Hort. Soc. 6, 268.
 — *empetrifolia Gaudich.* Freycinet Voyage 67.
 — *mucronata Gaudich.* Richard Astrolabe 22.
 — — Bot. Reg. 20, 1675.
 — — Maund Bot. 3, 112.
 — *pumila Hook.* Hook. Ic. pl. 1, 9.
 — — Richard Astrolabe 22.
Perobachne secunda Presl. Presl Reliq. 48.
Perojoa microphylla Cav. Cav. Ic. 349.
Peronema canescens Jack. Wight Ic. pl. Ind. or. 4, 1460.
Peronia stricta DC. Red. Lil. 6, 312.
Perotis latifolia Ait. Rheede Hort. mal. 12, 62.
 — — Humb. Gram. 92.
Perovskia abrotanoides Karel. Bull. Mosc. 1841, 1.
Perreymondia Brongniartii Barn. Gay Chile 4.
Perrottetia quinquensis H. B. K. H. B. K. N. G. 7, 622.
Persea azorica Seub. Seubert Fl. azor. 6.
 † — *gratissima Gaertn.* Gaertn. Carp. 221.
 † — — Kerner Genera 195. 196.
 — — Tussac Ant. 3, 3.
 — — Bot. Reg. 15, 1258.
 — — Dict. sc. nat. 13.
 — — Wight Ic. pl. Ind. or. 5, 1823.
 — — Bot. Mag. 77, 4580.
 — — Lem. Jard. fl. 252.
 — *indica Spr.* Webb Canar. 204.
 † *Persica vulgaris Mill.* Spach Suites 5.
 † *Persicaria virginiana Gaertn.* Gaertn. Carp. 119.

- † *Persoonia* Sm. Kerner Genera 20.
 — *ferruginea* Sm. Smith Exot. Bot. 83.
 † — — Gaertn. Carp. 220.
 — — — Tratt. Archiv 10.
 — *flexifolia* R. Br. Lodd. Cab. 922.
 — *hirsuta* Pers. Linn. Transact. 10, 16.
 — — — Lodd. Cab. 327.
 — — — Rchb. Mag. 77.
 — *juniperina* Lab. Bill. Nov. Holl. 45.
 — *lanceolata* Andr. Andr. Rep. 2, 74.
 — — — Lodd. Cab. 25.
 — — — Rchb. Mag. 77.
 — *latifolia* Andr. Andr. Rep. 4, 280.
 — — — Lodd. Cab. 1509.
 — — — Michaux Fl. 43.
 — *Laureola* Ldl. Hook. Ic. pl. 5, 426.
 — *linearis* Andr. Andr. Rep. 2, 77.
 — — — Bot. Mag. 20, 760.
 — — — Vent. Malm. 32.
 — — — Nouveau Duhamel 4, 43.
 — *personata* Poir. Lam. Encycl. 716.
 — *pinifolia* R. Br. Linn. Transact. 10, 16.
 — *quinquenervis* Hook. Hook. Ic. pl. 5, 426.
 — *spathulata* R. Br. Lodd. Cab. 1199.
Perrularia fuscescens Ldl. Rchb. Fl. germ. 13, 426. 519.
Pervillaea tomentosa Decne. Delessert Ic. 5, 85.
Peschiera diversifolia Mig. Miquel Surinam 47.
 — *tenuiflora* P. et E. Poepp. et Endl. 280.
Pesomeria tetragona Ldl. Bot. Mag. 75, 4442.
Petalidium barlerioides N. v. E. Bot. Mag. 70, 4053.
 † *Petaloma* Sw. Swartz Fl. Ind. occ. 14.
 — *domingensis* Tuss. Tussac Ant. 3, 37.
 † — — — Kerner Genera 209.
 — *Muriri* Sw. Dict. sc. nat. 232.
Petalostemum candidum Michx. Michaux Fl. 37.
 — *violaceum* Michx. Michaux Fl. 37.
 — — — Bot. Mag. 41, 1707.
 † *Petasites albus* Gaertn. Gaertn. Carp. 166.
 — — — Sturm Flora 6, 21.
 — — — Dietr. Fl. bor. 9, 595.
 † — — — Nees Gen. X, x.
 — — — Rchb. Fl. germ. 16, 899.
 — *fragrans* Presl. Rchb. Fl. germ. 16, 895. 896.
 — *Kablikianus* Tausch. Rchb. Fl. germ. 16, 900.
 — *niveus* Baumg. Sturm Flora 6, 21.
 — — — Rchb. Fl. germ. 16, 898.
 — *officinalis* Moench. Sturm Flora 2, 7.
 † — — — Nees Gen. X, x.
 — *spurius* Retz. Sturm Flora 6, 21.
 — — — Dietr. Fl. bor. 9, 596.
 — — — Rchb. Fl. germ. 16, 897.
 — *vulgaris* Desf. Baxter Brit. Bot. 2, 139.
 — — — Dietr. Fl. bor. 8, 537.
 — — — Rchb. Fl. germ. 16, 901.
Petasostylis nigrescens Griseb. Fl. d. serres 1, 53.
Petersia rosea Klotzsch. Peters Mossamb. 30.
 † *Petesia carnea* Forst. Gaertn. Carp. 192.
 † *Petiveria* L. Swartz Observ. 10.
 — *alliacea* L. Svensk Acad. 1744, 7.
 † — — — Gaertn. Carp. 73.
 † — — — Lam. Encycl. 272.
 — — — Lodd. Cab. 148.
 — — — Desc. Ant. 5, 347.
 — *octandra* L. Jacq. Hist. stirp. am. 104.
Petrea Blanchetiana Schauer. Endl. Bras. 10, 45.
 — *erecta* Lodd. Lodd. Cab. 1606.
 — *insignis* Schauer. Endl. Bras. 10, 46.
 — *macrostachya* Benth. Miquel Surin. 42.
 — *Martiana* Schauer. Endl. Bras. 10, 46.
 — *Stapelsiae* Paxt. Paxt. Mag. 4, 199.
 — *subserata* Cham. Endl. Bras. 10, 45.
 † — *volubilis* L. Houston Reliq. 11.

- Petrea volubilis* L. Jacq. Hist. stirp. am. 173.
 † — — — Gaertn. Carp. 177.
 † — — — Lam. Encycl. 539.
 — — — Kerner Hort. 151.
 — — — Bot. Mag. 17, 628.
 — — — Lodd. Cab. 736.
 — — — Knowles et Westcott 108.
Petrobium cordatum Bong. Acad. Pet. 4, 0.
Petrocallis pyrenaica R. Br. Lodd. Cab. 635.
 — — — Sturm Flora 15, 65.
 — — — Rchb. Fl. germ. 2, 16.
Petrocoptis Lagascae Willk. Willkomm Ic. Hisp. 1, 21.
 — *pyrenaica* A. Br. Willkomm Ic. Hisp. 1, 19. 20.
Petromarula pinnata DC. fl. Sweet Fl. G. II. 224.
 — — — Jaubert Illustr. 420.
Petrophila acicularis R. Br. Bot. Mag. 63, 3469.
 — *pedunculata* R. Br. Guillemin Austr. 18.
 — *trifida* R. Br. Lodd. Cab. 1883.
Petrophytes Agriostaphis Webb. Webb Canar. 36 C.
 — *brachycaulon* Webb. Webb Canar. 36 B.
 — *polyphyllum* Webb. Webb Canar. 36 B.
Petroselinum prostratum DC. Hook. Ic. pl. 4, 305.
 — *sativum* Hoffm. Engl. Bot. 2793.
 — — — Nees Düsseld. 282.
 † — — — Nees Gen. X, x.
 — *segetum* Koch. Baxter Brit. Bot. 5, 360.
Petrostylis grandiflora R. Br. Guillemin Austr. 6.
Petteria graminifolia Rchb. Rchb. Fl. germ. 5, 220.
Petunia elegans Miers. Miers Illustr. 24.
 — *intermedia* Ldl. Bot. Reg. 23, 1931.
 — *linearis* Paxt. Paxt. Mag. 2, 219.
 — *Meleagris* Hort. Fl. d. serres 6, 550.
 — *nyctaginiflora* Juss. Ann. Mus. 2, 47.
 — — — Bot. Mag. 52, 3552.
 — — — Sweet Fl. G. 119.
 — — — var. Paxt. Mag. 2, 173.
 — *ovalifolia* Miers. Miers Illustr. 24.
 — *parviflora* Juss. Ann. Mus. 2, 47.
 — — — Miers Illustr. 23.
 † — *Prince Rohan Hortul.* Fl. d. serres 8, 781.
 — *punctata* Paxt. Paxt. Mag. 11, 7.
 — *striata formosissima* H. V. Fl. d. serres 9, 874.
 — *Van Volxem Hortul.* Fl. d. serres 6, 862.
 — *violacea* Ldl. Bot. Reg. 19, 1626.
 — — — Bot. Mag. 64, 3556.
 — — — Paxt. Mag. 1, 7.
 — *viscosa* Colla. Mem. Tur. 38, 45.
Peucedanum alsaticum Neck. Acta palat. 2, 3.
 — — — L. Jacq. Fl. austr. 1, 70.
 — *arenarium* Kit. Winterl Index 11.
 — — — W. et Kit. 20.
 — *aureum* Soland. Bot. Reg. 7, 559.
 — — — Webb Canar. 74.
 — *canescens* Led. Ledeb. Ic. 103.
 — *Cervaria Lapeyr.* Dietr. Fl. bor. 10, 710.
 — *Chabraei* Koch. Dietr. Fl. bor. 11, 733.
 — *dissectum* Led. Ledeb. Ic. 181.
 — *elatum* Led. Ledeb. Ic. 305.
 — *gracile* Led. Ledeb. Ic. 306.
 — *longifolium* W. et K. W. et Kit. 251.
 — *obtusifolium* Sibth. Sibth. Fl. gr. 277.
 † — *officinale* L. Gaertn. Carp. 21.
 — — — Schk. Handb. 63.
 — — — Engl. Bot. 25, 1767.
 — — — Baxter Brit. Bot. 6, 419.
 — — — Hayne 7, 4.
 — *Oreoselinum Moench.* Nees Düsseld. 289.
 — *Ostruthium Koch.* Nees Düsseld. 206.
 — *paniculatum* Led. Ledeb. Ic. 199.
 — *polyphyllum* Led. Ledeb. Ic. 309.
 — *ruthenicum* M. v. B. Rochel Banat. 23.
 — *sibiricum* Willd. W. et Kit. 60.

- Peucedanum Silaus* L. Jacq. Fl. austr. 1, 15.
 — — — Hayne 7, 5.
 — — — Engl. Bot. 30, 2142.
 — — — *vaginatum* Led. Ledeb. Ic. 308.
Peyrouisia aculeata Sweet. Sweet Fl. G. II. 39.
Pfaffia glabrata Mart. Mart. Bras. 122.
 — — — *sericea* Mart. Mart. Bras. 123.
 — — — *velutina* Mart. Mart. Bras. 124.
Pfeiffera cereiformis Salm. Pfeiffer Cact. 2, 9.
Phaca abbreviata Led. Ledeb. Ic. 330.
 — — — *Aboriginum* Hook. Hook. Bor. Am. 56.
 — — — *alpina* Jacq. Jacq. Ic. 151.
 — — — — — Sturm Flora 6, 24.
 — — — — — Fl. dan. 5, 956.
 + — — — Gaertn. Carp. 154.
 + — — — Lam. Encycl. 624.
 — — — Schk. Handb. 208⁶.
 — — — Roemer Fl. europ. 12, 6.
 — — — *astragalina* DC. Sturm Flora 5, 19.
 — — — — — Lodd. Cab. 429.
 — — — *australis* L. Jacq. Misc. 2, 3.
 — — — — — Roemer Fl. europ. 8, 7.
 — — — — — Sturm Flora 12, 49.
 — — — — — Lodd. Cab. 490.
 — — — *baetica* L. Sibth. Fl. gr. 127.
 — — — *Berberiana* Moris. Mem. Tur. 37, 36.
 — — — *caespitosa* Nutt. Hook. Bor. Am. 55.
 — — — *Candolleana* H. B. K. H. B. K. Nov. Gen. 6, 586.
 — — — *chrysanthia* Moris. Mem. Tur. 37, 36.
 — — — *densifolia* Sm. Hook. Ic. pl. 3, 282.
 — — — *frigida* L. Jacq. Fl. austr. 2, 166.
 + — — — Wahlenberg Fl. lapp. 12.
 — — — — — Sturm Flora 12, 49.
 — — — *glabra* Clar. DC. Ic. Gall. 31.
 — — — Haller Vill. Vill. Dauph. 41.
 — — — Hoffmeisteri Klotzsch. Prinz Waldem. Him. 2.
 — — — *mollis* H. B. K. H. B. K. Nov. Gen. 6, 585.
 + — — — *montana* Wahlenb. Wahlenberg Fl. lapp. 12.
 — — — *neglecta* T. et Gr. Torrey New York 26.
 — — — *pectinata* Hook. Hook. Bor. Am. 54.
 — — — *triflora* DC. DC. Astrag. 1.
 — — — *vesicaria* L. Schreber Ic. 3.
 — — — Vogelii Webb. Hook. Niger Fl. 8.
 — — — — — Hook. Ic. pl. 8, 763.
Phacelia bipinnatifida Michx. Michaux Fl. 16.
 — — — *circinata* Jacq. Jacq. Ecl. pl. 91.
 — — — *congesta* Hook. Bot. Mag. 62, 3482.
 — — — — — Sweet Fl. G. II. 327.
 — — — *tanacetifolia* Benth. Bot. Reg. 20, 1696.
 — — — — — Bot. Mag. 65, 3703.
 — — — — — Sweet Fl. G. II. 369.
 — — — *vinifolia* Part. Paxt. Mag. 3, 121.
Phaedranassa chloracra Herb. Bot. Reg. 31, 17.
 — — — — — Fl. d. serres 1, 26.
Phaeocarpus campestris Mart. Mart. Bras. 37, 38.
Phaeocordylis areolata Griff. Linn. Transact. 20, 8.
Phaeopappus aristatus Jaub. Jaubert Illustr. 213.
 — — — *armenus* Jaub. Jaubert Illustr. 210.
 — — — *gymnocladus* Jaub. Jaubert Illustr. 211.
 — — — *microcephalus* Jaub. Jaubert Illustr. 212.
 + *Phaëthusa americana* Gaertn. Gaertn. Carp. 169.
 + — — — Lam. Encycl. 689.
Phagnalon melanolencum Webb. Hook. Niger Fl. 9.
 — — — — — Hook. Ic. pl. 8, 764.
 — — — *purpureascens* Sch. Bip. Webb Canar. 82^B.
 + — — — *rupestre* DC. Nees Gen. X, x.
 — — — — — Rchb. Fl. germ. 16, 920.
 + — — — *saxatile* Cass. Nees Gen. X, x.
 — — — — — Rchb. Fl. germ. 16, 920.
 — — — *sordidum* DC. Rchb. Fl. germ. 16, 920.
 — — — *umbelliforme* DC. Webb Canar. 82.
Phajus albus Ldl. Wall. Pl. asiat. 198.

- Phajus albus* Ldl. Bot. Reg. 24, 33.
 — — — Bot. Mag. 68, 3991.
 — — — Knowles et Westcott 125.
 — — — Paxt. Mag. 5, 123.
 — — — *bicolor* Ldl. Lindley Sertum 23.
 — — — — — Bot. Mag. 70, 4078.
 — — — — — Wight Ic. pl. Ind. or. 5, 1659—1660.
 — — — *grandifolius* Lour. var. Fl. d. serres 7, 738.
 — — — *maculatus* Ldl. Lodd. Cab. 1803.
 — — — — — Bot. Mag. 68, 3960.
 — — — *rosellus* Ch. Lem. Fl. d. serres 3, 391.
 — — — *Wallichii* Ldl. Wall. Pl. asiat. 158.
 — — — — — Paxt. Mag. 6, 193.
Phalacraea latifolia DC. Delessert Ic. 4, 8.
Phalaenopsis amabilis Bl. Rumpf Amb. 6, 43.
 + — — — Blume Tabellen 44.
 — — — — — Blume Rumphia 194. 199.
 — — — — — Bennett Java 8.
 — — — — — Bot. Reg. 24, 34.
 — — — — — Bot. Mag. 73, 4297.
 — — — — — Maund Bot. 3, 133.
 — — — — — Paxt. Mag. 7, 49.
 — — — — — Fl. d. serres 1, 36.
 — — — *intermedia* Ldl. Lem. Jard. fl. 4, p. 44.
 — — — *rosea* Ldl. Paxt. Fl. G. 72.
 — — — — — Lem. Jard. fl. 3, 283.
Phalangium attenuatum Wight. Wight Ic. pl. 6, 2037.
 — — — *bicolor* DC. Red. Lil. 4, 215.
 — — — *ciliatum* H. B. K. H. B. K. Nov. Gen. 7, 676.
 — — — *elatum* Poir. Red. Lil. 4, 191.
 — — — *Liliago* Schreb. Bot. Mag. 23, 914. 39, 1635.
 — — — — — Lam. Encycl. 240.
 — — — *Liliastrium* Poir. Red. Lil. 5, 255.
 — — — *nepalense* Ldl. Bot. Reg. 12, 998.
 — ? *oligospermum* Wight. Wight Ic. pl. Ind. or. 6, 2036.
 — ? *parviflorum* Wight. Wight Ic. pl. Ind. or. 6, 2039.
 — — — *pendulum* DC. Red. Lil. 6, 369.
 — — — *pomeridianum* Don. Sweet Fl. G. II. 381.
 — — — *ramosum* Lam. Red. Lil. 5, 287.
 — — — — — Bot. Mag. 26, 1055.
 — — — *serotinum* Lam. Red. Lil. 5, 270.
 — — — *tuberosum* Kth. Wight Ic. pl. Ind. or. 6, 2036.
 + *Phalaris* L. Linné Amoenit. 7, 3.
 + — — — Dumortier Gramin. 11.
 — — — *alpina* Haenke. Host Gram. 135.
 — — — *americana* Ell. Elliott Carolina 5.
 — — — *angusta* N. v. E. Trin. Sp. Gr. 1, 76.
 — — — *aquatica* L. Sibth. Fl. gr. 57.
 — — — — — Host Gram. 139.
 — — — — — Mutal Fl. fr. 76.
 — — — — — Rchb. Fl. germ. 1, 52.
 + — — — — — Nees Gen. 1, 12.
 — — — *arenaria* Huds. Engl. Bot. 4, 222.
 — — — — — Knapp Gram. 4.
 — — — — — Roemer Fl. europ. 10, 1.
 — — — *arundinacea* L. Fl. dan. 2, 259.
 — — — — — Engl. Bot. 6, 402. 30, 2160.
 + — — — — — Schrader Fl. germ. 6.
 — — — — — Schk. Handb. 9.
 — — — — — Host Gram. 133.
 — — — *aspera* Retz. Host Gram. 137.
 — — — *brachystachys* Link. Trin. Sp. Gr. 1, 75.
 — — — — — Webb Canar. 241.
 — — — *bulbosa* Cav. Cav. Ic. 64.
 — — — — — Trin. Sp. Gr. 1, 76.
 — — — *canariensis* L. Schreber Gräser 10.
 + — — — — — Gaertn. Carp. 80.
 + — — — — — Lam. Encycl. 42.
 — — — — — Sibth. Fl. gr. 55.
 — — — — — Host Gram. 138.
 — — — — — Metzger Cer. 14.
 — — — — — Engl. Bot. 19, 1310.

- Phalaris canariensis* L. Knapp Gram. 3.
 — — — Baxter Brit. Bot. 1, 56.
 — — — Rehb. Fl. germ. 1, 52.
 — — — Trin. Sp. Gr. 1, 74.
 — — — Webb Canar. 241.
 † — — — Nees Gen. 1, 12.
 — — — *crypsoides* *P. Urv.* Humb. Gram. 202.
 — — — Jaubert Illustr. 308.
 — — — *microstachya* DC. Trin. Sp. Gr. 1, 77.
 — — — *minor* Retz. Trin. Sp. Gr. 1, 79.
 — — — *nepalensis* Tr. Trin. Sp. Gr. 1, 80.
 — — — *nodosa* L. Sibth. Fl. gr. 56.
 — — — Trin. Sp. Gr. 1, 81.
 — — — *oryzoides* Jacq. Schreber Gräser 22.
 — — — *paradoxa* L. Linné Hort. ups. 2, 18.
 — — — Schreber Gräser 12.
 — — — Sibth. Fl. gr. 58.
 — — — Host Gram. 140.
 — — — Trin. Sp. Gr. 1, 82.
 — — — Rehb. Fl. germ. 1, 52.
 — — — *phleoides* L. Fl. dan. 3, 531.
 — — — Host Gram. 134.
 — — — Engl. Bot. 7, 459.
 — — — Knapp Gram. 5.
 — — — Roemer Fl. europ. 9, 1.
 — — — *pubescens* Lam. Gerard Fl. gallopr. 1.
 — — — *tenuis* Host. Host Gram. 136.
 — — — *trigyna* Host. Host Gram. 320.
 — — — *utriculata* L. Host Gram. 207.
Phalocallis plumbea Herb. Bot. Mag. 65, 3710.
 — — — Fl. d. serres 4, 395.
 † *Phalona* Dumort. Dumortier Gramin. 5.
 † *Phanerophlebia nobilis* Presl. Hook. Gen. Fil. 49.
 † — — — Fée Fil. 5, 22.
Phania multicaulis DC. Delessert Ic. 4, 11.
 † *Pharbitis Choisy.* Mem. Genev. 6, 1.
 — — — *cathartica* Choisy. Bot. Mag. 73, 4289.
 — — — *diversifolia* Ldl. Bot. Reg. 23, 1988.
 — — — *Learii* Ldl. Bot. Reg. 27, 56.
 — — — Bot. Mag. 68, 3928.
 — — — Maund Bot. 4, 184.
 — — — *limbata* Ldl. Lem. Jard. fl. 97.
 — — — Fl. d. serres 6, 608.
 — — — *ostrina* Ldl. Bot. Reg. 28, 51.
 — — — Paxt. Mag. 9, 243.
 — — — *pudibunda* Ldl. Bot. Reg. 12, 999.
 — — — *tyrianthina* Ldl. Bot. Mag. 69, 4024.
Pharium fistulosum Herb. Bot. Reg. 18, 1546.
Pharmacosycea anthelmintica Miq. Endl. Bras. 12, 25.
 — — — *grandaeva* Miq. Endl. Bras. 12, 25.
 — — — *perforata* Miq. Endl. Bras. 12, 26.
 — — — *Radula* Miq. Hook. Journal 1848, 2.
 — — — Endl. Bras. 12, 25.
Pharnameum bellidifolium Poir. Desc. Ant. 5, 317.
 † — — — *Cerviana* L. Gaertn. Carp. 130.
 † — — — Lam. Encycl. 214.
 — — — *cordifolium* L. Jacq. Schoenbr. 3, 349.
 — — — *incanum* L. Lam. Encycl. 214.
 — — — Bot. Mag. 44, 1883.
 — — — *lineare* Andr. Andr. Rep. 5, 326. 329.
 — — — *Mollugo* L. Burmann Fl. ind. 5.
 — — — ? *semiquinquesidum* Hook. Hook. Ic. pl. 1, 83.
 — — — *Spergula Dillw.* Rheed. Hort. mal. 10, 24.
 — — — *sperguloides* Poir. Lam. Encycl. 214.
 — — — *triphylum* Dennst. Rheed. Hort. mal. 10, 26.
 † *Pharus* L. Linné Amoenit. 7, 3.
 † — — — Ann. Mus. 17, 10.
 — — — *lappulaceus* Lam. Lam. Encycl. 769.
 — — — Tussac Ant. 2, 8.
 — — — Desc. Ant. 6, 398.
 — — — *latifolius* L. Lam. Encycl. 769.
 — — — *pubescens* Spr. Sprengel Neue Endt. 1, 1.

- Pharus vittatus* Ch. Lem. Fl. d. serres 4, 316.
 † *Phaseoleae* DC. (Germinatio.) DC. Legum. 16—18.
 † *Phaseolus* L. Proc. Bot. Soc. Lond. 1839, 1.
 † — — — Ann. sc. nat. III. 18, 16.
 — — — *aconitifolius* L. fl. Jacq. Observ. 52.
 — — — *bipunctatus* Jacq. Jacq. Vind. 100.
 — — — *Caracalla* L. Andr. Rep. 5, 341.
 — — — Kerner Hort. 376.
 — — — Herb. amat. 1, 31.
 — — — Bot. Reg. 4, 341.
 — — — Paxt. Mag. 10, 267.
 — — — Rehb. Exot. 228.
 † — — — *coccineus* L. Mem. Instit. 1830, 10.
 † — — — *communis* L. Mem. Instit. 1809, 1—7.
 — — — *fuscus* Wall. Wall. Pl. asiat. 6.
 — — — *inamoenus* L. Jacq. Vind. 66.
 — — — *lathyroides* L. Desc. Ant. 8, 559.
 — — — *lobatus* Hook. Bot. Mag. 70, 4076.
 — — — *lunatus* L. Jacq. Vind. 114.
 — — — Wight Ic. pl. Ind. or. 3, 753.
 — — — *marinus* Burn. Rumpf Amb. 5, 141. fig. 2.
 — — — *Max* L. Rumpf Amb. 5, 140.
 — — — Jacq. Vind. 99.
 — — — *microcarpus* Mart. Martius Auswahl 12.
 — — — *multiflorus* Willd. Hayne 11, 45.
 — — — *Mungo* L. Rheed. Hort. mal. 8, 50.
 — — — *nanus* L. Guimpel et Schl. 111.
 — — — Hayne II, 47.
 — — — *perennis* Wall. Torrey New York 23.
 — — — *psoraleoides* W. et Arn. Wight Ic. pl. 1, 249.
 — — — *pulniensis* Wight. Wight Ic. pl. Ind. or. 1, 202.
 — — — *radiatus* L. Rumpf Amb. 5, 139. fig. 2.
 — — — Svensk Acad. 1742, 7.
 — — — *Ricciardianus* Ten. Mem. Tur. 38, 3.
 — — — *rostratus* Wall. Rheed. Hort. mal. 8, 42.
 — — — Wall. Pl. asiat. 63.
 — — — Wight Ic. pl. Ind. or. 1, 34.
 — — — *rufus* Jacq. Jacq. Vind. 34.
 — — — *semirectus* L. Jacq. Ic. 558.
 — — — Bot. Reg. 9, 743.
 — — — *trilobus* Ait. Wight Ic. pl. Ind. or. 1, 94.
 — — — *trinervius* W. et A. Rheed. Hort. mal. 8, 37.
 — — — *tumidus* Savi. Nees Düssel. Suppl. 16.
 — — — *vexillatus* L. Jacq. Vind. 102.
 † — — — *vulgaris* L. Gaertn. Carp. 150.
 † — — — Lam. Encycl. 610.
 † — — — Mem. Instit. 1809, 1—7.
 — — — Schk. Handb. 199.
 — — — var. *a.* Hayne 11, 46.
 — — — Guimpel et Schl. 112.
 — — — Nees Düssel. Suppl. 15.
 — — — var. *Beurre*, Fl. d. serres 5, 433.
Phaylopsis longifolia Sims. Bot. Mag. 50, 2433.
Phelialium anceps DC. Mem. hist. nat. Par. 2, 12.
 — — — *correaefolium* Ad. Juss. Mem. hist. nat. Par. 2, 10.
 — — — *diosmeum* Ad. Juss. Mem. hist. nat. Par. 2, 11.
 — — — *elaegnifolium* Ad. Juss. Mem. hist. nat. Par. 2, 11.
 — — — *grandiflorum* Hook. Hook. Ic. pl. 8, 724.
 — — — *hexapetalum* Ad. Juss. Mem. hist. nat. Par. 2, 11.
 — — — *montanum* Hook. Hook. Ic. pl. 1, 59.
 — — — *nudum* Hook. Hook. Ic. pl. 6, 568.
 — — — *retusum* Hook. Hook. Ic. pl. 1, 57.
 — — — *salicifolium* Ad. Juss. Mem. hist. nat. Par. 2, 12.
 — — — *squamuligerum* Hook. Hook. Ic. pl. 8, 727.
 — — — *squamulosum* Vent. Vent. Malm. 102.
Phegopteris cordata Fée. Mem. Strassb. 4, 6.
 † — — — *decursive pinnata* Fée. Fée Fil. 5, 20.
 — — — *nervosa* Fée. Mem. Strassb. 4, 2.
 † *Phelipaea arenaria* Cass. et G. Cosson Atlas 19.
 † — — — *coerulea* Cass. et G. Cosson Atlas 19.
 — — — *foliata* Lamb. Linn. Transact. 10, 7.
 — — — *lanuginosa* Led. Ledeb. Ic. 377.

- Phelipaea lutea* Desf. Desf. Fl. atl. 146.
 † — — Lam. Encycl. 971.
 — — pulchella C. A. M. Eichwald Cauc. 18.
 † — — ramosa Coss. et G. Cossion Atlas 19.
 † — — — Nees Gen. 5, 49.
 † — — — Wight Illustr. 158^b.
 — — — Wight Ic. pl. Ind. or. 4, 1618.
 — — salsa C. A. M. Ledeb. Ic. 376.
 — — tinctoria Brot. Brotero Phytogr. 16.
 — — Tournefortii Desf. Ann. Mus. 10, 21.
 — — — Desf. Choix 10.
 — — trichocalyx Webb. Webb Canar. 185.
 — — violacea Desf. Desf. Fl. atl. 145.
Phellandrium aquaticum L. Ernsting Diss. 1.
 — — — Fl. dan. 7, 1154.
 — — — Sv. Bot. 153.
 — — — Woodv. Med. 1, 37.
 — — — Engl. Bot. 10, 684.
 — — — Schk. Handb. 71.
 — — — Hayne 1, 40.
 — — — Guimpel et Schl. 217.
 — — — Wagner 122.
 — — Mutellina L. Jacq. Fl. austr. 1, 56.
 — — stoloniferum Roxb. Wight Ic. pl. Ind. or. 2, 571.
Phelline comosa Lab. Bill. Sertum 38.
 † *Phenakospermum guianense* Endl. Miquel Sur. 62. 63.
 † *Philadelphus coronarius* L. Gaertn. Carp. 35.
 † — — — Lam. Encycl. 420.
 — — — Nouveau Duhamel 1, 20.
 — — — Bot. Mag. 11, 391.
 — — — Schk. Handb. 131^a.
 — — — Sturm Flora 1, 3.
 † — — — Plée Types 44.
 † — — — Ann. sc. nat. III. 20, 11.
 — — floribundus Roemer. Roemer Mag. 3, 2.
 — — Gordonianus Ldl. Bot. Reg. 25, 32.
 — — grandiflorus Willd. Guimpel Fr. Holzgew. 44.
 — — — Watson Dendr. 1, 46.
 — — — Bot. Reg. 7, 570.
 — — — Sweet Fl. G. II. 8.
 — — hirsutus Nutt. Watson Dendr. 1, 47.
 — — — Bot. Reg. 24, 14.
 — — — Sweet Fl. G. II. 119.
 — — inodorus L. Bot. Mag. 36, 1478.
 — — laxus Schrad. Bot. Reg. 25, 39.
 — — mexicanus Schlecht. Bot. Reg. 28, 38^a.
 — — myrtilloides Bert. Novi Comm. Bonon. 4, 43.
 — — pubescens Loiseleur. Herb. amat. 4, 268.
 — — speciosus Schrad. Bot. Reg. 23, 2003.
 — — tomentosus Don. Royle Illustr. 46.
 — — verrucosus Schrad. Bot. Reg. 7, 570.
Philagonia fraxinifolia Hook. Hook. Ic. pl. 8, 710.
Philaxerus vermicularis Pal. B. Pal. B. Fl. d'Ow. 98.
Philesia buxifolia Lam. Lam. Encycl. 248.
 — — — Bot. Mag. 79, 4738.
 — — — Fl. d. serres 9, 873.
 — — — Lemaire Illustr. 1854, 3.
Philetairia horrida Liebm. Danske Vid. Skr. 1851, 1.
Philibertia canescens D'Orb. D'Orbigny Voyage 9.
 — — gracilis Don. Maund Bot. 1, 46.
 — — — Sweet Fl. G. II. 403.
 — — grandiflora Hook. Bot. Mag. 64, 3618.
 — — — Bot. Reg. 29, 13.
 — — — Paxt. Mag. 6, 7.
 — — solanoides H. B. K. H. B. K. Nov. Gen. 3, 230.
Philippodendron regium Poit. Ann. sc. nat. II. 8, 3.
 † *Phillyrea angustifolia* L. Lam. Encycl. 8.
 — — — Guimpel Fr. Holzgew. 115.
 † — — latifolia L. Lam. Encycl. 8.
 — — — Sibth. Fl. gr. 2.
 — — — Guimpel Fr. Holzgew. 117.
 † — — media L. Gaertn. Carp. 92.

- Phillyrea media* L. Guimpel Fr. Holzgew. 116.
 — — — Nouveau Duhamel 2, 27.
 — — — paniculata Roxb. Wight Ic. pl. Ind. or. 2, 736.
Philocrena pusilla Bong. Acad. Pet. 3, 6.
Philodendrum crassinervium Ldl. Bot. Reg. 23, 1958.
 — — — Bot. Mag. 64, 3621.
 — — — deltoideum P. et E. Poepp. et Endl. 298.
 — — — heterophyllum P. et E. Poepp. et Endl. 297.
 — — — Simsii Kth. Lem. Jard. fl. 36.
 — — — Moore Mag. 1850, p. 41.
Philodice Hoffmannseggii Mart. Acta Leop. 17. 1, 3.
Philoglossa peruviana DC. Delessert Ic. 4, 33.
Philotheca australis Rudge. Linn. Transact. 11, 21.
 † — — — Mem. Mus. 12, 21.
 — — — Reichenbachiana Sieb. Rchb. Hort. 200.
 † *Philydreae* R. Br. Schnizl. Iconogr. 1, 52.
 † *Philydrum lanuginosum* Gaertn. Gaertn. Carp. 16.
 † — — — Lam. Encycl. 4.
 — — — Bot. Mag. 20, 783.
 — — — Guillemin Austr. 8.
 — — — Schnizl. Iconogr. 1, 52.
 † *Phlebigonium immersum* Fée. Fée Fil. 5, 24.
 † *Phleboanthe Laxmanni* Tausch. Nees Gen. 6, 49.
 † *Phlebodium aureum* Hook. Hook. Gen. Fil. 112.
 † *Phlebolithis indica* Gaertn. Gaertn. Carp. 43.
Phlebophyllum Kunthianum N. v. E. Wight Ic. 2, 448.
 † *Phleum* L. Linné Amoenit. 7, 3.
 † — — — Dumortier Gramin. 11.
 — — — alpinum L. Fl. dan. 2, 213.
 — — — Sv. Bot. 414.
 — — — Engl. Bot. 8, 519.
 — — — Knapp Gram. 7.
 — — — Host Gram. 210.
 — — — Sturm Flora 8, 29.
 — — — Trin. Sp. Gr. 1, 21. 22.
 — — — Rchb. Fl. germ. 1, 50.
 — — — ambiguum Ten. Tenore Fl. nap. 103.
 — — — arenarium L. Fl. dan. 6, 915.
 — — — Curt. Lond. 4, 7.
 — — — Sturm Flora 8, 29.
 — — — Rchb. Fl. germ. 1, 50.
 — — — asperum Vill. Jacq. Ic. 14.
 — — — Sturm Flora 7, 26.
 — — — Boehmeri Wibel. Dietr. Fl. bor. 9, 592.
 — — — bulbosum Gouan. Host Gram. 321.
 — — — crinitum Schreb. Schreber Gräser 20.
 — — — Sibth. Fl. gr. 62.
 — — — echinatum Host. Host Gram. 211.
 — — — Rchb. Fl. germ. 1, 50.
 — — — Trin. Sp. Gr. 1, 7.
 — — — Gerardi All. Jacq. Ic. 301.
 — — — Sturm Flora 8, 29.
 † — — — Michellii All. Schrader Fl. germ. 1.
 — — — Engl. Bot. 32, 2265.
 — — — nodosum L. Fl. dan. 3, 380.
 — — — Trin. Sp. Gr. 1, 6.
 — — — paniculatum Huds. Engl. Bot. 15, 1077.
 — — — Knapp Gram. 8.
 — — — phalaroides Koeler. Sv. Bot. 396.
 — — — pratense L. Schreber Gräser 14.
 † — — — Gaertn. Carp. 1.
 † — — — Lam. Encycl. 42.
 — — — Fl. dan. 12, 1984.
 — — — Sv. Bot. 23.
 — — — Engl. Bot. 15, 1076.
 — — — Knapp Gram. 6.
 — — — Baxter Brit. Bot. 1, 68.
 — — — Elliott Carolina 7.
 — — — Trin. Sp. Gr. 1, 5.
 — — — Schk. Handb. 10.
 — — — Host Gram. 209.
 — — — Dietr. Fl. bor. 9, 591.

- Phleum pratense* L. Rchb. Fl. germ. 1, 50.
 † — — — Nees Gen. 1, 10.
 — — *schoenoides* Jacq. Jacq. Fl. austr. 5, 7.
 — — — L. Jacq. Ic. 13.
 — — — Cav. Ic. 52.
 — — *tenuis* Schrad. Rchb. Fl. germ. 1, 50.
Phlogacanthus curviflorus N. v. E. Bot. Mag. 66, 3783.
 — — *guttatus* N. v. E. Bot. Reg. 16, 1334.
 — — *latifolius* Wight. Wight Ic. pl. Ind. or. 4, 1537.
Phlomis? africana Pal. B. Pal. B. Fl. d'Oware 111.
 — — *agraria* Led. Ledeb. Ic. 364.
 — — *armeniaca* Willd. Sweet Fl. G. II. 364.
 — — *biloba* Desf. Desf. Fl. atl. 127.
 — — *Bruguieri* Desf. Mem. Mus. 11, 5.
 — — *caribaea* Jacq. Jacq. Ic. 110.
 — — *cashmeriana* Royle. Royle Illustr. 75.
 — — — Bot. Reg. 30, 22.
 — — — Lem. Jard. fl. 3, 284.
 — — *clandestina* Bory. Bory et Chanbard Morée 20.
 — — *crinita* Cav. Cav. Ic. 247.
 — — *ferruginea* Ten. Tenore Fl. nap. 57.
 — — *floccosa* Don. Bot. Reg. 15, 1300.
 — — *fruticosa* L. Bot. Mag. 43, 1843.
 — — — Sibth. Fl. gr. 563.
 — — — Lam. Encycl. 510.
 — — — Dict. sc. nat. 43.
 † — — — Nees Gen. 6, 42.
 — — *herba venti* L. Russell Aleppo 16.
 — — — Sibth. Fl. gr. 563.
 — — — Bot. Mag. 51, 2419.
 — — — Sweet Fl. G. II. 74.
 — — *laciniata* L. Rchb. Hort. 70.
 — — — Sweet Fl. G. 24.
 — — *lanata* Willd. Jaubert Illustr. 411.
 — — *lanceolata* L. Savi Fl. ital. 1, 33.
 — — *Leonurus* L. Bot. Mag. 14, 478.
 — — *lunarifolia* Sm. Bot. Mag. 52, 2542.
 — — *Lychnitis* L. Bot. Mag. 25, 999.
 — — — Tratt. Archiv 348.
 — — *mauritanica* Munby. Munby Fl. d'Algérie 3.
 — — *microphylla* Sieb. Sieber Creta 8.
 — — *moluccoides* Vahl. Vahl Symbolae 14.
 — — *nepetifolia* L. Rivinus Opus ined. 11.
 — — *Nissolii* L. Lam. Encycl. 510.
 — — *pungens* Willd. Sweet Fl. G. 33.
 — — *purpurea* L. Smith Spicil. 7.
 — — — Roemer Fl. europ. 7, 5.
 — — *rigida* Lab. Bill. Syr. 3, 10.
 — — *salviaefolia* Jacq. Jacq. Schoenbr. 3, 359.
 — — *samia* L. Andr. Rep. 9, 584.
 — — — Bot. Mag. 44, 1891.
 — — — Vent. Choix 4.
 — — — Sibth. Fl. gr. 564.
 — — — Viviani Lib. 15.
 † — — *tuberosa* L. Gaertn. Carp. 66.
 — — — Schk. Handb. 163.
 — — — Bot. Mag. 38, 1555.
 — — *zeylanica* L. Rumpf Amb. 6, 16. fig. 1.
 — — — Jacq. Ic. 111.
 † *Phlomis tuberosa* Rchb. Nees Gen. 6, 43.
Phlox L. (Hybridae.) Fl. d. serres 6, 542. 7, 680. 681.
 — — — — — 8, 800.
 — — — — — Annales de Gand 1845, 30. 1847, 160.
 — — — — — 1848, 196. 216.
 — — *acuminata* Pursh. Bot. Mag. 44, 1880.
 — — — Herb. amat. 5, 298.
 — — *amoena* Sims. Bot. Mag. 32, 1308.
 — — *aristata* Michx. Lodd. Cab. 1731.
 — — — Torrey New York 80.
 — — *Bridgesii* Hortul. Marnock Mag. 1842, 1.
 — — *Broughtonii* Hortul. Marnock Mag. 1842, 3.

- Phlox canadensis* Sweet. Sweet Fl. G. 221.
 — — *carnea* Sims. Bot. Mag. 47, 2153.
 — — — Lodd. Cab. 711.
 — — *carolina* L. Martyn Hist. 9.
 — — — Bot. Mag. 33, 1344.
 — — — Sweet Fl. G. 190.
 — — *Coldryana* Part. Paxt. Mag. 7, 197.
 — — *cordata* Ell. var. *grandiflora*, Paxt. Mag. 1, 268.
 — — — Sweet Fl. G. II. 13.
 — — *corymbosa* Sweet. Sweet Fl. G. II. 114.
 — — *crassifolia* Lodd. Lodd. Cab. 1596.
 — — *divaricata* L. Bot. Mag. 5, 163.
 — — — Lodd. Cab. 1418.
 — — *Douglasii* Hook. Hook. Bor. Am. 158.
 — — *Drummondii* Hook. Bot. Mag. 62, 3441.
 — — — Engl. Bot. 23, 1949.
 — — — Maund Bot. 1, 15.
 — — — Paxt. Mag. 2, 221.
 — — — Sweet Fl. G. II. 316.
 — — — (11 var.) Annales de Gand 1848, 216.
 — — — var. Regel Gartenf. 2, 40.
 † — — — Bot. Zeitung 1853, 6.
 — — *glaberrima* L. Sweet Fl. G. II. 36.
 — — *Hookeri* Dougl. Hook. Bor. Am. 159.
 — — *Leopoldiana* Part. Paxt. Mag. 14, 266.
 — — — Fl. d. serres 7, 680. 681.
 — — *linearis* Cav. Cav. Ic. 527.
 — — *longiflora* Sweet. Sweet Fl. G. II. 31.
 † — — *maculata* L. Gaertn. Carp. 62.
 † — — — Lam. Encycl. 108.
 — — — Jacq. Vind. 127.
 — — — Schk. Handb. 38.
 — — — Barton Fl. 2, 69.
 — — *nivalis* Lodd. Lodd. Cab. 780.
 — — — Sweet Fl. G. 185.
 — — *odorata* Sweet. Sweet Fl. G. 224.
 — — *ovata* L. Bot. Mag. 15, 528.
 — — — Kerner Hort. 273.
 — — *paniculata* L. Lam. Encycl. 108.
 — — *penduliflora* Sweet. Sweet Fl. G. II. 46.
 — — *pilosa* L. Bot. Mag. 32, 1307.
 — — — Lodd. Cab. 1251.
 — — *pinnata* Cav. Cav. Ic. 528.
 — — *procumbens* Lehm. Lodd. Cab. 1722.
 — — — Sweet Fl. G. II. 7.
 — — *pyramidalis* Donn. Smith Exot. Bot. 97.
 — — — Lodd. Cab. 342.
 — — — Sweet Fl. G. 233.
 — — *reflexa* Sweet. Sweet Fl. G. 232.
 — — *reptans* Michx. Vent. Malm. 107.
 — — — Kerner Hort. 213.
 — — *Richardsoni* Hook. Hook. Bor. Am. 160.
 — — *Rodigasii* Hort. Annales de Gand 1848, 196.
 — — *scabra* Sweet. Sweet Fl. G. 248.
 — — *setacea* L. Bot. Mag. 12, 415.
 — — — Kerner Hort. 273.
 — — *sibirica* L. Trautvetter Imag. 24.
 — — *Sickmanni* Lehm. Acta Leop. 14. 2, 46.
 — — *speciosa* Pursh. Bot. Reg. 16, 1351.
 — — *stolonifera* Sims. Bot. Mag. 16, 563.
 — — — var. β . Sweet Fl. G. II. 293.
 — — *subulata* L. Jacq. Fragm. 44.
 — — — Bot. Mag. 12, 411.
 — — — Lam. Encycl. 108.
 † — — — Spach Suites 99.
 — — *suffruticosa* Willd. Bot. Reg. 1, 68.
 — — — Herb. amat. 1, 16.
 — — — Savi Fl. ital. 2, 48.
 — — *triflora* Michx. Sweet Fl. G. 29.
 — — *triumphator* Hort. Annales de Gand 1845, 30.
 — — *unidentata* Colla. Mem. Tur. 38, 39.
 — — *Van Houttei* Part. Paxt. Mag. 11, 173.

- Phlox. Van Houttei *Purt.* Bot. Reg. 29, 5.
 Phoberos rhinanthera *R. Br.* Bennett Java 39.
 Phoebe Barbusana *Webb.* Webb Canar. 203.
 — lanceolata *N. v. E.* Wight Ic. pl. Ind. or. 5, 1821.
 — paniculata *N. v. E.* Wight Ic. pl. Ind. or. 5, 1820.
 — villosa *Wight.* Wight Ic. pl. Ind. or. 5, 1822.
 Phoenix acaulis *Roxb.* Roxb. Corom. 273.
 † — — — Mart. Palm. Z⁵.
 — — — Griffith Palms 228.
 — dactylifera *L.* Kaempf. Amoen. p. 672. 696. 719.
 † — — — Jacq. Collect. 5, 15.
 † — — — Gaertn. Carp. 9.
 † — — — Delile Egypte 62.
 — — — Nouveau Duhamel 3, 1^b. 2^b. 3^b.
 — — — Kerner Hort. 721—723.
 — — — Dict. sc. nat. 25. 26.
 — — — Desc. Ant. 4, 275.
 † — — — Lam. Encycl. 893.
 † — — — Mem. Mus. 3, 15.
 † — — — Mem. Instit. 1842, 1—10.
 † — — — Gaudichaud Bonite 124.
 — — — Gallesio Pomona 2, 1—4.
 — — — Nees Dusseld. 37.
 — — — Mart. Palm. 120. X. Z.
 † — — — (Fructus.) Ehrenberg Symb. 10.
 † — — — Acta Leop. 18. Suppl. 1—4.
 † — — — Schnizl. Iconogr. 1, 75^b.
 — farinifera *Roxb.* Roxb. Corom. 74.
 — humilis *Cav.* Cav. Ic. 115.
 — paludosa *Roxb.* Mart. Palm. 136.
 — — — Griffith Palms 229^{ab}.
 † — pusilla *Gaertn.* Gaertn. Carp. 9.
 — — — Mart. Palm. 124. 136. W.
 — reclinata *Jacq.* Jacq. Fragm. 24.
 — — — Kerner Hort. 736.
 — — — Mart. Palm. 164.
 — silvestris *Roxb.* Rheede Hort. mal. 3, 22—23.
 — — — Mart. Palm. 136.
 † — — — Griffith Palms 229^a.
 † — — — Gaudichaud Bonite 121.
 Pholidia scoparia *R. Br.* Endl. Iconogr. 66.
 Pholidota imbricata *Ldl.* Rheede Hort. mal. 12, 24.
 — — — Bot. Reg. 14, 1213. 21, 1777.
 — — — Hook. Exot. Fl. 138.
 — — — Lodd. Cab. 1934.
 — — — Wight Ic. pl. Ind. or. 3, 907.
 — pallida *Ldl.* Bot. Reg. 14, 1213.
 — rubra *Wall.* Wall. Pl. asiat. 239.
 Pholisma arenarium *Nutt.* Hook. Ic. pl. 7, 626.
 Pholiusus pannonicus *Trin.* Rechb. Fl. germ. 1, 3.
 Phormium bulbiferum *Cir.* Cirillo Pl. rar. 1, 12.
 † — tenax *Forst.* Forster Charact. 24.
 — — — Red. Lil. 8, 448. 449.
 — — — Desvaux Journal 4, 17. 18.
 — — — Ann. Mus. 19, 20.
 — — — Mem. soc. Linn. Par. 4, 7.
 — — — Dict. sc. nat. 51.
 — — — Herb. amat. 2, 120.
 — — — Bot. Mag. 59, 3199.
 † — — — Kerner Genera 116. 117.
 † Phorolobus *Desv.* Mem. soc. Linn. Par. 6, 11.
 † — crispus *Desv.* Fée Fil. 5, 7.
 Photinia arbutifolia *Ldl.* Bot. Reg. 6, 491.
 — dubia *Ldl.* Linn. Transact. 13, 10.
 — Lindleyana *W. et A.* Wight Ic. pl. Ind. or. 1, 228.
 — Notoniana *Wall.* Wight Spicil. 64.
 — — — Wight Illustr. 86.
 — — — Wight Ic. pl. Ind. or. 3, 991.
 † Photinopteris Horsfieldii *Sm.* Hook. Gen. Fil. 92.
 — — — Fée Fil. 63.
 Phragmites communis *Trin.* Fl. dan. 14, 2464.
 — — — Rechb. Fl. germ. 1, 108.

- † Phragmites communis *Trin.* Nees Gen. 1, 37.
 — — — isiacus *Rechb.* Rechb. Fl. germ. 1, 108.
 — — — mauritianus *Kth.* Humb. Gram. 59.
 Phreatia uniflora *Wight.* Wight Ic. pl. Ind. or. 5, 1734.
 † Phryma leptostachya *L.* Gaertn. Carp. 75.
 † — — — Lam. Encycl. 516.
 Phrynium Allouya *Rosc.* Roscoe Scitam. 38.
 — capitatum *Willd.* Rheede Hort. mal. 11, 34.
 — — — Wight Ic. pl. Ind. or. 6, 2016.
 — Casupo *Rosc.* Roscoe Scitam. 43.
 — coloratum *Hook.* Bot. Mag. 57, 3010.
 — comosum *Rosc.* Roscoe Scitam. 35.
 — cylindricum *Rosc.* Roscoe Scitam. 40.
 — dicephalum *P. et E.* Poepp. et Endl. 128.
 — ellipticum *Rosc.* Roscoe Scitam. 44.
 — escapum *P. et E.* Poepp. et Endl. 125.
 — ? floribundum *Lem.* Lem. Jard. fl. 189.
 — grandiflorum *Rosc.* Roscoe Scitam. 33.
 — Myrosma *Rosc.* Roscoe Scitam. 39.
 — pachystachyum *P. et E.* Poepp. et Endl. 127.
 — Parkeri *Rosc.* Roscoe Scitam. 42.
 — parviflorum *Roxb.* Roscoe Scitam. 34.
 — sanguineum *Hook.* Bot. Mag. 78, 1646.
 — — — Fl. d. serres 8, 785.
 — setosum *Rosc.* Roscoe Scitam. 41.
 — velutinum *P. et E.* Poepp. et Endl. 126.
 — violaceum *Rosc.* Roscoe Scitam. 37.
 — zebrinum *Rosc.* Roscoe Scitam. 36.
 Phucagrostis ciliata *Ehrenb.* Ehrenberg Symb. 6.
 — major *Cavol.* Cavolini Monogr. 1.
 — — — Usteri Annalen 11, 3.
 — minor *Cavol.* Cavolini Monogr. 2.
 — — — Usteri Annalen 11, 4.
 † Phycella attenuata *Herb.* Herbert Amar. 24. 25.
 — breviflora *Herb.* Bot. Reg. 23, 1943.
 — corusca *Ldl.* Fl. d. serres 4, 419.
 — glauca *Lodd.* Lodd. Cab. 1746.
 † — graciliflora *Herb.* Herbert Amar. 25.
 — Herbertiana *Ldl.* Bot. Reg. 16, 1341.
 — ignea *Ldl.* Bot. Reg. 10, 809.
 — — — Bot. Mag. 53, 2687.
 — — — Lodd. Cab. 1769.
 — — — Sweet Fl. G. II. 121.
 † — Macraeana *Herb.* Herbert Amar. 24.
 † — magnifica *Herb.* Herbert Amar. 24.
 † — obtusifolia *Herb.* Herbert Amar. 25.
 Phyganthus vernus *P. et E.* Poepp. et Endl. 200.
 Phygellus capensis *E. M.* Fielding Sertum 66. 67.
 Phylacium bracteosum *R. Br.* Bennett Java 33.
 Phyllica acerosa *Willd.* Mag. naturf. Fr. 8, 8.
 — axillaris *Lam.* Mag. naturf. Fr. 8, 8.
 — buxifolia *L.* Wendland Coll. 26.
 — — — Lodd. Cab. 848.
 — capitata *Thunb.* Wendland Coll. 50.
 — — — Bot. Reg. 9, 711.
 — Commelini *Spr.* Mag. naturf. Fr. 8, 8.
 — cylindrica *Willd.* Mag. naturf. Fr. 8, 8.
 — — — Wendland Coll. 7.
 † — ericoides *L.* Gaertn. Carp. 24.
 — — — Lam. Encycl. 127.
 — — — Bot. Mag. 7, 224.
 — — — Mag. naturf. Fr. 8, 8.
 — excelsa *Wendl.* Wendland Coll. 74.
 — orientalis *Willd.* Herb. amat. 4, 233.
 — papillosa *Wendl.* Wendland Coll. 75.
 — parviflora *L.* Wendland Coll. 80.
 † — plumosa *L.* Gaertn. Carp. 24.
 † — — — Lam. Encycl. 127.
 — — — Mag. naturf. Fr. 8, 8.
 — — — Lodd. Cab. 253.
 † — — — Ann. sc. nat. 10, 17.
 — pubescens *Lam.* Lam. Encycl. 127.

- Phyllica pubescens* Lam. Lodd. Cab. 695.
 — *reclinata* Wendl. Wendland Coll. 56.
 — *rosmarinifolia* Lam. Lodd. Cab. 849.
 — *spicata* L. fil. Lam. Encycl. 127.
 — — Lodd. Cab. 323.
 — — Bot. Mag. 53, 2704.
 — *squarrosa* Vent. Lodd. Cab. 36.
 — *stipularis* L. Mag. naturf. Fr. 8, 6.
 — — Wendland Coll. 32.
 — *thymifolia* Vent. Vent. Malm. 57.
 † *Phyllachne uliginosa* Forst. Forster Char. 58.
 — — — König Annals 1, 5.
 — — — Schrader Journal 1799. 1, 1.
 † — — — Journ. d'hist. nat. Par. 1, 10.
 † — — — Lam. Encycl. 741.
 † — — — Ann. Mus. 18, 2.
Phyllagathis rotundifolia Bl. Korthals Bot. 57.
 † *Phyllanthera bifida* Bl. Blume Mus. 1, 22.
 † *Phyllanthus* L. Swartz Observ. 10.
 — *attenuatus* Miq. Miquel Surin. 31.
 — *calycinus* Lab. Bill. Nov. Holl. 225.
 — *cantonensis* Hornem. Münchn. Denkschr. 5, 6.
 — — — Mem. Genev. 5, 4.
 † — *cernuus* Poir. Flora 1853, 6.
 — *Cheramela* L. Rumpf Amb. Auct. 17, fig. 1.
 — *depressus* Ham. Rheede Hort. mal. 10, 27.
 — *Embllica* L. Rheede Hort. mal. 1, 38.
 — — — Rumpf Amb. Auct. 1.
 † —? — — — Wendland Beob. 4.
 — — — Lodd. Cab. 548.
 † — *Epiphyllanthus* L. Flora 1853, 6.
 — *fraxinifolius* L. Lodd. Cab. 839.
 — *guianensis* Klotzsch. Miquel Surin. 31.
 — *Hoffmeisteri* Klotzsch. Prinz Waldem. Him. 24.
 † — *lanceolatus* Lam. Jussieu Euphorb. 5.
 — *laurifolius* A. Rich. Ramon Cuba 70.
 — *leprocarpus* Wight. Wight Ic. pl. Ind. or. 5, 1895.
 — *longifolius* Roxb. Rheede Hort. mal. 3, 47, 48.
 — — — Lam. Lam. Encycl. 756.
 † — — — Jacq. Jacq. Fragn. 15.
 — — — Jacq. Schoenbr. 2, 194.
 † — *madrassetensis* L. Gaertn. Carp. 108.
 † — — — Lam. Encycl. 756.
 — — — Wight Ic. pl. Ind. or. 5, 1895.
 — *mimosoides* Sw. Lodd. Cab. 721.
 — *Niruri* L. Rheede Hort. mal. 10, 15.
 — — — Rumpf Amb. 6, 17.
 — — — Martyn Hist. 8.
 — — — Münchn. Denkschr. 5, 7.
 — — — Wight Ic. pl. Ind. or. 5, 1894.
 — *nutans* Sw. Jacq. Schoenbr. 2, 193.
 — — — Kerner Hort. 115.
 — *orbicularis* H. B. K. H. B. K. Nov. Gen. 2, 106.
 — *polyphyllus* Willd. Wight Ic. pl. Ind. or. 5, 1895.
 — *reticulatus* Poir. Lodd. Cab. 116.
 — *Rheedii* Wight. Wight Ic. pl. Ind. or. 5, 1895.
 — *salviaefolius* H. B. K. H. B. K. N. G. 2, 107, 108.
 — *scandens* Roxb. Rheede Hort. mal. 2, 27.
 — *speciosus* Jacq. Jacq. Ic. 616.
 — — — Schneevogt Ic. 30.
 † — *tristis* Juss. Jussieu Euphorb. 5.
 — *turbinatus* Sims. Rheede Hort. mal. 5, 43.
 — — — Bot. Mag. 44, 1862.
 — — — Lodd. Cab. 731.
 — *Urinaria* L. Rheede Hort. mal. 10, 16.
 — — — Rumpf Amb. 6, 17.
 — — — Lam. Encycl. 756.
 — *vitis idaea* Roxb. Rheede Hort. mal. 5, 44.
Phyllarthron Bojerianum DC. Bot. Mag. 71, 4173.
 — — — Fl. d. serres 2, 26.
 † *Phyllis Nobla* L. Gaertn. Carp. 25.
 † — — — Lam. Encycl. 186.

- Phyllocalyx* Quartianianus Dill. et Rich. Rich. Abyss. 34.
Phyllobryon Pavoni Miq. Miquel Illustr. Pip. 2.
Phyllocactus anguliger Lem. Lem. Jard. fl. 92.
 — — — Paxt. Fl. G. 34.
 — *phyllanthoides* Link. Pfeiffer Cact. 2, 17.
 — *speciosissimo-crenatus* Paxt. Paxt. Fl. G. 62.
Phyllocarpus Riedelii Tulane. Arch. Mus. 4, 10.
Phyllocladus alpinus Hook. fil. Hook. New Zeal. 53.
 — *hypophyllus* Hook. fil. Hook. Ic. pl. 9, 889.
 † — *rhomboidalis* Rich. Richard Conif. 3.
 — *trichomanoides* Don. Hook. Ic. pl. 6, 549—551.
Phyllodoce taxifolia Salisb. Salisb. Parad. 36.
Phylloglossum Drummondii Kze. Hook. Ic. pl. 10, 908.
Phylloma aloiflorum Gawl. Bot. Mag. 38, 1885.
Phyllophora Ehrh. Rechb. Fl. germ. 8, 194—198.
Phyllopus Martii DC. Mart. Bras. 275.
Phyllorchis Aub. Aubert Orchid. 92.
Phyllospadix Scouleri Hook. Hook. Bor. Am. 186.
 † *Phyllostachys bambusoides* S. et Z. Münchn. Abh. 3, 5.
Phymatanthus elatus Sweet. Sweet. Geran. 96.
 — — — Rechb. Exot. 244.
 — *intertinctus* Sweet. Sweet. Geran. 54.
 — *tricolor* Sweet. Sweet. Geran. 43.
 † *Phymatodes crassifolia* Presl. Hook. Gen. Fil. 29.
 † *Physalis* L. Kerner Genera 67.
 — *aequata* Jacq. Jacq. Ecl. pl. 137.
 † — *Alkekengi* L. Gaertn. Carp. 131.
 † — — — Lam. Encycl. 116.
 — — — Woodv. Med. 2, 81.
 — — — Schk. Handb. 45.
 — — — Sibth. Fl. gr. 234.
 — — — Fl. dan. 10, 1636.
 — — — Hayne 6, 4.
 † — — — Plée Types 15.
 † — — — Nees Gen. 5, 56.
 — *angulata* L. Rheede Hort. mal. 10, 70.
 — — — Wight Illustr. 166.
 — *barbadensis* Jacq. Jacq. Ic. 39.
 — *chenopodiifolia* Lam. Jacq. Fragn. 85.
 — *edulis* Sims. Bot. Mag. 27, 1068.
 — *flexuosa* L. Rheede Hort. mal. 4, 55.
 — — — Jacq. Ecl. pl. 23.
 — *indica* Lam. Rumpf Amb. 6, 26, fig. 1.
 — *minima* L. Rheede Hort. mal. 10, 71.
 — *prostrata* L'her. L'her. Stirp. 22.
 — — — Jacq. Ic. 38.
 — — — Andr. Rep. 2, 75.
 — — — Lam. Encycl. 116.
 — — — Kerner Hort. 294.
 — *pruinosa* L. Acta palat. 4, 5.
 — *Schraderiana* Benth. Maund Bot. 4, 168.
 † — *somnifera* L. Gaertn. Carp. 131.
 — — — Cav. Ic. 103.
 — — — Sibth. Fl. gr. 233.
 — — — Jacq. Ecl. pl. 22.
 — — — var. *flexuosa* N. v. E. Wight Ic. pl. Ind. or. 3, 853.
 — *suberosa* Cav. Cav. Ic. 102.
 — *subtriflora* R. et P. Ruiz et Pav. Fl. 178.
 — *tomentosa* Medicus. Acta palat. 4, 4.
 — *tuberosa* Willd. Rechb. Hort. 221.
 — *turbinata* Medicus. Acta palat. 4, 5.
 — *viscosa* L. Jacq. Vind. 136.
 — — — Bot. Mag. 53, 2625.
Physanthemum glaucum Klotzsch. Peters Mossamb. 29.
Physematium molle Kaulf. Kunze Anal. 27.
Physianthus albens Mart. Mart. Bras. 32.
 — — — Bot. Mag. 59, 3201.
 — — — Bot. Reg. 21, 1759.
 — *auricomus* Grah. Bot. Mag. 68, 3891.
Physichilus Serpyllum N. v. E. Wight Ic. pl. Ind. or. 4, 1493.

- Physocalymma florida* Pohl. Pohl Bras. 82, 63.
Physocalyx aurantiacus Pohl. Pohl Bras. 53.
 — — — Rechb. Exot. 293.
 — — — major Mart. Mart. Bras. 201.
 — — — minor Mart. Mart. Bras. 202.
Physochlaina grandiflora Hook. Bot. Mag. 77, 4600.
 — — — Lem. Jard. 8. 163.
Physodium corymbosum Presl. Presl Reliq. 72.
Physogeton acanthophyllus Jaub. Jaubert Illustr. 135.
Physolobium carinatum Benth. Maund Bot. 4, 183.
 — — — elatum Hügel. Hügel Archiv 2.
 — — — Stirlingii Benth. Bot. Reg. 22, 1845.
Physorhynchus brahuicus Hook. Hook. Ic. pl. 9, 821. 822.
Physosiphon Loddigesii Ldl. Hook. Ic. pl. 6, 508.
† *Physospermum* Cuss. Mem. Mosc. 5, 1.
 — — — commutatum Spr. Sprengel Umbellif. 4.
 — — — cornubiense DC. Baxter Brit. Bot. 6, 475.
Physostegia imbricata Hook. Bot. Mag. 62, 3386.
 — — — Paxt. Mag. 5, 173.
 — — — truncata Benth. Bot. Mag. 63, 3494.
Physostemon ambiguus Bong. Acad. Pet. 5, 2.
 — — — intermedius Moric. Moricand Pl. Am. 42.
 — — — lanceolatus Mart. Mart. Bras. 45.
 — — — rotundifolius Mart. Mart. Bras. 47.
 — — — tenuifolius Mart. Mart. Bras. 46.
Physurus vaginatus Hook. Hook. Ic. pl. 5, 449.
† *Phytelephas Bonplandiana* Gaudich. Gaudich. Bon. 30.
† — — — Endlicheriana Gaudich. Gaudichaud Bonite 39.
† — — — Humboldtiana Gaudich. Gaudichaud Bonite 30.
† — — — Kunthiana Gaudich. Gaudichaud Bonite 30.
 — — — macrocarpa Hook. Hook. Journal 1849, 6. 7.
 — — — — Fl. d. serres 5, 496. 497.
† — — — Willd.? Morren Dodonaea 2, 1. 2.
 — — — Orbignyana Gaudich. Gaudichaud Bonite 29.
 — — — Pavonii Gaudich. Gaudichaud Bonite 16. 29.
† — — — Persooniana Gaudich. Gaudichaud Bonite 30.
† — — — Poeppigii Gaudich. Gaudichaud Bonite 16.
† — — — Ruizii Gaudich. Gaudich. Bonite 14. 15. 16. 29.
† — — — Willdenoviana Gaudich. Gaudichaud Bonite 30.
Phyteuma amplexicaule Willd. Sibth. Fl. gr. 219.
 — — — begoniifolium Roxb. Hook. Bot. Misc. 57.
 — — — betonicaefolium Vill. Vill. Dauph. 12.
 — — — — Bot. Mag. 46, 2066.
 — — — — Rechb. Ic. crit. 3, 250.
 — — — campanuloides Sims. Bot. Mag. 26, 1015.
 — — — canescens W. et K. W. et Kit. 14.
 — — — Carestiae Biroti. Mem. Tur. 23, 5.
 — — — Charneillii Vill. Vill. Dauph. 11.
 — — — charmelioides Biroti. Mem. Tur. 24, 10.
 — — — collinum Guss. Gussone Pl. rar. 19.
 — — — comosum L. Jacq. Fl. austr. 5, 50.
 — — — — Sturm Flora 6, 22.
 — — — — Tratt. Archiv 364.
 — — — cordatum Vill. Vill. Dauph. 11.
 — — — — Bot. Mag. 36, 1466.
 — — — ellipticum Vill. Vill. Dauph. 11.
 — — — — Sibth. Fl. gr. 217.
 — — — globulariaefolium Sternb. et H. Rechb. Ic. crit. 4, 365.
† — — — — Mutel Fl. fr. 35.
 — — — hemisphaericum L. Jacq. Ic. 333.
 — — — — Lam. Encycl. 124.
 — — — — Rechb. Ic. crit. 4, 363.
† — — — — Mutel Fl. fr. 35.
 — — — humile Schleich. Rechb. Ic. crit. 4, 364.
† — — — — Mutel Fl. fr. 35.
 — — — Jacquini Sieb. Sieber Creta 6.
 — — — lanceolatum Vill. Vill. Dauph. 12.
 — — — — Schrank Fl. monac. 2, 170.
 — — — — Willd. Ann. Mus. 11, 5.
 — — — — Desf. Choix 24.
 — — — limonifolium Sibth. Sibth. Fl. gr. 218.

- Phyteuma lobelioides* Willd. Willdenow Phytogr. 4.
 — — — Michelii All. Allione Fl. ped. 3, 7.
 — — — — Rechb. Ic. crit. 4, 348.
† — — — — Mutel Fl. fr. 36.
 — — — orbiculare L. Jacq. Fl. austr. 5, 437.
 — — — — Curt. Lond. 4, 55.
 — — — — Engl. Bot. 2, 142.
 — — — — Lodd. Cab. 122.
 — — — — Baxter Brit. Bot. 3, 205.
 — — — — Dietr. Fl. bor. 12, 809.
† — — — parviflorum L. Mutel Fl. fr. 35.
 — — — pauciflorum L. Rechb. Ic. crit. 4, 364.
 — — — pinnatum L. Vent. Cels 52.
 — — — — Sibth. Fl. gr. 220.
 — — — — Rechb. Hort. 137.
 — — — Scheuchzeri All. Allione Fl. ped. 3, 39.
 — — — — Bot. Mag. 43, 1797.
 — — — — Rechb. Ic. crit. 4, 360.
† — — — — Mutel Fl. fr. 35.
 — — — scorzoneraefolium Vill. Vill. Dauph. 12.
 — — — — Bot. Mag. 48, 2271.
 — — — — Rechb. Ic. crit. 3, 249.
 — — — Sieberi Spr. Rechb. Ic. crit. 3, 214.
 — — — spicatum L. Fl. dan. 3, 362.
† — — — — Gaertn. Carp. 30.
† — — — — Lam. Encycl. 124.
 — — — — Schk. Handb. 39.
 — — — — Bot. Mag. 49, 2347.
 — — — — Engl. Bot. 2398.
 — — — — Schrank Fl. monac. 3, 208.
 — — — — Dietr. Fl. bor. 8, 513.
 — — — strictum Sims. Bot. Mag. 47, 2145.
 — — — virgatum Willd. Lodd. Cab. 667.
Phytocrene gigantea Wall. Wall. Pl. asiat. 216.
† — — — macrophylla Bl. Blume Mus. 1, 7.
Phytolacca abyssinica Hoffm. Comm. Gott. 12, 2.
 — — — boiotensis H. B. K. Miquel Sertum 3.
 — — — decandra L. Bot. Mag. 24, 931.
 — — — — Schk. Handb. 126.
 — — — — Bigelow Med. 3.
 — — — — Barton Med. 48.
† — — — — Lam. Encycl. 393.
 — — — — Desc. Ant. 5, 312.
 — — — — Dict. sc. nat. 20.
 — — — — Torrey New York 94.
† — — — — Nees Gen. 4, 70.
 — — — dioica L. L'her. Stirp. 70.
 — — — dodecandra L'her. L'her. Stirp. 69.
 — — — drastica P. et E. Poepp. et Endl. 43. 44.
† — — — icosandra L. Lam. Encycl. 393.
 — — — — Bot. Mag. 53, 2633.
 — — — litoralis P. et E. Poepp. et Endl. 45.
† — — — mexicana Mill. Gaertn. Carp. 77.
 — — — octandra L. Kaempfer Amoenit. p. 829.
 — — — stricta Hoffm. Comm. Gott. 12, 3.
Picea obovata Led. Ledeb. Ic. 499.
† — — — vulgaris Link. Nees Gen. 4, 7.
† — — — — Schacht Baum 2.
Picradenia Richardsoni Hook. Hook. Bor. Am. 108.
† *Picramnia* Sw. Swartz Fl. Ind. occ. 4.
 — — — umbrosa Seem. Seemann Herald 24.
Picrasma javanica Blume. Bennett Java 41.
Picridium ligulatum Vent. Vent. Malm. 68.
Picris altissima Delile. Delile Egypte 41.
 — — — danubialis All. Allione Fl. ped. 3, 70.
 — — — echioides L. Curt. Lond. 2, 98.
 — — — — Engl. Bot. 14, 972.
† — — — — Schk. Handb. 216.
 — — — grandiflora Ten. Tenore Fl. nap. 185.
 — — — hieracioides L. Engl. Bot. 3, 196.
 — — — — Baxter Brit. Bot. 4, 274.
 — — — — Fl. dan. 9, 1822.

- Picris hieracioides* L. Lam. Encycl. 648.
 — — — Schk. Handb. 216.
 — — — Dietr. Fl. bor. II, 789.
 — — — Wight Ic. pl. Ind. or. 3, 1143.
 † — — — *γ. indica*, Wight Illustr. 134.
 — — — *laciniata* Vis. Visiani Dalm. 6.
 — — — *lyrata* Delile. Delile Egypte 40.
 — — — *pauciflora* Willd. DC. Ic. Gall. 20.
 — — — *pilosa* Delile. Delile Egypte 41.
 † — — — *pyrenaica* Gaertn. Gaertn. Carp. 159.
 — — — *saxatilis* All. Allione Fl. ped. 3, 14.
 — — — *scaberrima* Ten. Tenore Fl. nap. 183.
 † — — — *Sprengeriana* Lam. Lam. Encycl. 648.
 — — — *sulphurea* Delile. Delile Egypte 40.
 — — — *Taraxaci* All. Allione Fl. ped. 3, 31.
Picrorrhiza kurroo Royle. Royle Illustr. 71.
Picrosia australis D'Orb. D'Orbigny Voyage 10.
Pictetia aristata DC. DC. Legum. 47.
 — — — *Desvauxii* DC. DC. Legum. 47.
 — — — *obcordata* DC. DC. Legum. 47.
 — — — *squamata* DC. DC. Legum. 47.
 — — — *ternata* DC. DC. Legum. 47.
Pierardia macrostachys W. et Arn. Wight Ic. pl. Ind. or. 5, 1912. 1913.
Pilea grossecrenata Miq. Endl. Bras. 12, 68.
 — — — *hyalina* Fenzl. var. *longipes*, Endl. Bras. 12, 69.
 — — — *muscosa* Ldl. Lindley Collect. 4.
 — — — *radicans* Wight. Wight Ic. pl. Ind. or. 6, 1974.
 — — — *rhizobola* Miq. Endl. Bras. 12, 70.
 — — — *trinervia* Wight. Wight Ic. pl. Ind. or. 6, 1973.
Pileanthus limacis Lab. Bill. Nov. Holl. 149.
 — — — Mem. Mus. 5, 3.
 — — — Spach Suites 28.
 † — — — Lam. Encycl. 961.
 † — — — Acta Leop. 19. Suppl. II. 5.
 † — — — *peduncularis* Endl. Acta Leop. 19. Suppl. II. 5.
 † *Pilocarpus Vahl*. Acta Leop. 11. 1, 19.
 — — — *parviflorus* N. et M. Acta Leop. 11. 1, 30.
 — — — *pauciflorus* St. Hil. St. Hil. Fl. Bras. 17.
 — — — *pennatifolius* Lem. Lem. Jard. fl. 263.
 † — — — *racemosus* Vahl. Vahl Eclogae 10.
 † — — — Mem. Mus. 12, 22.
 — — — *spicatus* St. Hil. St. Hil. Fl. rem. 16.
Pilocereus senilis Lem. Mittler Taschenbuch 1.
 † *Pilophora testicularis* Jacq. Jacq. Fragm. 35. 36.
Pilostyles Berterii Guillem. Ann. sc. nat. II. 2, 1.
Pilularia globulifera L. Fl. dan. 2, 223.
 — — — Curt. Lond. 4, 83.
 — — — Engl. Bot. 8, 521.
 — — — Newman p. 393. 397.
 — — — Sv. Bot. 599.
 — — — Agardh Pilularia 1.
 — — — Schk. Fil. 173.
 † — — — Lam. Encycl. 862.
 † — — — Linn. Transact. 18, 34.
 † — — — Ann. sc. nat. III. 9, 8.
 † — — — *Ficinus* Fl. Dresd. 2, 1.
 † — — — Corda Rhizosp. 1.
 † — — — Schnizl. Iconogr. 1, 34. 1, Suppl. 2.
 † — — — Mottenius Rhizoc. 2. 3.
 † — — — Hofmeister Untersuchungen 21.
 † — — — *minuta* Durieu. Explor. Alger. 38.
 † — — — Hofmeister Untersuchungen 21.
Pilumna laxa Ldl. Bot. Reg. 32, 57.
Pimelandra Wallichii DC. Delessert Ic. 5, 31.
Pimelea arenaria Cunn. Bot. Mag. 60, 3270.
 — — — *cernua* R. Br. Knowles et Westcott 72.
 — — — *curviflora* R. Br. Linn. Transact. 10, 13.
 — — — *decussata* R. Br. Sweet Austr. 8.
 — — — Lodd. Cab. 1283.
 — — — Maund Bot. 3, 136.
 — — — Schnizl. Iconogr. 2, 109.

- Pimelea diosmaefolia* Lodd. Lodd. Cab. 1708.
 — — — *drupacea* Lab. Bill. Nov. Holl. 7.
 — — — Sweet Austr. 52.
 — — — Lodd. Cab. 540.
 — — — Lam. Encycl. 902.
 — — — *ferruginea* Lab. Bill. Nov. Holl. 5.
 — — — *filamentosa* Rudge. Linn. Transact. 10, 14.
 † — — — *Forsteri* Lam. Lam. Encycl. 9.
 — — — *glauca* R. Br. Linn. Transact. 10, 13.
 — — — Lodd. Cab. 1611.
 — — — *graciliflora* Hook. Bot. Mag. 60, 3268.
 — — — *Hendersoni* Hook. Bot. Mag. 66, 3721.
 † — — — *hirsuta* Schnizl. Schnizl. Iconogr. 2, 109.
 — — — *hispida* R. Br. Bot. Reg. 19, 1578.
 — — — Bot. Mag. 63, 3439.
 — — — Lodd. Cab. 1966.
 — — — *humilis* R. Br. Bot. Reg. 15, 1268.
 — — — *hypericina* Cunn. Bot. Mag. 61, 3330.
 — — — *incana* R. Br. Bot. Reg. 24, 24.
 — — — Maund Bot. 3, 147.
 — — — *intermedia* Ldl. Bot. Reg. 17, 1439.
 — — — Maund Bot. 5, 243.
 † — — — *laevigata* Gaertn. Gaertn. Carp. 39.
 — — — *lanata* R. Br. Maund Bot. 2, 61.
 — — — *latifolia* R. Br. Lodd. Cab. 1668.
 — — — *ligustrina* Lab. Bill. Nov. Holl. 3.
 — — — Bot. Reg. 21, 1827.
 — — — *linifolia* Sm. Smith New Holl. 11.
 — — — Bot. Mag. 23, 891.
 — — — Bonpland Malm. 31.
 — — — Herb. amat. 3, 208.
 — — — *longiflora* R. Br. Bot. Mag. 60, 3281.
 — — — *macrocephala* Hook. Bot. Mag. 75, 4543.
 — — — Lem. Jard. fl. 76.
 — — — *nana* Griseb. Bot. Mag. 67, 3833.
 — — — *nivea* Lab. Bill. Nov. Holl. 6.
 — — — Knowles et Westcott 9.
 — — — *pauciflora* R. Br. Lodd. Cab. 179.
 — — — *physodes* Hook. Hook. Ic. pl. 9, 865.
 † — — — *prostrata* Willd. Lam. Encycl. 9.
 — — — *punicea* R. Br. Endl. Iconogr. 11.
 — — — *rosea* R. Br. Lodd. Cab. 88.
 — — — Bot. Mag. 35, 1458.
 — — — *silvestris* R. Br. Bot. Mag. 60, 3276.
 — — — Bot. Reg. 19, 1582.
 — — — Lodd. Cab. 1965.
 — — — *spathulata* Lab. Bill. Nov. Holl. 4.
 — — — Lam. Encycl. 902.
 — — — *spectabilis* Ldl. Bot. Reg. 27, 33.
 — — — Bot. Mag. 68, 3950.
 — — — *spicata* R. Br. Linn. Transact. 10, 14.
 — — — *Verschaffeltii* Morr. Annales de Gand 1847, 166.
 † *Pimenta acris* Wight. Wight Illustr. 97 bis.
 † — — — *vulgaris* Ldl. Wight Illustr. 97 bis.
Pimentelia glomerata Wedd. Weddell Hist. 27.
 † *Pimpinella agrimonioides* Gaertn. Gaertn. Carp. 32.
 — — — *anisoides* Brig. Acad. Neap. 1, 1.
 — — — *Briganti* Pimpinella x.
 — — — *Anisum* L. Woodv. Med. 1, 52.
 — — — Hayne 7, 22.
 — — — Nees Disseld. 274.
 — — — Guimpel et Schl. 129.
 — — — Wagner 229.
 † — — — Nees Gen. X, x.
 — — — *bubonoides* Brot. Brotero Phytogr. 33.
 — — — *Buchii* Webb. Webb Canar. 73.
 — — — *Candolleana* W. et A. Wight Ic. pl. Ind. or. 2, 341.
 — — — *canescens* Lois. Desvaux Journal 2, 10.
 — — — Loiseleur Notice 4.
 — — — *Dendrotragium* Webb. Webb Canar. 72.
 — — — *dissecta* Retz. Retzius Obs. 3, 2.
 — — — Lam. Encycl. 203.

- Pimpinella dissecta* Retz. Nees Düsseld. 273.
 — *dioica* Sm. Engl. Bot. 17, 1209.
 — *glauca* L. W. et Kit. 72.
 — ? *involuta* W. et A. Wight Ic. pl. Ind. or. 2, 335.
 — *Leschenaultii* DC. Wight Spicil. 80.
 — — Wight Ic. pl. Ind. or. 3, 1005.
 — *lutea* Desf. Desf. Fl. atl. 76. 76^b.
 — *magna* L. Fl. dan. 7, 1153.
 — — Sv. Bot. 741.
 — — Engl. Bot. 6, 408.
 — — Hayne 7, 21.
 — — Dietr. Fl. bor. 10, 703.
 † — — Nees Gen. X, x.
 — *major* Jacq. Jacq. Fl. austr. 4, 396.
 — *nigra* Willd. Dietr. Fl. bor. 10, 705.
 — *nodiflora* Vog. Trew Pl. rar. 30.
 † — *officinalis* Gaertn. Gaertn. Carp. 32.
 — *orientalis* Gouan. Gouan Illustr. 15.
 — — Jacq. Fl. austr. 4, 397.
 — *peregrina* L. Rivinus Opus ined. 109.
 — — Jacq. Vind. 131.
 † — — Nees Gen. X, x.
 — *pumila* Jacq. Jacq. Fl. austr. 1, 28.
 † — *Sanguisorba* Gaertn. Gaertn. Carp. 32.
 — *Saxifraga* L. Fl. dan. 4, 669.
 — — Woodv. Med. 1, 51.
 — — Engl. Bot. 6, 407.
 — — Baxter Brit. Bot. 6, 411.
 — — Sv. Bot. 160.
 — — Lam. Encycl. 203.
 — — Jacq. Fl. austr. 4, 395.
 — — Schk. Handb. 78.
 — — Hayne 7, 20.
 — — Nees Düsseld. 272.
 — — Guimpel et Schl. 130.
 — — Wagner 205.
 — — Dietr. Fl. bor. 10, 704.
 — — var. *Rochel* Banat. 28.
 — — *s. nigra*, Berg Darstellung 1^b.
 † — *spinosa* Gaertn. Gaertn. Carp. 32.
 † *Pinalia* Ldl. Lindley Orchid. scel. 23.
Pinanga *bifida* Bl. Blume Rumphia 113.
 — *coronata* Bl. Blume Rumphia 112. 113.
 — *costata* Bl. Blume Rumphia 109.
 — *furfuracea* Bl. Blume Rumphia 116.
 — *javana* Bl. Blume Rumphia 97. 110.
 — *Kuhlii* Bl. Blume Rumphia 111.
 — *latisecta* Bl. Blume Rumphia 108.
 — *minor* Bl. Blume Rumphia 114.
 — *Nenga* Bl. Blume Rumphia 107.
 — *noxa* Bl. Blume Rumphia 110.
 — *patula* Bl. Blume Rumphia 115.
Pinardia coronaria Less. Rchb. Fl. germ. 16, 986.
Pinckneya pubens Michx. Michaux Fl. 13.
 — — Michaux Arb. 2, 24.
 — — Barton Fl. 1, 7.
 † — — Gaertn. Carp. 194.
 † *Pineda* Rz et P. Ruiz et Pav. Prodr. 14.
Pinellia fornicata Ten. Wight Ic. pl. Ind. or. 3, 789. 792.
 — *tubifera* Ten. Acad. Neap. 4, x.
Pinguicula alpina L. Linné Fl. lapp. 12.
 — — Fl. dan. 3, 453.
 — — Sv. Bot. 685.
 — — Lodd. Cab. 309.
 — — Engl. Bot. 2747.
 — — N. Schr. naturf. Fr. 2, 5.
 — — Sturm Flora 4, 14.
 — — Schrank Fl. monac. 1, 75.
 — — Rchb. Pl. crit. 1, 81.
 † — — Mutel Fl. fr. 46.
 — *antarctica* Vahl. Hook. Fl. ant. 119.
 — *brachyloba* Led. Rchb. Pl. crit. 1, 81.

- Pinguicula campanulata* Lam. Journ. d'hist. nat. Par. 1, 18.
 — *crystallina* Sibth. Sibth. Fl. gr. 11.
 — *edentula* Hook. Hook. Exot. Fl. 16.
 — *flavescens* Flörke. Rchb. Pl. crit. 1, 81.
 † — — Mutel Fl. fr. 46.
 — *grandiflora* Lam. Lam. Encycl. 14.
 — — Curt. Lond. 4, 128.
 — — Engl. Bot. 31, 2184.
 — — Lodd. Cab. 445.
 — — Tenore Fl. nap. 201.
 — — Rchb. Pl. crit. 1, 83.
 † — — Mutel Fl. fr. 46.
 — *hirtiflora* Ten. Tenore Fl. nap. 201.
 — *involuta* Rz et P. Ruiz et Pav. Fl. 31.
 — *leptoceras* Rchb. Rchb. Pl. crit. 1, 82.
 † — — Mutel Fl. fr. 46.
 — *lusitanica* L. Brotero Phytogr. 1.
 † — — Roemer Script. 1.
 — — Curt. Lond. 5, 187.
 — — Engl. Bot. 3, 145.
 — — Rchb. Pl. crit. 1, 84.
 — — Loiseleur Fl. gall. 1.
 † — — Mutel Fl. fr. 46.
 — *lutea* Vahl. Bot. Reg. 2, 126.
 — *macroceras* Led. Rchb. Pl. crit. 1, 82.
 — *orchidioides* A. DC. Bot. Mag. 72, 4231.
 — *purpurea* Willd. N. Schr. naturf. Fr. 2, 5.
 — *vallisneriaefolia* Webb. Webb Otia 44.
 — *villosa* L. Linné Fl. lapp. 12.
 — — Lightfoot Fl. scot. 1, 6.
 — — Fl. dan. 6, 1021.
 — — Sv. Bot. 686.
 — — Rchb. Pl. crit. 1, 83.
 † — — Mutel Fl. fr. 46.
 — *vulgaris* L. Rivinus Opus ined. 66.
 — — Fl. dan. 1, 93.
 † — — Gaertn. Carp. 112.
 † — — Lam. Encycl. 14.
 — — Curt. Lond. 4, 104.
 — — Engl. Bot. 1, 70.
 — — Lodd. Cab. 393.
 — — Baxter Brit. Bot. 3, 209.
 — — Sv. Bot. 36.
 — — Dreves 73.
 — — Schk. Handb. 3.
 — — Sturm Flora 4, 14.
 — — Schrank Fl. monac. 3, 270.
 — — Dietr. Fl. bor. 2, 109.
 — — var. Rchb. Pl. crit. 1, 84.
 † — — Mutel Fl. fr. 46.
 † — — Nees Gen. 5, 24.
Pinillosia tetranthoides DC. Delessert Ic. 4, 27.
Pinonia splendens Gaudich. Freycinet Voyage 21.
Pintoa chilensis Gay. Gay Chile 16.
 † *Pinus* L. Hofmeister Untersuchungen 27—30.
 — *Abies* L. Fl. dan. 2, 193.
 — — Woodv. Med. 1, 2.
 — — Schk. Handb. 308.
 — — Guimpel Holzgew. 157.
 — — Sv. Bot. 217.
 — — Lambert Pinus 1, 27.
 — — Nees Düsseld. 81.
 † — — Antoine Conif. 35.
 — *alba* Ait. Lambert Pinus 1, 28.
 — — Guimpel Fr. Holzgew. 131.
 † — — Antoine Conif. 34.
 † — *amabilis* Dougl. Antoine Conif. 25.
 † — *americana* Gaertn. Gaertn. Carp. 91.
 — *australis* Mill. Michaux Arb. 1, 6.
 † — — Antoine Conif. 6.
 — *austriaca* Loud. Hartig 6.
 — — Tratt. Hoess Monogr. 1, 2.

- Pinus austriaca* Tratt. Graf Uxkull Schwarzkiefer 1.
 — *balsamea* L. Woodv. Med. 5, 1.
 — — Lambert Pinus 1, 33.
 — — Desc. Ant. 4, 246.
 — — Nees Düsseld. 82.
 † — — Antoine Conf. 26.
 † — *Banksiana* Lamb. Lambert Pinus 1, 3.
 — — Pinetum Woburnense 3.
 † — — Antoine Conf. 4.
 † — *Benthiana* Hartw. Journ. Hort. Soc. 4, 213.
 † — *bifida* Ant. Antoine Conf. 31.
 — *bracteata* Don. Lambert Pinus 3, 23.
 † — — Antoine Conf. 30.
 † — *Brunoniana* Wall. Pl. asiat. 247.
 † — — Antoine Conf. 32.
 — *brutia* Ten. Tenore Fl. nap. 200.
 — — Lambert Pinus 3, 1.
 — — Pinetum Woburnense 9.
 † — — Antoine Conf. 1.
 — *canadensis* L. Lambert Pinus 1, 35.
 — — Nees Düsseld. 83.
 † — — Antoine Conf. 32.
 — *canariensis* Ch. Smith. DC. Hortus 1. 2.
 — — Lambert Pinus 3, 13.
 — — Pinetum Woburnense 21.
 † — — Antoine Conf. 18.
 — *Cedrus* L. Cedrorum Lib. hist. 1—7.
 — — Lambert Pinus 2, 41.
 — — Loiseleur Cèdre 1. 2.
 † — — Antoine Conf. 22. 23.
 — *Cembra* L. Pallas Fl. ross. 2.
 — — Lambert Pinus 1, 23. 24.
 — — Pinetum Woburnense 27.
 — — Hartig 7.
 — — Rchb. Fl. germ. 11, 530.
 † — — Antoine Conf. 20.
 † — *cembroides* Zucc. Journ. Hort. Soc. 1, 236.
 † — — Fl. d. serres 4, 331.
 † — *cephalonica* Steudel. Antoine Conf. 27.
 — *Coulteri* Don. Lambert Pinus 3, 8.
 — — Pinetum Woburnense 25. 26.
 † — — Antoine Conf. 12. 13.
 — *Dammara* Lamb. Marsden Sumatra 2.
 — *densiflora* S. et Zucc. Sieb. Fl. Japon. 112.
 — *Deodara* Roxb. Lambert Pinus 2, 42.
 † — — Antoine Conf. 22.
 — *Douglasii* Sabine. Lambert Pinus 3, 20.
 — — Hook. Bor. Am. 183.
 † — — Antoine Conf. 33.
 — *excelsa* Wall. Wall. Pl. asiat. 201.
 — — Lambert Pinus 1, 26.
 — — Pinetum Woburnense 29.
 † — — Antoine Conf. 20.
 † — *firpa* Ant. Antoine Conf. 27. 28.
 — *Fraseri* Pursh. Lambert Pinus 3, 21.
 † — — Antoine Conf. 29.
 † — *Fremontiana* Endl. Journ. Hort. Soc. 4, 294.
 — *Gerardiana* Wall. Lambert Pinus 3, 14.
 — — Pinetum Woburnense 19.
 — — Royle Illustr. 85.
 † — — Antoine Conf. 10.
 † — *Gordoniana* Hartw. Journ. Hort. Soc. 2, 80.
 † — — Fl. d. serres 4, 331.
 — *grandis* Dougl. Lambert Pinus 3, 26.
 † — — Antoine Conf. 25.
 † — *Grenvilleae* Gord. Journ. Hort. Soc. 2, 78.
 — *halepensis* Ait. Lambert Pinus 1, 7.
 — — Pinetum Woburnense 8.
 † — — Antoine Conf. 1.
 — — Rchb. Fl. germ. 11, 526.
 † — *homolepis* Ant. Antoine Conf. 31.
 † — *jezöensis* Ant. Antoine Conf. 37.

- Pinus inops* Ait. Michaux Arb. 1, 4.
 — — Lambert Pinus 1, 14.
 — — Pinetum Woburnense 4.
 † — — Antoine Conf. 5.
 — *insignis* Dougl. Pinetum Woburnense 18.
 † — — Antoine Conf. 8.
 — *Khutrow* Royle. Royle Illustr. 84.
 † — — Antoine Conf. 36.
 — *koraiensis* S. et Zucc. Sieb. Fl. Japon. 116.
 — *Lambertiana* Dougl. Lambert Pinus 1, x. 3, 16. 17.
 — — Pinetum Woburnense 30.
 † — — Antoine Conf. 19.
 — *lanceolata* Lamb. Lambert Pinus 1, 37.
 — — Kerner Hort. 338.
 † — *laricina* Duroi. Duroi Harbk. Baumz. 3.
 — *Laricio* Santi. Santi Viaggi 3, 1^a. 1^b.
 — — Poir. Lambert Pinus 1, 4.
 — — Rchb. Fl. germ. 11, 524.
 † — — Antoine Conf. 2.
 † — — Ann. sc. nat. II. 20, 8.
 — *Larix* L. Pallas Fl. ross. 1.
 — — Woodv. Med. 1, 4.
 — — Lambert Pinus 1, 38.
 — — Nees Düsseld. 84.
 — — Guimpel et Schl. 172.
 — — Wagner 91.
 — — (permagnat) Höller König 1.
 † — — (Embryo.) Bull. Mosc. 1849. 2, 10. 11.
 † — — (Embryo.) Ann. sc. nat. III. 14, 12—15.
 † — — Antoine Conf. 21.
 † — — Verhandl. schles. Forstv. 1853, 4.
 — *leiophylla* Schiede. Lambert Pinus 3, 11.
 — — Pinetum Woburnense 28.
 † — — Antoine Conf. 18.
 — *Lemoniana* Benth. Hortic. Transact. 8, 20.
 — *Llaveana* Schiede. Pinetum Woburnense 17.
 † — — Antoine Conf. 16.
 — *longifolia* Roxb. Lambert Pinus 1, 22.
 — — Pinetum Woburnense 20.
 † — — Antoine Conf. 9.
 — — Royle Illustr. 83.
 † — *mariana* Gaertn. Gaertn. Carp. 91.
 — *maritima* Lamb. Lambert Pinus 1, 6.
 — — Sibth. Fl. gr. 949.
 — — Rchb. Fl. germ. 11, 527.
 — *Massoniana* Lamb. Lambert Pinus 1, 8.
 — — Sieb. Fl. Japon. 113—114.
 † — *Menziesii* Dougl. Lambert Pinus 3, 19.
 — — Antoine Conf. 33.
 — *Merkusii* Jungh. Vriese Pl. nov. 2.
 — *microcarpa* Don. Lambert Pinus 2, 40.
 † — — Antoine Conf. 21.
 — *mitis* Michx. Michaux Arb. 1, 3.
 † — — Antoine Conf. 5.
 — *Montezumae* Don. Lambert Pinus 3, 12.
 † — — Antoine Conf. 17.
 — *monticola* Dougl. Lambert Pinus 3, 15.
 — — Pinetum Woburnense 31.
 † — — Antoine Conf. 18.
 — *Mughus* Jacq. Jacq. Ic. 193.
 — — Pinetum Woburnense 2.
 — — Rchb. Fl. germ. 11, 523.
 — *muricata* Don. Lambert Pinus 3, 4.
 † — — Journ. Hort. Soc. 4, 217.
 † — — Antoine Conf. 14.
 — *nigra* Arn. Arnold Mariazell 1.
 † — — Ait. Lambert Pinus 1, 29.
 † — — Antoine Conf. 34.
 — *nobilis* Dougl. Lambert Pinus 3, 22.
 † — — Antoine Conf. 29.
 † — *Nordmanniana* Stev. Bull. Mosc. 1838, 2.
 † — — Antoine Conf. 28.

- Pinus obliqua* Sauter. Rchb. Fl. germ. 11, 522.
 † — obovata Steudel. Antoine Conf. 37.
 — occidentalis Sw. Desc. Ant. 4, 245.
 † — — Antoine Conf. 18.
 † — oocarpa Schiede. Antoine Conf. 17.
 — orientalis L. Lambert Pinus 1, 31.
 † — — Antoine Conf. 35.
 † — Orizabae Gord. Journ. Hort. Soc. 1, 238.
 — Pallasiana Lamb. Lambert Pinus 1, 5.
 — — Pinetum Woburnense 7.
 — palustris Ait. Lambert Pinus 1, 21.
 — — Pinetum Woburnense 22.
 — parviflora S. et Zucc. Sieb. Fl. Japon. 115.
 — patula Schiede. Lambert Pinus 3, 9.
 † — — Antoine Conf. 16.
 — pendula Sm. Lambert Pinus 2, 39.
 — Picea L. Woodv. Med. 1, 3.
 — — Lambert Pinus 1, 32.
 † — — Pinetum Woburn. Frontisp. x.
 — — Guimpel Holzgew. 156.
 † — — Antoine Conf. 27.
 — Pinaster Ait. Lambert Pinus 1, 9, 10.
 — — Rochel Banat. 29.
 — — Nees Düssel. 76, 77.
 — — Rchb. Fl. germ. 11, 525.
 † — — Antoine Conf. 6.
 — Pindrow Royle. Lambert Pinus 3, 24.
 † — — Antoine Conf. 24.
 — Pinea L. Lambert Pinus 1, 11—13.
 — — Pinetum Woburnense 10, 10^b.
 — — Nees Düssel. 78, 79.
 — — Rchb. Fl. germ. 11, 528, 529.
 — — Dict. sc. nat. 308, 309.
 † — — Lam. Encycl. 786.
 † — — Richard Conf. 12.
 † — — Antoine Conf. 3.
 † — Pinsapo Steudel. Antoine Conf. 26.
 † — polita Ant. Antoine Conf. 36.
 — ponderosa Dougl. Pinetum Woburnense 15.
 † — — Antoine Conf. 8.
 — Pumilio Haenke. W. et Kit. 149.
 — — Hartig 5.
 — — Lambert Pinus 1, 2.
 — — Pinetum Woburnense 1.
 † — — Nees Gen. 4, 6.
 † — — Antoine Conf. 3.
 — pungens Michx. Michaux Arb. 1, 5.
 — — Lambert Pinus 3, 3.
 — — Pinetum Woburnense 5.
 † — — Antoine Conf. 5.
 † — pyrenaica Lapeyr. Antoine Conf. 1.
 † — radiata Don. Lambert Pinus 3, 6.
 † — — Journ. Hort. Soc. 4, 215.
 † — — Antoine Conf. 14.
 — religiosa Kth. Lambert Pinus 3, 25.
 † — — Antoine Conf. 28.
 — resinosa Ait. Lambert Pinus 1, 15.
 — — Pinetum Woburnense 6.
 † — — Antoine Conf. 4.
 — rigida Du Roi. Michaux Arb. 1, 8.
 — — Lambert Pinus 1, 19, 20.
 — — Pinetum Woburnense 13.
 † — — Antoine Conf. 7.
 — rotundata Link. Hayne 14, 10.
 — rubra Mill. Michaux Arb. 1, 1.
 — — Lamb. Lambert Pinus 1, 30.
 † — — Antoine Conf. 34.
 — rupestris Michx. Michaux Arb. 1, 2.
 — Sabiniana Dougl. Lambert Pinus 3, 7.
 — — Pinetum Woburnense 23, 24.
 † — — Antoine Conf. 11, 12.
 — serotina Michx. Michaux Arb. 1, 7.

- Pinus serotina* Michx. Lambert Pinus 3, 8.
 — — Pinetum Woburnense 16.
 † — — Antoine Conf. 8.
 † — sibirica Steud. Antoine Conf. 26.
 — silvestris L. Woodv. Med. 1, 1.
 — — Lambert Pinus 1, 1, 3, 0.
 — — Engl. Bot. 35, 2460.
 — — Baxter Brit. Bot. 5, 389.
 — — Sv. Bot. 91.
 — — Schk. Handb. 308.
 — — Hartig 4.
 — — Schrank Fl. monac. 3, 225.
 — — Nees Düssel. 80.
 — — Guimpel et Schl. 171.
 — — Wagner 185.
 — — Hayne 14, 9.
 — — Dietr. Fl. bor. 10, 686.
 — — Rchb. Fl. germ. 11, 521.
 † — — Richard Conf. 11, 23.
 † — — Lam. Encycl. 786.
 † — — Ann. sc. nat. II, 20, 9. III, 11, 6.
 † — — Nees Gen. 4, 6.
 † — — Antoine Conf. 4.
 † — — Schacht Baum 2, 6.
 † — — Jaeger Observationes 1.
 — Sinclairii Hook. Hook. Beechey 93.
 — sinensis Don. Lambert Pinus 3, 2.
 — — Pinetum Woburnense 12.
 † — — Antoine Conf. 1.
 — Smithiana Wall. Wall. Pl. asiat. 246.
 — — Lambert Pinus 3, 18.
 † — — Antoine Conf. 36, 37.
 — spectabilis Lamb. Lambert Pinus 1, 34.
 — Strobilus L. Lambert Pinus 1, 25.
 — — Michaux Arb. 1, 10.
 — — Hartig 8.
 † — — Richard Conf. 12.
 † — — Lam. Encycl. 786.
 † — — Ann. sc. nat. II, 5, 3.
 † — — Antoine Conf. 20.
 — Taeda L. Michaux Arb. 1, 9.
 — — Lambert Pinus 1, 17, 18.
 — — Pinetum Woburnense 14.
 † — — Antoine Conf. 7.
 — taxifolia Lamb. Lambert Pinus 1, 36.
 — Teocote Schiede. Lambert Pinus 3, 10.
 † — — Antoine Conf. 16.
 † — Tsuja Ant. Antoine Conf. 32.
 † — tuberculata Don. Lambert Pinus 3, 5.
 † — — Journ. Hort. Soc. 4, 219.
 † — — Antoine Conf. 14.
 — uncinata Ram. Rchb. Fl. germ. 11, 522.
 † — — var. α. Antoine Conf. 3.
 — variabilis Lamb. Lambert Pinus 1, 16.
 — — Pinetum Woburnense 11.
 † — — Antoine Conf. 5.
 — viminalis Alstr. Svensk Acad. 1777, 8, 9.
 — — Tratt. Archiv 281, 281^a, 281^b.
 † — Webbiana Wall. Antoine Conf. 24.
 † — Winchesteriana Gord. Journ. Hort. Soc. 2, 159.
Pionandra capsicoides Miers. Miers Illustr. 9.
 — floribunda Miers. Miers Illustr. 8.
Piparea dentata Aubl. Aublet Guiana 386.
 † — multiflora Gaertn. Gaertn. Carp. 224.
 † *Piper* L. Kerner Genera 192.
 † — (Folia 41 specierum.) Verh. Bat. Gen. 11, x.
 † — Miquel Commentarii 4.
 — acuminatum L. Bot. Mag. 44, 1882.
 — acutifolium R. et P. Ruiz et Pav. Fl. 64.
 — aduncum L. Jacq. Ic. 210.
 — — Desc. Ant. 3, 230.
 — aequale Vahl. Vahl Eclogae 3.

- Piper Amalago *L.* Rumpf Amb. 5, 116.
 — angustifolium *Rz et P.* Ruiz et Pav. Fl. 57.
 — arborecens *Roxb.* Rumpf Amb. 5, 28.
 — — Wight Ic. pl. Ind. or. 6, 1940.
 — — Miquel Illustr. Pip. 54.
 — arcuatum *Bl.* var. Miquel Illustr. Pip. 58.
 — argyrophyllum *Miq.* Miquel Illustr. Pip. 56.
 — — Wight Ic. pl. Ind. or. 6, 1941.
 † — aromaticum *Lam.* Lam. Encycl. 23.
 — — Dict. sc. nat. 291.
 — — Desc. Ant. 6, 424.
 — asperifolium *Rz et P.* Ruiz et Pav. Fl. 56.
 — attenuatum *Ham.* Miquel Illustr. Pip. 49.
 — — Wight Ic. pl. Ind. or. 6, 1933.
 — angustum *Rudge.* Rudge Pl. Guianae 7.
 † — baccatum *Bl.* Verh. Bat. Gen. 11, 3.
 — Betle *L.* Rheede Hort. mal. 7, 15.
 — — Bot. Mag. 59, 3132.
 — blandum *Jacq.* Jacq. Ic. 218.
 — — Dict. sc. nat. 293, 294.
 — bracteatum *Thomps.* Linn. Transact. 9, 21.
 — Bredemeyeri *Jacq.* Jacq. Ecl. pl. 84.
 — brevispicatum *Opiz.* Presl Reliq. 28.
 — callosum *Rz et P.* Ruiz et Pav. Fl. 53.
 † — caninum *Bl.* Verh. Bat. Gen. 11, 5.
 — — Miquel Commentarii 3.
 — Carpunya *Rz et P.* Ruiz et Pav. Fl. 63.
 — celtidiforme *Opiz.* Presl Reliq. 26.
 — Churumayu *Rz et P.* Ruiz et Pav. Fl. 58.
 — clusiaefolium *Jacq.* Jacq. Ic. 212.
 — coriaceum *Vahl.* Lodd. Cab. 128.
 — crocatum *Rz et P.* Ruiz et Pav. Fl. 55.
 † — Cubeba *L. fil.* Gaertn. Carp. 92.
 — — Woodv. Med. 5, 27.
 — — Guimpel et Schl. 230.
 — — Nees Düsseldorf. 22.
 — — Desc. Ant. 6, 429.
 — — Miquel Commentarii 1, 2.
 — cuneifolium *Jacq.* Jacq. Ic. 214.
 — curvatum *Rz et P.* Ruiz et Pav. Fl. 54.
 — decumanum *L.* Rumpf Amb. 5, 27.
 † — densum *Bl.* Verh. Bat. Gen. 11, 6.
 — dichotomum *Rz et P.* Ruiz et Pav. Fl. 60.
 — discolor *Sw.* Lodd. Cab. 610.
 — — Desc. Ant. 6, 427.
 — dumosum *Rudge.* Rudge Pl. Guianae 14.
 — excavatum *Rz et P.* Ruiz et Pav. Fl. 54.
 — excelsum *Forst.* Kerner Hort. 33.
 — eucalyptifolium *Rudge.* Rudge Pl. Guianae 6.
 — fasciculare *Rudge.* Rudge Pl. Guianae 4.
 — filiforme *Sw.* Swartz Ic. Ind. occ. 5.
 — flexuosum *Rudge.* Rudge Pl. Guianae 13.
 — — Willd. Jacq. Ecl. pl. 93.
 — Galtana *Ham.* Rheede Hort. mal. 7, 13.
 — geniculatum *Sw.* Kerner Hort. 152.
 — glaucescens *Jacq.* Jacq. Ecl. pl. 76.
 — gracile *Rz et P.* Ruiz et Pav. Fl. 59.
 — grande *Vahl.* Vahl Eclogae 11.
 — — Kerner Hort. 346.
 — granulatum *Rz et P.* Ruiz et Pav. Fl. 64.
 — heterophyllum *Rz et P.* Ruiz et Pav. Fl. 56.
 — hispidulum *Sw.* Swartz Ic. Ind. occ. 4.
 — hymenophyllum *Miq.* Wight Ic. pl. Ind. 6, 1942.
 — incanum *Haw.* Lodd. Cab. 503.
 — — Link Ic. I. 7.
 † — laevigatum *Bonpl.* H. B. K. Nov. Gen. 1, 3.
 † — — Dict. sc. nat. 292.
 — lanceolatum *Rz et P.* Ruiz et Pav. Fl. 61.
 — lineatum *Rz et P.* Ruiz et Pav. Fl. 60.
 — Linkii *A. Dietr.* Miquel Illustr. Pip. 53.
 — Lonchites *R. et Sch.* Miquel Illustr. Pip. 57.
 — longifolium *Rz et P.* Ruiz et Pav. Fl. 61.

- Piper longum *L.* Rheede Hort. mal. 7, 14.
 — — Woodv. Med. 4, 247.
 — — Nees Düsseldorf. 23.
 — maculosum *L.* Lodd. Cab. 861.
 — — Desc. Ant. 6, 417.
 — magnoliaefolium *Jacq.* Jacq. Ic. 213.
 — Malamiris *L.* Rheede Hort. mal. 7, 16.
 — — Rumpf Amb. 3, 36, 5, 116.
 — marginatum *Jacq.* Jacq. Ic. 215.
 — medium *Jacq.* Jacq. Ic. 8.
 — methysticum *Forst.* Delessert Ic. 3, 89.
 — mite *Rz et P.* Ruiz et Pav. Fl. 58.
 † — muricatum *Bl.* Verh. Batav. Gen. 11, 1.
 — — Miquel Illustr. Pip. 55.
 — myosuroides *Rudge.* Rudge Pl. Guianae 5.
 — nepalense *Miq.* Wight Ic. pl. Ind. or. 6, 1938.
 — nigrum *L.* Rheede Hort. mal. 7, 12.
 — — Marsden Sumatra 1.
 † — — Verh. Bat. Gen. 11, 2.
 — — Jaume Mémoire 1827, 1, 2.
 — — Woodv. Med. 4, 246.
 — — Bot. Mag. 59, 3139.
 — — Nees Düsseldorf. 21.
 — — Guimpel et Schl. 229.
 — — Hayne 14, 6.
 — — Dict. sc. nat. 291.
 — — Spach Suites 125.
 — — Miquel Illustr. Pip. 50.
 — — Wight Ic. pl. Ind. or. 6, 1934.
 — nitidulum *Opiz.* Presl Reliq. 27.
 — nutans *Opiz.* Presl Reliq. 28.
 — obliquum *Rz et R.* Ruiz et Pav. Fl. 63.
 — — Kerner Hort. 384.
 — obovatum *Rz et P.* Ruiz et Pav. Fl. 53.
 — obtusifolium *L.* Jacq. Ic. 9.
 — — Desc. Ant. 5, 313.
 — ovatum *Vahl.* Vahl Eclogae 1.
 — patulum *Bert.* Novi Comm. Bonon. 4, 36.
 — pellucidum *L.* Linné Hort. Cliff. 4.
 — — Desc. Ant. 3, 226.
 — peltatum *Rz et P.* Ruiz et Pav. Fl. 59.
 — — *L.* Desc. Ant. 4, 236.
 — pereskiaefolium *Jacq.* Jacq. Ic. 219.
 — pilosiusculum *Opiz.* Presl Reliq. 29.
 — plantagineum *Lam.* Desc. Ant. 7, 458.
 — prunifolium *Jacq.* Jacq. Ecl. pl. 94.
 — pulchellum *Ait.* Lodd. Cab. 574.
 — punctatum *Rz et P.* Ruiz et Pav. Fl. 62.
 — quadrangulare *Thomps.* Linn. Transact. 9, 21.
 † — recurvum *Bl.* Verh. Bat. Gen. 11, 4.
 † — revolutum *Rich.* H. B. K. Nov. Gen. 1, 3.
 † — — Dict. sc. nat. 292.
 — ribesioides *Wall.* Wall. Pl. asiat. 91.
 — rubricaula *N. v. E.* Horae berol. 8.
 — rugosum *Vahl.* Vahl Eclogae 2.
 — — *Opiz.* Presl Reliq. 27.
 — scabrum *Rz et P.* Ruiz et Pav. Fl. 55.
 — — Kerner Hort. 167.
 — secundum *Rz et P.* Ruiz et Pav. Fl. 62.
 — sidaefolium *Link.* Link Ic. I. 6.
 — silvestre *Lam.* Wight Ic. pl. Ind. or. 6, 1937.
 — Siriboa *L.* Rumpf Amb. 5, 117.
 — stellatum *Sw.* Jacq. Ic. 217.
 — trioicum *Roxb.* Miquel Illustr. Pip. 51, 82.
 — — Wight Ic. pl. Ind. or. 6, 1935, 1936.
 — tuberculatum *Jacq.* Jacq. Ic. 211.
 — umbellatum *Jacq.* Jacq. Ic. 216.
 — — Desc. Ant. 1, 37.
 — unguiculatum *Rz et P.* Ruiz et Pav. Fl. 57.
 † — — Meyer Houttuynia x.
 — viminale *Opiz.* Presl Reliq. 26.
 — Wightianum *Miq.* Wight Ic. pl. Ind. or. 6, 1939.

- † *Piperaceae* Rich. Schnizl. Iconogr. 2, 81.
Piperonia Knoblechteriana Schott. Bot. Zeitg. 1851, 5.
Piptanthus nepalensis Sweet. Sweet Fl. G. 264.
Piptatherum paradoxum Pal. B. Rehb. Fl. germ. 7, 74.
† — — — Nees Gen. 1, 24.
Piptochaetium panicoides Em. Desv. Gay Chile 78.
— *setifolium* Presl. Presl Reliq. 37.
Piptostylis indica Datz. Hook. Journal 1851, 2.
Piqueria trinervia Cav. Cav. Ic. 235.
— — — Jacq. Ecl. pl. 48.
— — — Bot. Mag. 53, 2650.
Piratinera guianensis Aubl. Aublet Guiana 340.
Pirigara hexapetala Aubl. Aublet Guiana 193.
— *tetrapetala* Aubl. Aublet Guiana 192.
— — — Lam. Encycl. 592.
Piripea palustris Aubl. Aublet Guiana 253.
† — — — Lam. Encycl. 520.
Piriqueta villosa Aubl. Aublet Guiana 117.
Pironeava glomerata Gaudich. Gaudichaud Bonite 63.
— *platynema* Gaudich. Gaudichaud Bonite 64.
Pisaura automorpha Bonato. Bonato Memoria 1.
† *Piscidia Erythrina* L. Lam. Encycl. 605.
— — — Desc. Ant. 3, 196.
— *pūnicea* Cav. Cav. Ic. 316.
† *Pisonia aculeata* L. Gaertn. Carp. 76.
† — — — Lam. Encycl. 861.
— — — Wight Ic. pl. Ind. or. 5, 1763, 1764.
— *Forsteriana* Endl. Acta Leop. 19, Suppl. 11.
— *grandis* R. Br. Endl. Iconogr. 30.
— *macrocarpa* Presl. Presl Symbolae 56.
— *morindifolia* R. Br. Wight Ic. pl. Ind. or. 5, 1765.
— *obtusata* Sw. Jacq. Schoenbr. 3, 314.
— *Olfersiana* Link et Kl. Link Ic. III. 15.
— *Pacurero* Kth. Seemann Herald 34.
— *procera* Bertero. Delessert Ic. 3, 87.
— *Sinclairii* Hook. fil. Hook. New Zealand 50.
Pistacia atlantica Desf. Webb Canar. 66.
— *Lentiscus* L. Woodv. Med. 1, 11.
— — — Nouveau Duhamel 4, 18.
— — — Bot. Mag. 45, 1967.
— — — Sibth. Fl. gr. 937.
— — — Nees Düssel. 349.
— — — Guimpel et Schl. 271.
— — — Hayne 13, 20.
— — — Wagner 199.
— *mexicana* H. B. K. H. B. K. Nov. Gen. 7, 608.
— *Terebinthus* L. Woodv. Med. 1, 12.
† — — — Lam. Encycl. 811.
— — — Sibth. Fl. gr. 936.
— — — Nees Düssel. 350.
— — — Guimpel et Schl. 272.
— — — Hayne 13, 19.
— *vera* L. Nouveau Duhamel 4, 17.
† — — — Lam. Encycl. 811.
— — — Dict. sc. nat. 260.
— — — Gallezio Pomona 2, 0.
— — — Nees Düssel. Suppl. 89.
— — — Hayne 13, 18.
† *Pistia obcordata* Schleiden. Transact. Linn. Soc. 21, 7.
— *Stratiotes* L. Rheede Hort. mal. 11, 32.
— — — Rumpf Amb. 6, 74.
— — — Jacq. Hist. stirp. am. 225.
† — — — (Mirbel.) Ann. Mus. 16, 2.
— — — Lam. Encycl. 733.
— — — Dict. sc. nat. 7, 8.
— — — Desc. Ant. 7, 490.
— — — Roxb. Corom. 268.
— — — Bot. Mag. 77, 4564.
— — — Fl. d. serres 6, 626.
— — — Lem. Jard. fl. 137.
— *texensis* Klotzsch. Abh. Acad. Berl. 1852, 1—3.
† — *Turpini* C. Koch. Bot. Zeitung 1852, 6.

- † *Pistiaceae* Bl. Schnizl. Iconogr. 1, 72.
† *Pistorinia* DC. DC. Crassul. 1.
— *Salzmanni* Boiss. Boissier Esp. 63.
Pisum —? Icones plant. Chinae 15.
— *arvense* L. Sturm Flora 2, 4.
— — — Dict. sc. nat. 249.
— — — Sibth. Fl. gr. 687.
— *Aucherii* Jaub. Jaubert Illustr. 46.
— *fulvum* Sibth. Sibth. Fl. gr. 688.
— *maritimum* L. Fl. dan. 2, 338.
— — — Smith Spicil. 9.
— — — Sv. Bot. 636.
— — — Curt. Lond. 4, 5.
— — — Engl. Bot. 15, 1046.
— — — Baxter Brit. Bot. 3, 225.
— *Ochrus* L. Schk. Handb. 200.
— — — Sibth. Fl. gr. 689.
† — *sativum* L. Gaertn. Carp. 152.
† — — — Lam. Encycl. 633.
† — — — Mem. Instit. 1830, 9.
† — — — Ann. sc. nat. III. 18, 16.
— — — Rousseau Bot. 14, 15.
— — — Schrank Fl. monac. 3, 261.
† *Pitcairnia* L'her. Swartz Fl. Ind. occ. 12.
— *albiflos* Herb. Bot. Mag. 53, 2642.
— *albucaefolia* Schrad. Schrader Blumenbachia 3.
— *Altensteinii* Link. Fl. d. serres 2, 162.
— — — var. *gigantea*, Fl. d. serres 3, 253, 254.
— *angustifolia* Ait. Red. Lil. 2, 76.
— — — Bot. Mag. 37, 1547.
— *asterotricha* P. et E. Poepp. et Endl. 158.
— *bracteata* Dryand. Bot. Mag. 34, 1416, 55, 2813.
— *bromeliaefolia* L'her. L'her. Sertum 11.
— — — Schneevogt Ic. 11.
— — — Red. Lil. 2, 75.
— — — Lam. Encycl. 224.
— — — Bot. Mag. 21, 824.
— — — Bot. Reg. 12, 1011.
— — — Kerner Hort. 46.
— *discolor* Herb. Herb. amat. 5, 345.
— *echinata* Hook. Bot. Mag. 79, 4709.
— — — Fl. d. serres 8, 844.
— *exscapa* Hook. Bot. Mag. 77, 4591.
— — — Lem. Jard. fl. 151.
— *fastuosa* Morr. Annales de Gand 1847, 161.
— *flammea* Ldl. Bot. Reg. 13, 1092.
† — — — Schnizl. Iconogr. 1, 65.
— *furfuracea* Willd. Jacq. Ecl. pl. 79.
— — — Bot. Mag. 53, 2657.
— *Jacksoni* Hook. Bot. Mag. 76, 4540.
— — — Lem. Jard. fl. 127.
— *integrifolia* Gawl. Bot. Mag. 36, 1462.
— *lanuginosa* R. et P. Ruiz et Pav. Fl. 258.
— — — Kerner Hort. 247.
— — — Savi Fl. ital. 3, 99.
— *latifolia* Ait. Andr. Rep. 5, 322.
— — — Wendl. Hort. herrenh. 3.
— — — Bot. Mag. 22, 856.
— — — Red. Lil. 2, 73, 74.
— — — Herb. amat. 4, 223.
— *longifolia* Hook. Bot. Mag. 80, 4775.
— *macrocalyx* Hook. Bot. Mag. 79, 4705.
— *Morrenii* Lem. Lem. Jard. fl. 3, 291.
— *muscosa* Mart. Bot. Mag. 80, 4770.
— *nubigena* Planch. Fl. d. serres 8, 847.
— *Olfersii* Link. Preuss. Garten-Verein 7, 3.
— *paniculata* R. et P. Ruiz et Pav. Fl. 260.
— *pulverulenta* R. et P. Ruiz et Pav. Fl. 259.
— *ringens* Link et Kl. Link Ic. III. 25.
— — — Regel Gartenfl. 2, 53.
— *staminea* Lodd. Lodd. Cab. 722.
— — — Bot. Mag. 50, 2411.

- Pitcairnia staminea* Lodd. *Rchb. Exot.* 115.
 — *suaveolens* Ldl. *Bot. Reg.* 13, 1069.
 — *sulphurea* Andr. *Rep.* 4, 249.
 — *undulata* Scheidw. *Fl. d. serres* 2, 162.
 — *undulatifolia* Hort. *Bot. Mag.* 72, 4241.
 † *Pite-heddija* Gaertn. *Gaertn. Carp.* 180.
Pithecolobium Auaremotemo Mart. *Hayne* 14, 13.
 — *glomeratum* Benth. *Miquel Surinam* 1.
Pittonia foetidissima Desc. *Desc. Ant.* 5, 376.
 — *hirsuta* Desc. *Desc. Ant.* 4, 253.
Pittosporum abyssinicum Delile. *Richard Abyssin.* 11.
 — *angustifolium* Lodd. *Lodd. Cab.* 1859.
 † — *chelidospermum* Bl. *Blume Mus.* 1, 33.
 — *coriaceum* Ait. *Andr. Rep.* 3, 151.
 — — *Lodd. Cab.* 569.
 — *cornifolium* Cunn. *Bot. Mag.* 59, 3161.
 — *discolor* H. Berol. *Regel Gartenfl.* 1852, 15.
 — *ferrugineum* Dryand. *Bot. Mag.* 46, 2075.
 — *fulvum* Rudge. *Linn. Transact.* 10, 20.
 — — *Sweet Austr.* 25.
 — *neilgherrense* W. et A. *Wight Illustr.* 70.
 — *obcordatum* Decne. *Raoul Nonv. Zel.* 24.
 — *parviflorum* Hook. *Hook. Beechey* 32.
 — *revolutum* Ait. *Lodd. Cab.* 506.
 — — *Bot. Reg.* 3, 186.
 — *rhombifolium* Cunn. *Hook. Ic. pl.* 7, 621.
 — *rigidum* Hook. *Hook. New Zealand* 10.
 — *sinense* Donn. — ? 2, 57.
 † — *tenuifolium* Gaertn. *Gaertn. Carp.* 59.
 † — — *Lam. Encycl.* 143.
 — *tetraspermum* W. et A. *Wight Spicil.* 43.
 — — *Wight Ic. pl. Ind. or.* 3, 971.
 — *Tobira* Ait. *Kaempfer Amoenit. p.* 196.
 — — *Bot. Mag.* 34, 1396.
 — *tomentosum* Bonpl. *Bonpland Malm.* 21.
 — — *Dict. sc. nat.* 129.
 — — *Sweet Austr.* 33.
 — — *Lodd. Cab.* 1441.
 † — *umbellatum* Gaertn. *Gaertn. Carp.* 59.
 † — — *Lam. Encycl.* 143.
 — *undulatum* Vent. *Vent. Cels* 76.
 — — *Andr. Rep.* 6, 383.
 — — *Nouveau Duhamel* 4, 62.
 — — *Bot. Reg.* 1, 16.
 — — *Herb. amat.* 2, 86.
 — — *Schrader Gen. pl.* 4.
 — *viridiflorum* Sims. *Bot. Mag.* 41, 1684.
Pitumba guianensis Aubl. *Aublet Guiana* 385.
Pituranthos denudatum Viv. *Viviani Lib.* 7.
 † *Pityrospasma acerinum* Sieb. et Z. *Münchn. Abh.* 3, 3.
Placea ornata Miers. *Bot. Reg.* 27, 50.
Pladdera decussata Roxb. *Bot. Mag.* 58, 3066.
 — *virgata* Roxb. *Wight Illustr. in Hook.* 25.
 † *Plagianthus* Forst. *Forster Charact.* 43.
 — *divaricatus* Forst. *Bot. Mag.* 66, 3271.
 † — — *Payer Organogénie* 7.
 — ? *sidoides* Hook. *Bot. Mag.* 62, 3396.
Plagiocheilus frigidus P. et E. *Poepp. et Endl.* 248.
Plagiolobium chorizemaefolium Sweet. *Sweet Austr.* 2.
Plagiopteron fragrans Griff. *Calcutta Journ.* 1844, 13.
Planarium latisiliquum Desv. *Bentham Sulphur* 30.
Planera carpinifolia Wats. *Watson Dendr.* 2, 106.
 — *crenata* Desf. *Michaux Mémoire* 1.
 — *Richardi* Michx. *Dunal Description* 1, 2.
 — *ulmifolia* Michx. *Michaux Arb.* 3, 7.
Plantagineae Juss. *Leydolt Plantagin.* 1.
 † — — *Barnéoud Mémoire* 1.
 † *Plantago* L. *Hopkirk Fl. anomala* 10.
 — *aegyptiaca* Jacq. *Jacq. Ic.* 28.
 — *albicans* L. *Cav. Ic.* 124.
 — — *Sibth. Fl. gr.* 145.
 — *alpina* L. *Jacq. Vind.* 125.

- Plantago alpina* L. *Sturm Flora* 13, 51, 19, 88.
 † — — *Nees Gen.* 5, 2.
 — — *Vill. Rochel Banat.* 1.
 — *altissima* L. *Jacq. Obs.* 83.
 — — *Sturm Flora* 19, 87.
 — *amplexicaulis* Cav. *Cav. Ic.* 125.
 — *arborescens* Poir. *Webb Canar.* 197.
 † — *argentea* Lam. *Jordan Obs.* 3, 10.
 — *arenaria* W. et K. *W. et Kit.* 51.
 — — *Sturm Flora* 2, 7.
 — — *Hayne* 5, 16.
 — — *Nees Düsseld.* 150.
 — — *Guimpel et Schl.* 48.
 — — *Fl. dan.* 11, 1808.
 — — *Dietr. Fl. bor.* 3, 210.
 — *asiatica* L. *Wight Illustr.* 177.
 — *aucklandica* Hook. *Hook. Fl. ant.* 42.
 — *azorica* Hochst. *Seubert Fl. azor.* 7.
 — *barbata* Forst. *Comm. Gott.* 9, 4.
 — *Bellardi* All. *All. Fl. ped.* 3, 85.
 — — *Sibth. Fl. gr.* 146.
 † — *bellidifolia* Viv. *Viviani Aeg.* 2.
 — *brasiliensis* Sims. *Bot. Mag.* 53, 2616.
 — *brutia* Ten. *Tenore Fl. nap.* 113.
 — *canescens* Ad. *Mem. Mosc.* 9, 13.
 — *capitata* Ten. *Tenore Fl. nap.* 112.
 — *carnosa* R. Br. *Hook. Fl. ant.* 43.
 — *ceratophylla* H. et L. *Hoffm. Lk. Fl. port.* 74.
 — *ciliata* Desf. *Desf. Fl. atl.* 39.
 — *congesta* Desf. *Ruiz et Pav. Fl.* 79.
 — *cordata* Lam. *Jacq. Ecl. pl.* 72.
 — *Cornuti* Jacq. *Jacq. Ic.* 27.
 — — *Gouan.* *Sturm Flora* 19, 87.
 — *Coronopus* L. *Fl. dan.* 2, 272.
 — — *Sv. Bot.* 723.
 — — *Engl. Bot.* 13, 892.
 — — *Sturm Flora* 19, 88.
 — *cretica* L. *Sibth. Fl. gr.* 147.
 — *crispa* Jacq. *Jacq. Collect.* 5, 16.
 — *Cynops* L. *Jacq. Fragm.* 81.
 — — *Hayne* 5, 18.
 — — *Nees Düsseld.* 151.
 — — *Guimpel et Schl.* 47.
 — — *Sturm Flora* 19, 88.
 — *dentata* Roth. *Fl. dan.* 10, 1634.
 — *eristachya* Ten. *Tenore Fl. nap.* 112.
 — *exigua* Juss. *Comm. Gott.* 1, 5.
 — *fuscescens* Jord. *Jordan Obs.* 3, 10.
 † — *graminea* DC. *Nees Gen.* 5, 2.
 — *hirsuta* R. et P. *Ruiz et Pav. Fl.* 78.
 — — *Thunb.* *Jacq. Schoenbr.* 3, 288.
 — *hirtella* H. B. K. *H. B. K. Nov. Gen.* 2, 127.
 — *hispidula* R. et P. *Ruiz et Pav. Fl.* 78.
 — *hungarica* W. et K. *W. et Kit.* 203.
 — *incurvata* Juss. *Comm. Gott.* 3, 6.
 — *lanata* Portenschl. *Sturm Flora* 19, 87.
 — *lanceolata* L. *Fl. dan.* 3, 437.
 — — *Gerard Fl. gallopr.* 12.
 — — *Curt. Lond.* 2, 19.
 — — *Engl. Bot.* 8, 507.
 — — *Sv. Bot.* 632.
 — — *Sturm Flora* 2, 7.
 — — *Hayne* 5, 13.
 — — *Schrank Fl. monac.* 4, 334.
 — — *Dietr. Fl. bor.* 3, 209.
 † — — *Jordan Obs.* 3, 10.
 — *lagopoides* Desf. *Desf. Fl. atl.* 39.
 — *Lagopus* L. *Sibth. Fl. gr.* 144.
 — — *Sturm Flora* 19, 87.
 — *latibracteata* Trautv. *Trautvetter Imag.* 14.
 — *Loefflingii* L. *Jacq. Vind.* 126.
 — — *β. caspia*, *Trautvetter Imag.* 18.

- Plantago major* L. Fl. dan. 3, 461.
 — — — Woodv. Med. 1, 33.
 — — — Curt. Lond. 1, 110.
 — — — Engl. Bot. 22, 1558.
 — — — Baxter Brit. Bot. 3, 207.
 — — — Sv. Bot. 93.
 — — — Schk. Handb. 23.
 † — — — Gaertn. Carp. 51.
 † — — — Lam. Encycl. 85.
 — — — Dreves 1, 25.
 — — — Hayne 5, 13.
 — — — Guimpel et Schl. 46.
 — — — Dict. sc. nat. 23.
 — — — Sturm Flora 19, 87.
 — — — Dietr. Fl. bor. 3, 207.
 † — — — Nees Gen. 5, 2.
 — — — *maritima* L. Fl. dan. 2, 243.
 — — — Curt. Lond. 5, 193.
 — — — Engl. Bot. 3, 175.
 — — — Sibth. Fl. gr. 148.
 — — — Sturm Flora 19, 88.
 — — — Dietr. Fl. bor. 12, 816.
 — — — *maxima* Jacq. Jacq. Ic. 26.
 † — — — *media* L. Gaertn. Carp. 51.
 — — — Fl. dan. 4, 581.
 — — — Curt. Lond. 1, 104.
 — — — Engl. Bot. 22, 1559.
 — — — Sv. Bot. 631.
 — — — Hayne 5, 14.
 — — — Dietr. Fl. bor. 3, 208.
 — — — Sturm Flora 19, 87.
 — — — Spach Suites 138.
 — — — *monanthos* D'Urv. Hook. Fl. ant. 121.
 — — — *montana* Lam. Lodd. Cab. 1581.
 — — — Sturm Flora 19, 88.
 — — — Gussone Pl. rar. 13.
 † — — — Jordan Obs. 3, 10.
 — — — *nana* Tratt. Tratt. Archiv. 18.
 — — — *nivalis* Boiss. Boissier Esp. 156.
 † — — — Jordan Obs. 3, 10.
 — — — *nubigena* H. B. K. H. B. K. Nov. Gen. 2, 126.
 — — — *patagonica* Jacq. Jacq. Ic. 306.
 — — — *penicillata* Endl. Endl. et Fenzl Sertum cab. 1.
 — — — *philippica* Cav. Cav. Ic. 359.
 — — — *pilosa* Cav. Cav. Ic. 249.
 — — — Roth. Roth Catal. 2, 1.
 — — — Pourr. Sturm Flora 19, 88.
 — — — *Psyllium* L. Sibth. Fl. gr. 149.
 — — — Sturm Flora 2, 7. 19, 88.
 — — — Hayne 5, 17.
 — — — Nees Düsseld. 149.
 † — — — Nees Gen. 5, 2.
 — — — *Queleniana* Gaudich. Freycinet Voyage 50.
 — — — *radicata* H. et L. Hoffm. Lk. Fl. port. 73.
 — — — *recurvata* L. Sturm Flora 19, 88.
 — — — *rigida* H. B. K. H. B. K. Nov. Gen. 2, 126.
 — — — *sericea* W. et K. W. et Kit. 151.
 — — — Sturm Flora 19, 87.
 — — — Ruiz et Pav. Fl. 79.
 — — — *serpentina* Lam. Sturm Flora 6, 24.
 — — — *squamata* Müller. Fl. dan. 4, 691.
 — — — *squarrosa* Murr. Comm. Gott. 4, 3.
 — — — Jacq. Eragm. 81.
 — — — *subulata* L. Jacq. Collect. 1, 10.
 — — — Rchb. Ic. crit. 9, 867.
 — — — *syratica* Viv. Viviani Lib. 3.
 — — — *tenuiflora* W. et K. W. et Kit. 39.
 — — — *uniflora* L. Fl. dan. 1, 170.
 — — — *vaginata* Vent. Vent. Cels 29.
 — — — *Victorialis* Poir. Sturm Flora 19, 87.
 — — — *Webbii* Barn. Webb Canar. 198.
 — — — *Weldenii* Rchb. Rchb. Ic. crit. 9, 806.

- Plantago Wulfeni* Schreb. Sturm Flora 6, 24.
 † *Platanæae* Lest. Schnizl. Iconogr. 2, 97.
Platanocarpum africanum Hook. fil. Hook. Niger Fl. 37.
 — — — *subditum* Korth. Korthals Bot. 32.
Platanthera affinis Wight. Wight Ic. pl. Ind. or. 5, 1693.
 † — — — *bifolia* Rich. Usteri Annalen 7, 1.
 — — — Dietr. Fl. bor. 1, 7.
 — — — Rchb. Ic. crit. 9, 851.
 † — — — Cosson Atlas 32.
 † — — — Rchb. Nees Gen. 3, x.
 — — — Rchb. Fl. germ. 13, 427 — 429.
 — — — *borealis* Rchb. fil. Rchb. Fl. germ. 13, 431.
 — — — *brachyglossa* Waltr. Rchb. Ic. crit. 9, 862.
 — — — *brachyphylla* Ldl. Wight Ic. pl. Ind. or. 5, 1694.
 — — — *chlorantha* Cust. Rchb. Ic. crit. 9, 853.
 † — — — Cosson Atlas 32.
 — — — *Chorisiana* Rchb. fil. Rchb. Fl. germ. 13, 435.
 — — — *convallariaefolia* Ldl. Rchb. Fl. germ. 13, 431.
 — — — *decipiens* Ldl. Rchb. Fl. germ. 13, 417.
 — — — *diphylla* Rchb. fil. Rchb. Fl. germ. 13, 436.
 — — — *dolichorrhiza* Rchb. fil. Rchb. Fl. germ. 13, 432.
 — — — *foliosa* Brongn. Brongniart Coquille 38.
 — — — *hyperborea* Rchb. fil. Rchb. Fl. germ. 13, 432. 33.
 — — — *iantha* Wight. Wight Ic. pl. Ind. or. 5, 1692.
 — — — *lutea* Wight. Wight Ic. pl. Ind. or. 3, 919.
 — — — *montana* Rchb. fil. Rivinus Irreg. hexap. 12.
 — — — Rchb. Fl. germ. 13, 430.
 — — — *obtusata* Ldl. Hook. Bor. Am. 199.
 — — — Rchb. Fl. germ. 13, 427.
 — — — *orbiculata* Ldl. Hook. Bor. Am. 200.
 — — — *rotundifolia* Ldl. Hook. Bor. Am. 201.
 — — — *Rumphii* Brongn. Brongniart Coquille 38.
 — — — *satyroides* Rchb. fil. Rchb. Fl. germ. 13, 437.
 † — — — *solstitialis* Bön. var. *patula*, Rchb. Fl. g. 13, 517.
 — — — *Susannae* Ldl. Wight Ic. pl. Ind. or. 3, 920.
 — — — *tipuloides* Ldl. Rchb. Fl. germ. 13, 428. 517.
 † — — — *tricuris* A. Rich. Ann. sc. nat. II, 14, 16.
 — — — *viridis* Ldl. Rchb. Fl. germ. 13, 434. 435.
 † *Platanus acerifolia* Willd. Nees Gen. 4, 17.
 — — — *mexicana* Moric. Moricand Pl. Am. 26.
 — — — *occidentalis* L. Michaux Arb. 3, 3.
 — — — Schk. Handb. 306.
 — — — Nouveau Duhamel 2, 2.
 — — — Hartig 54.
 — — — Watson Dendr. 2, 100.
 † — — — Schnizl. Iconogr. 2, 97.
 — — — *orientalis* L. Pallas Fl. ross. 51.
 † — — — Gaertn. Carp. 90.
 † — — — Lam. Encycl. 783.
 — — — Nouveau Duhamel 2, 1.
 — — — Schk. Handb. 306.
 — — — Watson Dendr. 2, 101.
 — — — Sibth. Fl. gr. 945.
Platonia elata Kth. Humb. Gram. 76.
Platonia insignis Mart. Mart. Bras. 289.
Platostoma africanum Pal. B. Pal. B. Fl. d'Oware 95.
Platycarpum orenocense H. B. Humb. Pl. aeq. 104.
 — — — Lam. Encycl. 924.
 † *Platycarya strobilacea* S. et Z. Münchn. Abh. 3, 5.
 † *Platycentrum clidemioides* Naud. Ann. sc. nat. III, 18, 5.
Platycerium alciorne Gaudich. Bot. Reg. 3, 262. 263.
 — — — *biforme* Bl. Blume Java 6, 18.
 † — — — Hook. Gen. Fil. 80.
Platychilum Celsianum Delaunoy. Herb. amat. 3, 197.
Platycodon autumnalis Decne. Lem. Jard. fl. 280.
 — — — *chinensis* Ldl. Paxt. Fl. G. 61.
 † — — — *grandiflorus* A. DC. DC. Camp. 3.
 — — — Paxt. Mag. 13, 7.
 — — — Sweet Fl. G. II, 208.
Platycrater arguta S. et Z. Sieb. Fl. Japon. 27.
Platylepis brasiliensis Kth. Endl. Bras. 3, 4.
 † — — — *goodyeroides* A. Rich. Mem. hist. nat. Par. 4, 6.

- Platylodium formosum* Sm. Smith New Holl. 6.
 — — — Bot. Mag. 14, 469.
 — — — Vent. Malm. 31.
 — — — Rchb. Exot. 315.
 — — — Rchb. Mag. 71.
 — — — Paxt. Mag. 13, 195.
 — — — lanceolatum Andr. Andr. Rep. 3, 205.
 — — — Herb. amat. 4, 246.
 — — — microphyllum Sims. Bot. Mag. 22, 863.
 — — — Murrayanum Hook. Bot. Mag. 60, 3259.
 — — — obtusangulum Hook. Bot. Mag. 60, 3259.
 — — — ovatum Sm. Andr. Rep. 4, 266.
 — — — parviflorum Sm. Bot. Mag. 37, 1520.
 — — — Lodd. Cab. 1241.
 — — — Paxt. Mag. 11, 219.
 — — — Scolopendrum Andr. Andr. Rep. 3, 191.
 — — — Vent. Malm. 55.
 — — — Kerner Hort. 262.
 — — — triangulare R. Br. Bot. Mag. 37, 1508.
 — — — Lodd. Cab. 1014.
 — — — Rchb. Mag. 71.
 † *Platyloma Brownii* Sm. Hook. Gen. Fil. 115.
Platymiscium polystachyum Benth. Seemann Herald 21.
Platypetalum purpurascens R. Br. Hook. Bor. Am. 23.
 — — — Fl. dan. 13, 2295.
 † *Platysma gracilis* Bl. Blume Tabellen 43.
Platyspermum scapigerum Hook. Hook. Bor. Am. 18.
Platystemma violoides Wall. Wall. Pl. asiat. 151.
 — — — Royle Illustr. 71.
 † — — — Wight Illustr. 159^b.
Platystemon californicus Benth. Bot. Mag. 64, 3579.
 — — — Bot. Reg. 20, 1679.
 — — — Maund Bot. 2, 65.
 — — — Sweet Fl. G. II. 394.
 — — — leiocarpus F. et M. Bot. Mag. 66, 3750.
 — — — Knowles et Westcott 76.
Platystigma lineare Benth. Bot. Mag. 64, 3575.
 — — — Bot. Reg. 23, 1954.
 — — — Hook. Ic. pl. 1, 38.
Platystylis cyanea Sweet. Sweet Fl. G. 239.
Platyzamia rigida Zucc. Münchn. Abh. 4, 4.
Platyzoma microphyllum R. Br. Guillemain Austr. 13.
 — — — Dict. sc. nat. 92.
 † — — — Hook. Gen. Fil. 41.
 † *Plecosorus mexicanus* Fée. Fée Fil. 5, 13.
 † — — — peruvianus Fée. Fée Fil. 5, 13.
 † *Plecospermum Trécul.* Ann. sc. nat. III. 8, 4.
 — — — spinosum Trécul. Wight Ic. pl. Ind. or. 6, 1963.
Plecostigma pauciflorum Turcz. Trautv. Imag. 2.
Plectanthera floribunda Mart. Mart. Bras. 26.
Plectocephalus americanus Don. Sweet Fl. G. II. 51.
Plectocomia elongata Mart. Mart. Palm. 114. 116. 176.
 — — — Blume Rumphia 158. 163.
 — — — Griffith Palms 217^{abc}.
 — — — himalayana Griff. Griffith Palms 219.
 — — — Khasiyana Griff. Griffith Palms 218.
 — — — Müllerj. Bl. Blume Rumphia 159.
Plectranthus australis R. Br. Lodd. Cab. 1185.
 — — — Bot. Reg. 13, 1098.
 — — — barbatus Andr. Andr. Rep. 9, 594.
 — — — comosus Sims. Bot. Mag. 49, 2318.
 — — — cordifolius Benth. Rheede Hort. mal. 10, 84.
 — — — Forskählii Vahl. Bot. Mag. 46, 2036.
 — — — fruticosus L'her. L'her. Stürp. 41.
 † — — — Ratzeburg Peloria 1.
 — — — galeatus Vahl. Rchb. Hort. 177.
 — — — Macraei Benth. Wight Ic. pl. Ind. or. 4, 1430.
 — — — paniculatus Jacq. Jacq. Fragn. 91.
 — — — parviflorus Willd. Willdenow Hortus 65.
 — — — punctatus L'her. L'her. Stürp. 42.
 — — — rotundifolius Benth. Rheede Hort. mal. 11, 25.
 — — — scrophularioides Wall. Hook. Ic. pl. 5, 464.

- Plectranthus ternatus* Sims. Bot. Mag. 51, 2460.
 — — — ternifolius Don. Hook. Ic. pl. 5, 460.
 — — — Wightii Benth. Wight Ic. pl. Ind. or. 4, 1429.
Plectritis congesta Ldl. Bot. Reg. 13, 1094.
Plectronia ventosa L. Lam. Encycl. 146.
Pleea tenuifolia Michx. Michaux Fl. 25.
 — — — Red. Lil. 5, 248.
 — — — Lam. Encycl. 947.
 — — — Bot. Mag. 45, 1956.
Pleiomis canariensis DC. Webb Canar. 187.
Pleione humilis Don. Lem. Jard. fl. 158.
 — — — Paxt. Fl. G. 51.
 — — — lagenaria Ldl. Lem. Jard. fl. 93.
 — — — maculata Ldl. Lem. Jard. fl. 93.
 — — — Paxt. Fl. G. 39.
 — — — Wallichiana Ldl. Lem. Jard. fl. 153.
Pleocarpus revolutus Don. Gay Chile 43.
 † *Pleocnemis Leuceana* Presl. Hook. Gen. Fil. 70. 97.
Pleopeltis angusta H. B. Humb. Pl. aeq. 140.
 — — — H. B. K. Nov. Gen. 1, 1.
 — — — Hook. Exot. Fl. 61.
 — — — ensifolia Carm. Hook. Exot. Fl. 62.
 — — — nuda Hook. Hook. Exot. Fl. 63.
 † — — — Hook. Gen. Fil. 18.
 — — — percussa H. et Gr. Hook. Ic. Fil. 1, 67.
 — — — pinnatifida Gill. Hook. Ic. Fil. 2, 157.
Pleroma Benthianum Gardn. Bot. Mag. 69, 4007.
 — — — elegans Gardn. Bot. Mag. 72, 4262.
 — — — Paxt. Mag. 15, 27.
 — — — heteromallum Don. Maund Bot. 4, 175.
 — — — Hart. Parad. 2, 2.
 — — — Kunthianum Paxt. Paxt. Mag. 12, 125.
 — — — Bot. Mag. 74, 4412.
 — — — petiolatum Paxt. Paxt. Mag. 11, 267.
Pleurachne secunda Schrad. Comm. Gott. rec. 7, 4.
Pleurandra acicularis Lab. Bill. Nov. Holl. 144.
 — — — Lam. Encycl. 960.
 — — — bracteata R. Br. Delessert Ic. 1, 78.
 — — — cistiflora Sieb. Rchb. Hortus 79.
 — — — furfuracea R. Br. Delessert Ic. 1, 80.
 — — — hypericioides DC. Delessert Ic. 1, 81.
 — — — ovata Lab. Bill. Nov. Holl. 143.
 — — — Lam. Encycl. 960.
 — — — sericea R. Br. Delessert Ic. 1, 79.
 † *Pleurogramme* Presl. Hook. Gen. Fil. 72.
 — — — graminifolia Fée. Fée Fil. 3, 4.
 — — — immersa Fée. Fée Fil. 3, 4.
 † — — — linearis Presl. Hook. Gen. Fil. 75.
 † — — — myrtillofolia Fée. Fée Fil. 5, 10.
 — — — paradoxa Fée. Fée Fil. 3, 4.
Pleurogyne himalayensis Klotzsch. Prinz Wald. Him. 68.
Pleurophora pungens Don. Poepp. et Endl. 193.
Pleurophyllum criniferum Hook. Hook. Fl. ant. 24. 25.
 — — — speciosum Hook. Hook. Fl. ant. 22. 23.
 † *Pleuroplitis Langsdorffii* Trin. Trinius Fund. 16.
 † *Pleuropogon Sabinii* R. Br. Parry Voyage tab. D.
 † *Pleurosorus immersus* Fée. Fée Fil. 5, 16.
Pleurostachys Urvilleana Brongn. Brongniart Coq. 31.
Pleurostylia Wightii W. et A. Wight Ic. pl. Ind. or. 1, 155.
 † *Pleurothallis acuminata* Focke. Miquel Surinam 64.
 — — — aristata Hook. Jardine Annals 2, 15.
 — — — bicarinata Ldl. Bot. Mag. 71, 4142.
 — — — cauliflora Hook. Hook. Ic. pl. 1, 50.
 — — — ciliata Kn. et W. Knowles et Westcott 19.
 — — ? coccinea Hook. Hook. Exot. Fl. 129.
 — — — Kerner Hort. 747.
 — — — decurrens P. et E. Poepp. et Endl. 83.
 — — — diffusa P. et E. Poepp. et Endl. 86.
 † — — — disticha A. Rich. Mem. hist. nat. Par. 4, 8.
 — — — floribunda P. et E. Poepp. et Endl. 84.
 — — — foliosa Hook. Bot. Mag. 54, 2746.
 — — — Grobyi Batem. Bot. Reg. 21, 1797.

- Pleurothallis Grobyi Batem.* Bot. Mag. 68, 3662.
 — *Lanceana Ldl.* Lodd. Cab. 1767.
 — *multicaulis P. et E.* Poepp. et Endl. 82.
 — *pachyrachis A. Rich.* Ramon Cuba 74.
 † — *pectinata Miers.* Linn. Transact. 18, 37.
 — *peduncularis Hook.* Hook. Journal 1841, 9.
 — *picta Ldl.* Bot. Reg. 21, 1825.
 — — Bot. Mag. 68, 3897.
 — *prolifera Herb.* Lodd. Cab. 1908.
 — — Bot. Reg. 15, 1298.
 — — Bot. Mag. 60, 3261.
 — *punctata Ker.* Bot. Reg. 9, 759.
 — *racemiflora Ldl.* Lodd. Cab. 949.
 — — Hook. Exot. Fl. 123.
 — *ruscifolia R. Br.* Hook. Exot. Fl. 197.
 — *sagittifera H. B. K.* H. B. K. Nov. Gen. 1, 91.
 — *saurocephala Lodd.* Lodd. Cab. 1571.
 — — Bot. Mag. 57, 3030.
 — — Bot. Reg. 23, 1968.
 — *secunda P. et E.* Poepp. et Endl. 85.
 — *Smithiana Ldl.* Journ. Hort. Soc. 2, 247.
 † — *surinamensis Focke.* Miquel Surin. 64.
 — *tricarinata P. et E.* Poepp. et Endl. 87.
 — *truncata Ldl.* Hook. Ic. pl. 1, 55.
Plicangis Aub. Aubert Orchid. 58.
Plinia pedunculata L. fil. Bot. Mag. 14, 473.
 † — *pinnata L.* Lam. Encycl. 428.
Plinthine aggregata Rchb. Rchb. Fl. germ. 5, 219.
 — *tetraquetra Rchb.* Rchb. Fl. germ. 5, 219.
 † *Plocama pendula Ait.* Gaertn. Carp. 196.
 † *Plocoglottis javanica Bl.* Blume Tabellen 21.
 † *Plocostemma lasianthum Bl.* Blume Mus. 1, 14.
Ploesslea floribunda Endl. Endl. Iconogr. 119, 129.
Ploiarium elegans Korth. Korthals Bot. 25.
Pluchea indica Less. Wight Illustr. 131.
 — *Quitoc DC.* Jacq. Ecl. pl. 133.
 † *Plukenetia volubilis L.* Lam. Encycl. 788.
Plumbagidium auriculatum Spach. Spach Suites 149.
 † *Plumbagineae Juss.* Barnéoud Mémoire 2.
 † — — Schnizl. Iconogr. 117.
 † *Plumbago L.* Kerner Genera 32.
 — *auriculata Lam.* Savi Fl. ital. 3, 108.
 — — Herb. amat. 5, 339.
 — *capensis Thunb.* Bot. Mag. 47, 2110.
 — — Bot. Reg. 5, 417.
 — — Lodd. Cab. 295.
 — *cyanea Turp.* Dict. sc. nat. 24.
 † — *europaea L.* Lam. Encycl. 105.
 — — Schk. Handb. 36.
 — — Sibth. Fl. gr. 191.
 — — Bot. Mag. 47, 2139.
 — — Nees Düssel. Suppl. 84, 88.
 † — — Nees Gen. 5, 5.
 — *lapathifolia Willd.* Nees Düssel. Suppl. 84.
 — *Larpentae Ldl.* Paxt. Mag. 14, 267.
 — — Annales de Gand 1848, 191.
 — — Fl. d. serres 4, 307.
 — *micrantha Led.* Ledeb. Ic. 21.
 — *rhomboidea Hook.* Bot. Mag. 56, 2917.
 — — Lodd. Cab. 1536.
 — *rosea L.* Rheede Hort. mal. 10, 9.
 — — Rumpf Amb. 5, 168.
 † — — Gaertn. Carp. 50.
 — — Bot. Mag. 7, 230.
 — — Herb. amat. 5, 287.
 — *scandens L.* Jacq. Hist. stirp. am. 23.
 — — Desc. Ant. 3, 172.
 † — — Schnizl. Iconogr. 117.
 — *zeylanica L.* Rheede Hort. mal. 10, 8.
 — — Trew Fl. rar. 8.
 — — Bot. Reg. 32, 23.
 — — Wight Illustr. 179.

- Plumieria acuminata Dryand.* Bot. Mag. 68, 3952.
 — — — Bot. Reg. 2, 114.
 — — — Rchb. Exot. 222.
 — — — Wight Ic. pl. Ind. or. 2, 471.
 — *acutiflora Poir.* Rumpf Amb. 4, 38.
 — *alba L.* Jacq. Hist. stirp. am. 38.
 — — Desc. Ant. 3, 178.
 — *aurantia Don.* Hart. Parad. 1, 4.
 — *bicolor Rz et P.* Ruiz et Pav. Fl. 141.
 — — Bot. Reg. 6, 480.
 — *carinata Rz et P.* Ruiz et Pav. Fl. 140.
 — — Kerner Hort. 355.
 — *Jamesoni Hook.* Bot. Mag. 79, 4751.
 — *incarnata Rz et P.* Ruiz et Pav. Fl. 138.
 — — Kerner Hort. 206.
 — *Lambertiana Ldl.* Bot. Reg. 16, 1378.
 — *lutea Rz et P.* Ruiz et Pav. Fl. 142.
 — — Kerner Hort. 703.
 — *mexicana Lodd.* Lodd. Cab. 1024.
 — *obtusata L.* Lam. Encycl. 173.
 — *purpurea Rz et P.* Ruiz et Pav. Fl. 137.
 — *rubra L.* Bot. Mag. 8, 279.
 † — — — Lam. Encycl. 173.
 — — — Tussac Ant. 3, 20.
 — — — Desc. Ant. 4, 297.
 — — — Bot. Reg. 10, 780.
 — — — Kerner Hort. 31, 780.
 — — — Rchb. Exot. 175.
 — *tricolor Rz et P.* Ruiz et Pav. Fl. 169.
 — — — Bot. Reg. 6, 510.
 — — — Kerner Hort. 414.
 — — — Rchb. Exot. 223.
 — *tuberculata Lodd.* Lodd. Cab. 681.
Pneumonanthe frigida Schmidt. Roemer Archiv 1, 2.
 — *plicata Schmidt.* Roemer Archiv 1, 2.
 † *Poa L.* Linné Amoenit. 7, 3.
 † — — Dumortier Gramin. 5.
 † — — Wiegmann Archiv 2, 6.
 — *abyssinica Jacq.* Jacq. Ic. 17.
 — *aegyptiaca Delile.* Delile Egypte 10.
 — *agrostioides DC.* DC. Ic. Gall. 1.
 — *alpina L.* Fl. dan. 5, 807.
 — — Sv. Bot. 757.
 — — Host Gram. 167.
 — — Knapp Gram. 50.
 — — Engl. Bot. 14, 1003.
 — — Rchb. Fl. germ. 1, 83.
 — — Sturm Flora 8, 29.
 — *altaica Led.* Ledeb. Ic. 225.
 — *amboinensis R. et Sch.* Rumpf Amb. 6, 7, fig. 3.
 — *angustifolia L.* Schk. Handb. 13.
 — — Rchb. Fl. germ. 1, 87.
 † — *annua L.* Lam. Encycl. 45.
 — — Host Gram. 164.
 — — Fl. dan. 10, 1686.
 — — Sv. Bot. 126.
 — — Curt. Lond. 2, 131.
 — — Engl. Bot. 16, 1141.
 — — Knapp Gram. 52.
 — — Baxter Brit. Bot. 4, 288.
 — — Rchb. Fl. germ. 1, 82.
 — *aquatica L.* Fl. dan. 6, 920.
 — — Sv. Bot. 30.
 — — Host Gram. 160.
 — — Curt. Lond. 2, 15.
 — — Engl. Bot. 19, 1315.
 — — Knapp Gram. 44.
 — *aspera Juss.* Jacq. Vind. 3, 56.
 — *atrovirens Desf.* Desf. Fl. atl. 14.
 † — *badensis Hacnte.* Nees Gen. 1, 56.
 — *Balfourii Parnell.* Engl. Bot. 2918.
 — — var. Jardine Annals 10, 5.

- Poa barbata* Thunb. Thunberg Fl. jap. 10.
 — *Bergiana* Kth. Humb. Gram. 189.
 — *bifaria* Vahl. Humb. Gram. 80.
 — *biformis* Kth. Humb. Gram. 149.
 — *borbonica* Kth. Humb. Gram. 151.
 — *bulbosa* L. Host Gram. 165.
 — — Engl. Bot. 15, 1071.
 — — Knapp Gram. 53.
 — — Rchb. Fl. germ. 1, 81.
 † — — Verhandl. Rheinl. 7, 6.
 — *caesia* Sm. Engl. Bot. 24, 1719.
 — — Knapp Gram. 56.
 — — Rchb. Fl. germ. 1, 85.
 — *Cambessediana* Kth. Humb. Gram. 148.
 — *cenisia* All. Host Gram. 216.
 — — Sturm Flora 19, 86.
 — — Rchb. Fl. germ. 1, 83.
 — *Chapelieri* Kth. Humb. Gram. 186.
 — *chilensis* Moris. Mem. Tur. 36, 11.
 — *chinensis* L. Burmann Fl. ind. 11.
 — *cilianensis* All. Allione Fl. ped. 3, 91.
 — *ciliaris* L. Jacq. Ic. 304.
 — *coerulea* Knapp. Knapp Gram. 118.
 — *collina* Host. Host Gram. 166.
 — *compressa* L. Fl. dan. 5, 742.
 — — Host Gram. 170.
 — — Engl. Bot. 6, 365.
 — — Knapp Gram. 57.
 — — Rchb. Fl. germ. 1, 85.
 † — — Nees Gen. 1, 56.
 — *concinna* Gaud. Rchb. Fl. germ. 1, 81.
 — *cristata* L. Host Gram. 175.
 — *cynosuroides* Retz. Delile Egypte 10.
 — *decumbens* With. Host Gram. 172.
 — — Engl. Bot. 11, 792.
 — — Knapp Gram. 59.
 — *dentata* Torr. Torrey New York 155.
 — *distans* L. Fl. dan. 2, 251.
 — — Host Gram. 163.
 — — Curt. Lond. 3, 124.
 — — Engl. Bot. 14, 986.
 — — Knapp Gram. 47.
 — *disticha* Wulf. Jacq. Ic. 19.
 — — Sturm Flora 2, 6.
 — — Host Gram. 176.
 — *distichophylla* Gaud. Rchb. Fl. germ. 1, 84.
 — — Schrank. Münchn. Denkschr. 7, 3.
 — *divaricata* Gouan. Gouan Illustr. 2.
 — *dura* Scop. Host Gram. 173.
 — *Eragrostis* L. Schreber Gräser 38.
 — — Sibth. Fl. gr. 73.
 — — Cav. Ic. 92.
 — — Host Gram. 169.
 — *falcata* Gaudich. Freycinet Voyage 25.
 — *fertilis* Host. Host Gram. 214.
 † — — Nees Gen. 1, 56.
 — *festucaeformis* Host. Host Gram. 217.
 — *flexuosa* Host. Host Gram. 326.
 — — Sm. Engl. Bot. 16, 1123.
 — — Knapp Gram. 51.
 — — Wahlenb. Sv. Bot. 704.
 — — Rchb. Fl. germ. 1, 84.
 — *fruitans* L. Sv. Bot. 102.
 — — Engl. Bot. 22, 1520.
 — — Knapp Gram. 45.
 — *geniculata* Durieu. Explor. Alger. 40.
 — *glauca* Vahl. Fl. dan. 6, 964.
 — — Sm. Engl. Bot. 24, 1720.
 — *glomerata* Knapp. Knapp Gram. 117.
 — *gracilis* Bert. var. β . Novi Comm. Bonon. 5, 40.
 — *Halleri* R. et Sch. Rchb. Fl. germ. 1, 85.
 — *hybrida* Gaud. Rchb. Fl. germ. 1, 90.

- Poa interrupta* Lam. Humb. Gram. 188.
 — *kergulensis* Hook. Hook. Fl. ant. 138.
 — *Langeana* Richt. Rchb. Fl. germ. 1, 85.
 — *lanigera* N. v. E. var. Humb. Gram. 183.
 — *laxa* Haenke. Host Gram. 215.
 — — Roemer Fl. europ. 13, 3.
 — — Sturm Flora 8, 29.
 — — Rchb. Fl. germ. 1, 84.
 — *ligulata* Boiss. Boissier Esp. 178.
 — *litoralis* Gouan. Lam. Encycl. 45.
 — *malabarica* L. Burmann Fl. ind. 11.
 — *maritima* L. Fl. dan. 2, 251.
 — — Schrad. Fl. dan. 10, 1626.
 — — Cav. Ic. 126.
 — — Huds. Engl. Bot. 16, 1140.
 — — Knapp Gram. 46.
 — *maypurensis* H. et Kth. Humb. Gram. 183.
 — *Meratiana* Kth. Humb. Gram. 184.
 — *Michauxii* Kth. Humb. Gram. 181.
 — *minor* Gaud. Sturm Flora 9, 34.
 — — Rchb. Fl. germ. 1, 82.
 — *Molinerii* Balb. Mem. Tur. 7, 5.
 — *mucronata* Pal. B. Pal. B. Fl. d'Oware 4.
 — *nana* Savi. Usteri Annalen 24, 1.
 — — Mem. Mod. 9, x.
 — *nemoralis* L. Fl. dan. 5, 749.
 — — Host Gram. 171.
 — — Engl. Bot. 18, 1265.
 — — Knapp Gram. 58.
 — — Rchb. Fl. germ. 1, 86.
 — *nigricans* H. et Kth. Humb. Gram. 146.
 — *palustris* L. Fl. dan. 5, 750.
 — — Vill. Vill. Cat. Strasb. 2.
 — *Parnellii* Bab. Engl. Bot. 2916.
 — *pastoensis* H. et Kth. Humb. Gram. 145.
 — *pectinata* Lam. Lam. Encycl. 45.
 — *peruviana* Jacq. Jacq. Ic. 18.
 — *pilosa* L. Host Gram. 168.
 — *plumosa* Retz. Rumpf Amb. 6, 4. fig. 3.
 — *pratensis* L. Curt. Lond. 2, 72.
 — — Engl. Bot. 15, 1073.
 — — Knapp Gram. 55.
 — — Sv. Bot. 88.
 — — Vill. Cat. Strasb. 2.
 — — Host Gram. 161.
 — — Rchb. Fl. germ. 1, 88.
 † — — Nees Gen. 1, 56.
 — *procumbens* Curt. Curt. Lond. 3, 118.
 — — Engl. Bot. 8, 532.
 — — Knapp Gram. 49.
 — *prostrata* H. et Kth. Humb. Gram. 144.
 — *racemosa* Thunb. Petersb. 2, 7.
 — *ramosa* Savi. Mem. Mod. 9, x.
 — *rariflora* Desf. Humb. Gram. 180.
 — *refracta* Mühlenb. Elliott Carolina 9.
 — *reptans* Michx. Michaux Fl. 11.
 — *rigida* L. Curt. Lond. 2, 129.
 — — Engl. Bot. 20, 1371.
 — — Knapp Gram. 48.
 — — Host Gram. 174.
 — *rubens* Lam. Lam. Encycl. 45.
 — *scoparia* Kth. Humb. Gram. 182.
 — *serotina* Ehrh. Sv. Bot. 602.
 — — Fl. dan. 13, 2166.
 — *seslerioides* All. Allione Fl. ped. 3, 91.
 — *sicula* Jacq. Jacq. Ic. 303.
 — — Cirillo Pl. rar. 2, 8.
 — *silvatica* Vill. Vill. Dauph. 3.
 — — Poll. Fl. dan. 7, 1145.
 — *solida* Kth. Humb. Gram. 185.
 — *spinosa* Thunb. Humb. Gram. 190.
 — *stolonifera* Bell. Mem. Tur. 5, 3.

- Poa subcoerulea* Sm. Engl. Bot. 14, 1004.
 — *subfastigiata* Led. Ledeb. Ic. 224.
 — *subuniflora* Kth. Humb. Gram. 83.
 — *sudetica* Haenke. Host Gram. 213.
 — — Fl. dan. 11, 1924.
 — — Sv. Bot. 614.
 — — Petersb. 2, 7.
 — — Rchb. Fl. germ. 1, 99.
 — *supina* Schrad. Host Gram. 327.
 — — Sturm Flora 9, 34.
 — *tenax* H. B. K. H. B. K. Nov. Gen. 7, 692.
 — *tenella* L. Humb. Gram. 147.
 — *thalassica* H. et Kth. Humb. Gram. 81, 82.
 — *Thouarsiana* Kth. Humb. Gram. 152.
 — *trivialis* L. Host Gram. 162.
 — — Fl. dan. 9, 1444. 10, 1685.
 — — Curt. Lond. 2, 73.
 — — Engl. Bot. 15, 1072.
 — — Knapp Gram. 54.
 — — Rchb. Fl. germ. 1, 89.
 — *variabilis* Gaudich. Humb. Gram. 187.
 — *verticillata* Cav. Cav. Ic. 93.
 — *violacea* Bell. Mem. Tur. 5, 3.
 — *virens* Jacq. Jacq. Ecl. Gram. 36.
Pocockia cretica DC. Rchb. Ic. crit. 6, 578.
 † *Podalyria* Lam. Kerner Genera 8.
 — *alba* Willd. Bot. Mag. 29, 1177.
 — *argentea* Salisb. Salisb. Parad. 7.
 — *australis* Vent. Vent. Cels 56.
 — *biflora* Willd. Bot. Mag. 20, 753.
 — — Lam. Encycl. 327.
 — *bracteata* Roxb. Roxb. Corom. 259.
 — — Kerner Hort. 619.
 — *buxifolia* Willd. Lam. Encycl. 327.
 — — Lodd. Cab. 1020.
 — — Bot. Reg. 11, 869.
 — — Maund Bot. 5, 204.
 — *capensis* Willd. Dict. sc. nat. 253.
 — *cuneifolia* Vent. Vent. Cels 99.
 — *hirsuta* Willd. Andr. Rep. 8, 525.
 — *lupinoides* Lam. Lam. Encycl. 327.
 — — Bot. Mag. 34, 1389.
 — *myrtifolia* Retz. Rchb. Mag. 41.
 — *obcordata* Poir. Lam. Encycl. 327.
 — *oleaeifolia* Salisb. Salisb. Parad. 114.
 — *sericea* R. Br. Bot. Mag. 44, 1923.
 — — Lodd. Cab. 1442.
 — — Herb. amat. 3, 203.
 — — Rchb. Mag. 41.
 — *styracifolia* Sims. Bot. Mag. 38, 1580.
 — — Lodd. Cab. 649.
 — — Knowles et Westcott 104.
 — — Rchb. Exot. 317.
 — — Rchb. Mag. 41.
 — *tinctoria* Willd. Bot. Mag. 27, 1099.
 — — Lam. Encycl. 327.
Podanthera pallida Wight. Wight Ic. pl. Ind. or. 5, 1759.
Podocarpus agathifolia Bl. Blume Rumphia 173.
 — *amara* Bl. Blume Rumphia 176.
 — *asplenifolia* Lab. Bill. Nov. Holl. 221.
 — — Tratt. Archiv 59.
 — — Lam. Encycl. 997.
 — ? *biformis* Hook. Hook. Ic. pl. 6, 544.
 — *bracteata* Bl. Blume Rumphia 172.
 † — *chilina* Rich. Richard Conif. 1.
 † — *coriacea* Rich. Richard Conif. 1.
 — — Hook. Journal 1842, 21.
 — *cupressina* R. Br. Bennett Java 19.
 — — Blume Rumphia 172, 172^b.
 — ? *Dieffenbachii* Hook. Hook. Ic. pl. 6, 547.
 † — *elongata* Rich. Richard Conif. 1.
 — *ferruginea* Don. Hook. Ic. pl. 6, 542.

- Podocarpus latifolia* Wall. Wall. Pl. asiat. 30.
 — — Hook. Journal 1842, 23.
 — *macrophylla* Wall. Wallich Tentamen 43.
 — *neriifolia* Don. Bot. Mag. 78, 4655.
 — — Lem. Jard. 2, 3, 313.
 — — Fl. d. serres 8, 768.
 — ? *nivalis* Hook. Hook. Ic. pl. 6, 582.
 — *nucifera* Loudon. Kaempfer Amoenit. p. 815.
 — *Purdieana* Hook. Hook. Ic. pl. 7, 624.
 — *spicata* R. Br. Hook. Ic. pl. 6, 543.
 — *taxifolia* H. B. K. H. B. K. Nov. Gen. 2, 97.
 † — — Richard Conif. 29.
 — — Kerner Hort. 497.
 — *Thunbergii* Hook. Hook. Journal 1842, 22.
 — *Totarra* Don. Hook. Journal 1842, 19.
Podochilus densiflorus Bl. Blume Rumphia 192, 200.
 † — *lucescens* Bl. Blume Orchid. 12.
 — *scapellifolius* Bl. Blume Rumphia 194, 200.
 † — *similis* Bl. Blume Rumphia 200.
 † *Podogyne pentaphylla* Hoffmannsegg. Hoffmannsegg
 Verz. 1824, 1.
Podolepis gracilis Grah. Bot. Mag. 56, 2904.
 — — Sweet Fl. G. 285.
 — *rugata* Lab. Bill. Nov. Holl. 208.
Podolobium staurophyllum Sieber. Bot. Reg. 12, 989.
 — — Lodd. Cab. 1177.
 — — Paxt. Mag. 4, 171.
 — *trilobum* R. Br. Bot. Mag. 36, 1477.
 — — Bot. Reg. 16, 1333.
 — — Rchb. Exot. 128.
 † *Podopeltis singaporiana* Fée. Fée Fil. 5, 23.
 † *Podophyllum* L. Gray Genera 35, 36.
 — *hexandrum* Royle. Jacquemont Ind. 9.
 — *montanum* Rafin. Rafinesque Med. 73.
 — *peltatum* L. Bot. Mag. 43, 1819.
 — — Barton Med. 23.
 — — Bigelow Med. 23.
 — — Lam. Encycl. 449.
 — — Tratt. Archiv 60.
 — — Dict. sc. nat. 178.
 — — Gray Genera 35, 36.
Podopterus mexicanus H. B. Humb. Pl. aeq. 1071.
 † — — Lam. Encycl. 940.
Podosaeum debile H. B. K. H. B. K. Nov. Gen. 7, 681.
 — *gracile* H. B. K. H. B. K. Nov. Gen. 7, 683.
 — *quadridentatum* H. B. K. H. B. K. N. G. 7, 682.
Podosperma angustifolium Lab. Bill. Nov. Holl. 177.
Podospermum pinifolium Link. Hoffm. Lk Fl. port. 90.
 † *Podostemeae* Rich. Schnizl. Iconogr. 2, 85.
Podostemon Ceratophyllum Michx. Michaux Fl. 44.
 — — Torrey New York 98.
 † — — Schnizl. Iconogr. 2, 85.
 † — *Griffithii* Wall. Asiat. Res. 19, 17.
 — *subulatus* Gardn. Arch. Mus. 6, 9.
 — — Wight Ic. pl. Ind. or. 5, 1918.
 † — *Wallichii* R. Br. Asiat. Res. 19, 17.
Podostigma pubescens Ell. Delessert Ic. 5, 65.
Podotheca gnaphalioides Grah. Bot. Mag. 68, 3920.
 † *Poecilopteris fraxinifolia* Presl. Hook. Gen. Fil. 81.
Poeppigia procera Presl. Presl Symbolae 8.
Pogonathera pulverulenta Bl. Korthals Bot. 65.
 † — *reflexa* Bl. Ann. sc. nat. III. 15, 15.
Pogonatherum contortum Brongn. Brongniart Coq. 17.
 — *saccharoideum* Pal. B. Humb. Gram. 161, 162.
Pogonia biflora Wight. Wight Ic. pl. Ind. or. 5, 1758.
 — *carinata* Ldl. Wight Ic. pl. Ind. or. 5, 1720.
 — *debilis* Andr. Andr. Rep. 3, 212.
 — *glabra* Andr. Andr. Rep. 4, 283.
 — *ophioglossoides* Ker. Rivinus Opus ined. 101.
 — — Barton Fl. 3, 77.
 — — Hook. Exot. Fl. 70.
 — — Bot. Reg. 2, 148.

- Pogonia pendula* Ldl. Bot. Reg. 11, 908.
 — *tetrandra* Lab. Bill. Nov. Holl. 83.
 — *tetraphylla* P. et E. Poepp. et Endl. 122.
 — *verrucosa* Desv. Desvaux Journal 6, 35.
 — *verticillata* Nutt. Barton Fl. 2, 67.
Pogonopsis tenera Presl. Presl Reliq. 46.
Pogonostylis squarrosa Bertol. Cesati Stirp. ital. x.
Pogonotrophe macrocarpa Miq. Wight Ic. pl. Ind. or. 6, 1963.
 — *verrucosa* Hook. Hook. Journal 1848, 2.
Pogopetalum orbiculatum Benth. Linn. Transact. 18, 42.
Pogostemon Heyneanus Benth. Rheede Hort. mal. 10, 77.
 — — Wight Ic. pl. Ind. or. 4, 1440.
 — *hirsutus* Benth. Wight Ic. pl. Ind. or. 4, 1442.
 — *paniculatus* Benth. Rheede Hort. mal. 10, 65.
 — *Patchouli* Pellet. Hook. Journal 1849, 11.
 — *plectranthoides* Desf. Mem. Mus. 2, 6.
 — — Lam. Encycl. 969.
 — — Bot. Mag. 60, 3238.
 † — *rotundatus* Benth. Wight Illustr. 176^b.
 — — Wight Ic. pl. Ind. or. 4, 1441.
 — *speciosus* Benth. Wight Ic. pl. Ind. or. 4, 1443.
Poinciana bijuga L. Rumpf Amb. 4, 20.
 — *Gilliesii* Hook. Hook. Bot. Misc. 34.
 — — Bot. Mag. 66, 4006.
 — — Paxt. Fl. G. 28.
 — — Sweet Fl. G. II. 311.
 — — Fl. d. serres 1, 55.
 — *insignis* H. B. Humb. Mim. 44.
 — *pulcherrima* L. Rheede Hort. mal. 6, 1.
 † — — Gaertn. Carp. 150.
 — — Jacq. Hist. stirp. am. 120.
 — — Bot. Mag. 25, 995.
 — — Lam. Encycl. 333.
 — — Desc. Ant. 1, 6.
 — — Rchb. Exot. 130.
 — — Rchb. Mag. 93.
 — — Knowles et Westcott 89.
 — — Paxt. Mag. 3, 3, 4, 97.
 † — — Spach Suites 2.
 — *regia* Bojer. Bot. Mag. 56, 2884.
 — — Rchb. Exot. 318.
Poinsettia pulcherrima Grah. Knowles et Westc. 33.
 — — Bot. Mag. 63, 3493.
 — — Maund Bot. 2, 70, 79.
Poiretia cucullata Cav. Cav. Ic. 343.
 — *scandens* Vent. Vent. Choix 42.
 — — Lam. Encycl. 979.
Poitea galegoides Vent. Vent. Choix 36.
 — — Dict. sc. nat. 251.
 — — Lam. Encycl. 978.
Poivreia aculeata DC. Mem. Genev. 4, 4.
 — — Guillemin Seneg. 66.
 — *coccinea* DC. Hart. Parad. 1, 4.
 — *eripetala* DC. Mem. Genev. 4, 5.
 — *mossambicensis* Klotzsch. Peters Mossamb. 13.
 † *Polanisia Rafin.* Gray Genera 79.
 — *burtporensis* Munro. Wight Ic. pl. Ind. or. 3, 1072.
 — *Chelidonii* DC. Wight Ic. pl. Ind. or. 2, 319.
 — *graveolens* Rafin. Rafinesque Med. 74.
 — — Delessert Ic. 3, 6.
 — *icosandra* R. et Sch. Rumpf Amb. 5, 96, fig. 2.
 — *simplicifolia* Camb. Jacquemont Ind. 20.
 — *trachysperma* Torr. et Gr. Gray Genera 79.
 — *viscosa* DC. Rheede Hort. mal. 9, 23.
 † *Polembryum castanocarpum* Juss. Mem. Mus. 12, 28.
 — *Jussieui* Schott. Schott Rutaceae 6.
 † *Polemonium coeruleum* L. Gaertn. Carp. 62.
 † — — Lam. Encycl. 106.
 — — Fl. dan. 2, 255.
 — — Sv. Bor. 309.
 — — Engl. Bot. 1, 14.

- Polemonium coeruleum* L. Baxter Brit. Bot. 2, 149.
 — — — Dict. sc. nat. 51.
 — — — Schk. Handb. 38.
 — — — Sturm Flora 7, 26.
 † — — — Nees Gen. 5, 62.
 — — — var. *piliferum*, Bot. Reg. 15, 1303.
 — *dissectum* Rchb. Rchb. Ic. crit. 5, 463.
 — *humile* Willd. Bot. Reg. 15, 1304.
 — *mexicanum* Lag. Bot. Reg. 6, 460.
 — *pulchellum* Led. Ledeb. Ic. 20.
 — *pulcherrimum* Hook. Bot. Mag. 57, 2979.
 — *reptans* L. Lam. Encycl. 106.
 — — — Bot. Mag. 44, 1887.
 — *Richardsoni* Grah. Bot. Mag. 55, 2800.
 — *sibiricum* Don. Sweet Fl. G. 182.
 — *villosum* Rudolph. Sweet Fl. G. 266.
Polia bonariensis Ten. Acad. Pont. Don. 2.
Polianthes gracilis Link. Link Ic. 1, 24.
 — *maculata* Mart. Martius Auswahl 13.
 — *pygmaea* Jacq. Jacq. Ic. 380.
 — *tuberosa* L. Rumpf Amb. 5, 98.
 — — — Hort. Transact. 1, 2.
 — — — Red. Lil. 3, 147.
 — — — Lam. Encycl. 242.
 — — — Rousseau Bot. 6.
 — — — Bot. Mag. 43, 1817.
 — — — Bot. Reg. 1, 63.
Polidendron heterophyllum Webb. Webb Canar. 173.
Polistes Lecheguana St. Hil. Mem. Mus. 12, 12.
 — — — St. Hil. Pl. rem. 23.
Pollalesta vernonioides H. B. K. H. B. K. Nov. Gen. 4, 321.
Pollia japonica Thunb. Thunberg Ic. jap. 25.
Pollichia campestris Ait. Smith Spicil. 1.
 † — — — Gaertn. Carp. 213.
Pollinia distachys Spr. Rchb. Fl. germ. 1, 54.
 — *Gryllus* Spr. Rchb. Fl. germ. 1, 54.
 — *undata* Spr. Trin. Sp. Gr. 2, 189.
Polpoda capensis Presl. Presl Symbolae 1.
Polyachyrus niveus Lagasca. DC. Compos. 15.
 — *Poeppigii* Kunze. Poepp. et Endl. 23.
 — — — Delessert Ic. 4, 84.
Polyalthia cuneiformis Bl. Blume Java 1, 35, 36, 37.
 — *elliptica* Bl. Blume Java 1, 34, 36.
 — *Kentii* Bl. Blume Java 1, 38, 52.
 — *macrophylla* Bl. Blume Java 1, 39, 52.
 — *subcordata* Bl. Blume Java 1, 33, 36.
Polybotrya apiifolia Sm. Fielding Sertum 30, 31.
 — — — Kunze Fil. 62.
 — *articulata* Sm. Fée Fil. 37.
 — *aurita* Bl. Rumpf Amb. 6, 35, fig. 1.
 — — — Blume Java 6, 1.
 — *caudata* Kze. Fée Fil. 34.
 — *cervina* Kaulf. Hook. Ic. Fil. 1, 81.
 — *cicutaria* Bl. Blume Java 6, 2.
 — *cylindrica* Kaulf. Fée Fil. 36.
 — *Helferiana* Kze. Kunze Fil. 114.
 — *incisa* Link. Fée Fil. 35.
 — *intermedia* Sm. Fée Fil. 40.
 — *marginata* Bl. Blume Java 6, 3.
 — *nana* Fée. Fée Fil. 38.
 — *neglecta* Fée. Fée Fil. 39.
 — *nodiflora* Bory. Fée Fil. 38.
 — *osmundacea* H. B. K. H. B. K. Nov. Gen. 1, 2.
 † — — — Hook. Gen. Fil. 78.
 † — *pubens* Mart. Mart. Crypt. bras. 25.
 † — *serrulata* Sm. Fée Fil. 39.
 † — *speciosa* Schott. Schott Gen. Fil. 4.
 — *vivipara* Hamilt. Hook. Exot. Fl. 107.
Polycardia phyllantoides Lam. Lam. Encycl. 132.
Polycarpa spicata Wight. Wight Ic. pl. Ind. or. 2, 510.
Polycarpaea candidissima Bert. Novi Comm. Bon. 6, 18.

- Polycarpaea corymbosa* Lam. Wight Ic. pl. Ind. or. 2, 712.
 — — — var. *aurea*, Wight Illustr. 110.
 — — — *fragilis* Delile. Delile Egypte 24.
 — — — *glabrifolia* DC. DC. Paronych. 5.
 — — — *linearifolia* DC. DC. Paronych. 6.
 — — — *memphitica* Delile. Delile Egypte 24.
 — — — *spadicea* Lam. Rheede Hort. mal. 10, 66.
 — — — *Wight et A.* Hook. Comp. 6.
 — — — *Teneriffae* Lam. Journ. d'hist. nat. Par. 2, 25.
Polycarpia aristata Chr. Smith. Webb Canar. 24.
 — — — *candida* Webb. Webb Canar. 21.
 — — — *carnosa* Chr. Smith. Webb Canar. 22.
 — — — *Smithii* Link. Webb Canar. 23.
Polycarpon diphylum Cav. Cav. Ic. 151.
 — — — *magellanicum* L. Comm. Gott. 9, 3.
 — — — *tetraphyllum* L. Gaertn. Carp. 129.
 † — — — Lam. Encycl. 51.
 — — — Sibth. Fl. gr. 102.
 — — — Engl. Bot. 15, 1031.
 — — — Baxter Brit. Bot. 2, 155.
Polycenia hebenstreitoides Choisy. Mem. Genev. 2, 2.
Polychilos cornu cervi Breda. Breda Orchid. Jav. 1.
Polyclathra cucumerina Bert. Novi Comm. Bon. 4, 47.
Polycnemum arvense L. Jacq. Fl. austr. 4, 365.
 † — — — Gaertn. Carp. 128.
 — — — Lam. Encycl. 29.
 — — — Schk. Handb. 5^a.
 — — — Sturm Flora 11, 44.
 — — — Dietr. Fl. bor. 9, 628.
 † — — — Nees Gen. 4, 76.
 — — — var. *recurvum* Lois. Gussone Pl. rar. 4.
 — — — *brachiatum* Pall. Pallas Illustr. 52.
 — — — *crassifolium* Pall. Pallas Illustr. 53.
 — — — *erinaceum* Pall. Pallas Illustr. 48.
 — — — *glaucum* Pall. Pallas Illustr. 53, 54.
 — — — *monandrum* Pall. Pallas Illustr. 49.
 — — — *sclerospermum* Pall. Pallas Illustr. 56.
 — — — *sibiricum* Pall. Pallas Illustr. 51.
 — — — *Volvox* Pall. Pallas Illustr. 50.
Polydendris Aub. Aubert Orchid. 84.
 † *Polygala* L. Mem. Mus. 17, 27, 28.
 † — — — Gray Genera 183, 184.
 — — — *alopecuroides* L. Andr. Rep. 6, 371.
 — — — Bot. Mag. 25, 1006.
 — — — *alpestris* Rchb. Rchb. Pl. crit. 1, 23.
 † — — — Mutel Fl. fr. 10.
 — — — Hayne 13, 24.
 — — — *amara* L. Fl. dan. 7, 1189.
 — — — Sv. Bot. 484.
 — — — Engl. Bot. 2764.
 — — — Bot. Mag. 50, 2437.
 — — — Jacq. Fl. austr. 5, 412.
 — — — Schrank Fl. monac. 4, 324.
 — — — Rchb. Pl. crit. 1, 22.
 † — — — Mutel Fl. fr. 10.
 — — — Hayne 13, 22.
 — — — Nees Düssel. Suppl. 69.
 — — — Guimpel et Schl. 146.
 — — — Dietr. Fl. bor. 4, 277.
 — — — Meyer Fl. hann. 7.
 — — — *amarella* Crantz. Rchb. Pl. crit. 1, 22.
 — — — Guimpel et Schl. 147.
 — — — Nees Düssel. 409.
 — — — Cosson Atlas 7.
 † — — — *amblyptera* Rchb. Mutel Fl. fr. 10.
 — — — *angustifolia* H. B. K. H. B. K. Nov. Gen. 5, 511.
 — — — *arillata* Ham. Wall. Pl. asiat. 100.
 — — — Wight Spicil. 14.
 — — — Wight Ic. pl. Ind. or. 3, 946.
 — — — *arvensis* Willd. var. *W. et A.* Rheede Hort. m. 9, 61.
 — — — *attenuata* Lodd. Lodd. Cab. 1009.
 — — — *austriaca* Crantz. Rchb. Pl. crit. 1, 21.

- Polygala austriaca* Crantz. Dietr. Fl. bor. 4, 278.
 † — — — Mutel Fl. fr. 10.
 — — — Cosson Atlas 7.
 — — — *bicolor* H. B. K. H. B. K. Nov. Gen. 5, 507.
 — — — *bracteolata* L. Bot. Mag. 10, 345.
 — — — Lodd. Cab. 1211.
 — — — *brizoides* Camb. St. Hil. Fl. Bras. 88.
 — — — *buxifolia* Rchb. Rchb. Pl. crit. 1, 24.
 — — — *Chamaebuxus* L. Schmidel Ic. 20.
 — — — Jacq. Fl. austr. 3, 233.
 — — — Sturm Flora 4, 13.
 — — — Guimpel Holzgew. 114.
 — — — Bot. Mag. 9, 316.
 — — — Lodd. Cab. 593.
 — — — *comosa* Schk. Schk. Handb. 194.
 — — — Rchb. Pl. crit. 1, 26.
 — — — Sv. Bot. 713.
 † — — — Mutel Fl. fr. 11.
 — — — Hayne 13, 25.
 — — — Dietr. Fl. bor. 4, 279.
 — — — Meyer Fl. hann. 5.
 — — — *cordifolia* Thunb. Bot. Mag. 50, 2438.
 — — — Lodd. Cab. 1189.
 — — — *corisoides* St. Hil. St. Hil. Fl. Bras. 83.
 — — — *crotarioides* DC. Rheede Hort. mal. 9, 67.
 — — — Wall. Pl. asiat. 185.
 — — — Royle Illustr. 19.
 — — — *depressa* Wender. Marburger Schriften 2, 1.
 — — — Cosson Atlas 8.
 — — — *distans* St. Hil. St. Hil. Fl. Bras. 84.
 — — — *Dunaliana* St. Hil. St. Hil. Fl. Bras. 85.
 — — — *erioptera* DC. Delessert Ic. 3, 15.
 — — — *exilis* DC. Rchb. Pl. crit. 1, 28.
 † — — — Mutel Fl. fr. 11.
 — — — *flavescens* DC. Sebastiani Pl. rom. 1, 1.
 — — — *furcata* Royle. Royle Illustr. 19.
 — — — *glandulosa* H. B. K. H. B. K. Nov. Gen. 5, 510.
 — — — *glumacea* Sibth. Sibth. Fl. gr. 670.
 — — — *grandiflora* Lodd. Lodd. Cab. 1227.
 — — — *Heisteria* L. Schneevogt Ic. 26.
 — — — Bot. Mag. 10, 340.
 — — — Lodd. Cab. 268.
 — — — Nouveau Duhamel 3, 39.
 — — — *Hilariana* Endl. Endl. Atacta 4.
 — — — *humilis* Lodd. Lodd. Cab. 420.
 — — — *hygrophila* H. B. K. H. B. K. Nov. Gen. 5, 508.
 — — — *javana* DC. Hook. Companion 7.
 — — — *latifolia* Ker. Lodd. Cab. 760.
 — — — Bot. Reg. 8, 645.
 — — — *Laureola* St. Hil. St. Hil. Fl. Bras. 89.
 — — — *ligularis* Ker. Bot. Reg. 8, 637.
 — — — *major* Jacq. Jacq. Fl. austr. 5, 413.
 — — — Rchb. Pl. crit. 1, 27.
 — — — Hayne 13, 25.
 — — — *micrantha* Thunb. Andr. Rep. 6, 424.
 — — — Lodd. Cab. 1773.
 — — — *microphylla* L. Hoffm. Link Fl. port. 56.
 — — — Brotero Phytogr. 175.
 — — — *mixta* Andr. Andr. Rep. 7, 455.
 — — — *L. fil.* Bot. Mag. 41, 1714.
 — — — *monopetala* Camb. Jacquemont Ind. 27.
 — — — *monspeliaca* L. DC. Ic. Gall. 9.
 — — — Hoffm. Link Fl. port. 55.
 — — — Brotero Phytogr. 176.
 — — — Rchb. Pl. crit. 1, 26.
 † — — — Mutel Fl. fr. 11.
 — — — *Moquiniana* St. Hil. St. Hil. Fl. Bras. 86.
 — — — *Myrsinites* Royle. Royle Illustr. 19.
 — — — *myrtifolia* L. Bot. Reg. 8, 669.
 — — — var. Bot. Mag. 64, 3616.
 — — — Savi Fl. ital. 2, 61.
 — — — Spach Suites 120.

- Polygala nicaensis* Risso. Rizzo Fl. de Nice 4.
 — *noncherensis* Camb. Jacquemont Ind. 26.
 — *oppositifolia* L. Bot. Mag. 14, 492.
 — — Nouveau Duhamel 3, 40.
 — — Bot. Reg. 8, 636.
 — — var. major, Bot. Reg. 14, 1146.
 — *oxycoccoides* Desf. Desf. Fl. atl. 174.
 — *oxyphylla* DC. Delessert Ic. 3, 17.
 — *oxyptera* Rchb. Rchb. Pl. crit. 1, 23, 24.
 † — — Mutel Fl. fr. 10.
 — *paniculata* L. Swartz Obs. 6.
 — — Rchb. Pl. crit. 1, 28.
 — — Bot. Reg. 9, 761.
 — *paucifolia* Willd. Bot. Mag. 55, 2852.
 — — Barton Fl. 2, 56.
 — — Rafinesque Med. 75.
 — — Gray Genera 184.
 — *peduncularis* A. Rich. Ramon Cuba 12^b.
 — *persicariaefolia* DC. Wall. Fl. asiat. 184.
 — *pinifolia* Lam. Lam. Encycl. 598.
 — *Posya* Mart. Münchn. Denkschr. 9, 2, 8.
 — *polygama* Walt. Hook. Bor. Am. 29.
 — *pseudo-Erica* St. Hil. St. Hil. Fl. Bras. 87.
 — *purpurea* Nutt. Barton Fl. 2, 47.
 — *Quartiniana* Rich. Richard Abyssin. 9.
 — *rivinaefolia* H. B. K. H. B. K. Nov. Gen. 5, 512.
 — *rosea* Desf. Desf. Fl. atl. 176.
 — *rubella* Mühlbg. Bigelow Med. 54.
 — *saxatilis* Desf. Desf. Fl. atl. 175.
 — *Senega* L. Linné Amoenit. 2, 2.
 — — Woodv. Med. 3, 162.
 — — Berl. Jahrbuch 1804, 3.
 — — Bot. Mag. 26, 1051.
 — — Bigelow Med. 30.
 — — Barton Med. 36.
 — — Lodd. Cab. 1380.
 — — Nees Düsseldorf. 410.
 — — Wagner 138.
 — — Guimpel et Schl. 176.
 — — Hayne 13, 21.
 — — Gray Genera 183.
 — *serpyllacea* Weihe. Hayne 13, 24.
 — *sibirica* L. Ledeb. Ic. 448.
 — *sororia* Miq. Miquel Surin. 8.
 — *speciosa* Sims. Bot. Mag. 43, 1780.
 — — Lodd. Cab. 621.
 — — Bot. Reg. 2, 150.
 — — Maund Bot. 1, 43.
 — — Herb. amat. 3, 193.
 † — — Ann. sc. nat. III. 15, 18.
 — *spectabilis* DC. Delessert Ic. 3, 18.
 — *stenophylla* Klotzsch. Peters Mossamb. 23.
 — *stipulacea* L. Andr. Rep. 6, 363.
 — — Lodd. Cab. 741.
 — — Bot. Mag. 41, 1715.
 — *subtilis* H. B. K. H. B. K. Nov. Gen. 5, 506.
 — *supina* Schreb. Schreber Ic. 10.
 — *teretifolia* L. Andr. Rep. 6, 370.
 — — Lodd. Cab. 294.
 — *thesioides* Willd. Sweet Fl. G. II. 215.
 — *Timouton* Aubl. Aublet Guiana 295.
 — *trichosperma* L. Jacq. Observ. 67.
 — *triphylla* Royle. Royle Illustr. 19.
 — *uliginosa* Rchb. Rchb. Pl. crit. 1, 21.
 — — Nees Düsseldorf. 409.
 † — — Mutel Fl. fr. 10.
 — *variabilis* H. B. K. H. B. K. Nov. Gen. 5, 509.
 — *venenosa* Juss. Delessert Ic. 3, 16.
 — *venulosa* Sibth. Sibth. Fl. gr. 669.
 — *violacea* Aubl. Aublet Guiana 294.
 — *virgata* Thunb. Kerner Hort. 785.
 — *vulgaris* L. Fl. dan. 3, 516.

- † *Polygala vulgaris* L. Gaertn. Carp. 62.
 † — — — Lam. Encycl. 598.
 — — — Sv. Bot. 712.
 — — — Engl. Bot. 2, 76, 2827.
 — — — Baxter Brit. Bot. 4, 281.
 — — — var. Rochel Banat. 17.
 — — — var. pyxophylla, Avé-Lallemant 21.
 † — — — Mutel Fl. fr. 10.
 — — — Dict. sc. nat. 174.
 — — — Cosson Atlas 8.
 — — — Schrank Fl. monac. 4, 325.
 — — — Hayne 13, 23, 24.
 — — — Wagner 80.
 — — — Rchb. Pl. crit. 1, 25.
 — — — Dietr. Fl. bor. 4, 276.
 — — — Meyer Fl. hann. 6.
 — *Wallichiana* Wight. Wight Illustr. 22.
 — *Wightiana* Wall. Wight Ic. pl. Ind. or. 1, 67.
Polygonatum geminiflorum Decne. Jacquemont Ind. 170.
 — *graminifolium* Hook. Hook. Ic. pl. 9, 833.
 — *latifolium* Desf. Red. Lil. 5, 243.
 — *multiflorum* All. Dietr. Fl. bor. 1, 35.
 — *orientale* Desf. Ann. Mus. 9, 7.
 — *sibiricum* Red. Red. Lil. 6, 315.
 — *verticillatum* All. Red. Lil. 5, 244.
 — — — Dietr. Fl. bor. 1, 36.
 — *vulgare* Red. Red. Lil. 5, 258.
 — — — Dietr. Fl. bor. 1, 34.
 † — — — Nees Gen. 2, 60.
† *Polygoneae* Juss. Linn. Transact. 17, 17.
† — — — Meisner Monogr. 1 — 7.
† — — — Schnizl. Iconogr. 2, 103.
† *Polygonella parvifolia* C. A. M. Acad. Pet. 6, x.
Polygonum acetosaeifolium Vent. Vent. Cels 88.
 — *adpressum* Lab. Bill. Nov. Holl. 127.
 — — — Bot. Mag. 59, 3145.
 — *alpestre* C. A. M. Jaubert Illustr. 118.
 — *alpinum* All. Allione Fl. ped. 3, 68.
 — *ambiguum* Meisn. Wight Ic. pl. Ind. or. 5, 1797.
 — *ammannioides* Jaub. Jaubert Illustr. 119.
 — *amphibium* L. Fl. dan. 2, 282.
 — — — Curt. Lond. 1, 106.
 — — — Engl. Bot. 7, 436.
 — — — Dietr. Fl. bor. 4, 283.
 — *amplexicaule* Don. Bot. Reg. 25, 46.
 — *arenarium* W. et K. W. et Kit. 67.
 — *arifolium* L. Barton Fl. 3, 100.
 — *auriculatum* Meisn. Meisner Monogr. 6.
 — *australe* Ach. Rich. Endl. Iconogr. 87.
 — *aviculare* L. Fl. dan. 5, 803.
 — — — Curt. Lond. 2, 69.
 — — — Engl. Bot. 18, 1252.
 — — — Sv. Bot. 406.
 — — — Lam. Encycl. 315.
 — — — Hayne 5, 23.
 — — — Sturm Flora 1, 1.
 — — — Dietr. Fl. bor. 4, 281.
 † — — — Nees Gen. 4, 52.
 — *barbatum* L. Wight Ic. pl. Ind. or. 5, 1798.
 — *Bellardi* All. Allione Fl. ped. 3, 90.
 — *Bistorta* L. Fl. dan. 3, 421.
 — — — Curt. Lond. 3, 125.
 — — — Engl. Bot. 8, 509.
 — — — Woodv. Med. 4, 232.
 — — — Baxter Brit. Bot. 1, 5.
 — — — Dreves 2, 29.
 — — — Hayne 5, 19.
 — — — Nees Düsseldorf. 105.
 — — — Wagner 3.
 — — — Dietr. Fl. bor. 4, 282.
 † — — — Nees Gen. 4, 52.
 — *brachiatum* Lam. Lam. Encycl. 315.

- Polygonum Brunonis* Wall. Royle Illustr. 89.
 — — — Lem. Jard. fl. 117.
 — — — Paxt. Fl. G. 37.
 — chinense L. Burmann Fl. ind. 30.
 — — — Wight Ic. pl. Ind. or. 5, 1806.
 — Convolvulus L. Fl. dan. 5, 744.
 — — — Curt. Lond. 2, 132.
 — — — Engl. Bot. 14, 941.
 — — — Schrank Fl. monac. 4, 380.
 † — — — Nees Gen. 4, 52.
 — corrigioloides Jaub. Jaubert Illustr. 124.
 — crassinerve Ces. Cesati Stirp. ital. x.
 — crispulum Sims. Bot. Mag. 27, 1065.
 — cuspidatum S. et Zucc. Jaarb. Tuinb. 1849, x.
 — cymosum Trev. Rchb. Hort. 176.
 — Donii Meism. Wight Ic. pl. Ind. or. 5, 1801.
 — dumetorum L. Fl. dan. 5, 756.
 — — — Engl. Bot. 2811.
 — elegans Ten. Tenore Fl. nap. 35.
 — emarginatum Roth. Metzger Cereal. 20.
 — — — Bot. Reg. 13, 1065.
 — Emodi Wall. Wall. Pl. asiat. 287.
 — equisetiforme Sibth. Sibth. Fl. gr. 364.
 † Fagopyrum L. Usteri Annalen 5, 5.
 — — — Engl. Bot. 15, 1044.
 — — — Dreves 3, 77.
 — — — Hayne 5, 24.
 — — — Sturm Flora 5, 18.
 — — — Metzger Cereal. 20.
 — — — Spach Suites 72.
 † frutescens L. Gaertn. Carp. 119.
 — — — Lam. Encycl. 315.
 — — — Lodd. Cab. 489.
 — — — Bot. Reg. 3, 254.
 — glabrum Willd. Rheede Hort. mal. 12, 77.
 — — — Wight Ic. pl. Ind. or. 5, 1799.
 — hastatum Murr. Novi Comm. Gott. 5, 6.
 — — — Ledeb. Ic. 361.
 — horridum Roxb. Wight Ic. pl. Ind. or. 5, 1803.
 — Hydropiper L. Fl. dan. 9, 1576.
 — — — Sv. Bot. 424.
 — — — Curt. Lond. 2, 121.
 — — — Engl. Bot. 14, 989.
 † — — — Mutel Fl. fr. 59.
 — — — Schk. Handb. 108.
 — — — Hayne 5, 20.
 — — — Rchb. Ic. crit. 5, 494.
 — — — Dietr. Fl. bor. 4, 285.
 † — — — Nees Gen. 4, 52.
 — indicum Roth. Wight Ic. pl. Ind. or. 5, 1808.
 — injucundum Ldl. Bot. Reg. 15, 1250.
 — lapathifolium Ait. Curt. Lond. 2, 27, 27^b.
 — — — Engl. Bot. 20, 1382.
 † — — — Mutel Fl. fr. 58.
 — — — Rchb. Ic. crit. 5, 495.
 † — — — Nees Gen. 4, 52.
 † laxiflorum Weihe. Mutel Fl. fr. 59.
 † laxum Rchb. Rchb. Ic. crit. 5, 492.
 † — — — Mutel Fl. fr. 58.
 — — — Engl. Bot. 2822.
 — linifolium Mühlb. Barton Fl. 3, 95.
 — luzuloides Jaub. Jaubert Illustr. 126.
 — maritimum L. Santi Viaggi 3, 4.
 — — — Sibth. Fl. gr. 363.
 — — — Engl. Bot. 2804.
 — minus Huds. Curt. Lond. 3, 123.
 — — — Engl. Bot. 15, 1043.
 — — — Fl. dan. 13, 2230.
 — — — Hayne 5, 21.
 — — — Rchb. Ic. crit. 5, 493.
 — — — Dietr. Fl. bor. 4, 286.
 — mite Schrank. Engl. Bot. 2867.

- Polygonum molle* Don. Wight Ic. pl. Ind. or. 5, 1807.
 — multiflorum Thunb. Red. Lil. 4, 229.
 — nepalense Meism. Meisner Monogr. 7.
 — — — Wight Ic. pl. Ind. or. 5, 1804.
 — nodosum Pers. Rchb. Ic. crit. 5, 496.
 † — — — Mutel Fl. fr. 58.
 — Oliverii Jaub. Jaubert Illustr. 121.
 † — orientale L. Gaertn. Carp. 119.
 — — — Bot. Mag. 6, 213.
 — — — Dict. sc. nat. 15.
 — Owenii Bojer. Ann. sc. nat. II. 4, 9.
 — pedunculare Wall. Wight Ic. pl. Ind. or. 5, 1802.
 — perfoliatum L. Burmann Fl. ind. 31.
 — — — Lam. Encycl. 315.
 — Persicaria L. Fl. dan. 4, 702.
 — — — Curt. Lond. 2, 137.
 — — — Engl. Bot. 11, 756.
 — — — Schk. Handb. 108.
 — — — Hayne 5, 22.
 — — — Rchb. Pl. crit. 5, 491.
 — — — Dietr. Fl. bor. 4, 284.
 — podocephalum Klotzsch. Prinz Waldem. Him. 86.
 — polycnemoides Jaub. Jaubert Illustr. 120.
 — polygamum Vent. Vent. Cels 65.
 — Raji Bab. Engl. Bot. 2805.
 — rivulare Roxb. Rheede Hort. mal. 10, 89, 12, 76.
 — romanum Jacq. Jacq. Observ. 58.
 — rottboelliioides Jaub. Jaubert Illustr. 122.
 — sagittatum L. Linné Hort. Clff. 12.
 — — — Barton Fl. 3, 101.
 — salicornioides Jaub. Jaubert Illustr. 123.
 — serpyllaceum Jaub. Jaubert Illustr. 117.
 — setosum Jacq. Jacq. Obs. 57.
 — — — Jaubert Illustr. 125.
 — splendens Klotzsch. Prinz Waldem. Him. 88.
 — strictum All. Allione Fl. ped. 3, 68.
 — — — Wight Ic. pl. Ind. or. 5, 1800.
 — — — Led. Ledeb. Ic. 444.
 — tataricum L. Svensk Acad. 1744, 4.
 — — — Metzger Cereal. 20.
 † — — — Mem. Instit. 1830, 6.
 — thymifolium Jaub. Jaubert Illustr. 116.
 — tinctorium Ait. Joly Études 1.
 † — — — Acad. Brux. 12, x.
 — undulatum Murr. Novi Comm. Gott. 5, 5.
 — vacciniifolium Wall. Royle Illustr. 80.
 — — — Bot. Mag. 77, 4622.
 — — — Lem. Jard. fl. 117.
 — — — Belgique hort. 2, 37.
 — viviparum L. Fl. dan. 1, 13.
 — — — Sv. Bot. 336.
 — — — Curt. Lond. 4, 81.
 — — — Engl. Bot. 10, 669.
 — — — Lodd. Cab. 1525.
 — — — Schrank Fl. monac. 4, 321.
 — Wallichii Meism. Meisner Monogr. 7.
 — — — Wight Ic. pl. Ind. or. 5, 1805.
 † Polylepis Rz et P. Ruiz et Pav. Prodr. 15.
 Polymeria calycina R. Br. Endl. Iconogr. 57.
 Polymnia canadensis L. Linné Amoenit. 3, 1.
 † — — — Gaertn. Carp. 174.
 — — — Lam. Encycl. 711.
 — maculata Cav. Cav. Ic. 227.
 — sonchifolia P. et E. Poepp. et Endl. 254.
 — tetragonotheca Pers. Schk. Handb. 263.
 — Wedelia L. Jacq. Hist. stirp. am. 198.
 — — — Lam. Encycl. 711.
 † Polymniastrum variabile Lam. Lam. Encycl. 712.
 Polyodon distichum H. B. K. H. B. K. Nov. Gen. 1, 55.
 Polyodontia ceylanica Wight. Wight Ic. pl. Ind. or. 1, 256.
 Polyosma ilicifolia Bl. Bennett Java 40.
 † — serrulata Bl. Blume Mus. 1, 57.

- Polyphragmon sericeum* Desf. Mem. Mus. 6, 2, 2^b.
† *Polypodium L.* (Germinatio.) Usteri Ann. 20, 2.
† — Schnizl. Iconogr. 1, 26^a. 26^b.
— *achilleaeifolium* Kaulf. Kunze Fil. 43.
— *acrostichoides* Sw. ? Rheed. Hort. mal. 12, 74.
— *aculeatum* Raddi. Raddi Fil. 42.
— *Adenophorus* Hook. Hook. Beechey 22.
— *adnascens* Sw. Swartz Synopsis Fil. 2.
— *affine* M. et G. Acad. Brux. 15, 8.
— — Bl. Blume Java 6, 69.
— *albidosquamatum* Bl. Blume Java 6, 57.
— *albopunctatum* Raddi. Raddi Fil. 30.
— *alpinum* Jacq. Jacq. Ic. 642.
— *angustatum* Sw. Schk. Fil. 8^c.
— — Blume Java 6, 62.
— *angustifolium* Sw. Raddi Fil. 24.
— *araneosum* M. et G. Acad. Brux. 15, 5.
— *arborescens* L. Desc. Ant. 1, 63.
— *argentatum* Jacq. Jacq. Schoenbr. 4, 447.
— *asperum* L. Presl Reliq. 3.
— *asplenoides* Scop. Scop. Fl. carn. 2, 62.
— *atrovirens* Langsd. Langsd. et Fischer 14.
— *attenuatum* R. Br. Hook. Ic. pl. 5, 409.
— *aureum* L. Schk. Fil. 12.
† — — König Annals 1, 1.
† — *aurisetum* Raddi. Raddi Fil. 23.
† — *australe* Fée. Fée Fil. 5, 20.
— *avenium* Desv. Desvaux Journal 6, 41.
— *axillare* Raddi. Raddi Fil. 41.
— *Bergianum* Schlecht. Schlechtendal Fil. 9.
— *biauriculatum* Hook. Hook. Ic. pl. 2, 121.
— *bicuspe* Bl. Blume Java 6, 78.
— *biseriatum* M. et G. Acad. Brux. 15, 9.
— *brasiliense* Poir. Dict. sc. nat. 84.
— *Brongniartii* Bory. Bory Coquille 34.
— *Calagnala* R. et P. Ruiz et Pav. Memoria x.
— — Lambert Cinchona x.
— — Desc. Ant. 1, 64.
— *calcareum* Sm. Engl. Bot. 22, 1525.
— — Newman p. 131.
— *cancellatum* Fée. Mem. Strassb. 4, 7.
— *Catharinae* Langsd. Langsd. et Fischer 9.
— *caudatum* Raddi. Raddi Fil. 39.
— *caudiforme* Bl. Blume Java 6, 84.
— *celebicum* Bl. Blume Java 6, 84.
— *chrysolepis* Hook. Hook. Ic. pl. 8, 721.
— *commutatum* Bl. Blume Java 6, 73.
— *conjugatum* Kaulf. Kunze Analecta 10.
— *connexum* Mart. Mart. Crypt. bras. 65.
— *corcovadense* Raddi. Raddi Fil. 40.
— *cordifolium* M. et G. Acad. Brux. 15, 4.
— *coriaceum* Raddi. Raddi Fil. 25.
— — Roxb. Calcutta Journal 1844, 28.
— *crassinervium* Bl. Blume Java 6, 61.
— *crinitum* Poir. Hook. Ic. Fil. 1, 66.
— *cristallinum* Kze. Kunze Fil. 135.
— *cristatum* L. Svensk Acad. 1787, 9.
— — Baumgarten Fl. lips. 3.
— *cucullatum* N. et Bl. Acta Leop. 11, 1, 12.
— *cuspidatum* Presl. Presl Reliq. 1.
— — Blume Java 6, 82.
— *decurrens* Raddi. Raddi Fil. 33.
— *delicatum* M. et G. Acad. Brux. 15, 7.
— *dentatum* Dicks. Dickson Fasc. 7.
— *dentatum* Hoffm. Sturm Flora II. 1, 6.
— *dichotomum* Thunb. Thunberg Fl. jap. 37.
— *dilatatum* Hoffm. Müller Fl. friedrichsd. 2. fig. 4.
— *dipteris* Bl. Blume Java 6, 81.
— *discolor* Hook. Hook. Ic. pl. 4, 386.
— *dissimile* L. Rumpf Amb. 6, 35. fig. 2.
— — Schk. Fil. 14.
— *distans* Raddi. Raddi Fil. 31.

- Polypodium divergens* Schk. Schk. Fil. 26^b.
— *Dryopteris* L. Fl. dan. 5, 759. 11, 1943.
— — Schk. Fil. 25.
— — Sturm Flora II. 1, 7.
— — Engl. Bot. 9, 616.
— — Newman p. 123.
— *effusum* Sw. Schk. Fil. 26^c.
— *elaegnifolium* Bory. Bory Coquille 31.
— *elongatum* Schrad. Schlechtendal Fil. 7.
— *ensifolium* Thunb. Kunze Fil. 54.
— *excavatum* Roxb. Calcutta Journal 1844, 30.
— *falcatum* Thunb. Thunberg Fl. jap. 36.
— *falciculatum* Raddi. Raddi Fil. 36^b.
† — *fallax* Schlecht. Fée Fil. 5, 10.
— *farinosum* Hook. Hook. Ic. pl. 10, 947.
— *ferrugineum* M. et G. Acad. Brux. 15, 7.
— *filipendulifolium* Fée. Mem. Strassb. 4, 5.
† — *Filix femina* L. Hedwig Theoria 7.
† — *Filix mas* L. Woodv. Med. 4, 267.
— — Nees Düsseldorf. 19.
— *flagelliferum* Roxb. Calcutta Journal 1844, 31.
— *flexile* Fée. Mem. Strassb. 4, 2.
— *formosum* Raddi. Raddi Fil. 38.
— *fragile* L. Fl. dan. 3, 401.
— — Vill. Dauph. 53.
— *fragrans* L. Desf. Fl. atl. 257.
— *fraxinifolium* Jacq. Jacq. Ic. 639.
— *Friedrichsthalianum* Kze. Kunze Fil. 123.
— *fulvum* M. et G. Acad. Brux. 15, 6.
— *Funiculum* Fée. Mem. Strassb. 4, 8.
— *fuscatum* Sw. Blume Java 6, 86.
— *Galeottii* Martens. Acad. Brux. 15, 7.
— *Gaudichaudii* Bory. Ann. sc. nat. 5, 14.
— — Blume Java 6, 67.
— *gibbosum* Fée. Mem. Strassb. 4, 2.
— *glabrum* Roxb. Calcutta Journal 1844, 28.
— *glaucinum* M. et G. Acad. Brux. 15, 5.
— *glaucophyllum* Kze. Kunze Fil. 93.
— *glaucum* Sw. Raddi Fil. 29.
— *gracile* Hook. Hook. Ic. Fil. 2, 222.
— *granulosum* Presl. Presl Reliq. 4.
— *griseum* Schk. Schk. Fil. 28^b.
— *grossum* Langsd. Langsd. et Fischer 8.
— *Hartwegianum* Hook. Hook. Ic. pl. 4, 390.
— *Hasseltii* Bl. Blume Java 6, 92.
— *hastaeifolium* Sw. Hook. Ic. Fil. 2, 203.
— *hastatum* Thunb. Thunberg Ic. jap. 30.
— — Kunze Fil. 83.
— *heterocarpum* Bl. Blume Java 6, 75.
— *heteromorphum* Hook. Hook. Ic. Fil. 1, 108.
— *hexagonopterum* Michx. Hook. Ic. Fil. 2, 210.
— *Hippocrepis* Jacq. Jacq. Ic. 641.
— *hirsutissimum* Raddi. Raddi Fil. 26.
— — Bory Coquille 32.
— *hirsutulum* Raddi. Raddi Fil. 29.
— *hirtum* Sw. Schk. Fil. 25^c.
— *Horsfieldii* R. Br. Bennett Java 1.
— *hyperboreaum* Sw. Schk. Fil. 17^b.
— — Sturm Flora II. 3, 1.
— — Engl. Bot. 29, 2023.
— — Fl. dan. 13, 2185.
— *ilvense* Sw. Schk. Fil. 19.
— — Sturm Flora II. 2, 1.
— — Fl. dan. 13, 2186.
— *incurvatum* Bl. Blume Java 6, 65.
— *insigne* Bl. Blume Java 6, 74.
— *intermedium* Colla. Mem. Tur. 39, 74.
— *invisum* Sw. Schk. Fil. 18.
— *irioides* Poir. Hook. Ic. Fil. 2, 125.
— — Blume Java 6, 77.
— *irregulare* Presl. Presl Reliq. 4.
— — Blume Java 6, 72.

- Polypodium juglandifolium* H. B. K. H. B. K. N. G. 7, 663.
 — *Keraudrenianum* Gaudich. Freycinet Voyage 7.
 — *khasyanum* Hook. Hook. Ic. pl. 10, 949.
 — *laciniatum* Vill. Vill. Dauph. 53.
 — — *Forst.* Blume Java 6, 63.
 — *laetum* Raddi. Raddi Fil. 28.
 — *lanceolatum* L. Lam. Encycl. 866.
 — *lapathifolium* Lam. Raddi Fil. 24.
 — *latifolium* Forst. Schk. Fil. 24.
 — *latipes* Langsd. Langsd. et Fischer 10.
 — *laxum* Presl. Presl Reliq. 4.
 — *lepidotum* Willd. Schlechtendal Fil. 8.
 — *leptophyllum* L. Schk. Fil. 26.
 — *leucosorum* Boj. Hook. Ic. pl. 10, 942, 943.
 — *Leuzeanum* Gaudich. Freycinet Voyage 6.
 — *Lindenianum* Kze. Kunze Fil. 134.
 — *lineare* Burm. Burmann Fl. ind. 67.
 — — *Thunb.* Thunberg Ic. jap. 19.
 — *Lingua* Thunb. Langsd. et Fischer 5.
 — *Linnaei* Bory. Ann. sc. nat. 5, 12.
 — *Lobbianum* Hook. Hook. Journ. 1853, 11.
 — *Lonchitis* L. Fl. dan. 3, 497.
 — — *Sturm* Flora II. 1, 4.
 — *longifrons* Wall. Hook. Ic. Fil. 1, 65.
 — *longissimum* Bl. Blume Java 6, 68.
 — *lunulatum* Forst. Schk. Fil. 23.
 + — *lycopodioides* L. Linn. Transact. 2, 18.
 — — Schk. Fil. 8^c.
 — — Desvaux Journal 6, 40.
 — *macrocarpum* Presl. Presl Reliq. 1.
 — — Kunze Fil. 13.
 — — Hook. Ic. pl. 10, 934.
 — *macrosum* Fée. Mem. Strassb. 4, 8.
 — *megalodus* Schk. Schk. Fil. 19^b.
 — *melanopum* Hook. Hook. Bot. Misc. 111.
 — *menisciifolium* Langsd. Langsd. et Fischer 12.
 — — ? Raddi Fil. 31^b.
 — *microlepis* Fée. Mem. Strassb. 4, 6.
 — *millefolium* Bl. Blume Java 6, 88.
 — *minutum* Bl. Blume Java 6, 87.
 — *molle* Vill. Vill. Dauph. 53.
 — — Jacq. Jacq. Ic. 640.
 — *mollicomum* N. et Bl. Acta Leop. 11. 1, 12.
 — — Blume Java 6, 86.
 — *moniliforme* Lagasca. Schk. Fil. 8^c.
 — *montanum* All. Sv. Bot. 666.
 — *morbillosum* Presl. Presl Reliq. 3.
 — *multifidum* Jacq. Jacq. Ic. 643.
 — — Bory. Bory Des d'Afrique 20.
 — — Kunze Fil. 43.
 — *murorum* Hook. Hook. Ic. pl. 1, 70.
 — *musaeifolium* Bl. Blume Java 6, 79.
 — *myriocarpum* Hook. Hook. Ic. pl. 1, 84.
 — *myrrhidifolium* Vill. Vill. Dauph. 53.
 — *neglectum* Bl. Blume Java 6, 54.
 — *neriifolium* Schk. Schk. Fil. 15.
 — — var. β . Raddi Fil. 31^b.
 — *nigrescens* Bl. Blume Java 6, 70.
 — *nutans* Bl. Blume Java 6, 86.
 — *obliquatum* Bl. Blume Java 6, 85.
 — *obtusum* Ham. Rheed. Hort. mal. 12, 17.
 — — Schk. Schk. Fil. 21.
 — *onustum* Hook. Hook. Ic. pl. 8, 749.
 — *Oreopteris* Willd. Fl. dan. 7, 1121.
 — — Reich Magazin 23. 24.
 — *ovatum* Wall. Hook. Ic. Fil. 1, 41.
 — *pallens* Bl. Blume Java 6, 84.
 — *palmatum* Bl. Blume Java 6, 64.
 — *paludosum* Bl. Blume Java 6, 90.
 — *papillosum* Bl. Blume Java 6, 89.
 — — Bennett Java 2.
 — — Hook. Ic. pl. 10, 946.

- Polypodium paradiseae* Langsd. Langsd. et Fischer 11.
 — *parietinum* Kl. Kunze Fil. 117.
 — *Parkeri* Hook. Hook. Ic. Fil. 2, 232.
 — *parvulum* Bl. Blume Java 6, 87.
 — *pectinatum* L. Schk. Fil. 17^b.
 — — Lodd. Cab. 748.
 — *pellucidum* Kauf. Hook. Ic. pl. 10, 944, 945.
 — *pendulum* Sw. Schk. Fil. 10.
 — *pennigerum* Forst. Schk. Fil. 22.
 — *percursum* Cav. Langsd. et Fischer 6.
 — — Raddi Fil. 24.
 — *pertusum* Roxb. Hook. Exot. Fl. 162.
 — — Calcutta Journal 1844, 29.
 — *peruvianum* Desv. Hook. Ic. Fil. 2, 223.
 — *petrophyum* Bl. Blume Java 6, 71.
 — *Phegopteris* L. Fl. dan. 7, 1241.
 — — Schk. Fil. 20, 20^b.
 — — Engl. Bot. 31, 2224.
 — — Newman p. 115, 122.
 — *phymatodes* L. Jacq. Ic. 637.
 — — Schk. Fil. 8^c, et 9, 17.
 — *piligerum* Hook. Hook. Ic. pl. 4, 321.
 — *pilipes* Hook. Hook. Ic. pl. 3, 221.
 — *pilosissimum* M. et G. Acad. Brux. 15, 9.
 — *pilosum* Schk. Schk. Fil. 17.
 — *plantagineum* Jacq. Jacq. Collect. 2, 3.
 — — Hook. Exot. Fl. 114.
 — *pleopeltifolium* Raddi. Raddi Fil. 21.
 — *Plumula* Raddi. Raddi Fil. 27.
 — *proliferum* Roxb. Calcutta Journal 1844, 32.
 — *Pseudo-Grammitis* Hook. Hook. Beechey 21.
 — *pteroides* Retz. Presl Reliq. 4.
 — *pteropus* Bl. Blume Java 6, 76.
 — *pubescens* Gill. Hook. Ic. Fil. 2, 182.
 — — Raddi Fil. 34.
 — *pulchrum* M. et G. Acad. Brux. 15, 8.
 — *punctulatum* Hook. Hook. Ic. pl. 8, 720.
 — *pustulatum* Forst. Schk. Fil. 10.
 + — — König Annals 1, 1.
 — *quercifolium* L. Rheed. Hort. mal. 12, 11.
 — — Rumpf Amb. 6, 36.
 — — Schk. Fil. 13.
 — — Calcutta Journal 1844, 30.
 — *radicans* Burm. Burmann Fl. ind. 66.
 — *regium* L. Vill. Dauph. 53.
 — *rhaeticum* L. Vill. Dauph. 53.
 — *rigescens* Bory. Hook. Ic. Fil. 2, 216.
 — *rigidum* Hook. Hook. Ic. Fil. 2, 163.
 — *rivulorum* Raddi. Raddi Fil. 33.
 — *rosmarinifolium* H. B. K. H. B. K. N. G. 7, 663.
 — *rufescens* Bl. Blume Java 6, 91.
 — *rugulosum* Lab. Bill. Nov. Holl. 241.
 — *rupestre* Bl. Blume Java 6, 55, 60.
 — *saccatum* Fée. Mem. Strassb. 4, 7.
 — *saxicola* Sw. Svensk Acad. 1817, 3.
 — *scandens* Forst. Bill. Nov. Holl. 240.
 — — Schk. Fil. 8.
 — *Schkuhrii* Raddi. Raddi Fil. 27.
 — *Schomburgkianum* Kze. Kunze Fil. 42.
 — *scolopendrioides* L. Hook. Ic. Fil. 1, 42.
 — *Scouleri* H. et Gr. Hook. Ic. Fil. 1, 86.
 — *semiadnatum* Hook. Hook. Ic. pl. 10, 948.
 — *Serricula* Fée. Mem. Strassb. 4, 7.
 — *setigerum* Bl. Hook. Beechey 21.
 — — Hook. Ic. pl. 10, 941.
 — *siatulaefolium* Bl. Blume Java 6, 78.
 — *silvaticum* Schk. Schk. Fil. 8^b.
 — — Col. Hook. New Zealand 81.
 — *solutum* Kl. Kunze Fil. 117.
 — *Speluncae* L. Schk. Fil. 26^d, e.
 — *spinulosum* Burm. Burmann Fl. ind. 67.
 — — Müll. Müller Fl. friedrichsd. 2. fig. 2.

- Polypodium spinulosum* Müll. Fl. dan. 4, 707.
 — *stellatum* Vahl. Schk. Fil. 8.
 — *stenophyllum* Bl. Blume Java 6, 55.
 — *stigmaticum* Presl. Presl Reliq. 3.
 — *subauriculatum* Bl. Blume Java 6, 83.
 — *subcrenatum* Hook. Hook. Ic. pl. 8, 719.
 — *subdigitatum* Bl. Blume Java 6, 93.
 — *subfalcatum* Bl. Blume Java 6, 87.
 — *subincisum* Mart. Mart. Crypt. bras. 64.
 — *submarginale* Langed. Langed. et Fischer 13.
 — *subpetiolatum* Hook. Hook. Ic. pl. 4, 391. 392.
 — *subtriphyllum* Hook. Hook. Beechey 50.
 — *superficiale* Bl. Blume Java 6, 56.
 — *surinamense* Jacq. Jacq. Collect. 3, 21.
 — *surucuchense* Hook. Hook. Ic. pl. 1, 69.
 — *suspensum* L. Desc. Ant. 2, 147.
 — *Taenitis* Roth. Bory Coquille 33.
 — *tenellum* Forst. Schk. Fil. 16.
 — *tenuifolium* H. B. K. H. B. K. Nov. Gen. 7, 664.
 — *tenuisectum* Bl. Blume Java 6, 88.
 — *tetragonum* Sw. Schk. Fil. 18.
 — *Thelypteris* L. Schmidel Ic. 11.
 — — — Fl. dan. 5, 760.
 — — — Vill. Dauph. 53.
 — — — Sturm Flora II. 1, 5.
 — *Thouinianum* Gaudich. Freycinet Voyage 3.
 — *tjuccanum* Raddi. Raddi Fil. 37.
 — *tomentosum* Aub. Aub. Th. Mélanges 3.
 — — — Roxb. Calcutta Journal 1844, 29.
 — *trapezioides* Burm. Burm. Fl. ind. 66.
 — *trichomanoides* Sw. Schk. Fil. 10.
 — *tridaetylum* Wall. Hook. Ic. Fil. 2, 209.
 — *tridens* Kze. Kunze Fil. 13.
 — *trifoliatum* Jacq. Jacq. Ic. 638.
 — *triphyllum* Jacq. Jacq. Collect. 3, 22.
 — *triquetrum* Bl. Blume Java 6, 59.
 — *Tweedianum* Hook. Hook. Ic. pl. 1, 86.
 — *unitum* Burm. Calcutta Journal 1844, 30.
 — *vacciniifolium* Langed. Langed. et Fischer 7.
 — — — Raddi Fil. 23.
 — *varians* Bl. Blume Java 6, 58.
 — *velatum* Schk. Schk. Fil. 11.
 — *venulosum* Bl. Blume Java 6, 85.
 — *vestitum* Raddi. Raddi Fil. 36.
 — *viviparum* Raddi. Raddi Fil. 32.
 — *vulgare* L. Fl. dan. 6, 1060.
 — — — Sv. Bot. 37.
 — — — Woodv. Med. 4, 268.
 — — — Curt. Lond. 1, 5.
 — — — Engl. Bot. 16, 1149.
 — — — Newman p. 111. 113.
 — — — Hook. Gen. Fil. 69.
 — — — Lam. Encycl. 866.
 — — — Schk. Fil. 11.
 — — — var. *cambricum*, Schk. Fil. 11. 17.
 — — — Sturm Flora II. 1, 3.
 — — — Nees Düssel. 15.
 — — — Wagner 189.
 — *vulvanicum* Bl. Blume Java 6, 56.
 — *Wallichii* R. Br. Hook. Ic. Fil. 2, 168. 169.
 — *Willdenowii* Bory. Ann. sc. nat. 5, 13.
 — — — Blume Java 6, 66.
 — *Zippelii* Bl. Blume Java 6, 80.
 † *Polypogon* Desf. Dumortier Gramin. 11.
 — *interruptus* H. B. K. H. B. K. Nov. Gen. 1, 44.
 — *linearis* Trin. Gay Chile 77.
 — *litoralis* Sm. Mutel Fl. fr. 77.
 — — — Rehb. Fl. germ. 1, 31. 7, 75.
 — *maritimus* Willd. Mutel Fl. fr. 77.
 — — — Gussone Pl. rar. 5.
 — — — Rehb. Fl. germ. 7, 75.
 — *monspeliensis* Desf. Mutel Fl. fr. 76. 77.

- Polypogon monspeliensis* Desf. Baxter Brit. Bot. 3, 208.
 † — — — Münchn. Denkschr. 4, 9.
 — — — Rehb. Fl. germ. 1, 31.
 † — — — Nees Gen. 1, 32.
 † — *subspicatus* Willd. Münchn. Denkschr. 4, 9.
Polypompholyx laciniata Benj. Endl. Bras. 9, 20. 22.
 † *Polypremum procumbens* L. Gaertn. Carp. 62.
 † — — — Lam. Encycl. 71.
Polyschistis paupercula Presl. Presl Reliq. 41.
 † *Polyscias* Forst. Forster Charact. 32.
 † — *pinnata* Lam. Lam. Encycl. 320.
Polyspora axillaris Don. Bot. Mag. 69, 4019.
Polystachya bracteosa Ldl. Bot. Mag. 71, 4161.
 — *grandiflora* Ldl. Bot. Mag. 65, 3707.
 — *luteola* Hook. Hook. Exot. Fl. 103.
 — — — Wight Ic. pl. Ind. or. 5, 1678.
 — *puberula* Ldl. Bot. Reg. 10, 851.
 — *purpurea* Wight. Wight Ic. pl. Ind. or. 5, 1679.
Polystemma viridiflora Decne. Delessert Ic. 5, 79.
Polystepis Aub. Aubert Orchid. 81.
Polystichum aculeatum Roth. Newman p. 169.
 — *angulare* Newm. Newman p. 173. 174. 182.
 — *aristatum* Presl. Hook. New Zealand 78.
 — *cyphochlamys* Fée. Mem. Strassb. 4, 3.
 — *ilicifolium* Fée. Mem. Strassb. 4, 6.
 † — *Lonchitis* Roth. Schott Gen. Fil. 12.
 — — — Newman p. 163. 166.
 — *proliferum* Presl. Richard Astrolabe 4.
 — *venustum* Hombr. Richard Astrolabe 5.
 — *vestitum* Presl. Richard Astrolabe 4.
 — *viviparum* Fée. Mem. Strassb. 4, 3.
Polytaenia Nuttallii DC. DC. Umbellif. 13.
 † *Polytaenium* Desv. Mem. soc. Linn. Par. 6, 11.
 — *lineatum* Desv. Hook. Gen. Fil. 107.
Polytoca bracteata R. Br. Bennett Java 5.
Polytropia ferulaefolia Presl. Presl Symbolae 13.
 † *Pomaceae* Juss. Spach Suites 7—10.
Pomaderris andromedaefolia Cunn. Bot. Mag. 60, 3219.
 — *apetala* Lab. Bill. Nov. Holl. 87.
 † — — — Ann. sc. nat. 10, 16.
 — — — Lam. Encycl. 925.
 — *aspera* Sieb. Mem. Genev. 6, 4.
 — *betulina* Cunn. Bot. Mag. 60, 3212.
 — *discolor* DC. Sweet Austr. 41.
 — *elliptica* Lab. Bill. Nov. Holl. 86.
 — — — Bot. Mag. 37, 1510.
 — — — Lodd. Cab. 756.
 — — — Lam. Encycl. 925.
 — *lanigera* Sims. Bot. Mag. 43, 1823.
 — — — Lodd. Cab. 357.
 — *phylicaeifolia* Lodd. Lodd. Cab. 120.
Pomaria glandulosa Cav. Cav. Ic. 402.
 † *Pomatium spicatum* Gaertn. Gaertn. Carp. 225.
Pomatocalpa spicatum Breda. Breda Orchid. Jav. 15.
Pombalia Ipecacuanha Vand. Vandelli Fasc. 1.
 — — — Roemer Scriptores 3.
 † *Pometia* Forst. Forster Charact. 53.
 † *Pommereulla Cornucopiae* L. Linné Gram. x.
 † — — — Lam. Encycl. 37.
 † — — — Ann. sc. nat. 23, 7.
 — — — Roxb. Corom. 131.
Ponerorchis graminifolia Rehb. Rehb. Xenia 1, 8.
Pongamia atropurpurea Wall. Wall. Pl. asiat. 78.
 — *elliptica* Wall. Wall. Pl. asiat. 237.
 — — — Wight Ic. pl. Ind. or. 2, 429.
 — *glabra* Vent. Rheede Hort. mal. 6, 3.
 — — — Vent. Malm. 28.
 — — — Lam. Encycl. 603.
 — — — Wight Ic. pl. Ind. or. 1, 59.
 — *ovalifolia* W. et A. Wight Ic. pl. Ind. or. 2, 328.
 — *triphylla* Wight. Wight Illustr. in Hook. 41.
 — *uliginosa* DC. Rheede Hort. mal. 8, 46.

- Pontederia azurea* Sw. Bot. Mag. 56, 2932.
 — — — Rchb. Exot. 285.
 — — — cordata L. Red. Lil. 2, 72.
 — — — Lam. Encycl. 225.
 — — — Dict. sc. nat. 39.
 — — — Herb. amat. 4, 230.
 — — — Bot. Mag. 29, 1156.
 — — — Tratt. Thes. 77.
 — — — Desc. Ant. 8, 598.
 — — — Torrey New York 131.
 — — — crassipes Mart. Mart. Bras. 4.
 — — — Rchb. Exot. 40.
 † — — — Schnizl. Iconogr. 1, 54.
 — — — dilatata Buchan. Symes Ava 23.
 — — — Andr. Rep. 7, 490.
 — — — Kerner Hort. 754.
 — — — hastata L. Roxb. Corom. 111.
 — — — lanceolata Nutt. Lodd. Cab. 613.
 — — — natans Pal. B. Pal. B. Fl. d'Oware 68.
 — — — vaginalis L. Rheede Hort. mal. 11, 44.
 — — — Rumpf Amb. 6, 75. fig. 1.
 — — — Roxb. Corom. 110.
 — — — Kerner Hort. 142.
 † Pontederiaceae Rich. Schnizl. Iconogr. 1, 54.
Ponthieva multiflora P. et E. Poepp. et Endl. 123.
 — — — petiolata Ldl. Bot. Reg. 9, 760.
 — — — Lodd. Cab. 1190.
Populus alba L. Nouveau Duhamel 2, 52.
 — — — Hartig 32.
 — — — Engl. Bot. 23, 1618.
 — — — Fl. dan. 13, 2182.
 — — — Rchb. Fl. germ. 11, 614.
 — — — angulata Michx. Michaux Arb. 3, 12.
 — — — argentea Michx. Michaux Arb. 3, 9.
 — — — Bachofenii Wierzb. Rchb. Fl. germ. 11, 616.
 — — — balsamifera L. Pallas Fl. ross. 41.
 — — — Michaux Arb. 3, 13.
 — — — Nouveau Duhamel 2, 50.
 — — — canadensis Michx. Michaux Arb. 3, 11.
 — — — candicans Ait. Michaux Arb. 3, 13.
 — — — canescens Sm. Engl. Bot. 23, 1619.
 — — — Hartig 33.
 — — — Fl. dan. 13, 2183.
 — — — Rchb. Fl. germ. 11, 617.
 — — — ciliata Wall. Royle Illustr. 84^a or 98.
 — — — dilatata Ait. Nocca et Balb. Fl. tic. 19.
 — — — Hayne 13, 46.
 — — — diversifolia Schrenk. Trautvetter Imag. 16.
 — — — graeca Ait. Nouveau Duhamel 2, 54.
 — — — grandidentata Michx. Michaux Arb. 3, 8.
 — — — Torrey New York 121.
 — — — heterophylla L. Nouveau Duhamel 1, 51.
 — — — hudsonica Michx. Michaux Arb. 3, 10.
 — — — hybrida M. v. B. Rchb. Fl. germ. 11, 615.
 — — — laurifolia Led. Ledeb. Ic. 479.
 — — — monilifera Ait. Watson Dendr. 2, 102.
 † — — — nigra L. Gaertn. Carp. 90.
 — — — Schk. Handb. 330.
 — — — Hartig 35.
 — — — Hayne 13, 47.
 — — — Rchb. Fl. germ. 11, 619.
 † — — — Nees Gen. 4, 16.
 — — — Engl. Bot. 27, 1910.
 — — — Baxter Brit. Bot. 6, 506.
 — — — nivea Willd. Schk. Handb. 330.
 — — — pannonica Kit. Rchb. Fl. germ. 11, 619.
 — — — tremula L. Schk. Handb. 330.
 — — — Hartig 34.
 — — — Rchb. Fl. germ. 11, 618.
 — — — Nees Düssel. Suppl. 87.
 † — — — Nees Gen. 4, 16.
 — — — Engl. Bot. 27, 1909.

- Populus tremula* L. Fl. dan. 13, 2184.
 — — — Sv. Bot. 103.
 † — — — Lam. Encycl. 819.
 — — — Spach Suites 152.
 — — — tremuloides Michx. Michaux Arb. 3, 8.
 — — — Nouveau Duhamel 2, 53.
 — — — trichocarpa Torr. et Gr. Hook. Ic. pl. 9, 878.
 — — — villosa Lang. Rchb. Fl. germ. 11, 617.
Porana acuminata Pal. B. Pal. B. Fl. d'Oware 39.
 — — — paniculata Roxb. Roxb. Corom. 235.
 — — — racemosa Roxb. Jacq. Ecl. pl. 165.
 — — — Wight Ic. pl. Ind. or. 4, 1376.
 † — — — Wight Illustr. 168^{bis}.
 — — — volubilis L. Burmann Fl. ind. 21^b.
 — — — Lam. Encycl. 186.
 — — — Wight Ic. pl. Ind. or. 2, 347.
 † — — — Wight Illustr. 168^{bis}.
Poranthera corymbosa Brongn. Brongniart Coquille 50.
 — — — ericifolia Rudge. Linn. Transact. 10, 22.
 — — — Hügel Archiv 8.
 — — — microphylla Brongn. Brongniart Coquille 50.
Poraqueiba guianensis Aubl. Anbl. Guiana 47.
 — — — Lam. Encycl. 134.
 † Porcelia Rz et P. Ruiz et Pav. Prodr. 16.
 † Porlieria Rz et P. Ruiz et Pav. Prodr. 9.
 † — — — hygrometrica Rz et P. Mem. Mus. 12, 16.
 † Porocarpus Helminthoeca Gaertn. Gaertn. Carp. 178.
Porophyllum japonicum DC. Sieb. Fl. Japon. 84.
Porphyrocoma lanceolata Scheidw. Annales de Gand 1846, 56.
 — — — Paxt. Mag. 14, 55.
 — — — Bot. Mag. 71, 4176.
 † Porrum Tournef. Nees Gen. 2, 51.
Portenschlagia australis Tratt. Tratt. Archiv 170.
 — — — integrifolia Tratt. Tratt. Archiv 219.
Porteria ebractescens Hook. Hook. Ic. pl. 9, 864.
Portesia mucronata Cav. Cav. Diss. 216.
 — — — ovata Cav. Cav. Diss. 215.
 — — — Lam. Encycl. 302.
Portlandia corymbosa Rz et P. Ruiz et Pav. Fl. 190.
 — — — grandiflora L. Jacq. Hist. stirp. am. 64.
 † — — — Gaertn. Carp. 31.
 — — — Schneevogt Ic. 4.
 — — — Bot. Mag. 8, 286.
 — — — Smith Ic. pictae 6.
 — — — Lam. Encycl. 162.
 — — — Kerner Hort. 18.
 — — — hexandra Jacq. Jacq. Hist. stirp. am. 65.
 — — — Lam. Encycl. 257.
 — — — platantha Hook. Bot. Mag. 76, 4834.
 — — — Lem. Jard. fl. 60.
 † Portulaca L. Gray Genera 99.
 — — — australis Endl. Endl. Atacta 6.
 — — — crassicaulis Jacq. Jacq. Vind. 3, 52.
 — — — foliosa Ldl. Bot. Reg. 10, 793.
 — — — Gilliesii Hook. Bot. Mag. 58, 3064.
 — — — Bot. Reg. 20, 1672.
 — — — Maund Bot. 2, 78.
 — — — Mem. Tur. 5, (1843.) x.
 — — — grandiflora Hook. Bot. Mag. 56, 2885.
 — — — Fl. d. serres 8, 786.
 — — — guineensis Ldl. Bot. Reg. 10, 793.
 — — — hirsutissima Camb. St. Hil. Fl. Bras. 114.
 — — — maritima Desc. Ant. 1, 51.
 — — — meridiana L. Rheede Hort. mal. 10, 31.
 — — — oleracea L. Rheede Hort. mal. 10, 36.
 — — — Schk. Handb. 130.
 — — — Tratt. Archiv 67.
 — — — Sibth. Fl. gr. 457.
 — — — DC. Plantes grasses 123.
 — — — Lam. Encycl. 402.
 † — — — Ann. sc. nat. 2, 4.

- Portulaca oleracea* L. Gray Genera 99.
 — *paniculata* Jacq. Jacq. Hist. stirp. am. 136.
 — — Jacq. Vind. 151.
 † — *pilosa* L. Gaertn. Carp. 128.
 — — Lam. Encycl. 402.
 — — Bot. Reg. 10, 192.
 — *quadrifida* L. Jacq. Collect. 2, 17.
 — — Wight Illustr. 109.
 — *rostellata* Brign. Novi Comm. Bonon. 7, 21.
 — *splendens* Hort. Bot. Reg. 29, 34.
 — *Thellusonii* Ldl. Bot. Reg. 28, 31.
 — — Paxt. Mag. 8, 29.
 — — Maund Bot. 5, 239.
 — *triangularis* L. Jacq. Hist. stirp. am. 135.
 — — Jacq. Obs. 23.
Portulacaria afra Jacq. DC. Plantes grasses 132.
 — — Tratt. Archiv 68.
Posidonia Konig. Konig Annals 2, 6.
 — *Caulini* Konig. Rchb. Fl. germ. 7, 5.
 † *Posoqueria drupacea* Gaertn. Gaertn. Carp. 195.
 — *floribunda* Roxb. Wight Ic. pl. Ind. or. 2, 583.
 — *formosa* Planch. Fl. d. serres 6, 587.
 — *longiflora* Aubl. Aublet Guiana 51.
 † — — Gaertn. Carp. 193.
 — — Lam. Encycl. 163.
 — *nutans* Roxb. Wight Ic. pl. Ind. or. 2, 581.
 — *versicolor* Ldl. Bot. Reg. 27, 26.
Possira arborescens Aubl. Aublet Guiana 358.
 — *dodecandra* Poir. Lam. Encycl. 461.
 — *triphyllos* Gm. Lam. Encycl. 461.
Potalia amara Aubl. Aublet Guiana 151.
 — — Lam. Encycl. 348.
 — — Desc. Ant. 7, 473.
 † *resinifera* Mart. Mart. Bras. 170.
 † *Potamogeton* L. Linnaea 2, 4. 5. 6.
 — *acuminatus* Schum. Fl. dan. 8, 1384.
 — *acutifolius* Link. Fl. dan. 10, 1747. 12, 2046.
 — — Rchb. Ic. crit. 2, 176.
 — — Rchb. Fl. germ. 7, 26.
 † — — Fieber Potamog. 3.
 — — Engl. Bot. 2609.
 † — — Mutel Fl. fr. 63.
 — — Cosson Atlas 34.
 — *annulatus* Bell. Mem. Tur. 7, 1.
 — *augustanus* Balb. Mem. Tur. 7, 3.
 † — *Bercholdi* Fieb. Fieber Potamog. 4.
 — — Rchb. Fl. germ. 7, 22.
 — *coloratus* Hornem. Fl. dan. 9, 1449.
 † — — Fieber Potamog. 1.
 — *compressus* L. Fl. dan. 2, 203.
 — — Engl. Bot. 6, 418.
 † — — Fieber Potamog. 3.
 — — Rchb. Fl. germ. 7, 24.
 † — — Mutel Fl. fr. 68.
 † *condylocarpus* Tausch. Fieber Potamog. 4.
 † — — Rchb. Fl. germ. 7, 22.
 — *crispus* L. Fl. dan. 6, 927.
 — — Curt. Lond. 2, 123.
 — — Engl. Bot. 15, 1012.
 † — — Fieber Potamog. 3.
 — — Rchb. Fl. germ. 7, 29. 30.
 † — — Nees Gen. 3, x.
 — *decipiens* Nolte. Rchb. Fl. germ. 7, 33.
 — *densus* L. Fl. dan. 8, 1264.
 — — Engl. Bot. 6, 397.
 † — — Fieber Potamog. 1.
 — — Rchb. Fl. germ. 7, 28.
 † — — Flora 1853, 7.
 — *diversifolius* Bart. Barton Fl. 3, 84.
 — *filiformis* Pers. Fl. dan. 12, 2106.
 † — — Fieber Potamog. 4.
 — *fruitans* Roth. Fl. dan. 9, 1450.

- Potamogeton fruitans* Roth. Curt. Lond. 5, 172.
 — — Engl. Bot. 18, 1286.
 — — Fl. dan. 12, 2103.
 † — — Fieber Potamog. 1.
 — — Rchb. Fl. germ. 7, 48. 49.
 — *gramineus* L. Fl. dan. 2, 222.
 — — Engl. Bot. 32, 2253.
 — *heterophyllus* Schreb. Fl. dan. 8, 1263.
 — — Engl. Bot. 18, 1285.
 — — Rochel Banat. 39.
 † — — Fieber Potamog. 2.
 — — Rchb. Fl. germ. 7, 41. 42. 43.
 — *lanceolatus* Sm. Engl. Bot. 28, 1985.
 — — Rchb. Fl. germ. 7, 31.
 — *longifolius* Gay. Engl. Bot. 2847.
 — — Rchb. Fl. germ. 7, 40.
 — *lucens* L. Fl. dan. 2, 193.
 — — Engl. Bot. 6, 376.
 — — Rchb. Fl. germ. 7, 36. 37. 40.
 † — — Fieber Potamog. 2.
 — — R. et Sch. Fl. dan. 10, 1635.
 — *marinus* L. Fl. dan. 2, 186.
 — — Dict. sc. nat. 2.
 — — Rchb. Fl. germ. 7, 18.
 — *monogynus* Gay. Cosson Atlas 33.
 † *natans* L. Gaertn. Carp. 84.
 — — Lam. Encycl. 59.
 — — Fl. dan. 6, 1023.
 — — Engl. Bot. 26, 1822.
 — — Baxter Brit. Bot. 5, 350.
 — — Schk. Handb. 28.
 — — Sturm Flora 3, 9.
 † — — Fieber Potamog. 2.
 — — Rchb. Fl. germ. 7, 50.
 † — — Nees Gen. 3, x.
 — *nitens* Weber. Fl. dan. 11, 1807.
 — — Rchb. Fl. germ. 7, 34.
 † — — Fieber Potamog. 2.
 — *oblongus* Viv. Viviani Fl. ital. 2.
 — — Engl. Bot. 2849.
 † — — Fieber Potamog. 1.
 — *obtusifolius* M. et K. Fl. dan. 12, 2107.
 † — — Fieber Potamog. 3.
 — — Rchb. Fl. germ. 7, 25.
 — *obtusus* Ducros. Gaudin Fl. helv. 1, 4.
 — *ochreateus* Decne. Raoul Nouv. Zel. 7.
 † — *paucifolius* Opiz. Fieber Potamog. 2.
 — *pectinatus* L. Engl. Bot. 5, 323.
 — — Fl. dan. 10, 1746.
 † — — Fieber Potamog. 4.
 — — Rchb. Fl. germ. 7, 19.
 — — Cosson Atlas 34.
 † — *Oefvers*. Sv. Acad. 1852, 1.
 — *perfoliatus* L. Fl. dan. 2, 196.
 — — Engl. Bot. 3, 169.
 — — Sv. Bot. 580.
 — — Rchb. Fl. germ. 7, 29.
 † — — Fieber Potamog. 1.
 — *plantagineus* Ducros. Gaudin Fl. helv. 1, 3.
 — — Engl. Bot. 2948.
 — — Rchb. Fl. germ. 7, 45. 46.
 — *polygonifolius* Pourr. Rchb. Fl. germ. 7, 44.
 — *praelongus* Wulf. Rchb. Ic. crit. 2, 185.
 — — Rchb. Fl. germ. 7, 33.
 — — Fl. dan. 10, 1687.
 — — Engl. Bot. 2858.
 † — — Mutel Fl. fr. 63.
 † — — Fieber Potamog. 1.
 † — *purpurascens* Seidel. Fieber Potamog. 1.
 — *pusillus* L. Engl. Bot. 3, 213.
 — — Fl. dan. 9, 1451.
 — — Cosson Atlas 33.

- Potamogeton pusillus* L. Rchb. Fl. germ. 7, 22.
 † — — — Fieber Potamog. 4.
 † — — — Nees Gen. 3, x.
 — *rufescens* Schrad. Rchb. Ic. crit. 2, 184.
 — — — Rchb. Fl. germ. 7, 32.
 † — — — Mutel Fl. fr. 63.
 — *rutilus* Wolfg. Rchb. Fl. germ. 7, 23.
 † — *spathulatus* Koch et Ziz. Fieber Potamog. 1.
 — — — Rchb. Fl. germ. 7, 47.
 — *striatus* R. et P. Ruiz et Pav. Fl. 106.
 — *tenuissimus* M. K. Rchb. Fl. germ. 7, 22.
 † — *trichoides* Cham. Fieber Potamog. 4.
 — — — Rchb. Fl. germ. 7, 21. 22.
 † — *Zizii* M. et K. Fieber Potamog. 2.
 — — — Rchb. Fl. germ. 7, 38. 39.
 — *zosteraceus* Fr. Rchb. Fl. germ. 7, 20.
 — *zosteræfolius* Schum. Rchb. Ic. crit. 2, 175.
 — — — Rchb. Fl. germ. 7, 27.
 — — — Fl. dan. 11, 1865.
 — — — Engl. Bot. 2685.
 † — — — Fieber Potamog. 3.
Potamophila parviflora R. Br. Humb. Gram. 5.
 — — — Trin. Sp. Gr. 3, 249.
 † *Potentilla* L. Nestler Potentilla 1.
 — *agrimonioides* M. v. B. Ledeb. Ic. 327.
 — *alba* L. Jacq. Fl. austr. 2, 115.
 — — — Sturm Flora 2, 4.
 — — — Schrank Fl. monac. 2, 165.
 — — — Dietr. Fl. bor. 3, 166.
 — — — Engl. Bot. 20, 1384.
 — — — Lodd. Cab. 1534.
 — *alpestris* Hall. fil. Lodd. Cab. 1499.
 — *altaica* Bunge. Ledeb. Ic. 329.
 — *ambigua* Camb. Jacquemont Ind. 62.
 — — — Bot. Mag. 77, 4613.
 — — — Lem. Jard. fl. 210.
 — *angustifolia* Willd. Lehmann Potentilla 19.
 — *anserina* L. Fl. dan. 4, 544.
 — — — Sv. Bot. 152.
 — — — Curt. Lond. 3, 3.
 — — — Engl. Bot. 12, 861.
 — — — Dreves 1, 35.
 — — — Sturm Flora 2, 4.
 — — — Hayne 4, 31.
 — — — Schrank Fl. monac. 4, 386.
 — — — Dietr. Fl. bor. 2, 142.
 — *apennina* Ten. Tenore Fl. nap. 46.
 — *approximata* Led. Ledeb. Ic. 325.
 — *arbuscula* Don. Wall. Pl. asiat. 228.
 — *argentea* L. Fl. dan. 5, 865.
 — — — Engl. Bot. 2, 89.
 — — — Sturm Flora 5, 17.
 — — — Dietr. Fl. bor. 4, 273.
 — *arguta* Pursh. Hook. Bor. Am. 63.
 — — — Bot. Reg. 16, 1379.
 — *argyrophylla* Wall. Lehmann Potentilla 29.
 — *astracantha* Jacq. Jacq. Ic. 92.
 — *astragalifolia* Bunge. Ledeb. Ic. 328.
 — — — Lehmann Potentilla 22.
 — *atrosanguinea* Lodd. Lodd. Cab. 786.
 — — — Bot. Mag. 53, 2689.
 — — — Sweet Fl. G. 124.
 — — — Bot. Mag. 63, 3470.
 — — — var. *Menziesii*, Ann. de Gand 1848, 213.
 — — — Fl. d. serres 7, 748.
 — — — Belgique hortic. 2, 17.
 — *aurea* L. Fl. dan. 1, 114.
 — — — Engl. Bot. 8, 361.
 — — — Lodd. Cab. 77.
 — — — Lam. Encycl. 442.
 — — — Sturm Flora 5, 17.
 — — — Seringe Mus. helv. 8.

- Potentilla bannehalensis* Camb. Jacquemont Ind. 64.
 — *bicolor* Ldl. Bot. Reg. 31, 62.
 — — — Fl. d. serres 2, 67.
 — *biflora* Willd. Lehmann Potentilla 20.
 — *bifurca* L. Gmelin Reise 1, 27.
 — *Bocconi* Nestl. Nestler Potentilla 10.
 — *Brauneana* Hoppe. Sturm Flora 5, 17.
 — — — Nestler Potentilla 10.
 — *calabra* Ten. Tenore Fl. nap. 45.
 — — — Lodd. Cab. 1757.
 — *canadensis* L. Nestler Potentilla 10.
 — *candicans* H. B. K. Nestler Potentilla 3.
 — *cathacines* Lehm. Lehmann Potentilla 30.
 — *caulescens* L. Jacq. Fl. austr. 3, 220.
 — — — Sturm Flora 2, 1.
 — *Cantleyana* Royle. Royle Illustr. 40.
 — *chrysantha* Trev. Rchb. Ic. crit. 6, 589.
 — — — Led. Ledeb. Ic. 338.
 — *cicutariaefolia* Willd. Nestler Potentilla 2.
 — *cinerea* Chaix. Dietr. Fl. bor. 3, 167.
 — — — var. Sturm Flora 20, 92.
 — *Clusiana* Jacq. Jacq. Fl. austr. 2, 116.
 — — — Bot. Mag. 32, 1327.
 — — — Sturm Flora 20, 92.
 — *collina* Wibel. Sturm Flora 20, 91.
 — *comarioides* H. B. K. Nestler Potentilla 4.
 — *concinna* Richards. Lehmann Potentilla 27.
 — — — Hook. Bor. Am. 67.
 — *conferta* Bunge. Ledeb. Ic. 333.
 — *crassinervia* Viv. Moris Fl. sard. 72.
 — *cryptantha* Klotzsch. Prinz Waldem. Him. 12.
 — *dasyphylla* Led. Ledeb. Ic. 331.
 — *davurica* Poir. Nestler Potentilla 1^b.
 — *dealbata* Led. Ledeb. Ic. 326.
 — *desertorum* Led. Ledeb. Ic. 337.
 — *De Tommasii* Ten. Tenore Fl. nap. 44.
 — *discolor* Camb. Jacquemont Ind. 65.
 — *Dombeyi* Nestl. Nestler Potentilla 5.
 — *Doubjonneana* Camb. Jacquemont Ind. 61.
 — *Drummondii* Lehm. Hook. Bor. Am. 66.
 — *Egedii* Wormsk. Fl. dan. 9, 1578.
 — *elatior* Schleich. Lehmann Potentilla 14.
 — *emarginata* Pursh. Fl. dan. 13, 2291.
 — *ferruginea* Paxt. Paxt. Mag. 5, 223.
 — *fiabelliformis* Lehm. Lehmann Potentilla 26.
 — — — Hook. Bor. Am. 66.
 — *flagellaris* Willd. Lehmann Potentilla 12.
 — *floribunda* Pursh. Watson Dendr. 1, 70.
 — *formosa* Don. Sweet Fl. G. 136.
 — *Fragaria* Poir. Curt. Lond. 3, 74.
 — — — Seringe Mus. helv. 4.
 — — — Dietr. Fl. bor. 5, 317.
 — *fragariaefolia* Klotzsch. Prinz Waldem. Him. 10.
 — *Fragariastrum* Ehrh. Sturm Flora 20, 92.
 — *fragarioides* L. Lehmann Potentilla 4.
 — *fragiformis* Willd. Lehmann Potentilla 15.
 — *frigida* Vill. Nestler Potentilla 10.
 — — — Zollikofer Alpenfl. 8.
 — — — Sturm Flora 20, 92.
 — *fruticosa* L. Engl. Bot. 2, 88.
 — — — Sv. Bot. 253.
 — — — Nouveau Duhamel 2, 4.
 — — — Guimpel Fr. Holzgew. 42.
 — *geoides* M. v. B. Lehmann Potentilla 2.
 — *geranioides* Willd. Nestler Potentilla 5.
 — *glabra* Lodd. Lodd. Cab. 914.
 — — — Bot. Mag. 65, 3676.
 — — — Ledeb. Ic. 173.
 — *glacialis* Hall. fil. Seringe Mus. helv. 7.
 — *glandulosa* Ldl. Bot. Reg. 19, 1383. 23, 1973.
 — *glaucæ* Camb. Jacquemont Ind. 66.
 — *gracilis* Dougl. Bot. Mag. 57, 2984.

- Potentilla grammopetala* Moretti. Moretti Bot. ital. 2.
 — grandiflora Scop. Scop. Fl. carn. 1, 22^b.
 — — *L.* Bot. Mag. 3, 75.
 — — Sturm Flora 20, 92.
 — Güntheri Pohl. Krock. Fl. sil. 2, 12.
 — — Lehmann Potentilla 10.
 — — Dietr. Fl. bor. 12, 798.
 — Guilelmi Waldemarii Kl. Prinz Wald. Him. 13.
 — haematochrous Lehm. Knowles et Westcott 119.
 — Hippiana Lehm. Hook. Bor. Am. 64.
 — hirsuta Michx. Nestler Potentilla 9.
 — — Vahl. Fl. dan. 8, 1390.
 — hirta L. Allione Fl. ped. 3, 71.
 — — Lehmann Potentilla 8.
 — — Sturm Flora 20, 91.
 — Hopwoodiana Hort. Bot. Reg. 16, 1387.
 — — Paxt. Mag. 6, 149.
 — — Sweet Fl. G. II. 61.
 — Jacquemontiana Camb. Jacquemont Ind. 63.
 — incisa Desf. Nestler Potentilla 4.
 — inclinata Vill. Vill. Dauph. 45.
 — — Sturm Flora 20, 91.
 — Inglisii Royle. Royle Illustr. 41.
 — insignis Royle. Bot. Reg. 27, 37.
 — intermedia L. Nestler Potentilla 8.
 — — Rchb. Ic. crit. 6, 590.
 — Kleiniana W. et A. Wight Illustr. 83.
 — laciniosa W. et K. Lehmann Potentilla 7.
 — — Bot. Reg. 18, 1478.
 — Leschenaultiana Ser. Lehmann Potentilla 23.
 — — Wight Spicil. 63.
 — — Wight Ic. pl. Ind. or. 3, 990.
 — leucochroa-atrosanguinea Hort. Annales de Gand 1847, 117.
 — lineata Trev. Rchb. Hort. 8.
 — lupinoides Willd. Lodd. Cab. 654.
 — Mackayana Sweet. Sweet Fl. G. II. 43.
 — Mac Nabiana Hort. Paxt. Mag. 13, 219.
 — — Annales de Gand 1847, 117.
 — — Fl. d. serres 2, 149.
 — macrantha Led. Ledeb. Ic. 133.
 — meifolia Wall. Lehmann Potentilla 21.
 — Menziesii Hort. Paxt. Mag. 15, 247.
 — — Annales de Gand 1848, 213.
 — — Fl. d. serres 7, 748.
 — micrantha Ramond. Seringe Mus. helv. 3.
 — — Sturm Flora 20, 92.
 — — Dietr. Fl. bor. 12, 811.
 — micropetala Spr. Lehmann Potentilla 24.
 — microphylla Spr. Lehmann Potentilla 22.
 — — Don. Royle Illustr. 41.
 — minima Hall. fil. Seringe Mus. helv. 8.
 — — Lodd. Cab. 480.
 — — Sturm Flora 5, 17.
 — missourica Hornem. Bot. Reg. 17, 1412.
 — mixta Nolte. Sturm Flora 20, 92.
 — Mooniana Wight. Wight Ic. pl. Ind. or. 1, 233.
 — multifida L. Seringe Mus. helv. 8.
 — — nana H. B. K. Nestler Potentilla 4.
 — — Willd. Lehmann Potentilla 17.
 — nemoralis Nestl. Lehmann Potentilla 13.
 — — Fl. dan. 11, 1819.
 — nepalensis Hook. Hook. Exot. Fl. 88.
 — — Lodd. Cab. 1031.
 — nevadensis Boiss. Boissier Esp. 59.
 — nitida L. Jacq. Fl. austr. 5, 23.
 — — Sturm Flora 6, 22.
 — — Seringe Mus. helv. 5.
 — nivea L. Fl. dan. 6, 1035.
 — — Lodd. Cab. 460.
 — — Bot. Mag. 57, 2982.
 — — Sturm Flora 20, 92.

- Potentilla norvegica* L. Fl. dan. 1, 171.
 † — — Lam. Encycl. 442.
 — — Sturm Flora 20, 91.
 — — Dietr. Fl. bor. 12, 797.
 — obscura Willd. Nocca et Balb. Fl. tic. 10.
 — — Rchb. Ic. crit. 4, 340.
 — — Sturm Flora 20, 91.
 — ochreate Ldl. Moore Mag. 1851, p. 32.
 — opaca L. Jacq. Ic. 91.
 — — —? Krock. Fl. sil. 2, 12.
 — — Sturm Flora 5, 17.
 — — Seringe Mus. helv. 4.
 — — Engl. Bot. 35, 2449.
 — — Dietr. Fl. bor. 3, 169.
 — ornithopoda Tausch. Tausch Hort. Canal. 10.
 — patula W. et K. W. et Kit. 199.
 — — Sturm Flora 20, 91.
 — pedata Willd. Nestler Potentilla 7.
 — — Lodd. Cab. 579.
 — petraea Willd. Lehmann Potentilla 11.
 — pennsylvanica L. Jacq. Vind. 189.
 † — pilosa Willd. Mutel Fl. fr. 16.
 — — Sturm Flora 20, 91.
 — pimpinelloides L. Nestler Potentilla 2.
 — polyphylla Wall. Lehmann Potentilla 23.
 — procumbens Sibth. Sturm Flora 20, 92.
 — pteropoda Royle. Royle Illustr. 40.
 — pulchella R. Br. Lehmann Potentilla 27.
 — — Fl. dan. 13, 2234.
 — ranunculoides H. B. K. Nestler Potentilla 3.
 — recta L. Jacq. Fl. austr. 4, 383.
 — — Fl. dan. 11, 1820.
 — — Nestler Potentilla 6.
 — — Rchb. Ic. crit. 4, 339.
 † — — Mutel Fl. fr. 16.
 — — Sturm Flora 20, 91.
 — — Dietr. Fl. bor. 4, 238.
 — reptans L. Woodv. Med. 3, 173.
 — — Curt. Lond. 2, 124.
 — — Engl. Bot. 12, 862.
 — — Fl. dan. 7, 1164.
 — — Sv. Bot. 709.
 † — — Lam. Encycl. 412.
 — — Schk. Handb. 136.
 — — Hayne 4, 32.
 — — Schrank Fl. monac. 4, 366.
 — — Sturm Flora 20, 91.
 — — Dietr. Fl. bor. 3, 171.
 — retusa Müll. Fl. dan. 5, 799. 11, 1873.
 — rupestris L. Jacq. Fl. austr. 2, 114.
 — — Seringe Mus. helv. 6.
 — — Engl. Bot. 29, 2058.
 — — Baxter Brit. Bot. 4, 313.
 — — Sturm Flora 20, 91.
 — — Dietr. Fl. bor. 3, 170.
 — Russelliana Hort. Bot. Reg. 18, 1496.
 — — Sweet Fl. G. 279.
 — Salesoviana Steph. Mem. Mosc. 2, 3.
 — Salesovii Steph. Lehmann Potentilla 1.
 — salisburgensis Haenke. Jacq. Ic. 490.
 — — Sturm Flora 5, 17.
 — Sanguisorba Willd. Lehmann Potentilla 5.
 — Saundersiana Royle. Royle Illustr. 41.
 — sericea L. Ledeb. Ic. 334.
 — — Lehmann Potentilla 6.
 — Siemersiana Lehm. Acta Leop. 14, 2, 47.
 — simplex Michx. Nestler Potentilla 9.
 — Smoutii Hort. Fl. d. serres 4, 373.
 — soongorica Led. Ledeb. Ic. 332.
 — sordida Klotzsch. Prinz Waldem. Him. 9.
 — speciosa Willd. Nestler Potentilla 11.
 — — Sibth. Fl. gr. 484.

- Potentilla splendens* Wall. Bot. Mag. 53, 2700.
 — — — Lodd. Cab. 1323.
 — — — Sweet Fl. G. 191.
 — — — *Ramond.* var. Sturm Flora 20, 92.
 — *Sprengeliana* Lehm. Lehmann Potentilla 3.
 — *striata formosissima* Hort. Fl. d. serres 7, 695.
 — *subacaulis* L. Jacq. Ic. 491.
 — — *Wulf.* Sturm Flora 20, 92.
 — *supina* L. Gmelin Reise 1, 27.
 — — — Jacq. Fl. austr. 5, 406.
 — — — Fl. dan. 13, 2175.
 — — — Sturm Flora 20, 91.
 — — — Dietr. Fl. bor. 9, 585.
 — *taurica* Willd. Lehmann Potentilla 9.
 — *terglouensis* Haecq. Haecquet Pl. alp. 4.
 — *Thomasii* DC. Sweet Fl. G. II. 365.
 — *thuringiaca* Bernh. Sturm Flora 20, 91.
 — *Tormentilla* L. Schrank Fl. monac. 4, 399.
 — *tridentata* Ait. Ait. Hort. Kew. 2, 9.
 — — — Engl. Bot. 34, 2389.
 † — *umbrosa* Stev. Denkschr. d. W. Ak. 1, 2.
 — *uniflora* Led. Lehmann Potentilla 18.
 — *Valderia* L. Allione Fl. ped. 3, 24.
 — *variabilis* Klotzsch. Prinz Waldem. Him. 11.
 — *velutina* Spr. Lehmann Potentilla 28.
 — *verna* L. Allione Fl. ped. 3, 24.
 — — — Engl. Bot. 1, 37.
 — — — Fl. dan. 10, 1648.
 — — — Sturm Flora 5, 17.
 — — — Schrank Fl. monac. 4, 364.
 — — — Dietr. Fl. bor. 3, 168.
 — *vestita* Klotzsch. Prinz Waldem. Him. 14.
 — *villosa* Pall. Lehmann Potentilla 16.
 — *viscosa* Donn. Bot. Reg. 18, 1492.
 — — *Led.* Ledeb. Ic. 343.
 — *Weinmanni* Lodd. Lodd. Cab. 706.
Poteranthera pusilla Bong. Acad. Petersb. 4, 9.
Poterium ancistroides Desf. Desf. Fl. atl. 281.
 — *caudatum* Ait. Bot. Mag. 49, 2341.
 — — — Colla Hort. Rip. 40.
 † — *hybridum* L. Nees Gen. 4, 79.
 — *polygamum* W. et K. W. et Kit. 198.
 — *Sanguisorba* L. Curt. Lond. 3, 89.
 — — — Engl. Bot. 12, 860.
 — — — Baxter Brit. Bot. 6, 438.
 — — — Fl. dan. 11, 1939.
 — — — Hayne 8, 23.
 — — — Schrank Fl. monac. 4, 367.
 — — — Dietr. Fl. bor. 12, 812.
 † — — — Lam. Encycl. 777.
 † — — — Spach Suites 5.
 † — — — Nees Gen. 4, 79.
 † — *spinosum* L. Lam. Encycl. 777.
 — — — Sibth. Fl. gr. 943.
 — *villosum* Sibth. Sibth. Fl. gr. 942.
 † *Pothomorphe* Miq. Miquel Comment. 4.
 † — *Dombeiana* Miq. Miquel Illustr. Pip. 26.
 — *Lessertiana* Miq. Miquel Illustr. Pip. 26.
 — *mollissima* Miq. Miquel Comment. 6.
 — *Otonis* Miq. Miquel Illustr. Pip. 23.
 † — *subpeltata* Miq. Miquel Illustr. Pip. 26.
 — — — Wight Ic. pl. Ind. or. 6, 1925.
 † *Pothos* L. Schnizl. Iconogr. 1, 72^b. 72^{bb}.
 — *acaulis* L. Jacq. Hist. stirp. am. 231.
 — — — Hook. Exot. Fl. 122.
 — — — Lodd. Cab. 483.
 — *cannaefolia* Dryand. Bot. Mag. 17, 693.
 — — — Lodd. Cab. 471.
 — — — Rudge Pl. Guianae 33.
 — — — Kerner Hort. 416.
 — *cordata* L. Kerner Hort. 410.
 — *coriacea* Grah. Hook. Exot. Fl. 210.

- Pothos crassinervia* Jacq. Jacq. Ic. 609.
 † — — — Jacq. Fragm. 1.
 † — — — Kerner Genera 81 — 84.
 — — — Bot. Mag. 57, 2987.
 — *decursiva* Roxb. Wall. Pl. asiat. 192.
 — — — Wight Ic. pl. Ind. or. 3, 779.
 — *digitata* Jacq. Jacq. Ic. 611.
 — *drupacea* Dennst. Rheede Hort. mal. 7, 42.
 — *foetida* Ait. Bot. Mag. 22, 836.
 — *glauca* Wall. Wall. Pl. asiat. 156.
 — *gracilis* Roxb. Rumpf Amb. 5, 182.
 — — *Rudge.* Rudge Pl. Guianae 32.
 — *grandifolia* Jacq. Jacq. Ic. 610.
 † — — — Jacq. Fragm. 7.
 — — — Lam. Encycl. 738.
 — *Harrisii* Grah. Hook. Exot. Fl. 211.
 — — — Lodd. Cab. 1301.
 — *heterophylla* Roxb. Wight Ic. pl. Ind. or. 3, 777.
 — *maerophylla* Sw. Bot. Mag. 55, 2801.
 — *microphylla* Hook. Bot. Mag. 56, 2953.
 — — — Lodd. Cab. 1673.
 — *myosuroides* H. B. K. H. B. K. Nov. Gen. 1, 18.
 — *officinalis* Roxb. Wight Ic. pl. Ind. or. 3, 778.
 — *palmata* L. Kerner Hort. 153.
 — *pedata* H. B. K. H. B. K. Nov. Gen. 1, 20.
 — *Peepla* Roxb. Wight Ic. pl. Ind. or. 3, 780.
 — *pentaphylla* Willd. Bot. Mag. 34, 1378.
 — — — Lodd. Cab. 567.
 — — — Rchb. Exot. 73.
 — *pertusa* Roxb. Rheede Hort. mal. 12, 20. 21.
 — — — Wight Ic. pl. Ind. or. 3, 781.
 — *pinnata* L. Rumpf Amb. 5, 183. fig. 2.
 — *remotiflora* Hook. Hook. Ic. pl. 2, 133.
 — *sagittaeifolia* Rudge. Rudge Pl. Guianae 34.
 — *sagittata* Sims. Bot. Mag. 38, 1584.
 — *scandens* L. Rheede Hort. mal. 7, 40.
 — — — Rumpf Amb. 5, 184. fig. 1 — 3.
 — — — Wight Ic. pl. Ind. or. 3, 776.
 — — — Bot. Reg. 16, 1337.
 — — — Hook. Ic. pl. 2, 175.
 — *violacea* Sw. H. B. K. Nov. Gen. 1, 19.
 — — — Hook. Exot. Fl. 55.
 — — — Lodd. Cab. 432.
 — — — Kerner Hort. 500.
Pothuava comata Gaudich. Gaudichaud Bonite 116.
 — *spicata* Gaudich. Gaudichaud Bonite 117.
Pottisia cantonensis Hook. Hook. Beechey 43.
 — *Hookeriana* Wight. Wight Ic. pl. Ind. or. 4, 1306^{bis}.
 † *Pourouma* Aubl. Ann. sc. nat. III. 8, 2.
 — *acuminata* Mart. Endl. Bras. 12, 40.
 — *bicolor* Mart. Endl. Bras. 12, 39.
 — *cecropiaefolia* Mart. Endl. Bras. 12, 36.
 — *cinerascens* Mart. Endl. Bras. 12, 37.
 — *guianensis* Aubl. Aublet Guiana 341.
 — *palmata* P. et E. Poepp. et Endl. 141.
 — *tomentosa* Mart. Endl. Bras. 12, 38.
 — *velutina* Mart. Endl. Bras. 12, 41.
 † *Pourretia* Rz et P. Ruiz et Pav. Prodr. 7.
 — *aceranthos* Rossi. Herb. amat. 5, 307.
 — *alpestris* P. et E. Poepp. et Endl. 156.
 † — *arborea* Willd. Ann. Mus. 9, 26.
 — *coarctata* Rz et P. Gaudich. Bon. 41. 42. 43. 44.
 — *inermis* E. M. Presl Reliq. 23.
 — *lanuginosa* Rz et P. Ruiz et Pav. Fl. 256.
 — *magnispatha* Colla. Mem. Tur. 31, 19.
 — *platanifolia* H. B. Humb. Pl. aeq. 133.
 — *pyramidata* Rz et P. Ruiz et Pav. Fl. 257.
Pouteria guianensis Aubl. Aublet Guiana 33.
 — — — Lam. Encycl. 72.
 † *Pouzolzia acuta* Wight. Wight Ic. pl. Ind. or. 6, 2092.
 † — *ambigua* Wight. Wight Ic. pl. Ind. or. 6, 2095.
 † — *angustifolia* Wight. Wight Ic. pl. Ind. or. 6, 2100.

- † *Pouzolzia aspera* Wight. Wight Ic. pl. Ind. or. 6, 2095.
 — *auriculata* Wight. Wight Ic. pl. Ind. or. 6, 1980, 2099.
 — *Bennettiana* Wight. Wight Ic. pl. Ind. or. 6, 1979.
 † — *bicuspidata* Wight. Wight Ic. pl. Ind. or. 6, 2098.
 † — *borbonica* Wight. Wight Ic. pl. Ind. or. 6, 2100.
 † — *caudata* Benth. Wight Ic. pl. Ind. or. 6, 2097.
 † — *concinna* Wight. Wight Ic. pl. Ind. or. 6, 2093.
 † — *courtallensis* Wight. Wight Ic. pl. Ind. or. 6, 2093.
 † — *cymosa* Wight. Wight Ic. pl. Ind. or. 6, 1979.
 † — *Dalzellii* Wight. Wight Ic. pl. Ind. or. 6, 2096.
 † — *diffusa* Wight. Wight Ic. pl. Ind. or. 6, 2099.
 † — *elliptica* Wight. Wight Ic. pl. Ind. or. 6, 2098.
 † — *Gardneri* Wight. Wight Ic. pl. Ind. or. 6, 2092.
 † — *glabra* Wight. Wight Ic. pl. Ind. or. 6, 2095.
 † — *heterocarpa* Wight. Wight Ic. pl. Ind. or. 6, 2094.
 — *indica* Wight. Wight Ic. pl. Ind. or. 6, 1980, 2100.
 — *integrifolia* Dalz. Wight Ic. pl. Ind. or. 6, 1979.
 † — *Johnsoniana* Wight. Wight Ic. pl. Ind. or. 6, 2101.
 † — *longifolia* Wight. Wight Ic. pl. Ind. or. 6, 2093.
 † — *microphylla* Wight. Wight Ic. pl. Ind. or. 6, 2098.
 † — *minor* Wight. Wight Ic. pl. Ind. or. 6, 2100.
 † — *mysorensis* Wight. Wight Ic. pl. Ind. or. 6, 2092.
 † — *neilgherrensis* Wight. Wight Ic. pl. Ind. or. 6, 2097.
 † — *oblongifolia* Wight. Wight Ic. pl. Ind. or. 6, 2096.
 † — *ovalifolia* Wight. Wight Ic. pl. Ind. or. 6, 2092.
 † — *ovata* Wight. Wight Ic. pl. Ind. or. 6, 2096.
 † — *parvifolia* Wight. Wight Ic. pl. Ind. or. 6, 2092.
 — *pentandra* Benth. Bennett Java 14.
 † — — Wight Ic. pl. Ind. or. 6, 2096.
 † — *pilosa* Wight. Wight Ic. pl. Ind. or. 6, 2101.
 † — *procumbens* Wight. Wight Ic. pl. Ind. or. 6, 2099.
 † — *pyramidata* Wight. Wight Ic. pl. Ind. or. 6, 2101.
 † — *quadrialata* Wight. Wight Ic. pl. Ind. or. 6, 2094.
 † — *ramosissima* Wight. Wight Ic. pl. Ind. or. 6, 2095, 2097.
 † — *Rheedii* Wight. Wight Ic. pl. Ind. or. 6, 2099.
 — *rostrata* Wight. Wight Ic. pl. Ind. or. 6, 1980, 2099.
 † — *rotundifolia* Wight. Wight Ic. pl. Ind. or. 6, 2098.
 † — *scabra* Wight. Wight Ic. pl. Ind. or. 6, 2097.
 † — *scabrida* Wight. Wight Ic. pl. Ind. or. 6, 2100.
 † — *ternata* Benth. Wight Ic. pl. Ind. or. 6, 2093.
 † — *tetraptera* Wight. Wight Ic. pl. Ind. or. 6, 2100.
 † — *tomentosa* Wight. Wight Ic. pl. Ind. or. 6, 2094.
 † — *trialata* Wight. Wight Ic. pl. Ind. or. 6, 2096.
 † — *Walkeriana* Wight. Wight Ic. pl. Ind. or. 6, 2095.
 † — *Wallichiana* Wight. Wight Ic. pl. Ind. or. 6, 2096.
 † — *Wightii* Benth. Wight Ic. pl. Ind. or. 6, 2093.
 † — *zeylanica* Benth. Wight Ic. pl. Ind. or. 6, 2101.
Pozoa coriacea Lagasca. Hook. Bot. Misc. 66.
 — *hydrocotylifolia* Bridg. Fielding Sertum 40.
 — *reniformis* Hook. Hook. Fl. ant. 11.
Pozopsis cordifolia Hook. Hook. Ic. pl. 9, 859.
Prangos pabularia Ldl. Wall. pl. asiat. 212.
Praravinia densiflora Korth. Korthals Bot. 41.
Prasium glabrum Gaudich. Freycinet Voyage 64.
 † — *grandiflorum* Gaudich. Freycinet Voyage 65.
 † — *macrophyllum* Gaudich. Freycinet Voyage 65.
 — *majus* L. Rivinus Opus ined. 12.
 † — — Gaertn. Carp. 66.
 † — — Lam. Encycl. 516.
 — — Sibth. Fl. gr. 384.
 † — — Nees Gen. 6, 44.
 — *parviflorum* Gaudich. Freycinet Voyage 65.
Pratia arenosa Hook. Hook. Fl. ant. 29.
 — *begonifolia* Ldl. Bot. Reg. 16, 1373.
 — *repens* Gaudich. Freycinet Voyage 79.
Premna cordifolia Roxb. Wight Ic. pl. Ind. or. 4, 1483.
 — ? *cornutioides* Ham. Rheede Hort. mal. 1, 53.
 — *glaberrima* Wight. Wight Ic. pl. Ind. or. 4, 1484.
 — *integrifolia* L. Rumpf Amb. 3, 133, 134.

- Premna integrifolia* L. Burmann Fl. ind. 41.
 — — — Lam. Encycl. 543.
 — — — Wight Ic. pl. Ind. or. 4, 1469.
 † — *latifolia* Roxb. Wight Illustr. 173⁶.
 — — — Wight Ic. pl. Ind. or. 3, 869.
 — *longifolia* Roxb. Rheede Hort. mal. 5, 51.
 † — *serratifolia* L. Gaertn. Carp. 36.
 † — — — Lam. Encycl. 543.
 — *tomentosa* Willd. Wight Ic. pl. Ind. or. 4, 1468.
 — *Wightiana* Schauer. Wight Ic. pl. Ind. or. 4, 1463.
 † *Prenanthes* L. Kerner Genera 52.
 — *alba* Willd. Bot. Mag. 27, 1079.
 — *chondrilloides* L. Arduino Anim. 2, 17.
 — — — Münchn. Denkschr. 4, 14.
 — *cordata* Willd. Willdenow Hortus 25.
 — *debilis* Thunb. Thunberg Ic. jap. 39.
 — *diversifolia* Led. Ledeb. Ic. 152.
 — *glomerata* Decne. Jacquemont Ind. 107.
 — *muralis* L. Fl. dan. 3, 509.
 — — — Curt. Lond. 3, 63.
 — — — Engl. Bot. 7, 457.
 — — — Baxter Brit. Bot. 1, 27.
 — — — Schk. Handb. 218.
 — — — Schrank Fl. monac. 4, 390.
 — *pendula* Webb. Webb Canar. 124.
 — *pinnata* L. Jacq. Ecl. pl. 19.
 — *polymorpha* Led. Ledeb. Ic. 498.
 — *purpurea* L. Jacq. Fl. austr. 4, 317.
 † — — — Gaertn. Carp. 158.
 † — — — Schk. Handb. 218.
 — — — Schrank Fl. monac. 1, 21.
 — *ramosissima* All. Allione Fl. ped. 3, 33.
 — *repens* L. Linné Amoenit. 2, 4.
 — *sarmentosa* Willd. Willdenow Phytogr. 6.
 — *serpentaria* Pursh. Pursh Fl. 24.
 — *suavis* Salisb. Salisb. Parad. 62.
 — *tenuifolia* L. Allione Fl. ped. 33.
 — *triquetra* Lab. Bill. Syr. 3, 2.
 — *viminea* L. Allione Fl. ped. 3, 52.
 — — — Jacq. Fl. austr. 1, 9.
 — *violaeifolia* Decne. Jacquemont Ind. 108.
Prepusa connata Gardn. Hook. Ic. pl. 3, 225, 226.
 — *Hookeriana* Gardn. Bot. Mag. 68, 3909.
 — — — Fl. d. serres 3, 252.
 — *montana* Mart. Mart. Bras. 190.
Prescottia colorans Ldl. Bot. Reg. 22, 1916.
 — *plantaginea* Lodd. Lodd. Cab. 990.
 — *plantaginifolia* Ldl. Hook. Exot. Fl. 113.
Preslea paradoxa Mart. Mart. Bras. 164.
 † *Preslia cervina* Fresen. Nees Gen. 6, 4.
Prestonia latifolia Benth. Delessert Ic. 5, 51.
 — *mollis* H. B. K. H. B. K. Nov. Gen. 3, 242.
Pretrea artemisiaefolia Klotzsch. Peters Mossamb. 31.
 — *senecioides* Klotzsch. Peters Mossamb. 32.
Prevostea mossambicensis Klotzsch. Peters Mossamb. 39.
Priestleya axillaris DC. DC. Legum. 32.
 — *elliptica* DC. DC. Legum. 33.
 — *ericaefolia* DC. DC. Legum. 31.
 — *laevigata* DC. DC. Legum. 30.
 — *myrtifolia* DC. DC. Legum. 29.
 — *villosa* DC. Bot. Mag. 60, 3216.
Prieurea senegalensis DC. DC. Onagariées 2.
Primula acaulis Jacq. Curt. Lond. 1, 7.
 — — — Bot. Mag. 7, 229.
 — — — Sturm Flora 4, 14.
 — *algida* Adam. Lehmann Primula 7.
 — *Allionii* Lois. Desvaux Journal 2, 11.
 — — — Loiseleur Notice 3.
 — — — Tratt. Archiv 360.
 — *alpina* Schleich. Rehb. Ic. crit. 9, 830.
 † — — — Mutel Fl. fr. 53.
 — *altaica* Lehm. Lehmann Primula 5.

- † *Pouzolzia aspera* Wight. Wight Ic. pl. Ind. or. 6, 2095.
 — *auriculata* Wight. Wight Ic. pl. Ind. or. 6, 1980.
 — *Bennettiana* Wight. Wight Ic. pl. Ind. or. 6, 1978.
 † — *bicuspidata* Wight. Wight Ic. pl. Ind. or. 6, 2098.
 † — *borbonica* Wight. Wight Ic. pl. Ind. or. 6, 2100.
 † — *caudata* Benn. Wight Ic. pl. Ind. or. 6, 2097.
 † — *concinna* Wight. Wight Ic. pl. Ind. or. 6, 2093.
 † — *courtallensis* Wight. Wight Ic. pl. Ind. or. 6, 2093.
 — *cymosa* Wight. Wight Ic. pl. Ind. or. 6, 1979.
 † — *Dalzellii* Wight. Wight Ic. pl. Ind. or. 6, 2096.
 † — *diffusa* Wight. Wight Ic. pl. Ind. or. 6, 2099.
 † — *elliptica* Wight. Wight Ic. pl. Ind. or. 6, 2098.
 † — *Gardneri* Wight. Wight Ic. pl. Ind. or. 6, 2092.
 † — *glabra* Wight. Wight Ic. pl. Ind. or. 6, 2095.
 † — *heterocarpa* Wight. Wight Ic. pl. Ind. or. 6, 2094.
 — *indica* Wight. Wight Ic. pl. Ind. or. 6, 1980. 2100.
 — *integrifolia* Dalz. Wight Ic. pl. Ind. or. 6, 1979.
 † — *Johnsoniana* Wight. Wight Ic. pl. Ind. or. 6, 2101.
 † — *longifolia* Wight. Wight Ic. pl. Ind. or. 6, 2093.
 † — *microphylla* Wight. Wight Ic. pl. Ind. or. 6, 2098.
 † — *minor* Wight. Wight Ic. pl. Ind. or. 6, 2100.
 † — *mysorensis* Wight. Wight Ic. pl. Ind. or. 6, 2092.
 † — *neilgherrensis* Wight. Wight Ic. pl. Ind. or. 6, 2097.
 † — *oblongifolia* Wight. Wight Ic. pl. Ind. or. 6, 2096.
 † — *ovalifolia* Wight. Wight Ic. pl. Ind. or. 6, 2092.
 † — *ovata* Wight. Wight Ic. pl. Ind. or. 6, 2096.
 † — *parvifolia* Wight. Wight Ic. pl. Ind. or. 6, 2092.
 † — *pentandra* Benn. Bennett Java 14.
 † — — Wight Ic. pl. Ind. or. 6, 2096.
 † — *pilosa* Wight. Wight Ic. pl. Ind. or. 6, 2101.
 † — *procumbens* Wight. Wight Ic. pl. Ind. or. 6, 2099.
 † — *pyramidata* Wight. Wight Ic. pl. Ind. or. 6, 2101.
 † — *quadrialata* Wight. Wight Ic. pl. Ind. or. 6, 2094.
 † — *ramosissima* Wight. Wight Ic. pl. Ind. or. 6, 2095.
 — — 2097.
 † — *Rheedii* Wight. Wight Ic. pl. Ind. or. 6, 2099.
 — *rostrata* Wight. Wight Ic. pl. Ind. or. 6, 1980.
 — — 2099.
 † — *rotundifolia* Wight. Wight Ic. pl. Ind. or. 6, 2098.
 † — *scabra* Wight. Wight Ic. pl. Ind. or. 6, 2097.
 † — *scabrida* Wight. Wight Ic. pl. Ind. or. 6, 2100.
 † — *ternata* Benn. Wight Ic. pl. Ind. or. 6, 2093.
 † — *tetraptera* Wight. Wight Ic. pl. Ind. or. 6, 2100.
 † — *tomentosa* Wight. Wight Ic. pl. Ind. or. 6, 2094.
 † — *trialata* Wight. Wight Ic. pl. Ind. or. 6, 2096.
 † — *Walkeriana* Wight. Wight Ic. pl. Ind. or. 6, 2093.
 † — *Wallichiana* Wight. Wight Ic. pl. Ind. or. 6, 2096.
 † — *Wightii* Benn. Wight Ic. pl. Ind. or. 6, 2093.
 † — *zeylanica* Benn. Wight Ic. pl. Ind. or. 6, 2101.
Pozoa coriacea Lagasca. Hook. Bot. Misc. 66.
 — *hydrocotylifolia* Bridg. Fielding Sertum 40.
 — *reniformis* Hook. Hook. Fl. ant. 11.
Pozopsis cordifolia Hook. Hook. Ic. pl. 9, 859.
Prangos pabularia Ldl. Wall. pl. asiat. 212.
Pravinia densiflora Korth. Korthals Bot. 41.
Prasium glabrum Gaudich. Freycinet Voyage 64.
 † — *grandiflorum* Gaudich. Freycinet Voyage 65.
 † — *macrophyllum* Gaudich. Freycinet Voyage 65.
 — *majus* L. Rivinus Opus ined. 12.
 † — — Gaertn. Carp. 66.
 † — — Lam. Encycl. 516.
 † — — Sibth. Fl. gr. 584.
 † — — Nees Gen. 6, 44.
 — *parviflorum* Gaudich. Freycinet Voyage 65.
Pratia arenosa Hook. Hook. Fl. ant. 29.
 — *begonifolia* Ldl. Bot. Reg. 16, 1373.
 — *repens* Gaudich. Freycinet Voyage 79.
Premna cordifolia Roxb. Wight Ic. pl. Ind. or. 4, 1483.
 — ? *cornutioides* Ham. Rheede Hort. mal. 1, 53.
 — *glaberrima* Wight. Wight Ic. pl. Ind. or. 4, 1484.
 — *integrifolia* L. Rumpf Amb. 3, 133. 134.

- Premna integrifolia* L. Burmann Fl. ind. 41.
 — — — Lam. Encycl. 543.
 — — — Wight Ic. pl. Ind. or. 4, 1469.
 † — *latifolia* Roxb. Wight Illustr. 173^b.
 — — — Wight Ic. pl. Ind. or. 3, 889.
 — *longifolia* Roxb. Rheede Hort. mal. 5, 51.
 † — *serratifolia* L. Gaertn. Carp. 56.
 † — — — Lam. Encycl. 543.
 — *tomentosa* Willd. Wight Ic. pl. Ind. or. 4, 1468.
 — *Wightiana* Schauer. Wight Ic. pl. Ind. or. 4, 1485.
 † *Prenanthes* L. Kerner Genera 52.
 — *alba* Willd. Bot. Mag. 27, 1079.
 — *chondrilloides* L. Arduino Anim. 2, 17.
 — — — Münchn. Denkschr. 4, 14.
 — *cordata* Willd. Willdenow Hortus 25.
 — *debilis* Thunb. Thunberg Ic. jap. 39.
 — *diversifolia* Led. Ledeb. Ic. 182.
 — *glomerata* Decne. Jacquemont Ind. 107.
 — *muralis* L. Fl. dan. 3, 809.
 — — — Curt. Lond. 3, 63.
 — — — Engl. Bot. 7, 457.
 — — — Baxter Brit. Bot. 1, 27.
 — — — Schk. Handb. 218.
 — — — Schrank Fl. monac. 4, 390.
 — *pendula* Webb. Webb Canar. 124.
 — *pinnata* L. Jacq. Ecl. pl. 19.
 — *polymorpha* Led. Ledeb. Ic. 498.
 — *purpurea* L. Jacq. Fl. austr. 4, 317.
 † — — — Gaertn. Carp. 158.
 † — — — Schk. Handb. 218.
 — — — Schrank Fl. monac. 1, 21.
 — *ramosissima* All. Allione Fl. ped. 3, 33.
 — *repens* L. Linné Amoenit. 2, 4.
 — *sarmentosa* Willd. Willdenow Phytogr. 6.
 — *serpentaria* Pursh. Pursh Fl. 24.
 — *suavis* Salisb. Salisb. Parad. 88.
 — *tenuifolia* L. Allione Fl. ped. 33.
 — *triquetra* Lab. Bill. Syr. 3, 2.
 — *viminea* L. Allione Fl. ped. 3, 52.
 — — — Jacq. Fl. austr. 1, 9.
 — *violaeifolia* Decne. Jacquemont Ind. 108.
Prepusa connata Gardn. Hook. Ic. pl. 3, 226. 226.
 — *Hookeriana* Gardn. Bot. Mag. 68, 3909.
 — — — Fl. d. serres 3, 252.
 — *montana* Mart. Mart. Bras. 190.
Prescottia colorans Ldl. Bot. Reg. 22, 1916.
 — *plantaginea* Lodd. Lodd. Cab. 990.
 — *plantaginifolia* Ldl. Hook. Exot. Fl. 115.
Preslea paradoxa Mart. Mart. Bras. 164.
 † *Preslia cervina* Fresen. Nees Gen. 6, 4.
Prestonia latifolia Benth. Delessert Ic. 5, 51.
 — *mollis* H. B. K. H. B. K. Nov. Gen. 3, 242.
Pretrea artemisiaefolia Klotzsch. Peters Mossamb. 31.
 — *senecioides* Klotzsch. Peters Mossamb. 32.
Prevostea mossambicensis Klotzsch. Peters Mossamb. 39.
Priestleya axillaris DC. DC. Legum. 32.
 — *elliptica* DC. DC. Legum. 33.
 — *ericaefolia* DC. DC. Legum. 31.
 — *laevigata* DC. DC. Legum. 30.
 — *myrtifolia* DC. DC. Legum. 29.
 — *villosa* DC. Bot. Mag. 60, 3216.
Prieurea senegalensis DC. DC. Onagrariées 2.
Primula acaulis Jacq. Curt. Lond. 1, 7.
 — — — Bot. Mag. 7, 229.
 — — — Sturm Flora 4, 14.
 — *algida* Adam. Lehmann Primula 7.
 — *Allionii* Lois. Desvaux Journal 2, 11.
 — — — Loiseleur Notice 3.
 — — — Tratt. Archiv 360.
 — *alpina* Schleich. Rchb. Ic. crit. 9, 830.
 † — — — Mutel Fl. fr. 53.
 — *altaica* Lehm. Lehmann Primula 5.

- Primula mistassinica* Michx. Lehmann Primula 7.
 — — Bot. Mag. 57, 2973.
 — Munroi Ldl. Bot. Reg. 33, 15.
 — Muretiana Mor. Schweizer Denkschr. 3, 2.
 — norvegica Retz. Fl. dan. 11, 1809.
 — obtusifolia Royle. Royle Illustr. 77.
 — officinalis Jacq. Fl. dan. 3, 434.
 † — — Gaertn. Carp. 50.
 — — Lam. Encycl. 98.
 — — Dreves 1, 11.
 — — Sturm Flora 4, 14.
 — — Schrank Fl. monac. 3, 266.
 — — Nees Düsseld. 152.
 † — — Plée Types 9.
 — — var. smaragdina, Ann. de Gand 1845, 38.
 — Palinuri Willd. Jacq. Ecl. pl. 43.
 — — Tratt. Archiv 384, 384^a.
 — — Tenore Fl. nap. 14.
 — — Savi Fl. ital. 1, 21.
 — — Hook. Exot. Fl. 118.
 — — Bot. Mag. 62, 3414.
 — — Sweet Fl. G. 8.
 — Pallasii Lehm. Lehmann Primula 3.
 — — Bot. Reg. 11, 896.
 — — Lodd. Cab. 1585.
 — pedemontana Thom. Rechb. Ic. crit. 7, 635.
 — Perreiniana Flügge. Ann. Mus. 12, 37.
 — petiolaris Wall. Wallich Tentamen 31.
 — praenitens Ker. Bot. Reg. 7, 539.
 — — Sweet Fl. G. 196.
 † — — Otto Garten-Zeitung 1835, 1.
 — — Spach Suites 89.
 — prolifera Wall. Asiat. Researches 13, 3.
 — puberula Schott. Schott Blendl. 2.
 — pubescens Jacq. Tratt. Archiv 378.
 — — Rechb. Ic. crit. (7, 635.) 9, 847.
 † — — Mutel Fl. fr. 53.
 — purpurea Royle. Royle Illustr. 77.
 — pusilla Goldie. Hook. Exot. Fl. 68.
 — — Bot. Mag. 57, 3020.
 — — Lodd. Cab. 1726.
 — — Sweet Fl. G. II. 5.
 — — Wall. Wallich Tentamen 32.
 — — Mem. Genev. 10, 1.
 — rosea Royle. Royle Illustr. 76.
 — rotundifolia Wall. Wallich Tentamen 32.
 — salisburgensis Herb. Willd. Schott Blendl. 1.
 — saxifragifolia Lehm. Lehmann Primula 9.
 — scotica Hook. Curt. Lond. 4, 133.
 — — Lodd. Cab. 652.
 — — Engl. Bot. 2608.
 — sedifolia Salisb. Salisb. Parad. 107.
 — sertulosa Kicks. Mem. soc. Linn. Par. 4, 3.
 — sibirica Jacq. Tratt. Archiv 391.
 — — Lehmann Primula 5.
 — — Bot. Mag. 59, 3167.
 — — var. integrifolia, Bot. Mag. 62, 3443.
 — — Trautvetter Imag. 30.
 — sikkimensis Hook. Bot. Mag. 77, 4597.
 — — Lem. Jard. fl. 169.
 — simensis Hochst. Fielding Sertum 48.
 — sinensis Ldl. Lindley Collect. 7.
 — — Hook. Exot. Fl. 103.
 — — Lodd. Cab. 916, 1926.
 — — Bot. Mag. 52, 2564.
 — — Dict. sc. nat. 26.
 — — Kerner Hort. 644.
 — — Ann. sc. nat. II. 1, 9.
 — — Schweizer Denkschr. 5, 4.
 — — Hoeven Tijdschr. 10, 6, 7.
 — — Acta Leop. 22, 2, 55^a, 55^b.
 — spectabilis Tratt. Tratt. Archiv 377.

- Primula spectabilis* Tratt. Sturm Flora 6, 24.
 — — Schott Blendl. 4.
 — stricta Hornem. Fl. dan. 8, 1385.
 — Stuartii Wall. Wallich Tentamen 34.
 — — Bot. Mag. 74, 4356.
 — suaveolens Bertol. Lehmann Primula 1.
 — truncata Lehm. Lehmann Primula 8.
 — undulata Fisch. Rechb. Ic. crit. 5, 468.
 — uralensis Fisch. Rechb. Ic. crit. 7, 638.
 — variabilis Bast. var. α. β. γ. δ. ε. Tratt. Archiv
 351—353, 371—372, 394.
 — venusta Host. Rechb. Ic. crit. 5, 469, 7, 630.
 — — Sturm Flora 13, 54.
 — — Bot. Reg. 23, 1983.
 — veris L. var. acaulis, Fl. dan. 2, 194.
 — — Curt. Lond. 2, 79.
 — — Engl. Bot. 1, 5.
 — — Baxter Brit. Bot. 2, 89.
 — — Sv. Bot. 5.
 — — Dict. sc. nat. 26.
 — — var. officinalis, Schk. Handb. 33.
 — — Hayne 3, 34.
 — — Nees Düsseld. 152.
 — — Dietr. Fl. bor. 6, 403.
 † — — Nees Gen. 5, 8.
 — verticillata Forsk. Vahl Symbolae 5.
 — — Tratt. Archiv 380.
 — — Ehrenberg Symb. 8.
 — — Link Ic. I. 51.
 — — Bot. Mag. 55, 2842.
 — — Lodd. Cab. 1834.
 — villosa Jacq. Jacq. Fl. austr. 5, 27.
 — — var. Jacq. Misc. 1, 18.
 — — Bot. Mag. 1, 14, 29, 1161.
 — — Lodd. Cab. 182.
 — — Sturm Flora 6, 24.
 — — Tratt. Archiv 389.
 — — Rechb. Ic. crit. 7, 634.
 — — Sweet Fl. G. II. 52.
 — viscosa All. Allione Fl. ped. 3, 5.
 — — Tratt. Archiv 385.
 † — Vill. Mutel Fl. fr. 54.
 — vulgaris Sm. Engl. Bot. 1, 4.
 — — β. rubra, Sibth. Fl. gr. 184.
 — Wulfeniana Schott. Schott Blendl. 6.
 † Primulaceae Rechb. Ann. sc. nat. III. 2, 7, 8.
 Pringlea antiscorbutica Hook. Hook. Fl. ant. 90—91.
 Prinos ambiguus Michx. Watson Dendr. 1, 29.
 — asprellus Hook. Hook. Beechey 36.
 — dioicus Vahl. Vahl Eclogae 14.
 — glaber L. Nouveau Duhamel 3, 54.
 — — Lam. Encycl. 285.
 — — Watson Dendr. 1, 27.
 — — Lodd. Cab. 450.
 — — Torrey New York 73.
 — Godajam Wall. Wall. Pl. asiat. 261.
 — laevigatus Pursh. Watson Dendr. 1, 28.
 — verticillatus L. Bigelow Med. 56.
 † — — Barton Med. 17.
 — — Lam. Encycl. 285.
 — — Watson Dendr. 1, 30.
 — — Guimpel Fr. Holzgew. 56.
 Prinsepia utilis Royle. Royle Illustr. 38.
 Prionites americana Hook. Hook. Ic. pl. 1, 30.
 Prionolepis silphioidea P. et E. Poepp. et Endl. 261.
 Prismatocarpus falcatus Ten. Tenore Fl. nap. 28.
 — hirtus Ten. Tenore Fl. nap. 19.
 — paniculatus L'her. DC. Camp. 20.
 Prismophyllis Aub. Aubert Orchid. 108.
 Priva bahiensis DC. Endl. Bras. 10, 50.
 Proboscidea Jussieu Schmid. Schmidel Ic. 12, 13.
 Prockia completa Hook. Hook. Ic. pl. 1, 94.

- Prockia Crucis* L. Vahl Symbolae 64.
 — — — Lam. Encycl. 465.
 — — — Bot. Reg. 12, 972.
 — — — Lodd. Ceb. 1933.
 — *deltoidea* Lam. Lam. Encycl. 465.
 — *lobata* Poir. Lam. Encycl. 834.
 — *ovata* Lam. Lam. Encycl. 465.
 — *villosa* Moric. Moricand Pl. Am. 97.
Procris obtusa Wall. Royle Illustr. 83.
 — *peduncularis* Wall. Royle Illustr. 83.
 — *racemosa* Royle. Royle Illustr. 83.
 — *ramiflora* Poir. Lam. Encycl. 763.
 — *trinervata* Poir. Lam. Encycl. 763.
Prolongoa pectinata Boiss. Boissier Esp. 92^a.
Pronaya elegans Hügel. Hügel Archiv 6.
 — — — Paxt. Mag. 12, 99.
† *Prosaptia contigua* Presl. Fée Fil. 5, 27.
† *Proserpinaca palustris* L. Lam. Encycl. 50.
† — — — König Annals 1, 12.
† — — — Ann. Mus. 3, 30.
 — *pectinata* Lam. Lam. Encycl. 50.
Prosopis aculeata Koen. Asiat. Researches 4, x.
 — *dulcis* H. B. Humb. Mim. 34.
 — *horrida* H. B. Humb. Mim. 33.
 — *spicata* Burm. Burmann Fl. ind. 25.
 — *spicigera* L. Lam. Encycl. 340.
 — — — Roxb. Corom. 63.
Prostanthera Lasianthus Lab. Bill. Nov. Holl. 157.
 — — — Andr. Rep. 10, 641.
 — — — Bot. Mag. 50, 2434.
 — — — Bot. Reg. 2, 143.
 — — — Herb. amat. 5, 293.
 — *violacea* R. Br. Bot. Reg. 13, 1072.
 — — — Lodd. Cab. 1376.
† *Protea pinnata* Camb. Mem. Mus. 18, 1.
Protea abrotanifolia Andr. Andr. Rep. 8, 507. 522.
 — — — 536. 545.
 — *acaulis* Thunb. Bot. Mag. 46, 2055.
 — *acerosa* R. Br. Bot. Reg. 5, 351.
 — — — Kerner Hort. 750.
 — *acufera* Cav. Cav. Ic. 549.
 — *acuifolia* Salisb. Salisb. Parad. 2.
 — — — Kerner Hort. 357.
 — *acuminata* Sims. Bot. Mag. 41, 1694.
 — — — Kerner Hort. 594.
 — *anemonifolia* Sims. Bot. Mag. 19, 697.
 — — — Andr. Rep. 5, 332.
† *argentea* L. Gaertn. Carp. 51.
 — — — Lam. Encycl. 53.
 — *argentiflora* Andr. Andr. Rep. 7, 447.
 — *aulacea* Thunb. Thunberg Protea 2.
 — *bracteata* Thunb. Thunberg Protea 1.
 — *caespitosa* Andr. Andr. Rep. 8, 526.
 — *canaliculata* Andr. Andr. Rep. 7, 437.
 — — — Kerner Hort. 464.
 — *candicans* Andr. Andr. Rep. 5, 294.
 — *caudata* Thunb. Thunberg Protea 2.
 — *coarctata* Thunb. Petersb. 6, 15.
 — *comosa* Thunb. Jacq. Fragn. 38.
 — *conifera* Thunb. Wendl. Hort. herrenh. 20.
 — — — Andr. Andr. Rep. 8, 541.
 — *conocarpa* Thunb. Lam. Encycl. 53.
 — *cordata* Thunb. Thunberg Protea 5.
 — — — Andr. Rep. 5, 289.
 — — — Kerner Hort. 377.
 — *cordifolia* Sims. Bot. Mag. 18, 649.
 — — — Rchb. Exot. 274.
 — *coronata* Andr. Andr. Rep. 7, 469.
 — — — Lam. Dict. sc. nat. 10.
 — *corymbosa* Thunb. Thunberg Protea 2.
 — — — Andr. Rep. 8, 495.
 — *cynaroides* L. Bot. Mag. 20, 770.

- Protea cynaroides* L. Andr. Rep. 4, 288.
 — — — Rchb. Exot. 219.
 — — — Kerner Hort. 709.
 — — — Maund Bot. 4, 166.
 — — — Lady South Afr. 8.
 — — — Hart. Parad. 2, 5.
 — *decumbens* Thunb. Thunberg Protea 1.
 — — — Andr. Andr. Rep. 5, 349.
 — *dichotoma* Cav. Cav. Ic. 531.
 — *divaricata* L. Andr. Rep. 7, 465.
 — *florida* Thunb. Thunberg Protea 1.
 — *formosa* R. Br. Andr. Rep. 1, 17.
 — — — Bot. Mag. 41, 1713.
 — *fusciflora* Jacq. Jacq. Schoenbr. 1, 27.
 — *glaucophylla* Salisb. Salisb. Parad. 11.
 — — — Kerner Hort. 393.
 — *globosa* Andr. Andr. Rep. 5, 307.
 — — — Bot. Mag. 22, 878.
 — *globularia* Lam. Lam. Encycl. 53.
 — *glomerata* Andr. Andr. Rep. 4, 264.
 — *grandiceps* Tratt. Kerner Hort. 337.
 — *grandiflora* Thunb. Andr. Rep. 5, 301.
 — — — Bot. Mag. 51, 2447.
 — — — *β. angustifolia*, Bot. Reg. 7, 569.
 — *hirsuta* Savi. Savi Fl. ital. 3, 119.
 — *humiflora* Andr. Andr. Rep. 8, 532.
 — *imbricata* Thunb. Thunberg Protea 5.
 — — — Wendl. Hort. herrenh. 14.
 — — — Andr. Rep. 8, 517.
 — *incurva* Thunb. Thunberg Protea 3.
 — — — Andr. Andr. Rep. 6, 431.
 — *lacticolor* Salisb. Salisb. Parad. 27.
 — *laevis* R. Br. Bot. Mag. 50, 2439.
 — — — Petersb. 6, 16.
 — *lagopus* Andr. Andr. Rep. 4, 243.
 — *lanata* Thunb. Thunberg Protea 3.
 — *latifolia* R. Br. Bot. Mag. 41, 1717.
 — — — Kerner Hort. 601.
 — *Lepidocarpon* L. Bot. Mag. 18, 674.
 — *Levisanus* L. Wendl. Hort. herrenh. 1.
 — *linearis* Thunb. Thunberg Protea 4.
 — *linifolia* Jacq. Jacq. Schoenbr. 1, 26.
 — *longiflora* Lam. Bot. Mag. 54, 2720.
 — — — Kerner Hort. 489.
 — — — var. Link Ic. III. 22.
 — *longifolia* Andr. Andr. Rep. 2, 132. 133. 144.
 — — — Bot. Reg. 1, 47.
 — — — Kerner Hort. 241. 672. 692.
 — — — Salisb. Salisb. Parad. 37.
 — *melaleuca* R. Br. Tratt. Thes. 11.
 — — — Kerner Hort. 564.
 — *mellifera* Thunb. Bot. Mag. 10, 346.
 — — — Wendl. Hort. herrenh. 13.
 — — — Andr. Rep. 9, 592.
 — — — Lady South Afr. 7.
 — — — Kerner Hort. 44. 534. 818.
 — *mucronifolia* R. Br. Salisb. Parad. 24.
 — — — Bot. Mag. 24, 933.
 — — — Andr. Rep. 8, 500.
 — — — Kerner Hort. 363.
 — *nectarina* Schrad. et W. Wendl. Sert. hann. 21.
 — *neriifolia* R. Br. Bot. Reg. 3, 208.
 — *ochroleuca* Sm. Smith Exot. Bot. 81.
 — *ovata* Thunb. Petersb. 6, 17.
 — *pallens* Thunb. Wendl. Hort. herrenh. 19.
 — *parviflora* L. Thunberg Protea 4.
 — *pinifolia* L. Andr. Rep. 2, 76.
 — *pinnata* Andr. Andr. Rep. 8, 512.
 — *plumigera* Thunb. Petersb. 6, 14.
 — *polygaloides* Willd. Willdenow Hort. 100.
 — *prolifera* Thunb. Thunberg Protea 4.
 — *pulchella* Schrad. Schrader Sert. hannov. 7.

- Protea pulchella* Schrad. Cav. Ic. 550.
 — — — Bot. Mag. 21, 796.
 — — — Andr. Rep. 4, 270.
 — — — Kerner Hort. 352, 482.
 — — — R. Br. Bot. Reg. 1, 20.
 — — — Rchb. Exot. 218.
 — — — radiata Bonpl. Bonpland Malm. 59.
 — — — Andr. Rep. 10, 646.
 — — — Kerner Hort. 565.
 — — — Rchb. Exot. 273.
 — — — repens Andr. Andr. Rep. 7, 453.
 — — — rosacea L. Smith Exot. Bot. 44.
 — — — saligna Andr. Andr. Rep. 9, 572.
 — — — Sceptum Gustavianum Sparr. Svensk Ac. 1777, 1.
 — — — Scolymus Thunb. Wendland Sert. hannov. 20.
 — — — Bot. Mag. 19, 698.
 — — — Andr. Rep. 6, 409.
 — — — spathulata Thunb. Thunberg Protea 5.
 — — — speciosa L. Andr. Rep. 2, 103, 110, 4, 277.
 — — — 7, 438, 8, 543.
 — — — Bot. Mag. 29, 1183.
 — — — Wendl. Coll. 73.
 — — — Tratt. Thes. 12.
 — — — spicata Andr. Andr. Rep. 4, 234.
 — — — stellaris Sims. Bot. Mag. 23, 881.
 — — — strobilina L. Schrader Sert. hannov. 1.
 — — — teretifolia Andr. Andr. Rep. 7, 461.
 — — — torta Thunb. Wendland Hort. herrenh. 7.
 — — — Jacq. Schoenbr. 4, 401.
 — — — tridactylites Cav. Annales de hist. nat. 1, 16.
 — — — Cav. Ic. 548.
 — — — triternata Andr. Andr. Rep. 5, 337.
 — — — umbellata L. Andr. Rep. 4, 248.
 — — — villifera Ldl. Bot. Reg. 12, 1023.
 — — — virgata Andr. Andr. Rep. 9, 577.
 — — — Kerner Hort. 510.
 † Proteaceae R. Br. Schnitzl. Iconogr. 2, 113.
Proteinia orientalis Sér. Rchb. Fl. germ. 6, 244.
Proustia pyrifolia Lag. Ann. Mus. 19, 4.
Prunella aequinoctialis H. B. K. H. B. K. Nov. Gen.
 — — — 2, 162.
 — — — alba Pall. Rivinus Opus ined. 23.
 † — — — Mutel Fl. fr. 52.
 † — — — caroliniana Mill. Martyn Hist. 4.
 — — — grandiflora L. Jacq. Fl. austr. 4, 377.
 — — — Schk. Handb. 168.
 — — — Bot. Mag. 10, 337.
 — — — Schrank Fl. monac. 2, 186.
 — — — Dietr. Fl. bor. 2, 125.
 † — — — Nees Gen. 6, 21.
 — — — Fl. dan. 11, 1933.
 — — — Poll. Bot. Mag. 45, 2014.
 — — — hyssopifolia L. Rchb. Ic. crit. 3, 243.
 † — — — Mutel Fl. fr. 52.
 † — — — Nees Gen. 6, 21.
 — — — intermedia Brot. Rchb. Ic. crit. 3, 205.
 — — — laciniata L. Jacq. Fl. austr. 4, 378.
 — — — Lam. Encycl. 316.
 — — — Rchb. Ic. crit. 3, 238.
 — — — longifolia Pers. Rchb. Ic. crit. 6, 588.
 — — — pennsylvanica Willd. Willdenow Hortus 9.
 — — — Barton Fl. 2, 60.
 — — — Rchb. Hort. 216.
 † — — — vulgaris L. Usteri Annalen 5, 3.
 † — — — Schk. Handb. 168.
 † — — — Lam. Encycl. 316.
 † — — — Mutel Fl. fr. 51.
 † — — — Nees Gen. 6, 21.
 † — — — Wight Illustr. 176^b.
 — — — Fl. dan. 6, 910.
 — — — Curt. Lond. 3, 9.
 — — — Engl. Bot. 14, 961.

- Prunella vulgaris* L. Baxter Brit. Bot. 1, 67.
 — — — Liboschitz Pet. 12.
 — — — Hayne 6, 10.
 — — — Sturm Flora 2, 5.
 — — — Schrank Fl. monac. 2, 185.
 — — — Rchb. Ic. crit. 3, 239.
 — — — Dietr. Fl. bor. 2, 77.
 — — — Wight Ic. pl. Ind. or. 4, 1448.
 † *Prunus* L. (Fructus monstrosus.) DC. Legum. 3.
 — — — armeniaca L. var. Fl. d. serres 4, 418.
 — — — avium L. Fl. dan. 10, 1647.
 — — — Sv. Bot. 205.
 — — — Hartig 91.
 — — — Lam. Encycl. 432.
 — — — borealis Poir. Lodd. Cab. 1598.
 — — — candicans Willd. Bot. Reg. 14, 1135.
 — — — Capollin DC. Münchn. Abhandl. 2, 8.
 — — — Cerasus L. Hayne 4, 42.
 — — — Hartig 90.
 — — — Schrank Fl. monac. 4, 377.
 — — — Nees Düsseld. 316.
 — — — Guimpel et Schl. 63.
 — — — Wagner 198.
 — — — var. Nouveau Duhamel 5, 4—20.
 — — — Lam. Encycl. 432.
 — — — Engl. Bot. 10, 706.
 — — — Engl. Bot. 2863.
 — — — Baxter Brit. Bot. 2, 100.
 — — — Fl. d. serres 8, 782.
 — — — Chamaecerasus L. Jacq. Ic. 90.
 — — — Hartig 89.
 — — — Cocumiglia Ten. Tenore Memoria x.
 — — — Tenore Fl. nap. 144.
 — — — dasycarpa Ehrh. Lodd. Cab. 1230.
 — — — Bot. Reg. 15, 1243.
 — — — depressa Pursh. Lodd. Cab. 1607.
 — — — divaricata Led. Ledeb. Ic. 13.
 — — — domestica L. Woodv. Med. 3, 187.
 — — — Rousseau Bot. 43, 41.
 — — — Sv. Bot. 193.
 — — — Engl. Bot. 25, 1783.
 † — — — Gaertn. Carp. 93.
 † — — — Lam. Encycl. 432.
 — — — Hayne 4, 43.
 — — — Hartig 94.
 — — — Nees Düsseld. 318.
 — — — Guimpel et Schl. 62.
 — — — Wagner 70.
 — — — var. Fl. d. serres 4, 396, 397.
 † — — — (Fructus.) Hook. Journal 1841, 4.
 — — — japonica Thunb. Bot. Reg. 1, 27, 21, 1801.
 — — — Siebold Fl. Japon. 90.
 — — — incana Stev. Revue hort. 1853, 15.
 — — — insititia L. Hartig 93.
 — — — Engl. Bot. 12, 841.
 — — — Laurocerasus L. Woodv. Med. 3, 185.
 — — — Hayne 4, 41.
 — — — Guimpel et Schl. 64.
 — — — Nees Düsseld. 317.
 — — — Wagner 204.
 — — — Mahaleb L. Jacq. Fl. austr. 3, 227.
 — — — Tratt. Archiv 255.
 — — — Hartig 88.
 — — — Mume S. et Zucc. Siebold Fl. Japon. 11.
 — — — nana Duroi. Duroi Harbk. Baumzucht 4.
 — — — nigra Ait. Bot. Mag. 28, 1117.
 — — — Padus L. Fl. dan. 2, 205.
 — — — Sv. Bot. 121.
 — — — Engl. Bot. 20, 1383.
 — — — Hartig 87.
 — — — Hayne 4, 40.
 — — — Schrank Fl. monac. 2, 154.

- Prunus Padus* L. Nees Düssel. 315.
 — *paniculata* Thunb. Bot. Reg. 10, 800.
 — *prostrata* Lab. Bill. Syr. 1, 6.
 — — Sibth. Fl. gr. 478.
 — — Bot. Reg. 2, 136.
 — *pumila* L. Guimpel Fr. Holzgew. 119.
 — *rubra* Ait. Guimpel Fr. Holzgew. 78.
 — *salicifolia* H. B. K. H. B. K. Nov. Gen. 6, 563.
 — *samydoides* Cham. et Schl. Hook. Ic. pl. 4, 371.
 — *semperflorens* Ehrh. Watson Dendr. 2, 131.
 — *serotina* Ehrh. Guimpel Fr. Holzgew. 37.
 — — Watson Dendr. 1, 48.
 — *sibirica* L. Pallas Fl. ross. 8.
 — — Lodd. Cab. 1627.
 — *sphaerica* Willd. Guimpel Fr. Holzgew. 128.
 — *spinosa* L. Woodv. Med. 3, 186.
 — — Fl. dan. 6, 926.
 — — Sv. Bot. 151.
 — — Engl. Bot. 12, 842.
 — — Schk. Handb. 132.
 — — Hayne 4, 44.
 — — Hartig 92.
 — — Sturm Flora 3, 9.
 — — Schrank Fl. monac. 2, 137.
 — — Nees Düssel. 319.
 — — Guimpel et Kl. 24.
 — — Wagner 76.
 — *tomentosa* Sieb. Siebold Fl. Japon. 22.
 — *virginiana* Willd. Guimpel Fr. Holzgew. 36.
Psammisia sclerophylla Planch. Fl. d. serres 8, 625.
Psathura borbonica Gmel. Lam. Encycl. 260.
 † *corymbosa* Gaertn. Gaertn. Carp. 194.
 — *obovata* Tuss. Tussac Ant. 2, 18.
Psathyrotes scaposa Gray. Smiths. Contrib. 5, 15.
Pseudanthus brachiatus Wight. Wight Ic. pl. Ind. or. 5, 1776. 1776^b.
 † — *pimeleoides* Sieb. Flora 1832, 2.
 — — Endl. Atacta 11.
Pseudarthria viscida Wight et Arn. Wight Ic. pl. Ind. or. 1, 286.
 † *Pseudolmedia Trécul*. Ann. sc. nat. III. 8, 5.
Psadia arabica Jaub. et Sp. Jaubert Illustr. 352. 353.
 — *glutinosá* Jacq. Jacq. Schoenbr. 2, 152.
Psidium angustifolium Lam. Lam. Encycl. 416.
 — *Araca Raddi*. Opusc. sc. Bonon. 4, 7.
 — *aromaticum* Aubl. Aublet Guiana 191.
 — — Desc. Ant. 5, 364.
 — *Cattleyanum* Sabine. Hort. Transact. 4, 11.
 — — Lindley Collect. 16.
 — — Bot. Mag. 51, 2801.
 — — Bot. Reg. 8, 622.
 — *cordatum* Sims. Bot. Mag. 43, 1779.
 — *decaspermum* Willd. Rumpf Amb. 1, 49.
 — *dubium* H. B. K. H. B. K. Nov. Gen. 6, 547^b.
 — *eugenioides* Camb. St. Hil. Fl. Bras. 139.
 — *grandiflorum* Aubl. Aublet Guiana 190.
 — *littorale* Raddi. Opusc. sc. Bonon. 4, 7.
 — *mengahiense* Camb. St. Hil. Fl. Bras. 138.
 — *molle* Bert. Novi Comm. Bonon. 4, 44.
 — *multiflorum* Camb. St. Hil. Fl. Bras. 137.
 — *polycarpum* Lamb. Linn. Transact. 11, 17.
 — — Kerner Hort. 587.
 — — Bot. Reg. 8, 653.
 † — — Miquel Surin. 14.
 — *pomiferum* L. Rheede Hort. mal. 3, 35.
 — — Rumpf Amb. 1, 48.
 — — Tussac Ant. 2, 22.
 — — Dict. sc. nat. 224.
 — *pyriferum* L. Rheede Hort. mal. 3, 34.
 — — Rumpf Amb. 1, 47.
 — — Gil et Xarez 26.
 — — Lam. Encycl. 416.

- Psidium pyriferum* L. Desc. Ant. 2, 72.
 — — Bot. Reg. 13, 1079.
 — *sapidissimum* Jacq. Jacq. Schoenbr. 3, 366.
 — *ternatifolium* Camb. St. Hil. Fl. Bras. 136.
Psilathera tenella Link. Rchb. Fl. germ. 1, 56.
 † — — Nees Gen. 1, 54.
Psilocarya velutina N. v. E. Endl. Bras. 3, 7.
 † *Psilonema calycinum* C. A. M. Acad. Petersb. 6, 2.
 — *dasyarpum* Led. Ledeb. Ic. 202.
Psilostachys gnaphalobrya Hochst. Flora 1844, 1.
Psilotrichum nudum Mog. Wight Ic. pl. Ind. or. 5, 1775.
Psilotum complanatum Sw. Swartz Syn. Fil. 4.
 — — Schk. Fil. 165^b.
 — *Forsteri* Endl. Endl. Iconogr. 85.
 — *triquetrum* Sw. Schk. Fil. 165^b.
 — — Dict. sc. nat. 81.
 — — Lodd. Cab. 1916.
 † — — Hook. Gen. Fil. 87.
Psilurus nardoides Trin. Rchb. Fl. germ. 1, 1.
 † — — Nees Gen. 1, 87.
Psoralea aculeata L. Andr. Rep. 3, 146.
 — — Bot. Mag. 47, 2158.
 — *acuminata* Lam. Lam. Encycl. 614.
 — *altissima* Bert. Novi Comm. Bonon. 3, 2.
 — *americana* L. Gil et Xarez 6.
 — — Jacq. Schoenbr. 2, 227.
 — *angustifolia* Ait. Jacq. Schoenbr. 2, 226.
 — *aphylla* Jacq. Jacq. Schoenbr. 2, 223.
 — — Bot. Mag. 42, 1727.
 — — Lodd. Cab. 221.
 — — Rchb. Mag. 30.
 — *arborea* Sims. Bot. Mag. 46, 2090.
 — *argophylla* Pursh. Hook. Bor. Am. 52.
 — *bipedunculata* Jacq. Jacq. Ic. 562.
 † — *bituminosa* L. Gaertn. Carp. 145.
 — — Lam. Encycl. 614.
 — — Schk. Handb. 210.
 — — Sibth. Fl. gr. 738.
 — *brachiata* Dougl. Hook. Bor. Am. 53.
 — *bracteata* L. Bot. Mag. 13, 446.
 — — Lodd. Cab. 1559.
 — — Jacq. Jacq. Schoenbr. 2, 224.
 — *citriodora* Cav. Cav. Ic. 271.
 — *conferta* Bert. Novi Comm. Bonon. 3, 2.
 — *corylifolia* L. Burmann Fl. ind. 49.
 — — Bot. Mag. 18, 665.
 — *Dalea* L. Linné Hort. Cliff. 22.
 — *decumbens* Ait. Lodd. Cab. 282.
 — *emphysodes* Jacq. Jacq. Ic. 563.
 — *esculenta* Pursh. Pursh Fl. 22.
 — *glandulosa* L. Bot. Mag. 25, 990.
 — — Sweet Fl. G. 296.
 — *hirta* Jacq. Jacq. Schoenbr. 2, 228.
 — *lagopus* Cav. Cav. Ic. 86.
 — *lanceolata* Pursh. Hook. Bor. Am. 51.
 — *lathyriifolia* Balb. Mem. Tur. 10, 8.
 — *lutea* Cav. Cav. Ic. 323.
 — *macrostachya* DC. Bot. Reg. 21, 1769.
 — *melilotoides* Michx. Vent. Malm. 94.
 — — Barton Fl. 2, 57.
 — — Bot. Mag. 46, 2063.
 — — Bot. Reg. 6, 454.
 — *multicaulis* Jacq. Jacq. Schoenbr. 2, 230.
 — *mutabilis* Cav. Cav. Ic. 394.
 — *Mutisii* H. B. Humb. Mim. 54.
 — *nutans* Cav. Cav. Ic. 201.
 — *odoratissima* Jacq. Jacq. Schoenbr. 2, 229.
 — — Rchb. Mag. 47.
 — *Onobrychis* Nutt. Bot. Reg. 6, 453.
 — *orbicularis* Ldl. Bot. Reg. 23, 1971.
 — *palaestina* Gouan. Jacq. Viud. 184.
 — *pedunculata* Ker. Bot. Reg. 3, 223.

- Psoralea pinnata* L. Andr. Rep. 7, 474.
 — — — Rchb. Mag. 47.
 — — — *plicata* Delile. Delile Egypte 37.
 — — — *pubescens* Balb. Bot. Reg. 12, 968.
 — — — *reclinata* Cav. Cav. Ic. 87.
 — — — — Lam. Encycl. 614.
 — — — *spicata* L. Andr. Rep. 6, 411.
 — — — *stipulacea* Decne. Delessert Ic. 3, 67.
 — — — *strobilina* Hook. Hook. Beechey 80.
 — — — *tenuifolia* L. Jacq. Schoenbr. 2, 223.
 — — — *tomentosa* Cav. Cav. Ic. 240.
 — — — *verrucosa* Willd. Rchb. Mag. 30.
Psorospermum tenuifolium Hook. fil. Hook. Ic. pl. 8, 771.
 — — — Hook. Niger Fl. 21.
Psychanthus myrtifolius Spach. Spach Suites 120.
Psychechilos gracile Breda. Breda Orchid. Javae 9.
Psychine stylosa Desf. Desf. Fl. atl. 148.
 — — — Lam. Encycl. 975.
Psychotria alba R. et P. Ruiz et Pav. Fl. 203.
 — — — *ambigua* W. et A. Wight Illustr. 127.
 — — — *amethystina* R. et P. Ruiz et Pav. Fl. 203.
 † — — — *asiatica* L. Gaertn. Carp. 23.
 — — — — Lam. Encycl. 161.
 — — — *bisulcata* W. et A. Wight Spicil. 99.
 — — — — Wight Ic. pl. Ind. or. 3, 1039.
 — — — *capitata* R. et P. Ruiz et Pav. Fl. 206.
 — — — *coerulea* R. et P. Ruiz et Pav. Fl. 213.
 — — — *collina* Lab. Bill. Sertum 47.
 — — — *crocea* Sw. Lam. Encycl. 161.
 — — — *cymosa* R. et P. Ruiz et Pav. Fl. 206.
 — — — *daphnoides* Cunn. Bot. Mag. 60, 3228.
 — — — *elliptica* Ker. Bot. Reg. 8, 607.
 — — — *emetica* Mutis. Humb. Pl. aeq. 126.
 — — — — Richard Hist. nat. Ipec. 2.
 — — — — Berl. Jahrb. 1821, 2.
 — — — — Hayne 8, 19.
 — — — — Nees Düsseldorf. 258.
 — — — — Desc. Ant. 2, 120.
 — — — *excelsa* H. B. K. H. B. K. Nov. Gen. 3, 282.
 — — — *foveolata* R. et P. Ruiz et Pav. Fl. 207.
 — — — *gracilis* R. et P. Ruiz et Pav. Fl. 211.
 — — — *herbacea* L. Jacq. Hist. stirp. am. 67.
 — — — — Tussac Ant. 1, 8.
 — — — *hyacinthiflora* R. et P. Ruiz et Pav. Fl. 213.
 — — — *laevigata* W. et A. Wight Ic. pl. Ind. or. 3, 828.
 — — — *laxa* R. et P. Ruiz et Pav. Fl. 212.
 — — — *leucocephala* Brongn. Lem. Jard. fl. 3, 292.
 — — — *lucida* H. B. K. H. B. K. Nov. Gen. 3, 283.
 — — — *macrobotrys* R. et P. Ruiz et Pav. Fl. 203.
 — — — *macrophylla* R. et P. Ruiz et Pav. Fl. 202.
 — — — *macropoda* R. et P. Ruiz et Pav. Fl. 211.
 — — — *megalosperma* Vahl. Vahl Eclogae 21.
 — — — *micrantha* H. B. K. H. B. K. Nov. Gen. 3, 284.
 — — — *mitis* R. et P. Ruiz et Pav. Fl. 208.
 — — — *noxia* St. Hil. Mem. Mus. 12, 10.
 — — — — St. Hil. Pl. remarq. 21.
 — — — *obovata* R. et P. Ruiz et Pav. Fl. 204.
 — — — *obtusifolia* Poir. Lam. Encycl. 161.
 — — — *Pavetta* Sw. Lam. Encycl. 161.
 — — — *pilosa* R. et P. Ruiz et Pav. Fl. 208.
 — — — *punicea* R. et P. Ruiz et Pav. Fl. 212.
 — — — *quadrifolia* Rudge. Rudge Pl. Guianae 42.
 — — — *reticulata* R. et P. Ruiz et Pav. Fl. 202.
 — — — *sarmentosa* Blume. Wight Ic. pl. Ind. or. 3, 1038.
 — — — *subtomentosa* R. et P. Ruiz et Pav. Fl. 210.
 — — — *sulphurea* R. et P. Ruiz et Pav. Fl. 205.
 — — — *thyrsiflora* R. et P. Ruiz et Pav. Fl. 204.
 — — — *tinctoria* R. et P. Ruiz et Pav. Fl. 211.
 — — — *trichocephala* P. et E. Poepp. et Endl. 238.
 — — — *trifida* R. et P. Ruiz et Pav. Fl. 209.
 — — — *undata* Jacq. Jacq. Schoenbr. 3, 260.
 † — — — *undulata* Poir. Jacq. Fragm. 33.

- Psychotria villosa* R. et P. Ruiz et Pav. Fl. 207.
 — — — *violacea* Aubl. Aublet Guiana 55.
 — — — *virgata* R. et P. Ruiz et Pav. Fl. 209.
 — — — *viridis* R. et P. Ruiz et Pav. Fl. 210.
Psychrophila andicola Gay. Gay Chile 2.
 † *Psydrax dicoccos* Gaertn. Gaertn. Carp. 26.
Psyllocarpus ericoides Mart. Mart. Bras. 28.
 — — — *laricoides* Mart. Mart. Bras. 28.
Ptarmica abrotanoides Vis. Visiani Dalm. 10.
 — — — *vulgaris* DC. Dietr. Fl. bor. 8, 558.
 † *Ptelea* L. Gray Genera 157.
 † — — — *trifoliata* L. Gaertn. Carp. 49.
 — — — — Schk. Handb. 23.
 — — — — Guimpel Fr. Holzgew. 74.
 — — — — Lam. Encycl. 84.
 — — — — Nouveau Duhamel 1, 57.
 — — — — Dict. sc. nat. 128.
 † — — — — Mem. Mus. 12, 26.
 — — — — Gray Genera 157.
Ptelidium Aub. Aub. Th. Iles d'Afrique 2.
 — — — *ovatum* Poir. Lam. Encycl. 916.
Pterandra latifolia Juss. Delessert Ic. 3, 30.
 † — — — Arch. Mus. 3, 6.
 — — — *psidiifolia* Juss. St. Hil. Fl. Bras. 179.
 † — — — Arch. Mus. 3, 6.
 — — — *pyroidea* Juss. St. Hil. Fl. Bras. 179.
 † — — — Arch. Mus. 3, 6.
 † *Pteranthus echinatus* Desf. Gaertn. Carp. 213.
 — — — — Lam. Encycl. 764.
 † *Pteridophyllum decipiens* Thw. Hook. Journ. 1854, 1.
 † — — — *racemosum* Sieb. Zucc. Münchn. Abb. 3, 1.
 † *Pteridium costatum* Correa. Ann. Mus. 8, 65.
 † — — — *teres* Correa. Ann. Mus. 10, 8.
 † *Pteriglyphis elegans* Fée. Fée Fil. 5, 18.
 † *Pteris* L. Fée Fil. 5, 11.
 — — — *Adscensionis* Sw. Schk. Fil. 94.
 — — — *alata* Gaudich. Freycinet Voyage 19.
 — — — — Lam. Encycl. 869.
 — — — *angustifolia* Sw. Calcutta Journal 1844, 33.
 — — — *aquilina* L. Schk. Fil. 95, 96.
 — — — — Sturm Flora II. 1, 9.
 — — — — Engl. Bot. 24, 1679.
 — — — — Newman p. 93.
 — — — — Sv. Bot. 90.
 — — — — Fl. dan. 13, 2303.
 — — — — Dict. sc. nat. 86.
 † — — — (Antheridia.) Ann. sc. nat. III. 11, 3, 4.
 — — — *argentea* Gmel. Langsd. et Fischer 22.
 — — — *atropurpurea* L. Schk. Fil. 101.
 — — — *auriculata* Sw. Schlechtendal Fil. 23.
 — — — — Thunb. Hook. Ic. Fil. 1, 116.
 — — — *australis* H. et Gr. Hook. Ic. Fil. 1, 8.
 — — — *bisurita* L. Hook. Ic. Fil. 2, 142.
 — — — *blechnoides* Willd. Willdenow Phytogr. 9.
 — — — *brasiliensis* Raddi. Raddi Fil. 68, 68^b.
 — — — *calomelanos* Sw. Lodd. Cab. 1689.
 — — — — Schlechtendal Fil. 24.
 — — — *capensis* Thunb. Schlechtendal Fil. 26.
 — — — *cartilaginea* Presl. Presl Reliq. 9.
 — — — *caudata* L. Jacq. Ic. 645.
 — — — — Schk. Fil. 96^b.
 — — — *chrysocarpa* Hook. Hook. Ic. Fil. 1, 107.
 — — — *collina* Raddi. Raddi Fil. 63.
 — — — *comans* Forst. Schk. Fil. 92.
 — — — *concolor* Langsd. Langsd. et Fischer 21.
 — — — *cornuta* Pal. B. Pal. B. Fl. d'Oware 37.
 — — — *costata* Hook. Hook. Beechey 51.
 — — — *cretica* L. Schk. Fil. 90.
 — — — — Risso Fl. de Nice 20.
 — — — *crispa* Sm. Engl. Bot. 17, 1160.
 — — — — Schk. Fil. 98.
 — — — — Newman p. 103, 108.

- Pteris* *decurrens* Raddi. Raddi Fil. 69^b.
 — *denticulata* Sw. Hook. Ic. Fil. 1, 28.
 — *elegans* Jacq. Jacq. Fragn. 116.
 — *Endlicheriana* Ag. Hook. Ic. pl. 10, 973.
 — *esculenta* Forst. Bill. Nov. Holl. 244.
 — — Schk. Fil. 97.
 — *fallax* M. et G. Acad. Brux. 15, 14.
 — *farinosa* Forsk. Vahl Symbolae 75.
 — *flabellata* Thunb. Schk. Fil. 93.
 — *flavescens* Colla. Mem. Tur. 39, 66.
 — *flexuosa* Hook. Hook. Ic. pl. 2, 119.
 — *geraniifolia* Raddi. Raddi Fil. 67.
 — — Hook. Ic. pl. 10, 915.
 — *hastata* Sw. Raddi Fil. 63.
 — *incisa* Thunb. Schlechtendal Fil. 25.
 — *interrupta* Willd. Willdenow Phytogr. 10.
 — *intramarginalis* Kze. Kunze Analecta 17.
 — *lanuginosa* Spr. Acta Leop. 10, 1, 16.
 — *latifolia* Willd. Kunze Fil. 118.
 — *longifolia* L. Schk. Fil. 88.
 — — Jacq. Schoenbr. 3, 399, 400.
 — *lunulata* Retz. Retzius Obs. 2, 4.
 — *nemorialis* Willd. Hook. Gen. Fil. 64.
 — *Orizabae* M. et G. Acad. Brux. 15, 13.
 — *osmundoides* Bory. Bory lles d'Afrique 32.
 — *pallida* Raddi. Raddi Fil. 71.
 — *palmata* Lodd. Lodd. Cab. 1299.
 — *pedata* L. Schk. Fil. 100.
 — — Langsd. et Fischer 20.
 — — Raddi Fil. 65, 66, 66^b.
 — — Bot. Mag. 60, 3247.
 — *pedatoides* Desv. Mem. soc. Linn. Par. 6, 7.
 — *peruviana* Lam. Lodd. Cab. 1665.
 — *piloselloides* L. Kaempfer Japon. 31.
 — — Swartz Syn. Fil. 2.
 — — Schk. Fil. 87.
 — *rotundifolia* Forst. Schk. Fil. 99.
 — — Hook. Ic. pl. 5, 422.
 — *rugosula* Lab. Bill. Sertum 8.
 — *sagittifolia* Raddi. Raddi Fil. 63.
 — *scaberula* A. Rich. Hook. Sp. Fil. 93.
 — *serrulata* L. Schk. Fil. 91.
 — — Linn. Transact. 21, 14—16.
 — — Acta Leop. 12, 1, 12.
 — — Suminski Entw. d. Farnkr. 1—6.
 — *seticaulis* Hook. Hook. Ic. pl. 3, 207.
 — *Sloani* Raddi. Raddi Fil. 71^b.
 — *spiculata* Schk. Schk. Fil. 100.
 — *spinulosa* Raddi. Raddi Fil. 70, 70^b.
 — *stenophylla* Wall. Hook. Ic. Fil. 2, 130.
 — *ternifolia* Cav. Hook. Ic. Fil. 2, 126.
 — *trichomanoides* L. Schk. Fil. 99.
 — *triphylla* M. et G. Acad. Brux. 15, 14.
 — *tristicula* Raddi. Raddi Fil. 69.
 — *varians* Raddi. Raddi Fil. 64.
 — *Vespertilionis* Lab. Bill. Nov. Holl. 245.
 — *vittarioides* Aub. Aub. Thouars Mélanges 1.
 — *vittata* Sw. Schk. Fil. 89.
Pterisanthes *cissoides* Bl. Linnaea 18, 8.
Pterocarpus *abyssinicus* Hochst. Richard Abyssin. 45.
 — *africanus* Hook. Gray Western Africa D.
 — *apterus* Gaertn. Gaertn. Carp. 156.
 — — Lam. Encycl. 602.
 — *dalbergioides* Roxb. Wight Ic. pl. Ind. or. 1, 246.
 — *Draco* L. Rumpf Amb. 2, 70.
 — — Hayne 9, 9.
 — — Lam. Encycl. 602.
 — *Ecastaphyllum* Berg. Svensk Acad. 1769, 4.
 — — Desc. Ant. 4, 258.
 — *erinaceus* Lam. Lam. Encycl. 602.
 — — Guillemin Seneg. 54.
 — — Woodv. Med. 5, 12.

- Pterocarpus* *flavus* DC. Rumpf Amb. 3, 117.
 — *gummiferus* Bert. DC. Legum. 57.
 † — *hemipterus* Gaertn. Gaertn. Carp. 156.
 † — — Lam. Encycl. 602.
 — *Marsupium* Roxb. Rheede Hort. mal. 6, 25.
 — — Roxb. Corom. 116.
 — *Montouchi* Lam. Lam. Encycl. 602.
 † — *Peltaria* DC. DC. Legum. 57.
 — *santalinus* L. fil. Woodv. Med. 3, 156.
 — *senegalensis* Hook. Nees Düsseld. 329.
 — *Wallichii* W. et A. Wight Illustr. 78.
 † *Pterocephalus* *Coulter*. Mem. Genev. 2, 1.
 — *Broussonetii* Coult. Boissier Esp. 86.
 — *dumetorum* Coult. Webb Canar. 80.
 — *plumosus* Coult. Rchb. Fl. germ. 12, 674.
 — *spathulatus* Coult. Boissier Esp. 87.
 — *virens* Webb. Webb Canar. 81.
Pterochilus *plantagineus* Hook. Hook. Beechey 17.
Pterocyclus *angelicoides* Klotzsch. Prinz Wald. Him. 47.
Pterocymbium *javanicum* R. Br. Bennett Java 45.
Pterodiscus *speciosus* Hook. Bot. Mag. 70, 4117.
 — — Fl. d. serres 2, 6.
Pterogastra *minor* Naud. Ann. sc. nat. III. 12, 15.
Pterogyne *nitens* Juss. Arch. Mus. 4, 9.
Pterolobium *lacerans* R. Br. Wight Ic. pl. Ind. or. 1, 196.
Pteroneurum *graecum* DC. Rchb. Ic. crit. 4, 397.
 — — Rchb. Fl. germ. 2, 29.
 † — *parallelum* Fée. Fée Fil. 5, 23.
 † *Pteronia* *camphorata* L. Gaertn. Carp. 167.
 — — Lam. Encycl. 667.
 † — *oppositifolia* L. Gaertn. Carp. 167.
 † — — Lam. Encycl. 667.
 — *pauciflora* Sims. Bot. Mag. 41, 1697.
 — *Porophyllum* Cav. Cav. Ic. 225.
 † *Pteropsis* *Desv.* Mem. soc. Linn. Par. 6, 11.
 † — *angustifolia* Desv. Hook. Gen. Fil. 77.
Pteropyrum *Aucherii* Jaub. Jaubert Illustr. 107.
 — *Oliverii* Jaub. Jaubert Illustr. 108.
 — — Wight Ic. pl. Ind. or. 5, 1809.
 — *scoparium* Jaub. Jaubert Illustr. 109.
Pterospermum *acerifolium* Willd. Bot. Mag. 17, 620.
 — — Lam. Encycl. 576.
 — — Wight Ic. pl. Ind. or. 2, 631.
 — *glabrescens* W. et A. Rheede Hort. mal. 6, 58.
 — *Heyneanum* Wall. Wight Ic. pl. Ind. or. 2, 489.
 — *reticulatum* Wight. Hook. Ic. pl. 2, 125.
 — *semisagittatum* Roxb. Mem. Mus. 10, 9.
 — *suberifolium* Willd. Bot. Mag. 37, 1526.
 — — Lam. Encycl. 576.
 — — Wight Illustr. in Hook. 26.
 — — Rchb. Exot. 166.
Pterospora *andromedea* Nutt. Rafinesque Med. 78.
 — — Lindley Collect. 5.
Pterostegia *drymarioides* Hook. Hook. Beechey 90.
Pterostelma *albiflorum* Bl. Blume Rumphia 188.
Pterostigma *grandiflorum* Benth. Hook. Beechey 45.
 — — Bot. Reg. 32, 16.
 — — Paxt. Mag. 14, 74.
Pterostylis *acuminata* R. Br. Bot. Mag. 62, 3401.
 — *Banksii* R. Br. Bot. Mag. 59, 3172.
 — *concinna* R. Br. Hook. Journal 1834, 136.
 — — Bot. Mag. 62, 3400.
 — *curta* R. Br. Guillemin Austr. 2.
 — — Bot. Mag. 58, 3086.
 — *grandiflora* R. Br. Bauer Illustr. 2.
 — *nutans* R. Br. Bot. Mag. 58, 3085.
Pterostyrax *corymbosum* S. et Z. Siebold Fl. Jap. 47.
 † *Pterotheca* *nemausensis* Cass. Monnier Essai 4.
 † — — Visiani Dalm. 50.
 — *Vahlhii* Presl. Presl Symbolae 35.
 † *Pterozonium* *reniforme* Fée. Fée Fil. 5, 16.
 † *Pterygodium* *Sw.* Svensk Acad. 1800, 3.

- † *Pterygodium Sw.* Schrader Neues Journal 1, 1.
 — *alatum Sw.* Journal sc. and arts 8, 3.
 † — *atratum Sw.* Bauer Orchid. 11.
 — *catholicum Sw.* Journal sc. and arts 6, 1.
 — *inversum Sw.* Journal sc. and arts 9, 4.
 — *volucris Sw.* Journal sc. and arts 9, 4.
Ptilochaeta diodon N. v. E. Endl. Bras. 3, 8.
Ptilostephium coronopifolium H. B. K. H. B. K. Nov. Gen. 4, 387.
 — *trifidum H. B. K.* H. B. K. Nov. Gen. 4, 388.
Ptilotrichum canescens Led. Ledeb. Ic. 273.
 — *elongatum Led.* Ledeb. Ic. 275.
 — *longicaule Boiss.* Boissier Esp. 11.
 — *purpureum Boiss.* Boissier Esp. 12.
Ptycanthera Berteri Decne. Delessert Ic. 5, 81.
Ptychochilus septemnervis Schauer. Acta Leop. 19. S. 12.
† *Ptychophyllum plicatum Presl.* Prager Abb. 3, 11.
Ptychosperma angustifolia Bl. Blume Rumphia 156.
 — *appendiculata Bl.* Blume Rumphia 84. 119.
 — — Griffith Palms 242 a. b.
 — *gracilis Lab.* Mem. Instit. 1809, x.
 — *Rumphii Bl.* Blume Rumphia 83. 156.
Psychotis Ajouran DC. Wight Ic. pl. Ind. or. 2, 566.
 † — — Wight Illustr. 117.
 † — *ammoides Koch.* Nees Gen. X, x.
 † — *heterophylla Koch.* Nees Gen. X, x.
Pueraria tuberosa DC. Wight Ic. pl. Ind. or. 2, 412.
 — *Wallichii DC.* DC. Legum. 43.
† *Pugionium cornutum Gaertn.* Gaertn. Carp. 142.
 † — — Lam. Encycl. 974.
 — — Münchn. Abh. 4, 1.
Pulegium vulgare Mill. Hayne 11, 39.
 — — Dietr. Fl. bor. 5, 312.
 † — — Nees Gen. 6, 5.
Pulicaria Aucheri Jaub. Jaubert Illustr. 346.
 — *dentata DC.* Rechb. Fl. germ. 16, 933.
 — *dysenterica Gray.* Baxter Brit. Bot. 3, 170.
 — — Gaertn. Schrank Fl. monac. 4, 378.
 — — Dietr. Fl. bor. 8, 561.
 † — — Nees Gen. X, x.
 — — Rechb. Fl. germ. 16, 933.
 — *glaucescens Jaub.* Jaubert Illustr. 349.
 — *glutinosa Jaub.* Jaubert Illustr. 348.
 — *grandidentata Jaub.* Jaubert Illustr. 345.
 — *indica Jaub.* Jaubert Illustr. 343.
 — *odora Rechb.* Rechb. Fl. germ. 16, 932.
 — *orientalis Jaub.* Jaubert Illustr. 342.
 — *persica Jaub.* Jaubert Illustr. 347.
 — *petiolaris Jaub.* Jaubert Illustr. 344.
 — *sicula Moris.* Rechb. Fl. germ. 16, 934.
 † — *vulgaris Gaertn.* Gaertn. Carp. 173.
 † — — Nees Gen. X, x.
 — — Dietr. Fl. bor. 8, 562.
 — — Rechb. Fl. germ. 16, 933.
Pulmonaria angustifolia L. Fl. dan. 3, 483.
 — — Sv. Bot. 544.
 — — Engl. Bot. 23, 1628.
 — — Dict. sc. nat. 45.
 — — Hayne 2, 43.
 — — Rechb. Fl. crit. 6, 502.
 — — Dietr. Fl. bor. 5, 315.
 † — — Mutel Fl. fr. 38.
 — *azurea Bess.* Rechb. Fl. crit. 6, 501.
 — *davurica Sims.* Bot. Mag. 42, 1743.
 — — Lodd. Cab. 528.
 — *maritima L.* Fl. dan. 1, 25.
 — — Lightfoot Fl. scot. 1, 7.
 — — Engl. Bot. 6, 368.
 — — Lodd. Cab. 467.
 — *media Host.* Rechb. Fl. crit. 6, 504.
 — *mollis Wolf.* Bot. Mag. 50, 2422.
 — — Lodd. Cab. 1492.

- Pulmonaria mollis Wolf.* Rechb. Fl. crit. 6, 503.
 † — — Mutel Fl. fr. 38.
 † — *oblongata Schrad.* Mutel Fl. fr. 38.
 — *officinalis L.* Fl. dan. 3, 482.
 — — Woodv. Med. 2, 104.
 — — Engl. Bot. 2, 118.
 — — Baxter Brit. Bot. 2, 102.
 — — Sv. Bot. 135.
 — — Schk. Handb. 30.
 — — Dreves 1, 14.
 — — Hayne 2, 44.
 — — Guimpel et Kl. 19.
 — — Nees Düsseldorf. 186.
 — — Schrank Fl. monac. 2, 125.
 — — Rechb. Fl. crit. 6, 506.
 — — Sturm Flora 20, 93.
 — — Dietr. Fl. bor. 4, 245.
 † — — Mutel Fl. fr. 37.
 † — — Nees Gen. 6, 63.
 — *paniculata Ait.* Bot. Mag. 53, 2680.
 — — Bot. Reg. 2, 146.
 — *saccharata Mill.* Rechb. Fl. crit. 6, 505.
 — *virginica L.* Bot. Mag. 5, 160.
 — — Tratt. Archiv 308.
 — — Kerner Hort. 779.
 — — Herb. amat. 5, 329.
† *Pulsatilla Mill.* Gray Genera 3.
 — *alba Lob.* Rechb. Fl. germ. 4, 51.
 — *albana Led. var. β.* Ledeb. Ic. 109.
 — *alpina Spr.* Dietr. Fl. bor. 7, 481.
 — *apiifolia Scop.* Rechb. Fl. germ. 4, 51.
 ! — *Bogenhardiana Rechb.* Rechb. Fl. germ. 4, 53.
 — *Bungeana Led.* Ledeb. Ic. 110.
 — *Burseriana Scop.* Rechb. Fl. germ. 4, 51.
 — *Hackelii Pohl.* Rechb. Fl. germ. 4, 57.
 — *Halleri Willd.* Rechb. Fl. germ. 4, 55.
 — *montana Hoppe.* Rechb. Fl. germ. 4, 52.
 — *patens Mill.* Rechb. Fl. germ. 4, 57.
 — — Dietr. Fl. bor. 7, 480.
 — — Gray Genera 3.
 — *patenti-vernalis Lasch.* Rechb. Fl. germ. 4, 59.
 — *pratensi-patens Lasch.* Rechb. Fl. germ. 4, 56.
 — *pratensi-vernalis Lasch.* Rechb. Fl. germ. 4, 58.
 — *pratensis Mill.* Rechb. Fl. germ. 4, 52. 53.
 — — Dietr. Fl. bor. 7, 477.
 — — Brandt und Ratzeb. 31.
 — — Wagner 31.
 — *subpatenti-pratensis Lasch.* Rechb. Fl. germ. 4, 56.
 — *vernalis Mill.* Sweet Fl. G. 205.
 — — Dietr. Fl. bor. 7, 479.
 — — Rechb. Fl. germ. 4, 59.
 — *vulgaris Mill.* Dietr. Fl. bor. 7, 478.
 — — Brandt und Ratzeb. 30.
 — — Rechb. Fl. germ. 4, 54.
Pultenaea aristata Sieb. Rechb. Hort. 195.
 — *biloba R. Br.* Bot. Mag. 46, 2091.
 — — Lodd. Cab. 550.
 — *bracteata Schrad.* Schrader Sert. hannov. 18.
 — *candida Lodd.* Lodd. Cab. 1236.
 — *cordata Hook.* Bot. Mag. 62, 3443.
 — *daphnoides Sm.* Andr. Rep. 2, 98.
 — — Wendland Hort. herrenh. 17.
 — — Bot. Mag. 34, 1394.
 — — Lodd. Cab. 1143.
 — — Kerner Hort. 408.
 — *dentata Lab.* Bill. Nov. Holl. 131.
 — — Lam. Encycl. 950.
 — *echinula Sieb.* Rechb. Hort. 196.
 — *elliptica Rudge.* Linn. Transact. 11, 24.
 — *ericoides Vent.* Vent. Malm. 35.
 — — Hensl. Moore Mag. 1851, p. 145.
 — — Lem. Jard. fl. 152.

- Pultenaea ericoides* Vent. Belgique hort. 2, 1.
 — *ferruginea* Rudge. Linn. Transact. 11, 23.
 — *flexilis* Sm. Sweet Austr. 35.
 — — Bot. Reg. 20, 1694.
 — *hypolampra* Sieb. Rchb. Hort. 194.
 — *ilicifolia* Andr. Andr. Rep. 5, 320.
 — — Kerner Hort. 423.
 — *juniperina* Lab. Bill. Nov. Holl. 130.
 — *linophylla* Schrad. Schrader Sert. hannov. 18.
 — *mucronata* Lodd. Lodd. Cab. 1711.
 — *nana* Andr. Andr. Rep. 7, 434.
 — *obcordata* Andr. Andr. Rep. 9, 574.
 — *paleacea* Sm. Lodd. Cab. 291.
 — *pedunculata* Hook. Bot. Mag. 55, 2889.
 — *plumosa* Sieb. Rchb. Hort. 193.
 — *polygalifolia* Rudge. Linn. Transact. 11, 25.
 — — Sweet Austr. 37.
 — *retorta* Wendl. Wendland Hort. herrenh. 9.
 — *retusa* Sm. Bot. Mag. 46, 2081.
 — — Bot. Reg. 5, 378.
 — — Rchb. Mag. 33.
 — *rosmarinifolia* Ldl. Bot. Reg. 19, 1584.
 — *rubiaefolia* Andr. Andr. Rep. 5, 331.
 — *stipularis* Sm. Smith New Holl. 12.
 — — Bot. Mag. 14, 475.
 — — Lodd. Cab. 1088.
 — — Rchb. Hort. 192.
 — *stricta* Sims. Bot. Mag. 38, 1888.
 — — Lodd. Cab. 974.
 — *subumbellata* Hook. Bot. Mag. 60, 3254.
 — — Bot. Reg. 19, 1632.
 — *tenuifolia* R. Br. Bot. Mag. 46, 2086.
 — — Lodd. Cab. 1057.
 — *villosa* Andr. Andr. Rep. 5, 309.
 — — Willd. Bot. Mag. 25, 967.
 — — Rchb. Mag. 33.
Punceria coagulans Stocks. Journ. Bomb. As. Soc. 3, 4.
 — — Wight Ic. pl. Ind. or. 4, 1616.
 — — Hook. Ic. pl. 9, 801.
Punica Granatum L. Rumpf Amb. 2, 24.
 — — Woodv. Med. 3, 190.
 † — — Gaertn. Carp. 38.
 † — — Lam. Encycl. 415.
 — — Nouveau Duhamel 4, 11. 11 bis.
 — — var. *alba*, Andr. Rep. 2, 96.
 — — Bot. Mag. 43, 1832^{a, b}.
 — — Sibth. Fl. gr. 476.
 — — Schk. Handb. 131^b.
 — — Hayne 10, 35.
 — — Guimpel et Schl. 89.
 — — Nees Düsseldorf. 300.
 — — Desc. Ant. 1, 35.
 — — Wight Illustr. 97. 97 bis.
 — — (Fructus.) Acta Leop. 11. 1, 11.
 † — — Ann. sc. nat. III. 20, 10.
 — *nana* L. Bot. Mag. 17, 634.
 — — Lodd. Cab. 988.
Pupalia densiflora Mart. Mart. Bras. 156. 158.
 — *orbiculata* Wight. Wight Ic. pl. Ind. or. 5, 1783.
Purkinia nodosa Presl. Presl Symbolae 64.
 † *Purshia tridentata* DC. Hook. Bor. Am. 58.
 — — Bot. Reg. 17, 1446.
Puschkinia scilloides M. v. B. Sieber Creta 7.
 — — Lindley Collect. 24.
 — — Bot. Mag. 48, 2244.
Putranjiva Roxburghii Wall. Endl. Iconogr. 19.
 — — Royle Illustr. 83 or 100.
 — — Wight Ic. pl. Ind. or. 5, 1876.
 † *Putranjiveae* Endl. Schnizl. Iconogr. 2, 96^a.
Puya Altensteinii Lk et Kl. Link Ic. III. 1.
 — — var. *gigantea*, Bot. Mag. 73, 4309.
 — — Annales de Gand 1846, 59.

- Puya chilensis* Molina. Bot. Mag. 79, 4715.
 — — Lem. Jard. fl. 4, 392.
 — — Fl. d. serres 9, 869—870.
 — *coerulea* Ldl. Bot. Reg. 26, 11.
 — *heterophylla* Ldl. Bot. Reg. 26, 71.
 — *longifolia* Morr. Annales de Gand 1846, 101.
 — — Paxt. Fl. G. 86.
 — *sulphurea* Hort. Herrenh. Bot. Mag. 79, 4696.
Pycnanthemum aristatum Michx. Michaux Fl. 33.
 — *linifolium* Pursh. Rivinus Opus ined. 24.
 — *Monardella* Michx. Michaux Fl. 34.
 — *tenuifolium* Schrad. Schrader Hort. gott. 4.
Pycnocomon rutaefolium H. et L. Hoffm. Lk. Fl. port. 88.
Pycnocycla glauca Royle. Royle Illustr. 51.
 — *spinosa* Decne. Jaubert Illustr. 243.
 — *tomentosa* Decne. Jaubert Illustr. 242.
 † *Pycnoneurum junciforme* Decne. Ann. sc. nat. II. 9, 12.
 — *sessiliflorum* Decne. Delessert Ic. 5, 67.
Pycnostachys coerulea Hook. Hook. Exot. Fl. 202.
 † *Pycrens flavescens* Rchb. Nees Gen. 2, 22.
 † — *pannonicus* Rchb. Nees Gen. 2, 22.
 — *polystachyos* Pal. B. Pal. B. Fl. d'Oware 86.
Pygeum acuminatum Colebr. Linn. Transact. 12, 18.
 — — Wight Spicil. 66.
 — — Wight Ic. pl. Ind. or. 3, 993.
 † — *zeylanicum* Gaertn. Gaertn. Carp. 46.
Pyramia salviaefolia Naud. Ann. sc. nat. III. 15, 3.
Pyrenacantha volubilis Wight. Wight Ill. in Hook. 9. 10.
Pyrenaria serrata Bl. Korthals Bot. 30.
Pyrethrum Acmella Med. Acta palat. 3, 19.
 — *alpinum* Willd. Sturm Flora 5, 19.
 — *Bidens* Med. Acta palat. 3, 18.
 — *cinerarifolium* Trev. Rchb. Hort. 36.
 † — *corymbiferum* Gaertn. Gaertn. Carp. 169.
 — *corymbosum* Willd. Schrank Fl. monac. 2, 158.
 — — Dietr. Fl. bor. 11, 744.
 — *densum* Lab. Bill. Syr. 3, 8.
 — *discoideum* Led. Ledeb. Ic. 153.
 — *diversifolium* Grah. Hook. Exot. Fl. 215.
 — — Bot. Reg. 12, 1025.
 — *ferulaceum* Webb. Webb Canar. 110.
 — *flaveolum* H. et L. Hoffm. Lk. Fl. port. 104.
 — *foeniculaceum* Willd. Bot. Reg. 4, 272.
 † — *frutescens* Willd. Gaertn. Carp. 169.
 — *indicum* Roxb. Bot. Mag. 37, 1521.
 — — Cass. Bot. Reg. 15, 1287. 18, 1502.
 — *inodorum* Sm. Engl. Bot. 10, 676.
 — — Curt. Lond. 4, 101.
 — — Fl. dan. 11, 1936.
 — *maritimum* Sm. Engl. Bot. 14, 979.
 — *millefoliatum* Led. Ledeb. Ic. 369.
 — *Myconis* Moench. Jacq. Ecl. pl. 147.
 — *Parthenium* Sm. Engl. Bot. 18, 1231.
 — — Baxter Brit. Bot. 1, 20.
 — — Sv. Bot. 285.
 — — Hayne 6, 20.
 — — Guimpel et Schl. 154.
 — — Nees Düsseldorf. 242.
 — — Dietr. Fl. bor. 11, 743.
 — *pectinatum* H. et L. Hoffm. Lk. Fl. port. 103.
 — *ptarmicaeflorum* Willd. Webb Canar. 111.
 — *pulchrum* Led. Ledeb. Ic. 84.
 — *radicans* Cav. Boissier Esp. 92.
 — *roseum* M. v. B. Marshall Cent. 34.
 — — Bot. Reg. 12, 1024.
 — *saxatile* Lodd. Lodd. Cab. 126.
 — *sericeum* M. v. B. Marshall Cent. 78.
 — *tenuifolium* Ten. Tenore Fl. nap. 80.
 — *uliginosum* W. et K. Bot. Mag. 54, 2706.
Pyrola aphylla Sm. Hook. Bor. Am. 137.
 — *asarifolia* Michx. Radius Pyrola 4.
 — *chlorantha* Sw. Svensk Acad. 1809, 5.

- Pyrola chlorantha* Sw. Sv. Bot. 453.
 — — — Fl. dan. 10, 1693.
 — — — Lodd. Cab. 1542.
 — — — Hook. Bor. Am. 134.
 — — — Sturm Flora 4, 13.
 — — — Hayne 4, 22.
 — — — Dietr. Fl. bor. 2, 130.
 — — — Meyer Fl. hann. 13.
 — *corymbosa* Bert. Novi Comm. Bonon. 6, 20.
 — *dentata* Sm. Hook. Bor. Am. 136.
 — *elliptica* Nutt. Radius Pyrola 5.
 — — — Hook. Bor. Am. 135.
 — *grandiflora* Radius. Radius Pyrola 3.
 — *grönlandica* Hornem. Fl. dan. 11, 1817.
 — *maculata* L. Bot. Mag. 23, 897.
 — — — Lodd. Cab. 708.
 — — — Rafinesque Med. 79.
 — *media* Sw. Svensk Acad. 1804, 7.
 — — — Sv. Bot. 311.
 — — — Curt. Lond. 4, 29.
 — — — Engl. Bot. 28, 1945.
 — — — Hayne 4, 22.
 — — — Radius Pyrola 3.
 — — — Meyer Fl. hann. 14.
 — *minor* L. Fl. dan. 1, 55.
 — — — Sv. Bot. 550.
 — — — Engl. Bot. 3, 158.
 — — — Curt. Lond. 5, 153.
 — — — Baxter Brit. Bot. 3, 239.
 — — — Hayne 4, 23.
 — — — Sturm Flora 4, 13.
 — — — Radius Pyrola 1.
 — — — Dietr. Fl. bor. 7, 445.
 — *obovata* Bert. Novi Comm. Bonon. 6, 19.
 — *rosea* Sm. Engl. Bot. 36, 2543.
 — — — Radius Pyrola 2.
 — *rotundifolia* L. Fl. dan. 1, 110. 11, 1816.
 — — — Engl. Bot. 3, 213.
 — — — Curt. Lond. 4, 25.
 — — — Lodd. Cab. 564.
 — — — Sv. Bot. 304.
 — — — Liboschitz Petersb. 32.
 — — — Lam. Encycl. 367.
 — — — Dict. sc. nat. 75.
 — — — Séringe Mus. helv. 3.
 — — — Gaertn. Carp. 63.
 — — — Schk. Handb. 119.
 — — — Hayne 4, 21.
 — — — Sturm Flora 4, 13. 20, 93.
 — — — Schrank Fl. monac. 2, 132.
 — — — Dietr. Fl. bor. 7, 444.
 — — — Meyer Fl. hann. 12.
 — *secunda* L. Fl. dan. 3, 402.
 — — — Stephan Ic. pl. mosq. 10.
 — — — Engl. Bot. 8, 517.
 — — — Curt. Lond. 5, 202.
 — — — Sv. Bot. 866.
 — — — Sturm Flora 4, 13.
 — — — Dietr. Fl. bor. 2, 129.
 — *uliginosa* T. et Gr. Torrey New York 69.
 — *umbellata* L. Stephan Ic. pl. mosq. 9.
 — — — Oberlin Propositions x.
 — — — Bot. Mag. 20, 778.
 — — — Woodv. Med. 5, 10.
 — — — Lodd. Cab. 463.
 — — — Fl. dan. 8, 1336.
 — — — Sv. Bot. 27.
 — — — Lam. Encycl. 367.
 — — — Gmelin Fl. bad. 2, 2.
 — — — Bigelow Med. 21.
 — — — Sturm Flora 20, 93.
 — — — Hayne 13, 13.

- Pyrola uniflora* L. Fl. dan. 1, 8.
 — — — Sv. Bot. 176.
 — — — Engl. Bot. 3, 146.
 — — — Curt. Lond. 5, 207.
 — — — Liboschitz Petersb. 37.
 — — — Dreves 2, 70.
 — — — Schk. Handb. 119.
 — — — Schrank Fl. monac. 3, 272.
 — — — Dietr. Fl. bor. 7, 443.
 • — *virens* Schweigg. Séringe Mus. helv. 3.
Pyrolirion aurantiacum Lem. Lem. Jard. fl. 4, 377.
 † — *aureum* Herb. Herbert Amar. 23, 29.
 — — — Bot. Reg. 20, 1724.
Pyrostria oleoides Lam. Lam. Encycl. 68.
Pyrrhosia Horsfieldii Bl. Wight Ic. pl. Ind. or. 5, 1857.
Pyrrocoma carthamoides Hook. Hook. Bor. Am. 107.
 † *Pyrrosia* Desv. Mem. soc. Linn. Par. 6, 11.
 † *Pyrus Achras* Gaertn. Gaertn. Carp. 87.
 — *Amelanchier* L. Schrank Fl. monac. 2, 149.
 — — — Hartig 76.
 — — — Bot. Mag. 50, 2430.
 — *americana* Willd. Watson Dendr. 1, 54.
 — *angustifolia* Willd. Watson Dendr. 2, 132.
 — — — Bot. Reg. 14, 1207.
 — *arbutifolia* L. fil. Wangenheim Beitrag 28.
 — — — Bot. Mag. 65, 3668.
 — *Aria* Ehrh. Engl. Bot. 26, 1858.
 — — — Sibth. Fl. gr. 479.
 — — — Sv. Bot. 45.
 — — — Hartig 72, 73.
 — — — Schrank Fl. monac. 3, 221.
 † — *aucuparia* Gaertn. Gaertn. Carp. 87.
 — — — Engl. Bot. 5, 337.
 — — — Sv. Bot. 145.
 — *baccata* L. Pallas Fl. ross. 10.
 — — — Guimpel Fr. Holzgew. 126.
 — — — Watson Dendr. 1, 51.
 — *Bollweileriana* DC. Bot. Reg. 17, 1437.
 — *Botryapium* L. Wangenheim Beitrag 28.
 — — — Guimpel Fr. Holzgew. 79.
 — *Chamaemespilus* Ldl. Hartig 75.
 — *communis* L. Engl. Bot. 25, 1784.
 — — — Fl. dan. 12, 2118.
 — — — Hartig 78.
 † — — — Lam. Encycl. 435.
 — — — (femina.) Mem. soc. Linn. Par. 3, 5.
 † — — — Mem. soc. Norm. 7, 6.
 — — — var. *sinaica*, Ehrenberg Symb. 10.
 — *coronaria* L. Wangenheim Beitrag 21.
 — — — Bot. Mag. 45, 2009.
 — — — Bot. Reg. 8, 651.
 — — — Rchb. Exot. 240.
 — *crenata* Don. Bot. Reg. 20, 1655.
 — *cuneifolia* Guss. Gussone Pl. rar. 39.
 — — — Visiani Dalm. 38.
 — *Cydonia* L. Jacq. Fl. austr. 4, 342.
 † — — — Gaertn. Carp. 87.
 — — — Woodv. Med. 3, 182.
 — — — Rousseau Bot. 40 — 42.
 — — — Nees Düsseld. 304.
 — *dioica* Moench. Moench Weissenstein 5.
 — *domestica* L. Engl. Bot. 5, 350.
 — *edulis* Willd. Guimpel Fr. Holzgew. 80.
 — — — Watson Dendr. 1, 52.
 — *floribunda* Ldl. Bot. Reg. 13, 1006.
 — *foliosa* Wall. Wall. Pl. asiat. 189.
 — *grandifolia* Ldl. Bot. Reg. 14, 1154.
 — *hybrida* Moench. Moench Weissenstein 6.
 — — — Guimpel Fr. Holzgew. 81.
 — *japonica* Thunb. Jacq. Fragm. 136.
 — — — Bot. Mag. 18, 692.
 — — — Lodd. Cab. 541: 1594.

- Pyrus japonica* Thunb. Kerner Hort. 475.
 — — — Rchb. Exot. 330.
 — — — indica Wall. Wall. Pl. asiat. 173.
 — — — Malus L. Fl. dan. 7, 1101.
 — — — — Sv. Bot. 229.
 — — — — Engl. Bot. 3, 179.
 — — — — Schk. Handb. 134.
 — — — — Hartig 77.
 — — — — Schrank Fl. monac. 4, 339.
 — — — — Hayne 4, 46.
 — — — — Guimpel et Schl. 61.
 — — — — Nees Düsseld. 303.
 — — — — Wagner 115, 116.
 — — — nivalis L. fil. Jacq. Fl. austr. 2, 107.
 — — — — Hartig 79.
 — — — — Sturm Flora 9, 34.
 — — — — Bot. Reg. 18, 1484.
 — — — parviflora Desf. Ann. Mus. 12, 4.
 — — — — Desf. Choix 59.
 — — — pinnatifida Ehrh. Engl. Bot. 33, 2331.
 — — — pollveria L. Hartig 80.
 — — — — Lodd. Cab. 1009.
 † — — — Spach Suites 8.
 — — — rivularis Dougl. Hook. Bor. Am. 68.
 — — — salicifolia L. Pallas Fl. ross. 9.
 — — — — Guimpel Fr. Holzgew. 123.
 — — — — Lodd. Cab. 1120.
 — — — — Bot. Reg. 6, 514.
 — — — salvialifolia DC. Bot. Reg. 18, 1482.
 — — — Sinai Du H. Watson Dendr. 1, 49.
 — — — sinaica Thoun. Mem. Mus. 1, 9.
 — — — — Guimpel Fr. Holzgew. 127.
 — — — sinensis Ldl. Bot. Reg. 15, 1248.
 — — — sorbifolia Bosc. Watson Dendr. 1, 53.
 † — — — Sorbus Gaertn. Gaertn. Carp. 87.
 — — — spectabilis Ait. Bot. Mag. 8, 267.
 — — — — Schneevogt Ic. 15.
 — — — — Watson Dendr. 1, 50.
 — — — — Lodd. Cab. 1729.
 — — — spuria DC. Bot. Reg. 14, 1196.
 — — — torminalis Ehrh. Engl. Bot. 5, 298.
 — — — — Baxter Brit. Bot. 2, 111.
 — — — — Hartig 74.
Pythonium bulbiferum Schott. Wight Ic. pl. Ind. or. 3, 783.
Pyxidanthra barbulata Michx. Michaux Fl. 17.
 — — — — Bot. Mag. 77, 4592.
 — — — — Fl. d. serres 7, 676.
 — — — — Belgique hortic. 2, 32.
 — — — granulata Michx. Lem. Jard. fl. 150.
 † *Pyxidanthus latifolius* Naud. Ann. sc. nat. III. 18, 6.
 † *Quadria Rz et P.* Ruiz et Pav. Prodr. 33.
 † — — — Avellana Gaertn. Gaertn. Carp. 220.
 — — — heterophylla Rz et P. Ruiz et Pav. Fl. 99.
 † *Quadriala lanceolata* S. et Z. Münchn. Abh. 4, 2.
Qualea coerules Aubl. Aublet Guiana 2.
 — — — ecalcarata Mart. Mart. Bras. 78.
 — — — — Rchb. Exot. 332.
 — — — grandiflora Mart. Mart. Bras. 79.
 — — — multiflora Mart. Mart. Bras. 80.
 — — — parviflora Mart. Mart. Bras. 81.
 — — — rosea Aubl. Aublet Guiana 1.
 — — — — Lam. Encycl. 4.
 † *Quamoclit Choisy.* Mem. Genev. 6, 1.
Quapira guianensis Aubl. Aublet Guiana 119.
Quapoya Panaparari Aubl. Aublet Guiana 344.
 — — — scandens Aubl. Aublet Guiana 343.
 — — — — Lam. Encycl. 831.
Quaraibea guianensis Aubl. Aublet Guiana 278.
 — — — — Cav. Diss. 71.
 — — — — Lam. Encycl. 571.
 † *Quartinia abyssinica* A. Rich. Ann. sc. nat. II. 14, 14.
 — — — — turfosa Endl. Richard Abyssin. 51.

- Quassia amara* L. Linné Amoenit. 6, 4.
 — — — — Woodv. Med. 3, 204.
 — — — — Bot. Mag. 14, 497.
 — — — — Lodd. Cab. 172.
 — — — — Lam. Encycl. 343.
 — — — — Dict. sc. nat. 125.
 — — — — Desc. Ant. 1, 5.
 † — — — — Mem. Mus. 12, 27.
 — — — — Hayne 9, 14.
 — — — — Guimpel et Schl. 238.
 — — — — Nees Düsseld. 381.
 — — — — Wagner 238.
 — — — excelsa Sw. Svensk Acad. 1788, 8.
 — — — — Transact. Edinb. 3, 6.
 — — — — Woodv. Med. 5, 17.
 — — — — Guimpel et Schl. 239.
 — — — — Wagner 239.
 — — — polygama Lindsay. Transact. Edinb. 3, 6.
 — — — Simaruba L. Transact. Edinb. 2, 1, 2.
 — — — — Woodv. Med. 3, 203.
 † — — — — Gaertn. Carp. 70.
 — — — — Lam. Encycl. 343.
 — — — — Desc. Ant. 1, 14.
 — — — — Wagner 164.
Quebitea guianensis Aubl. Aublet Guiana 327.
 † *Queltia Salisb.* Herbert Amar. 38, 39, 41.
 † — — — juncifolia Herb. Herbert Amar. 39, 43.
 — — — pusilla Herb. Herbert Amar. 39, 43.
 † *Quelusius Vand.* Roemer Scriptores 6.
 † *Quercus L.* (Arbores vetustae.) Rooke Oaks 1—10.
 ! — — — — (—) Strutt Sylva britannica x.
 ! — — — — (—) Mem. soc. Linn. Par. 1, x.
 ! — — — — (—) Deshayes Notice 1826, 1.
 ! — — — — (—) Annal. d'hortic. 1838, x, 1839, x.
 ! — — — — (Gallae.) Ann. sc. nat. III. 19, 16—19.
 — — — acuminata Roxb. Wight Ic. pl. Ind. or. 1, 221.
 — — — acutifolia H. B. Humb. Pl. aeq. 93.
 — — — Aegilops L. Hayne 12, 47.
 — — — agrifolia Née. Journ. Hort. Soc. 6, 158.
 — — — — Hook. Ic. pl. 4, 377.
 — — — alba L. Michaux Chênes 5.
 — — — — Michaux Arb. 2, 1.
 — — — — Guimpel Fr. Holzgew. 130.
 — — — — Emerson Rep. Massach. 1.
 — — — almaguerensis H. B. Humb. Pl. aeq. 131.
 — — — alpestris Boiss. Boissier Esp. 164.
 — — — ambigua Michx. Michaux Arb. 2, 24.
 — — — — H. B. Humb. Pl. aeq. 93.
 — — — angustata Bl. Blume Java 4, 7.
 † — — — annulata Korth. Korthals Bot. 46.
 — — — aquatica Catesb. Michaux Chênes 19, 20, 21.
 — — — — Michaux Arb. 2, 17.
 — — — argentata Korth. Korthals Bot. 47.
 — — — armata Roxb. Roxb. Corom. 296.
 — — — — Kerner Hort. 669.
 — — — — Wight Ic. pl. Ind. or. 3, 770.
 — — — Aucherii Jaub. Jaubert Illustr. 58.
 — — — aurea Kit. Rchb. Fl. germ. 12, 645.
 — — — austriaca Willd. Guimpel Holzgew. 142.
 — — — — Wagner 173.
 — — — — Rchb. Fl. germ. 12, 650.
 — — — Banisteri Michx. Michaux Chênes 27.
 — — — — Michaux Arb. 2, 19.
 — — — bicolor Willd. Emerson Rep. Massach. 14.
 — — — Blumeana Korth. Korthals Bot. 44.
 — — — brutia Ten. Tenore Fl. nap. 197.
 — — — — Rchb. Fl. germ. 12, 649.
 — — — calliprinos Webb. Jaubert Illustr. 57.
 — — — Castanea Willd. Emerson Rep. Massach. 5.
 — — — castaneaefolia C. A. M. Eichwald Cauc. 1.
 — — — — Jaubert Illustr. 54.
 — — — castanicarpa Roxb. Roxb. Corom. 296.

- Quercus castanicaarpa* Roxb. Kerner Hort. 620.
 — — Wight Ic. pl. Ind. or. 3, 769.
 — *Catesbaei* Michx. Michaux Chênes 29. 30.
 — — Michaux Arb. 2, 20.
 — *Cerris* L. Hartig 14.
 — — Watson Dendr. 2, 92. 93.
 — — Hayne 12, 48.
 — — Rchb. Fl. germ. 12, 650.
 — *chrysophylla* H. B. Humb. Pl. aeq. 87.
 — *cinerea* Michx. Michaux Chênes 14.
 — — Michaux Arb. 2, 14.
 — *coccifera* L. Russell Aleppo 15.
 — — Sibth. Fl. gr. 944.
 — — Watson Dendr. 2, 91.
 — — Nees Düsseld. Suppl. 120.
 — — Hayne 12, 44.
 — — Rchb. Fl. germ. 12, 643.
 — *coccinea* Wangenh. Michaux Chênes 31. 32.
 — — Michaux Arb. 2, 23.
 — — Emerson Rep. Massach. 9.
 — *conferta* Kit. Rchb. Fl. germ. 12, 646.
 — *confertifolia* H. B. Humb. Pl. aeq. 94.
 — *conglomerata* Pers. Rchb. Fl. germ. 12, 645.
 — *corrugata* Hook. Hook. Ic. pl. 5, 403. 404.
 — *costata* Bl. Blume Java 4, 13. 14.
 — *crassifolia* H. B. Humb. Pl. aeq. 91.
 — *crassipes* H. B. Humb. Pl. aeq. 83. 84.
 — *cubana* A. Rich. Ramon Cuba 73.
 — *cuspidata* Thunb. Kaempfer Japon. 38.
 — — Thunberg Ic. jap. 47.
 — — Sieb. Fl. Japon. 2.
 — *cypria* Jaub. Jaubert Illustr. 56.
 — *daphnoidea* Bl. Blume Java 4, 16.
 — *dealbata* Royle. Royle Illustr. 84.
 — *densiflora* H. et A. Hook. Ic. pl. 4, 380.
 — *dentata* Thunb. Thunberg Ic. jap. 46.
 — *depressa* H. B. Humb. Pl. aeq. 92.
 — *Douglasii* Hook. Hook. Ic. pl. 4, 382. 383.
 — *elegans* Bl. Blume Java 4, 10.
 — *encleisacarpa* Korth. Korthals Bot. 45.
 — *Esculus* L. Kerner Hort. 509.
 — *Ewyckii* Korth. Korthals Bot. 46.
 — *falcata* Michx. Michaux Chênes 28.
 — — Michaux Arb. 2, 21.
 — *fenestrata* Roxb. Wight Ic. pl. Ind. or. 1, 219.
 — *ferox* Roxb. Wight Ic. pl. Ind. or. 1, 218.
 — *ferruginea* Michx. Michaux Arb. 2, 18.
 — *foemina* Roth. Fl. dan. 7, 1180.
 — *fructipendula* Schrank. Schrank Fl. monac. 1, 80.
 — *gemelliflora* Bl. Blume Java 4, 17.
 — *glaberrima* Bl. Blume Java 4, 8.
 — *glabra* Thunb. Thunberg Ic. jap. 35.
 — — Sieb. Fl. Japon. 89.
 — *glauca* Thunb. Kaempfer Japon. 17.
 — *glaucescens* H. B. Humb. Pl. aeq. 78.
 — *grandifolia* Don. Lambert Pinus 2, app. 2.
 — *heterophylla* Michx. Michaux Arb. 2, 16.
 — — Belgique hort. 1, 9.
 — *Humboldtii* Bonpl. Humb. Pl. aeq. 130.
 — *Hystrix* Korth. Korthals Bot. 43.
 — *iberica* Stev. Eichwald Cauc. 38.
 — *Ilex* L. Watson Dendr. 2, 90.
 — — Rchb. Fl. germ. 12, 642.
 — *ilicifolia* Wangenh. Guimpel Fr. Holzgew. 54.
 — — Emerson Rep. Massach. 11.
 — *imbricaria* Michx. Michaux Chênes 15. 16.
 — — Michaux Arb. 2, 13.
 — *induta* Bl. Blume Java 4, 12.
 — *infectoria* Oliv. Olivier Voyage x.
 — — Willdenow Baumzucht 3.
 — — Woodv. Med. 5, 2.
 — — Nees Düsseld. 94.

- Quercus infectoria* Oliv. Guimpel et Schl. 21.
 — — Hayne 12, 45.
 — *lamellosa* Wall. Wall. Pl. asiat. 149.
 — *lanceaefolia* Roxb. Wight Ic. pl. Ind. or. 1, 212.
 — *lanceolata* H. B. Humb. Pl. aeq. 81.
 — *lappacea* Roxb. Wight Ic. pl. Ind. or. 1, 220.
 — *laurifolia* Michx. Michaux Chênes 17. 18.
 — *laurina* H. B. Humb. Pl. aeq. 80.
 — *lineata* Bl. Blume Java 4, 19.
 — *lusitanica* Lam. Hook. Ic. pl. 6, 562.
 — *lyrata* Walt. Michaux Chênes 4.
 — — Michaux Arb. 2, 5.
 — *Mackiana* Hook. Hook. Ic. pl. 3, 224.
 — *macrocarpa* Michx. Michaux Chênes 2. 3.
 — — Michaux Arb. 2, 3.
 — — Kerner Hort. 297.
 — — Emerson Rep. Massach. 2.
 — — Torrey New York 108.
 — *Mesto Boiss.* Boissier Esp. 166.
 — *mexicana* H. B. Humb. Pl. aeq. 82.
 — — Kerner Hort. 391.
 — *molucca* L. Rumpf Amb. 3, 56.
 — *montana* Willd. Emerson Rep. Massach. 6.
 — — Belgique hort. 1, 56.
 — *nigra* L. Michaux Chênes 22. 23.
 — — Torrey New York 103.
 — *obtusata* H. B. Humb. Pl. aeq. 76.
 — — Kerner Hort. 300.
 — *obtusiloba* Michx. Michaux Chênes 1.
 — — Michaux Arb. 2, 4.
 † — *oidocarpa* Korth. Korthals Bot. 47.
 — *olivaeformis* Michx. Michaux Arb. 2, 2.
 — *pallida* Bl. Blume Java 4, 4. 5.
 — *palustris* Du Roi. Michaux Chênes 33. 34.
 — — Michaux Arb. 2, 25.
 — — Torrey New York 107.
 — *pandurata* H. B. Humb. Pl. aeq. 77.
 — *pedunculata* L. Schk. Handb. 301.
 — — Hartig 12.
 — — Hayne 6, 36.
 — — Nees Düsseld. 93.
 — — Guimpel et Schl. 19.
 — — Wagner 172.
 — — Rchb. Fl. germ. 12, 640.
 † — — Nees Gen. 4, 23.
 † — — Schacht Baum 4.
 — *persica* Jaub. Jaubert Illustr. 55.
 — *Phellos* L. Michaux Chênes 12. 13.
 — — Michaux Arb. 2, 12.
 — — Torrey New York 104.
 — *placentaria* Bl. Blume Java 4, 9.
 — *platycarpa* Bl. Blume Java 4, 15.
 — *prinoides* Willd. Torrey New York 109.
 — *Prinus* L. Michaux Chênes 6. 7. 8. 9.
 — — var. *acuminata*, Michaux Arb. 2, 9.
 — — var. *Chincapin*, Michaux Arb. 2, 10.
 — — var. *discolor*, Michaux Arb. 2, 6.
 — — var. *monticola*, Michaux Arb. 2, 8.
 — — var. *palustris*, Michaux Arb. 2, 7.
 — *pruinosa* Bl. Blume Java 4, 1.
 — *pseudo-coccifera* Desf. Bill. Syr. 5, 6.
 — — Boissier Esp. 163.
 — *pseudo-moluccana* Bl. Blume Java 4, 6.
 — *Pseudo-Suber* Santi. Santi Viaggi 1, 3.
 — — Sprengel Antiq. 1.
 — — Nees Düsseld. Suppl. 119.
 — *pubescens* Willd. Hartig 13.
 — — Rchb. Fl. germ. 12, 647.
 — *pulchella* H. B. Humb. Pl. aeq. 88.
 — *pumila* Walt. Michaux Arb. 2, 15.
 — *pyrenaica* Willd. Lam. Encycl. 779.
 — *racemosa* Lam. Lam. Encycl. 779.

- Quercus repanda* H. B. Humb. Pl. aeq. 79.
 — *reticulata* H. B. Humb. Pl. aeq. 86.
 † — *Robur* L. Gaertn. Carp. 37.
 — — — Woodv. Med. 1, 10.
 — — — Engl. Bot. 19, 1342.
 — — — Baxter Brit. Bot. 5, 371.
 — — — Sv. Bot. 73.
 — — — *β. lanuginosa*, Rochel Banat. 38.
 — — — Schk. Handb. 301⁶.
 — — — Hartig 11.
 — — — Hayne 6, 35.
 — — — Nees Düsseld. 92.
 — — — Guimpel et Schl. 20.
 — — — Wagner 171.
 — — — Rchb. Fl. germ. 12, 644.
 † — — — Mem. Instit. 1830, s. 1850, 11.
 — *rotundata* Bl. Blume Java 4, 11.
 — *rubra* L. Michaux Chênes 35, 36.
 — — — Michaux Arb. 2, 26.
 — — — Torrey New York 106.
 — — — Emerson Rep. Massach. 10.
 — — — Belgique hortic. 1, 5.
 — *sclerophylla* Ldl. Moore Mag. 1850, 2, p. 277.
 — *semecarpifolia* Wall. Wall. Pl. asiat. 174.
 — *semiserrata* Roxb. Wight Ic. pl. Ind. or. 1, 211.
 — *sessiliflora* Sm. Engl. Bot. 26, 1845.
 — *sideroxylla* H. B. Humb. Pl. aeq. 85.
 — *Skinneri* Benth. Hook. Ic. pl. 5, 402.
 — *spicata* H. B. Humb. Pl. aeq. 89.
 — — — Kerner Hort. 342.
 — — — Wall. Pl. asiat. 46.
 — *squamata* Roxb. Wight Ic. pl. Ind. or. 1, 213.
 — *stellata* Wangerh. Emerson Rep. Massach. 3.
 — *stipularis* H. B. Humb. Pl. aeq. 90.
 — *Suber* L. Watson Dendr. 2, 89.
 — — — Nees Düsseld. Suppl. 119.
 — — — Hayne 12, 43.
 — — — Rchb. Fl. germ. 12, 641.
 — *sundaica* Bl. Blume Java 4, 2, 3.
 — *Thomasii* Ten. Tenore Fl. nap. 198.
 — — — Rchb. Fl. germ. 12, 649.
 — *tinctoria* Bartr. Michaux Chênes 24, 25.
 — — — Michaux Arb. 2, 22.
 — — — Emerson Rep. Massach. 7, 8.
 — — — Hayne 12, 46.
 — — — Belgique hortic. 1, 25, 3, 54.
 — *tolimensis* H. B. Humb. Pl. aeq. 129.
 — *tridens* H. B. Humb. Pl. aeq. 96.
 — *triloba* Michx. Michaux Chênes 26.
 — *trojana* Webb. Jaubert Illustr. 57.
 — *turbinata* Bl. Blume Java 4, 18.
 — — — Wight Ic. pl. Ind. or. 1, 221.
 — *Turneri* Willd. Willdenow Baumzucht 3.
 — *valentina* Cav. Cav. Ic. 129.
 — *velutina* Wall. Wall. Pl. asiat. 159.
 — *virens* Ait. Michaux Chênes 10, 11.
 — — — Michaux Arb. 2, 11.
 — *xalapensis* H. B. Humb. Pl. aeq. 75.
 † *Queria canadensis* L. Gaertn. Carp. 128.
 — *hispanica* L. Lam. Encycl. 52.
 — *trichotoma* Thunb. Thunberg Ic. jap. 41.
Quesnelia rufa Gaudich. Gaudichaud Bonite 54.
Quina guianensis Aubl. Aublet Guiana 379.
 † — — — Gaertn. Carp. 222.
 † *Quillaia saponaria* Poir. Lam. Encycl. 774.
Quinchamalium chilense Lam. Lam. Encycl. 142.
 — *Dombeyi* Brongn. Brongniart Coquille 52.
 — *ericoides* Brongn. Brongniart Coquille 51.
 — *gracile* Brongn. Brongniart Coquille 52.
 — *majus* Brongn. Brongniart Coquille 51.
 — *procumbens* Rz et P. Ruiz et Pav. Fl. 107.
Quintinia serrata Cunn. Hook. Ic. pl. 6, 558.

- † *Quintinia Sieberi* A. DC. Flora 1832, 2.
Quisqualis ebracteata Pal. B. Pal. B. Fl. d'Oware 38.
 — *glabra* Burm. Burmann Fl. ind. 28.
 — — — Lam. Encycl. 357.
 — *indica* L. Bot. Mag. 46, 2033.
 — — — Bot. Reg. 6, 492.
 — — — Maund Bot. 2, 73.
 — — — Rchb. Exot. 233.
 — — — Wight Illustr. 92.
 — — — Spach Suites 32.
 — *pubescens* Burm. Rumpf Amb. 5, 38.
 — — — Burmann Fl. ind. 35.
 — — — Lam. Encycl. 357.
 — *sinensis* Ldl. Bot. Reg. 30, 15.
Quivisia decandra Cav. Cav. Diss. 211.
 — *heterophylla* Cav. Cav. Diss. 213.
 — — — Lam. Encycl. 302.
 † — — — Mem. Mus. 19, 12.
 — *oppositifolia* Cav. Cav. Diss. 214.
 † — — — Mem. Mus. 19, 12.
 — *ovata* Cav. Cav. Diss. 212.
 — — — Lam. Encycl. 302.
Quoya cuneata Gaudich. Freycinet Voyage 66.
Rabelaisia philippensis Planch. Hook. Journ. 1845, 17, 18.
Racaria silvatica Aubl. Aublet Guiana 382.
Racoubea guianensis Aubl. Aublet Guiana 236.
Raddisia Sacramento. Münchn. Denkschr. 7, 15.
Radiola linoides Gm. Dietr. Fl. bor. 11, 728.
 — *Millegrana* Sm. Engl. Bot. 13, 893.
 — — — Baxter Brit. Bot. 3, 188.
 — — — Rchb. Fl. germ. 6, 325.
Rafflesia Arnoldi R. Br. Linn. Transact. 13, 15—22.
 — — — 19, 22—26.
 — — — Hook. Companion 14.
 — — — Spach Suites 131.
 † — — — Ann. sc. nat. III. 14, 8.
 † — — — Schnizl. Iconogr. 1, 41, 1, Suppl. 3.
 — *Patma* Bl. Blume Java 11, 1, 2, 3.
 — — — Hook. Companion 15.
 — — — Vriese Mémoire 2.
 — *Rochussenii* Teyss. Vriese Mémoire 1.
Rafnia angulata Thunb. Delessert Ic. 3, 62.
 — *retusa* Vent. Vent. Malm. 53.
 — — — Nouveau Duhamel 4, 52.
 — — — Kerner Hort. 163.
 — *triflora* Thunb. Vent. Malm. 48.
 — — — Nouveau Duhamel 4, 51.
 — — — Kerner Hort. 254.
 — — — Lodd. Cab. 611.
 — — — Maund Bot. 5, 214.
 — — — Knowles et Westcott 114.
Ragatulus eriophorus Presl. Prager Abh. 6, 9.
 † *Rajania cordata* L. Gaertn. Carp. 14.
 — — — Lam. Encycl. 818.
 — — — Dict. sc. nat. 50.
Raillardia linearis Gaudich. Freycinet Voyage 83.
Ramangia Aub. Aubert Orchid. 59.
Ramatuela argentea H. B. K. H. B. K. Nov. Gen. 7, 656.
Ramirezia cubensis A. Rich. Ramon Cuba 39.
 † *Ramondia flexuosa* Mirb. Bull. philom. 1800, no. 47.
 — *pyrenaica* Rich. Rivinus Opus ined. 83.
 — — — Lam. Encycl. 917.
 † *Ramphicarpa longiflora* Benth. Wight Illustr. 165⁶.
Rancagua Bridgesii P. et E. Poepp. et Endl. 25.
 — *Feullei* P. et E. Poepp. et Endl. 24.
 † *Randalia decangularis* Pal. Ann. sc. nat. 13, 5.
 † *Randia aculeata* L. Gaertn. Carp. 26.
 — *Bowieana* Cunn. Bot. Mag. 62, 3409.
 — *dumetorum* Lam. Rheede Hort. mal. 4, 13.
 — — — Lam. Encycl. 156.
 — — — Wight Ic. pl. Ind. or. 2, 580.
 — *floribunda* DC. Wight Ic. pl. Ind. or. 2, 583.

- Randia latifolia* Lam. Lam. Encycl. 156.
 — — — Desc. Ant. 2, 79.
 — — — *longiflora* Lam. Lam. Encycl. 156.
 — — — *Salisb.* Salisb. Parad. 93.
 — — — *longispina* DC. Wight Ic. pl. Ind. or. 2, 582.
 † — — — *mitis* L. Houston Reliq. 4.
 — — — *nutans* DC. Wight Ic. pl. Ind. or. 2, 581.
 — — — *parvifolia* Lam. Lam. Encycl. 156.
 — — — *pubescens* R. & P. Ruiz et Pav. Fl. 220.
 — — — *speciosa* Hook. Hook. Ic. pl. 9, 824.
 — — — *uliginosa* DC. Wight Ic. pl. Ind. or. 2, 397.
 † *Ranunculus* L. Cesati Stirpes ital. x.
 † — — — Gray Genera 9.
 — — — *acaulis* Banks et Sol. Hook. Fl. ant. 2.
 — — — *acetosellaefolius* Boiss. Boissier Esp. 1.
 — — — *aconitifolius* L. Fl. dan. 1, 111.
 — — — — Bot. Mag. 6, 204.
 — — — — Dietr. Fl. bor. 5, 352.
 — — — — Rchb. Fl. germ. 3, 7.
 — — — *acris* L. Woodv. Med. 3, 172.
 — — — — fl. pleno, Bot. Mag. 6, 215.
 — — — — Curt. Lond. 1, 94.
 — — — — Engl. Bot. 10, 652.
 — — — — Baxter Brit. Bot. 4, 302.
 — — — — Sv. Bot. 375.
 — — — — Spach Suites 57.
 — — — — Schrank Fl. monac. 2, 160.
 — — — — Sturm Flora 12, 46.
 — — — — Rchb. Fl. germ. 13, 16^b. 17.
 — — — — Dietr. Fl. bor. 3, 178.
 — — — — Brandt und Ratzeb. 32.
 † — — — — Nees Gen. X, x.
 — — — *adscendens* Brot. Brotero Phytogr. 181.
 — — — *affinis* R. Br. Hook. Bor. Am. 6.
 — — — *Agerii* Bert. Opusc. sc. Bonon. 3, 6.
 — — — *alpestris* L. Jacq. Fl. austr. 2, 110.
 — — — — Engl. Bot. 34, 2390.
 — — — — Sturm Flora 5, 19.
 — — — — Rchb. Fl. germ. 3, 5.
 — — — — Brandt und Ratzeb. 33.
 — — — *amoenus* Led. Ledeb. Ic. 113.
 — — — *amplexicaulis* L. Bot. Mag. 8, 266.
 — — — — Lodd. Cab. 1593.
 — — — — Delessert Ic. 1, 27.
 — — — *anemonoides* Zahlbr. Rchb. Ic. crit. 8, 779.
 — — — — Sturm Flora 12, 46.
 — — — *angustifolius* DC. Delessert Ic. 1, 27.
 — — — — var. *uniflorus*, Boissier Esp. 1.
 — — — *apiifolius* Pers. Delessert Ic. 1, 26.
 — — — *aquatilis* L. var. *δ*. Fl. dan. 3, 376.
 — — — — Engl. Bot. 2, 101.
 † — — — — Godron Essai 1.
 † — — — — Cosson Atlas 2.
 † — — — — Schk. Handb. 152.
 — — — — α. β. γ. δ. ε. Sturm Flora 14, 67.
 — — — — Rchb. Fl. germ. 3, 3.
 — — — — Dietr. Fl. bor. 3, 183.
 — — — *arvensis* L. Fl. dan. 2, 219.
 — — — — Curt. Lond. 1, 26.
 — — — — Engl. Bot. 2, 135.
 — — — — Sv. Bot. 537.
 † — — — — Schk. Handb. 152.
 — — — — Sturm Flora 18, 82.
 — — — — Rchb. Fl. germ. 3, 21.
 — — — — Dietr. Fl. bor. 3, 182.
 † — — — — Nees Gen. X, x.
 † — — — *asiaticus* L. Hill prolif. Bl. 1. 2.
 — — — — Pacho Voyage 99.
 — — — — Sibth. Fl. gr. 518.
 — — — — Rchb. Fl. germ. 3, 8.
 — — — *aureus* Schlecht. Rchb. Fl. germ. 3, 18.
 — — — *auricomus* L. Fl. dan. 4, 665.

- Ranunculus auricomus* L. Curt. Lond. 1, 126.
 — — — Engl. Bot. 9, 624.
 — — — Sturm Flora 14, 59.
 — — — Rchb. Fl. germ. 3, 12—14.
 — — — Dietr. Fl. bor. 3, 175.
 — — — Linnaea 10, 2.
 — — — *Balbisi* Moris. Moris Fl. sard. 1.
 † — — — *Baudotii* Godr. Godron Essai 1.
 † — — — *bellidiflorus* Gesn. Gesner Dissert. 1.
 † — — — — Konig Annals 1, 9.
 — — — *bitematus* Sm. Delessert Ic. 1, 24.
 — — — — Hook. Ic. pl. 5, 497.
 — — — *blepharicarpos* Boiss. Boissier Esp. 1^a.
 — — — *bonariensis* Poir. Delessert Ic. 1, 29.
 — — — *brachiatus* Schlecht. Rchb. Fl. germ. 3, 23.
 — — — *brachyphyllus* Ten. Tenore Fl. nap. 149.
 — — — *brevicaulis* Hook. Hook. Bor. Am. 7.
 — — — *Breyneanus* Crantz. Rchb. Ic. crit. 2, 140.
 — — — *brutius* Ten. Tenore Fl. nap. 50.
 — — — *bulbosus* L. Fl. dan. 4, 551.
 — — — — Curt. Lond. 1, 148.
 — — — — Engl. Bot. 8, 515.
 — — — — Sv. Bot. 387.
 — — — — Bigelow Med. 47.
 † — — — — Schk. Handb. 152.
 — — — — Roemer Fl. europ. 11, 3.
 — — — — Schrank Fl. monac. 4, 314.
 — — — — Sturm Flora 12, 46.
 — — — — Dietr. Fl. bor. 3, 176.
 — — — — Rchb. Fl. germ. 3, 20, 23.
 † — — — — Plée Types 5.
 — — — *bullatus* L. var. Tenore Fl. nap. 49.
 — — — *bupleuroides* Brot. Brotero Phytogr. 79.
 † — — — *caespitosus* Thuill. Godron Essai 2.
 — — — *canadensis* Jacq. Jacq. Ic. 105.
 — — — *cardiophyllus* Hook. Hook. Bor. Am. 5.
 — — — — Bot. Mag. 57, 2999.
 — — — *carinthiacus* Hoppe. Sturm Flora 12, 46.
 — — — — Rchb. Fl. germ. 3, 16.
 — — — *cassubicus* L. Sturm Flora 18, 82.
 — — — — Rchb. Ic. crit. 2, 139.
 — — — — Rchb. Fl. germ. 3, 14, 15.
 — — — — Bot. Mag. 48, 2267.
 — — — *Chamissonis* Schlecht. Schlechtend. Anim. 1, 1.
 — — — *chilensis* DC. Hook. Beechey 3.
 — — — *cicutarius* Schlecht. Schlechtend. Anim. 1, 4.
 — — — *circinatus* Sibth. Engl. Bot. 2869.
 — — — — Fl. dan. 13, 2236.
 — — — — Rchb. Fl. germ. 3, 2.
 † — — — — Cosson Atlas 1.
 — — — *Columnae* All. Allione Fl. ped. 3, 67.
 — — — *columnaris* Don. var. *β*. Sweet Fl. G. II. 361.
 — — — *cortusaefolius* Willd. Delessert Ic. 1, 36.
 — — — — Bot. Mag. 78, 4625.
 — — — — Lem. Jard. fl. 239.
 — — — *crenatus* W. et K. W. et Kit. 10.
 — — — — Sturm Flora 12, 46.
 — — — — Rchb. Fl. germ. 3, 5.
 — — — *creticus* L. var. *macrophyllus*, Bot. Reg. 17, 1432.
 — — — *crassipes* Hook. Hook. Fl. ant. 81.
 — — — *cuneilobus* Dill. et Rich. Richard Abyssin. 3.
 — — — *Cymbalariae* Pursh. Fl. dan. 13, 2293.
 — — — *daucifolius* Stev. Bull. Mosc. 1852. 1, 7.
 — — — *demissus* DC. var. *hispanicus*, Boissier Esp. 2.
 — — — *digitatus* Hook. Hook. Journal 1851, 4.
 — — — *dimorphorhizus* Brot. Brotero Phytogr. 180.
 — — — *divaricatus* Schrank. Sturm Flora 14, 67.
 † — — — — Godron Essai 2.
 — — — *echinatus* Vent. Vent. Cels 73.
 — — — — Mem. Tur. 4, 3.
 — — — *Eschscholzii* Schlecht. Schlechtend. Anim. 2, 1.
 — — — *falcatus* L. Jacq. Fl. austr. 1, 48.

- Ranunculus fascicularis* *Mühlenb.* Schlechtd. Anim. 2, 2.
 — — — Hook. Bor. Am. 8.
 — — — Gray Genera 9.
 — *Ficaria* *L.* Fl. dan. 3, 499.
 — — — Curt. Lond. 2, 59.
 — — — Engl. Bot. 9, 584.
 — — — Sv. Bot. 17.
 — — — Hayne 5, 27.
 — — — Sturm Flora 3, 11.
 † — — — Verhandl. Rheinf. 7, 3.
 — *ficarioides* *Bory.* Bory et Chaub. Morée 15.
 — *filiformis* *Michx.* Barton Fl. 2, 70.
 — *flabellatus* *Desf.* Desf. Fl. atl. 114.
 — — — Sibth. Fl. gr. 520.
 — — *Heuff.* Rchb. Fl. germ. 3, 13.
 — *flagelliformis* *Sm.* Schlechtendal Anim. 1, 3.
 — *Flamula* *L.* Fl. dan. 4, 578.
 — — — Curt. Lond. 2, 39.
 — — — Woodv. Med. 5, 15.
 — — — Engl. Bot. 6, 387.
 — — — Sv. Bot. 117.
 † — — — Lam. Encycl. 498.
 — — — Schrank Fl. monac. 4, 340.
 — — — Sturm Flora 18, 82.
 — — — Brandt und Ratzeb. 33.
 — — — Dietr. Fl. bor. 3, 180.
 — — — Rchb. Fl. germ. 3, 10.
 — *fluitans* *Lam.* Sturm Flora 14, 67.
 — — — Rchb. Fl. germ. 3, 2.
 — — — Engl. Bot. 2870.
 — — — Godron Essai 2.
 — — — Cosson Atlas 2.
 — *frigidus* *Willd.* Rchb. Ic. crit. 3, 289.
 — *geoides* *H. B. K.* H. B. K. Nov. Gen. 5, 429.
 — *geraniifolius* *Hook.* Hook. New Zeal. 3.
 — *geranioides* *H. B. K.* H. B. K. Nov. Gen. 5, 427.
 — *glaberrimus* *Hook.* Hook. Bor. Am. 8.
 — *glabrusculus* *Rupr.* Ruprecht Fl. Samoj. 1.
 — *glacialis* *L.* Linné Fl. lapp. 3.
 — — — Fl. dan. 1, 19.
 — — — Jacq. Collect. 1, 8, 9.
 — — — Sv. Bot. 747.
 — — — Sturm Flora 5, 19.
 — — — Rchb. Fl. germ. 3, 6.
 — *Gouani* *Willd.* Rchb. Fl. germ. 3, 16.
 — *gracilis* *Schleich.* Rchb. Fl. germ. 3, 16.
 — *gramineus* *L.* Bot. Mag. 5, 164.
 — — — Engl. Bot. 33, 2308.
 — — — Roemer Fl. europ. 14, 3.
 — — — Rchb. Fl. germ. 3, 10.
 — *grandiflorus* *L.* Ann. Mus. 11, 31.
 — — — Desf. Choix 44.
 — *Gunnianus* *Hook.* Hook. Journal 1834; 133.
 — *Guzmanni* *Humb.* Delessert Ic. 1, 34.
 — *halophilus* *Schlecht.* Schlechtendal Anim. 1, 4.
 — *hederaceus* *L.* Fl. dan. 2, 321.
 — — — Curt. Lond. 1, 95.
 — — — Engl. Bot. 28, 2003.
 — — — Sv. Bot. 673.
 — — — Dreves 4, 106.
 — — — Sturm Flora 14, 67.
 — — — Rchb. Fl. germ. 3, 2.
 — — — Nees Gen. X, x.
 † — — — Godron Essai 1.
 † — — — Cosson Atlas 1.
 † — *heterophyllus* *L.* Schk. Handb. 152.
 — *hirsutus* *Curt.* Curt. Lond. 1, 127.
 — — — Engl. Bot. 21, 1504.
 — — — Rchb. Fl. germ. 3, 23.
 — *Hornschiuchii* *Hoppe.* Sturm Flora 12, 46.
 — *humilis* *Collie.* Hook. Beechey 2.
 — *hybridus* *Biria.* Sturm Flora 5, 19.

- Ranunculus hybridus* *Stoffels.* Ann. gen. 8, 129.
 — *hydrophilus* *Hook.* Hook. Fl. ant. 82.
 — *hyperboreus* *Rottb.* Sv. Bot. 710.
 — — — Rchb. Pl. crit. 1, 11.
 — *javanicus* *Bl.* Hook. Journal 1848, 17.
 — *illyricus* *L.* Jacq. Fl. austr. 3, 222.
 — — — Sturm Flora 12, 46.
 — — — Rchb. Fl. germ. 3, 8.
 — — — Lodd. Cab. 1620.
 — *incisus* *Hook.* Hook. New Zeal. 4.
 — *insignis* *Hook.* Hook. New Zeal. 2.
 — *insubricus* *Ces.* Cesati Stirpes ital. x.
 — *kamtschaticus* *DC.* Linnaea 6, 7.
 — *Krapfia* *DC.* Delessert Ic. 1, 35.
 — *lacerus* *Bell.* Mem. Tur. 5, 9.
 — — — Rchb. Fl. germ. 3, 7.
 — *lanuginosus* *L.* Fl. dan. 3, 397.
 — — — Sibth. Fl. gr. 519.
 — — — Schrank Fl. monac. 4, 326.
 — — — Sturm Flora 12, 46.
 — — — Dietr. Fl. bor. 4, 287.
 — — — Rchb. Fl. germ. 3, 19.
 — *lapponicus* *L.* Linné Fl. lapp. 3.
 — — — Fl. dan. 1, 144, 13, 2292.
 † — — — Wahlenberg Fl. lapp. 8.
 † — — — Sv. Bot. 749.
 — — — Rchb. Pl. crit. 1, 11.
 — *lasiocarpus* *Led.* Ledeb. Ic. 112.
 — *lateriflorus* *DC.* Delessert Ic. 1, 30.
 — *Lenormandi* *Schultz.* Engl. Bot. 2930.
 † — — — Godron Essai 1.
 † — — — Cosson Atlas 1.
 — *leptaleus* *DC.* Delessert Ic. 1, 33.
 — *Lingua* *L.* Fl. dan. 5, 755.
 — — — Curt. Lond. 5, 171.
 — — — Engl. Bot. 2, 100.
 — — — Sv. Bot. 636.
 — — — Dict. sc. nat. 114.
 — — — Roemer Fl. europ. 8, 5.
 — — — Sturm Flora 18, 82.
 — — — Dietr. Fl. bor. 3, 181.
 — — — Rchb. Fl. germ. 3, 10.
 — *lobatus* *Camb.* Jacquemont Ind. 1.
 — *longicaulis* *Led.* Ledeb. Ic. 117.
 † — *longirostris* *Godr.* Godron Essai 2.
 — *macropus* *Hook. fil.* Hook. Ic. pl. 7, 634.
 — *millefoliatus* *Vahl.* Vahl Symbolae 37.
 — — — Desf. Fl. atl. 116.
 — — — Sibth. Fl. gr. 521.
 — — — Rchb. Fl. germ. 3, 9.
 — — — Bot. Mag. 57, 3009.
 — — — var. β . Sweet Fl. G. II, 246.
 — *monspeliacus* *L.* DC. Ic. Gall. 50.
 — — — Rchb. Fl. germ. 3, 8.
 — — — var. β . Sweet Fl. G. 94.
 — *montanus* *Willd.* Sturm Flora 5, 19.
 — — — Rchb. Fl. germ. 3, 16.
 — — — var. *personatus*, Avé-Lallemant 20.
 — — — Bot. Mag. 57, 3022.
 — — — Lodd. Cab. 1610.
 — *mucronatus* *Bert.* Novi Comm. Bonon. 6, 8.
 — *multiscapus* *Hook.* Hook. New Zeal. 5.
 † — *muricatus* *L.* Gaertn. Carp. 74.
 † — — — Schk. Handb. 152.
 — — — Lam. Encycl. 498.
 — — — Sibth. Fl. gr. 522.
 — — — Sturm Flora 18, 82.
 — — — Rchb. Fl. germ. 3, 22.
 — *myriophyllus* *DC.* Delessert Ic. 1, 31.
 — *natans* *Led.* Ledeb. Ic. 114.
 — *neapolitanus* *Ten.* Tenore Fl. nap. 148.
 — *nemorosus* *DC.* Pollini Fl. ver. 2, 3.

- Ranunculus nemorosus* DC. Sturm Flora 12, 46.
 — — — Rchb. Fl. germ. 3, 18.
 — — — *nivalis* L. Linné Fl. lapp. 3.
 † — — — Wahlenberg Fl. lapp. 8.
 — — — Fl. dan. 10, 1699.
 — — — Sv. Bot. 394.
 — — — Tenore Fl. nap. 237.
 — — — Jacq. Fl. austr. 4, 325. 326.
 — — — Sturm Flore 5, 19.
 — — — Rchb. Fl. crit. 1, 2.
 — — — *nivicola* Hook. Hook. Ic. pl. 6, 571. 572.
 — — — *nodiflorus* L. W. et Kit. 176.
 — — — var. Bot. Mag. 47, 2171.
 — — — Rchb. Fl. germ. 3, 21.
 — — — *oenanthifolius* Ten. Tenore Fl. nap. 237.
 — — — *ophioglossifolius* Vill. Vill. Dauph. 49.
 — — — Engl. Bot. 2833.
 — — — Sturm Flora 14, 59.
 — — — Rchb. Fl. germ. 3, 21.
 — — — *oreophytus* Delile. Ferret Abyssin. 13.
 — — — *orientalis* L. Delessert Ic. 1, 32.
 — — — *orthorhynchus* Hook. Hook. Bor. Am. 9.
 — — — *ovalis* Rafin. Hook. Bor. Am. 6.
 — — — *Pallasii* Schlecht. Schlechtendal Anim. 1, 2.
 — — — *paradoxus* Weihe. Linnæa 10, 2.
 — — — *parnassifolius* L. Bot. Mag. 11, 386.
 — — — Lodd. Cab. 245.
 — — — Jacq. Collect. 1, 9.
 — — — Reiner Reisen 1, 5.
 — — — Roemer Fl. europ. 4, 7.
 — — — Sturm Flora 5, 19.
 — — — Rchb. Fl. germ. 3, 4.
 — — — *parviflorus* L. Fl. dan. 7, 1218.
 — — — Engl. Bot. 2, 120.
 — — — Sturm Flora 18, 82.
 — — — Rchb. Fl. germ. 3, 22.
 — — — *parvulus* Clairv. Rchb. Fl. germ. 3, 17.
 — — — *pedatifidus* Sm. Hook. Bor. Am. 8.
 — — — *pedatus* W. et K. W. et Kit. 108.
 — — — Lodd. Cab. 351.
 — — — Bot. Mag. 48, 2229.
 — — — Rchb. Fl. germ. 3, 9.
 — — — *peduncularis* Sm. Delessert Ic. 1, 42.
 — — — *peruvianus* Pers. Delessert Ic. 1, 37.
 — — — Hook. Ic. pl. 8, 745.
 — — — *petiolaris* H. B. K. H. B. K. Nov. Gen. 5, 428.
 — — — *Petiveri* Koch. Sturm Flora 18, 82.
 † — — — Cosson Atlas 1.
 — — — *petroselinus* Birtia. Birtia Renonc. 2.
 — — — *Philonotis* Ehrh. Fl. dan. 9, 1459.
 — — — Sturm Flora 18, 82.
 — — — Dietr. Fl. bor. 10, 668.
 † — — — Nees Gen. X, x.
 — — — *Phthora* Crantz. Rchb. Fl. germ. 3, 9.
 — — — *pilulifer* Hook. Hook. Ic. pl. 6, 600.
 — — — *pimpinellifolius* R. Br. Hook. Ic. pl. 3, 260.
 — — — *pinguis* Hook. Hook. Fl. ant. 1.
 — — — *plantagineus* All. Allione Fl. ped. 3, 76.
 — — — *plantaginifolius* Murr. Novi Comm. Gott. 8, 2.
 — — — *platyspermus* DC. Ledeb. Ic. 115.
 — — — *polyanthemos* L. Fl. dan. 10, 1700.
 — — — Sturm Flora 18, 82.
 — — — Rchb. Fl. germ. 3, 18.
 — — — Dietr. Fl. bor. 4, 222.
 — — — *polymorphus* All. Allione Fl. ped. 3, 82.
 — — — *polypetalus* Gill. Royle Illustr. 11.
 — — — *polyphyllus* W. et K. W. et Kit. 45.
 — — — Rchb. Fl. germ. 3, 11.
 — — — *polyrrhizos* Willd. Marschall Cent. 19.
 — — — Delessert Ic. 1, 38.
 — — — *procerus* Moris. Moris Fl. sard. 2.
 † — — — *prolifer* Oelh. Oelhafus Elenchus 3.

- Ranunculus pulchellus* Led. Ledeb. Ic. 111.
 — — — *Purshii* Rich. Hook. Bor. Am. 7.
 — — — *pusillus* Poir. Delessert Ic. 1, 28.
 — — — *pygmaeus* Wahlenb. Wahlenberg Fl. lapp. 8.
 — — — Sv. Bot. 748.
 — — — Rchb. Fl. crit. 1, 2.
 — — — *pyrenaeus* L. Gouan Illustr. 17.
 — — — Jacq. Misc. 1, 18.
 — — — Roemer Fl. europ. 8, 4.
 — — — Sturm Flora 5, 19.
 — — — Rchb. Fl. germ. 3, 4.
 — — — Delessert Ic. 1, 27.
 — — — *radicans* Led. Ledeb. Ic. 116.
 — — — *recurvatus* Poir. Delessert Ic. 1, 41.
 — — — *reniformis* Wall. Wight Illustr. 2.
 — — — Wight Ic. pl. Ind. or. 1, 75.
 — — — *repens* Amm. Fl. dan. 2, 331.
 — — — L. Fl. dan. 5, 795.
 — — — Curt. Lond. 1, 52.
 — — — Engl. Bot. 8, 516.
 — — — Sv. Bot. 400.
 — — — Roemer Fl. europ. 12, 4.
 — — — Sturm Flora 12, 46.
 — — — Rchb. Fl. germ. 3, 20.
 — — — Dietr. Fl. bor. 3, 177.
 — — — *reptans* L. Linné Fl. lapp. 3.
 — — — Lightf. Fl. scot. 1, 0.
 — — — Fl. dan. 1, 108.
 — — — Sturm Flora 18, 82.
 — — — *rhoeadifolius* DC. Delessert Ic. 1, 40.
 † — — — *rigidus* Godr. Godron Essai 2.
 — — — *rutaefolius* L. All. Fl. ped. 3, 67.
 — — — Jacq. Collect. 1, 6. 7.
 — — — Sturm Flora 5, 19.
 — — — *ruthenicus* Jacq. Jacq. Vind. 3, 31.
 — — — *sagittaeifolius* Hook. Hook. Ic. pl. 2, 173.
 — — — *saniculaefolius* Viv. Viviani Lib. 11.
 — — — *sceleratus* L. Fl. dan. 4, 571.
 — — — Curt. Lond. 2, 45.
 — — — Engl. Bot. 10, 681.
 — — — Sv. Bot. 412.
 — — — Liboschitz Pet. 22.
 — — — Sturm Flora 18, 82.
 — — — Rchb. Fl. germ. 3, 11.
 — — — Dietr. Fl. bor. 3, 179.
 — — — Brandt und Ratzeb. 32.
 — — — *scutatus* W. et K. W. et Kit. 187.
 — — — *Seguieri* Vill. Vill. Dauph. 49.
 — — — Sturm Flora 5, 19.
 — — — Rchb. Fl. germ. 3, 6.
 — — — *sericeus* Poir. Delessert Ic. 1, 39.
 — — — *seriocephalus* Hook. Hook. Fl. ant. 83.
 — — — *spicatus* Desf. Desf. Fl. atl. 115.
 — — — Bot. Mag. 77, 4585.
 — — — Fl. d. serres 7, 666.
 — — — Lem. Jard. fl. 148.
 — — — *stenopetalus* Hook. Hook. Ic. pl. 7, 677.
 — — — *Steveni* Andr. Rchb. Fl. germ. 3, 17.
 — — — *subpinnatus* W. et Arn. Wight Ic. pl. Ind. or. 1, 49.
 — — — *ternatus* Thunb. Thunberg Pl. japon. x.
 — — — Delessert Ic. 1, 25.
 — — — *Thomasii* Ten. Tenore Fl. nap. 146. 240.
 — — — *Thora* L. Jacq. Fl. austr. 5, 442.
 — — — Jacq. Obs. 13.
 — — — Cesati Stirpes ital. x.
 — — — Sturm Flora 14, 53.
 — — — Rchb. Fl. germ. 3, 9.
 — — — Brandt und Ratzeb. 33.
 — — — *Traunfellneri* Hoppe. Flora 1819, 2.
 — — — Sturm Flora 12, 46.
 — — — Rchb. Fl. germ. 3, 8.
 — — — *trilobus* Desf. Desf. Fl. atl. 113.

- Ranunculus tripartitus* DC. DC. Ic. Gall. 49.
 — — — Fl. dan. 12, 1993.
 — — — Engl. Bot. 2946.
 — — — Sturm Flora 14, 67.
 — — — Rchb. Fl. germ. 3, 2.
 † — — — Godron Essai 1.
 † — — — Cosson Atlas 1.
 — — — trullifolius Hook. Hook. Fl. ant. 82.
 — — — tuberosus Lapeyr. Rchb. Hort. 49.
 — — — velutinus Ten. Tenore Fl. nap. 147.
 — — — verrucosus Presl. Rchb. Fl. germ. 3, 22.
 — — — Villarsii DC. Sturm Flora 12, 46.
 — — — Wallichianus W. et A. Wight Ic. pl. Ind. or. 3, 937.
 — — — Wight Spicil. 5.
 † *Ranunculaceae* Juss. Biria Rénoncules 1.
Raoulia australis Decne. Raoul Nouv. Zel. 13.
 — — — grandiflora Hook. fil. Hook. New Zeal. 37.
 — — — tenuicaulis Hook. fil. Hook. New Zeal. 36.
Rapanea guianensis Aubl. Aublet Guiana 46.
 — — — Lam. Encycl. 122.
 † *Rapatea Friderici* Augusti Schb. Schomburgk Monogr. 1.
 — — — gracilis P. et E. Poepp. et Endl. 168.
 — — — paludosa Aubl. Aublet Guiana 118.
 — — — Lam. Encycl. 226.
 † — — — Ann. sc. nat. 13, 4.
 † — — — Endl. Bras. 8, 17.
 — — — pycnocephala Seub. Endl. Bras. 8, 17.
 † *Rapateae* Endl. Schnizl. Iconogr. 1, 51^a.
Raphanistrum arvense Dietr. Dietr. Fl. bor. 6, 432.
 † — — — Lampsana Gaertn. Gaertn. Carp. 143.
 — — — Landra Moretti. Rchb. Fl. germ. 2, 3.
 — — — maritimum Sm. Rchb. Fl. germ. 2, 3.
 — — — segetum Baumg. Rchb. Fl. germ. 2, 3.
 † — — — Nees Gen. X, x.
Raphanus amplexicaulis Viv. Viviani Lib. 3.
 — — — caudatus L. Linné Fasc. pl. ups. 10.
 — — — cheiranthiflorus Willd. Willdenow Hortus 19.
 — — — Landra Moretti. Poll. Fl. ver. 3, 4.
 — — — Delessert Ic. 2, 94.
 — — — maritimus Sm. Engl. Bot. 23, 1643.
 — — — pinnatus Viv. Viviani Lib. 16.
 — — — Raphanistrum L. Linné Amoenit. 6, 5.
 — — — Winterl Index 13.
 — — — Curt. Lond. 3, 91.
 — — — Engl. Bot. 12, 856.
 — — — Baxter Brit. Bot. 5, 359.
 — — — Sv. Bot. 623.
 — — — Schk. Handb. 188.
 — — — Hayne 2, 15.
 † — — — Webb Canar. 8^a.
 — — — recurvatus Pers. Delile Egypte 36.
 — — — sativus L. Hayne 11, 41.
 — — — Rchb. Fl. germ. 2, 3.
 † — — — Gaertn. Carp. 143.
 † — — — Lam. Encycl. 566.
 † — — — Ann. sc. nat. 21, 5.
 † — — — Plée Types 22.
 † — — — Webb Canar. 8^a.
 † — — — Nees Gen. X, x.
 † — — — Hoeven Tijdschr. 3, 7.
 — — — sibiricus L. Novi Comm. Gott. 5, 11.
Raphia pedunculata Poir. Pal. B. Fl. d'Oware 44. 45.
 † — — — ruffia Mart. Mart. Palm. Z^o. Z¹.
 — — — taedigera Mart. Wallace Palms 2, 16.
 — — — vinifera Pal. B. Pal. B. Fl. d'Oware 44. 45. 46.
 — — — Desc. Ant. 1, 33.
Raphiolepis japonica S. et Z. Sieb. Fl. Japon. 85.
 — — — indica Ldl. Bot. Reg. 6, 468.
 — — — Mem. Tur. 31, 13.
 — — — rubra Ldl. Lindley Collect. 3.
 — — — salicifolia Ldl. Bot. Reg. 8, 632.
Raphistemma pulchellum Wall. Paxt. Mag. 14, 27.

- Raphistemma pulchellum* Wall. Paxt. Fl. G. 101.
 † *Rapistrum* Tournef. Medicus Gattungen 1.
 † — — — Desvaux Journal 5, 25.
 — — — glabrum Host. Rchb. Fl. germ. 2, 2.
 † — — — paniculatum Gaertn. Gaertn. Carp. 141.
 † — — — Lam. Encycl. 974.
 — — — perenne All. Rchb. Fl. germ. 2, 2.
 — — — rugosum All. Allione Fl. ped. 3, 78.
 — — — Rchb. Fl. germ. 2, 2.
 † — — — Nees Gen. X, x.
 † *Rapuntium syphiliticum* Gaertn. Gaertn. Carp. 30.
Raputia aromatica Aubl. Aublet Guiana 272.
 — — — Lam. Encycl. 10.
 † *Raspalia microphylla* Ad. Br. Ann. sc. nat. 8, 37.
Ratzeburgia pulcherrima Kth. Humb. Gram. 158.
 † *Rauia* Nees et Mart. Acta Leop. 11, 1, 19.
 — — — racemosa N. et M. Acta Leop. 11, 1, 24.
 — — — resinosa N. et M. Acta Leop. 11, 1, 23.
 † *Rauwolfia canescens* L. Gaertn. Carp. 52.
 † — — — Lam. Encycl. 172.
 — — — Desc. Ant. 3, 184.
 — — — flexuosa R. et P. Ruiz et Pav. Fl. 152.
 — — — glabra Cav. Cav. Ic. 297.
 — — — heterophylla Willd. Hook. Ic. pl. 4, 366.
 — — — macrophylla R. et P. Ruiz et Pav. Fl. 152.
 — — — nitida L. Linné Hort. Cliff. 9.
 — — — Lam. Encycl. 172.
 — — — Lodd. Cab. 339.
 — — — spinosa Cav. Cav. Ic. 526.
 — — — ternifolia H. B. Bot. Mag. 50, 2440.
 — — — tomentosa Jacq. Jacq. Hist. stirp. am. 46.
 — — — Jacq. Obs. 35.
Ravenala madagascariensis Sonnerat. Jacq. Schoenb. 1, 93.
 — — — Lam. Encycl. 222.
 — — — Endl. Iconogr. 42.
 † — — — Gaudichaud Bonite 130.
Rayera teretifolia Gaudich. Gaudichaud Bonite 108.
 † *Rea Berteriana* Decne. Guillemain Arch. 1, 9, 10.
 † — — — macrantha Bert. Guillemain Arch. 1, 9, 10.
 — — — micrantha Bert. Guillemain Arch. 1, 9, 10.
 — — — pinnata Bert. Guillemain Arch. 1, 9, 10.
Reaumuria filifolia Jaub. Jaubert Illustr. 246.
 — — — hirtella Jaub. Jaubert Illustr. 244.
 — — — hypericoides Willd. Jacq. Ecl. pl. 62.
 — — — Lam. Encycl. 489.
 — — — Bot. Mag. 46, 2057.
 — — — Bot. Reg. 10, 845.
 — — — hyrcanica Jaub. Jaubert Illustr. 248.
 — — — linifolia Salisb. Salisb. Parad. 18.
 — — — mucronata Jaub. Jaubert Illustr. 245.
 — — — squarrosa Jaub. Jaubert Illustr. 247.
 — — — vermiculata L. Gmelin Reise 4, 18.
 — — — DC. Plantes grasses 177.
 — — — Lam. Encycl. 489.
 — — — Schnizl. Iconogr. 220.
 † *Reaumuriaaceae* Ehrenb. Schnizl. Iconogr. 220.
Reboulea gracilis Kth. Humb. Gram. 84.
Rectangis Aub. Aubert Orchid. 55.
 † *Rectomitria galeata* Bl. Blume Mus. 1, 2.
Rectophyllis Aub. Aubert Orchid. 95.
Redoutea heterophylla Vent. Vent. Cels 11.
Redowskia sophiaefolia Schlecht. Linnaea 1, 2.
Reevesia thyrsoides Ldl. Bot. Reg. 15, 1236.
 — — — Bot. Mag. 71, 4199.
 — — — Fl. d. serres 3, 206.
 † *Regelia ciliata* Schauer. Acta Leop. 21, 1, 1.
Rehmannia chinensis Fisch. et M. Bot. Reg. 23, 1960.
 — — — Bot. Mag. 65, 3653.
 — — — Knowles et Westcott 44.
Reichenbachia hirsuta Spr. Bull. philom. 1823, 1.
Reidia fimbriata Wight. Wight Ic. pl. Ind. or. 5, 1904.
 — — — floribunda Wight. Wight Ic. pl. Ind. or. 5, 1903.

- Reidia latifolia* Wight. Wight Ic. pl. Ind. or. 5, 1904.
 — *ovalifolia* Wight. Wight Ic. pl. Ind. or. 5, 1904.
 — *polyphylla* Wight. Wight Ic. pl. Ind. or. 5, 1904.
Reifferscheidia speciosa Presl. Presl Reliq. 62.
Reimaria acuta Flügg. H. B. K. Nov. Gen. 1, 21.
 † — — — Lam. Encycl. 909.
 — — — Trin. Sp. Gr. 3, 275.
 — *conferta* N. v. E. Trin. Sp. Gr. 3, 276.
 † *Reinwardtia elongata* Korth. Korthals Bot. 12.
 — *patens* Korth. Korthals Bot. 12.
Rejona aurantiaca Gaudich. Freycinet Voyage 61.
Relbania pungens L'her. Bot. Reg. 7, 587.
 — — — Lodd. Cab. 1175.
 — *squarrosa* L'her. L'her. Sertum 29.
Remaclea funebris Morr. Belgique hortic. 3, 1.
Remirea maritima Aubl. Aublet Guiana 16.
 — — — Lam. Encycl. 37.
 — — — Pal. B. Fl. d'Oware 73.
 † — — — Seringe Mel. 1.
Remusatia vivipara Schott. Wight Ic. pl. Ind. or. 5, 900.
 — — — Annales de Gand 1846, 66.
Renanthera bilinguis Rchb. fil. Rchb. Xenia 1, 4.
 — *coccinea* Lour. Bot. Mag. 57, 2997. 2998.
 — — — Bot. Reg. 14, 1131.
 — — — Rchb. Exot. 114.
 — — — Paxt. Mag. 4, 49.
 — *matutina* Ldl. Bot. Reg. 29, 41.
 — *molucaana* Bl. Blume Rumphia 193. 197.
Reinealmia calcarata Andr. Andr. Rep. 6, 421.
 — — — Kerner Hort. 417.
 — *exaltata* L. Roscoe Scit. 65.
 — *fasciculata* Rosc. Roscoe Scit. 66.
 — *grandiflora* R. Br. Sweet Fl. G. 64.
 — — — Lodd. Cab. 993.
 — *nutans* Andr. Andr. Rep. 5, 360.
 † *Reinealmia pendula* Gaertn. Gaertn. Carp. 182.
Rengia peruviana P. et E. Poepp. et Endl. 210.
Requienia obcordata DC. DC. Legum. 37.
 — *shaerosperma* DC. DC. Legum. 38.
 † *Reseda* L. (Buchenau.) Bot. Zeitung 1853, 8.
 — *alba* L. Sibth. Fl. gr. 459.
 — — — Rchb. Fl. germ. 2, 101.
 — — — Wight Illustr. 15.
 — *collina* Gay. Explor. Alger. 71.
 — *complicata* Bory. Boissier Esp. 22.
 — *crystallina* Webb. Webb Canar. 9.
 — *Durieuana* Gay. Explor. Alger. 71.
 — *fruticulosa* L. Jacq. Ic. 474.
 — — — Engl. Bot. 2628.
 — *Gayana* Boiss. Boissier Esp. 21.
 — *gracilis* Ten. Tenore Fl. nap. 230.
 — — — Rchb. Fl. germ. 2, 102.
 — *inodora* Rchb. Rchb. Fl. germ. 2, 99.
 — *lanceolata* Lag. Boissier Esp. 19.
 — *lutea* L. Jacq. Fl. austr. 4, 383.
 — — — Engl. Bot. 5, 321.
 — — — Baxter Brit. Bot. 1, 15.
 — — — Lam. Encycl. 410.
 — — — Diet. sc. nat. 187.
 — — — Diet. Fl. bor. 11, 778.
 — — — Rchb. Fl. germ. 2, 100.
 † — — — Luteola L. Fl. dan. 5, 864.
 — — — Engl. Bot. 5, 320.
 — — — Sv. Bot. 82.
 † — — — Mem. Instit. 1830, 3.
 † — — — Ann. sc. nat. 17, 14.
 — — — Schk. Handb. 129.
 — — — Dreves 3, 99.
 — — — Diet. Fl. bor. 6, 420.
 — — — Rchb. Fl. germ. 2, 99.
 — *mediterranea* L. Jacq. Ic. 475.
 — — — Rchb. Fl. germ. 2, 99.

- Reseda mediterranea* L. Lindley Collect. 22.
 — *odorata* L. Bot. Mag. 1, 29.
 — — — *β. suffrutescens*, Bot. Reg. 3, 227.
 † — — — Spach Suites 129.
 — — — Rchb. Fl. germ. 2, 99.
 † — — — (Henslow.) Tr. Cambr. Soc. 5, 1. 2.
 † — *Phyteuma* L. Gaertn. Carp. 76.
 † — — — Lam. Encycl. 410.
 — — — Jacq. Fl. austr. 2, 132.
 — — — Rchb. Fl. germ. 2, 99.
 † — *podocarpa* Viv. Viviani Aeg. 2.
 — *scoparia* Brouss. Webb Canar. 10.
 — *sesamoides* L. All. Fl. ped. 3, 89.
 — — — DC. Ic. Gall. 40.
 † — — — Lam. Encycl. 410.
 † — — — Ann. Mus. 18, 21.
 — *suffruticulosa* L. Rchb. Fl. germ. 2, 101.
 † — *tridens* Viv. Viviani Aeg. 2.
 † — *undata* L. Schk. Handb. 129.
 — — — Rchb. Fl. germ. 2, 101.
 — — — Boissier Esp. 20.
Resedella subulata Webb. Webb Canar. 11.
 † *Restiaceae* R. Br. Schnizl. Iconogr. 1, 45.
 † *Restio* L. Linné Gramin. 1.
 † — — — Acta Leop. 17, 1, 5.
 — *aristatus* Thunb. Thunberg Monogr. x.
 — — — *Usteri Delectus* 1, 2.
 — *cernuus* Thunb. Thunberg Monogr. x.
 — — — *Usteri Delectus* 1, 2.
 † — *chondropetalus* N. v. E. Schnizl. Iconogr. 1, 45.
 — *compressus* Rottb. Rottboell Descr. 2.
 — — — Schnizl. Iconogr. 1, 45.
 — *dichotomus* Rottb. Rottboell Descr. 1.
 † — — — Gaertn. Gaertn. Carp. 82.
 — *distachyos* Rottb. Rottboell Descr. 3.
 — *distichus* Rottb. Rottboell Descr. 2.
 — *eriphorus* Rchb. Schnizl. Iconogr. 1, 45.
 — *imbricatus* Thunb. Thunberg Monogr. x.
 — — — *Usteri Delectus* 1, 2.
 — *paniculatus* Rottb. Rottboell Descr. 2.
 † — *racemosus* Lam. Lam. Encycl. 804.
 † — *scariosus* Thunb. Gaertn. Carp. 181.
 — *spicifer* Lam. Lam. Encycl. 804.
 — *spicigerus* Thunb. Thunberg Monogr. x.
 — — — *Usteri Delectus* 1, 2.
 † — *squarrosus* Thunb. Lam. Encycl. 804.
 — *tectorum* L. fil. Schnizl. Iconogr. 1, 45.
 — *tetraphyllum* Lab. Bill. Nov. Holl. 226. 227.
 — — — Dict. sc. nat. 34. 35.
 — *thyrsifer* Rottb. Rottboell Descr. 3.
 † — — — Lam. Encycl. 804.
 — *triflorus* Rottb. Rottboell Descr. 2.
 — *triticeus* Rottb. Rottboell Descr. 3.
 — *umbellatus* Thunb. Thunberg Monogr. x.
 — — — *Usteri Delectus* 1, 2.
 — *verticillaris* Thunb. Thunberg Monogr. x.
 — — — *Usteri Delectus* 1, 2.
 — *vimineus* Rottb. Rottboell Descr. 2.
 — *virgatus* Rottb. Rottboell Descr. 1.
Restrepia antennifera H. B. K. H. B. K. Nov. Gen. 1, 94.
 — — — Lam. Encycl. 991.
 — *elegans* Karst. Karsten Auswahl 2.
 — — — Fl. d. aëres 7, 743.
 — *tentaculata* P. et E. Poepp. et Endl. 59.
 — *vittata* Ldl. Journal Hort. Soc. 3, 314.
Retama monosperma Boiss. Webb Otia 17.
 † *Retanilla obcordata* Ad. Br. Ann. sc. nat. 10, 14.
 † *Retinaria volubilis* Gaertn. Gaertn. Carp. 120.
Retiniphyllum secundiflorum H. B. Humb. Pl. aeq. 25.
 — — — Lam. Encycl. 922.
Retinispora obtusa S. et Z. Sieb. Fl. Japon. 121.
 — *pisifera* S. et Z. Sieb. Fl. Japon. 122.

- Retinispora squarrosa* S. et Z. Sieb. Fl. Japon. 123.
Retinodendron Rassak Korth. Korthals Bot. 8.
† *Retzia capensis* Thunb. Lam. Encycl. 103.
Reutera gracilis Boiss. Boissier Esp. 69.
— *procumbens* Boiss. Boissier Esp. 70.
Reyesia chilensis Gay. Gay Chile 82.
Reynaudia filiformis Kth. Humb. Gram. 9.
Rhabdia lycioides Mart. Mart. Bras. 195.
— *viminea* Dalz. Hook. Ic. pl. 9, 623.
Rhabdotheca picridioides Webb. Hook. Ic. pl. 8, 766.
— — Hook. Niger Fl. 11.
Rhagadiolus Koelpinia Lam. Lam. Encycl. 655.
† — *lyratus* Lam. Lam. Encycl. 655.
† — *stellatus* Gaertn. Gaertn. Carp. 157.
† — — Lam. Encycl. 655.
† *Rhamneae* Ad. Br. Ann. sc. nat. 10, 12—17.
† *Rhamnus* L. Gray Genera 168.
— *Alaternus* L. Nouveau Duhamel 3, 14.
— — Dict. sc. nat. 270.
† — — Ann. sc. nat. 10, 13.
† — — Spach Suites 15.
— *alnifolius* L'her. Guimpel Fr. Holzgew. 61.
— — Hook. Bor. Am. 42.
— *alpinus* L. Nouveau Duhamel 3, 13.
— — Sturm Flora 13, 51.
— — Lodd. Cab. 1077.
— — Hartig 65.
— *buxifolius* Poir. Nouveau Duhamel 3, 12.
— *carpinifolius* Pall. Pallas Fl. ross. 60.
— *catharticus* L. var. *sibirica*, Pallas Fl. ross. 61.
— — Fl. dan. 5, 850.
— — Woodv. Med. 3, 210.
— — Engl. Bot. 23, 1629.
— — Sv. Bot. 307.
— — Lam. Encycl. 128.
— — Nouveau Duhamel 3, 10.
† — — Ann. sc. nat. 10, 13.
— — Hartig 64.
— — Schrank Fl. monac. 4, 304.
— — Hayne 5, 43.
— — Guimpel et Schl. 84.
— — Nees Düssel. 358.
— — Wagner 37, 38.
— *colubrinus* L. Jacq. Hist. stirp. am. 74.
— — Jacq. Vind. 3, 50.
— *coriaceus* N. v. E. Horae berolin. 23.
— *crenulatus* Ait. Webb Canar. 67.
— *cubensis* L. Jacq. Hist. stirp. am. 75.
— — Jacq. Vind. 3, 49.
— *elegans* H. B. K. H. B. K. Nov. Gen. 7, 619.
— *Erythroxylon* Pall. Pallas Fl. ross. 62.
— *ferreus* Vahl. Vahl Symbolae 58.
— *Frangula* L. Fl. dan. 2, 278.
— — Engl. Bot. 4, 250.
— — Baxter Brit. Bot. 3, 219.
— — Sv. Bot. 109.
— — Lam. Encycl. 128.
— — Nouveau Duhamel 3, 15.
† — — Ann. sc. nat. 10, 13.
† — — Gaertn. Carp. 106.
— — Schk. Handb. 46.
— — Guimpel Holzgew. 14.
— — Schrank Fl. monac. 2, 109.
— — Hayne 5, 44.
— — Nees Düssel. 359.
— *glandulosus* Ait. Vent. Malm. 34.
— *hirsutus* W. et A. Wight Spicil. 49.
— — Wight Ic. pl. Ind. or. 3, 978.
— *Humboldtianus* R. et Sch. H. B. K. Nov. Gen. 7, 619.
— *hydriensis* Hacq. Hacquet Pl. alp. 2.
— *iguaneus* L. Cav. Ic. 294.
— *infectorius* L. Nouveau Duhamel 3, 11.

- Rhamnus infectorius* L. Guimpel Fr. Holzgew. 99.
— — Visiani Dalm. 37.
— *Jujuba* L. Rumpf Amb. 2, 36.
— *lanceolatus* Pursh. Gray Genera 168.
— *latifolius* L'her. L'her. Sertum 8.
— — Bot. Mag. 53, 2663.
— — Watson Dendr. 1, 11.
— — Guimpel Fr. Holzgew. 100.
— *lineatus* L. Osbeck Reise 7.
— *lycioides* Pall. Pallas Fl. ross. 63.
— — L. Cav. Ic. 182.
— *microphyllus* Willd. H. B. K. Nov. Gen. 7, 616.
— *Napeca* L. Rumpf Amb. 2, 37.
— *oleifolius* Hook. Hook. Bor. Am. 44.
— *oleoides* L. Moris Fl. sard. 26.
— *paliuroides* Pall. Pallas Fl. ross. 59.
— *Paliurus* L. Pallas Fl. ross. 64.
— *persicaefolius* Moris. Moris Fl. sard. 27.
— *prinoides* L'her. L'her. Sertum 9.
— *pubescens* Sibth. Sibth. Fl. gr. 239.
— *pumilus* L. Jacq. Collect. 2, 11.
— — Cav. Ic. 181.
— — Roemer Fl. europ. 10, 3.
— *Purshianus* DC. Hook. Bor. Am. 43.
— *pusillus* Ten. Tenore Fl. nap. 123.
— *rupestris* Scop. Scopoli Fl. carn. 1, 6.
— *saxatilis* L. Jacq. Fl. austr. 1, 53.
— — Guimpel Fr. Holzgew. 98.
— *scandens* Hill. Hill Hort. Kew. 20.
— *serrulatus* H. B. K. H. B. K. Nov. Gen. 7, 617.
— *tinctorius* W. et K. W. et Kit. 255.
— — Guimpel Fr. Holzgew. 97.
— *trinervius* Cav. Cav. Ic. 505.
— *umbellatus* Cav. Cav. Ic. 504.
— *volubilis* L. Jacq. Ic. 336.
— *Wightii* Wight et Arn. Wight Ic. pl. Ind. or. 1, 159.
Rhamphicarpa longiflora Benth. Wight Ic. pl. 4, 1415.
† — — Wight Illustr. 165.
Rhantherium suaveolens Desf. Desf. Fl. atl. 240.
— — Lam. Encycl. 986.
Rhaphidospira glabra N. v. E. Wight Ic. pl. 4, 1554.
Rhaphiolepis rubra Ldl. Bot. Reg. 17, 1400.
Rhaphis trivialis Lour. Trin. Sp. Gr. 1, 8, 9.
Rhapis flabelliformis L. fil. Bot. Mag. 33, 1371.
— — Jacq. Schoenbr. 3, 316.
— — Mart. Palm. 144.
Rhaphistemma pulchellum Wall. Wall. Pl. asiat. 163.
— — Paxt. Fl. G. 101.
— — Fl. d. serres 3, 228.
— — Lem. Jard. fl. 4, 353.
— — Paxt. Mag. 14, 27.
Rhaptostylum acuminatum H. B. Humb. Pl. aeq. 125.
— — H. B. K. Nov. Gen. 7, 621.
— — Lam. Encycl. 957.
Rhazia stricta Decne. Jacquemont Ind. 111.
Rheedia lateriflora L. Tussac Ant. 3, 32.
— — Lam. Encycl. 457.
— — Desc. Ant. 5, 343.
Rheum australe Don. Hayne 12, 6.
— — Nees Düssel. Suppl. 101, 102.
— — Sweet Fl. G. 269.
— *caspicum* Pall. Pallas Fl. ross. 3, 21.
† — *compactum* L. Gaertn. Carp. 119.
† — — Lam. Encycl. 324.
— — Hayne 12, 9.
— — Nees Düssel. 121.
† — *digynum* Wahlenb. Wahlenberg Fl. lapp. 9.
— — Sv. Bot. 692.
— *Emodi* Wall. Bot. Mag. 63, 3508.
— — Guimpel et Schl. 182.
— *hybridum* Murr. Comm. Gott. 2, 1.
† — — Novi Comm. Gott. 5, 12.

Rheum hybridum Murr. Nees Düssel. Suppl. 28—30.

- *leucorrhizum* Pall. Ledeb. Ic. 491.
- *nutans* Pall. Pallas Fl. ross. 3, 18. 19.
- *palmatum* L. Linné Fasc. pl. ups. 4.
- — — Pallas Fl. ross. 3, 22. 23.
- † — — — Gaertn. Carp. 119.
- † — — — Lam. Encycl. 324.
- — — Woodv. Med. 4, 231.
- — — Hayne 12, 10.
- — — Nees Düssel. 118—120.
- *Rhabarbarum* L. Linné Amoenit. 3, 4.
- — — Gil et Xarez 25.
- — — Schk. Handb. 110.
- *Rhaponticum* L. Hayne 12, 7.
- — — Nees Düssel. 113—115.
- — — Rchb. Hort. 129.
- *Ribes* L. Ann. Mus. 2, 49.
- *sibiricum* Pall. Pallas Fl. ross. 3, 24. 25.
- *spiciforme* Royle. Royle Illustr. 78.
- *undulatum* L. Pallas Fl. ross. 3, 20.
- † — — — Gaertn. Carp. 119.
- † — — — Lam. Encycl. 324.
- — — Woodv. Med. 5, 24.
- — — Wagner 241. 242.
- — — Nees Düssel. 116. 117.
- — — Hayne 12, 8.
- — — Rchb. Hort. 117.
- *Webbianum* Royle. Royle Illustr. 99 or 78^a.
- Rhexia* *adamantium* St. Hil. Humb. Melast. 60.
- *angusturensis* H. B. Humb. Melast. 29.
- *aquatica* Sw. Humb. Melast. 40.
- *berberifolia* H. B. Humb. Melast. 42.
- *Bonplandii* Kth. Humb. Melast. 18.
- *campanularis* H. B. Humb. Melast. 14.
- *canescens* H. B. Humb. Melast. 6. 18.
- *capitata* H. B. Humb. Melast. 32.
- *cardinalis* H. B. Humb. Melast. 37.
- — — Kerner Hort. 399.
- *cernua* H. B. Humb. Melast. 13.
- *chamaecistus* Sieber. Rchb. Hort. 65.
- *ciliosa* Michx. Pursh Fl. 10.
- — — Sweet Fl. G. 298.
- *circaeifolia* H. B. Humb. Melast. 39.
- *conferta* H. B. Humb. Melast. 20.
- *corymbosa* Raddi. Mem. Mod. 20, 9.
- *dichranthera* Rz et P. Ruiz et Pav. Fl. 320.
- *divaricata* H. B. Humb. Melast. 22.
- *diversifolia* H. B. Humb. Melast. 45.
- *echinata* Rz et P. Ruiz et Pav. Fl. 319.
- *elegans* Bonpl. Späch Suites 30.
- *elliptica* Raddi. Mem. Mod. 20, 8.
- *Espora* St. Hil. Humb. Melast. 58.
- *estrellensis* Raddi. Mem. Mod. 20, 8.
- *excelsa* H. B. Humb. Melast. 34.
- *flexuosa* Rz et P. Ruiz et Pav. Fl. 320.
- *Fontanesii* H. B. Humb. Melast. 36.
- — — Kerner Hort. 603.
- — — Rchb. Exot. 236.
- *glabella* Michx. Humb. Melast. 44.
- *glandulosa* H. B. Bonpl. Malm. 27.
- *glomerata* Rottb. Rottboell Surinam 4.
- — — Lodd. Cab. 334.
- *glutinosa* L. fil. Humb. Melast. 17.
- *gracilis* H. B. Humb. Melast. 52.
- *grandiflora* H. B. Humb. Melast. 11.
- *herbacea* Raddi. Mem. Mod. 20, 8.
- *heteranthera* H. B. Humb. Melast. 33.
- *Hilariana* H. B. Humb. Melast. 56.
- *holosericea* H. B. Humb. Melast. 12.
- — — Lodd. Cab. 236.
- — — Bot. Reg. 4, 323.
- — — Herb. amat. 5, 321.

Rhexia holosericea H. B. Kerner Hort. 353.

- *imbricata* Thunb. Thunberg Fl. bras. 2.
- *indecora* H. B. Humb. Melast. 49.
- *ladanoides* H. B. Humb. Melast. 27.
- *lanceolata* H. B. Humb. Melast. 21.
- — — Lam. Encycl. 283.
- *Langsdorffiana* H. B. Humb. Melast. 51.
- *latifolia* Aubl. Aublet Guiana 129.
- *lepidota* H. B. Humb. Melast. 15.
- — — Kerner Hort. 328.
- *leptophylla* H. B. Humb. Melast. 24.
- *Leuzeana* H. B. Humb. Melast. 54. 55.
- *longifolia* Vahl. Vahl Ic. 15.
- *lutea* Michx. Pursh Fl. 10.
- *lutescens* Rz et P. Ruiz et Pav. Fl. 319.
- † *mariana* L. Gaertn. Carp. 112.
- — — Lam. Encycl. 283.
- — — Humb. Melast. 47.
- — — Barton Fl. 1, 27.
- — — Lodd. Cab. 366.
- — — Maund Bot. 1, 28.
- — — var. *β.* Pursh. Sweet Fl. G. 41.
- *microphylla* H. B. Humb. Melast. 2.
- *mollis* H. B. Humb. Melast. 19.
- — — Kerner Hort. 312.
- *multiflora* H. B. Humb. Melast. 16.
- *muricata* H. B. Humb. Melast. 1.
- *myrtoidea* H. B. Humb. Melast. 3.
- *nummularioides* H. B. Humb. Melast. 23.
- *nymphaeifolia* H. B. Humb. Melast. 53.
- *ochypetala* Rz et P. Ruiz et Pav. Fl. 321.
- *ornata* H. B. Humb. Melast. 26.
- *pendulifolia* H. B. Bonpland Malm. 26.
- *piloselloides* H. B. Humb. Melast. 5.
- *polystachya* H. B. Humb. Melast. 38.
- *princeps* H. B. Humb. Melast. 46.
- — — Rchb. Exot. 237.
- *pumila* H. B. Humb. Melast. 35.
- *quinquenervis* Rz et P. Ruiz et Pav. Fl. 321.
- *radula* H. B. Humb. Melast. 41.
- *reticulata* H. B. Humb. Melast. 9.
- — — Rchb. Exot. 238.
- *rosmarinifolia* Rz et P. Ruiz et Pav. Fl. 318.
- *rotundifolia* H. B. Humb. Melast. 25.
- *sarmentosa* H. B. Humb. Melast. 10.
- *scoparia* St. Hil. Humb. Melast. 59.
- *sebastianopolitana* Raddi. Mem. Mod. 20, 9.
- *serrulata* Rich. Humb. Melast. 28.
- *silensiflora* H. B. Humb. Melast. 48.
- *speciosa* H. B. Humb. Melast. 4.
- — — Kerner Hort. 309.
- — — Dict. sc. nat. 231.
- — — Rchb. Exot. 235.
- *stachyoides* H. B. Humb. Melast. 43.
- *stricta* H. B. Humb. Melast. 8.
- *superba* Raddi. Mem. Mod. 20, 8.
- *taxifolia* St. Hil. Humb. Melast. 57.
- *tenella* H. B. Humb. Melast. 30.
- *thymifolia* H. B. Humb. Melast. 50.
- *tortuosa* H. B. Humb. Melast. 7.
- *trichotoma* Vahl. Rottboell Surinam 5.
- *triflora* Raddi. Mem. Mod. 20, 8.
- *versicolor* Ldl. Bot. Reg. 13, 1066.
- *villosa* Aubl. Aublet Guiana 129.
- *villosissima* H. B. Humb. Melast. 31.
- *viminea* Don. Bot. Reg. 8, 664.
- — — Rchb. Exot. 339.
- *virginica* L. Bot. Mag. 25, 968.
- — — Lodd. Cab. 840.
- — — Lam. Encycl. 283.
- — — Barton Fl. 1, 4.
- — — Rchb. Exot. 234.

- Rhigozum trichotomum* Burch. Regensb. Denkschr. 3, 5.
Rhinacanthus communis N. v. E. Wight Ic. pl. 2, 464.
 † — — — Wight Illustr. 164^{bis}.
Rhinanthus angustifolius Gm. Mutel Fl. fr. Suppl. 3.
 — *crista galli* L. Fl. dan. 6, 981.
 — — — Curt. Lond. 1, 83.
 — — — Engl. Bot. 10, 657.
 — — — Baxter Brit. Bot. 4, 259.
 — — — Sv. Bot. 348.
 † — — — Gaertn. Carp. 54.
 † — — — Lam. Encycl. 517.
 — — — Schk. Handb. 169.
 — — — Schrank Fl. monac. 2, 192.
 † — *glabra* Lam. Ann. sc. nat. 8, 27.
 — *hirsuta* Lam. Dict. sc. nat. 32.
 — *indica* L. Burmann Fl. ind. 39.
 † — *major* Ehrh. Mutel Fl. fr. 44.
 — — — Engl. Bot. 2737.
 † — *minor* Ehrh. Mutel Fl. fr. 44.
 † — *orientalis* L. Lam. Encycl. 517.
 — — — Rechb. Ic. crit. 8, 730.
 — — — Jaubert Illustr. 394.
 — *Tournefortii* Jaub. et Sp. Jaubert Illustr. 393.
 — *Trixago* L. Brotero Phytogr. 146.
 — *versicolor* Lam. Brotero Phytogr. 14.
Rhinocarpus excelsus H. B. K. H. B. K. Nov. Gen. 7, 601.
 † *Rhinoglossum obliquum* DC. Wight Illustr. 159^b.
Rhinopetalum Karelini Fisch. Sweet Fl. G. II. 283.
 † *Rhipidopteris peltata* H. et Gr. Fée Fil. 5, 2.
 † — *sphenophylla* Kze. Fée Fil. 5, 2.
Rhipsalis brachiata Hook. Bot. Mag. 69, 4039.
 † — *Cassutha* Gaertn. Gaertn. Carp. 28.
 † — — — Kerner Genera 197.
 — — — Lodd. Cab. 863.
 — — — Hook. Exot. Fl. 2.
 — — — Bot. Mag. 58, 3080.
 — — — var. *Mociniana* DC. Mem. Mus. 17, 21.
 — *fasciculata* Haw. Bot. Mag. 58, 3079.
 — *funalis* Salbn. Link Ic. II. 38.
 — *grandiflora* Haw. Bot. Mag. 54, 2740.
 — *mesembrianthemoides* Haw. Bot. Mag. 58, 3078.
 — — — Lodd. Cab. 1920.
 — *pentaptera* Pfeiff. Pfeiffer Cact. 1, 17.
 — *salicornioides* Haw. Lodd. Cab. 369.
 — — — Bot. Mag. 51, 2461.
 — — — Link Ic. I. 21.
 † — *Swartziana* Pfeiff. Flora 1853, 6.
 † *Rhizobolus Pekea* Gaertn. Gaertn. Carp. 98.
 † — *Saouvari* Aut. Ann. Mus. 8, 64.
Rhizobotrya alpina Tausch. Rechb. Fl. germ. 2, x.
 — — — Sturm Flora 19, 88.
 † *Rhizocarpeae* Bisch. Bischoff Crypt. Gew. 7. 8. 9.
Rhizophora Candel L. Deso. Ant. 1, 10.
 — *caryophylloides* Burm. Rumpf Amb. 3, 78.
 — *caseolaris* L. Rumpf Amb. 3, 73—75.
 — *conjugata* L. Rheede Hort. mal. 6, 34.
 — *corniculata* L. Rumpf Amb. 3, 77.
 — *gymnorrhiza* L. Rumpf Amb. 3, 68.
 † — — — Gaertn. Carp. 45.
 — *Mangle* L. Rumpf Amb. 3, 71. 72.
 — — — Jacq. Hist. stirp. am. 132.
 † — — — Gaertn. Carp. 45.
 † — — — Lam. Encycl. 396.
 — — — Dict. sc. nat. 109.
 — — — Spach Suites 34.
 † — *mucronata* Lam. Lam. Encycl. 396.
 — — — Wight Ic. pl. Ind. or. 1, 238.
Rhodanthe Manglesii Ldl. Bot. Reg. 20, 1703.
 — — — Bot. Mag. 63, 3483.
 — — — Paxt. Mag. 3, 173.
 — — — Sweet Fl. G. II. 295.
 — — — Fl. d. serres 6, 622.

- Rhodiola rosea* L. Fl. dan. 2, 183.
 — — — Engl. Bot. 8, 508.
 — — — Baxter Brit. Bot. 5, 391.
 — — — Schk. Handb. 331.
 — — — Lam. Encycl. 819.
Rhodochiton volubile Zucc. Preuss. Gart. Verein 10, 1.
 — — — Bot. Mag. 61, 3367.
 — — — Bot. Reg. 21, 1753.
 — — — Paxt. Mag. 2, 27.
Rhodocistus Berthelotianus Webb. β. Webb Canar. 12.
 † *Rhododendron* L. Wight Illustr. 141.
 — *acuminatum* Hook. fil. Hook. Ic. pl. 9, 886.
 — *aeneum* Hort. Annales de Gand 1848, 203.
 — *aeruginosum* Hook. fil. Hook. Rhod. 22.
 — *albiflorum* Hook. Hook. Bor. Am. 133.
 — — — Bot. Mag. 65, 3670.
 — *album* Ham. Sweet Fl. G. II. 148.
 — *alstroemeroides* Hort. Lem. Jard. fl. 4, 384.
 — *altaclarensis* Ldl. Bot. Reg. 17, 1414.
 — — — Bot. Mag. 62, 3423.
 — *anthopogon* Don. Royle Illustr. 64.
 — — — Bot. Mag. 68, 3947.
 — *Aprilis* Hort. Bot. Reg. 29, 62.
 — *arboreum* Sm. Smith Exot. Bot. 6.
 — — — Hook. Exot. Fl. 168.
 — — — var. *album*, Wall. Pl. asiat. 123.
 — — — Tratt. Archiv 370.
 — — — Kerner Hort. 586.
 — — — Rechb. Exot. 225.
 — — — var. *album*, Bot. Mag. 61, 3290.
 — — — var. *cinnamomeum*, Bot. Mag. 67, 3825.
 — — — Bot. Reg. 11, 890.
 — — — var. *roseum*, Bot. Reg. 15, 1240.
 — — — var. *album*, Bot. Reg. 20, 1684.
 — — — var. *cinnamomeum*, Bot. Reg. 23, 1982.
 — — — Paxt. Mag. 1, 101. 2, 98.
 — — — var. *Paxtoni*, Paxt. Mag. 14, 99.
 — — — Sweet Fl. G. 250.
 — — — var. *roseum*, Sweet Fl. G. II. 339.
 — — — var. *undulatum*, Sweet Fl. G. II. 341.
 — — — var. *Boddaertianum*, Ann. de G. 1845, 20.
 — — — var. *gandavense*, Ann. de G. 1847, 164.
 — — — var. *tigrinum roseum*, An. d G. 1848, 199.
 — — — var. *album speciosum*, Lemaire Illustr. 1854, 1.
 — — — Wight Spicil. 131.
 — — — Wight Illustr. 140.
 — — — Wight Ic. pl. Ind. or. 4, 1201.
 — *argenteum* Hook. fil. Hook. Rhod. 9.
 — — — Fl. d. serres 5, 473—476.
 — *Aucklandii* Hook. fil. Hook. Rhod. 11.
 — *azaleoides* Desf. Guimpel Fr. Holzgew. 15.
 — — — Annales de Gand 1845, 4.
 — *barbatum* Wall. Hook. Rhod. 3.
 — — — Fl. d. serres 5, 469—472.
 — *Brookeanum* Low. Journ. Hort. Soc. 3, 83.
 — *buxifolium* Low. Hook. Ic. pl. 9, 890.
 — *calendulaceum* Hook. var. Bot. Mag. 62, 3439.
 — *camelliaeflorum* Hook. fil. Hook. Rhod. 28.
 — *campanulatum* Don. Bot. Mag. 66, 3759.
 — — — Lodd. Cab. 1944.
 — — — Paxt. Mag. 16, 193.
 — — — Sweet Fl. G. II. 241.
 — *Campbelliae* Hook. fil. Hook. Rhod. 6.
 — *campylocarpum* Hook. fil. Hook. Rhod. 30.
 — *Candelabrum* Hook. fil. Hook. Rhod. 29.
 — *carneum* Hort. Fl. d. serres 2, 23.
 — *Cartoni* Hort. Bot. Reg. 17, 1449.
 — *catawbiense* Michx. Bot. Mag. 40, 1671.
 — — — Lodd. Cab. 1176.
 — — — Duc de Brabant, Fl. d. serres 8, 836—7.
 — *caucasico-arboreum* Hort. Maund Bot. 4, 157.

- Rhododendron canasicum* Pall. Pallas Fl. ross. 31.
 — — — Bot. Mag. 28, 1145.
 — — — Guimpel Fr. Holzgew. 124.
 — — — var. stramineum, Bot. Mag. 62, 3422.
 — — — var. hybrid. album, Bot. Mag. 67, 3811.
Chamaecistus L. Jacq. Fl. austr. 3, 217.
 — — — Schk. Handb. 117.
 — — — Guimpel Holzgew. 54.
 — — — Bot. Mag. 14, 488.
 — — — Lodd. Cab. 1491.
 — — — Paxt. Mag. 3, 169.
Championae Hook. Bot. Mag. 77, 4609.
 — — — Lem. Jard. fl. 208.
chrysanthum L. Pallas Fl. ross. 30.
 — — — Koelpin Bemerkungen 1.
 — — — Woodv. Med. 2, 103.
 — — — Berl. Jahrb. 1811, 2.
 — — — Guimpel Fr. Holzgew. 123.
 — — — Hayne 10, 27.
 — — — Nees Düsseld. 216.
 — — — Guimpel et Schl. 42.
ciliatum Hook. fil. Hook. Rhod. 24.
 — — — Paxt. Fl. G. 83.
 — — — var. Bot. Mag. 78, 4648.
 — — — var. Lem. Jard. fl. 3, 312.
 — — — var. Fl. d. serres 8, 766.
cinnabarinum Hook. fil. Hook. Rhod. 8.
 — — — var. pallidum, Bot. Mag. 80, 4788.
cinnamomeum Wall. Paxt. Fl. G. 16.
 — — — var. Cunninghami, Moore Mag. 1851,
 p. 121.
citrinum Hassk. Bot. Mag. 80, 4797.
Clivianum Hort. Bot. Mag. 75, 4478.
Dalhousiae Hook. fil. Hook. Rhod. 1 — 2.
 — — — Bot. Mag. 79, 4718.
 — — — Fl. d. serres 5, 460 — 468.
davuricum L. Pallas Fl. ross. 32.
 — — — Andr. Rep. 1, 4.
 — — — Bot. Mag. 17, 636. 44, 1888.
 — — — Lodd. Cab. 605. 1446. 1584.
 — — — Guimpel Fr. Holzgew. 122.
 — — — β . atrovirens, Bot. Reg. 3, 194.
Edgeworthi Hook. fil. Hook. Rhod. 21.
 — — — Fl. d. serres 8, 797 — 798.
elaegnoides Hook. fil. Hook. Rhod. 23.
ericoides Low. Hook. Ic. pl. 9, 887.
Etendard de Flandre, Fl. d. serres 8, 783. 784.
Falconeri Hook. fil. Hook. Rhod. 10.
 — — — Fl. d. serres 5, 477 — 480.
Farrerae Tate. Sweet Fl. G. II. 95.
fastuosum Hort. Fl. d. serres 2, 143 — 144.
ferrugineum L. Jacq. Fl. austr. 3, 255.
 — — — Jacq. Observ. 16.
 — — — Guimpel Holzgew. 52.
 — — — Hayne 10, 25.
 — — — Nees Düsseld. 207.
 — — — Zollikofer Alpenfl. 6.
 — — — Lodd. Cab. 65.
 — — — β . album, Sweet Fl. G. II. 258.
flavum Don. var. ardens, Sweet Fl. G. II. 306.
 — — — var. coronarium, Sweet Fl. G. II. 331.
formosum Wall. Wall. Pl. asiat. 207.
 — — — Bot. Mag. 75, 4437.
fragrans Paxt. Paxt. Mag. 10, 147.
fulgens Hook. fil. Hook. Rhod. 25.
 — — — Fl. d. serres 8, 789.
Gibsonii Paxt. Paxt. Mag. 8, 217.
 — — — Fl. d. serres 1, 18.
glaucum Hook. fil. Hook. Rhod. 17.
 — — — Bot. Mag. 79, 4721.
 — — — Fl. d. serres 7, 672.
Gowenianum Sweet. Sweet Fl. G. 263.

- Rhododendron gracile* Low. Journ. Hort. Soc. 3, 85.
 — — — grande Wight. Wight Ic. pl. Ind. or. 4, 1202.
 — — — Griffithianum Wight. Wight Ic. pl. Ind. or. 4, 1203.
hirsutum L. Jacq. Fl. austr. 1, 98.
 — — — Nouveau Duhamel 2, 40.
 — — — Guimpel Holzgew. 53.
 — — — Zollikofer Alpenfl. 7.
 — — — Lodd. Cab. 479.
 — — — Bot. Mag. 43, 1853.
 — — — Hayne 10, 26.
Hodgsoni Hook. fil. Hook. Rhod. 15.
hybridum Ker. Bot. Reg. 3, 195.
jasminiflorum Hook. Bot. Mag. 76, 4524.
 — — — Lem. Jard. fl. 41.
javanicum Bennett. Bennett Java 19.
 — — — Bot. Mag. 73, 4336.
 — — — Paxt. Mag. 15, 217.
 — — — Fl. d. serres 3, 293. 294.
 — — — var. aurantiacum, Fl. d. serres 6, 576.
indicum Sweet. Maund Bot. 4, 160.
 — — — var. ignescens, Sweet Fl. G. II. 128.
 — — — var. Smithii, Sweet Fl. G. II. 154.
 — — — var. speciosum, Sweet Fl. G. II. 284.
kamtschaticum Pall. Pallas Fl. ross. 33.
 — — — Guimpel Fr. Holzgew. 121.
lanatum Hook. fil. Hook. Rhod. 16.
 — — — Fl. d. serres 7, 684.
lancifolium Hook. fil. Hook. Rhod. 4.
lapponicum Wahlb. Sv. Bot. 481.
 — — — Bot. Mag. 58, 3106.
ledifolium DC. var. versicolor, Ann. de G. 1846, 89.
 — — — var. Ambrosii, Ann. de Gand 1847, 139.
 — — — var. setosum, Ann. de Gand 1848, 188.
lepidotum Wall. Royle Illustr. 64.
 — — — Bot. Mag. 78, 4657.
 — — — var. chloranthum, Bot. Mag. 80, 4802.
 — — — Lem. Jard. fl. 4, 343.
longiflorum Ldl. Journ. Hort. Soc. 3, 89.
Lowii Hook. fil. Hook. Ic. pl. 9, 883.
macranthum Don. Sweet Fl. G. II. 261.
Maddenii Hook. fil. Hook. Rhod. 18.
 † — — — maximum L. Gaertn. Carp. 63.
 † — — — Lam. Encycl. 364.
 — — — Bot. Mag. 24, 931.
 — — — Michaux Arb. 3, 4.
 † — — — Schk. Handb. 117.
 — — — Guimpel Fr. Holzgew. 112.
 — — — Kerner Hort. 190.
 — — — Bigelow Med. 51.
 — — — Hook. (hybridum.) Bot. Mag. 62, 3454.
Metternichii S. et Z. Sieb. Fl. Japon. 9.
Morterii Don. Sweet Fl. G. II. 10.
myrtifolium Lodd. Lodd. Cab. 908.
nilagiricum Zenk. Zenker Pl. ind. 15.
 — — — Bot. Mag. 74, 4381.
nivale Hook. fil. Hook. Rhod. 26.
 — — — Bot. Mag. 79, 4730.
 — — — Lem. Jard. fl. 4, 421.
nudiflorum Torr. var. Bot. Mag. 65, 3667.
 — — — var. μ . Sweet Fl. G. II. 291.
obtusum Hort. Watson Dendr. 2, 162.
officinale Salisb. Salisbury Parad. 80.
ornatum Sweet. Sweet Fl. G. II. 137.
pendulum Hook. fil. Hook. Rhod. 13.
 — — — Fl. d. serres 7, 662.
phoeniceum Don. δ . splendens, Sweet Fl. G. II. 385.
ponticum L. Pallas Fl. ross. 29.
 — — — Jacq. Ic. 78.
 — — — Meerburg Pl. sel. 22.
 — — — Bot. Mag. 18, 680.
 — — — var. Andr. Rep. 6, 379.
 — — — Nouveau Duhamel 2, 41.

- Rhododendron ponticum* L. Kerner Hort. 88.
 — — — Guimpel Fr. Holzgew. 111.
 — — — Rehb. Exot. 129.
 — — — Savi Fl. ital. 3, 101.
 — — — var. Fl. d. serres 5, 492—493.
 — *pulcherrimum* Ldl. Bot. Reg. 21, 1820.
 — *pulchrum* Sweet. Paxt. Mag. 1, 126.
 — — — Sweet Fl. G. II. 117.
 — *pumilum* Hook. fil. Hook. Rhod. 14.
 — — — Fl. d. serres 7, 667.
 — *punctatum* Willd. Vent. Cels 15.
 — — — Andr. Rep. 1, 36.
 — — — Watson Dendr. 2, 162.
 — — — Bot. Mag. 49, 2283.
 — — — var. β . Bot. Reg. 1, 37.
 — *retusum* Bennett. Bennett Java 20.
 — *Rollissonii* Hort. Paxt. Fl. G. 7.
 — — — Bot. Reg. 29, 25.
 — *Roylii* Hook. fil. Hook. Rhod. 7.
 — *rugosum* Low. Hook. Ic. pl. 9, 885.
 — *Russellianum* Sweet. Sweet Fl. G. II. 91.
 — *salignum* Hook. fil. Hook. Rhod. 23.
 — *setosum* Wall. Hook. Rhod. 20.
 — *sinense* Sweet. β . Sweet Fl. G. 290.
 — *Smithii* Sweet. Sweet Fl. G. II. 50.
 — — — Fl. d. serres 1, 8.
 — — — var. *aureum*, Paxt. Mag. 9, 79.
 — *Standishii* Paxt. Paxt. Mag. 15, 55.
 — *Thomsoni* Hook. fil. Hook. Rhod. 12.
 — — — Fl. d. serres 7, 688—690.
 — *triflorum* Hook. fil. Hook. Rhod. 19.
 — — — Fl. d. serres 7, 673.
 — *venustum* Don. Sweet Fl. G. II. 283.
 — *verticillatum* Low. Journ. Hort. Soc. 3, 87.
 — — — Hook. Ic. pl. 9, 884.
 — *virgatum* Hook. fil. Hook. Rhod. 26.
 — *viscosum* Torr. Torrey New York 66.
 — *Wallichii* Hook. fil. Hook. Rhod. 9.
 — *Wightii* Hook. fil. Hook. Rhod. 27.
 — — — Fl. d. serres 8, 792, 793.
Rhodolaena altivola Aub. Aub. Th. Iles d'Afrique 13.
 — — — Kerner Hort. 339.
Rhodoleia Championi Hook. Bot. Mag. 76, 4509.
 — — — Lem. Jard. fl. 4.
 — — — Fl. d. serres 6, 561.
Rhodora canadensis L. L'her. Stirp. 68.
 — — — Meerburg Pl. sel. 23.
 — — — Bot. Mag. 14, 474.
 — — — Nouveau Duhamel 3, 53.
 — — — Gaertn. Carp. 209.
 — — — Lam. Encycl. 364.
 — — — Guimpel Fr. Holzgew. 14.
Rhodorrhiza fruticulosa Webb. Webb Canar. 140.
 — *glandulosa* Webb. Webb Canar. 139.
 — *virgata* Webb. Webb Canar. 138.
Rhodoseris conspicua Turcz. Bull. Mosc. 1851. 2, 2.
Rhodospatha latifolia P. et E. Poepp. et Endl. 300.
Rhodostoma gardenioides Schdw. Moore Mag. 1850, 63.
Rhodothamnus kamtschaticus Ldl. Paxt. Fl. G. 22.
 — — — Lem. Jard. fl. 53.
Rhodotypos kerrioides S. et Z. Sieb. Fl. Japon. 99.
Rhomboelytrum Berteroanum Em. Desv. Gay Chile 81.
 — *rhomboideum* Link. Gay Chile 81.
Rhopala complicata H. B. K. H. B. K. Nov. Gen. 2, 119.
 — *cordifolia* H. B. K. H. B. K. Nov. Gen. 2, 118.
 — *excelsa* Roxb. Wight Ic. pl. Ind. or. 1, 190.
 — *grata* Wall. Moore Mag. 1850. 2, p. 33.
 — *hameliaefolia* Rudge. Rudge Pl. Guianae 31.
 — *heterophylla* Pohl. Pohl Bras. 90.
 — *inaequalis* Pohl. Pohl Bras. 89.
 — *longepetiolata* Pohl. Pohl Bras. 88.
 — *montana* Aubl. Aublet Guiana 32.

- † *Rhopala montana* Aubl. Gaertn. Carp. 32.
 — — — Lam. Encycl. 53.
 — *myrtoidea* P. et E. Poepp. et Endl. 149.
 — *nitida* Rudge. Rudge Pl. Guianae 39.
 — *obovata* H. B. K. H. B. K. Nov. Gen. 2, 120.
 — *ovalis* Pohl. Pohl Bras. 86.
 — *pinnata* Poir. Rudge Pl. Guianae 38.
 — *polystachya* H. B. K. H. B. K. Nov. Gen. 2, 121.
 — *robusta* Roxb. Wight Ic. pl. Ind. or. 1, 191.
 — *Thomesiana* Moric. Moricand Pl. Am. 100.
 — *tomentosa* Pohl. Pohl Bras. 87.
 † *Rhus* L. Gray Genera 159, 160.
 — *aromatica* Ait. Ann. Mus. 5, 30.
 — — — Gray Genera 160.
 — *atomaria* Jacq. Jacq. Schoenbr. 3, 343.
 — *Bucki-amela* Roxb. Wight Ic. pl. Ind. or. 2, 561.
 — ? *caustica* Miers. Hook. Beechey 7.
 † — *copallina* L. Gaertn. Carp. 44.
 † — — — Lam. Encycl. 207.
 — — — Jacq. Schoenbr. 3, 341.
 — *Coriaria* L. Woodv. Med. 3, 213.
 — — — Nouveau Duhamel 2, 46.
 — — — Sibth. Fl. gr. 290.
 — — — Watson Dendr. 2, 136.
 † — — — Payer Organogénie 19.
 — *Cotinus* L. Jacq. Fl. austr. 3, 210.
 — — — Nouveau Duhamel 2, 49.
 — — — Guimpel Holzgew. 30.
 — — — Wagner 165, 166.
 † — — — Payer Organogénie 19.
 — *decipiens* W. et A. Wight Illustr. 175.
 — *diversiloba* Torr. et Gr. Bot. Reg. 31, 38.
 — *elegans* Ait. Watson Dendr. 1, 16.
 — *elongata* Jacq. Jacq. Schoenbr. 3, 345.
 † — *glabra* L. Lam. Encycl. 207.
 — — — Watson Dendr. 1, 15.
 — — — Gray Genera 159.
 — *juglandifolia* H. B. K. H. B. K. N. G. 7, 603, 604.
 — *leucantha* Jacq. Jacq. Schoenbr. 3, 342.
 — *lobata* Hook. Hook. Bor. Am. 46.
 — *lucida* L. Cav. Ic. 132.
 — — — Jacq. Schoenbr. 3, 347.
 — *Metopium* L. Desc. Ant. 2, 79.
 — *mollis* Jacq. Jacq. Fragm. 115.
 — — H. B. K. H. B. K. Nov. Gen. 7, 602.
 — *pendulina* Jacq. Jacq. Schoenbr. 4, 449.
 — *pentaphylla* Desf. Desf. Fl. atl. 17.
 — *pumila* Meerb. Meerburg Pl. sel. 14.
 — *radicans* L. Schk. Handb. 82.
 — — — Nees Düsseldorf. 352.
 — — — Guimpel et Schl. 181.
 — — — Bigelow Med. 42.
 — *semialata* Murr. Comm. Gott. 6, 3.
 — — — γ . DC. Wight Ic. pl. Ind. or. 2, 561.
 — *striata* Rz et P. Ruiz et Pav. Fl. 252.
 — *succedanea* L. Kaempfer Amoenit. p. 705.
 — — — Wight Ic. pl. Ind. or. 2, 569.
 — *Thunbergii* Hook. Hook. Ic. pl. 6, 595.
 — *Toxicodendron* L. Nouveau Duhamel 2, 48.
 — — — Woodv. Med. 5, 20.
 — — — Bot. Mag. 43, 1806.
 — — — Hayne 9, 1.
 — — — Nees Düsseldorf. 351.
 — — — Brandt et Ratzeb. 48.
 — *typhina* L. Nouveau Duhamel 2, 47.
 — — — Watson Dendr. 1, 17, 18.
 — *undulata* Jacq. Jacq. Schoenbr. 3, 346.
 — *Vernix* L. Kaempfer Amoenit. p. 792.
 † — — — Gaertn. Carp. 44.
 † — — — Lam. Encycl. 207.
 — — — Bigelow Med. 10.
 — — — Watson Dendr. 1, 19.

- Rhus viminalis* Vahl. Jacq. Schoenbr. 3, 344.
Rhynchadenia cubensis A. Rich. Ramon Cuba 85.
† *Rhynchanthera adenophora* Miq. Miquel Comment. 10.
— *cordata* Mart. Mart. Bras. 260.
— *Schrankiana* Mart. Mart. Bras. 259.
Rhynchocorys Elephas Griseb. Rivinus Opus ined. 71.
— *orientalis* Griseb. Rivinus Opus ined. 71.
Rhynchoglossum obliquum Bl. Rheede Hort. mal. 9, 80.
— *zeylanicum* Hook. Bot. Mag. 71, 4198.
Rhyncholacis Hydrocichorium Tul. Arch. Mus. 6, 3.
— *macrocarpa* Tul. Arch. Mus. 6, 3.
† *Rhyncholepis breviscupis* Miq. Miquel Illustr. Pip. 45.
— *Cumingiana* Miq. Miquel Illustr. Pip. 45.
Rhynchopera pedunculata Kl. Link Ic. III. 41.
— *punctata* Karst. Karsten Auswahl 7.
Rhynchopsidium sessiliflorum DC. Mem. Genev. 7, 6.
Rhynchosia faginea Guill. Guillemin Seneg. 52.
— *grandiflora* Cham. Hook. Beechey 59.
— *laxiflora* Camb. Jacquemont Ind. 54.
— *menispermoidea* DC. DC. Legum. 55.
— *picta* Seem. Seemann Herald 20.
— *polystachya* Dill. et Rich. Richard Abyssin. 44.
— *pseudocajan* Camb. Jacquemont Ind. 55.
— *punctata* DC. DC. Legum. 56.
— *rufescens* DC. Hook. Ic. pl. 2, 189.
— *stipulosa* Rich. Richard Abyssin. 43.
Rhynchospermum jasminoides Ldl. Moore Mag. 1850.
— — — — — 2, p. 113.
— — — — — Fl. d. serres 6, 615.
— — — — — Bot. Mag. 79, 4737.
Rhynchospora alba Vahl. Sv. Bot. 557.
— — — — — Baxter Brit. Bot. 5, 396.
— — — — — Sturm Flora 10, 40.
— — — — — Rchb. Fl. germ. 8, 285.
† — — — — — Nees Gen. 2, 5.
— *armerioides* Presl. Presl Reliq. 31.
— *aurea* Vahl. Pal. B. Fl. d'Oware 81.
— *fusca* Vahl. Fl. dan. 9, 1562.
— — — — — Sv. Bot. 557.
— — — — — Sturm Flora 10, 40.
— — — — — Rchb. Fl. germ. 8, 285.
† — — — — — Nees Gen. 2, 5.
— *globosa* R. et Sch. Presl Reliq. 36.
— *longiflora* Presl. Presl Symbolae 28.
— *paniculata* Presl. Presl Symbolae 29.
— *pauciflora* Presl. Presl Symbolae 36.
† *Rhynchosstylis retusa* Bl. Blume Tabellen 49.
† *Rhynchotheca* R. et P. Ruiz et Pav. Prodr. 15.
— *diversifolia* H. B. K. H. B. K. Nov. Gen. 5, 465.
— *integrifolia* H. B. K. H. B. K. Nov. Gen. 5, 464.
Rhynea phyllicaeifolia DC. Delessert Ic. 4, 52.
† *Rhysospermum ellipticum* Gaertn. Gaertn. Carp. 224.
Rhysotelmia nigricans Decne. Delessert Ic. 5, 75.
Rhytidophyllum auriculatum Hook. Bot. Mag. 64, 3562.
— *floribundum* Ch. Lem. Fl. d. serres 2, 178.
— *purpureum* P. et E. Poepp. et Endl. 206.
Rhytidostylis gracilis Hook. Hook. Beechey 97.
Rhytiglossa angustifolia N. v. E. Endl. Bras. 7, 19.
— *cristata* Regel. Regel Gartenfl. 1852, 14.
Rhytispermum arvense Link. Dietr. Fl. bor. 5, 316.
† — — — — — Nees Gen. 6, 62.
† — *purpureo-coeruleum* Link. Nees Gen. 6, 62.
Riana Conohoria Aubl. Lam. Encycl. 135.
— *guianensis* Aubl. Aublet Guiana 94.
— — — — — Lam. Encycl. 135.
† *Ribes* L. (24 species.) Mem. Genev. 3, 1, 2.
— *aciculare* Sm. Ledeb. Ic. 230.
— *albidum* Hort. Paxt. Mag. 10, 55.
— — — — — Fl. d. serres 1, 3.
— *albifolium* R. et P. Ruiz et Pav. Fl. 232.
— *alpestre* Royle. Jacquemont Ind. 75.
— *alpinum* L. Jacq. Fl. austr. 1, 47.

- Ribes alpinum* L. Fl. dan. 6, 968.
— — — — — Sv. Bot. 223.
— — — — — Engl. Bot. 10, 704.
— — — — — Lodd. Cab. 1486.
— — — — — Guimpel Holzgew. 21.
— — — — — Sturm Flora 13, 51.
— *atropurpureum* Led. Ledeb. Ic. 231.
— *aureum* Pursh. Bot. Reg. 2, 125.
— — — — — Guimpel Fr. Holzgew. 2.
— — — — — Rchb. Mag. 95.
— — — — — Herb. amat. 5, 301.
— — — — — Mem. Tur. 33, 1.
— *cereum* Dougl. Bot. Reg. 15, 1263.
— — — — — Bot. Mag. 57, 3008.
— *cuneifolium* R. et P. Ruiz et Pav. Fl. 233.
— *Cynosbati* L. Jacq. Vind. 123.
— — — — — Guimpel Fr. Holzgew. 135..
— *Diacantha* L. fil. Pallas Fl. ross. 66.
— *divaricatum* Dougl. Bot. Reg. 16, 1359.
† — *flavum* Colla. Mem. Tur. 33, 1.
† — — — — — Spach Suites 47.
— *floridum* Moench. Moench Weissenst. 7.
— — — — — Guimpel Fr. Holzgew. 1.
— *fragrans* Lodd. Lodd. Cab. 1533.
— *glandulosum* R. et P. Ruiz et Pav. Fl. 233.
— *Gordonianum* Hort. Fl. d. serres 2, 165.
— *Grossularia* L. Engl. Bot. 18, 1292.
— — — — — Sv. Bot. 133.
— — — — — Sturm Flora 1, 4.
— — — — — Guimpel Holzgew. 23.
— — — — — Dietr. Fl. bor. 12, 818.
— *heterotrichum* Led. Ledeb. Ic. 235.
— *himalayense* Royle. Jacquemont Ind. 77.
— *inebrians* Ldl. Bot. Reg. 17, 1471.
— *lacustre* Poir. Guimpel Fr. Holzgew. 136.
— — — — — Lodd. Cab. 884.
— *leptostachyum* Decne. Jacquemont Ind. 76.
— *macrobotrys* R. et P. Ruiz et Pav. Fl. 232.
— *malvaceum* Benth. Sweet Fl. G. II. 340.
— *Menziesii* Pursh. Bot. Reg. 33, 56.
— *multiflorum* R. et Sch. Bot. Mag. 50, 2368.
— — — — — Lodd. Cab. 1331.
— *niveum* Ldl. Bot. Reg. 20, 1692.
— *nigrum* L. Fl. dan. 4, 556.
— — — — — Woodv. Med. 3, 192.
— — — — — Engl. Bot. 18, 1291.
— — — — — Sv. Bot. 169.
— — — — — Hayne 3, 26.
— — — — — Guimpel Holzgew. 22.
— — — — — Dietr. Fl. bor. 12, 817.
— *palmatum* Desf. var. Revue hort. 1853, 17.
— *petraeum* Wulf. Jacq. Ic. 49.
— — — — — Engl. Bot. 10, 705.
— — — — — Lam. Encycl. 146.
— — — — — Guimpel Holzgew. 20.
— — — — — Sturm Flora 8, 56.
— *procumbens* Pall. Pallas Fl. ross. 65.
— *prostratum* L'her. L'heritier Stirp. 2.
— *pulchellum* Turcz. Trautvetter Imag. 8.
— *punctatum* R. et P. Ruiz et Pav. Fl. 233.
— — — — — Bot. Reg. 15, 1278.
— — — — — DC. Bot. Reg. 20, 1658.
— *resinosum* Pursh. Bot. Mag. 38, 1583.
— *rubrum* L. Fl. dan. 6, 967.
— — — — — Woodv. Med. 3, 191.
— — — — — Engl. Bot. 18, 1289.
— — — — — Baxter Brit. Bot. 5, 345.
† — — — — — Lam. Encycl. 146.
— — — — — Nouveau Duhamel 3, 57.
— — — — — Sv. Bot. 199.
— — — — — Schk. Handb. 48.
— — — — — Sturm Flora 1, 4.

- Ribes rubrum* L. Guimpel Holzgew. 19.
 — — — Schrank Fl. monac. 4, 368.
 — — — Hayne 3, 23.
 — — — Nees Düssel. 296.
 — — — Guimpel et Schl. 32.
 — — — Wagner 40.
 — *sanguineum* Pursh. Hort. Transact. 7, 13.
 — — — Lodd. Cab. 1487.
 — — — Bot. Reg. 16, 1349.
 — — — Bot. Mag. 61, 3335.
 — — — Spach Suites 47.
 — — — Paxt. Mag. 1, 3.
 — — — Annales de Gand 1845, 42.
 — — — Sweet Fl. G. II. 109.
 — — — flore pleno, Paxt. Mag. 12, 121.
 — — — flore pleno, Fl. d. serres 1, 48.
 — *saxatile* Led. Ledeb. Ic. 239.
 — *setosum* Ldl. Bot. Reg. 15, 1237.
 — *speciosum* Pursh. Bot. Reg. 18, 1857.
 — — — Bot. Mag. 63, 3530.
 — — — Maund Bot. 1, 38.
 — — — Sweet Fl. G. II. 149.
 — *spicatum* Robs. Linn. Transact. 3, 21.
 — — — Engl. Bot. 18, 1290.
 — *stramineum* Sm. Mem. Genev. 3, 3.
 — *tenuiflorum* Ldl. Bot. Reg. 15, 1274.
 — *triflorum* Willd. Willdenow Hortus 61.
 — — — Guimpel Fr. Holzgew. 3.
 — — — Lodd. Cab. 1094.
 — *tubiflorum* C. A. M. Mem. Mosc. 7, 4.
 — *Uva crista* L. Schmidel Icones 1.
 — — — Fl. dan. 4, 546.
 † — — — Lam. Encycl. 146.
 — — — Nouveau Duhamel 3, 58.
 — — — Dict. sc. nat. 207.
 — — — Engl. Bot. 29, 2037.
 — — — Guimpel Holzgew. 24.
 — — — Schrank Fl. monac. 2, 146.
 — — — Sturm Flora 11, 44.
 ✓ — *viscosissimum* Pursh. Hook. Bor. Am. 76.
 † *Richardia africana* Kth. Mem. Mus. 4, 20.
Richardia pilosa R. et P. Ruiz et Pav. Fl. 279.
 † — *scabra* L. Houstoun Reliq. 9.
 † — — — Gaertn. Carp. 25.
 † — — — Lam. Encycl. 254.
Richardsonia brasiliensis Gomez. Hayne 8, 21.
 — *pilosa* H. B. K. H. B. K. Nov. Gen. 3, 279.
 — *rosea* St. Hil. St. Hil. Pl. usuelles 7.
 — *scabra* St. Hil. St. Hil. Pl. usuelles 8.
 — — — Nees Düssel. 255.
 — — — Sweet Fl. G. 91.
Richea Desgrazii Hombr. Richard Astrolabe 27^b.
 — *dracophylla* R. Br. Guillemin Austr. 3.
 — *glauca* Lab. Labill. Relation 16.
 — *scoparia* Hook. fil. Hook. Ic. pl. 9, 850.
Richeria grandis Vahl. Vahl Eclogae 4.
Ricinocarpus pinifolius Desf. Mem. Mus. 3, 22.
 — — — Endl. Iconogr. 124.
Ricinus africanus Willd. Rumpf Amb. 4, 41.
 — — — Rehb. Hort. 155.
 — *armatus* Andr. Andr. Rep. 6, 430.
 — *badius* Rehb. Rehb. Hort. 154.
 — *communis* L. Rheede Hort. mal. 2, 32.
 † — — — Gaertn. Carp. 107.
 † — — — Lam. Encycl. 792.
 — — — Woodv. Med. 3, 221.
 — — — Sibth. Fl. gr. 952.
 — — — Bot. Mag. 48, 2209.
 — — — Dict. sc. nat. 276.
 — — — Desc. Ant. 1, 59, 2, 127.
 — — — Schk. Handb. 312.
 — — — Hayne 10, 48.

- Ricinus communis* L. Nees Düssel. 140.
 — — — Guimpel et Schl. 113.
 — — — Wagner 33.
 † — — — Spach Suites 76.
 — — — Berg Darstellung 1^c.
 † — *europaeus* L. Nees Gen. 4, 38.
 — *inermis* Jacq. Jacq. Ic. 195.
 — *lividus* Jacq. Jacq. Ic. 196.
 † — — — Schk. Handb. 312.
 — — — Rehb. Hort. 153.
 — *Mappa* L. Rumpf Amb. 3, 108.
 — — — Wight Ic. pl. Ind. or. 3, 816.
 — *speciosus* Burm. Burmann Fl. ind. 63.
 — *Tanarius* L. Rumpf Amb. 3, 121.
 — *viridis* Willd. Willdenow Hortus 49.
 † *Ricotia aegyptiaca* L. Medicus Gatt. 2.
 — — — Lam. Encycl. 561.
 — — — Bot. Reg. 1, 49.
 — *Lunaria* DC. Sweet Fl. G. II. 411.
 — *tenuifolia* Sibth. Sibth. Fl. gr. 630.
Ridolfia segetum Moris. Moris Fl. sard. 75.
 † *Riedelia lippoides* Chamisso. Linnaea 7, 7.
Medleia Berteriana DC. Delessert Ic. 3, 23.
 — *corchorifolia* W. et A. Rheede Hort. mal. 9, 73.
 — *serrata* Vent. Vent. Choix 37.
Riesenbachia racemosa Presl. Presl Reliq. 54.
Rigidella flammea Ldl. Bot. Reg. 26, 16.
 — — — Paxt. Mag. 7, 247.
 — *immaculata* Herb. Bot. Reg. 27, 68.
 — — — Fl. d. serres 5, 502.
 — *orthantha* Ch. Lem. Fl. d. serres 1, 46.
 — — — Paxt. Mag. 14, 121.
Rinorea guianensis Aubl. Aublet Guiana 93.
 — — — Lam. Encycl. 134.
Riocreuxia torulosa Decne. Delessert Ic. 5, 91.
 † *Ripogonum scandens* Forst. Forster Charact. 28.
 † — — — Lam. Encycl. 254.
Ritchiea erecta Hook. fil. Hook. Ic. pl. 8, 769, 770.
 — — — Hook. Niger Fl. 19, 20.
 † *Rittera* Schreb. Swartz Fl. Ind. occ. 16.
 — *dodecandra* Vahl. Vahl Symbolae 34.
 — *grandiflora* Vahl. Vahl Ic. 9.
 † — *pinnata* Vahl. Vahl Eclogae 20.
 † — — — Ann. Mus. 9, 24.
Rivea cuneata Wight. Wight Ic. pl. Ind. or. 3, 890.
 — *hirsuta* Wight. Wight Ic. pl. Ind. or. 3, 891.
 — *ornata* Choisy. Mem. Genev. 6, 3.
 — — — Wight Ic. pl. Ind. or. 4, 1366.
 † — — — Wight Illustr. 168^{bis}.
 — *pomacea* Wight. Wight Ic. pl. Ind. or. 3, 888.
Riveria nitens H. B. K. H. B. K. Nov. Gen. 7, 659^b.
Rivina dodecandra Jacq. Jacq. Hist. stirp. am. 21.
 — — — Jacq. Obs. 2.
 † — *humilis* L. Gaertn. Carp. 77.
 — — — Lam. Encycl. 81.
 † — — — Usteri Annalen 12, 1.
 — — — Bot. Mag. 43, 1781.
 — *inaequalis* Hook. Hook. Ic. pl. 2, 130.
 — *laevis* L. Usteri Annalen 12, 1.
 — — — Lam. Encycl. 81.
 — — — Bot. Mag. 49, 2333.
 — *purpurascens* Schrad. Schrad. Gen. pl. 5.
 — *secunda* R. et P. Ruiz et Pav. Fl. 102.
Rixea azurea Morren. Annales de Gand 1845, 22.
Rizoa ovatifolia Cav. Cav. Ic. 578.
 — — — Annales de hist. nat. 3, 29.
Robbia cestroides DC. Delessert Ic. 5, 52.
Robinia altagana Pall. Pallas Fl. ross. 42.
 — — — L'her. Stirp. 76.
 — — — Lodd. Cab. 1064.
 — *Caragana* L. Nouveau Duhamel 2, 19.
 — — — Guimpel Fr. Holzgew. 67.

- Robinia Caragana *L.* Bot. Mag. 44, 1866.
 — Chamlagu *Lam.* L'heritier Stirp. 77.
 — — Nouveau Duhamel 1, 21.
 — — Guimpel Fr. Holzgew. 30.
 — dubia *Poir.* Lam. Encycl. 606.
 — ferox *Pall.* Pallas Fl. ross. 44.
 — — Nouveau Duhamel 2, 20.
 — florida *Vahl.* Vahl Symbolae 70.
 — frutescens *L.* Pallas Fl. ross. 43.
 — — Schk. Handb. 204.
 — glutinosa *Sims.* Bot. Mag. 16, 560.
 — grandiflora *M. v. B.* Marschall Cent. 15.
 — Halodendron *L. fil.* Pallas Fl. ross. 46.
 — — Bot. Mag. 26, 1016.
 — — Guimpel Fr. Holzgew. 69.
 — hispida *L.* Bot. Mag. 9, 311.
 — — Guimpel Fr. Holzgew. 66.
 — jubata *Pall.* Pallas Astrag. 85.
 — — Lodd. Cab. 522.
 — Nicou *Aubl.* Aublet Guiana 308.
 — Panacoco *Aubl.* Aublet Guiana 307.
 — — Desc. Ant. 7, 454.
 — Pseudacacia *L.* Wangenheim Beitrag 7.
 — — Medicus Akazienbaum 1, 2.
 — — Juglar Triomphe 1.
 — — Michaux Arb. 3, 1.
 — — Nouveau Duhamel 2, 16.
 — — Rousseau Bot. 18.
 — — Lam. Encycl. 606.
 — — Hartig 67.
 † — — Gaertn. Carp. 145.
 † — — Acad. Neap. 6, (1851.) o.
 † — — Ann. sc. nat. III, 19, 2, 6, 7.
 — pygmaea *L.* Pallas Fl. ross. 45.
 — rosea *Mirbel.* Nouveau Duhamel 2, 18.
 — spinosa *L.* Guimpel Fr. Holzgew. 68.
 — squamata *Vahl.* Vahl Symbolae 69.
 — subdecandra *L'her.* L'heritier Stirp. 73.
 — tragacanthoides *Pall.* Pallas Astr. 86.
 — vesicaria *Jacq.* Jacq. Ic. 148.
 — violacea *Pal. B.* Pal. B. Fl. d'Oware 76.
 — — Desc. Ant. 7, 522.
 — viscosa *Vent.* Vent. Cels 4.
 — — Nouveau Duhamel 2, 17.
 — — Michaux Arb. 3, 2.
 — — Kerner Hort. 161.
 — — Guimpel Fr. Holzgew. 65.
 Robinsonia Gayana *Decne.* Delessert Ic. 4, 64.
 † — — Ann. sc. nat. II, 1, 1.
 † — macrocephala *Decne.* Ann. sc. nat. II, 1, 1.
 — thurifera *Decne.* Delessert Ic. 4, 63.
 Robiquetia adscendens *Gaudich.* Freycinet Voyage 34.
 † Rochea *DC.* DC. Crassulacées 1.
 — falcata *DC.* DC. Plantae grasses 103.
 — — Jacq. Fragmenta 82.
 — — Tratt. Thes. 20.
 † Rochefortia *Sw.* Swartz Fl. Ind. occ. 11.
 Rochelia leiocarpa *Led.* Ledeb. Ic. 214.
 — stellulata *Rehb.* Rehb. Ic. crit. 2, 123.
 † — — Nees Gen. 6, 55.
 Rodigia commutata *Spr.* Rehb. Hort. 14.
 † Rodriguezia *Rz et P.* Ruiz et Pav. Prodr. 25.
 — Barkeri *Hook.* Bot. Mag. 63, 3497.
 — Batemani *Ldl.* Poepp. et Endl. 70.
 — crispa *Ldl.* Bot. Reg. 26, 54.
 — lanceolata *Rz et P.* Lodd. Cab. 676.
 — planifolia *Ldl.* Bot. Mag. 63, 3504.
 — secunda *H. B. K.* H. B. K. Nov. Gen. 1, 92.
 — — Bot. Mag. 63, 3524.
 — — Bot. Reg. 11, 930.
 Rodschiedia serrata *Dennst.* Rheede Hort. mal. 5, 56.
 Roella ciliata *L.* Linné Hort. Cliff. 35.

- † Roella ciliata *L.* Gaertn. Carp. 31.
 — — — Lam. Encycl. 123.
 — — — Herb. amat. 5, 332.
 — — — Bot. Mag. 11, 378.
 — — — Lodd. Cab. 1156.
 — — — Paxt. Mag. 7, 245.
 — — — Fl. d. serres 5, 317.
 — decurrens *L'her.* L'heritier Sertum 6.
 — — Andr. Andr. Rep. 4, 238.
 — elegans *Paxt.* Paxt. Mag. 6, 27.
 — ? — — Fl. d. serres 1, 54.
 — filiformis *Lam.* Lam. Encycl. 123.
 † Roemeria hybrida *DC.* Mem. Genev. 1, 2.
 — pinnatifida *Bvn.* Belanger Ind. or. x.
 — refracta *DC.* Delessert Ic. 2, 8.
 Roepera fabagifolia *Juss.* Delessert Ic. 3, 42.
 † — — — Mem. Mus. 12, 15.
 Rogeria adenophylla *Delile.* Cailliaud Voyage 63.
 — amoena *Planch.* Fl. d. serres 5, 442.
 — cordata *Planch.* Lem. Jard. fl. 122.
 — — — Fl. d. serres 8, 754.
 — — — Moore Mag. 1851, p. 89.
 — latifolia *Decne.* Revue hortic. 1853, 7.
 — versicolor *Lem.* Lem. Jard. fl. 112.
 † Rohdea japonica *Bl.* Hoeven Tijdschr. 1, 3.
 Rohria armata *Vahl.* Skrifter nat. Selsk. 1793, 6.
 — bisulca *Thunb.* Skrifter nat. Selsk. 1799, 7.
 — carlinoides *Thunb.* Skrifter nat. Selsk. 1791, 9.
 — carthamoides *Thunb.* Skrifter nat. Selsk. 1793, 8.
 — cuneata *Thunb.* Skrifter nat. Selsk. 1793, 10.
 — cynaroides *Thunb.* Skrifter nat. Selsk. 1791, 8.
 — decurrens *Thunb.* Skrifter nat. Selsk. 1793, 9.
 — hispida *Thunb.* Skrifter nat. Selsk. 1793, 6.
 — ilicifolia *Vahl.* Skrifter nat. Selsk. 1793, 7.
 — incana *Thunb.* Skrifter nat. Selsk. 1793, 11.
 — lanceolata *Thunb.* Skrifter nat. Selsk. 1793, 4.
 — monanthos *Thunb.* Skrifter nat. Selsk. 1793, 7.
 — obovata *Thunb.* Skrifter nat. Selsk. 1799, 10.
 — palmata *Thunb.* Skrifter nat. Selsk. 1793, 13.
 — patula *Thunb.* Skrifter nat. Selsk. 1799, 9.
 — pectinata *Thunb.* Skrifter nat. Selsk. 1799, 8.
 — pungens *Thunb.* Skrifter nat. Selsk. 1799, 11.
 — spinosissima *Thunb.* Skrifter nat. Selsk. 1793, 12.
 — squarrosa *Thunb.* Skrifter nat. Selsk. 1793, 5.
 — sulcata *Thunb.* Skrifter nat. Selsk. 1799, 6.
 † Rolandra *Sw.* Swartz Fl. ind. occ. 27.
 Rolfinkia centaureoides *Zenk.* Zenker Pl. ind. 14.
 Rollandia Delessertiana *Gaudich.* Gaudichaud Bonite 75.
 — Humboldtiana *Gaudich.* Gaudichaud Bonite 76.
 — montana *Gaudich.* Freycinet Voyage 74.
 Rollinia cuspidata *Mart.* Endl. Bras. 2, 6.
 † — exsucca *DC.* Mem. Genev. 5, 2.
 — longifolia *St. Hil.* St. Hil. Fl. Bras. 5.
 † — — — Spach Suites 61.
 — parviflora *St. Hil.* Endl. Bras. 2, 6.
 — puberula *DC.* Mem. Genev. 5, 1.
 — Sieberi *DC.* Mem. Genev. 5, 2.
 Romanzowia sitchensis *Bong.* Acad. Petersb. 2, 4.
 — unalaschkensis *Cham.* Horae berlin. 14.
 † — — — Mem. Genev. 6, 30.
 — — — Ann. sc. nat. 30, 16.
 Romneya Coulteri *Harv.* Hook. Journal 1845, 3.
 Romulea Maratti. Maratti Rom. et Sat. x.
 — — — Rehb. Fl. germ. 9, 354.
 — Bulbocodium *Sebast.* Rizzo Fl. de Nice 12.
 — Linaresii *Parl.* Parl. Ic. pl. rar. panorm. 3.
 — rosea *Eckl.* var. Celsii, Fl. d. serres 8, 799.
 Ronabea latifolia *Aubl.* Aublet Guiana 59.
 — — — Lam. Encycl. 166.
 † Rondeletia *L.* Swartz Observ. 10.
 — americana *L.* Lam. Encycl. 162.
 — asiatica *L.* Rheede Hort. mal. 2, 23.

- Rondeletia biflora* L. *fil.* Rottboell Surin. 2.
 — *buxifolia* Vahl. Vahl Eclogae 12.
 † — *hirta* Sw. Gaertn. Carp. 184.
 — — Lodd. Cab. 350.
 — *leucophylla* H. B. K. H. B. K. Nov. Gen. 3, 290.
 — *longiflora* Cham. Bot. Reg. 29, 42.
 — — Bot. Mag. 69, 3977.
 — — Paxt. Mag. 9, 217.
 — *odorata* Jacq. Jacq. Hist. stirp. am. 61.
 — — Lam. Encycl. 162.
 — — Bot. Reg. 22, 1905.
 — — Bot. Mag. 68, 3953.
 — — Knowles et Westcott 36.
 — — Maund Bot. 2, 53.
 — — Hartinger Parad. 1, 9.
 — *pubescens* H. B. K. H. B. K. Nov. Gen. 3, 291.
 — *speciosa* Lodd. Lodd. Cab. 1893.
 — — Paxt. Mag. 2, 242. 16, 354.
 — *triflora* Vahl. Vahl Symbolae 54.
 — *trifoliata* L. Jacq. Hist. stirp. am. 62.
 — *versicolor* Hook. Bot. Mag. 77, 4579.
Ropourea guianensis Aubl. Aublet Guiana 78.
 — — Lam. Encycl. 121.
Roridula dentata L. Lam. Encycl. 141.
 † — *muscipapa* Gaertn. Gaertn. Carp. 62.
 † — — Lam. Encycl. 141.
 † *Rosa* L. Hill prolif. Blumen 5.
 † — — Hopkirk Flora anomala 9.
 † — — Redouté Roses 149.
 † — — Engelmann Antholysis 3.
 † — — Mem. soc. Linn. Norm. 9, 10.
 † — — Mem. Mod. 5, x. 11, 1.
 † — — Fenzl in Wiener Sitzungs. 3, 3. 4.
 — *abyssinica* R. Br. Lindley Monogr. 13.
 — *Acharii* Wahlenb. Sv. Bot. 577.
 — *acicularis* Ldl. Lindley Monogr. 8.
 — *aciphylla* Rau. Rau Enum. Rosarum 1.
 — — Redouté Roses 70.
 — *Adelaide* Red. Redouté Bouquet 4.
 — *alba* L. Fl. dan. 7, 1215.
 — — Hayne 11, 31.
 — — Guimpel Holzgew. 96.
 — — *cymbaefolia*, Redouté Roses 81.
 — — *flore pleno*, Redouté Roses 46.
 — — *foliacea*, Redouté Roses 125.
 — — *regalis*, Redouté Roses 36.
 — — *anglica altissima*, Roessig Rosen 34.
 — — *plena*, Roessig Rosen 15. 25.
 — *albo-rubicunda plena*, Roessig Rosen 23.
 — *alpina* L. Jacq. Fl. austr. 3, 279.
 — — Guimpel Holzgew. 92.
 — — Sturm Flora 7, 26.
 — — Redouté Roses 113.
 — — Bot. Reg. 5, 424.
 — — Maund Bot. 1, 21.
 — — *debilis*, Redouté Roses 124.
 — — *flore variegato*, Redouté Roses 85.
 — — *laevis*, Redouté Roses 18.
 — — *pendulina*, Redouté Roses 17.
 — *Amélie* Red. Redouté Bouquet 1.
 — *amygdalifolia* Ser. Icones pl. Chinae 19.
 — *andegavensis* Bast. Redouté Roses 59.
 — *arvensis* L. Curt. Lond. 4, 123.
 — — Engl. Bot. 3, 188.
 — — Baxter Brit. Bot. 5, 325.
 — — Bot. Mag. 46, 2054.
 — — Guimpel Holzgew. 95.
 — — Schrank Fl. monac. 4, 305.
 — — *ovata*, Redouté Roses 32.
 — *atrovirens* Viv. Viviani Fl. ital. 6.
 — *Banksiae* R. Br. Roessig Rosen 57.
 — — Redouté Roses 79.

- Rosa Banksiae* R. Br. Bot. Mag. 45, 1954.
 — — *flore pleno albo*, Bot. Reg. 5, 397.
 — — *lutea*, Bot. Reg. 13, 1105.
 — — *lutea*, Lodd. Cab. 1960.
 — — Herb. amat. 4, 245.
 — *belgica* Mill. Roessig Rosen 40.
 — *bengalensis* Savi. Savi Fl. ital. 1, 38. 2, 2.
 — *berberifolia* Pall. Roessig Rosen 53.
 — — Redouté Roses 2.
 — — Kerner Hort. 504.
 — — Ledeb. Ic. 370.
 — *bicolor* Jacq. Jacq. Vind. 1.
 — *bifera* Dupont. rosea, Roessig Rosen 42.
 — — *alba*, Redouté Roses 48.
 — — *macrocarpa*, Redouté Roses 121.
 — — *officinalis*, Redouté Roses 41.
 — — *pumila*, Redouté Roses 146.
 — — *variegata*, Redouté Roses 161.
 — *biserrata* Méral. Redouté Roses 130.
 — *blanda* Ait. Jacq. Fragma. 108.
 — *borboniana* Hort. Annales de Gand 1846, 49.
 — *bracteata* Wendl. Wendl. Hort. herrenh. 23.
 — — Jacq. Fragma. 34.
 — — Roessig Rosen 52.
 — — Vent. Cels 28.
 — — Bot. Mag. 34, 1377.
 — — Redouté Roses 6.
 — *brevistyla* Red. leucochroa, Redouté Roses 33.
 — *Brownii* Spr. Fl. d. serres 4, 366. 367.
 — *Brunonii* Ldl. Lindley Monogr. 14.
 — — Bot. Mag. 69, 4030.
 — *bullata* Savi. Savi Fl. ital. 1, 34.
 — *burgundica* Pers. Roessig Rosen 4.
 — *caesia* Sm. Engl. Bot. 33, 2367.
 — *campanulata* Ehrh. *alba*, Redouté Roses 105.
 — *Candolleana* Thory. Thory Monographie 1.
 — — Bibl. britann. 10, (1819.) x.
 — — *elegans*, Redouté Roses 80.
 † — *canina* L. Gaertn. Carp. 73.
 — — Fl. dan. 4, 555. 10, 1695.
 — — Woodv. Med. 3, 177.
 — — Curt. Lond. 1, 9.
 — — Engl. Bot. 14, 992.
 — — Sv. Bot. 29.
 — — Lam. Encycl. 440.
 — — Dict. sc. nat. 241.
 † — — Plée Types 35.
 — — Sturm Flora 5, 18. 9, 34.
 — — Schrank Fl. monac. 1, 70.
 — — *var. umbellata*, Schrank Fl. mon. 3, 277.
 — — Guimpel Holzgew. 94.
 — — Hayne 11, 32.
 — — Dietr. Fl. bor. 12, 861.
 — — Meyer Fl. hannov. 11.
 — — *rubra*, Roessig Rosen 21.
 — — *carnea simplex*, Roessig Rosen 29.
 — — *borboniana*, Redouté Roses 171.
 — — *grandiflora*, Redouté Roses 154.
 — — *nitens*, Redouté Roses 83.
 — *carolina* L. Wangenheim Beitrag 31.
 — — Roessig Rosen 44.
 — — *corymbosa*, Redouté Roses 28.
 — — Lindley Monogr. 4.
 — *caucasica* Pall. Lindley Monogr. 11.
 — *centifolia* L. Woodv. Med. 3, 178.
 — — *muscosa* Ait. Guimpel Fr. Holzgew. 39.
 — — Guimpel et Schl. 49.
 — — Hayne 11, 29.
 — — Nees Düsseldorf. 301.
 — — Wagner 24.
 — — Roessig Rosen 1.
 — — *minor*, Roessig Rosen 20.

- Rosa centifolia* L. Redouté Roses 1.
 — — — anemonoides, Redouté Roses 115.
 — — — anglica rubra, Redouté Roses 108.
 — — — bipinnata, Redouté Roses 60.
 — — — bullata, Redouté Roses 7.
 — — — burgundica, Redouté Roses 133.
 — — — carnea, Redouté Roses 27.
 — — — caryophyllacea, Redouté Roses 44.
 — — — crenata, Redouté Roses 90.
 — — — foliacea, Redouté Roses 87.
 — — — mutabilis, Redouté Roses 43.
 — — — simplex, Redouté Roses 26.
 — — — Savi Fl. ital. 1, 27.
 — — — var. cristata, Bot. Mag. 63, 3475.
 — cerea Roessig. Roessig Rosen 2.
 — chinensis Jacq. Jacq. Observ. 55.
 — cinerea Sw. Sv. Bot. 553.
 — cinnamomea L. Fl. dan. 7, 1214.
 — — — Engl. Bot. 34, 2388.
 — — — Guimpel Holzgew. 85.
 — — — Schrank Fl. monac. 1, 40.
 — — — Redouté Roses 54.
 — — — majalis, Redouté Roses 40.
 — — — majalis, Roessig Rosen 3.
 — — — Lindley Monogr. 5.
 — Clare Ldl. Bot. Reg. 17, 1438.
 — Clementine Red. Redouté Bouquet 3.
 — clinophylla Red. Redouté Roses 10.
 — collina Jacq. Jacq. Fl. austr. 2, 197.
 — — — Sturm Flora 9, 31.
 — — — fastigiata, Redouté Roses 61.
 — — — Monsoniana, Redouté Roses 150.
 — — — Sm. Engl. Bot. 27, 1895.
 — corymbifera Borkh. alba hispanica, Roess. Ros. 27.
 — cuprea Jacq. Jacq. Fragn. 34.
 — damascena L. marmorea, Roessig Rosen 38.
 — — — rubro-purpurea, Roessig Rosen 18.
 — — — Aurora, Redouté Roses 78.
 — — — Celsiana, Redouté Roses 84, 123.
 — — — coccinea, Redouté Roses 42.
 — — — italica, Redouté Roses 135.
 — — — subalba, Redouté Roses 20.
 — — — variegata, Redouté Roses 56.
 — — — incarnata, Kerner Hort. 848.
 — Desirée Giraud Van Houtte. Fl. d. serres 8, 853.
 — Dicksoni Ldl. Engl. Bot. 2707.
 — dijonensis Roessig. Roessig Rosen 24.
 — diversifolia Vent. Vent. Cels 35.
 — Doniana Woods. Engl. Bot. 2601.
 — dumetorum Sm. Engl. Bot. 36, 2579.
 — — — Thuill. Engl. Bot. 2610.
 — — — Redouté Roses 100.
 — Eglanteria L. Sv. Bot. 463.
 — — — Redouté Roses 23.
 — — — luteola, Redouté Roses 126.
 — — — punicea, Redouté Roses 24.
 — — — subrubra, Redouté Roses 153.
 — — — rubra, Roessig Rosen 10, 25.
 — — — Desc. Ant. 6, 403.
 — Evratina Bosc. Redouté Roses 165.
 — farinosa Bechst. Redouté Roses 147.
 — ferox M. v. B. Marshall Cent. 37.
 — — — Ait. Bot. Reg. 5, 420.
 — flandrica tricolor Hort. Fl. d. serres 2, 155.
 — flava Wikstr. Svensk Acad. 1820, 2, 3.
 — fluvialis Müller. Fl. dan. 5, 868.
 — foetida Bastard. Redouté Roses 53.
 — formosa Roessig. Roessig Rosen 50.
 — Forsteri Sm. Engl. Bot. 2611.
 — Fortuneana Ldl. Lem. Jard. fl. 4, 361.
 — — — Fl. d. serres 7, p. 256.
 — — — Double Yellow, Bot. Mag. 78, 4679.

- Rosa Fortuneana* Ldl. Double Yellow, Fl. d. serres 8, 769.
 — fragariaeflora Ser. Icones pl. Chinae 28.
 — francfurtensis Münchh. Roessig Rosen 11.
 — fraxinifolia Borkh. Bot. Reg. 6, 458.
 — gallica L. Woody. Med. 3, 179.
 — — — Lam. Encycl. 440.
 — — — officinalis, Kerner Hort. 521.
 — — — Sturm Flora 10, 34.
 — — — Guimpel Holzgew. 89.
 — — — Hayne 11, 30.
 — — — Nees Düsseldorf. 307.
 — — — Guimpel et Schl. 50.
 — — — Wagner 103.
 — — — duplex, Roessig Rosen 17.
 — — — maxima, Roessig Rosen 46.
 — — — superbissima, Roessig Rosen 45.
 — — — Agatha, Redouté Roses 134, 136, 139.
 — — — 140, 153.
 — — — aurelianaensis, Redouté Roses 131.
 — — — coerulea, Redouté Roses 103.
 — — — flore giganteo, Redouté Roses 143.
 — — — flore marmoreo, Redouté Roses 141.
 — — — Granati, Redouté Roses 100.
 — — — Gueriniana, Redouté Roses 163.
 — — — latifolia, Redouté Roses 119.
 — — — Mahaka, Redouté Roses 156.
 — — — officinalis, Redouté Roses 25.
 — — — Pontiana, Redouté Roses 118.
 — — — purpureo-velutina parva, Red. Ros. 63.
 — — — purpureo-violacea magna, Red. Ros. 69.
 — — — regalis, Redouté Roses 64.
 — — — rosea simplex, Redouté Roses 145.
 — — — stapeliaeflora, Redouté Roses 141.
 — — — versicolor, Redouté Roses 55.
 — — — Savi Fl. ital. 1, 29.
 — — — versicolor, Bot. Mag. 43, 1794.
 — — — Tuscan, Bot. Reg. 6, 448.
 — Geant de batailles, Ysabeau Journal 1850, 2.
 — geminata Rau. Redouté Roses 99.
 — glaucophylla Ehrh. Roessig Rosen 43.
 — glutinosa Sibth. Sibth. Fl. gr. 482.
 — grandiflora Ldl. Bot. Reg. 11, 888.
 — Guilelmi Waldemarii Klotzsch. Prinz Waldem.
 — — — Him. 8.
 — Hardii Paxt. Paxt. Mag. 10, 195.
 — Hélène Red. Redouté Bouquet 2.
 — hibernica Sm. Engl. Bot. 31, 2196.
 — hispida Sims. Bot. Mag. 38, 1570.
 — — — Red. argentea, Redouté Roses 159.
 — Hoffmeisteri Klotzsch. Prinz Waldem. Him. 7.
 — holosericea Duroi. duplex, Roessig Rosen 16, 25.
 — — — regalis, Roessig Rosen 49.
 — Hudsoniana Red. salicifolia, Redouté Roses 35.
 — — — scandens, Redouté Roses 112.
 — — — subcorymbosa, Redouté Roses 116.
 — hystrix Ldl. Lindley Monogr. 17.
 — japonica Waitz. Roessig Rosen 51.
 — indica L. Redouté Roses 50.
 — — — acuminata, Redouté Roses 15.
 — — — autumnalis, Redouté Roses 164.
 — — — Blairi, Sweet Fl. G. II. 405.
 — — — caryophyllacea, Redouté Roses 151.
 — — — cruenta, Redouté Roses 49.
 — — — dichotoma, Redouté Roses 148.
 — — — fragrans, Redouté Roses 19, 169.
 — — — fragrans, Roessig Rosen 55.
 — — — multipetala, Redouté Roses 75.
 — — — nivea, Sweet Fl. G. II. 229.
 — — — odoratissima, Bot. Reg. 10, 804.
 — — — pannosa, Redouté Roses 76.
 — — — pumila, Redouté Roses 45, 67.
 — — — Queen Victoria, Ann. de Gand 1848, 181.

- Rosa indica* L. Queen Victoria, Fl. d. serres 7, 691
 — — — sertulata, Redouté Roses 138.
 — — — Smithii, Sweet Fl. G. II. 157.
 — — — subalba, Redouté Roses 97.
 — — — stelligera, Redouté Roses 137.
 — — — subviolacea, Redouté Roses 117.
 — — — vulgaris, Redouté Roses 14.
 — — — inermis Red. Redouté Roses 104.
 — — — inodora Fries. Fl. dan. 13, 2233.
 — — — involucreta Roxb. ? Icones pl. Chinae 9.
 — — — Bot. Reg. 9, 739.
 — — — Wight Ic. pl. Ind. or. I, 234.
 — — — involuta Sm. Engl. Bot. 29, 2068.
 — — — kamtschatica Vent. Vent. Cels 67.
 — — — Redouté Roses 12.
 — — — Roessig Rosen 60.
 — — — Bot. Mag. 59, 3149.
 — — — Bot. Reg. 5, 419.
 — — — β . nitens, Bot. Reg. 10, 824.
 — — — lacteola Cam. Roessig Rosen 41.
 — — — Lawranceana Sweet. Bot. Reg. 7, 538.
 — — — laxa Ldl. Lindley Monogr. 3.
 — — — Retz. Svensk Acad. 1820. 2, 3.
 — — — Leschenaultiana Red. Wight Ic. pl. Ind. or. I, 38.
 — — — leucantha Loiseleur. Redouté Roses 52.
 — — — leucochroa Desv. Desvaux Journal 4, 15.
 — — — Lheritieriana Red. Redouté Roses 127.
 — — — longifolia Willd. Redouté Roses 68.
 † — — — lucida Ehrh. Jacq. Fragn. 107.
 — — — Guimpel Fr. Holzgew. 93.
 — — — Redouté Roses 11.
 — — — Savi Fl. ital. 1, 23.
 — — — lutea Mill. Bot. Mag. 11, 363.
 — — — bicolor, Bot. Mag. 27, 1677.
 — — — Guimpel Holzgew. 84.
 — — — plena, Sweet Fl. G. II. 353.
 — — — Hoggii, Sweet Fl. G. II. 410.
 — — — lutescens Pursh. Lindley Monogr. 9.
 — — — Lyellii Ldl. Lindley Monogr. 1.
 — — — macrophylla Ldl. Lindley Monogr. 6.
 — — — Wall. Pl. asiat. 117.
 — — — malmundariensis Lejeune. Redouté Roses 74.
 — — — marmorea Roessig. Roessig Rosen 26.
 — — — micrantha Sm. Engl. Bot. 35, 2490.
 — — — microcarpa Ldl. Lindley Monogr. 18.
 — — — Icones pl. Chinae 9.
 — — — Retz. Svensk Acad. 1820. 2, 3.
 — — — microphylla Roxb. Bot. Reg. 11, 919.
 — — — Bot. Mag. 63, 3490.
 — — — mollis Sm. Engl. Bot. 35, 2459.
 — — — mollissima Borkh. Redouté Roses 102.
 — — — Montezumae H. B. Redouté Roses 16.
 † — — — moschata Mill. Jacq. Fragn. 34.
 — — — Jacq. Schoenbr. 3, 280.
 — — — Guimpel et Schl. 51.
 — — — Hayne 11, 33.
 — — — Redouté Roses 5, 37.
 — — — nepalensis, Bot. Reg. 10, 829.
 — — — nivea, Bot. Reg. 10, 861.
 — — — multiflora Thunb. Bot. Mag. 26, 1059.
 — — — carnea, Redouté Roses 91.
 — — — platyphylla, Redouté Roses 92.
 — — — platyphylla, Bot. Reg. 16, 1372.
 — — — Bot. Reg. 5, 425.
 — — — Savi Fl. ital. 1, 20.
 — — — Herb. amat. 1, 67.
 — — — muscosa Mill. Bot. Mag. 2, 69.
 — — — Roessig Rosen 6.
 — — — simplex, Redouté Roses 8.
 — — — alba, Redouté Roses 31.
 — — — anemoniflora, Redouté Roses 167.
 — — — multiplex, Redouté Roses 9.

- Rosa mutica* Muller. Fl. dan. 4, 688.
 — — — myriacantha DC. Redouté Roses 122.
 — — — Lindley Monogr. 10.
 — — — Narcisse de Salvandy, Fl. d. serres 6, 593.
 — — — nitida Willd. Lindley Monogr. 2.
 — — — nivea Poir. Redouté Roses 98.
 — — — Noisettiana Red. Redouté Roses 96.
 — — — purpurea, Redouté Roses 170.
 — — — Herb. amat. 5, 288.
 — — — Savi Fl. ital. 3, 89.
 — — — ochroleuca Sw. Svensk Acad. 1820. 2, 3.
 — — — Guimpel Fr. Holzgew. 94.
 — — — odoratissima Waitz. Roessig Rosen 55.
 — — — omnium calendarum Borkh. Roessig Rosen 8.
 — — — Orbessanea Red. Redouté Roses 65.
 — — — papaverina Moench. major, Roessig Rosen 31.
 — — — parviflora Willd. Redouté Roses 94.
 — — — parvifolia Ehrh. Bot. Reg. 6, 452.
 — — — persica Hort. lutea, Fl. d. serres 4, 374.
 — — — pimpinellifolia L. Pallas Fl. ross. 75.
 — — — Jacq. Fragn. 107.
 — — — Guimpel Holzgew. 86.
 — — — Roessig Rosen 9, 25.
 — — — pumila, Roessig Rosen 59.
 — — — flore albo, Redouté Roses 107.
 — — — flore variegato, Redouté Roses 109.
 — — — inermis, Redouté Roses 128.
 — — — mariaeburgensis, Redouté Roses 29.
 — — — pumila, Redouté Roses 30.
 — — — rubra, Redouté Roses 47.
 — — — Dietr. Fl. bor. 12, 864.
 — — — d'Enghien, Fl. d. serres 6, 580.
 — — — polyanthos Roessig. Roessig Rosen 33.
 — — — pomponia DC. Roessig Rosen 37.
 — — — Redouté Roses 21.
 — — — burgundica, Redouté Roses 172.
 — — — flore subsimplici, Redouté Roses 86.
 — — — muscosa, Redouté Roses 168.
 — — — Prince Albert Hort. Fl. d. serres 8, 808.
 — — — provincialis Ait. var. Bot. Mag. 12, 407.
 — — — muscosa, Bot. Reg. 1, 53, 2, 102.
 — — — muscosa, Roessig Rosen 56.
 — — — anemonoides, Roessig Rosen 58.
 — — — pulverulenta M. v. B. Marschall Cent. 62.
 — — — pumila Ait. Jacq. Fl. austr. 2, 198.
 — — — Sturm Flora 10, 31.
 — — — Redouté Roses 89.
 — — — punicea Mill. Roessig Rosen 5.
 — — — pygmaea M. v. B. Marschall Cent. 2.
 — — — pyrenaica Gouan. Gouan Illustr. 19.
 — — — Jacq. Schoenbr. 4, 416.
 — — — Guimpel Holzgew. 93.
 — — — Rapa Bosc. Redouté Roses 58.
 — — — reclinata Red. Redouté Roses 157, 158.
 — — — Redouteana Thory. Thory Monogr. x.
 — — — glauca, Redouté Roses 38.
 — — — rubescens, Redouté Roses 39.
 — — — repens Scop. Jacq. Fragn. 104.
 — — — reversa W. et K. W. et Kit. 264.
 — — — Guimpel Fr. Holzgew. 38.
 — — — Rosenberghiana Red. Redouté Roses 114.
 — — — rubella Sm. Engl. Bot. 36, 2521.
 — — — rubicans Roessig. Roessig Rosen 48.
 — — — rubifolia R. Br. Lindley Monogr. 15.
 — — — Redouté Roses 152.
 — — — rubiginosa L. Curt. Lond. 4, 116.
 — — — Engl. Bot. 14, 991.
 — — — Jacq. Fl. austr. 1, 50.
 — — — Schk. Handb. 134.
 — — — Guimpel Holzgew. 91.
 — — — Sturm Flora 5, 18.
 — — — Dietr. Fl. bor. 12, 862.

- Rosa rubiginosa* L. altissima, Roessig Rosen 47.
 — — — aculeatissima, Redouté Roses 106.
 — — — anemoniflora, Redouté Roses 129.
 — — — cretica, Redouté Roses 50.
 — — — floro semipleno, Redouté Roses 95.
 — — — nemoralis, Redouté Roses 66.
 — — — triflora, Redouté Roses 34.
 — — — Vaillantiana, Redouté Roses 166.
 — — — Zabeth, Redouté Roses 57.
 — — — Savi Fl. ital. 1, 35.
 — rubra Lam. lucida, Roessig Rosen 7. 25.
 — rubrifolia Vill. Jacq. Fragm. 106.
 — — — Roessig Rosen 34.
 — — — Redouté Roses 4.
 — — — Guimpel Holzgew. 90.
 — — — var. Séringe Mus. helv. 1. 2.
 — — — Bot. Reg. 5, 430.
 — — — Bell. Mem. Tur. 5, 6.
 — Ruga Ldl. Bot. Reg. 16, 1389.
 — rugosa Thunb. Lindley Monogr. 19.
 — — — Sieb. Fl. Japon. 28.
 — Sabini Woods. Engl. Bot. 2954.
 — sanguineo-purpurea atra, Roessig Rosen 28.
 — sanguineo-purpurea ranunculiformis, Roessig Rosen 39.
 — sanguineo-purpurea simplex, Roessig Rosen 36.
 — sarmentacea Woods. Engl. Bot. 2595.
 — scabriuscula Woods. Engl. Bot. 27, 1696.
 — semperflorens Curt. Bot. Mag. 8, 284. 42, 1762.
 — — — Smith Exot. Bot. 91.
 — — — Jacq. Schoenbr. 3, 281.
 — — — Kerner Hort. 114.
 — — — carnea, Roessig Rosen 19.
 — — — purpurea, Roessig Rosen 12.
 — sempervirens L. Roessig Rosen 32.
 — — — globosa, Redouté Roses 62.
 — — — latifolia, Redouté Roses 82.
 — — — Leschenaultiana, Redouté Roses 162.
 — — — Sibth. Fl. gr. 493.
 — — — Bot. Reg. 6, 465.
 — senticosa Achar. Svensk Acad. 1813, 3.
 — — — Sv. Bot. 475.
 — sepium Thuill. flore submultiplici, Red. Ros. 111.
 — — — myrtifolia, Redouté Roses 142.
 — — — rosea, Redouté Roses 88.
 — — — Engl. Bot. 2653.
 — sericea Ldl. Lindley Monogr. 12.
 — — — Royle Illustr. 42.
 — simplicifolia Poir. Salisbury Parad. 101.
 — sinica Ait. Lindley Monogr. 16.
 — — — Bot. Reg. 23, 1922.
 — — — Bot. Mag. 55, 2847.
 — spinosissima L. Fl. dan. 3, 398.
 — — — Sv. Bot. 559.
 — — — Jacq. Fragm. 124.
 — — — Engl. Bot. 3, 187.
 — — — picta, Lodd. Cab. 687.
 — — — reversa, Bot. Reg. 5, 431.
 — — — Guimpel Holzgew. 87.
 — spinulifolia Dematr. Redouté Roses 120.
 — — — Thory Prodr. 1.
 — — — Fox. Thory Prodr. 2.
 — stricta Mühlenb. Lindley Monogr. 7.
 — stylosa Desv. Desvaux Journ. 4, 14.
 — — — Redouté Roses 132.
 — suavifolia Lightf. Fl. dan. 5, 870.
 — suavis Willd. Guimpel Fr. Holzgew. 40.
 — sulphurea Ait. Redouté Roses 3.
 — — — Bot. Reg. 1, 46.
 — Swartzii Liljebl. Sv. Bot. 541.
 — Thea Hort. Savi Fl. ital. 2, 47.
 — — — à 5 couleurs Fort. Fl. d. serres 4, 381.

- Rosa Thea* Hort. Gloire de Dijon, Fl. d. serres 9, 872.
 — tomentosa Sm. Curt. Lond. 4, 124.
 — — — Engl. Bot. 14, 990.
 — — — Sturm Flora 5, 18.
 — — — Sv. Bot. 571.
 — — — Redouté Roses 77. 101.
 — — — Dietr. Fl. bor. 12, 863.
 — Triomphe de Valenciennes, Ysabeau Journal 1850, 1.
 — — — Fl. d. serres 6, 545.
 — turbinata Ait. Jacq. Fragm. 107.
 — — — Jacq. Schoenbr. 4, 415.
 — — — Redouté Roses 51.
 — Ventenatiana Red. Redouté Roses 160.
 — versicolor Hort. Roessig Rosen 14.
 — villosa Sm. Engl. Bot. 9, 583.
 — — — Fl. dan. 9, 1458.
 — — — L. Sv. Bot. 313.
 — — — Sturm Flora 5, 18.
 — — — Guimpel Holzgew. 88.
 — — — Roessig Rosen 30.
 — — — pomifera, Redouté Roses 22.
 — — — terebinthina, Redouté Roses 93.
 — violaceo-purpurea plena, Roessig Rosen 22.
 — virginiana Duroi. simplex, Roessig Rosen 13. 23.
 — Webbiana Wall. Royle Illustr. 42.
 — Wilsoni Borrer. Engl. Bot. 2723.
 — Woodsii Ldl. Bot. Reg. 12, 976.
 — York et Lancaster, Roessig Rosen 33.
Roscoea alpina Royle. Royle Illustr. 89.
 — — — Wight Ic. pl. Ind. or. 6, 2013.
 — capitata Sm. Wall. Pl. asiat. 255.
 — lutea Royle. Wight Ic. pl. Ind. or. 6, 2013.
 — procera Wall. Wall. Pl. asiat. 242.
 — purpurea Sm. Smith Exot. Bot. 108.
 — — — Hook. Exot. Fl. 144.
 — — — Roscoe Scitam. 61.
 — — — Lodd. Cab. 1104.
 — — — Royle Illustr. 89.
 — — — Bot. Reg. 26, 61.
 — — — Bot. Mag. 78, 4639.
 — — — Lem. Jard. fl. 230.
 — — — Kerner Hort. 760.
 — — — spicata Sm. Royle Illustr. 89.
Rosea crassifolia Klotzsch. Peters Mossamb. 46.
 — — — elatior Mart. Martins Bras. 155.
 — — — jasminiflora Klotzsch. Peters Mossamb. 45.
Rosmarinus officinalis L. Woodv. Med. 2, 117.
 — — — Lam. Encycl. 19.
 — — — Sibth. Fl. gr. 14.
 — — — Nouveau Duhamel 3, 44.
 — — — Hayne 7, 25.
 — — — Nees Düsseldorf. 161.
 — — — Guimpel et Schl. 54.
 — — — Wagner 60.
 † — — — Nees Gen. 6, 9.
Rossatis Aub. Aubert Orchid. s. 8. 12.
† *Rostellaria Lessertiana* Gaertn. Gaertn. Carp. 207.
Rostellularia gracilis Wight. Wight Ic. pl. Ind. or. 4, 1541.
 — hedyotidifolia N. v. E. Wight Ic. pl. Ind. or. 4, 1540.
 — procumbens N. v. E. Wight Ic. pl. Ind. or. 4, 1539.
 — simplex Wight. Wight Ic. pl. Ind. or. 4, 1542.
† *Rostkovia* Desv. Desvaux Journal 1, 12.
 — — — gracilis Hook. Hook. Fl. ant. 47.
† *Rostraria pubescens* Trin. Trinius Fund. 13.
Rotala fimbriata Wight. Wight Ic. pl. Ind. or. 1, 217.
 — Roxburghiana Wight. Wight Ic. pl. Ind. or. 1, 260.
 — verticillaris L. Rheede Hort. mal. 9, 81.
 — — — Wight Ic. pl. Ind. or. 1, 260.
† *Rothia andryaloides* Gaertn. Gaertn. Carp. 174.
 — — — Schk. Handb. 223.
Rothia carolinensis Lam. Journ. d'hist. nat. Par. 1, 1.

- Rothia carolinensis* Lam. Lam. Encycl. 667.
Rothia trifoliata Pers. Jacq. Ecl. pl. 129.
 — — — Wight Ic. pl. Ind. or. 1, 199.
Rothmannia capensis Thunb. Svensk Acad. 1776, 2.
 — — — longiflora Salisb. Salisb. Parad. 65.
 † *Rottboellia* L. fil. Linné Gramin. 1.
 — — — *Coelorhachis* Forst. Bill. Sertum 20.
 — — — *complanata* Sw. Mag. naturf. Fr. 4, 5.
 — — — *compressa* L. Roxb. Corom. 156.
 — — — *corymbosa* L. Roxb. Corom. 181.
 — — — *digitata* Sibth. Sibth. Fl. gr. 92.
 † — — — *dimidiata* Sw. Gaertn. Carp. 181.
 — — — — — Lam. Encycl. 48.
 — — — — — Mag. naturf. Fr. 4, 5.
 — — — — — Elliott Carolina 12.
 — — — *exaltata* L. Roxb. Corom. 157.
 — — — *fasciculata* Desf. Desf. Fl. atl. 36.
 — — — *formosa* R. Br. Humb. Gram. 91.
 — — — *hirsuta* Vahl. Delile Egypte 14.
 — — — *incurvata* L. Cirillo Pl. rar. 1, 6.
 — — — — — Lam. Encycl. 48.
 — — — — — Cav. Ic. 213.
 — — — — — Fl. dan. 6, 938.
 — — — — — Sibth. Fl. gr. 91.
 — — — — — Host Gram. 23.
 — — — — — Engl. Bot. 11, 760.
 — — — — — Knapp Gram. 103.
 — — — — — Baxter Brit. Bot. 6, 476.
 — — — *loliacea* Bory. Bory et Chaub. Morée 3.
 — — — *monandra* Cav. Cav. Ic. 39.
 — — — *muricata* Retz. Petersb. 2, 7.
 — — — *pannonica* Host. Host Gram. 24.
 — — — *perforata* Roxb. Roxb. Corom. 182.
 — — — *pubescens* Bert. Novi Comm. Bonon. 5, 40.
 — — — *setacea* Roxb. Roxb. Corom. 132.
 — — — *Thomaea* Willd. Roxb. Corom. 132.
 — — — *tripascoides* Lam. Lam. Encycl. 48.
 † *Rottlera* Roxb. Roemer Archiv I. 3, 7.
 — — — *dicocca*? Roxb. Rheede Hort. mal. 5, 32.
 — — — *japonica* Spr. Sieb. Fl. Japon. 79.
 † — — — *indica* Willd. Jussieu Euphorb. 9.
 — — — *mappoides* Dalz. Wight Ic. pl. Ind. or. 5, 1873.
 — — — *peltata* Roxb. Wight Ic. pl. Ind. or. 5, 1873.
 † — — — *ricinoides* Juss. Jussieu Euphorb. 9.
 † — — — *scabrifolia* Juss. Jussieu Euphorb. 9.
 — — — *tinctoria* Roxb. Rheede Hort. mal. 5, 21, 24.
 — — — — — Roxb. Corom. 168.
 † *Roubienua multifida* Moq. Tand. Ann. sc. nat. II. 1, 10.
Roucheria calophylla Planch. Hook. Journal 1847, 2.
Rouhamon guianensis Aubl. Aublet Guiana 36.
 — — — — — Lam. Encycl. 81.
Roulinia corymbosa Decne. Delessert Ic. 5, 62.
Roumea abyssinica Dill. et Rich. Richard Abyssin. 8.
Roupellia grata Wall. Lady South Africa x.
 — — — — — Bot. Mag. 75, 4466.
 — — — — — Lem. Jard. fl. 18.
 — — — — — Fl. d. serres 6, 589.
Rourea frutescens Aubl. Aublet Guiana 187.
 † — — — *javanica* Bl. Blume Mus. 1, 59.
Roussaea simplex Sm. Smith Ic. Linn. 6.
 — — — — — Lam. Encycl. 75.
 — — — — — Rousseau Bot. Vignette 1.
 † — — — — — Gaertn. Carp. 312.
 — — — — — Endl. Iconogr. 107.
 † *Rousseauxia chrysophylla* DC. Ann. sc. nat. III. 14, 7.
Rousselia lappulacea Gaudich. Gaudichaud Bonite 98.
Roussinia indica Gaudich. Gaudichaud Bonite 21.
Rova devoniensis Part. Part. Mag. 8, 169.
Roxburghia gloriosa Pers. Bot. Mag. 36, 1500.
 — — — *gloriosoides* Roxb. Rumpf Amb. 5, 129.
 — — — — — Roxb. Corom. 32.
 — — — — — Lam. Encycl. 945.

- Roxburghia gloriosoides* Roxb. Wight Ic. pl. Ind. or. 6, 2061.
 † — — — Schnizl. Iconogr. 1, 56^b.
 † — — — *ruscifolia* Zucc. Schnizl. Iconogr. 1, 56^b.
 — — — *viridiflora* Sm. Smith Exot. Bot. 57.
 — — — — — Wall. Pl. asiat. 282.
 — — — — — Kerner Hort. 554.
 † *Roxburghiaceae* Wall. Schnizl. Iconogr. 1, 56^b.
Roydsia suaveolens Roxb. Roxb. Corom. 289.
Royena ambigua Vent. Ventenat Malm. 17.
 † — — — *hirsuta* Jacq. Jacq. Fragm. 1.
 — — — — — Jacq. Collect. 5, 13.
 — — — — — Lam. Encycl. 370.
 † — — — *lucida* L. Jacq. Fragm. 1.
 † — — — — — Gaertn. Carp. 94.
 — — — — — Lam. Encycl. 370.
 — — — — — Bot. Reg. 32, 40.
 † — — — — — Ann. Mus. 6, 62.
 — — — *pubescens* Willd. Bot. Reg. 6, 500.
Roylea elegans Wall. Wall. Pl. asiat. 74.
Rubia acalyculata Cav. Cav. Ic. 195.
 — — — *angustifolia* L. Lam. Encycl. 60.
 — — — *Bocconi* Petagna. Tenore Fl. nap. 10.
 † — — — *cordifolia* L. Wight Illustr. 128^{bis}.
 — — — *fruticosa* Jacq. Jacq. Ic. 25.
 — — — *himalayensis* Klotzsch. Prinz Waldem. Him. 76.
 † — — — *lucida* L. Gaertn. Carp. 193.
 — — — — — Sibth. Fl. gr. 142.
 — — — *munjista* Roxb. Wight Ic. pl. Ind. or. 1, 187.
 — — — *nitida* H. B. K. H. B. K. Nov. Gen. 3, 280.
 † — — — *Olivierii* Rich. Nees Gen. X, x.
 — — — *peregrina* L. Engl. Bot. 12, 851.
 — — — — — Baxter Brit. Bot. 2, 135.
 — — — *purpurea* Decne. Jacquemont Ind. 92.
 — — — *silvestris* Brot. Brotero Phytogr. 160.
 — — — *splendens* H. et L. Hoffm. Link Fl. port. 85.
 — — — *tinctorum* L. Woodv. Med. 1, 67.
 † — — — — — Lam. Encycl. 60.
 — — — — — Sibth. Fl. gr. 141.
 — — — — — Schk. Handb. 23.
 — — — — — Sturm Flora 1, 3.
 — — — — — Hayne II, 4.
 — — — — — Guimpel et Schl. 133.
 — — — — — Nees Düsseld. 254.
 — — — — — Wagner 117.
 — — — — — Spach Suites 56.
 † — — — — — Mém. cour. Brux. 12, 1 — 10.
 † *Rubiaceae* Juss. Wight Illustr. 128^{bis}.
Rubus acheruntinus Ten. Tenore Fl. nap. 235.
 — — — *affinis* W. et N. Weihe Rubus 3, 3^b.
 — — — *agrestis* W. et K. W. et Kit. 268.
 — — — *apiculatus* Weihe. Weihe Rubus 24.
 — — — *arcticus* L. Linné Fl. lapp. 5.
 — — — — — Fl. dan. 3, 488.
 — — — — — Bot. Mag. 4, 132.
 — — — — — Engl. Bot. 23, 1583.
 — — — — — Sv. Bot. 26.
 — — — — — *β. castoreus*, Sv. Bot. 766.
 — — — — — Weihe Rubus 48.
 — — — *argenteus* W. et N. Weihe Rubus 19.
 — — — *australis* Forst. Hook. New Zealand 14.
 — — — *Bellardi* Guenther. Weihe Rubus 44.
 — — — *biflorus* Buchan. Bot. Mag. 78, 4678.
 — — — — — Lem. Jard. fl. 4, 335.
 — — — — — Belgique hort. 4, 5.
 — — — *caesius* L. Fl. dan. 7, 1213.
 — — — — — Engl. Bot. 12, 826.
 — — — — — Sv. Bot. 241.
 — — — — — Schk. Handb. 135.
 — — — — — Hayne 3, 9.
 — — — — — Guimpel Holzgew. 100.
 — — — — — Schrank Fl. monac. 1, 24.

- Rubus caesius* L. Weihe *Rubus* 46^a. 46^b. 46^c.
 — *carpinifolius* W. et N. Weihe *Rubus* 13.
 — — Engl. Bot. 2664.
Chamaemorus L. Linné Fl. lapp. 5.
 — — Lightf. Fl. scot. 1, 13.
 — — Fl. dan. 1, 1.
 — — Curt. Lond. 4, 136.
 — — Engl. Bot. 10, 716.
 — — Sv. Bot. 469.
 — — Weihe *Rubus* 49.
collinus DC. Nocca et Balb. Fl. tic. 9.
cordifolius W. et N. Weihe *Rubus* 5.
corylifolius Sm. Engl. Bot. 12, 527.
 — — Sv. Bot. 187.
 — — Hayne 3, 11.
 — — Guimpel Holzgew. 102.
Dalibarda L. Smith Ic. Linn. 20.
 — — Lam. Encycl. 441.
discolor W. et N. Weihe *Rubus* 20.
dumetorum Weihe. Weihe *Rubus* 45^a. 45^b.
elongatus Sm. Smith Ic. Linn. 62.
fastigiatus W. et N. Weihe *Rubus* 2.
floribundus H. B. K. H. B. K. Nov. Gen. 6, 557.
foliosus Weihe. Weihe *Rubus* 28.
 + *fruticosus* L. Gaertn. Carp. 73.
 — — Lam. Encycl. 441.
 — — Schmidel Ic. 2.
 — — Fl. dan. 7, 1163.
 — — Engl. Bot. 19, 715.
 — — Baxter Brit. Bot. 5, 334.
 — — Schk. Handb. 135.
 — — Guimpel Holzgew. 103.
 — — Hayne 3, 12.
 — — Guimpel et Schl. 144.
 — — Weihe *Rubus* 7.
 — — flore pleno, Savi Fl. ital. 1, 28.
fuscoater Weihe. Weihe *Rubus* 26.
fuscus Weihe. Weihe *Rubus* 27.
geoides Sm. Smith Ic. Linn. 19.
 — — Hook. Ic. pl. 5, 495.
glabratus H. B. K. H. B. K. Nov. Gen. 6, 558.
glandulosus Bell. Guimpel Holzgew. 99.
 — — Engl. Bot. 2883.
 — — Fl. dan. 10, 1696.
gowreophul Roxb. Wight Ic. pl. Ind. or. 1, 230.
Guentheri Weihe. Weihe *Rubus* 21.
Gunnianus Hook. Hook. Ic. pl. 3, 291.
Hamiltonianus Wall. Wall. Pl. asiat. 234.
hirtus W. et K. W. et Kit. 141.
 — — Weihe *Rubus* 43.
 — — Fl. dan. 12, 2053.
humifusus Weihe. Weihe *Rubus* 35.
humulifolius C. A. M. Meyer Fl. Wiatka 1.
Hystrix Weihe. Weihe *Rubus* 41.
idaeus L. Woodv. Med. 3, 176.
 — — Engl. Bot. 34, 2442.
 — — Fl. dan. 5, 788.
 — — Sv. Bot. 181.
 — — Guimpel Holzgew. 97.
 — — Schrank Fl. monac. 4, 341.
 — — Hayne 3, 8.
 — — Nees Düsseld. 310.
 — — Guimpel et Schl. 145.
 — — Wagner 74.
 — — Weihe *Rubus* 47.
 — — var. Fastloff, Fl. d. serres 4, 380.
infestus Weihe. Weihe *Rubus* 30.
Koehleri Weihe. Weihe *Rubus* 25.
 — — Engl. Bot. 2605.
laciniatus Willd. Willdenow Hortus 82.
 — — Guimpel Fr. Holzgew. 41.
 — — Watson Dendr. 1, 69.

- Rubus lasiocarpus* Sm. Wight Ic. pl. Ind. or. 1, 232.
 — *Lejeunei* Weihe. Weihe *Rubus* 31.
leucostachys Sm. Engl. Bot. 2631.
Lingua Weihe. Weihe *Rubus* 38.
Lobbianus Hook. Hook. Ic. pl. 8, 741. 742.
macilentus Camb. Jacquemont Ind. 60.
macroacanthos W. et N. Weihe *Rubus* 18.
macropetalus Dougl. Hook. Bor. Am. 59.
macrophyllus W. et N. Weihe *Rubus* 12.
 — — Engl. Bot. 2625.
Menkei Weihe. Weihe *Rubus* 22.
moluccanus L. Rumpf Amb. 5, 47.
nemorosus Hayne. Hayne 3, 10.
 — — Guimpel Holzgew. 101.
nessensis Hall. Linn. Transact. 11, 16.
nitidus W. et N. Weihe *Rubus* 4.
nutkanus DC. Bot. Reg. 16, 1368.
 — — Bot. Mag. 62, 3453.
 — — Sweet Fl. G. II. 83.
obovatus Michx. Hook. Bor. Am. 60.
odoratus L. Bot. Mag. 9, 323.
 — — Barton Fl. 2, 42.
pallidus Weihe. Weihe *Rubus* 29.
palmaris Thunb. Thunberg Ic. jap. 36.
parvifolius L. Rumpf Amb. 5, 47.
 — — Bot. Reg. 6, 496.
pauciflorus Wall. Bot. Reg. 10, 854.
pedatus Sm. Smith Ic. Linn. 63.
 — — Hook. Bor. Am. 61.
pistillatus Sm. Smith Exot. Bot. 86.
plicatus W. et N. Weihe *Rubus* 1.
 — — Engl. Bot. 2714.
pubescens W. et N. Weihe *Rubus* 16.
pulcherrimus Hook. Hook. Ic. pl. 8, 729. 730.
pungens Camb. Jacquemont Ind. 59.
pygmaeus Weihe. Weihe *Rubus* 42.
pyrifolius Sm. Smith Ic. Linn. 61.
radicans Cav. Cav. Ic. 413.
Radula Weihe. Weihe *Rubus* 39.
reflexus Ker. Bot. Reg. 6, 461.
Reichenbachii Koehler. Weihe *Rubus* 37.
rhamnifolius W. et N. Weihe *Rubus* 6.
 — — Engl. Bot. 2604.
roridus Ldl. Bot. Reg. 19, 1607.
rosaceus Weihe. Weihe *Rubus* 36.
rosaeiflorus Hook. Hook. Ic. pl. 1, 46.
rosaeifolius Sm. Smith Ic. Linn. 60.
 — — Bot. Mag. 43, 1783.
 — — Lodd. Cab. 158.
 — — Herb. amat. 5, 352.
 — — Hook. Ic. pl. 4, 349.
Roylei Klotzsch. Prinz Waldem. Him. 6.
rudis Weihe. Weihe *Rubus* 40.
rugosus Sm. Wight Ic. pl. Ind. or. 1, 225.
sanctus Schreb. Schreber Ic. 8.
 — — Ann. Mus. 12, 6.
 — — Desf. Choix 61.
saxatilis L. Fl. dan. 1, 134.
 — — Sv. Bot. 349.
 — — Curt. Lond. 5, 154.
 — — Engl. Bot. 32, 2233.
 — — Guimpel Holzgew. 104.
 — — Weihe *Rubus* 9.
scaber Weihe. Weihe *Rubus* 32.
Schlechtendalii Weihe. Weihe *Rubus* 11.
Schleicheri Weihe. Weihe *Rubus* 23.
silvaticus W. et N. Weihe *Rubus* 15.
spectabilis Pursh. Pursh Flora 16.
 — — Bot. Reg. 17, 1424.
 — — Lodd. Cab. 1602.
Sprengelii Weihe. Weihe *Rubus* 10.
 — — Fl. dan. 10, 1697.

- Rubus stallatus* Sm. Smith Ic. Linn. 64.
 — suberectus *Anderson*. Fl. dan. 12, 1992.
 — — Engl. Bot. 36, 2572.
 — thyrsoiflorus *Weihe*. Weihe Rubus 34.
 — tomentosus *Borkh.* Nocca et Balb. Fl. tic. 8.
 — — Guimpel Holzgew. 98.
 — — Weihe Rubus 8.
 — triflorus *Rich.* Hook. Bor. Am. 62.
 — trivialis *Michx.* Guimpel Fr. Holzgew. 71.
 — velutinus *Vest.* Weihe Rubus 12.
 — vestitus *Weihe*. Weihe Rubus 33.
 — villosus *Koehler*. Weihe Rubus 17.
 — — *Ait.* Bigelow Med. 38.
 — — Barton Med. 39.
 — vulgaris *W. et N.* Weihe Rubus 14.
 — Wallichianus *W. et A.* Wight Ic. pl. Ind. or. 1, 231.
 — Zahlbrucknerianus *Endl.* Endl. Atacta 35.
 † *Ruckeria* DC. Ann. sc. nat. II. 12, 4.
 — tagetoides DC. Delessert Ic. 4, 66.
Rudbeckia alata Jacq. Jacq. Ic. 593.
 — amplexicaulis *Vahl.* Skrifter nat. Selsk. 1793, 4.
 † — — Schk. Handb. 259.
 † — — Lam. Encycl. 705.
 — amplexifolia *Jacq.* Jacq. Ic. 592.
 — columnaris *Sims.* Bot. Mag. 39, 1601.
 — digitata *Mill.* Schrader Gen. pl. 1.
 — Drummondii *Parr.* Paxt. Mag. 6, 51.
 — fulgida *Ait.* Schrader Gen. pl. 3.
 — — Barton Fl. 1, 3, 98.
 — — Bot. Mag. 45, 1996.
 — hirta *L.* Lodd. Cab. 1386.
 — — Sweet Fl. G. 82.
 † — laciniata *L.* Gaertn. Carp. 172.
 — — Barton Fl. 1, 16.
 — nudiflora *Bert.* Novi Comm. Bonon. 9, 14.
 — perfoliata *Cav.* Cav. Ic. 282.
 — pinnata *Vent.* Vent. Cels 71.
 — — Smith Exot. Bot. 38.
 — — Kerner Hort. 351, 759.
 — — Bot. Mag. 49, 2310.
 — — Sweet Fl. G. 146.
 — purpurea *L.* Bot. Mag. 1, 2.
 — — Schk. Handb. 259.
 — — Barton Fl. 2, 64.
 — serotina *Sweet.* Sweet Fl. G. 4.
 — — Lodd. Cab. 1539.
 — triloba *L.* Schrader Gen. pl. 2.
 — — Barton Fl. 1, 24.
 — — Lodd. Cab. 817.
 — — Bot. Reg. 7, 525.
Rudgea lanceaefolia *Salisb.* Linn. Transact. 8, 18.
 — ovalifolia *Salisb.* Linn. Transact. 8, 19.
 † *Rudolphia Willd.* Kerner Genera 37.
 — dubia *H. B. K.* H. B. K. Nov. Gen. 6, 591.
 — rosea *Juss.* Tussac Ant. 1, 22.
 — volubilis *Willd.* Vahl Eclogae 30.
Ruehssia estebanensis *Karsten.* Preuss. Gart. Verein 19, 1.
Ruellia alata *Wall.* Wall. Pl. asiat. 31.
 — alternata *Burm.* Rumpf Amb. 6, 13. fig. 2. 3.
 — anisophylla *Wall.* Hook. Exot. Fl. 191.
 — — Lodd. Cab. 1070.
 — antipoda *L.* Rumpf Amb. 5, 170. fig. 2.
 — australis *Cav.* Cav. Ic. 586.
 — — Maund Bot. 4, 177.
 — bracteata *R. Br.* Endl. Iconogr. 104.
 — ciliatiflora *Hook.* Bot. Mag. 66, 3718.
 — coccinea *Vahl.* Kerner Hort. 123.
 — cristata *Andr.* Andr. Rep. 8, 506.
 — dulcis *Cav.* Cav. Ic. 585.
 — elegans *Hook.* Bot. Mag. 62, 3389.
 † — — Van Houtte Hortus 5.
 — — Fl. d. serres 1, 54.

- Ruellia elongata* *Pal. B.* Pal. B. Fl. d'Oware 26.
 — erecta *Burm.* Burmann Fl. ind. 41.
 — formosa *H. B.* Humb. Pl. aeq. 48.
 — — *Andr.* Andr. Rep. 10, 610.
 — — Bot. Mag. 34, 1400.
 — — Kerner Hort. 319, 514, 814.
 — — Savi Fl. ital. 3, 81.
 — — Herb. amat. 5, 321.
 — fulgida *Andr.* Andr. Rep. 8, 527.
 — gigantea *H. B.* Humb. Pl. aeq. 102.
 — gossypina *Wall.* Wall. Pl. asiat. 42.
 — hirta *Vahl.* Vahl Symbolae 67.
 — hispida *Rich.* Desc. Ant. 2, 115.
 — japonica *Thunb.* Thunberg Ic. jap. 49.
 — infundibuliformis *Andr.* Andr. Rep. 8, 542.
 — lactea *Cav.* Cav. Ic. 253.
 — lilacina *Hook.* Bot. Mag. 71, 4147.
 — — Bot. Reg. 32, 13, 45.
 — — Paxt. Mag. 12, 243.
 — litoralis *L.* Wight Ic. pl. Ind. or. 2, 447.
 — longiflora *Vahl.* Vahl Symbolae 15.
 — macrophylla *Vahl.* Vahl Symbolae 39.
 — — Bot. Reg. 32, 7.
 — — Paxt. Mag. 14, 29.
 — — Fl. d. serres 2, 147.
 — maculata *Wall.* Wall. Pl. asiat. 250.
 — microphylla *Cav.* Cav. Ic. 586.
 — Neesiana *Wall.* Wall. Pl. asiat. 83.
 — oblongifolia *Lodd.* Lodd. Cab. 1889.
 — ochroleuca *Mart.* Endl. Bras. 7, 5.
 — ocymoides *Cav.* Cav. Ic. 416.
 — ovata *Cav.* Cav. Ic. 254.
 — paniculata *L.* Bot. Reg. 7, 585.
 — patula *Jacq.* Jacq. Ic. 119.
 — — Lam. Encycl. 550.
 — — Desc. Ant. 2, 114.
 — persica *Burm.* Burmann Fl. ind. 42.
 — persicifolia *Ldl.* Bot. Reg. 11, 955.
 — picta *Lodd.* Lodd. Cab. 1448.
 — ? punctata *N. v. E.* Wight Ic. pl. Ind. or. 4, 1563.
 — Purdieana *Hook.* Bot. Mag. 73, 4298.
 — — Paxt. Mag. 16, 130.
 — — Fl. d. serres 3, 299.
 — repanda *L.* Rumpf Amb. 6, 13. fig. 1.
 — — Burmann Fl. ind. 40.
 — repens *L.* Burmann Fl. ind. 41.
 — rubicaulis *Cav.* Cav. Ic. 417.
 — rubra *Aubl.* Aublet Guiana 270.
 — Sabiniana *Wall.* Bot. Reg. 15, 1238.
 — — Lodd. Cab. 1712.
 — — Rchb. Exot. 210.
 † — strepens *L.* Gaertn. Carp. 54.
 † — — Lam. Encycl. 550.
 — — Schk. Handb. 177.
 — tentaculata *L.* Burmann Fl. ind. 40.
 — tuberosa *L.* Desc. Ant. 2, 113.
 — varians *Vent.* Vent. Cels 46.
 — — Herb. amat. 3, 145.
 — violacea *Aubl.* Aublet Guiana 271.
 — zeylanica *Roxb.* Rheed. Hort. mal. 9, 45.
Rueppelia abyssinica *Dill. et Rich.* Richard Abyssin. 37.
 † *Ruizia Cav.* Ruiz et Pav. Prodr. 29.
 — cordata *Cav.* Cav. Diss. 36.
 — diversifolia *Jacq.* Jacq. Schoenbr. 3, 295.
 — fragrans *Rz et P.* Ruiz et Pav. Ic. Ined. x.
 — — Endl. Iconogr. 21.
 — laciniata *Cav.* Cav. Diss. 37.
 — lobata *Cav.* Cav. Diss. 36.
 — palmata *Cav.* Cav. Diss. 37.
Rulingia corylifolia *Grah.* Bot. Mag. 59, 3182.
 — pannosa *R. Br.* Bot. Mag. 48, 2191.
 — — Lodd. Cab. 491.

- Rumex coriacea* *Poit.* Mem. Mus. 1, 4.
† *Rumex* *L.* Gaertn. Carp. 119.
† — — Lam. Encycl. 271.
† — — Mutel Fl. fr. 57.
† — — Schnizl. Iconogr. 2, 103.
— — *Campdera Rumex* 1—3. (non vidi.)
— *abyssinicus* *Jacq.* Jacq. Vind. 3, 93.
— *Acetosa* *L.* Engl. Bot. 2, 127.
— — — Woodv. Med. 4, 230.
— — — Sv. Bot. 190.
— — — *a. β. γ.* Sturm Flora 17, 74.
— — — Nees Düssel. 112.
— — — Hayne 13, 6.
† — — — Nees Gen. 4, 54.
— *Acetosella* *L.* Fl. dan. 7, 1161.
— — — Curt. Lond. 2, 97.
— — — Engl. Bot. 24, 1674.
— — — Sturm Flora 17, 74.
† — — — Mutel Fl. fr. 57.
— *acutus* *L.* Engl. Bot. 11, 724.
— — — Sv. Bot. 161.
— — — Wagner 126.
— *alpinus* *L.* Engl. Bot. 2694.
— — — Sturm Flora 17, 74.
— — — Nees Düssel. 110. 111.
— — — Hayne 13, 7.
† — — — Mutel Fl. fr. 57.
† — — — Nees Gen. 4, 54.
— *aquaticus* *L.* Engl. Bot. (30, 2104.) 2698.
— — — Sv. Bot. 209.
— — — Rchb. Ic. crit. 4, 369.
— — — Sturm Flora 17, 74.
— — — Hayne 13, 4.
† — — — Mutel Fl. fr. 57.
— *arifolius* *All.* Sturm Flora 17, 74.
— *bucephalophorus* *L.* Cav. Ic. 41.
— — — Sibth. Fl. gr. 345.
† — — — Gaertn. Carp. 119.
† — — — Mutel Fl. fr. 57.
† — — — Ann. sc. nat. II. 9, 7.
— *chrysocarpos* *Moris.* Mem. Tur. 38, 2.
— *conglomeratus* *Murr.* Fl. dan. 13, 2228.
— — — Sturm Flora 17, 73.
† — — — Mutel Fl. fr. 57.
— *cordifolius* *Hornem.* Rchb. Ic. crit. 5, 487.
— *crispus* *L.* Curt. Lond. 2, 95.
— — — Engl. Bot. 28, 1998.
— — — Fl. dan. 8, 1334.
— — — Rchb. Ic. crit. 6, 576.
— — — Sturm Flora 17, 73.
— — — Nees Düssel. 107. 109.
— — — Hayne 13, 3.
† — — — Mutel Fl. fr. 57.
† — — — Nees Gen. 4, 54.
— *dentatus* *L.* Novi Comm. Gott. 5, 10.
† *digynus* *L.* Gaertn. Carp. 119.
— — — Fl. dan. 1, 14.
— — — Engl. Bot. 13, 910.
— *Dioscoridis* *Wallr.* Hayne 13, 5.
— *divaricatus* *L.* Sturm Flora 17, 73.
— *domesticus* *Hartm.* Rchb. Ic. crit. 4, 345.
— *elongatus* *Guss.* Gussone Pl. rar. 28.
— *glaucus* *Jacq.* Jacq. Ic. 67.
— — — Sturm Flora 17, 74.
— *glomeratus* *Schreb.* Rchb. Ic. crit. 4, 368.
— *graminifolius* *Lamb.* Linn. Transact. 10, 10.
† — *hamatus* *Trev.* Nees Gen. 4, 54.
— *hastifolius* *M. v. B.* Sturm Flora 17, 74.
— *Helolapathum* *Drejer.* Fl. dan. 13, 2288.
— *Hydrolapathum* *Huds.* Woodv. Med. 4, 229.
— — — Engl. Bot. 30, 2104.
— — — Rchb. Ic. crit. 4, 370.

- Rumex Hydrolapathum* *Huds.* Sturm Flora 17, 73.
— — — Hayne 13, 4.
† — — — Mutel Fl. fr. 57.
— *intermedius* *DC.* Sturm Flora 17, 74.
— *Limoniastrum* *Jaub.* Jaubert Illustr. 106.
— *longifolius* *H. B. K.* Rchb. Hort. 225.
— *maritimus* *L.* Fl. dan. 7, 1208.
— — — Schk. Handb. 100.
— — — Engl. Bot. 11, 725.
— — — Sv. Bot. 706.
— — — Sturm Flora 17, 73.
† — — — Mutel Fl. fr. 57.
— *Marschallianus* *Rchb.* Rchb. Pl. crit. 6, 516.
— *maximus* *Schreb.* Sturm Flora 17, 73.
— *multifidus* *L.* Sibth. Fl. gr. 349.
— — — Sturm Flora 17, 74.
— *Nemolapathum* *Ehrh.* Sv. Bot. 655.
— — — Fl. dan. 13, 2229.
— — — Rchb. Ic. crit. 4, 367.
— *nemorosus* *Schrad.* Nees Düssel. 108. 109.
— *nepalensis* *Spr.* Rchb. Hort. 234.
— — — Wight Ic. pl. Ind. or. 5, 1810.
— *nivalis* *Hegetschw.* Schweizer Denkschr. 3, 1.
— — — Sturm Flora 19, 88.
† — *obtusifolius* *L.* Gaertn. Carp. 119.
— — — Fl. dan. 8, 1335.
— — — Curt. Lond. 2, 134.
— — — Engl. Bot. 28, 1999.
— — — Baxter Brit. Bot. 6, 454.
— — — Rchb. Ic. crit. 4, 366.
— — — *a. β. γ.* Sturm Flora 17, 73.
— — — Nees Düssel. 106. 109.
— — — Guimpel et Schl. 37.
— — — Hayne 13, 1.
† — — — Mutel Fl. fr. 57.
† — — — Nees Gen. 4, 54.
— *Oxylapathum* *Wall.* Hayne 13, 2.
— *palustris* *Sm.* Engl. Bot. 27, 1932.
— — — Curt. Lond. 2, 113.
— — — Fl. dan. 11, 1873.
— — — Sturm Flora 17, 73.
† — *Patientia* *L.* Gaertn. Carp. 119.
— — — Sturm Flora 17, 73.
† — — — Mutel Fl. fr. 57.
— *polygamus* *Cav.* Cav. Ic. 22.
— *pratensis* *M. et K.* Sturm Flora 17, 73.
— — — Nees Düssel. Suppl. 55. 56.
— — — Engl. Bot. 2757.
— *pulcher* *L.* Engl. Bot. 22, 1576.
— — — Rchb. Ic. crit. 5, 486.
— — — Sturm Flora 17, 73.
† — — — Mutel Fl. fr. 57.
† — *purpureus* *Poir.* Mutel Fl. fr. 57.
— — — Sturm Flora 17, 73.
— *roseus* *L.* Sibth. Fl. gr. 346.
† — *sanguineus* *L.* Gaertn. Carp. 119.
— — — Curt. Lond. 2, 106.
— — — Engl. Bot. 22, 1533.
— — — Sturm Flora 17, 73.
† — — — Mutel Fl. fr. 57.
— *scutatus* *L. a. β. γ.* Sturm Flora 17, 74.
— *silvestris* *Wallr.* Sturm Flora 17, 73.
— — — Hayne 13, 1.
† — *spinosus* *L.* Gaertn. Carp. 119.
— — — Sibth. Fl. gr. 347.
— *Steinii* *Becker.* Sturm Flora 17, 73.
— *stenophyllus* *Led.* Ledeb. Ic. 399.
— *tuberosus* *L.* Sibth. Fl. gr. 348.
— *uliginosus* *Guss.* Gussone Pl. rar. 29.
— *venosus* *Pursh.* Hook. Bor. Am. 174.
— *vesicarius* *L.* Desc. Ant. 7, 494.
Rumfordia floribunda *DC.* Delessert Ic. 4, 39.

- Rumohria aspidioides* Raddi. Opusc. sc. Bonon. 3, 12.
 — — — Raddi Fil. 43.
Rumphia amboinensis L. Rheede Hort. mal. 4, 11.
 — — — *tiliaefolia* Lam. Lam. Encycl. 25.
Rungia Arnottiana Wight. Wight Ic. pl. Ind. or. 4, 1550.
 — — — *laticor* N. v. E. Wight Ic. pl. Ind. or. 4, 1548.
 — — — *pectinata* N. v. E. Wight Ic. pl. Ind. or. 4, 1547.
 — — — *repens* N. v. E. Wight Ic. pl. Ind. or. 2, 465.
 — — — *Wightiana* N. v. E. Wight Ic. pl. Ind. or. 4, 1549.
Rupala Willd. = *Rhopala Schreb.*
Ruppia antarctica Lab. Bill. Nov. Holl. 264.
 — — — Freycinet Voyage 40.
 † — — — *maritima* L. Gaertn. Carp. 84.
 — — — Lam. Encycl. 90.
 — — — Lightfoot Fl. scot. 1, 8.
 — — — Curt. Lond. 4, 50.
 — — — Engl. Bot. 2, 136.
 — — — Baxter Brit. Bot. 6, 461.
 — — — Sv. Bot. 650.
 — — — Rchb. Ic. crit. 2, 174.
 — — — Rchb. Fl. germ. 7, 17.
 † — — — Mutel Fl. fr. 63.
 † — — — Nees Gen. 3, x.
 — — — *rostellata* Koch. Rchb. Ic. crit. 2, 174.
 — — — Rchb. Fl. germ. 7, 17.
 — — — *trichodes* Durieu. Explor. Alger. 46.
 † *Ruprechtia ramiflora* C. A. M. Acad. Pet. 6, x.
 † — — — *salicifolia* C. A. M. Acad. Pet. 6, x.
Ruscus aculeatus L. Woodv. Med. 1, 64.
 — — — Engl. Bot. 8, 569.
 — — — Baxter Brit. Bot. 6, 474.
 — — — Lam. Encycl. 835.
 † — — — Schk. Handb. 340.
 — — — Sturm Flora 11, 41.
 — — — Rchb. Fl. germ. 10, 437.
 † — — — Nees Gen. 2, 64.
 † — — — Flora 1853, 6.
 — — — *androgynus* L. Bot. Mag. 44, 1898.
 — — — var. a. Bot. Mag. 57, 3029.
 † — — — Nees Gen. 2, 64.
 — — — *Hypoglossum* L. Schk. Handb. 340.
 — — — Sibth. Fl. gr. 955.
 — — — Endlicher Fl. poson. x.
 — — — Rchb. Fl. germ. 10, 437.
 † — — — Schnizl. Iconogr. 1, 56.
 — — — *Hypophyllum* L. Bot. Mag. 46, 2049.
 † — — — Flora 1853, 6.
 † — — — *racemosus* L. Gaertn. Carp. 16.
 — — — Watson Dendr. 2, 145.
 † — — — Lam. Encycl. 835.
Russegggera collina Endl. Endl. Iconogr. 94.
Russelia juncea Zucc. Bot. Reg. 21, 1773.
 — — — Maund Bot. 5, 220.
 — — — Paxt. Mag. 4, 79.
 — — — *multiflora* Sims. Bot. Mag. 37, 1528.
 — — — Herb. amat. 4, 284.
 — — — Paxt. Mag. 16, 163.
 — — — *rotundifolia* Cav. Cav. Ic. 415.
 — — — *sarmentosa* Jacq. Jacq. Hist. stirp. am. 171.
 — — — Lam. Encycl. 539.
 — — — var. Regel Gartenfl. 1852, 6.
Ruta acutifolia DC. Delessert Ic. 3, 44.
 — — — *albiflora* Hook. Hook. Exot. Fl. 79.
 — — — Lodd. Cab. 1352.
 — — — *angustifolia* Pers. Bot. Mag. 49, 2311.
 — — — Rchb. Ic. crit. 8, 788.
 — — — Rchb. Fl. germ. 5, 156.
 † — — — Mutel Fl. fr. 15.
 — — — *bracteosa* DC. Rchb. Ic. crit. 8, 789.
 — — — Rchb. Fl. germ. 5, 157.
 † — — — Mutel Fl. fr. 15.
 — — — *chalepensis* L. Sibth. Fl. gr. 368.

- Ruta chalepensis* L. Desc. Ant. 8, 595.
 — — — *corsica* DC. Rchb. Ic. crit. 8, 790.
 † — — — Mutel Fl. fr. 15.
 — — — *divaricata* Ten. Tenore Fl. nap. 36.
 — — — Rchb. Ic. crit. 8, 787.
 — — — Rchb. Fl. germ. 5, 155.
 — — — *fruticulosa* Lab. Bill. Syr. 1, 4.
 † — — — *graveolens* L. Gaertn. Carp. 111.
 — — — Woodv. Med. 3, 174.
 — — — Lam. Encycl. 345.
 — — — Dict. sc. nat. 122.
 — — — Schk. Handb. 115.
 — — — Hayne 6, 8.
 — — — Nees Düsseld. 374.
 — — — Guimpel et Schl. 186.
 — — — Wagner 34.
 — — — Rchb. Fl. germ. 5, 157.
 † — — — Mem. Mus. 12, 17.
 † — — — Ann. sc. nat. 17, 14.
 † — — — Mem. Instit. 1830, 3.
 † — — — Payer Organogénie 15.
 — — — *legitima* All. Jacq. Ic. 76.
 — — — *linifolia* L. Andr. Rep. 9, 565.
 — — — Lam. Encycl. 345.
 — — — var. Bot. Mag. 48, 2254.
 — — — *macrophylla* Soland. Bot. Mag. 45, 2018.
 — — — *montana* Chus. Rchb. Ic. crit. 8, 786.
 — — — Rchb. Fl. germ. 5, 154.
 † — — — Mutel Fl. fr. 15.
 — — — *obtusifolia* Led. Eichwald Cauc. 32.
 — — — *parviflora* Desf. Ann. Mus. 11, 42.
 — — — Desf. Choix 54.
 — — — *patacina* L. Sibth. Fl. gr. 369.
 — — — Roemer Fl. europ. 6, 7.
 — — — Portenschlag Dalm. 6.
 — — — *pinnata* L. Bot. Reg. 4, 307.
 — — — *spatulata* Sibth. Sibth. Fl. gr. 370.
 — — — *tuberculata* Forsk. Delessert Ic. 3, 43.
 † *Rutaceae* Juss. Mem. Mus. 12, 14—29.
 † — — — Payer Organogénie 15.
 † *Rutosma* Gray. Gray Genera 155.
 — — — *texana* Gray. Gray Genera 155.
 † *Ruyschia* Jacq. Swartz Fl. Ind. occ. 11.
 — — — *amazonica* Mart. Mart. Bras. 292.
 — — — *bicolor* Benth. Benth. Sulphur 29.
 — — — *clusiaefolia* Jacq. Jacq. Hist. stirp. am. 76.
 — — — Lam. Encycl. 135.
 — — — *corallina* Mart. Mart. Bras. 294.
 — — — *lepidota* Mig. Miquel Surin. 27.
 — — — *spixiana* Mart. Mart. Bras. 293.
 — — — *surubea* Sw. Lam. Encycl. 135.
Ryania speciosa Vahl. Vahl Eclogae 9.
Ryssopterys timorensis Juss. Delessert Ic. 3, 35.
 † — — — Arch. Mus. 3, 11.
Sabal Andansonii Guersuent. Bull. philom. 1811. no. 87.
 — — — Bot. Mag. 35, 1434.
 — — — Tratt. Archiv 362. 362^a.
 — — — Mart. Palm. 103. S. Y. Z³. Z²³.
 † — — — *mexicana* Mart. Mart. Palm. S. V.
 — — — *umbraculifera* Mart. Mart. Palm. 130. T. Y. Z¹.
Sabbatia angularis Pursh. Bigelow Med. 57.
 — — — Barton Med. 24.
 — — — Rchb. Hort. 118.
 — — — Torrey New York 83.
 — — — *calycosa* Pursh. Bot. Mag. 39, 1600.
 — — — *chloroides* Pursh. Torrey New York 84.
 — — — *gracilis* Salisb. Salisbury Parad. 32.
Sabia lanceolata Colebr. Linn. Transact. 12, 14.
 † — — — *Menicosta* Bl. Blume Mus. 1, 44.
Sabicea aspera Aubl. Aublet Guiana 76.
 — — — *cana* Hook. Hook. Ic. pl. 3, 247.
 — — — *cinerea* Aubl. Aublet Guiana 75.

- Sabicea cinerea* Aubl. Lam. Encycl. 165.
Sabulina bannatica Heuff. Rchb. Fl. germ. 5, 205.
 — *mediterranea* Led. Rchb. Fl. germ. 5, 205.
 — *mucronata* Rchb. Rchb. Fl. germ. 5, 205.
 — *obtusata* Rchb. Rchb. Fl. germ. 5, 215.
 — *setacea* Thuill. Rchb. Fl. germ. 5, 205.
 — *tenuifolia* Rchb. Rchb. Fl. germ. 5, 204.
 — *viscosa* Schreb. Rchb. Fl. germ. 5, 204.
Saccellium lanceolatum H. B. Humb. Pl. aeq. 13.
 — — — Lam. Encycl. 995.
Saccharum argenteum Brouss. Jacq. Ecl. Gram. 5.
 — *cylindricum* Lam. Rumpf Amb. 6, 7. fig. 2^a.
 — — — Lam. Encycl. 40.
 — — — Sibth. Fl. gr. 54.
 — — — Tenore Fl. nap. 211.
 — *exaltatum* Roxb. Rheede Hort. mal. 12, 16.
 — *floridulum* Lab. Bill. Sertum 18.
 — *officinatum* L. Rumpf Amb. 5, 74. fig. 1.
 † — — — Linné Amoenit. 7, 2.
 † — — — Lam. Encycl. 40.
 — — — Woodv. Med. 4, 266.
 — — — Tratt. Archiv 307. 307^a.
 † — — — Kerner Genera 101 — 103.
 — — — Tussac Ant. 1, 23. 24. 25.
 — — — Desc. Ant. 4, 283.
 — — — Hayne 9, 30. 31.
 — — — Guimpel et Schl. 100.
 — — — Nees Düsseld. 33 — 35.
 — — — Wagner 22. 23.
 — — — Hook. Bot. Misc. 26.
 — — — Spach Suites 103.
 † — — — Mem. Instit. 1850, 1. 2.
 † — *panicum* Lam. Lam. Encycl. 40.
 — *Ravennae* L. Sibth. Fl. gr. 52.
 — — — Rchb. Fl. germ. 1, 55.
 — *sinense* Roxb. Rumpf Amb. 5, 74. fig. 2.
 — — — Roxb. Corom. 232.
 — *spicatum* L. Burmann Fl. ind. 9.
 † — *spontanum* L. Gaertn. Carp. 82.
 † — — — Trinius Fundam. 15.
 — — — Pal. B. Pal. B. Fl. d'Oware 103.
 — *Sisca* Cav. Cav. Ic. 292.
 — *strictum* Spr. Rchb. Fl. germ. 1, 55.
 — *Teneriffae* L. Sibth. Fl. gr. 53.
 — — — Bivona Stirp. rar. Sic. 4, 1.
 — — — Jacq. Ecl. Gram. 34.
 — *violaceum* Juss. Desc. Ant. 7, 493.
Saccocalyx satereioides Coss. et Dur. Ann. sc. n. III. 20, 5.
Saccolabium abyssinicum Rich. Richard Abyssin. 81.
 — *acutifolium* Ldl. Lindley Sertum Frontisp. x.
 — *ampullaceum* Ldl. Lindley Sertum 17.
 — — — Paxt. Mag. 13, 49.
 — *Blumei* Ldl. Lindley Sertum 47.
 — *calceolare* Ldl. Lindley Sertum Frontisp. x.
 — — — Paxt. Mag. 6, 97.
 — *compressum* Ldl. Lindley Sertum 32.
 — *denticulatum* Paxt. Paxt. Mag. 7, 145.
 — — — Bot. Mag. 80, 4772.
 — *guttatum* Ldl. Rheede Hort. mal. 12, 1.
 — — — Bot. Mag. 70, 4108.
 — — — Wight Ic. pl. Ind. or. 5, 1745. 1746.
 — — — Hart. Parad. 2, 3.
 — *miniaturum* Ldl. Bot. Reg. 33, 58.
 — *paniculatum* Wight. Wight Ic. pl. Ind. or. 5, 1676.
 — *papillosum* Ldl. Rheede Hort. mal. 12, 4.
 — — — Bot. Reg. 18, 1552.
 — — — Wight Ic. pl. Ind. or. 5, 1672.
 — *praemorsum* Ldl. Rheede Hort. mal. 12, 2.
 † — *pusillum* Bl. Blume Tabellen 50.
 — *Rheedii* Wight. Wight Ic. pl. Ind. or. 6, 1745.
 — *rubrum* Ldl. Wight Ic. pl. Ind. or. 5, 1673.
 — *speciosum* Wight. Wight Ic. pl. Ind. or. 5, 1674. 75.

- Saccolabium Wightianum* Ldl. Wight Ic. pl. Ind. or. 3, 917.
 † *Saccoloma elegans* Kaulf. Kaulfuss Enumer. 1.
 † — — — Hook. Gen. Fil. 58.
 — — — Kunze Fil. 41.
 † — — — Fée Fil. 5, 25.
 † — *Imrayanum* Hook. Hook. Gen. Fil. 58.
Saccopetalum Horsfieldii R. Br. Bennett Java 35.
 † *Sadleria cyathoides* Kaulf. Fée Fil. 5, 7.
 † — *Souleytiana* Gaud. Fée Fil. 5, 7.
 † *Sagenia hippocrepis* Presl. Hook. Gen. Fil. 53.
 † — *macrodonata* Fée. Fée Fil. 5, 24.
 † *Sageretia Brongn.* Gray Genera 166.
 — *Michauxii* Brongn. Gray Genera 166.
 † — *oppositifolia* Brongn. Ann. sc. nat. 10, 13.
 † *Sagina* L. Gray Genera 109.
 — *apetala* L. Arduino Anim. 2, 8.
 — — — Curt. Lond. 1, 82.
 — — — Engl. Bot. 13, 881.
 — — — Gmelin Fl. bad. 1, 1.
 — — — Rchb. Fl. germ. 5, 200.
 — — — Fl. dan. 12, 2102.
 — — — Jordan Observ. 1, 3.
 — *bryoides* Froel. Rchb. Fl. germ. 5, 200.
 — *cerastoides* Dickson. Roemer Fl. europ. 6, 3.
 — *ciliata* Fries. Sv. Bot. 562.
 — — — Rchb. Fl. germ. 5, 200.
 — *debilis* Jord. Jordan Observ. 3, 3.
 — *decandra* Rchb. Rchb. Ic. crit. 7, 650.
 — — — Rchb. Fl. germ. 5, 201.
 — *densa* Jord. Jordan Observ. 3, 3.
 — *depressa* Schultz. Rchb. Fl. germ. 5, 200.
 — *erecta* L. Fl. dan. 5, 845.
 — — — Engl. Bot. 9, 609.
 — *maritima* Don. Curt. Lond. 4, 115.
 — — — Engl. Bot. 31, 2195.
 — — — Fl. dan. 12, 2104.
 — — — Rchb. Fl. germ. 5, 201.
 — — — Jordan Observ. 3, 3.
 — *patula* Jord. Jordan Observ. 1, 3.
 — *procumbens* L. Arduino Anim. 2, 8.
 † — — — Gaertn. Carp. 129.
 — — — Lam. Encycl. 90.
 — — — Curt. Lond. 3, 114.
 — — — Engl. Bot. 13, 860.
 — — — Baxter Brit. Bot. 3, 199.
 — — — Fl. dan. 12, 2103.
 — — — Schk. Handb. 27.
 — — — Sturm Flora 8, 30.
 — — — Rchb. Fl. germ. 5, 201.
 — — — Gray Genera 109.
 — *stricta* Fries. Sv. Bot. 562.
 — *subulata* D'Urv. Hook. Fl. ant. 93.
 † *Sagittaria acutifolia* L. fil. Endl. Bras. 8, 16.
 — *angustifolia* Ldl. Bot. Reg. 14, 1141.
 — *echinocarpa* Mart. Martius Auswahl 3.
 — *lanceifolia* L. Andr. Rep. 5, 333.
 — — — Tratt. Thes. 8.
 — — — Bot. Mag. 43, 1792.
 — — — Rchb. Exot. 10.
 — — — Desc. Ant. 7, 498.
 — *major* Schrank. Schrank Fl. monac. 4, 336.
 — *obtusata* Willd. Desc. Ant. 7, 497.
 — *obtusifolia* L. Rheede Hort. mal. 11, 45.
 — *ovata* Red. Red. Lil. 7, 411.
 — *rigida* Persh. Bot. Mag. 39, 1632.
 † — *sagittifolia* L. Gaertn. Carp. 84.
 — — — Fl. dan. 1, 172.
 — — — Sv. Bot. 164.
 — — — Engl. Bot. 2, 84.
 — — — Baxter Brit. Bot. 2, 109.
 — — — Red. Lil. 5, 279. 280.
 — — — Lam. Encycl. 776.

- Sagittaria sagittifolia* L. Schk. Handb. 298.
 — — — Roemer Fl. europ. 2, 7.
 — — — Tratt. Thes. 7.
 — — — Nolte Monogr. 2.
 — — — Dietr. Fl. bor. 1, 59.
 — — — Rchb. Fl. germ. 7, 53.
 † — — — Nees Gen. 2, 26.
 † — — — Sellowiana Kth. Endl. Bras. 8, 15.
 — — — Seubertiana Mart. Endl. Bras. 8, 15.
 — — — sinensis Sims. Bot. Mag. 39, 1631.
 † *Sagonea aquatica* Lam. Lam. Encycl. 212.
 — — — palustris Aubl. Anbl. Guiana 111.
Saguerus Langkab Bl. Blume Rumphia 95, 125.
 — — — Rumphii Roxb. Rumpf Amb. 1, 13.
 — — — saccharifer Bl. Blume Rumphia 123, 124.
Sagus elata Bl. Blume Rumphia 128.
 — — — Mart. Palm. 102.
 † — — — farinifera Gaertn. Gaertn. Carp. 120.
 — — — Dict. sc. nat. 30, 31.
 — — — flaris Bl. Blume Rumphia 128.
 — — — genuina Lab. Dict. sc. nat. 32, 33.
 — — — Konigii Griff. Griffith Palms 181.
 — — — laevis Reinw. Griffith Palms 182.
 † — — — Palma-Pinus Gaertn. Gaertn. Carp. 10.
 † — — — pedunculata Poir. Lam. Encycl. 771.
 † — — — Ruffia Jacq. Jacq. Fragn. 4.
 — — — Rumphii Willd. Rumpf Amb. 1, 17.
 — — — — Blume Rumphia 86, 126, 127.
 — — — — Guimpel et Schl. 237.
 † — — — Schnizl. Iconogr. 1, 78^a.
 — — — taedigera Mart. Mart. Palm. 45, 48.
 † — — — vinifera Pers. Lam. Encycl. 771.
 — — — — Desc. Ant. 1, 33.
Sakaki Kaempf. Kaempfer Japon. 33.
Salacia celebica Bl. Blume Rumphia 178^c.
 — — — kalahiensis Korth. Korthals Bot. 38.
 — — — laevigata Wight. Wight Illustr. in Hook. 36.
 — — — longifolia Wall. Wall. Pl. asiat. 278.
 — — — macrophylla Miq. Miquel Surin. 23.
 — — — macrosperma Wight. Wight Spicil. 32.
 — — — — Wight Ic. pl. Ind. or. 3, 962.
 — — — oblonga Wall. Wight Illustr. 47.
 — — — pomifera Wall. Wight Ic. pl. Ind. or. 1, 55.
 — — — prinoides DC. Wight Ic. pl. Ind. or. 2, 321.
 — — — senegalensis DC. Guillemain Seneg. 27.
Salicornia acetaria Pall. Pallas Illustr. 1, 2.
 — — — amplexicaulis Vahl. Gussone Fl. sicula 1.
 — — — annua Sm. Engl. Bot. 6, 415.
 — — — brachiata Roxb. Wight Ic. pl. Ind. or. 3, 738.
 — — — caspica Pall. Pallas Illustr. 7.
 — — — foliata L. Pallas Illustr. 5, 6.
 † — — — — Nees Gen. 4, 68.
 † — — — fruticosa L. Lam. Encycl. 4.
 — — — — Engl. Bot. 35, 2467.
 — — — — Fl. dan. 10, 1621.
 — — — — Gussone Fl. sicula 3.
 — — — herbacea L. Fl. dan. 2, 303.
 † — — — — Lam. Encycl. 4.
 — — — — Schk. Handb. 1.
 — — — — Sv. Bot. 252.
 — — — — Gussone Fl. sicula 2.
 — — — — Baxter Brit. Bot. 4, 307.
 — — — — Nees Gen. 4, 68.
 † — — — — Schnizl. Iconogr. 2, 101.
 — — — indica Willd. Neue Schr. naturf. Fr. 2, 4.
 — — — — Wight Ic. pl. Ind. or. 3, 737.
 — — — macrostachya Guss. Gussone Fl. sicula 4.
 — — — nodulosa Delile. Delile Egypte 3.
 — — — procumbens Sm. Engl. Bot. 35, 2476.
 — — — prostrata Pall. Pallas Illustr. 3.
 † — — — — Nees Gen. 4, 68.
 — — — pygmaea Pall. Pallas Illustr. 2.

- Salicornia radicans* Sm. Engl. Bot. 24, 1691.
 † — — — strobilacea Gaertn. Gaertn. Carp. 127.
 — — — — Pall. Pallas Illustr. 4.
 — — — — Delile. Delile Egypte 3.
Salisburia adiantifolia Sm. Watson Dendr. 2, 168.
 † — — — Ginkgo Rich. Richard Conif. 3, 3^b.
Salix L. Wade Salices 1. (non vidi.)
 † — — — Salicetum Woburnense A.
 † — — — — Verhandl. Rheinl. 1854, 8, 9.
 † — — — (Folia.) Linné Fl. lappon. 8.
 † — — — — Villars Dauph. 50, 51.
 † — — — — Willdenow Baumzucht 4, 5, 6, 7.
 † — — — — Neue Schr. naturf. Fr. 4, 6.
 † — — — — König Annals 2, 5.
 † — — — — Schkuhr Handb. 317^b, 317^c.
 † — — — — Salicetum Woburnense 141—152.
 — — — acuminata Mill. Hoffmann Salix 6.
 — — — — Sm. Engl. Bot. 20, 1434.
 — — — — Salicetum Woburnense 131.
 — — — — Hartig (44.) 40.
 — — — — Rchb. Fl. germ. 11, 601.
 — — — acutifolia Willd. Rchb. Fl. germ. 11, 603.
 — — — adscendens Sm. Engl. Bot. 28, 1962.
 — — — — Salicetum Woburnense 89.
 — — — alaternoides Schleich. Salicetum Woburnense 76.
 — — — alba L. Hoffmann Salix 7, 8, 24.
 — — — — Sturm Flora 7, 25.
 — — — — Host Salix 32, 33.
 — — — — Hartig (40.) 52.
 — — — — Nees Düsseld. Suppl. 53.
 — — — — Hayne 13, 42.
 — — — — Wagner 157, 158.
 — — — — Rchb. Fl. germ. 11, 608.
 — — — — Nouveau Duhamel 3, 26.
 — — — — Lam. Encycl. 802.
 — — — — Engl. Bot. 34, 2439.
 — — — — Woodv. Med. 5, 4.
 — — — — Salicetum Woburnense 136.
 — — — — Sv. Bot. 523.
 † — — — — Cosson Atlas 27.
 — — — alpestris Host. Host Salix 99, 100.
 — — — alpina Scop. Scopoli Fl. carn. 2, 61.
 — — — ambigua Ehrh. Engl. Bot. 2733.
 — — — — Rchb. Fl. germ. 11, 592.
 — — — Ammaniana Willd. Sturm Flora 7, 25.
 — — — — Rchb. Fl. germ. 11, 573.
 — — — amplexicaulis Bory et Ch. Bory et Chaub. Mor. 34.
 — — — amygdalina L. α. discolor, Sturm Flora 7, 25.
 — — — — Host Salix 13, 14.
 — — — — Rchb. Fl. germ. 11, 604, 605.
 — — — — Engl. Bot. 27, 1936.
 — — — — Salicetum Woburnense 18.
 † — — — — Anderson Salices 2.
 — — — Andersoniana Sm. Engl. Bot. 33, 2343.
 — — — — Salicetum Woburnense 109.
 — — — angustifolia Poir. Nouveau Duhamel 3, 29.
 — — — — Wulf. Hartig (118.) 41^f.
 — — — — Rchb. Fl. germ. 11, 588.
 — — — annularis Forbes. Salicetum Woburnense 21.
 — — — Ansoniana Forbes. Salicetum Woburnense 107.
 — — — appendiculata Vahl. Fl. dan. 6, 1056.
 — — — aquatica Sm. Engl. Bot. 20, 1437.
 — — — — Salicetum Woburnense 127.
 — — — — Hartig (49.) 41.
 — — — — Hayne 13, 44.
 — — — arbuscula L. Fl. dan. 6, 1055.
 — — — — Mag. nat. Fr. 4, 2.
 — — — — Schk. Handb. 317^a.
 — — — — var. Waldsteiniana, Sturm Flora 7, 25.
 — — — — Rchb. Fl. germ. 11, 561.
 † — — — — Anderson Salices 23.
 — — — — Jacq. Jacq. Fl. austr. 5, 408.

- † *Salix arbuscula* *Wahlenb.* Wahlenberg Fl. lapp. 16.
 — — *Salicetum Woburnense* 138.
 — — *Sm.* Engl. Bot. 19, 1366.
 — — *Salicetum Woburnense* 86.
 — *arctica* *R. Br.* Mem. Mosc. 8, 6.
 — — *Pall.* Ledeb. Ic. 460.
 — — Fl. dan. 14, 2488.
 — — *Rchb.* Fl. germ. 11, 586.
 † — *arenaria* *L.* Gaertn. Carp. 90.
 — — Fl. dan. 2, 197.
 — — *Schk.* Handb. 317 A.
 — — *Sturm* Flora 7, 25.
 — — *Nouveau Duhamel* 3, 30.
 — — Engl. Bot. 26, 1809.
 — — *Salicetum Woburnense* 70.
 — — *Rchb.* Fl. germ. 11, 572.
 — *argentea* *Sm.* Engl. Bot. 19, 1364.
 — — *Salicetum Woburnense* 78.
 — — *Hartig* (118.) 41 f.
 — — *Rchb.* Fl. germ. 11, 591.
 — *atrovirens* *Schleich.* *Salicetum Woburnense* 108.
 — *aurita* *L.* Hoffmann *Salix* 1. 5. 22.
 — — *Host* *Salix* 78.
 — — *Hartig* (47.) 39.
 — — *Rchb.* Fl. germ. 11, 575.
 — — Engl. Bot. 21, 1487.
 — — *Salicetum Woburnense* 124.
 † — — *Cosson* Atlas 30.
 † — — *Anderson* *Salices* 8.
 — *australis* *Schleich.* *Salicetum Woburnense* 103.
 — *austriaca* *Host.* *Host* *Salix* 61. 65.
 — — *Rchb.* Fl. germ. 11, 587.
 — *babylonica* *L.* Gmelin Reise 3, 34.
 — — *Nouveau Duhamel* 3, 27.
 — — *Salicetum Woburnense* 22.
 † — — *Cosson* Atlas 27.
 — *Barattiana* *Hook.* *Hook.* Bor. Am. 181.
 — *berberifolia* *Pall.* *Pallas* Fl. ross. 82.
 — — *Salicetum Woburnense* 140.
 — *bicolor* *Ehrh.* Guimpel Holzgew. 180.
 — — *Sm.* Engl. Bot. 26, 1806.
 — — *Salicetum Woburnense* 38.
 — *Bonplandiana* *H. B. K.* H. B. K. Nov. Gen. 2, 101. 102.
 — — *Salicetum Woburnense* 9.
 — *Borreriana* *Sm.* Engl. Bot. 2619.
 — — *Salicetum Woburnense* 45.
 — *Brayi* *Led.* Ledeb. Ic. 449.
 — *buxifolia* *Trev.* Mem. Mosc. 8, 10.
 — *caesia* *Vill.* Mem. Mosc. 8, 12.
 — — *Mutel* Fl. fr. 62.
 — — *Rchb.* Fl. germ. 11, 585.
 — *callicarpa* *Trautv.* Mem. Mosc. 8, 7.
 — *canaliculata* *Bess.* *Rchb.* Fl. germ. 11, 588.
 — *canariensis* *Chr. Smith.* Webb Canar. 215.
 — *candida* *Flügge.* *Salicetum Woburnense* 91.
 — — *Torrey* New York 117.
 † — *canescens* *Fries.* *Anderson* *Salices* 5.
 — *Caprea* *L.* Hoffmann *Salix* 1. 5. 21.
 — — *Host* *Salix* 66. 67.
 — — *Hartig* (48.) 38.
 — — *Hayne* 13, 43.
 — — *Rchb.* Fl. germ. 11, 577.
 — — var. *Pallas* Fl. ross. 81.
 — — Fl. dan. 2, 245.
 — — Sv. Bot. 98.
 — — *Woodv.* Med. 5, 3.
 — — Engl. Bot. 21, 1488.
 — — *Salicetum Woburnense* 122.
 — — Dict. sc. nat. 296. 297.
 † — — *Cosson* Atlas 31.
 † — — *Anderson* *Salices* 6.

- Salix carinata* *Sm.* Engl. Bot. 19, 1363.
 — — *Salicetum Woburnense* 59.
 — *carinthiaca* *Host.* *Host* *Salix* ined. x.
 — *carniolica* *Host.* *Host* *Salix* 41. 45.
 — *cerasifolia* *Spr.* *Nocca* et *Balb.* Fl. tic. 18.
 — *chrysanthos* *Vahl.* Fl. dan. 6, 1057.
 — *cinerea* *L.* *Nouveau Duhamel* 3, 28 bis.
 — — Engl. Bot. 27, 1897.
 — — *Salicetum Woburnense* 125.
 — — Sv. Bot. 565.
 — — *Host* *Salix* 26. 27.
 — — *Rchb.* Fl. germ. 11, 576.
 † — — *Cosson* Atlas 30.
 † — — *Anderson* *Salices* 7.
 — *coerulea* *Sm.* Engl. Bot. 34, 2431.
 — — *Salicetum Woburnense* 137.
 — *coluteoides* *Mirbel.* Mem. Mus. 14, 20.
 — *concolor* *Host.* *Host* *Salix* 34. 35.
 — *conformis* *Forbes.* *Salicetum Woburnense* 24.
 — *conifera* *Wangenh.* *Wangenheim* Beitrag 31.
 — *cordifolia* *Pursh.* Mem. Mosc. 8, 9.
 — *coriacea* *Schleich.* *Salicetum Woburnense* 112.
 — *coruscans* *Willd.* *Sturm* Flora 7, 25.
 — — *Host* *Salix* 94.
 — *cotinifolia* *Schleich.* Engl. Bot. 20, 1403.
 — — *Salicetum Woburnense* 114.
 — — *Host* *Salix* ined. x.
 — *crassifolia* *Schleich.* *Salicetum Woburnense* 115.
 — *crassijulis* *Trev.* Mem. Mosc. 8, 15.
 — *crispa* *Forbes.* *Salicetum Woburnense* 42.
 — *Croweana* *Sm.* Engl. Bot. 16, 1146.
 — — *Roemer* Fl. europ. 14, 7.
 — — *Salicetum Woburnense* 52.
 — *cuspidata* *Schultz.* Fl. dan. 14, 2487.
 — — *Rchb.* Fl. germ. 11, 611.
 — *damascena* *Salic. Wob.* Engl. Bot. 2709.
 — *daphnoides* *Vill.* *Sturm* Flora 7, 25.
 — — *Hartig* (43.) 46.
 — — *Rchb.* Fl. germ. 11, 602.
 — *Davalliana* *Sm.* Engl. Bot. 2701.
 — — *Salicetum Woburnense* 47.
 — *decipiens* *Hoffm.* Hoffmann *Salix* 31.
 — — Engl. Bot. 27, 1937.
 — — *Salicetum Woburnense* 29.
 — *decumbens* *Forbes.* *Salicetum Woburnense* 88.
 — *depressa* *Hoffm.* Hoffmann *Salix* 15. 16.
 — — *L.* *Hartig* (116.) 41 d.
 — — *Rchb.* Fl. germ. 11, 587.
 † — — *livida*, *Anderson* *Salices* 14.
 — *Dicksoniana* *Sm.* Engl. Bot. 20, 1390.
 — — *Salicetum Woburnense* 55.
 — *diplodictya* *Trautv.* Mem. Mosc. 8, 14.
 — *discolor* *Host.* *Host* *Salix* 60. 61.
 — — *Rchb.* Fl. germ. 11, 587.
 — *Doniana* *Sm.* Engl. Bot. 2599.
 — — *Salicetum Woburnense* 85.
 — *dura* *Schleich.* *Salicetum Woburnense* 105.
 — *elaegnifolia* *Tausch.* ? *Salicetum Woburnense* 69.
 — *elaegnoides* *Schleich.* Mem. Mosc. 8, 8.
 — *elegans* *Host.* *Host* *Salix* 97.
 — *excelsa* *Gm.* Gmelin Reise 3, 34.
 — *excelsior* *Host.* *Host* *Salix* 28. 29.
 — *fagifolia* *Host.* *Host* *Salix* ined. x.
 — *ferruginea* *Anders.* *Salicetum Woburnense* 128.
 — — Engl. Bot. 2665.
 † — *finmarchica* *Willd.* *Rchb.* Fl. germ. 11, 594.
 † — — *Anderson* *Salices* 20.
 — *firma* *Schleich.* *Salicetum Woburnense* 106.
 — *fissa* *Ehrh.* Hoffmann *Salix* 13. 14.
 — — *Rchb.* Fl. germ. 11, 586.
 — *flavescens* *Host.* *Host* *Salix* 101.
 — *floribunda* *Forbes.* *Salicetum Woburnense* 54.

- Salix Flüggeana Willd.* Rchb. Fl. germ. 11, 580.
 — *Forbiana Sm.* Engl. Bot. 19, 1344.
 — — *Salicetum Woburnense* 5.
 — *formosa Willd.* Rchb. Fl. germ. 11, 566.
 — *Forsteriana Sm.* Engl. Bot. 33, 2344.
 — — *Salicetum Woburnense* 110.
 — *fragilior Host.* Host *Salix* 20, 21.
 — *fragilis L.* Hartig (42.) 51.
 — — *γ. Russeliana*, Sturm Flora 7, 25.
 — — Host *Salix* 19, 19.
 — — Nees Düssel. 91.
 — — Hayne 13, 41.
 — — Guimpel et Schl. 35.
 — — Rchb. Fl. germ. 11, 609.
 — — Woodv. Med. 1, 8.
 — — Engl. Bot. 26, 1907.
 † — — (Arbor ingens.) *Salic. Wob. Frontisp. x.*
 — — *Salicetum Woburnense* 27.
 — — Sv. Bot. 373.
 — — Fl. dan. 14, 2484.
 † — — Cosson Atlas 27.
 — *fragilissima Host.* Host *Salix* 22, 23.
 — *fusca Wulf.* Hoffmann *Salix* 28, 29.
 — — *Jacq.* Jacq. Fl. austr. 5, 409.
 — — *L.* Engl. Bot. 28, 1960.
 — — *Salicetum Woburnense* 83.
 — — Rchb. Fl. germ. 11, 592.
 — *geminata Forbes.* *Salicetum Woburnense* 129.
 — *glabra Scop.* Sturm Flora 7, 25.
 — — Rchb. Fl. germ. 11, 568.
 — *glauca L.* Linné Fl. lapp. 7.
 — — Engl. Bot. 26, 1810.
 — — *Salicetum Woburnense* 68.
 — — Mem. Mosc. 8, 5.
 — — Ledeb. Ic. 468.
 † — — Wahlenberg Fl. lapp. 16.
 † — — Anderson *Salices* 21.
 — — Rchb. Fl. germ. 11, 571.
 — *glaucescens Host.* Host *Salix* 76, 77.
 † — *glauco-phylicaeifolia And.* Anderson *Salices* 10.
 — *grandifolia Ser.* Rchb. Fl. germ. 11, 578.
 — *grisonensis Schleich.* *Salicetum Woburnense* 99.
 — *grisophylla Schleich.* *Salicetum Woburnense* 119.
 — *hastata L.* Fl. dan. 7, 1238.
 † — — Wahlenberg Fl. lapp. 16.
 — — Sv. Bot. 719.
 † — — Anderson *Salices* 11.
 — — *Salicetum Woburnense* 35.
 — — Schk. Handb. 317^e.
 — — var. *stolbergensis*, Hartig (111.) 35^A.
 — — Rchb. Fl. germ. 11, 570.
 — *Helix L.* Engl. Bot. 19, 1343.
 — — *Salicetum Woburnense* 2.
 — — Hartig (52.) 45.
 — — Sturm Flora 7, 25.
 — — Host *Salix* 36, 37.
 — — Rchb. Fl. germ. 11, 583.
 — *herbacea L.* Linné Fl. lapp. 7.
 — — Fl. dan. 1, 117.
 — — Sv. Bot. 367.
 — — Engl. Bot. 27, 1907.
 — — *Salicetum Woburnense* 62.
 † — — Anderson *Salices* 27.
 — — Hoffmann *Salix* 20.
 — — Hartig (105.) 35^B.
 — — Host *Salix* 104.
 — — Rchb. Fl. germ. 11, 557.
 — *heterophylla Host.* Host *Salix* 87, 88.
 † — *hippophaefolia Thuill.* Cosson Atlas 28.
 — — Rchb. Fl. germ. 11, 607.
 — *hirta Sm.* Engl. Bot. 20, 1404.
 — — *Salicetum Woburnense* 113.

- Salix Hoffmanniana Sm.* Engl. Bot. 2620.
 — — *Salicetum Woburnense* 16.
 — *holosericea Willd.* Hartig (112.) 37^B.
 — — Rchb. Fl. germ. 11, 579.
 — *Hookeriana Barr.* Hook. Bor. Am. 180.
 — *Hoppeana Willd.* Sturm Flora 7, 25.
 — — Guimpel Holzgew. 158.
 — — Rchb. Fl. germ. 11, 605.
 — *Houstoniana Pursh.* *Salicetum Woburnense* 11.
 — *Humboldtiana Willd.* H. B. K. Nov. Gen. 2, 99, 100.
 — — *Salicetum Woburnense* 8.
 † — *hyperborea And.* Anderson *Salices* 12.
 — *Jacquiniana Host.* Host *Salix* 102.
 — — Sturm Flora 7, 25.
 — *japonica Thunb.* Thunberg Ic. jap. 31.
 — *ichnostachya Ldl.* Wight Ic. pl. Ind. or. 6, 1953.
 — *incana Schrank.* Sturm Flora 7, 25.
 — — Hartig (113.) 37^C.
 — — Rchb. Fl. germ. 11, 596.
 — — *Salicetum Woburnense* 90.
 — — Michx. Torrey New York 117.
 — *incanescens Schleich.* *Salicetum Woburnense* 120.
 — *incubacea L.* Engl. Bot. 2600.
 — — *Salicetum Woburnense* 79.
 — — Guimpel Holzgew. 185.
 — — Rchb. Fl. germ. 11, 588.
 — *intermedia Host.* Host *Salix* 56, 57.
 — *Kanderiana Ser.* Rchb. Fl. germ. 11, 581.
 — *Kitaibeliana Willd.* *Salicetum Woburnense* 64.
 — *Kochiana Trautv.* Trautvetter *Salicetum* 1.
 — *lactea Bray.* Regensb. Denkschr. 2, 2.
 — *lacustris Schleich.* *Salicetum Woburnense* 116.
 — *laeta Schultz.* Rchb. Fl. germ. 11, 586.
 — *Lambertiana Sm.* Engl. Bot. 19, 1359.
 — — *Salicetum Woburnense* 3.
 — — Rchb. Fl. germ. 11, 585.
 — *lanata L.* Linné Fl. lapp. 7.
 † — — Wahlenberg Fl. lapp. 16.
 † — — Anderson *Salices* 3.
 — — Pallas Fl. ross. 81.
 — — Nouveau Duhamel 3, 31.
 — — Engl. Bot. 2624.
 — — *Salicetum Woburnense* 71.
 — — Ledeb. Ic. 480.
 — *lanceolata Sm.* Engl. Bot. 20, 1436.
 — — *Salicetum Woburnense* 14.
 — — Rchb. Fl. germ. 11, 606.
 — — Sér. Séringe Saules 1.
 — *Lapponum L.* Fl. dan. 6, 1058.
 — — Schk. Handb. 317^E.
 — — var. *arenaria*, Hartig (108.) 35^E.
 — — Sturm Flora 7, 25.
 — — Rchb. Fl. germ. 11, 572.
 — — *Salicetum Woburnense* 73.
 † — — Anderson *Salices* 4.
 — *latifolia Forbes.* *Salicetum Woburnense* 118.
 — *laurina Sm.* Rchb. Fl. germ. 11, 564.
 — *lavandulaefolia Lap.* Rchb. Fl. germ. 11, 596.
 — *laxiflora Borrer.* Engl. Bot. 2749.
 — *ligustrina Michx.* Michaux Arb. 3, 5.
 — — Host. Host *Salix* 15, 16.
 † — *limosa Wahlenb.* Wahlenberg Fl. lapp. 16.
 — — Rchb. Fl. germ. 11, 572.
 — *linearis Forbes.* *Salicetum Woburnense* 69.
 — *litoralis Host.* Host *Salix* 52.
 † — *livida Wahlenb.* Wahlenberg Fl. lapp. 16.
 — *longifolia Host.* Host *Salix* 62, 63.
 — — Rchb. Fl. germ. 11, 601.
 — *lucida Mühlenb.* Michaux Arb. 3, 5.
 — — Torrey New York 119.
 — ? — *Salicetum Woburnense* 32.
 — *Ludwigii Schk.* Schk. Handb. 317^D.

- Salix* *Lyonii* *Forbes*. *Salicetum Woburnense* 10.
 — *macrostipulacea* *Schleich*. *Salic. Woburn.* 130.
 — *majalis* *Wahlenb.* *Rchb. Fl. germ.* 11, 563.
 — *malifolia* *Sm.* *Engl. Bot.* 23, 1617.
 — — *Salicetum Woburnense* 36.
 — *menthaefolia* *Host.* *Host Salix* 79. 80.
 — *Meyeriana* *Willd.* *Hartig* (37.) 50.
 — — *Rchb. Fl. germ.* 11, 614.
 — — *Salicetum Woburnense* 33.
 — *Micheliana* *Forbes*. *Salicetum Woburnense* 135.
 — *microphylla* *Cham.* *Hook. Beechey* 70.
 — *microstachya* *Turcz.* *Trautvetter Salicetum* 4.
 — *mirabilis* *Host.* *Host Salix* 46.
 — *mollissima* *Ehrh.* *Hartig* (45.) 37.
 — — *Rchb. Fl. germ.* 11, 599.
 — — *Sm.* *Engl. Bot.* 21, 1509.
 — — *Rchb. Fl. germ.* 11, 600.
 — *monandra* *Ard.* *Curt. Lond.* 3, 130.
 — — *Hoffmann Salix* 1. 5. 23.
 — — *Host Salix* 71. 72.
 — — *Rchb. Fl. germ.* 11, 582.
 † — — *Nees Gen.* 4, 15.
 — — *Forbes*. *Salicetum Woburnense* 4.
 — *monspeliensis* *Forbes*. *Salicetum Woburnense* 30.
 — *montana* *Host.* *Host Salix* 73.
 — — *Forbes*. *Salicetum Woburnense* 19.
 — *mutabilis* *Host.* *Host Salix* 42. 43.
 — *Myrsinites* *L.* *Linné Fl. lapp.* 7.
 — — *Fl. dan.* 6, 1054.
 — — *Mem. Mosc.* 8, 18.
 — — *var. Jacquiniiana*, *Hartig* (109.) 35f.
 — — *Rchb. Fl. germ.* 11, 559. 560.
 † — — *Anderson Salices* 22.
 — — *Hoffm.* *Hoffmann Salix* 17. 18. 19. 24.
 — — *Sm.* *Engl. Bot.* 19, 1360.
 — — *Salicetum Woburnense* 60.
 — — *Led.* *Ledeb. Ic.* 455.
 — *myrtilloides* *L.* *Sv. Bot.* 646.
 — — *Wahlenberg Fl. lapp.* 18.
 † — — *Anderson Salices* 19.
 — — *Hartig* (117.) 41^c.
 — — *Rchb. Fl. germ.* 11, 593.
 — — *Willd.* *Salicetum Woburnense* 66.
 — *nigra* *Michx.* *Michaux Arb.* 3, 5.
 — *nigricans* *Sm.* *Engl. Bot.* 17, 1213.
 — — *Salicetum Woburnense* 37.
 — — *Roemer Fl. europ.* 14, 8.
 — — *var. Amaniana* *Willd.* *Hartig* (115.) 41^c.
 — — *var. α.* *Sturm Flora* 7, 25.
 — — *Rchb. Fl. germ.* 11, 573.
 † — — *Anderson Salices* 15.
 † — — *Wahlenb.* *Wahlenberg Fl. lapp.* 17.
 — *nitens* *Anders.* *Salicetum Woburnense* 44.
 — — *Engl. Bot.* 2655.
 — *oleaeifolia* *Sm.* *Engl. Bot.* 20, 1402.
 — — *Salicetum Woburnense* 126.
 — — *Vill.* *Rchb. Fl. germ.* 11, 589.
 — *onusta* *Besser.* *Rchb. Fl. germ.* 11, 594.
 — *oppositifolia* *Host.* *Host Salix* 38. 39.
 — *ovalifolia* *Trautv.* *Mem. Mosc.* 8, 13.
 — *ovata* *Host.* *Host Salix* 74. 75.
 — — *Séringe.* *Séringe Saules* 2.
 † — — *Anderson Salices* 24.
 — *padifolia* *Host.* *Host Salix* ined. x.
 — *pallida* *Schleich.* *Salicetum Woburnense* 96.
 — — *Led.* *Ledeb. Ic.* 454.
 — *palustris* *Host.* *Host Salix* 24. 25.
 — *pannosa* *Schleich.* *Salicetum Woburnense* 123.
 — *parietariaefolia* *Host.* *Host Salix* 85. 86.
 — *parviflora* *Host.* *Host Salix* 49.
 — *parvifolia* *Sm.* *Engl. Bot.* 28, 1961.
 — — *Salicetum Woburnense* 81.

- Salix* *patens* *Forbes*. *Salicetum Woburnense* 39.
 — *pedicellaris* *Pursh.* *Torrey New York* 120.
 — *pennsylvanica* *Forbes*. *Salicetum Woburnense* 95.
 — *pentandra* *L.* *Fl. dan.* 6, 943.
 — — *Sv. Bot.* 325.
 — — *Engl. Bot.* 26, 1805.
 — — *Salicetum Woburnense* 34.
 — — *Hartig* (36.) 49.
 — — *Guimpel et Schl.* 36.
 — — *Host Salix* 1. 2.
 — — *Nees Düsseld.* 89.
 — — *Hayne* 13, 40.
 — — *Rchb. Fl. germ.* 11, 612.
 † — — *Nees Gen.* 4, 15.
 † — — *Anderson Salices* 1.
 — *petiolaris* *Sm.* *Engl. Bot.* 16, 1147.
 — — *Roemer Fl. europ.* 14, 5.
 — — *Salicetum Woburnense* 23.
 — *petraea* *Forbes*. *Salicetum Woburnense* 97.
 — — *Engl. Bot.* 2725.
 — *phillyreifolia* *Anders.* *Engl. Bot.* 2660.
 — *phyllicifolia* *L. var.* *Fl. dan.* 6, 1053.
 † — — *Wahlenberg Fl. lapp.* 17.
 † — — *Anderson Salices* 9.
 — — *Engl. Bot.* 28, 1958.
 — — *Salicetum Woburnense* 46.
 — — *Hartig* (110.) 35^c.
 — — *Rchb. Fl. germ.* 11, 564.
 — *polaris* *Wahlenb.* *Wahlenberg Fl. lapp.* 13.
 — — *Sv. Bot.* 493.
 † — — *Anderson Salices* 28.
 — — *Salicetum Woburnense* 63.
 — — *Rchb. Fl. germ.* 11, 557.
 — *polyandra* *Bray.* *Regensb. Denkschr.* 2, 1.
 — — *Rchb. Fl. germ.* 11, 613.
 — *polymorpha* *Ehrh.* *Host Salix* 68. 69. 70.
 — *pomeranica* *Willd.* *Rchb. Fl. germ.* 11, 602.
 — *Pontederana* *Willd.* *Rchb. Fl. germ.* 11, 587.
 — — *Salicetum Woburnense* 43.
 — — *Vill.* *Rchb. Fl. germ.* 11, 569.
 — *praecox* *Hoppe.* *Sturm Flora* 7, 25.
 — — *Guimpel Holzgew.* 168.
 — — *Salicetum Woburnense* 26.
 — — *Rchb. Fl. germ.* 11, 602.
 — *pratensis* *Scop.* *Host Salix* 50. 51.
 — — *Rchb. Fl. germ.* 11, 588.
 — *prinoides* *Pursh.* *Salicetum Woburnense* 40.
 — *procumbens* *Forbes*. *Salicetum Woburnense* 61.
 — — *Engl. Bot.* 2753.
 — *propinqua* *Borrer.* *Engl. Bot.* 2729.
 — *prostrata* *Sm.* *Engl. Bot.* 28, 1959.
 — — *Salicetum Woburnense* 82.
 — — *Ehrh.* *Rchb. Fl. germ.* 11, 562.
 — *proteaefolia* *Schleich.* *Salicetum Woburnense* 75.
 — *pruinosa* *Wendl.* *Rchb. Fl. germ.* 11, 603.
 — *prunifolia* *Sm.* *Engl. Bot.* 19, 1361.
 — — *Salicetum Woburnense* 56.
 — — *Mem. Mosc.* 8, 16.
 — — *Rchb. Fl. germ.* 11, 562.
 — — *Host.* *Host Salix* 83. 84.
 — *pulchella* *Host.* *Host Salix* 98.
 † — *punctata* *Wahlenb.* *Wahlenberg Fl. lapp.* 17.
 † — — *Anderson Salices* 16.
 — *purpurea* *L.* *Engl. Bot.* 20, 1388.
 — — *Salicetum Woburnense* 1.
 — — *Baxter Brit. Bot.* 6, 434.
 — — *Sv. Bot.* 589.
 — — *Sturm Flora* 7, 25.
 — — *Hartig* (33.) 44.
 — — *Host Salix* 40. 41.
 — — *Nees Düsseld. Suppl.* 86.
 — — *Rchb. Fl. germ.* 11, 582 — 585.

- † *Salix purpurea* L. Cosson Atlas 29.
 — *pyrenaica* Gouan. Mem. Mosc. 8, 4.
 — *pyrolaefolia* Led. Ledeb. Ic. 476.
 — *ramifusca* Forbes. Salicetum Woburnense 53.
 — *reflexa* Forbes. Salicetum Woburnense 94.
 — *repens* L. Engl. Bot. 3, 183.
 — — Salicetum Woburnense 84.
 — — Hartig (51.) 42.
 — — Host Salix 53.
 — — Rchb. Fl. germ. 11, 589. 590.
 — — Fl. dan. 14, 2489.
 † — — Cosson Atlas 31.
 — *reptans* Rupr. Ruprecht Fl. Samoj. 3.
 — *reticulata* L. Linné Fl. lapp. 7.
 — — Fl. dan. 2, 212.
 — — Nouveau Duhamel 3, 32.
 — — Engl. Bot. 27, 1908.
 — — Salicetum Woburnense 67.
 — — Sv. Bot. 529.
 † — — Anderson Salices 25.
 — — Hoffmann Salix 25. 26. 27.
 — — Schk. Handb. 317^a.
 — — Sturm Flora 7, 25.
 — — Hartig (107.) 35^d.
 — — Guimpel Holzgew. 178.
 — — Host Salix 103.
 — — Rchb. Fl. germ. 11, 557.
 — *retusa* L. Schk. Handb. 317^a.
 — — Sturm Flora 7, 25.
 — — Hartig (106.) 35^c.
 — — var. Rochel Banat. 38.
 — — Host Salix 103.
 — — Salicetum Woburnense 139.
 — — Rchb. Fl. germ. 11, 558.
 † — — sarmentacea Fr. Anderson Salices 26.
 — *rhamnifolia* Pall. Hook. Beechey 26.
 — *Richardsoni* Hook. Hook. Bor. Am. 182.
 — *riparia* Willd. Sturm Flora 7, 25.
 — — Host Salix 58. 59.
 — — Rchb. Fl. germ. 11, 596.
 — *rivalis* Host. Host Salix 81. 92.
 — *rivularis* Schleich. Salicetum Woburnense 102.
 — *rosmarinifolia* L. Engl. Bot. 19, 1365.
 — — Salicetum Woburnense 87.
 — — Hartig (50.) 43.
 — — Rchb. Fl. germ. 11, 591.
 — *rotundata* Forbes. Salicetum Woburnense 104.
 — *rotundifolia* Trautv. Mem. Mosc. 8, 11.
 — *rubra* Huds. Engl. Bot. 16, 1145.
 — — Salicetum Woburnense 6.
 — — Roemer Fl. europ. 14, 6.
 — — Hartig (119.) 45^b.
 — — var. Forbyana, Hartig (120.) 45^c.
 — — Rchb. Fl. germ. 11, 586.
 † — — Cosson Atlas 29.
 — *rupestris* Sm. Engl. Bot. 33, 2342.
 — — Salicetum Woburnense 111.
 — *Russelliana* Sm. Engl. Bot. 26, 1808.
 — — Salicetum Woburnense 28.
 — — Nees Düsseldorf. 90.
 — — Rchb. Fl. germ. 11, 610.
 — *Safsaf* Forsk. Trautvetter Salicetum 2.
 — *salviaefolia* Link. Rchb. Fl. germ. 11, 580.
 — *Schleicheriana* Willd. Salicetum Woburnense 98.
 — *semperflorens* Host. Host Salix 5. 6.
 — *sericea* Murrit. Salicetum Woburnense 74.
 — *Seringeana* Gaud. Rchb. Fl. germ. 11, 581.
 † — — Cosson Atlas 30.
 — *serpyllifolia* Scop. Scopoli Fl. carn. 2, 61.
 — — Jacq. Fl. austr. 3, 298.
 — — Guimpel Holzgew. 177.
 — — Salicetum Woburnense 65.

- Salix sibirica* Pall. Pallas Fl. ross. 81.
 — — Rchb. Fl. germ. 11, 593.
 — *silesiaca* Willd. Schk. Handb. 317. *f*.
 — — Hartig (114.) 41^b.
 — — Rchb. Fl. germ. 11, 574.
 † — — Anderson Salices 13.
 — *Smithiana* Willd. Salicetum Woburnense 134.
 — — Rchb. Fl. germ. 11, 600.
 — *sordida* Schleich. Salicetum Woburnense 101.
 — *speciosa* Tausch. Host Salix 17.
 — — H. et A. Seemann Herald 10.
 — *spectabilis* Host. Host Salix 3. 4.
 — *sphacelata* Sm. Engl. Bot. 33, 2333.
 — — Salicetum Woburnense 121.
 — *Starkeana* Willd. Guimpel Holzgew. 174.
 — — Host Salix 89. 90.
 — *stipularis* Sm. Engl. Bot. 17, 1214.
 — — Roemer Fl. europ. 13, 8.
 — — Salicetum Woburnense 132.
 — — Rchb. Fl. germ. 11, 598.
 — *strepida* Schleich. Salicetum Woburnense 100.
 — *Stuartiana* Sm. Engl. Bot. 36, 2586.
 — — Salicetum Woburnense 72.
 — *stylaris* Ser. Rchb. Fl. germ. 11, 573.
 — *subalpina* Schleich. Salicetum Woburnense 93.
 — *sudetica* Host. Host Salix 91. 92.
 — *tenuiflora* Host. Host Salix 7. 8.
 — *tenuifolia* Sm. Engl. Bot. 31, 2186. 2795.
 — — Salicetum Woburnense 50.
 — *tenuijulis* Led. Ledeb. Ic. 453.
 — *tenuior* Borrer. Engl. Bot. 2650.
 — *tenuis* Host. Host Salix 47. 48.
 — *tetrandra* L. Rchb. Fl. germ. 11, 612.
 — *tetrapla* Sm. Engl. Bot. 2702.
 — — Salicetum Woburnense 49.
 — *tetrasperma* Roxb. Roxb. Corom. 97.
 — — Salicetum Woburnense 31.
 — — Wight Ic. pl. Ind. or. 6, 1954.
 — *tomentosa* Host. Host Salix 93.
 — *tortuosa* Host. Host Salix ined. x.
 — *triandra* L. Curt. Lond. 3, 128.
 — — Engl. Bot. 20, 1435.
 — — Salicetum Woburnense 15.
 — — Hoffmann Salix 9. 10. 23.
 — — Sturm Flora 7, 25.
 — — Hartig (39.) 48.
 — — Hayne 13, 39.
 — — Rchb. Fl. germ. 11, 605.
 † — — Cosson Atlas 28.
 † — — Hamburger Symbolae 1.
 — *tridentata* Viv. Viviani Lib. 7.
 — *tristis* Ait. Torrey New York 118.
 — *uliginosa* Willd. Guimpel Holzgew. 190.
 — *ulmifolia* Hort. Par. Nouveau Duhamel 3, 25.
 — *undulata* Ehrh. Hartig (38.) 47.
 — — Rchb. Fl. germ. 11, 606.
 — — Mutel Fl. fr. 62.
 † — — Cosson Atlas 28.
 — — Forbes. Salicetum Woburnense 13.
 — *vacciniifolia* Sm. Engl. Bot. 33, 2341.
 — — Salicetum Woburnense 57.
 — *varia* Host. Host Salix 11. 12.
 — *vaudensis* Schleich. Salicetum Woburnense 117.
 — *velutina* Schrad. Rchb. Fl. germ. 11, 579.
 — *venulosa* Sm. Engl. Bot. 19, 1362.
 — — Salicetum Woburnense 58.
 — *venusta* Host. Host Salix 9. 10.
 — *versicolor* Forbes. Salicetum Woburnense 77.
 † — *versifolia* Wahlenb. Wahlenberg Fl. lapp. 18.
 — — Sv. Bot. 511.
 † — — Anderson Salices 17.
 † — — myrtoidea Fr. Anderson Salices 18.

- Salix versifolia* *Wahlenb.* Hartig (117.) 41^e.
 — — — *Rchb.* Fl. germ. 11, 592.
 — — — *vestita Pursh.* *Rchb.* Fl. germ. 11, 560.
 — — — *Villarsiana Willd.* *Salicetum Woburnense* 17.
 — — — *Rchb.* Fl. germ. 11, 603.
 — — — *villosa Forbes.* *Salicetum Woburnense* 92.
 — — — *vilnensis Gorski.* *Rchb.* Fl. germ. 11, 593.
 — — — *viminalis L.* Hoffmann *Salix* 1. 5.
 — — — — — *Sturm Flora* 7, 23.
 — — — — — Hartig (46.) 36.
 — — — — — *Host Salix* 54. 53.
 — — — — — Hayne 13, 45.
 — — — — — *Rchb.* Fl. germ. 11, 597.
 — — — — — *Nouveau Duhamel* 3, 28.
 — — — — — *Engl. Bot.* 27, 1898.
 — — — — — *Salicetum Woburnense* 133.
 — — — — — *Sv. Bot.* 211.
 — — — — — *Fl. dan.* 14, 2485.
 † — — — — — *Cosson Atlas* 29.
 — — — *violacea Andr.* *Andr. Rep.* 9, 581.
 — — — — — *Salicetum Woburnense* 25.
 — — — — — *Rchb.* Fl. germ. 11, 603.
 — — — *virescens Forbes.* *Salicetum Woburnense* 7.
 — — — *virgata Forbes.* *Salicetum Woburnense* 12.
 — — — *viridis Fries.* *Fl. dan.* 14, 2486.
 — — — *vitellina L.* *Engl. Bot.* 20, 1389.
 — — — — — *Salicetum Woburnense* 20.
 — — — — — *Nouveau Duhamel* 3, 27^{bis}.
 — — — — — *Hoffmann Salix* 11. 12. 24.
 — — — — — *Dreves* 2, 61.
 — — — — — Hartig (41.) 53.
 — — — — — *Host Salix* 30. 31.
 — — — — — *Nees Düsseld. Suppl.* 54.
 † — — — — — *Nees Gen.* 4, 13.
 — — — *Waldsteiniana Willd.* *Mem. Mosc.* 8, 14.
 — — — *Weigeliana Willd.* *Guimpel Holzgew.* 173.
 — — — — — *Host Salix* ined. x.
 — — — — — *Rchb.* Fl. germ. 11, 563.
 — — — — — *Engl. Bot.* 2636.
 — — — — — *Salicetum Woburnense* 51.
 — — — *Wilhelmsiana M. v. B.* *Trautvetter Salicetum* 3.
 — — — *Willdenowiana Forbes.* *Salicetum Woburnense* 41.
 — — — *Woolgariana Hook.* *Engl. Bot.* 2651.
 — — — *Wulfeniana Willd.* *Sturm Flora* 7, 25.
 — — — — — *Guimpel Holzgew.* 163.
 — — — — — *Host Salix* 95. 96.
 — — — — — *Rchb.* Fl. germ. 11, 568.
 — — — — — *Salicetum Woburnense* 48.
 — — — *Salmea Eupatoria DC.* *Jacq. Ecl. pl.* 139.
 — — — *scandens R. Br.* *Bot. Mag.* 46, 2062.
 — — — *Salmia spicata Cav.* *Cav. Ic.* 246.
 † *Salomonina ciliata DC.* *Mem. Mus.* 17, 29.
 — — — *cordata Arn.* *Wight Illustr.* 22.
 — — — *oblongifolia DC.* *Delessert Ic.* 3, 19.
 — — — *obovata Wight.* *Wight Illustr.* 22.
 — — — *Salpianthus arenarius H. B.* *Humb. Pl. aeq.* 44.
 — — — — — *Lam. Encycl.* 906.
 † *Salpichlaena Sm.* *Fée Fil.* 5, 8.
 † — — — *volubilis Sm.* *Hook. Gen. Fil.* 93.
 — — — *Salpichroma diffusa Miers.* *Miers Illustr.* 28.
 — — — *hirsuta Miers.* *Miers Illustr.* 28.
 — — — *rhomboidea Miers.* *Miers Illustr.* 1.
 — — — *tristis Miers.* *Miers Illustr.* 28.
 † *Salpiglossis Rz et P.* *Ruiz et Pav. Prodr.* 19.
 — — — *atropurpurea Grah.* *Bot. Mag.* 55, 2811.
 — — — — — *Bot. Reg.* 18, 1518.
 — — — — — *Sweet Fl. G.* 271.
 — — — — — *Rchb. Exot.* 323.
 — — — *Barclayana Cam.* *Sweet Fl. G. II.* 112.
 — — — *coccinea Ldl.* *Paxt. Fl. G.* 100.
 — — — *integrifolia Hook.* *Bot. Mus.* 58, 3113.
 — — — — — *Lodd. Cab.* 1978.

- Salpiglossis linearis Hook.* *Bot. Mag.* 60, 3236.
 — — — *picta Sweet.* *Sweet Fl. G.* 258.
 — — — — — *Lodd. Cab.* 1632.
 — — — — — *Rchb. Exot.* 323.
 — — — *sinuata Rz et P.* var. *coccinea Lem.* *Lem. Jard. fl.* 4, 395.
 — — — — — var. *flava*, *Moore Mag.* 1850, p. 57.
 — — — *straminea Hook.* *Hook. Exot. Fl.* 229.
 — — — — — *Bot. Mag.* 61, 3365.
 — — — — — *Sweet Fl. G.* 231.
 — — — — — *Rchb. Exot.* 323.
 † *Salpinga parviflora DC.* *Ann. sc. nat. III.* 16, 18.
 — — — *secunda Mart.* *Mart. Bras.* 256.
 — — — *Salpixintha coccinea Hook.* *Bot. Mag.* 71, 4158.
 — — — — — *Fl. d. serres* 1, 35.
 — — — *Salsola alopecuroides Delile.* *Delile Egypte* 21.
 — — — *altissima L.* *Cav. Ic.* 289.
 — — — *anomala C. A. M.* *Eichwald Cauc.* 12.
 — — — *arbuscula Pall.* *Pallas Illustr.* 17.
 — — — — — *Eichwald Cauc.* 29. 30. 31.
 — — — *arenaria W. et K.* *W. et Kit.* 78.
 — — — — — *Roemer Collect.* 1.
 — — — *articulata Cav.* *Cav. Ic.* 284.
 — — — *auricula Moq.* *Bélanger Ind. or. x.*
 — — — *baccifera Pall.* *Pallas Illustr.* 23.
 — — — *brachiata Pall.* *Pallas Illustr.* 22.
 — — — *carinata C. A. M.* *Eichwald Cauc.* 28.
 — — — *cinerea W. et K.* *W. et Kit.* 106.
 — — — *collina Pall.* *Pallas Illustr.* 26.
 — — — *crassa M. v. B.* *Eichwald Cauc.* 25.
 — — — *dasyantha Pall.* *Pallas Illustr.* 11.
 — — — *decurrens Jaub.* *Jaubert Illustr.* 138.
 — — — *dendroides Pall.* *Pallas Illustr.* 14.
 — — — *Echinus Lab.* *Bill. Syr.* 2, 5.
 — — — — — *Delile Egypte* 21.
 — — — *flavescens Cav.* *Cav. Ic.* 288.
 — — — *fruticosa L.* *Cav. Ic.* 285.
 — — — — — *Engl. Bot.* 9, 635.
 — — — — — *Sibth. Fl. gr.* 255.
 — — — *gemmascens Pall.* *Pallas Illustr.* 16.
 — — — *genistoides Poir.* *Webb Otia* 5.
 — — — *hirsuta L.* *Fl. dan.* 2, 187.
 — — — *Hostii Tratt.* *Tratt. Archiv.* 69.
 — — — *incanescens C. A. M.* *Eichwald Cauc.* 26.
 — — — *Kali L.* *Fl. dan.* 5, 818.
 — — — — — *Pallas Illustr.* 28. 29.
 † — — — — — *Gaertn. Carp.* 75.
 — — — — — *Lam. Encycl.* 181.
 — — — — — *Curt. Lond.* 5, 158.
 — — — — — *Engl. Bot.* 9, 634.
 — — — — — *Woodv. Med.* 4, 227.
 — — — — — *Baxter Brit. Bot.* 4, 255.
 — — — — — *Sv. Bot.* 471.
 — — — — — *Comm. Gott. rec.* 1, 1.
 — — — — — *Dietr. Fl. bor.* 5, 303.
 † — — — — — *Nees Gen.* 4, 61.
 † — — — — — *Schnizl. Iconogr.* 2, 101.
 — — — *lanata Pall.* *Pallas Illustr.* 21.
 — — — *laniflora Gm.* *Gmelin Reise* 1, 37.
 — — — *laricina Pall.* *Pallas Illustr.* 13.
 — — — *microphylla Cav.* *Cav. Ic.* 287.
 — — — *monandra L.* *Pallas Illustr.* 31.
 — — — *Moquiniana Jaub.* *Jaubert Illustr.* 137.
 — — — *Nitraria Pall.* *Pallas Illustr.* 15.
 — — — *oppositifolia Pall.* *Pallas Illustr.* 27.
 † — — — — — *Desf. Viviani Aeg.* 2.
 — — — *orientalis Gm.* *Gmelin Reise* 4, 5.
 — — — *pilosa Pall.* *Pallas Illustr.* 20.
 — — — *prostrata L.* *Jacq. Fl. austr.* 3, 294.
 — — — — — *Pall.* *Pallas Illustr.* 10.
 — — — *radiata Desf.* *Ann. Mus.* 2, 34.
 — — — *rigida Pall.* *Pallas Illustr.* 12.

- Salsola rosacea* L. Schk. Handb. 57^a.
 — — — Cav. Ic. 286.
 — — — Lam. Encycl. 181.
 — — — Pallas Illustr. 18.
 — *salsa* L. Jacq. Vind. 3, 83.
 — — — Cav. Ic. 290.
 — *sativa* L. Cav. Ic. 291.
 — *sclerantha* C. A. M. Eichwald Cauc. 27.
 — *Soda* L. Jacq. Vind. 68.
 — — — Pallas Illustr. 30.
 — *spicata* Pall. Pallas Illustr. 19.
 — *spinescens* Moq. Wight Ic. pl. Ind. or. 5, 1795.
 — *spinifex* Pall. Pallas Illustr. 24.
 — *subaphylla* C. A. M. Eichwald Cauc. 24.
 — *tamariscifolia* Cav. Cav. Ic. 310. 500^b.
 — *tamariscina* Pall. Pallas Illustr. 25.
 — *tetrandra* Forsk. Delile Egypte 21.
 — *vermiculata* L. Asso Aragon. 2.
Salutaria grandiflora Colla. Mem. Tur. 10, (1849.) x.
Salvadora indica Wight. Wight Illustr. 181.
 — *oleoides* Decne. Jacquemont Ind. 144.
 — *persica* L. Vahl Symbolae 4.
 — — — Lam. Encycl. 81.
 † — — — Gaertn. Carp. 222.
 — — — Roxb. Corom. 28.
 — — — Wight Ic. pl. Ind. or. 4, 1621.
 — *Stocksii* Wight. Wight Ic. pl. Ind. or. 4, 1621.
Salvertia convallariodora St. Hil. Mart. Bras. 93.
 † — — — Spach Suites 33.
 — *densiflora* (= *thyrsiflora*) Pohl. Pohl Bras. 110.
 † *Salvia* L. (Folia.) Ann. sc. nat. II. 4, 5.
 — *abyssinica* Jacq. Jacq. Ic. 6.
 — *acuminata* R. & P. Ruiz et Pav. Fl. 37.
 — — — Vent. Cels 50.
 — — — Kerner Hort. 291.
 — *acutifolia* R. & P. Ruiz et Pav. Fl. 38.
 — *aegyptiaca* L. Jacq. Vind. 108.
 † — — — Webb Canar. 167.
 — *Aethiopis* L. Jacq. Fl. austr. 3, 211.
 — *algeriensis* Desf. Desf. Fl. atl. 3.
 — *altissima* Pohl. Pohl Bras. 191.
 — *amara* Jacq. Jacq. Schoenbr. 3, 255.
 — *amarissima* Ortega. Bot. Reg. 4, 347.
 — *amethystina* Sm. Smith Ic. Linn. 27.
 — *amoena* Sims. Bot. Reg. 32, 1294.
 — — — Lodd. Cab. 377.
 — — — Bot. Reg. 6, 446.
 — *angustifolia* Cav. Cav. Ic. 317.
 — — — Bot. Reg. 18, 1554.
 — — — Sweet Fl. G. II. 219.
 — *argentea* L. Sibth. Fl. gr. 27.
 — — — Jacq. Schoenbr. 1, 6.
 — — — Knowles et Westcott 112.
 — *aurea* L. Bot. Mag. 6, 182.
 — *austriaca* L. Jacq. Fl. austr. 2, 112.
 — — — Bot. Reg. 12, 1019.
 — *azurea* Lam. Bot. Mag. 42, 1728.
 — — — Paxt. Mag. 12, 31.
 — *balaustrina* Pohl. Pohl Bras. 189.
 — *Barrlieri* Ten. Tenore Fl. nap. 2.
 — *Benthamiana* Gardn. Fielding Sertum 19.
 — *bicolor* Desf. Desf. Fl. atl. 2.
 — — — Salisbury Parad. 113.
 — — — Jacq. Schoenbr. 1, 7.
 — — — Kerner Hort. 118.
 — — — Bot. Mag. 43, 1774.
 — — — Paxt. Mag. 9, 271.
 — *biflora* R. & P. Ruiz et Pav. Fl. 38.
 — *Boosiana* Jacq. Jacq. Ecl. pl. 47.
 — *Boosii* Tratt. Tratt. Archiv 47. 47^a.
 — *bracteata* Sims. Bot. Mag. 49, 2320.
 — *Brousseonii* Benth. Webb Canar. 166.

- Salvia bullata* Schousb. Jacq. Schoenbr. 4, 481.
 — *calycina* Sibth. Sibth. Fl. gr. 16.
 — *campestris* M. v. B. Rchb. Ic. crit. 6, 529.
 — *canariensis* L. Rivinus Opus ined. 26.
 — — — Trew Pl. rar. 19.
 † — — — Webb Canar. 167.
 — *Candelabrum* Boiss. Boissier Esp. 136.
 — *canescens* C. A. M. Bot. Reg. 24, 36.
 — *cardinalis* H. B. K. H. B. K. Nov. Gen. 2, 152.
 — — — Kerner Hort. 535.
 — *carnea* H. B. K. H. B. K. Nov. Gen. 2, 151.
 — *ceratophylla* L. Knowles et Westcott 5.
 — *ceratophylloides* Ard. Arduino Anim. 2, 2.
 — *chamaedryfolia* Andr. Andr. Rep. 6, 416.
 — *chamaedryoides* Cav. Cav. Ic. 197.
 — — — Bot. Mag. 21, 808.
 — — — Lodd. Cab. 576.
 — *Chamaedrys* Willd. Willdenow Hortus 29.
 — *circinata* Cav. Cav. Ic. 318.
 — *clandestina* L. Sibth. Fl. gr. 24.
 — — — Jacq. Ecl. pl. 143.
 — — — Rchb. Pl. crit. 6, 525.
 † — — — Mutel Fl. fr. 52.
 † — — — Webb Canar. 167.
 — *clinopodioides* H. B. K. H. B. K. Nov. Gen. 2, 145.
 — *Clusii* Jacq. Jacq. Schoenbr. 2, 195.
 — *coccinea* Juss. Comm. Gott. 1, 1.
 — *compressa* Vent. Vent. Cels 59.
 — *confertiflora* Pohl. Pohl Bras. 190.
 — — — Bot. Mag. 68, 3899.
 — — — Bot. Reg. 25, 29.
 — *crassifolia* Sibth. Sibth. Fl. gr. 26.
 — — — Jacq. Jacq. Fragm. 60.
 — *cretica* L. Mem. Genev. 5, 3.
 — *cuspidata* R. & P. Ruiz et Pav. Fl. 40.
 — *deltoides* Pers. Kerner Hort. 629.
 — *deserta* Schangin. Rchb. Pl. crit. 6, 528.
 — *discolor* H. B. K. H. B. K. Nov. Gen. 2, 146.
 — *dominica* Sw. Swartz Observ. 1.
 — *elongata* H. B. K. H. B. K. Nov. Gen. 2, 139.
 — *elsholtzioides* Benth. Benth. Sulphur 50.
 — *exasperata* Cav. Annales de hist. nat. 2, 17.
 — — — Cav. Ic. 558.
 — *excisa* R. & P. Ruiz et Pav. Fl. 36.
 — *fimbriata* H. B. K. H. B. K. Nov. Gen. 2, 149.
 — *foliosa* Benth. Bot. Reg. 17, 1429.
 — *formosa* L'her. L'heritier Stirp. 21.
 — — — Bot. Mag. 11, 376.
 — — — Kerner Hort. 119. 684. 833.
 — — — Dict. sc. nat. 42.
 — — — Tratt. Archiv 310.
 — *Forskälilii* L. Sibth. Fl. gr. 21.
 — — — Willdenow Hortus 20.
 — — — Bot. Mag. 25, 988.
 — *fulgens* Cav. Cav. Ic. 23.
 — — — Bot. Reg. 16, 1356.
 — — — Lodd. Cab. 1910.
 — — — Sweet Fl. G. II. 59.
 — *galeata* R. & P. Ruiz et Pav. Fl. 42.
 — *garganica* Ten. Tenore Fl. nap. 202.
 — *gesneraeiflora* Paxt. Paxt. Fl. G. 47.
 — *gesneraeifolia* Ldl. Lem. Jard. fl. 179.
 — *glaucescens* Pohl. Pohl Bras. 192.
 — *glechomaefolia* H. B. K. H. B. K. Nov. Gen. 2, 141.
 — *glutinosa* L. Sturm Flora 5, 17.
 — — — Schrank Fl. monac. 2, 110.
 — *Grahami* Benth. Bot. Reg. 16, 1370.
 — — — Lodd. Cab. 1798.
 — *grandiflora* Ettl. Jacq. Ecl. pl. 36.
 — *Hablitziana* Willd. Schrader Journal 1799. 1, 2.
 — — — Bot. Mag. 35, 1429.
 — *hians* Royle. Royle Illustr. 75.

- Salvia hians* Royle. Bot. Reg. 27, 39.
 — *hiemalis* Brot. Brotero Phytogr. 83.
 — *hirsuta* Jacq. Jacq. Schoenbr. 3, 252.
 — *hispanica* L. Gil et Xuares 21.
 † — — Gaertn. Carp. 66.
 — — Lam. Encycl. 20.
 — — Bot. Reg. 5, 359.
 — *Horminum* L. Rivinus Opus ined. 29.
 — — Sibth. Fl. gr. 20.
 — *ianthina* Otto et Dietr. Fl. d. serres 9, 884.
 — *japonica* Thunb. Thunberg Fl. jap. 5.
 — *incarnata* Cav. H. B. K. Nov. Gen. 2, 144.
 — *incurvata* Cav. Ruiz et Pav. Fl. 42.
 — *indica* L. Jacq. Vind. 78.
 — — Bot. Mag. 11, 395.
 — *integrifolia* Rz et P. Ruiz et Pav. Fl. 35.
 — *interrupta* Schousb. Schousboe Marocco 1.
 — — Jacq. Fragm. 90.
 — — Sweet Fl. G. 169.
 — *involucrata* Cav. Cav. Ic. 105.
 — — Bot. Mag. 55, 2872.
 — — Bot. Reg. 14, 1205.
 — — Rchb. Exot. 135.
 — *laevigata* H. B. K. H. B. K. Nov. Gen. 2, 147.
 — *lamiifolia* Jacq. Jacq. Schoenbr. 3, 318.
 — *lanata* Roxb. Wall. Pl. asiat. 116.
 — — Wight Ic. pl. Ind. or. 2, 325.
 † — — Wight Illustr. 176.
 — *lanceolata* Brouss. Jacq. Ecl. pl. 13.
 — *lavandulaefolia* Vahl. Tratt. Archiv 262.
 — *leonuroides* Gloxin. Gloxin Observ. 2.
 — — Lam. Encycl. 20.
 — *leucantha* Cav. Cav. Ic. 24.
 — — Bot. Mag. 73, 4318.
 — — Desc. Ant. 3, 218.
 — — Savi Fl. ital. 1, 7.
 — *leucocephala* H. B. K. H. B. K. Nov. Gen. 2, 156.
 — *linarioides* Paxt. Paxt. Mag. 7, 77.
 — *linearis* Rz et P. Ruiz et Pav. Fl. 41.
 — *Littae* Vis. Regel Gartenflora 1852, 17.
 — *longiflora* Rz et P. Ruiz et Pav. Fl. 40.
 — — Kerner Hort. 470.
 — *lusitanica* Poir. Jacq. Ecl. pl. 38.
 — *lutea* H. B. K. H. B. K. Nov. Gen. 2, 148.
 — *mentiens* Pohl. Pohl Bras. 193.
 — *mexicana* L. Cav. Ic. 26.
 — *mollis* H. B. K. H. B. K. Nov. Gen. 2, 153.
 — — Donn. Jacq. Ecl. pl. 37.
 — *moschata* H. B. K. H. B. K. Nov. Gen. 2, 143.
 — *multifida* Sibth. Sibth. Fl. gr. 23.
 — — Rchb. Ic. crit. 6, 524.
 — *napifolia* Jacq. Jacq. Vind. 152.
 — *nemorosa* L. Rchb. Pl. crit. 6, 526.
 — *nepetoides* H. B. K. H. B. K. Nov. Gen. 2, 150.
 — *nilotica* Juss. Comm. Gott. 1, 2.
 — — Jacq. Vind. 3, 92.
 — *nodosa* Rz et P. Ruiz et Pav. Fl. 41.
 — *nubia* Juss. Comm. Gott. 1, 3.
 — *nubicola* Wall. Sweet Fl. G. 140.
 — *nutans* L. W. et Kit. 62.
 — — Bot. Mag. 50, 2436.
 — *oblongata* Vahl. Jacq. Ecl. pl. 14.
 — — Rchb. Pl. crit. 6, 522.
 — *odorata* Willd. Jacq. Ecl. pl. 16.
 — *officinalis* L. Woodv. Med. 2, 127.
 † — — Lam. Encycl. 20.
 — — Rousseau Bot. 22.
 — — Schk. Handb. 4.
 — — Sturm Flora 3, 9.
 — — Tratt. Archiv 261.
 — — Hayne 6, 1.
 — — Nees Düssel. 160.

- Salvia officinalis* L. Guimpel et Schl. 39.
 — — — Wagner 44.
 † — — — Nees Gen. 6, 8.
 — *oppositiflora* Rz et P. Ruiz et Pav. Fl. 43.
 — — Paxt. Mag. 15, 53.
 — — Fl. d. serres 4, 345.
 — *Ottonis* Hort. Regel Gartenflora 2, 50.
 — *palaefolia* H. B. K. H. B. K. Nov. Gen. 2, 157.
 — *papilionacea* Cav. Cav. Ic. 319.
 — *parviflora* Vahl. Bill. Syr. 4, 7.
 — *patens* Cav. Cav. Ic. 454.
 — — Hort. Transact. 9, 10.
 — — Kerner Hort. 604.
 — — Paxt. Mag. 6, 1.
 — — Maund Bot. 3, 109.
 — — Bot. Reg. 25, 23.
 — — Bot. Mag. 67, 3808.
 — — var. *alba*, Fl. d. serres 5, 503.
 — *patula* Link. Hoffm. et Link Fl. port. 20.
 — — Brotero Phytogr. 84.
 — *phlomoides* Cav. Cav. Ic. 320.
 — — Asso. Roemer Scriptores 1.
 — *phoenicea* H. B. K. H. B. K. Nov. Gen. 2, 155.
 — *pinnata* L. Jacq. Fragm. 49.
 — *plumosa* Rz et P. Ruiz et Pav. Fl. 37.
 — *polymorpha* Link. Hoffm. et Link Fl. port. 19.
 — — Rchb. Pl. crit. 6, 524.
 — *polystachya* Cav. Cav. Ic. 27.
 — *pomifera* L. Sibth. Fl. gr. 15.
 — *praecox* Savi. Jacq. Ecl. pl. 143.
 — *pratensis* L. Engl. Bot. 3, 153.
 — — Baxter Brit. Bot. 1, 65.
 — — Sv. Bot. 667.
 — — Schrank Fl. monac. 1, 3.
 — — Hayne 6, 2.
 — — Dietr. Fl. bor. 2, 118.
 † — — Nees Gen. 6, 8.
 — *procumbens* Rz et P. Ruiz et Pav. Fl. 39.
 — *prunelloides* H. B. K. Paxt. Mag. 11, 175.
 — *pseudococcinea* Jacq. Jacq. Ic. 209.
 — — Bot. Mag. 55, 2864.
 — — Paxt. Fl. G. 40.
 — — Lem. Jard. 135.
 — *pulchella* H. B. K. H. B. K. Nov. Gen. 2, 140.
 — — Colla. Colla Hort. Rip. 16.
 — *pumila* Benth. Jacquemont Ind. 133.
 — *punctata* Rz et P. Ruiz et Pav. Fl. 39.
 — *purpurea* Cav. Cav. Ic. 166.
 — — Jacq. Schoenbr. 3, 253.
 — *Regia* Cav. Cav. Ic. 455.
 — — Bot. Reg. 27, 14.
 — *reptans* Jacq. Jacq. Schoenbr. 3, 319.
 — *rhombifolia* Rz et P. Ruiz et Pav. Fl. 36.
 — — Bot. Reg. 17, 1429.
 — *ringens* Sibth. Sibth. Fl. gr. 18.
 — — Regel Gartenflora 2, 59.
 — *rivularis* Gardn. Fielding Sertum 20.
 — *rosaefolia* Sm. Smith Ic. Linn. 5.
 — *rotundifolia* Vis. Mem. Ist. veneto 1, 1.
 — *rubescens* H. B. K. H. B. K. Nov. Gen. 2, 154.
 — *rugosissima* Zucc. Münchn. Abh. 3, 7.
 — *runcinata* L. fil. Jacq. Schoenbr. 1, 8.
 — *sagittata* Rz et P. Ruiz et Pav. Fl. 35.
 — *salicifolia* Pohl. Pohl Bras. 196.
 — *scabiosaefolia* Lam. Journ. d'hist. nat. Par. 2, 27.
 — — Jacq. Ecl. pl. 3.
 † — — Spach Suites 79.
 — *scabrida* Pohl. Pohl Bras. 195.
 — *Sclarea* L. Sibth. Fl. gr. 28.
 — — Sturm Flora 3, 9.
 — — Hayne 6, 3.
 — — Bot. Reg. 12, 1003.

- Salvia* *sclareoides* *Brot.* Brotero Phytogr. 2.
 — *scutellarioides* *H.B.K.* H.B.K. Nov. Gen. 2, 158.
 — *serotina* *L.* Jacq. Ic. 3.
 — *Sibthorpii* *Sm.* Sibth. Fl. gr. 22.
 † — — *Mutel* Fl. fr. 52.
 — *silvestris* *L.* Jacq. Fl. austr. 3, 212.
 — — *Rchb.* Pl. crit. 6, 527.
 — *Simfiana* *Schultes.* Bot. Reg. 12, 1003.
 — *Spielmanni* *Scop.* Jacq. Ecl. pl. 15.
 — — *Rchb.* Ic. crit. 6, 532.
 — *spinosa* *L.* Jacq. Ic. 7.
 — *splendens* *Ker.* Bot. Reg. 8, 687.
 — — *Lodd.* Cab. 1089.
 — — *Rchb.* Hort. 51.
 — — *Savi* Fl. ital. 3, 95.
 — — *Mem.* Tur. 31, 17.
 — — *Spach* Suites 79.
 — *stachyoides* *H.B.K.* H.B.K. Nov. Gen. 2, 138.
 — *strictiflora* *Hook.* Bot. Mag. 59, 3135.
 — — *Paxt.* Mag. 11, 247.
 — *tenella* *Sw.* Swartz Ic. Ind. occ. 2.
 — *Tenorii* *Spr.* Sweet Fl. G. 26.
 — *tiliaefolia* *Vahl.* Jacq. Schoenbr. 3, 254.
 — *tomentella* *Pohl.* Pohl Bras. 194.
 — *tortuosa* *H.B.K.* H.B.K. Nov. Gen. 2, 142.
 — — *Kerner* Hort. 533.
 — *triloba* *L.* Sibth. Fl. gr. 17.
 — *tubifera* *Cav.* Cav. Ic. 25.
 — — *Bot.* Reg. 27, 43.
 — *tubiflora* *Sm.* Smith Ic. Linn. 26.
 — *tubiformis* *Link et Kl.* Link Ic. III. 28.
 — *Verbenaca* *L.* Curt. Lond. 3, 7.
 — — *Engl.* Bot. 3, 154.
 — — *Rchb.* Pl. crit. 6, 523.
 † — — *Mutel* Fl. fr. 52.
 — *verticillata* *L.* Schrank Fl. monac. 2, 159.
 — *violacea* *Rz et P.* Ruiz et Pav. Fl. 43.
 — *virgata* *Ait.* Jacq. Vind. 37.
 — *viridis* *L.* Jacq. Ic. 4.
 — — *Sibth.* Fl. gr. 19.
 — — *Desf.* Fl. atl. 1.
 — — *Rchb.* Ic. crit. 6, 531.
 † — — *Mutel* Fl. fr. 52.
 — *viscosa* *Jacq.* Jacq. Ic. 5.
Salvinia *auriculata* *Aubl.* Aublet Guiana 367.
 — *Azolla* *Raddi.* Raddi Fil. bras. 1.
 — *biloba* *Raddi.* Raddi Fil. bras. 1.
 — *natans* *L.* Histoire de l'acad. de Paris 1762, 29.
 — — *Schkuhr* Fil. 173.
 — — *Sturm* Flora II. 1, 2.
 † — — *Ann.* Mus. 18, 21.
 † — — *Mag. naturf.* Freunde 8, 9.
 — — *Bibliotheca italiana* 20, x.
 — — *Duvernoy* De Salvinia 1.
 † — — *Bischoff* Cryptog. Gewächse 9.
 — — *Fl.* dan. 13, 2188.
 † — — *Acta* Leop. 14. 1, 4. 5. 6.
 † — — *Corda* Rhizosperm. 2.
 † — — *Schnizl.* Iconogr. 1, 33. Suppl. 2.
 † — — *Mettenius* Rhizocarp. 1. 2.
 † — — *Mettenius* Beiträge 3. fig. 25. 26.
 † — — *Hofmeister* Untersuchungen 22.
 — *oblongifolia* *Mart.* Martius Crypt. bras. 75. 76.
 — *rotundifolia* *Raddi.* Raddi Fil. bras. 1.
 † — *Sprengelii* *Corda.* Corda Rhizosperm. 2.
 † — *verticillata* *Roxb.* Calcutta Journ. 1845, 18. 19. 20.
Samadera *glandulifera* *Presl.* Presl Symbolae 51.
 † — *indica* *Gaertn.* Gaertn. Carp. 156.
 — — *Hook.* Ic. pl. 1, 7.
 — — *Wight* Illustr. 68.
 † — *madagascariensis* *Juss.* Mem. Mus. 12, 27.
Samara *laeta* *L.* Lam. Encycl. 74.

- Samara* *Rheedii* *Wight.* Wight Ic. pl. Ind. or. 4, 1591.
Sambucus *Ebulus* *L.* Woodv. Med. 3, 212.
 — — — *Curt.* Lond. 3, 71.
 — — — *Engl.* Bot. 7, 475.
 — — — *Baxter* Brit. Bot. 2, 122.
 — — — *Fl.* dan. 7, 1156.
 — — — *Sv.* Bot. 271.
 — — — *Schk.* Handb. 83.
 — — — *Hayne* 4, 15.
 — — — *Guimpel* Holzgew. 33.
 — — — *Schrank* Fl. monac. 4, 394.
 — — — *Nees* Düsseldorf. 264.
 — — — *Wagner* 30. 31.
 — — — *Dietr.* Fl. bor. 5, 345.
 — — — *Rchb.* Fl. germ. 12, 729.
 — *nigra* *L.* Fl. dan. 4, 545.
 — — — *Woodv.* Med. 3, 211.
 — — — *Engl.* Bot. 7, 476.
 — — — *Sv.* Bot. 33.
 † — — — *Gaertn.* Carp. 27.
 — — — *Lam.* Encycl. 211.
 — — — *Nouveau Duhamel* 1, 55.
 — — — *Rousseau* Bot. 33.
 — — — *Dict.* sc. nat. 104.
 † — — — *Schk.* Handb. 83.
 — — — *Guimpel* Holzgew. 34.
 — — — *Hayne* 4, 16.
 — — — *Nees* Düsseldorf. 265.
 — — — *Guimpel et Schl.* 57.
 — — — *Wagner* 77. 78.
 — — — *Rchb.* Fl. germ. 12, 730.
 — — — *var. laciniata*, Fl. dan. 13, 2169.
 † — — — *Nees* Gen. X, x.
 — *palmensis* *Link.* Webb Canar. 78.
 — *racemosa* *L.* Jacq. Ic. 59.
 — — — *Nouveau Duhamel* 1, 56.
 † — — — *Schk.* Handb. 83.
 — — — *Guimpel* Holzgew. 35.
 — — — *Rchb.* Fl. germ. 12, 731.
 † *Sameraria* *Desv.* Desv. Journal 5, 25.
 — *armena* *Desv.* Jaubert Illustr. 225.
Samolus *ebracteatus* *H.B.K.* H.B.K. Nov. Gen. 2, 129.
 — *litoralis* *R. Br.* Lodd. Cab. 435.
 — *Valerandi* *L.* Fl. dan. 2, 198.
 — — — *Curt.* Lond. 3, 24.
 — — — *Engl.* Bot. 10, 703.
 — — — *Baxter* Brit. Bot. 1, 11.
 † — — — *Gaertn.* Carp. 30.
 † — — — *Lam.* Encycl. 101.
 — — — *Schk.* Handb. 40.
 — — — *Dreves* 5, 139.
 — — — *Dietr.* Fl. bor. 10, 653.
 † — — — *Nees* Gen. 5, 23.
Samyda *multiflora* *Cav.* Cav. Ic. 67.
 † — *nitida* *L.* Lam. Encycl. 355.
 — *rosea* *Sims.* Bot. Mag. 16, 550.
 † — *serrulata* *L.* Gaertn. Carp. 224.
 — — — *Jacq.* Collect. 2, 17.
 — — — *Andr.* Rep. 3, 202.
 — — — *Lam.* Encycl. 355.
 — — — *Dict.* sc. nat. 245. 246.
 — *spinulosa* *Vent.* Vent. Choix 43.
 — *suaveolens* *P. et E.* Poepp. et Endl. 274.
 † *Sanchezia* *Rz et P.* Ruiz et Pav. Prodr. 32.
 — *oblonga* *Rz et P.* Ruiz et Pav. Fl. 8.
 — — — *Lam.* Encycl. 904.
 — *ovata* *Rz et P.* Ruiz et Pav. Fl. 8.
 — — — *Lam.* Encycl. 904.
Sandersonia *aurantiaca* *Hook.* Bot. Mag. 79, 4716.
 — — — *Lem.* Jard. fl. 4, 408.
 — — — *Fl.* d. serres 9, 862.
Sandoricum *indicum* *Cav.* Rumpf Amb. 1, 64.

- Sandoricum indicum* Cav. Cav. Diss. 202. 203.
 — — — Roxb. Corom. 261.
 † — — — Lam. Encycl. 350.
 † — — — Mem. Mus. 19, 16.
 † *Sanguinaria* L. Gray Genera 49.
 — canadensis L. Bot. Mag. 5, 162.
 † — — — Gaertn. Carp. 180.
 — — — Bigelow Med. 7.
 — — — Barton Med. 2.
 — — — Lodd. Cab. 1840.
 — — — Lam. Encycl. 449.
 † — — — Kerner Genera 15.
 — — — Tratt. Archiv 56.
 — — — var. latifolia, Tratt. Archiv 210.
 — — — Nees Düssel. 405.
 — — — Gray Genera 49.
 — grandiflora Rosc. Sweet Fl. G. II. 147.
Sanguisorba alpina Led. Ledeb. Ic. 90.
 — dodecandra Moretti. Massara Fl. valtell. 1.
 — — — Cesati Stirpes ital. x.
 — media L. Dict. sc. nat. 240.
 — officinalis L. Fl. dan. 1, 97.
 — — — Lam. Encycl. 85.
 — — — Sv. Bot. 305.
 — — — Engl. Bot. 19, 1312.
 — — — Baxter Brit. Bot. 4, 269.
 — — — Schk. Handb. 24.
 — — — Schrank Fl. monac. 4, 363.
 — — — Hayne 8, 22.
 — — — Dietr. Fl. bor. 4, 274.
 † — — — Nees Gen. 4, 78.
Sanicula arctopoides Hook. et A. Hook. Bor. Am. 91.
 — azorica Hochst. Seubert Fl. azor. 15.
 — bipinnatifida Dougl. Hook. Bor. Am. 92.
 — canadensis L. Torrey New York 32.
 — elata Ham. Wight Spicil. 79.
 — — — Wight Ic. pl. Ind. or. 2, 334. 3, 1004.
 † — — — Wight Illustr. 117.
 — europaea L. Fl. dan. 2, 283.
 — — — Sv. Bot. 245.
 — — — Lam. Encycl. 191.
 — — — Engl. Bot. 2, 98.
 — — — Baxter Brit. Bot. 3, 235.
 — — — Schk. Handb. 60.
 — — — Schrank Fl. monac. 2, 169.
 — — — Dietr. Fl. bor. 8, 529.
 † — — — Nees Gen. X, x.
 — macrorrhiza Colla. Mem. Tur. 37, 20.
 † — marilandica L. Gaertn. Carp. 20.
 — — — Jacq. Ic. 348.
 — — — Lam. Encycl. 191.
 — — — Torrey New York 31.
 — Menziesii Hook. et A. Hook. Bor. Am. 90.
Sansevieria carnea Andr. Andr. Rep. 6, 361.
 — — — Red. Lil. 6, 323.
 † — fragrans Jacq. Jacq. Fragm. 2, 33.
 — — — Kerner Hort. 121.
 — fruticosa Bl. Rumpf Amb. 4, 35.
 — guineensis Willd. Red. Lil. 6, 330.
 — — — Bot. Mag. 29, 1179.
 — lanuginosa Willd. Rheede Hort. mal. 11, 42.
 — longiflora Sims. Bot. Mag. 53, 2634.
 — sarmentosa Jacq. Jacq. Fragm. 102. 132.
 — sessiliflora Gavl. Bot. Mag. 19, 739.
 — — — Herb. amat. 2, 124.
 — zeylanica Willd. Red. Lil. 5, 290.
 — — — Roxb. Corom. 184.
 — — — Bot. Reg. 2, 160.
 † *Santalaceae* R. Br. Schnizl. Iconogr. 2, 108.
Santalum album L. Rumpf Amb. 2, 11.
 — — — Woodv. Med. 2, 99.
 — — — Hayne 10, 1.

- Santalum album* L. Nees Düssel. 127.
 — — — Bot. Mag. 60, 3235.
 — — — Dict. sc. nat. 5.
 — — — Spach Suites 26.
 † — — — Ann. sc. nat. II. 11, 3.
 † — — — Linn. Transact. 18, 1. 2. 3. 19, 17.
 — Freycinetianum Gaudich. Freycinet Voyage 45.
 — Mida Hook. Hook. Ic. pl. 6, 363. 575.
 — myrtifolium Roxb. Hayne 10, 2.
Santia venulosa W. et A. Wight Spicil. 96.
 — — — Wight Ic. pl. Ind. or. 3, 1032.
 † *Santiria laevigata* Bl. Blume Mus. 1, 40.
Santolina alpina Sm. Sibth. Fl. gr. 851.
 — — — L. Gussone Pl. rar. 58.
 — anthemoides L. Sibth. Fl. gr. 854.
 † — Chamaecyparissus L. Gaertn. Carp. 163.
 † — — — Lam. Encycl. 671.
 — — — Schk. Handb. 239.
 — — — Hayne 6, 19.
 — elegans Boiss. Boissier Esp. 93.
 — erecta Lam. Lam. Encycl. 671.
 — fragrantissima Forsk. Delile Egypte 42.
 — incana Lam. Lam. Encycl. 671.
 — maritima Sm. Engl. Bot. 2, 141.
 — — — Sibth. Fl. gr. 850.
 — montana Sibth. Sibth. Fl. gr. 852.
 — pinnata Viv. Viviani Fl. ital. 1.
 — ptarmicoides Lam. Lam. Encycl. 671.
 — rigida Sibth. Sibth. Fl. gr. 853.
 — rosmarinifolia L. Smith Exot. Bot. 62.
 — — — var. Webb Otia 13.
Sanvitalia procumbens Lam. Journ. d'hist. nat. Par. 2, 33.
 † — — — Kerner Genera 188.
 — — — Lam. Encycl. 686.
 — — — Bot. Reg. 9, 707.
 — villosa Cav. Cav. Ic. 331.
Sauari glabra Aubl. Aublet Guiana 240.
 — villosa Aubl. Aublet Guiana 241.
 † *Sapindus* L. Gray Genera 180.
 — arborescens Aubl. Aublet Guiana 139.
 — emarginatus Vahl. Wight Illustr. 51.
 — esculentus St. Hil. St. Hil. Pl. usuelles 68.
 — frutescens Aubl. Aublet Guiana 138.
 — juglandifolius St. Hil. St. Hil. Fl. Bras. 81.
 — marginatus Willd. Gray Genera 180.
 † — Mucorossi Gaertn. Gaertn. Carp. 70.
 † — — — Lam. Encycl. 307.
 — Rarak DC. Blume Rumphia 167.
 † — rigidus Mill. Gaertn. Carp. 70.
 — — — Lam. Encycl. 307.
 — rubiginosus Roxb. Roxb. Corom. 62.
 † — Saponaria L. Lam. Encycl. 307.
 — — — Desc. Ant. 4, 261.
 — senegalensis Poir. Durand Voyage 22.
 — — — Delessert Ic. 3, 38.
 — trifolius L. Rheede Hort. mal. 4, 19.
Sapium aucuparium Jacq. Jacq. Hist. stirp. am. 237.
 — — — Lam. Encycl. 792.
 † — — — Jussieu Euphorb. 15.
 — Hippomane Meyer. Miquel Surin. 29.
 — indicum Willd. Rheede Hort. mal. 4, 51.
 — — — Wight Ic. pl. Ind. or. 6, 1950.
 — populifolium Wight. Wight Ic. pl. Ind. or. 6, 1950.
Saponaria bellidifolia Sm. Portenschlag Dalm. 6.
 — caespitosa Sibth. Sibth. Fl. gr. 389.
 — — — DC. Willkomm Ic. Hisp. 1, 22.
 — calabrica Guss. Gussone Pl. rar. 31.
 — — — Rehb. Pl. crit. 6, 518.
 — — — Marnock Mag. 1840, 2.
 — — — Sweet Fl. G. II. 79.
 — — — Regel Gartenfl. 1852, 11.
 — fruticulosa Bory. Bory et Chaub. Morée 11.

- Saponaria glutinosa* *M. v. B.* Marschall Cent. 66.
 — — Bot. Mag. 55, 2855.
 — *hirsuta* *Lab.* Bill. Syr. 4, 4.
 — *illyrica* *L.* Arduino Anim. 2, 9.
 — *lutea* *L.* Allione Fl. ped. 3, 23.
 — — Smith Spicil. 5.
 — — Roemer Fl. europ. 1, 8.
 — — Sturm Flora 8, 29.
 — *ocymoides* *L.* Jacq. Fl. austr. 5, 23.
 — — Cav. Ic. 134.
 — — Bot. Mag. 5, 154.
 — — Sturm Flora 14, 59.
 — *officinalis* *L.* Fl. dan. 4, 543.
 — — Woodv. Med. 3, 206.
 — — Curt. Lond. 3, 45.
 — — Engl. Bot. 15, 1060.
 — — Baxter Brit. Bot. 1, 37.
 — — Sv. Bot. 338.
 † — — Lam. Encycl. 376.
 † — — Plée Types 1.
 — — Sturm Flora 2, 6.
 — — Schk. Handb. 121.
 — — Schrank Fl. monac. 2, 114.
 — — Hayne 2, 2.
 — — Nees Düsseldorf. 386.
 — — Guimpel et Schl. 38.
 — — Wagner 16.
 — — Dietr. Fl. bor. 3, 193.
 — — Rchb. Fl. germ. 6, 245.
 † — — Arch. Mus. 4, 5.
 — *plumbaginea* *Stsch.* Bull. Mosc. 1853, 4.
 — *polygonoides* *Jaub. et Sp.* Jaubert Illustr. 402.
 — *porrigens* *L.* Jacq. Vind. 109.
 — *pungens* *Bunge.* Ledeb. Ic. 4.
 † — *Vaccaria* *L.* Gaertn. Carp. 139.
 † — — Lam. Encycl. 376.
 † — — Bot. Mag. 49, 2290.
 † *Sapota* *Achras* *Mill.* Gaertn. Carp. 104.
 † — *elongata* *Gaertn.* Gaertn. Carp. 207.
 — *elengoides* *A. DC.* Wight Spicil. 141.
 — — Wight Ic. pl. Ind. or. 4, 1218.
 — *marginata* *Decne.* Hook. Ic. pl. 8, 761.
 — — Hook. Niger Fl. 13.
 † *Sapotaceae* *Juss.* Wight Illustr. 142, 148 bis.
 † — — Schnizl. Iconogr. 158.
 † *Sapria himalayana* *Griff.* Linn. Transact. 19, 34, 35.
Saraca arborescens *Burm.* Burmann Fl. ind. 23.
 † *Saracha* *Rz et P.* Ruiz et Pav. Prodr. 34.
 — *biflora* *Rz et P.* Ruiz et Pav. Fl. 179.
 — *contorta* *Rz et P.* Ruiz et Pav. Fl. 180.
 — *dentata* *Rz et P.* Ruiz et Pav. Fl. 179.
 — *procumbens* *Rz et P.* Ruiz et Pav. Fl. 180.
 — *punctata* *Rz et P.* Ruiz et Pav. Fl. 178.
 — *umbellata* *DC.* Sweet Fl. G. 85.
 — *viscosa* *Don.* Sweet Fl. G. II. 323.
Sarcandra chloranthoides *Gardn.* Wight Ic. pl. 6, 1946.
Sarcanthus filiformis *Ldl.* Lem. Jard. fl. 266.
 — — Bot. Mag. 78, 4639.
 — — Wight Ic. pl. Ind. or. 5, 1684.
 — *guttatus* *Ldl.* Bot. Reg. 17, 1443.
 † — *paniculatus* *Ldl.* Bauer Orchid. (Gen.) 9.
 — *pauciflorus* *Wight.* Wight Ic. pl. Ind. or. 5, 1747.
 — *roseus* *Wight.* Wight Ic. pl. Ind. or. 5, 1685.
 — *rostratus* *Ldl.* Lindley Collect. 39.
 — — Bot. Reg. 12, 921.
 — *succisus* *Ldl.* Bot. Reg. 12, 1014.
 — *teretifolius* *Ldl.* Bot. Mag. 64, 3571.
 — *Walkerianus* *Wight.* Wight Ic. pl. Ind. or. 5, 1686.
Sarcobatus Maximiliani *N. v. E.* Bot. Zeitung 1844, 7.
Sarcocephalus esculentus *Afz.* Hort. Transact. 5, 10.
Sarcochilus Calceolus *Ldl.* Bot. Reg. 32, 19.
 — *falcatus* *R. Br.* Bot. Reg. 22, 1832.

- Sarcochlamys pulcherrima* *Gaudich.* Gaudich. Bon. 89.
Sarcoclinium longifolium *Wight.* Wight Ic. pl. Ind. or. 5, 1887, 1888.
Sarcococca pruniformis *Ldl.* Bot. Reg. 12, 1012.
 — *trinervia* *Wight.* Wight Ic. pl. Ind. or. 5, 1877.
 † *Sarcodactylis helicterioides* *Gaertn.* Gaertn. Carp. 185.
Sarcodes sanguinea *Torr.* Smiths. Contrib. 5, 10.
Sarcoglottis speciosa *Presl.* Presl Reliq. 15.
Sarcolaena grandiflora *Aub.* Th. Aubert Iles d'Afrique 9.
 — *multiflora* *Aub.* Th. Aubert Iles d'Afrique 10.
 — — Dict. sc. nat. 146.
Sarcobolus carinatus *Wall.* Asiat. Researches 12, 7.
 — *globosus* *Wall.* Asiat. Researches 12, 6.
 — — Wight Ic. pl. Ind. or. 4, 1273.
 † *Sarcomeris coriacea* *Naud.* Ann. sc. nat. III. 16, 25.
Sarcophyllum carnosum *Thunb.* Bot. Mag. 51, 2302.
Sarcophyte sanguinea *Sparm.* Tratt. Archiv 90.
 † — — Linn. Transact. 19, 38.
 † — — Ann. sc. nat. III. 14, 10.
Sarcopodium Lobbi *Ldl.* Lem. Jard. fl. 63, 183.
 — — Moore Mag. 1851, p. 269.
Sarcopyramis napalensis *Wall.* Wallich Tentamen 23.
 † *Sarcosiphon clandestinum* *Bl.* Blume Mus. 1, 18.
Sarcostemma australe *R. Br.* Endl. Iconogr. 64.
 — *brachystigma* *Wight.* Hook. Ic. pl. 9, 861.
 — *brevistigma* *W. et A.* Jacquemont Ind. 113.
 — — Wight Ic. pl. Ind. or. 2, 595.
 — *Brunonianum* *W. et A.* Wight Ic. pl. Ind. 4, 1282.
 — *campanulatum* *Ldl.* Bot. Reg. 32, 36.
 — *Daltoni* *Decne.* Hook. Ic. pl. 8, 768.
 — — Hook. Niger Fl. 14.
 — *glaucum* *H. B. K.* H. B. K. Nov. Gen. 3, 229.
 — *intermedium* *DC.* Wight Ic. pl. Ind. or. 4, 1281.
Sarcostigma Horsfieldii *R. Br.* Bennett Java 47.
 — *Kleinii* *W. et Arn.* Wight Ic. pl. Ind. or. 5, 1854.
 † *Sarcostoma javanica* *Bl.* Blume Tabellen 45.
Sarcostyles peruviana *Presl.* Presl Reliq. 60.
Sarcozygium xanthoxylum *Bge.* Linnaea 17, 1.
Saribus rotundifolius *Bl.* Blume Rumphia 95, 96.
 † *Sarissus anceps* *Gaertn.* Gaertn. Carp. 25.
Sarmienta repens *Rz et P.* Ruiz et Pav. Fl. 7.
 — — Lam. Encycl. 904.
Sarosanthra excelsa *Korth.* Korthals Bot. 18.
Sarotes ledifolia *Hook.* Hook. Journal 1840, 16.
Sarothamnus affinis *Boiss.* Boissier Esp. 40.
 — *baeticus* *Webb.* Boissier Esp. 40^a.
 — — Webb Otia 40.
 — *grandiflorus* *Webb.* Webb Otia 39.
 — *malacitanus* *Boiss.* Boissier Esp. 40.
 — *patens* *Webb.* Boissier Esp. 40.
Sarotheca elegans *N. v. E.* Endl. Bras. 7, 18.
Sarothra Drummondii *H. et Gr.* Hook. Bot. Misc. 107.
 † — *gentianoides* *L.* Gaertn. Carp. 114.
 — — Lam. Encycl. 215.
 — *hypericoides* *Nutt.* Barton Fl. 3, 92.
 † *Sarracenia* *L.* Gray Genera 45, 46.
 — *adunca* *Sm.* Smith Exot. Bot. 53.
 — *Drummondii* *Croom.* Paxt. Fl. G. 1.
 — — Fl. d. serres 6, 569.
 — *flava* *L.* Bot. Mag. 20, 380.
 — — Andr. Rep. 6, 381.
 — — Lodd. Cab. 1957.
 — — Kerner Hort. 773.
 — — Rchb. Exot. 5.
 — *minor* *Nutt.* Sweet Fl. G. II. 138.
 — *purpurea* *L.* Bot. Mag. 22, 849.
 — — Lodd. Cab. 308.
 — — Paxt. Mag. 3, 221.
 — — Mem. soc. Linn. Par. 6, 13.
 † — — Lam. Encycl. 452.
 — — Dict. sc. nat. 181.
 — — var. Torrey New York 6.

- Sarracenia purpurea* L. Gray Genera 45. 46.
 — — — Rchb. Exot. 6.
 — — — Hart. Parad. 1, 7.
 † — — — Schnizl. Iconogr. 185*.
 — — — rubra Walt. Hook. Exot. Fl. 13.
 — — — Bot. Mag. 63, 3515.
 — — — Lodd. Cab. 1163.
 — — — variolaris Michx. Bot. Mag. 41, 1710.
 — — — Lodd. Cab. 803.
 — — — Kerner Hort. 758.
 † *Sarraceniaceae* Turp. Schnizl. Iconogr. 185*.
Sartwellia Flaveriae Gray. Smiths. Contr. 3, 6.
Sassa Bruce. Stackhouse Extracts 4.
Sassafras officinale Hayne. Hayne 12, 19.
 — parthenoxylon N. v. E. Wight Ic. pl. Ind. or. 5, 1832.
Satorchia Aub. Aubert Orchid. 6. 12.
Satureja americana Poir. Desc. Ant. 3, 222.
 — canescens Guss. Gussone Pl. rar. 42.
 — capitata L. Sibth. Fl. gr. 544.
 — consentina Ten. Tenore Fl. nap. 151.
 — cuneifolia Ten. Tenore Fl. nap. 155.
 — filiformis Desf. Desf. Fl. atl. 121.
 — graeca L. Sibth. Fl. gr. 542.
 — — — Tenore Fl. nap. 151.
 — hortensis L. Schk. Handb. 156.
 — — — Sturm Flora 2, 5.
 — — — Lam. Encycl. 504.
 — — — Hayne 6, 9.
 — — — Wagner 79.
 † — — — Nees Gen. 6, 17.
 — — — juliana L. Lam. Encycl. 504.
 — — — Sibth. Fl. gr. 540.
 — — — Tenore Fl. nap. 151.
 — — — montana L. Scopoli Fl. carn. 1, 30.
 — — — Sibth. Fl. gr. 543.
 — — — Sturm Flora 20, 90.
 † — — — Schk. Handb. 156.
 † — — — Nees Gen. 6, 17.
 — — — nervosa Desf. Desf. Fl. atl. 121.
 — — — parviflora Vis. Visiani Dalm. 18.
 — — — pygmaea Sieber. Sturm Flora 20, 90.
 — — — rupestris Jacq. Jacq. Ic. 494.
 — — — spinosa L. Sibth. Fl. gr. 545.
 — — — subspicata Bartl. Visiani Stirp. dalm. 4.
 — — — tenuifolia Ten. Tenore Fl. nap. 151.
 — — — Thymbra L. Sibth. Fl. gr. 541.
 — — — thymifolia Scop. Scopoli Fl. carn. 1, 29.
 — — — variegata Hochst. Sturm Flora 20, 90.
 — — — virgata Vis. Visiani Dalm. 18.
Saturnia Maratti. Maratti Romul. et Saturn. x.
 † *Satyrium Thunb.* Svensk Acad. 1800, 3.
 † — — — Schrader Neues Journal 1, 1.
 — — — albidum L. Fl. dan. 1, 118.
 † — — — albiflorum A. Rich. Ann. sc. nat. II. 15, 5.
 — — — Wight Ic. pl. Ind. or. 5, 1717.
 — — — aureum Paxt. Paxt. Mag. 15, 31.
 — — — bifolium Hochst. Richard Abyssin. 92.
 † — — — Ann. sc. nat. II. 14, 18.
 — — — brachypetalum A. Rich. Richard Abyssin. 90.
 — — — bracteatum Thunb. Journ. sc. and arts 8, 3.
 — — — carneum R. Br. Bot. Mag. 37, 1512.
 — — — — Rchb. Exot. 266.
 — — — — Fl. d. serres 4, 329.
 — — — coriophoroides A. Rich. Richard Abyssin. 89.
 † — — — Ann. sc. nat. II. 14, 18.
 — — — corifolium Sw. Bot. Mag. 47, 2172.
 — — — Bot. Reg. 9, 703.
 — — — Sweet Fl. G. II. 3.
 — — — cucullatum Lodd. Lodd. Cab. 104.
 — — — Sw. Bot. Reg. 5, 416.
 — — — Epipogium L. Vill. Dauph. 1.

- Satyrium Epipogium* L. Jacq. Fl. austr. 1, 84.
 — — — Fl. dan. 7, 1233.
 — — — Hoffmann Phytogr. Bl. 1.
 — — — erectum Sw. Maund Bot. 3, 117.
 — — — flexuosum Aub. Th. Aubert Orchid. 7.
 — — — gramineum Aub. Th. Aubert Orchid. 6.
 — — — hircinum L. Jacq. Fl. austr. 4, 367.
 † — — — Lam. Encycl. 726.
 — — — latifolium Aub. Th. Aubert Orchid. 10.
 — — — nepalense Don. Wight Ic. pl. Ind. or. 3, 929.
 — — — nigrum L. Fl. dan. 6, 998.
 — — — — Jacq. Fl. austr. 4, 366.
 — — — — Lam. Encycl. 726.
 † — — — Perrottetianum A. Rich. Ann. sc. nat. II. 15, 5.
 — — — Wight Ic. pl. Ind. or. 5, 1716.
 † — — — praelutrum Aub. Th. Aubert Orchid. 11.
 † — — — pustulatum Ldl. Bauer Orchid. 12. 13. 14.
 — — — Bot. Reg. 26, 18.
 — — — repens L. Lightfoot Fl. scot. 1, 22.
 — — — Fl. dan. 5, 812.
 — — — Jacq. Fl. austr. 4, 369.
 — — — — Schk. Handb. 272.
 — — — rosellatum Aub. Th. Aubert Orchid. 5. 8.
 — — — Schimper Hochst. Richard Abyssin. 91.
 — — — spirale Aub. Th. Aubert Orchid. 9.
 — — — viride L. Fl. dan. 1, 77.
 — — — — Lam. Encycl. 726.
 — — — Wightianum Ldl. Wight Ic. pl. Ind. or. 5, 1718.
Saubinetia helianthoides J. Remy. Gay Chile 49.
Saurauja barbigera Hook. Hook. Ic. pl. 4, 331.
 — — — Blumeana Spr. Bennett Java 37.
 — — — bracteosa DC. Mem. Genev. 1, 6.
 — — — — Delessert Ic. 3, 23.
 — — — — Bennett Java 36.
 — — — excelsa Willd. Neue Schr. naturf. Fr. 3, 4.
 — — — fasciculata Wall. Wall. Pl. asiat. 149.
 — — — ferox Korth. Korthals Bot. 19.
 — — — lanceolata DC. Mem. Genev. 1, 4.
 — — — montana Seem. Seemann Herald 16.
 — — — napalensis DC. Wall. Pl. asiat. 178.
 — — — nudiflora DC. Mem. Genev. 1, 5.
 — — — pedunculata Hook. Hook. Ic. pl. 4, 341. 342.
 — — — serrata DC. Mem. Genev. 1, 3.
 — — — spectabilis Hook. Bot. Mag. 69, 3982.
 — — — tristyla DC. Mem. Genev. 1, 7.
 — — — villosa DC. Mem. Genev. 1, 2.
Sauroglossum elatum Ldl. Bot. Reg. 19, 1618.
Sauromatum guttatum Schott. Bot. Mag. 75, 4465.
 — — — Lem. Jard. fl. 12.
Sauropus Gardneriana Wight. Wight Ic. pl. Ind. or. 6, 1951.
 — — — indica Wight. Wight Ic. pl. Ind. or. 6, 1952.
 — — — retroversa Wight. Wight Ic. pl. Ind. or. 6, 1951.
 — — — zeylanica Wight. Wight Ic. pl. Ind. or. 6, 1952.
 † *Saurureae* Rich. Schnizl. Iconogr. 2, 82.
Saururus cernuus L. Schk. Handb. 103.
 — — — Lam. Encycl. 276.
 — — — Dict. sc. nat. 295.
 — — — Torrey New York 97.
 † — — — Schnizl. Iconogr. 2, 82.
 — — — lucidus Donn. Jacq. Ecl. pl. 18.
Saussurea alata DC. Ann. Mus. 16, 12.
 — — — Ledeb. Ic. 63.
 — — — alpina DC. Baxter Brit. Bot. 6, 473.
 — — — var. Ledeb. Ic. 73.
 — — — — Rchb. Fl. germ. 15, 816.
 — — — amara DC. Ledeb. Ic. 67.
 — — — bracteata Decne. Jacquemont Ind. 102.
 — — — cana Led. Ledeb. Ic. 75.
 — — — ceratocarpa Decne. Jacquemont Ind. 101.
 — — — denticulata Led. Ledeb. Ic. 74.
 — — — depressa Gren. Rchb. Fl. germ. 15, 817. 887.

- Saussurea discolor* DC. Rchb. Fl. germ. 15, 818.
 — *dissecta* Led. Ledeb. Ic. 66.
 — *elata* Led. Ledeb. Ic. 80.
 — *elegans* Led. Ledeb. Ic. 77.
 — *elongata* DC. Ann. Mus. 16, 10.
 — *foliosa* Led. Ledeb. Ic. 69.
 — *Frolovii* Led. Ledeb. Ic. 352.
 — *glomerata* Poir. Ledeb. Ic. 68.
 — *gossypina* Wall. Wall. pl. asiat. 138.
 — *japonica* DC. Ann. Mus. 16, 13.
 — *laciniata* Led. Ledeb. Ic. 64.
 — *latifolia* Led. Ledeb. Ic. 70.
 — *macrophylla* Saut. Rchb. Fl. germ. 15, 817.
 — *nuda* Led. Ledeb. Ic. 61.
 — *pteroaulon* Decne. Jacquemont Ind. 103.
 — *pulchella* DC. Bot. Reg. 28, 18.
 — *pycnocephala* Led. Ledeb. Ic. 59.
 — *pygmaea* Spr. Rchb. Fl. germ. 15, 818. 887.
 — *rigida* Led. Ledeb. Ic. 79.
 — *robusta* Led. Ledeb. Ic. 65.
 — *runcinata* DC. Ann. Mus. 16, 11.
 — *salicifolia* DC. var. Ledeb. Ic. 76.
 — *serrata* DC. var. Ledeb. Ic. 71. 72.
 — *subsinuata* Led. Ledeb. Ic. 62.
 — — Seemann Herald 7.
 — *tenuis* Led. Ledeb. Ic. 78.
 — *Tilesii* Led. Ledeb. Ic. 60.
Sauvagesia adima Aubl. Aublet Guiana 100.
 — — Lam. Encycl. 140.
 — *deflexifolia* Gardn. Hook. Ic. pl. 5, 484.
 — *erecta* L. Aublet Guiana 100.
 — — Jacq. Hist. stirp. am. 77.
 † — — Gaertn. Carp. 224.
 — — St. Hil. Pl. remarq. 3.
 — — Mem. Mus. 11, 6.
 — — Desc. Ant. 4, 299.
 † — — Spach Suites 42.
 — *linearifolia* St. Hil. St. Hil. Pl. remarq. 4.
 — — Mem. Mus. 11, 7.
 — *ovata* Mart. Mart. Bras. 24.
 — *pusilla* Mart. Mart. Bras. 24.
 — *racemosa* St. Hil. St. Hil. Pl. remarq. 1.
 — *rubiginosa* St. Hil. St. Hil. Pl. remarq. 2.
 — *serpyllifolia* Mart. Mart. Bras. 25.
 — *Sprengelii* St. Hil. St. Hil. Pl. remarq. 2.
 — *tenella* Desf. St. Hil. Pl. remarq. 3.
 — — Mem. Mus. 11, 6.
 † *Savia sessiliflora* Willd. Jussieu Euphorb. 2.
Saviona acerifolia Webb. Webb Canar. 1^b.
 † *Saxifraga* L. (Folia.) Jardine Annals 8, 11. 13, 4.
 — *aconitifolia* Gardn. Fielding Sertum 57.
 — *adenodes* Poepp. Sternberg Revisio 2, 26.
 — *adscendens* All. Allione Fl. ped. 3, 22.
 — — Jacq. Collect. 1, 11. 12.
 — — Sternberg Revisio 1, 16.
 — *affinis* Don. Engl. Bot. 2903.
 — *ajugaefolia* L. Picot Pyren. 31.
 — — *γ. carpatica*, Sternberg Revisio 2, 26.
 — *aizoides* L. Engl. Bot. 1, 39.
 — — Baxter Brit. Bot. 3, 187.
 — — Sternberg Revisio 1, 7.
 — — Sturm Flora (1, 1.) 9, 35.
 — — Schrank Fl. monac. 4, 337.
 — *Aizoon* L. Jacq. Fl. austr. 5, 438.
 — — Sternberg Revisio 1, 3^a. 3^b.
 — — Sturm Flora 9, 33.
 — — Dietr. Fl. bor. 5, 351.
 — *alba* petraea Ponas. Sternberg Revisio 1, 11.
 — *amplexifolia* Sternb. Sternberg Revisio 2, 2.
 — *andicola* H. B. K. H. B. K. Nov. Gen. 6, 519.
 — — Sternberg Revisio 2, 20.
 — *Andrewsii* Harv. Hook. Journal 1848, 19.

- Saxifraga androsacea* L. Jacq. Fl. austr. 4, 389.
 — — Sternberg Revisio 1, 11.
 — — Sturm Flora 9, 33.
 — — var. Sternberg Revisio 2, 7.
 — *aphylla* Sternb. Sternberg Revisio 1, 11^b.
 — — Sturm Flora 9, 33.
 — — Hegetschw. Reisen 8.
 — *aquatica* Picot. Picot Pyren. 28. 29.
 — — Sternberg Revisio 1, 19.
 — *arachnoidea* Sternb. Sternberg Revisio 1, 15.
 — — Sturm Flora 9, 35.
 — *aretioides* Picot. Picot Pyren. 13.
 — — Sturm Flora 9, 35.
 — *arundana* Boiss. Boissier Esp. 64.
 — *asarifolia* Sternb. Sternberg Revisio 2, 24.
 — *aspera* L. Jacq. Fl. austr. 5, 31.
 — — Sternberg Revisio 1, 8.
 — — Sturm Flora 9, 33.
 — *atropurpurea* Sternb. Sternberg Revisio 1, 11^b.
 — — Sturm Flora 9, 35.
 — *australis* Moric. Sternberg Revisio 2, 17.
 — *autumnalis* L. Fl. dan. 1, 72.
 — — Scopoli Fl. carn. 1, 14.
 — — Sturm Flora 1, 1.
 — *Bellardi* All. Allione Fl. ped. 3, 88.
 — *bicolor* Sternb. Sternberg Revisio 2, 14.
 — *bicuspidata* Hook. Hook. Fl. ant. 97.
 — *biflora* All. Allione Fl. ped. 3, 21.
 — — Picot Pyren. 17.
 — — Roemer Fl. europ. 9, 3.
 — — Sturm Flora 9, 35.
 — *bitermata* Boiss. Boissier Esp. 64^a.
 — *Boussingaulti* Brongn. Ann. sc. nat. II. 3, 1.
 — *brachypoda* Don. Sternberg Revisio 2, 24.
 — *bronchialis* L. Sternberg Revisio 1, 10.
 — *Brunoniana* Wall. Sternberg Revisio 2, 23.
 — *bryoides* L. Scopoli Fl. carn. 1, 15.
 — — Jacq. Misc. 2, 5.
 — — Sternberg Revisio 1, 8.
 — — Sturm Flora 9, 33.
 — *bulbifera* Oeder. Fl. dan. 3, 390.
 — — Sternberg Revisio 1, 12.
 — — Sturm Flora 9, 35.
 — *Burseriana* L. Jacq. Misc. 1, 17.
 — — Sternberg Revisio 1, 10^b.
 — — Sturm Flora 9, 33.
 — *caesia* L. Scopoli Fl. carn. 1, 15.
 — — Jacq. Fl. austr. 4, 374.
 — — Sternberg Revisio 1, 9.
 — — Sturm Flora 9, 33.
 — — Lodd. Cab. 421.
 — *caespitosa* Scop. Scopoli Fl. carn. 1, 14.
 — — Fl. dan. 1, 71. 8, 1388.
 — — Picot Pyren. 34. 35. 36.
 — — Engl. Bot. 12, 794.
 — — *γ. incurvifolia*, Engl. Bot. 2909.
 — — Sv. Bot. 731.
 — — Sternberg Revisio 1, 11^b.
 — — Sturm Flora 7, 27.
 — — var. *acaulis*, Hegetschw. Reisen 8.
 — — Dietr. Fl. bor. 12, 796.
 — *calyciflora* Picot. Picot Pyren. 12.
 — *calycina* Sternb. Sternberg Revisio 2, 21.
 — *Candollii* Tausch. Sternberg Revisio 2, 19.
 — *capitata* Picot. Picot Pyren. 30.
 — *carpatica* Sternb. Sternberg Revisio 2, 25.
 — *cartilaginea* Willd. Sternberg Revisio 1, 3^c.
 — *ceratophylla* Dryand. Bot. Mag. 40, 1651.
 — *cernua* L. Linné Fl. lapp. 2.
 — — Fl. dan. 1, 22.
 — — Sv. Bot. 730.
 — — Engl. Bot. 10, 664.

- Saxifraga cernua* L. Sternberg Revisio 1, 12.
 — — Trautv. Imag. 40. 7
 — Chamissoi Sternb. Sternberg Revisio 2, 10.
 — ciliata Royle. Royle Illustr. 49.
 — — Bot. Reg. 29, 65.
 — Clarioni Sternb. Sternberg Revisio 2, 26.
 — condensata Gm. Gmelin Fl. bad. 2, 3.
 — controversa Sternb. Sturm Flora 9, 33.
 — Cotyledon L. Linné Fl. lapp. 2.
 — — Fl. dan. 2, 241.
 † — — Gaertn. Carp. 36.
 — — Lam. Encycl. 372.
 — — Sturm Flora 9, 33.
 — crassifolia L. Linné Hort. ups. 2, 14.
 — — Bot. Mag. 6, 196.
 † — — Mem. Instit. 1809, 2.
 — crustata Vest. Sternberg Revisio 1, 14.
 — — Sturm Flora 9, 33.
 — cuneifolia Cav. Cav. Ic. 248.
 — — Scopoli Fl. carn. 1, 13.
 — — W. et Kit. 44.
 — — Sturm Flora 9, 35.
 — — β. Bert. fil. Novi Comm. Bonon. 5, 17.
 — cuscuteformis Lodd. Lodd. Cab. 186.
 — — Bot. Mag. 53, 2631.
 — Cymbalaria L. Sibth. Fl. gr. 378.
 — cymosa W. et K. W. et Kit. 68.
 — davarica Sternb. Sternberg Revisio 2, 5.
 — decipiens Ehrh. Sternberg Revisio 1, 23.
 — — Sturm Flora 7, 27.
 — — Lodd. Cab. 1510.
 — denudata Don. Lodd. Cab. 1517.
 — depressa Sternb. Sternberg Revisio 1, 11.
 — diapsenioides Bell. Mem. Tur. 5, 5.
 — — Sternberg Revisio 1, 9.
 — dichotoma Willd. Sternberg Revisio 1, 21.
 — diversifolia Wall. Sternberg Revisio 2, 22.
 — — Hook. Journal 1845, 21.
 — elatior M. et K. Sturm Flora 9, 33.
 — elegans Mack. Rchb. Ic. crit. 7, 625.
 — — Engl. Bot. 2892.
 — — Sternb. Sternberg Revisio 2, 14.
 — elongata Sternb. Sternberg Revisio 1, 4.
 — elongella Sm. Engl. Bot. 32, 664.
 — Eschscholtzii Sternb. Sternberg Revisio 2, 10.
 — evolvuloides Wall. Sternberg Revisio 2, 23.
 — exarata Vill. Vill. Dauph. 45.
 — — All. Allione Fl. ped. 3, 88.
 — exilis Stephan. Sternberg Revisio 2, 3.
 — filicaulis Wall. Sternberg Revisio 2, 23.
 — flagellaris Willd. Sternberg Revisio 1, 6.
 — — Ledeb. Ic. 321.
 — — Hook. Bor. Am. 87.
 — — Bot. Mag. 77, 4621.
 — — Lem. Jard. fl. 237.
 — flavescens Sternb. Sternberg Revisio 2, 9.
 — flexuosa Sternb. Sternberg Revisio 2, 15.
 — gemmulosa Boiss. Boissier Esp. 64.
 — geranioides L. Gouan Illustr. 18.
 — — Picot Pyren. 43.
 — — Sternberg Revisio 2, 19.
 — Geum L. Picot Pyren. 24.
 — — Engl. Bot. 22, 1561.
 — — Engl. Bot. 2893.
 † — — Lam. Encycl. 372.
 — — Sternberg Revisio 2, 18.
 — — Rchb. Ic. crit. 7, 628.
 — glabella Bertol. Sternberg Revisio 2, 12.
 — globulifera Desf. Desf. Fl. atl. 96.
 — gracilis Sternb. Sternberg Revisio 2, 5.
 — grandiflora Sternb. Sternberg Revisio 1, 12.
 — granulata L. Fl. dan. 3, 514.

- Saxifraga granulata* L. Woodv. Med. 3, 197.
 — — Curt. Lond. 2, 38.
 — — Engl. Bot. 7, 800.
 — — Sv. Bot. 153.
 — — var. Picot Pyren. 27.
 † — — Lam. Encycl. 372.
 † — — Plée Types 30.
 — — Dict. sc. nat. 197.
 — — Schk. Handb. 119.
 — — Dreves 1, 6.
 — — Hayne 3, 23.
 — — Sturm Flora 2, 6.
 — — Schrank Fl. monac. 1, 77.
 — — Dietr. Fl. bor. 4, 243.
 † — — Flora 1853, 7.
 — groenlandica L. Picot Pyren. 19.
 — hederacea L. Sibth. Fl. gr. 379.
 — — Sternberg Revisio 2, 15.
 — — M. v. B. Sternberg Revisio 2, 16.
 — heterantha Hook. Hook. Bor. Am. 78.
 — heterophylla Sternb. Sternberg Revisio 1, 20.
 — — Sturm Flora 9, 33.
 — hibernica Sternb. Sternberg Revisio 2, 11.
 — hieracifolia W. et K. W. et Kit. 18.
 — hirculoides Decne. Jacquemont Ind. 78.
 — Hirculus L. Fl. dan. 2, 280.
 — — Curt. Lond. 2, 70.
 — — Engl. Bot. 15, 1009.
 — — Sv. Bot. 625.
 — — Sturm Flora 9, 35.
 — — Dietr. Fl. bor. 9, 586.
 — hirsuta L. Picot Pyren. 23.
 — — Engl. Bot. 33, 2322.
 — — Rchb. Ic. crit. 7, 621.
 — hirta Don. Engl. Bot. 32, 2291.
 — Hoffmeisteri Klotzsch. Prinz Waldem. Him. 41.
 — Hohenwartii Sternb. Sternberg Revisio 1, 7, 96.
 — — Sturm Flora 9, 33.
 — hybrida Vill. Sternberg Revisio 1, 8.
 — — Sternb. Sternberg Revisio 2, 21.
 — hypnoides All. Allione Fl. ped. 3, 21.
 — — Scop. Scopoli Fl. carn. 1, 16.
 — — L. Vill. Dauph. 45.
 — — Fl. dan. 2, 348.
 — — Picot Pyren. 32.
 — — Engl. Bot. 7, 484.
 — Jacquemontiana Decne. Jacquemont Ind. 78.
 — Jamesii Torr. Hook. Bor. Am. 84.
 — imbricata Sternb. Sternberg Revisio 2, 13.
 — — Royle. Royle Illustr. 49.
 — intacta Willd. Willdenow Hortus 78.
 — integrifolia Hook. Hook. Bor. Am. 86.
 — intricata Picot. Picot Pyren. 33.
 — irrigua M. v. B. Marshall Cent. 73.
 — — Bot. Mag. 48, 2207.
 — juniperina Adams. Sternberg Revisio 1, 10.
 — ladanifera Picot. Picot Pyren. 42.
 — leucanthemifolia Picot. Picot Pyren. 25.
 — — Michx. Bot. Mag. 57, 2959.
 — — Lodd. Cab. 1568.
 — ligulata Murr. Comm. Gott. 4, 1.
 — — Wall. Asiat. Researches 13, 13.
 — — Lodd. Cab. 747.
 — — Kerner Hort. 737.
 — — Hook. Exot. Fl. 49.
 — — Bot. Mag. 62, 3406.
 — — Sweet Fl. G. 59.
 — lingulata Bell. Moris Fl. sard. 74.
 — longifolia Lam. Picot Pyren. 11.
 — — Sturm Flora 9, 33.
 — — var. β. media, Sternberg Revisio 1, 14.
 — luteo-purpurea Picot. Picot Pyren. 14.

Saxifraga lysimachioides Klotzsch. Prinz Wald. Him. 42.

- *maderensis* Don. Hook. Ic. pl. 3, 279.
- *magellanica* Poir. Sternberg Revisio 1, 11.
- *marginata* Sternb. Sternberg Revisio 2, 1.
- — Tenore Fl. nap. 234.
- *media* Gouan. Sibth. Fl. gr. 376.
- — Lam. Encycl. 372.
- *melaleuca* Fisch. Sternberg Revisio 2, 3.
- *Merkii* Fisch. Sternberg Revisio 2, 1.
- *Meyeri* Sternb. Sternberg Revisio 2, 21.
- *mixta* Picot. Picot Pyren. 20, 21.
- *modesta* Rchb. Rchb. Ic. crit. 7, 626.
- *mollis* Sm. Sternberg Revisio 2, 23.
- *Moorcroftiana* Wall. Sternberg Revisio 2, 24.
- *moschata* Wulf. Jacq. Misc. 2, 21.
- — Picot Pyren. 37, 38.
- — Sternberg Revisio 1, 11.
- — Engl. Bot. 33, 2314.
- — Sturm Flora 9, 33.
- *multiflora* Led. Ledeb. Ic. 335.
- *muscoideus* All. Allione Fl. ped. 3, 61.
- — Wulf. Sternberg Revisio 1, 11.
- — var. *lineata*, Sternberg Revisio 2, 7.
- — var. *nana*, Sternberg Revisio 2, 7.
- — var. *atropurpurea*, Sturm Flora 9, 33.
- — var. *laxa*, Sturm Flora 9, 35.
- — var. *moschata*, Sturm Flora 9, 33.
- *mutata* L. Jacq. Ic. 466.
- — Bot. Mag. 10, 351.
- — Journal Hort. Soc. 2, 156.
- — Sturm Flora 9, 35.
- — Schrank Fl. monac. 2, 199.
- *neglecta* Bray. Sternberg Revisio 2, 6.
- *Nelsoniana* Hook. Hook. Beechey 29.
- *nervosa* Picot. Picot Pyren. 39.
- *nitida* Sternb. Sternberg Revisio 1, 10^b.
- *nivalis* L. Linné Fl. lapp. 2.
- — Fl. dan. 1, 28.
- — Lightfoot Fl. scot. 1, 12.
- — Engl. Bot. 7, 440.
- — Sv. Bot. 728.
- — Townson Hungaria 15.
- — Sturm Flora 9, 35.
- *odontophylla* Wall. Sternberg Revisio 2, 25.
- *oppositifolia* L. Linné Fl. lapp. 2.
- — All. Fl. ped. 3, 21.
- — Fl. dan. 1, 31.
- — Picot Pyren. 16.
- — Curt. Lond. 1, 4.
- — Engl. Bot. 1, 9.
- — Lodd. Cab. 869.
- — Sweet Brit. Bot. 1, 1.
- — Sturm Flora (2, 7.) 9, 35.
- — Roemer Fl. europ. 9, 2.
- — var. *Reiner Reisen* 1, 3.
- *orientalis* Jacq. Jacq. Observ. 34.
- *Pallasiana* Sternb. Sternberg Revisio 2, 22.
- *pallida* Wall. Sternberg Revisio 2, 23.
- *palmata* Picot. Picot Pyren. 41.
- — Sm. Engl. Bot. 7, 445.
- — Panz. Sturm Flora 7, 27.
- *paradoxa* Sternb. Sternberg Revisio 1, 14.
- *parnassifolia* Don. Sternberg Revisio 2, 25.
- *parviflora* Biv. Bivona Stimp. rar. Sic. 4, 3.
- *patens* Sternb. Sternberg Revisio 2, 1, 12.
- *pauciflora* Sternb. Sternberg Revisio 2, 4.
- *Pavonii* Don. Sternberg Revisio 2, 12.
- — Poepp. et Endl. 18.
- *pedatifida* Ehrh. Engl. Bot. 32, 2278.
- *pedemontana* All. Allione Fl. ped. 3, 21.
- — Sturm Flora 9, 33.
- *pentadactylis* Picot. Picot Pyren. 40.

Saxifraga peruviana Sternb. Sternb. Revis. 1, 22, 2, 20.

- — Poepp. et Endl. 18.
- *petraea* Gouan. Gouan Illustr. 18.
- — L. Jacq. Ic. 81.
- — Fl. dan. 1, 68.
- — Sternberg Revisio 1, 16.
- — Sturm Flora 9, 35.
- — Bot. Mag. 57, 3026.
- *planifolia* Picot. Sternberg Revisio 1, 7.
- — Sturm Flora 10, 40.
- *platypetala* Sm. Engl. Bot. 32, 2276.
- *polita* Haw. Rchb. Ic. crit. 7, 627.
- *Ponae* Sternb. Sternberg Revisio 1, 18.
- — Sturm Flora 9, 35.
- *porophylla* Bert. Opusc. sc. Bonon. 2, 1.
- — Bertoloni Amoenit. 3.
- *pseudocaesia* Rchb. Bochel Banat. 3.
- *punctata* L. Sternberg Revisio 2, 4.
- — Rchb. Ic. crit. 7, 622, 623.
- — Trautvetter Imag. 37.
- *purpurea* All. Allione Fl. ped. 3, 21.
- *pusilla* Sternb. Sternberg Revisio 2, 15.
- *pyramidalis* Picot. Sternberg Revisio 1, 2.
- — Sturm Flora 9, 33.
- *pyrenaica* Scop. Scopoli Fl. carn. 1, 16.
- *ramulosa* Wall. Royle Illustr. 49.
- — Sternberg Revisio 2, 26.
- *ranunculifolia* Hook. Hook. Bor. Am. 83.
- *recta* Picot. Picot Pyren. 15.
- *Redowskyi* Adams. Mem. Mosc. 9, 13.
- *reflexa* Hook. Hook. Bor. Am. 83.
- *repanda* Willd. Sternberg Revisio 1, 5.
- *reticulata* Willd. Sternberg Revisio 1, 13.
- *retusa* Goudn. Gouan Illustr. 18.
- — Picot Pyren. 18.
- — Sturm Flora 9, 35.
- — Sweet Fl. G. II. 49.
- *rivularis* L. Linné Fl. lapp. 2.
- — Fl. dan. 1, 118.
- — Sv. Bot. 729.
- — Curt. Lond. 5, 213.
- — Engl. Bot. 32, 2275.
- — Sternberg Revisio 1, 12.
- *Rochelii* Sternb. Sternberg Revisio 2, 11.
- *rotundifolia* L. Picot Pyren. 26.
- — Bot. Mag. 12, 424.
- — Sibth. Fl. gr. 377.
- — Sturm Flora 9, 33.
- *Rudolphina* Hornsch. Sturm Flora 2, 7.
- *sarmentosa* L. Ellis Dionaea 2, 3.
- — Bot. Mag. 3, 92.
- *Schraderi* Sternb. Sternberg Revisio 2, 8.
- *Scopoli Vill.* Sternberg Revisio 1, 16.
- *sedoides* L. Jacq. Misc. 2, 22.
- — Sternberg Revisio 1, 7, 9^b.
- — Sturm Flora 9, 35.
- *Seguieri* Spr. Sternberg Revisio 1, 9^b.
- *serpyllifolia* Pursh. var. *viscosa*, Trautv. Imag. 31.
- *serrata* Sternb. Sternberg Revisio 2, 11, 18.
- *serratifolia* Mack. Rchb. Ic. crit. 7, 624.
- *sibirica* L. Sternberg Revisio 1, 25.
- *sileniflora* Sternb. Sternberg Revisio 2, 13.
- *spathulata* Desf. Fl. atl. 96.
- *spinulosa* Royle. Royle Illustr. 50.
- *sponhemica* Gm. Gmelin Fl. bad. 4, 9.
- *squarrosa* Sieber. Sternberg Revisio 2, 17.
- *stabiana* Ten. Tenore Fl. nap. 234.
- *Steinmanni* Tausch. Tausch Hort. Canal. 6.
- *stellaris* L. Linné Fl. lapp. 2.
- — Scopoli Fl. carn. 1, 13.
- — Fl. dan. 1, 23.
- — Jacq. Collect. 1, 13.

- Saxifraga stellaris* L. Engl. Bot. 3, 167.
 — — — Curt. Lond. 4, 69.
 — — — Sturm Flora 9, 33.
 — — — var. Rochel Banat. 3.
 — — — var. foliosa R. Br. Trautvetter Imag. 35.
 — stellata Don. Sternberg Revisio 2, 12.
 — stenopetala Gaud. Hegetschw. Reisen 8.
 — — — Sturm Flora 9, 33.
 — stenophylla Royle. Royle Illustr. 50.
 — Stephani Sternb. Sternberg Revisio 2, 6.
 — Sternbergii Willd. Sternberg Revisio 1, 24.
 — stolonifera Jacq. Jacq. Ic. 80.
 — strigosa Wall. Sternberg Revisio 2, 22.
 — tenella Wulf. Jacq. Collect. 3, 17.
 — — — Sturm Flora 9, 35.
 — tenera Suter. Sternberg Revisio 1, 9^b.
 — Tenorii Sternb. Sternberg Revisio 2, 14.
 — terekensis Led. Ledeb. Ic. 398.
 — thysanodes Ldl. Bot. Reg. 32, 33.
 — trichodes Scop. Scopoli Fl. carn. 1, 15.
 — tricuspidata Retz. Fl. dan. 6, 976.
 — tridactylites L. Fl. dan. 9, 1517.
 — — — Curt. Lond. 1, 53.
 — — — Engl. Bot. 7, 501.
 — — — Sv. Bot. 476.
 — — — Schk. Handb. 119.
 — — — Sternberg Revisio 1, 17.
 — — — Sturm Flora 9, 33.
 — — — Dietr. Fl. bor. 4, 244.
 — trifurcata Schrad. Schrader Hort. gott. 7.
 — tuberosa Sternb. Sternberg Revisio 2, 12.
 — umbrosa L. Picot Pyren. 22.
 — — — Lam. Encycl. 372.
 — — — Engl. Bot. 10, 663.
 — — — δ. serratifolia, Engl. Bot. 2891.
 — — — Sternberg Revisio 2, 18.
 — — — Rchb. Ic. crit. 7, 620.
 — unalaschkensis Sternb. Sternberg Revisio 2, 21.
 — uniflora Sternb. Sternberg Revisio 2, 9.
 — vaginata Sternb. Sternberg Revisio 2, 15.
 — valdensis DC. β. laxiflora, Sternberg Revis. 2, 17.
 — Vandellii Sternb. Sternberg Revisio 1, 10^b.
 — — — Sternberg Revisio 2, 26.
 — — — Cesati Stirp. ital. x.
 — vernalis Willd. Willdenow Hortus 43.
 — virginicens Michx. Lam. Encycl. 372.
 — — — Bot. Mag. 40, 1664.
 — — — Lodd. Cab. 1699.
 — Wallichiana Sternb. Sternberg Revisio 2, 22.
 † Saxo-Fridericia regalis Schomb. Schomb. Monogr. 2.
 Saxo-Gothaea conspicua Ldl. Journal Hort. Soc. 6, 260.
 — — — Fl. d. serres 7, p. 84.
 † Scabiosa L. (Folia.) Ann. sc. nat. II. 4, 5.
 — acutiflora Rchb. Rchb. Ic. crit. 4, 326.
 † — — — Mutel Fl. fr. 26.
 † — africana L. Mem. Genev. 2, 2.
 — agrestis W. et K. W. et Kit. 204.
 — — — Rchb. Pl. crit. 1, 91.
 † — — — Avé-Lallemant 3 — 12.
 † — alepica Coulter. Mem. Genev. 2, 2.
 † — alpina L. Gaertn. Carp. 86.
 — altissima Jacq. Jacq. Vind. 185.
 — ambigua Ten. Tenore Fl. nap. 209.
 † — — — Avé. Avé-Lallemant 2.
 — ambrosioides Sibth. Sibth. Fl. gr. 103.
 — amoena Jacq. Jacq. Ecl. pl. 59. 101.
 — argentea L. Sibth. Fl. gr. 108.
 — — — Desf. Choix 39.
 — — — Ann. Mus. 11, 24.
 — arvensis L. Fl. dan. 3, 447.
 † — — — Lam. Encycl. 57.
 — — — Curt. Lond. 3, 36.

- Scabiosa arvensis* L. Engl. Bot. 10, 659.
 — — — Sv. Bot. 322.
 — — — Dreves 1, 34.
 — — — Schk. Handb. 22.
 — — — Hayne 5, 38.
 — — — Schrank Fl. monac. 4, 331.
 — — — Wagner 100.
 — — — Rchb. Fl. germ. 12, 680. 681.
 † — atropurpurea L. Gaertn. Carp. 86.
 — — — Bot. Mag. 7, 247.
 — — — Rousseau Bot. 39.
 † — — — Mem. Genev. 2, 2.
 † — — — Nees Gen. X, x.
 † — australis Wulf. Mem. Genev. 2, 2.
 — — — Rchb. Ic. crit. 4, 325.
 — bannatica W. et K. W. et Kit. 12.
 — bidens Sibth. Sibth. Fl. gr. 104.
 — bohémica Schmidt. Rchb. Fl. germ. 12, 682.
 — brachchiata Sibth. Sibth. Fl. gr. 109.
 — canescens W. et K. W. et Kit. 53.
 — — — Fl. dan. 13, 2282.
 — caucasica M. v. B. Jacq. Fragma. 129.
 — — — Bot. Mag. 23, 886.
 † — — — Mem. Genev. 2, 2.
 — — — Herb. amat. 5, 313.
 — ceratophylla Ten. Tenore Fl. nap. 8.
 — ciliata Spr. Rchb. Ic. crit. 3, 273.
 — — — Rchb. Fl. germ. 12, 678.
 — collina Requier. Rchb. Fl. germ. 12, 682.
 — columbaria L. Fl. dan. 2, 314.
 — — — Engl. Bot. 19, 1311.
 — — — Sv. Bot. 393.
 † — — — Mem. Genev. 2, 2.
 † — — — Mutel Fl. fr. 27.
 — — — Schrank Fl. monac. 2, 180.
 — — — Rchb. Ic. crit. 4, 354. 355.
 — — — Dietr. Fl. bor. 9, 617.
 — Columnae Ten. Tenore Fl. nap. 7.
 — corniculata W. et K. W. et Kit. 13.
 — — — Rchb. Ic. crit. 4, 315.
 — coronopifolia Sibth. Sibth. Fl. gr. 114.
 — — — var. Bivona Stirp. rar. Sic. 3, 1.
 — crenata Cir. Cirillo Pl. rar. 1, 3.
 — cretacea M. v. B. Rchb. Ic. crit. 4, 332.
 † — cretica L. Mem. Genev. 2, 2.
 — daucoides Desf. Desf. Fl. atl. 38.
 † — dichotoma Willd. Mem. Genev. 2, 2.
 — diffusa Rchb. Rchb. Hortus 16.
 — dipsacifolia Host. Rchb. Fl. germ. 12, 679.
 — divaricata Jacq. Jacq. Vind. 15.
 — dubia Moench. Moench Enum. Hass. 3.
 — eburnea Sibth. Sibth. Fl. gr. 106.
 — elata Hornem. Rchb. Ic. crit. 4, 301.
 — Fleischmanni Hladn. Rchb. Fl. germ. 12, 683.
 — Gmelini St. Hil. Bull. philom. 1812, 3.
 — graminifolia L. W. et Kit. 188.
 — — — Bot. Reg. 10, 835.
 † — — — Mem. Genev. 2, 2.
 † — — — Nees Gen. X, x.
 † — gramuntia L. Mutel Fl. fr. 27.
 — heterophylla Gm. Gmelin Reise 1, 28.
 — Hladnikiana Host. Rchb. Fl. germ. 12, 695.
 — hybrida All. Rchb. Fl. germ. 12, 675.
 — integrifolia L. Savi Fl. pis. 2.
 — — — Rchb. Fl. germ. 12, 675.
 — involucreta Sibth. Sibth. Fl. gr. 112.
 — joppensis Rchb. Rchb. Hortus 17.
 — isetensis L. Gmelin Reise 1, 28.
 — laevigata W. et K. W. et Kit. 230.
 † — leucantha L. Gaertn. Carp. 86.
 — — — Viviani Fl. ital. 17.
 † — — — Mutel Fl. fr. 28.

- Scabiosa leucantha* L. Rchb. Ic. crit. 4, 356.
 — *longifolia* W. et K. W. et Kit. 5.
 — — Rchb. Fl. germ. 12, 676.
 — *lucida* Vill. Rchb. Ic. crit. 4, 381.
 † — — Mutel Fl. fr. 27.
 † — — Nees Gen. X, x.
 † — *maritima* L. Mutel Fl. fr. 26.
 — *micrantha* Desf. Ann. Mus. 11, 25.
 — — Desf. Choix 40.
 — *mollis* Willd. Rchb. Ic. crit. 4, 353.
 — — *Schleich.* Rchb. Fl. germ. 12, 682.
 — *monspeliensis* Jacq. Jacq. Ic. 24.
 † — — Mem. Genev. 2, 2.
 — *montana* M. v. B. Jacq. Ecl. pl. 60. 101.
 — *multisetia* Vis. Visiani Stirp. dalm. 1.
 † — — Nees Gen. X, x.
 — *norica* Wulf. Rchb. Fl. germ. 12, 695.
 — *ochroleuca* L. Jacq. Fl. austr. 5, 439.
 — — Jacq. Obs. 73. 74.
 † — — Mutel Fl. fr. 27.
 — — Dietr. Fl. bor. 11, 779.
 † — — Denkschr. d. Wiener Ak. 1, 2.
 † — *Olivieri* Coulter. Mem. Genev. 2, 2.
 — — Endl. et Fenzl Sert. cab. 4.
 — *palaestina* L. Jacq. Vind. 96.
 † — *papposa* Gaertn. Gaertn. Carp. 86.
 † — — L. Roemer Collect. 2.
 — — Hoffm. et Link Fl. port. 86.
 — *pilosa* R. et Sch. Gussone Pl. rar. 12.
 — *plumosa* Link. Hoffm. et Link Fl. port. 87.
 — — Sibth. Sibth. Fl. gr. 111.
 — *prolifera* L. Sibth. Fl. gr. 107.
 † — — Mem. Genev. 2, 2.
 — *pterocephala* L. Sibth. Fl. gr. 113.
 — *pubescens* Kit. Rchb. Fl. germ. 12, 682.
 — *pulsatilloides* Boiss. Boissier Esp. 88.
 — *pyrenaica* All. Allione Fl. ped. 3, 25. 26.
 — *repens* Brign. Nocca et Balb. Fl. tic. 2.
 — *rhizantha* Viv. Viviani Lib. 3.
 — *Saviana* Rchb. Rchb. Hortus 53.
 — *saxatilis* Cav. Cav. Ic. 184.
 — *Sibthorpiana* Sm. Sibth. Fl. gr. 110.
 — *sileniflora* W. et K. W. et Kit. 157.
 — *silvatica* L. Jacq. Fl. austr. 4, 362.
 — — Jacq. Observ. 72.
 — — Schrank Fl. monac. 3, 206.
 — — Rchb. Fl. germ. 12, 677.
 — *simplex* Desf. Desf. Fl. atl. 39.
 — *speciosa* Royle. Royle Illustr. 55.
 † — *stellata* L. Gaertn. Carp. 86.
 † — — Lam. Encycl. 57.
 † — — Mem. Genev. 2, 2.
 — *stricta* W. et K. W. et Kit. 138.
 — — Rchb. Fl. germ. 12, 695.
 — *suaveolens* Desf. Sv. Bot. 705.
 † — — Mem. Genev. 2, 2.
 † — — Mutel Fl. fr. 27.
 — — Rchb. Fl. crit. 1, 76.
 — — Dietr. Fl. bor. 9, 618.
 — *succisa* L. Fl. dan. 2, 279.
 — — Sv. Bot. 422.
 — — Curt. Lond. 3, 35.
 — — Engl. Bot. 13, 878.
 — — Baxter Brit. Bot. 4, 277.
 † — — Mem. Genev. 2, 2.
 — — Hayne 5, 37.
 — — Schrank Fl. monac. 2, 145.
 — — Nees Düsseld. 252.
 — *sympananthera* Rz et P. Ruiz et Pav. Fl. 76.
 — *syriaca* L. Sibth. Fl. gr. 105.
 — *tatarica* L. Rchb. Ic. crit. 4, 302.
 — *tenuifolia* Presl. Presl Symbolae 12.

- Scabiosa tomentosa* Cav. Cav. Ic. 183.
 — *transsilvanica* All. Allione Fl. ped. 3, 48.
 — — L. Jacq. Vind. 111.
 — — Rchb. Ic. crit. 2, 121.
 — *Trenta* Haq. Hacquet Pl. alp. 4.
 † — *ucranica* L. Mem. Genev. 2, 2.
 † — — Mutel Fl. fr. 26.
 — — Rchb. Ic. crit. 4, 316.
 † — *uniseta* Savi. Savi Fl. pisana 2.
 — *uralensis* Murr. Comm. Gott. 5, 4.
 — — Rchb. Ic. crit. 4, 314. 332.
 † — *urceolata* Desf. Mem. Genev. 2, 2.
 † — *Vahlia* Coulter. Mem. Genev. 2, 2.
 — *Webbiana* Don. Bot. Reg. 9, 717.
 † *Scabrita scabra* L. Gaertn. Carp. 138.
Scaevola attenuata R. Br. Bot. Mag. 71, 4196.
 — *Chamissoniana* Gaudich. Freycinet Voyage 82.
 — *crassifolia* Lab. Bill. Nov. Holl. 79.
 — *cuneiformis* Lab. Bill. Nov. Holl. 80.
 — *glabra* Hook. Gaudichaud Bonite 48.
 — *globulifera* Lab. Bill. Nov. Holl. 78.
 — *hispida* Cav. Annales de hist. nat. 1, 10.
 — — Cav. Ic. 510.
 — *Koenigii* Vahl. Lam. Encycl. 121.
 — — Bot. Mag. 54, 2732.
 — *Lobelia* L. Rumpf Amb. 4, 54.
 — — Jacq. Hist. stirp. am. 199.
 † — — Ann. Mus. 18, 1.
 † — — Schnizl. Iconogr. 123.
 — *Macraei* de Vr. De Vriese Goodenov. 4.
 † — *macrocalyx* de Vr. De Vriese Goodenov. 3.
 — *microcarpa* Cav. Annales de hist. nat. 1, 9.
 — — Cav. Ic. 509.
 — — Lodd. Cab. 1327.
 — *montana* Lab. Bill. Sertum 42.
 — — Schnizl. Iconogr. 123.
 — *Plumieri* L. Lam. Encycl. 124.
 — — Desc. Ant. 7, 474.
 — *Taccada* Roxb. Rheede Hort. mal. 4, 59.
 — — Wight Illustr. 137.
 — *tomentosa* Gaudich. Freycinet Voyage 81.
 — *uvifera* Stocks. Wight Ic. pl. Ind. or. 4, 1613.
Scalea jaceoides Sims. Bot. Mag. 24, 956.
 † *Scaligeria* DC. DC. Ombelliferae 1.
Scandix Anthriscus L. Fl. dan. 5, 863.
 — — Curt. Lond. 2, 85.
 — — Engl. Bot. 12, 818.
 — — Jacq. Fl. austr. 2, 154.
 — *australis* L. Sibth. Fl. gr. 285.
 — *Cerefolium* L. Jacq. Fl. austr. 4, 390.
 — — Schk. Handb. 73.
 — — Hayne 7, 14.
 — — Engl. Bot. 18, 1268.
 — — Sv. Bot. 283.
 — *falcata* Fisch. Mem. Mosc. 1, 5.
 — *fumarioides* W. et K. W. et Kit. 224.
 — *gilanica* Gm. Gmelin Reise 3, 31.
 — *glaberrima* Desf. Desf. Fl. atl. 74.
 — *glochidiata* Lab. Bill. Nov. Holl. 102.
 — *infesta* Jacq. Jacq. Fl. austr. 1, 46.
 — *latifolia* Sibth. Sibth. Fl. gr. 284.
 — *nodosa* L. Jacq. Vind. 3, 25.
 — *odorata* L. Jacq. Fl. austr. 5, 37.
 — — Engl. Bot. 10, 697.
 — — Sv. Bot. 374.
 † — *Pecten Veneris* L. Gaertn. Carp. 85.
 — — Jacq. Fl. austr. 3, 263.
 — — Fl. dan. 5, 844.
 — — Curt. Lond. 1, 80.
 — — Engl. Bot. 20, 1397.
 — — Baxter Brit. Bot. 4, 272.
 — — Dietr. Fl. bor. 11, 748.

- Scandix pinnatifida Vent. Vent. Cels 14.
 † — — — Comm. Gott. rec. 2, 1.
 Scaphyglottis affinis P. et E. Poepp. et Endl. 99.
 — conferta P. et E. Poepp. et Endl. 100.
 — parviflora P. et E. Poepp. et Endl. 97.
 — pendula P. et E. Poepp. et Endl. 98.
 — rosea Hook. Hook. Ic. pl. 4, 313.
 — violacea Ldl. Bot. Reg. 22, 1901.
 — — — Bot. Mag. 70, 4071.
 Scelochilus Ottonis Klotzsch. Link Ic. III. 31.
 Scepa Lindleyana Wight. Wight Ic. pl. Ind. or. 2, 361.
 † — villosa Ldl. Schnizl. Iconogr. 2, 96***.
 † Scelopaceae Ldl. Schnizl. Iconogr. 2, 96***.
 † Schaeffera Jacq. Swartz Fl. Ind. occ. 7.
 † — frutescens Jacq. Gaertn. Carp. 225.
 — — — Lam. Encycl. 809.
 † Schanginia linifolia C. A. M. Ann. sc. nat. 23, 21.
 Schaueria calicotricha N. v. E. Bot. Reg. 12, 1027.
 — sulphurea N. v. E. Endl. Bras. 7, 15.
 † Schedonorus Pal. B. Dumortier Gramin. 3.
 † — elatior Pal. B. Nees Gen. 1, 73.
 † — pratensis Pal. B. Nees Gen. 1, 73.
 Scheeria mexicana Seem. Bot. Mag. 79, 4743.
 — — — Regel Gartenflora 1853, 71.
 — — — β. coerulescens, Fl. d. serres 9, 891.
 † Schefflera digitata Forst. Forster Charact. 23.
 † — — — Lam. Encycl. 221.
 Schelhammra multiflora R. Br. Lodd. Cab. 1511.
 — undulata R. Br. Bot. Mag. 54, 2712.
 Schelhammra capitata Moench. Rchb. Fl. germ. 8, 224.
 Schellingia tenera Steudel. Flora 1850, 1.
 Schepperia juncea DC. Linnaea 1, 3.
 Scheuchzeria palustris L. Linné Fl. lapp. 10.
 — — — Fl. dan. 1, 76.
 — — — Engl. Bot. 26, 1801.
 — — — Baxter Brit. Bot. 6, 503.
 — — — Lam. Encycl. 268.
 — — — Schk. Handb. 100.
 — — — Sturm Flora 19, 78.
 — — — Dietr. Fl. bor. 1, 51.
 — — — Rchb. Fl. germ. 10, 419.
 † — — — Nees Gen. 2, 24.
 Schiedea ligustrina Endl. Endl. Acta 14.
 — Nuttallii Hook. Hook. Ic. pl. 7, 649 — 650.
 Schima crenata Korth. Korthals Bot. 29.
 † — Noronhae Reinw. Korthals Bot. 29.
 Schinus dentatus Andr. Andr. Rep. 10, 620.
 — ? discolor Benth. Benth. Sulphur 9.
 — Molle L. Heister Dissertatio 1.
 — — — Koelreuter Dissertatio 1.
 † — — — Gaertn. Carp. 140.
 — — — Lam. Encycl. 822.
 — — — Bot. Mag. 61, 3339.
 — Saheria Ham. Rheede Hort. mal. 4, 31.
 † Schismatopera Klotzsch. Wiegmann Archiv 7, 7.
 Schismoceras disticha Presl. Presl Reliq. 13.
 Schistocarpia bicolor Less. Link Ic. III. 37.
 Schistogyne silvestris II. et A. Delessert Ic. 5, 74.
 Schivereckia podolita Bess. Delessert Ic. 2, 36.
 — — — Lodd. Cab. 1720.
 — — — Sweet Fl. G. 77.
 † Schizaea Swartz. Schrader Journal 1801, 2.
 † — — — Kaulfuss Enumeratio 1.
 — bifida R. Br. Willdenow Farnk. 3.
 — — — Schnizl. Iconogr. 1, 29.
 — dichotoma Sw. Willdenow Farnk. 3.
 — — — Guillemin Austr. 20.
 — — — Dict. sc. nat. 96.
 — — — Hook. Ic. Fil. 1, 17.
 † — — — Hook. Gen. Fil. 19.
 — digitata Sw. Swartz Synopsis Fil. 4.
 — fistulosa Lab. Bill. Nov. Holl. 250.

- Schizaea Flabellum Mart. Mart. Crypt. bras. 53.
 — incurvata Sw. Schk. Fil. 137.
 — pacificans Mart. Mart. Crypt. bras. 56.
 — palmata Hombr. Richard Astrolabe 4.
 — pectinata Sw. Schk. Fil. 136.
 — penicillata Willd. Bory Coquille 27.
 — pusilla Pursh. Barton Fl. 1, 20.
 — — — Acta Leop. 10, 1, 16.
 — — — Hook. Ic. Fil. 1, 47.
 — rupestris R. Br. Hook. Ic. Fil. 1, 48.
 — subtrijuga Mart. Kunze Fil. 98.
 — tenella Kaulf. Kunze Fil. 98.
 — trilobalis Schk. Schk. Fil. 136.
 — — — Hook. Ic. Fil. 1, 54.
 † Schizaeaceae Mart. Schnizl. Iconogr. 1, 29.
 † Schizandra Michx. Gray Genera 27.
 — coccinea Michx. Michaux Fl. 47.
 — — — Barton Fl. 1, 13.
 — — — Bot. Mag. 34, 1413.
 — — — Lam. Encycl. 995.
 — — — Gray Genera 27.
 † Schizandraceae Meisn. Schnizl. Iconogr. 175.
 Schizanthus candidus Ldl. Bot. Reg. 29, 45.
 — Evansianus Paxt. Paxt. Mag. 8, 171.
 — Grahamii Gillies. Bot. Mag. 58, 3044.
 — — — Rchb. Exot. 324.
 — — — Fl. d. serres 7, 712.
 — Hookeri Gillies. Bot. Mag. 58, 3070.
 — — — Rchb. Exot. 324.
 — incanus Hort. Belgique hort. 2, 6.
 — pinnatus R. et P. Ruiz et Pav. Fl. 17.
 — — — Hook. Exot. Fl. 73.
 — — — Bot. Mag. 50, 2404.
 — — — Bot. Reg. 9, 725.
 — — — Rchb. Exot. 324.
 — — — Paxt. Mag. 2, 198.
 — — — var. humilis, Bot. Reg. 18, 1562.
 — — — Sweet Fl. G. 63.
 — — — var. β. Sweet Fl. G. II. 197.
 — porrigens Grah. Hook. Exot. Fl. 66.
 — — — Bot. Mag. 51, 2521.
 — — — Sweet Fl. G. 76.
 — — — Rchb. Exot. 321.
 — — — Spach Suites 77.
 — Priestii Paxt. Paxt. Mag. 1, 31.
 — retusus Hook. Bot. Mag. 58, 3045.
 — — — Bot. Reg. 18, 1544.
 — — — Rchb. Exot. 324.
 — — — Paxt. Mag. 1, 5.
 — — — Sweet Fl. G. II. 201.
 † Schizocaena Brunonis J. Sm. Hook. Gen. Fil. 2.
 † — — — Fée Fil. 5, 27^c.
 † Schizocodon soldanelloides S. et Zucc. Münchn. Abh. 3, 2.
 Schizogyne obtusifolia Cass. Webb Canar. 93.
 Schizolaena rosea Aub. Th. Aubert Ile d'Afr. 12.
 Schizolepis trigonocarpa N. v. E. Endl. Bras. 3, 26.
 † Schizolepton cordatum Fée. Fée Fil. 5, 8.
 Schizoloma Billardieri Gaudich. Freycinet Voyage 17.
 — cordatum Gaudich. Freycinet Voyage 16.
 — Guerinianum Gaudich. Freycinet Voyage 18.
 — Javae Fée. Fée Fil. 5, 29.
 † — macrophyllum Presl. Hook. Gen. Fil. 63.
 Schizopetalum Walkeri Sims. Hook. Exot. Fl. 74.
 — — — Bot. Mag. 50, 2379.
 — — — Bot. Reg. 9, 752.
 — — — Sweet Fl. G. II. 387.
 † — — — Ann. sc. nat. III. 5, 3.
 Schizophragma hydrangeoides Zucc. Sieb. Fl. Japon. 26, 100.
 † Schizostachyum Blumei N. v. E. Acad. Pet. 5, 16, 17.
 † — capitatum Trin. Acad. Petersb. 5, 17.

- Schkuhria abrotanoides* Roth. Schk. Handb. 259^b, 256.
Schlegelia elongata Miq. Miquel Surinam 36.
 — *ilacina* Miq. Miquel Surinam 36.
Schleichera pentaphylla Roxb. Wight Ic. pl. Ind. or. 2, 402.
Schmidelia africana DC. Richard Abyssin. 27.
 † — Cobbe DC. Lam. Encycl. 312.
 — — Wight Ic. pl. Ind. or. 3, 964^b.
 — *edulis* St. Hil. St. Hil. Pl. usuelles 67.
 † — *guaranitica* St. Hil. Mem. Mus. 10, 24.
 † — — St. Hil. Pl. rem. 19.
 — *heterophylla* St. Hil. St. Hil. Fl. Bras. 82.
 — *macrocarpa* A. Rich. Ramon Cuba 30.
 — *monophylla* Hook. fil. Hook. Ic. pl. 8, 775.
 — — Hook. Niger Fl. 25.
 — *nervosa* A. Rich. Ramon Cuba 29.
 — *punctata* P. et E. Poepp. et Endl. 244.
 — *racemosa* L. Lam. Encycl. 312.
 — *Rheedii* Wight. Wight Spicil. 33.
 — — Wight Ic. pl. Ind. or. 3, 964^a.
 — *scrobiculata* P. et E. Poepp. et Endl. 244.
 — *timoriensis* DC. Rheed. Hort. mal. 5, 25.
 — *villosa* Wight. Wight Ic. pl. Ind. or. 2, 401.
Schmidia bicolor Wight. Wight Ic. pl. Ind. or. 5, 1848.
Schmidtia laciniata Sch. Bip. Webb Canar. 121.
Schmidia utriculosa Sternb. Flora 1819, 1.
 — — Sturm Flora 11, 41.
 — — Rchb. Fl. germ. 1, 48.
 † — — Nees Gen. 1, 27.
 † *Schnella Raddi*. Mem. Mod. 18, 5.
Schoberia acuminata C. A. M. Ledeb. Ic. 44.
 — *corniculata* C. A. M. Ledeb. Ic. 195.
 † — — Ann. sc. nat. 23, 22.
 — *leiosperma* C. A. M. Ledeb. Ic. 45.
 † — *maritima* C. A. M. Nees Gen. 4, 62.
 — *microsperma* C. A. M. Eichwald Cauc. 13.
 † — *salsa* C. A. M. Nees Gen. 4, 62.
Schoenefeldia gracilis Kth. Humb. Gram. 53.
 — *ramosa* Trin. Trinius Sp. Gr. 3, 359.
Schoenia oppositifolia Steetz. Bot. Mag. 77, 4560.
 — — Lem. Jard. fl. 149.
 — — Fl. d. serres 6, 630.
Schoenoccephalum arthrophyllum Seub. Endl. Bras. 8, 18.
 — *Martianum* Seub. Endl. Bras. 8, 19.
Schoenodium tenax Lab. Bill. Nov. Holl. 229.
 † *Schoenorchis juncifolia* Reinw. Blume Tabellen 23.
 — — Blume Rumphia 193, 198.
 † *Schoenoxylum* N. v. E. Wiegmann Archiv 2, 6.
 † *Schoenus* L. Linné Amoenit 7, 3.
 — *aculeatus* L. Schreber Gräser 32.
 — *acutus* Lab. Bill. Nov. Holl. 18.
 — *albus* L. Fl. dan. 2, 320.
 — — Engl. Bot. 14, 985.
 — — Schk. Handb. 7.
 — — Host Gram. 372.
 — *arenarius* Schrad. Comm. Gott. rec. 7, 4.
 — *atratus* Schrad. Comm. Gott. rec. 7, 4.
 — *barbatus* Vahl. Vahl Ic. 2.
 — *cephalotes* Rottb. Rottboell Descr. 20.
 — *compar* L. Rottboell Descr. 18.
 — *compressus* L. var. Lightfoot Fl. scot. 2, 24.
 — — Engl. Bot. 11, 791.
 — — Pollich Palat. 1, 1.
 — — Fl. dan. 10, 1622.
 — *cuspidatus* Rottb. Rottboell Descr. 18.
 — *Fabri* Rottb. Rottboell Descr. 19.
 — *fasciatus* Rottb. Rottboell Descr. 16.
 — *ferrugineus* L. Schrader Fl. germ. 1.
 — — Host Gram. 371.
 — — Sturm Flora 10, 40.
 — — Fl. dan. 9, 1503.
 — — Sv. Bot. 369.

- Schoenus Filum* Lab. Bill. Nov. Holl. 19.
 — *floridus* Rudge. Rudge Pl. Guianae 18.
 — *fragiferus* Rudge. Rudge Pl. Guianae 17.
 — *fuscus* L. Engl. Bot. 22, 1575.
 — *globosus* H. B. Rudge Pl. Guianae 18.
 — *involucratus* Rottb. Rottboell Descr. 19.
 — *juncus* Willd. Willdenow Phytogr. 1.
 — *lanatus* Lab. Bill. Nov. Holl. 20.
 — *longifolius* Rudge. Rudge Pl. Guianae 16.
 — *Mariscus* L. Fl. dan. 7, 1202.
 — — Sv. Bot. 275.
 — — Engl. Bot. 14, 950.
 — — Lam. Encycl. 38.
 — — Host Gram. 253.
 — *monoicus* Sm. Engl. Bot. 20, 1410.
 — *mucronatus* L. Sibth. Fl. gr. 43.
 — — Host Gram. 370.
 — — Sturm Flora 10, 40.
 — — Rchb. Fl. germ. 8, 286.
 † — — Nees Gen. 2, 7.
 — *nigricans* L. Lam. Encycl. 38.
 — — Engl. Bot. 16, 1121.
 — — Baxter Brit. Bot. 4, 268.
 — — Sv. Bot. 515.
 — — Fl. dan. 13, 2281.
 — — Host Gram. 254.
 — — Sturm Flora 10, 40.
 — — Rchb. Fl. germ. 8, 286.
 † — — Nees Gen. 2, 7.
 — *paniculatus* Burm. Rheed. Hort. mal. 12, 67.
 — *pilosus* Willd. Willdenow Phytogr. 1.
 — *pusillus* Sw. Swartz Ic. Ind. occ. 6.
 — *rufus* Huds. Engl. Bot. 15, 1010.
 — *setaceus* Vahl. Rottboell Descr. 21.
 — *spadiceus* Vahl. H. B. K. Nov. Gen. 1, 69.
 — *sparsus* Michx. Elliott Carolina 2.
 — *surinamensis* Rottb. Rottboell Descr. 21.
 — *thermalis* L. Rottboell Descr. 18.
 — *triceps* Vahl. Vahl Ic. 3.
 — *umbellatus* Jacq. Jacq. Ic. 10.
 — *ustulatus* L. Rottboell Descr. 18.
Schoepfia fragrans Wall. Wallich Tentamen 9.
Schollera graminifolia Willd. Barton Fl. 2, 54.
 — — Torrey New York 133.
 — *Oxycoccus* Roth. Dreves 3, 86.
 — — Hayne 4, 18.
Schollia crassifolia Jacq. Jacq. Ecl. pl. 2, 101.
Schomburgkia caleoides DC. DC. Composées 9.
Schomburgkia crispa Ldl. Lindley Sertum 10.
 — — Bot. Reg. 30, 23.
 — *marginata* Ldl. Lindley Sertum 13.
 — — var. Bot. Mag. 66, 3729.
 — *tibicinis* Batem. Bateman Orchid. 30.
 — — var. *grandiflora*, Bot. Reg. 31, 30.
 — — var. *grandiflora*, Bot. Mag. 75, 4476.
 — — var. *grandiflora*, Fl. d. serres 1, 49.
 — *undulata* Ldl. Bot. Reg. 31, 53.
Schotia latifolia Jacq. Jacq. Fragn. 15.
 — — Jacq. Ecl. pl. 126.
 — — Hook. Exot. Fl. 159.
 — *parvifolia* Jacq. Jacq. Fragn. 136.
 — *speciosa* Jacq. Jacq. Ic. 75.
 — — Andr. Rep. 5, 348.
 — — Lam. Encycl. 331.
 — — Herb. amat. 1, 58.
 — *tamarindifolia* Afz. Bot. Mag. 29, 1153.
 — — Rchb. Exot. 230.
Schouwia arabica DC. Hook. Ic. pl. 3, 223.
 — *brassicaefolia* Jaub. Jaubert Illustr. 298.
 — *glastifolia* Jaub. Jaubert Illustr. 297.
 † *Schradera scandens* Willd. Roemer Archiv I. 3, 7.
Schradera capitata Vahl. Vahl Ecl. 6.

- Schradera ligularis* Rudge. Rudge Pl. Guianae 45.
 — *stellata* Benth. Benth. Sulphur 40.
 † *Schranckia Medikus*. Medikus Gattungen 1.
Schrebera albens Retz. Retzius Observ. 6, 3.
Schrebera schinoides Thunb. Thunberg Prodr. Cap. 2.
Schrebera swietenoides Roxb. Roxb. Corom. 101.
 — — — Tratt. Archiv 11. 11.
 — — — Wight Illustr. 162.
Schubertia auricoma Ch. Lem. Fl. d. serres 2, 169.
 — *graveolens* Ldl. Bot. Reg. 32, 21.
 — *multiflora* Mart. Mart. Bras. 33.
Schuebleria conferta Mart. Mart. Bras. 186.
 — *diffusa* Mart. Mart. Bras. 186.
 — *patula* Mart. Mart. Bras. 189.
 — *stricta* Mart. Mart. Bras. 187.
Schultesia crenuliflora Mart. Mart. Bras. 180.
 — *gracilis* Mart. Mart. Bras. 181.
 — *stenophylla* Mart. Mart. Bras. 182.
Schumacheria castaneaefolia Vahl. Wight Illustr. 4.
 † *Schurmansia elegans* Bl. Blume Mus. 1, 32.
 † *Schwalbea americana* L. Gaertn. Carp. 55.
 — — — Lam. Encycl. 520.
 † *Schwannia elegans* Juss. Arch. Mus. 3, 22.
Schweiggera comans Mart. Mart. Bras. 297.
 † *Schweiggeria floribunda* St. Hil. St. Hil. Pl. remarq. 26.
 — — — Mem. Mus. 11, 22.
 — *pauciflora* Mart. Bot. Reg. 27, 40.
Schweinitzia odorata Ell. Gray Chloris 2.
Schwenckia americana L. Schwencke Descriptio 1.
 † — — — Gaertn. Carp. 214.
 — — *H. B. K.* H. B. K. Nov. Gen. 2, 180.
 — *browalliioides* H. B. K. H. B. K. Nov. Gen. 2, 181.
 — *glabrata* H. B. K. H. B. K. Nov. Gen. 2, 178.
 — *guianensis* Benth. Miquel Surinam 35.
 — *Hilariana* DC. DC. Hortus genev. 10.
 — *patens* H. B. K. H. B. K. Nov. Gen. 2, 179.
 † *Schwenkfeldia* Schreb. Swartz Fl. ind. occ. 10.
 — *umbellata* R. et P. Ruiz et Pav. Fl. 200.
Schwerinia superba Karst. Karsten Auswahl 4.
 — — — Fl. d. serres 8, 767.
Schychowskia ruderalis Endl. Annal. d. Wien. Mus. 1, 13.
Sciadocalyx Warszewiczii Reg. Regel Gartenflora 2, 61.
Sciadopitys verticillata S. et Z. Sieb. Fl. Jap. 101—102.
Sciaphila erubescens Miers. Transact. Linn. Soc. 21, 6.
 — *maculata* Miers. Transact. Linn. Soc. 21, 6.
 † — *nana* Bl. Blume Mus. 1, 48.
 — *picta* Miers. Transact. Linn. Soc. 21, 6.
 † — *tenella* Bl. Blume Mus. 1, 48.
 — *Torresiana* Gaudich. Freycinet Voyage 120.
 † *Scilla* L. Kerner Genera 8.
 † — — Ann. sc. nat. II. 11, 1.
 — *amethystina* Vis. Visiani Dalm. 4.
 — — — Rchb. Fl. germ. 10, 463.
 — *amoena* L. Jacq. Fl. austr. 3, 218.
 — — — Bot. Mag. 10, 341. 26, 1025.
 — — — Lodd. Cab. 1015.
 — — — Red. Lil. 3, 130. 5, 298.
 — — — Schk. Handb. 94.
 — — — Rchb. Fl. germ. 10, 464.
 † — — — Nees Gen. 2, 46.
 — *amoenua* Hornem. Bot. Mag. 50, 2408.
 — *autumnalis* L. Curt. Lond. 1, 90.
 — — — Engl. Bot. 2, 78.
 — — — Bot. Mag. 23, 919.
 — — — Cav. Ic. 274.
 — — — Red. Lil. 6, 317.
 — — — Rchb. Fl. germ. 10, 463.
 † — — — Ann. sc. nat. II. 1, 4.
 — *Berthelotii* Webb. Webb Canar. 232.
 — *biflora* R. et P. Ruiz et Pav. Fl. 302.
 — *bifolia* L. Jacq. Fl. austr. 2, 117.
 — — — Fl. dan. 4, 568.

- Scilla bifolia* L. Roemer Fl. europ. 5, 4.
 — — — Red. Lil. 5, 254.
 — — — Herb. amat. 1, 47.
 — — — Engl. Bot. 1, 24.
 — — — Bot. Mag. 20, 746.
 — — — Lodd. Cab. 283.
 — — — var. *alba*, Lodd. Cab. 1462.
 — — — Baxter Brit. Bot. 2, 95.
 — — — Paxt. Mag. 14, 100.
 — — — var. Fl. d. serres 2, 71.
 — — — Dietr. Fl. bor. 4, 224.
 — — — Rchb. Fl. germ. 10, 464.
 — *brevifolia* Gawl. Bot. Mag. 36, 1468.
 — *campanulata* Ait. Bot. Mag. 4, 129.
 — *campanulata* Ait. Bot. Mag. 28, 1102.
 — — — Red. Lil. 8, 433.
 — — — Lam. Encycl. 238.
 — — — Annales de Gand 1846, 48.
 — *comata* Hoffmannsegg. Rchb. Fl. germ. 10, 463.
 — *Cupaniana* Guss. Bot. Reg. 22, 1878.
 — *dasyantha* Webb. Webb Canar. 231.
 — *esculenta* Gawl. var. *coerulea*, Bot. Mag. 38, 1574.
 — — — var. *alba*, Bot. Mag. 54, 2774.
 † — *fallax* Steinh. Ann. sc. nat. II. 1, 4.
 † — *fugax* Moris. Mutel Fl. fr. 73.
 — *haemorrhoidalis* Webb. Webb Canar. 230.
 — *hyacinthoides* Jacq. Jacq. Ic. 65.
 — — L. Bot. Mag. 28, 1140.
 — — — Rchb. Fl. germ. 10, 465.
 — *japonica* Thunb. Thunberg Ic. Jap. 34.
 — *iridifolia* Webb. Webb Canar. 233.
 — *italica* L. Bot. Mag. 18, 663.
 — — — Lodd. Cab. 1483.
 — — — Red. Lil. 6, 304.
 — — — Herb. amat. 2, 103.
 — — — Rchb. Fl. germ. 10, 464.
 — *Liliihyacinthus* L. Roemer Scriptores 1.
 — — — Red. Lil. 4, 203.
 — *lingulata* Desf. Desf. Fl. atl. 85.
 — — — Red. Lil. 6, 321.
 — *lusitanica* L. Bot. Mag. 45, 1999.
 — *maritima* L. Woodv. Med. 4, 255.
 — — — Red. Lil. 2, 116.
 — — — Hayne 11, 21.
 — — — Guimpel et Schl. 13.
 — — — Nees Dusseld. 55.
 — — — Wagner 83. 84.
 — — — Rchb. Fl. germ. 10, 466.
 — *non scripta* Link. Bot. Mag. 36, 1461.
 — — — Red. Lil. 4, 224.
 — *nutans* Sm. Engl. Bot. 6, 377.
 — *obtusifolia* Poir. Desf. Fl. atl. 86.
 — — — Red. Lil. 4, 190.
 † — — — Mutel Fl. fr. 73.
 † — — — Ann. sc. nat. II. 1, 4.
 † — *parviflora* Desf. Desf. Fl. atl. 87.
 † — — — Ann. sc. nat. II. 1, 4.
 — *patula* DC. Red. Lil. 4, 223.
 — — — Gaudin Fl. helv. 2, 15.
 — *peruviana* L. Bot. Mag. 20, 749.
 — — — Red. Lil. 3, 167.
 — — — Desc. Ant. 4, 285.
 — — — Kerner Hort. 640.
 — — — var. *discolor*, Bot. Reg. 29, 48.
 — — — Rchb. Fl. germ. 10, 465.
 — *plumbea* Ldl. Bot. Reg. 16, 1355.
 — *pomeridiana* DC. Red. Lil. 8, 421.
 — *praecox* Willd. Sweet Fl. G. II. 141.
 — *pratensis* W. et K. W. et Kit. 189.
 — — — Bot. Reg. 25, 63.
 — — — Rchb. Fl. germ. 10, 463.
 — *pumila* Brot. Brotero Phytogr. 46.

- Scilla pumila* Brot. Bot. Mag. 57, 3023.
 — *romana* Gawl. Bot. Mag. 24, 939.
 — *serotina* Gawl. Bot. Mag. 22, 839. 29, 1188.
 — *siberica* Andr. Andr. Rep. 6, 365.
 — — Lodd. Cab. 151.
 — — Liboschitz Petersb. 40.
 — — Paxt. Mag. 14, 100.
 — *umbellata* Ram. Bull. philom. 1800. no. 40.
 — — Red. Lil. 3, 166.
 — — Herb. amat. 3, 153.
 — *undulata* Desf. Desf. Fl. atl. 88.
 — *verna* Huds. Engl. Bot. 1, 23.
 — — Lodd. Cab. 1736.
 † — — Lam. Encycl. 238.
 — — Rchb. Fl. germ. 10, 463.
 — *villosa* Desf. Desf. Fl. atl. 85.
 — — Bot. Mag. 60, 3211.
Scindapsus decursivus Schott. Wight Ic. pl. Ind. or. 3, 779.
 — *officinalis* Schott. Wight Ic. pl. Ind. or. 3, 779.
 — *Peepla* Schott. Wight Ic. pl. Ind. or. 3, 780.
 — *pertusus* Schott. Wight Ic. pl. Ind. or. 3, 781.
 † *Scirpidium aciculare* N. v. E. Nees Gen. 2, 19.
 † *Scirpus* L. Linné Amoenit. 7, 3.
 † — — Lam. Encycl. 38.
 † — — Nees Gen. 2, 15.
 — *acicularis* L. Fl. dan. 1, 167. 2, 287.
 — — Sv. Bot. 605.
 — — Curt. Lond. 4, 49.
 — — Engl. Bot. 11, 749.
 — — Host Gram. 260.
 — — Rchb. Fl. germ. 8, 294.
 — *alpinus* Schleich. Rchb. Fl. germ. 8, 300.
 — *anceps* Willd. Mag. naturf. Fr. 2, 8.
 — *annuus* All. Allione Fl. ped. 3, 88.
 — — Host Gram. 263.
 — — Mutel Fl. fr. 73.
 — *argenteus* Rottb. Rottboell Descr. 17.
 — *atropurpureus* Retz. Rchb. Fl. germ. 8, 295.
 — *atrovirens* Willd. Willdenow Hortus 99.
 — *autumnalis* L. Rottboell Descr. 17.
 — — Mag. naturf. Fr. 2, 8.
 — *Bacothryon* Ehrh. Sv. Bot. 563.
 — — Dreves 3, 94.
 — — Sturm Flora 3, 10.
 — — Rchb. Fl. germ. 8, 299.
 — *barbatus* Rottb. Rottboell Descr. 17.
 — *bromeliaefolius* Rudge. Rudge Pl. Guianae 24.
 — *bulbosus* Rottb. Rottboell Descr. 16.
 — *caducus* Delile. Delile Egypte 6.
 — *caespitosus* L. Fl. dan. 11, 1861.
 — — Sv. Bot. 563.
 — — Engl. Bot. 15, 1029.
 — — Host Gram. 269.
 — — Sturm Flora 3, 10.
 — — Rchb. Fl. germ. 8, 300.
 — *campestris* Roth. Dreves 3, 95.
 — *capensis* Rottb. Rottboell Descr. 16.
 — *caribaeus* Rottb. Rottboell Descr. 15.
 — *Caricis* Retz. Host Gram. 257.
 — *carinatus* Sm. Curt. Lond. 4, 79.
 — — Engl. Bot. 28, 1983.
 — *carniolicus* Koch. Rchb. Fl. germ. 8, 294.
 — *cephalotes* L. Jacq. Vind. 97.
 — *ciliaris* L. Rottboell Descr. 17.
 — *clathratus* Rchb. Rchb. Fl. germ. 8, 301.
 — *compressus* Pers. Sturm Flora 19, 85.
 — *debilis* Pursh. Torrey New York 139.
 — *dichotomus* L. Rottboell Descr. 13.
 — — Sibth. Fl. gr. 50.
 — — Mutel Fl. fr. 75.
 — *dipsaceus* Rottb. Rottboell Descr. 22.
 — *divaricatus* Ell. Elliott Carolina 2.

- Scirpus Duvalii* Hoppe. Sturm Flora 9, 36.
 — — — Rchb. Fl. germ. 8, 308.
 — — — Fl. dan. 10, 1743.
 — *fimbrisetus* Delile. Delile Egypte 7.
 — *fluitans* L. Fl. dan. 7, 1082.
 — — — Engl. Bot. 3, 216.
 — — — Sturm Flora 19, 85.
 — — — Rchb. Fl. germ. 8, 298.
 — *glaucus* Sm. Engl. Bot. 33, 2321.
 — — — Fl. dan. 11, 1922.
 — *glomeratus* L. Host Gram. 368.
 — *gracilis* Rudge. Linn. Transact. 10, 15.
 — — *Salzm.* Rchb. Fl. germ. 8, 294.
 — *Holoschoenus* L. Fl. dan. 3, 454.
 — — — Engl. Bot. 23, 1612.
 — — — Host Gram. 262.
 — — — Sturm Flora 9, 36.
 — *hottentottus* L. Rottboell Descr. 16.
 — *iridifolius* Bory. Bory des d'Afrique 23, 23^{ble}.
 — *lacustris* L. Fl. dan. 7, 1142.
 — — — Sv. Bot. 150.
 — — — Curt. Lond. 4, 91.
 — — — Engl. Bot. 10, 666.
 — — — Host Gram. 261.
 — — — Sturm Flora 9, 36.
 — — — Rchb. Fl. germ. 8, 306.
 — *Lereschii* Thomas. Rchb. Fl. germ. 8, 295.
 — *limosus* Schrad. Comm. Gott. rec. 7, 2.
 † *litoralis* Schrad. Schrader Fl. germ. 5.
 — — — Sturm Flora 19, 85.
 — — — Rchb. Fl. germ. 8, 309.
 — *macrostachys* Willd. Rchb. Fl. germ. 8, 286.
 — *maritimus* L. Fl. dan. 6, 937.
 — — — Sv. Bot. 240.
 — — — Curt. Lond. 3, 104.
 — — — Engl. Bot. 8, 542.
 — — — Baxter Brit. Bot. 4, 261.
 — — — Dict. sc. nat. 13.
 — — — Schk. Handb. 8.
 — — — Roemer Fl. europ. 12, 1.
 — — — Host Gram. 267.
 — — — Sturm Flora 4, 13.
 — — — Rchb. Fl. germ. 8, 310. 311.
 — *Michelianus* L. Usteri Annalen 2, 2.
 — — — Host Gram. 269.
 — — — Sturm Flora 19, 85.
 — — — Rchb. Fl. germ. 8, 312.
 — *miliaceus* L. Burmann Fl. ind. 9.
 — — — Rottboell Descr. 5.
 — *monander* Rottb. Rottboell Descr. 14.
 — *mucronatus* L. Delile Egypte 7.
 — — — Host Gram. 266.
 — — — Sturm Flora 9, 36.
 — — — Rchb. Fl. germ. 8, 303.
 — *multicaulis* Sm. Engl. Bot. 17, 1187.
 — — — Desvaux Journal 5, 21.
 — — — Fl. dan. 11, 1923.
 — — — Rchb. Fl. germ. 8, 296.
 — *nodosus* Rottb. Rottboell Descr. 8.
 — *ovatus* Roth. Fl. dan. 11, 1801.
 — — — Host Gram. 256.
 — — — Rchb. Fl. germ. 8, 293.
 — *palustris* L. Fl. dan. 2, 273.
 — — — Engl. Bot. 2, 131.
 — — — Sv. Bot. 257.
 — — — Host Gram. 255.
 — — — Rchb. Fl. germ. 8, 297.
 — *parvulus* R. et Sch. Sturm Flora 19, 85.
 — — — Rchb. Fl. germ. 8, 299.
 — — — Fl. dan. 13, 2161.
 — *paniciflorus* Lightf. Engl. Bot. 16, 1122.
 — — — Fl. dan. 11, 1862.

- Scirpus pauciflorus* Lightf. Host Gram. 258.
 — — — Sturm Flora 3, 10.
 — — — Rchb. Fl. germ. 8, 299.
 — — — *planifolius* Mühlenb. Barton Fl. 3, 86.
 — — — *plantaginoides* Rottb. Rottboell Descr. 15.
 — — — *polytrichoides* Retz. Rumpf Amb. 6, 7. fig. 1.
 — — — *prolifer* Rottb. Rottboell Descr. 17.
 — — — Aub. Th. Aubert Th. Mélanges 7.
 — — — *pubescens* Desf. Desf. Fl. atl. 10.
 — — — *pulcher* Rudge. Rudge Pl. Guianae 23.
 — — — *pungens* Vahl. Engl. Bot. 2819.
 — — — Sturm Flora 9, 36.
 — — — Rchb. Fl. germ. 8, 304.
 — — — *quadrangularis* Michx. Elliott Carolina 3.
 — — — *radicans* Schk. Usteri Annalen 4, 1.
 — — — Host Gram. 369.
 — — — Sturm Flora 9, 36.
 — — — Rchb. Fl. germ. 8, 314.
 — — — Fl. dan. 10, 1742.
 — — — *romanus* L. Jacq. Fl. austr. 5, 448.
 — — — Sturm Flora 9, 36.
 — — — *Rothii* Hoppe. Sturm Flora 9, 36.
 — — — Rchb. Fl. germ. 8, 304.
 — — — *rufus* Schrad. Schrader Fl. germ. 1.
 — — — Sturm Flora 19, 85.
 — — — Fl. dan. 9, 1504.
 — — — *Savii* Sebast. Mutel Fl. fr. 75.
 — — — Engl. Bot. 2782.
 — — — Rchb. Fl. germ. 8, 301.
 † — — *setaceus* L. Gaertn. Carp. 2.
 — — — Fl. dan. 2, 311.
 — — — Rottboell Descr. 15.
 — — — Curt. Lond. 4, 97.
 — — — Engl. Bot. 24, 1693.
 — — — Host Gram. 268.
 — — — Sturm Flora 3, 10.
 — — — Rchb. Fl. germ. 8, 301.
 — — — *silvaticus* L. Fl. dan. 2, 307.
 — — — Engl. Bot. 13, 919.
 — — — Host Gram. 268.
 — — — Schrank Fl. monac. 4, 387.
 — — — Sturm Flora 9, 36.
 — — — Rchb. Fl. germ. 8, 313.
 — — — *spiralis* Rottb. Rottboell Descr. 15.
 — — — *squarrosus* L. Rottboell Descr. 17.
 — — — *sulcatus* Aub. Th. Aubert Th. Mélanges 7.
 — — — *supinus* L. Schrader Fl. germ. 1.
 — — — Host Gram. 264.
 — — — Sturm Flora 19, 85.
 — — — Rchb. Fl. germ. 8, 302.
 — — — *Tabernaemontani* Gm. Rchb. Fl. germ. 8, 307.
 — — — *tenuifolius* Rudge. Rudge Pl. Guianae 22.
 — — — DC. Rchb. Fl. germ. 8, 304.
 — — — *trigonus* Roth. Sturm Flora 9, 36.
 — — — *triqueter* L. Curt. Lond. 4, 92.
 — — — Engl. Bot. 24, 1694.
 — — — Fl. dan. 12, 1993.
 — — — Sturm Flora 9, 36.
 — — — Rchb. Fl. germ. 8, 305.
 — — — Vahl. Fl. dan. 9, 1563.
 — — — *tristachyos* Rottb. Rottboell Descr. 13.
 — — — *tuberosus* Roxb. Roxb. Corom. 231.
 † — — *uniglumis* Link. Mutel Fl. fr. 75.
 — — — Rchb. Ic. crit. 2, 182.
 — — — Rchb. Fl. germ. 8, 296.
 † *Scitamineae* R. Br. Linn. Transact. 8, 20.
 † — — Schnitzl. Iconogr. 1, 68.
Sciuris bracteata N. et M. Acta Leop. 11. 1, 18. 20.
 † — — *multiflora* N. et M. Acta Leop. 11. 1, 18.
Sclerachne punctata R. Br. Bennett Java 4.
 † *Scleranthus* L. Gray Genera 102.
 † — — *annuus* L. Gaertn. Carp. 126.

- Scleranthus annuus* L. Fl. dan. 3, 504.
 — — — Engl. Bot. 5, 351.
 — — — Baxter Brit. Bot. 6, 439.
 — — — Gray Genera 102.
 — — — Dietr. Fl. bor. 9, 629.
 † — — — Nees Gen. 4, 77.
 — — — *neglectus* Roch. Rochel Banat. 3.
 — — — *perennis* L. Fl. dan. 4, 563.
 — — — Engl. Bot. 5, 352.
 — — — Lam. Encycl. 374.
 — — — Schk. Handb. 120.
 — — — Dietr. Fl. bor. 9, 630.
 † *Scleria* L. Swartz Fl. Ind. occ. 3.
 — — — *bracteata* Cav. Cav. Ic. 457.
 — — — *Flabellum* Sw. Rumpf Amb. 6, s. fig. 1.
 — — — Lam. Encycl. 752.
 — — — *flagellum nigrorum* Berg. Svensk Acad. 1765, 4.
 — — — *Kunthii* Miq. Miquel Sertum 2.
 — — — *lithosperma* Willd. Rheede Hort. mal. 12, 48.
 — — — Rumpf Amb. 6, 6.
 — — — *macrocarpa* Moric. Moricand Pl. Am. 49.
 † — — *margaritifera* Gaertn. Gaertn. Carp. 2.
 — — — *mitis* Berg. Svensk Acad. 1765, 5.
 — — — Dict. sc. nat. 16.
 — — — *pratensis* Ldl. Endl. Bras. 3, 23.
 — — — *reticulata* Michx. Elliott Carolina 12.
 — — — *sumatrensis* Retz. Retzius Obs. 5, 2.
Sclerocarpus africanus Jacq. Jacq. Ic. 176.
 — — — Lam. Encycl. 701.
Sclerochloa dura Pal. B. Rchb. Fl. germ. 1, 58.
 — — — *maritima* Rchb. Rchb. Fl. germ. 1, 58.
 — — — *procumbens* Pal. B. Rchb. Fl. germ. 1, 58.
 — — — *rigida* Rchb. Rchb. Fl. germ. 1, 58.
 † — — — Nees Gen. 1, 67.
 † *Sclerolepis Kalmii* Momm. Monnier Essai 4.
Sclerolobium chrysophyllum P. et E. Poepp. et Endl. 266.
Sclerophylax Arnottii Miers. Miers Illustr. 26.
 — — — *Gilliesii* Miers. Miers Illustr. 26.
 — — — *spinescens* Miers. Miers Illustr. 25.
Scleropyrum Wallichianum Arn. Wight Ic. pl. Ind. or. 1, 241.
 † *Sclerosciadium* DC. DC. Umbelliferae 1.
Sclerostylis atalantoides W. et A. Wight Ic. pl. Ind. or. 1, 71.
 — — — *Roxburghii* Wight. Wight Ic. pl. Ind. or. 1, 72.
Sclerotrrix fasciculata Presl. Presl Symbolae 53.
Scolochloa festucacea Link. Rchb. Fl. germ. 1, 71.
 † — — — Nees Gen. 1, 62.
Scolopendrium ambiguum Raddi. Raddi Fil. 57.
 — — — *Ceterach* Sm. Engl. Bot. 18, 1244.
 — — — Newman p. 293.
 — — — *Hemionitis* Cav. Anales de hist. nat. 5, 41.
 — — — Schk. Fil. 84.
 — — — *Krebsii* Kze. Kunze Fil. 74.
 — — — Bot. Mag. 80, 4768.
 — — — *Lindeni* Hook. Hook. Ic. pl. 5, 488.
 — — — *Lingua* Sw. Sv. Bot. 143.
 — — — *longifolium* Presl. Presl Reliq. 9.
 † — — — *minus* Fée. Fée Fil. 5, 17.
 — — — *officinarum* Sm. Schk. Fil. 83.
 † — — — Hook. Gen. Fil. 57.
 ! — — — Hopkirk Fl. anom. 3.
 † — — — Ann. sc. nat. III. 11, 2. 3.
 — — — *pinnatum* Sm. Kunze Fil. 56.
 — — — *sagittatum* DC. Hook. Ic. pl. 3, 213.
 — — — *D'Urvillaei* Bory. Bory Coquille 37.
 — — — Kunze Fil. 5.
 — — — *vulgare* Sm. Curt. Lond. 1, 119.
 — — — Engl. Bot. 16, 1150.
 — — — Newman p. 289. 292.
 † *Scolopia pusilla* Willd. Lam. Encycl. 423.
 † *Scolosanthus versicolor* Vahl. Vahl Eclogae 10.

- † *Scolymus L.* Gaertn. Carp. 157.
 † — — Lam. Encycl. 659.
 — — *grandiflorus Desf.* Desf. Fl. atl. 218.
 — — — Lam. Encycl. 659.
 — — *hispanicus L.* Sibth. Fl. gr. 825.
 — — *maculatus L.* Schk. Handb. 227.
 — — — Sibth. Fl. gr. 824.
 † *Scoparia dulcis L.* Gaertn. Carp. 53.
 † — — — Lam. Encycl. 85.
 — — — Pal. B. Fl. d'Oware 115.
 — — — Desc. Ant. 2, 106.
 — — *flava Cham. et Schl.* Link Ic. I. 60.
 † *Scopolia lucida Forst.* Forster Charact. 70.
 † — — — Lam. Encycl. 869.
Scopolia carnioica Jacq. Jacq. Observ. 20.
 † — — — Nees Gen. 5, 55.
Scopolina atropoides Schult. Sturm Flora 6, 21.
 — — — Brandt und Ratzeb. 16.
 † — — — Nees Gen. 5, 55.
Scordium spinosum Cav. Cav. Ic. 31.
 † *Scorodonia heteromalla Moench.* Nees Gen. 6, 46.
Scorpiurus acutifolia Viv. Viviani Lib. 19.
 — — *laevigata Sibth.* Sibth. Fl. gr. 719.
 — — *subvillosa L.* Schk. Handb. 208.
 † — — *sulcata L.* Gaertn. Carp. 155.
 † — — — Lam. Encycl. 631.
 † — — — Schk. Handb. 208.
 — — — Sibth. Fl. gr. 719.
 † — — *vermiculata L.* Gaertn. Carp. 155.
 † — — — Lam. Encycl. 631.
 † — — — Schk. Handb. 208.
Scorzonera alpina Hoppe. Sturm Flora 13, 51.
 — — *angustifolia L.* W. et Kit. 122.
 — — *araneosa Sibth.* Sibth. Fl. gr. 785.
 — — *aspera Desf.* Ann. Mus. 1, 9.
 — — *baetica Boiss.* Boissier Esp. 115.
 — — *brevicaulis Vahl.* Vahl Symbolae 44.
 — — *calcitrapifolia Willd.* Sibth. Fl. gr. 787.
 — — *Columnae Guss.* Gussone Pl. rar. 54.
 — — *coronopifolia Desf.* Desf. Fl. atl. 212.
 — — *crocifolia Sibth.* Sibth. Fl. gr. 786.
 — — *elongata Willd.* Sibth. Fl. gr. 789.
 — — *eriosperma M. v. B.* Marschall Cent. 69.
 — — *fistulosa Brot.* Hoffm. et Link Fl. port. 89.
 — — *graminifolia L.* Jacq. Observ. 100.
 — — — Hoffm. Sibth. Fl. gr. 784.
 — — *grandiflora Lapeyr.* Sturm Flora 13, 51.
 † — — *hispanica L.* Gaertn. Carp. 159.
 † — — — Lam. Encycl. 647.
 — — — Nees Düssel. 251.
 — — — var. *Rochel Banat* 30.
 — — *humilis L.* Fl. dan. 5, 816.
 — — — var. *β.* Fl. dan. 10, 1653.
 — — — Sv. Bot. 212.
 — — — Jacq. Fl. austr. 1, 36.
 — — — Dietr. Fl. bor. 9, 598.
 † — — *laciniata L.* Gaertn. Carp. 159.
 † — — — Lam. Encycl. 647.
 † — — — Schk. Handb. 215.
 — — — Jacq. Fl. austr. 4, 356.
 — — — Sibth. Fl. gr. 788.
 — — *latifolia Vis.* Visiani Dalm. 5.
 — — *laesnica Bory.* Bory et Chaub. Morée 28.
 — — *mollis M. v. B.* Bot. Mag. 57, 3027.
 — — *octangularis Willd.* Gussone Pl. rar. 55.
 — — *parviflora Jacq.* Jacq. Fl. austr. 4, 305.
 † — — *picroides L.* Schk. Handb. 215.
 — — *pumila Cav.* Cav. Ic. 121.
 — — *purpurea L.* Scopoli Fl. carn. 2, 46.
 — — — Jacq. Fl. austr. 1, 35.
 — — — Bot. Mag. 49, 2294.
 — — — Lam. Encycl. 647.

- Scorzonera purpurea L.* Dietr. Fl. bor. 9, 597.
 — — *pygmaea Sibth.* Sibth. Fl. gr. 783.
 — — *rosea W. et K.* W. et Kit. 121.
 — — *serrulata Viv.* Viviani Lib. 17.
 — — *taraxacifolia Jacq.* Jacq. Ic. 160.
 — — *Tenoril Presl.* Gussone Pl. rar. 55.
 — — *tingitana L.* Bot. Mag. 4, 142.
 — — — Schk. Handb. 215.
 — — *trachysperma Günth.?* Gussone Pl. rar. 53.
 — — *tuberosa Pall.* Sprengel Gesch. d. Bot. 1.
 — — *undulata Desf.* Lam. Encycl. 647.
 — — *villosa Scop.* Scopoli Fl. carn. 2, 46.
Scottia angustifolia Ldl. Bot. Reg. 15, 1266.
 — — *dentata R. Br.* Bot. Reg. 15, 1233.
 — — — Maund Bot. 3, 134.
 — — — Lodd. Cab. 1458.
 — — — Rchb. Exot. 314.
 — — *laevis Ldl.* Bot. Reg. 19, 1652.
 † *Scrophularia L.* Mem. Genev. 4, 1.
 — — *altaica Murr.* Comm. Gott. 4, 2.
 — — *appendiculata Jacq.* Jacq. Schoenbr. 3, 286.
 † — — *aquatica L.* Gaertn. Carp. 53.
 † — — — Usteri Annalen 5, 4.
 † — — — Schk. Handb. 173.
 † — — — Lam. Encycl. 533.
 — — — Rivinus Opus ined. 91.
 — — — Fl. dan. 3, 507.
 — — — Curt. Lond. 2, 83.
 — — — Engl. Bot. 12, 854.
 — — — Jardine Annals 5, 1.
 — — — Hayne 5, 36.
 — — — Sturm Flora 6, 23.
 — — — Schrank Fl. monac. 3, 259.
 — — — Dietr. Fl. bor. 2, 128.
 — — *arguta Ait.* Webb Canar. 179. (errore 177.)
 — — *auriculata Scop.* Scopoli Fl. carn. 1, 32.
 † — — *L.* Schk. Handb. 173.
 — — *bicolor Sm.* Sibth. Fl. gr. 602.
 — — — Gussone Pl. rar. 44.
 — — *Boissieriana Jaub.* Jaubert Illustr. 223.
 — — *caesia Sm.* Sibth. Fl. gr. 604.
 — — *calliantha Webb.* Webb Canar. 180.
 — — *canescens Bong.* Acad. Petersb. 6, 12.
 — — *canina L.* Sibth. Fl. gr. 598.
 — — — Rchb. Ic. crit. 8, 728.
 — — *chrysantha Jaub.* Jaubert Illustr. 220.
 — — *chrysanthemifolia Willd.* Willdenow Hortus 59.
 — — *M. v. B.* Rchb. Ic. crit. 8, 729.
 — — *Balb.* Gussone Pl. rar. 45.
 — — *cretacea Fisch.* Mem. Genev. 4, 4.
 — — *deserti Delile.* Delile Egypte 33.
 — — *divaricata Led.* Ledeb. Ic. 121.
 — — *ebulifolia Link.* Hoffm. et Link Fl. port. 54.
 — — *Ehrharti Stev.* Jardine Annals 5, 1.
 — — — Engl. Bot. 2875.
 † — — — Flora 1853, 7.
 — — *ficifolia Mill.* Sibth. Fl. gr. 600.
 — — *filicifolia Sm.* Rivinus Opus ined. 94.
 — — *glabrata Ait.* Jacq. Schoenbr. 2, 209.
 — — *glandulosa W. et K.* W. et Kit. 214.
 — — *glauca Sm.* Sibth. Fl. gr. 599.
 — — *grandiflora DC.* Rchb. Hort. 98.
 — — *Herminii Link.* Hoffm. et Link Fl. port. 53.
 — — — Brotero Phytogr. 148.
 — — *heterophylla Willd.* Sibth. Fl. gr. 603.
 — — *hypericifolia Wydler.* Mem. Genev. 4, 5.
 — — *incisa Weinm.* Ledeb. Ic. 146.
 — — *laciniata W. et K.* W. et Kit. 170.
 — — *livida Sm.* Sibth. Fl. gr. 601.
 — — *lucida L.* Willdenow Hortus 57.
 — — — Gussone Pl. rar. 43.
 — — *lyrata Willd.* Willdenow Hortus 55.

- Scrophularia mellifera* Vahl. Desf. Fl. atl. 143.
 — multifida Willd. Willdenow Hortus 58.
 — — Gussone Pl. rar. 43.
 — nodosa L. Rivinus Opus ined. 92.
 — — Fl. dan. 7, 1167.
 — — Sv. Bot. 315.
 — — Woodv. Med. 5, 11.
 — — Engl. Bot. 22, 1544.
 — — Baxter Brit. Bot. 5, 385.
 † — — Lam. Encycl. 533.
 — — Hayne 5, 35.
 — — Sturm Flora 6, 23.
 — — Dietr. Fl. bor. 2, 127.
 † — — Nees Gen. 5, 29.
 † — — Flora 1853, 1.
 — Oliverii Wylder. Jaubert Illustr. 222.
 — orientalis L. Schk. Handb. 173.
 — — Jaubert Illustr. 221.
 — peregrina L. Sibth. Fl. gr. 597.
 † — — Nees Gen. 5, 29.
 — rupestris M. v. B. Rchb. Ic. crit. 3, 258.
 — sambucifolia L. Rivinus Opus ined. 93.
 — Scorodonia L. Engl. Bot. 31, 2209.
 — Smithii Hornem. Webb Canar. 178.
 — sublyrata Brot. Brotero Phytogr. 147.
 — tanacetifolia Willd. Willdenow Hortus 56.
 — Urvillei Wylder. Mem. Genev. 4, 2, 3.
 — variegata M. v. B. Rchb. Ic. crit. 3, 257.
 — vernalis L. Fl. dan. 3, 411.
 — — W. et Kit. 73.
 — — Curt. Lond. 4, 70.
 — — Engl. Bot. 8, 567.
 † — — Schk. Handb. 173.
 — — Sturm Flora 6, 23.
 — — Dietr. Fl. bor. 2, 97.
 † — — Ann. sc. nat. 8, 27.
 † — — Nees Gen. 5, 29.
 † Scrophularineae Juss. Wight Illustr. 142. 165 bis.
 † — — (Embryo.) Ann. sc. nat. III. 12, 3, 4.
 † Scutellaria L. Ann. sc. nat. II. 3, 1.
 — albida L. Sibth. Fl. gr. 581.
 — alpina L. Allione Fl. ped. 3, 26.
 — — W. et Kit. 137.
 — — Roemer Fl. europ. 11, 6.
 — — Bot. Reg. 17, 1460.
 — — var. lupulina, Bot. Reg. 18, 1493.
 — — Sweet Fl. G. 99.
 — — var. β . Sweet Fl. G. II. 399.
 † — — Nees Gen. 6, 22.
 — altissima L. Bot. Mag. 52, 2548.
 — arabica Jaub. et Sp. Jaubert Illustr. 376.
 — caroliniana Lam. Lam. Encycl. 515.
 — Columnae All. Allione Fl. ped. 3, 84.
 — — Sweet Fl. G. 52.
 — cordifolia Benth. Lodd. Cab. 1878.
 — — Bot. Mag. 73, 4290.
 — galericulata L. Fl. dan. 4, 637.
 — — Sv. Bot. 437.
 — — Curt. Lond. 2, 104.
 — — Engl. Bot. 8, 523.
 — — Baxter Brit. Bot. 1, 12.
 † — — Lam. Encycl. 515.
 — — Schk. Handb. 167.
 — — Roemer Fl. europ. 11, 4.
 — — Hayne 3, 36.
 — — Dietr. Fl. bor. 2, 126.
 † — — Nees Gen. 6, 22 a.
 — glechomoides Boiss. Jaubert Illustr. 377.
 — grandiflora Sims. Bot. Mag. 17, 625.
 — hastifolia L. Roemer Fl. europ. 10, 6.
 — — Fl. dan. 11, 1823.
 — havanensis Jacq. Jacq. Hist. stirp. am. 165.

- Scutellaria havanensis* Jacq. Jacq. Observ. 29.
 — — Desc. Ant. 5, 367.
 — hirta Sm. Sibth. Fl. gr. 583.
 — hyssopifolia L. Barton Fl. 1, 3.
 — japonica Morr. Fl. d. serres 2, 16.
 — — Paxt. Mag. 10, 123.
 — incarnata Vent. Vent. Choix 39.
 — — Bot. Mag. 72, 4268.
 — indica L. Rumpf Amb. 5, 170. fig. 1.
 — integrifolia L. Rivinus Opus ined. 65.
 — — Torrey New York 78.
 — lateriflora L. Lam. Encycl. 515.
 — — Rafinesque Med. 84.
 — — Barton Fl. 1, 21.
 — lupulina L. Schmidel Ic. 73.
 — macrantha Fisch. Rchb. Ic. crit. 5, 488.
 — — Lodd. Cab. 1863.
 — — Bot. Mag. 75, 4420.
 — — Fl. d. serres 5, 428.
 — minor L. Curt. Lond. 2, 110.
 — — Engl. Bot. 8, 524.
 — — Roemer Fl. europ. 11, 5.
 — — Dietr. Fl. bor. 4, 231.
 — orientalis L. Martyn Hist. 16.
 — — Sibth. Fl. gr. 580.
 — — Bot. Mag. 47, 2120.
 — — Sweet Fl. G. 45.
 — — Rchb. Pl. crit. 1, 8.
 — — var. pinnatifida, Act. Acad. hung. 1835, 4.
 — — var. pinnatifida, Jaubert Illustr. 413.
 — ovata Hill. Hill Hort. Kew. 8.
 — parvula Michx. Hook. Exot. Fl. 106.
 — peregrina W. et K. W. et Kit. 125.
 — — L. Sibth. Fl. gr. 582.
 † — — Nees Gen. 6, 22 a.
 — pilosa Michx. Torrey New York 77.
 — pinnatifida Roch. Acta Acad. hung. 1835, 4.
 — rivularis Wall. Wight Ic. pl. Ind. or. 4, 1450.
 — serrata Andr. Andr. Rep. 8, 494.
 — Siversii Bunge. Ledeb. Ic. 123.
 — splendens Link et Kl. Liak Ic. III. 13.
 — — Paxt. Mag. 10, 99.
 — utriculata Lab. Bill. Syr. 4, 6.
 — Ventenatii Hook. Bot. Mag. 72, 4271.
 — — Fl. d. serres 3, 293.
 — villosa Hook. Bot. Mag. 80, 4789.
 — violacea Heyne. Wight Ic. pl. Ind. or. 4, 1449.
 † — — Wight Illustr. 176 b.
 † Scutia Commersonii Ad. Br. Ann. sc. nat. 10, 15.
 — discolor Klotzsch. Peters Mossamb. 21.
 — indica Ad. Br. Wight Illustr. 73.
 Scybalium fungiforme Sch. et E. Schott et Endl. Melet. 2.
 Scyphaea racemosa Presl. Presl Symbolae 4.
 Scyphanthus elegans Don. Sweet Fl. G. 238.
 — — Paxt. Mag. 10, 3.
 † Scyphiphora hydrophylacea Gaertn. Gaertn. Carp. 196.
 Scyphocoronis viscosa A. Gray. Hook. Ic. pl. 9, 854.
 Scyphoglottis? fasciculata Hook. Hook. Ic. pl. 4, 317.
 Scyphogyne inconspicua A. Br. Brongniart Coquille 54.
 † Scyphularia pentaphylla Fée. Fée Fil. 5, 26.
 † Scytalia chinensis Gaertn. Gaertn. Carp. 42.
 — — Dict. sc. nat. 173.
 Scytanthus Currori Hook. Hook. Ic. pl. 7, 603—606.
 — Gordoni Hook. Hook. Ic. pl. 7, 623.
 Seaforthia elegans R. Br. Mart. Palm. 105. 106. 109.
 — malaiana Mart. Mart. Palm. 158.
 — ptychosperma Mart. Mart. Palm. 128. 129.
 — Reinwardtiana Mart. Mart. Palm. 158.
 Sebastiania brasiliensis Spr. Sprengel Neue Entd. 2, 3.
 † Sebestena officinalis Gaertn. Gaertn. Carp. 76.
 † Secale cereale L. Linné Amoenit. 7, 2.
 † — — Gaertn. Carp. 81.

- †*Secale cereale* L. Lam. Encycl. 49.
 † — — — Séringe Melanges 1.
 † — — — Dumortier Gramin. 1.
 † — — — Nees Gen. 1, 81. 87.
 — — — Schk. Handb. 19.
 — — — Tratt. Archiv 311. 311^a.
 — — — Host Gram. 149.
 — — — Metzger Cer. 9.
 — — — Guimpel et Schl. 119.
 — — — var. *arundinaceum*, Trautv. Schilfr. 1. 2.
 † — *cornutum* Offic. Nees Düsseld. Suppl. 24.
 † — — — Guimpel et Schl. 120.
 † — — — Linn. Transact. 18, 32. 33.
 † — — — Mem. Strassb. 3, 1. 2.
 † — — — Ann. sc. nat. III. 20, 1—4.
 — — — *fagile* M. v. B. Rchb. Fl. gerin. 1, 24.
 † — *montanum* Guss. Hofmeister Embryo 5.
 — — — *orientale* Willd. Neue Schr. naturf. Fr. 2, 4.
 — — — *prostratum* Pall. Jacq. Vind. 3, 44.
 — — — *silvestre* Host. Host Gram. 311.
 — — — *villosum* L. Sibth. Fl. gr. 97.
 — — — Host Gram. 147.
 †*Secamone emetica* R. Br. Wight Illustr. 155^b.
 — — — Wight Ic. pl. Ind. or. 4, 1283.
Sechium peruvianum P. et E. Poepp. et Endl. 176.
Secundaria peruviana P. et E. Poepp. et Endl. 281.
 †*Securidaca Coronilla* Poir. Lam. Encycl. 629.
 † — *lanceolata* St. Hil. Mem. Mus. 17, 31.
 † — *legitima* Gaertn. Gaertn. Carp. 153.
 — — — *paniculata* Lam. Lam. Encycl. 599.
 — — — *pubescens* DC. Delessert Ic. 3, 22.
 — — — *scandens* Jacq. Jacq. Hist. stirp. am. 186.
 — — — Lam. Encycl. 599.
 — — — Tussac Ant. 4, 20.
 — — — *tomentosa* St. Hil. St. Hil. Fl. Bras. 96.
Securinea nitida Willd. Lindley Collect. 9.
 † — — — Jussieu Euphorb. 2.
Seddera Bottae Jaub. et Sp. Jaubert Illustr. 371.
 — — — *evolvuloides* Wight. Wight Ic. pl. Ind. or. 4, 1369.
 — — — *secundiflora* Jaub. et Spach. Jaubert Illustr. 372.
 — — — *virgata* Hochst. Flora 1844, 1.
Sedgwickia cerasifolia W. et Gr. Asiat. Researches 19, 15. 16.
 †*Sedum* L. DC. Crassulacées 1.
 — — — *acre* L. Woodv. Med. 3, 196.
 — — — Curt. Lond. 1, 114.
 — — — Engl. Bot. 12, 839.
 — — — Baxter Brit. Bot. 5, 364.
 — — — DC. Plantes grasses 117.
 — — — Fl. dan. 9, 1457.
 — — — Sv. Bot. 149.
 — — — Tenore Fl. nap. 229.
 — — — Schk. Handb. 123.
 — — — Dreves 5, 144.
 — — — Hayne 1, 15.
 — — — Schrank Fl. monac. 4, 343.
 — — — Dietr. Fl. bor. 4, 257.
 — — — *aizoides* DC. DC. Plantes grasses 4.
 — — — *Aizoon* L. DC. Plantes grasses 101.
 — — — *album* L. Allione Fl. ped. 3, 65.
 — — — Fl. dan. 1, 66.
 — — — Curt. Lond. 2, 52.
 — — — Engl. Bot. 22, 1578.
 — — — DC. Plantes grasses 22.
 — — — Lam. Encycl. 390.
 — — — Sv. Bot. 430.
 — — — *algidum* Led. Ledeb. Ic. 418.
 — — — *alsinefolium* All. Allione Fl. ped. 3, 22.
 — — — Cesati Stirpes ital. x.
 — — — *altissimum* Poir. DC. Plantes grasses 40.
 † — — — Mutel Fl. fr. 19.
 — — — Rchb. Ic. crit. 3, 285.

- Sedum amplexicaule* DC. DC. Crassulacées 7.
 — — — *Anacampseros* L. Bot. Mag. 4, 118.
 — — — DC. Plantes grasses 33.
 — — — *andegavense* DC. Moris Fl. sard. 73.
 — — — *anglicum* Huds. Engl. Bot. 3, 171.
 — — — Sv. Bot. 604.
 — — — *annuum* L. Rchb. Ic. crit. 9, 841.
 † — — — Mutel Fl. fr. 19.
 † — — — *anopetalum* DC. DC. Crassulacées 9.
 — — — Mutel Fl. fr. 19.
 — — — Rchb. Ic. crit. 3, 266.
 — — — *arenarium* Brot. Brotero Phytogr. 1.
 — — — *aristatum* Vill. Vill. Dauph. 45.
 — — — *atratum* L. Allione Fl. ped. 3, 65.
 — — — Jacq. Fl. austr. 1, 8.
 — — — Sturm Flora 6, 22.
 — — — DC. Plantes grasses 120.
 — — — *azureum* Desf. Royle Illustr. 48.
 † — — — *boloniense* Lois. Mutel Fl. fr. 19.
 — — — *bracteatum* Viv. Viviani Lib. 8.
 — — — *brevifolium* DC. DC. Crassulacées 4.
 — — — *cariense* Jaub. Jaubert Illustr. 7.
 — — — *Cepaea* L. Sibth. Fl. gr. 447.
 — — — Bot. Reg. 16, 1391.
 — — — *coccineum* Royle. Royle Illustr. 48.
 — — — *coeruleum* Vahl. Bot. Reg. 6, 529.
 — — — Bot. Mag. 48, 2224.
 — — — Moris Fl. sard. 73.
 — — — *Cotyledon* Jacq. Jacq. Ecl. pl. 17.
 — — — Rchb. Hortus 125.
 — — — *cristatum* Schrad. Schrad. Hort. gott. 10.
 — — — *cyaneum* Rud. Petersb. 4, 2.
 — — — *dasyphyllum* L. Jacq. Vind. 153.
 — — — Curt. Lond. 1, 115.
 — — — Engl. Bot. 10, 656.
 — — — DC. Plantes grasses 93.
 — — — Tenore Fl. nap. 229.
 — — — *dendroideum* M. et S. DC. Crassulacées 9.
 — — — *ebracteatum* M. et S. DC. Crassulacées 6.
 — — — *eriocarpum* Sibth. Sibth. Fl. gr. 449.
 — — — *Eversii* Led. Ledeb. Ic. 58.
 — — — *Fabaria* Koch. Sturm Flora 19, 83.
 — — — *Forsterianum* Sm. Engl. Bot. 26, 1802.
 — — — Rchb. Ic. crit. 9, 843.
 — — — *fusiforme* Lowe. Transact. Cambr. Soc. 4, 3.
 — — — *galloides* All. Allione Fl. ped. 3, 65.
 — — — *glanduliferum* Guss. Tenore Fl. nap. 232.
 — — — *glandulosum* Moris. Moris Fl. sard. 73.
 — — — *glaucum* W. et K. W. et Kit. 181.
 — — — Rchb. Ic. crit. 9, 846.
 — — — Engl. Bot. 35, 2477.
 — — — *Guettardi* Vill. Vill. Dauph. 45.
 — — — *hirsutum* All. Allione Fl. ped. 3, 65.
 — — — *hispanicum* L. Jacq. Fl. austr. 5, 47.
 — — — Reiner Reisen 1, 4.
 — — — Sturm Flora 6, 22.
 — — — Rchb. Ic. crit. 9, 844.
 — — — *hybridum* L. Novi Comm. Gott. 6, 5.
 — — — *linearifolium* Royle. Royle Illustr. 48.
 — — — *Listoniae* Vis. Mem. Ist. veneto 1, 6.
 — — — *litoreum* Guss. Gussone Pl. rar. 37.
 — — — *lusitanicum* Brot. Brotero Phytogr. 178.
 — — — *magellense* Ten. Tenore Fl. nap. 139.
 — — — *maximum* Suter. Sturm Flora 1, 6. 19, 83.
 † — — — L. Mutel Fl. fr. 19.
 — — — Rchb. Ic. crit. 8, 727.
 — — — *monregalense* Balb. Mem. Tur. 7, 6.
 — — — Lodd. Cab. 464.
 — — — Rchb. Ic. crit. 3, 275.
 † — — — Mutel Fl. fr. 19.
 — — — *neapolitanum* Ten. Tenore Fl. nap. 229.
 — — — *neglectum* Ten. Tenore Fl. nap. 233.

- Sedum nicaeense* All. Allione Fl. ped. 3, 90.
 — *Notarianni* Ten. Tenore Fl. nap. 40.
 — *nudum* Ait. DC. Plantes grasses 155.
 — *oppositifolium* Sims. Bot. Mag. 43, 1807.
 — *pilosum* M. v. B. Marshall Cent. 40.
 — *populifolium* Ait. Bot. Mag. 6, 211.
 — — DC. Plantes grasses 110.
 — *purpurascens* Koch. Sturm Flora 19, 83.
 — *reflexum* L. Fl. dan. 1, 113. 11, 1818.
 — — Engl. Bot. 10, 695.
 — — DC. Plantes grasses 116.
 † — — Mutel Fl. fr. 19.
 — — Herb. amat. 2, 115.
 — — Sturm Flora 3, 12.
 — — Rchb. Ic. crit. 3, 286.
 — — Dietr. Fl. bor. 4, 259.
 — *repens* Schleicher. Mem. Strassb. 1, 11.
 † — — Mutel Fl. fr. 19.
 — — Rchb. Ic. crit. 9, 842.
 — *Rhodiola* DC. DC. Plantes grasses 143. 143 bis.
 — — Sv. Bot. 466.
 — *rivulare* Boiss. Boissier Esp. 63.
 — *rostratum* Ten. Tenore Fl. nap. 139.
 — *rubens* Sturm. Sturm Flora 6, 22.
 — — L. Fl. dan. 1, 82.
 — — Rachel Banat. 15.
 — *rufescens* Ten. Tenore Fl. nap. 41.
 — *rupestre* L. Fl. dan. 1, 59.
 — — Engl. Bot. 3, 170.
 — — DC. Plantes grasses 115.
 † — — Mutel Fl. fr. 19.
 — — Sturm Flora 3, 12.
 — — Rchb. Ic. crit. 3, 276.
 — *saxatile* All. Allione Fl. ped. 3, 65.
 — — DC. Plantes grasses 119.
 — — Wigg. Sibth. Fl. gr. 450.
 — *sempervivoides* Fisch. Link Ic. I. 57.
 — — Bot. Mag. 51, 2474.
 — *sexangulare* L. Curt. Lond. 3, 113.
 — — Engl. Bot. 28, 1946.
 — — DC. Plantes grasses 118.
 — — Fl. dan. 10, 1844.
 — — Dreves 5, 145.
 — — Hayne 1, 16.
 — — Schrank Fl. monac. 4, 343.
 — — Dietr. Fl. bor. 4, 258.
 — *spathulatum* W. et K. W. et Kit. 104.
 — *spurium* Willd. Bot. Mag. 50, 2370.
 — *stellatum* L. Sibth. Fl. gr. 446.
 — *stoloniferum* Gm. Gmelin Reise 3, 35. fig. 2.
 — *Telephium* L. Fl. dan. 4, 686. 13, 2174.
 — — Sv. Bot. 447.
 — — Curt. Lond. 2, 71.
 — — Engl. Bot. 19, 1319.
 — — DC. Plantes grasses 92.
 — — Lam. Encycl. 390.
 † — — Mutel Fl. fr. 19.
 † — — Gaertn. Carp. 65.
 — — Hayne 6, 13.
 — — Sturm Flora 1, 6.
 — — Schrank Fl. monac. 3, 300.
 — — Rchb. Ic. crit. 8, 726.
 — — Dietr. Fl. bor. 2, 144.
 — *ternatum* Michx. Bot. Mag. 45, 1977.
 — — Bot. Reg. 2, 142.
 — *tetraphyllum* Sibth. Sibth. Fl. gr. 448.
 — *uniflorum* Rafn. Rafinesque Caratteri 18.
 — *verticillatum* L. Linné Amoenit. 2, 4.
 — — Acad. Petersb. 3, 7.
 — *villosum* L. Fl. dan. 1, 24.
 — — Sv. Bot. 746.
 — — Engl. Bot. 6, 394.

- Sedum villosum* L. DC. Plantes grasses 70.
 — — Sturm Flora 1, 6.
 — — Dietr. Fl. bor. 8, 514.
 — — Wallichianum Hook. Hook. Ic. pl. 7, 604.
Seetzenia orientalis Decne. Ann. sc. nat. II. 3, 7.
Seguieria floribunda Benth. Linn. Transact. 18, 19.
 † *Selaginella* Spring. Hofmeister Untersuchungen 23—26.
 — *amazonica* Spring. Endl. Bras. 1, 6.
 † — *denticulata* Spring. Ann. sc. nat. III. 18, 8. 9.
 † — *Galeottii* Spring. Hofmeister Untersuchungen 25.
 † — *helvetica* Spring. Ann. sc. nat. III. 18, 9.
 — *Jacquemontii* Spring. Jacquemont Ind. 176.
 — *imbricata* Spring. Arch. Mus. 2, 7.
 † — *involveris* Spring. Mettenius Beiträge 1. 2. 3.
 — *marginata* Spring. Endl. Bras. 1, 7.
 † — *Martensii* Spring. Ann. sc. nat. III. 18, 8. 9.
 — *Poeppigiana* Miq. Miquel Sertum 1.
 — *stellata* Spring. Endl. Bras. 1, 8.
 † *Selago* L. Kerner Genera 152.
 — *adpressa* Choisy. Mem. Genev. 2, 4.
 — *ciliata* L. fil. Mem. Genev. 2, 5.
 — *corymbosa* L. Rivinus Opus ined. 4.
 — *distans* E. M. Bot. Reg. 31, 46.
 — *fasciculata* L. Jacq. Ic. 496.
 — — Lodd. Cab. 1423.
 — — Bot. Reg. 3, 184.
 † — — Gaertn. Carp. 51.
 † — — Lam. Encycl. 521.
 † — — Mem. Genev. 2, 1.
 — *Gillii* Hook. Bot. Mag. 57, 3028.
 — — Bot. Reg. 18, 1504.
 — *lucida* Vent. Ventenat Malm. 26.
 — *minutissima* Choisy. Mem. Genev. 2, 3.
 — *myrtifolia* Rchb. Rchb. Hortus 223.
 — *ovata* Thunb. Bot. Mag. 6, 186.
 † — — Lam. Encycl. 521.
 — *spuria* L. Jacq. Fragm. 3.
 — — Lodd. Cab. 391.
 — — Herb. amat. 5, 348.
 † *Selenia* Nutt. Gray Genera 67.
 — *aurea* Nutt. Gray Genera 67.
Selenipedium Chica Rchb. fil. Rchb. Xenia 1, 2.
 — *palmifolium* Rchb. fil. Rchb. Xenia 1, 2.
Selinum acaule Cav. Cav. Ic. 487.
 — *austriacum* Jacq. Jacq. Fl. austr. 1, 71.
 — *Carvifolia* Chabr. Jacq. Fl. austr. 1, 72.
 — — L. Jacq. Fl. austr. 1, 16.
 — — Hoffmann D. Fl. 1791, 3.
 † — — Gaertn. Carp. 21.
 — — Fl. dan. 4, 667.
 — *decipiens* Schrad. Schrader Sert. hannov. 13.
 — *elegans* Balb. Mem. Tur. 10, 7.
 — *glaucom* Lam. Lam. Encycl. 200.
 — *Lachonallii* Gm. Gmelin Fl. bad. 1, 4.
 — *lineare* Schumacher. Fl. dan. 8, 1330.
 — *membranaceum* Vill. Villars Cat. Strasb. 6.
 — *microphyllum* Cav. Cav. Ic. 486.
 — *Monnieri* L. Jacq. Vind. 62.
 — *Oreoselinum* Scop. Fl. dan. 10, 1750.
 — *palustre* L. Fl. dan. 2, 257.
 — — Engl. Bot. 4, 229.
 — — Lam. Encycl. 200.
 — — Sv. Bot. 380.
 — *peucedanoides* Desf. Brotero Phytogr. 167.
 — *proliferum* Cav. Cav. Ic. 486.
 — *pyrenaicum* Gouan. Gouan Illustr. 5.
 — *rigidulum* Vru. Viviani Fl. ital. 15.
 — *Seguieri* L. Jacq. Vind. 61.
 — *silvestre* L. Fl. dan. 3, 412.
 — — Jacq. Fl. austr. 2, 152.
 — — Schk. Handb. 63.
 — *spinosum* Cav. Cav. Ic. 487.

- Selinum terebinthinum* Hook. Hook. Bor. Am. 98.
Selliera radicans Cav. Annales de hist. nat. 1, 5.
 — — — Cav. Ic. 474.
 — — — Bull. philom. 1800. no. 33.
Selliguea Feei Bl. Blume Java 6, 81.
 — *heterocarpa* Bl. Blume Java 6, 82.
 — *macrophylla* Bl. Blume Java 6, 83.
 — *membranacea* Bl. Blume Java 6, 82.
 — *Wallichiana* Hook. Hook. Ic. pl. 3, 204.
 † — — — Hook. Gen. Fil. 74.
Selloa glutinosa Spr. Bot. Reg. 6, 462.
Selloa plantaginea H. B. K. H. B. K. Nov. Gen. 4, 395.
 † *Semarillaria* R. et P. Ruiz et Pav. Prodr. 9.
Semecarpus Anacardium L. Hayne 1, 1.
 — — — Roxb. Corom. 12.
 — — — Wight Ic. pl. Ind. or. 2, 558.
 — *Cassuvium* Roxb. Rumpf Amb. 1, 70.
 — — — Wight Ic. pl. Ind. or. 2, 559.
 — *Grahamii* Wight. Wight Ic. pl. Ind. or. 1, 235.
Semeiandra grandiflora H. et A. Bot. Mag. 79, 4727.
 — — — Fl. d. serres 9, 866.
Semonvillea fenestrata Fenzl. Hook. Ic. pl. 6, 587.
 † *Sempervivum* L. DC. Crassulacées 1.
 — *acuminatum* Decne. Jacquemont Ind. 74.
 — *arachnoideum* L. Schmidel Ic. 38.
 — — — Jacq. Fl. austr. 5, 42.
 — — — Bot. Mag. 2, 68.
 — — — Schk. Handb. 130.
 — — — Sturm Flora 6, 23.
 — — — DC. Plantes grasses 106.
 — — — Herb. amat. 1, 41.
 — *arboresum* L. DC. Plantes grasses 125. 125 bis.
 — — — Sibth. Fl. gr. 473.
 — — — Bot. Reg. 2, 99.
 — *arenarium* Koch. Sturm Flora 19, 83.
 — *barbatum* Chr. Smith. Webb Canar. 30.
 — *Braunii* Funke. Sturm Flora 16, 67.
 — *caespitosum* Chr. Smith. Lodd. Cab. 1515.
 — *calyciforme* Haw. Bot. Reg. 11, 892.
 — — — Lodd. Cab. 1368.
 — *canariense* L. DC. Plantes grasses 141. 141 bis.
 — *ciliatum* Sims. Bot. Mag. 45, 1978.
 — — — DC. Crassulacées 10.
 — — — Mem. Tur. 35, 7.
 — *Clusianum* Ten. Tenore Fl. nap. 233.
 — *dichotomum* DC. DC. Hortus genev. 21.
 — *dodrantele* Willd. DC. Crassulacées 11.
 — *fimbriatum* Klotzsch. Prinz Waldem. Him. 43.
 — *Funckii* Braun. Flora 1832, 1.
 — — — Sturm Flora 16, 67.
 — — — Rchb. Ic. crit. 10, 960.
 — *globiferum* Wulf. Jacq. Fl. austr. 5, 40.
 — — — Sturm Flora 6, 23.
 — — — L. Schmidel Ic. 26.
 — — — Bot. Mag. 15, 507. 47, 2118.
 — — — Flora 1835, 1.
 — — — Rchb. Ic. crit. 9, 839.
 † — — — Mutel Fl. fr. 20.
 — *glutinosum* Ait. Jacq. Schoenbr. 4, 464.
 — — — Bot. Mag. 45, 1963.
 — — — Bot. Reg. 4, 278.
 — — — Herb. amat. 5, 318.
 — *Goochiae* Webb. Webb Canar. 32.
 — *himalayense* Klotzsch. Prinz Waldem. Him. 43.
 — *hirtum* L. Allione Fl. ped. 3, 65.
 — — — Jacq. Fl. austr. 1, 12.
 — — — DC. Plantes grasses 107.
 — — — Sturm Flora 8, 30.
 — *monanthos* Ait. Bot. Mag. 3, 93.
 — — — DC. Plantes grasses 157.
 — *montanum* L. Schmidel Ic. 72.
 — — — Jacq. Fl. austr. 5, 41.

- † *Sempervivum montanum* L. Gaertn. Carp. 68.
 — — — DC. Plantes grasses 108.
 — — — Lam. Encycl. 413.
 — — — Dict. sc. nat. 201.
 † — — — Spach Suites 37.
 — — — Sturm Flora 16, 67.
 — *punctatum* Chr. Smith. DC. Crassulacées 12.
 — *sediforme* Jacq. Jacq. Vind. 81.
 — — — Jacq. Misc. 1, 5.
 — *sedoides* Decne. Jacquemont Ind. 74.
 — *Smithii* Sims. Bot. Mag. 45, 1980.
 — *soboliferum* Sims. Schmidel Icones 17.
 — — — Bot. Mag. 35, 1457.
 — — — Dietr. Fl. bor. 5, 342.
 — *tectorum* L. Schmidel Ic. 53. 54.
 — — — Fl. dan. 4, 604.
 — — — Curt. Lond. 3, 105.
 — — — Engl. Bot. 19, 1320.
 — — — Baxter Brit. Bot. 6, 401.
 — — — Sv. Bot. 260.
 — — — DC. Plantes grasses 104.
 † — — — Lam. Encycl. 413.
 — — — Sturm Flora 6, 23.
 — — — Hayne 6, 14.
 — — — Dietr. Fl. bor. 6, 417.
 — *tenuifolium* Sibth. Sibth. Fl. gr. 474.
 — *tortuosum* Ait. Bot. Mag. 9, 296.
 — — — DC. Plantes grasses 156.
 — *tubulaeforme* Lodd. Lodd. Cab. 1328.
 — *urbicum* Chr. Smith. Bot. Reg. 20, 1741.
 — — — Webb Canar. 29.
 — *villosum* Haw. Bot. Mag. 43, 1809.
 — — — Bot. Reg. 18, 1553.
 — *Wulfeni* Hoppe. Sturm Flora 6, 23.
Senapea guianensis Aubl. Aublet Guiana 381.
 † *Senebiera* Poir. Gray Genera 72.
 — *Coronopus* Poir. Sturm Flora 16, 68.
 — — — Rchb. Fl. germ. 2, 9.
 — — — Dietr. Fl. bor. 7, 492.
 — *didyma* Pers. Rchb. Fl. germ. 2, 9.
 — — — Sturm Flora 16, 68.
 — *integrifolia* DC. Mem. soc. hist. nat. Par. 1799, 8.
 — *pinnatifida* DC. Mem. soc. hist. nat. Par. 1799, 9.
 — — — Gray Genera 72.
 — *rhytidocarpa* Hook. Hook. Journal 1843, 20.
 — *serrata* Pers. Delessert Ic. 2, 71.
 † *Senecillis glauca* Gaertn. Gaertn. Carp. 173.
 — — — Rchb. Fl. germ. 16, 958.
 — *Jacquemontiana* Decne. Jacquemont Ind. 98.
Senecio abrotanifolius L. Jacq. Fl. austr. 1, 79.
 — — — Sturm Flora 6, 21.
 — — — Rchb. Fl. germ. 16, 967.
 — *acanthifolius* Hombr. Richard Astrolabe 11.
 — *adamantinus* Bong. Acad. Petersb. 5, 1.
 — *adenotrichus* DC. Bot. Reg. 14, 1190.
 — *adonidifolius* Lois. Loiseleur Fl. gall. 19.
 — *aegyptius* L. Lam. Encycl. 676.
 — *alpestris* Hoppe. Rchb. Fl. germ. 16, 980.
 — *alpinus* Scop. Rchb. Ic. crit. 2, 134. 135.
 — *Ambavilla* Pers. Lam. Encycl. 676.
 — *ampulaceus* Hook. Bot. Mag. 63, 3487.
 — *anthoraefolius* Presl. Rchb. Ic. crit. 4, 336.
 — *aquaticus* Huds. Fl. dan. 5, 784.
 — — — Sv. Bot. 681.
 — — — Engl. Bot. 16, 1131.
 † — — — Schk. Handb. 267.
 — — — Rchb. Fl. germ. 16, 965.
 — *arboreacens* Steets. Seemann Herald 31.
 — *armenius* Jaub. et Sp. Jaubert Illustr. 398.
 — *artemisiaefolius* Pers. Rchb. Ic. crit. 5, 485.
 — *aurantiacus* DC. Rchb. Fl. germ. 16, 982.
 — *auriculatus* Vahl. Vahl Symbolae 18.

- Senecio auriculatus* Vahl. Rchb. Fl. germ. 16, 960.
 — *barbareaefolius* Krock. Dietr. Fl. bor. 11, 742.
 — — Rchb. Fl. germ. 16, 965.
 — *belbaysius* Delile. Delile Egypte 45.
 — *biflorus* Burm. Burmann Fl. ind. 51.
 — *Boissieri* DC. Boissier Esp. 95.
 — *brachychaetus* DC. Rchb. Fl. germ. 16, 981.
 — *buxifolius* H. B. K. H. B. K. Nov. Gen. 4, 367.
 — *calaliaeformis* Rchb. fil. Rchb. Fl. germ. 16, 977.
 — *Cacaliaster* Lam. Rchb. Fl. germ. 16, 974.
 — *caespitosus* Brot. Hoffm. et Link Fl. port. 99.
 — *calamifolius* Hook. Bot. Mag. 69, 4011.
 — *calvescens* Moris. Mem. Tur. 2, (1840.) 1.
 — *campestris* DC. Rchb. Fl. germ. 16, 978.
 — *candicans* DC. Richard Astrolabe 30.
 — — Hook. Fl. ant. 109.
 — — Wall. Wight Ic. pl. Ind. or. 3, 1134.
 — *canus* Hook. Hook. Bor. Am. 116.
 — *carniolicus* Willd. Rchb. Fl. germ. 16, 968.
 — *Cineraria* DC. Rchb. Fl. germ. 16, 968.
 — *cinerascens* Ait. Jacq. Schoenbr. 2, 150.
 — *Clusianus* Rchb. fil. Rchb. Fl. germ. 16, 980.
 — *colpodes* Bong. Acad. Petersb. 5, 3.
 † — *cordatus* Koch. Mutel Fl. fr. 29.
 — — Rchb. Fl. germ. 16, 969.
 — *coronopifolius* Burm. Burmann Fl. ind. 60.
 — — Desf. Webb Canar. 108.
 — *corymbosus* Wall. Wight Spicil. 115.
 — — Wight Ic. pl. Ind. or. 3, 1130.
 — *crassifolius* Willd. Sibth. Fl. gr. 868.
 — — Rchb. Fl. germ. 16, 962.
 — *crispatus* DC. Rchb. Fl. germ. 16, 984.
 — *croaticus* W. et K. W. et Kit. 143.
 — *cruentus* DC. var. β . Jacq. Ecl. pl. 103.
 — — Bot. Reg. 25, 7.
 — *dalmaticus* Vis. Visiani Dalm. 7.
 — *Danyaui* Hombr. Richard Astrolabe 13.
 — *daphnoides* Poir. Lam. Encycl. 676.
 — *Decaisnei* DC. Webb Canar. 107.
 — *delphinifolius* Vahl. Vahl Symbolae 45.
 — — Rchb. Fl. germ. 16, 961.
 — — Desf. Rchb. Ic. crit. 4, (336.) 461.
 — *dentatus* Jacq. Jacq. Collect. 5, 6.
 — *denticulatus* Müller. Fl. dan. 5, 791.
 — *dictyophyllus* Benth. Fielding Sertum 60.
 — *difficilis* Dufour. Ann. sc. nat. 5, 11.
 — *Doria* L. Jacq. Fl. austr. 2, 183.
 † — — Schk. Handb. 267.
 — — Rchb. Fl. germ. 16, 973.
 — *Doronicum* L. Gerard Fl. gallopr. 7.
 — — Jacq. Fl. austr. 5, 45.
 — — var. Rochel Banat. 34.
 — — Rchb. Fl. germ. 16, 975.
 — *Durieu* Gay. Boissier Esp. 96.
 — *elegans* Ait. Bot. Mag. 7, 238.
 — — Rchb. Hortus 123.
 — *elodes* Boiss. Boissier Esp. 97.
 † — *erraticus* Bertol. Mutel Fl. fr. 29.
 — — Rchb. Ic. crit. 4, 357.
 — — Rchb. Fl. germ. 16, 964.
 † — *erucifolius* L. Schk. Handb. 267.
 — — Sv. Bot. 607.
 — — Fl. dan. 11, 1885.
 — — Rchb. Ic. crit. 4, 335.
 — — Rchb. Fl. germ. 16, 966.
 — *exilis* Hombr. Richard Astrolabe 13.
 — *falklandicus* Hook. Hook. Fl. ant. 110.
 — *floccidus* Hombr. Richard Astrolabe 12.
 — *foeniculaceus* Ten. Tenore Fl. nap. 78.
 — — Rchb. Fl. germ. 16, 962.
 — *frigidus* Less. Hook. Bor. Am. 112.
 — *fruticulosus* Sibth. Sibth. Fl. gr. 870.

- Senecio fruticulosus* Sibth. Rchb. Ic. crit. 4, 338.
 † — *Fuchsii* Gmel. Mutel Fl. fr. 30.
 — — Rchb. Ic. crit. 3, 293.
 — — Rchb. Fl. germ. 16, 972.
 — *gallicus* Vill. Rchb. Fl. germ. 16, 959.
 — *giganteus* Desf. Desf. Fl. atl. 234.
 — *glastifolius* Hook. fil. Hook. New Zealand 39.
 — *graminifolius* Jacq. Jacq. Ic. 174.
 — *grandiflorus* Link. Hoffm. et Link Fl. port. 100.
 — *Greyii* Hook. fil. Hook. New Zealand 38.
 — *hastatus* Bong. Acad. Petersb. 5, 4.
 — *Heritieri* DC. Bot. Mag. 69, 3827.
 — *heterophyllus* DC. Fielding Sertum 16.
 — *himalayensis* Klotzsch. Prinz Waldem. Him. 82.
 — *Hookeri* Hombr. Richard Astrolabe 13.
 — *humilis* Desf. Desf. Fl. atl. 233.
 — *Jacobaea* L. Fl. dan. 6, 944.
 — — Sv. Bot. 606.
 — — Engl. Bot. 16, 1130.
 † — — Schk. Handb. 267.
 † — — Lam. Encycl. 676.
 — — Dietr. Fl. bor. 7, 498.
 — — Rchb. Fl. germ. 16, 964.
 — *Jacquini* Rchb. Rchb. Fl. germ. 16, 971.
 — *incanus* L. Rchb. Fl. germ. 16, 968.
 — *intermedius* Wight. Wight Ic. pl. Ind. or. 3, 1135.
 — *laciniatus* Bert. Nocca et Balb. Fl. tic. 13.
 — *Lagopus* Decne. Raoul Nouv. Zel. 17.
 — *lanatus* L. fil. Gmelin Reise 1, 38.
 — — Scop. Rchb. Fl. germ. 16, 975.
 — *lanceus* Ait. Jacq. Schoenbr. 3, 394.
 — *Laseguei* Hombr. Richard Astrolabe 13.
 — *laurifolius* H. B. K. H. B. K. Nov. Gen. 4, 366.
 — *lavandulaefolius* Wall. Wight Ic. pl. Ind. or. 3, 1133.
 — *laxiflorus* Viv. Viviani Lib. 11.
 — *leptoschizus* Bong. Acad. Petersb. 5, 6.
 — *Lessonii* Brongn. Brongniart Coquille 59.
 — *leucanthemifolius* Poir. Rchb. Fl. germ. 16, 962.
 — *lilacinus* Schrad. Schrad. Blumenbachia 4.
 — — Bot. Reg. 16, 1342.
 — *linearifolius* Colla. Mem. Tur. 38, 29.
 — *linearilobus* Bong. Acad. Petersb. 5, 5.
 — *linifolius* L. var. *frigidus*, Boissier Esp. 96.
 — *litoralis* Gaudich. var. *lanatus*, Richard Astrol. 10.
 — — Hook. Ic. pl. 5, 493.
 — *lividus* L. Schk. Handb. 245.
 — — Engl. Bot. 35, 2515.
 — *Lopezii* Boiss. Boissier Esp. 98^a.
 — *lugens* Rich. Hook. Bor. Am. 114.
 — *lyratifolius* Rchb. Rchb. Ic. crit. 2, 136.
 † — — Mutel Fl. fr. 29.
 — — Rchb. Fl. germ. 16, 967.
 — *montanus* Willd. Tratt. Archiv 51. 51^a.
 — *myrrhifolius* Thunb. Rchb. Hortus 122.
 — *nebrodensis* L. Rchb. Fl. germ. 16, 963.
 — *neilgherrianus* DC. Wight Ic. pl. Ind. or. 3, 1132.
 — *nemorensis* L. Jacq. Observ. 65. 66.
 — — Jacq. Fl. austr. 2, 184.
 † — — Mutel Fl. fr. 30.
 — — Dietr. Fl. bor. 8, 564.
 — — Rchb. Ic. crit. 3, 294.
 — — Rchb. Fl. germ. 16, 971.
 — *orientalis* Willd. Pacho Voyage 97.
 — *paludosus* L. Fl. dan. 3, 385.
 — — Engl. Bot. 10, 650.
 — — Sv. Bot. 736.
 — — Dietr. Fl. bor. 12, 835.
 — — Rchb. Fl. germ. 16, 974.
 — *palustris* DC. Dietr. Fl. bor. 9, 609.
 — — Rchb. Fl. germ. 16, 982.
 — *papposus* Less. Rchb. Fl. germ. 16, 979.
 — *parviflorus* All. Allione Fl. ped. 3, 38.

- Senecio pauciflorus* H. B. K. H. B. K. Nov. Gen. 4, 365.
 — *paucifolius* Gm. Gmelin Reise 1, 38.
 — *paulensis* Bong. Acad. Petersb. 5, 2.
 — *persicaefolius* Ram. Bull. philom. 1800. no. 43.
 — *pimpinellaefolius* H. B. K. H. B. K. N. G. 4, 364.
 — *pinnulatus* Thunb. Rchb. Hortus 236.
 — *platanifolius* Benth. Fielding Sertum 15.
 — *populifolius* DC. Maund Bot. 5, 115.
 — — var. *lacteus*, Bot. Reg. 25, 45.
 — *praealtus* Bert. Opusc. sc. Bonon. 3, 7.
 — *praecox* DC. Bot. Mag. 80, 4803.
 — *pratensis* DC. Rchb. Fl. germ. 16, 979.
 — *Pseudo-Arnica* Less. Hook. Bor. Am. 113.
 — *Pseudo-China* Andr. Andr. Rep. 5, 291.
 — *quadridentatus* Lab. Bill. Nov. Holl. 194.
 — *quinqueradiatus* Boiss. Boissier Esp. 98.
 — *reclinatus* L. L'her. Stirp. 5.
 — *resedifolius* Less. Hook. Bor. Am. 117.
 — *rigescens* Jacq. Jacq. Collect. 5, 6.
 — *rosmarinifolius* L. Jacq. Ic. 587.
 — *rubens* Juss. Jacq. Vind. 3, 98.
 — *rupestris* W. et K. W. et Kit. 128.
 — — Rchb. Ic. crit. 4, 334.
 — *sarracenicus* L. Jacq. Fl. austr. 2, 186.
 † — — Schk. Handb. 267.
 — — Engl. Bot. 31, 2211.
 † — — Mutel Fl. fr. 30.
 — — Fl. dan. 12, 2059.
 — — Hayne 8, 11.
 — — Dietr. Fl. bor. 8, 563.
 — — Rchb. Ic. crit. 3, 295.
 — — Rchb. Fl. germ. 16, 970.
 — *Schultesii* Hochst. Fielding Sertum 59.
 — *sciadophilus* Decne. Raul. Nouv. Zel. 18.
 — *seminudus* Bory. Ann. gen. 1, 12.
 — *silvaticus* L. Ruppius Fl. jen. 3.
 — — Fl. dan. 5, 869.
 — — Engl. Bot. 11, 748.
 † — — Schk. Handb. 267.
 — — Dietr. Fl. bor. 12, 836.
 — — Rchb. Fl. germ. 16, 969.
 — *spathulaefolius* DC. Rchb. Fl. germ. 16, 978.
 — — *β. tenuifolius*, Rchb. Fl. germ. 16, 981.
 — *speciosus* Ker. Bot. Reg. 1, 41.
 — — Lodd. Cab. 1113.
 — *squalidus* Sm. Engl. Bot. 9, 600.
 — — Baxter Brit. Bot. 1, 52.
 — — Rchb. Fl. germ. 16, 961.
 † — *subalpinus* Koch. Mutel Fl. fr. 29.
 — — Rchb. Fl. germ. 16, 969.
 — *subdentatus* Led. Ledeb. Ic. 493.
 — *telephifolius* Jacq. Jacq. Fragm. 1.
 — *tenuifolius* Burm. Burmann Fl. ind. 60.
 — — Jacq. Jacq. Fl. austr. 3, 278.
 † — — Schk. Handb. 267.
 — — Curt. Lond. 3, 15.
 — — Engl. Bot. 8, 574.
 † — — Mutel Fl. fr. 29.
 — *thapsoides* DC. Rchb. Fl. germ. 16, 976.
 — *Thunbergianus* Schrad. Schrader Blumenbachia 4.
 — *triangularis* Hook. Hook. Bor. Am. 115.
 — *trifurcatus* Less. Hook. Fl. ant. 108.
 — *trilobus* Sibth. Sibth. Fl. gr. 869.
 — *tuberosus* Rich. Richard Abyssin. 88.
 — *Tussilaginis* Less. Bot. Reg. 18, 1550.
 — *umbrosus* W. et K. W. et Kit. 210.
 — — Rchb. Fl. germ. 16, 973.
 — *uniflorus* All. Allione Fl. ped. 3, 17.
 — — Rchb. Fl. germ. 16, 968.
 — *valerianifolius* Wolf. Rchb. Hortus 88.
 — *varicosus* L. Linné Hort. ups. 1, 5.
 — *venustus* Ait. Bot. Reg. 11, 901.

- Senecio verbascifolius* Burm. Richard Astrolabe 12.
 — *verbenaeifolius* Jacq. Jacq. Vind. 3.
 — *vernalis* W. et K. W. et Kit. 24.
 — — Rchb. Ic. crit. 4, 333.
 — — Rchb. Fl. germ. 16, 959.
 — *vernus* Biv. Bivona Fl. sic. 1, 5.
 — *viscosus* L. Fl. dan. 7, 1230.
 — — Engl. Bot. 1, 32.
 † — — Schk. Handb. 267.
 — — Dietr. Fl. bor. 12, 837.
 — — Rchb. Fl. germ. 16, 960.
 — *Visianianus* Papaf. Visiani Dalm. 8.
 — — Rchb. Fl. germ. 16, 976.
 — *vulgaris* L. Fl. dan. 3, 513.
 — — Sv. Bot. 353.
 — — Curt. Lond. 2, 57.
 — — Engl. Bot. 11, 747.
 † — — Gaertn. Carp. 166.
 † — — Lam. Encycl. 676.
 — — Dreves 1, 26.
 — — Hayne 8, 10.
 — — Schrank Fl. monac. 3, 298.
 — — Dietr. Fl. bor. 7, 497.
 — — Rchb. Fl. germ. 16, 959.
 — *Walkeri* Arn. Wight Ic. pl. Ind. or. 3, 1131.
 — *Wightianus* DC. Wight Ic. pl. Ind. or. 3, 1136.
 † *Senefeldera* Mart. Wiegmann Archiv 7, 8.
 † *Senna angustifolia* Batka. Bot. Zeitung 1849, 2.
 † — *obovata* Batka. Bot. Zeitung 1849, 2.
 † — *officinalis* Gaertn. Gaertn. Carp. 46.
 † — *tomentosa* Delile. Bot. Zeitung 1849, 2.
Senra incana Cav. Cav. Diss. 35.
Septacanthus alatus Wight. Wight Ic. pl. Ind. or. 4, 1527.
Septas capensis L. Jacq. Fragm. 2.
 — — Andr. Rep. 2, 90.
 — — Lam. Encycl. 276.
 — — Tratt. Archiv 58.
 — *globiflora* Sims. Bot. Mag. 36, 1472.
 † — *trichotoma* Lqm. Lam. Encycl. 276.
 † *Serapias* L. Svensk Acad. 1800, 3.
 † — — Schrader Neues Journal 1, 1.
 — *Caravata* Aubl. Aublet Guiana 320.
 — *cordigera* L. Sibth. Fl. gr. 932.
 — — Andr. Rep. 7, 475.
 — — Rchb. Fl. germ. 13, 440.
 — — var. *longipetala*, Bot. Reg. 14, 1189.
 — *ensifolia* Roth. Schk. Handb. 274.
 — *erecta* Thunb. Thunberg Ic. jap. 4.
 — *falcata* Thunb. Thunberg Ic. jap. 5.
 — *grandiflora* L. Fl. dan. 3, 506.
 † — *Helleborine* L. Gaertn. Carp. 14.
 — *lancifera* St. Amans. Rchb. Fl. germ. 13, 499.
 — *latifolia* L. Fl. dan. 5, 811.
 † — — Lam. Encycl. 728.
 — *laxiflora* Chaub. Rchb. Fl. germ. 13, 442.
 — — *β. Columnae*, Rchb. Fl. germ. 13, 499.
 — *Lingua* L. Hook. Exot. Fl. 11.
 — — Lodd. Cab. 655.
 — — Sibth. Fl. gr. 931.
 — — Rchb. Fl. germ. 13, 439. 499.
 † — *longifolia* L. Schk. Handb. 274.
 — — Sturm Flora 4, 13.
 — *longipetala* Poll. Tenore Fl. nap. 98.
 — — Rchb. Exot. 264.
 — — Bot. Reg. 14, 1189.
 — *neglecta* Not. Rchb. Fl. germ. 13, 520.
 † — *oxyglottis* Willd. Nees Gen. 3, x.
 — *parviflora* Parlat. Linnaea 12, 4.
 — *pseudocordigera* Moric. Rchb. Fl. g. 14, 441. 442.
 † — *purpurea* Poir. Lam. Encycl. 728.
 — *triloba* Viv. Viviani Fl. ital. 12.
 — — Rchb. Fl. germ. 13, 438. 499.

- †*Sergilus scoparius* Gaertn. Gaertn. Carp. 174.
 †*Seriana* Schum. Skrifter nat. Selsk. 1794, 9.
 — *dibotrya* P. et E. Poepp. et Endl. 242.
 — *divaricata* Schum. Skrifter nat. Selsk. 1794, 12.
 — *lupulina* Schum. Skrifter nat. Selsk. 1794, 12.
 — *meridionalis* St. Hil. St. Hil. Fl. Bras. 76.
 — *nutans* P. et E. Poepp. et Endl. 242.
 — *paniculata* H. B. K. H. B. K. Nov. Gen. 5, 441.
 — *racemosa* Schum. Skrifter nat. Selsk. 1794, 12.
 — *sinuata* L. Skrifter nat. Selsk. 1794, 12.
 — *spectabilis* Schum. Skrifter nat. Selsk. 1794, 12.
 — *velutina* Camb. St. Hil. Fl. Bras. 75.
Sericographis Ghiesbreghtiana DC. Journ. Hort. Soc. 3, 245.
 — — — Paxt. Mag. 15, 176.
 — *rigida* N. v. E. Endl. Bras. 7, 16.
Sericostoma pauciflorum Stocks. Wight Ic. pl. Ind. or. 4, 1317.
 — — — Hook. Ic. pl. 9, 894.
Seringia platyphylla Gay. Mem. Mus. 7, 16, 17.
Seriola aetnensis L. Jacq. Obs. 79.
 † — — — Gaertn. Carp. 159.
 — — — Lam. Encycl. 656.
 — — — Schk. Handb. 224.
 — — — Sibth. Fl. gr. 815.
 — *Alliatae* Biv. Bivona Pl. sic. 2, 7.
 — *cretensis* L. Bivona Stirp. rar. sic. 4, 4.
 — *laevigata* L. Desf. Fl. atl. 216.
 — — — Sibth. Fl. gr. 814.
 — *taraxacoides* Lois. Loiseleur Fl. gall. 18.
 — *urens* All. Allione Fl. ped. 3, 29.
 — — — L. Schmidel Ic. 32.
 — — — Lam. Lam. Encycl. 656.
 †*Seriphium cinereum* L. Gaertn. Carp. 167.
 † — — — Lam. Encycl. 722.
Seris polymorpha Less. Hook. Ic. pl. 6, 501.
Serissa capensis Thunb. Cruse Rub. cap. 2.
 — *foetida* Lam. Lam. Encycl. 151.
 — — — Savi Fl. ital. 1, 31.
Serpicula hirsuta W. et A. Wight Ic. pl. Ind. or. 3, 1001.
 — *repens* L. Lam. Encycl. 758.
 — *verticillata* Roxb. Roxb. Corom. 164.
Serraea incana Cav. Ann. sc. nat. II. 4, 4.
 — — — Wight Ic. pl. Ind. or. 4, 1592.
Serratula alata Gm. Gmelin Reise 1, 35.
 — *alpina* L. Lightfoot Fl. scot. 1, 19.
 — — — Fl. dan. 1, 37.
 — — — Engl. Bot. 9, 399.
 — *arvensis* L. Fl. dan. 4, 644.
 † — — — Schk. Handb. 234.
 — *baetica* Boiss. Boissier Esp. 113.
 — *Behen* Lam. Lam. Encycl. 666.
 — *canariensis* Sch. Bip. Webb Canar. 119.
 — *chaetocarpa* Led. Ledeb. Ic. 490.
 — *cirsioides* Ten. Tenore Fl. nap. 181.
 — *conifera* Brot. Brotero Phytogr. 31.
 — *cyanoidea* Gaertn. Gaertn. Carp. 162.
 † — — — Lam. Encycl. 666.
 — *depressa* Stev. Linn. Transact. 11, 38.
 — *discolor* Willd. Rochel Banat. 37.
 — *dissecta* Led. Ledeb. Ic. 489.
 — *dubia* Scop. Lam. Encycl. 666.
 — *elegans* Stev. Linn. Transact. 11, 37.
 — *fruticosa* Lam. Lam. Encycl. 666.
 — *glaucal* Led. Ledeb. Ic. 32.
 — *heleniifolia* Sch. Bip. Rchb. Fl. germ. 15, 806.
 — *heterophylla* Desf. Rchb. Fl. germ. 15, 804.
 — *humilis* Desf. Desf. Fl. atl. 220.
 — *incana* Gm. Gmelin Reise 1, 36.
 — *mollis* Cav. Cav. Ic. 90.
 — *mucronata* Desf. Desf. Fl. atl. 219.
 — *nudicaulis* DC. Rchb. Fl. germ. 15, 803.

- Serratula polygyna* Rich. Richard Abyssin. 62.
 — *pulchella* Sims. Bot. Mag. 52, 2589.
 — *pygmaea* Jacq. Jacq. Fl. austr. 5, 440.
 — *quinquefolia* Willd. Bot. Mag. 44, 1871.
 — *radiata* M. v. B. Winterl Index 8.
 — — — Rchb. Fl. germ. 15, 803.
 — *Rhaponticum* DC. Rchb. Fl. germ. 15, 805.
 — *simplex* DC. Bot. Mag. 51, 2482.
 — *spicata* L. Andr. Rep. 6, 401.
 — *stoechadifolia* M. v. B. Marschall Cent. 49.
 — *tenuifolia* Bong. Acad. Petersb. 6, 10.
 — *tinctoria* L. Fl. dan. 2, 281.
 — — — Engl. Bot. 1, 38.
 — — — Baxter Brit. Bot. 3, 174.
 — — — Sv. Bot. 170.
 — — — Schk. Handb. 234.
 — — — Sturm Flora 2, 3.
 — — — Dietr. Fl. bor. 8, 555.
 — — — Rchb. Fl. germ. 15, 802, 887.
 †*Serronia* Gaudich. Miquel Comment. 4.
 — *acuminata* Moric. Moricand Pl. Am. 57.
 — *Jaborandi* Gaudich. Delessert Ic. 3, 90.
Sertürnera glauca Mart. Mart. Bras. 136, 137.
 — *irosinoides* Mart. Mart. Bras. 138.
Sesamum indicum L. Rumpf Amb. 5, 76, fig. 1.
 — — — Bot. Mag. 41, 1688.
 — — — DC. Hortus genev. 5.
 — — — Endl. Iconogr. 70.
 — — — Wight Illustr. 163.
 — *laciniatum* Klein. Wight Ic. pl. Ind. or. 4, 1348.
 — *orientale* L. Rheede Hort. mal. 9, 54, 55.
 † — — — Gaertn. Carp. 110.
 — — — Lam. Encycl. 528.
 — — — Desc. Ant. 4, 268.
 — *prostratum* Retz. Wight Ic. pl. Ind. or. 4, 1346.
Sesbania aegyptiaca Pers. Rheede Hort. mal. 6, 27.
 — — — Wight Ic. pl. Ind. or. 1, 32.
 — *dubia* H. B. K. H. B. K. Nov. Gen. 7, 660.
 — — — Kerner Hortus 726.
 — *macrocarpa* Mühlb. Barton Fl. 1, 28.
 — *pachycarpa* DC. Guillemain Seneg. 50.
 — *picta* Pers. Bot. Reg. 11, 873.
 — *pubescens* DC. Peters Mossamb. 8.
Seseli ammoides L. Jacq. Vind. 52.
 — *annuum* L. Jacq. Fl. austr. 1, 55.
 — — — Lam. Encycl. 202.
 — *bengalense* Roxb. Wight Ic. pl. Ind. or. 2, 568.
 — *Bocconi* Guss. Moris Fl. sard. 76.
 — *Carvi* Roth. Lam. Encycl. 202.
 — *coloratum* Ehrh. Dietr. Fl. bor. 10, 709.
 — *coronatum* Led. Ledeb. Ic. 169.
 — *dichotomum* M. v. B. Bot. Mag. 46, 2073.
 — *divaricatum* Pursh. Bot. Mag. 42, 1742.
 — *elatum* Gouan. Gouan Illustr. 8.
 — *glaucum* L. Jacq. Fl. austr. 2, 144.
 — *globiferum* Vis. Visiani Dalm. 30.
 — *gracile* W. et K. W. et Kit. 117.
 — *graveolens* Led. Ledeb. Ic. 104.
 — *gummiferum* Sm. Smith Exot. Bot. 120.
 — — — Bot. Mag. 48, 2259.
 — *Hippomarathrum* L. Jacq. Fl. austr. 2, 143.
 — — — Schk. Handb. 75.
 — *intricatum* Boiss. Boissier Esp. 72.
 — *leiocarpum* Hook. Hook. Bor. Am. 93.
 — *leucospermum* W. et K. W. et Kit. 89.
 — *Libanotis* Koch. Baxter Brit. Bot. 6, 455.
 — *multicaule* Jacq. Jacq. Vind. 129.
 † — *Pallasii* Besser. DC. Ombellifères 3.
 — *petraeum* M. v. B. Rchb. Hortus 3.
 — *polyphyllum* Ten. Tenore Fl. nap. 134.
 — *promonense* Vis. Visiani Dalm. 29.
 — *pusillum* Brot. Brotero Phytogr. 39.

- Seseli rigidum* W. et K. W. et Kit. 146.
 — *strictum* Led. Ledeb. Ic. 174.
 — *tenuifolium* Led. Ledeb. Ic. 97.
 — *tomentosum* Vis. Visiani Stirp. dalm. 3.
 — *triternatum* Pursh. Hook. Bor. Am. 94.
 — *vaginatum* Led. Ledeb. Ic. 171.
 † *varium* Trevir. DC. Umbellifères 3.
 — *venosum* Hoffm. Sprengel Fl. hal. 2.
 — *verticillatum* Desf. Lam. Encycl. 202.
 † *Sesleria Arduino*. Dumortier Gramin. 6.
 — *alba* Sibth. Sibth. Fl. gr. 72.
 — *coerulea* Ard. Arduino Anim. 2, 6.
 — — — Lam. Encycl. 47.
 — — — Fl. dan. 9, 1506.
 — — — Sv. Bot. 210.
 — — — Engl. Bot. 23, 1613.
 — — — Knapp Gram. 43.
 — — — Baxter Brit. Bot. 3, 192.
 — — — Sturm Flora 2, 6.
 — — — Host Gram. 198.
 — — — Rchb. Fl. germ. 1, 56.
 † — — — Nees Gen. 1, 53.
 — *disticha* Pers. Sturm Flora 2, 6.
 — *echinata* Lam. Lam. Encycl. 47.
 — — *Host*. Host Gram. 208.
 — *elongata* Host. Host Gram. 197.
 — — — Rchb. Fl. germ. 1, 56.
 † — — — Nees Gen. 1, 53.
 — *interrupta* Vis. Visiani Dalm. 2.
 — *juncifolia* Host. Host Gram. 322.
 — — — Rchb. Fl. germ. 1, 57.
 — *microcephala* DC. Sturm Flora 2, 6.
 — *nitida* Ten. Tenore Fl. nap. 103.
 — *rigida* Heuffel. Rchb. Fl. germ. 1, 57.
 — *sphaerocephala* Ard. Arduino Anim. 2, 7.
 — — — Host Gram. 199.
 — — — Sturm Flora 2, 6.
 — — — Rchb. Fl. germ. 1, 56.
 — *tenella* Host. Host Gram. 200.
 † — *tenuifolia* Schrad. Schrader Fl. germ. 6.
 — — — Rchb. Fl. germ. 1, 57.
 † *Sessea Rz et P.* Ruiz et Pav. Prodr. 33.
 — *dependens* Rz et P. Ruiz et Pav. Fl. 116.
 — *stipulata* Rz et P. Ruiz et Pav. Fl. 115.
 — — — Miers Illustr. 15.
Sestochilos uniflorum Breda. Breda Orchid. Javae 3.
 † *Sesuvium L.* Gray Genera 100.
 — *pentandrum* Ell. Gray Genera 100.
 — *Portulacastrum* L. Rumpf Amb. 6, 72. fig. 1.
 — — — Jacq. Hist. stirp. am. 142.
 — — — Lam. Encycl. 434.
 — — — DC. Plantes grasses 9.
 — — — Bot. Mag. 41, 1701.
 — *repens* Willd. Hook. Companion 23.
 — *revolutifolium* Ortega. Lam. Encycl. 434.
 † *Setaria Pal. B.* Dumortier Gramin. 14.
 — *glauca* Pal. B. var. *elongata* R. et Sch. Humb. Gram. 118.
 — — — Rchb. Fl. germ. 1, 47.
 — *gracilis* Kth. Trin. Sp. Gr. 2, 196.
 † — *italica* Pal. B. Nees Gen. 1, 22.
 — *longiseta* Pal. B. Pal. B. Fl. d'Oware 110.
 — *purpurascens* Kth. Trin. Sp. Gr. 2, 196.
 — *scabrifolia* Kth. Humb. Gram. 212.
 — *Ventenatii* Kth. Humb. Gram. 37.
 — *verticillata* Pal. B. Baxter Brit. Bot. 3, 211.
 — — — Rchb. Fl. germ. 1, 47.
 † — — — Nees Gen. 1, 22.
 — *viridis* Pal. B. Rchb. Fl. germ. 1, 47.
Sethia indica DC. Wight Illustr. 48.
 — *oblonga* Wall. Wight Ic. pl. Ind. or. 1, 97.
Seymouria asarifolia Sweet. Sweet Geran. 206.

- † *Shawia paniculata* Forst. Forster Charact. 48.
 — — — Raoul Nouv. Zel. 13.
Sheffieldia incana Lab. Bill. Nov. Holl. 54.
 † — *repens* Forst. Forster Charact. 9.
Shepherdia argentea Nutt. Hook. Bor. Am. 178.
 † — *canadensis* Nutt. Mem. hist. nat. Par. 1, 24.
 † — — — Hoffmannsegg Verz. 1824, 1.
Sherardia arvensis L. Fl. dan. 3, 439.
 † — — — Gaertn. Carp. 24.
 † — — — Lam. Encycl. 61.
 — — — Curt. Lond. 1, 31.
 — — — Engl. Bot. 13, 891.
 — — — Baxter Brit. Bot. 4, 244.
 — — — Sv. Bot. 609.
 — — — Dict. sc. nat. 99.
 — — — Schk. Handb. 22.
 — — — Dietr. Fl. bor. 8, 516.
 † — — — Nees Gen. X, x.
 † — — — Schnizl. Iconogr. 3, 127^a.
 — *erecta* Sibth. Sibth. Fl. gr. 116.
 — *muralis* L. Sibth. Fl. gr. 115.
 — *pusilla* Bory. Bory et Chaub. Morée 15.
 † *Shorea robusta* Gaertn. Gaertn. Carp. 186.
 — — — Roxb. Corom. 212.
 † *Shutteria bicolor* Choisy. Mem. Genev. 6, 2.
 — — — Bot. Reg. 4, 318.
 † — — — Wight Illustr. 168^b.
 — — — Wight Ic. pl. Ind. or. 3, 835.
 — — — Fl. d. serres 4, 421.
 — *glabrata* W. et A. Hook. Ic. pl. 2, 144.
 — *vestita* W. et Arn. Wight Ic. pl. Ind. or. 1, 168.
Siagonanthus multicaulis P. et E. Poepp. et Endl. 69.
Sibbaldia adpressa Bunge. Ledeb. Ic. 276.
 — *erecta* L. Lam. Encycl. 221.
 — *parviflora* Willd. N. Schr. naturf. Fr. 2, 5.
 — *potentilloides* Decne. Jacquemont Ind. 67.
 — *procumbens* L. Fl. dan. 1, 32.
 — — — Engl. Bot. 13, 897.
 — — — Sv. Bot. 761.
 — — — Lam. Encycl. 221.
 † — — — Gaertn. Carp. 73.
 — — — Braune Fl. Salisb. 1, 3.
 — — — Schk. Handb. 88.
 — — — Sturm Flora 5, 17.
 — — — Baxter Brit. Bot. 6, 470.
 — *purpurea* Royle. Royle Illustr. 40.
 † *Sibthorpia europaea* L. Gaertn. Carp. 58.
 † — — — Lam. Encycl. 535.
 — — — Roemer Fl. europ. 11, 7.
 — — — Tratt. Archiv 83.
 — — — Engl. Bot. 10, 649.
 — — — Baxter Brit. Bot. 3, 215.
 — *pichinchensis* H. B. K. H. B. K. Nov. Gen. 2, 176.
 — *retusa* H. B. K. H. B. K. Nov. Gen. 2, 177.
 † *Sicyos angulata* L. Gaertn. Carp. 88.
 — — — Lam. Encycl. 796.
 — — — Schk. Handb. 316.
 † — — — Hofmeister Embryo 13.
 — *bryoniaefolia* Moris. Mem. Tur. 37, 27.
 — *laciniata* L. Desc. Ant. 5, 331.
 — *Garcini* L. Burmann Fl. ind. 57.
 — *montana* P. et E. Poepp. et Endl. 172.
 † *Sida* L. Gray Genera 123.
 — *abutiloides* Jacq. Jacq. Observ. 7.
 — *Abutilon* L. Schk. Handb. 190^a.
 — *acaulis* Cav. Cav. Ic. 422.
 — *acuta* Burm. Rheede Hort. mal. 10, 53.
 — — — Rumpf Amb. 6, 18. fig. 2.
 — — — Cav. Diss. 2.
 — — — Wight Ic. pl. Ind. or. 1, 95.
 — *africana* Poir. Pal. B. Fl. d'Oware 116.
 — *alba* Cav. Cav. Diss. 3.

- Sida alnifolia* L. Cav. Diss. 1.
 — *americana* L. Desc. Ant. 6, 406.
 — *angustifolia* Mill. L'her. Stürp. 52.
 — — *Juss.* Cav. Diss. 2.
 — *anomala* St. Hil. St. Hil. Fl. Bras. 33.
 — — var. *mexicana*, Moricand Pl. Am. 24.
 — *arborea* L. fil. L'her. Stürp. 63.
 — — Kerner Hort. 277.
 — *asiatica* L. Rumpf Amb. 4, 10.
 — — Cav. Diss. 7, 128.
 — *atrosanguinea* Jacq. Jacq. Ic. 136.
 — *aurantiaca* St. Hil. St. Hil. Fl. Bras. 35.
 — *aurea* Lodd. Lodd. Cab. 1842.
 — *aurita* Link. Bot. Mag. 51, 2495.
 — *Bedfordiana* Hook. Bot. Mag. 68, 3892.
 — *bicolor* Cav. Cav. Ic. 311.
 — *biflora* Cav. Cav. Diss. 9.
 — *bivalvis* Cav. Cav. Diss. 11.
 — *borbonica* Cav. Cav. Diss. 10.
 — *calycina* Cav. Cav. Diss. 8.
 — *calyptata* Cav. Cav. Diss. 133.
 — *canescens* Cav. Cav. Diss. 8.
 — *capensis* Cav. Cav. Diss. 12.
 — *capillaris* Cav. Cav. Diss. 1.
 — *carpinifolia* L. fil. Jacq. Ic. 135.
 — — Cav. Diss. 134.
 — — St. Hil. Pl. usuelles 50.
 — *ciliaris* L. Cav. Diss. 3, 127.
 — *cistiflora* L'her. L'her. Stürp. 61.
 — *cordifolia* L. Rheede Hort. mal. 10, 54.
 — — Cav. Diss. 3.
 — *crassifolia* L'her. L'her. Stürp. 60.
 — *crispa* L. Martyn Hist. 27.
 — — Cav. Diss. 7, 135.
 — *crispifolia* Cav. Cav. Ic. 419.
 — *cristata* L. Bot. Mag. 10, 330.
 — — Schk. Handb. 190^a.
 — *dioica* Cav. Cav. Diss. 132.
 — *diploscypha* Hook. Hook. Beechey 76.
 — *discissa* Bert. Mem. Mod. 23, 5.
 — *disticha* Cav. Cav. Ic. 432.
 — *Dombeyana* Hook. Hook. Bot. Misc. 89.
 — *elegans* Colla. Mem. Tur. 35, 4.
 — *excelsior* Cav. Cav. Diss. 5.
 — *exstipularis* Comm. Cav. Diss. 7.
 — *filiformis* Moric. Moricand Pl. Am. 25.
 — *flavescens* Cav. Cav. Diss. 13.
 — *floribunda* H. B. K. H. B. K. Nov. Gen. 5, 473.
 — *foetida* Cav. Cav. Diss. 196.
 — *fragrans* L'her. L'her. Stürp. 53.
 — *frutescens* Cav. Cav. Diss. 10.
 — † *gigantea* Jacq. Jacq. Fragm. 2.
 — — Jacq. Schoenbr. 2, 141.
 — *glauca* Cav. Cav. Ic. 11.
 — *globiflora* Hook. Bot. Mag. 55, 2821.
 — *glomerata* Cav. Cav. Diss. 2.
 — — Desc. Ant. 7, 526.
 — *glutinosa* Comm. Cav. Diss. 2.
 — *grandifolia* Willd. Bot. Reg. 5, 360.
 — *graveolens* Roxb. Jacq. Fragm. 98.
 — — Bot. Mag. 71, 4134.
 — *hastata* Willd. Andr. Rep. 9, 588.
 — — Bot. Mag. 37, 1541.
 — ? — St. Hil. Fl. Bras. 36.
 — *hederaefolia* Cav. Cav. Diss. 9.
 — *herbacea* Cav. Cav. Diss. 13.
 — *hernandioides* L'her. L'her. Stürp. 58.
 — *heterophylla* Cav. Cav. Ic. 421.
 — *hirta* Lam. Cav. Diss. 7, 129.
 — — Rehb. Hort. 152.
 — *humilis* Cav. Cav. Diss. 134.
 — *jamaicensis* L. Cav. Diss. 2.

- Sida iatrophoides* L'her. L'her. Stürp. 56.
 — — Lam. Encycl. 578.
 — *javensis* Cav. Cav. Diss. 1.
 — *inaequalis* Link et O. Link Ic. I. 34.
 — — Bot. Mag. 62, 3436.
 — *indica* L. Rumpf Amb. 4, 11.
 — — Cav. Diss. 7.
 — *integerrima* Hook. Bot. Mag. 74, 4369.
 — *intermedia* St. Hil. St. Hil. Fl. Bras. 36.
 — *linearis* Cav. Cav. Ic. 312.
 — *lignosa* Cav. Cav. Diss. 6.
 — *linifolia* Juss. Cav. Diss. 2.
 — *maculata* Cav. Cav. Diss. 3.
 — *malacophylla* Link et O. Link Ic. I. 30.
 — — Kerner Hort. 679.
 — *malvaeflora* DC. Bot. Reg. 12, 1036.
 — *mauritiana* L'her. L'her. Stürp. 62.
 — — Jacq. Ic. 137.
 — *micans* Cav. Cav. Diss. 3.
 — *micrantha* St. Hil. St. Hil. Pl. usuelles 49.
 — *microphylla* Cav. Cav. Diss. 12.
 — *microsperma* Cav. Cav. Diss. 13.
 — *mollis* Ortega. Bot. Mag. 54, 2759.
 — *morifolia* Cav. Cav. Diss. 1.
 — *multicaulis* Cav. Cav. Diss. 12.
 — *multifida* Domb. Cav. Diss. 4.
 — *multiflora* Cav. Cav. Diss. 3.
 — — Jacq. Observ. 43.
 — *muricata* Cav. Cav. Ic. 597.
 — *Napaea* Cav. Cav. Diss. 132.
 — — Bot. Mag. 48, 2193.
 — *nudiflora* L'her. L'her. Stürp. 59, 59^b.
 — *nutans* L'her. L'her. Stürp. 57^b.
 — *obtusa* Vogel. Cav. Diss. 9.
 — *occidentalis* L. Cav. Diss. 4.
 — *orientalis* Cav. Cav. Diss. 12.
 — *ovata* Cav. Cav. Diss. 196.
 — *paeoniaeflora* Hook. Bot. Mag. 71, 4170.
 — *palmata* Domb. Cav. Diss. 3, 131.
 — — Jacq. Ic. 547.
 — *paniculata* L. Cav. Diss. 12.
 — *patens* Andr. Andr. Rep. 9, 571.
 — *parnassiaefolia* Hook. Hook. Ic. pl. 4, 385.
 — *periplocifolia* L. Cav. Diss. 5.
 — *periptera* Sims. Bot. Mag. 40, 1644.
 — *persica* Burm. Burmann Fl. ind. 47.
 — — Cav. Diss. 4.
 — *peruviana* Juss. Cav. Diss. 7, 130.
 — *phyllanthos* Cav. Cav. Diss. 127.
 — *pichinchensis* H. B. Humb. Pl. aeq. 116.
 — *picta* Gillies. Bot. Mag. 67, 3840.
 — *pilosa* Cav. Cav. Diss. 1.
 — *pinnata* Cav. Cav. Ic. 422.
 — *planicaulis* Cav. Cav. Diss. 3.
 — *planiflora* Lam. Cav. Diss. 7.
 — — Cav. Diss. 135.
 — *plumosa* Cav. Cav. Diss. 14.
 — *populifolia* Lam. Cav. Diss. 7, 128.
 — *prostrata* Cav. Cav. Diss. 13.
 — *pterosperma* L'her. L'her. Stürp. 57.
 — *pubescens* Cav. Cav. Diss. 7.
 — *pulchella* Bonpl. Bonpland Malm. 2.
 — — Bot. Mag. 54, 2753.
 — — Lodd. Cab. 1841.
 — *pulchra* Bertero. Colla Hort. Rip. 34.
 — *pusilla* Cav. Cav. Diss. 1, 127.
 — *pyramidata* Desp. Cav. Diss. 1, 194.
 — *radicans* Cav. Rheede Hort. mal. 10, 69.
 — *ramosa* Cav. Cav. Diss. 6.
 — *reflexa* Cav. Cav. Diss. 7, 195.
 — — Kerner Hort. 288.
 — *repens* Cav. Cav. Diss. 1.

- Sida retrorsa* L'her. L'her. Stirp. 64.
 — *retusa* L. Rheede Hort. mal. 10, 18.
 — — Rumpf Amb. 6, 19.
 — — Cav. Diss. 3, 131.
 — *rhombifolia* L. Cav. Diss. 3.
 — *ricinoides* L'her. L'her. Stirp. 55.
 — *rosea* Link et O. Link Ic. I. 32.
 — — Bot. Mag. 59, 3150.
 — *rotundifolia* Cav. Cav. Diss. 3, 194.
 — *rubifolia* St. Hil. St. Hil. Fl. Bras. 34.
 — *sessiliflora* Hook. Bot. Mag. 55, 2857.
 — *silvatica* Cav. Cav. Diss. 133.
 — — Lam. Encycl. 578.
 — *Sonneratia* Cav. Cav. Diss. 6.
 — *spicata* Cav. Cav. Diss. 8.
 — *spinosa* L. Cav. Diss. 1.
 — — Gray Genera 123.
 — *spiraeifolia* Link. Rchb. Hort. 33.
 — *stellata* Cav. Cav. Diss. 5.
 — *stipulata* Cav. Cav. Diss. 3.
 — *suberosa* L'her. L'her. Stirp. 54.
 — *supina* L'her. L'her. Stirp. 52^b.
 — *terminalis* Cav. Cav. Diss. 6, 195.
 — *tiliaefolia* Willd. Jacq. Ecl. pl. 35.
 — *tricuspidata* Cav. Cav. Diss. 6.
 — *tridentata* Cav. Cav. Ic. 312.
 — *triloba* Cav. Cav. Diss. 1, 131.
 — — Jacq. Schoenbr. 2, 142.
 — *triquetra* L. Jacq. Hist. stirp. am. 184.
 — — Jacq. Vind. 118.
 — — Cav. Diss. 5.
 † — Gaertn. Carp. 134.
 † *truncata* Cav. Cav. Diss. 6.
 — L'her. L'her. Stirp. 51.
 — *ulmifolia* Cav. Cav. Diss. 2.
 — *umbellata* L. Jacq. Vind. 56.
 — — Cav. Diss. 6, 129.
 — *unilocularis* L'her. L'her. Stirp. 56^b.
 — *urens* L. Cav. Diss. 2.
 — — Novi Comm. Gott. 3, 5.
 — *urticaefolia* St. Hil. St. Hil. Fl. Bras. 37.
 — *venosa* Hook. Bot. Mag. 75, 4463.
 — *veronicaefolia* Cav. Cav. Diss. 1, 127.
 — *verticillata* Cav. Cav. Diss. 1.
 — *virgata* Cav. Cav. Ic. 73.
 — *viscosa* L. L'her. Stirp. 53^b.
 — *vitifolia* Cav. Cav. Ic. 420.
 — — Kerner Hort. 621.
 — — Bot. Mag. 72, 4227.
 † *Sidalcea* Gray. Gray Genera 120.
 — *diploscypha* Gray. Gray Genera 120.
Sideritis Alopecuroides Scop. Scopoli Fl. carn. 1, 29.
 — *arborescens* Salzm. Boissier Esp. 146.
 — *brutia* Ten. Tenore Fl. nap. 51.
 — *calycantha* M. v. B. Rchb. Pl. crit. 1, 15.
 — *canariensis* L. Rivinus Opus ined. 17.
 — — Jacq. Vind. 3, 30.
 — *candicans* Ait. Willdenow Hortus 105.
 — *chamaedryfolia* Cav. Cav. Ic. 301.
 — *cretica* L. Willdenow Hortus 106.
 — *ebracteata* Asso. Asso Aragon. 11.
 — *elegans* Murr. Comm. Gott. 1, 4.
 — — Schk. Handb. 158.
 — *glauca* Cav. Cav. Ic. 183.
 — *hirsuta* L. Cav. Ic. 302.
 — — Hayne 4, 9.
 — — Nees Dusseld. Suppl. 39.
 — *hirta* Roth. Nees Dusseld. Suppl. 39.
 — *hyssopifolia* L. Rivinus Opus ined. 43.
 — — Schk. Handb. 158.
 — — Lam. Encycl. 505.
 — *incana* L. Cav. Ic. 186.

- Sideritis leucantha* Cav. Cav. Ic. 304.
 — *libanotica* Lab. Bill. Syr. 4, 8.
 — *linearifolia* Lam. Hoffm. et Link Fl. port. 6.
 — — Brotero Phytogr. 115.
 — *montana* L. Rivinus Opus ined. 14.
 — — Jacq. Fl. austr. 5, 434.
 — — Sturm Flora 1, 4.
 — — Schk. Handb. 158.
 — — Sibth. Fl. gr. 531.
 — *ovata* Cav. Cav. Ic. 48.
 — *parvifolia* Lam. Lam. Encycl. 505.
 — *pullulans* Vent. Vent. Cels 98.
 — *romana* L. Cav. Ic. 187.
 — — Sibth. Fl. gr. 552.
 — *rosea* Desf. Ann. Mus. 10, 24.
 — — Desf. Choix 13.
 — *scordioides* L. Cav. Ic. 303.
 † — — Nees Gen. 6, 35.
 — — var. *alpina*, Knowles et Westcott 31.
 — *subspinosa* Cav. Cav. Ic. 209.
 — *syriaca* L. Sibth. Fl. gr. 550.
 — — Rchb. Hortus 57.
 — *taurica* M. v. B. Marschall Cent. 39.
 — — Rchb. Ic. crit. 4, 384.
 — *virgata* Desf. Desf. Fl. atl. 125.
Siderodendron floribundum A. Rich. Ramon Cuba 45.
 † — *triflorum* Vahl. Gaertn. Carp. 197.
 † *Sideroxylum attenuatum* DC. Wight Illustr. 148^{bis}.
 — — Wight Ic. pl. Ind. or. 4, 1590.
 — *borbonicum* DC. Delessert Ic. 5, 38.
 — *cylindrocarpum* P. et E. Poepp. et Endl. 282.
 — *elegans* P. et E. Poepp. et Endl. 282.
 — *ferrugineum* Hook. Hook. Beechey 55.
 — *guianense* DC. Delessert Ic. 5, 39.
 — *inermis* L. Lam. Encycl. 120.
 † — *Mastichodendrum* Jacq. Jacq. Collect. 2, 17.
 † — — Lam. Encycl. 120.
 † — — Gaertn. Carp. 202.
 — *melanophleum* L. Jacq. Vind. 71.
 — *mite* L. Bot. Mag. 43, 1858.
 † — *nigrum* Gaertn. Gaertn. Carp. 202.
 † — *obovatum* Gaertn. Gaertn. Carp. 202.
 † — *salicifolium* Lam. Gaertn. Carp. 202.
 † — *spinosum* L. Ann. Mus. 8, 64.
 — *tomentosum* Roxb. Roxb. Corom. 28.
 — *Wightianum* Wall. Hook. Beechey 41.
Siebertia cherlerioides Schrad. Rchb. Fl. germ. 5, 204.
Siegesbeckia agrestis P. et E. Poepp. et Endl. 56.
 — *droseroides* Sweet. Sweet Fl. G. 203.
 — *fusculosa* L'her. L'her. Stirp. 19.
 — *gorullensis* Kth. Bot. Reg. 13, 1061.
 — *orientalis* L. Linné Hort. Cliff. 23.
 — — Schk. Handb. 256.
 † — — Gaertn. Carp. 168.
 — — Lam. Encycl. 687.
 — — Wight Ic. pl. Ind. or. 3, 1103.
 † — — Wight Illustr. 134.
 — *triangularis* Cav. Cav. Ic. 253.
Sieversia albiflora Hook. Hook. Fl. ant. 7.
 — *elata* Royle. Royle Illustr. 39.
 — *montana* Kn. et W. Knowles et Westcott 46.
 — *paradoxa* Don. Linn. Transact. 14, 22.
 — *Peckii* R. Br. Bot. Mag. 55, 2863.
 † — *Rossii* R. Br. Parry Voyage tab. C.
 — *triflora* R. Br. Bot. Mag. 55, 2858.
Sigmatostalix graminea Rchb. fil. Rchb. Xenia 1, 8.
Silene pratensis Bess. Baxter Brit. Bot. 6, 404.
 † *Silene* L. Gray Genera 115.
 — *acaulis* L. Lightfoot Fl. scot. 1, 12.
 — — Allione Fl. ped. 3, 79.
 — — Engl. Bot. 16, 1081.
 — — Lodd. Cab. 568.

- Silene acaulis* L. Rechb. Fl. germ. 6, 270.
 † — — — Avé-Lallemant 14—19.
 † — — — Jordan Obs. 5, 1.
 — — — adscendens Lag. Willkomm Ic. Hisp. 1, 27.
 — — — Agrostemma Boiss. et R. Willkomm Ic. Hisp. 1, 25.
 — — — Almolae Gay. Willkomm Ic. Hisp. 1, 33.
 — — — alpestris Jacq. Jacq. Fl. austr. 1, 96.
 — — — — Rechb. Fl. germ. 6, 277^b.
 — — — — Sweet Fl. G. 111.
 — — — altaica Pers. Ledeb. Ic. 172.
 — — — ambigua Camb. Willkomm Ic. Hisp. 1, 28.
 — — — anglica L. Curt. Lond. 2, 50.
 — — — — Engl. Bot. 17, 1178.
 — — — — Fl. dan. 10, 1643.
 — — — — Rechb. Fl. germ. 6, 273.
 — — — annulata Thore. Rechb. Fl. germ. 6, 282^b.
 — — — apetala Willd. Rechb. Fl. germ. 6, 275.
 — — — — Willkomm Ic. Hisp. 1, 38.
 — — — Armeria L. Fl. dan. 4, 559.
 — — — — Engl. Bot. 20, 1398.
 — — — — Baxter Brit. Bot. 2, 120.
 — — — — Sturm Flora 6, 21.
 — — — — Rechb. Fl. germ. 6, 284.
 — — — articulata Viv. Viviani Lib. 12.
 — — — Atocion Juss. Jacq. Vind. 3, 32.
 — — — auriculata Sibth. Sibth. Fl. gr. 435.
 — — — Behen L. Sibth. Fl. gr. 416.
 — — — bellidifolia Juss. Jacq. Vind. 3, 81.
 — — — bicolor Thore. DC. Icones Gall. 42.
 — — — — Rechb. Mag. 72.
 — — — — Rechb. Fl. germ. 6, 282.
 — — — bipartita Desf. Desf. Fl. atl. 100.
 — — — — Willkomm Ic. Hisp. 1, 30. 31.
 — — — Boryi Boiss. Boissier Esp. 25.
 — — — brachypetala DC. Rechb. Fl. germ. 6, 274.
 — — — — Jordan Obs. 5, 1.
 — — — caesia Sibth. Sibth. Fl. gr. 417.
 — — — caespitosa Stev. Linn. Transact. 11, 35.
 — — — Cambessedii Boiss. et R. Willk. Ic. Hisp. 1, 34.
 — — — canariensis Spr. Webb Canar. 18.
 — — — canescens Ten. Tenore Fl. nap. 38.
 — — — — Rechb. Fl. germ. 6, 278.
 — — — caspica Pers. Rechb. Ic. crit. 3, 263.
 — — — catholica Ait. Rechb. Ic. crit. 4, 304.
 — — — — Rechb. Fl. germ. 6, 293.
 — — — cerastoides L. Vill. Dauph. 48.
 — — — — Sibth. Fl. gr. 412.
 — — — — Rechb. Fl. germ. 6, 273.
 — — — — Willkomm Ic. Hisp. 1, 37.
 — — — chloraefolia Sm. Smith Ic. Linn. 13.
 — — — — Bonpland Malm. 5.
 — — — — Bot. Mag. 21, 807.
 — — — — Bot. Reg. 23, 1989.
 — — — — Sweet Fl. G. II. 283.
 — — — chlorantha Ehrh. Rechb. Fl. germ. 6, 293.
 — — — — Dietr. Fl. bor. 3, 157.
 — — — ciliata Pourr. Willkomm Ic. Hisp. 1, 42.
 — — — cisplatensis Camb. St. Hil. Fl. Bras. 108.
 — — — clandestina Jacq. Jacq. Collect. 5, 3.
 — — — clinaria Spr. Rechb. Fl. germ. 6, 270.
 — — — compacta Fisch. Rechb. Hortus 26.
 — — — — Rechb. Fl. germ. 6, 284.
 — — — — Lodd. Cab. 1638.
 — — — — Sweet Fl. G. II. 64.
 — — — conica L. Jacq. Fl. austr. 3, 253.
 — — — — Engl. Bot. 13, 922.
 — — — — Sibth. Fl. gr. 423.
 — — — — Rechb. Fl. germ. 6, 276.
 — — — — Dietr. Fl. bor. 5, 290.
 — — — conoidea L. Rechb. Fl. germ. 6, 275.
 — — — cordifolia All. Allione Fl. ped. 3, 23.
 — — — — Rechb. Fl. germ. 6, 286.

- Silene corsica* Loiz. Willkomm Ic. Hisp. 1, 39.
 — — — cretica L. Sibth. Fl. gr. 422.
 — — — cryptantha Viv. Viviani Lib. 9.
 — — — decumbens Biv. Bivona Pl. sic. 1, 6.
 — — — dichotoma Ehrh. Winterl Index 7.
 — — — — W. et Kit. 29.
 — — — — Sibth. Fl. gr. 413.
 — — — — Rechb. Fl. germ. 6, 280.
 — — — discolor Sibth. Sibth. Fl. gr. 410.
 — — — distachya Brot. Brotero Phytogr. 71.
 — — — disticha Willd. Mem. Mus. 14, 12.
 — — — divaricata Sibth. Sibth. Fl. gr. 414.
 — — — — Clemente. Willkomm Ic. Hisp. 1, 35.
 — — — echinata Oth. Jaubert Illustr. 4.
 — — — effusa Bernh. Rechb. Fl. germ. 6, 290.
 — — — Elisabethae Jan. Cesati Stirpes ital. x.
 — — — — Rechb. Ic. crit. 10, 901.
 — — — — Rechb. Fl. germ. 6, 271.
 — — — exscapa All. Allione Fl. ped. 3, 79.
 † — — — Jordan Obs. 5, 1.
 — — — Fabaria Sm. Sibth. Fl. gr. 415.
 — — — falcata Sibth. Sibth. Fl. gr. 436.
 — — — Falconeriana Royle. Royle Illustr. 20.
 — — — fimbriata Sims. Bot. Mag. 23, 908.
 — — — flavescens W. et K. W. et Kit. 175.
 — — — — Rechb. Fl. germ. 6, 287.
 † — — — fruticosa L. Schk. Handb. 122.
 — — — — Sibth. Fl. gr. 428.
 — — — fuscata Link. Moris Fl. sard. 15.
 — — — gallica L. Rechb. Fl. germ. 6, 272.
 — — — Gallynii Heuff. Rechb. Fl. germ. 6, 280.
 — — — geniculata Pourr. Willkomm Ic. Hisp. 1, 42.
 — — — gibraltaria Boiss. Boissier Esp. 26^a.
 — — — gigantea L. Sibth. Fl. gr. 432.
 — — — glareosa Jord. Willkomm Ic. Hisp. 1, 23.
 — — — Graefferi Guss. Gussone Pl. rar. 34.
 — — — — Rechb. Ic. crit. 9, 880.
 — — — graminea Vis. Visiani Dalm. 34.
 — — — — Rechb. Fl. germ. 6, 286.
 — — — graminifolia Oth. Ledeb. Ic. 138.
 — — — Guillemi Waldemarii Kl. Prinz Waldem. Him. 31.
 — — — hirsuta Lag. Willkomm Ic. Hisp. 1, 29.
 — — — hirta Willd. Willdenow Hortus 23.
 — — — hispanica Jacq. Jacq. Fragm. 59.
 — — — hispida Desf. Moris Fl. sard. 19.
 — — — — Willkomm Ic. Hisp. 1, 29.
 — — — holopetala Led. Ledeb. Ic. 163.
 — — — Honigbergeri Fenzl. Endl. et Fenzl. Sertum cab. 2.
 — — — imbricata Desf. Desf. Fl. atl. 98.
 — — — inaperta L. Sibth. Fl. gr. 420.
 — — — — Rechb. Fl. germ. 6, 281.
 — — — — Willkomm Ic. Hisp. 1, 38.
 — — — incana DC. Rechb. Fl. germ. 6, 296.
 — — — incarnata Lodd. Lodd. Cab. 41.
 — — — inflata Sm. Engl. Bot. 3, 164.
 — — — — Rechb. Fl. germ. 6, 299—301.
 — — — — Dietr. Fl. bor. 4, 239.
 — — — — Willkomm Ic. Hisp. 1, 23.
 — — — infracta W. et K. W. et Kit. 213.
 — — — — Rechb. Ic. crit. 3, 265.
 — — — — Rechb. Fl. germ. 6, 296.
 — — — integripetala Bory. Bory et Chaub. Morée 13.
 — — — intrusa W. et A. Wight Illustr. 26.
 — — — italica Pers. Sibth. Fl. gr. 429.
 — — — — var. Moris Fl. sard. 16.
 — — — — Rechb. Ic. crit. 3, (253.) 292.
 — — — — Rechb. Fl. germ. 6, 295.
 — — — — Willkomm Ic. Hisp. 1, 45.
 — — — juncea Sibth. Sibth. Fl. gr. 421.
 — — — Kowalenskyi Stach. Bull. Mosc. 1853, 5.
 — — — lacera Sims. Bot. Mag. 48, 2255.
 — — — laciniata Cav. Cav. Ic. 564.

- Silene laciniata* Cav. Bot. Reg. 17, 1444.
 — — Paxt. Mag. 1, 267.
 — — *laevigata* Sibth. Sibth. Fl. gr. 418.
 — — *lasiostyla* Boiss. et R. Willkomm Ic. Hisp. 1, 26.
 — — *legionensis* Lag. Willkomm Ic. Hisp. 1, 41.
 — — *Lerchenfeldiana* Baumg. Rchb. Fl. germ. 6, 288.
 — — *leucophaea* Sibth. Sibth. Fl. gr. 424.
 — — *ligulata* Viv. Viviani Lib. 12.
 — — *linicola* Gm. Rchb. Fl. germ. 6, 283.
 — — *linifolia* Sibth. Sibth. Fl. gr. 433.
 — — *livida* Willd. Rchb. Ic. crit. 3, 255.
 — — — Rchb. Fl. germ. 6, 294.
 — — *longicaulis* Pourr. Willkomm Ic. Hisp. 1, 44.
 — — *longiflora* Ehrh. W. et Kit. 6.
 — — — Rchb. Fl. germ. 6, 294.
 — — *longipetala* Vent. Vent. Cels 83.
 — — — Sibth. Fl. gr. 419.
 — — *maritima* With. Engl. Bot. 14, 957.
 — — — Rchb. Fl. germ. 6, 299.
 — — *mellifera* R. et B. Willkomm Ic. Hisp. 1, 46.
 — — *Menziesii* Hook. Hook. Bor. Am. 30.
 — — *micropetala* DC. Rchb. Mag. 72.
 — — *multicaulis* Guss. Gussone Pl. rar. 35.
 — — *multiflora* Pers. Winterl Index 23.
 — — — Rchb. Fl. germ. 6, 291.
 — — *muscupula* L. Rchb. Fl. germ. 6, 283.
 — — — Willkomm Ic. Hisp. 1, 40.
 — — *neglecta* Ten. Tenore Fl. nap. 230.
 — — *nemoralis* W. et K. W. et Kit. 249.
 — — — Rchb. Ic. crit. 3, 254.
 — — — Rchb. Fl. germ. 6, 297.
 — — *nevadensis* Boiss. Willkomm Ic. Hisp. 1, 45.
 — — *niccaensis* All. Allione Fl. ped. 3, 44.
 — — — Rchb. Fl. germ. 6, 278.
 — — *nocteoletens* Webb. Webb Canar. 19.
 — — *noctiflora* L. Gaertn. Carp. 130.
 † — — — Schk. Handb. 123.
 † — — — Lam. Encycl. 377.
 — — — Engl. Bot. 5, 291.
 — — — Fl. dan. 14, 2470.
 — — — Rchb. Fl. germ. 6, 276.
 — — — Sturm Flora 1, 3.
 — — *noctura* L. Sibth. Fl. gr. 408.
 — — — Tenore Fl. nap. 230.
 — — — Rchb. Fl. germ. 6, 274.
 † — — — Jordan Obs. 5, 1.
 — — *Notarisii* Ces. Cesati Stirpes ital. x.
 — — *nutans* L. Fl. dan. 2, 242.
 — — — Engl. Bot. 7, 465.
 — — — Dreves 4, 114.
 — — — Schk. Handb. 122.
 — — — Schrank Fl. monac. 4, 319.
 — — — Dietr. Fl. bor. 5, 328.
 — — — Rchb. Fl. germ. 6, 295.
 — — *odoratissima* Led. Ledeb. Ic. 396.
 — — *oppositifolia* Gm. Gmelin Reise 3, 32.
 — — *orchidea* L. fil. Sibth. Fl. gr. 427.
 — — *ornata* Ait. Bot. Mag. 11, 382.
 — — *Orites* Pers. Engl. Bot. 2, 85.
 — — — Rchb. Fl. germ. 6, 289.
 — — — Dietr. Fl. bor. 3, 158.
 — — *paradoxa* L. Jacq. Vind. 3, 84.
 — — — Rchb. Ic. crit. 3, 253.
 — — — Rchb. Fl. germ. 6, 296.
 — — *parviflora* Pers. Rochel Banat. 2.
 — — — Rchb. Fl. germ. 6, 290.
 — — *patens* Peete. Engl. Bot. 2748.
 — — *pelidna* Rchb. Rchb. Ic. crit. 3, 256.
 — — — Rchb. Fl. germ. 6, 294.
 — — *pendula* L. Bot. Mag. 4, 114.
 — — — Roemer Fl. europ. 6, 8.
 — — — Rchb. Fl. germ. 6, 279.

- Silene pennsylvanica* Michx. Bot. Reg. 3, 247.
 — — — Gray Genera 115.
 — — *petraea* W. et K. W. et Kit. 164.
 — — — Rchb. Fl. germ. 6, 285.
 — — *pharnacifolia* Fenzl. Russegger Reise 10.
 — — *picta* Desf. DC. Hort. genev. 6.
 — — — Sweet Fl. G. 92.
 — — — Rchb. Fl. germ. 6, 282.
 — — *pilosa* Spr. Rchb. Ic. crit. 3, 264.
 — — — Rchb. Fl. germ. 6, 298.
 — — *procambens* Murr. Comm. Gott. 7, 2.
 — — *pseudotites* Bess. Rchb. Fl. germ. 6, 289.
 — — *pteropleura* B. et R. Willkomm Ic. Hisp. 1, 40.
 — — *pubescens* Lois. Rchb. Fl. germ. 6, 277.
 — — *pubibunda* Hoffm. Rchb. Ic. crit. 9, 879.
 — — — Rchb. Fl. germ. 6, 269.
 — — *Pumilio* Wulf. Jacq. Fl. austr. 5, 2.
 — — — Jacq. Collect. 2, 10.
 — — — Lam. Encycl. 377.
 — — — Sturm Flora 6, 22.
 — — — Rchb. Fl. germ. 6, 270.
 — — *purpurea* Kn. et W. Knowles et Westcott 42.
 — — *pusilla* W. et K. W. et Kit. 212.
 — — — Lodd. Cab. 90.
 — — — Sweet Fl. G. II. 40.
 — — — Rchb. Fl. germ. 6, 269.
 — — *quadrifida* L. Jacq. Fl. austr. 2, 120.
 — — — Rchb. Ic. crit. 9, 876.
 — — — Rchb. Fl. germ. 6, 269.
 — — *quinquevulnera* L. Engl. Bot. 2, 86.
 — — — Rchb. Fl. germ. 6, 272.
 — — *ramosissima* Desf. Boissier Esp. 26.
 — — — Willkomm Ic. Hisp. 1, 39.
 — — *regia* Sims. Bot. Mag. 41, 1724.
 — — — Sweet Fl. G. II. 313.
 — — *remotiflora* Vis. Visiani Dalm. 53.
 — — *repens* Patr. Ledeb. Ic. 425.
 — — *Requienii* Oth. Willkomm Ic. Hisp. 1, 44.
 — — *reticulata* Desf. Desf. Fl. atl. 99.
 — — *rigidula* Sibth. Sibth. Fl. gr. 430.
 — — *rosulata* Soyer Will. Explor. Alger. 82.
 — — *rubella* L. Delile Egypte 29.
 — — — Sibth. Fl. gr. 426.
 — — — var. *Moris* Fl. sard. 14.
 — — — Rchb. Fl. germ. 6, 284.
 — — *rupestris* L. Fl. dan. 1, 4.
 — — — Sturm Flora 6, 22.
 — — — Rchb. Fl. germ. 6, 288.
 — — *saponariaefolia* Schott. Rchb. Fl. germ. 6, 301.
 — — *saxatilis* Sims. Bot. Mag. 18, 689.
 — — *Saxifraga* L. W. et Kit. 163.
 — — — Lodd. Cab. 454.
 — — — Rchb. Fl. germ. 6, 285.
 — — *scabrida* Soyer Will. Explor. Alger. 82.
 — — *scabriflora* Brot. Brotero Phytogr. 72.
 — — *Schafta* Gmel. Fischer et M. Sertum petrop. 2.
 — — — Bot. Reg. 32, 20.
 — — *sedoides* Jacq. Jacq. Collect. 5, 14.
 — — — Sibth. Fl. gr. 425.
 — — — Rchb. Fl. germ. 6, 277.
 — — *Seguierii* Rchb. Rchb. Fl. germ. 6, 285.
 — — *sericea* All. Allione Fl. ped. 3, 79.
 — — — Moris Fl. sard. 17.
 — — — Rchb. Fl. germ. 6, 278.
 — — — Willkomm Ic. Hisp. 1, 32.
 — — *setacea* Viv. Viviani Lib. 12.
 — — *Siegeri* Baumg. Rchb. Fl. germ. 6, 287.
 — — *silvestris* Schott. Rchb. Fl. germ. 6, 272.
 † — — *simplicicorona* Mut. Mutel Fl. fr. 13.
 — — *speciosa* Paxt. Paxt. Mag. 10, 219.
 — — — Fl. d. serres 2, 7.
 — — *spergulifolia* M. v. B. Rchb. Fl. germ. 6, 292.

- Silene spinescens* Sibth. Sibth. Fl. gr. 431.
 — *staticifolia* Sibth. Sibth. Fl. gr. 434.
 — *stellata* Ait. Torrey New York 16.
 — *stentoria* Fenzl. Russegger Reise 11.
 — *stylosa* Led. Ledeb. Ic. 160.
 — *succulenta* Forsk. Delile Egypte 29.
 — — var. *Moris* Fl. sard. 18.
 — *supina* M. v. B. Marshall Cent. 3.
 — — Rchb. Ic. crit. 4, 324.
 — — Bot. Mag. 45, 1997.
 — *tatarica* Pers. Dietr. Fl. bor. 5, 291.
 — — Rchb. Fl. germ. 6, 292.
 — *tejedensis* Boiss. Boissier Esp. 25.
 — *tenerrima* Presl. Rchb. Fl. germ. 6, 781.
 — *tenuiflora* Guss. Gussone Pl. rar. 36.
 — *Thorei* Dufour. Willkomm Ic. Hisp. 1, 24.
 — *thymifolia* Sibth. Sibth. Fl. gr. 411.
 — *Tommasinii* Vis. Visiani Dalm. 35.
 — — Ebel Montenegro 3.
 — — Rchb. Fl. germ. 6, 277.
 — *tridentata* Desf. Willkomm Ic. Hisp. 1, 36.
 — *trinervia* Seb. M. Sebastiani Fl. rom. 2.
 — *vallesia* L. Allione Fl. ped. 3, 23.
 — — Rchb. Fl. germ. 6, 286.
 — *velutina* Pourr. Willkomm Ic. Hisp. 1, 43.
 — *vespertina* Retz. Bot. Mag. 15, 677.
 — — Sibth. Fl. gr. 409.
 — — Sweet Fl. G. 58.
 — — Rchb. Fl. germ. 6, 279.
 — *vestita* Soyer Will. Explor. Alger. 82.
 — *villosa* Camb. var. *nana*, Mem. Mus. 14, 13.
 — *virginica* L. Bot. Mag. 61, 3342.
 — *viridiflora* L. Rchb. Fl. germ. 6, 293.
 — *viscosa* Pers. Rchb. Fl. germ. 6, 291.
 — *Wallichiana* Klotzsch. Prinz Waldem. Him. 30.
 † *Siler aquilegifolium* Gaertn. Gaertn. Carp. 22.
 — *lancifolium* Moench. Hoffm. et Link Fl. port. 109.
Siloxerus humifusus Lab. Bill. Nov. Holl. 209.
Silphium Asteriscus L. Lam. Encycl. 707.
 — *laciniatum* L. Linné Fasc. pl. ups. 3.
 — — Jacq. Ecl. pl. 90.
 — *latifolium* Hill. Hill Hort. Kew. 2.
 † *perfoliatum* L. Schk. Handb. 262.
 — — Bot. Mag. 61, 3354.
 — *terebinthinaceum* L. fil. Jacq. Vind. 43.
 — — Schk. Handb. 262.
 † — — Gaertn. Carp. 171.
 † — — Lam. Encycl. 707.
 — — Bot. Mag. 63, 3323.
 † *Tetragonotheca* Gaertn. Gaertn. Carp. 171.
 † *trifoliatum* L. Schk. Handb. 262.
 — — Bot. Mag. 61, 3355.
Silvia Navalium Allemão. Allemão Diss. 1848, x.
 † *Silybum cernuum* Gaertn. Gaertn. Carp. 162.
 † — *Marianum* Gaertn. Gaertn. Carp. 162.
 — — Dietr. Fl. bor. 8, 522.
 — — Rchb. Fl. germ. 15, 862.
Simaba bahiensis Moric. Mem. Genev. 7, 9.
 — — Moricand Pl. Am. 9.
 — *Cedron* Planch. Hook. Journal 1850, 11.
 — *ferruginea* St. Hil. St. Hil. Fl. Bras. 14.
 — *floribunda* St. Hil. St. Hil. Pl. rem. 10.
 — *guianensis* Aubl. Aublet Guiana 153.
 † — — Mem. Mus. 12, 27.
 † *multiflora* Juss. Mem. Mus. 12, 27.
 — *orinocensis* H. B. K. H. B. K. Nov. Gen. 6, 514^{a, b}.
 — *suaveolens* St. Hil. Mem. Mus. 10, 18.
 — — St. Hil. Pl. rem. 11.
 — *trichiloides* St. Hil. Mem. Mus. 10, 18.
 — — St. Hil. Pl. rem. 11.
 — ? *undulata* Guill. Guillemin Seneg. 34.
Simaruba amara Aubl. Aublet Guiana 331, 332.

- Simaruba amara* Aubl. Hayne 9, 15.
 — — Nees Düssel. 380.
 — *excelsa* DC. Hayne 9, 16.
 — — Nees Düssel. 379.
 † *officinalis* DC. Mem. Mus. 12, 27.
 — — Guimpel et Schl. 240, 241.
 — *versicolor* St. Hil. St. Hil. Pl. usuell. 5.
Simethis planifolia J. W. Engl. Bot. 2952.
Simira tinctoria Aubl. Aublet Guiana 65.
Simmondsia californica Nutt. Hook. Journal 1844, 16.
Simonisia Riedeliana N. v. E. Endl. Bras. 7, 23.
Sinapidendron gracile Webb. Hook. Niger Fl. 1.
 — — Hook. Ic. pl. 8, 751.
 — *Vogelii* Webb. Hook. Niger Fl. 2.
 — — Hook. Ic. pl. 8, 752.
Sinapis alba L. Curt. Lond. 3, 90.
 — — Engl. Bot. 24, 1677.
 — — Fl. dan. 8, 1393.
 † — — Gaertn. Carp. 143.
 † — — Lam. Encycl. 566.
 † — — Schk. Handb. 186.
 — — Hayne 8, 39.
 — — Nees Düssel. 400.
 — — Guimpel et Schl. 33.
 — — Sturm Flora 2, 8.
 — — Dietr. Fl. bor. 8, 523.
 — — Rchb. Fl. germ. 2, 83.
 — *Allionii* Jacq. Jacq. Vind. 168.
 — — Delile Egypte 35.
 — — Rchb. Fl. germ. 2, 88.
 — *arvensis* Müller. Fl. dan. 4, 678.
 — — L. Fl. dan. 5, 753.
 — — Curt. Lond. 3, 111.
 — — Engl. Bot. 25, 1748.
 † — — Schk. Handb. 186.
 — — Hayne 2, 14.
 — — Dietr. Fl. bor. 8, 431.
 — — Rchb. Fl. germ. 2, 86.
 — *Cheiranthus Koch*. Rchb. Fl. germ. 2, 91.
 — — Engl. Bot. 2821.
 — *dissecta* Lag. Moris Fl. sard. 12.
 — *erucoides* L. Jacq. Vind. 170.
 — *frutescens* Ait. Hook. Bot. Misc. 28.
 — *hispidula* Schousb. Schousboe Marocco 4.
 — *incana* L. Jacq. Vind. 169.
 — — Brotero Phytogr. 172.
 — — Rchb. Fl. germ. 2, 85.
 — *integrifolia* Willd. Willdenow Hortus 14.
 — *junceae* L. Jacq. Vind. 171.
 — *leptopetala* DC. Delessert Ic. 2, 87.
 — *millefolia* Jacq. Jacq. Ic. 127.
 — *nigra* L. Fl. dan. 9, 1582.
 — — Woodv. Med. 3, 146.
 — — Engl. Bot. 14, 969.
 — — Baxter Brit. Bot. 5, 336.
 — — Desc. Ant. 6, 430.
 — — Sv. Bot. 83.
 — — Hayne 8, 40.
 — — Nees Düssel. 401.
 — — Guimpel et Schl. 34.
 — — Wagner 200.
 — — Dietr. Fl. bor. 8, 524.
 — — Rchb. Fl. germ. 2, 88.
 — *orientalis* L. Schk. Handb. 186.
 — — Rchb. Fl. germ. 2, 88.
 — *philaena* Delile. Delile Egypte 33.
 — *pyrenaica* L. Allione Fl. ped. 3, 55.
 — — Jacq. Fl. austr. 3, 262.
 — — Jacq. Vind. 3, 97.
 — *radicata* Desf. Desf. Fl. atl. 167.
 — *recurvata* All. Allione Fl. ped. 3, 87.
 — *Schkuhriana* Rchb. Rchb. Fl. germ. 2, 87.

- Sinapis tenuifolia* R. Br. Curt. Lond. 2, 17.
 — — Sv. Bot. 501.
 — — Timoriana DC. Delessert Ic. 2, 88.
Sinclairia discolor H. et A. Hook. Ic. pl. 5, 451, 452.
Singana guianensis Aubl. Aublet Guiana 230.
 — — Lam. Encycl. 460.
Sinningia guttata Ldl. Bot. Reg. 13, 1112.
 — — Paxt. Mag. 2, 4.
 — — Helleri N. v. E. Ann. sc. nat. 6, 12.
 — — Bot. Reg. 12, 997.
 — — velutina Ldl. Lodd. Cab. 1398.
 — — Bot. Mag. 72, 4212.
 — — villosa Ldl. Bot. Reg. 14, 1134.
 — — Lodd. Cab. 1629.
 — — Youngiana Paxt. Paxt. Mag. 7, 51.
Sipanea pratensis Aubl. Aublet Guiana 56.
 — — Lam. Encycl. 151.
 — — radicans Endl. Endl. Atacta 7.
Siparuna guianensis Aubl. Aublet Guiana 333.
Siphanthera cordata Pohl. Pohl Bras. 84.
 — — Rchb. Exot. 337.
 — — subtilis Pohl. Pohl Bras. 85.
 — — tenera Pohl. Pohl Bras. 85.
Siphocampylus amoensis Planch. Fl. d. serres 6, 619.
 — — Moore Mag. 1851, p. 273.
 — — betulaeifolius DC. Bot. Mag. 69, 3973.
 — — Paxt. Mag. 9, 223.
 — — bicolor Sweet. Knowles et Westcott 69.
 — — Maund Bot. 3, 139.
 — — Paxt. Mag. 4, 195.
 — — Sweet Fl. G. II. 389.
 — — canus Pohl. Pohl Bras. 169.
 — — cardiophyllus Pohl. Pohl Bras. 173.
 — — coccineus Hook. Bot. Mag. 71, 4178.
 — — Paxt. Mag. 12, 173.
 — — Fl. d. serres 2, 29, 7, 648.
 — — corymbiferus Pohl. Pohl Bras. 175.
 — — crenatifolius Pohl. Pohl Bras. 170.
 — — duploserratus Pohl. Pohl Bras. 177.
 — — giganteus Cav. Hook. Ic. pl. 8, 716.
 — — glandulosus Hook. Bot. Mag. 73, 4331.
 — — Fl. d. serres 4, 401.
 — — lantanifolius DC. Delessert Ic. 5, 12.
 — — Bot. Mag. 70, 4105.
 — — Lindleyi Lem. Lem. Jard. fl. 142.
 — — longepedunculatus Pohl. Pohl Bras. 172.
 — — Bot. Mag. 69, 4015.
 — — macranthus Pohl. Pohl Bras. 168.
 — — manettiaeiflorus Hook. Bot. Mag. 74, 4403.
 — — Paxt. Mag. 15, 267.
 — — microstomus Hook. Bot. Mag. 73, 4286.
 — — Paxt. Fl. G. 44.
 — — Fl. d. serres 5, 444.
 — — mollis Planch. Fl. d. serres 6, 549^c.
 — — nitidus Pohl. Pohl Bras. 174.
 — — Annales de Gand 1846, 78.
 — — Orbignyianus A. DC. Bot. Mag. 79, 4713.
 — — Fl. d. serres 6, 544.
 — — Lem. Jard. fl. 4, 425.
 — — penduliflorus Planch. Fl. d. serres 8, 763.
 — — psilophyllus Pohl. Pohl Bras. 176.
 — — revolutus Don. Maund Bot. 5, 227.
 — — Schlimmianus Planch. Fl. d. serres 6, 549^b.
 — — Thomesianus Moric. Moricand Pl. Am. 85.
 — — villosus Pohl. Pohl Bras. 171.
Siphonacanthus villosus N. v. E. Endl. Bras. 7, 1.
Siphonanthus indica L. Lam. Encycl. 79.
 † *Siphonia brasiliensis* Willd. Jussien Euphorb. 12.
 — — Hayne 14, 5.
 — — Cuchucu Rich. Berliner Jahrbuch 1802, 1.
 — — elastica Rich. Lam. Encycl. 790.
 † — — Jussien Euphorb. 12.

- Siphonia elastica* Rich. Woodv. Med. 4, 224.
 — — Nees Düssel. 141.
 — — Hayne 14, 4.
Siphonodon celastreus Griff. Calcutta Journ. 1844, 14.
Siphonostegia chinensis Benth. Hook. Beechey 44.
 † *Siphonochia* Torr. et Gr. Gray Genera 103.
 — — americana Torr. et Gr. Gray Genera 103.
Siponima (Ciponima) *guianensis* Aubl. Aubl. Guiana 226.
Sirium myrtifolium L. Lam. Encycl. 74.
 — — Roxb. Corom. 2.
 — — Kerner Hort. 69.
Sison alpinum Sieb. Sieber Creta 7.
 — — Ammi L. Jacq. Vind. 200.
 — — Amomum L. Jacq. Vind. 3, 17.
 — — Schk. Handb. 69.
 — — Engl. Bot. 14, 954.
 — — Baxter Brit. Bot. 6, 407.
 — — flexuosum Ten. Tenore Fl. nap. 127.
 — — inundatum L. Fl. dan. 1, 89.
 — — segetum L. Jacq. Vind. 134.
 — — Engl. Bot. 4, 228.
 — — silvaticum Brot. Brotero Phytogr. 37.
 — — Mem. Mosc. 5, 1, 3.
 — — Thomasii Ten. Tenore Fl. nap. 128.
 † — — trifoliatum Michx. Mag. naturf. Fr. 6, 5.
 — — verticillatum L. Lightfoot Fl. scot. 2, 35.
 † *Sisymbrium* L. Gray Genera 64.
 — — acutangulum DC. Rchb. Fl. germ. 2, 79.
 † — — Mutel Fl. fr. 1.
 † — — amphibium L. Schk. Handb. 187.
 — — Fl. dan. 6, 931.
 — — Engl. Bot. 26, 1840.
 — — amplexicaule Desf. Desf. Fl. atl. 153.
 † — — aquaticum Schk. Schk. Handb. 187.
 — — Fl. dan. 6, 984.
 — — arabioides Hook. Hook. Bor. Am. 21.
 — — arundanum Boiss. Boissier Esp. 6^a.
 — — austriacum Jacq. Winterl Index 23.
 — — Rchb. Fl. germ. 2, 77.
 — — binerve C. A. M. Jaubert Illustr. 298.
 — — brassicaeforme C. A. M. Ledeb. Ic. 204.
 — — bursifolium L. Vill. Dauph. 39.
 — — canescens Nutt. Gray Genera 64.
 — — catholicum L. Brotero Phytogr. 171.
 — — ceratophyllum Desf. Desf. Fl. atl. 155.
 — — cinereum Desf. Desf. Fl. atl. 157.
 — — Columnae Jacq. Jacq. Fl. austr. 4, 323.
 — — Rchb. Fl. germ. 2, 75.
 — — contortuplicatum DC. Delessert Ic. 2, 63.
 — — coronopifolium Desf. Desf. Fl. atl. 154.
 — — curvisiliquum Bert. Novi Comm. Bonon. 6, 10.
 — — dentatum All. Allione Fl. ped. 3, 57.
 — — Erucastrum Gouan. Gouan Illustr. 20.
 — — erysimoides Desf. Desf. Fl. atl. 158.
 — — exacoides DC. Delessert Ic. 2, 63.
 — — halophilum Led. Ledeb. Ic. 270.
 — — heteromallum Led. Ledeb. Ic. 263.
 — — hispanicum Jacq. Jacq. Ic. 124.
 — — humifusum Vahl. Fl. dan. 13, 2297.
 — — humile Led. Ledeb. Ic. 147.
 — — Irio L. Jacq. Fl. austr. 4, 322.
 — — Curt. Lond. 3, 92.
 — — Engl. Bot. 23, 1631.
 — — Baxter Brit. Bot. 2, 146.
 — — Rchb. Fl. germ. 2, 75.
 — — islandicum Müller. Fl. dan. 3, 409.
 — — junceum M. v. B. Rchb. Fl. germ. 2, 80.
 — — laxiflorum Boiss. Boissier Esp. 6.
 — — lippicense Jacq. Jacq. Ic. 505.
 — — Loeselii L. Jacq. Fl. austr. 4, 324.
 † — — Schk. Handb. 187.
 — — Rchb. Fl. germ. 2, 76.

- Sisymbrium lyratum* *Burm.* Delessert Ic. 2, 64.
 — *molle* *Jacq.* Jacq. Ic. 122.
 — *mollissimum* *Led.* Ledeb. Ic. 262.
 — *monense* *L.* Lightfoot Fl. scot. 1, 15.
 — — *Engl.* Bot. 14, 962.
 — — *Vill.* Dauph. 39.
 — — *Lam.* Encycl. 565.
 — *multisiliquosum* *Hoffm.* Rchb. Ic. crit. 3, 247.
 — — *Rchb.* Fl. germ. 2, 78.
 — *murale* *L.* Schk. Handb. 187.
 — — *Engl.* Bot. 16, 1090.
 — *Nasturtium* *L.* Fl. dan. 4, 690.
 — — *Woodv.* Med. 3, 144.
 — — *Engl.* Bot. 12, 855.
 † — — *Schk.* Handb. 187.
 — — *Schrank* Fl. monac. 4, 376.
 — — *Hayne* 5, 32.
 — — *Nees Düssel.* 399.
 — *officinale* *Scop.* Curt. Lond. 1, 55.
 — — *Sturm* Flora 2, 5.
 — — *Rchb.* Fl. germ. 2, 72.
 ! — — *Linnaea* 6, 9.
 † — *palustre* *Leysser.* Schk. Handb. 187.
 — *pannonicum* *Jacq.* Jacq. Ic. 123.
 — — *Dietr.* Fl. bor. 6, 428.
 — — *Rchb.* Fl. germ. 2, 74.
 — *pendulum* *Desf.* Desf. Fl. atl. 156.
 — *pinnatifidum* *DC.* Rchb. Fl. germ. 2, 73.
 — *polyceratum* *L.* Jacq. Vind. 79.
 — — *Rchb.* Fl. germ. 2, 73.
 — *primulaefolium* *Thomson.* Hook. Journ. 1852, 10.
 — *pusillum* *Vill.* Vill. Dauph. 39.
 — *reticulatum* *Tratt.* Tratt. Archiv 350.
 † — *silvestre* *L.* Schk. Handb. 187.
 — — *Engl.* Bot. 33, 2324.
 — *simplex* *Viv.* Viviani Lib. 16.
 — *simplicissimum* *Gm.* Gmelin Reise 3, 31.
 — *Sophia* *L.* Fl. dan. 3, 528.
 — — *Sv.* Bot. 203.
 — — *Engl.* Bot. 14, 963.
 — — *Hayne* 5, 33.
 — — *Dietr.* Fl. bor. 6, 429.
 — — *Rchb.* Fl. germ. 2, 74.
 — *sophioides* *Fisch.* Hook. Bor. Am. 20.
 — *strictissimum* *L.* Jacq. Fl. austr. 2, 194.
 — — *Rchb.* Fl. germ. 2, 80.
 — *supinum* *L.* Rchb. Fl. germ. 2, 72.
 — *taraxacifolium* *DC.* DC. Icones Gall. 37.
 — *tenuifolium* *L.* Engl. Bot. 8, 525.
 — *terrestre* *Sm.* Engl. Bot. 25, 1747.
 — *Thalianum* *Gaud.* Sturm Flora 3, 11.
 — *torulosum* *Desf.* Desf. Fl. atl. 159.
 — — *Sibth.* Fl. gr. 632.
 — *toxophyllum* *Led.* Ledeb. Ic. 201.
 † *Sisyrinchium* *L.* Kerner Genera 57.
 — *alatum* *Hook.* Hook. Ic. pl. 3, 219.
 — *anceps* *Lam.* Cav. Diss. 190.
 — — *Lodd.* Cab. 1220.
 — *Bermudiana* *L.* Cav. Diss. 192.
 — — *Red.* Lil. 3, 149.
 — *chilense* *Hook.* Bot. Mag. 54, 2786.
 — *collinum* *Cav.* Red. Lil. 5, 250.
 — *convolutum* *Nocca.* Nocca Fl. select. 1.
 — — *Viviani* Saggio 1.
 — — *Willdenow* Hortus 91.
 — — *Red.* Lil. 1, 47.
 — *cyanum* *Ldl.* Bot. Reg. 13, 1090.
 — *Douglasii* *A. Dietr.* Fl. d. serres 2, 146.
 — *elegans* *Willd.* Red. Lil. 3, 171.
 — *filifolium* *Gaudich.* Hook. Fl. ant. 126.
 — *gramineum* *Curt.* Bot. Mag. 13, 464.
 — — *Red.* Lil. 5, 282.

- † *Sisyrinchium gramineum* *Curt.* Lam. Encycl. 569.
 — *graminifolium* *Ldl.* Bot. Reg. 13, 1067.
 — — *β. pumilum*, Bot. Reg. 22, 1915.
 — *grandiflorum* *Cav.* Cav. Diss. 192.
 — — *Dougl.* Bot. Reg. 16, 1364.
 — — *Bot.* Mag. 63, 3509.
 — — *Sweet* Fl. G. II. 388.
 — *incurvatum* *Gardn.* Hook. Ic. pl. 6, 513.
 — *iridifolium* *H. B.* Lodd. Cab. 1979.
 — *iridioides* *Curt.* Bot. Mag. 3, 94.
 — *junceum* *E. M.* Knowles et Westcott 95.
 — *laxum* *Sims.* Bot. Mag. 49, 2312.
 † — *longistylum* *Ch. Lem.* Van Houtte Hort. 5.
 — — *Fl. d. serres* 3, 255.
 — *lutescens* *Lodd.* Lodd. Cab. 1870.
 — *maculatum* *Hook.* Bot. Mag. 59, 3197.
 — *majale* *Link et Kl.* Link Ic. III. 10.
 — *micranthum* *Cav.* Cav. Diss. 191.
 — — *Bot.* Mag. 47, 2116.
 — *mucronatum* *Michx.* Rchb. Hortus 119.
 — *narcissoides* *Cav.* Cav. Diss. 191.
 — — *Bot.* Reg. 15, 1283.
 — *Nuno Colla.* Mem. Tur. 39, 54.
 — *odoratissimum* *Ldl.* Bot. Reg. 15, 1283.
 — *palmifolium* *L.* Cav. Diss. 191.
 — — *Red.* Lil. 6, 352.
 — *pedunculatum* *Gill.* Bot. Mag. 57, 2965.
 — *pumilum* *Hook.* Hook. Fl. ant. 129.
 — *speciosum* *Hook.* Bot. Mag. 64, 3544.
 — *spicatum* *Cav.* Cav. Ic. 104.
 — *striatum* *Sm.* Smith Ic. pict. 9.
 — — *Red.* Lil. 2, 66.
 — — *Kerner* Hort. 23.
 — — *Dict. sc. nat.* 63.
 — *sulcatum* *Gill.* Hook. Ic. pl. 3, 218.
 — *tenuifolium* *Willd.* Willdenow Hortus 92.
 — — *Red.* Lil. 5, 275.
 — — *Bot.* Mag. 47, 2117. 49, 2313.
 † *Sitodium cauliflorum* *Gaertn.* Gaertn. Carp. 71. 72.
 † *Sitolobium* *Desv.* Mem. soc. Linn. Par. 6, 11.
Sium angustifolium *L.* Jacq. Fl. austr. 1, 67.
 — — *Curt.* Lond. 4, 111.
 — — *Engl.* Bot. 2, 139.
 — — *Sv.* Bot. 620.
 — — *Hayne* 1, 39.
 — *bulbosum* *Thore.* Desvaux Journal 1, 7.
 — *Falcaria* *L.* Jacq. Fl. austr. 3, 237.
 † — — *Gaertn.* Carp. 23.
 — — *Fl. dan.* 10, 1749.
 — — *Sv.* Bot. 621.
 — *intermedium* *DC.* Tenore Fl. nap. 218.
 — *latifolium* *L.* Fl. dan. 2, 246.
 — — *Lam.* Encycl. 197.
 — — *Curt.* Lond. 4, 110.
 — — *Engl.* Bot. 3, 204.
 — — *Baxter* Brit. Bot. 4, 319.
 — — *Sv.* Bot. 178.
 — — *Jacq.* Fl. austr. 1, 66.
 — — *Hayne* 1, 38.
 — — *Brandt und Ratzeb.* 28.
 — — *Dietr.* Fl. bor. 10, 702.
 † — — *Nees* Gen. X, x.
 — *Ninsi* *L.* Rumpf Amb. Auct. 21. fig. 1.
 — — *Burm.* Fl. ind. 29.
 — — *Nees Düssel.* 283.
 — *nodiflorum* *L.* Fl. dan. 2, 247.
 — — *Woodv.* Med. 1, 54.
 — — *Engl.* Bot. 9, 639.
 — *radiatum* *Viv.* Viviani Lib. 9.
 — *repens* *L.* Jacq. Fl. austr. 3, 260.
 — — *Engl.* Bot. 20, 1431.
 — — *Fl. dan.* 9, 1514.

- Sium repens* L. Gmelin Fl. bad. 1, 6.
 — *siculum* L. Jacq. Vind. 133.
 — *Sisyrum* L. Kaempfer Amoenit. p. 819.
 † — — Gaertn. Carp. 23.
 — — — Lam. Encycl. 197.
 — — — Schk. Handb. 69.
 † — — — Nees Gen. X, x.
 — — — *verticillatum* Lam. Engl. Bot. 6, 395.
Skimmia japonica Thunb. Kaempfer Japon. 5.
 † — — — Gaertn. Carp. 225.
 — — — Sieb. Japon. 68.
 — — — Bot. Mag. 79, 4719.
Skinnera caespitosa Choisy. Mem. Genev. 6, 6.
 † *Skinnera excoartata* Forst. Forster Charact. 29.
 † — — — Usteri Annalen 3, 6.
Skirrhophorus Cunninghami DC. Delessert Ic. 4, 51.
Slackia geonomaeformis Griff. Griffith Palms 234.
Sloanea dentata L. Lam. Encycl. 469.
 — *jamaicensis* Hook. Hook. Ic. pl. 7, 693—696.
 — *quadrivalvis* Seem. Seemann Herald 16.
 — *sinariensis* Aubl. Aublet Guiana 212.
Smeathmannia laevigata Soland. Bot. Mag. 71, 4194.
 — *pubescens* Soland. Bot. Mag. 74, 4364.
 † *Smegmadermos* R. et P. Ruiz et Pav. Prodr. 31.
Smegmathamnium bellidifolium Fenzl. Rchb. Fl. g. 6, 244.
 — *luteum* Fenzl. Rchb. Fl. germ. 6, 244.
Smelowskia cinerea Led. Ledeb. Ic. 151.
 — *integrifolia* Led. Ledeb. Ic. 283.
 † *Smilacaceae* R. Br. Schnizl. Iconogr. 1, 56.
Smilacina borealis Gawl. Bot. Mag. 29, 1155. 34, 1403.
 — *canadensis* Pursh. Barton Fl. 2, 70.
 — *ciliata* Desf. Ann. Mus. 9, 9.
 — *flexuosa* Bert. Novi Comm. Bonon. 4, 39.
 — — — Hook. Hook. Ic. pl. 6, 529.
 — *fusca* Wall. Wall. Pl. asiat. 257.
 — *purpurea* Wall. Wall. Pl. asiat. 144.
 — *racemosa* Desf. Red. Lil. 4, 230.
 — — — Torrey New York 130.
 — *stellata* Desf. Red. Lil. 4, 185.
 — *umbellata* Desf. Ann. Mus. 9, 8.
 — — — Tratt. Archiv 361.
 — *uniflora* Menz. Hook. Bor. Am. 190.
 † *Smilax* L. (Radix Sarsaparillae.) Archiv d. Pharm. 1847, 1. 2.
 † — — — Schleiden Sarsaparille 1. 2.
 — *aspera* L. Schk. Handb. 328.
 — — — Sibth. Fl. gr. 959.
 — — — Nouveau Duhamel 1, 53.
 † — — — Lam. Encycl. 817.
 † — — — Spach Suites 108.
 † — — — Nees Gen. 2, 63.
 † — — — Schnizl. Iconogr. 1, 56.
 — — — Rchb. Fl. germ. 10, 438.
 — *brasiliensis* Spr. Endl. Bras. 5, 3.
 — *canariensis* Willd. Webb Canar. 225.
 — *China* L. Rumpf Amb. Auct. 30.
 — — — Kaempfer Amoenit. p. 782.
 — — — Woodv. Med. 1, 63.
 — — — Nees Düsseld. 45.
 — *excelsa* L. Gmelin Reise 3, 6.
 — — — Mirbel. Nouveau Duhamel 1, 54.
 — *glauca* Sims. Bot. Mag. 43, 1846.
 — *glycyphylla* R. Br. Endl. Iconogr. 39.
 — *herbacea* L. Schk. Handb. 328.
 — — — Bot. Mag. 44, 1920.
 — *irrorata* Mart. Endl. Bras. 5, 2.
 — *lasioneuron* Hook. Hook. Bor. Am. 187.
 — *longifolia* Watson. Watson Dendr. 2, 110.
 — *maculata* Roxb. Royle Illustr. 94.
 — — — Wight Ic. pl. Ind. or. 6, 2059.
 — *medica* Schiede. Guimpel et Schl. 296.
 — — — Nees Düsseld. Suppl. 97.

- Smilax orbiculata* Lab. Bill. Sertum 23.
 — *ovalifolia* Roxb. Wight Ic. pl. Ind. or. 3, 809.
 — *papyracea* Poir. Endl. Bras. 5, 1.
 † — *peduncularis* Mühlbg. Hook. Bor. Am. 187.
 — *Pseudochina* L. Desc. Ant. 7, 462.
 — *purpurata* Forst. Bill. Sertum 22.
 — *quadrangularis* Willd. Watson Dendr. 2, 109.
 — *rubens* Watson. Watson Dendr. 2, 108.
 — *sagittaeifolia* Lodd. Lodd. Cab. 1799.
 — *Sarsaparilla* L. Woodv. Med. 1, 62.
 — — — Watson Dendr. 2, 111.
 — — — Lam. Encycl. 817.
 — — — Desc. Ant. 7, 461.
 — — — Guimpel et Schl. 295.
 — — — Wagner 194.
 — *syphilitica* H. B. K. Guimpel et Schl. 294.
 — *vaginata* Decne. Jacquemont Ind. 169.
 — *Villandia* Ham. Royle Illustr. 94.
 — *zeylanica* L. Rheede Hort. mal. 7, 31.
 — — — Rumpf Amb. 5, 161.
 † — — — Gaertn. Carp. 16.
 † — — — Lam. Encycl. 817.
 — — — Wight Ic. pl. Ind. or. 6, 2057. 2058.
Smithia blanda Wall. Wight Spicil. 59.
 — — — Wight Ic. pl. Ind. or. 3, 986.
 — *ciliata* Royle. Royle Illustr. 35.
 — *purpurea* Hook. Bot. Mag. 73, 4283.
 — *sensitiva* Ait. Rheede Hort. mal. 9, 38.
 — — — Aiton Hort. Kew. 3, 13.
 — — — Salisbury Parad. 92.
 — — — Lam. Encycl. 627.
 † *Smyrniun integerrimum* L. Mem. Mosc. 5, 1.
 — *nodiflorum* All. Allione Fl. ped. 3, 72.
 — *nudicaule* M. v. B. Sprengel Umbellif. 4.
 † — *Olusatrum* L. Gaertn. Carp. 22.
 † — — — Lam. Encycl. 204.
 † — — — Mem. Mosc. 5, 1.
 — — — Schk. Handb. 76.
 — — — Engl. Bot. 4, 230.
 — — — Baxter Brit. Bot. 3, 195.
 — *perfoliatum* L. Lumnitzer Fl. poson. 1.
 — — — W. et Kit. 23.
 — — — Sibth. Fl. gr. 289.
 † — — — Mag. naturf. Fr. 6, 5.
Sobolewska lithophila M. v. B. Marschall Cent. 59.
 — — — Delessert Ic. 2, 80.
 † *Sobralia* R. et P. Ruiz et Pav. Prodr. 26.
 — *chloanthia* Hook. Bot. Mag. 78, 4682.
 — — — Fl. d. serres 8, 840.
 — *decora* Batem. Bateman Orchid. 26.
 — *Elisabethae* Schomb. Preuss. Gart. Verein 15, 1. 2.
 — *Liliastrum* Ldl. Lindley Sertum 29.
 — *macrantha* Ldl. Bateman Orchid. 37.
 — — — Bot. Mag. 75, 4446.
 — — — var. Paxt. Mag. 14, 241.
 — — — Hart. Parad. 1, 9.
 — — — Fl. d. serres 7, 669.
 — — — Annales de Gand 1847, 123.
 — *rosea* P. et E. Poepp. et Endl. 93.
 — *sessilis* Ldl. Bot. Reg. 27, 17.
 — — — Bot. Mag. 77, 4570.
 — — — Lem. Jard. fl. 104.
 † *Sobreyra* R. et P. Ruiz et Pav. Prodr. 23.
Sodada decidua Forsk. Delile Egypte 26.
Soemmeringia semperflorens Mart. Martius Monogr. 1.
Soja hirsuta DC. Rumpf Amb. 5, 140.
 — *hispida* Moench. Kaempfer Amoenit. p. 838.
 † *Solanaceae* Juss. Dunal Solanum 1. 2. 3.
 † — — — Naudin Solanées 1.
 † — — — Endl. Bras. 6, 1—7.
 † — — — Wight Illustr. 168 bis.
 † — — — Schnizl. Iconogr. 3, 148.

- † *Solandra Sw.* Swartz Fl. Ind. occ. 9.
 — *grandiflora Sw.* Svensk Acad. 1787, 11.
 — — Linn. Transact. 6, 6.
 — — Jacq. Schoenbr. 1, 45.
 — — Tratt. Archiv 309.
 † — — Ann. Mus. 8, 63.
 — — Dict. sc. nat. 35.
 — — Bot. Mag. 44, 1874.
 — — Rchb. Exot. 134.
 — *guttata D. Don.* Bot. Reg. 18, 1551.
 — *herbacea Hort.* Herb. amat. 3, 207.
 — *laevis Hook.* Bot. Mag. 74, 4345.
 — — Fl. d. serres 4, 313. 314.
 — *lobata Murr.* Comm. Gott. 6, 1.
 — — Cav. Cav. Diss. 136.
 — *longiflora Tuss.* Tussac Ant. 2, 12.
 — *ternata Cav.* Cav. Diss. 136.
 — *viridiflora Sims.* Bot. Mag. 45, 1948.
 — — Lodd. Cab. 628.
 — — Link Ic. I. 47.
Solanum aculeatissimum Jacq. Jacq. Ic. 41.
 † — — Endl. Bras. 6, 5.
 — *acuminatum R. et P.* Ruiz et Pav. Fl. 159.
 † — — Endl. Bras. 6, 2.
 — *acutifolium R. et P.* Ruiz et Pav. Fl. 162.
 † — *ascendens Sendtn.* Endl. Bras. 6, 1.
 — *aethiopicum L.* Jacq. Vind. 12.
 — *aggregatum Jacq.* Jacq. Ic. 323.
 † — *agrarium Sendtn.* Endl. Bras. 6, 5.
 — *amazonium Ker.* Lodd. Cab. 352.
 — — Horae berol. 9.
 — — Bot. Reg. 1, 71.
 — — Rchb. Exot. 297.
 † — *anacanthum Sendtn.* Endl. Bras. 6, 7.
 — *anceps R. et P.* Ruiz et Pav. Fl. 169.
 — *Anguvi Lam.* Hook. Exot. Fl. 199.
 — *angulatum R. et P.* Ruiz et Pav. Fl. 170.
 — — Kerner Hort. 304.
 † — *angustiflorum Sendtn.* Endl. Bras. 6, 7.
 — *angustifolium R. et P.* Ruiz et Pav. Fl. 163.
 — — Maund Bot. 4, 190.
 † — *apiculatum Sendtn.* Endl. Bras. 6, 6.
 † — *arenarium Sendtn.* Endl. Bras. 6, 3.
 † — *argentum Dunal.* Endl. Bras. 6, 4.
 — *aspero-lanatum R. et P.* Ruiz et Pav. Fl. 174.
 — *asperum Vahl.* Dunal Solanum 7.
 — *astroites Jacq.* Jacq. Ecl. pl. 65.
 † — *aurantiacum Sendtn.* Endl. Bras. 6, 5.
 — *Balbisi Dunal.* Bot. Mag. 52, 2568.
 — — var. *purpurea*, Bot. Mag. 53, 2828.
 — — var. *bipinnata*, Bot. Mag. 68, 3954.
 — — Maund Bot. 1, 49.
 — — Kerner Hort. 798.
 — *betaceum Cav.* Cav. Ic. 324.
 — — Andr. Rep. 8, 511.
 — *biformifolium R. et P.* Ruiz et Pav. Fl. 161.
 — *boerhaaviaefolium Sendtn.* Endl. Bras. 6, 11.
 — *bombense Jacq.* Jacq. Ecl. pl. 24.
 — *brancaefolium Jacq.* Jacq. Ecl. pl. 7.
 — *brevipilum Dunal.* Dunal Solanum 21.
 † — *buddleiaefolium Sendtn.* Endl. Bras. 6, 6.
 — *Caavurana Vell.* Endl. Bras. 6, 8.
 † — *campaniforme R. et Sch.* Endl. Bras. 6, 1.
 — *campanulatum R. Br.* Knowles et Westcott 18.
 — — Bot. Mag. 65, 3672.
 † — *capsicoides Mart.* Endl. Bras. 6, 4.
 — *cardiophyllum Ldl.* Journ. Hort. Soc. 3, 71.
 — *carolinense Ldl.* Jacq. Ic. 331.
 — — Barton Fl. 1, 23.
 † — — Endl. Bras. 6, 5.
 — *cestrifolium Jacq.* Jacq. Ecl. pl. 144.
 — *chenopodioides Lam.* Desc. Ant. 6, 404.

- Solanum chloranthum DC.* DC. Hort. genev. 13.
 — *ciliatum Lam.* Dunal Solanum 18.
 — *coagulans Forsk.* Delile Egypte 23.
 — — Jacq. Schoenbr. 4, 469.
 † — *coarctense Sendtn.* Endl. Bras. 6, 1.
 — *coccineum Jacq.* Jacq. Ic. 43.
 † — *coeruleum Arrab.* Endl. Bras. 6, 1.
 — *Commersonii Poir.* Hort. Transact. 5, 10.
 † — *concinnum Sendtn.* Endl. Bras. 6, 3.
 — *conicum R. et P.* Ruiz et Pav. Fl. 172.
 † — *cordifolium Dunal.* Endl. Bras. 6, 7.
 — *coriaceum Dunal.* Dunal Solanum 14.
 — — Hook. Bot. Mag. 54, 2708.
 † — *cormanthum Arrab.* Endl. Bras. 6, 2.
 — *cornutum Lam.* Ann. Mus. 3, 9.
 — — Jacq. Ecl. pl. 104.
 — *corymbosum Jacq.* Jacq. Ic. 40.
 — *crispum R. et P.* Ruiz et Pav. Fl. 158.
 — — Lodd. Cab. 1959.
 — — Bot. Reg. 18, 1516.
 — — Bot. Mag. 67, 3795.
 — — Paxt. Mag. 3, 1.
 — *crotonoides Lam.* Dunal Solanum 13.
 — *cuneifolium Dunal.* Dunal Solanum 22.
 — — var. *Miquel Surinam* 39.
 † — — Endl. Bras. 6, 7.
 — *cymosum R. et P.* Ruiz et Pav. Fl. 160.
 † — *decompositiflorum Sendtn.* Endl. Bras. 6, 6.
 † — *decorticans Sendtn.* Endl. Bras. 6, 4.
 † — *decorum Sendtn.* Endl. Bras. 6, 6.
 — *decurrens Balb.* Willdenow Hortus 102.
 — — Mem. Tur. 10, 4.
 — — Bot. Reg. 2, 140.
 † — — Endl. Bras. 6, 7.
 — *demissum Ldl.* Journ. Hort. Soc. 3, 69.
 † — *densiflorum Sendtn.* Endl. Bras. 6, 6.
 — *denticulatum Bl.* Wight Ic. pl. Ind. or. 4, 1397.
 — *dichotomum R. et P.* Ruiz et Pav. Fl. 166.
 — *diffusum R. et P.* Ruiz et Pav. Fl. 171.
 — *Dillenii Schult.* Rchb. Ic. crit. 10, 958.
 — *diphyllum L.* Jacq. Ic. 322.
 † — — Endl. Bras. 6, 2.
 † — *distichophyllum Sendtn.* Endl. Bras. 6, 3.
 — *Dulcamara L.* Fl. dan. 4, 607.
 — — Woodv. Med. 2, 83.
 — — Curt. Lond. 2, 5.
 — — Engl. Bot. 8, 565.
 — — Baxter Brit. Bot. 2, 110.
 — — Sv. Bot. 20.
 — — Bigelow Med. 18.
 † — — Plée Types 13.
 — — Dreves 2, 60.
 — — Hayne 2, 39.
 — — Sturm Flora 5, 18.
 — — Schrank Fl. monac. 2, 111.
 — — Nees Düsseldorf. 187.
 — — Guimpel Holzgew. 12.
 — — Guimpel et Schl. 9.
 — — Wagner 46.
 — — Dietr. Fl. bor. 2, 134.
 — *Dunalianum Gaudich.* Freycinet Voyage 58.
 — *elaeagnifolium Cav.* Cav. Ic. 243.
 † — *esculentum Dunal.* Schweizer Denkschr. 5, 2.
 — *etuberosum Ldl.* Bot. Reg. 20, 1712.
 † — *evonymoides Sendtn.* Endl. Bras. 6, 1.
 — *fastigiatum Willd.* Jacq. Ecl. pl. 6.
 — — Dunal Solanum 16.
 † — — Endl. Bras. 6, 5.
 — *ferox L.* Rheede Hort. mal. 2, 33.
 — — Wight Ic. pl. Ind. or. 4, 1399. 1400.
 — *ferrugineum Jacq.* Jacq. Schoenbr. 3, 334.
 — *filiforme R. et P.* Ruiz et Pav. Fl. 159.

- Solanum flavum* Kit. *Rchb. Ic. crit.* 10, 995.
 † — *floribundum* Sendtn. *Endl. Bras.* 6, 8.
 — *Fontanesianum* Dunal. *Bot. Reg.* 2, 177.
 — — *Schrank. Schrank Hort. monac.* 18.
 — *fragrans* Hook. *Bot. Mag.* 65, 3684.
 — *fructu-tecto* Cav. *Cav. Ic.* 309.
 — *fugax* Jacq. *Jacq. Ic.* 324.
 — *fuscatum* L. *Jacq. Ic.* 42.
 — *giganteum* Jacq. *Jacq. Ic.* 328.
 — — *Bot. Mag.* 44, 1921.
 — — *Jardine Annals* 1, 13.
 — — *Wight Ic. pl. Ind. or.* 3, 893.
 — *glandulosum* R^z et P. *Ruiz et Pav. Fl.* 167.
 — *glaucescens* Zucc. *Endl. Bras.* 6, 14.
 — *glaucum* Dunal. *Belgique hort.* 3, 26.
 † — *glomuliflorum* Sendtn. *Endl. Bras.* 6, 3.
 — *gracilipes* Decne. *Jacquemont Ind.* 119.
 † — *gracillimum* Sendtn. *Endl. Bras.* 6, 3.
 — *grandiflorum* R^z et P. *Ruiz et Pav. Fl.* 168.
 — — *Kerner Hort.* 98.
 † — *Endl. Bras.* 6, 6.
 — *guineense* L. *Burmah Fl. ind.* 22.
 † — *hastatum* Sendtn. *Endl. Bras.* 6, 5.
 — *havanense* L. *Jacq. Hist. stirp. am.* 48.
 — *Herbertianum* Paxt. *Paxt. Mag.* 5, 269.
 — *heterandrum* Pursh. *Pursh Fl.* 7.
 — *heterodoxum* DC. *Jacq. Ecl. pl.* 103.
 — — *Dunal Solanum* 23.
 — *heterotrichum* Dunal. *Dunal Solanum* 20.
 † — *hexandrum* Arrab. *Endl. Bras.* 6, 5.
 — *hirtum* Vahl. *Vahl Ic.* 21.
 — *Humboldtii* Willd. *Willdenow Hortus* 27.
 — *humile* Bernh. *Rchb. Ic. crit.* 10, 994.
 — — *Dietr. Fl. bor.* 10, 672.
 — *hybridum* Jacq. *Jacq. Vind.* 113.
 — *Jacquinii* Willd. *Wight Ic. pl. Ind. or.* 4, 1401.
 — *jasminoides* Paxt. *Paxt. Mag.* 8, 5.
 — — *Bot. Reg.* 33, 33.
 — *igneum* L. *Jacq. Vind.* 14.
 † — *inaequale* Arrab. *Endl. Bras.* 6, 2.
 — *incanum* R^z et P. *Ruiz et Pav. Fl.* 175.
 — *incarceratum* R^z et P. *Ruiz et Pav. Fl.* 176.
 † — *Endl. Bras.* 6, 5.
 — *incertum* Dunal. *Rheede Hort. mal.* 10, 73.
 — *incurvum* R^z et P. *Ruiz et Pav. Fl.* 164.
 — *indicum* L. *Rheede Hort. mal.* 2, 36.
 — — *Wight Ic. pl. Ind. or.* 2, 346.
 — *insidiosum* Mart. *Endl. Bras.* 6, 13.
 † — *intermedium* Sendtn. *Endl. Bras.* 6, 1.
 — *Juripeba* Rich. *Dunal Solanum* 18.
 † — *Endl. Bras.* 6, 6.
 — *laciniatum* R^z et P. *Ruiz et Pav. Fl.* 177.
 — — *Ait. Bot. Mag.* 10, 349.
 — — *Lodd. Cab.* 717.
 † — *lacteum* Arrab. *Endl. Bras.* 6, 3.
 — *lanatum* Dunal. *Maund Bot.* 2, 58.
 — *lanceaefolium* Jacq. *Jacq. Ic.* 329.
 † — *Endl. Bras.* 6, 7.
 — *lanceolatum* R^z et P. *Ruiz et Pav. Fl.* 164.
 — — *Cav. Cav. Ic.* 245.
 — — *Bot. Mag.* 47, 2173.
 † — *Lantana* Sendtn. *Endl. Bras.* 6, 3.
 — *laurifolium* L. *fl.* *Dunal Solanum* 8.
 † — *laxiflorum* Sendtn. *Endl. Bras.* 6, 1.
 — *lentum* Cav. *Cav. Ic.* 308.
 † — *leontopodium* Sendtn. *Endl. Bras.* 6, 4.
 — *leprosum* Ortega. *Dunal Solanum* 12.
 — *ligustrinum* Lodd. *Lodd. Cab.* 1963.
 — *lineatum* R^z et P. *Ruiz et Pav. Fl.* 158.
 — *longifolium* Dunal. *Dunal Solanum* 9.
 — *lucidum* Moric. *Moricand Pl. Am.* 18.
 — *lycioides* L. *Ruiz et Pav. Fl.* 177.

- Solanum lycioides* L. *Jacq. Ic.* 46.
 — — *Bot. Reg.* 32, 25.
 — *Lycopersicum* L. *Rumpf Amb.* 5, 184.
 — — *var. Gil et Xuares* 11.
 — — *Desc. Ant.* 6, 405.
 — *lyratum* Thunb. *Thunberg Ic. jap.* 42.
 — *macrantherum* Dunal. *H. B. K. Nov. Gen.* 3, 195.
 — — *Bot. Reg.* 27, 7.
 — *macranthum* Dunal. *Bot. Mag.* 71, 4138.
 † — *macronema* Sendtn. *Endl. Bras.* 6, 6.
 — *macrophyllum* Dunal. *Dunal Solanum* 17.
 — *mammosum* L. *Desc. Ant.* 3, 186.
 — *Manoelii* Moric. *Moricand Pl. Am.* 19.
 — *marginatum* L. *fl.* *Jacq. Ic.* 45.
 — — *Comm. Gott.* 6, 4.
 — — *Bot. Mag.* 44, 1928.
 — *Martii* Sendtn. *Endl. Bras.* 6, 10.
 — *megalochitum* Mart. *Endl. Bras.* 6, 9.
 † — *megalonyx* Sendtn. *Endl. Bras.* 6, 6.
 — *Melongena* L. *var. Rheede Hort. mal.* 2, 37, 10, 74.
 — — *Rumpf Amb.* 5, 85.
 — — *Desc. Ant.* 3, 187.
 — — *Wight Illustr.* 166.
 † — *mexicanum* M. et S. *Endl. Bras.* 6, 5.
 † — *micracanthum* Lam. *Endl. Bras.* 6, 7.
 † — *micranthum* Sendtn. *Endl. Bras.* 6, 2.
 — *microcarpum* Vahl. *Dunal Solanum* 10.
 — *Milleri* Jacq. *Jacq. Ic.* 330.
 — *miniatum* Bernh. *Rchb. Ic. crit.* 10, 996.
 — — *Dietr. Fl. bor.* 10, 670.
 — *mite* R^z et P. *Ruiz et Pav. Fl.* 173.
 — *montanum* L. *Ruiz et Pav. Fl.* 160.
 — *multifidum* R^z et P. *Ruiz et Pav. Fl.* 171.
 — — *Lam. Lam. Encycl.* 115.
 — *myriacanthum* Dunal. *Dunal Solanum* 19.
 — *myrtifolium* Lodd. *Lodd. Cab.* 1431.
 — *Nava Webb.* *Webb Canar.* 174.
 † — *nematopus* Sendtn. *Endl. Bras.* 6, 6.
 — *nigrum* L. *Fl. dan.* 3, 460.
 — — *Woody. Med.* 2, 84.
 — — *Curt. Lond.* 2, 26.
 — — *Engl. Bot.* 8, 566.
 — — *Sv. Bot.* 61.
 — — *Desc. Ant.* 5, 308.
 † — — *α. β. γ. δ. Mutel Fl. fr.* 39, 40.
 † — — *Gaertn. Carp.* 131.
 — — *Schk. Handb.* 46.
 — — *Dreves* 2, 38.
 — — *Hayne* 2, 40.
 — — *Sturm Flora* 1, 1.
 — — *Schrank Fl. monac.* 4, 328.
 — — *Nees Düssel.* 188.
 — — *Brandt und Ratzeb.* 19.
 — — *Rchb. Ic. crit.* 10, 953.
 — — *Dietr. Fl. bor.* 2, 84.
 † — — *Nees Gen.* 5, 58.
 — *nitidum* R^z et P. *Ruiz et Pav. Fl.* 163.
 — *nodiflorum* Jacq. *Jacq. Ic.* 326.
 † — *nudum* Dunal. *Endl. Bras.* 6, 2.
 — *nutans* R^z et P. *Ruiz et Pav. Fl.* 166.
 — *obliquum* R^z et P. *Ruiz et Pav. Fl.* 165.
 — *oblongum* R^z et P. *Ruiz et Pav. Fl.* 165.
 † — *Endl. Bras.* 6, 2.
 † — *ochroneum* Link. *Endl. Bras.* 6, 7.
 † — *odoriferum* Arrab. *Endl. Bras.* 6, 4.
 — *oleraceum* Rich. *Rchb. Ic. crit.* 10, 993.
 † — *oocarpum* Sendtn. *Endl. Bras.* 6, 7.
 — *oppositifolium* R^z et P. *Ruiz et Pav. Fl.* 168.
 † — *Orbignianum* Sendtn. *Endl. Bras.* 6, 4.
 — *oxycarpum* Schiede. *Schlechtendal Hortus* 3.
 — *paludosum* Moric. *Moricand Pl. Am.* 20.
 † — *paniculatum* L. *Endl. Bras.* 6, 5.

- † *Solanum papillosum* Sendtn. Endl. Bras. 6, 3.
 † — *paratyense* Arrab. Endl. Bras. 6, 7.
 — *parviflorum* Cav. Cav. Ic. 236.
 † — *pauciflorum* Vahl. Endl. Bras. 6, 5.
 † — *pelliceum* Sendtn. Endl. Bras. 6, 6.
 — *pendulum* Rz et P. Ruiz et Pav. Fl. 174.
 † — *pensile* Sendtn. Endl. Bras. 6, 4.
 — *peruvianum* L. Jacq. Ic. 327.
 — *phyllanthum* Cav. Cav. Ic. 359.
 — *pinnatifidum* Rz et P. Ruiz et Pav. Fl. 170.
 — *Lam.* Lam. Encycl. 115.
 — *pinnatum* Cav. Cav. Ic. 439.
 — *platanifolium* Sims. Bot. Mag. 53, 2618.
 † — — Endl. Bras. 6, 5.
 — *pogogenum* Moric. Moricand Pl. Am. 17.
 † — *Pohlil* Sendtn. Endl. Bras. 6, 5.
 — *polygamum* Vahl. Vahl Symbolae 55.
 — *polytrichum* Moric. Moricand Pl. Am. 22.
 — *pseudocypersicum* Jacq. Jacq. Vind. 11.
 — *pseudoquina* St. Hil. St. Hil. Pl. usuelles 21.
 — *pterocaulon* Dun. Rehb. Ic. crit. 10, 984.
 — *pubescens* Rz et P. Ruiz et Pav. Fl. 169.
 — *Willd.* Willdenow Phytogr. 3.
 — — Wight Ic. pl. Ind. or. 4, 1402.
 — *pubigerum* Dunal. Dunal Solanum 6.
 † — *pulchrum* Dunal. Endl. Bras. 6, 4.
 † — *pycnanthemum* Mart. Endl. Bras. 6, 6.
 — *pygmaeum* Cav. Cav. Ic. 439.
 — *pyracantha* Sm. Smith Exot. Bot. 84.
 — *pyracanthum* Jacq. Jacq. Schoenbr. 4, 470.
 — — Bot. Mag. 52, 2547.
 — *quitense* H. B. K. Bot. Mag. 54, 2739.
 — — Desc. Ant. 5, 377.
 — *racemosum* L. Jacq. Hist. stirp. am. 50.
 — — Desc. Ant. 5, 378.
 — *radicans* L. Linné Hort. ups. 1, 10.
 — *Radula* Vahl. Miquel Surinam 38.
 — *reclinatum* Hort. Herb. amat. 5, 307.
 — *reflexum* Schrank. Schrank Hort. monac. 81.
 — *retrofractum* Vahl. Dunal Solanum 5.
 † — *rhytidandrum* Sendtn. Endl. Bras. 6, 6.
 — *rigescens* Jacq. Jacq. Schoenbr. 1, 42.
 † — *robustum* Sendtn. Endl. Bras. 6, 5.
 — *rostratum* Dunal. Bonpland Malm. 56.
 — — Dunal Solanum 24.
 — — Jacq. Ecl. pl. 104.
 — *rubiginosum* Vahl. Vahl Ic. 13.
 — *rubrum* Mill. Rehb. Ic. crit. 10, 997.
 — — Roxb. Wight Ic. pl. Ind. or. 2, 344.
 † — *rufum* Sendtn. Endl. Bras. 6, 6.
 — *Rumphii* R. et Sch. Rumpf Amb. 6, 26. fig. 2.
 — *runcinatum* Rz et P. Sweet Fl. G. II. 177.
 † — *rupicola* Sendtn. Endl. Bras. 6, 7.
 — *Sagracanum* A. Rich. Ramon Cuba 62.
 † — *sambuciflorum* Sendtn. Endl. Bras. 6, 3.
 — *saponaceum* Sims. Bot. Mag. 53, 2697.
 † — *sarachoides* Sendtn. Endl. Bras. 6, 1.
 — *scabrum* Rz et P. Ruiz et Pav. Fl. 175.
 — — Jacq. Jacq. Schoenbr. 3, 333.
 † — *schizandrum* Sendtn. Endl. Bras. 6, 6.
 † — *Schomburgkii* Sendtn. Endl. Bras. 6, 5.
 † — *Schüehii* Sendtn. Endl. Bras. 6, 7.
 — *Seaforthianum* Andr. Andr. Rep. 8, 504.
 — — Bot. Mag. 45, 1982.
 — — Lodd. Cab. 971.
 — — Bot. Reg. 12, 969.
 — *sericeum* Rz et P. Ruiz et Pav. Fl. 161.
 — *sessile* Rz et P. Ruiz et Pav. Fl. 167.
 — *sodomeum* L. Sibth. Fl. gr. 235.
 † — — Lam. Encycl. 115.
 — *somniculentum* Kze. Fl. d. serres 5, 454.
 † — *sordidum* Sendtn. Endl. Bras. 6, 4.

- Solanum sphaerocarpum* Moric. Moricand Pl. Am. 21.
 — *stagnale* Moric. Moricand Pl. Am. 23.
 † — — Endl. Bras. 6, 5.
 — *stellatum* Rz et P. Ruiz et Pav. Fl. 176.
 — — Jacq. Jacq. Collect. 5, 5.
 — — Jacq. Ic. 321.
 — — Kerner Hort. 412.
 — *stelligerum* Sm. Smith Exot. Bot. 88.
 † — *stenandrum* Sendtn. Endl. Bras. 6, 5.
 — *stoloniferum* Schlecht. Preuss. Gart. Verein 9, 2.
 — *stramoniofolium* Jacq. Jacq. Ic. 44.
 † — *subcordatum* Sendtn. Endl. Bras. 6, 7.
 † — *subscandens* Arrab. Endl. Bras. 6, 6.
 † — *subspathulatum* Sendtn. Endl. Bras. 6, 4.
 † — *subumbellatum* Arrab. Endl. Bras. 6, 4.
 † — *surinamense* Sendtn. Endl. Bras. 6, 7.
 — *Tegore* Aubl. Aublet Guiana 84.
 † — *tenuissimum* Sendtn. Endl. Bras. 6, 5.
 — *ternatum* Rz et P. Ruiz et Pav. Fl. 172.
 † — *thomasiaefolium* Sendtn. Endl. Bras. 6, 5.
 — *Thonningianum* Jacq. Jacq. Ecl. pl. 83.
 — *torvum* Sw. Dunal Solanum 23.
 — — Wight Ic. pl. Ind. or. 2, 345.
 † — — Endl. Bras. 6, 7.
 † — *toxicarium* Lam. Endl. Bras. 6, 7.
 — *trifoliatum* L. Burmann Fl. ind. 22.
 — *trilobatum* L. Burmann Fl. ind. 22.
 — — Wight Ic. pl. Ind. or. 3, 854.
 — *triquetrum* Cav. Cav. Ic. 259.
 — *triste* Jacq. Jacq. Hist. stirp. am. 49.
 — — Desc. Ant. 3, 185.
 † — — Endl. Bras. 6, 2.
 — *Trongum* Roxb. Rumpf Amb. 5, 86.
 — *tuberosum* L. Hort. Transact. 5, 11.
 † — — Mem. Mus. 19, 1. 2. 3.
 † — — Putsche Monogr. 1—9.
 † — — Proc. Hort. Soc. 1838, p. 38. 39.
 † — — Journ. Hort. Soc. 1, 1—4.
 † — — Novi Comm. Bonon. 3, 10.
 — *Tweedianum* Hook. Bot. Mag. 62, 3385.
 — *uncinellum* Ldl. Bot. Reg. 26, 15.
 † — *variabile* Mart. Endl. Bras. 6, 5.
 — *variegatum* Rz et P. Ruiz et Pav. Fl. 162.
 † — *velleum* Sw. Endl. Bras. 6, 5.
 † — *Vellozianum* Don. Van Houtte Hortus 5.
 — *verbascifolium* L. Jacq. Vind. 13.
 — — Wight Ic. pl. Ind. or. 4, 1398.
 — *verrucosum* Schlechtend. Schlechtend. Hortus 2.
 † — — Revue hort. 1853, 6.
 — *Vespertilio* Ait. Wendland Hort. herrenh. 21.
 — *vestitum* Don. Maund Bot. 4, 192.
 † — *viliflorum* Sendtn. Endl. Bras. 6, 4.
 — *villosum* Lam. Hayne 2, 41.
 — — Fl. dan. 11, 1927.
 — — Dietr. Fl. bor. 10, 671.
 — *violaceum* Jacq. Jacq. Fragm. 132.
 — *violaeifolium* Schott. Endl. Bras. 6, 4. 12.
 — *virgatum* Lam. Dunal Solanum 4.
 — *virginianum* Jacq. Jacq. Ic. 332.
 — *viridiflorum* Rz et P. Ruiz et Pav. Fl. 173.
 — *Wightii* N. v. E. Acta Leop. 18. 1, 19.
 — — Wight Ic. pl. Ind. or. 3, 841.
 — *xanthocarpum* Schrad. Schrader Sert. hannov. 2.
 — *Zuccagnianum* Dunal. Dunal Solanum 11.
Soldanella alpina L. Jacq. Fl. austr. 1, 13.
 — — Bot. Mag. 2, 49.
 † — — Gaertn. Carp. 183.
 — — Lam. Encycl. 99.
 — — Schk. Handb. 33.
 — — Roemer Fl. europ. I, 1.
 — — Sturm Flora 5, 20.
 — — var. *Séringe* Mus. helv. 9.

- Soldanella alpina* L. Sweet Fl. G. II. 119.
 — *Clusii Sims.* Bot. Mag. 47, 2163.
 — — Lodd. Cab. 872.
 — *minima Hoppe.* Sturm Flora 5, 20.
 — — Sweet Fl. G. II. 53.
 — *montana Willd.* Lodd. Cab. 871.
 — — Sweet Fl. G. II. 11.
 — — Nees Gen. 5, 11.
 † — *pusilla Baumg.* Sturm Flora 11, 41.
 — — Sweet Fl. G. II. 48.
 † *Solea Spr.* Gray Genera 81.
 — *concolor Ging.* Gray Genera 81.
Soleirolia corsica Gaudich. Gaudichaud Bonite 114.
Solena gracilis Rudge. Rudge Pl. Guianae 41.
 — *latifolia Rudge.* Rudge Pl. Guianae 40.
Solenandria cordifolia Pal. B. Vent. Malm. 69.
 — — Tratt. Archiv 82.
Solenanthus circinnatus Led. Ledeb. Ic. 26.
Solenidium racemosum Ldl. Paxt. Fl. G. 102.
 — — Lem. Jard. fl. 4, 349.
Soleniscia elegans DC. Delessert Ic. 5, 21.
Solenochasma assurgens Fenzl. Jacq. Ecl. pl. 101.
Solenomelus chilensis Miers. Linn. Transact. 19, 8.
Solenostemma Argel Hayne. Hayne 9, 38.
 — — Nees Düssel. Suppl. 13.
Solidago alba Mill. Hill Hort. Kew. 4.
 — *alpestris W. et K.* W. et Kit. 208.
 — *altissima L.* Martyn Hist. 12.
 — *azorica Hochst.* Seubert Fl. azor. 10.
 — *canadensis L.* Schk. Handb. 246.
 — *lanceolata Ait.* Bot. Mag. 52, 2546.
 — *minuta L.* Schk. Handb. 270.
 — — Lodd. Cab. 189.
 — *neglecta T. et Gr.* Torrey New York 55.
 — *odora Ait.* Bigelow Med. 20.
 — *ohioensis Ridd.* Torrey New York 54.
 — *pygmaea Bert. fil.* Novi Comm. Bonon. 5, 17.
 — *sempervirens L.* Tratt. Archiv 269.
 — *stricta Ait.* Torrey New York 53.
 — *verrucosa Schrad.* Schrader Hort. gott. 6.
 — *Virgaurea L.* Fl. dan. 4, 663.
 † — — Gaertn. Carp. 170.
 † — — Lam. Encycl. 680.
 — — Woodv. Med. 5, 5.
 — — Engl. Bot. 5, 301.
 — — Baxter Brit. Bot. 3, 238.
 — — Hayne 8, 12.
 — — Sturm Flora 3, 9.
 — — Dietr. Fl. bor. 12, 833.
 — — Rechb. Fl. germ. 16, 911. 913.
 † — — Nees Gen. X, x.
 — *viscosa Schrad.* Schrader Sert. hannov. 6.
Soliera pulchella Clos. Gay Chile 53.
 † *Soliva Rz et P.* Ruiz et Pav. Prodr. 24.
Sollya Drummondii Morr. Belgique hort. 1854, x.
 — *heterophylla Ldl.* Bot. Reg. 17, 1466.
 — — Bot. Mag. 63, 3523.
 — — Lodd. Cab. 1978.
 — — Sweet Fl. G. II. 232.
 — — Rechb. Exot. 298.
 — *linearis Ldl.* Bot. Reg. 26, 3.
 — *salicifolia Marnock.* Marnock Mag. 1839, 11.
Sommea Calcitrapa Bory. Ann. générales 6, 87.
Sommeraueria quadrifolia Hoppe. Rechb. Fl. germ. 5, 204.
 † *Sonchus L.* Schk. Handb. 217.
 † — — Lam. Encycl. 649.
 — — Picard Observations 1. (non vidi.)
 — *abbreviatus Link.* Webb Canar. 134.
 — *acidus Schousb.* Webb Canar. 134^B.
 — *alpinus L.* Fl. dan. 2, 182.
 — — Smith Ic. Linn. 21.
 — — Roemer Magazin 3, x.

- Sonchus alpinus L.* Sv. Bot. 687.
 — *arboreus DC.* Webb Canar. 126.
 — *arvensis L.* Fl. dan. 4, 606.
 — — Curt. Lond. 2, 65.
 — — Engl. Bot. 10, 674.
 — — Schrank Fl. monac. 4, 335.
 † — *asper Gaertn.* Gaertn. Carp. 158.
 — — Vill. Fl. dan. 5, 843.
 — — Engl. Bot. 2765. 2766.
 — — Dietr. Fl. bor. 7, 503.
 — *azureus Led.* Ledeb. Ic. 496.
 — *Bourgeauii Sch. Bip.* Webb Canar. 136^B.
 † — *canadensis L.* Schk. Handb. 217.
 — *Candolleanus Jaub.* Jaubert Illustr. 279.
 — *Cassinianus Jaub.* Jaubert Illustr. 280.
 — *chondrilloides Sibth.* Sibth. Fl. gr. 791.
 — *ciliatus Lam.* Wight Ic. pl. Ind. or. 3, 1141.
 — *coeruleus Sm.* Engl. Bot. 34, 2425.
 — *congestus DC.* Webb Canar. 133.
 — *Daltoni Webb.* Hook. Niger Fl. 10.
 — — Hook. Ic. pl. 8, 765.
 — *dentatus Led.* Ledeb. Ic. 87.
 — *divaricatus Desf.* Ann. Mus. 2, 46.
 — — Jaubert Illustr. 278.
 † — *floridanus L.* Schk. Handb. 217.
 — *fruticosus L. fil.* L'her. Stürp. 81.
 — — Nouveau Duhamel 4, 12.
 — — Jacq. Jacq. Ic. 161.
 — *gibbosus Savi.* Savi Fl. ital. 1, 15.
 — *glaucescens Jordan.* Jordan Observ. 5, 3.
 — *gummifer Link.* Webb Canar. 129.
 — *hispanicus Jacq.* Jacq. Schoenbr. 2, 143.
 — *Jacquini DC.* Webb Canar. 132.
 — *leptocephalus DC.* Webb Canar. 127.
 — *macranthus Poir.* Herb. amat. 5, 312.
 — *maritimus L.* Allione Fl. ped. 3, 16.
 — — Cav. Ic. 51.
 — *oleraceus L.* Fl. dan. 4, 682.
 — — Curt. Lond. 1, 84.
 — — Engl. Bot. 12, 843.
 — — Baxter Brit. Bot. 2, 147.
 † — — Schk. Handb. 256.
 — — Hayne 1, 48.
 — — Schrank Fl. monac. 1, 17.
 — — Dietr. Fl. bor. 7, 502.
 — *palustris L.* Fl. dan. 7, 1109.
 — — Curt. Lond. 3, 67.
 — — Engl. Bot. 13, 935.
 † — — Gaertn. Carp. 158.
 † — — Schk. Handb. 217.
 — — Dietr. Fl. bor. 7, 501.
 — *picroides Lam.* Allione Fl. ped. 3, 16.
 † — — Gaertn. Carp. 158.
 — — Sibth. Fl. gr. 793.
 — *pinnatus Ait. β. palmensis,* Webb Canar. 130.
 — *platylepis Webb.* Webb Canar. 131.
 — *quercifolius Desf.* Desf. Fl. atl. 213.
 — *radicatus Ait.* Webb Canar. 128.
 — *sibiricus L.* Schk. Handb. 217.
 — *spinosus DC.* Webb Canar. 125.
 † — *tenerrimus L.* Schk. Handb. 217.
 — — Sibth. Fl. gr. 790.
 — — Rechb. Hortus 139.
 — *tingitanus Lam.* Sibth. Fl. gr. 792.
 — *torulosus Savi.* Savi Fl. ital. 1, 15.
 — *Wallichiannus DC.* Delessert Ic. 4, 97.
 — *Webbii Sch. Bip.* Webb Canar. 136.
 — *Wightianus DC.* Wight Ic. pl. Ind. or. 3, 1142.
Sondaria cranganorensis Dennst. Rheede Hort. mal. 5, 40.
Sonerila angustifolia Roxb. Wall. Pl. asiat. 102.
 — *axillaris Wight.* Wight Ic. pl. Ind. or. 3, 1058.
 — *begoniaefolia Bl.* Korthals Bot. 54.

- † *Sonerila brachyandra* Naud. Ann. sc. nat. III. 16, 18.
 — *Brunonis* W. et A. Wight Illustr. 94.
 — — — Wight Ic. pl. Ind. or. 3, 1039.
 — *elegans* Wight. Wight Spicil. 67.
 — — — Wight Ic. pl. Ind. or. 3, 995.
 — *grandiflora* R. Br. Wight Spicil. 67.
 — — — Wight Ic. pl. Ind. or. 3, 995.
 † — *heterostemon* Naud. Ann. sc. nat. III. 16, 18.
 — *maculata* Roxb. Rheede Hort. mal. 9, 65.
 — *orbiculata* Ldl. Journ. Hort. Soc. 8, 57.
 — *picta* Korth. Korthals Bot. 52.
 — *scapigera* Hook. Hook. Journal 1848, 23.
 † — *solanoidea* Naud. Ann. sc. nat. III. 16, 18.
 — *speciosa* Zenk. Zenker Pl. ind. 18.
 — — — Wight Spicil. 67.
 — — — Wight Ic. pl. Ind. or. 3, 995.
 — *squarrosa* Wall. Wall. Pl. asiat. 102.
 — *stricta* Hook. Bot. Mag. 74, 4394.
 — *tenera* R. Br. Royle Illustr. 45.
 — *tenuifolia* Blume. Bennett Java 44.
 — *versicolor* Wight. Wight Ic. pl. Ind. or. 3, 1057.
Sonneratia acida L. fil. Rheede Hort. mal. 3, 40.
 — — — Rumpf Amb. 3, 73—75.
 — — — Sonnerat Voyage 10. 11.
 † — — — Lam. Encycl. 420.
 † — — — Wight Ic. pl. Ind. or. 2, 340.
 — *apetala* Roxb. Symes Ava 25.
 — — — Schrader Journal 1800. 2, 7.
 — *mossambicensis* Klotzsch. Peters Mossamb. 12.
Sophora alba L. Martyn Hist. 42.
 — — — Comm. Gott. 1, 6.
 — *alopecuroides* L. Pallas Astr. 87.
 — — — Ledeb. Ic. 365.
 — *alpina* Pall. Pallas Astr. 90.
 † — *australis* L. Gaertn. Carp. 149.
 — — — Bot. Mag. 15, 509.
 — — — Schk. Handb. 112.
 — *bifolia* Pall. Pallas Astr. 91.
 — *capensis* L. Andr. Rep. 5, 347.
 — — — Dict. sc. nat. 253.
 — *coerulea* Moench. Trew Pl. rar. 14.
 — *fabacea* Pall. Pallas Astr. 90.
 — *galeoides* Pall. Pallas Astr. 88.
 — *glauca* Lesch. Wight Spicil. 51.
 — — — Wight Ic. pl. Ind. or. 3, 979.
 — *heptaphylla* L. Rumpf Amb. 4, 22.
 — — — Wight Ic. pl. Ind. or. 3, 1155.
 — *hirsuta* Soland. Roemer Magazin 4, x.
 — *japonica* L. Jacq. Schoenbr. 3, 333.
 — — — Andr. Rep. 9, 585.
 — — — Nouveau Duhamel 3, 21.
 — *Jaubertii* Spach. Jaubert Illustr. 330.
 — *junceae* Schrad. Schrader Sert. hannov. 3.
 — *lupinoides* L. Pallas Astr. 89.
 — *macrocarpa* Sm. Lodd. Cab. 1125.
 — *microphylla* Ait. Jacq. Schoenbr. 3, 269.
 † — — — Lam. Encycl. 325.
 — *robusta* Roxb. Wight Ic. pl. Ind. or. 1, 245.
 — *sericea* Andr. Andr. Rep. 7, 440.
 — *tetraptera* Ait. Meerburg Pl. sel. 19.
 — — — Bot. Mag. 5, 167.
 — — — Kerner Hort. 58.
 — — — Nouveau Duhamel 3, 20.
 † — — — Lam. Encycl. 325.
 — — — L. fil. Roemer Magazin 4, x.
 † — *tomentosa* L. Gaertn. Carp. 149.
 † — — — Lam. Encycl. 325.
 — — — var. Bot. Mag. 62, 3390.
 — *velutina* Ldl. Bot. Reg. 14, 1185.
 † *Sophoreae* DC. (Germinatio.) DC. Legum. 4.
Sophranitis cernua Ldl. Bot. Reg. 13, 1129.
 — — — Bot. Mag. 65, 3677.

- Sophranitis grandiflora* Ldl. Lindley Sertum 5.
 — — — Bot. Mag. 65, 3709.
 — — — Paxt. Mag. 9, 193.
 — — — Fl. d. serres 1, 19.
 — — — Hart. Parad. 1, 15.
Soramia calinea Poir. Lam. Encycl. 463.
 — *guianensis* Aubl. Aublet Guiana 219.
 — — — Lam. Encycl. 463.
Soranthus Meyeri Led. Ledeb. Ic. 82.
 † *Sorbus* L. Spach Suites 9.
 — *ancuparia* L. Fl. dan. 6, 1034.
 — — — Nouveau Duhamel 3, 33.
 — — — Lam. Encycl. 434.
 — — — Liboschitz Petersb. 2.
 — — — Schk. Handb. 133.
 — — — Hayne 4, 45.
 — — — Hartig 68.
 — — — Schrank Fl. monac. 2, 151.
 — — — Nees Düssel. 305.
 — *domestica* L. Jacq. Fl. austr. 5, 447.
 — — — Nouveau Duhamel 3, 34.
 — — — Hartig 69.
 — — — Sturm Flora 9, 34.
 — *hybrida* L. Linné Fasc. pl. ups. 6.
 — — — Fl. dan. 2, 302.
 — — — Sv. Bot. 277.
 — — — Hartig 71.
Sorema lanceolata Miers. Gaudichaud Bonite 102.
 — *longifolia* Miers. Gaudichaud Bonite 103.
 — *paradoxa* Miers. Miers Illustr. 10.
 † *Sorghum* Pers. Kerner Genera 138.
 — *Arduini* Jacq. Jacq. Ecl. Gram. 18.
 † — *bicolor* Moench. Hofmeister Embryo 11.
 — *cernuum* Willd. Host Gram. 303.
 — — — Rchb. Fl. germ. 7, 80.
 — *halepense* Pers. Sturm Flora 13, 52.
 — — — Rchb. Fl. germ. 1, 54.
 † — — — Nees Gen. 1, 91.
 † — *rubens* Pers. Nees Gen. 1, 91.
 — *saccharatum* Pers. Desvaux Journal 3, 9.
 — — — Host Gram. 304.
 — *vulgare* Pers. Host Gram. 302.
 — — — Metzger Cereal. 17.
 — — — Rchb. Fl. germ. 7, 80.
 † — — — Nees Gen. 1, 91.
Soridium Spruceanum Miers. Transact. Linn. Soc. 21, 7.
 † *Sorocea* St. Hil. Ann. sc. nat. III. 8, 6.
 — *amazonica* Mig. Endl. Bras. 12, 34.
 — *Guilleminiana* Gaudich. Gaudichaud Bonite 74.
 — — — Endl. Bras. 12, 34.
 — *Hilarii* Gaudich. Gaudichaud Bonite 71.
 — *Houlletiana* Gaudich. Gaudichaud Bonite 74.
 — *macrophylla* Gaudich. Gaudichaud Bonite 73.
 — *muriculata* Mig. Endl. Bras. 12, 34.
 — *racemosa* Gaudich. Gaudichaud Bonite 72.
Soromanes dentatum Fée. Fée Fil. 43.
 — *integrifolium* Fée. Fée Fil. 42.
 † — *serratifolium* Fée. Fée Fil. 5, 2.
Soulamea amara Lam. Rumpf Amb. 2, 41.
 — — — Annalen d. Wiener Mus. 1, 16.
 † *Soulangia axillaris* Ad. Br. Ann. sc. nat. 10, 17.
 — *rubra* Ldl. Bot. Reg. 18, 1498.
Souleyetia freycinetioides Gaudich. Gaudich. Bonite 19.
Souroubea guianensis Aubl. Aublet Guiana 97.
Southwellia nobilis Salisb. Salisbury Parad. 69.
 — *Roxburghiana* Spach. Spach Suites 69.
 — *Tragacantha* Schott. Bot. Reg. 16, 1353.
Sowerbaea juncea Sm. Linn. Transact. 5, 6.
 — — — Andr. Rep. 2, 81.
 — — — Bot. Mag. 28, 1104.
 — — — Lodd. Cab. 787.
 — — — Red. Lil. 6, 341.

- Sowerbaea juncea* Sm. Herb. amat. 4, 252.
 — — — Tratt. Archiv 70.
 — — — laxiflora Ldl. Bot. Reg. 27, 10.
 † *Soyeria montana* Monnier. Monnier Essai 2.
 † *Soymida febrifuga* Juss. Mem. Mus. 19, 22.
Spachea elegans Juss. Delessert Ic. 3, 31.
 † — — — ossana Juss. Arch. Mus. 3, 8.
 † — — — parviflora Juss. Arch. Mus. 3, 8.
Spaendoncea tamarindifolia Desf. Lam. Encycl. 948.
Spananthe paniculata Jacq. Jacq. Ic. 350.
 † — — — Ann. gener. 4, 50.
Sparattanthelium Amazonum Mart. Regensb. Denkschr. 3, 11.
 — — — Botocudorum Mart. Regensb. Denkschr. 3, 10, 11.
 — — — Tupinambazum Mart. Regensb. Denkschr. 3, 10.
 — — — Tupiniquinorum Mart. Regensb. Denkschr. 3, 10.
Sparaxis Ker. (Var. hortenses.) Fl. d. serres 2, 60.
 — — — bulbifera Ker. Herb. amat. 2, 107.
 — — — grandiflora Ker. Bot. Mag. 20, 179.
 — — — — — Lodd. Cab. 1083.
 — — — — — var. γ. Bot. Reg. 3, 258.
 — — — — — Herb. amat. 2, 106.
 — — — lineata Sweet. Sweet Fl. G. II. 131.
 — — — orchidiflora Lodd. Lodd. Cab. 1099.
 — — — pendula Ker. Bot. Reg. 16, 1360.
 — — — — — Maund Bot. 2, 62.
 — — — — — Lady South Afr. 1.
 — — — stellaris Don. Sweet Fl. G. II. 383.
 — — — tricolor Ker. Bot. Mag. 36, 1482.
 — — — — — Lodd. Cab. 1903.
 — — — — — Rchb. Exot. 31.
 — — — — — Revue hort. 1853, 23.
 — — — versicolor Sweet. Sweet Fl. G. 160.
 † *Sparganium* L. Schnizlein Typhaceae 1, 2.
 — — — affine Schnizl. Rchb. Fl. germ. 9, 417.
 † — — — erectum L. Leers Fl. herb. 13.
 † — — — — — Gaertn. Carp. 19.
 † — — — — — Lam. Encycl. 748.
 — — — — — Rchb. Fl. germ. 9, 326.
 — — — natans L. Fl. dan. 2, 260.
 — — — — — Engl. Bot. 4, 273.
 — — — — — Dietr. Fl. bor. 1, 28.
 — — — — — Rchb. Fl. germ. 9, 324.
 † — — — — — Nees Gen. 3, x.
 — — — ramosum Sm. Engl. Bot. 11, 744.
 — — — — — Curt. Lond. 3, 110.
 — — — — — Fl. dan. 8, 1282.
 — — — — — Sv. Bot. 464.
 — — — — — Schk. Handb. 282.
 — — — — — Schrank Fl. monac. 3, 239.
 — — — — — Rchb. Fl. germ. 9, 326.
 — — — — — Dietr. Fl. bor. 1, 28.
 † — — — — — Spach Suites 93.
 † — — — — — Nees Gen. 3, x.
 † — — — — — Jardine Annals II. 1, 9, 10.
 — — — simplex Sm. Engl. Bot. 11, 745.
 — — — — — Fl. dan. 6, 932.
 — — — — — Curt. Lond. 3, 129.
 — — — — — Baxter Brit. Bot. 4, 276.
 — — — — — Sv. Bot. 342.
 — — — — — Schk. Handb. 282.
 — — — — — Dietr. Fl. bor. 1, 27.
 — — — — — Rchb. Fl. germ. 9, 325.
 † — — — — — Nees Gen. 3, x.
 † *Sparganophorus fasciatus* Lam. Lam. Encycl. 670.
 — — — Struchium Pers. Jacq. Ecl. pl. 131.
 † — — — Vaillantii Gaertn. Gaertn. Carp. 165.
 — — — — — Jacq. Ecl. pl. 131.
 — — — verticillatus Michx. Michaux Fl. 42.
Sparmannia abyssinica Hochst. Richard Abyssin. 20.
 — — — africana L. Retzius Obs. 5, 3.
 — — — — — Bot. Mag. 15, 816.

- Sparmannia africana* L. Vent. Malm. 78.
 — — — — — Lam. Encycl. 468.
 — — — — — Nouveau Duhamel 5, 39.
 — — — — — Tratt. Archiv 399.
 — — — — — Desc. Ant. 6, 384.
 † — — — — — Spach Suites 98.
 † — — — — — Acad. Brux. 14, x.
 † — — — — — Payer Organogénie 5.
Spartina alterniflora Lois. Engl. Bot. 2812.
 — — — ciliata Kth. Brongniart Coquille 2.
 — — — cynosuroides Willd. Jacq. Ecl. Gram. 27.
 — — — — — Torrey New York 153.
 † — — — — — Münchn. Denkschr. 4, 10.
 † — — — — — Nees Gen. 1, 41.
 — — — glabra Mühlent. Elliott Carolina 4.
 — — — polystachya Mühlent. Torrey New York 153.
 — — — stricta Roth. Rchb. Fl. germ. 1, 25.
 † — — — — — Nees Gen. 1, 41.
 — — — — — Baxter Brit. Bot. 3, 203.
 — — — versicolor Fabre. Ann. sc. nat. III. 13, 3.
 † *Spartium* L. (Fructus.) Ann. sc. nat. II. 19, 16.
 — — — acutifolium Ldl. Bot. Reg. 23, 1974.
 — — — aetnense Biv. Bot. Mag. 53, 2674.
 — — — angulatum L. Sibth. Fl. gr. 672.
 — — — arboreum Desf. Desf. Fl. atl. 177.
 — — — biflorum Desf. Desf. Fl. atl. 179.
 — — — decumbens Jacq. Jacq. Ic. 355.
 — — — dispernum Willd. Roemer Magazin 4, 2.
 — — — ferox Desf. Desf. Fl. atl. 182.
 — — — — — Bot. Reg. 5, 368.
 — — — horridum Sibth. Sibth. Fl. gr. 674.
 — — — junceum L. Bot. Mag. 3, 85.
 † — — — — — Schk. Handb. 195.
 — — — — — Sibth. Fl. gr. 671.
 — — — — — Acad. Neap. 4, 6, 7, 8.
 — — — — — var. odoratissimum, Sweet Fl. G. II. 390.
 — — — linifolium Desf. Desf. Fl. atl. 181.
 — — — monospermum L. Bot. Mag. 18, 683.
 — — — multiflorum Ait. incarnatum, Lodd. Cab. 1082.
 — — — parviflorum Vent. Vent. Cels 87.
 — — — patens L. Cav. Ic. 176.
 — — — purgans L. Asso Aragon. 10.
 — — — — — Lodd. Cab. 1117.
 — — — radiatum L. Guimpel Hblzgew. 115.
 — — — — — Bot. Mag. 48, 2260.
 — — — ramosissimum Desf. Desf. Fl. atl. 178.
 — — — rigidum Viv. Viviani Lib. 17.
 — — — scoparium L. Fl. dan. 2, 313.
 — — — — — Woodv. Med. 3, 150.
 — — — — — Curt. Lond. 2, 24.
 — — — — — Engl. Bot. 19, 1339.
 — — — — — Sv. Bot. 421.
 — — — — — Rousseau Bot. 16.
 — — — — — Baxter Brit. Bot. 1, 77.
 — — — — — Acad. Neap. 4, 3, 4, 5.
 † — — — — — Gaertn. Carp. 153.
 — — — — — Dreves 2, 48.
 — — — — — Schk. Handb. 195.
 — — — — — Hayne 9, 10.
 — — — — — Guimpel Holzgew. 116.
 — — — sericeum Vent. Vent. Choix 17.
 — — — thebaicum Delile. Delile Egypte 37.
 — — — umbellatum Desf. Desf. Fl. atl. 180.
 — — — villosum Vahl. Sibth. Fl. gr. 673.
 — — — virgatum Ait. Bot. Mag. 48, 2265.
Spatalanthus speciosus Sweet. Sweet Fl. G. 300.
Spathandra coerulea Guill. Guillemin Seneg. 71.
 — — — — — Ann. sc. nat. III. 12, 10.
 † *Spathanthus upilateralis* Desv. Ann. sc. nat. 13, 4.
 — — — — — Endl. Bras. 3, 18.
 † *Spathelia simplex* L. Gaertn. Carp. 58.
 † — — — — — Lam. Encycl. 209.

- Spathelia simplex* L. Bot. Reg. 8, 670.
Spathicarpa hastifolia Wilson. Hook. Bot. Misc. 77.
Spathiphyllum candicans P. et E. Poepp. et Endl. 295.
 — *cannaefolium* Schott. Schott Aroid. 1.
 — *caudatum* P. et E. Poepp. et Endl. 296.
 — *Friedrichsthalii* Schott. Schott Aroid. 4.
 — *Gardneri* Schott. Schott Aroid. 3.
 — *heliconiaefolium* Schott. Schott Aroid. 5. 6.
 — *Humboldtii* Schott. Schott Aroid. 2.
 — *lanceaefolium* Schott. Schott Aroid. 3.
Spathium monostachyum Edgew. Calc. Journ. 1843, 16.
 — *undulatum* Edgew. Calcutta Journal 1843, 15.
Spathodea adenophylla Wall. Wight Illustr. 160—161.
 — *arcuata* Wight. Wight Ic. pl. Ind. or. 4, 1340.
 — *campanulata* Pal. B. Pal. B. Fl. d'Oware 27. 28.
 — — Paxt. Fl. G. 104.
 — — Lem. Jard. fl. 4, 388. 389.
 — — Fl. d. serres 8, 830.
 — *corymbosa* Vent. Vent. Choix 40.
 — — Lam. Encycl. 973.
 — *laevis* Pal. B. Pal. B. Fl. d'Oware 29.
 — — Kerner Hort. 368.
 — — Bot. Mag. 76, 4337.
 — — Lem. Jard. fl. 51.
 — — Fl. d. serres 6, 634.
 † — *nova species*, Wight Illustr. 161 bis.
 — *pentandra* Hook. Bot. Mag. 65, 3681.
 — *Rheedi* Wall. Wight Ic. pl. Ind. or. 4, 1339.
 — *stipulata* Wall. Wall. Pl. asiat. 238.
Spathoglottis Fortunei Ldl. Bot. Reg. 31, 19.
 — *pubescens* Ldl. Wall. Pl. asiat. 203.
 — — Wight Ic. pl. Ind. or. 5, 1739.
Spathularia longifolia St. Hil. Mem. Mus. 11, 24.
 — — St. Hil. Pl. rem. 28.
Specklinia flexuosa P. et E. Poepp. et Endl. 90.
 — *graminea* P. et E. Poepp. et Endl. 89.
 — *plantaginea* P. et E. Poepp. et Endl. 89.
Specularia perfoliata A. DC. Torrey New York 65.
 † — *Speculum* A. DC. Schnizl. Iconogr. 125.
 † — — Nees Gen. X, x.
Spennera ornata Mig. Miquel Surinam 13.
 † — *panicularis* Naud. Ann. sc. nat. II. 14, 5.
 — *rubricaulis* Mart. Mart. Bras. 255.
 † — *sphaeranthra* Naud. Ann. sc. nat. III. 14, 5.
 † — *tetraptera* Mig. Miquel Comment. 10.
Spergella glabra Rchb. Rchb. Fl. germ. 5, 202.
 — *nodosa* Rchb. Rchb. Fl. germ. 5, 203.
 — *macrocarpa* Rchb. Rchb. Fl. germ. 5, 202.
 — *Saginella* Rchb. Rchb. Fl. germ. 5, 202.
 — *saginoides* Rchb. Rchb. Fl. germ. 5, 202.
 — *subulata* Rchb. Rchb. Fl. germ. 5, 202.
Spergula affinis Hook. Hook. Ic. pl. 3, 266.
 — *apetala* Lab. Bill. Nov. Holl. 142.
 † — *arvensis* L. Gaertn. Carp. 130.
 — — Fl. dan. 6, 1033.
 — — Sv. Bot. 309.
 — — Curt. Lond. 2, 84.
 — — Engl. Bot. 22, 1535.
 — — Baxter Brit. Bot. 5, 388.
 — — Lam. Encycl. 392.
 — — Schk. Handb. 125.
 — — Rchb. Pl. crit. 6, 511.
 — *caespitosa* Vahl. Fl. dan. 13, 2289.
 — *japonica* Sw. Neue Schr. naturf. Fr. 3, 1.
 — *laricina* L. Smith Ic. Linn. 18.
 — — Fl. dan. 5, 858.
 — — Lam. Encycl. 392.
 — *maxima* Weihe. Rchb. Pl. crit. 6, 513.
 — *nodosa* L. Fl. dan. 1, 96.
 — — Curt. Lond. 1, 102.
 — — Engl. Bot. 10, 694.
 — — Schrank Fl. monac. 3, 296.

- Spergula nodosa* L. Dietr. Fl. bor. 5, 346.
 — *pentandra* L. Engl. Bot. 22, 1536.
 — — Lam. Encycl. 392.
 — — Fl. dan. 11, 1930.
 — — Sturm Flora 3, 12.
 † — *pilifera* DC. Loiseleur Fl. gall. 8.
 — — Rchb. Ic. crit. 2, 141.
 — *saginoides* All. Allione Fl. ped. 3, 64.
 — — L. Svensk Acad. 1789, 1.
 — — Fl. dan. 9, 1577.
 — — Sv. Bot. 768.
 — — Engl. Bot. 30, 2105.
 — — Rchb. Fl. germ. 5, 202.
 — *stricta* Sw. Svensk Acad. 1799, 3.
 — *subulata* Sw. Svensk Acad. 1789, 1.
 — — Curt. Lond. 3, 116.
 — — Engl. Bot. 16, 1082.
 — — Sv. Bot. 798.
 — *vulgaris* Bön. Rchb. Pl. crit. 6, 512.
 † *Spergularia Pers.* Gray Genera 108.
 — *rubra* Pers. Gray Genera 108.
 — *rupestris* Camb. St. Hil. Fl. Bras. 110.
Spermacoe alata Aubl. Aublet Guiana 22.
 — *aspera* Aubl. Aublet Guiana 22.
 — *assurgens* Rz et P. Ruiz et Pav. Fl. 92.
 — *capitata* Rz et P. Ruiz et Pav. Fl. 91.
 — *coernlescens* Aubl. Aublet Guiana 19.
 — *corymbosa* Rz et P. Ruiz et Pav. Fl. 91.
 — *ferruginea* St. Hil. St. Hil. Pl. usuelles 13.
 — *gracilis* Rz et P. Ruiz et Pav. Fl. 92.
 — *hexangularis* Aubl. Aublet Guiana 22.
 — *hirta* L. Jacq. Ic. 308.
 — *hispida* L. Novi Comm. Gott. 3, 6.
 — *laevis* Roxb. Wight Ic. pl. Ind. or. 1, 193.
 — *latifolia* Aubl. Aublet Guiana 19.
 — — Lam. Encycl. 62.
 — *longifolia* Aubl. Aublet Guiana 21.
 — *ocymoides* Burm. Burmann Fl. ind. 13.
 — *Poaya* St. Hil. St. Hil. Pl. usuelles 12.
 — *prostrata* Aubl. Aublet Guiana 20.
 — *psyllioides* H. B. K. H. B. K. Nov. Gen. 3, 278.
 — *radicans* Aubl. Aublet Guiana 20.
 — *rubra* Jacq. Jacq. Schoenbr. 3, 256.
 — *scabra* Willd. Rheed Hort. mal. 9, 76.
 — *serrulata* Pal. B. Pal. B. Fl. d'Oware 23.
 — *strigosa* Banks. Bot. Mag. 38, 1558.
 — *suffrutescens* Jacq. Jacq. Schoenbr. 3, 322.
 — *tenuior* L. Rumpf Amb. 6, 10.
 † — — Gaertn. Carp. 25.
 — — Lam. Encycl. 62.
 — — Schk. Handb. 22.
 — — Hook. Beechey 99.
Spermadictyon azureum Wall. Bot. Reg. 15, 1235.
 — *suaveolens* Roxb. Roxb. Corom. 236.
 — — Bot. Reg. 4, 348.
Spermaxyrum Phyllanthi Lab. Bill. Nov. Holl. 233.
 — — Lam. Encycl. 1009.
Spermodon setaceus Pal. B. Endl. Bras. 3, 8.
Sphacele campanulata Benth. Bot. Reg. 16, 1382.
 — *Lindleyi* Benth. Bot. Mag. 57, 2993.
 † *Sphaeralcea Juss.* Gray Genera 127.
 † — *angustifolia* Spach. Payer Organogénie 6.
 — *cisplatina* St. Hil. St. Hil. Pl. usuelles 52.
 — *miniata* Spach. Gray Genera 127.
 — *nutans* Scheidw. Fl. d. serres 6, 726.
Sphaeranthus africanus L. Burmann Fl. ind. 60.
 — *hirtus* Willd. Rheed Hort. mal. 10, 43.
 — — Lam. Encycl. 718.
 — — Wight Ic. pl. Ind. or. 3, 1094.
 † — *indicus* L. Gaertn. Carp. 164.
 — — Lam. Encycl. 718.
 † *Sphaerine brevis* Herb. Herbert Amar. 18.

- † *Sphaerine coccinea* *Herb.* Herbert Amar. 16.
 † — *distichophylla* *Herb.* Herbert Amar. 12.
 — *nervosa* *Herb.* Herbert Amar. 13.
 † — *secundifolia* *Herb.* Herbert Amar. 12.
Sphaerocarya edulis *Wall.* Wallich Tentamen 10.
 — — — *Wight* Ic. pl. Ind. or. 1, 255.
 † *Sphaerochloa compressa* *Pal. B.* Ann. sc. nat. 13, 5.
 † *Sphaerocionium Boryanum* *Presl.* Prager Abh. 3, 10.
 † — *elasticum* *Presl.* Prager Abh. 3, 4.
 — *glanduliferum* *Presl.* Prager Abh. 6, 12.
 † — *interruptum* *Presl.* Prager Abh. 3, 10.
 † *Sphaerogyne latifolia* *Naud.* Ann. sc. nat. III. 16, 24.
Sphaerolobium minus *Lab.* Bill. Nov. Holl. 138.
 † — — — *Lam.* Encycl. 952.
 — *vimineum* *Sm.* Bot. Mag. 25, 969.
 — — — *Lodd.* Cab. 1753.
Sphaeromorphaea Russeliana *DC.* Delessert Ic. 4, 49.
 † *Sphaerophora gemella* *Bl.* Blume Mus. 1, 36.
Sphaerophysa microphylla *Jaub.* Jaubert Illustr. 64.
 — *salsula* *DC.* Trautvetter Imagines 33.
Sphaeropteris barbata *Wall.* Wall. Pl. asiat. 48.
 † — — — *Hook.* Gen. Fil. 22.
 † — — — *Schott* Gen. Fil. 2.
Sphaerostachys Humboldtii *Miq.* Miquel Illustr. Pip. 68.
Sphaerostemma axillare *Bl.* Blume Java 12, 3.
 — *elongatum* *Bl.* Blume Java 12, 5.
 — *propinquum* *Bl.* Bot. Reg. 20, 1688.
 — — — *Bot. Mag.* 77, 4614.
 — — — *Lem. Jard.* fl. 201.
 — *pyriferum* *Bl.* Blume Java 12, 4.
 † *Sphaerostephanos asplenoides* *Sm.* Hook. Gen. Fil. 24.
 — — — *Kunze* Fil. 11, 12.
Sphaerostigma divaricatum *Gay.* Gay Chile 22.
Sphaerotele coccinea *Link et Kl.* Link Ic. III. 38.
 — *peruviana* *Presl.* Presl. Reliq. 16.
 † *Sphallerocarpus* *Besser.* DC. Umbelliferae 2.
Sphenoclea Pongatium *DC.* Wight Illustr. 138.
 — *zeylanica* *Gaertn.* Rheede Hort. mal. 11, 24.
 † — — — *Gaertn.* Carp. 24.
 † *Sphenodesme barbata* *Schauer.* Wight Illustr. 173 bis.
 — — — *Wight* Ic. pl. Ind. or. 4, 1474.
 — *Griffithiana* *Wight.* Wight Ic. pl. Ind. or. 4, 1477.
 — *Jackiana* *Schauer.* Wight Ic. pl. Ind. or. 4, 1476.
 — *triflora* *Wight.* Wight Ic. pl. Ind. or. 4, 1478.
 — *Wallichiana* *Schauer.* Wight Ic. pl. Ind. or. 4, 1475.
Sphenogyne crithmifolia *R. Br.* Bot. Mag. 58, 3042.
 — *pilifera* *Ker.* Bot. Reg. 7, 604.
 — *speciosa* *Maunder.* Knowles et Westcott 77.
 — — — *Paxt.* Mag. 6, 77.
Sphenopus divaricatus *Rehb.* Rehb. Fl. germ. 1, 81.
 † — *Gouani* *Trin.* Nees Gen. 1, 68.
Sphenotoma capitatum *Ldl.* Bot. Reg. 18, 1515.
 — *gracile* *R. Br.* Sweet Austr. 44.
 † *Sphondylium Ranaces* *Gaertn.* Gaertn. Carp. 21.
Sphyrospermum buxifolium *P. et E.* Poepp. et Endl. 8.
 — *myrtifolium* *Hook.* Hook. Ic. pl. 2, 112.
Spielmannia africana *Willd.* Lam. Encycl. 85.
 — — — *Bot. Mag.* 44, 1899.
 — *Jasminum* *Medicus.* Acta palat. 3, 13.
 † *Spigelia* *L.* Kerner Genera 58.
 — *Anthelmia* *L.* Linné Amoenit. 5, 2, 6.
 — — — *Lam.* Encycl. 107.
 — — — *Tussac* Ant. 4, 8.
 — — — *Desc.* Ant. 1, 61.
 — — — *Bot. Mag.* 50, 2359.
 — — — *Ricord-Madianna* Recherches 1.
 — — — *Nees Düssel.* 204.
 — *glabrata* *Mart.* Mart. Bras. 193.
 — *marilandica* *L.* Woodv. Med. 1, 69.
 — — — *Bot. Mag.* 3, 80.
 † — — — *Gaertn.* Carp. 198.
 — — — *Schk.* Handb. 37.

- Spigelia marilandica* *L.* Nees Düssel. Suppl. 107.
 — — — *Barton* Med. 31.
 — — — *Bigelow* Med. 14.
 — — — *Lodd.* Cab. 930.
 — — — *Herb. amat.* 4, 234.
 — — — *Savi* Fl. ital. 1, 25.
 — *multispica* *Steud.* Miquel Surinam 43.
 — *pulchella* *Mart.* Mart. Bras. 194.
 — *pulverulenta* *Mart.* Mart. Bras. 192.
 — *speciosa* *H. B. K.* H. B. K. Nov. Gen. 3, 226.
 — — — *Kerner* Hort. 551.
Spilanthes Acemella *L.* Rumpf Amb. 6, 65.
 — — — *Annalen d. Pharmacie* 1836, 2.
 — *alba* *L'her.* L'heritier Stirp. 4.
 — — — *Lam.* Encycl. 668.
 — *calva* *DC.* Wight Ic. pl. Ind. or. 3, 1109.
 — *crocata* *Sims.* Bot. Mag. 39, 1627.
 — *exasperata* *Jacq.* Jacq. Ic. 584.
 — *fusca* *Desf.* Revue médicale 1825, x.
 — *leucantha* *H. B. K.* H. B. K. Nov. Gen. 4, 370.
 — *oleracea* *L.* Jacq. Vind. 135.
 — — — *Gil et Xuares* 16.
 † — — — *Gaertn.* Carp. 167.
 † — — — *Lam.* Encycl. 668.
 — — — *Schk.* Handb. 234.
 — — — *Revue médicale* 1825, x.
 — — — *Desc.* Ant. 1, 52.
 — — — *Annalen d. Pharmacie* 1836, 2.
 — — — *Wight* Ic. pl. Ind. or. 3, 1109.
 — — — *Regel* Gartenflora 2, 42.
 — *salivaria* *Domb.* Comm. Gott. 6, 1.
 — *urens* *Jacq.* Jacq. Hist. stirp. am. 194.
 — — — *Lam.* Encycl. 668.
 † *Spinacia inermis* *Moench.* Nees Gen. 4, 66.
 † — *oleracea* *L.* Gaertn. Carp. 126.
 — — — *Schk.* Handb. 324.
 — — — *Lam.* Encycl. 814.
 † — — — *Nees* Gen. 4, 66.
 — *tetrandra* *Roxb.* Wight Ic. pl. Ind. or. 3, 818.
Spinifex dioicus *Ham.* Rheede Hort. mal. 12, 75.
 — *hirsutus* *Lab.* Bill. Nov. Holl. 230, 231.
 — *squarrosus* *L.* Rumpf Amb. 6, 2, fig. 2.
 — — — *Lam.* Encycl. 840.
Spiracantha cornifolia *H. B. K.* H. B. K. Nov. Gen. 4, 313.
 † *Spiraea* *L.* Spach Suites 7.
 — *acutifolia* *Willd.* Guimpel Fr. Holzgew. 9.
 — *alba* *Duroi.* Watson Dendr. 2, 133.
 — *alpina* *Pall.* Pallas Fl. ross. 20.
 — — — *Guimpel* Fr. Holzgew. 8.
 — *altaica* *Pall.* Pallas Fl. ross. 23.
 — *amoena* *Spae.* Annales de Gand 1846, 72.
 — *argentea* *H. B. K.* H. B. K. Nov. Gen. 6, 562.
 — — — *Dict.* sc. nat. 238.
 — *ariaefolia* *Sm.* Bot. Reg. 16, 1365.
 — *Aruncus* *L.* Pallas Fl. ross. 26.
 † — — — *Ann.* sc. nat. 1, 15.
 — *barbata* *Wall.* Jacquemont Ind. 56.
 — — — *Bot. Reg.* 23, 2011.
 — *bella* *Sims.* Bot. Mag. 50, 2426.
 — — — *Lodd.* Cab. 1268.
 — — — *Savi* Fl. ital. 3, 116.
 — *betulaefolia* *Pall.* Pallas Fl. ross. 16.
 — — — *Ann.* sc. nat. 1, 27.
 — — — *Watson* Dendr. 1, 67.
 — *callosa* *Ldl.* Fl. d. serres 9, 871.
 — *cana* *W. et K.* W. et Kit. 227.
 — *carpinifolia* *Willd.* Guimpel Fr. Holzgew. 7.
 — — — *Watson* Dendr. 1, 66.
 — *chamaedrifolia* *L.* Pallas Fl. ross. 15.
 — — — *Jacq.* Vind. 140.
 — — — *Guimpel* Holzgew. 83.
 — — — *Bot. Reg.* 15, 1222.

- Spiraea corymbosa* Rafin. Lodd. Cab. 671.
 — *crataegifolia* Link. Guimpel Fr. Holzgew. 82.
 — *crenata* L. Pallas Fl. ross. 19.
 — — Guimpel Fr. Holzgew. 10.
 — — Lodd. Cab. 1252.
 — *cuneifolia* Wall. Jacquemont Ind. 57.
 — *decumbens* Koch. Sturm Flora 14, 62.
 — *Douglasii* Hook. Paxt. Mag. 12, 195.
 — — Annales de Gand 1845, 40.
 — — Fl. d. serres 2, 2.
 — *dumosa* Nutt. Stansbury Expedition 4.
 — *Filipendula* L. Fl. dan. 4, 635.
 — — Sv. Bot. 154.
 — — Engl. Bot. 4, 284.
 — — Curt. Lond. 4, 125.
 — — Baxter Brit. Bot. 2, 133.
 — — Lam. Encycl. 439.
 † — — Ann. sc. nat. 1, 16.
 — — Sturm Flora 5, 18.
 — — Hayne 8, 30.
 — — Schrank Fl. monac. 1, 92.
 — — Dietr. Fl. bor. 7, 486.
 — *flabellata* Bert. Gussone Pl. rar. 40.
 — *flexuosa* Fisch. Ann. sc. nat. 1, 26.
 — *Fortunei* Planch. Fl. d. serres 9, 871.
 — *grandiflora* Sweet. Lodd. Cab. 1988.
 — — Hook. Bot. Mag. 80, 4795.
 — *hypericifolia* L. Schk. Handb. 134.
 † — — Ann. sc. nat. 1, 15.
 — — Ledeb. Ic. 428—430.
 — *kamtshatica* Pall. Pallas Fl. ross. 28.
 — — var. *himalayensis*, Bot. Reg. 27, 4.
 † — *laevigata* L. Gaertn. Carp. 69.
 — — Guimpel Fr. Holzgew. 89.
 — — Lam. Encycl. 439.
 — *lanceolata* Poir. Ann. sc. nat. 1, 25.
 — *Lindleyana* Wall. Bot. Reg. 31, 33.
 — — Fl. d. serres 2, 44.
 — *lobata* Murr. Jacq. Vind. 88.
 — *oblongifolia* W. et K. W. et Kit. 235.
 — *obovata* Willd. Guimpel Fr. Holzgew. 11.
 † — *opulifolia* L. Gaertn. Carp. 69.
 † — — Schk. Handb. 134.
 † — — Ann. sc. nat. 1, 17.
 — *palmata* Pall. Pallas Fl. ross. 27.
 — *prunifolia* S. et Z. Sieb. Fl. Japon. 70.
 — — Otto Garten-Z. 1847, 1.
 — — Fl. d. serres 2, 153, 154.
 — *pubescens* Turcz. Bot. Reg. 33, 38.
 — *Reevesiana* Hort. Bot. Reg. 30, 10.
 — *salicifolia* L. var. *alpestris*, Pallas Fl. ross. 22.
 — — var. *major*, Pallas Fl. ross. 21.
 — — Guimpel Holzgew. 82.
 — — Engl. Bot. 21, 1468.
 † — — Lam. Encycl. 439.
 † — *sorbifolia* L. Pallas Fl. ross. 24, 25.
 — — Ann. sc. nat. 1, 16.
 — *stipulata* Mühlenberg. Ann. sc. nat. 1, 28.
 — *thalictroides* Pall. Pallas Fl. ross. 18.
 — *Thunbergii* S. et Z. Sieb. Fl. Japon. 69.
 — *tomentosa* L. Savi Fl. ital. 3, 107.
 — *trifoliata* L. Bot. Mag. 14, 489.
 — — Nees Düsseld. 306.
 † — — Ann. sc. nat. 1, 17.
 — *trilobata* L. Pallas Fl. ross. 17.
 — — Guimpel Fr. Holzgew. 12.
 — — Lodd. Cab. 1271.
 — — Watson Dendr. 1, 68.
 — *Ulmaria* L. Fl. dan. 4, 547.
 — — Curt. Lond. 1, 35.
 — — Engl. Bot. 14, 960.
 — — Sv. Bot. 189.

- Spiraea Ulmaria* L. Drevles 1, 33.
 — — Sturm Flora 5, 18.
 — — Schrank Fl. monac. 4, 384.
 — — Hayne 8, 31.
 — — Nees Düsseld. 307.
 — — Dietr. Fl. bor. 4, 268.
 † — — Ann. sc. nat. 1, 16.
 — *ulmifolia* Scop. Scopoli Fl. carn. 1, 22.
 — — Sturm Flora 14, 62.
 — — Lodd. Cab. 1042.
 — *vacciniifolia* Don. Lodd. Cab. 1403.
 — — Bot. Reg. 26, 17.
Spiranthera odoratissima St. Hil. Mem. Mus. 10, 22, 23.
 — — St. Hil. Pl. rem. 17.
Spiranthes aestivalis Rich. Rchb. Ic. crit. 2, 196.
 — — Rchb. Fl. germ. 13, 475.
 — *australis* Ldl. Wight Ic. pl. Ind. or. 5, 1724.
 — — Rchb. Fl. germ. 13, 476.
 — *autumnalis* Rich. Rivinus Irreg. hexap. 14.
 — — Dietr. Fl. bor. 1, 16.
 — — Sturm Flora 3, 12.
 — — Baxter Brit. Bot. 1, 63.
 — — Rchb. Fl. germ. 13, 474.
 † — — Nees Gen. 3, x.
 — *bicolor* Ldl. Bot. Reg. 10, 794.
 — *bracteosa* Ldl. Bot. Reg. 23, 1934.
 — *cernua* Rich. Bot. Reg. 10, 823.
 — — Linn. Transact. 19, 32.
 — — Torrey New York 128, 129.
 — *decipiens* Hook. Hook. Bor. Am. 204.
 — *diuretica* Ldl. Hook. Journal 1841, 12.
 — *gemmaipara* Ldl. Rchb. Fl. germ. 13, 477.
 — *gracilis* Bigelow. Hook. Bor. Am. 203.
 — — Torrey New York 128, 129.
 — *grandiflora* Ldl. Bot. Reg. 12, 1043.
 — *inaequilatera* P. et E. Poepp. et Endl. 110.
 — *Lindleyana* Link et Kl. Link Ic. III. 11.
 — *pudica* Ldl. Lindley Collect. 30.
 — — Bot. Reg. 7, 602.
 — *Romanzoffiana* Cham. Rchb. Fl. germ. 13, 477.
 † — *speciosa* Ldl. Bauer Orchid. 4.
Spirolobium australe D'Orb. D'Orbigny Voyage 13.
Spirolobium fragrans Ldl. Bot. Reg. 26, 47.
Spirosatis Aub. Aubert Orchid. 9, 12.
Spitzelia cupuligera Durieu. Explor. Alger. 48.
Spixia Sacramento. Münchn. Denkschr. 7, 13.
 † — — Wiegmann Archiv 7, 1.
 — *violacea* Schrank. Schrank Hort. monac. 89.
Spliterbera japonica Miq. Miquel Commentarii 14.
 — *macrostachya* Wight. Wight Ic. pl. Ind. or. 6, 1977.
Spodiopogon angustifolius Tr. Trinius Sp. Gr. 3, 336.
 † — *sibiricus* Tr. Trinius Fund. 17.
 † *Spondias* L. Kerner Genera 76, 77.
 — *Birrea* A. Rich. Guillemin Seneg. 41.
 — *Cirouella* Tuss. Tussac Ant. 3, 9.
 † — *cytherea* Sonnerat. Gaertn. Carp. 103.
 — — Tussac Ant. 3, 28.
 — — Lam. Encycl. 384.
 — — Jacq. Schoenbr. 3, 272.
 — *mangifera* Pers. Rheede Hort. mal. 1, 59.
 — — Wight Illustr. 76.
 — *microcarpa* A. Rich. Guillemin Seneg. 40.
 — *Mombin* L. Tussac Ant. 3, 8.
 — — Kerner Hort. 403.
 — — Dict. sc. nat. 263.
 — — Desc. Ant. 5, 336.
 — *Myrobalanus* L. Jacq. Hist. stirp. am. 131.
 † — — Gaertn. Carp. 104.
 — — Desc. Ant. 6, 397.
 — *Pseudo-Myrobalanus* Tuss. Tussac Ant. 4, 33.
Spondylanthus aphylla Presl. Presl Reliq. 53.
Sponia micrantha Decne. Miquel Surinam 57.

- Sponia velutina* Planch. Wight Ic. pl. Ind. or. 6, 1990.
 — *Wightii* Planch. Wight Ic. pl. Ind. or. 6, 1971.
Sporobolus caespitosus Kth. Humb. Gram. 125.
 — *diandrus* Pal. B. Jacq. Ecl. Gram. 28.
 — *durus* Brongn. Brongniart Coquille 4.
 — *Jacquemontii* Kth. Humb. Gram. 127.
 — *pulchellus* R. Br. Humb. Gram. 123.
 — *pyramidalis* Pal. B. Pal. B. Fl. d'Oware 80.
 — *ramosissimus* Kth. Humb. Gram. 46.
 — *robustus* Kth. Humb. Gram. 126.
 — *rupestris* Kth. Humb. Gram. 45.
 — *subtilis* Kth. Humb. Gram. 124.
 † — *tenacissimus* Pal. B. Nees Gen. 1, 28.
Spraguea umbellata Torr. Smithsonian Contrib. 5, 1.
Sprekelia Cybister Herb. Bot. Mag. 67, 3872.
 — — — var. *brevis*, Bot. Reg. 26, 33.
 — — — Fl. d. serres 5, 455, 456.
 — *formosissima* Herb. Sweet Fl. G. II. 144.
 — *glauca* Ldl. Bot. Reg. 27, 18.
 — *ringens* Morr. Annales de Gand 1846, 60.
Sprengelia incarnata Sm. Svensk Acad. 1794, 8.
 — — — Smith Tracts 2.
 — — — Roemer Archiv 3, 2.
 — — — Andr. Rep. 1, 2.
 — — — Bot. Mag. 41, 1719.
 — — — Lodd. Cab. 262.
 — — — Dict. sc. nat. 73.
 — — — Herb. amat. 4, 220.
Srutanthus cuspidatus Don. Miquel Surinam 61.
Staavia glutinosa Thunb. Wendland Coll. 22.
 — — — Lodd. Cab. 832.
 — *pinifolia* Willd. Münchn. Denkschr. 1, 8.
 — *radiata* Thunb. Wendland Coll. 82.
 † — — — Ann. sc. nat. 8, 36.
Stachygnandrum scandens Pal. B. Pal. B. Fl. d'Oware 7.
Stachyopogon pauciflorus Klotzsch. Prinz Wald. Him. 94.
 — *spicatus* Klotzsch. Prinz Wald. Him. 94.
Stachys aethiopica L. Jacq. Observ. 77.
 — *albicaulis* Ldl. Bot. Reg. 18, 1538.
 — *alpina* L. Picot Pyren. 8.
 — — — Sturm Flora 13, 51.
 — *ambigua* Sm. Engl. Bot. 30, 1089.
 — — — Rchb. Ic. crit. 3, 222.
 — — — Sturm Flora 19, 84.
 — — — Fl. dan. 11, 1877.
 — *angustifolia* M. v. B. Sweet Fl. G. 180.
 — *annua* L. Jacq. Fl. austr. 4, 360.
 † — — — Schk. Handb. 161.
 — — — Sturm Flora 19, 84.
 — — — Dietr. Fl. bor. 11, 781.
 — — — Engl. Bot. 2669.
 — *arenaria* Vahl. Desf. Fl. atl. 126.
 — — — Bot. Mag. 45, 1959.
 — *arvensis* L. Fl. dan. 4, 587.
 — — — Curt. Lond. 1, 113.
 — — — Engl. Bot. 17, 1154.
 — — — Sv. Bot. 674.
 † — — — Mutel Fl. fr. 51.
 — — — Rchb. Ic. crit. 10, 967.
 — — — Sturm Flora 19, 84.
 — — — Dietr. Fl. bor. 8, 510.
 — *aspera* Michx. Lodd. Cab. 1412.
 — *betonicaefolia* Desf. Ann. Mus. 10, 25.
 — — — Desf. Choix 14.
 — *biennis* Roth. Rchb. Ic. crit. 10, 949.
 — *canariensis* Jacq. Jacq. Ic. 108.
 — *candida* Bory. Bory et Chaub. Morée 19.
 — *canescens* Bory. Bory et Chaub. Morée 18.
 — *circinata* L'her. L'heritier Stirp. 26.
 — *coccinea* Jacq. Jacq. Schoenbr. 3, 284.
 — — — Bot. Mag. 18, 666.
 — — — Andr. Rep. 5, 310.

- Stachys coccinea* Jacq. Paxt. Mag. 8, 101.
 — *corsica* Pers. Rchb. Ic. crit. 7, 646.
 — *cretica* L. Sibth. Fl. gr. 558.
 — *Duriei* Noë. Explor. Alger. 64.
 — *fragilis* Vis. Visiani Dalm. 16.
 — *germanica* L. Fl. dan. 4, 684.
 — — — Jacq. Fl. austr. 4, 319.
 — — — Hoffmann D. Fl. 1791, 10.
 † — — — Schk. Handb. 161.
 — — — Engl. Bot. 12, 829.
 — — — Schrank Fl. monac. 4, 308.
 — — — Rchb. Ic. crit. 10, 950.
 — — — Sturm Flora 19, 83.
 — — — Dietr. Fl. bor. 5, 344.
 — — — var. *pubescens*, Bot. Reg. 15, 1289.
 — *glutinosa* L. Rivinus Opus ined. 15.
 — *graeca* Risso. Risso Fl. de Nice 11.
 — *grandidentata* Ldl. Bot. Reg. 13, 1080.
 — *heraclea* All. Allione Fl. ped. 3, 84.
 — *hirta* L. Rivinus Opus ined. 50.
 — — — Allione Fl. ped. 3, 2.
 † — — — Mutel Fl. fr. 51.
 — — — var. Explor. Alger. 65.
 — *iberica* M. v. B. Rchb. Hortus 58.
 — *inflata* Benth. Bot. Reg. 20, 1697.
 — *inscripta* Rchb. Rchb. Hortus 40.
 — *intermedia* Ait. Rchb. Ic. crit. 4, 327.
 — *italica* Mill. Rivinus Opus ined. 42.
 — *lanata* Jacq. Jacq. Ic. 107.
 — — — Pallas Fl. ross. 3, 9.
 — *latifolia* Ait. Pacho Voyage 98.
 — *Lindleyi* Benth. Bot. Reg. 15, 1226.
 — *lusitanica* Brot. Brotero Phytogr. 109.
 — *maritima* L. Jacq. Vind. 70.
 — — — Rchb. Ic. crit. 5, 484.
 — — — Sturm Flora 19, 84.
 — *marrubiifolia* Viv. Explor. Alger. 63.
 — *menthaefolia* Vis. Visiani Dalm. 17.
 — *mollissima* Willd. Willdenow Hortus 60.
 — *nivea* Lab. Bill. Syr. 3, 3.
 — *obliqua* W. et K. W. et Kit. 134.
 — *orientalis* L. Sibth. Fl. gr. 560.
 — *palaestina* L. Lam. Encycl. 509.
 — *palustris* L. Fl. dan. 7, 1103.
 — — — Curt. Lond. 2, 22.
 — — — Engl. Bot. 24, 1676.
 — — — Baxter Brit. Bot. 1, 16.
 — — — Sv. Bot. 431.
 † — — — Mutel Fl. fr. 51.
 † — — — Schk. Handb. 161.
 — — — Hayne 3, 40.
 — — — Sturm Flora 5, 18.
 — — — Schrank Fl. monac. 2, 131.
 — — — Dietr. Fl. bor. 2, 122.
 † — — — Schnizl. Iconogr. 3, 136.
 — *Parolinii* Vis. Mem. Ist. veneto 1, 4.
 — *pauciflora* Vis. Mem. Ist. veneto 1, 2.
 — *polystachya* Ten. Tenore Fl. nap. 53.
 — *pubescens* Ten. Tenore Fl. nap. 239.
 — *pumila* Russell. Russell Aleppo 10.
 — *recta* L. Jacq. Fl. austr. 4, 359.
 — — — Schk. Handb. 161.
 — — — Hayne 4, 12.
 — — — Schrank Fl. monac. 4, 346.
 — — — Nees Düssel. Suppl. 40.
 — — — Dietr. Fl. bor. 11, 782.
 — — — Sturm Flora 19, 84.
 † — — — Nees Gen. 6, 33.
 — *rugosa* Ait. Jacq. Ic. 409.
 — — — Lam. Lam. Encycl. 509.
 — *Salviae* Ldl. Bot. Reg. 15, 1226.
 — *salviaefolia* Ten. Tenore Fl. nap. 54.

- Stachys salviaefolia* Ten. Sturm Flora 19, 83.
 — *sibirica* Link. Rchb. Ic. crit. 4, 328.
 — — Sweet Fl. G. 100.
 — *Sideritis* L. Nees Düsseld. Suppl. 40.
 — *silvatica* L. Fl. dan. 7, 1102.
 — — Curt. Lond. 3, 106.
 — — Engl. Bot. 6, 416.
 — — Sv. Bot. 578.
 † — — Schk. Handb. 181.
 — — Hayne 4, 11.
 — — Schrank Fl. monac. 1, 89.
 — — Dietr. Fl. bor. 2, 123.
 — — Sturm Flora 19, 84.
 † — — Nees Gen. 6, 33.
 † — — Schimper Symphytum 4. 8.
 — *spinosa* L. Sibth. Fl. gr. 559.
 — *subcrenata* Vis. Visiani Dalm. 16.
 — *Swainsoni* Benth. Mem. Ist. veneto 1, 3.
 — *tenuifolia* Pall. Rchb. Hortus 28.
 — *virgata* Bory. Bory et Chaub. Morée 17.
Stachystemon vermiculare Planch. Hook. Journ. 1845, 15.
Stachytarpha sanguinea Schauer. Endl. Bras. 10, 34.
 — *speciosa* Pohl. Endl. Bras. 10, 33.
Stachytarpheta aristata Vahl. Bot. Mag. 72, 4211.
 — — Fl. d. serres 2, 55.
 — *elator* Schrad. Schrad. Blumenbachia 2.
 — — Jacq. Ecl. pl. 159.
 — — Rchb. Hortus 89.
 — *gibberosa* Rchb. Rchb. Hortus 138.
 — *hirsuta* Jacq. Jacq. Ecl. pl. 160.
 — *jamaicensis* Vahl. Bot. Mag. 44, 1860.
 — — Lodd. Cab. 820.
 — *mutabilis* Vahl. Bot. Mag. 25, 976.
 — — Kerner Hort. 267.
 — — Dict. sc. nat. 39.
 — — Regel Gartenflora 1854, 90.
 — *palustris* Jacq. Jacq. Ecl. pl. 159.
 — *urticifolia* Sims. Bot. Mag. 43, 1848.
Stachyurus praecox S. et Z. Sieb. Fl. Japon. 18.
Stackhousia flava Hook. Hook. Ic. pl. 3, 269.
 — *monogyna* Lab. Bill. Nov. Holl. 104.
 — — Dict. sc. nat. 274.
 — — Bot. Reg. 22, 1917.
Stadmannia oppositifolia Lam. Lam. Encycl. 312.
 — *Sideroxylum* DC. Rumpf Amb. 3, 65.
 † *Stachelina* L. Ann. Mus. 16, 5.
 — *apiculata* Lab. Bill. Syr. 4, 1.
 — *arborea* Schreb. Schreber Ic. 1.
 — *arborescens* L. Sibth. Fl. gr. 845.
 — *boetica* DC. Boissier Esp. 106.
 — *Chamaepeuce* L. Sibth. Fl. gr. 847.
 — — Viviani Lib. 23.
 — *dubia* L. Gerard Fl. gallopr. 6.
 — — Rchb. Fl. germ. 15, 810.
 — *fruticosa* L. Jaubert Illustr. 397.
 — — Rchb. Fl. germ. 15, 810.
 — *ilicifolia* L. fil. Smith Ic. Linn. 71.
 — *uniflosculosa* Sibth. Sibth. Fl. gr. 846.
 † *Staelia Chamisso*. Linnaea 3, 3.
Stagmaria vernaciflua Jack. Rumpf Amb. 2, 86.
Stalagmitis cambogioides Murr. Woodv. Med. 5, 23.
Stanhopea aurea Endl. Hart. Parad. 1, 5.
 — *Bucephalus* Ldl. Bot. Reg. 31, 24.
 — *devoniensis* Ldl. Lindley Sertum 1.
 — *eburnea* Ldl. Bot. Reg. 18, 1529.
 — — Bot. Mag. 61, 3359.
 — *ecornuta* Ch. Lem. Fl. d. serres 2, 181.
 — *grandiflora* Ldl. Maund Bot. 4, 176.
 — *graveolens* Ldl. Annales de Gand 1846, 54.
 — — Fl. d. serres 2, 69. 70.
 — *guttulata* Ldl. Lem. Jard. fl. 3, 309. 310.
 — *inodora* Lodd. Bot. Reg. 31, 63.

- Stanhopea insignis* Frost. Bot. Mag. 56, 2948. 2949.
 — — Bot. Reg. 22, 1837.
 — — Lodd. Cab. 1985.
 — — Rchb. Exot. 263.
 — *maculosa* Kn. et W. Knowles et Westcott 131.
 — *Martiana* Batem. Bateman Orchid. 27.
 — — var. *bicolor*, Bot. Reg. 29, 44.
 — *oculata* Ldl. Bot. Reg. 21, 1800.
 — *quadricornis* Ldl. Bot. Reg. 24, 5.
 — *Rueckeri* Ldl. Lem. Jard. fl. 4, 378.
 — *saccata* Batem. Bateman Orchid. 15.
 — *tigrina* Batem. Bateman Orchid. 7.
 — — Bot. Mag. 71, 4197.
 — — Bot. Reg. 25, 1.
 — — Hart. Parad. 1, 6.
 — — nigro-violacea, Ann. de Gand 1845, 21.
 — — var. *superba*, Fl. d. serres 7, 713—715.
 — *velata* Morr. Annales de Gand 1847, 153.
 — *Wardii* Lodd. Lindley Sertum 20.
 — — Knowles et Westcott 90.
 † *Stanleya* Nutt. Gray Genera 65.
 — *integrifolia* Torr. Sitgreaves Expedition 1.
 — *pinnatifida* Nutt. Gray Genera 65.
Stannia formosa Karst. Karsten Auswahl 9.
 — — Fl. d. serres 6, 587.
 † *Stapelia* L. Jacq. Genit. Asclep. x.
 † — — (Pietro Savi.) Mem. Tur. 38, p. 208.
 — *acuminata* Mass. Masson Stapelia 17.
 — *adscendens* Roxb. Roxb. Corom. 30.
 — — Kerner Hort. 60.
 — *ambigua* Mass. Masson Stapelia 12.
 — — Jacquin Stapelia 53. 54.
 — — Kerner Hort. 372.
 — *anguinea* Jacq. Jacquin Stapelia 37.
 — — Lodd. Cab. 828.
 — *aperta* Mass. Masson Stapelia 37.
 — *arida* Mass. Masson Stapelia 33.
 — *articulata* Ait. Masson Stapelia 30.
 — *Asterias* Mass. Masson Stapelia 14.
 — — Jacquin Stapelia 47.
 — — Bot. Mag. 15, 536.
 — — Lodd. Cab. 453.
 — — DC. Plantes grasses 166.
 — *barbata* Mass. Masson Stapelia 7.
 — — Jacquin Stapelia 2.
 — — Bot. Mag. 50, 2401.
 — — Lodd. Cab. 225.
 — *bufonia* Jacq. Jacquin Stapelia 35. 36. 64.
 — — Bot. Mag. 40, 1676.
 — — Lodd. Cab. 332.
 — *cactiformis* Hook. Bot. Mag. 70, 4127.
 — — Fl. d. serres 1, 20.
 — *caespitosa* Mass. Masson Stapelia 29.
 — — Jacquin Stapelia 11.
 — — DC. Plantes grasses 148.
 — *campanulata* Mass. Masson Stapelia 6.
 — — Jacquin Stapelia 1.
 — — Bot. Mag. 30, 1227. 40, 1661.
 — *ciliata* Thunb. Masson Stapelia 1.
 — *clavigera* Jacq. Jacquin Stapelia 5.
 — *clypeata* Jacq. Jacquin Stapelia 34.
 — *comata* Jacq. Jacquin Stapelia 49.
 — *concinna* Mass. Masson Stapelia 18.
 — *conspurcata* Willd. Jacquin Stapelia 32.
 — *decora* Mass. Masson Stapelia 26.
 — *deflexa* Jacq. Jacquin Stapelia 20.
 — — Bot. Mag. 44, 1890.
 — — Lodd. Cab. 135.
 — *depressa* Jacq. Jacquin Stapelia 55.
 — — Kerner Hort. 828.
 — *divaricata* Mass. Masson Stapelia 22.
 — — Jacquin Stapelia 22.

- Stapelia divaricata* Mass. Bot. Mag. 25, 1107.
 — — — Lodd. Cab. 941.
 — *duodecimfida* Jacq. Jacquin Stapelia 4.
 — *elegans* Mass. Masson Stapelia 27.
 — — — Bot. Mag. 29, 1184.
 — — — Lodd. Cab. 1651.
 — *europaea* Guss. Acad. Neap. 4, x.
 — *fissirostris* Jacq. Jacquin Stapelia 23.
 — — — Kerner Hort. 434.
 — *fusca* Jacq. Jacquin Stapelia 46.
 — *geminata* Mass. Masson Stapelia 25.
 — — — Jacquin Stapelia 16.
 — — — Bot. Mag. 32, 1326.
 — — — Lodd. Cab. 300.
 — *gemmaeflora* Mass. Masson Stapelia 15.
 — — — Jacquin Stapelia 24.
 — — — Bot. Mag. 43, 1839.
 — *glanduliflora* Mass. Masson Stapelia 19.
 — — — Jacquin Stapelia 21.
 — — — Smith Exot. Bot. 71.
 — *glauca* Jacq. Jacquin Stapelia 44.
 — — — Kerner Hort. 487.
 — *Gordonii* Mass. Masson Stapelia 40.
 — — — Kerner Hort. 154.
 — *grandiflora* Mass. Masson Stapelia 11.
 — — — Jacquin Stapelia 59.
 — — — DC. Plantes grasses 172.
 — — — Kerner Hort. 69.
 — — — Curt. Bot. Mag. 16, 585.
 — *Gussoneana* Jacq. Bot. Reg. 20, 1731.
 — *guttata* Mass. Masson Stapelia 4.
 — *hamata* Jacq. Jacquin Stapelia 50.
 — — — Lodd. Cab. 242.
 — — — Kerner Hort. 550.
 — *hirsuta* Jacq. Jacquin Stapelia 23.
 — — — Kerner Hort. 330.
 † — *hirsuta* L. Jacq. Misc. 1, 3.
 — — — Jacquin Stapelia 51, 52.
 — — — DC. Plantes grasses 160.
 † — — — Lam. Encycl. 178.
 — — — Dict. sc. nat. 60.
 — — — Herb. amat. 2, 126.
 — — — Hook. Exot. Fl. 230.
 — — — var. *atra*, Bot. Reg. 9, 756.
 — *hirtella* Jacq. Jacquin Stapelia 10.
 — *humilis* Mass. Masson Stapelia 5.
 — *incarnata* L. Masson Stapelia 34.
 — *irrorata* Mass. Masson Stapelia 9.
 — — — Lodd. Cab. 127.
 — *juvencula* Jacq. Jacquin Stapelia 28.
 — *lentiginosa* Sims. Bot. Mag. 15, 506.
 — *lepida* Jacq. Jacquin Stapelia 43.
 — *maculosa* Jacq. Jacquin Stapelia 31.
 — — — Bot. Mag. 43, 1833.
 — — — Kerner Hort. 797.
 — *marmorata* Jacq. Jacquin Stapelia 38.
 — *mastodes* Jacq. Jacquin Stapelia 13.
 — *mixta* Mass. Masson Stapelia 38.
 — *moschata* Don. Lodd. Cab. 1051.
 — *mutabilis* Jacq. Jacquin Stapelia 29, 30.
 — — — var. Kerner Hort. 739.
 — *normalis* Jacq. Jacquin Stapelia 42, 64.
 — — — Bot. Reg. 9, 755.
 — *ocellata* Jacq. Jacquin Stapelia 6.
 — *orbicularis* Donn. Andr. Rep. 7, 439.
 — — — Lodd. Cab. 811.
 — — — Kerner Hort. 474.
 — *pallida* Wendl. Wendland Coll. 51.
 — *paniculata* Willd. Jacquin Stapelia 26.
 — *parviflora* Mass. Masson Stapelia 35.
 — *patula* Willd. Jacquin Stapelia 56.
 — *pedunculata* Mass. Masson Stapelia 21.

- Stapelia pedunculata* Mass. Jacquin Stapelia 61, 62.
 — — — Kerner Hort. 501.
 — — — Rehb. Exot. 302.
 — — — Jacq. Jacquin Stapelia 60.
 — — — Sims. Bot. Mag. 21, 793.
 — — — Jacquin Stapelia 63.
 — — — Kerner Hort. 730.
 — *picta* Donn. Bot. Mag. 29, 1169.
 — *pilifera* L. Masson Stapelia 23.
 — *planiflora* Jacq. Jacquin Stapelia 40.
 — — — Lodd. Cab. 191.
 — *pruinosa* Mass. Masson Stapelia 41.
 — *pulchella* Mass. Masson Stapelia 36.
 — *pulla* Mass. Masson Stapelia 31.
 — — — Bot. Mag. 40, 1648.
 — *pulvinata* Mass. Masson Stapelia 13.
 — — — Bot. Mag. 31, 1240.
 — — — Lodd. Cab. 206.
 — — — Kerner Hort. 538.
 — — — Rehb. Exot. 303.
 — *punctata* Mass. Masson Stapelia 24.
 — *radiata* Sims. Bot. Mag. 17, 619.
 — — — Lodd. Cab. 831.
 — — — Jacq. Jacquin Stapelia 12.
 — *ramosa* Mass. Masson Stapelia 32.
 — *reclinata* Mass. Masson Stapelia 28.
 — — — Jacquin Stapelia 14.
 — — — Bot. Mag. 34, 1397.
 — *replicata* Jacq. Jacquin Stapelia 15.
 — — — Kerner Hort. 323.
 — *reticulata* Mass. Masson Stapelia 2.
 — — — Jacquin Stapelia 8.
 — — — deformis, Jacquin Stapelia 9.
 — — — Bot. Mag. 40, 1662.
 — — — DC. Plantes grasses 167.
 — — — Kerner Hort. 310.
 — *revoluta* Mass. Masson Stapelia 10.
 — — — Bot. Mag. 19, 724.
 — — — Jacquin Stapelia 45.
 — *roriflua* Jacq. Jacquin Stapelia 19.
 — — — Kerner Hort. 322.
 — *rufa* Mass. Masson Stapelia 20.
 — — — Lodd. Cab. 239.
 — *rugosa* Jacq. Jacquin Stapelia 41.
 — — — Wendl. Wendland Coll. 52.
 — *serrulata* Jacq. Jacquin Stapelia 17.
 — *sororia* Mass. Masson Stapelia 39.
 — — — Jacquin Stapelia 56, 57, 58.
 — — — Kerner Hort. 89.
 — — — Kerner Ic. pl. sel. 3.
 — — — Lodd. Cab. 94.
 — *stellaris* Jacq. Jacquin Stapelia 48.
 — — — Lodd. Cab. 1312.
 — — — Kerner Hort. 612.
 — *stricta* Sims. Bot. Mag. 46, 2037.
 — *trisulca* Jacq. Jacquin Stapelia 33.
 — *tubata* Jacq. Jacquin Stapelia 3.
 — *umbellata* Roxb. Roxb. Corom. 241.
 — — — Kerner Hort. 463.
 — *uncinata* Jacq. Jacquin Stapelia 58.
 — *variegata* L. Bot. Mag. 1, 26.
 † — — — Jacq. Misc. 1, 4.
 — — — Jacquin Stapelia 39.
 — — — DC. Plantes grasses 149.
 — — — Lam. Encycl. 178.
 — — — Tratt. Thes. 18.
 — — — Herb. amat. 2, 125.
 † — — — Ann. sc. nat. 24, 14.
 † — — — R. Brown Schriften 5, 3.
 — *venusta* Mass. Masson Stapelia 3.
 — — — Jacquin Stapelia 7, 64.
 — *verrucosa* Mass. Masson Stapelia 8.

- Stapelia verrucosa* Mass. Jacquin *Stapelia* 18.
 — — — Bot. Mag. 20, 786.
 — *vetula* Mass. Masson *Stapelia* 16.
 — — — Jacquin *Stapelia* 27.
 — — — Bot. Mag. 30, 1234.
 — — — Lodd. Cab. 428.
 † *Staphydium biserratum* Naud. Ann. sc. nat. III. 18, 4.
 † — — octonum Naud. Ann. sc. nat. III. 18, 4.
 † *Staphylea* L. Gray Genera 172.
 — — — Bumalda DC. Delessert Ic. 3, 51.
 — — — Sieb. Fl. Japon. 95.
 — — — heterophylla R. et P. Ruiz et Pav. Fl. 253.
 † — — pinnata L. Gaertn. Carp. 69.
 † — — — Lam. Encycl. 210.
 — — — Engl. Bot. 22, 1560.
 — — — Baxter Brit. Bot. 3, 198.
 — — — Schk. Handb. 84.
 — — — Guimpel Holzgew. 36.
 — — — Rchb. Fl. germ. 5, 161.
 — — — Sturm Flora 20, 93.
 † — — — Hoeven Tijdschr. 6, 5.
 † — — — Schnizl. Iconogr. 235.
 † — — trifolia L. Schk. Handb. 84.
 — — — Gray Genera 172.
Statice Willd. Schnizl. Iconogr. 117.
 — — — acerosa Willd. Jaubert Illustr. 94.
 — — — acutifolia Rchb. Rchb. Ic. crit. 3, 225.
 — — — aegyptiaca Delile. Delile Egypte 25.
 — — — Bot. Mag. 50, 2363.
 — — — alliacea Cav. Cav. Ic. 109.
 — — — Sibth. Fl. gr. 294.
 — — — alpina Hoppe. Sturm Flora 13, 51.
 — — — androsacea Jaub. Jaubert Illustr. 89.
 — — — arabica Jaub. Jaubert Illustr. 85.
 — — — arborea Willd. Bot. Mag. 66, 3776.
 — — — Bot. Reg. 25, 6.
 — — — Paxt. Mag. 4, 217.
 — — — Maund Bot. 1, 47.
 — — — arborescens Brouss. Webb Canar. 194.
 — — — Armeria L. Fl. dan. 7, 1092.
 — — — Curt. Lond. 4, 122.
 — — — Engl. Bot. 4, 226.
 — — — Jacq. Vind. 42.
 — — — Lam. Encycl. 219.
 — — — Ann. sc. nat. 17, 15.
 † — — — Mem. Instit. 1830, 4.
 — — — Schk. Handb. 87.
 — — — Dreves 4, 104.
 — — — Sturm Flora 1, 1.
 — — — articulata Lois. Loiseleur Fl. gall. 6.
 † — — — Mutel Fl. fr. 56.
 — — — Rchb. Ic. crit. 2, 172.
 — — — aurea L. Rchb. Ic. crit. 2, 195.
 — — — auriculacfolia Vahl. Rchb. Ic. crit. 2, 173.
 † — — — Mutel Fl. fr. 56.
 — — — axillaris Forsk. Vahl Symbolae 9.
 — — — bellidifolia Sibth. Sibth. Fl. gr. 295.
 — — — Besseriana Schult. Rchb. Ic. crit. 8, 720.
 — — — binervosa G. E. Sm. Engl. Bot. 2663.
 — — — Bonduelli Lest. Ann. sc. nat. III. 16, 17.
 — — — Bovei Jaub. Jaubert Illustr. 86.
 — — — brassicaefolia Webb. Webb Canar. 195.
 — — — caroliniana Walt. Bigelow Med. 25.
 — — — caspia Willd. Rchb. Ic. crit. 2, 194.
 — — — congesta Led. Ledeb. Ic. 314.
 — — — conspicua Sims. Bot. Mag. 39, 1629.
 — — — coriaria Pall. Rchb. Ic. crit. 3, 291.
 — — — cumana Ten. Tenore Fl. nap. 223.
 — — — cylindrifolia Forsk. Vahl Symbolae 10.
 — — — decipiens Led. Ledeb. Ic. 252.
 † — — — densiflora Gir. Ann. sc. nat. III. 17, 3.
 — — — desertorum Trautv. Trautvetter Imag. 11.

- Statice dichotoma* Cav. Cav. Ic. 50.
 † — — — Mutel Fl. fr. 55.
 — — — Rchb. Ic. crit. 8, 718.
 — — — Dickinsonii Marn. Marnock Mag. 1841, 8.
 — — — diffusa Pourr. Lam. Encycl. 219.
 † — — — Mutel Fl. fr. 56 bis.
 † — — — Dodartii Gir. Ann. sc. nat. II. 17, 4.
 † — — — Dufourii Gir. Ann. sc. nat. II. 17, 14.
 — — — Durieui Gir. Explor. Alger. 68.
 — — — Echinus L. Sibth. Fl. gr. 300.
 — — — echioides L. Gouan Illustr. 2.
 — — — Sibth. Fl. gr. 299.
 — — — Rchb. Ic. crit. 2, 162.
 † — — — Mutel Fl. fr. 56.
 — — — elongata Hoffm. Sturm Flora 1, 1.
 — — — eximia F. et M. Bot. Reg. 33, 2.
 — — — Annales de Gand 1847, 126.
 — — — fasciculata Vent. Vent. Cels 38.
 † — — — ferulacea L. Mutel Fl. fr. 56 bis.
 — — — Fortunei Ldl. Bot. Reg. 31, 63.
 — — — Fl. d. serres 2, 28.
 — — — frutescens Webb. Fl. d. serres 4, 325.
 — — — furfuracea Lag. Rchb. Ic. crit. 2, 188.
 † — — — Mutel Fl. fr. 55.
 — — — globulariaefolia Desf. Sibth. Fl. gr. 296.
 — — — Hoffm. et Link Fl. port. 77.
 — — — Boissier Esp. 155.
 — — — Rchb. Ic. crit. 3, 226.
 † — — — Mutel Fl. fr. 55.
 — — — glumacea Jaub. Jaubert Illustr. 91.
 — — — Gmelini Willd. Rchb. Ic. crit. 3, 237.
 — — — graeca Poir. Jaubert Illustr. 389.
 — — — graminifolia Ait. Rchb. Ic. crit. 8, 721.
 — — — Trautvetter Imag. 9.
 — — — Hohenackeri Jaub. Jaubert Illustr. 92.
 † — — — hybrida Montagne. Mutel Fl. fr. 55.
 — — — imbricata Gir. Webb Canar. 192.
 — — — Annales de Gand 1848, 183.
 — — — Fl. d. serres 4, 320, 321.
 — — — Karelinii Stech. Bull. Mosc. 1851, 2, 13.
 — — — lanceolata Link. Hoffm. et Link Fl. port. 78.
 — — — Rchb. Ic. crit. 8, 719.
 — — — latifolia Sm. Comm. Gott. 12, 1.
 — — — lepturoides Jaub. Jaubert Illustr. 95.
 — — — Limonium L. Fl. dan. 2, 315.
 † — — — Gaertn. Carp. 44.
 — — — Engl. Bot. 2, 102.
 — — — Baxter Brit. Bot. 3, 183.
 — — — Lam. Encycl. 219.
 † — — — Mutel Fl. fr. 54.
 — — — Rchb. Ic. crit. 8, 751.
 † — — — lychnidifolia Gir. Ann. sc. nat. II. 17, 3.
 — — — macrophylla Brouss. Bot. Mag. 70, 4125.
 — — — Bot. Reg. 31, 7.
 — — — Webb Canar. 193.
 — — — macroptera Webb. Webb Canar. 196.
 — — — macrorrhiza Led. Ledeb. Ic. 259.
 — — — minuta L. Rchb. Ic. crit. 2, 186.
 † — — — Mutel Fl. fr. 55.
 — — — monopetala L. Bot. Reg. 27, 54.
 — — — var. denudata, Bot. Reg. 28, 59.
 — — — mucronata L. L'heritier Stirp. 13.
 — — — Tratt. Thes. 1.
 — — — Oliverii Jaub. Jaubert Illustr. 93.
 — — — palmaris Sibth. Sibth. Fl. gr. 297.
 — — — papillata Webb. Webb Canar. 189.
 — — — pectinata Ait. Bot. Reg. 26, 65.
 — — — Webb Canar. 190.
 — — — plantaginiflora Jaub. Jaubert Illustr. 88.
 — — — prolifera D'Urv. Jaubert Illustr. 390.
 — — — pruinosa L. Viviani Lib. 27.
 — — — Pseudo-Armeria Jacq. Paxt. Mag. 11, 79.

Statice Pseudo-Limonium *Rchb.* *Rchb. Ic. crit.* 8, 717.

- † — — Mutel *Fl. fr.* 55.
- puberula *Webb.* *Webb Canar.* 191.
- — — *Bot. Mag.* 65, 3701.
- — — *Maund Bot.* 4, 182.
- — — *Bot. Reg.* 17, 1450.
- pubescens *DC.* *Dreves* 4, 105.
- — — *Rchb. Ic. crit.* 2, 187.
- † — — — Mutel *Fl. fr.* 55.
- † — — — *Nees Gen.* 5, 4.
- purpurata *L.* *Jacq. Schoenbr.* 3, 340.
- rariflora *Drej.* *Engl. Bot.* 2917.
- reticulata *L.* *Engl. Bot.* 5, 328.
- — — *Rchb. Ic. crit.* 2, 193.
- † — — — Mutel *Fl. fr.* 56.
- rhytidophylla *Hook.* *Bot. Mag.* 70, 4055.
- rorida *Sm.* *Sibth. Fl. gr.* 298.
- rubella *Gm.* *Gmelin Reise* 2, 34.
- scoparia *Pull.* *Rchb. Ic. crit.* 3, 236.
- serotina *Rchb.* *Rchb. Ic. crit.* 8, 752.
- sinuata *L.* *Martyn Hist.* 46.
- — — *Bot. Mag.* 2, 71.
- — — *Sibth. Fl. gr.* 301.
- † — — — Mutel *Fl. fr.* 56.
- sisymbriifolia *Jaub.* *Jaubert Illustr.* 87.
- Smithii *Ten.* *Tenore Fl. nap.* 223.
- spathulata *Willd.* *Willdenow Hortus* 63.
- — — *Desf.* *Bot. Mag.* 39, 1617.
- speciosa *L.* *Bot. Mag.* 18, 656.
- — — *Lodd. Cab.* 1336.
- spicata *Willd.* *Jacq. Fragm.* 125.
- Stocksii *Boiss.* *Wight Illustr.* 178.
- — — *Hook. Ic. pl.* 9, 837.
- Thoninii *Viv.* *Viviani Lib.* 11.
- Tournefortii *Jaub.* *Jaubert Illustr.* 90, 388.
- tubiflora *Delile.* *Delile Egypte* 25.
- undulata *Bory.* *Bory et Chaub. Morée* 10.
- Willdenowiana *Poir.* *Rchb. Ic. crit.* 2, 163.
- † — — — Mutel *Fl. fr.* 56.
- † Stauntonia hexaphylla *Decne.* *Arch. Mus.* 1, 11.
- — — *Sieb. Fl. Japon.* 176.
- Stauracanthus aphyllus *Link.* *Webb Otia* 18.
- spartioides *Webb.* *Webb Otia* 19.
- spectabilis *Webb.* *Webb Otia* 20.
- Staurogyne argentea *Wall.* *Wall. Pl. asiat.* 186.
- Stechmannia eriobasis *Jaub.* *Jaubert Illustr.* 179.
- heterophylla *Jaub.* *Jaubert Illustr.* 181.
- leptoloba *Jaub.* *Jaubert Illustr.* 182.
- ramosissima *Jaub.* *Jaubert Illustr.* 66.
- Stachelinae *DC.* *Jaubert Illustr.* 65.
- † Steenhammra maritima *Rchb.* *Nees Gen.* 6, 64.
- Steffensia elongata *Kunth.* *Gaudichaud Bonite* 95.
- † Stegnogramme aspidioides *Bl.* *Hook. Gen. Fil.* 120.
- Stegnosperma cubense *A. Rich.* *Ramon Cuba* 44^a.
- halimifolium *Benth.* *Bentham Sulphur* 12.
- Steinhellia radiana *Decne.* *Delessert Ic.* 5, 61.
- † — — — *Ann. sc. nat.* II, 9, 12.
- Stekhovja scapigera *de Vr.* *De Vriese Goodenov.* 32.
- † Stelis Swartz. *Schrader Journal* 1799, 2, 2.
- atropurpurea *Hook.* *Bot. Mag.* 69, 3975.
- disticha *P. et E.* *Poepp. et Endl.* 81.
- † — foliosa *Hook.* *Jardine Annals* 2, 17.
- intermedia *P. et E.* *Poepp. et Endl.* 79.
- lamellata *Ldl.* *Hook. Ic. pl.* 1, 62.
- micrantha *Sw.* *Smith Exot. Bot.* 75.
- — — *Hook. Exot. Fl.* 158.
- — — *Bot. Reg.* 11, 935.
- — — *Lodd. Cab.* 1011.
- ophioglossoides *Sw.* *Lodd. Cab.* 442.
- — — *Bot. Reg.* 11, 935.
- pulchella *H. B. K.* *H. B. K. Nov. Gen.* 1, 90.
- spathulata *P. et E.* *Poepp. et Endl.* 80.

Stelis tubata *Lodd.* *Lodd. Cab.* 1601.

- † Stellaria *L.* *Gray Genera* 113.
- aculeata *Scop.* *Scopoli Fl. carn.* 1, 17.
- Alsine *Hoffm.* *Hoffmann D. Fl.* 1791, 5.
- — — *Sturm Flora* 1, 1.
- — — *Dietr. Fl. bor.* 6, 399.
- arenaria *L.* *Willdenow Hortus* 68.
- biflora *L.* *Fl. dan.* 1, 12.
- — — *Svensk Acad.* 1789, 1.
- — — *Wulf.* *Jacq. Collect.* 1, 18.
- brachypetala *Led.* *Ledeb. Ic.* 410.
- brevifolia *Walth.* *Rchb. Fl. germ.* 5, 225.
- bulbosa *Wulf.* *Jacq. Ic.* 468.
- — — *Sturm Flora* 14, 59.
- — — *Rchb. Fl. germ.* 5, 223.
- cerastoides *L.* *Fl. dan.* 1, 92.
- — — *Jacq. Collect.* 1, 19.
- — — *Smith Icones Linn.* 15.
- — — *Engl. Bot.* 13, 911.
- — — *Sv. Bot.* 744.
- — — *Sturm Flora* 15, 64.
- ciliata *Scop.* *Scopoli Fl. carn.* 1, 17.
- crassifolia *Ehrh.* *Fl. dan.* 12, 2114.
- — — *Sturm Flora* 15, 63.
- — — *Dietr. Fl. bor.* 5, 360.
- decipiens *Hook. fil.* *Hook. Ic. pl.* 7, 680.
- dichotoma *L.* *Smith Icones Linn.* 14.
- dicranoides *Fenzl.* *Seemann Herald* 3.
- Dilleniana *Moench.* *Moench Enum. Hass.* 6.
- — — *Rchb. Fl. germ.* 5, 224.
- Edwardsii *R. Br.* *Hook. Bor. Am.* 31.
- — — *Fl. dan.* 13, 2290.
- Fenzliana *Klotzsch.* *Prinz Waldem. Him.* 29.
- Friesiana *Ser.* *Sturm Flora* 15, 63.
- glandulifera *Klotzsch.* *Prinz Waldem. Him.* 28.
- glauca *With.* *Engl. Bot.* 12, 825.
- — — *Fl. dan.* 12, 2115.
- — — *Sturm Flora* 15, 63.
- — — *Rchb. Fl. germ.* 5, 223.
- graminea *L.* *Fl. dan.* 3, 414. 415. 12, 2116.
- — — *Engl. Bot.* 12, 803.
- — — *Sturm Flora* 15, 63.
- — — *Rchb. Fl. germ.* 5, 224.
- — — *Dietr. Fl. bor.* 5, 330.
- grönlandica *Retz.* *Fl. dan.* 7, 1210.
- helodes *M. v. B.* *Rchb. Fl. germ.* 5, 225.
- Holostea *L.* *Fl. dan.* 4, 698.
- — — *Engl. Bot.* 8, 511.
- — — *Curt. Lond.* 2, 123.
- † — — — *Gaertn. Carp.* 130.
- † — — — *Lam. Encycl.* 378.
- — — *Schk. Handb.* 122.
- — — *Dreves* 1, 5.
- — — *Roemer Fl. europ.* 12, 3.
- — — *Rchb. Fl. germ.* 5, 223.
- — — *Dietr. Fl. bor.* 5, 332.
- humifusa *Sw.* *Svensk Acad.* 1789, 6.
- — — *Retz.* *Fl. dan.* 6, 978.
- imbricata *Led.* *Ledeb. Ic.* 419.
- laricifolia *Scop.* *Scopoli Fl. carn.* 1, 18.
- Laxmanni *Led.* *Ledeb. Ic.* 423.
- longifolia *Fries.* *Sv. Bot.* 506.
- — — *Rchb. Fl. germ.* 5, 224.
- — — *Mühlenberg.* *Gray Genera* 113.
- longissima *Wall.* *Jacquemont Ind.* 31.
- media *Sm.* *Engl. Bot.* 8, 537.
- — — *Curt. Lond.* 2, 89.
- — — *Sturm Flora* 1, 1.
- — — *Rchb. Fl. germ.* 5, 222.
- — — *Dietr. Fl. bor.* 5, 323.
- — — *Wight Ic. pl. Ind. or.* 3, 947.
- mollis *Klotzsch.* *Prinz Waldem. Him.* 29.

- Stellaria neglecta* Weihe. Rchb. Fl. germ. 5, 222.
 — *nemorum* L. Fl. dan. 2, 271.
 — — Engl. Bot. 2, 92.
 — — Baxter Brit. Bot. 2, 154.
 — — Sturm Flora 15, 63.
 — — Rchb. Fl. germ. 5, 222.
 — *Nuttallii* Torr. et Gr. Fielding Sertum 18.
 — *Pallasiana* Ser. Ledeb. Ic. 167.
 — *palustris* Retz. Dietr. Fl. bor. 5, 329.
 — *peduncularis* Led. Ledeb. Ic. 421.
 — *petraea* Led. Ledeb. Ic. 401.
 — *pungens* Brongn. Brongniart Coquille 78.
 — *radians* L. Ledeb. Ic. 413.
 — *rubra* Scop. Scopoli Fl. carn. 1, 17.
 — *rupestris* Scop. Scopoli Fl. carn. 1, 18.
 — *Saxifraga* Bertol. Gussone Pl. rar. 37.
 — — Rchb. Fl. germ. 5, 225.
 — *scapigera* Ait. Engl. Bot. 18, 1269.
 — *spathulata* Rchb. Rchb. Fl. germ. 5, 225.
 — *uliginosa* Murr. Curt. Lond. 2, 40.
 — — Engl. Bot. 15, 1074.
 — — Sturm Flora 1, 1.
 — *undulata* Thunb. Thunberg Ic. jap. 26.
 — *viscida* M. v. B. Sturm Flora 15, 64.
 — — Rchb. Fl. germ. 5, 221.
Stellera Lessertii C. A. M. Jaubert Illustr. 301.
 — *Passerina* L. Gouan Fl. monsp. 2.
 — — Jacq. Ic. 68.
 — — Schk. Handb. 107^a.
 † — — Gaertn. Carp. 39.
 — — Lam. Encycl. 293.
 — — Rchb. Fl. germ. 11, 550.
 — *stachyoides* Schrenk. Jaubert Illustr. 302.
Stellorchis Aub. Aubert Orchid. 24.
Stemmadenia glabra Benth. Benth. Sulphur 44.
Stemmatosiphum nitens Pohl. Pohl Bras. 158.
 — *platyphyllum* Pohl. Pohl Bras. 157.
 — *uniformum* Pohl. Pohl Bras. 159.
Stemodia arenaria H. B. K. H. B. K. Nov. Gen. 2, 175.
 — *chilensis* Benth. Bot. Reg. 17, 1470.
 — *maritima* L. Lam. Encycl. 534.
 — *Menthastrum* Benth. Rheede Hort. mal. 10, 93.
 — *parviflora* Ait. Jacq. Ecl. pl. 149.
 † — *ruderalis* Gaertn. Gaertn. Carp. 52.
 † — — Lam. Encycl. 534.
 — *trifoliata* Rchb. Rchb. Hortus 1.
 — *verticillaris* Link. Rchb. Hortus 149.
 — *viscosa* Roxb. Roxb. Corom. 163.
 — — Wight Ic. pl. Ind. or. 4, 1408.
 † — — Wight Illustr. 165^b.
Stemona tuberosa Lour. Fl. d. serres 2, 22.
Stemonacanthus macrophyllus N. v. E. Bot. Mag. 75, 4448.
 — *salviaefolius* N. v. E. Endl. Bras. 7, 4.
 † *Stemonoporus Gardneri* Thw. Hook. Journal 1854, 2.
 † *Stemonurus*? *foetidus* Wight. Wight Spicil. 23.
 — ? — Wight Ic. pl. Ind. or. 3, 955.
 † — *secundiflorus* Bl. Blume Mus. 1, 45.
Stenactis annua N. v. E. Dietr. Fl. bor. 11, 726.
 — — Rchb. Fl. germ. 16, 912.
 † — — Nees Gen. X, x.
 — *speciosa* Ldl. Bot. Reg. 19, 1577.
 — — Bot. Mag. 64, 3606.
Stenandrium Pohlil N. v. E. Endl. Bras. 7, 9.
Stenanthra pinifolia R. Br. Lodd. Cab. 228.
 — — Bot. Reg. 3, 218.
 — — Rchb. Exot. 170.
Stenia pallida Ldl. Bot. Reg. 24, 20.
Stenocarpus Cunninghami Hook. Bot. Mag. 72, 4263.
 — — Paxt. Mag. 14, 1.
 — — Annales de Gand 1847, 120.
 — — Fl. d. serres 3, 189.
 — *Forsteri* R. Br. Bill. Sertum 26.

- Stenocarpus salignus* R. Br. Bot. Reg. 6, 441.
Stenochilus glaber R. Br. Bot. Mag. 45, 1942.
 — — Bot. Reg. 7, 572.
 — — Rchb. Exot. 103.
 — — Endl. Iconogr. 92.
 — *maculatus* Ker. Lodd. Cab. 805.
 — — Bot. Reg. 8, 647.
 — — Rchb. Exot. 104.
 — *viscosus* Grah. Bot. Mag. 56, 2930.
 † *Stenochlaena scandens* J. Sm. Hook. Gen. Fil. 105.
 † — — Fée Fil. 5, 5.
Stenocline inuloides DC. Delessert Ic. 4, 53.
Stenocoelium athamantoides Led. Ledeb. Ic. 175.
Stenodon suberosus Naud. Ann. sc. nat. III 2, 3.
 † — — Ann. sc. nat. III 12, 12.
Stenoglossum coriophorum H. B. K. H. B. K. N. G. 1, 97.
 — *subulatum* Ldl. Hook. Ic. pl. 1, 51.
 † *Stenoloma dumosum* Fée. Fée Fil. 5, 27.
 † — *Schlechtendalii* Fée. Fée Fil. 5, 27^b.
 † *Stenomesson breviflorum* Herb. Herbert Amar. 28.
 † — *coccineum* Herb. Herbert Amar. 28. 47.
 † — *croceum* Herb. Herbert Amar. 28.
 — — Bot. Mag. 64, 3615.
 † — *curvidentatum* Herb. Herbert Amar. 28.
 — — Bot. Mag. 53, 2640.
 † — *flavum* Herb. Herbert Amar. 28.
 — — Bot. Mag. 53, 2641.
 — *Hartwegii* Ldl. Bot. Reg. 30, 42.
 — *latifolium* Herb. Bot. Mag. 67, 3803.
 † — *pauciflorum* Herb. Herbert Amar. 28.
 † — *rubrum* Herb. Herbert Amar. 28.
 — *vitellinum* Ldl. Bot. Reg. 29, 2.
Stenopetalum draboides Hook. Hook. Ic. pl. 7, 617.
 — *incisifolium* Hook. fil. Hook. Ic. pl. 3, 276.
 — *lineare* R. Br. Hook. Ic. pl. 7, 618.
 — *procumbens* Hook. Hook. Ic. pl. 7, 610.
 — *robustum* Endl. Hook. Ic. pl. 7, 620.
Stenoptera peruviana Presl. Presl Reliq. 14.
Stenorrhynchus cinnabarinum Ldl. Bot. Reg. 33, 65.
 — *laxum* P. et E. Poepp. et Endl. 109.
 † *Stenosemia aurita* Presl. Hook. Gen. Fil. 94.
 † — — Fée Fil. 5, 3.
Stenosiphonium diandrum N. v. E. Wight Ic. pl. Ind. or. 4, 1502.
 — *Russelianum* N. v. E. Wight Ic. pl. Ind. or. 3, 873.
 — — Wight Ic. pl. Ind. or. 4, 1503.
Stenotaphrum americanum Schrank. Schrank H. m. 98.
 — *lepturoide* Hensl. Jardine Annals 1, 11.
 — *madagascariense* Kth. Humb. Gram. 211.
 — *subulatum* Tr. Trin. Sp. Gr. 3, 360.
 † *Stenotheca mariana* Monn. Monnier Essai 2.
 † *Stephanandra flexuosa* S. et Z. Münchn. Abh. 3, 4.
Stephania abyssinica Dill. et Rich. Richard Abyssin. 4.
 — *cleomoides* Willd. Kerner Hort. 186.
Stephanophysum brevifolium Pohl. Pohl Bras. 155.
 — *longifolium* Pohl. Pohl Bras. 156.
Stephanopodium peruvianum P. et E. Poepp. et E. 246.
Stephanotis acuminata Brongn. Delessert Ic. 3, 82.
 — *floribunda* Brongn. Bot. Mag. 70, 4056.
 — — Maund Bot. 5, 203.
 — — Paxt. Mag. 11, 29.
 — — Hart. Parad. 1, 12.
 — *Thouarsii* Brongn. Delessert Ic. 3, 83.
 † *Stephanotrichum hispidum* Naud. Ann. sc. nat. III 4, 3.
Sterculia acuminata Pal. B. Pal. B. Fl. d'Oware 24.
 — *alata* Roxb. Roxb. Corom. 287.
 — *Balaghlas* L. Rheede Hort. mal. 1, 49.
 — — Cav. Diss. 144.
 — — Bot. Reg. 3, 185.
 — — Herb. amat. 4, 243.
 † — — Dict. sc. nat. 143.
 — — Wight Illustr. 30.

- Sterculia* Chicha *St. Hil.* *St. Hil. Pl. usuelles* 46.
 — — — *Dict. sc. nat.* 142.
 — *cinerea* *Dill. et Rich.* *Richard Abyssin.* 16.
 — *colorata* *Roxb.* *Roxb. Corom.* 25.
 — — — *Hook. Ic. pl.* 2, 143.
 — *comosa* *Wall.* *Wall. pl. asiat.* 127.
 — *cordifolia* *Cav.* *Cav. Diss.* 143.
 — — — *Guillemin Seneg.* 15.
 — *crinita* *Cav.* *Cav. Diss.* 142.
 — *foetida* *L.* *Rumpf Amb.* 3, 107.
 — — — *Cav. Diss.* 141.
 — — — *Lam. Encycl.* 736.
 — — — *Wight Ic. pl. Ind. or.* 1, 181. 2, 364.
 — *guttata* *Roxb.* *Rheede Hort. mal.* 4, 61.
 — — — *Wight Ic. pl. Ind. or.* 2, 487.
 — *heterophylla* *Pal. B.* *Pal. B. Fl. d'Oware* 40.
 — *lanceolata* *Cav.* *Cav. Diss.* 143.
 — — — *Bot. Reg.* 15, 1256.
 — *monosperma* *Vent.* *Vent. Malm.* 91.
 — *platanifolia* *L.* *Cav. Diss.* 143.
 † — — — *Spach Suites* 69.
 — *populifolia* *Wall.* *Wall. Pl. asiat.* 3.
 — *Roxburghiana* *Wall.* *Wall. Pl. asiat.* 262.
 — *tomentosa* *Thunb.* *Thunberg Ic. jap.* 38.
 — — — *Guill.* *Guillemin Seneg.* 16.
 — *Tragacantha* *Ldl.* *Bot. Reg.* 16, 1353.
 — *urceolata* *DC.* *Rumpf Amb.* 3, 107^b.
 — *urens* *Roxb.* *Roxb. Corom.* 24.
 — *versicolor* *Wall.* *Wall. Pl. asiat.* 59.
 † *Stereospermum chelonoides* *DC.* *Wight Illustr.* 161^b.
 — — — *Wight Ic. pl. Ind. or.* 4, 1341.
 — *suaveolens* *DC.* *Wight Ic. pl. Ind. or.* 4, 1342.
 † *Stereoxylon* *Rz et P.* *Ruiz et Pav. Prodr.* 6.
 — *corymbosum* *Rz et P.* *Ruiz et Pav. Fl.* 234.
 — *cuneifolium* *Rz et P.* *Ruiz et Pav. Fl.* 238.
 — *paniculatum* *Rz et P.* *Ruiz et Pav. Fl.* 239.
 — *patens* *Rz et P.* *Ruiz et Pav. Fl.* 234.
 — *pendulum* *Rz et P.* *Ruiz et Pav. Fl.* 237.
 — *pulverulentum* *Rz et P.* *Ruiz et Pav. Fl.* 237.
 — *resinosum* *Rz et P.* *Ruiz et Pav. Fl.* 235.
 — *revolutum* *Rz et P.* *Ruiz et Pav. Fl.* 236.
 — *rubrum* *Rz et P.* *Ruiz et Pav. Fl.* 236.
 — *serratum* *Lam.* *Dict. sc. nat.* 74.
 — *virgatum* *Rz et P.* *Ruiz et Pav. Fl.* 236.
Sterigma elichrysifolium *DC.* *Delessert Ic.* 2, 84.
 — *sulfureum* *DC.* *Delessert Ic.* 2, 83.
 † *Steripha reniformis* *Gaertn.* *Gaertn. Carp.* 94.
 † — — — *Lam. Encycl.* 215.
 † *Steriphoma paradoxum* *Endl.* *Flora* 1832, 2.
 — — — *Karsten Auswahl* 3.
 — — — *Fl. d. serres* 6, 564. 565.
Steris aquatica *Burm.* *Burm. Fl. ind.* 39.
 † *Sternbergia americana* *Hoffmegg.* *Hoffmannsegg Verz.* 1824, 1.
 — *citrina* *Ker.* *Herbert Amar.* 43.
 — *colchiciflora* *W. et K.* *W. et Kit.* 159.
 — — — *Bot. Reg.* 23, 2008.
 — — — *Rchb. Fl. germ.* 9, 372.
 † — — — *Kerner Genera* 206.
 † — — — *Nees Gen.* 3, x.
 — *dalmatica* *Herb.* *Herbert Amar.* 47.
 — *lutea* *Ker.* *Rchb. Fl. germ.* 9, 372. 373.
Stendelia cymosa *Mart.* *Mart. Bras.* 169.
 — *galioides* *Presl.* *Presl Symbolae* 2.
 — *racemosa* *Mart.* *Mart. Bras.* 168.
Stevnia alyssoides *Adams.* *Delessert Ic.* 2, 20.
 — *cheiranthoides* *DC.* *Delessert Ic.* 2, 21.
 † *Stevensia buxifolia* *Poit.* *Gaertn. Carp.* 197.
 — — — *Ann. Mus.* 4, 60.
 — — — *Dict. sc. nat.* 101.
Stevia breviaristata *Hook. et A.* *Bot. Mag.* 66, 3792.
 — *callosa* *Nutt.* *Barton Fl.* 2, 46.

- Stevia Eupatoria Willd.* *Bot. Mag.* 43, 1849.
 — — — *Bot. Reg.* 2, 93.
 — *fascicularis* *Less.* *Bot. Reg.* 24, 59.
 — *glandulifera* *Schlecht.* *Schlechtendal Hortus* 8.
 — *glutinosa* *H. B. K.* *H. B. K. Nov. Gen.* 4, 353.
 — *hyssopifolia* *H. Banks.* *Bot. Mag.* 44, 1861.
 — — — *Cav.* *Rchb. Hortus* 190.
 — *ivaefolia* *Willd.* *Jacq. Fragm.* 128.
 — — — *Rchb. Hortus* 187.
 — *lanceolata* *Lag.* *Rchb. Hortus* 185.
 — *laxiflora* *DC.* *Rchb. Hortus* 189.
 — *ovata* *Lag.* *Jacq. Fragm.* 129.
 — — — *Rchb. Hortus* 184.
 — *pedata* *Cav.* *Cav. Ic.* 356.
 — — — *Bot. Mag.* 46, 2040.
 — *purpurea* *Lag.* *Jacq. Fragm.* 127.
 — — — *Rchb. Hortus* 186.
 — *salicifolia* *Cav.* *Cav. Ic.* 354.
 — *serrata* *Cav.* *Cav. Ic.* 355.
 — — — *Rchb. Hortus* 197.
 — *suaveolens* *Lag.* *Rchb. Hortus* 183.
 — *subhirsuta* *Lag.* *Rchb. Hortus* 188.
 — *tomentosa* *H. B. K.* *H. B. K. Nov. Gen.* 4, 352.
 — *trachelioides* *DC.* *Bot. Mag.* 67, 3856.
 — *viscida* *H. B. K.* *H. B. K. Nov. Gen.* 4, 351.
Stewartia marylandica *Andr.* *Andr. Rep.* 6, 397.
 — *pentagyna* *L'her.* *Rchb. Mag.* 18.
 — *virginica* *Cav.* *Cav. Diss.* 159.
 † — — — *Lam. Encycl.* 593.
 † *Stibasias Douglasii* *Presl.* *Vriese Maratt.* 4, fig. 24.
Stichorchis *Aub.* *Aubert Orchid.* 88.
Stiffia chrysanthia *Mik.* *Mikan Del. Bras.* 1.
 — — — *Bot. Mag.* 75, 4438.
 — — — *Fl. d. serres* 4, 391.
 — — — *Belgique hort.* 3, 36.
 † *Stigmaphyllon anomalum* *Juss.* *Arch. Mus.* 3, 12.
 — *aristatum* *Ldl.* *Bot. Reg.* 20, 1659.
 — *auriculatum* *Juss.* *St. Hil. Fl. Bras.* 171.
 † — — — *Arch. Mus.* 3, 12.
 † — *ciliatum* *Juss.* *Arch. Mus.* 3, 12.
 — — — *Paxt. Mag.* 15, 77.
 † — *emarginatum* *Juss.* *Arch. Mus.* 3, 12.
 — *heterophyllum* *Hook.* *Bot. Mag.* 69, 4014.
 — *jatrophaefolium* *Juss.* *St. Hil. Fl. Bras.* 170.
 — — — *Bot. Reg.* 30, 7.
 † — — — *Arch. Mus.* 3, 12.
 † — *Lalandianum* *Juss.* *Arch. Mus.* 3, 12.
 † — *rotundifolium* *Juss.* *Arch. Mus.* 3, 12.
 — *Sagraeanum* *Juss.* *Ramon Cuba* 28.
 † — — — *Arch. Mus.* 3, 12.
 † — *strigosum* *Juss.* *Arch. Mus.* 3, 12.
 — *tomentosum* *Juss.* *St. Hil. Fl. Bras.* 171.
Stilago Bunias *L.* *Rheede Hort. mal.* 4, 56.
 — — — *Rumpf Amb.* 3, 131.
 — — — *Wight Ic. pl. Ind. or.* 3, 819.
 — *diandra* *Roxb.* *Roxb. Corom.* 166.
 — *lanceolaria* *Roxb.* *Wight Ic. pl. Ind. or.* 3, 766.
 — *tomentosa* *Roxb.* *Wight Ic. pl. Ind. or.* 3, 767.
 766.
Stilbe ericoides *Thunb.* *Lam. Encycl.* 856.
 — *myrtifolia* *Poir.* *Lam. Encycl.* 856.
 — *Pinastra* *L.* *Lam. Encycl.* 856.
 — *vestita* *Berg.* *Bergins Cap.* 4.
 — *virgata* *Lam.* *Lam. Encycl.* 856.
 † *Stillingia sebifera* *Michx.* *Jussieu Euphorb.* 16.
 — *himalayensis* *Klotzsch.* *Prinz Waldem. Him.* 21.
 — *laurifolia* *A. Rich.* *Ramon Cuba* 69.
Stilpnogyne bellidioides *DC.* *Delessert Ic.* 4, 84.
 † *Stipa* *L.* *Linné Amoenit.* 7, 3.
 † — — — *Dumortier Gramin.* 12.
 — *altaica* *Trin.* *Ledeb. Ic.* 222.
 — *arenaria* *Brot.* *Brotaro Phytogr.* 7, 8.

- Stipa arguens* L. Rumpf Amb. 6, 6.
 — *Aristella* L. Allione Auctuarium 2.
 — — Sibth. Fl. gr. 87.
 — — Host Gram. 334.
 — — Rchb. Fl. germ. 1, 46.
 — *avenacea* Walt. Elliott Carolina 8.
 — *barbata* Desf. Desf. Fl. atl. 27.
 — *bicolor* Vahl. Cav. Ic. 466.
 — *capillata* L. Host Gram. 205.
 — — Sturm Flora 7, 26.
 — — Rchb. Fl. germ. 1, 46.
 — *caragana* Trin. Eichwald Cauc. 40.
 — *chrysophylla* Em. Desv. Gay Chile 76.
 — *elegantissima* Lab. Bill. Nov. Holl. 29.
 — *eminens* Cav. Cav. Ic. 467.
 — *eristachya* H. B. K. H. B. K. Nov. Gen. 1, 41.
 — *fimbriata* Humb. Kth. Humb. Gram. 43.
 — *flavescens* Lab. Bill. Nov. Holl. 30.
 — *humilis* Cav. Cav. Ic. 466.
 — *Jacquemontii* Jaub. Jaubert Illustr. 339.
 — *junceae* L. Desf. Fl. atl. 28.
 — — Sibth. Fl. gr. 85.
 — *micrantha* Cav. Cav. Ic. 467.
 — *orientalis* Trin. Ledeb. Ic. 223.
 — *paleacea* Vahl. Sibth. Fl. gr. 86.
 — *panicoides* Lam. Humb. Gram. 122.
 — *parviflora* Desf. Desf. Fl. atl. 29.
 † *pennata* L. Lam. Encycl. 41.
 — — Engl. Bot. 19, 1356.
 — — Knapp Gram. 88.
 — — Baxter Brit. Bot. 3, 200.
 — — Schk. Handb. 16.
 — — Host Gram. 333.
 — — Rchb. Fl. germ. 1, 46.
 † — — Nees Gen. 1, 26.
 — *Redowskii* Trin. Ledeb. Ic. 98.
 — *sibirica* Lam. Ledeb. Ic. 99.
 — *tenacissima* L. Desf. Fl. atl. 30.
 † — — Lam. Encycl. 41.
 — *tortilis* Desf. Desf. Fl. atl. 31.
 — — Brotero Phytogr. 9.
 — *trichotoma* N. v. E. Humb. Gram. 121.
 — *virescens* H. B. K. H. B. K. Nov. Gen. 7, 680.
Stipularia africana Pal. B. Pal. B. Fl. d'Oware 75.
 — — Lam. Encycl. 926.
 † *Stipulicida* Michx. Gray Genera 107.
 — *setacea* Michx. Michaux Fl. 6.
 — — Gray Genera 107.
Stirlingia anethifolia Endl. Endl. Iconogr. 23.
Stizolobium urens Pers. Kerner Hort. 287.
Stobaea pinnata Thunb. Bot. Mag. 43, 1788.
† *Stoebe aethiopica* L. Gaertn. Carp. 167.
† — — Lam. Encycl. 722.
Stoerkia Draco Crantz. Crantz De duabus Dr. arb. 1.
Stomarrhena serratifolia DC. Delessert Ic. 5, 22.
† *Stramonium vulgatum* Gaertn. Gaertn. Carp. 132.
Strangweja hyacinthoides Bert. Mem. Mod. 21, 1.
Stranvaesia glaucescens Ldl. Bot. Reg. 23, 1956.
Stratiotes acoroides L. fil. Rumpf Amb. 6, 75. fig. 2.
 — *alismoides* L. Smith Exot. Bot. 15.
 — — Bergen De Aloide 1.
 — — Fl. dan. 2, 337.
 — — Engl. Bot. 6, 379.
 — — Schk. Handb. 335^a. 335^b.
 — — Nolte Stratiotes 1.
 — — Rchb. Fl. germ. 7, 61.
 — — Baxter Brit. Bot. 6, 413.
 † — — Gaertn. Carp. 14.
 † — — Lam. Encycl. 489.
 † — — Mem. Instit. 1811, 6.
 † — — Treviranus Symbolae 48 — 53.
 † — — Nees Gen. 3, x.

- Stravadium insigne* Bl. Fl. d. serres 7, 654. 655.
Streblanthera oleaeifolia Rich. Richard Abyssin. 70.
† *Streblidia ferruginea* Link. Nees Gen. 2, 6.
Strelitzia Ait. Ker Strelitzia 1 — 8. (non vidi.)
 — *angusta* Thunb. Kerner Hort. 769 — 771.
 — — Bot. Mag. 71, 4167. 4168.
 — — Fl. d. serres 2, 173. 174.
 — *gigantea* Ker. Kerner Hort. 589.
 — *glauca* Rich. Acta Leop. 15. Suppl. 2. 3.
 — *ovata* Don. Kerner Hort. 493. 708.
 — *parvifolia* Dryand. β. juncea, Bot. Reg. 6, 516.
 — — β. juncea, Rchb. Exot. 181.
 — *Reginae* Ait. Aiton Hort. Kew. 1, 2.
 — — Bot. Mag. 4, 119. 120.
 — — Andr. Rep. 6, 432.
 — — Lodd. Cab. 1535.
 † — — Lam. Encycl. 148.
 — — Red. Lil. 2, 77. 78.
 — — Tratt. Thes. 27. 28.
 — — Tratt. Archiv. 240. 240^a. 240^b.
 — — Dict. sc. nat. 64. 65.
 — — Herb. amat. 3, 199.
 — — var. *rutilans*, Annales de Gand 1846, 53.
† *Streptachne* R. Br. Dumortier Gramin. 12.
 — *scabra* H. B. K. H. B. K. Nov. Gen. 1, 40.
Streptanthera cuprea Sweet. Paxt. Mag. 1, 8.
 — — Sweet Fl. G. II. 122.
 — *elegans* Sweet. Sweet Fl. G. 209.
 — — Lodd. Cab. 1359.
† *Streptanthus* Hook. Gray Genera 60. 61.
 — *bracteatus* Gray. Gray Genera 60.
 — *crassicaulis* Torr. et Frem. Stansbury Expedition 1.
 — *flavescens* Hook. Hook. Ic. pl. 1, 44.
 — *glandulosus* Hook. Hook. Ic. pl. 1, 40.
 — *hyacinthoides* Hook. Bot. Mag. 63, 3816.
 — — Gray Genera 61.
 — *obtusifolius* Hook. Bot. Mag. 61, 3317.
Streptium asperum Roxb. Roxb. Corom. 146.
† — — Kerner Genera 154.
 — — Hook. Journal 1834, 130.
Streptocarpus Rexii Ldl. Bot. Reg. 14, 1173.
† — — Wight Illustr. 159^{bis}.
† *Streptocaulon calophyllum* Wight. Wight Illustr. 182.
† — *extensum* Wight. Wight Illustr. 182.
† — *tomentosum* Wight. Wight Illustr. 182.
Streptochaeta spicata Schrad. Trin. Sp. Gr. 3, 296. 297.
† *Streptogyna crinita* Pal. B. Lam. Encycl. 912.
Streptolirion volubile Edgew. Linn. Transact. 20, 2.
 — — Wight Ic. pl. Ind. or. 6, 2081.
Streptoloma desertorum Bge. Bunge Reliq. Lehm. 4.
Streptopus amplexifolius DC. Red. Lil. 5, 259.
 — — Sturm Flora 11, 41.
 — — Dietr. Fl. bor. 1, 38.
 — — Rchb. Fl. germ. 10, 431.
† — — Nees Gen. 2, 59.
 — *distortus* Michx. Hook. Bor. Am. 188.
 — *roseus* Michx. Michaux Fl. 18.
† — — Hook. Bor. Am. 188.
 — — Lodd. Cab. 1603.
† *Streptostachys hirsuta* Pal. B. Lam. Encycl. 910.
† *Streptostigma viridiflorum* Thw. Hook. Journ. 1854, 9.
 — *Warszewiczii* Reg. Regel Gartend. 1853, 68.
Striangis Aub. Aubert Orchid. 72.
Striga euphrasioides Benth. Wight Ic. pl. Ind. or. 3, 855.
 — *orobanchoides* Benth. Hook. Companion 19.
† — — Wight Illustr. 165^d.
 — — Wight Ic. pl. Ind. or. 4, 1414.
 — *zangebarica* Klotzsch. Peters Mossamb. 35.
Strigilia racemosa Cav. Cav. Diss. 201.
 — — Lam. Encycl. 349.
Strobilanthes aspera Wight. Wight Ic. pl. Ind. or. 4, 1516.

- Strobilanthes auriculata* Wall. Wall. Pl. asiat. 295.
 — *campanulata* Wight. Wight Ic. pl. Ind. or. 4, 1562.
 — *ciliata* N. v. E. Wight Ic. pl. Ind. or. 4, 1517.
 — *Grahamiana* Wight. Wight Ic. pl. Ind. or. 4, 1526.
 — *lactata* Hook. Bot. Mag. 74, 4365.
 — — Fl. d. serres 4, 346.
 — *lurida* Wight. Wight Ic. pl. Ind. or. 4, 1515—
 1516.
 — *micrantha* Wight. Wight Ic. pl. Ind. or. 4, 1519.
 — *Neesiana* Wight. Wight Ic. pl. Ind. or. 4, 1523.
 — *Perrottetiana* N. v. E. Wight Ic. pl. Ind. or. 4, 1513.
 — *rugosa* Wight. Wight Ic. pl. Ind. or. 4, 1519.
 — *Sabiniana* N. v. E. Bot. Reg. 15, 1238.
 — — Bot. Mag. 63, 3517.
 — — Maund Bot. 5, 298.
 — — Hart. Parad. 1, 11.
 — *scabra* N. v. E. Bot. Reg. 27, 32.
 — *sessilis* N. v. E. Bot. Mag. 68, 3902.
 — — Wight Ic. pl. Ind. or. 4, 1511.
 † — — Wight Illustr. 164 bis.
 — *sessiloides* Wight. Wight Ic. pl. Ind. or. 4, 1512.
 — *Wightiana* N. v. E. Wight Ic. pl. Ind. or. 4, 1514.
Strobilorrhachis *Blanchetiana* Moric. Moric. Pl. Am. 94.
 — *glabra* Kl. Link Ic. III. 48.
 — *prismatica* N. v. E. Lem. Jard. fl. 84.
Stromanthe sanguinea Sond. Fl. d. serres 8, 785.
 — *spectabilis* Lem. Lem. Jard. fl. 4, 401.
 † *Strombosia javanica* Bl. Blume Mus. 1, 47.
 † *Strongylocalyx leptostemon* Bl. Blume Mus. 1, 54.
Strongyloma axillare DC. Gay Chile 40.
Strophanthus brevicaudatus Wight. Wight Ic. pl. Ind. or.
 4, 1302.
 — *dichotomus* DC. Lodd. Cab. 759.
 — — var. *chinensis*, Bot. Reg. 6, 469.
 — — Rchb. Hortus 159.
 — — Wight Ic. pl. Ind. or. 2, 599.
 — *divergens* Grah. Maund Bot. 3, 150.
 — *Griffithii* Wight. Wight Ic. pl. Ind. or. 4, 1300.
 † — *hispidus* DC. Bull. philom. 1811. no. 64.
 † — — Ann. Mus. 1, 27.
 — *longicaudatus* Wight. Wight Ic. pl. Ind. or. 4,
 1299.
 † — *pendulus* Hook. Gray Western Africa C.
 — *sarmentosus* DC. Bull. philom. 1811. no. 64.
 † — — Ann. Mus. 1, 27.
 — *Wightianus* Wall. Wight Ic. pl. Ind. or. 4, 1301.
Struchium africanum Pal. B. Pal. B. Fl. d'Oware 48.
 † *Strumaria* Jacq. Herbert Amar. 29, 45.
 — *angustifolia* Jacq. Jacq. Ic. 359.
 † — *Bauerana* Herb. Herbert Amar. 29, 45.
 — *crispa* Gawl. Bot. Mag. 33, 1363.
 — *filifolia* Jacq. Jacq. Ic. 361.
 — — Bot. Reg. 6, 440.
 — *gemmata* Gawl. Bot. Mag. 39, 1620.
 — *linguaeifolia* Jacq. Jacq. Ic. 356.
 — *rubella* Jacq. Jacq. Ic. 358.
 — *spiralis* Gawl. Bot. Mag. 34, 1383.
 — *truncata* Jacq. Jacq. Ic. 357.
 — *undulata* Jacq. Jacq. Ic. 360.
Strumpfia maritima L. Lam. Encycl. 731.
 — — Desc. Ant. 3, 208.
Struthiola ciliata Lam. Andr. Rep. 2, 139, 3, 149.
 † — *erecta* L. Gaertn. Carp. 215.
 † — — Wendland Beob. 2.
 — — Bot. Mag. 7, 222, 47, 2138.
 — *imbricata* Andr. Andr. Rep. 2, 133.
 — — Herb. amat. 3, 184.
 — *incana* Lodd. Lodd. Cab. 11.
 — *juniperina* Retz. Lodd. Cab. 75.
 — *longiflora* Lam. Lam. Encycl. 78.
 — *ovata* Thunb. Andr. Rep. 2, 119.
 — — Lodd. Cab. 141.

- Struthiola pubescens* Dryand. Bot. Mag. 30, 1212.
 — *tomentosa* Andr. Andr. Rep. 5, 334.
 † — *virgata* L. Wendland Beob. 2.
 — — Smith Exot. Bot. 46.
Struthiopteris germanica Willd. Wulff Fl. boruss. 1.
 † — — Hook. Gen. Fil. 69.
 † *Strychnos* L. Spach Suites 114.
 — *axillaris* Colebr. Linn. Transact. 12, 15.
 — *bracchiata* Rz et P. Ruiz et Pav. Fl. 157.
 — — Kerner Hort. 478.
 — *colubrina* L. Rheede Hort. mal. 8, 24.
 — — Rumpf Amb. 2, 38.
 — — Wight Ic. pl. Ind. or. 2, 434.
 — *ligustrina* Bl. Blume Rumphia 25.
 — *minor* Dennst. Rheede Hort. mal. 7, 5.
 — *nux vomica* L. Rheede Hort. mal. 1, 37.
 — — Woodv. Med. 2, 79.
 † — — Gaertn. Carp. 179.
 † — — Lam. Encyl. 119.
 — — Roxb. Corom. 4.
 — — Kerner Hort. 92.
 — — Hayne 1, 17.
 — — Nees Düsseldorf. 208.
 — — Guimpel et Schl. 136.
 — — Spach Suites 114.
 † — — Schnizl. Iconogr. 131.
 — *potatorum* L. Roxb. Corom. 5.
 — — Kerner Hort. 149.
 — — Wight Illustr. 156.
 — *Pseudoquina* St. Hil. St. Hil. Pl. usuelles 1.
 — *Tienté* Leschen. Ann. Mus. 16, 23.
 — — Blume Rumphia 24.
 † — *Titon-cote* Gaertn. Gaertn. Carp. 179.
 — *toxifera* Schomb. Jardine Annals 7, 12, 13.
 — — Hook. Ic. pl. 4, 364, 365.
 — *Unguacha* Rich. Richard Abyssin. 73.
Stryphnodendron paniculatum P. et E. Poepp. et Endl.
 291.
 † *Stuartia* Willd. Gray Genera 138, 139.
 — *Malacodendron* L'her. L'heritier Stirp. 73.
 — *monadelpha* S. et Z. Sieb. Fl. Japon. 96.
 — *pentagyna* L'her. L'heritier Stirp. 74.
 — — Nouveau Duhamel 1, 6.
 — — Smith Exot. Bot. 110.
 — — Bot. Mag. 68, 3918.
 — — Gray Genera 139.
 — *virginica* Cav. Gray Genera 138.
Sturmia Loeselii Rchb. Rchb. Ic. crit. 10, 956.
 — — Rchb. Fl. germ. 13, 492.
 † — — Mutel Fl. fr. 67.
 † *Sturmia lucida* Gaertn. fil. Gaertn. Carp. 192.
Sturmia minima Hoppe. Sturm Flora 2, 7.
 † *Stylideae* R. Br. Schnizl. Iconogr. 126.
Stylidium adnatum R. Br. Bot. Mag. 52, 2898.
 — — Bot. Reg. 11, 914.
 — — Lodd. Cab. 1132.
 † — — Schnizl. Iconogr. 126.
 — *Armeria* Lab. Bill. Nov. Holl. 216.
 † — — Ann. Mus. 18, 2.
 — — Lem. Jard. fl. 3, 286.
 — *Brunonianum* Benth. Bot. Reg. 28, 15.
 — *calcaratum* R. Br. Bauer Illustr. 15.
 — *ciliatum* Ldl. Bot. Mag. 68, 3883.
 — *Drummondii* Don. Maund Bot. 5, 213.
 — *fasciculatum* R. Br. Bot. Mag. 67, 3816.
 — — Bot. Reg. 17, 1459.
 — *fruticosum* R. Br. Lodd. Cab. 171.
 — — Rchb. Mag. 39.
 — *glandulosum* Salisb. Salisbury Parad. 77.
 — — Herb. amat. 4, 250.
 — *glaucum* R. Br. Bill. Nov. Holl. 214.
 — *graminifolium* Sw. Mag. naturf. Fr. 1, 1.

- Stylidium graminifolium* Sw. Bill. Nov. Holl. 215.
 — — — Andr. Rep. 10, 688.
 — — — Lodd. Cab. 385.
 — — — Bot. Reg. 1, 90.
 — — — Bot. Mag. 44, 1918.
 † — — — Acad. Brux. 11, x.
 — *hirsutum* R. Br. Bot. Mag. 59, 3194.
 — *Hookeri* Planch. Fl. d. serres 6, 606.
 — *laricifolium* Rich. Ann. Mus. 18, 3.
 — — — Bot. Reg. 7, 550.
 — — — Dict. sc. nat. 82.
 — — — Hook. Exot. Fl. 32.
 — *lineare* Sw. Mag. naturf. Fr. 1, 1.
 — *mucronifolium* Sond. Bot. Mag. 76, 4538.
 — — — Lem. Jard. fl. 59.
 — — — Fl. d. serres 6, 606.
 — *pilosum* Lab. Bill. Nov. Holl. 213.
 — — — Bot. Reg. 28, 41.
 — *pygmaeum* R. Br. Bauer Illustr. 15.
 — *recurvum* Grah. Bot. Mag. 68, 3913.
 — *saxifragoides* Ldl. Bot. Mag. 76, 4529.
 — — — Lem. Jard. fl. 34.
 — — — Belgique hortic. 1854, x.
 — *scandens* R. Br. Bot. Mag. 59, 3136.
 — — — Paxt. Mag. 15, 149.
 — *tenellum* Sw. Mag. naturf. Fr. 1, 2.
 — *tenuifolium* R. Br. Bot. Mag. 48, 2249.
 — — — Lodd. Cab. 524.
 — — — Link Ic. 1, 26.
 — *uliginosum* Sw. Mag. naturf. Fr. 1, 2.
 — *umbellatum* Poir. Bill. Nov. Holl. 217.
 — *violaceum* R. Br. Bauer Illustr. 5.
Stylobasium spathulatum Desf. Mem. Mus. 5, 2.
 † — — — Lam. Encycl. 1000.
Stylloceras Kunthianum Juss. H. B. K. Nov. Gen. 7, 637.
 † — — — Jussieu Euphorb. 17.
 — *laurifolium* H. B. K. H. B. K. Nov. Gen. 7, 638.
Stylochaeton hypogeum Lepr. Ann. sc. nat. II. 2, 5.
Stylocoryne corymbosa Lab. Bill. Sertum 48.
 — *monosperma* Wight et Arn. Wight Ic. pl. Ind. or. 1, 317.
 — *racemosa* Cav. Cav. Ic. 368.
 † — — — Gaertn. Carp. 197.
 — — — Lam. Encycl. 921.
 — *rigida* Wight. Wight Ic. pl. Ind. or. 3, 1064.
 — *Webera* A. Rich. Rheede Hort. mal. 2, 23.
 — — — Wight Ic. pl. Ind. or. 1, 309. 2, 584.
Stylodiscus trifolius R. Br. Bennett Java 29.
Styloglossum nervosum Breda. Breda Orchid. Javae 7.
Stylogyne Martiana DC. Delessert Ic. 5, 34.
† *Stylophorum* Nutt. Gray Genera 48.
 — *diphyllum* Nutt. Gray Genera 48.
Stylopus vernus Rafin. Hook. Ic. pl. 3, 286.
† *Stylosanthes* Sw. Swartz Fl. Ind. occ. 25.
 — *elator* Sw. Svensk Acad. 1789, 11.
 — — — Torrey New York 27.
 — *erecta* Pal. B. Pal. B. Fl. d'Oware 77.
 — *glutinosa* H. B. K. H. B. K. Nov. Gen. 6, 595.
 — *gracilis* H. B. K. H. B. K. Nov. Gen. 6, 596.
 — *humilis* H. B. K. H. B. K. Nov. Gen. 6, 594.
 — *procumbens* Sw. Svensk Acad. 1789, 11.
 † — — — Lam. Encycl. 627.
 † — *viscosa* Sw. Lam. Encycl. 627.
Stypandra frutescens Fl. Cab. Knowles et Westcott 63.
 — *propinqua* Cunn. Bot. Mag. 62, 3417.
Styphelia abietina Lab. Bill. Nov. Holl. 68.
 — *amplexicaulis* Rudge. Linn. Transact. 8, 8.
 — *collina* Lab. Bill. Nov. Holl. 68.
 — *cordata* Lab. Bill. Nov. Holl. 63.
 — *cornifolia* Rudge. Linn. Transact. 8, 9.
 — *glauca* Lab. Bill. Nov. Holl. 61.
 — *Gnidium* Vent. Vent. Malm. 23.

- Styphelia laeta* R. Br. Rchb. Hortus 99.
 — *longifolia* R. Br. Bot. Reg. 1, 24.
 — — — Lodd. Cab. 1883.
 — — — Rchb. Exot. 133.
 — *obovata* Lab. Bill. Nov. Holl. 67.
 — *Oxycedrus* Lab. Bill. Nov. Holl. 69.
 — *parvifolia* Andr. Andr. Rep. 4, 287.
 — *reflexa* Rudge. Linn. Transact. 10, 19.
 — *Richet* Lab. Bill. Nov. Holl. 60.
 — *serrulata* Lab. Bill. Nov. Holl. 62.
 — *trichocarpa* Lab. Bill. Nov. Holl. 68.
 — *triflora* R. Br. Andr. Rep. 1, 72.
 — — — Bot. Mag. 32, 1297.
 — — — Lodd. Cab. 426.
 — — — Kerner Hort. 539.
 — — — Rchb. Exot. 299.
 — *tubiflora* Sm. Smith New Holl. 14.
 — — — Lodd. Cab. 1938.
 — — — Marnock Mag. 1841, 4.
 — — — Paxt. Mag. 12, 29.
 — — — Maund Bot. 3, 142.
 — *virgata* Lab. Bill. Nov. Holl. 64.
 — *viridiflora* R. Br. Sweet Austr. 50.
 — — — Lodd. Cab. 1223.
 — *viridis* Sm. Andr. Rep. 5, 312.
 † *Styraceae* Bartl. Wight Illustr. 151 bis.
 † *Styrax* L. Kerner Genera 18.
 — *acuminatum* Pohl. Pohl Bras. 138.
 — *Benzoin* Dryand. Woodv. Med. 2, 102.
 — — — Nees Düsseld. 210.
 — — — Wagner 167.
 — *camporum* Pohl. Pohl Bras. 136.
 — *chrysasterum* Pohl. Pohl Bras. 139.
 — *erymophyllum* Pohl. Pohl Bras. 137.
 — *ferrugineum* Pohl. Pohl Bras. 135.
 — *floridum* Pohl. Pohl Bras. 134.
 — *glabrum* Lam. Cav. Diss. 188.
 — — — Watson Dendr. 1, 40.
 — *grandifolium* Ait. Thunberg Styrax 1.
 — — — Lodd. Cab. 1016.
 — — — Watson Dendr. 2, 129.
 — — — Herb. amat. 5, 310.
 — *japonicum* S. et Z. Sieb. Fl. Japon. 23.
 — *laevigatum* Ait. Bot. Mag. 23, 921.
 — — — Lodd. Cab. 960.
 — — — Desc. Ant. 6, 445.
 — *latifolium* Pohl. Pohl Bras. 140.
 — *macrophyllum* Schott. Pohl Bras. 141.
 — *Obassia* S. et Z. Sieb. Fl. Japon. 46.
 — *occidentale* Thunb. Thunberg Styrax 1.
 † — *officinale* L. Gaertn. Carp. 59.
 † — — — Lam. Encycl. 369.
 — — — Cav. Diss. 188.
 — — — Woodv. Med. 2, 101.
 — — — Sibth. Fl. gr. 375.
 — — — Andr. Rep. 10, 631.
 — — — Lodd. Cab. 928.
 — — — Hayne 11, 23.
 — — — Nees Düsseld. 209.
 — — — Guimpel et Schl. 104.
 — — — Wagner 95.
 — — — Dict. sc. nat. 67.
 — — — Spach Suites 136.
 — *parvifolium* Pohl. Pohl Bras. 133.
 — *pulverulentum* Michx. Watson Dendr. 1, 41.
 — *subcordatum* Moric. Moricand Pl. Am. 71.
 — *suberifolium* Hook. Hook. Beechey 40.
 — *subpaniculatum* Jungh. Vriese Pl. nov. 3.
 — *tomentosum* H. B. Humb. Pl. aeq. 101.
Suaeda alba Pall. Pallas Illustr. 45.
 — *altissima* Pall. Pallas Illustr. 42.
 † — — — Ann. sc. nat. 23, 22.

- Suaeda baccifera* Pall. Pallas Illustr. 41.
 — *crassifolia* Pall. Pallas Illustr. 46.
 † — *fruticosa* Forsk. Ann. sc. nat. 23, 26.
 — *hyssopifolia* Pall. Pallas Illustr. 36. 37.
 — *indica* Moq. Wight Ic. pl. Ind. or. 5, 1796.
 — *linifolia* Pall. Pallas Illustr. 40.
 † — *maxima* Moq. Ann. sc. nat. 23, 19.
 — *microphylla* Pall. Pallas Illustr. 44.
 — *monoica* Forsk. Wight Ic. pl. Ind. or. 5, 1792.
 — *muricata* Pall. Pallas Illustr. 35.
 — *physophora* Pall. Pallas Illustr. 43.
 — *prostrata* Pall. Pallas Illustr. 47.
 — *salsa* Pall. Pallas Illustr. 39.
 — *sedifolia* Pall. Pallas Illustr. 32. 33. 34.
 † — *setigera* Moq. Ann. sc. nat. 23, 21.
 — *Sieversiana* Pall. Pallas Illustr. 38.
Suardia picta Schrank. Schrank Hort. monac. 58.
 † *Subularia* L. Gray Genera 71.
 — *aquatica* L. Fl. dan. 1, 35.
 — — — Curt. Lond. 4, 135.
 — — — Engl. Bot. 11, 732.
 — — — Lam. Encycl. 556.
 — — — Baxter Brit. Bot. 6, 428.
 — — — Gray Genera 71.
 — — — Schk. Handb. 180.
 — — — Sturm Flora 3, 9.
 — — — Rchb. Fl. germ. 2, 12.
 — *repens* Dill. Fl. dan. 1, 170.
Succisa alpina Moench. Rchb. Fl. germ. 12, 703.
 — *australis* Wulf. Rchb. Fl. germ. 12, 697.
 — *centauroides* Spr. Rchb. Fl. germ. 12, 701.
 — *cretacea* M. v. B. Rchb. Fl. germ. 12, 701.
 — *leucantha* Spr. Rchb. Fl. germ. 12, 700.
 — *pratensis* Moench. Dietr. Fl. bor. 9, 618.
 — — — Rchb. Fl. germ. 12, 698.
 † — — — Nees Gen. X, x.
 — *transsilvanica* Spr. Rchb. Fl. germ. 12, 699.
 — *uralensis* Murr. Rchb. Fl. germ. 12, 702.
 † *Succowia balearica* Med. Medikus Gattungen 1.
 † — *echinata* Moench. Desvaux Journal 5, 25.
Suchtelinia acanthocarpa Karel. Bull. Mosc. 1841, 2.
Suffrenia filiformis Bell. Mem. Tur. 7, 1.
 — — — Cesati Stirpes ital. x.
Sullivantia Ohionis Torr. et Gr. Gray Chloris 6.
 † *Sumac* DC. Gray Genera 159.
 † *Sunipia* Ldl. Lindley Orchid. scel. 25.
 — *bicolor* Ldl. Lindley Sertum Frontisp. x.
 — *scariosa* Ldl. Lindley Sertum Frontisp. x.
Superbangia Aub. Aubert Orchid. 62. 63. 64.
 † *Suprago glauca* Gaertn. Gaertn. Carp. 166.
Suriana maritima L. Lam. Encycl. 389.
Sussea conoidea Gaudich. Gaudichaud Bonite 24.
 † — *lagenaeformis* Gaudich. Gaudichaud Bonite 25.
 † — *microcarpa* Gaudich. Gaudichaud Bonite 25.
 — *microstigma* Gaudich. Gaudichaud Bonite 38.
Suteria glandulosa Roth. Wight Ic. pl. Ind. or. 3, 856.
Sutherlandia frutescens R. Br. var. *obcordata*, Marnock Mag. 1839, 7.
 † — — — Hofmeister Embryo 5.
 — *microphylla* Burch. Delessert Ic. 3, 71.
Suttonia divaricata Hook. Hook. Fl. ant. 34.
 — *nummularia* Hook. fil. Hook. New Zealand 45.
 — *salicaria* Hook. fil. Hook. New Zealand 44.
 † *Svitramia pulchra* Cham. Ann. sc. nat. III. 16, 25.
Swainsonia albiflora Lodd. Lodd. Cab. 1642.
 — *coronillaefolia* Salisb. Salisbury Parad. 28.
 — — — Bot. Mag. 41, 1725.
 — — — Paxt. Mag. 15, 223.
 — — — Herb. amat. 3, 164.
 — *Froebelii* Regel. Regel Gartenflora 1854, 89.
 — *galegifolia* R. Br. var. *albiflora*, Bot. Reg. 12, 994.

- Swainsonia galegifolia* R. Br. Herb. amat. 3, 161.
 — *Greyana* Ldl. Bot. Reg. 32, 66.
 — — — Bot. Mag. 74, 4416.
 — *Osbornii* Moore. Lem. Jard. fl. 3, 304.
Swammerdamia antennaria DC. Journ. Hort. Soc. 4, 77.
 — *glomerata* Decne. Raoul Nouv. Zel. 16.
Swartzia brachystachya DC. Delessert Ic. 3, 74.
 — *calophylla* P. et E. Poepp. et Endl. 267.
 — *multijuga* A. Rich. Ramon Cuba 42.
 — *ochracea* DC. DC. Legum. 58.
 — *parviflora* DC. DC. Legum. 60.
 † — — — Schnizl. Iconogr. 276.
 — *tomentosa* DC. DC. Legum. 59.
 † *Swartziaeae* DC. Schnizl. Iconogr. 276.
Swertia alternifolia Royle. Royle Illustr. 67.
 — *angustifolia* Don. Wall. Pl. asiat. 204.
 — *carinthiaca* Wulf. Jacq. Misc. 2, 6.
 — — — Sturm Flora 6, 22.
 — *coerulea* Royle. Royle Illustr. 67.
 — *corniculata* L. Pallas Fl. ross. 90.
 — *corymbosa* Wight. Fielding Sertum 71.
 — *dichotoma* L. Pallas Fl. ross. 91.
 — *obtusata* Led. Rchb. Ic. crit. 5, 419.
 — *paniculata* Wall. Wall. Pl. asiat. 205.
 — *parnassifolia* Lab. Bill. Nov. Holl. 97.
 † — *perennis* L. Gaertn. Carp. 114.
 — — — Lam. Encycl. 109.
 — — — Jacq. Fl. austr. 3, 243.
 — — — Schk. Handb. 58.
 — — — Engl. Bot. 21, 1441.
 — — — Baxter Brit. Bot. 6, 498.
 — — — Fl. dan. 12, 2047.
 — — — Rchb. Ic. crit. 9, 837. 838.
 — — — Dietr. Fl. bor. 9, 577.
 † — — — Nees Gen. X, x.
 — *persica* Griseb. Jaubert Illustr. 235.
 — *punctata* Baumg. Rchb. Ic. crit. 3, 290.
 — *Quartimiana* Rich. Richard Abyssin. 74.
 — *rotata* L. Pallas Fl. ross. 89.
 — *tetrapetala* Pall. Pallas Fl. ross. 90.
 — *umbellata* R. et P. Ruiz et Pav. Fl. 242.
Swietenia chloroxylon Roxb. Roxb. Corom. 64.
 — *febrifuga* Roxb. Roxb. Corom. 17.
 — — — Hayne 1, 20.
 — *humilis* Zucc. Münchn. Abh. 2, 7^a. 7^b.
 † — *Mahagoni* L. Gaertn. Carp. 96.
 — — — Cav. Diss. 209.
 — — — Woodv. Med. 3, 220.
 — — — Hayne 1, 19.
 — — — Tussac Ant. 4, 23.
 — — — Desc. Ant. 2, 99.
 — — — Dict. sc. nat. 170.
 † — — — Mem. Mus. 19, 22.
 † — — — Spach Suites 21.
 — — — Hook. Bot. Misc. 16. 17.
 — *senegalensis* Desr. Desc. Ant. 6, 416.
 — *Soymda* Duncan. Roxb. Corom. 17.
Syagrus cocoides Mart. Mart. Palm. 89. 90.
Syama lata Jones. Rheede Hort. mal. 7, 43.
Sychnium ramosum Desv. Mem. soc. Linn. Par. 4, 12.
Sycomorus capensis Hook. Hook. Journal 1848, 3.
 — *guineensis* Miq. Hook. Journal 1848, 14.
 — *panifica* Hook. Hook. Journal 1848, 3.
 — *Thonningiana* Miq. Hook. Journal 1848, 14.
Sylvalismis Aub. Aubert Orchid. 36.
 † *Symphachne xyrioides* Pal. B. Ann. sc. nat. 13, 5.
Symphorema involucreatum Roxb. Roxb. Corom. 186.
 — — — Wight Ic. pl. Ind. or. 2, 362.
 † — *polyandrum* Wight. Wight Illustr. 173 bis.
 — — — Wight Ic. pl. Ind. or. 2, 363.
Symphoria racemosa Pursh. Barton Fl. 1, 19.
 — — — Bot. Mag. 48, 2211.

- Symphoria racemosa* Pursh. Lodd. Cab. 430.
 — — — Watson Dendr. 1, 7.
 — — — Savi Fl. ital. 3, 102.
Symphoricarpus glaucescens H. B. K. H. B. K. Nov. Gen. 3, 295.
 — — — *montanus* H. B. K. H. B. K. Nov. Gen. 3, 296.
 — — — Maund Bot. 1, 20.
 — — — *racemosus* Michx. Guimpel Fr. Holzgew. 134.
 — — — Dict. sc. nat. 106.
 — — — *vulgaris* Michx. Guimpel Fr. Holzgew. 133.
Symphyandra cretica DC. DC. Campanulacées 8.
 — — — *pendula* DC. Sweet Fl. G. II. 66.
Symphyonema montanum R. Br. Rchb. Hortus 107.
 — — — Endl. Iconogr. 12.
Symphysia martinicensis Presl. Presl Symphysia 1.
 — — — Delessert Ic. 5, 18.
† *Symphytum* L. Kerner Genera 65.
† — — — *Schimper Symphytum* 4.
 — — — *aspernum* M. v. B. Bot. Mag. 24, 929.
 — — — Jacq. Ecl. pl. 118.
 — — — Savi Fl. ital. 1, 39.
 — — — *Brochum* Bory. Bory et Chaub. Morée 7.
 — — — *bulbosum* Schimp. Flora 1826, 2.
 — — — *Schimper Symphytum* 2.
 — — — Rchb. Ic. crit. 3, 220.
 — — — *bullatum* Hornem. Jacq. Ecl. pl. 81.
 — — — Lodd. Cab. 1862.
 — — — *caucasicum* M. v. B. Bot. Mag. 59, 3188.
 — — — Sweet Fl. G. II. 294.
 — — — *cordatum* W. et K. W. et Kit. 7.
 — — — Rchb. Ic. crit. 3, 240.
 — — — *filipendulum* Bisch. Flora 1826, 1. 2.
† — — — *officinale* L. Gaertn. Carp. 67.
† — — — Lam. Encycl. 93.
 — — — Fl. dan. 4, 664. 9, 1569.
 — — — Woodv. Med. 2, 108.
 — — — Curt. Lond. 2, 30.
 — — — Engl. Bot. 12, 817.
 — — — Sv. Bot. 418.
 — — — Baxter Brit. Bot. 2, 101.
 — — — Spach Suites 74.
 — — — β. Sweet Fl. G. II. 304.
 — — — Schk. Handb. 30.
 — — — Dreves 1, 30.
 — — — Hayne 3, 37.
 — — — Sturm Flora 5, 17.
 — — — Schrank Fl. monac. 1, 93.
 — — — Dietr. Fl. bor. 2, 93.
 — — — Nees Düssel. 184.
 — — — Wagner 4.
† — — — Schrader Asperif. 1.
† — — — Nees Gen. 6, 68.
 — — — *orientale* L. Jacq. Ecl. pl. 82.
 — — — Bot. Mag. 44, 1912.
 — — — *ottomanum* Friv. Acta Acad. hung. 1837, 3.
 — — — *regium* Gm. Gmelin Reise 3, 36.
 — — — *secundum* Gm. Gmelin Reise 3, 36.
 — — — *tauricum* Willd. Neue Schr. naturf. Fr. 2, 6.
 — — — Bot. Mag. 43, 1787.
 — — — Rchb. Ic. crit. 3, 260.
 — — — *tuberosum* Jacq. Jacq. Fl. austr. 3, 225.
 — — — Jacq. Obs. 63.
 — — — Engl. Bot. 21, 1502.
 — — — Schrank Fl. monac. 1, 73.
 — — — *Schimper Symphytum* 3.
 — — — Dietr. Fl. bor. 10, 675.
 — — — *Zeyheri* Schimp. Schimper Symphytum 1.
Symplocarpus foetidus Salisb. Barton Med. 10.
 — — — β. angustispatha, Barton Med. 11.
 — — — Bot. Mag. 60, 3224.
 — — — Sweet Fl. G. 57.
 — — — Rchb. Exot. 1.

- Symplocos Altstonia* Willd. Humb. Pl. aeq. 81.
 — — — *cernua* H. B. Humb. Pl. aeq. 53.
 — — — *Ciponima* L'her. Lam. Encycl. 455.
 — — — *coccinea* H. B. Humb. Pl. aeq. 82.
 — — — Fl. d. serres 2, 68.
 — — — *foliosa* Wight. Wight Ic. pl. Ind. or. 4, 1234.
 — — — *Gardneriana* Wight. Wight Spicil. 144.
 — — — Wight Ic. pl. Ind. or. 4, 1231.
 — — — *laxiflora* Benth. Linn. Transact. 18, 18.
 — — — *lucida* S. et Z. Sieb. Fl. Japon. 24.
 — — — *martinicensis* L. Swartz Observ. 7.
† — — — Gaertn. Carp. 209.
 — — — Lam. Encycl. 455.
 — — — *microphylla* Wight. Wight Spicil. 145.
 — — — Wight Ic. pl. Ind. or. 4, 1232.
 — — — *monantha* Wight. Wight Ic. pl. Ind. or. 4, 1236.
 — — — *nervosa* DC. Wight Ic. pl. Ind. or. 4, 1235.
 — — — *obtusa* Wall. Wight Spicil. 146.
 — — — Wight Ic. pl. Ind. or. 4, 1233.
† — — — Wight Illustr. 151^b.
 — — — *pendula* Wight. Wight Ic. pl. Ind. or. 4, 1237.
 — — — *pulchra* Wight. Wight Spicil. 143.
 — — — Wight Ic. pl. Ind. or. 4, 1230.
 — — — *rufescens* H. B. Humb. Pl. aeq. 55.
 — — — *serrulata* H. B. Humb. Pl. aeq. 54.
 — — — *sinica* Ker. Bot. Reg. 9, 710.
 — — — *spicata* Roxb. Wight Illustr. 150.
Synaecia diversifolia Miq. Hook. Journal 1848, 9.
 — — — *falcata* Miq. Hook. Journal 1848, 11.
† *Synammia triloba* Presl. Hook. Gen. Fil. 110.
† *Synanthereae* DC. Dict. sc. nat. 83—85.
Synaphea dilatata R. Br. Flinders Voyage 7.
 — — — Lam. Encycl. 914.
 — — — Endl. Iconogr. 32.
† *Synaphlebum recurvatum* Bl. Hook. Gen. Fil. 101.
† *Syncarpha* DC. Ann. Mus. 16, 8.
Syncarpia laurifolia Ten. Mem. Mod. 22, 1.
† *Synedrella nodiflora* Gaertn. Gaertn. Carp. 171.
 — — — Hook. Exot. Fl. 60.
Syngamma alismaefolia Sm. Hook. Journal 1845, 7. 8.
 — — — *pinnata* Sm. Hook. Journal 1845, 7. 8.
 — — — *vittaeformis* Sm. Hook. Journal 1845, 7. 8.
† — — — Fée Fil. 5, 15.
Synnetia variegata Sweet. Sweet Fl. G. 150.
† *Synoum glandulosum* Juss. Mem. Mus. 19, 15.
† *Syntherisma ciliare* Schrad. Schrader Fl. germ. 3.
† — — — *glabrum* Schrad. Schrader Fl. germ. 3.
† *Synzyganthera Rz et P.* Ruiz et Pav. Prodr. 30.
Syrenia angustifolia Ehrh. Rchb. Fl. germ. 2, 71.
 — — — *cuspidata* M. v. B. Rchb. Fl. germ. 2, 71.
Syrenopsis stylosa Jaub. Jaubert Illustr. 3.
Syringa capitata Gm. Gmelin Reise 3, 32.
 — — — *Emodi* Wall. Royle Illustr. 65.
 — — — Bot. Reg. 31, 6.
 — — — *Josikaea* Jacq. Jacq. Ecl. pl. 167.
 — — — Rchb. Ic. crit. 8, 780.
 — — — Bot. Mag. 60, 3278.
 — — — Bot. Reg. 20, 1733.
 — — — Maund Bot. 1, 24.
 — — — *persica* L. Bot. Mag. 14, 486.
 — — — var. *laciniata*, Lodd. Cab. 1107.
 — — — *suspensa* Thunb. Thunberg Fl. jap. 3.
† — — — *vulgaris* L. Gaertn. Carp. 49.
 — — — Bot. Mag. 6, 183.
 — — — Schk. Handb. 2^a.
 — — — Sturm Flora 1, 2.
 — — — Dreves 5, 138.
 — — — Schrank Fl. monac. 3, 233.
 — — — Nees Düssel. 214.
† — — — Plée Types 3.
† — — — (Folium.) Mem. Institut. 1850, 13.
 — — — var. *Belgique hort.* 1853, 11.

- Syringodea hirta* Don. Knowles et Westcott 39.
Syzygium areolatum DC. Mem. Genev. 9, 18.
 — caryophylleum Gaertn. Rheede Hort. mal. 5, 27.
 † — — Gaertn. Carp. 33.
 — cordifolium Klotzsch. Peters Mossamb. 11.
 — fruticosum DC. Mem. Genev. 9, 19.
 — guineense DC. Guillemin Seneg. 12.
 — Jambolanum DC. Rheede Hort. mal. 5, 29.
 — — Rumpf Amb. 1, 42.
 — lanceolatum W. et A. Wight Ic. pl. Ind. or. 2, 530.
 † — lucidum Gaertn. Gaertn. Carp. 33.
 † — Makul Gaertn. Gaertn. Carp. 33.
 — nervosum DC. Mem. Genev. 9, 16.
 — — Wight Ic. pl. Ind. or. 2, 552.
 — oblatum Wall. Wight Ic. pl. Ind. or. 2, 622.
 † — paniculatum Gaertn. Gaertn. Carp. 33.
 — rubicundum W. et A. Wight Ic. pl. Ind. or. 2, 538.
 — salicifolium Grah. Wight Ic. pl. Ind. or. 2, 539.
 — venosum DC. Mem. Genev. 9, 17.
 — zeylanicum DC. Rheede Hort. mal. 5, 20.
 — — Wight Ic. pl. Ind. or. 1, 73.
 † *Tabernaemontana africana* Hook. Gray Western Afr. B.
 — alternifolia L. Rheede Hort. mal. 1, 46.
 — amygdalifolia Jacq. Bot. Reg. 4, 338.
 — arcuata R. et P. Ruiz et Pav. Fl. 143.
 — — Kerner Hort. 630.
 — bovina Lour. Rumpf Amb. 4, 67.
 — citrifolia L. Jacq. Hist. stirp. am. 40.
 † — — Lam. Encycl. 170.
 — — Desc. Ant. 1, 9.
 — coronaria Willd. Rheede Hort. mal. 2, 54. 55.
 — — Lodd. Cab. 406.
 — — Bot. Reg. 13, 1064.
 — — Wight Ic. pl. Ind. or. 2, 477.
 — coronata Paxt. Paxt. Mag. 16, 354.
 — crispa Roxb. Wight Ic. pl. Ind. or. 2, 470.
 — densiflora Wall. Bot. Reg. 15, 1273.
 — dichotoma Roxb. Bot. Reg. 27, 53.
 — — Wight Ic. pl. Ind. or. 2, 433.
 — divaricata R. Br. Rumpf Amb. 4, 39.
 — echinata Aubl. Aublet Guiana 103.
 — grandiflora L. Jacq. Hist. stirp. am. 41.
 — — Lam. Encycl. 170.
 † — — Gray Western Africa B.
 — gratissima Ldl. Bot. Reg. 13, 1084.
 — heterophylla Vahl. Vahl Ic. 14.
 — laurifolia L. Bot. Reg. 9, 716.
 — longiflora Benth. Bot. Mag. 75, 4484.
 — — Fl. d. serres 5, 534.
 — orientalis R. Br. var. Rheede Hort. mal. 6, 48.
 — parviflora Roxb. Wight Ic. pl. Ind. or. 2, 393.
 — persicariaefolia Jacq. Jacq. Ic. 320.
 — recurva Roxb. Wight Ic. pl. Ind. or. 2, 476.
 — Sananho R. et P. Ruiz et Pav. Fl. 144.
 — undulata Vahl. Vahl Ic. 6.
 † *Tacca* Forst. Forster Charact. 35.
 — dubia R. et Sch. Rumpf Amb. 5, 113.
 — integrifolia Ker. Bot. Mag. 36, 1488.
 — — Roxb. Corom. 257.
 † — — Schnizl. Iconogr. 1, 58.
 — palmata Bl. Rumpf Amb. 5, 115.
 — pinnatifida L. fil. Rumpf Amb. 5, 112. 114.
 † — — Gaertn. Carp. 14.
 — — Lam. Encycl. 232.
 — — Lodd. Cab. 692.
 † — — Trevisanus Symbolae 54. 55.
 † — — Schnizl. Iconogr. 1, 58.
 † *Taccaceae* Ldl. Schnizl. Iconogr. 1, 58.
Tachia guianensis Aubl. Aublet Guiana 29.
 — — Lam. Encycl. 80.
 — — Mart. Bras. 189.

- Tachibota guianensis* Aubl. Aublet Guiana 112.
 † — — Gaertn. Carp. 224.
 — — Lam. Encycl. 208.
Tachigalia angustifolia Miq. Miquel Surinam 3.
 — paniculata Aubl. Aublet Guiana 143.
 — — Lam. Encycl. 339.
 — polyphylla P. et E. Poepp. et Endl. 265.
 — trigona Aubl. Aublet Guiana 143.
Tacsonia adulterina Juss. Kerner Hort. 284.
 — candida P. et E. Poepp. et Endl. 180.
 — lanata Juss. Ann. Mus. 6, 59.
 — manicata Juss. Ann. Mus. 6, 59.
 — — Paxt. Fl. G. 26.
 — mollissima H. B. K. Bot. Mag. 71, 4187.
 — — Bot. Reg. 32, 11.
 — — Paxt. Mag. 13, 25.
 — — Fl. d. serres 2, 14.
 — peduncularis Juss. Kerner Hort. 777.
 — pinnatistipula Juss. Bot. Reg. 18, 1536.
 — — Kerner Hort. 607.
 — — Bot. Mag. 70, 4062.
 — — Maund Bot. 4, 171.
 — — Sweet Fl. G. II. 156.
 — sanguinea DC. Bot. Mag. 78, 4674.
 — — Fl. d. serres 8, 803.
 — — Lem. Jard. fl. 4, 357.
 — spinosa P. et E. Poepp. et Endl. 181.
 — trifoliata Juss. Kerner Hort. 622.
 — trinervia Juss. Ann. Mus. 6, 58.
 — tripartita Juss. Ann. Mus. 6, 60.
Taeniophyllum Jerdonianum Wight. Wight Ic. pl. Ind. or. 5, 1756.
 † *Taeniopteris Forbesii* Hook. Hook. Gen. Fil. 76.
 † *Taenitis blechnoides* Sw. Hook. Gen. Fil. 77.
 † — — Schott Gen. Fil. 8.
 — — Blume Java 6, 28. 29.
 — furcata Willd. Hook. Ic. Fil. 1, 7.
 — graminifolia Hook. Hook. Exot. Fl. 77.
 — interrupta H. et Gr. Hook. Ic. Fil. 1, 63.
 — obtusa Hook. Hook. Ic. pl. 10, 994.
 — pteroides Sw. Schk. Fil. 6^b.
 † *Tafalla* R. et P. Ruiz et Pav. Prodr. 29.
Tagetes coronopifolia Willd. Jacq. Ecl. pl. 80.
 — corymbosa Sweet. Sweet Fl. G. 151.
 — — Bot. Mag. 67, 3830.
 † — erecta L. Schk. Handb. 251.
 † — — Lam. Encycl. 684.
 † — — Ann. sc. nat. III. 18, 17.
 — Feuillei Colla. Mem. Tur. 38, 30.
 — florida Sweet. Sweet Fl. G. II. 35.
 — glandulifera Schrank. Schrank Hort. monac. 54.
 — lucida Cav. Cav. Ic. 264.
 — — Andr. Rep. 5, 359.
 — — Bot. Mag. 20, 740.
 † — major Gaertn. Gaertn. Carp. 172.
 — micrantha Cav. Cav. Ic. 352.
 — papposa Vent. Vent. Cels 36.
 — patula L. Bot. Mag. 5, 150.
 — — Schk. Handb. 251.
 — tenuifolia Cav. Cav. Ic. 169.
 — — Bot. Mag. 46, 2045.
 — — Sweet Fl. G. 141.
 — zypaquirensis H. B. Humb. Pl. aeq. 73.
 † *Tainia speciosa* Bl. Blume Tabellen 48.
Talauma Candollii Bl. Blume Java 9, 9. 12.
 — — Bot. Mag. 72, 4251.
 — — Bot. Reg. 20, 1709.
 — fragrantissima Hook. Hook. Ic. pl. 3, 208—212.
 — macrocarpa Zucc. Münchn. Abb. 2, 1. 2.
 — mutabilis Bl. Blume Java 9, 10. 11. 12.
 — ovata St. Hil. St. Hil. Fl. Bras. 4.
 † — pumila Bl. Blume Java 9, 12.

- Talauma Sellowiana St. Hil. St. Hil. Fl. Bras. 4.
Taligalea campestris Aubl. Aublet Guiana 252.
† — — — Lam. Encycl. 543.
† Talinopsis frutescens Gray. Smiths. Contrib. 3, 3.
† Talinum Adanson. Ruiz et Pav. Prodr. 10.
† — — — Gray Genera 98.
— Anacamperos Willd. DC. Plantes grasses 3.
— ciliatum R. et P. Hook. Exot. Fl. 82.
— diffusum Colla. Mem. Tur. 37, 16.
— Menziesii Hook. Hook. Bor. Am. 70.
— minimum Colla. Mem. Tur. 37, 14.
† — paniculatum Gaertn. Gaertn. Carp. 128.
— patens Willd. DC. Plantes grasses 173.
— — — Andr. Rep. 4, 253.
— reflexum Cav. Cav. Ic. 1.
— — — Bot. Mag. 37, 1543.
— — — Lam. Encycl. 402.
— teretifolium Pursh. Bot. Reg. 29, 1.
— — — Darlington Fl. cestr. 3.
— — — Lodd. Cab. 819.
— — — Gray Genera 98.
Talisia guianensis Aubl. Aublet Guiana 136.
— — — Lam. Encycl. 310.
Tamara hemisphaerica Ham. Rheede Hort. mal. 9, 79.
Tamarindus indica L. Rheede Hort. mal. 1, 23.
— — — Rumpf Amb. 2, 23.
— — — Jacq. Hist. stirp. am. 13.
— — — Woodv. Med. 3, 161.
— — — Lam. Encycl. 25.
— — — Tussac Ant. 3, 35.
— — — Desc. Ant. 2, 120.
— — — Lem. Jard. fl. 133.
— — — Hayne 10, 41.
— — — Nees Düssel. 341.
— — — Guimpel et Schl. 44.
— — — Wagner 41.
† — occidentalis Gaertn. Gaertn. Carp. 148.
— — — officialis Hook. Bot. Mag. 77, 4563.
† Tamariscineae Link. Payer Organogénie 2.
† Tamarix anglica Webb. Hook. Journal 1841, 15.
— angustifolia Led. Eichwald Cauc. 8.
— articulata Vahl. Vahl Symb. 32.
— canariensis Willd. Webb Canar. 25.
— chinensis Lour. Sieb. Fl. Japon. 71.
— cupressiformis Led. Ledeb. Ic. 253.
— decandra Pall. Pallas Fl. ross. 80.
— elongata Led. Ledeb. Ic. 254.
— ericoides Willd. Neue Schr. naturf. Fr. 4, 4.
— gallica L. Sibth. Fl. gr. 291.
— — — Lam. Encycl. 213.
— — — mannifera, Ehrenberg Symb. 1.
— — — fructifera, Ehrenberg Symb. 2.
— — — Guimpel Holzgew. 37.
— — — Engl. Bot. 19, 1318.
— — — Baxter Brit. Bot. 6, 481.
† — — — Hook. Journal 1841, 15.
— — — Wight Illustr. 24.
— germanica L. Fl. dan. 2, 234.
— — — Sv. Bot. 670.
† — — — Gaertn. Carp. 61.
— — — Schk. Handb. 85.
— — — Guimpel Holzgew. 38.
— — — Lam. Encycl. 213.
— — — Dict. sc. nat. 234.
— parviflora DC. Fl. d. serres 9, 898.
— pentandra Pall. Pallas Fl. ross. 79.
— ramosissima Led. Ledeb. Ic. 256.
— tetrandra Pall. Fl. d. serres 9, 898.
† — — — Payer Organogénie 2.
† Tamonea mutica Pers. Gaertn. Carp. 213.
— — — spicata Aubl. Aublet Guiana 268.
† — — — Lam. Encycl. 542.
† Tamonea spinosa Sw. Gaertn. Carp. 213.
Tampona guianensis Aubl. Aublet Guiana 308.
Tamus communis L. Engl. Bot. 2, 91.
— — — Baxter Brit. Bot. 4, 291.
— — — Desc. Ant. 8, 536.
— — — Schk. Handb. 327.
— — — Rchb. Fl. germ. 10, 439.
† — — — Lam. Encycl. 817.
† — — — Ann. sc. nat. II. 9, 13.
† — — — Nees Gen. 3, x.
† — — — Schnitzl. Iconogr. 1, 57.
— — — cretica L. Sibth. Fl. gr. 958.
— — — edulis Lowe. Webb Canar. 223.
— — — alephantipes L'her. Bot. Mag. 33, 1347.
— — — Kerner Hort. 625.
Tanacetum Achilleae Sch. Bip. Rchb. Fl. germ. 16, 994.
— aegyptiacum Juss. Jacq. Vind. 3, 88.
— alpinum Sch. Bip. Rchb. Fl. germ. 16, 990.
— angulatum Willd. Willdenow Achillea 2.
— annuum L. Rchb. Fl. germ. 16, 994.
— argenteum Willd. Willdenow Achillea 2.
— atratum Sch. Bip. Rchb. Fl. germ. 16, 990. 991.
— Audiberti Requien. Moris Fl. sard. 63.
— Balsamita L. Schk. Handb. 240.
— — — Rchb. Fl. germ. 16, 995.
— ceratophylloides Sch. Bip. Rchb. Fl. germ. 16, 991.
† — chrysanthemoides Gaertn. Gaertn. Carp. 165.
— cinerariaefolium Sch. Bip. Rchb. Fl. germ. 16, 993. 994.
— — — corymbosum Sch. Bip. Rchb. Fl. germ. 16, 993.
— discoideum Rchb. fl. Rchb. Fl. germ. 16, 988.
— fiabelliforme L'her. L'heritier Sertum 27.
— — — Bot. Mag. 6, 212.
— — — Lam. Encycl. 696.
— fruticosum Led. Ledeb. Ic. 38.
— globiferum DC. Delessert Ic. 4, 48.
— graminifolium Rchb. fl. Rchb. Fl. germ. 16, 991.
— incanum L. Ann. Mus. 11, 21.
— — — Desf. Choix 36.
— Leucanthemum Sch. Bip. Rchb. Fl. germ. 16, 987. 988. 990.
— — — macrophyllum Sch. Bip. Rchb. Fl. germ. 16, 995.
— pallens Sch. Bip. Rchb. Fl. germ. 16, 989.
— Parthenium Sch. Bip. Rchb. Fl. germ. 16, 992.
— serotinum Sch. Bip. Rchb. Fl. germ. 16, 992.
— suaveolens Hook. Hook. Bor. Am. 110.
— tenuifolium Camb. Jacquemont Ind. 97.
— uliginosum Sibth. Sibth. Fl. gr. 885.
— vulgare L. Fl. dan. 5, 871.
— — — Sv. Bot. 81.
— — — Woodv. Med. 1, 27.
— — — Engl. Bot. 18, 1229.
— — — Baxter Brit. Bot. 1, 24.
† — — — Gaertn. Carp. 165.
† — — — Lam. Encycl. 696.
— — — Hayne 2, 6.
— — — Nees Düssel. 236.
— — — Guimpel et Schl. 214.
— — — Wagner 35.
— — — Dietr. Fl. bor. 10, 666.
— — — Rchb. Fl. germ. 16, 996.
— — — Waldsteinii Sch. Bip. Rchb. Fl. germ. 16, 989.
† Tanaecium Sw. Swartz Fl. Ind. occ. 20.
— — — parasiticum Sw. Jacq. Schoenbr. 1, 115.
— — — pinnatum Willd. Kerner Hort. 328.
Tanghinia Manghas Don. Knowles et Westcott 78.
— — — Odollam Don. Wight Ic. pl. Ind. or. 2, 441.
— — — veneniflua Poir. Knowles et Westcott 67.
— — — Hook. Bot. Misc. 110.
Tanibouca guianensis Aubl. Aublet Guiana 178.
† — — — Lam. Encycl. 848.

- Taonabo dentata* Aubl. Aublet Guiana 227.
 — punctata Aubl. Aublet Guiana 228.
 † *Tapanhuacanga Vandellii*. Roemer Scriptores 6.
Tapeinaegle humilis Herb. Bot. Reg. 33, 22.
Tapeinia magellanica Juss. Hook. Fl. ant. 129.
Taphrosermum altaicum C. A. M. Ledeb. Ic. 320.
Tapina barbata Mart. Mart. Bras. 225.
 — pusilla Mart. Mart. Bras. 225.
 — villosa Gardn. Hook. Ic. pl. 5, 469.
Tapirira guianensis Aubl. Aublet Guiana 189.
 † — — Lam. Encycl. 366.
Tapogomea alba Aubl. Aublet Guiana 62.
 — Carapichea Lam. Lam. Encycl. 152.
 — glabra Aubl. Aublet Guiana 63.
 — purpurea Aubl. Aublet Guiana 62.
 — tomentosa Aubl. Aublet Guiana 61.
 — — Lam. Encycl. 152.
 — violacea Aubl. Aublet Guiana 60.
 — — Lam. Encycl. 152.
Tapura ciliata Gardn. Hook. Ic. pl. 5, 466.
 — guianensis Aubl. Aublet Guiana 48.
 † — — Lam. Encycl. 122.
Taraijo Kaempf. Kaempfer Japon. 32.
Taralea oppositifolia Aubl. Aublet Guiana 298.
Taraxacum caulescens Moris. Mem. Tur. 37, 24.
 † — dens leonis Desf. Lam. Encycl. 653.
 † — — Monnier Essai 3.
 — laevigatum DC. Hook. Fl. ant. 112.
 — officinale Wigg. var. γ . δ . e. Sturm Flora 11, 41.
 — — Dietr. Fl. bor. 2, 93.
 — phymatocarpum Vahl. Fl. dan. 13, 2298.
 † *Tarchonanthus camphoratus* L. Gaertn. Carp. 166.
 † — — Lam. Encycl. 671.
 — — Lodd. Cab. 382.
 † *Tarennia zeylanica* Gaertn. Gaertn. Carp. 28.
Tariri guianensis Aubl. Aublet Guiana 390.
Tarrietia javanica Bl. Blume Rumphia 172^c.
Tasmannia aromatica R. Br. Delessert Ic. 1, 84.
 — — Bot. Reg. 31, 43.
Tassadia Decaisneana Miq. Linnaea 18, 2.
Tauscheria desertorum Led. Ledeb. Ic. 139.
 — — Royle Illustr. 17.
Taverniera cuneifolia Arn. Wight Ic. pl. Ind. or. 3, 1055.
 — ephedroides Jaub. Jaubert Illustr. 62.
 — gonoclada Jaub. Jaubert Illustr. 61.
 — nummularia DC. DC. Legum. 52.
Taxanthea incana Sweet. Sweet Fl. G. 272.
 — speciosa Willd. Sweet Fl. G. 105.
 — tatarica Sweet. Sweet Fl. G. 37.
 † *Taxineae* Rich. Schnizl. Iconogr. 2, 78.
 † *Taxodium distichum* Rich. Richard Conf. 10.
 — — Lambert Pinus 2, 53, 3, 28, 29.
 — — Pinetum Woburnense 60.
 — sempervirens Don. Lambert Pinus 2, 48.
 — — Hook. Ic. pl. 4, 379.
Taxus baccata L. Fl. dan. 7, 1240.
 — — Engl. Bot. 11, 746.
 — — Baxter Brit. Bot. 3, 222.
 — — Sv. Bot. 265.
 — — Nouveau Duhamel 1, 19.
 — — Dict. sc. nat. 306.
 — — Spach Suites 132.
 — — Schk. Handb. 339.
 — — Sturm Flora 4, 14.
 — — Hartig 9.
 — — Nees Düsseld. 88.
 — — Brandt und Ratzeb. 46.
 — — Rchb. Fl. germ. 11, 538.
 † — — Gaertn. Carp. 91.
 † — — Richard Conf. 2, 23.
 † — — Lam. Encycl. 829.
 † — — Ann. sc. nat. II, 20, 11.
 † *Taxus baccata* L. Nees Gen. 4, 14.
 † — — Schnizl. Iconogr. 2, 78.
 † — — Hofmeister Untersuchungen 31.
 † — canadensis Hort. Hofmeister Untersuchungen 32.
 — Harringtonia Knight. Pinetum Woburnense 66.
 — macrophylla Thunb. Kaempfer Japon. 24.
 † — nucifera L. Gaertn. Carp. 91.
 † — — Richard Conf. 2.
 † — — Lam. Encycl. 829.
 — — Wallich Tentamen 44.
 — Wallichiana Zucc. Münchn. Abh. 3, 5.
 † *Teclea Delile*. Ann. sc. nat. II, 20, 1.
 — nobilis Delile. Ferret Abyssin. 7.
 — — Richard Abyssin. 28.
Tecoma australis R. Br. Maund Bot. 1, 8.
 — capensis Ldl. Bot. Reg. 13, 1117.
 — — Lodd. Cab. 1672.
 — — Rchb. Exot. 296.
 † — — Wight Illustr. 161^b.
 — grandiflora Sweet. Herb. amat. 5, 286.
 — — Spach Suites 70.
 — jasminoides Ldl. Bot. Reg. 23, 2002.
 — — Paxt. Mag. 6, 199.
 — — Bot. Mag. 69, 4004.
 † — — Wight Illustr. 161^b.
 — radicans Mirb. Nouveau Duhamel 2, 3.
 † — — Ann. sc. nat. III, 8, 12—13.
 — stans Juss. Bot. Mag. 59, 3191.
Tecophilaea violaeiflora Colla. Mem. Tur. 39, 58.
 † — — Herbert Amar. 24.
Tectona grandis L. Rheede Hort. mal. 4, 27.
 — — Rumpf Amb. 3, 18.
 — — Roxb. Corom. 6.
 † — — Gaertn. Carp. 57.
 — Hamiltoniana Wall. Wall. Pl. asiat. 294.
Teedia lucida Rudolphi. Bot. Reg. 3, 209.
 — — Rchb. Mag. 16.
 — pubescens Burch. Bot. Reg. 3, 214.
Teesadalia Iberis DC. Dietr. Fl. bor. 10, 676.
 — Lepidium DC. Gussone Pl. rar. 46.
 — — Rchb. Ic. crit. 4, 398.
 — — Rchb. Fl. germ. 2, 6.
 — nudicaulis R. Br. Curt. Lond. 2, 42.
 — — Baxter Brit. Bot. 6, 423.
 — — Sturm Flora 3, 11.
 — — Rchb. Fl. germ. 2, 6.
 † — — Nees Gen. X, x.
 — petraea Rchb. Rchb. Fl. germ. 2, 6.
Teganium procumbens Schmid. Schmelde Icones 18.
Telekia speciosa Baumg. Bot. Mag. 63, 3466.
 — — Rchb. Ic. crit. 4, 350.
 — — Rchb. Fl. germ. 16, 937.
 † — — Nees Gen. X, x.
 — speciosissima Less. Rchb. Fl. germ. 16, 938.
Telephium glandulosum Bert. Novi Comm. Bon. 5, 41.
 † — Imperati L. Gaertn. Carp. 129.
 — — Schk. Handb. 85.
 — — Lam. Encycl. 213.
Telfairia pedata Hook. Hook. Bot. Misc. 81—82.
 — — Bot. Mag. 54, 2751. 2752.
 — — Fl. d. serres 9, 933.
Teline ramosissima Webb. Webb Canar. 41^B.
 — rosmarinifolia Webb. Webb Canar. 44.
Teliostachya cataractae N. v. E. Endl. Bras. 7, 8.
Telipogon angustifolius H. B. K. H. B. K. N. G. 1, 75.
 — — Lam. Encycl. 989.
 — astroglossus Rchb. fil. Rchb. Xenia 1, 7.
Tellima grandiflora Dougl. Bot. Reg. 14, 1178.
 † — — Hook. Journal 1849, 5.
 — parviflora Hook. Hook. Bor. Am. 78.
Telmisa sedoides Frl. Russeger Reise 16.
Telopea speciosissima R. Br. Maund Bot. 2, 71.

- Telopea speciosissima* R. Br. Paxt. Mag. 5, 73.
 — — Hart. Parad. 1, 3.
 †*Teloxys aristata* Moq. Ann. sc. nat. II. 1, 10.
Temminckia macrophylla de Vr. De Vriese Goodenov. 1.
 — *mollis* de Vr. De Vriese Goodenov. 2.
 †*Templetonia* R. Br. Kerner Genera 126.
 — *glauca* Sims. Lodd. Cab. 644.
 — — Bot. Mag. 46, 2088.
 — — Bot. Reg. 10, 859.
 — — Rchb. Exot. 123.
 — *retusa* R. Br. Lodd. Cab. 526.
 — — Bot. Mag. 49, 2334.
 — — Bot. Reg. 5, 393.
 — — Rchb. Mag. 86.
Tenageia sphaerocarpa Rchb. Rchb. Fl. germ. 9, 416.
 — *Vaillantii* Rchb. Rchb. Fl. germ. 9, 416.
 †*Tenorea* Bert. Rendiconto Acad. Neap. 1844, 8.
Tenoria canariensis Spr. Sprengel Umb. 6.
 † — *coriacea* Spr. Sprengel Umb. Prodr. 1.
 †*Tepesia dubia* Gaertn. Gaertn. Carp. 192.
Tephrosia apollinea DC. Berl. Jahrbuch 1836, 1.
 — — Annalen d. Pharm. 1836, 1.
 — *coccinea* Wall. Pl. asiat. 60.
 — *gracilipes* Guill. Guillemin Seneg. 49.
 — *grandiflora* Pers. Bot. Reg. 9, 769.
 — *gynothrix* Miq. Miquel Surinam 6.
 — *incana* Grah. Wight Ic. pl. Ind. or. 2, 371.
 — *leucantha* H. B. K. H. B. K. Nov. Gen. 6, 577.
 — *moschata* Tuss. Tussac Ant. 2, 6.
 — *nitens* Benth. Seemann Herald 19.
 — *oroboides* H. B. K. H. B. K. Nov. Gen. 6, 578. 579.
 — *Petersiana* Klotzsch. Peters Mossamb. 9.
 — *purpurea* W. et A. Rheede Hort. mal. 1, 55.
 — ? *Rheedii* DC. Rheede Hort. mal. 9, 22.
 — *senticosa* Pers. Wight Ic. pl. Ind. or. 2, 370.
 — *spinosa* Pers. Wight Ic. pl. Ind. or. 2, 372.
 — *suberosa* DC. Hook. Ic. pl. 2, 120.
 — — Wight Illustr. 82.
 — *tinctoria* L. Wight Ic. pl. Ind. or. 2, 388.
 — *toxicaria* Pers. Tussac Ant. 1, 20.
 — — Desc. Ant. 3, 183.
 †*Teramnus* Sw. Swartz Fl. Ind. occ. 25.
 †*Terme* Gaertn. Gaertn. Carp. 180.
Terminalia angustifolia Jacq. Jacq. Vind. 3, 100.
 — *australis* St. Hil. St. Hil. Fl. Bras. 128.
 — *avicennioides* Guill. Guillemin Seneg. 64.
 — *Bellerica* Roxb. Rheede Hort. mal. 4, 10.
 — — Roxb. Corom. 198.
 — — Kerner Hort. 544.
 — — Wight Illustr. 91.
 — *Catappa* L. Rheede Hort. mal. 4, 3. 4.
 — — Rumpf Amb. 1, 68.
 — — Jacq. Ic. 197.
 — — Lam. Encycl. 848.
 — — Dict. sc. nat. 8.
 — — Desc. Ant. 4, 279.
 — — Bot. Mag. 57, 3004.
 — — Wight Ic. pl. Ind. or. 1, 172.
 — *chebula* Retz. Roxb. Corom. 197.
 — *fagifolia* Mart. Mart. Bras. 27.
 — *glabrata* Forst. Sprengel Antiq. 2.
 — *macroptera* Guill. Guillemin Seneg. 63.
 † — *mauritiania* Lam. Lam. Encycl. 848.
 — *procera* Roxb. Roxb. Corom. 224.
 — — Kerner Hort. 585.
 — *tomentosa* W. et Arn. Wight Ic. pl. Ind. or. 1, 193.
 †*Terminalis angustifolia* Med. Medikus Theodora 2.
Terniola longipes Tul. Arch. Mus. 6, 13.
 — *pulchella* Tul. Arch. Mus. 6, 13.
 — *zeylanica* Tul. Arch. Mus. 6, 13.
 †*Ternstroemia* L. Ruiz et Pav. Prodr. 71.
 — *brasiliensis* Camb. St. Hil. Fl. Bras. 59.

- Ternstroemia brevipes* DC. Colla Hort. Rip. 38.
 — *clusiaefolia* H. B. K. H. B. K. Nov. Gen. 5, 463.
 — *elliptica* Vahl. Dict. sc. nat. 151.
 — *japonica* Thunb. Sieb. Fl. Japon. 80.
 — *lineata* DC. Mem. Genev. 1, 1.
 — *obovalis* A. Rich. Ramon Cuba 25.
 — *Pavoniana* Moric. Mem. Genev. 7, 13.
 — — Moricand Pl. Am. 13.
 — *Ruiziana* Moric. Mem. Genev. 7, 12.
 — — Moricand Pl. Am. 12.
 †*Ternstroemiaceae* DC. Schnizl. Iconogr. 215.
 †*Terpnanthus* N. et M. Acta Leop. 11. 1, 19.
 — *jasminodorus* N. et M. Acta Leop. 11. 1, 31.
 †*Terpnophyllum zeylanicum* Thu. Hook. Journ. 1854, 2.
Terranea Fernandezii Colla. Mem. Tur. 38, 23.
Tertria Chamaebuxus Schr. Schrank Fl. monac. 3, 249.
 †*Tessaria* Rz et P. Ruiz et Pav. Prodr. 24.
 — *banksiaefolia* Brongn. Brongniart Coquille 64.
 — *borealis* Torr. Sitgreaves Expedition 5.
Testudinaria elephantipes Burch. Bot. Reg. 11, 921.
Tetilla hydrocotylaefolia DC. Delessert Ic. 3, 77.
 — — Poepp. et Endl. 19.
Tetracarpaea tasmanica Hook. Hook. Ic. pl. 3, 264.
Tetracera Euryandra Vahl. Bill. Sertum 55.
 — — Delessert Ic. 1, 70.
 † — — Lam. Encycl. 483.
 — *malabarica* Lam. Lam. Encycl. 485.
 — *multiflora* DC. Delessert Ic. 1, 69.
 — *oblongata* DC. Delessert Ic. 1, 67.
 — *ovalifolia* DC. Delessert Ic. 1, 68.
 — *Poeppigiana* Schlecht. Ramon Cuba 4.
 — *Rheedii* DC. Rheede Hort. mal. 5, 8.
 — — Wight Ic. pl. Ind. or. 1, 70.
 — *rugosa* Guill. Guillemin Seneg. 1.
 — *surinamensis* Miq. Miquel Surinam 33.
 † — *volubilis* L. Gaertn. Carp. 69.
 † — — Lam. Encycl. 485.
Tetracme quadricornis Bge. Goebel Reise 4.
 — — Trautvetter Imag. 21.
Tetracrypta cinnamomoides Gardn. Hook. Journ. 1853, 5.
Tetradenia lanuginosa N. v. E. Wall. Pl. asiat. 176.
 †*Tetradiclis* Steven. Linnaea 14, 1.
 — *salsa* Steven. Linnaea 15, 2.
Tetradymia canescens DC. Delessert Ic. 4, 60.
 †*Tetragamestus modestus* Rchb. fl. Rchb. Xenia 1, 19.
 †*Tetragastris ossea* Gaertn. Gaertn. Carp. 109.
 †*Tetragonia cornuta* Gaertn. Gaertn. Carp. 179.
 — *cristallina* L'her. L'her. Stirp. 39.
 — — DC. Plantes grasses 34.
 — *decumbens* Mill. DC. Plantes grasses 23.
 — *echinata* Ait. DC. Plantes grasses 113.
 — *expansa* Ait. Comm. Gott. 6, 5.
 — — DC. Plantes grasses 114.
 — — Bot. Mag. 50, 2362.
 † — — Ann. sc. nat. III. 18, 13.
 † — *fruticosa* L. Gaertn. Carp. 127.
 † — — Lam. Encycl. 437.
 — *halimifolia* Roth. Roth Abhandl. 8.
Tetragonolobus conjugatus Ser. Delessert Ic. 3, 66.
 — *siliquosus* Roth. Schrank Fl. monac. 1, 1.
 — — Dietr. Fl. bor. 7, 487.
Tetrameles Grahamiana Wight. Wight Ic. pl. 6, 1956.
 — *nudiflora* R. Br. Bennett Java 17.
 †*Tetrameris trivalvis* Naud. Ann. sc. nat. III. 14, 4.
 † — *viscidula* Naud. Ann. sc. nat. III. 14, 4.
Tetramerium jasminoides H. B. K. H. B. K. Nov. Gen. 3, 287.
 — *nervosum* N. v. E. Benth. Sulphur 48.
 † — *odoratissimum* Gaertn. Gaertn. Carp. 196.
Tetranema mexicanum Benth. Bot. Reg. 29, 52.
 — — Bot. Mag. 70, 4070.
Tetranthera angustifolia Bl. Rumpf Amb. Auct. 27. fig. 1.

- Tetranthera apetala* Roxb. Roxb. Corom. 147.
 † — — Gaertn. Carp. 222.
 — *japonica* Spr. Sieb. Fl. Japon. 87. 100.
 — *lanuginosa* Wall. Rheede Hort. mal. 5, 9.
 — *laurifolia* Jacq. Jacq. Schoenbr. 1, 113.
 — — Bot. Reg. 11, 893.
 — *ligustrina* N. v. E. Wight Ic. pl. Ind. or. 5, 1835.
 — *monopetala* Roxb. Roxb. Corom. 148.
 — *Panamanja* Ham. Wight Ic. pl. Ind. or. 5, 1836.
 — *Pichurim* Spr. Berl. Jahrbuch 1821, 3.
 — *tomentosa* Roxb. Wight Ic. pl. Ind. or. 5, 1834.
 † *Tetranthus* Sw. Swartz Fl. ind. occ. 27.
 — *hirsutus* Spr. Delessert Ic. 4, 27.
Tetrapathaea australis Decne. Raoul Nouv. Zel. 27.
Tetrapogon villosus Desf. Desf. Fl. atl. 255.
Tetrapoma pyrifforme Seem. Seemann Herald 2.
Tetrapteris acutifolia Cav. Cav. Diss. 261.
 — *buxifolia* Cav. Cav. Diss. 262.
 † — — Arch. Mus. 3, 18.
 — *chamaecerasifolia* Juss. St. Hil. Fl. Bras. 162.
 — *citrifolia* Pers. Lam. Encycl. 382.
 — *inaequalis* Cav. Cav. Diss. 260.
 — *mucronata* Cav. Cav. Diss. 262.
 † — — Arch. Mus. 3, 18.
 — *rotundifolia* Juss. St. Hil. Fl. Bras. 161.
 † — — Arch. Mus. 3, 18.
 † *styloptera* Juss. Arch. Mus. 3, 18.
 † *trinitensis* Juss. Arch. Mus. 3, 18.
 † *Turnerae* Juss. Arch. Mus. 3, 18.
Tetrapterygium stylophorum Jaub. Jaubert Illustr. 50.
 † *Tetratheca* Smith. Bot. Zeitung 1854, 10.
 — *ciliata* Ldl. Hook. Ic. pl. 3, 268.
 — *ericasifolia* Sm. Smith Exot. Bot. 29.
 — — Linn. Transact. 8, 11.
 — *glandulosa* Sm. Smith Exot. Bot. 21.
 — — Bill. Nov. Holl. 123.
 — — Linn. Transact. 8, 10.
 — — Dict. sc. nat. 175.
 — *hirsuta* Ldl. Bot. Reg. 30, 67.
 — — Paxt. Mag. 13, 53.
 † — — Ann. sc. nat. III. 15, 20.
 † — — Payer Organogénie 30.
 — *juncea* Sm. Smith New Holl. 2.
 — — Rehb. Hortus 78.
 — *pilosa* Lab. Bill. Nov. Holl. 122.
 — *thymifolia* Sm. Smith Exot. Bot. 22.
 — *verticillata* Paxt. Paxt. Mag. 13, 171.
Tetrathylacium P. et E. Poepp. et Endl. 240.
Tetratome triflora P. et E. Poepp. et Endl. 163.
Tetrazygia elaeagnoides Sw. Bot. Mag. 74, 4383.
 — *Fadyeni* Hook. Hook. Journal 1849, 12.
Tetroncium magellanicum Willd. Hook. Fl. ant. 128.
 — — Hook. Ic. pl. 6, 534.
Tetrorchidium rubrivenium P. et E. Poepp. et Endl. 227.
Teucrium parvifolium Hook. fil. Hook. New Zeal. 49.
Teucrium abutiloides L'her. Jacq. Schoenbr. 3, 338.
 — — Knowles et Westcott 28.
 — *alpestre* Sibth. Sibth. Fl. gr. 538.
 — *Arduini* L. Sibth. Fl. gr. 531.
 — *arenarium* Gmel. Gmelin Reise 1, 26.
 — *asiaticum* L. Acta palat. 3, 10.
 — — Jacq. Vind. 3, 41.
 † — — Schk. Handb. 155.
 — *aureum* Cav. Cav. Ic. 117.
 — *betonicum* L'her. L'her. Stirp. 40.
 — — Bot. Mag. 28, 1114.
 — *bicolor* Sm. Bot. Reg. 15, 1255.
 — *Botrys* L. Hoffmann D. Fl. 1791, 9.
 — — Schrank Fl. monac. 3, 226.
 — — Dietr. Fl. bor. 5, 353.
 † — — Nees Gen. 6, 45.
 — *bracteatum* Desf. Desf. Fl. atl. 120.

- Teucrium brevifolium* Schreb. Sibth. Fl. gr. 528.
 — *capitatum* L. Cav. Ic. 119.
 — — Sibth. Fl. gr. 536.
 — — *lusitanicum*, Brotero Phytogr. 105.
 — *Chamaedrys* L. Rivinus Opus ined. 10.
 — — Woodv. Med. 2, 130.
 — — Engl. Bot. 10, 680.
 † — — Lam. Encycl. 501.
 † — — Schk. Handb. 155.
 — — Schrank Fl. monac. 2, 174.
 — — Hayne 8, 4.
 — — Nees Düsseldorf. 167.
 — — Dietr. Fl. bor. 3, 155.
 † — — Nees Gen. 6, 45.
 — *Chamaepitys* L. Gmelin Reise 1, 26.
 — — Fl. dan. 5, 703.
 — *cinereum* Boiss. Boissier Esp. 151.
 — *compactum* Clem. Boissier Esp. 150.
 — *creticum* L. Sibth. Fl. gr. 529.
 — *cubense* L. Jacq. Hist. stirp. am. 164.
 — — Jacq. Observ. 30.
 — *cuneifolium* Sibth. Sibth. Fl. gr. 537.
 — *flavum* L. Sibth. Fl. gr. 533.
 † — — Schk. Handb. 155.
 — *fragile* Boiss. Boissier Esp. 149.
 — *fruticans* L. Rivinus Opus ined. 8.
 — — Sibth. Fl. gr. 527.
 † — — Lam. Encycl. 501.
 — *Haenseleri* Boiss. Boissier Esp. 152.
 — *heterophyllum* Cav. Cav. Ic. 577.
 † *hyrcanicum* L. Schk. Handb. 155.
 — — Bot. Mag. 45, 2013.
 — *inflatum* Sw. Desc. Ant. 3, 223.
 — *Iva* L. Cav. Ic. 120.
 — *laevigatum* Vahl. Rehb. Hortus 228.
 — *lanuginosum* Lk et H. Hoffm. et Link Fl. port. 1.
 — — Brotero Phytogr. 107.
 — *latifolium* L. Bot. Mag. 7, 245.
 — *Laxmanni* L. W. et Kit. 69.
 — — Piller Iter 1.
 — *Libanitis* Cav. Cav. Ic. 118.
 — *lucidum* L. Sibth. Fl. gr. 532.
 — *lusitanicum* Lk et H. Hoffm. et Link Fl. port. 3.
 — — Brotero Phytogr. 104. 106.
 — *Marum* L. Woodv. Med. 2, 118.
 — — Hayne 8, 2.
 — — Nees Düsseldorf. 169.
 — — Guimpel et Schl. 162.
 — *massiliense* L. Acta palat. 3, 11.
 — — Gerard Fl. gallopr. 11.
 — — Jacq. Vind. 94.
 — *microphyllum* Desf. Ann. Mus. 10, 22.
 — — Desf. Choix 11.
 — *montanum* L. Sibth. Fl. gr. 534.
 — *orchideum* Ldl. Bot. Reg. 15, 1255.
 — *orientale* L. Schreber Unilabiat. x.
 — — Jacq. Ecl. pl. 73.
 — — Bot. Mag. 31, 1279.
 — — Lodd. Cab. 1871.
 — *Polium* L. Hayne 8, 5.
 — — Sibth. Fl. gr. 535.
 † — — Lam. Encycl. 501.
 — *polycephalon* Med. Acta palat. 3, 13.
 — *Pseudo-scorodonia* Desf. Desf. Fl. atl. 119.
 — *purpurascens* Med. Acta palat. 3, 12.
 — *pyrenaicum* L. Lodd. Cab. 1387.
 — *quadratum* Schreb. Sibth. Fl. gr. 530.
 — *ramosissimum* Desf. Desf. Fl. atl. 118.
 — *resupinatum* Desf. Desf. Fl. atl. 117.
 — *salicifolium* L. Schreber Ic. 9.
 — *Salviastrum* Lk et H. Hoffm. et Link Fl. port. 2.
 — — Brotero Phytogr. 106.

- Teucrium saxatile* Cav. Cav. Ic. 121.
 — *Scordium* L. Woodv. Med. 2, 116.
 — — Engl. Bot. 12, 828.
 — — Fl. dan. 4, 593.
 — — Sv. Bot. 235.
 † — — Schk. Handb. 155.
 — — Hayne 8, 3.
 — — Nees Düsseld. 168.
 — — Guimpel et Schl. 163.
 — — Wagner 213.
 — — Dietr. Fl. bor. 2, 76.
 — *Scorodonia* L. Fl. dan. 3, 485.
 — — Curt. Lond. 2, 130.
 — — Engl. Bot. 22, 1543.
 — — Baxter Brit. Bot. 1, 22.
 — — Dreves 2, 54.
 † — — Schk. Handb. 155.
 — — Dietr. Fl. bor. 4, 229.
 — *spinosum* L. Sibth. Fl. gr. 539.
 — *supinum* L. Jacq. Fl. austr. 5, 417.
 † — *tomentosum* Heyne. Wight Illustr. 176⁶.
 — — Wight Ic. pl. Ind. or. 4, 1458.
 — *verticillatum* Cav. Cav. Ic. 198.
 — *virginicum* L. Schk. Handb. 155.
Texiera glastifolia Jaub. Jaubert Illustr. 1.
 † *Thalia* L. Linnaea 6, 3. 4. 5.
 — *cannaeformis* Willd. Symes Ava 21.
 — *dealbata* Fraser. Sowerby Plate 1.
 — — Bot. Mag. 41, 1890.
 — — Roscoe Scit. 46.
 — *geniculata* L. Roscoe Scit. 45.
 — *hexantha* P. et E. Poepp. et Endl. 132.
 — *sanguinea* Lem. Lem. Jard. fl. 3, 268.
 — *unilateralis* P. et E. Poepp. et Endl. 133.
 † *Thalictrum* L. Gray Genera 6.
 — *acaulis* Camb. Jacquemont Ind. 1.
 — *acutifolium* DC. Delessert Ic. 1, 10.
 — *alpinum* L. Lightfoot Fl. scot. 1, 13.
 — — Fl. dan. 1, 11.
 — — Engl. Bot. 4, 262.
 — — Bot. Mag. 48, 2237.
 — — Sv. Bot. 655.
 — — Sturm Flora 13, 51.
 — — Rchb. Fl. germ. 3, 26.
 — *anemonoides* Michx. Sweet Fl. G. II. 150.
 — — Gray Genera 6.
 — *angustifolium* L. Jacq. Vind. 3, 43.
 — — Rchb. Fl. germ. 3, 41. 42.
 — *appendiculatum* Led. Ledeb. Ic. 164.
 — *aquilegifolium* L. Jacq. Fl. austr. 4, 318.
 — — Schrank Fl. monac. 3, 273.
 — — Sturm Flora 11, 44.
 — — Rchb. Fl. germ. 3, 36.
 — — Bot. Mag. 43, 1818. 46, 2025.
 — *atropurpureum* Jacq. Jacq. Vind. 3, 61.
 — *Bauhini* Crtz. Rchb. Fl. germ. 3, 40.
 — *capillare* Rchb. Rchb. Fl. germ. 3, 36.
 — *clavatum* DC. Delessert Ic. 1, 6.
 — *Cornuti* L. Hook. Bor. Am. 2.
 — *cystocarpum* Wall. Wall. Pl. asiat. 129.
 — *Dalzellii* Hook. Hook. Ic. pl. 9, 868.
 — *densiflorum* H. B. K. H. B. K. Nov. Gen. 5, 426.
 — *dioicum* L. Delessert Ic. 1, 8.
 — *elatum* Jacq. Jacq. Vind. 3, 95.
 — — Rchb. Fl. germ. 3, 35.
 — *exaltatum* C. A. M. Ledeb. Ic. 158.
 — *flavum* L. Fl. dan. 6, 939.
 — — Sv. Bot. 328.
 — — Engl. Bot. 6, 367.
 — — Baxter Brit. Bot. 4, 254.
 † — — Lam. Encycl. 497.
 — — Rchb. Fl. germ. 3, 44.

- Thalictrum flavum* L. Dietr. Fl. bor. 11, 730.
 — — Gaud. Rchb. Fl. germ. 3, 43.
 — *flexuosum* Bernh. Rchb. Fl. germ. 3, 28.
 — *foetidum* L. W. et Kit. 174.
 — — Rchb. Fl. germ. 3, 28.
 — *galioides* Nestl. Delessert Ic. 1, 11.
 — — Rchb. Fl. germ. 3, 37.
 — *glaucescens* Willd. Rchb. Fl. germ. 3, 29.
 — *glaucum* Desf. Schrader Hort. gott. 8.
 — — Rchb. Fl. germ. 3, 46.
 — *glyphocarpum* W. et Arn. Wight Ic. pl. ind. or. 1, 48.
 — *heterophyllum* Lej. Rchb. Fl. germ. 3, 42.
 — *isopyroides* Led. Ledeb. Ic. 397.
 — *laserpitifolium* Willd. Rchb. Fl. germ. 3, 39.
 — *longistylum* DC. Delessert Ic. 1, 7.
 — *lucidum* L. Rchb. Fl. germ. 3, 38.
 — *majus* Jacq. Jacq. Fl. austr. 5, 420.
 — — Engl. Bot. 9, 611.
 — — Rchb. Fl. germ. 3, 30.
 — *medium* Jacq. Jacq. Vind. 3, 96.
 — — Rchb. Fl. germ. 3, 33.
 — *minus* L. Fl. dan. (2, 244.) 5, 732.
 — — Engl. Bot. 1, 11.
 — — Jacq. Fl. austr. 5, 419.
 — — Schk. Handb. 151.
 — — Lam. Encycl. 497.
 — — Rchb. Fl. germ. 3, 27.
 — *Morisoni* Gm. Rchb. Fl. germ. 3, 45.
 — *nigricans* Jacq. Jacq. Fl. austr. 5, 421.
 — — Rchb. Fl. germ. 3, 43.
 — *nutans* Desf. Rchb. Fl. germ. 3, 31.
 — *petaloideum* L. Delessert Ic. 1, 9.
 — — Lodd. Cab. 891.
 — *rhynchocarpum* Dill. et Rich. Richard Abyssin. 2.
 — *rotundifolium* DC. Wall. Pl. asiat. 264.
 — *saxatile* Schlecht. Rchb. Fl. germ. 3, 34.
 — — Rchb. Ic. crit. 5, 410.
 † *sibiricum* L. Gaertn. Carp. 74.
 † — — Lam. Encycl. 497.
 † *simplex* L. Fl. dan. 2, 244.
 — — Rchb. Fl. germ. 3, 32.
 — *speciosum* Mill. Trew Pl. rar. 22.
 — — Poir. Rchb. Fl. germ. 3, 46.
 — *Thunbergii* DC. Delessert Ic. 1, 12.
 † *Thamnea uniflora* Soland. Ann. sc. nat. 8, 38.
Thamnochortus fruticosus Berg. Bergius Cap. 5.
Thapsia Asclepium L. Sibth. Fl. gr. 286.
 — *garganica* L. Gouan Illustr. 10.
 — — Sibth. Fl. gr. 287.
 † — *minor* Link. Mag. naturf. Fr. 6, 5.
 — *polygama* Desf. Desf. Fl. atl. 75.
 † — *villosa* L. Gaertn. Carp. 21.
 † — — Lam. Encycl. 206.
 — — Schk. Handb. 75.
Thapsium atropurpureum Nutt. Torrey New York 34.
Thaumuria cretica Gaudich. Gaudichaud Bonite 98.
Thea Bohea L. Linné Amoenit. 7, 4.
 — — Lodd. Cab. 226.
 — — Bot. Mag. 25, 998.
 — — Nouveau Duhamel 2, 6.
 — — Lam. Encycl. 474.
 — — Dict. sc. nat. 153.
 — — Herb. amat. 4, 255.
 — — Spach Suites 27.
 — — Hayne 7, 28.
 — — Nees Düsseld. 425.
 — *stricta* Hayne. Hayne 7, 27.
 — — Nees Düsseld. 426.
 — *viridis* L. Kaempfer Amoenit. p. 606.
 — — Lettsom Monogr. 1.
 † — — Gaertn. Carp. 93.

- † *Thea viridis* L. Roemer Archiv I. 3, 3.
 — — — Woodv. Med. 4, 225.
 — — — Lodd. Cab. 227.
 — — — var. *latifolia*, Lodd. Cab. 1828.
 — — — Bot. Mag. 59, 3148.
 — — — Lam. Encycl. 474.
 — — — Hayne 7, 29.
 — — — Nees Düsseld. 424.
 — — — Marquis Traité 1—10.
 — — — Spach Suites 27.
 — — — Houssaye Monographie x.
 † — — — Griffith Report 1. 2.
 † — — — (Folium.) Mem. Institut. 1850, 6. 7.
 — — — var. *floribunda*, Regel Gartenfl. 1854, 81.
Theka grandis Lam. Lam. Encycl. 136.
Thelychiton argyropus Endl. Endl. Iconogr. 29.
Thelygonum Cynocrambe L. Schk. Handb. 299.
 — — — Lam. Encycl. 777.
 — — — Ann. sc. nat. 19, 13.
 — — — Sibth. Fl. gr. 941.
 † — — — Nees Gen. 4, 69.
 † *Thelymitra* Forst. Forster Charact. 49.
 † — — — Svensk Acad. 1800, 3.
 † — — — Schrader Neues Journal I, 1.
 — — — *ixioides* Sw. Smith Exot. Bot. 29.
 — — — *villosa* Ldl. Lindley Swan River s.
Thenardia floribunda H. B. K. H. B. K. N. G. 3, 240.
 † *Theobroma* L. Kerfer Genera 131—133.
 — — — *bicolor* H. B. Humb. Pl. aeq. 30. 39^b.
 — — — Hayne 9, 36. 37.
 — — — Kerner Hort. 763. 764.
 — — — Cacao L. Sonnerat Voyage 61. 62.
 † — — — Lam. Encycl. 635.
 — — — Hayne 9, 35.
 — — — Guimpel et Schl. 75.
 — — — Lodd. Cab. 545.
 — — — Desc. Ant. 4, 266.
 — — — Nees Düsseld. 417.
 — — — Wagner 227.
 — — — Gallais Monogr. 1. 2.
 — — — Spach Suites 25.
 † — — — *Guazuma* L. Houston Reliq. 14.
 — — — Desc. Ant. 2, 85.
 † — — — *guianensis* Willd. Lam. Encycl. 635.
Theodora speciosa Med. Medikus Theodora 1.
Theophrasta americana L. Lam. Encycl. 119.
 — — — Desc. Ant. 5, 347.
 — — — Jussieu Ldl. Lindley Collect. 26.
 — — — Vriese Hort. Spaarnberg. 2.
 — — — Bot. Mag. 72, 4239.
 † — — — *latifolia* Willd. (Folium radicans.) Annales d'hortic. 1840, x.
 — — — *longifolia* Jacq. Jacq. Schoenbr. 1, 116.
 — — — *pinnata* Jacq. Jacq. Fragm. 64—66.
Theresa valdiviana Clos. Gay Chile 54.
Thermopsis barbata Royle. Royle Illustr. 32.
 — — — *caroliniana* Curt. Gray Chloris 7.
 — — — *fabacea* DC. Lodd. Cab. 1856.
 — — — Bot. Mag. 64, 3611.
 — — — Bot. Reg. 15, 1272.
 — — — *fraxinifolia* Curt. Gray Chloris 8.
 — — — *inflata* Camb. Jacquemont Ind. 39.
 — — — *laburnifolia* Don. Lodd. Cab. 1095.
 — — — *lanceolata* R. Br. Delessert Ic. 3, 69.
 — — — *mollis* Curt. Gray Chloris 9.
 — — — *rhombifolia* Nutt. Hook. Bor. Am. 47.
 † *Thesium* L. Ann. sc. nat. II. 13, 11.
 † — — — (Radix.) Ann. sc. nat. III. 7, 8.
 † — — — (Radix.) Hook. Journal 1847, 4.
 † — — — (Reissek.) Linnaea 17, 19.
 — — — *alpinum* L. Gerard Fl. gallopr. 17.
 — — — Jacq. Fl. austr. 5, 416.

- † *Thesium alpinum* L. Gaertn. Carp. 86.
 — — — Lam. Encycl. 142.
 † — — — Schrader Journal 1800. 1, 6.
 — — — Sv. Bot. 611.
 — — — Dreves 4, 121.
 — — — Sturm Flora 3, 11.
 — — — Schrank Fl. monac. 3, 228.
 — — — Rchb. Fl. germ. 11, 541.
 † — — — Schnizl. Iconogr. 2, 108.
 — — — *ambiguum* Ten. Tenore Fl. nap. 220.
 — — — *aureum* Jaub. Jaubert Illustr. 300.
 — — — *divaricatum* Jan. Rchb. Ic. crit. 5, 456.
 — — — Rchb. Fl. germ. 11, 543.
 — — — *drupaceum* Lab. Bill. Nov. Holl. 93.
 — — — *ebracteatum* Hayne. Schrader Journ. 1800. 1, 7.
 — — — Dreves 4, 122.
 — — — Rchb. Ic. crit. 5, 457.
 — — — Rchb. Fl. germ. 11, 545.
 — — — Dietr. Fl. bor. 6, 416.
 — — — *elegans* Rochel. Rochel Banat. 4.
 — — — Rchb. Hortus 19.
 — — — Rchb. Fl. germ. 11, 547.
 — — — *humifusum* DC. Rchb. Fl. germ. 11, 542.
 — — — *humile* Vahl. Gussone Pl. rar. 20.
 — — — Rchb. Ic. crit. 8, 705.
 — — — Rchb. Fl. germ. 11, 542.
 — — — *intermedium* Bert. Gussone Pl. rar. 20.
 — — — *Linophyllum* L. Relhan Fl. cant. 1.
 — — — Engl. Bot. 4, 247.
 — — — Baxter Brit. Bot. 4, 263.
 † — — — Mutel Fl. fr. 59.
 — — — Lam. Encycl. 142.
 — — — Schk. Handb. 51.
 — — — Schrader Journal 1800. 1, 6.
 — — — Dreves 4, 119.
 — — — Rchb. Ic. crit. 5, 453.
 — — — Rchb. Fl. germ. 11, 546.
 — — — Dietr. Fl. bor. 6, 415.
 — — — *montanum* Ehrh. Rchb. Ic. crit. 5, 452.
 — — — Rchb. Fl. germ. 11, 546.
 † — — — Schnizl. Iconogr. 2, 108.
 † — — — Flora 1853, 7.
 — — — *multicaule* Led. Ledeb. Ic. 237.
 — — — *pratense* Ehrh. Fl. dan. 7, 1205.
 — — — Rchb. Ic. crit. 5, 455.
 — — — Rchb. Fl. germ. 11, 544.
 † — — — Mutel Fl. fr. 59.
 † — — — Nees Gen. 4, 48.
 — — — *ramosum* Hayne. Schrader Journal 1800. 1, 7.
 — — — Dreves 4, 120.
 — — — Rchb. Ic. crit. 5, 454.
 — — — Rchb. Fl. germ. 11, 543.
 — — — *refractum* C. A. M. Acad. Pet. 6, 13.
 — — — *repens* Led. Ledeb. Ic. 233.
 — — — *rostratum* Koch. Rchb. Ic. crit. 5, 458.
 — — — Rchb. Fl. germ. 11, 545.
 — — — *rupestre* Led. Ledeb. Ic. 241.
 — — — *stelleroides* Jaub. Jaubert Illustr. 104.
 — — — *tenuifolium* Saut. Rchb. Fl. germ. 11, 544.
 — — — *Wightianum* Wall. Wight Ic. pl. Ind. or. 5, 1852.
Thespesia populnea Correa. Rheede Hort. mal. 1, 29.
 † — — — Ann. Mus. 9, 25.
 — — — Wight Ic. pl. Ind. or. 1, 8.
Thespis divaricata DC. Delessert Ic. 4, 20.
Thevenotia persica DC. Delessert Ic. 4, 72.
 — — — Belanger Ind. or. x.
Thetia plumeriaefolia Benth. Benth. Sulphur 43.
Thibaudia acuminata Hook. Hook. Ic. pl. 2, 111.
 — — — *angustifolia* Hook. Hook. Ic. pl. 2, 110.
 — — — *cordifolia* H. B. K. H. B. K. Nov. Gen. 3, 255.
 — — — *cubensis* A. Rich. Ramon Cuba 51.
 — — — *elliptica* R. et P. Hook. Ic. pl. 2, 108.

- Thibaudia floribunda* H. B. K. H. B. K. Nov. Gen. 3, 254.
 — *macrantha* Hook. Bot. Mag. 77, 4566.
 — — — Lem. Jard. 8. 95.
 — — — Fl. d. serres 6, 646.
 — — — Moore Mag. 1851, p. 116.
 † — *microphylla* Ldl. Fl. d. serres 4, 332.
 — *picchincensis* Benth. var. *glabra*, Bot. Mag. 73, 4344.
 — *pulcherrima* Wall. Bot. Mag. 73, 4303.
 — — — Fl. d. serres 3, 243. 244.
 — *Quereme* H. B. K. H. B. K. Nov. Gen. 3, 256.
 — *secundiflora* P. et E. Poepp. et Endl., 9.
 — *variegata* Wall. Royle Illustr. 63^a or 79.
Thiebautia nervosa Colla. Mem. soc. Linn. Par. 3, 4.
 † *Thismia Brunonis* Griff. Linn. Transact. 19, 39. 20, 15.
Thlaspi alliaceum L. Jacq. Ic. 121.
 — — — Sturm Flora 15, 65.
 — — — Rchb. Ic. crit. 8, 785.
 — — — Rchb. Fl. germ. 2, 5.
 — *alpestre* L. Engl. Bot. 2, 81.
 — — — Gmelin Fl. bad. 3, 1.
 — — — Sturm Flora 15, 65.
 — — — Rchb. Fl. germ. 2, 5.
 — *alpinum* Crantz. Crantz Crucif. 3.
 — — — Jacq. Jacq. Fl. austr. 3, 238.
 — — — Sturm Flora 13, 51. 15, 65.
 — — — Rchb. Fl. germ. 2, 5.
 — *arvense* L. Fl. dan. 5, 793.
 † — — — Gaertn. Carp. 141.
 — — — Lam. Encycl. 557.
 — — — Curt. Lond. 1, 129.
 — — — Engl. Bot. 24, 1659.
 † — — — Schk. Handb. 180.
 — — — Sv. Bot. 214.
 — — — Liboschitz Petersb. 9.
 † — — — Spach Suites 54.
 — — — Rchb. Fl. germ. 2, 5.
 — — — Dietr. Fl. bor. 12, 825.
 † — — — Nees Gen. X, x.
 — *brachypetalum* Jord. Jordan Obs. 3, 1.
 † — *brevistylum* Jord. Jordan Obs. 3, 1^b.
 † — *Bursa pastoris* L. Gaertn. Carp. 141.
 — — — Curt. Lond. 2, 92.
 — — — Engl. Bot. 21, 1485.
 — — — Lam. Encycl. 557.
 — — — Rousseau Bot. 13.
 — — — Fl. dan. 5, 729.
 — — — Sv. Bot. 273.
 † — — — Schk. Handb. 180.
 — *campestre* L. Fl. dan. 7, 1221.
 — — — Engl. Bot. 20, 1385.
 † — — — Schk. Handb. 180.
 — *carneum* Russell. Russell Aleppo 11.
 — *cepeaeifolium* Koch. Rchb. Fl. germ. 2, 6.
 — *ceratocarpon* Murr. Nov. Comm. Gott. 5, 1.
 — *cochleariforme* DC. Delessert Ic. 2, 52.
 — *cordatum* Desf. Ann. Mus. 11, 39.
 — — — Desf. Choix 52.
 — *corymbosum* Gay. Rchb. Fl. germ. 2, 6.
 — *Gaudinianum* Jord. Jordan Obs. 3, 1^b.
 † — *hirtum* L. Medikus Gattungen 2.
 — — — Engl. Bot. 26, 1803.
 — *latifolium* M. v. B. Delessert Ic. 2, 51.
 — *minimum* Ard. Arduino Anim. 2, 15.
 — *montanum* L. Jacq. Fl. austr. 3, 237.
 — — — Sturm Flora 15, 65.
 † — — — Schk. Handb. 180.
 — — — Rchb. Fl. germ. 2, 5.
 † — — — Jordan Obs. 3, 1^b.
 — *occitanicum* Jord. Jordan Obs. 3, 1^b.
 — *perfoliatum* L. Jacq. Fl. austr. 4, 337.
 — — — Curt. Lond. 4, 46.

- Thlaspi perfoliatum* L. Engl. Bot. 33, 2354.
 — — — Baxter Brit. Bot. 3, 240.
 — — — Sturm Flora 15, 65.
 — — — Rchb. Fl. germ. 2, 5.
 — — — Dietr. Fl. bor. 7, 451.
 † — — — Jordan Obs. 3, 1^b.
 — *praecox* Wulf. Jacq. Collect. 2, 9.
 — — — Sturm Flora 15, 65.
 — — — Rchb. Fl. germ. 2, 5.
 † — — — Jordan Obs. 3, 1^b.
 — *procumbens* Wallr. Walroth Schedulae 3.
 — *Prolongi* Boiss. Boissier Esp. 14^a.
 — *rivale* Presl. Moris Fl. sard. 9.
 — *rotundifolium* Gaud. Sturm Flora 5, 20.
 — — — Rchb. Fl. germ. 2, 6.
 † — *saxatile* L. Medikus Gattungen 2.
 — — — Jacq. Fl. austr. 3, 236.
 † — — — Schk. Handb. 180.
 — *silvestre* Jord. Jordan Obs. 3, 1.
 — *stylosum* Ten. Rchb. Fl. germ. 2, 6.
 — *sylvium* Gaud. Rchb. Fl. germ. 2, 6.
 † — — — Jordan Obs. 3, 1^b.
 — *virens* Jord. Jordan Obs. 3, 1^b.
 † *Thlaspidium* Med. Medikus Gattungen 1.
Thoa edulis Willd. Rumpf Amb. 5, 8.
 — *urens* Aubl. Aublet Guiana 336.
 — — — Lam. Encycl. 784.
Thomasia foliosa Gay. Mem. Mus. 7, 22.
 † — *purpurea* Gay. Mem. Mus. 7, 21.
 † — *solanacea* Gay. Mem. Mus. 7, 21.
 — — — Dict. sc. nat. 141.
 — *stipulacea* Ldl. Bot. Mag. 70, 4111.
Thomsonia napalensis Wall. Wall. Pl. asiat. 99.
Thonningia sanguinea Vahl. Skrifter nat. Selsk. 1810, 6.
 † *Thottea grandiflora* Griff. Linn. Transact. 19, 36.
Thouarea sarmentosa Pers. Humb. Gram. 35.
Thouinia decandra H. B. Humb. Pl. aeq. 56.
 — — — Lam. Encycl. 943.
 — *dioica* N. et M. Acta Leop. 12. 1, 4.
 — *pinnata* Turp. Ann. Mus. 5, 26.
 — *simplicifolia* Poit. Ann. Mus. 3, 6.
 — — — Dict. sc. nat. 171.
 — *spectabilis* Sm. Smith Icones Linn. 7.
 — *trifoliata* Poit. Ann. Mus. 5, 27.
 † — — — Mem. Mus. 18, 1.
Thrasya hirsuta N. v. E. Humb. Gram. 102.
 — *paspaloides* H. B. K. H. B. K. Nov. Gen. 1, 39.
 † — — — Lam. Encycl. 909.
 † *Thrinax* L. fil. Swartz Fl. Ind. occ. 13.
 — *argentea* Mart. Mart. Palm. 163.
 — *brasiliensis* Mart. Mart. Palm. 104.
 — *Chuco* Mart. D'Orbigny Voyage 8. 25.
 — *multiflora* Mart. Mart. Palm. 103. 163.
Thrinicia hirta Roth. Curt. Lond. 3, 73.
 — — — Baxter Brit. Bot. 5, 323.
 — — — Rchb. Ic. crit. 8, 749.
 † — — — Mutel Fl. fr. 35.
 — — — Dietr. Fl. bor. 9, 637.
 — *hispida* Roth. Rchb. Ic. crit. 8, 748.
 † — — — Mutel Fl. fr. 35.
 — *Leysseri* Wallr. Rchb. Ic. crit. 8, 747.
 — *psilocalyx* Lag. Rchb. Ic. crit. 8, 749.
 — *nudicaulis* Lowe. Seubert Fl. azor. 12.
Thryallis brachystachys Ldl. Bot. Reg. 14, 1162.
 † — — — Arch. Mus. 3, 10.
 — *latifolia* Mart. Mart. Bras. 231.
 † — — — Arch. Mus. 3, 10.
 — *longifolia* Mart. Mart. Bras. 230.
 † *Thryocephalon* Forst. Forster Char. 65.
Thryptomene micrantha Hook. fil. Hook. Journ. 1853, 8.
Thuja andina P. et E. Poepp. et Endl. 220.
 — *articulata* Vahl. Vahl Symbolae 48.

- Thuja articulata* Vahl. Berl. Jahrbuch 1801, 2.
 — — — Desf. Fl. atl. 252.
 — — — Nouveau Duhamel 3, 5.
 — — — Nees Düssel. 85.
 — — — Guimpel et Schl. 204.
 — — — Lodd. Cab. 844.
 — chilensis Hook. Hook. Journal 1843, 4.
 — dolabrata L. Lambert Pinus 2, app. 1.
 — Doniana Hook. Hook. Journal 1842, 18.
 — filiformis Lodd. Bot. Reg. 28, 20.
 † gigantea Decne. Fl. d. serres 9, 334^b.
 — javanica Burm. Burmann Fl. ind. 64.
 — occidentalis L. Michaux Arb. 3, 3.
 — — — Schk. Handb. 309.
 — — — Nouveau Duhamel 3, 4.
 — — — Watson Dendr. 2, 150.
 † — — — Gaertn. Carp. 91.
 † — — — Richard Conif. 7.
 † — — — Lam. Encycl. 787.
 † — — — Ann. sc. nat. II. 20, 10.
 † — — — Nees Gen. 4, 11.
 — orientalis L. Schk. Handb. 309.
 — — — Watson Dendr. 2, 149.
 — — — Sieb. Fl. Japon. 118.
 † — — — Lam. Encycl. 787.
 † — — — Gaertn. Carp. 91.
 † — — — Richard Conif. 7, 23.
 † — — — Ann. sc. nat. II. 20, 10.
 † — — — Ann. sc. nat. III. 11, 6.
 † — — — Hofmeister Untersuchungen 33.
 † — — — Nees Gen. 4, 11.
 — pendula Don. Pinetum Woburnense 63.
 — — — Lambert Pinus 2, 0.
 — — — Sieb. Fl. Japon. 117.
 — pyramidalis Ten. Acad. Neap. 3, 2.
 † sphaeroidalis Rich. Richard Conif. 8.
 — tetragona Hook. Hook. Journal 1844, 4.
Thujaecarpus juniperinus Trautv. Trautvetter Imag. 6.
Thujopsis dolabrata S. et Z. Sieb. Fl. Japon. 119—120.
 † *Thunbergia* L. Kerner Genera 38.
 — alata Sims. Bot. Mag. 52, 2591.
 — — — Bot. Mag. 63, 3512.
 — — — Lodd. Cab. 1045.
 — — — Hook. Exot. Fl. 177.
 — — — Maund Bot. 5, 238.
 — — — Paxt. Mag. 2, 2, 3, 28.
 — — — var. alba, Sweet Fl. G. II. 392.
 — — — var. Doddsii, Annal. de Gand 1848, 229.
 — — — var. Doddsii, Fl. d. serres 4, 415.
 — — — Kerner Hort. 801.
 — — — Rchb. Exot. 169.
 — angulata H. et B. Hook. Exot. Fl. 166.
 — — — Lodd. Cab. 1044.
 — aurantiaca Part. Paxt. Mag. 6, 269.
 † capensis L. fil. Gaertn. Carp. 183.
 — — — Lam. Encycl. 549.
 — — — Lodd. Cab. 1529.
 — chrysops Hook. Bot. Mag. 70, 4119.
 — — — Paxt. Mag. 11, 221.
 — — — Fl. d. serres I, 5.
 — coccinea Wall. Wallich Tentamen 37.
 — — — Hook. Exot. Fl. 195.
 — — — Lodd. Cab. 1195.
 — cordata Colla. Colla Hort. Rip. 21.
 — Doddsii Hort. Paxt. Mag. 15, 221.
 — ? fastuosa Van H. Van Houtte Hortus 2.
 — fragrans Roxb. Roxb. Corom. 67.
 — — — Lam. Encycl. 549.
 — — — Kerner Hort. 74.
 — — — Bot. Mag. 44, 1881.
 — — — Andr. Rep. 2, 123.
 — — — Lodd. Cab. 1913.

- Thunbergia fragrans* Roxb. Herb. amat. 4, 226.
 — grandiflora Roxb. Lodd. Cab. 324.
 — — — Bot. Mag. 50, 2366.
 — — — Bot. Reg. 6, 495.
 — — — Maund Bot. 2, 76.
 — — — Paxt. Mag. 7, 221.
 — — — Rchb. Exot. 169.
 — — — Wight Ic. pl. Ind. or. 3, 872.
 — Hawtayneana Wall. Wall. Pl. asiat. 164.
 — — — Paxt. Mag. 6, 147.
 † — javanica Gaertn. Gaertn. Carp. 183.
Thymbra ciliata Desf. Desf. Fl. atl. 122.
 — spicata L. Sibth. Fl. gr. 546.
 — — — Lam. Encycl. 512.
Thymelaea Cneorum All. Rchb. Fl. germ. 11, 551.
 — dioica All. Rchb. Fl. germ. 11, 551.
 † — Mezereum All. Gaertn. Carp. 39.
 — Tartonraira All. Rchb. Fl. germ. 11, 552.
 † *Thymelina simplex* Hoffm. Hoffmannsegg Verz. 1824, 1.
Thymophylla Greggii Gray. Smiths. Contrib. 3, 7.
Thymopsis aspera Jaub. Jaubert Illustr. 37.
 † *Thymus* L. Schk. Handb. 164.
 — acicularis W. et K. W. et Kit. 147.
 — acinoides Ten. Tenore Fl. nap. 155.
 — Acinos L. Fl. dan. 5, 814.
 — — — var. villosus, Fl. dan. 11, 1822.
 — — — Engl. Bot. 6, 411.
 — — — Curt. Lond. I, 107.
 — — — Schrank Fl. monac. 3, 241.
 — albicans Link et H. Hoffm. et Link Fl. port. 11.
 — — — Brotero Phytogr. 116.
 — alpinus L. Jacq. Fl. austr. I, 97.
 — — — Sturm Flora 13, 51.
 — — — Bot. Mag. 47, 2153.
 — angustifolius Pers. Nees Düssel. 180.
 — azoricus Lodd. Lodd. Cab. 1530.
 — bracteosus Vis. Visiani Dalm. 20.
 — Broussonetii Boiss. Boissier Esp. 141.
 — caespititius Brot. Brotero Phytogr. 11.
 — — — Hoffm. et Link Fl. port. 18.
 — Calamintha Scop. Engl. Bot. 24, 1676.
 — capitellatus Lk et H. Hoffm. et Link Fl. port. 12.
 — — — Brotero Phytogr. 117.
 — carnosus Boiss. Boissier Esp. 139.
 — cephalotes L. Hoffm. et Link Fl. port. 13.
 — — — Brotero Phytogr. 118.
 — Chamaedrys Fries. Fl. dan. 13, 2237.
 — citriodorus Schreber. Dietr. Fl. bor. 5, 339.
 — corsicus Pers. Loiseleur Fl. gall. 9.
 — creticus Brot. Brotero Phytogr. 12.
 — debilis Led. Ledeb. Ic. 438.
 — exiguus Sm. Sibth. Fl. gr. 575.
 — exserens Ehrh. Dietr. Fl. bor. 5, 337.
 — glabratus Link et H. Hoffm. et Link Fl. port. 15.
 — — — Brotero Phytogr. 120.
 — granatensis Boiss. Boissier Esp. 140.
 — grandiflorus Sims. Bot. Mag. 25, 997.
 — graveolens Sibth. Sibth. Fl. gr. 576.
 — — M. v. B. Marschall Cent. 38.
 — herba barona Lois. Loiseleur Fl. gall. 9.
 — hirtus Viv. Viviani Lib. 14.
 — — Willd. Boissier Esp. 138.
 — incanus Sm. Sibth. Fl. gr. 577.
 — inodorus Desf. Desf. Fl. atl. 129.
 — lanceolatus Desf. Desf. Fl. atl. 128.
 — lanuginosus Schk. Dietr. Fl. bor. 5, 340.
 — latifolius Noë. Explor. Alger. 66.
 — longiflorus Boiss. Boissier Esp. 142.
 — lusitanicus Boiss. Boissier Esp. 139.
 — Mastichina L. Schk. Handb. 164.
 — membranaceus Boiss. Boissier Esp. 143.
 — micranthus Brot. Brotero Phytogr. 13.

- Thymus Monardi* Noë. Explor. Alger. 66.
 — *montanus* W. et K. W. et Kit. 71.
 — *Nepeta* Sm. Engl. Bot. 20, 1414.
 — — Curt. Lond. 1, 96.
 — *numulariaefolius* Lois. Loiseleur Fl. gall. 9.
 — *numularius* M. v. B. Bot. Mag. 53, 2666.
 — *origanoides* Webb. Webb Canar. 152.
 — *pallascens* Noë. Explor. Alger. 66.
 — *pannonicus* All. Sturm Flora 16, 70.
 — — Dietr. Fl. bor. 5, 341.
 — *patavinus* Jacq. Jacq. Observ. 87.
 — — Lodd. Cab. 499.
 — *Piperella* L. Allione Fl. ped. 3, 37.
 — — W. et Kit. 156.
 — *punctatus* Vis. Mem. Ist. ven. 1, 2.
 — *Serpyllum* L. Fl. dan. 7, 1165.
 — — Sv. Bot. 320.
 — — Lam. Encycl. 512.
 — — Woodv. Med. 2, 126.
 — — Curt. Lond. 3, 50.
 — — Engl. Bot. 22, 1514.
 — — Baxter Brit. Bot. 2, 127.
 — — Sturm Flora 2, 5, 16, 70.
 — — Schrank Fl. monac. 4, 342.
 — — Hayne 11, 1.
 — — Nees Düsseld. 180.
 — — Guimpel et Schl. 115.
 — — Wagner 19.
 — — Dietr. Fl. bor. 5, 338.
 — — Nees Gen. 6, 16.
 † — *silvestris* Lk et H. Hoffm. et Link Fl. port. 16.
 — — Brotero Phytogr. 121.
 — *striatus* Vahl. Munby Fl. d'Algérie 4.
 — *subcordatus* Vis. Visiani Dalm. 19.
 — *tenuifolius* Mill. Boissier Esp. 137.
 — *Tragoriganum* L. Rivinus Opus ined. 22.
 — *variabilis* Lk et H. Hoffm. et Link Fl. port. 17.
 — — Brotero Phytogr. 122.
 — *villosus* L. Hoffm. et Link Fl. port. 14.
 — — Brotero Phytogr. 119.
 — — Sibth. Fl. gr. 578.
 — *virgatus* Ten. Tenore Fl. nap. 155.
 — *vulgaris* L. Woodv. Med. 2, 125.
 — — Hayne 11, 2.
 — — Nees Düsseld. 181.
 — — Guimpel et Schl. 116.
 — *Zygis* L. Viviani Fl. ital. 8.
 — — Sibth. Fl. gr. 574.
Thysacanthus barlerioides N. v. E. Endl. Bras. 7, 13.
 — *bracteolatus* N. v. E. Bot. Mag. 75, 4441.
 — *embelioides* DC. Delessert Ic. 5, 48.
 — *lilacinus* N. v. E. Paxt. Fl. G. 63.
 — — Lem. Jard. fl. 165.
 — *ramosissimus* Moric. Moricand Pl. Am. 96.
 — *rutilans* Planch. Fl. d. serres 7, 732.
 — *strictus* N. v. E. Bot. Mag. 74, 4378.
 † *Thysane Hypocistis Gleditsch.* Mem. Ac. Berl. 1764, x.
Thysopteris elegans Kze. Kunze Fil. 1.
 † — — Hook. Gen. Fil. 44.
Thysanachne scoparia Presl. Presl Symbolae 6.
Thysanocarpus curvipes Hook. Hook. Bor. Am. 18.
 — *pusillus* Hook. Hook. Ic. pl. 1, 42.
Thysanotus intricatus Ldl. Bot. Reg. 26, 4.
 — — Paxt. Mag. 6, 243.
 — *isantherus* R. Br. Bot. Reg. 8, 655.
 — *juncus* R. Br. Bot. Reg. 8, 656.
 — — Bot. Mag. 49, 2351.
 — — Lodd. Cab. 1956.
 — *proliferus* Ldl. Bot. Reg. 24, 8.
 — — Maund Bot. 4, 187.
 — — Paxt. Mag. 7, 29.
 — — Lem. Jard. fl. 4, 406.

- Thysanotus tenuis* Ldl. Bot. Reg. 24, 50.
 — — — Lem. Jard. fl. 4, 402.
Thysantha subulata Hook. Hook. Ic. pl. 6, 590.
Tiarella biternata Vent. Vent. Malm. 54.
 — *cordifolia* L. Bot. Mag. 38, 1589.
 — — — Lam. Encycl. 373.
 — *laciniata* Hook. Hook. Bor. Am. 77.
 — *unifoliata* Hook. Hook. Bor. Am. 81.
Tiaridium elongatum Lehm. Lehmann Asperif. 6.
 † — — — Linnaea 4, 5.
 † — *indicum* Lehm. Linnaea 4, 5.
 — — — Wight Illustr. 171.
 — *velutinum*? Lehm. Rheede Hort. mal. 10, 48.
Tibouchina aspera Aubl. Aublet Guiana 177.
 † *Ticanto Naja* Med. Medikus Theodora 3.
Ticorea febrifuga St. Hil. St. Hil. Pl. usuelles 16.
 — *foetida* Aubl. Aublet Guiana 277.
 — — — Cav. Diss. 206.
 † — *jasminiflora* St. Hil. Mem. Mus. 10, 20.
 † — — — St. Hil. Pl. rem. 14.
 — *longiflora* DC. Mem. Mus. 9, 9.
 † — — — Mem. Mus. 12, 23.
 — *nitida* Presl. Presl Symbolae 17.
 — *pedicellata* DC. Mem. Mus. 9, 8.
Tiedemannia teretifolia DC. DC. Ombelliferae 12.
Tigarea aspera Aubl. Aublet Guiana 350.
 — — — Lam. Encycl. 826.
 — — — Desc. Ant. 7, 459.
 — *dentata* Aubl. Aublet Guiana 351.
 — *tridentata* Pursh. Pursh Fl. 15.
Tigilium Klotzschianum Wight. Wight Ic. pl. 5, 1914.
 † *Tigridia* Juss. Kerner Genera 3.
 — *coelestis* Hort. Fl. d. serres 4, 395.
 — *conchiflora* Sweet. Sweet Fl. G. 128.
 — — — Paxt. Mag. 14, 53.
 — — — Annales de Gand 1847, 145.
 — — — Fl. d. serres 9, 908—910.
 — *Herbertiana* Herb. Bot. Reg. 13, 1090.
 — — — Bot. Mag. 52, 2599.
 — *lutea* Link et Kl. Link Ic. III. 33.
 — *Pavonia* Pers. Red. Lil. 1, 6.
 — — — Tratt. Thes. 80.
 — — — Tratt. Archiv 301. 301^a.
 — — — Herb. amat. 1, 29.
 — — — Lodd. Cab. 1424.
 — — — var. *speciosa*, Fl. d. serres 9, 908—910.
 — *pavonio* - *conchiflora* Morr. Annales de Gand 1847, 145.
 — *violacea* Schiede. Link Ic. III. 20.
 † *Tilia* L. Ann. sc. nat. II. 2, 15.
 † — — (Inflorescentia.) Ann. sc. nat. III. 5, 10.
 † — — — Ann. sc. nat. III. 8, 21. 22.
 † — — — Ann. sc. nat. III. 19, 3. 4.
 † — — Gray Genera 136.
 — *alba* Michx. Michaux Arb. 3, 2.
 — — — W. et K. W. et Kit. 3.
 — — — Willd. Jacq. Schoenbr. 3, 283.
 — — — Watson Dendr. 1, 71.
 — — — Dict. sc. nat. 147.
 — *americana* L. Michaux Arb. 3, 1.
 — — — Watson Dendr. 2, 134.
 — — — Gray Genera 136.
 † — — — Payer Organogénie 4.
 — *apiculata* Court. Acad. Brux. 9, 4.
 — *argentea* Desf. Rchb. Fl. germ. 6, 324.
 — *bicuspidata* Court. Acad. Brux. 9, 3.
 — *corallina* Sm. Acad. Brux. 9, 4.
 — — — Rchb. Fl. germ. 6, 323.
 — *corylifolia* Host. Rchb. Fl. germ. 6, 319.
 — *cucullata* Jacq. Jacq. Fragn. 11.
 — *europaea* L. Fl. dan. 4, 553.
 — — — Engl. Bot. 9, 610.

- Tilia europaea* L. Baxter Brit. Bot. 4, 293.
 — — — Sv. Bot. 40.
 † — — — Gaertn. Carp. 113.
 — — — $\alpha. \beta. \gamma.$ Hartig 100—102.
 — — — Schrank Fl. monac. 1, 14.
 — — — Curt. Lond. 5, 190.
 — — — Nees Düssel. 427.
 — — — Wagner 87.
 — floribunda A. Br. Rchb. Fl. germ. 6, 314.
 — glabra Vent. Guimpel Fr. Holzgew. 45.
 — — — Mem. Instit. 4, 2.
 † — grandifolia Ehrh. Schk. Handb. 141.
 — — — Engl. Bot. 2720.
 — — — Dietr. Fl. bor. 12, 831.
 — heterophylla Vent. Mem. Instit. 4, 5.
 — intermedia DC. Rchb. Fl. germ. 6, 313.
 — latebracteata Host. Rchb. Fl. germ. 6, 320.
 — macropoda Court. Acad. Brux. 9, 1.
 — microphylla Vent. Mem. Instit. 4, 1.
 — mutabilis Host. Rchb. Fl. germ. 6, 320.
 — obliqua Host. Rchb. Fl. germ. 6, 322.
 — — — Court. Acad. Brux. 9, 3.
 — oblongata Court. Acad. Brux. 9, 2.
 — pallida Wierzb. Rchb. Fl. germ. 6, 315.
 — parvifolia Ehrh. Engl. Bot. 24, 1703.
 — — — Schk. Handb. 111.
 — — — Hayne 3, 46.
 — — — Acad. Brux. 9, 1.
 — — — Rchb. Fl. germ. 6, 311. 312. 314.
 — pauciflora Hayne. Hayne 3, 48.
 — platyphyllos Scop. Nouveau Duhamel 1, 50.
 † — — — Lam. Encycl. 467.
 — — — Mem. Instit. 4, 1.
 † — — — Ann. sc. nat. III. 19, 4.
 — — — Rchb. Fl. germ. 6, 316—318.
 — platyptera Court. Acad. Brux. 9, 1.
 — praecox Host. Rchb. Fl. germ. 6, 321.
 — pubescens Ait. Michaux Arb. 3, 3.
 — — — Nouveau Duhamel 1, 51.
 — — — Mem. Instit. 4, 3.
 — — — Watson Dendr. 2, 135.
 — pyramidalis Host. Rchb. Fl. germ. 6, 323.
 — rotundifolia Vent. Mem. Instit. 4, 4.
 — — — Nouveau Duhamel 1, 52.
 — tenuifolia Host. Rchb. Fl. germ. 6, 321.
 — vitifolia Host. Rchb. Fl. germ. 6, 319.
 — vulgaris Hayne. Hayne 3, 47.
 — — — Acad. Brux. 9, 2.
 — — — Dietr. Fl. bor. 12, 832.
 † Tiliaceae Juss. Payer Organogénie 4. 5.
 Tillaea aquatica L. Lam. Encycl. 90.
 — — — Usteri Annalen 2, 3. 12, 1.
 — — — Sv. Bot. 724.
 — — — Gmelin Fl. bad. 1, 1.
 — connata R. et P. Ruiz et Pav. Fl. 106.
 — — — Ives Description 1817, x.
 — macrantha J. Hook. Hook. Ic. pl. 4, 310.
 — moschata DC. Hook. Ic. pl. 6, 535.
 † — muscosa L. Gaertn. Carp. 112.
 — — — Lam. Encycl. 90.
 — — — DC. Plantes grasses 73.
 — — — Engl. Bot. 2, 116.
 — — — Baxter Brit. Bot. 5, 380.
 — — — Rchb. Ic. crit. 2, 191.
 — prostrata Schk. Fl. dan. 9, 1510.
 — verticillaris DC. Hook. Ic. pl. 3, 295.
 † Tillandsia L. Schnizl. Iconogr. 1, 65.
 — acaulis Ldl. Bot. Reg. 14, 1157.
 — aloifolia Hook. Hook. Exot. Fl. 203.
 — — — Kerner Hort. 822.
 — amoena Lodd. Lodd. Cab. 76.
 — anceps Lodd. Lodd. Cab. 771.

- Tillandsia azurea* Presl. Presl Reliq. 24.
 — bicolor Brongn. Brongniart Coquille 36.
 — — — Schnizl. Iconogr. 1, 65.
 — biflora R. et P. Ruiz et Pav. Fl. 268.
 — bromeliaefolia Rudge. Rudge Pl. Guianae 50.
 — bulbosa Hook. Hook. Exot. Fl. 173.
 — — — var. Bot. Mag. 73, 4288.
 — — — Annales de Gand 1847, 142.
 — — — Fl. d. serres 3, 221.
 — capillaris R. et P. Ruiz et Pav. Fl. 271.
 — dianthoidea Ten. Acad. Neap. 5, 1.
 — flexuosa Sw. Kerner Hort. 368.
 — — — $\gamma.$ pallida, Bot. Reg. 9, 749.
 — havanensis Jacq. Jacq. Hist. stirp. am. 24.
 — Kunthiana Gaudich. Gaudichaud Bonite 53.
 — lingulata L. Jacq. Hist. stirp. am. 92.
 — — — Kerner Hort. 274.
 — maculata R. et P. Ruiz et Pav. Fl. 267.
 — — — Kerner Hort. 515.
 — nitida Hook. Hook. Exot. Fl. 218.
 — parviflora R. et P. Ruiz et Pav. Fl. 269.
 — psittacina Hook. Bot. Mag. 55, 2841.
 — — — Rchb. Exot. 187.
 — pulchra Hook. Hook. Exot. Fl. 154.
 — purpurea R. et P. Ruiz et Pav. Fl. 270.
 — recurvata R. et P. Ruiz et Pav. Fl. 271.
 — rosea Ldl. Bot. Reg. 16, 1357.
 — rubida Ldl. Bot. Reg. 28, 63.
 — rubra R. et P. Ruiz et Pav. Fl. 266.
 † serrata L. Lam. Encycl. 224.
 — sessiliflora R. et P. Ruiz et Pav. Fl. 271.
 — setacea Sw. Bot. Mag. 60, 3275.
 — splendens Brongn. Fl. d. serres 2, 43.
 — stricta Soland. Bot. Mag. 37, 1529.
 — — — Bot. Reg. 16, 1338.
 — — — Paxt. Mag. 15, 125.
 — — — Rchb. Exot. 41.
 — tenuifolia Jacq. Jacq. Hist. stirp. am. 93.
 — tetrantha R. et P. Ruiz et Pav. Fl. 265.
 — usneoides L. Lam. Encycl. 224.
 — virescens R. et P. Ruiz et Pav. Fl. 270.
 — vitellina Link et Kl. Link Ic. III. 40.
 — xiphioides Ker. Bot. Reg. 2, 105.
 Timaeosia cerastoides Klotzsch. Prinz Waldem. Him. 33.
 Timonius Rumphii DC. Rumpf Amb. 3, 140.
 Tithonia ovata Hook. Bot. Mag. 68, 3901.
 — tagetiflora Desf. Ann. Mus. 1, 4.
 † — — — Lam. Encycl. 708.
 — — — Bot. Reg. 7, 591.
 — tubaeformis Cuss. Bot. Reg. 18, 1519.
 † Tithymalus Peplus Gaertn. Gaertn. Carp. 107.
 — pilosus L. Scopoli Fl. carn. 1, 21.
 — Segueri Scop. Scopoli Fl. carn. 1, 20.
 † Tittmannia lateriflora Ad. Br. Ann. sc. nat. 8, 38.
 — viscosa Rchb. Rchb. Hortus 38.
 Tmesipteris tannensis Lab. Bill. Nov. Holl. 252.
 — — — Schk. Fil. 163^b.
 — — — Dict. sc. nat. 80.
 † — truncata Bernh. Hook. Gen. Fil. 86.
 Tococa bullifera Mart. Mart. Bras. 277.
 — formicaria Mart. Mart. Bras. 278.
 — guianensis Aubl. Aublet Guiana 174.
 † — macroptera Naud. Ann. sc. nat. III. 18, 3.
 — macrosperma Mart. Mart. Bras. 279.
 † — Weddellii Naud. Ann. sc. nat. III. 18, 3.
 Tocoyna foetida P. et E. Poepp. et Endl. 229.
 — hirsuta Moric. Moricand Pl. Am. 56.
 † — latifolia Lam. Lam. Encycl. 163.
 — longiflora Aubl. Aublet Guiana 50.
 † — — — Gaertn. Carp. 190.
 † — — — Lam. Encycl. 163.
 † Toddalia aculeata Pers. Mem. Mus. 12, 26.

- Toddalia aculeata Pers.* Wight Illustr. 66.
 — *asiatica Lam.* Rheede Hort. mal. 5, 41.
 — — *Lam. Encycl.* 139.
 — *nitida Lam.* *Lam. Encycl.* 139.
 † *Todea Willd.* Kaulfuss Enumeratio 1.
 — *africana Willd.* Willdenow Farnk. 3.
 † — — *Svensk Acad.* 1804, 5.
 † — — *Hook. Gen. Fil.* 46.
 — *Fraseri Hook.* *Hook. Ic. Fil.* 1, 101.
 † — *hymenophylloides Rich.* *Hook. Gen. Fil.* 46.
 — *pellucida Carm.* *Hook. Ic. pl.* 1, 8.
 — *rivularis Sieb.* Kunze Analecta 4.
Tofieldia alpina Sternb. et H. Regensb. Denkschr. 1, 2.
 — *anthericoides Schrk.* Schrank Fl. monac. 3, 210.
 — *borealis Wahlb.* Sv. Bot. 482.
 — — *Sturm Flora* 18, 78.
 — — *Rchb. Fl. germ.* 10, 420.
 — *calyculata Wahlb.* Sv. Bot. 482.
 — — *Sturm Flora* 18, 78.
 — — *Dietr. Fl. bor.* 1, 29.
 — — *Rchb. Fl. germ.* 10, 420.
 † — — *Nees Gen.* 2, 31.
 — *coccinea Richardson.* *Hook. Beechey* 29⁴.
 — *glacialis Gaud.* *Sturm Flora* 18, 78.
 — *glutinosa Sm.* *Linn. Transact.* 12, 8.
 — — *Pursh.* *Hook. Bor. Am.* 191.
 — *palustris Huds.* *Curt. Lond.* 4, 100.
 — — *Engl. Bot.* 8, 536.
 — — *Baxter Brit. Bot.* 3, 227.
 — — *Red. Lil.* 5, 256.
 — — *Regensb. Denkschr.* 1, 2.
 — — *var. Flora* 1821, 1.
 — *pubens Dryand.* *Bot. Mag.* 67, 3859.
 — *pubescens Pers.* *Red. Lil.* 6, 324.
 — *sessiliflora Hook.* *Hook. Ic. pl.* 7, 691.
 — *stenopetala Sm.* *Linn. Transact.* 12, 8.
Tolpis Gaertn. Bivona Monografia 1—5. (non vidi.)
 † — *barbata Gaertn.* *Gaertn. Carp.* 160.
 † — — *Lam. Encycl.* 651.
 — *crinita Lous.* *Transact. Cambr. Soc.* 4, 2.
 — *fruticosa Schrank.* *Schrank Hort. monac.* 46.
 — *grandiflora Ten.* *Tenore Fl. nap.* 186.
 — *lagopoda Chr. Smith.* *Webb Canar.* 120.
 — *nobilis Hochst.* *Seubert Fl. axor.* 11.
 — *quadriaristata Biv.* *Sibth. Fl. gr.* 810.
 — *Webbii Sch. Bip.* *Webb Canar.* 122.
Toluifera Balsamum Mill. *Woodv. Med.* 3, 215.
Tomex dubia Jacq. *Jacq. Vind.* 191.
 — *glabra Forsk.* *Ehrenberg Symbolae* 3.
 — *japonica Thunb.* *Thunberg Ic. jap.* 27.
Tonabea dentata Juss. *Lam. Encycl.* 456.
 — *punctata Juss.* *Lam. Encycl.* 456.
Tonina fluviatilis Aubl. *Aublet Guiana* 330.
 † — — *Ann. sc. nat.* 13, 5.
 † — — *Lam. Encycl.* 772.
 — — *Acta Leop.* 17, 1, 4.
Tontanea guianensis Aubl. *Aublet Guiana* 42.
 — — *Lam. Encycl.* 64.
Tontelea scandens Aubl. *Aublet Guiana* 10.
 — — *Lam. Encycl.* 26.
Topoea parasitica Aubl. *Aublet Guiana* 189.
 † — *stephanochaeta Naud.* *Ann. sc. nat.* III, 18, 6.
 † *Tordylium aegyptiacum Lam.* *Lam. Encycl.* 193.
 — *Anthriscus L.* *Fl. dan.* 6, 919.
 — — *Jacq. Fl. austr.* 3, 261.
 — *apulum L.* *Jacq. Vind.* 53.
 — *Aucherii Jamb.* *Jaubert Illustr.* 237.
 — *humile Desf.* *Desf. Fl. atl.* 58.
 — *maximum L.* *Curt. Lond.* 5, 200.
 — — *Engl. Bot.* 17, 1173.
 — — *Baxter Brit. Bot.* 6, 443.
 — — *Jacq. Fl. austr.* 2, 142.

- Tordylium maximum L.* *Dietr. Fl. bor.* 11, 746.
 — *nodosum L.* *Jacq. Fl. austr.* 5, 24.
 — *officinale L.* *Schk. Handb.* 60.
 — — *Sibth. Fl. gr.* 267.
 — — *Engl. Bot.* 34, 2440.
 — — *Portenschlag Dalm.* 3.
 — *peregrinum L.* *Brotero Phytogr.* 40.
 — *siifolium Scop.* *Scopoli Fl. carn.* 1, 8.
 — *syriacum L.* *Jacq. Vind.* 54.
 † — — *Gaertn. Carp.* 21.
 † — — *Lam. Encycl.* 193.
 † *Torenia asiatica L.* *Gaertn. Carp.* 184.
 † — — *Lam. Encycl.* 523.
 — — *Bot. Mag.* 72, 4219.
 — — *var. Paxt. Mag.* 15, 197.
 — — *Fl. d. serres* 2, 157.
 — — *Wight Ic. pl. Ind. or.* 3, 862.
 — *colorans Morr.* *Annales de Gand* 1846, 94.
 — *concolor Ldl.* *Bot. Reg.* 32, 62.
 — *cordifolia Roxb.* *Roxb. Corom.* 161.
 — — *Bot. Mag.* 66, 3715.
 — *edentula Benth.* *Bot. Mag.* 72, 4229.
 — *hians Roxb.* *Rheede Hort. mal.* 9, 53.
 — *hirsuta Lam.* *Lam. Encycl.* 523.
 — *longiflora Morr.* *Annales de Gand* 1846, 94.
 — *minuta Bl.* *Rheede Hort. mal.* 10, 50.
 — *scabra Grak.* *Bot. Mag.* 58, 3104.
 — — *Lodd. Cab.* 1990.
 — — *Paxt. Mag.* 9, 53.
 † — — *Morren Fuchsia* 4.
 † *Torilis Anthriscus Gaertn.* *Gaertn. Carp.* 20.
 — — *Sv. Bot.* 759.
 — — *Baxter Brit. Bot.* 5, 347.
 — — *Dietr. Fl. bor.* 10, 700.
 † — — *Engelmann Anthol.* 5.
 — *helvetica Gmel.* *Dietr. Fl. bor.* 11, 752.
 — — *Sturm Flora* 20, 93.
 † — *macrocarpa Gaertn.* *Gaertn. Carp.* 20.
 † — *nodosa Gaertn.* *Gaertn. Carp.* 20.
 † — — *Comm. Gott. rec.* 2, 1.
Tormentilla erecta L. *Fl. dan.* 4, 589.
 — — *Woodv. Med.* 3, 182.
 — — *Sv. Bot.* 19.
 — — *Liboschitz Petersb.* 10.
 — — *Lam. Encycl.* 444.
 — — *Schk. Handb.* 136.
 — — *Hayne* 2, 48.
 — — *Sturm Flora* 9, 34.
 — — *Nees Düssel.* 308.
 — — *Guimpel et Schl.* 91.
 — — *Wagner* 186.
 — — *Dietr. Fl. bor.* 3, 173.
 — *officinalis Curt.* *Curt. Lond.* 3, 13.
 — — *Engl. Bot.* 12, 863.
 — — *Baxter Brit. Bot.* 5, 341.
 — *reptans L.* *Fl. dan.* 7, 1217.
 — — *Engl. Bot.* 12, 864.
 — — *Dietr. Fl. bor.* 3, 172.
Tornasinia ebenifera Bert. *Novi Comm. Bon.* 9, 32, 33.
Torreya Myristica Hook. *Bot. Mag.* 80, 4780.
 — *taxifolia Arn.* *Hook. Ic. pl.* 3, 232, 233.
Touchardia latifolia Gaudich. *Gaudichaud Bonite* 94.
Touchiroa aromatica Aubl. *Aublet Guiana* 148.
 — — *Lam. Encycl.* 339.
Toulicia guianensis Aubl. *Aublet Guiana* 140.
 — — *Lam. Encycl.* 317.
Tounatea guianensis Aubl. *Aublet Guiana* 218.
 — — *Lam. Encycl.* 462.
Tournefortia angustiflora R. et P. *Ruiz et Pav. Fl.* 151.
 — *argentea R. et Sch.* *Rumpf Amb.* 4, 55.
 † — *cymosa L.* *Gaertn. Carp.* 76.
 — — *Jacq. Ic.* 31.

- Tournefortia fruticosa* R. Br. Bot. Reg. 6, 464.
 — *fuliginosa* H. B. K. H. B. K. Nov. Gen. 3, 203.
 — *heliotropioides* Hook. Bot. Mag. 58, 3996.
 — *hirsutissima* Sw. Desc. Ant. 4, 253.
 — *incana* Lam. Lam. Encycl. 95.
 — *laurifolia* Vent. Vent. Choix 2.
 — *longifolia* R. et P. Ruiz et Pav. Fl. 150.
 — *mutabilis* Vent. Vent. Choix 3.
 — *polystachya* R. et P. Ruiz et Pav. Fl. 149.
 † — *punctata* Lem. Lem. Jard. fl. 4, p. 80.
 — *reticosa* Wight. Wight Ic. pl. Ind. or. 4, 1386.
 — *syriagaefolia* Vahl. Miquel Surinam 41.
 — *umbellata* H. B. K. H. B. K. Nov. Gen. 3, 202.
 — *undulata* R. et P. Ruiz et Pav. Fl. 149.
 — *velutina* H. B. K. H. B. K. Nov. Gen. 3, 201.
 — *virgata* R. et P. Ruiz et Pav. Fl. 150.
 — *volubilis* L. Ruiz et Pav. Fl. 148.
 † — — Gaertn. Carp. 76.
 † — — Lam. Encycl. 95.
 — *zeylanica* Wight. Wight Illustr. 170.
Touroulia guianensis Aubl. Aublet Guiana 194.
 † — — Lam. Encycl. 424.
Tourretia lappacea Willd. Lam. Encycl. 527.
 — — — Bot. Mag. 66, 3749.
 — — — Fl. d. serres 7, 664.
 — — — Belgique hort. 3, 26.
 † *Tovaria* R. et P. Ruiz et Pav. Prodr. 8.
 — *pendula* R. et P. Ruiz et Pav. Fl. 306.
 — — — Hook. Ic. pl. 7, 664.
Tovomita foliosa Presl. Presl Symbolae 66.
 — *guianensis* Aubl. Aublet Guiana 364.
 — *paniculata* St. Hil. St. Hil. Fl. Bras. 64.
Townsendia sericea Rich. Hook. Bor. Am. 119.
Toxicodendrum capense Thunb. Svensk Acad. 1796, 7.
 † — *Cobbe* Gaertn. Gaertn. Carp. 44.
Toxocarpus Kleinii W. et A. Wight Ic. pl. Ind. or. 3, 886.
Toxostigma purpurascens Rich. Richard Abyssin. 77.
 † *Tozzia alpina* L. Gaertn. Carp. 198.
 — — — Jacq. Fl. austr. 2, 165.
 — — — Schk. Handb. 171.
 — — — Lam. Encycl. 522.
 — — — Sturm Flora 8, 30.
 † — — — Nees Gen. 5, 48.
 † *Trachelium coeruleum* L. Gaertn. Carp. 31.
 † — — — Lam. Encycl. 126.
 — — — Schk. Handb. 40.
 — — — Bot. Reg. 1, 72.
Trachelospermum jasminoides Ch. Lem. Lem. Jard. fl. 61.
 — — — Fl. d. serres 6, 615.
Trachydium Roylei Ldl. Jacquemont Ind. 79.
Trachylobium Gaertnerianum Hayne. Hayne 11, 19.
 — *Hornemannianum* Hayne. Hayne 11, 18.
 — — — Nees Düssel. Suppl. 114.
 — *Martianum* Hayne. Hayne 11, 17.
 — — — Nees Düssel. Suppl. 114.
 — *mossambicense* Klotzsch. Peters Mossamb. 2.
Trachymene coerulea Grah. Bot. Reg. 15, 1225.
 — *incisa* Rudge. Linn. Transact. 10, 21.
 — — — Lam. Encycl. 935.
 — *lanceolata* Rudge. Bot. Mag. 61, 3334.
Trachynia distachya Link. Rchb. Fl. germ. 1, 14.
Trachystemon orientale D. Don. Jaubert Illustr. 419.
 † *Tradescantia* L. Kerner Genera 203.
 — *axillaris* L. Roxb. Corom. 107.
 — *caricifolia* Hook. Bot. Mag. 64, 3346.
 — *cirrifera* Mart. Martius Auswahl 7.
 — *crassifolia* Cav. Cav. Ic. 78.
 — — — Bot. Mag. 39, 1598.
 — — — Salisbury Parad. 59.
 — *crassula* Link. Link Ic. II. 7.
 — — — Bot. Mag. 56, 2935.
 — — — Lodd. Cab. 1860.

- Tradescantia cristata* L. Jacq. Vind. 137.
 — — — Bot. Mag. 35, 1435.
 — — — Lodd. Cab. 639.
 — *discolor* L'her. L'heritier Sertum 12.
 — — — Smith Ic. pict. 10.
 — — — Bot. Mag. 30, 1192.
 — — — Red. Lil. 3, 168.
 — — — Lam. Encycl. 226.
 — — — Kerner Hort. 59.
 — *elata* Lodd. Lodd. Cab. 1813.
 — *elegans* F. et M. Hook. Ic. pl. 1, 39.
 — *erecta* Jacq. Jacq. Ic. 354.
 — — — Cav. Ic. 74.
 — — — Red. Lil. 4, 239.
 — — — Bot. Mag. 33, 1340.
 — *fuscata* Lodd. Lodd. Cab. 374.
 — — — Bot. Mag. 49, 2330.
 — — — Bot. Reg. 6, 482.
 — *geniculata* L. Jacq. Hist. stirp. am. 95.
 — *gracilis* H. B. K. H. B. K. Nov. Gen. 7, 672.
 — — — Hook. Ic. pl. 7, 634.
 — *hirsuta* H. B. K. Hook. Ic. pl. 7, 665.
 — *iridescens* Ldl. Bot. Reg. 26, 34.
 — — — Schlechtendal Hortus hal. 11.
 — *latifolia* R. et P. Ruiz et Pav. Fl. 272.
 — — — Lodd. Cab. 1300.
 — *multiflora* Jacq. Jacq. Ic. 355.
 — *paniculata* Roxb. Roxb. Corom. 109.
 — *parviflora* R. et P. Ruiz et Pav. Fl. 272.
 — *pilosa* Lehm. Acta Leop. 14, 2, 48.
 — — — Bot. Mag. 61, 3291.
 — *pulchella* H. B. K. H. B. K. Nov. Gen. 7, 673.
 — *rosea* Michx. Ventenat Cels 24.
 — — — Red. Lil. 2, 94.
 — — — Lodd. Cab. 370.
 — — — Sweet Fl. G. 183.
 — *spicata* Kn. et W. Knowles et Westcott 124.
 — *subaspera* Gaul. Bot. Mag. 39, 1597.
 — *tuberosa* Roxb. Roxb. Corom. 108.
 — *tumida* Ldl. Bot. Reg. 26, 42.
 — *undata* Willd. Bot. Reg. 17, 1403.
 — *undulata* Vahl. Skrifter nat. Selsk. 1793, 3.
 † — *virginica* L. Gaertn. Carp. 15.
 — — — Lam. Encycl. 226.
 — — — Schk. Handb. 88.
 — — — Bot. Mag. 3, 105. 63, 3501.
 — — — *β. pilosa* Willd. Bot. Reg. 13, 1053.
 — — — Barton Fl. 2, 41.
 — — — Dict. sc. nat. 38.
 † — — — Mem. Instit. 1830, 6.
 † — — — Spach Suites 75.
 † — — — Bull. Mosc. 1843, 1. 2.
 † — — — Hofmeister Embryo 14.
 † *Traganthus Klotzsch*. Wiegmann Archiv 7, 9.
Traganum nudatum Delile. Delile Egypte 22.
 † *Tragia cannabina* L. fil. Jussieu Euphorb. 15.
 — *Chamaelea* L. Rheed. Hort. mal. 2, 34.
 — *colorata*? Lam. Rheed. Hort. mal. 12, 30.
 — *corniculata* Vahl. Vahl Eclogae 19.
 — *involucrata* L. Rheed. Hort. mal. 2, 39.
 — — — Jacq. Ic. 190.
 — *Mercurialis* L. Rheed. Hort. mal. 10, 82. 83.
 — — — Rumpf Amb. 6, 20. fig. 2.
 — *nepetaefolia* Cav. Cav. Ic. 557.
 — *pedunculata* Pal. B. Pal. B. Fl. d'Oware 54.
 — *Serra* P. et E. Poepp. et Endl. 223.
 — *subhastata* P. et E. Poepp. et Endl. 223.
 — *virgata* Lam. Lam. Encycl. 754.
 — *volubilis* L. Rumpf Amb. 5, 9.
 — — — Trew Pl. rar. 15.
 † — — — Lam. Encycl. 754.
 † — — — Jussieu Euphorb. 15.

- Tragoceros zinnoides* H. B. K. H. B. K. Nov. Gen. 4, 385.
- Tragopogon calyculatus* Jacq. Jacq. Vind. 106.
- *capensis* Jacq. Jacq. Ic. 375.
 - *crocifolius* L. Sibth. Fl. gr. 779.
 - † — *Dalechampii* L. Gaertn. Carp. 159.
 - *eriospermus* Ten. Tenore Fl. nap. 186.
 - *floccosus* W. et K. W. et Kit. 112.
 - *major* L. Jacq. Fl. austr. 1, 29.
 - † — — Schk. Handb. 214.
 - † — — Lam. Encycl. 646.
 - *mutabilis* Jacq. Jacq. Ic. 157.
 - ! — *orientalis* L. Hamburger Symbolae 2.
 - † — *picroides* L. Gaertn. Carp. 159.
 - † — — Schk. Handb. 214.
 - † — — Lam. Encycl. 646.
 - *porrifolius* L. Fl. dan. 5, 797.
 - — Jacq. Ic. 159.
 - — Schk. Handb. 214.
 - — Engl. Bot. 9, 638.
 - *pratensis* L. Fl. dan. 6, 906.
 - † — — Gaertn. Carp. 159.
 - † — — Lam. Encycl. 646.
 - † — — Schk. Handb. 214.
 - — Schrank Fl. monac. 1, 44.
 - — Dietr. Fl. bor. 12, 838.
 - — Engl. Bot. 7, 434.
 - — Sv. Bot. 146.
 - — Baxter Brit. Bot. 5, 390.
 - † — — var. *longirostris*, Ebel Montenegro 1.
 - *ruber* Gm. Ledeb. Ic. 30.
 - *undulatus* Jacq. Jacq. Ic. 158.
- Tragopyrum laetevirens* Led. Ledeb. Ic. 422.
- *pungens* Led. Ledeb. Ic. 426.
- † *Tragus* Haller. Dumortier Gramin. 14.
- † — *pinnatus* Mart. Münchn. Denkschr. 4, 11.
 - *racemosus* Desf. Sturm Flora 9, 34.
 - † — — Nees Gen. 1, 23.
- † *Trapa bicornis* L. fil. Gaertn. Carp. 95.
- — Icones plantarum Chinae 22.
 - *bispinosa* Roxb. Rheede Hort. mal. 11, 33.
 - — Roxb. Corom. 234.
 - † — *natans* L. Gaertn. Carp. 26.
 - † — — Lam. Encycl. 75.
 - — Schk. Handb. 25.
 - — Sturm Flora 8, 30.
 - — Flora 1818, 2.
 - — Bot. Reg. 3, 259.
 - — Dict. sc. nat. 219.
 - † — — Ann. Mus. 16, 19.
 - † — — Trevianus Symbolae 18—25.
 - † — — Nees Gen. 4, 8.
 - † — — Ann. sc. nat. III. 9, 12—15.
- Tratinnickia burseraefolia* Mart. Mart. Bras. 239.
- † *Trautvetteria* F. et M. Gray Genera 7.
- *palmata* F. et M. Gray Genera 7.
- † *Trecacoris madagascariensis* Juss. Jussieu Euphorb. 1.
- Trechonaetes laciniata* Miers. Miers Illustr. 7.
- † *Treculia Decne.* Ann. sc. nat. III. 8, 3.
- Tremandra verticillata* Hügel. Hart. Parad. 1, 14.
- † — — Ann. sc. nat. III. 15, 19, 20.
 - † — — Payer Organogénie 29, 30.
- † *Tremandreae* R. Br. Payer Organogénie 29, 30.
- Trembleya phlogiformis* DC. Mart. Bras. 250.
- *rosmarinoides* DC. Mart. Bras. 249.
- Trepocarpus Aethusae* Nutt. DC. Ombellifères 14.
- Trevesia palmata* Vis. Mem. Tur. 4, (1842.) o.
- Trevirana candida* Decne. Fl. d. serres 4, 420.
- *longiflora* Regel. hybrida, Regel Gartenflora 1852, 2, 13. 1854, 92.
 - *maculata* P. et E. Poepp. et Endl. 207.
 - *reticulata* Regel. hybrida, Regel Gartenfl. 1854, 92.

- Trevirana tenerrima* P. et E. Poepp. et Endl. 207.
- *urticaefolia* P. et E. Poepp. et Endl. 207.
- Trevoa quinquenervia* Gill. Hook. Bot. Misc. 45.
- Trewia macrostachya* Klotzsch. Prinz Waldem. Him. 23.
- *nudiflora* L. Rheede Hort. mal. 1, 42.
 - † — — Lam. Encycl. 466.
 - — Wight Ic. pl. Ind. or. 5, 1870. 1871.
- Triadenia microphylla* Spach. Ann. sc. nat. II. 5, 4.
- † — — Spach Suites 119.
 - *Russegeri* Fenzl. Russegger Reise 13.
 - † — *Sieberi* Spach. Ann. sc. nat. II. 5, 5.
 - † — *thymifolia* Spach. Ann. sc. nat. II. 5, 5.
 - † — *Webbii* Spach. Ann. sc. nat. II. 5, 5.
 - † — — Spach Suites 119.
- Triaina racemosa* H. B. K. H. B. K. Nov. Gen. 1, 61.
- Triangis* Aub. Aubert Orchid. 49.
- Trianthema decandra* L. Wight Ic. pl. Ind. or. 1, 296.
- *monogyna* L. DC. Plantas grasses 109.
 - — Lam. Encycl. 375.
 - † — — Ann. sc. nat. III. 18, 12.
 - *obcordata* Roxb. Wight Ic. pl. Ind. or. 1, 288.
 - † — *pentandra* L. Gaertn. Carp. 128.
 - † — — Lam. Encycl. 375.
 - *sedifolia* Vis. Visiani Aeg. 3.
- Trias oblonga* Ldl. Wall. Pl. asiat. 70.
- † *Triaspis flabellaria* Juss. Arch. Mus. 3, 17.
- † — *hypericoides* Juss. Arch. Mus. 3, 17.
 - † — *mozambica* Juss. Arch. Mus. 3, 17.
 - *odorata* Juss. Delessert Ic. 3, 36.
 - † — — Arch. Mus. 3, 17.
- † *Triathera juncea* Pal. B. Lam. Encycl. 910.
- Tribonanthes australis* Endl. Endl. Iconogr. 109.
- Tribrachia pendula* Ldl. Bot. Reg. 12, 963.
- *reptans* Ldl. Lindley Collect. 41.
- † *Tribulus* L. Gray Genera 145.
- † — *alatus* Delile. Viviani Aeg. 2.
 - † — *bimucronatus* Viv. Viviani Aeg. 2.
 - *cistoides* L. Jacq. Schoenbr. 1, 103.
 - — Bot. Reg. 10, 791.
 - — Dict. sc. nat. 123.
 - — Gray Genera 145.
 - *lanuginosus* L. Wight Ic. pl. Ind. or. 1, 98.
 - † — *longipetalus* Viv. Viviani Aeg. 2.
 - *maximus* L. Jacq. Ic. 462.
 - — Lam. Encycl. 346.
 - — Desc. Ant. 4, 250.
 - † — *terrestris* L. Gaertn. Carp. 69.
 - — Schk. Handb. 115.
 - — Sibth. Fl. gr. 372.
 - — Lam. Encycl. 346.
 - — Rchb. Fl. germ. 5, 161.
 - † — — Mem. Mus. 12, 14.
 - † — — Viviani Aeg. 2.
 - † — — Payer Organogénie 14.
- † *Tricera* Sw. Swartz Fl. Ind. occ. 7.
- *cubana* A. Rich. Ramon Cuba 71.
 - † — *laevigata* Sw. Jussieu Euphorb. 1.
- Tricerastes glomerata* Presl. Presl Reliq. 64.
- Triceratia bryonioides* A. Rich. Ramon Cuba 44².
- Trichantha major* Hook. Hook. Ic. pl. 7, 667.
- *minor* Hook. Hook. Ic. pl. 7, 666.
- Trichauris ericoides* Arn. Wight Illustr. 24.
- — Jacquemont Ind. 70.
 - — Wight Ic. pl. Ind. or. 1, 22.
- Trichilia bijuga* Lab. Bill. Sertum 54.
- *elegans* Juss. St. Hil. Fl. Bras. 98.
 - † — *hirta* L. Gaertn. Carp. 95.
 - *minor* A. Rich. Ramon Cuba 33.
 - *odorata* Andr. Andr. Rep. 10, 637.
 - — Hook. Exot. Fl. 128.
 - † — *pallida* Sw. Mem. Mus. 19, 18.
 - *Prieuriana* Juss. Guillemin Seneg. 30.

- Trichilia pteleefolia* Juss. St. Hil. Fl. Bras. 99.
 — *spondioides* Jacq. Jacq. Schoenbr. 1, 102.
 † — — Mem. Mus. 19, 18.
 — — Dict. sc. nat. 168, 169.
 — *trifolia* L. Jacq. Hist. stirp. am. 123.
 † — — Gaertn. Carp. 95.
 — — Desc. Ant. 8, 578.
Trichinium alopecuroideum Ldl. Bot. Reg. 25, 28.
 — *Manglesii* Ldl. Fielding Sertum 52.
 — *obovatum* Gandich. Freycinet Voyage 49.
 — *remotiflorum* Hook. Hook. Ic. pl. 6, 596.
 — *spectabile* Ldl. Fielding Sertum 53.
Trichocentrum fuscum Ldl. Bot. Reg. 23, 1951.
 — — Bot. Mag. 69, 3969.
 — *pulchrum* P. et E. Poepp. et Endl. 115.
 † *Trichocephalus stipularis* Ad. Br. Ann. sc. nat. 10, 17.
Trichoceros parviflorus H. B. K. H. B. K. Nov. Gen. 1, 76.
 — — — Lam. Encycl. 989.
 — — — Rchb. Xenia 1, 9.
 † — *platyceros* Rchb. fil. Rchb. Xenia 1, 9.
Trichocrepis bifida Vis. Visiani Stirp. dalm. 7.
 † — — Visiani Dalm. 50.
Trichodesma indicum R. Br. Wight Illustr. 172.
Trichodium algidum Wahlenb. Sv. Bot. 545.
 † — *alpinum* Schrad. Schrader Fl. germ. 3.
 — — *Liljebl.* Sv. Bot. 545.
 † — *caninum* Schrad. Schrader Fl. germ. 3.
 — — Fl. dan. 9, 1443.
 — *laxiflorum* Michx. Michaux Fl. 8.
 † — — Lam. Encycl. 908.
 — *perennans* Ell. Elliott Carolinae 5.
 † — *procumbens* Poir. Lam. Encycl. 908.
 † — *rupestre* Schrad. Schrader Fl. germ. 3.
 † *Trichoglottis retusa* Bl. Blume Orchid. 8.
Tricholepis Candolleana Wight. Hook. Companion 4.
 † — — Wight Illustr. 134.
 — *furcata* DC. Delessert Ic. 4, 74.
 — *glaberrimum* DC. Jacquemont Ind. 106.
 — *lanuginosa* Klotzsch. Prinz Waldem. Him. 81.
 — *procumbens* Wight. Wight Ic. pl. Ind. or. 3, 1139.
 † *Trichomanes achilleifolium* Willd. Prager Abh. 3, 3.
 — *alatum* R. Br. Curt. Lond. 4, 53.
 † — — Hook. Ic. Fil. 1, 11.
 — — *Bory.* Bory Coquille 38.
 — *anceps* Hook. Hook. Sp. Fil. 40.
 — *angustatum* Carm. Hook. Ic. Fil. 2, 166.
 — *angustissimum* Presl. Prager Abh. 6, 8.
 — *Ankersii* Parker. Hook. Ic. Fil. 2, 201.
 — *apodum* Hook. Hook. Ic. Fil. 1, 117.
 — *asplenoides* Sw. Hedwig Fil. 11.
 — — Presl. Kunze Fil. 89.
 — *attenuatum* Hook. Hook. Sp. Fil. 39.
 — *Bancroftii* Hook. Hook. Ic. Fil. 2, 204.
 — *Belangeri* Bory. Belanger Ind. or. 8.
 — *bicorne* Hook. Hook. Ic. pl. 10, 982.
 † — *bifidum* Vent. Prager Abh. 3, 4.
 — *bilabiatum* N. et Bl. Acta Leop. 11, 1, 13.
 — *Bojeri* Hook. Hook. Ic. Fil. 2, 155.
 — *Boryanum* Kze. Kunze Fil. 97.
 — *brasiliense* Desv. Mem. soc. Linn. Par. 6, 7.
 — *brevisetum* Sm. Newman p. 305.
 — *caespitosum* Hook. Hook. Sp. Fil. 40.
 — *canariense* L. Jacq. Ic. 200.
 † — *capillatum* Taschn. Taschner Trichomanes 1. 2.
 — *chinense* L. Osbeck Reise 6.
 — *ciliatum* Sw. Hedwig Fil. 10.
 — *clavatum* Sw. Hedwig Fil. 9.
 — *Colensoi* Hook. fil. Hook. Ic. pl. 10, 979.
 — *coriaceum* Kze. Kunze Analecta 29.
 — *crinitum* Sw. Hedwig Fil. 1.

- Trichomanes crispum* L. Hedwig Fil. 4.
 — — — Hook. Ic. Fil. 1, 12.
 — *dancoides* Presl. Prager Abh. 6, 7.
 — *demissum* Forst. Hedwig Fil. 13.
 — *elegans* Rudge. Rudge Pl. Guianae 35.
 — — — Hook. Exot. Fl. 52.
 — — — Hook. Gen. Fil. 108.
 — *elongatum* Cunn. Hook. Ic. pl. 8, 701.
 — *emarginatum* Presl. Prager Abh. 6, 5.
 — *Endlicherianum* Presl. Prager Abh. 6, 5.
 — *erosum* Pal. B. Pal. B. Fl. d'Oware 109.
 — *exsectum* Kze. Kunze Analecta 29.
 — *floribundum* H. B. Hook. Ic. Fil. 1, 9.
 — *fragile* Sw. Hedwig Fil. 18.
 — *fucoides* Sw. Hedwig Fil. 8.
 — *giganteum* Bory. Hook. Ic. pl. 8, 702.
 — *glauco-fuscum* Hook. Hook. Sp. Fil. 40.
 † — *Haenkeanum* Presl. Prager Abh. 3, 3.
 — *heterophyllum* Willd. Kunze Fil. 109.
 — *hirsutum* L. Hedwig Fil. 12.
 — *holopterum* Kze. Kunze Fil. 77.
 — *Hostmannianum* Kze. Kunze Fil. 110.
 — *humile* Forst. Hedwig Fil. 15.
 — — — Hook. Ic. Fil. 1, 85.
 — *hymenoides* Hedw. Hedwig Fil. 3.
 — *javanicum* Bl. Hook. Ic. Fil. 2, 240.
 — *incisum* Kaulf. Bory Coquille 38.
 — *intramarginale* Hook. Hook. Ic. Fil. 2, 211.
 — *Krausii* Hook. Hook. Ic. Fil. 2, 149.
 — *Kunzeanum* Hook. Hook. Sp. Fil. 39.
 — *Lambertiaanum* Hook. Hook. Sp. Fil. 41.
 — *lanceum* Willd. Hook. Ic. Fil. 1, 33.
 — *Lindeni* Presl. Prager Abh. 6, 6.
 — *lucens* Sw. Hedwig Fil. 5.
 — — — Hook. Ic. Fil. 1, 10.
 — — — Hook. Sp. Fil. 41.
 — *macroclados* Kze. Kunze Fil. 130.
 — *mandiocanum* Raddi. Raddi Fil. 79.
 — *meifolium* Willd. Kaulfuss Enum. 2.
 — *melanorrhizon* Hook. Hook. Ic. pl. 8, 705.
 — *membranaceum* L. Hook. Exot. Fl. 76.
 — — — Kunze Fil. 88.
 † — *minutatum* Gaudich. Freycinet Voyage 12.
 — *montanum* Hook. Hook. Ic. pl. 2, 187.
 — *muscoides* Sw. Hook. Ic. Fil. 2, 179.
 — *parvulum* Poir. Hook. Sp. Fil. 39.
 — *pedicellatum* Desv. Mem. soc. Linn. Par. 6, 10.
 — *pellucens* Kze. Kunze Fil. 68.
 — *Petersii* A. Gray. Hook. Ic. pl. 10, 986.
 — *pilosum* Raddi. Raddi Fil. 79.
 — — *Mart.* Mart. Crypt. bras. 68.
 — *pinnatum* Sw. Hedwig Fil. 4.
 — *Pluma* Hook. Hook. Ic. pl. 10, 997.
 † — *plumosum* Kze. Prager Abh. 3, 2.
 — — *Hook.* Hook. Ic. pl. 8, 703.
 — *proliferum* Bl. Hook. Sp. Fil. 39.
 — *punctatum* Poir. Hook. Ic. Fil. 2, 236.
 — *pusillum* Sw. Hedwig Fil. 3.
 — *pyxidiferum* L. Hedwig Fil. 3.
 — — — Schk. Fil. 134.
 — — — Lam. Encycl. 871.
 — — — Hook. Ic. Fil. 2, 206.
 — *quercifolium* Desv. Dict. sc. nat. 89.
 — — — Hook. Ic. Fil. 1, 115.
 † — *radicans* Sw. Prager Abh. 3, 2.
 — — — Hook. Ic. Fil. 2, 218.
 — *reniforme* Forst. Hedwig Fil. 16.
 — — — Schk. Fil. 134.
 — — — Hook. Ic. Fil. 1, 31.
 — *reptans* Sw. Hedwig Fil. 3.
 — — — Hook. Ic. Fil. 1, 32.

- Trichomanes rigidum* Sw. Hedwig Fil. 2.
 — *sanguinolentum* Forst. Hedwig Fil. 14.
 — *scandens* L. Hedwig Fil. 6.
 † — — Prager Abh. 3, 3.
 † — *Schmidiaum* Zenk. Taschner Trichomanes 1. 2.
 — *sericeum* Sw. Hedwig Fil. 7.
 — *sinuosum* Rich. Lam. Encycl. 871.
 — — Hook. Ic. Fil. 1, 13.
 — — Kunze Fil. 77.
 — *Smithii* Hook. Hook. Ic. pl. 8, 704.
 — *speciosum* Willd. Newman p. 305.
 — — var. *Andrewsii*, Newman p. 315.
 — *sphenoides* Kze. Kunze Fil. 88.
 — *spicisorum* Desv. Mag. naturf. Fr. 5, 7. fig. 7.
 — *Spruceanum* Hook. Hook. Ic. pl. 19, 981.
 — *strictum* Menzies. Hook. Ic. Fil. 2, 122.
 — *tamarisciforme* Jacq. Jacq. Collect. 3, 21.
 — *tenellum* Hedw. Hedwig Fil. 3.
 — *trichodeum* Sw. Hook. Ic. Fil. 2, 199.
 — *trigonum* Desv. Mem. soc. Linn. Par. 6, 9.
 — *tunbridgensis* L. Hedwig Fil. 17.
 — — Fl. dan. 6, 954.
 — *undulatum* Sw. Hedwig Fil. 11. 19.
 — *venosum* R. Br. Hook. Ic. Fil. 1, 78.
 — *Vittaria* DC. Hook. Journal 1842, 5.
Trichonema Bulbocodium Ker. Baxter Brit. Bot. 3, 202.
 — — Rchb. Fl. germ. 9, 354.
 † — — Nees Gen. 3, x.
 — *caulescens* Ker. Bot. Mag. 34, 1392.
 — *Columnae* Seb. et Mauri. Rchb. Fl. germ. 9, 354.
 — *cruciatum* Ker. Bot. Mag. 16, 575.
 — — Lodd. Cab. 1370.
 — *grandiscapum* Webb. Webb Canar. 222.
 — *pubicum* Ker. Bot. Mag. 31, 1244.
 — *pylium* Herb. Bot. Reg. 33, 40.
 — *roseum* Ker. Bot. Mag. 30, 1225.
 — *speciosum* Ker. Bot. Mag. 36, 1476.
 — — Rchb. Exot. 26.
 — *subpalustre* Herb. Bot. Reg. 33, 40.
Trichopetalum gracile Ldl. Bot. Reg. 18, 1535.
Trichophila tortilis Ldl. Bot. Mag. 66, 3739.
Trichophorum cyperinum Pers. Elliott Carolina 3.
Trichopilia albida Wendl. fil. Begel Gartenfl. 1854, 78.
 — *coccinea* Warscz. Paxt. Fl. G. 54.
 — *hymenantha* Rchb. fil. Rchb. Xenia 1, 7.
 — *marginata* Henfr. Moore Mag. 1851, p. 185.
 — — Lem. Jard. fl. 184.
 — *suavis* Ldl. Paxt. Fl. G. 11.
 — — Bot. Mag. 78, 4654.
 — — Fl. d. serres 8, 761.
 — — Lem. Jard. fl. 3, 277.
 — *tortilis* Ldl. Knowles et Westcott 101.
 — — Bot. Reg. 22, 1863.
 — — Maund Bot. 3, 122.
 † *Trichopteris excelsa* Presl. Schott Gen. Fil. 1.
 † — — Hook. Gen. Fil. 34.
 — — D'Orbigny Dict. x.
 † *Trichopus zeylanicus* Gaertn. Gaertn. Carp. 14.
Trichosanthes amara L. Desc. Ant. 1, 45.
 — — Spach Suites 49.
 — *anguina* L. Bot. Mag. 19, 722.
 — — Lam. Encycl. 794.
 — *chinensis* Ser. Icones pl. Chinae 13.
 — *colubrina* Jacq. Jacq. Ecl. pl. 128.
 — — Bot. Reg. 32, 18.
 — — Fl. d. serres 4, 305.
 — *corniculata* Lam. Desc. Ant. 8, 538.
 — *cucumerina* L. Rheede Hort. mal. 8, 15.
 — *cuspidata* Lam. Rheede Hort. mal. 8, 16.
 — *foetidissima* Jacq. Jacq. Ic. 624.
 — *nervifolia* L. Rheede Hort. mal. 8, 17.
 — *palmata* Roxb. Wight Illustr. 104. 105.

- Trichosanthes tuberosa* Willd. Bot. Mag. 53, 2763.
Trichoseris alpina P. et E. Poepp. et Endl. 263.
 † *Trichosia pauciflora* Bl. Blume Tabellen 11.
Trichosma suavis Ldl. Bot. Reg. 28, 21.
Trichospira menthoides H. B. K. H. B. K. Nov. Gen. 4, 312.
 † *Trichostema brachiata* Lam. Lam. Encycl. 515.
 — *dichotoma* L. Barton Fl. 3, 93.
Trichothalamus lignosus Lehm. Acta Leop. 10. 2, 49.
Tricomaria Ursillo Hook. Hook. Bot. Misc. 101.
 † — — Arch. Mus. 3, 15.
Tricoryne elatior R. Br. Bauer Illustr. 11.
 — — Endl. Iconogr. 61.
Tricratus admirabilis L'her. L'heritier Monogr. x.
 † *Tricuspidaia* Rz et P. Ruiz et Pav. Prodr. 36.
Tricuspis seslerioides Torr. Torrey New York 156.
Tricycla spinosa Cav. Annales de hist. nat. 5, 40.
 — — Cav. Ic. 598.
Tricyrtis elegans Wall. Wallich Tentamen 46.
 † *Tridesmis Billardieri* Spach. Ann. sc. nat. II. 5, 6.
 — *formosa* Korth. Korthals Bot. 37.
 † *Tridia frankenioides* Korth. Hoeven Tijdschr. 3, 1.
Trientalis americana Pursh. Barton Fl. 2, 48.
 — *europaea* L. Fl. dan. 1, 84.
 † — — Gaertn. Carp. 50.
 † — — Lam. Encycl. 275.
 — — Stephan Ic. pl. mosq. 8.
 — — Dreves 2, 65.
 — — Schk. Handb. 103.
 — — Curt. Lond. 5, 159.
 — — Engl. Bot. 1, 15.
 — — Roemer Fl. europ. 1, 3.
 — — Sturm Flora 5, 17.
 — — Lodd. Cab. 105.
 — — Krockher Fl. sil. 4, 5.
 — — Sv. Bot. 591.
 — — Baxter Brit. Bot. 5, 343.
 — — Dietr. Fl. bor. 10, 651.
 † — — Nees Gen. 5, 17.
 † *Trifolium* L. Gaertn. Carp. 153.
 † — — Schk. Handb. 210.
 † — — Lam. Encycl. 613.
 † — — Ekart Flora von Franken 1. 2.
 — *affine* Presl. Presl Symbolae 34.
 — *agrarium* L. Fl. dan. 4, 558.
 † — — Schk. Handb. 210.
 — — Sturm Flora 4, 16.
 — — Dietr. Fl. bor. 6, 369.
 — *alpestre* L. Fl. dan. 4, 662.
 — — Jacq. Observ. 64.
 — — Jacq. Fl. austr. 5, 433.
 † — — Schk. Handb. 210.
 — — Sturm Flora 4, 15.
 — — Schrank Fl. monac. 3, 255.
 — — Bot. Mag. 54, 2779.
 — *alpinum* L. Sturm Flora 4, 15.
 — *altissimum* Dougl. Hook. Bor. Am. 48.
 — *amabile* H. B. K. H. B. K. Nov. Gen. 6, 593.
 — *amplectens* Terr. et Gr. Hook. Beechey 78.
 — *angulatum* W. et K. W. et Kit. 27.
 — *angustifolium* L. Sturm Flora 4, 16.
 — — Sibth. Fl. gr. 749.
 — *anomalum* Schrank. Schrank Hort. monac. 47.
 — — Bory. Bory et Chaub. Morée 26.
 — *armenium* Willd. Jaubert Illustr. 139.
 — *arrectisetum* Brot. Brotero Phytogr. 63.
 — *arvense* L. Fl. dan. 5, 724.
 — — Curt. Lond. 2, 77.
 — — Engl. Bot. 14, 944.
 † — — Gaertn. Carp. 153.
 — — Sturm Flora 4, 16.
 — — Dietr. Fl. bor. 6, 366.

- † *Trifolium aureum* Schk. Schk. Handb. 210.
 — *badium* Schreb. Sturm Flora 4, 16.
 — *bejariense* Moric. Mem. Genev. 6, 2.
 — — Moricand Pl. Am. 2.
 † — *bengalense* Gaertn. Gaertn. Carp. 153.
 — *Bocconi* Guss. Engl. Bot. 2868.
 — *brutium* Ten. Tenore Fl. nap. 177.
 — *caespitosum* Sturm. Sturm Flora 8, 32.
 — *campestre* Schreb. Sturm Flora 4, 16.
 — *canescens* Willd. Bot. Mag. 29, 1168.
 — — Jaubert Illustr. 140.
 — *cernuum* Brot. Brotero Phytogr. 62.
 — *Cherleri* L. Sibth. Fl. gr. 745.
 — — Moris Fl. sard. 61.
 — *ciliatum* Nutt. Journ. Ac. Philad. II. 1, 23.
 † — *clypeatum* L. Gaertn. Carp. 153.
 — — Sibth. Fl. gr. 751.
 — *coeruleum* Willd. Bot. Mag. 49, 2283.
 — *comosum* Lab. Bill. Syr. 5, 10.
 — *cyathiferum* Ldl. Hook. Bor. Am. 50.
 — *dalmaticum* Vis. Visiani Dalm. 45.
 — *dasyurum* Presl. Presl Symbolae 33.
 — *dentatum* W. et K. W. et Kit. 42.
 — *denudatum* Nutt. Journ. Ac. Philad. II. 1, 24.
 — *depauperatum* Desv. Desv. Journ. 6, 32.
 — *diffusum* Ehrh. Winterl Index 6.
 — — W. et Kit. 50.
 — *elegans* Savi. Savi Fl. pisana 1.
 — *expansum* W. et K. W. et Kit. 237.
 — *filiforme* L. Curt. Lond. 3, 112.
 — — Engl. Bot. 18, 1257.
 — — Fl. dan. 10, 1707.
 — — Sturm Flora 4, 16.
 — — Dietr. Fl. bor. 6, 371.
 — *fimbriatum* Ldl. Bot. Reg. 13, 1070.
 — — Lodd. Cab. 1421.
 — *flexuosum* Jacq. Jacq. Fl. austr. 4, 366.
 † — — Schk. Handb. 210.
 — — Schrank Fl. monac. 3, 288.
 — *fragiferum* L. Fl. dan. 6, 1042.
 — — Curt. Lond. 2, 122.
 — — Engl. Bot. 15, 1050.
 — — Sv. Bot. 714.
 — — Sturm Flora 4, 16.
 — — Dietr. Fl. bor. 6, 367.
 — *fucatum* Ldl. Bot. Reg. 22, 1883.
 — *globosum* L. Sibth. Fl. gr. 744.
 — *glomeratum* L. Curt. Lond. 2, 47.
 — — Engl. Bot. 15, 1063.
 † — — Gaertn. Carp. 153.
 — *grandiflorum* Led. Ledeb. Ic. 96.
 — *guianense* Aubl. Aublet Guiana 309.
 — *heterophyllum* Tratt. Tratt. Archiv 22.
 — *hispidum* Desf. Desf. Fl. atl. 209.
 — *hybridum* L. Sturm Flora 4, 15.
 — — Dietr. Fl. bor. 10, 692.
 — — Fl. dan. 10, 1706.
 — — Sv. Bot. 129.
 — — Bot. Mag. 65, 3702.
 † — *incarnatum* L. Gaertn. Carp. 153.
 † — — Schk. Handb. 210.
 — — Sturm Flora 4, 16.
 — — Bot. Mag. 10, 328.
 — — Engl. Bot. 2950.
 — — Sibth. Fl. gr. 748.
 — *involutum* Willd. Humb. Mimos. 53.
 — *isthmocarpon* Brot. Brotero Phytogr. 61.
 — *Kochianum* Hayne. Hayne 2, 34.
 — *laevigatum* Desf. Desf. Fl. atl. 208.
 — *lappaceum* L. Sibth. Fl. gr. 746.
 — — Moris Fl. sard. 62.
 — *latinum* Seb. Sebastiani Pl. rom. 1, 1.

- Trifolium latinum* Seb. Sebastiani Fl. rom. 6.
 — *leucanthum* M. v. B. Moris Fl. sard. 62.
 — *Lupinaster* L. Bot. Mag. 22, 879.
 — *longestipulatum* Ebel. Ebel Montenegro 4.
 — *macrocalyx* Hook. Hook. Ic. pl. 3, 275.
 — *macrorrhizum* W. et K. W. et Kit. 26.
 — *maritimum* Huds. Curt. Lond. 4, 57.
 — — Engl. Bot. 4, 220.
 — *mauritanicum* Willd. Sibth. Fl. gr. 742.
 — *medium* L. Engl. Bot. 3, 190.
 — — Fl. dan. 8, 1273.
 — — Sv. Bot. 460.
 — — Sturm Flora 4, 15.
 — — Dietr. Fl. bor. 10, 693.
 — *Melilotus* L. Nees Düsseldorf. 325.
 — *messanense* L. Sibth. Fl. gr. 741.
 — *micranthum* Viv. Viviani Lib. 19.
 — *microdon* H. et A. Hook. Beechey 79.
 — *minus* Sm. Engl. Bot. 18, 1256.
 — *montanum* L. Fl. dan. 7, 1172.
 — — Sturm Flora 4, 15.
 — — Schrank Fl. monac. 2, 177.
 — — Dietr. Fl. bor. 11, 763.
 † — — Denkschr. d. Wiener Ak. 1, 3.
 — *mutabile* Portsch. Portenschlag Dalm. 12.
 — *nigrescens* Viv. Viviani Fl. ital. 13.
 — *noricum* Wulf. Sturm Flora 4, 16.
 — *obscurum* Savi. Savi Trifolium x.
 — *obtusiflorum* H. et A. Hook. Ic. pl. 3, 281.
 — *ochroleucum* L. Jacq. Fl. austr. 1, 40.
 — — Curt. Lond. 2, 81.
 — — Engl. Bot. 17, 1224.
 — — Sturm Flora 4, 15.
 — — Dietr. Fl. bor. 6, 365.
 — *officinale* Sm. Engl. Bot. 19, 1340.
 — — Sv. Bot. 69.
 — — Hayne 2, 31.
 — *olympicum* Hornem. Bot. Mag. 54, 2790.
 — *ornithopodioides* L. Fl. dan. 3, 368.
 — — Engl. Bot. 15, 1047.
 — *pallescens* Schreb. Sturm Flora 4, 15, 8, 32.
 — *pallidum* W. et K. W. et Kit. 36.
 — *palustre* W. et K. W. et Kit. 266.
 — *pannonicum* L. Allione Fl. ped. 3, 42.
 — — Jacq. Observ. 42.
 — — Sturm Flora 4, 15.
 — *parviflorum* Ehrh. Winterl Index 19.
 — — W. et Kit. 252.
 — — Sturm Flora 4, 15.
 — *patens* Schreb. Sturm Flora 4, 16.
 — *Petitpierreanum* Hayne. Hayne 2, 33.
 — *phleoides* Pourr. Moris Fl. sard. 60.
 — *Pignanti* Fauch. Bory Morée 26.
 — *plumosum* Dougl. Hook. Bor. Am. 49.
 — *praetutianum* Guss. Gussone Pl. rar. 51.
 — *pratense* L. Fl. dan. 6, 989.
 † — — (Folia.) Schmidt Sammlung 3.
 — — Rousseau Bot. 20.
 — — Engl. Bot. 25, 1770.
 — — Baxter Brit. Bot. 4, 283.
 — — Sv. Bot. 268.
 † — — Schk. Handb. 210.
 — — Dreves 3, 81.
 — — Sturm Flora 4, 15.
 — — γ. nivale, Sturm Flora 8, 32.
 — — Dietr. Fl. bor. 6, 364.
 — *procerum* Roch. Rochel Banat. 14.
 — *procumbens* L. Fl. dan. 5, 796.
 — — Curt. Lond. 3, 37.
 — — Engl. Bot. 14, 945.
 — — Sturm Flora 4, 15, 16.
 — — Dietr. Fl. bor. 6, 370.

- Trifolium purpureum* Lois. Loiseleur Fl. gall. 14.
 — *reclinatum* W. et K. W. et Kit. 269.
 — *recurvum* W. et K. W. et Kit. 165.
 — *reflexum* L. Bot. Mag. 63, 3471.
 — *repens* L. Fl. dan. 6, 990.
 — — Sv. Bot. 344.
 — — Curt. Lond. 2, 135.
 — — Engl. Bot. 25, 1769.
 — — Sturm Flora 4, 15.
 — — Schrank Fl. monac. 2, 181.
 — — Dietr. Fl. bor. 6, 368.
 ! — — Hoeven Tijdschr. 6, 5.
 ! — — Schimper Symphytum 5. 6.
 ! — — Flora 1842, 1.
 ! — — Linnaea 15, 1.
 ! — — Denkschr. d. Wiener Ak. 1, 3.
 † — *resupinatum* L. Gaertn. Carp. 153.
 — — Sturm Flora 4, 16.
 — — Engl. Bot. 2789.
 — *rigidum* Savi. Savi Fl. pisana 1.
 — *rotundifolium* Sm. Sibth. Fl. gr. 747.
 — *rubens* L. Jacq. Fl. austr. 4, 385.
 † — — Schk. Handb. 210.
 — — Sturm Flora 4, 15.
 — — Dietr. Fl. bor. 6, 363.
 — *rupestre* Ten. Tenore Fl. nap. 177.
 — *saxatile* All. Allione Fl. ped. 3, 59.
 — *scabrum* L. Curt. Lond. 1, 27.
 — — Engl. Bot. 13, 903.
 — — Sturm Flora 4, 16.
 — *Sebastiani* Savi. Sebastiani Rom. pl. 2, 4.
 — — Sebastiani Fl. rom. 5.
 — *semiglabrum* Brot. Brotero Phytogr. 63.
 — *spadiceum* L. Bot. Mag. 16, 557.
 — — Sturm Flora 4, 16.
 — *speciosum* Willd. Sibth. Fl. gr. 754.
 — — Bory Morée 27.
 — — Rchb. Hortus 7.
 — *sphaerocephalum* Desf. Desf. Fl. atl. 209.
 — *spicatum* Sm. Sibth. Fl. gr. 743.
 † — *spumosum* L. Gaertn. Carp. 153.
 — — Sibth. Fl. gr. 753.
 — — Moris Fl. sard. 63.
 — *squarrosus* L. Savi Trifolium x.
 † — *stellatum* L. Gaertn. Carp. 153.
 — — Curt. Lond. 4, 98.
 — — Engl. Bot. 22, 1545.
 — — Sibth. Fl. gr. 750.
 — — Sturm Flora 4, 16.
 — *striatum* L. Fl. dan. 7, 1171.
 — — Waldst. et Kit. 25.
 — — Engl. Bot. 26, 1843.
 — — Sv. Bot. 616.
 — — α . β . Sturm Flora 4, 16.
 — *strictum* L. W. et Kit. 37.
 — — Engl. Bot. 2949.
 — — Sturm. Sturm Flora 4, 15.
 — *suaveolens* Willd. Willdenow Hortus 108.
 — *subterraneum* L. Curt. Lond. 1, 103.
 — — Engl. Bot. 15, 1049.
 — *succinctum* Vis. Visiani Dalm. 44.
 — *suffocatum* L. Jacq. Vind. 60.
 — — Brotero Phytogr. 64.
 — — Engl. Bot. 15, 1049.
 — *supinum* Savi. Savi Trifolium x.
 — *tenuiflorum* Ten. Tenore Fl. nap. 177.
 — *tenuifolium* Ten. Tenore Fl. nap. 177.
 — *Thalii* Vill. Vill. Dauph. 41.
 — *tomentosum* L. Moris Fl. sard. 64.
 — *triaristatum* Bert. Mem. Tur. 37, 8.
 — *uniflorum* L. Sibth. Fl. gr. 752.
 — — Lodd. Cab. 1882.

- Trifolium uniflorum* L. Sweet Fl. G. II. 200.
 — *vesiculosum* Savi. Santi Viaggi 3, 8.
 — — Loiseleur Fl. gall. 15.
 — — Bot. Reg. 17, 1408.
 — *vulgare* Hayne. Hayne 2, 32.
 — *Wormskieldii* Lehm. Acta Leop. 14. 2, 45.
Triglochin Barrelieri Lois. Rchb. Fl. germ. 7, 51^b.
 — *bulbosum* L. Jacq. Ic. 454.
 — — Bot. Mag. 35, 1445.
 — — Lodd. Cab. 1151.
 — ? *calcaratum* Hook. Hook. Ic. pl. 5, 416.
 — *Calcitrapa* Hook. Hook. Ic. pl. 8, 731.
 — *centrocarpum* Hook. Hook. Ic. pl. 8, 728.
 — *filifolium* Hook. Hook. Ic. pl. 6, 579.
 — *laxiflorum* Guss. Rchb. Fl. germ. 7, 51^b.
 — *maritimum* L. Svensk Acad. 1742, 6.
 — — Fl. dan. 2, 306.
 † — — Gaertn. Carp. 84.
 † — — Lam. Encycl. 270.
 — — Curt. Lond. 4, 99.
 — — Engl. Bot. 4, 255.
 — — Sv. Bot. 112.
 — — Sturm Flora 18, 78.
 — — Dietr. Fl. bor. 1, 50.
 — — Rchb. Fl. germ. 7, 52.
 † — — Nees Gen. 2, 23.
 † — — Schnizl. Iconogr. 1, 49.
 — *montevidense* Spr. Endl. Bras. 8, 12.
 — *palustre* L. Svensk Acad. 1742, 6.
 — — Fl. dan. 3, 490.
 — — Sv. Bot. 111.
 — — Curt. Lond. 4, 98.
 — — Engl. Bot. 6, 366.
 — — Baxter Brit. Bot. 1, 60.
 — — Lam. Encycl. 270.
 — — Schk. Handb. 102.
 — — Sturm Flora 4, 13.
 — — Dietr. Fl. bor. 1, 49.
 — — Rchb. Fl. germ. 7, 51.
 † — — Nees Gen. 2, 23.
 † — — Schnizl. Iconogr. 1, 49.
Trigonella anguinea Delile. Delile Egypte 38.
 — *arguta* Vis. Visiani Aeg. 8.
 — *Besseriana* DC. Rchb. Ic. crit. 4, 344.
 — *brachycarpa* Moris. Mem. Tur. 36, 8.
 — *cachemiriana* Camb. Jacquemont Ind. 41.
 — *calliceras* Fisch. DC. Hortus genev. 16.
 — — Rchb. Hortus 12.
 — *coerulea* DC. Rchb. Ic. crit. 4, 343.
 — *corniculata* L. Sibth. Fl. gr. 761.
 — — Wight Ic. pl. Ind. or. 2, 384.
 — *dura* Vis. Visiani Aeg. 7.
 — *elator* DC. Sibth. Fl. gr. 762.
 — *Foenum graecum* L. Woodv. Med. 3, 154.
 — — Sibth. Fl. gr. 766.
 † — — Gaertn. Carp. 152.
 † — — Schk. Handb. 211.
 † — — Lam. Encycl. 611.
 — — Hayne 8, 41.
 — — Guimpel et Schl. 243.
 — — Nees Düssel. 324.
 — — Wagner 209.
 — *hamosa* L. Sibth. Fl. gr. 764.
 — *hybrida* Pourr. DC. Ic. pl. Galliae 29.
 — *incisa* Rhyll. Jacquemont Ind. 42.
 — *maritima* Delile. Moris Fl. sard. 55.
 — *monspeliaca* L. W. et Kit. 142.
 — — Sibth. Fl. gr. 765.
 — *nervosa* Klotzsch. Prinz Waldem. Him. 1.
 — *ornithopoides* Lam. Curt. Lond. 1, 58.
 — *ovalis* Boiss. Boissier Esp. 51.
 — *petiolaris* Viv. Viviani Lib. 18.

- Trigonella pinnatifida* Cav. Cav. Ic. 38.
 — *platycarpae* L. Rehb. Ic. crit. 6, 377.
 — *polycerata* L. Schk. Handb. 211.
 — *prostrata* DC. Moris Fl. sard. 54.
 — *ruthenica* L. Lodd. Cab. 1391.
 — *spicata* Sibth. Sibth. Fl. gr. 763.
 † — *spinosa* L. Gaertn. Carp. 152.
 — — — Lam. Encycl. 611.
 — *striata* L. Schk. Handb. 211.
Trigonella crotonoides Camb. St. Hil. Fl. Bras. 105.
 — *laevis* Aubl. Aublet Guiana 150.
 † — *mollis* Mart. Mem. Mus. 17, 31.
 — *villosa* Aubl. Aublet Guiana 149.
 — — — Lam. Encycl. 347.
Trigonidium obtusum Ldl. Bot. Reg. 23, 1923.
Trigonostemon heteranthum Wight. Wight Ic. pl. 5, 1890.
Triguera ambrosiaca Cav. Cav. Diss. 11. et A.
 — — — Lam. Encycl. 114.
Trilepis Lhotzkyana N. v. E. Endl. Bras. 3, 29.
 † *Trillium* L. Kerner Genera 193.
 — *cernuum* L. Smith Spicil. 4.
 — — — Bot. Mag. 24, 954.
 — — — Barton Fl. 2, 40.
 — *discolor* Wray. Bot. Mag. 58, 3997.
 — *erectum* L. Lam. Encycl. 267.
 — — — Bot. Mag. 14, 479.
 — — — album, Bot. Mag. 26, 1027.
 — — — viridiflorum, Bot. Mag. 60, 3250.
 — — — Lodd. Cab. 1838, 1850.
 — *erythrocarpum* Michx. Bot. Mag. 22, 855.
 — — — Bot. Mag. 57, 3002.
 — — — Lodd. Cab. 1232.
 — — — Sweet Fl. G. 212.
 — — — Rehb. Exot. 86.
 — *foetidum* Salisb. Salisbury Parad. 35.
 — — — Kerner Hort. 371.
 — *Govanianum* Wall. Royle Illustr. 93.
 — *grandiflorum* Salisb. Salisbury Parad. 1.
 — — — Lodd. Cab. 1349.
 — *latifolium* Rafin. Rafinesque Med. 91.
 — *nervosum* Ell. Lodd. Cab. 1860.
 — *obovatum* Pursh. Rehb. Hortus 29.
 — *pendulum* Willd. Willdenow Hortus 35.
 — *petiolatum* Pursh. Hook. Bor. Am. 192.
 — *rhomboideum* Michx. Red. Lil. 3, 134.
 — — — Maund Bot. 3, 138.
 — — — Dict. sc. nat. 48.
 — *sessile* L. Bot. Mag. 2, 40.
 — — — Red. Lil. 3, 133.
 — — — Lam. Encycl. 267.
 — — — Lodd. Cab. 875.
 — — — Herb. amat. 1, 13.
 — — — Rehb. Exot. 87.
Trineuron spathulatum Hook. Hook. Fl. ant. 17.
Trinia glaberrima Hoffm. Baxter Brit. Bot. 6, 469.
 — *glauca* Rehb. Rehb. Pl. crit. 5, 442.
 — *seseloides* Led. Ledeb. Ic. 8.
 † — *vulgaris* DC. Nees Gen. X, x.
 † *Triodia* R. Br. Dumortier Gramin. 5.
 — *avenacea* H. B. K. H. B. K. Nov. Gen. 1, 49.
 — *cuprea* Jacq. Jacq. Ecl. Gram. 16.
 — *decumbens* Pal. B. Baxter Brit. Bot. 6, 488.
 — — — Sturm Flora 19, 86.
 — — — Rehb. Fl. germ. 1, 71.
 † — — — Nees Gen. 1, 51.
 — *kerquelenensis* Hook. Hook. Fl. ant. 138.
 — *pulchella* H. B. K. H. B. K. Nov. Gen. 1, 47.
 † *Triolena scorpioides* Naud. Ann. sc. nat. II, 16, 18.
 † *Triopteris bifurca* Gaertn. Gaertn. Carp. 116.
 † — *Hiraea* Gaertn. Gaertn. Carp. 116.
 † — *jamaicensis* L. Gaertn. Carp. 116.
 — *indica* Willd. Roxb. Corom. 160.

- Triopteris lucida* H. B. K. H. B. K. Nov. Gen. 5, 451.
 — *ovata* Cav. Cav. Diss. 259.
 — — — Lam. Encycl. 382.
 † — — — Arch. Mus. 3, 18.
 † *Triosteum perfoliatum* L. Gaertn. Carp. 26.
 — — — Lam. Encycl. 159.
 — — — Schk. Handb. 41.
 — — — Barton Med. 4.
 — — — Bigelow Med. 9.
 — — — Sweet Fl. G. II, 45.
 † *Tripetaleia paniculata* Sieb. et Zucc. Münchn. Abh. 3, 3.
Triphasia aurantiola Risso. Risso Orangers 108.
Triphyllocynis Aub. Aubert Orchid. 14.
Triplandron lineatum Benth. Benth. Sulphur 28.
Triplaris americana L. Aublet Guiana 347.
 — — — Rottboell Surinam 3.
 — — — Lam. Encycl. 823.
 — — — Proc. Bot. Soc. Lond. 1839, 2.
 † *Triplasis americana* Pal. B. Lam. Encycl. 912.
Triplateia diffusa Bartl. Presl Reliq. 50.
Triplostegia glandulosa Wall. DC. Valerianées 5.
Tripogon capillatus Jaub. Jaubert Illustr. 332.
 — *festucoides* Jaub. Jaubert Illustr. 333.
 † *Tripolium vulgare* N. v. E. Nees Gen. X, x.
 — — — Dietr. Fl. bor. 8, 556.
 † *Tripsacum* L. Linné Amoenit. 7, 2.
 † — *dactyloides* L. Lam. Encycl. 750.
 — *hermaphroditum* L. Linné Hort. ups. 1, 9.
 † — — — Gaertn. Carp. 1.
 — — — Schk. Handb. 284.
 † — — — Lam. Encycl. 750.
 — *monostachyum* Willd. Willdenow Hortus 1.
Tripterella capitata Michx. Michaux Fl. 3.
 † *Triptilion Rz et P.* Ruiz et Pav. Prodr. 22.
 — *Achilleae* DC. Delessert Ic. 4, 83.
 — *Benaventii* Remy. Gay Chile 39.
 — *capillatum* DC. Delessert Ic. 4, 83.
 — *cordifolium* Lag. Bot. Reg. 10, 853.
 — *spinosum* DC. Maund Bot. 5, 224.
 — — — Bot. Reg. 27, 22.
 — — — Paxt. Mag. 10, 269.
 † — — — Ann. Mus. 19, 3.
 † *Trischidium vestitum* Tul. Ann. sc. nat. II, 20, 4.
Trisetaria linearis Forsk. Delile Egypte 12.
 † *Trisetum Pers.* Dumortier Gramin. 8.
 — *antarcticum* Trin. Hook. New Zealand 68.
 — *arenarium* Lab. Bill. Syr. 5, 7.
 — *aureum* Ten. Tenore Fl. nap. 107.
 — *Berteroanum* Kth. Humb. Gram. 142.
 — *glaciale* Boiss. Boissier Esp. 175.
 — *molle* Kth. Torrey New York 154.
 † — *pratense* Pers. Nees Gen. 1, 46.
 — *toluccense* Kth. Humb. Gram. 60.
 — *velutinum* Boiss. Boissier Esp. 174.
 † *Trismeria argentea* Fée. Fée Fil. 5, 14.
 † — *aurea* Fée. Fée Fil. 5, 14.
Tristachya chrysothrix N. v. E. Humb. Gram. 141.
 — *leiostachya* N. v. E. Humb. Gram. 140.
Tristagma dimorphopetalum Gay. Gay Chile 69 bis.
 — *nivale* P. et E. Poepp. et Endl. 140.
Tristania macrophylla Cunn. Bot. Reg. 22, 1839.
 — *neriifolia* R. Br. Bonpland Malm. 30.
 — — — Lodd. Cab. 157.
 — — — Dict. sc. nat. 225.
 — — — Herb. amat. 3, 194.
 — — — Rehb. Mag. 17.
 — *obovata* R. Br. Bennett Java 27.
Tristegia glutinosa N. v. E. Horae berlin. 7.
 † *Tristellateia madagascariensis* Poir. Arch. Mus. 3, 16.
Tristemma hirtum Pal. B. Pal. B. Fl. d'Oware 57.
 † — *mauritanum* Juss. Lam. Encycl. 956.
 † — *Schumacheri* Guill. Ann. sc. nat. III, 13, 6.

- Tristemma virusanum* Commers. Vent. Choix 35.
 † — *virusanum* DC. Ann. sc. nat. III. 13, 5.
Tristicha bryoides Gardn. Wight Ic. pl. Ind. or. 5, 1920.
 — *hypnoides* Tul. Arch. Mus. 6, 10.
Triteleia grandiflora Ldl. Hook. Bor. Am. 198.
 — *laxa* Benth. Hort. Transact. 8, 15.
 — — Bot. Reg. 20, 1685.
 — *porrifolia* P. et E. Poepp. et Endl. 139.
 — *uniflora* Ldl. Bot. Reg. 23, 1921.
 — — Annales de Gand 1846, 67.
Trithrinax brasiliensis Mart. D'Orbigny Voyage 10. 25.
 † *Triticum* L. Linné Amoenit. 7, 2.
 † — — Desvaux Journal 3, 3.
 † — — Dumortier Gramin. 2.
 † — — Ann. Mus. 17, 7.
 † — — Flora 1820, 2.
 — *acutum* DC. Fl. dan. 12, 1986.
 † — *aestivum* L. N. Comm. Gott. 5, x.
 † — *album* Gaertn. Gaertn. Carp. 81.
 — *amyleum* Ser. Metzger Cer. 7, 8.
 — — Guimpel et Schl. 247.
 — *atratum* Host. Host Gram. 308.
 — *bicorne* Forsk. Delile Egypte 15.
 — *biunciale* Vill. Viviani Fl. ital. 24.
 — *caninum* Schrad. Host Gram. 125.
 — — Engl. Bot. 20, 1372.
 — — Knapp Gram. 112.
 — — Fl. dan. 9, 1447.
 — — var. *Gmelini*, Ledeb. Ic. 248.
 — *compactum* Host. Host Gram. 307.
 — — Tratt. Archiv 316. 316^a.
 — *compositum* Host. Host Gram. 227.
 — — Tratt. Archiv 314. 314^a.
 † *cristatum* Schreb. Schreber Gräser 23.
 — — Host Gram. 124.
 — — Engl. Bot. 32, 2267.
 — *dasyanthum* Spr. Humb. Gram. 90.
 — — Rchb. Ic. crit. 5, 414.
 — *desertorum* Led. Ledeb. Ic. 246.
 — *durum* Desf. Metzger Cer. 4.
 — *elongatum* Host. Host Gram. 123.
 — *fartum* Viv. Viviani Fl. ital. 26.
 — *geniculatum* Led. Ledeb. Ic. 247.
 — *glaucum* Host. Host Gram. 310.
 — *Halleri* Willd. Viviani Fl. ital. 26.
 — *hispanicum* Reichenb. Viviani Fl. ital. 23.
 — *hordeiforme* Host. Host Gram. 305.
 — — Tratt. Archiv 313. 313^a.
 † *hybernium* L. Gaertn. Carp. 81.
 — — Woodv. Med. 5, 29.
 — *junceum* L. Sibth. Fl. gr. 99.
 — — Fl. dan. 6, 916.
 — — Sv. Bot. 269.
 — — Engl. Bot. 12, 814.
 — — Knapp Gram. 113.
 — — Host Gram. 122. 233.
 — *litorale* Host. Host Gram. 309.
 — *littoreum* Schum. Brotero Phytogr. 97.
 — — Fl. dan. 11, 1863.
 — *loliaceum* Sm. Engl. Bot. 4, 221.
 — — Knapp Gram. 114.
 — — Roemer Fl. europ. 10, 2.
 — *longearistatum* Boiss. Jaubert Illustr. 199.
 — *maritimum* Cir. Cirillo Pl. rar. 2, 2.
 † — *monococcum* L. Gaertn. Carp. 81.
 — — Host Gram. 232.
 — — Tratt. Archiv 317.
 — — Metzger Cer. 17.
 † — — Spach Suites 128.
 † — *Nardus* DC. Jacq. Eclogae Gram. 35.
 — *panormitanum* Boiss. var. *hispanicum*, Boissier
 Esp. 181.

- Triticum polonicum* L. Host Gram. 231.
 — — — Tratt. Archiv 318. 318^a.
 — — — Metzger Cer. 5, 6.
 — *ramosum* Led. Ledeb. Ic. 245.
 — *repens* L. Schreber Gräser 26.
 — — — Fl. dan. 5, 748.
 — — — Engl. Bot. 13, 909.
 — — — Schk. Handb. 20.
 — — — Host Gram. 121.
 — — — Knapp Gram. 111.
 — — — Guimpel et Schl. 22.
 — — — Sv. Bot. 38.
 — — — Wagner 187.
 — — — Nees Düssel. 32.
 — — — Baxter Brit. Bot. 2, 112.
 † — *sativum* Lam. Lam. Encycl. 49.
 — — — var. *turgidum*, Delile Egypte 14.
 — — — var. *pyramidale*, Delile Egypte 14.
 — *Spelta* L. Host Gram. 230.
 — — — Tratt. Archiv 315. 315^a.
 — — — Metzger Cer. 6.
 — — — Nees Düssel. 31.
 — — — Guimpel et Schl. 246.
 — *tenellum* Host. Host Gram. 126.
 — — Viv. Viviani Fl. ital. 25.
 — *turgidum* L. Host Gram. 228.
 — — — Metzger Cer. 23.
 — — — Guimpel et Schl. 245.
 — *unilaterale* L. Host Gram. 127.
 — — — Viviani Fl. ital. 23.
 — *villosum* Host. Host Gram. 306.
 — — M. v. B. Rchb. Fl. germ. I, 24.
 — *violaceum* Hornem. Fl. dan. 12, 2044.
 — *vulgare* Vill. Host Gram. 226.
 — — — Tratt. Archiv 312. 312^a.
 — — — Metzger Cer. 1, 2.
 — — — Nees Düssel. 31.
 — — — Guimpel et Schl. 244.
 — — — Wagner 159.
 † — — — Nees Gen. I, 79.
 — *Zea* Host. Host Gram. 229.
Tritoma Burchellii Herb. Bot. Reg. 21, 1715.
 — *media* Ker. Red. Lil. 3, 161.
 — — — Herb. amat. I, 57.
 — *pumila* Ker. Bot. Mag. 20, 764.
 — — — Lodd. Cab. 444.
 — *Uvaria* Ker. Bot. Mag. 20, 758.
 — — — Red. Lil. 5, 291.
Tritonia aurea Papp. Bot. Mag. 73, 4335.
 — — — Bot. Reg. 33, 61.
 — — — Paxt. Mag. 15, 3.
 — *capensis* Ker. Bot. Mag. 17, 618. 37, 1531.
 — *crispa* Ker. Bot. Mag. 18, 678.
 — *deusta* Ker. Bot. Mag. 17, 622.
 — — — Kerner Hort. 276.
 — *fenestrata* Ker. Bot. Mag. 19, 704.
 — *flava* Ker. Bot. Reg. 9, 747.
 — *fucata* Ldl. Bot. Reg. 24, 35.
 — *longiflora* Ker. Bot. Mag. 37, 1502.
 — *media* Ker. Bot. Mag. 20, 744.
 — *miniata* Ker. Bot. Mag. 17, 609.
 — *odorata* Ldl. Lodd. Cab. 1820.
 — *refracta* Ker. Bot. Reg. 2, 135.
 — *rochensis* Ker. Bot. Mag. 37, 1503.
 — *squalida* Ker. Bot. Mag. 16, 581.
 — *tenuiflora* Ker. Lodd. Cab. 1078.
 — *viridis* Ker. Bot. Mag. 31, 1275.
Triumfetta angulata Lam. Wight Ic. pl. Ind. or. 2, 320.
 — *annua* L. Bot. Mag. 49, 2296.
 — *cordifolia* A. Rich. Guillemain Seneg. 18.
 — *Fabreana* Gaudich. Freycinet Voyage 102.
 — *grandiflora* Vahl. Vahl. Ic. 30.

- Triumfetta grossulariaefolia* A. Rich. Ranton Cuba 22.
 — *heterophylla* Lam. Desc. Ant. 2, 102.
 — *Lappula* L. Lam. Encycl. 400.
 — — Desc. Ant. 2, 101.
 — *longicoma* St. Hil. St. Hil. Fl. Bras. 56.
 — *micropetala* Ldl. Bot. Reg. 13, 1058.
 — *mollissima* H. B. K. H. B. K. Nov. Gen. 5, 488.
 — *nemoralis* St. Hil. St. Hil. Fl. Bras. 56.
 — *oblongata* Link. DC. Hortus genev. 17.
 — *pentandra* A. Rich. Guillemin Seneg. 19.
 † — *Plumieri* Lam. Gaertn. Carp. 111.
 — *rhomboidea* Jacq. Jacq. Hist. stirp. am. 134.
 — — Ldl. Lindley Collect. 29.
 — *semitriloba* L. Jacq. Hist. stirp. am. 133.
 — — Jacq. Vind. 3, 76.
Triuris hyalina Miers. Linn. Transact. 19, 7.
 † *Trixago latifolia* Rchb. Nees Gen. 5, 44.
 † — *viscosa* Rchb. Nees Gen. 5, 44.
 † *Trixis* Sw. Swartz Fl. Ind. occ. 26.
 — *auriculata* Hook. Bot. Mag. 54, 2765.
 — *obvallata* Hook. Hook. Beechey 65.
 † — *palustris* Gaertn. Gaertn. Carp. 24.
 — *senecioides* Hook. Hook. Exot. Fl. 101.
Trizeuxis falcata Ldl. Lindley Collect. 2.
 — — Hook. Exot. Fl. 126.
 — — Lodd. Cab. 975.
Trochetia grandiflora Ldl. Bot. Reg. 30, 21.
 — *triflora* DC. Mem. Mus. 10, 8.
 — — Dict. sc. nat. 143.
 — *uniflora* DC. Mem. Mus. 10, 7.
Trochocarpa laurina R. Br. Bot. Mag. 61, 3324.
Trochodendron aralioides S. et Z. Sieb. Fl. Jap. 39—40.
 † *Trochopteris elegans* Gardn. Hook. Gen. Fil. 104.
 — — Hook. Journal 1842, 4.
 † *Trocho stigma* Sieb. et Zucc. Münchn. Abh. 3, 2.
 † *Trollius* L. Kerner Genera 98.
 † — — Gray Genera 11.
 — *acaulis* Ldl. Bot. Reg. 29, 32.
 — *americanus* Mühlenb. Bot. Mag. 45, 1988.
 — — Lodd. Cab. 56.
 — *asiaticus* L. Bot. Mag. 7, 235.
 — — Herb. amat. 2, 98.
 — *caucasicus* Led. Ledeb. Ic. 345.
 — *europaeus* L. Fl. dan. 1, 133.
 † — — Gaertn. Carp. 118.
 † — — Lam. Encycl. 499.
 — — Herb. amat. 1, 69.
 — — Engl. Bot. 1, 28.
 — — Sv. Bot. 383.
 — — Baxter Brit. Bot. 4, 241.
 — — Dreves 5, 136.
 — — Hayne 1, 12.
 — — Schk. Handb. 153.
 — — Sturm Flora 2, 5.
 — — Schrank Fl. monac. 1, 50.
 — — Dietr. Fl. bor. 6, 406.
 — — Rchb. Fl. germ. 4, 102.
 — *laxus* Salisb. Gray Genera 11.
 — — Torrey New York 3.
 — *Ledebourii* Rchb. Rchb. Ic. crit. 3, 272.
 — *medius* Wender. Wenderoth Analecten 1.
 — *patulus* Salisb. var. α. Delessert Ic. 1, 44.
Trommsdorffia aurata Mart. Mart. Bras. 139, 145.
 † *Tropaeoleae* Juss. Payer Organogénie 16.
 † *Tropaeolum* L. Kerner Genera 54.
 † — — Acad. Brux. 13, 1.
 † — — Ann. sc. nat. III. 18, 17.
 — *aduncum* DC. Bot. Reg. 9, 718. 10, 790.
 — *albiflorum* Ch. Lem. Fl. d. serres 3, 241.
 — *azureum* Miers. Mem. Tur. 37, 2.
 — — Bot. Mag. 69, 3985.
 — — Bot. Reg. 28, 65.

- Tropaeolum azureum* Miers. Paxt. Mag. 9, 247.
 — — — Hart. Parad. 1, 15.
 — — — Annales de Gand 1845, 22.
 — — — Fl. d. serres 2, 46.
 — *bicolorum* Rz et P. Ruiz et Pav. Fl. 313.
 — *brachyceras* Hook. et Arn. Bot. Mag. 67, 3861.
 — — — Bot. Reg. 23, 1926.
 — — — Poepp. et Endl. 36.
 — — — Paxt. Mag. 4, 55.
 — — — Fl. d. serres 4, 368.
 — — — Sweet Fl. G. II. 370.
 — *Bridgesii* Gardn. Fielding Sertum 39.
 — *cirrhipes* Hook. Hook. Ic. pl. 5, 411.
 — *crenatiflorum* Hook. Bot. Mag. 72, 4245.
 — — — Annales de Gand 1848, 207.
 — — — Fl. d. serres 2, 166.
 — *Deckerianum* Mor. et Karst. Karsten Ausw. 12.
 — — — Fl. d. serres 5, 490.
 — — — Belgique hortic. 2, 43.
 — *dipetalum* Rz et P. Ruiz et Pav. Fl. 313.
 — — — Kerner Hort. 232.
 — — — Annales de Gand 1846, 57.
 — *edule* Rz et P. Maund Bot. 5, 248.
 — — — Paxt. Mag. 9, 127.
 — — — Annales de Gand 1846, 98.
 — *Fintelmanni* Wager. Regel Gartenf. 2, 58.
 — *Jarrattii* Paxt. Paxt. Mag. 5, 29.
 — *Lobbianum* Veitch. Bot. Mag. 70, 4097.
 — — — Paxt. Mag. 11, 271.
 — — — Fl. d. serres 2, 3.
 — — — var. splendens, Ann. de Gand 1848, 207.
 — *majus* L. Bot. Mag. 1, 23.
 — — — Woodv. Med. 3, 218.
 — — — Dict. sc. nat. 133.
 — — — var. Bot. Mag. 62, 3375.
 — — — var. Sweet Fl. G. II. 204.
 — — — var. Paxt. Mag. 1, 176. 2, 193.
 † — — — Gaertn. Carp. 79.
 † — — — Lam. Encycl. 277.
 † — — — Acta Leop. 13, 2, 41.
 † — — — Ann. Mus. 18, 24.
 † — — — Acad. Brux. 13, 1.
 † — — — Linn. Transact. 19, 16.
 † — — — Hook. Journal 1843, 21, 22.
 † — — — Hofmeister Embryo 5.
 † — — — Ann. sc. nat. III. 18, 17.
 † — — — Payer Organogénie 16.
 — *minus* L. Bot. Mag. 3, 98.
 — — — Schk. Handb. 105.
 — *Moritzianum* Klotzsch. Link Ic. III. 17.
 — — — Bot. Mag. 67, 3844.
 — — — Paxt. Mag. 8, 199.
 — — — Maund Bot. 5, 221.
 — *oxalanthum* Morr. Annales de Gand 1848, 207.
 — *pentaphyllum* Lam. Lam. Encycl. 277.
 — — — St. Hil. Pl. usuelles 41.
 — — — Lodd. Cab. 1969.
 — — — Bot. Reg. 18, 1547.
 — — — Bot. Mag. 59, 3190.
 — *peregrinum* L. Lam. Encycl. 277.
 — — — Jacq. Schoenbr. 1, 98.
 — — — Andr. Rep. 9, 597.
 — — — Bot. Mag. 33, 1351.
 — — — Bot. Reg. 9, 718. 10, 790.
 — — — Savi Fl. ital. 2, 56.
 — — — Hart. Parad. 1, 6.
 — — — Sweet Fl. G. II. 134.
 — *pinnatum* Ait. Andr. Rep. 8, 535.
 — *polyphyllum* Cav. Cav. Ic. 398.
 — — — Poepp. et Endl. 37.
 — — — Bot. Mag. 69, 4042.
 — — — Paxt. Mag. 10, 175.

- Tropaeolum quinatum* *Hellen.* *Hellenius Tropaeolum* x.
— *quinquelobum* *Berg.* *Svensk Acad.* 1765, 1.
— *Schlimii* *Lind.* *Fl. d. serres* 6, 553.
— *sessilifolium* *P. et E.* *Poepp. et Endl.* 38.
— *Smithii* *DC.* *Bot. Mag.* 74, 4385.
— — *Fl. d. serres* 4, 384.
— *speciosum* *P. et E.* *Poepp. et Endl.* 35.
— — *Bot. Mag.* 73, 4323.
— — *Paxt. Mag.* 14, 173.
— — *Fl. d. serres* 3, 281.
— — *Annales de Gand* 1847, 169.
— *tricolorum* *Sweet.* *Sweet Fl. G.* 270.
— — *Bot. Mag.* 59, 3169.
— — *Bot. Reg.* 23, 1935.
— — *Rchb. Exot.* 347.
— — *Paxt. Mag.* 2, 123.
— — *Fl. d. serres* 4, 369.
— — *Annales de Gand* 1848, 207.
— *tuberosum* *Rz et P.* *Ruiz et Pav. Fl.* 314.
— — *Bot. Mag.* 66, 3714.
— — *Hook. Ic. pl.* 7, 653.
— — *Paxt. Mag.* 5, 49.
— — *Fl. d. serres* 5, 452.
— — *Belgique hortic.* 2, 36.
† — — *Morren Fuchsia* 2, 3.
— *umbellatum* *Hook.* *Bot. Mag.* 73, 4337.
— — *Fl. d. serres* 3, 302.
— — *Annales de Gand* 1848, 178.
— *Wagnerianum* *Karsten.* *Fl. d. serres* 6, 553.
— — *Belgique hortic.* 2, 1.
† *Trophis Browne.* *Ann. sc. nat.* III. 8, 6.
— *americana* *L.* *Lam. Encycl.* 806.
— *aspera* *Retz.* *Rheede Hort. mal.* 1, 48.
— — *Hook. Journal* 1834, 121.
— *spinosa* *Roxb.* *Rumpf Amb.* 5, 15.
Tropidocarpum gracile *Hook.* *Hook. Ic. pl.* 1, 43.
— *scabriusculum* *Hook.* *Hook. Ic. pl.* 1, 52.
Troximum aurantiacum *Hook.* *Hook. Bor. Am.* 104.
— *glanum* *Pursh.* *Bot. Mag.* 40, 1667.
— — *Nutt.* *Bot. Mag.* 63, 3462.
Trymatococcus amazonicus *P. et E.* *Poepp. et Endl.* 142.
— — *Endl. Bras.* 12, 35.
Tryphane cespitosa *Fzl.* *Rchb. Fl. germ.* 5, 207.
— *Facchinii* *Rchb.* *Rchb. Fl. germ.* 5, 208.
— *Gerardi* *Fzl.* *Rchb. Fl. germ.* 5, 208.
— *hispida* *Fzl.* *Rchb. Fl. germ.* 5, 207.
— *obtus* *Rchb.* *Rchb. Fl. germ.* 5, 215.
— *recurva* *Fzl.* *Rchb. Fl. germ.* 5, 208.
— *verna* *Fzl.* *Rchb. Fl. germ.* 5, 207.
† *Tryptomene australis* *Endl.* *Acta Leop.* 19. *Suppl.* II. 6.
Tschudya rufescens *DC.* *DC. Melastom.* 9.
Tuberogastria *Aub.* *Aubert Orchid.* 31.
Tuberostylis Rhizophorae *Steetz.* *Seemann Herald* 29.
Tuckeya Candelabrum *Gaudich.* *Gaudichaud Bonite* 26.
Tulasnea Wight. = *Dakellia Wight.* *Wight Ic. pl. Ind.*
— — *or.* 5, 1919. 1920.
— *foliosa* *Naud.* *Ann. sc. nat.* III. 2, 2.
— *gracillima* *Naud.* *Ann. sc. nat.* III. 2, 2.
† *Tulbaghia alliacea* *L.* *Lam. Encycl.* 243.
— — *Bot. Mag.* 21, 806.
— *capensis* *L.* *Jacq. Vind.* 115.
† — *inodora* *Gaertn.* *Gaertn. Carp.* 16.
— *Ludwigiana* *Harv.* *Bot. Mag.* 64, 3547.
— *violacea* *Harv.* *Bot. Mag.* 64, 3553.
Tulipa altaica *Pall.* *Ledeb. Ic.* 134.
— *biflora* *L. fil.* *Bot. Reg.* 7, 535.
— — *Rchb. Ic. crit.* 4, 395.
— *Bonorotiana* *Bert.* *Sweet Fl. G.* II. 116.
— *Breyniana* *L.* *Bot. Mag.* 19, 717.
— *campopetala* *Delaunoy.* *Herb. amat.* 3, 172.
— *Celsiana* *Red.* *Red. Lil.* 1, 38.
— — *Tratt. Archiv* 30.

- Tulipa Celsiana* Red. Herb. amat. 2, 83.
 — — — Rchb. Fl. germ. 10, 447.
 — *Clusiana* Vent. Red. Lil. 1, 37.
 — — — Herb. amat. 1, 71.
 — — — Tratt. Archiv 7.
 — — — Sibth. Fl. gr. 329.
 — — — Bot. Mag. 34, 1390.
 — *cornuta* Red. Red. Lil. 8, 445.
 — — — Bot. Reg. 2, 127.
 † *Didieri* Jord. Jordan Observ. 1, 5.
 — *gallica Delaunoy.* Herb. amat. 3, 160.
 † *Gesneriana* L. Lam. Encycl. 244.
 † — — — Kerner Genera 9.
 † — — — Mem. Instit. 1830, 7.
 † — — — Tratt. Archiv 27.
 † — — — Hopkirk Fl. anom. 8.
 † — — — Morren Fuchsia 10.
 — — — Bot. Mag. 28, 1135.
 — — — Tratt. Archiv 24.
 — — — var. *foliosa*, Tratt. Archiv 25.
 — — — var. *polyantha*, Tratt. Archiv 26.
 — — — Red. Lil. 8, 477. 478.
 — — — Bot. Reg. 5, 380. 24, 46.
 — — — Herb. amat. 3, 177—180.
 — — — Savi Fl. ital. 2, 62.
 — — — var. *Dracontia*, Kerner Hort. 806.
 — — — var. *Horner*, Moore Mag. 1850, p. 305.
 — *heteropetala* Led. Ledeb. Ic. 85.
 † *hortensis* Gaertn. Gaertn. Carp. 17.
 — *maleolens* Reboul. Bot. Reg. 25, 66.
 — — — Rchb. Fl. germ. 10, 450.
 — — — Sweet Fl. G. II. 153.
 — *montana* Ldl. Bot. Reg. 13, 1106.
 — *oculus solis* DC. Red. Lil. 4, 219.
 — — — Tratt. Archiv 6.
 — — — Kerner Hort. 307.
 — — — Herb. amat. 2, 84.
 — — — Bot. Reg. 3, 204. 14, 1143. 17, 1419.
 — — — Savi Fl. ital. 2, 63.
 — — — Sweet Fl. G. II. 102.
 — — — Rchb. Fl. germ. 10, 448.
 † — — — Jordan Obs. 1, 5.
 — *praecox* Ten. Tenore Fl. nap. 32.
 — — — Rchb. Fl. germ. 10, 449.
 — — — Sweet Fl. G. 157.
 † — — — Jordan Obs. 1, 5.
 — *pubescens* Willd. Sweet Fl. G. 78.
 — *repens* Fisch. Sweet Fl. G. II. 97.
 — *saxatilis* Sieb. Rchb. Ic. crit. 4, 396.
 — *scabriscapa* Strangways. Bot. Reg. 23, 1990.
 — *Sibthorpiana* Sm. Sibth. Fl. gr. 330.
 — *silvestris* L. Fl. dan. 3, 375.
 — — — Engl. Bot. 1, 63.
 — — — Curt. Lond. 4, 19.
 — — — Bot. Mag. 30, 1202.
 — — — Baxter Brit. Bot. 1, 2.
 — — — Sv. Bot. 202.
 — — — Red. Lil. 3, 165.
 — — — Dict. sc. nat. 58.
 — — — Herb. amat. 2, 140. 141.
 — — — Savi Fl. ital. 2, 63.
 † — — — Plée Types 38.
 — — — Schk. Handb. 93.
 — — — Roemer Fl. europ. 7, 3.
 — — — Sturm Flora 8, 29.
 — — — Tratt. Archiv 29.
 — — — Dietr. Fl. bor. 9, 587.
 — — — Rchb. Fl. germ. 10, 446.
 † — — — Nees Gen. 2, 36.
 — *stellata* Hook. Bot. Mag. 54, 2762.
 — *stenopetala* Delaunoy. Herb. amat. 3, 171.
 — *suaveolens* Roth. Red. Lil. 2, 111.

- Tulipa suaveolens* Roth. Bot. Mag. 22, 339. 50, 2388.
 — — — Tratt. Archiv 28.
 — — — Herb. amat. 2, 98.
 — — — Spach Suites 92.
 — tricolor Ledeb. Ledeb. Ic. 135.
 — — — Bot. Mag. 68, 3887.
 — turcica Roth. Sweet Fl. G. 186.
 † *Tulipeae* DC. Schnizl. Iconogr. 1, 55.
Tullia pycnanthemoides Leavenw. Silliman Journal 20, 5.
Tulocarpus mexicanus Hook. Hook. Beechey 63.
Tunica brachypetala Jaub. Jaubert Illustr. 5.
 — rigida Rehb. Rehb. Fl. germ. 6, 246.
 — Saxifraga Koch. Rehb. Fl. germ. 6, 246.
 — — — Scop. Rehb. Fl. germ. 6, 247.
Tupa blanda Don. Sweet Fl. G. II. 308.
 — crassicaulis Hook. Bot. Mag. 76, 4505.
 — — — Lem. Jard. fl. 107.
 — Feuillei Don. Bot. Reg. 19, 1612.
 — persicaefolia DC. Delessert Ic. 5, 11.
 — salicifolia Sweet. Bot. Reg. 12, 973.
 — Schimper Hochst. Richard Abyssin. 63.
Tupeia Cham. et Sch. Korthals Tupeia x. (non vidi.)
 — antarctica Cham. Hook. New Zealand 26.
 — Reinwardtiana Blume. Blume Java 8, 28.
 — umbellata Bl. Blume Java 8, 27.
Tupistra nutans Wall. Bot. Reg. 15, 1223.
 — — — Bot. Mag. 58, 3054.
 — squalida Ker. Bot. Reg. 9, 704.
 — — — Bot. Mag. 40, 1655.
 — — — Lodd. Cab. 515.
 — — — Hoeven Tijdschr. 1, 3.
Turczaninovia fastigiata DC. DC. Composées 4.
Turgenia latifolia Hoffm. Dietr. Fl. bor. 11, 751.
Turnera angustifolia Mill. Bot. Mag. 8, 281.
 — chamaedrifolia St. Hil. St. Hil. Fl. Bras. 122.
 — dichotoma Gardn. Hook. Ic. pl. 6, 522.
 — elegans Otto. Knowles et Westcott 2.
 — frutescens Aubl. Aublet Guiana 113.
 — genistoides St. Hil. St. Hil. Fl. Bras. 121.
 — guianensis Aubl. Aublet Guiana 114.
 — hermannioides St. Hil. St. Hil. Fl. Bras. 120.
 — lutescens St. Hil. St. Hil. Fl. Bras. 119.
 — racemosa Jacq. Jacq. Vind. 3, 94.
 — rosea St. Hil. St. Hil. Fl. Bras. 123.
 — rupestris Aubl. Aublet Guiana 113.
 — sidaefolia St. Hil. St. Hil. Fl. Bras. 124.
 — trioniflora Sims. Bot. Mag. 47, 2106.
 — ulmifolia L. Linné Hort. Cliff. 10.
 — — — Martyn Hist. 47.
 † — — — Gaertn. Carp. 76.
 † — — — Lam. Encycl. 212.
 — — — Dict. sc. nat. 214.
 — — — Desc. Ant. 4, 302.
 — — — Bot. Mag. 71, 4137.
Turpinia laurifolia H. B. Humb. Pl. aeq. 33.
 — nepalensis Wall. Wight Spicil. 44.
 — — — Wight Ic. pl. Ind. or. 3, 972.
 — paniculata Vent. Vent. Choix 31.
 — — — Dict. sc. nat. 273.
Turraea abyssinica Hochst. Richard Abyssin. 25.
 — glabra Cav. Cav. Diss. 204.
 — lanceolata Cav. Cav. Diss. 205.
 — lobata Ldl. Bot. Reg. 30, 4.
 — maculata Sm. Smith Ic. Linn. 11.
 — — — Lam. Encycl. 351.
 † — — — Mem. Mus. 19, 12.
 — pinnata Wall. Wall. Pl. asiat. 119.
 — ? — — — Bot. Reg. 17, 1413.
 — pubescens Hellen. Svensk Acad. 1788, 10.
 — rigida Vent. Vent. Choix 48.
 — sericea Sm. Smith Ic. Linn. 12.
 — — — Kerner Hort. 278.

- Turraea tomentosa* Cav. Cav. Diss. 205.
 — villosa Bennett. Wight Ic. pl. Ind. or. 4, 1593.
 — virens L. Svensk Acad. 1788, 10.
 — — — Smith Ic. Linn. 10.
 — — — Lam. Encycl. 351.
 † *Turritis* L. Gray Genera 59.
 — alpina L. Braune Fl. 2, 2.
 — — — Engl. Bot. 25, 1746.
 — bellidifolia All. Allione Fl. ped. 3, 18. 40.
 — coerulea All. Allione Fl. ped. 3, 40.
 — glabra L. Fl. dan. 5, 809.
 — — — Curt. Lond. 3, 99.
 — — — Engl. Bot. 11, 777.
 — — — Baxter Brit. Bot. 6, 430.
 — — — Sv. Bot. 399.
 † — — — Gaertn. Carp. 143.
 † — — — Schk. Handb. 185.
 — — — Sturm Flora 11, 43.
 — — — Dietr. Fl. bor. 10, 687.
 — — — Rehb. Fl. germ. 2, 44.
 — hirsuta L. Jacq. Ic. 126.
 — — — Schk. Handb. 185.
 — — — Fl. dan. 6, 1040.
 — — — Engl. Bot. 9, 587.
 — mollis Hook. Fl. dan. 13, 2296.
 — patula Ehrh. W. et Kit. 59.
 — pubescens Desf. Desf. Fl. atl. 163.
 — Raji Vill. Vill. Dauph. 38.
 — sagittata Jahn. Schrank Hort. monac. 99.
 — stricta Grah. Gray Genera 59.
Tussilago alba L. Fl. dan. 3, 524.
 † — — — Schk. Handb. 242.
 — — — Sturm Flora 6, 21.
 — alpina L. Jacq. Fl. austr. 3, 246.
 — — — Bot. Mag. 3, 84.
 — — — Schk. Handb. 242.
 — — — Lodd. Cab. 1618.
 — Anandria L. Linné Hort. ups. 3.
 — — — Linné Amoenit. 1, 11.
 — discolor Jacq. Jacq. Fl. austr. 3, 247.
 — Farfara L. Fl. dan. 4, 595.
 — — — Woodv. Med. 1, 18.
 — — — Curt. Lond. 3, 8.
 — — — Engl. Bot. 6, 429.
 — — — Baxter Brit. Bot. 2, 91.
 — — — Sv. Bot. 2.
 † — — — Gaertn. Carp. 170.
 — — — Dreves 2, 49.
 † — — — Schk. Handb. 242.
 † — — — Lam. Encycl. 674.
 — — — Hayne 2, 16.
 — — — Sturm Flora 1, 2.
 — — — Schrank Fl. monac. 4, 318.
 — — — Nees Düsseld. 235.
 — — — Guimpel et Schl. 25.
 — — — Wagner 71. 72.
 — — — Dietr. Fl. bor. 8, 544.
 † — — — Nees Gen. X, x.
 † — — — Flora 1853, 7.
 — — — Rehb. Fl. germ. 16, 904.
 — fragrans Vill. Act. soc. hist. nat. Par. 12.
 — — — Reich Magazin 21.
 † — — — Lam. Encycl. 674.
 — — — Bot. Mag. 34, 1388.
 — — — Savi Fl. ital. 1, 19.
 — frigida L. Fl. dan. 1, 51.
 — — — Sv. Bot. 680.
 — — — Rafinesque Med. 92.
 — hybrida L. Schk. Handb. 242.
 — — — Engl. Bot. 6, 430.
 † — — — Lam. Encycl. 674.
 — japonica L. Kaempfer Japon. 27. 28.

- Tussilago laevigata* Led. Ledeb. Ic. 341.
 — *lyrata* Pers. Lam. Encycl. 674.
 — *nivea* Hoppe. Sturm Flora 6, 21.
 — — Schrank Fl. monac. 1, 54.
 — *oblongifolia* Bert. Novi Comm. Bonon. 8, 32.
 — *palmata* Ait. Aiton Hort. Kew. 3, 11.
 — *paradoxa* Retz. Retzius Obs. 2, 3.
 — — Sturm Flora 6, 21.
 — *Petasites* L. Fl. dan. 5, 842.
 — — Sv. Bot. 224.
 — — Curt. Lond. 3, 1, 4, 129.
 — — Engl. Bot. 6, 431.
 † — — Lam. Encycl. 674.
 † — — Schk. Handb. 242.
 — — Sturm Flora 2, 7.
 — — Hayne 2, 17, 18.
 — — Nees Düsseld. 238.
 — *ramosa* Hoppe. Sturm Flora 6, 21.
 — *silvestris* Jacq. Jacq. Fl. austr. 5, 12.
 — *spuria* Retz. Retzius Obs. 1, 2.
 — — Dreves 5, 137.
 — — Sturm Flora 6, 21.
 — — Fl. dan. 11, 1828.
Tweedia coerulea Don. Maund Bot. 2, 55.
 — — Paxt. Mag. 6, 125.
 — — Sweet Fl. G. II. 407.
 — *pubescens* Hort. Fl. d. serres 4, 347.
 — *versicolor* Hook. Bot. Mag. 65, 3630.
Tydaea Warszewiczii Regel. Regel Gartenfl. 1854, 79.
Tylloma glabratum DC. Gay Chile 35.
Tylochilus flavus N. v. E. Preuss. Garten-Verein 8, 3.
Tylophora asthmatica Wight et Arn. Wight Ic. pl. Ind.
 or. 4, 1277.
 — *carnosa* Wall. Wight Ic. pl. Ind. or. 4, 351.
 † — *cuspidata* Zipp. Ann. sc. nat. II. 9, 10.
 — *exilis* Colebr. Linn. Transact. 12, 16.
 — *fasciculata* Ham. Wight Ic. pl. Ind. or. 3, 848.
 — *heterophylla* Rich. Richard Abyssin. 71.
 — *Iphiaia* Decne. Delessert Ic. 5, 82.
 — — Wight Ic. pl. Ind. or. 4, 1276.
 † — — Wight Illustr. 153 bis.
 — *mollissima* W. et A. Wight Ic. pl. Ind. or. 4, 1275.
 — *parviflora* W. et A. Wight Ic. pl. Ind. or. 4, 1274.
 — *tenuissima* W. et A. Wight Ic. pl. Ind. or. 2, 588.
Tympananthe suberosa Hassk. Fl. d. serres 8, 776.
 — — Belgique hortic. 2, 11.
 † *Typha* L. Siebenbürger Verhandl. II. 1, 2.
 — *angustifolia* L. Fl. dan. 5, 815.
 — — Sv. Bot. 234.
 — — Curt. Lond. 3, 94.
 — — Engl. Bot. 21, 1456.
 — — Baxter Brit. Bot. 5, 377.
 † — — Lam. Encycl. 748.
 — — Dict. sc. nat. 9.
 — — Schk. Handb. 281.
 — — Rchb. Fl. germ. 9, 321.
 — *gracilis* Suhr. Rchb. Fl. germ. 9, 320.
 † — *latifolia* L. Gaertn. Carp. 2.
 — — Fl. dan. 4, 645.
 — — Curt. Lond. 3, 93.
 — — Engl. Bot. 21, 1455.
 — — Sv. Bot. 520.
 — — Schk. Handb. 281.
 † — — Lam. Encycl. 748.
 † — — Guillemin Archiv 1, 5.
 † — — Spach Suites 93.
 † — — Nees Gen. 3, x.
 — — Rchb. Fl. germ. 9, 323.
 — *macranthelia* Webb. Webb Canar. 218.
 — *minima* Funk. Pollini Fl. ver. 3, 1.
 — — Rchb. Fl. germ. 9, 319.
 — *minor* Sm. Engl. Bot. 21, 1437.

- Typha nana* Avé-Lall. Avé-Lallemant 23.
 — — Rchb. Fl. germ. 9, 319.
 — *Shuttleworthii* Koch. Rchb. Fl. germ. 9, 322.
 † *Typhaceae* DC. Schnizlein Typhaceae 1, 2.
 † — — Schnizl. Iconogr. 1, 73.
Typhonium cuspidatum Decne. Blume Rumphia 30.
 † — *divaricatum* Schott. Blume Rumphia 36.
 — — Wight Ic. pl. Ind. or. 3, 790.
Tyrimnus leucographus Cass. Rchb. Fl. germ. 15, 881.
Udora canadensis Nutt. Torrey New York 125.
 — *lithuanica* Bess. Rchb. Fl. germ. 7, 59.
 — *poimeranica* Rchb. Rchb. Fl. germ. 7, 59.
 — *verticillata* Nutt. Rchb. Fl. germ. 7, 59.
Ugena dichotoma Cav. Annales de hist. nat. 4, 37.
 — — Cav. Ic. 594.
 — *macrostachya* Cav. Annales de hist. nat. 4, 37.
 — — Cav. Ic. 594.
 — *microphylla* Cav. Annales de hist. nat. 4, 38.
 — — Cav. Ic. 595.
 — *polymorpha* Cav. Annales de hist. nat. 4, 38.
 — — Cav. Ic. 595.
 — *semihastata* Cav. Annales de hist. nat. 4, 37.
 — — Cav. Ic. 594.
Ulex africanus Webb. Webb Otia 29.
 — *argenteus* Welw. Webb Otia 38.
 — *bacticus* Boiss. Webb Otia 30.
 — *Bourgaeanus* Webb. Webb Otia 31.
 — *canthocladus* Webb. var. Webb Otia 35.
 — *densus* Welw. Webb Otia 37.
 — *erinaceus* Welw. Webb Otia 38.
 † — *europaeus* L. Gaertn. Carp. 151.
 — — Fl. dan. 4, 608.
 — — Engl. Bot. 11, 742.
 — — Schk. Handb. 196.
 — — Nouveau Duhamel 1, 59.
 — — Lam. Encycl. 621.
 — — Guimpel Holzgew. 123.
 — — Baxter Brit. Bot. 2, 93.
 † — — Ann. sc. nat. III. 11, 9.
 — *Gallii* Planch. Ann. sc. nat. III. 11, 9.
 — — Fl. d. serres 5, 441.
 — *genistoides* Brot. Bot. Reg. 17, 1452.
 — *iantocladus* Webb. Webb Otia 33.
 — *Jussiaei* Webb. Webb Otia 36.
 — *nanus* Sm. Engl. Bot. 11, 743.
 † — — Ann. sc. nat. III. 11, 9.
 — *opistholepis* Webb. Webb Otia 36.
 — *parviflorus* Pourr. Webb Otia 29.
 — *provincialis* Lois. Desvieux Journal 2, 13.
 — — Loiseleur Notice 6.
 — *scaber* Kunze. Webb Otia 32.
 — *Welwitschianus* Planch. Webb Otia 34.
 — *Willkommii* Webb. var. Webb Otia 35.
Ullucus tuberosus Lozano. Bot. Mag. 77, 4617.
 — — Bull. Moac. 1851, 2, 14.
 — — Lem. Jard. fl. 221.
 — — Rendic. Ac. Neap. 1853, x.
 — — Belgique hortic. 2, 52.
 † *Ulmaceae* Mirb. Schnizl. Iconogr. 2, 90.
Ulmaria rubra Hill. Hill Hort. Kew. 7.
Ulmus alata Michx. Michaux Arb. 3, 5.
 † — *americana* L. Gaertn. Carp. 49.
 — — Michaux Arb. 3, 4.
 — *campestris* L. Fl. dan. 4, 632.
 — — Schk. Handb. 57.
 † — — Lam. Encycl. 185.
 — — Nouveau Duhamel 2, 42.
 — — Dict. sc. nat. 281.
 — — Woodv. Med. 4, 242.
 — — Engl. Bot. 27, 1886.
 — — Sv. Bot. 13.
 — — Hayne 3, 15.

- Ulmus campestris* L. Hartig 55.
 — — — Guimpel et Schl. 26.
 — — — Nees Düssel. 101.
 — — — Wagner 93. 94.
 — — — Rchb. Fl. germ. 12, 661.
 † — — — Spach Suites 97.
 † — — — Nees Gen. 4, 34.
 † — — — Schnizl. Iconogr. 2, 90.
 — — — chinensis Desf. Dict. sc. nat. 282.
 — — — ciliata Ehrh. Rchb. Fl. germ. 12, 666.
 — — — corylifolia Host. Rchb. Fl. germ. 12, 666.
 — — — effusa Willd. Hayne 3, 17.
 — — — Hartig 57.
 — — — Guimpel et Schl. 27.
 — — — Nees Düssel. 103.
 — — — Rchb. Fl. germ. 12, 666.
 † — — — Nees Gen. 4, 34.
 † — — — Schnizl. Iconogr. 2, 90.
 — — — excelsa Borkh. Rchb. Fl. germ. 12, 665.
 — — — glabra Mill. Engl. Bot. 32, 2248.
 — — — Rchb. Fl. germ. 12, 664.
 — — — integrifolia Roxb. Roxb. Corom. 78.
 — — — lanceaeifolia Wall. Wall. Pl. asiat. 200.
 — — — major Sm. Engl. Bot. 36, 2542.
 — — — Rchb. Fl. germ. 12, 665.
 — — — Belgique hortic. 2, 19.
 — — — minor Mill. Rchb. Fl. germ. 12, 660.
 — — — montana Sm. Engl. Bot. 27, 1887.
 — — — Baxter Brit. Bot. 5, 386.
 — — — Rchb. Fl. germ. 12, 662.
 — — — Belgique hortic. 2, 20.
 — — — octandra Schk. Schk. Handb. 57^b.
 — — — parvifolia Jacq. Jacq. Schoenbr. 3, 262.
 — — — Dict. sc. nat. 282.
 — — — pumila Pall. Pallas Fl. ross. 48.
 — — — racemosa Thomas. Silliman Journal 19, 4.
 — — — Torrey New York 96.
 — — — rubra Michx. Michaux Arb. 3, 6.
 † — — — Ann. sc. nat. III 19, 4. 7.
 — — — suberosa Ehrh. Hayne 3, 16.
 — — — Hartig 56.
 — — — Engl. Bot. 31, 2161.
 — — — Rchb. Fl. germ. 12, 663.
 † — — — Nees Gen. 4, 34.
 — — — tetrandra Schk. Schk. Handb. 57^b.
 — — — virgata Roxb. Wall. Pl. asiat. 290.
Umbelliferae Juss. Crantz Classis Umb. 1—6.
 † — — — Schk. Handb. 79. 80.
 † — — — Hoffmann Genera Umb. 1^a. 1^b.
 † — — — DC. Umbellif. 19.
 † — — — Acta Leop. 12. 1, 9—11.
 † — — — Gaudin Fl. helv. 2, 3—9.
 † — — — Hegetschweiler Flora 7.
 † — — — Schimper Symphytum 6.
 † — — — Mutel Fl. fr. 20—25.
 † — — — Hook. et Arnott Britt. Fl. 1. 2. 3.
 † — — — Cosson Atlas 13.
 † — — — Wight Illustr. 117.
Umbilicus Heylandianus Webb. Webb Canar. 26.
 — — — luteus Decne. Jacquemont Ind. 73.
 — — — malacophyllus DC. Bot. Mag. 70, 4098.
 — — — pendulinus DC. DC. Plantes grasses 162.
 — — — radicans Klotzsch. Prinz Waldem. Him. 44.
 — — — sedoides DC. DC. Crassulacées 4.
 — — — Sempervivum DC. Knowles et Westcott 116.
Unanuea febrifuga Rz et P. Ruiz et Pav. Ined. x.
Uncaria acida Roxb. Rumpf Amb. 5, 34.
 — — — africana G. Don. Hook. Niger Fl. 42.
 — — — Hook. Ic. pl. 8, 781.
 † — — — attenuata Korth. Korthals Bot. 34.
 — — — Gambir Hunt. Korthals Bot. 34.
 — — — Hallii Korth. Korthals Bot. 33.

- Uncaria inermis* Willd. Usteri Delectus 2, 3.
 — — — pilosa Roxb. Wall. Pl. asiat. 170.
 — — — sclerophylla Roxb. Delessert Ic. 3, 81.
 † *Uncinia* Pers. Wiegmann Archiv 2, 6.
 — — — ferruginea Boott. Hook. New Zealand 64.
 — — — Hookeri Boott. Hook. Fl. ant. 51.
 — — — Kingii Boott. Hook. Fl. ant. 145.
 — — — leptostachya Decne. Raoul Nouv. Zel. 5.
 — — — longifolia Kth. Gay Chile 72.
 — — — rubra Boott. Hook. New Zealand 64.
 — — — rupestris Decne. Raoul Nouv. Zel. 5.
 — — — tenuis Poepp. Kunze Car. 21.
Ungeria floribunda Sch. et E. Schott et Endl. Meletem. 4.
 † *Ungnadia* Endl. Gray Genera 178. 179.
 — — — speciosa Endl. Endlicher Atacta 36.
 — — — Gray Genera 178. 179.
 † *Uniola* L. Linné Amoenit. 7, 3.
 — — — distichophylla Lab. Bill. Nov. Holl. 24.
 — — — gracilis Michx. Humb. Gram. 72.
 — — — lappacea Trin. Trinius Sp. Gr. 3, 298.
 — — — latifolia Michx. Elliott Carolina 10.
 — — — Dict. sc. nat. 21.
 — — — spicata Willd. Trinius Sp. Gr. 3, 299.
 — — — stricta Torr. Marcy Exploration 20.
 — — — thalassica Trin. Trinius Sp. Gr. 3, 300.
Unisema deltofolia Rafin. Rafinesque Med. 93.
Unona acutiflora Dun. Dunal Anon. 22.
 — — — crassipetala Dun. Dunal Anon. 24.
 — — — dasymaschala Bl. Blume Java 1, 27.
 — — — discolor Vahl. Vahl Symbolae 36.
 — — — var. β . Blume Java 1, 26. 31.
 — — — fulgens Lab. Bill. Sertum 56.
 — — — hamata Dun. Icones plantarum Chinae 16.
 — — — leptopetala DC. Delessert Ic. 1, 68.
 — — — Lessertiana Dun. Dunal Anon. 26.
 — — — longiflora Dun. Roxb. Corom. 290.
 — — — — Kerner Hort. 690.
 — — — lucida DC. Delessert Ic. 1, 89.
 — — — nitidissima Dun. Dunal Anon. 23.
 — — — penduliflora Dun. Dunal Anon. 28.
 — — — uncata Dun. Dunal Anon. 27.
 — — — uncinata Dun. Dunal Anon. 12. 12^a.
 — — — undulata Dun. Wall. Pl. asiat. 265.
 — — — violacea Dun. Dunal Anon. 25.
 — — — xylopioides Dun. Dunal Anon. 21.
Unxia anemonifolia H. B. K. H. B. K. Nov. Gen. 4, 402.
 — — — anthemifolia Colla. Mem. Tur. 38, 32.
 — — — camphorata L. fil. Miquel Surinam 56.
 — — — — Lam. Encycl. 699.
 — — — digyna Steetz. Seemann Herald 30.
 — — — pratensis H. B. K. H. B. K. Nov. Gen. 4, 401.
Urachne grandiflora Trin. Ledeb. Ic. 221.
Uralespis cuprea Kth. Humb. Gram. 68.
 — — — purpurea Nutt. Humb. Gram. 67.
 † *Urania Splitg.* Het Institut 1843, 1. 2.
 — — — guianensis Rich. Acta Leop. 15. Suppl. 6. 7.
 — — — Ravenala Rich. Acta Leop. 15. Suppl. 4. 5.
 † *Uranthera variabilis* Naud. Ann. sc. nat. III 3, 7.
Urarua alopecuroides Wight. Wight Ic. pl. Ind. or. 1, 290.
 — — — cordifolia Wall. Wall. Pl. asiat. 37.
 — — — crinita Desv. var. macrostachya, Wall. Pl. asiat. 110.
 — — — hamosa Wall. Wight Ic. pl. Ind. or. 1, 284.
 — — — lagopoides DC. Royle Illustr. 33.
 — — — — Wight Ic. pl. Ind. or. 1, 289.
 — — — picta Desv. Wight Ic. pl. Ind. or. 2, 411.
 † *Urceola Vandelli.* Roemer Scriptores 6.
 — — — elastica Roxb. Asiat. Researches 5, 6.
 — — — — Wight Ic. pl. Ind. or. 2, 473.
Urceolina fulva Herb. Herbert Amar. 26.
 — — — lobata L. Rumpf Amb. 6, 25. fig. 2.
 † *Urena lobata* L. Gaertn. Carp. 135.

- † *Urena lobata* L. Lam. Encycl. 583.
 — — — Cav. Diss. 185.
 — — — St. Hil. Pl. usuelles 56.
 — — — Desc. Ant. 4, 271.
 — — — Bot. Mag. 58, 3043.
 † — — — Payer Organogénie 7.
 — — — multifida Cav. Cav. Diss. 184.
 — — — reticulata Cav. Cav. Diss. 183.
 — — — Sieberi Colla. Colla Hort. Rip. 39.
 — — — sinuata L. Rheede Hort. mal. 10, 2.
 — — — Cav. Diss. 185.
 — — — Lam. Encycl. 583.
 — — — speciosa Wall. Wall. Pl. asiat. 26.
 — — — stellipila Lem. Lem. Jard. fl. 3, 261.
 — — — subtriloba Schrank. Schrank Hort. monac. 79.
 — — — tricuspid Cav. Cav. Diss. 183.
 — — — viminea Cav. Cav. Diss. 184.
Urera Gandichaudiana Hensl. Jardine Annals 1, 12.
 — — — subpeltata Miq. Endl. Bras. 12, 66.
Urginea anthericoides Steinh. Explor. Alger. 45.
 — — — congesta Wight. Wight Ic. pl. Ind. or. 6, 2064.
 — — — coromandelina Wight. Wight Ic. pl. Ind. or. 6, 2064.
 — — — fugax Steinh. Ann. sc. nat. II, 1, 14.
 † — — — Nees Gen. 2, 47.
 — — — indica Kunth. Wight Ic. pl. Ind. or. 6, 2063.
 — — — Scilla Steinh. Ann. sc. nat. II, 1, 14.
 † — — — Nees Gen. 2, 47.
Urochloa cimicina Kth. Humb. Gram. 103.
 — — — panicoides Pal. B. Humb. Gram. 14.
 — — — Trinius Sp. Gr. 2, 183.
 † *Urodesmium* huberoides Naud. Ann. sc. nat. III, 16, 28.
 † *Uropedium* Lindenii Ad. Br. Ann. sc. nat. III, 13, 2.
 — — — Rchb. Xenia 1, 15.
 — — — Belgique hortie. 1854, x.
 — — — Pescatorea 1, 4.
Uropetalum glaucum Burch. Bot. Reg. 2, 186.
 — — — longifolium Ldl. Bot. Reg. 12, 974.
 † — — — serotinum Ker. Nees Gen. 2, 44.
 — — — Rchb. Fl. germ. 10, 459.
Urospatha affinis Schott. Schott Aroideae 8.
 — — — caudata Schott. Schott Aroideae 9.
 — — — Friedrichsthaliana Schott. Schott Aroideae 7.
 — — — Poeppigiana Schott. Schott Aroideae 10.
 † *Urostigma* Gasp. Rendiconto Acad. Neap. 1844, 7.
 — — — acrocarpum Miq. Hook. Journal 1847, 22.
 — — — bengalense Gasp. Wight Ic. pl. Ind. or. 6, 1989.
 — — — calyptroceras Miq. Endl. Bras. 12, 27.
 — — — cestrifolium Miq. Endl. Bras. 12, 28.
 — — — dasycarpum Miq. Hook. Journal 1847, 23.
 — — — elegans Miq. Hook. Journal 1848, 13.
 — — — euomphalum Miq. Endl. Bras. 12, 31.
 — — — eximium Miq. Endl. Bras. 12, 27.
 — — — Gardnerianum Miq. Endl. Bras. 12, 27.
 — — — geminum Miq. Endl. Bras. 12, 28.
 — — — hirsutum Miq. var. fuliginea, Endl. Bras. 12, 30.
 — — — leucostictum Miq. Endl. Bras. 12, 27.
 — — — Oerstedianum Miq. Seemann Herald 36.
 — — — organense Miq. Endl. Bras. 12, 31.
 — — — ottoniaefolium Miq. Hook. Journal 1848, 13.
 — — — paraense Miq. Endl. Bras. 12, 28.
 — — — Pohlmanum Miq. Endl. Bras. 12, 30.
 — — — populneum Miq. Hook. Journal 1847, 21.
 — — — puberulum Miq. Hook. Journal 1847, 23.
 — — — religiosum Miq. Wight Ic. pl. Ind. or. 6, 1967.
 — — — rubicundum Miq. Hook. Journal 1848, 12.
 — — — sapidum Liebm. Seemann Herald 35.
 — — — Schimper Miq. Hook. Journal 1847, 22.
 — — — subtriplinervium Miq. Endl. Bras. 12, 29.
 — — — Thonningii Miq. Hook. Journal 1848, 13.
 — — — Tweedianum Miq. Hook. Journal 1847, 21.
 — — — Vogelii Miq. Hook. Journal 1848, 12.

- Ursinia* anthemoides Poir. Lam. Encycl. 716.
 † — — — paradoxa Gaertn. Gaertn. Carp. 174.
 † — — — Lam. Encycl. 716.
 — — — pilifera Poir. Lam. Encycl. 716.
 † *Urtica* L. Slevogt Diss. Urtica 1.
 — — — acerifolia Zenk. Zonker Pl. ind. 3—4.
 — — — aestuans L. Jacq. Schoenbr. 3, 388.
 — — — alienata Roxb. Wight Ic. pl. Ind. or. 2, 693.
 — — — arborea L. L'her. Stirp. 20.
 — — — azorica Hochst. Seubert Fl. azor. 7.
 — — — baccifera L. Jacq. Schoenbr. 3, 387.
 — — — — Andr. Rep. 7, 454.
 — — — — Desc. Ant. 6, 433.
 — — — canadensis L. Schk. Handb. 289.
 — — — caracasana Jacq. Jacq. Schoenbr. 3, 386.
 — — — caravellana Schrank. Schrank Hort. monac. 82.
 — — — caudata Vahl. Brotero Phytogr. 151.
 — — — crenulata Roxb. Wight Ic. pl. Ind. or. 2, 686.
 — — — decumana Rumph. Wight Ic. pl. Ind. or. 2, 689.
 — — — dioica L. Fl. dan. 5, 746.
 — — — — Curt. Lond. 1, 59.
 — — — — Woodv. Med. 4, 241.
 — — — — Engl. Bot. 25, 1750.
 — — — — Baxter Brit. Bot. 4, 298.
 — — — — Sv. Bot. 68.
 † — — — Gaertn. Carp. 119.
 † — — — Schk. Handb. 289.
 † — — — Lam. Encycl. 761.
 — — — — Wagner 201, 202.
 — — — — Dietr. Fl. bor. 10, 691.
 — — — — Rchb. Fl. germ. 12, 654.
 † — — — Nees Gen. 4, 28.
 † — — — Schnizl. Iconogr. 2, 94.
 † — — — divaricata L. Jacq. Fragm. 33.
 — — — Dodartii L. Rchb. Fl. germ. 12, 653.
 — — — fruticosa Roxb. Wight Ic. pl. Ind. or. 2, 694.
 — — — hernarioides Sw. Svensk Acad. 1787, 2, fig. 1.
 — — — heterophylla Vahl. Rheede Hort. mal. 2, 41.
 — — — — DC. Hortus genev. 23.
 — — — — Roxb. Wight Ic. pl. Ind. or. 2, 687.
 — — — interrupta L. Rheede Hort. mal. 2, 40.
 — — — — Rumpf Amb. 6, 20.
 — — — — Roxb. Wight Ic. pl. Ind. or. 2, 692.
 — — — involucrata Sims. Bot. Mag. 51, 2481.
 — — — — Roxb. Wight Ic. pl. Ind. or. 2, 688.
 — — — lappulacea Sw. Svensk Acad. 1787, 2, fig. 2.
 — — — membranacea Poir. Rchb. Fl. germ. 12, 652.
 — — — morifolia Poir. Webb Canar. 211.
 — — — nana Hook. Hook. Journal 1834, 132.
 — — — naucleiflora Roxb. Wight Ic. pl. Ind. or. 2, 684.
 — — — nivea L. Rumpf Amb. 5, 79.
 — — — — Jacq. Vind. 166.
 — — — — Gil et Suarez 7.
 — — — nummulariaefolia Sw. Svensk Acad. 1787, 1, fig. 2.
 — — — parviflora Roxb. Wight Ic. pl. Ind. or. 2, 690.
 — — — pellucida Lab. Bill. Sertum 80.
 — — — pentandra Roxb. Wight Ic. pl. Ind. or. 2, 696.
 — — — pilulifera L. Engl. Bot. 3, 148.
 † — — — Lam. Encycl. 761.
 † — — — Schk. Handb. 289.
 — — — — Rchb. Fl. germ. 12, 653.
 † — — — Nees Gen. 4, 28.
 † — — — Schnizl. Iconogr. 2, 94.
 — — — pubescens Led. Eichwald Cauc. 39.
 — — — pulcherrima Roxb. Wight Ic. pl. Ind. or. 2, 683.
 — — — repens Sw. Svensk Acad. 1787, 1, fig. 1.
 — — — reticulata Sw. Bot. Mag. 52, 2567.
 — — — scabrella Roxb. Wight Ic. pl. Ind. or. 2, 691.
 — — — stachyoides Webb. Webb Canar. 210.
 — — — tenacissima Roxb. Wight Ic. pl. Ind. or. 2, 688.
 — — — tuberosa Roxb. Wight Ic. pl. Ind. or. 2, 697.

- Urtica urens* L. Curt. Lond. 2, 4.
 — — — Engl. Bot. 18, 1236.
 — — — Fl. dan. 5, 739.
 — — — Sv. Bot. 206.
 — — — Dietr. Fl. bor. 10, 690.
 — — — Rchb. Fl. germ. 12, 652.
 — — — Endl. Bras. 12, 67.
 — — — *vesicaria* Roxb. Wight Ic. pl. Ind. or. 2, 695.
 † *Urticaceae* Endl. Schnizl. Iconogr. 2, 94.
Urvillea ferruginea Ldl. Bot. Reg. 13, 1077.
 — *glabra* St. Hil. St. Hil. Fl. Bras. 74.
 — *ulmacea* H. B. K. H. B. K. Nov. Gen. 5, 440.
Usteria guineensis Willd. Schriften naturf. Fr. 10, 2.
 † — — — Konig Annals 1, 7.
 — — — Hook. Niger Fl. 45.
 — — — Hook. Ic. pl. 8, 795.
Usteria racemosa Dennst. Rheede Hort. mal. 5, 5.
Usteria scandens Cav. Cav. Ic. 116.
 — — — Andr. Rep. 1, 63.
 — — — Herb. amat. 4, 279.
 † *Usteria volubilis* Afz. Afzelius Gen. guin. x.
Usubis triphylla Burm. Burmann Fl. ind. 32.
Utricularia affinis Wight. Wight Ic. pl. Ind. or. 4, 1580.
 — *alpina* L. Hook. Exot. Fl. 198.
 — *aphylla* R. et P. Ruiz et Pav. Fl. 31.
 — *arcuata* Wight. Wight Ic. pl. Ind. or. 4, 1571.
 — *bifida* L. Osbeck Reise 3.
 — — — Wight Ic. pl. Ind. or. 4, 1584.
 — *brachypoda* Wight. Wight Ic. pl. Ind. or. 4, 1578.
 — *coerulea* L. Wight Ic. pl. Ind. or. 4, 1583.
 — *conferta* Wight. Wight Ic. pl. Ind. or. 4, 1575.
 — *diantha* R. et Sch. Wight Ic. pl. Ind. or. 4, 1569.
 — *dichotoma* Lab. Bill. Nov. Holl. 8.
 — *fasciculata* Roxb. Wight Ic. pl. Ind. or. 4, 1568.
 — *Fockeana* Miq. Miquel Surinam 40.
 — *geminiloba* Benj. Endl. Bras. 9, 20.
 — *globulariaefolia* Mart. Endl. Bras. 9, 21, 22.
 — *glochidiata* Wight. Wight Ic. pl. Ind. or. 4, 1581.
 — *Griffithii* Wight. Wight Ic. pl. Ind. or. 4, 1576.
 — *Humboldtii* Schomb. Preuss. Gart. Verein 15, 3.
 — — — Annales de Gand 1845, 34.
 — *humilis* Vahl. Wight Ic. pl. Ind. or. 4, 1572.
 — *inflexa* Forsk. Delile Egypte 4.
 — *intermedia* Hayne. Schrader Journal 1800. 1, 5.
 — — — Dreves 3, 89.
 — — — Sturm Flora 5, 17.
 — — — Fl. dan. 8, 1262.
 — — — Engl. Bot. 35, 2489.
 — — — Cosson Atlas 18^b.
 † — — — Nees Gen. 5, 25.
 — *macrolepis* Wight. Wight Ic. pl. Ind. or. 4, 1580.
 — *media* Wahlenb. Sv. Bot. 561.
 — *minor* L. Schmidel Ic. 21.
 — — — Fl. dan. 1, 128.
 — — — Lam. Encycl. 14.
 † — — — Schrader Journal 1800. 1, 6.
 — — — Engl. Bot. 4, 254.
 — — — Sv. Bot. 585.
 — — — Dreves 3, 90.
 — — — Sturm Flora 5, 17.
 † — — — Nees Gen. 5, 25.
 — — — Cosson Atlas 18^b.
 — *montana* Jacq. Jacq. Hist. stirp. am. 8.
 — *neglecta* Lehm. Fl. dan. 12, 1981.
 — *nelumbifolia* Gardn. Hook. Ic. pl. 6, 505, 506.
 — *nervosa* Weber. Endl. Bras. 9, 21, 22.
 — *nivea* Vahl. Wight Ic. pl. Ind. or. 4, 1582.
 — *palatina* Weber. Endl. Bras. 9, 20, 22.
 — *pedicellata* Wight. Wight Ic. pl. Ind. or. 5, 1578.
 — *punctata* Wall. Wight Ic. pl. Ind. or. 4, 1570.
 — *racemosa* Wall. Wight Ic. pl. Ind. or. 4, 1584.
 — *reticulata* Sm. Rheede Hort. mal. 9, 70.

- Utricularia reticulata* Sm. Smith Exot. Bot. 119.
 — — — Wight Illustr. 143.
 — — — Wight Ic. pl. Ind. or. 4, 1571.
 — *Smithiana* Wight. Wight Ic. pl. Ind. or. 4, 1577.
 — *squamosa* Wight. Wight Ic. pl. Ind. or. 4, 1579.
 — *stellaris* L. fil. Roxb. Corom. 180.
 — — — Wight Illustr. in Hook. 27.
 — — — Wight Ic. pl. Ind. or. 4, 1567.
 — *tenuis* Cav. Cav. Ic. 440.
 — *uliginoides* Wight. Wight Ic. pl. Ind. or. 4, 1573.
 — *uliginosa* Vahl. Wight Ic. pl. Ind. or. 4, 1574.
 — *unifolia* R. et P. Ruiz et Pav. Fl. 31.
 — *vulgaris* L. Gmelin Reise 2, 32.
 — — — Schmidel Ic. 21.
 — — — Fl. dan. 1, 138.
 — — — Lam. Encycl. 14.
 — — — Engl. Bot. 4, 253.
 † — — — Schrader Journal 1800. 1, 6.
 † — — — Gaertn. Carp. 198.
 — — — Schk. Handb. 3.
 — — — Dreves 3, 88.
 — — — Sturm Flora 4, 13.
 — — — Sv. Bot. 572.
 — — — Dict. sc. nat. 27.
 — — — Baxter Brit. Bot. 5, 349.
 — — — Cosson Atlas 18^b.
 † — — — Nees Gen. 5, 25.
 — *Wallichiana* Wight. Wight Ic. pl. Ind. or. 4, 1572.
Uvaria argentea Bl. Blume Java 1, 6, 13.
 — *aurita* Bl. Blume Java 1, 2.
 † — *brasiliensis* Vell. Endl. Bras. 2, 13.
 — *Burahol* Bl. Blume Java 1, 23, 25.
 — *cerasoides* Roxb. Roxb. Corom. 33.
 — — — Kerner Hort. 116.
 — *Chamae* Pal. B. Pal. B. Fl. d'Oware 83.
 — — — Guillemin Seneg. 3.
 — *dulcis* Dunal. Dunal Anon. 13.
 † — *Gaertneri* DC. Lam. Encycl. 495.
 — *grandiflora* Roxb. Wall. Pl. asiat. 121.
 — *Hasseltii* Bl. Blume Java 1, 21.
 — *heterocarpa* Bl. Blume Java 1, 17.
 — *Heyneana* W. et A. Rheede Hort. mal. 5, 17.
 — *hirsuta* Bl. Blume Java 1, 5.
 — *humilis* Bl. Blume Java 1, 11.
 — *javana* Dunal. Dunal Anon. 14.
 — — — Blume Java 1, 3, 13.
 — *latifolia* A. DC. Blume Java 1, 15, 25.
 — *litoralis* Bl. Blume Java 1, 7.
 — *lutea* Roxb. Roxb. Corom. 36.
 — *macrophylla* Wall. Wall. Pl. asiat. 122.
 † — *monilifera* Gaertn. Gaertn. Carp. 144.
 † — — — Lam. Encycl. 495.
 — *monopetalata* Rich. Guillemin Seneg. 2.
 — *montana* Bl. Blume Java 1, 20.
 — *Narum* W. et A. Rheede Hort. mal. 2, 10.
 — — — Wight Illustr. 6.
 — *obtusata* Bl. Blume Java 1, 10, 14.
 † — *odorata* L. Lam. Encycl. 495.
 — — — Blume Java 1, 9, 14.
 — *ovalifolia* Bl. Blume Java 1, 8, 14.
 — *parviflora* Rich. Guillemin Seneg. 3.
 — *polypyrrena* Bl. Blume Java 1, 12, 14.
 — *purpurea* Bl. Blume Java 1, 1, 13.
 — *reticulata* Bl. Blume Java 1, 24.
 — *rufa* Bl. Blume Java 1, 4, 13.
 — *rugosa* Bl. Blume Java 1, 22.
 — *sphaerocarpa* Bl. Blume Java 1, 16.
 — *suberosa* Roxb. Roxb. Corom. 34.
 — *tomentosa* Roxb. Roxb. Corom. 35.
 — *trichomella* Bl. Blume Java 1, 18.
 † — *trifoliata* Gaertn. Gaertn. Carp. 114.
 — *virgata* Bl. Blume Java 1, 19, 25.

- Uvaria Vogelii* Hook. fil. Hook. Niger Fl. 17.
 — — — Hook. Ic. pl. 8, 767.
 — *zeylanica* L. Rumpf Amb. 2, 65. 66. 5, 42.
 † — — — Gaertn. Carp. 114.
 † — — — Lam. Encycl. 495.
 — — — Desc. Ant. 6, 428.
Uvularia amplexifolia L. Fl. dan. 9, 1515.
 — — — Schk. Handb. 93.
 — — — W. et Kit. 167.
 — — — Lam. Encycl. 247.
 — *chinensis* Gawl. Bot. Mag. 23, 916.
 — — — Herb. amat. 4, 248.
 — *cirrhusa* Thunb. Thunberg Ic. jap. 11.
 — *flava* Sm. Smith Exot. Bot. 50.
 — *grandiflora* Sm. Smith Exot. Bot. 51.
 — — — Bot. Mag. 28, 1112.
 — — — Schnizl. Iconogr. 1, 55 d.
 — *lanuginosa* Pers. Bot. Mag. 36, 1490.
 — *Leschenaultiana* Wall. Royle Illustr. 96.
 — *perfoliata* L. Red. Lil. 4, 184.
 — — — Lam. Encycl. 247.
 — — — Smith Exot. Bot. 49.
 — — — Bot. Mag. 24, 955.
 — — — Barton Fl. 1, 32.
 — *puberula* Michx. Lodd. Cab. 1260.
 — — — Sweet Fl. G. II. 21.
 — *rosea* Pers. Bot. Mag. 36, 1489.
 — *sessilifolia* L. Smith Exot. Bot. 52.
 — — — Bot. Mag. 34, 1402.
 — — — Lodd. Cab. 1262.
 — — — Barton Fl. 2, 55.
 — *Smithii* Hook. Hook. Bor. Am. 189.
 — *umbellata* Wall. Wall. Pl. asiat. 269.
Uwarowia chrysanthemifolia Bge. Acad. Pet. 6, x.
Vaccaria grandiflora Jaub. Jaubert Illustr. 231.
 — *pyramidata* G. M. et Sch. Rehb. Fl. germ. 6, 245.
Vaccinium acuminatum H. B. K. H. B. K. Nov. Gen. 3, 249.
 — *affine* Wight. Wight Ic. pl. Ind. or. 4, 1190.
 — *albiflorum* Hook. Bot. Mag. 62, 3428.
 — *amoenum* Ait. Bot. Reg. 5, 400.
 — — — Andr. Rep. 2, 138.
 — — — Lodd. Cab. 774.
 — — — Nouveau Duhamel 2, 31.
 — *arborescens* Michx. Lodd. Cab. 1885.
 — *Arctostaphylos* L. Andr. Rep. 1, 30.
 — — — Bot. Mag. 25, 974.
 — *buxifolium* Salisb. Salisbury Parad. 4.
 — — — Bot. Mag. 24, 928.
 — — — Lodd. Cab. 648.
 — *Hook. fil.* Hook. Ic. pl. 9, 891.
 — *caespitosum* Michx. Hook. Bor. Am. 126.
 — — — Bot. Mag. 62, 3429.
 — *canadense* Rich. Bot. Mag. 62, 3446.
 — *cereus* Forst. Hook. Ic. pl. 1, 87.
 — *confertum* H. B. K. H. B. K. Nov. Gen. 3, 250.
 — *coriaceum* Hook. fil. Hook. Ic. pl. 9, 892.
 — *corymbosum* L. Wangenheim Beitrag 30.
 — — — Watson Dendr. 2, 123.
 — — — Bot. Mag. 62, 3433.
 — *crassifolium* Andr. Andr. Rep. 2, 105.
 — — — Bot. Mag. 29, 1152.
 — *diffusum* Ait. Bot. Mag. 39, 1607.
 — *Donnianum* Wight. Wight Ic. pl. Ind. or. 4, 1191.
 — *dumosum* Andr. Andr. Rep. 2, 112.
 — — — Bot. Mag. 28, 1106.
 — — — var. *humile*, Watson Dendr. 1, 32.
 † — *Dunalianum* Wight. Wight Illustr. 141.
 — — — Wight Ic. pl. Ind. or. 4, 1194.
 — *elongatum* Wats. Watson Dendr. 2, 125.
 — *emirnense* Hook. Hook. Ic. pl. 2, 131.
 — *empetrifolium* H. B. K. H. B. K. Nov. Gen. 3, 248.

- Vaccinium erythrinum* Hook. Bot. Mag. 78, 4688.
 — — — Lem. Jard. fl. 4, 364.
 — *floribundum* H. B. K. H. B. K. Nov. Gen. 3, 251.
 — *Forbesii* Hook. Hook. Ic. pl. 4, 345.
 — *formosum* Andr. Andr. Rep. 2, 97.
 — *frondosum* L. Andr. Rep. 2, 140.
 — *fuscatum* Pursh. Bot. Reg. 4, 302.
 — *geminiflorum* H. B. K. H. B. K. Nov. Gen. 3, 252.
 — *gilvum* Meerb. Meerburg Pl. sel. 18.
 — *glabrum* Wats. Watson Dendr. 2, 125.
 — *grandiflorum* Wats. Watson Dendr. 2, 125.
 † — *Griffithianum* Wight. Wight Illustr. 141.
 — — — Wight Ic. pl. Ind. or. 4, 1192.
 — *hirsutum* Wight. Wight Ic. pl. Ind. or. 4, 1182.
 — *hispidulum* L. Wangenheim Beitrag 30.
 — — — Michaux Fl. 23.
 — *javanicum* Hook. Hook. Ic. pl. 8, 740.
 — *Imrayi* Hook. Hook. Ic. pl. 3, 292.
 — *intermedium* Ruthe. Ruthe Fl. Brand. 1.
 — — — Guimpel et Kl. 7.
 — *ledifolium* Pohl. Pohl Bras. 123.
 — *Leschenaultii* Wight. Wight Spicil. 128.
 † — — — Wight Illustr. 141.
 — — — Wight Ic. pl. Ind. or. 4, 1188.
 † — *leucostomum* Ldl. Fl. d. serres 4, 332.
 — *macrocarpum* Ait. Aiton Hort. Kew. 2, 7.
 — — — Lam. Encycl. 286.
 — — — Bot. Mag. 52, 2586.
 — *maderense* Link. Guimpel Fr. Holzgew. 33.
 — *Malacca* Wight. Wight Ic. pl. Ind. or. 4, 1186.
 — *marianum* Wats. Watson Dendr. 2, 124.
 — *meridionale* Sw. Swartz Ic. Ind. occ. 12.
 — *minutiflorum* Wats. Watson Dendr. 2, 125.
 — *montanum* Pohl. Pohl Bras. 125.
 — *muscicola* Hook. Hook. Ic. pl. 8, 717.
 — *myrtilloides* Michx. Bot. Mag. 62, 3447.
 † — *Myrtillus* L. Gaertn. Carp. 28.
 — — — Fl. dan. 6, 474.
 — — — Engl. Bot. 7, 456.
 — — — Lam. Encycl. 286.
 — — — Nouveau Duhamel 2, 29.
 — — — Dict. sc. nat. 69.
 — — — Sv. Bot. 163.
 — — — Liboschitz Petersb. 38.
 — — — Schk. Handb. 107 a.
 — — — Dreves 4, 113.
 — — — Schrank Fl. monac. 3, 267.
 — — — Guimpel Holzgew. 41.
 — — — Nees Düssel. 219.
 — — — Guimpel et Kl. 6.
 — — — Dietr. Fl. bor. 8, 543.
 — *neilgherrense* Wight. Wight Spicil. 129.
 — — — Wight Ic. pl. Ind. or. 4, 1189.
 — *nitidum* Andr. Andr. Rep. 7, 480.
 — — — Bot. Mag. 38, 1350.
 — *obovatum* Wight. Wight Ic. pl. Ind. or. 4, 1193.
 † — *odontocentrum* Wight. Wight Illustr. 141.
 — — — Wight Ic. pl. Ind. or. 4, 1187.
 — *orientale* Sw. Weber und Mohr Beitr. 2.
 — *ovalifolium* Sm. Hook. Bor. Am. 127.
 — *ovatum* Pursh. Lodd. Cab. 1605.
 — — — Bot. Reg. 16, 1354.
 — — — Bot. Mag. 79, 4732.
 — — — Lem. Jard. fl. 4, 424.
 — *Oxycoccus* L. Fl. dan. 1, 80.
 — — — Engl. Bot. 5, 319.
 — — — Lam. Encycl. 286.
 — — — Sv. Bot. 12.
 — — — Schk. Handb. 107 a.
 — — — Guimpel Holzgew. 44.
 — *parviflorum* Andr. Andr. Rep. 2, 125.
 — *parvifolium* Sm. Hook. Bor. Am. 128.

- Vaccinium penduliflorum* Gaudich. Freycinet Voyage 68.
 — *pennsylvanicum* Lam. Bot. Mag. 62, 3434.
 — *praestans* Lamb. Linn. Transact. 10, 9.
 — *pubescens* Wormsk. Fl. dan. 9, 1516.
 — *resinosum* Ait. Bot. Mag. 32, 1288.
 — *Rollissoni* Hook. Bot. Mag. 77, 4612.
 — — Lem. Jard. fl. 215.
 — *rotundifolium* Wight. Wight Illustr. 139.
 — *scabrum* Pohl. Pohl Bras. 124.
 — *secundiflorum* Hook. Hook. Ic. pl. 2, 134.
 † — *serpens* Wight. Wight Illustr. 141.
 — — Wight Ic. pl. Ind. or. 4, 1163.
 — *serratum* Wight. Wight Ic. pl. Ind. or. 4, 1184.
 — *stamineum* L. var. β . H. B. K. Nov. Gen. 3, 263.
 — — Andr. Andr. Rep. 4, 263.
 — *tenellum* Ait. Watson Dendr. 1, 35.
 — — Guimpel Fr. Holzgew. 34.
 — *uliginosum* L. Fl. dan. 2, 231.
 — — Sv. Bot. 331.
 — — Engl. Bot. 9, 581.
 — — var. Fl. dan. 14, 2469.
 — — Sturm Flora 3, 12.
 — — Guimpel Holzgew. 42.
 † — *venosum* Wight. Wight Illustr. 141.
 — — Wight Ic. pl. Ind. or. 4, 1183.
 — *verticillatum* Wight. Wight Ic. pl. Ind. or. 4, 1181.
 — *virgatum* Ait. Andr. Rep. 3, 181.
 — — Watson Dendr. 1, 33. 34.
 — — Bot. Mag. 63, 3522.
 — *Vitis idaea* L. Fl. dan. 1, 40.
 — — Sv. Bot. 116.
 — — Nouveau Duhamel 2, 30.
 — — Lam. Encycl. 286.
 — — Liboschitz Petersb. 39.
 — — Engl. Bot. 9, 598.
 — — majus, Lodd. Cab. 616.
 — — minus, Lodd. Cab. 1023.
 — — Baxter Brit. Bot. 5, 383.
 — — Dreves 2, 63.
 — — Hayne 4, 19.
 — — Guimpel Holzgew. 43.
 — — Guimpel et Kl. 9.
 — — Schrank Fl. monac. 3, 205.
 — — Nees Düsseld. 220.
 — — Dietr. Fl. bor. 5, 350.
 † — *Wallichianum* Wight. Wight Illustr. 141.
 — — Wight Ic. pl. Ind. or. 4, 1180.
Vachellia Farnesiana Wight et Arn. Wight Ic. pl. Ind. or. 1, 300.
 † *Vagaria parviflora* Herb. Herbert Amar. 33.
 † *Vaginularia trichoides* Fée. Fée Fil. 5, 9.
Vahea gummifera Poir. Lam. Encycl. 169.
 — *madagascariensis* Bojer. Acta Leop. 22. 2, 40. 41.
Vahlia capensis Thunb. Thunberg Diss. 1, 2.
 — — Lam. Encycl. 183.
 — *oldenlandioides* Roxb. Wight Illustr. 115.
 — — Wight Ic. pl. Ind. or. 2, 562.
 — *viscosa* Roxb. Wight Ic. pl. Ind. or. 2, 563.
 — *Weldenii* Rehb. Rehb. Hortus 91.
Vaillantia Aparines L. Schk. Handb. 345.
 — *articulata* L. Lam. Encycl. 843.
 — *Cruciata* L. Sturm Flora 2, 7.
 — — Schrank Fl. monac. 2, 171.
 — — Lam. Encycl. 843.
 — *cucullaria* L. Lam. Encycl. 843.
 — *glabra* L. Schk. Handb. 345.
 — — W. et Kit. 32.
 — — var. Rochel Banat. 9.
 — *hispida* L. Schk. Handb. 345.
 — — Sibth. Fl. gr. 138.
 — — Webb Canar. 79.
 — *muralis* L. Sibth. Fl. gr. 137.

- Vaillantia muralis* L. Tratt. Thes. 36.
 † — — Wight Illustr. 128 bis.
 † — — Nees Gen. X, x.
 — *pedemontana* W. et K. W. et Kit. 33.
 — — Bell. Mem. Tur. 5, 7.
 — *taurica* Pall. Lodd. Cab. 1018.
 — — Bot. Mag. 53, 2670.
 † *Valdesia Rz et P.* Ruiz et Pav. Prodr. 11.
Valdivia Gayana Remy. Gay Chile 29.
 † *Valentinia* Sw. Swartz Fl. ind. occ. 14.
Valenzuela trinervis Camb. N. Ann. Mus. 3, 14.
 † *Valeriana* L. Abh. naturf. Ges. Halle 1853, 1—4.
 — *alliarifolia* Vahl. Jaubert Illustr. 9.
 — *angustifolia* Cav. Cav. Ic. 353.
 — — Sibth. Fl. gr. 29.
 — — Tausch. Rehb. Fl. germ. 12, 728.
 — *Arnotiana* Wight. Wight Ic. pl. Ind. or. 3, 1045.
 — — 1046.
 — *Berteri* Colla. Mem. Tur. 38, 21.
 — *Brunoniana* W. et A. Wight Ic. pl. Ind. or. 3, 1043.
 — *Calcitrapa* L. Rivinus Opus ined. 2.
 — — Sibth. Fl. gr. 30.
 — *capitata* Pall. Ledeb. Ic. 346.
 — — Trautvetter Imag. 39.
 — *carnosa* Sm. Smith Ic. Linn. 52.
 — *celtica* L. Jacquin Collect. 1, 1.
 — — Sturm Flora 11, 44.
 — — Hayne 9, 28.
 — — Nees Düsseld. Suppl. 59.
 — — Wagner 137.
 — — Rehb. Fl. germ. 12, 719.
 — *ceratophylla* H. B. K. H. B. K. Nov. Gen. 3, 276.
 — *chaerophylloides* Sm. Smith Ic. Linn. 53.
 — *chinensis* L. Burmann Fl. ind. 6.
 — *coarctata* Rz et P. Ruiz et Pav. Fl. 68.
 — *connata* Rz et P. Ruiz et Pav. Fl. 67.
 — *Cornucopiae* L. Sibth. Fl. gr. 32.
 — — Bot. Reg. 2, 155.
 — *crassifolia* H. B. K. H. B. K. Nov. Gen. 3, 274.
 — *decussata* Rz et P. Ruiz et Pav. Fl. 70.
 — *dentata* Willd. Engl. Bot. 20, 1370.
 — *Eioica* L. Fl. dan. 4, 687.
 — — Curt. Lond. 4, 34.
 — — Engl. Bot. 9, 628.
 — — Dict. sc. nat. 97.
 — — Hayne 3, 31.
 — — Sturm Flora 3, 9.
 — — Schrank Fl. monac. 2, 127.
 — — Rehb. Pl. crit. 1, 59.
 — — Rehb. Fl. germ. 12, 724.
 — — Dietr. Fl. bor. 6, 402.
 — — Schnizl. Iconogr. 3, 118.
 † — — Nees Gen. X, x.
 † *Dioscoridis* Sm. Sibth. Fl. gr. 33.
 — — Hayne 9, 29.
 — *dnbia* Led. Ledeb. Ic. 350.
 — *elongata* L. Jacq. En. vind. 1.
 — — Jacq. Fl. austr. 3, 219.
 — — Sturm Flora 13, 54.
 — — Rehb. Fl. germ. 12, 720.
 — *glauca* P. et E. Poepp. et Endl. 219.
 — *globiflora* Rz et P. Ruiz et Pav. Fl. 65.
 — *globularifolia* Ram. Rehb. Fl. germ. 21, 723.
 — *Hardwickii* Wall. Wall. Pl. asiat. 263.
 — *heterophylla* Lois. Loiseleur Fl. gall. 2.
 † *Hookeri* Shuttl. Flora 1837, 2.
 — *Hookeriana* W. et A. Wight Illustr. 129.
 — *Hoppii* Rehb. Rehb. Fl. germ. 12, 722.
 — *hyalinorrhiza* Rz et P. Ruiz et Pav. Fl. 67.
 — *Jatamansi* Jones. Lambert Cinchona x.
 — — Berl. Jahrbuch 1823, 1.
 — — Hayne 9, 27.

- Valeriana interrupta* *Rz et P.* Ruiz et Pav. Fl. 67.
 — *laciniata* *Rz et P.* Ruiz et Pav. Fl. 69.
 — *laxiflora* *DC.* Poepp. et Endl. 218.
 — *Leschenaultii* *DC.* Wight Ic. pl. Ind. or. 3, 1044.
 — *leucocarpa* *DC.* Poepp. et Endl. 216.
 — *Locusta* *L.* Lam. Encycl. 24.
 — — Engl. Bot. 12, 811.
 — — Sv. Bot. 232.
 — *macrorrhiza* *P. et E.* Poepp. et Endl. 214.
 — *magellanica* *Hombr.* Richard Astrolabe 16.
 — *microphylla* *H. B. K.* H. B. K. Nov. Gen. 3, 273.
 — *montana* *L.* Jacq. Fl. austr. 3, 269.
 — — Lodd. Cab. 317.
 — — Bot. Mag. 43, 1825.
 — — var. *parviflora*, *Avé-Lallemant* 1.
 — — *Rehb.* Fl. germ. 12, 721.
 — — *Schweizer Denkschr.* 5, 6.
 — *oblongifolia* *Rz et P.* Ruiz et Pav. Fl. 65.
 — *officinalis* *L.* Fl. dan. 4, 570.
 — — *Woodv. Med.* 1, 32.
 — — *Curt. Lond.* 3, 135.
 — — *Engl. Bot.* 10, 698.
 — — *Lam. Encycl.* 24.
 — — *Spach Suites* 104.
 — — *Sv. Bot.* 25.
 — — var. *simplicifolia*, *Ledeb. Ic.* 363.
 — — *Schk. Handb.* 5^e.
 — — *Hayne* 3, 32.
 — — *Schrank Fl. monac.* 2, 178.
 — — *Sturm Flora* 3, 9.
 — — *Nees Düsseld.* 253.
 — — *Guimpel et Schl.* 4.
 — — *Wagner* 20.
 — — *Dietr. Fl. bor.* 4, 266.
 — — *Rchb. Fl. germ.* 12, 727.
 — — *Nees Gen. X, x.*
 — — *Schnizl. Iconogr.* 3, 118.
 — *olitoria* *L.* Fl. dan. 5, 738.
 — — *Sturm Flora* 1, 2.
 — *paniculata* *Rz et P.* Ruiz et Pav. Fl. 70.
 — — *Desc. Ant.* 5, 354.
 — *pauciflora* *Michx.* Hook. Bor. Am. 101.
 — — *Flora* 1837, 2.
 — *Pavonii* *P. et E.* Poepp. et Endl. 215.
 — *petrophila* *Bunge.* *Ledeb. Ic.* 19.
 — *Phu* *L.* *Hayne* 3, 33.
 — — *Nees Düsseld. Suppl.* 57, 58.
 — — *Rchb. Fl. germ.* 12, 725.
 — *pilosa* *Rz et P.* Ruiz et Pav. Fl. 66.
 — *pinnatifida* *Rz et P.* Ruiz et Pav. Fl. 69.
 — *polystachya* *Sm.* *Smith Ic. Linn.* 51.
 — *pyrenaica* *L.* *Engl. Bot.* 23, 1591.
 — *pyrolaefolia* *Decne.* *Jacquemont Ind.* 93.
 — *rigida* *Rz et P.* Ruiz et Pav. Fl. 65.
 — *rotundifolia* *Sibth.* *Sibth. Fl. gr.* 31.
 — *Roylei* *Klotzsch.* *Prinz Waldem. Him.* 85.
 — *rubra* *L. β.* *Rivinus Opus ined.* 1.
 — — *Gaertn. Carp.* 86.
 — — *Lam. Encycl.* 24.
 — — *Engl. Bot.* 22, 1531.
 — — *Baxter Brit. Bot.* 2, 90.
 — *rupicola* *Lag.* *Poepp. et Endl.* 217.
 — *ruthenica* *Willd.* *Bot. Mag.* 49, 2325.
 — *saliunca* *All.* *Allione Fl. ped.* 3, 70.
 — — *Rchb. Fl. germ.* 12, 719.
 — *sambucifolia* *Mik.* *Rchb. Fl. germ.* 12, 726.
 — *sanguisorbaefolia* *Cav.* *Cav. Ic.* 456.
 — *saxatilis* *L.* *Jacq. Fl. austr.* 3, 267.
 — — *Rchb. Fl. germ.* 12, 726.
 — *sedoides* *D'Urv.* *Richard Astrolabe* 16.
 — *serrata* *Rz et P.* Ruiz et Pav. Fl. 68.
 — *sibirica* *L.* *Lam. Encycl.* 24.

- Valeriana sibirica* *L.* *Bot. Mag.* 19, 714.
 — *silvatica* *Banks.* *Torrey New York* 45.
 — *siymbrifolia* *Vahl.* *Ann. Mus.* 11, 28.
 — — *Desf. Choix* 41.
 — *spathulata* *Rz et P.* Ruiz et Pav. Fl. 68.
 — *supina* *L.* *Jacq. Misc.* 2, 17.
 — — *Arduino Anim.* 2, 3.
 — — *Roemer Fl. europ.* 3, 5.
 — — *Sturm Flora* 6, 24.
 — — *Rchb. Fl. germ.* 12, 719.
 — *tenuifolia* *Rz et P.* Ruiz et Pav. Fl. 65.
 — *tripteris* *L.* *Jacq. Fl. austr.* 3, 268.
 — — *Sturm Flora* 11, 44.
 — — *Schrank Fl. monac.* 4, 385.
 — — *Zollikofer Alpenfl.* 2.
 — — *Rchb. Fl. germ.* 12, 722.
 — *tuberosa* *L.* *Sturm Flora* 13, 54.
 — — *Rchb. Fl. germ.* 12, 723.
 — *urticaefolia* *H. B. K.* H. B. K. Nov. Gen. 3, 275.
 — *vesicaria* *Willd.* *Sibth. Fl. gr.* 34.
 — *villosa* *Thunb.* *Thunberg Fl. jap.* 6.
 — *virgata* *Rz et P.* Ruiz et Pav. Fl. 66.
 — *Wallichii* *DC.* *DC. Valerianées* 4.
 † *Valerianella Moench.* *Schnizl. Iconogr.* 3, 118.
 † — *Auricula* *DC.* *Betcke Monogr.* 1.
 † — — *DC. Valerianées* 3.
 † — — *Guillemin Arch.* 2, 20.
 † — — *Mutel Fl. fr.* 25.
 † — — *Cosson Atlas* 24.
 † — — *Nees Gen. X, x.*
 — — *Dietr. Fl. bor.* 6, 412.
 — — *Rchb. Fl. germ.* 12, 709.
 — *campanulata* *Presl.* *Rchb. Fl. germ.* 12, 713.
 † *carinata* *Lois.* *Betcke Monogr.* 1.
 † — — *DC. Valerianées* 3.
 † — — *Guillemin Arch.* 2, 20.
 † — — *Mutel Fl. fr.* 25.
 † — — *Cosson Atlas* 24.
 † — — *Nees Gen. X, x.*
 — — *Rchb. Fl. germ.* 12, 708.
 † *coronata* *DC.* *Betcke Monogr.* 1.
 † — — *Guillemin Arch.* 2, 20.
 † — — *Mutel Fl. fr.* 26.
 † — — *Cosson Atlas* 24.
 — — *Nees Gen. X, x.*
 — — *Rchb. Fl. germ.* 12, 715.
 — *congesta* *Ldl.* *Bot. Reg.* 13, 1094.
 † *costata* *Stev.* *Betcke Monogr.* 1.
 † *dentata* *Koch et Ziz.* *Betcke Monogr.* 1.
 † — — *Guillemin Arch.* 2, 20.
 † — — *Cosson Atlas* 24.
 — — *Rchb. Fl. germ.* 12, 710.
 † *discoidea* *Lois.* *Guillemin Arch.* 2, 20.
 † — — *Betcke Monogr.* 1.
 † *echinata* *DC.* *Betcke Monogr.* 1.
 † — — *Guillemin Arch.* 2, 20.
 † — — *Mutel Fl. fr.* 26.
 — — *Rchb. Fl. germ.* 12, 714.
 — *eriocarpa* *Desv.* *Loiseleur Notice* 3.
 † — — *Betcke Monogr.* 1.
 † — — *DC. Valerianées* 3.
 † — — *Guillemin Arch.* 2, 20.
 † — — *Mutel Fl. fr.* 25.
 † — — *Cosson Atlas* 24.
 — — *Rchb. Fl. germ.* 12, 712, 713.
 — *eriosperma* *Lois.* *Loiseleur Notice* 3.
 — — *Desvaux Journal* 2, 11.
 † *gibbosa* *DC.* *DC. Valerianées* 3.
 † *hamata* *DC.* *DC. Valerianées* 3.
 — — *Rchb. Fl. germ.* 12, 715.
 † *lasiocephala* *Betcke.* *Betcke Monogr.* 1.
 † *Locusta* *L.* *Betcke Monogr.* 1.

- † *Valerianella membranacea* *Lois.* Mutel Fl. fr. 26.
 † — — — *microcarpa* *Lois.* Betsche Monogr. 1.
 † — — — *Guillemin* Arch. 2, 20.
 † — — — Mutel Fl. fr. 25.
 — — — *Rchb.* Fl. germ. 12, 709.
 † — — — *Morisonii* *DC.* Mutel Fl. fr. 25.
 † — — — *Nees* Gen. X, x.
 — — — *olitoria* *Moench.* Curt. Lond. 1, 65.
 — — — *Sturm* Flora 1, 2.
 — — — *Rchb.* Fl. germ. 12, 708.
 † — — — *DC.* Valerianées 3.
 † — — — *Guillemin* Arch. 2, 20.
 † — — — Mutel Fl. fr. 25.
 † — — — *Cosson* Atlas 24.
 † — — — *Nees* Gen. X, x.
 † — — — *platyloba* *Duf.* *DC.* Valerianées 3.
 — — — *puberula* *DC.* *Rchb.* Fl. germ. 12, 709. 713.
 † — — — *pumila* *DC.* Betsche Monogr. 1.
 † — — — *Guillemin* Arch. 2, 20.
 — — — *Rchb.* Fl. germ. 12, 711.
 † — — — *radiata* *Michx.* Betsche Monogr. 1.
 † — — — *Flora* 1837, 1.
 † — — — *tridentata* *Stev.* Betsche Monogr. 1.
 † — — — Mutel Fl. fr. 25.
 — — — *Rchb.* Fl. germ. 12, 711.
 † — — — *triquetra* *Hochst.* *Flora* 1837, 1.
 † — — — *truncata* *Rchb.* Betsche Monogr. 1.
 † — — — *turgida* *Stev.* Betsche Monogr. 1.
 † — — — *uncinata* *M. v. B.* *DC.* Valerianées 3.
 † — — — Betsche Monogr. 1.
 † — — — *vesicaria* *Moench.* *DC.* Valerianées 3.
 † — — — *Guillemin* Arch. 2, 20.
 † — — — Betsche Monogr. 1.
 † — — — Mutel Fl. fr. 26.
 — — — *Rchb.* Fl. germ. 12, 716.
 † *Vallisneria dichotoma* *Wall.* Wight Illustr. 154 bis.
 — — — Wight Ic. pl. Ind. or. 2, 438.
 — — — *Pergularia* *R. Br.* Hook. Ic. pl. 2, 153.
 — — — Wight Ic. pl. Ind. or. 2, 429.
 † *Vallea Mutis.* Ruiz et Pav. Prodr. 14.
 — — — *stipularis* *Mutis.* H. B. K. Nov. Gen. 5, 489.
 † *Vallesia Rz et P.* Ruiz et Pav. Prodr. 5.
 — — — *chiococcoides* *H. B. K.* H. B. K. Nov. Gen. 3, 241.
 — — — *dichotoma* *Rz et P.* Ruiz et Pav. Fl. 151.
Vallisneria alternifolia *Roxb.* Wight Illustr. in Hook. 11.
 — — — *octandra* *Roxb.* *Roxb.* Corom. 165.
 — — — *spiralis* *L.* Jacq. Ecl. pl. 1.
 — — — *Tratt.* Thes. 32.
 — — — *Mem. Instit.* 1811, 3.
 — — — *Lam. Encycl.* 799.
 — — — *Dict. sc. nat.* 78. 79.
 — — — *Spach Suites* 111.
 — — — Wight Illustr. in Hook. 23. 24.
 — — — *Rchb.* Fl. germ. 7, 60.
 † — — — *Treviranus Symbolae* 41 — 44.
 † — — — *Nees* Gen. 3, x.
 † — — — *Schnizl.* Iconogr. 1, 59.
 † *Vallota purpurea* *Herb.* Herbert Amar. 1. 33.
 — — — *Bot. Reg.* 7, 552.
Valoradia plumbaginoides *Boiss.* Bot. Mag. 76, 4487.
Vanda Batemanni *Ldl.* Bot. Reg. 32, 59.
 — — — *coerulea* *Griff.* *Pact.* Fl. G. 36.
 — — — *Lem. Jard.* fl. 102.
 — — — *Fl. d. serres* 6, 609.
 — — — *Rchb. Xenia* 1, 5.
 — — — *cristata* *Ldl.* *Lindley Sertum Frontisp.* x.
 — — — *Bot. Reg.* 28, 48.
 — — — *Bot. Mag.* 73, 4304.
 — — — *furva* *Ldl.* *Rumpf Amb.* 6, 46. fig. 1.
 — — — *Blume Rumphia* 192. 197.
 — — — *insignis* *Bl.* *Blume Rumphia* 192. 197.
 — — — *multiflora* *Ldl.* *Lindley Collect.* 38.

- Vanda parviflora* *Wight.* Wight Ic. pl. Ind. or. 5, 1669.
 — — — *pauciflora* *Breda.* *Breda Orchid. Javae* 13.
 — — — *pulchella* *Wight.* Wight Ic. pl. Ind. or. 5, 1671.
 — — — *recurva* *Hook.* *Hook. Exot. Fl.* 187.
 — — — *rostrata* *Lodd.* *Lodd. Cab.* 1008.
 — — — *Roxburghii* *R. Br.* Bot. Mag. 48, 2245.
 — — — *Bot. Reg.* 6, 506.
 — — — *var. unicolor,* Bot. Mag. 62, 3416.
 — — — *Rchb. Exot.* 121.
 — — — *Fl. d. serres* 2, 11.
 — — — Wight Ic. pl. Ind. or. 3, 916.
 — — — *spathulata* *Spr.* *Rheede Hort. mal.* 12, 3.
 — — — Wight Ic. pl. Ind. or. 3, 915.
 † — — — *suaveolens* *Bl.* *Blume Mus.* 1, 17.
 — — — *suavis* *Ldl.* *Rchb. Xenia* 1, 12.
 — — — *teres* *Ldl.* Bot. Reg. 21, 1809.
 — — — *Pact. Mag.* 5, 193.
 — — — Bot. Mag. 70, 4114.
 — — — *teretifolia* *Ldl.* *Lindley Collect.* 6.
 — — — Bot. Reg. 8, 676.
 — — — *tessellata* *Lodd.* *Pact. Mag.* 7, 265.
 — — — *trichorhiza* *Hook.* *Hook. Exot. Fl.* 72.
 — — — *tricolor* *Ldl.* *Pact. Fl. G.* 42.
 — — — *Lem. Jard.* fl. 136.
 — — — Bot. Mag. 75, 4432.
 — — — *Fl. d. serres* 6, 641.
 — — — *violacea* *Ldl.* Bot. Reg. 33, 30.
 — — — *Wightiana?* *Ldl.* Wight Ic. pl. Ind. or. 5, 1670.
Vandellia crustacea *Benth.* *Rheede Hort. mal.* 9, 58.
 — — — Wight Ic. pl. Ind. or. 3, 863.
 † — — — *diffusa* *L.* *Gaertn. Carp.* 184.
 — — — *Lam. Encycl.* 522.
 — — — *Transact. med. bot. soc.* 1829, 1.
 — — — *hirsuta* *Ham.* *Jacq. Ecl.* pl. 150.
Vangueria Commersonii *Desf.* *Jacq. Schoenbr.* 1, 44.
 † — — — *cymosa* *Gaertn.* *Gaertn. Carp.* 193.
 — — — *edulis* *Vahl.* *Lam. Encycl.* 159.
 — — — *velutina* *Hook.* Bot. Mag. 57, 3014.
 † *Vanilla Sw.* *Schrader Journal* 1799. 2, 1.
 † — — — *albida* *Bl.* *Blume Tabellen* 34.
 — — — *Blume Rumphia* 67.
 — — — *angustifolia* *Sw.* *Kaempfer Amoenit.* p. 869.
 — — — *aphylla* *Bl.* *Blume Rumphia* 69.
 — — — Wight Ic. pl. Ind. or. 3, 931.
 — — — *aromatica* *Sw.* *Dict. sc. nat.* 76.
 — — — *Desc. Ant.* 7, 479.
 — — — *Nees Düssel.* 74. 75.
 — — — *Guimpel et Schl.* 262.
 — — — *Spach Suites* 118.
 — — — *planifolia* *Andr.* *Andr. Rep.* 8, 538.
 † — — — *Bauer Orchid. (Genera.)* 10. 11.
 — — — *Lodd. Cab.* 733.
 — — — *Blume Rumphia* 68.
 — — — *Hayne* 14, 22.
 — — — *Visiani Memoria* 1.
 — — — *Walkeriae* *Wight.* Wight Ic. pl. Ind. or. 3, 932.
Vantanea guianensis *Aubl.* *Aublet Guiana* 229.
 — — — *Lam. Encycl.* 471.
 † — — — *Abh. Ac. Berl.* 1832, 2.
 — — — *parviflora* *Lam.* *Journ. hist. nat. Par.* 1, 7.
 † *Vareca zeylanica* *Gaertn.* *Gaertn. Carp.* 60.
Vargasia caracasana *DC.* *Delessert Ic.* 4, 47.
Variephylis Aub. *Aubert Orchid.* 107. 108.
Varronia alba *Jacq.* *Desc. Ant.* 7, 529.
 — — — *bullata* *L.* *Jacq. Hist. stirp. am.* 43.
 — — — *calyptrata* *DC.* *Delessert Ic.* 5, 97.
 — — — *crenata* *Desv.* Ruiz et Pav. Fl. 146.
 — — — *dichotoma* *Rz et P.* Ruiz et Pav. Fl. 146.
 — — — *ferruginea* *Lam.* *Desvaux Journal* 1, 9.
 — — — *globosa* *Lam.* *Lam. Encycl.* 98.
 — — — *integrifolia* *Desv.* *Desvaux Journal* 1, 10.
 — — — *macrostachya* *Rz et P.* Ruiz et Pav. Fl. 147.

- Varronia martinicensis* Jacq. Jacq. Hist. stirp. am. 42.
 † — — — Gaertn. Carp. 212.
 — — — monosperma Jacq. Jacq. Schoenbr. 1, 39.
 — — — obliqua R. et P. Ruiz et Pav. Fl. 147.
Vatairea guianensis Aubl. Aublet Guiana 302.
 — — — Desc. Ant. 6, 444.
Vateria indica L. Rheede Hort. mal. 4, 15.
 — — — Roxb. Corom. 288.
 — — — Jacq. Ic. 130.
 † — — — Gaertn. Carp. 189.
 — — — Lam. Encycl. 475.
 — — — Hayne 11, 5.
 — — — Wight Illustr. 36.
 — — — Roxburghiana Wight. Wight Ic. pl. Ind. or. 1, 26.
Vatica chinensis L. Smith Ic. Linn. 36.
 — — — Lam. Encycl. 397.
 — — — laccifera Wight et Arn. Wight Ic. pl. Ind. or. 1, 164.
 — — — Tumbugaia W. et A. Wight Ic. pl. Ind. or. 1, 27.
Vauquelinia corymbosa H. B. Humb. Pl. aeq. 40.
 † — — — Lam. Encycl. 962.
Vavanga edulis Vahl. Skriften nat. Selsk. 1792, 7.
 † *Velaea* DC. DC. Umbelliferae 2.
 † *Velaga globosa* Gaertn. Gaertn. Carp. 133.
 † — — — xylocarpa Gaertn. Gaertn. Carp. 133.
Velasquezia melanodendron Bert. N. Comm. Bon. 4, 46.
Velezia quadridentata Sibth. Sibth. Fl. gr. 391.
 † — — — rigida L. Gaertn. Carp. 129.
 — — — Lam. Encycl. 186.
 — — — Sibth. Fl. gr. 390.
 — — — Rchb. Fl. germ. 6, 246.
Vella annua L. Trew Pl. rar. 7.
 † — — — Medikus Gattungen 2.
 † — — — Gaertn. Carp. 141.
 — — — Lam. Encycl. 555.
 — — — Schk. Handb. 178.
 — — — Engl. Bot. 21, 1442.
 — — — Baxter Brit. Bot. 6, 420.
 — — — Pseudocytisus L. Cav. Ic. 42.
 — — — Lam. Encycl. 555.
 — — — Bot. Reg. 4, 293.
 — — — spinosa Boiss. Boissier Esp. 10.
Velleia lyrata R. Br. Hook. Exot. Fl. 24.
 — — — Bot. Reg. 7, 531.
 — — — Guillemain Austr. 4.
 — — — macrocalyx de Vr. De Vriese Goodenov. 34.
 — — — paradoxa R. Br. Bot. Reg. 12, 971.
 † — — — spathulata R. Br. Ann. Mus. 18, 1.
 — — — trinervis Lab. Bill. Nov. Holl. 77.
 † *Vellosia Vandellii* Roemer Scriptores 6.
 — — — abietina Mart. Mart. Bras. 6.
 — — — albiflora Pohl. Pohl Bras. 96.
 — — — aloefolia Mart. Mart. Bras. 7.
 † — — — Gaudichaud Bonite 127.
 — — — Kerner Hort. 682.
 — — — asperula Mart. Mart. Bras. 8.
 — — — Rchb. Exot. 80.
 — — — brevifolia Seubert. Endl. Bras. 8, 10.
 — — — candida Mik. Mikan Del. Bras. 7.
 † — — — Gaudichaud Bonite 128.
 — — — caruncularis Mart. Endl. Bras. 8, 8.
 — — — compacta Mart. Endl. Bras. 8, 10.
 — — — glauca Pohl. Pohl Bras. 100.
 — — — gracilis Seubert. Endl. Bras. 8, 9.
 — — — graminea Pohl. Pohl Bras. 93.
 † — — — Endl. Bras. 8, 9.
 † — — — hemisphaerica Seubert. Endl. Bras. 8, 9.
 — — — minima Pohl. Pohl Bras. 94.
 — — — phalocarpa Pohl. Pohl Bras. 98.
 — — — Rchb. Exot. 81.
 — — — plicata Mart. Mart. Bras. 9.
 † — — — Gaudichaud Bonite 128.
 — — — pusilla Pohl. Pohl Bras. 97.

- Vellosia squamata* Pohl. Pohl Bras. 99.
 — — — Rchb. Exot. 257.
 — — — sulphurea Pohl. Pohl Bras. 95.
 † *Vellosiaea* Don. Schnizl. Iconogr. 1, 62.
Velpeaulia alibrexioides Gaudich. Gaudich. Bonite 109.
Veltheimia abyssinica Red. Red. Lil. 4, 186.
 — — — capensis Red. Red. Lil. 4, 193.
 — — — glauca Jacq. Jacq. Schoenbr. 1, 77.
 — — — Red. Lil. 8, 440.
 — — — Wendland Coll. 78.
 — — — Bot. Mag. 27, 1091.
 — — — var. purpurea, Bot. Mag. 62, 3456.
 — — — Uvaria Willd. Jacq. Fragm. 4.
 — — — Kerner Hort. 311.
 — — — viridifolia Jacq. Jacq. Schoenbr. 1, 78.
 — — — Lodd. Cab. 1245.
 — — — Herb. amat. 2, 96.
 — — — Savi Fl. ital. 2, 44.
 † *Venana madagascariensis* Lam. Lam. Encycl. 131.
 † *Ventenatia bromoides* Koel. Nees Gen. 1, 47.
 — — — glauca Pal. B. Pal. B. Fl. d'Oware 17.
 — — — Lam. Encycl. 965.
 — — — Kerner Hort. 189.
 — — — Rchb. Exot. 252.
 — — — humifusa Cav. Cav. Ic. 348.
 — — — major Sm. Smith Exot. Bot. 66.
 — — — minor Sm. Smith Exot. Bot. 67.
 — — — procumbens Cav. Cav. Ic. 349.
Ventilago maderaspatana Gaertn. Rumpf Amb. 5, 2.
 † — — — Gaertn. Carp. 49.
 — — — Roxb. Corom. 76.
 † — — — Ann. sc. nat. 10, 12.
 — — — Wight Ic. pl. Ind. or. 1, 163.
 † *Vepricella macrophylla* Naud. Ann. sc. nat. III. 15, 15.
 † — — — nigrescens Naud. Ann. sc. nat. III. 15, 15.
 † *Vepris inermis* Commers. Mem. Mus. 12, 26.
 † *Veratrum album* L. Gaertn. Carp. 18.
 † — — — Lam. Encycl. 843.
 — — — Jacq. Fl. austr. 4, 335.
 — — — Fl. dan. 7, 1120.
 — — — Schk. Handb. 341.
 — — — Woodv. Med. 4, 257.
 — — — Red. Lil. 8, 447.
 — — — Nees Düssel. 46.
 — — — Brandt und Ratzeb. 5.
 — — — Guimpel et Schl. 102.
 — — — Hayne 13, 26.
 — — — Rchb. Fl. germ. 10, 422.
 — — — Dubouzei Hombr. Richard Astrolabe 4.
 — — — Hoffmeisteri Klotzsch. Prinz Waldem. Him. 96.
 — — — Lobelianum Bernh. Nees Düssel. 47.
 — — — luteum L. Linné Amoenit. 3, 1.
 — — — nigrum L. Jacq. Fl. austr. 4, 336.
 — — — Schk. Handb. 341.
 — — — Bot. Mag. 24, 963.
 — — — Red. Lil. 7, 416.
 — — — Rchb. Fl. germ. 10, 423.
 † — — — Nees Gen. 2, 32.
 — — — officinale Schlecht. et Cham. Guimpel et Schl. 97.
 — — — Nees Düssel. Suppl. 98.
 — — — Hayne 13, 27.
 — — — Sabadilla Retz. Mem. soc. Linn. Par. 3, 6.
 — — — Dict. sc. nat. 46.
 — — — Desc. Ant. 3, 195.
 — — — Nees Düssel. 48.
 — — — Wagner 244.
 — — — viride Ait. Schk. Handb. 341.
 — — — Bigelow Med. 33.
 † *Verbascum ambiguum* Lej. Nees Gen. 5, 27.
 — — — angustifolium Ten. Tenore Fl. nap. 122.
 — — — argenteum Ten. Tenore Fl. nap. 215.
 — — — argyrostachyon Ten. Tenore Fl. nap. 215.

- Verbascum auriculatum* Sm. Sibth. Fl. gr. 225.
 — *australe* Schrad. Schrader Verbasum 2.
 — *banaticum* Schrad. Rochel Banat. 18.
 — *betonicaefolium* Desf. Ann. Mus. 11, 4.
 — — Desf. Choix 23.
 — *bipinnatifidum* Sims. Bot. Mag. 43, 1777.
 — *Blattaria* L. var. Rivinus Opus ined. 79.
 — — Engl. Bot. 6, 393.
 — *blattarioides* Lam. Brotero Phytogr. 154.
 — — Hoffm. et Link Fl. port. 28.
 — *ceratophyllum* Schrad. Schrader Verbasum 6.
 — *Chaixii* Vill. Vill. Dauph. 13.
 — *collinum* Schrad. Schrader Verbasum 5.
 — — Fl. dan. 11, 1811.
 — *commutatum* Ten. Tenore Fl. nap. 217.
 — *condensatum* Schrad. Schrader Verbasum 3.
 — *crassifolium* Lk et H. Hoffm. et Link Fl. port. 26.
 — — Brotero Phytogr. 152.
 — *cupreum* Sims. Bot. Mag. 30, 1226.
 — — Rehb. Exot. 124.
 — *cuspidatum* Schrad. Schrader Verbasum 1.
 — — Fl. dan. 11, 1810.
 — *densiflorum* Poll. Pollini Fl. ver. 3, 3.
 — *ferrugineum* Andr. Andr. Rep. 3, 162.
 — *floccosum* W. et K. W. et Kit. 79.
 — *formosum* Fisch. Schrank Hort. monac. 22.
 — — Bot. Reg. 7, 558.
 — *garganicum* Ten. Tenore Fl. nap. 216.
 — *grandiflorum* Schrad. Schrader Hort. gott. 13.
 — *hyoserifolium* Schrad. Schrader Verbasum 8.
 — *lanatum* Schrad. Schrader Verbasum 7.
 — *longifolium* Ten. Tenore Fl. nap. 21.
 — *Lychnitis* L. Rivinus Opus ined. 82.
 — — Fl. dan. 4, 586.
 — — Engl. Bot. 1, 58.
 — — var. Rochel Banat. 20.
 — — Dietr. Fl. bor. 5, 335.
 — *macranthum* Lk et H. Hoffm. et Link Fl. port. 27.
 — — Brotero Phytogr. 153.
 — *macrurum* Ten. Tenore Fl. nap. 214.
 — *magellense* Ten. Tenore Fl. nap. 217.
 — *monspessulanum* Pers. Schrader Verbasum 7.
 — *montanum* Schrad. Schrader Hort. gott. 12.
 — *Myconi* L. Bot. Mag. 7, 236.
 — *nemorosum* Schrad. Schrader Verbasum 1.
 — *nigrum* L. Rivinus Opus ined. 84.
 — — Fl. dan. 7, 1088.
 — — Curt. Lond. 4, 103.
 — — Engl. Bot. 1, 59.
 — — Sv. Bot. 590.
 — — Baxter Brit. Bot. 2, 85.
 — — Schrank Fl. monac. 1, 69.
 — — Dietr. Fl. bor. 2, 137.
 — — Nees Gen. 5, 27.
 — *niveum* Ten. Tenore Fl. nap. 22.
 — *orientale* M. v. B. Rochel Banat. 19.
 — *ovalifolium* Donn. Bot. Mag. 26, 1037.
 — *ovatum* Schrad. Schrader Hort. gott. 15.
 — *phlomoides* L. Moench Enum. Hass. 4.
 — — Sibth. Fl. gr. 224.
 — — Hegetschw. Reisen 1. 2.
 — — Hayne 12, 40.
 — — Wagner 128.
 — *phoeniceum* L. Jacq. Fl. austr. 2, 125.
 — — Gaertn. Carp. 55.
 — — Lam. Encycl. 117.
 — — Bot. Mag. 23, 885.
 — — Lodd. Cab. 637.
 — — Schrank Fl. monac. 1, 63.
 — *pinnatifidum* L. Sibth. Fl. gr. 228.
 — *plicatum* Sm. Sibth. Fl. gr. 226.
 — *pulverulentum* Curt. Engl. Bot. 7, 487.

- Verbascum puniceum* Schrad. Schrader Hort. gott. 14.
 — *pyramidatum* Willd. Sweet Fl. G. 31.
 — *ramigerum* Link. Schrader Verbasum 4.
 — *rotundifolium* Ten. Tenore Fl. nap. 23.
 — *rubiginosum* W. et K. W. et Kit. 197.
 — *samniticum* Ten. Tenore Fl. nap. 216.
 — *Schottianum* Schrad. Schrader Verbasum 8.
 — *simplex* Lab. Bill. Syr. 4, 5.
 — *sinuatum* L. Sibth. Fl. gr. 227.
 — — Marschall Cent. 72.
 — *speciosum* Schrad. Schrader Hort. gott. 16.
 — — Rochel Banat. 20.
 — — Rehb. Ic. crit. 10, 998.
 — *spinatum* L. Sibth. Fl. gr. 229.
 — — Sieber Creta 7.
 — *syriacum* Schrad. Schrader Verbasum 6.
 — *tauricum* Hort. Bot. Mag. 67, 3799.
 — *thapsiforme* Schrad. Rivinus Opus ined. 81.
 — — Hayne 12, 39.
 — — Guimpel et Schl. 153.
 — — Nees Düsseldorf. 159.
 — — Dietr. Fl. bor. 4, 261.
 — *thapsoides* L. Schrader Verbasum 5.
 — — Schrank Fl. monac. 2, 142.
 — *Thapsus* L. Fl. dan. 4, 631.
 — — Schk. Handb. 42.
 — — Lam. Encycl. 117.
 — — Woodv. Med. 2, 75.
 — — Engl. Bot. 8, 549.
 — — Sv. Bot. 79.
 — — Nees Düsseldorf. 158^a.
 — — Hayne 12, 38.
 — — Guimpel et Schl. 152.
 — — Wagner 9.
 — — Nees Gen. 5, 27.
 — *undulatum* Lam. Jaubert Illustr. 408.
 — *viminale* Guss. Gussone Pl. rar. 21.
 — *virgatum* With. Engl. Bot. 8, 550.
 — — Roemer Fl. europ. 12, 2.
 — — Wight Illustr. 165^{bis}.
 — — Wight Ic. pl. Ind. or. 4, 1404—1405.
 — *Verbena alata* Cham. Sweet Fl. G. II. 41.
 — *amoena* Paxt. Paxt. Mag. 7, 3.
 — *aphylla* Hook. Hook. Bot. Misc. 46.
 — *aristata* Vahl. Vahl Ic. 11.
 — *Aubletia* L. Svensk Acad. 1773, 5.
 — — Jacq. Vind. 176.
 — — Bot. Mag. 9, 308.
 — — Bot. Reg. 4, 294.
 — — var. Drummondii, Bot. Reg. 23, 1925.
 — — Spach Suites 84.
 — *bonariensis* L. Gaertn. Carp. 66.
 — — Lam. Encycl. 17.
 — *bracteosa* Michx. Bot. Mag. 56, 2910.
 — *canescens* H. B. K. H. B. K. Nov. Gen. 2, 136.
 — *chamaedrifolia* Juss. Maund Bot. 3, 129.
 — — Bot. Mag. 61, 3333.
 — — Sweet Fl. G. II. 9.
 — — var. Fl. d. serres 8, 794.
 — *clavata* R. et P. Ruiz et Pav. Fl. 33.
 — *corymbosa* R. et P. Ruiz et Pav. Fl. 33.
 — *cuneifolia* R. et P. Ruiz et Pav. Fl. 32.
 — *curassavica* L. Houstoun Reliq. 2.
 — *dichotoma* R. et P. Ruiz et Pav. Fl. 34.
 — *erinacea* Gill. Hook. Bot. Misc. 48.
 — *erinoides* Lam. Sweet Fl. G. II. 347.
 — *globulifera* L'her. L'heritier Stirp. 12.
 — *hastata* L. Rivinus Opus ined. 40.
 — *hispida* R. et P. Ruiz et Pav. Fl. 34.
 — *jamaicensis* L. Jacq. Observ. 85.
 — — St. Hil. Pl. usuelles 39.
 — *javanica* Burm. Burmann Fl. ind. 6.

- Verbena incisa* Hook. Bot. Mag. 65, 3628.
 — *indica* Jacq. Jacq. Observ. 86.
 — *inflata* H. B. K. H. B. K. Nov. Gen. 2, 135.
 — *Lamberti* Sims. Bot. Mag. 48, 2200.
 — — var. β . Sweet Fl. G. II. 363.
 — *lappulacea* L. Jacq. Observ. 24.
 — — Jacq. Hist. stirp. am. 9.
 — *lasioleptachys* Link. Rchb. Hortus 64.
 — *litoralis* H. B. K. H. B. K. Nov. Gen. 2, 137.
 — *Melindres* Gillies. Lodd. Cab. 1514.
 — — Bot. Reg. 14, 1184.
 — — Paxt. Mag. 1, 173.
 — — Spach Suites 94.
 — *microphylla* H. B. K. H. B. K. Nov. Gen. 2, 133.
 — *multifida* R. et P. Ruiz et Pav. Fl. 33.
 — — var. *contracta*, Bot. Reg. 21, 1766.
 — *mutabilis* Jacq. Jacq. Ic. 207.
 — — Vent. Malm. 36.
 — — Dict. sc. nat. 39.
 — — Andr. Rep. 7, 535.
 — *nodiflora* L. Sibth. Fl. gr. 553.
 — *Obletia* Med. Acta palat. 3, 7.
 — *officinalis* L. Fl. dan. 4, 628.
 † — — Lam. Encycl. 17.
 — — Woodv. Med. 2, 133.
 — — Curt. Lond. 3, 43.
 — — Engl. Bot. 11, 767.
 — — Baxter Brit. Bot. 1, 26.
 — — Sv. Bot. 182.
 — — Hoffmann D. Fl. 1791, 2.
 — — Dreyer 2, 45.
 — — Schk. Handb. 3.
 — — Hayne 5, 42.
 — — Sturm Flora 1, 3.
 — — Schrank Fl. monac. 2, 135.
 — — Dietr. Fl. bor. 2, 120.
 † — — Nees Gen. 6, 50.
 — *paniculata* Lam. Bot. Reg. 13, 1102.
 — *prismatica* L. Jacq. Ic. 208.
 — *prostrata* Savi. Mem. Mod. 9, x.
 — *pseudogervao* St. Hil. St. Hil. Fl. usuelles 40.
 — *pulchella* Sweet. Sweet Fl. G. 295.
 — — Lodd. Cab. 1550.
 — *rugosa* Don. Sweet Fl. G. II. 318.
 — *scoparia* Gill. Hook. Bot. Misc. 47.
 — *sororia* Don. Sweet Fl. G. 202.
 — *squamosa* Jacq. Jacq. Schoenbr. 1, 5.
 — *stricta* Vent. Vent. Cels 53.
 — — Bot. Mag. 45, 1976.
 — *sulphurea* Don. Bot. Reg. 21, 1748.
 — — Sweet Fl. G. II. 221.
 — *supina* L. Rivinus Opus ined. 39.
 — — Sibth. Fl. gr. 554.
 — *teucrioides* Gill. Bot. Mag. 65, 3694.
 — — Paxt. Mag. 5, 243.
 — *trifida* H. B. K. H. B. K. Nov. Gen. 2, 134.
 — *triphylia* L'her. L'heritier Stirp. 11.
 — — Bot. Mag. 11, 367.
 — — Nouveau Duhamel 4, 6.
 — *Tweediana* Niven. Bot. Mag. 63, 3541.
 — — Maund Bot. 2, 60.
 — — Paxt. Mag. 4, 5.
 — — Sweet Fl. G. II. 391.
 — *venosa* Gill. Bot. Mag. 59, 3127.
 — — Sweet Fl. G. II. 207.
 — *virgata* R. et P. Ruiz et Pav. Fl. 32.
 Verbenaceae? Icones plantarum Chinae 1.
 † Verbenaceae R. Br. Wight Illustr. 173 bis.
 † Verbesina alata L. Gaertn. Carp. 171.
 † — — Lam. Encycl. 686.
 — — Schk. Handb. 256.
 — — Bot. Mag. 41, 1716.

- Verbesina atriplicifolia* Desf. Colla Hort. Rip. 31.
 — *buphthalmoides* Link. Link Ic. I. 49.
 — *calendulacea* L. Lam. Encycl. 686.
 — *conyzoides* Trew. Trew Pl. rar. 6.
 — *dichotoma* Murr. Comm. Gott. 2, 4.
 — *gigantea* Jacq. Jacq. Ic. 175.
 — *mutica* Sw. Swartz Observ. 8.
 — — Lam. Encycl. 686.
 † — *nodiflora* L. Lam. Encycl. 686.
 — *pinnatifida* Cav. Cav. Ic. 100.
 — — Jacq. Schoenbr. 3, 305.
 — *populifolia* Hill. Hill Hort. Kew. 1.
 — *sativa* Roxb. Bot. Mag. 26, 1017.
 — *serrata* Cav. Cav. Ic. 214.
 — *virgata* Cav. Cav. Ic. 275.
Verea *autiflora* Andr. Andr. Rep. 9, 560.
 — *crenata* Andr. Andr. Rep. 1, 21.
Verhuellia *brasiliensis* Miq. Miquel Illustr. Piper. 1.
 — *elegans* Miq. Miquel Illustr. Piper. 1.
 † *Vermifuga* R. et P. Ruiz et Pav. Prodr. 24.
 † *Vernonia* Schreb. Swartz Fl. Ind. occ. 26.
 † — — Kerner Genera 79.
 — *acutifolia* Hook. Bot. Mag. 58, 3062.
 — *anthelmintica* Willd. Rheede Hort. mal. 2, 24.
 — *argyrophylla* Less. Fielding Sertum 50.
 — *arkansana* Torr. Sitgreaves Expedition 2.
 — *asterotricha* P. et E. Poepp. et Endl. 247.
 — *atriplicifolia* J. et Sp. Jaubert Illustr. 359.
 — *axilliflora* Mart. Lodd. Cab. 1690.
 — — Bot. Reg. 17, 1464.
 — *Bottae* J. et Sp. Jaubert Illustr. 358.
 — *canescens* H. B. K. H. B. K. Nov. Gen. 4, 317.
 — *centriflora* Link. Link Ic. I. 55.
 — *cinerea* Less. Rheede Hort. mal. 10, 64.
 † — — Wight Illustr. 134.
 — *conyzoides* DC. Wight Ic. pl. Ind. or. 3, 829.
 — — Wight Ic. pl. Ind. or. 3, 1076.
 — *dendigulensis* DC. Wight Ic. pl. Ind. or. 3, 829.
 — *flexuosa* Sims. Lodd. Cab. 1680.
 — — Bot. Mag. 51, 2477.
 — *macrocephala* Rich. Richard Abyssin. 57.
 — *neilgherrensis* DC. Wight Ic. pl. Ind. or. 3, 1076.
 — *odoratissima* H. B. K. H. B. K. Nov. Gen. 4, 318.
 — *pandurata* Jacq. Jacq. Ecl. pl. 120.
 — *pectiniformis* DC. Rheede Hort. mal. 10, 62.
 — — Wight Spicil. 103.
 — — Wight Ic. pl. Ind. or. 3, 1077.
 — *rubricaulis* H. B. Humb. Pl. aeq. 99.
 — *salviaefolia* Wight. Wight Ic. pl. Ind. or. 3, 1079.
 — *sericea* Rich. β . purpurascens, Bot. Reg. 7, 522.
 — *serratuloides* H. B. K. H. B. K. Nov. Gen. 4, 316.
 — *tomentosa* N. v. E. Nees Amoenit. bonn. 5.
 † *Veronica* L. Ann. sc. nat. 8, 26.
 — *acinifolia* L. Sturm Flora 14, 58.
 — — Cosson Atlas 16.
 — *agrestis* L. Fl. dan. 3, 449.
 — — Fl. dan. 13, 2221.
 — — Curt. Lond. 2, 91.
 — — Engl. Bot. 11, 789.
 — — Engl. Bot. 2693.
 — — var. *byzantina*, Sibth. Fl. gr. 8.
 — — Sturm Flora 14, 58.
 — — Rchb. Ic. crit. 3, 277.
 — — Dietr. Fl. bor. 5, 332.
 † — — α . β . γ . Mutel Fl. fr. 45.
 † — — Cosson Atlas 16.
 † — — Flora 1851, 2.
 — *alpina* L. Liané Fl. lapp. 9.
 — — Fl. dan. 1, 16.
 — — var. *corymbosa*, Fl. dan. 11, 1921.
 — — Curt. Lond. 5, 208.
 — — Engl. Bot. 7, 484.

- Veronica alpina* L. Sv. Bot. 721.
 — — — Krock. Fl. sil. 1, 3.
 — — — Sturm Flora 13, 56.
 — — — var. α - β . Rochel Banat. 21.
 — — — var. Wormskioldii, Bot. Mag. 57, 2975.
 — *amoena* Stev. Marschall Cent. 18.
 — *Anagallis* L. Rivinus Opus ined. 77.
 — — — Fl. dan. 6, 903.
 — — — Curt. Lond. 2, 67.
 — — — Engl. Bot. 11, 781.
 — — — Hayne 4, 1.
 † — — — Cosson Atlas 17.
 — *anagalloides* Guss. Gussone Pl. rar. 3.
 — *Andersonii* Hort. Lem. Jard. fl. 103.
 — — — Paxt. Fl. G. 38.
 — — — Fl. d. serres 7, 658.
 — *angustifolia* Bernh. Bernh. Ehrenpreis x.
 — *aphylla* L. Sturm Flora 13, 56.
 — *arbusculosa* Hoffg. Rechb. Ic. crit. 10, 904.
 — *arvensis* L. Fl. dan. 3, 515.
 — — — Curt. Lond. 1, 57.
 — — — Engl. Bot. 11, 734.
 — — — Dreves 3, 83.
 — — — Sturm Flora 14, 58.
 — — — Dietr. Fl. bor. 5, 333.
 — — — Cosson Atlas 16.
 — *aspera* Schrad. Schrader Veronica 2.
 — *australis* Schrad. Schrader Veronica 2.
 — *austriaca* L. Sturm Flora 14, 58.
 — *Beccabunga* L. Fl. dan. 3, 511.
 — — — Woodv. Med. 2, 132.
 — — — Curt. Lond. 1, 44.
 — — — Engl. Bot. 10, 655.
 — — — Sv. Bot. 127.
 — — — Sturm Flora 3, 12.
 — — — Hayne 4, 2.
 — — — Schrank Fl. monac. 3, 266.
 — — — Dietr. Fl. bor. 5, 334.
 † — — — Cosson Atlas 17.
 — *Bellardi* All. Allione Fl. ped. 3, 85.
 — *bellidioides* L. Krock. Fl. sil. 1, 2.
 — — — Sturm Flora 14, 58.
 — *Benthami* Hook. Hook. Fl. ant. 39—40.
 — *Bidwillii* Hook. Hook. Ic. pl. 9, 814.
 — *biloba* Vahl. Rechb. Ic. crit. 7, 645.
 — *brevifolia* M. v. B. Rivinus Opus ined. 75.
 — *Buxbaumii* Ten. Tenore Fl. nap. 1.
 — — — Engl. Bot. 2769.
 — — — Fl. dan. 12, 1982.
 — — — Hagenbach Fl. basil. 2.
 — — — Sturm Flora 13, 56.
 — — — Rechb. Ic. crit. 3, 268.
 † — — — Nees Gen. 5, 38.
 † — — — Cosson Atlas 16.
 — *cartilaginea* Led. Ledeb. Ic. 210.
 — *caucasica* M. v. B. Lodd. Cab. 1369.
 — *chamaedryoides* Bory. Bory et Chaubard Morée 1.
 — *Chamaedrys* L. Fl. dan. 3, 448.
 † — — — Lam. Encycl. 13.
 — — — Curt. Lond. 1, 99.
 — — — Engl. Bot. 9, 623.
 — — — Lodd. Cab. 53.
 — — — Baxter Brit. Bot. 1, 50.
 — — — Sv. Bot. 239.
 — — — Liboschitz Petersb. 24.
 — — — Dreves 1, 3.
 — — — Hayne 4, 4.
 — — — Schrank Fl. monac. 3, 266.
 — — — Sturm Flora 14, 58.
 — — — Dietr. Fl. bor. 2, 82.
 † — — — Cosson Atlas 17.
 — *ciliaris* Hoffm. Comm. Gott. 15, 5.

- † *Veronica complicata* Hoffm. Hoffmann Phyt. Bl. 8.
 — — — Comm. Gott. 15, 8.
 † — *crenulata* Hoffm. Hoffmann Phyt. Bl. 8.
 — — — Comm. Gott. 15, 9.
 — — — Dietr. Fl. bor. 12, 795.
 — *crista galli* Stev. Linn. Transact. 11, 31.
 — *cristata* Bernh. Bernh. Ehrenpreis x.
 — *cymbalaria* Sibth. Sibth. Fl. gr. 9.
 — *cymbalariaefolia* Gm. Viviani Fl. ital. 16.
 — *Dabneyi* Hochst. Seubert Fl. azor. 8.
 — *decussata* Ait. Bot. Mag. 7, 242.
 — — — Richard Astrolabe 9.
 † — — — Ann. sc. nat. 5, 2.
 — *densiflora* Led. Ledeb. Ic. 125.
 — *dentata* Schmidt. Sturm Flora 14, 58.
 — *depauperata* W. et K. W. et Kit. 245.
 — *Derwentia* Andr. Andr. Rep. 8, 531.
 — *didyma* Ten. Sturm Flora 14, 58.
 — *diffusa* Hook. fil. Hook. Ic. pl. 7, 645.
 — *digitata* Vahl. Rechb. Pl. crit. 1, 36.
 † — — — Mutel Fl. fr. 45.
 — *diosmaefolia* Cunn. Knowles et Westcott 106.
 — *filiformis* Sm. Rechb. Ic. crit. 7, 644.
 † — — — Mutel Fl. fr. 45.
 — — — Johnston Fl. of Berwick 1, 1.
 — *finastrina* Hombr. Richard Astrolabe 9.
 — *foliosa* W. et K. W. et Kit. 102.
 — — — Schrader Veronica 2.
 — *formosa* R. Br. Lem. Jard. fl. 3.
 — — — Paxt. Fl. G. 95.
 — — — Bot. Mag. 76, 4512.
 — *frutescens* Desc. Desc. Ant. 8, 582.
 — *fruticulosa* L. Jacq. Collect. 4, 5.
 — — — Fl. dan. 2, 342.
 — — — Engl. Bot. 15, 1028.
 — — — Sturm Flora 13, 56.
 — — — Rechb. Ic. crit. 10, 905.
 † — — — Mutel Fl. fr. 46.
 — *gentianoides* Vahl. Sibth. Fl. gr. 5.
 — — — Vent. Malm. 86.
 — — — Bot. Mag. 25, 1002.
 — *glabra* Ehrh. Schrader Veronica 1.
 — *glauca* Sibth. Sibth. Fl. gr. 7.
 — *hederaefolia* L. Fl. dan. 3, 428.
 — — — Curt. Lond. 3, 34.
 — — — Engl. Bot. 11, 784.
 — — — Viviani Fl. ital. 16.
 — — — Sturm Flora 13, 56.
 — — — Dietr. Fl. bor. 2, 98.
 † — — — Cosson Atlas 16.
 — *heterophylla* Salisb. Salisbury Ic. rar. 4.
 — *hirsuta* Hopk. Engl. Bot. 2673.
 — *hybrida* L. Schrader Journal 1799. 1, 3.
 — — — Engl. Bot. 10, 673.
 — *incana* L. Comm. Gott. 15, 6.
 — — — W. et K. W. et Kit. 244.
 — *incisa* Ait. Lodd. Cab. 1397.
 — *labiata* R. Br. Bot. Mag. 40, 1660. 63, 3461.
 — *latifolia* L. Sturm Flora 14, 58.
 — — — Dietr. Fl. bor. 4, 264.
 — — — var. *heterophylla*, Rochel Banat. 21.
 — — — Sweet Fl. G. 23.
 — *Lavandiana* Decne. Raoul Nouv. Zel. 10.
 — *leucantha* Helm. Mem. Mosc. 2, 8.
 — *Lindleyana* Paxt. Paxt. Mag. 12, 247.
 — — — Fl. d. serres 2, 17.
 — *longifolia* L. Baumgarten Fl. lips. 1.
 † — — — Hoffmann Phyt. Bl. 5.
 — — — Comm. Gott. 15, 4.
 — — — Schrader Veronica 2.
 — — — Dietr. Fl. bor. 8, 573.
 — *lusitana* Brotero. Brotero Phytogr. 85.

- Veronica luxurians* Led. Ledeb. Ic. 211.
 — *macrostemon* Led. Ledeb. Ic. 127.
 — *marilandica* L. Comm. Gott. 5, 3.
 — *maritima* L. Fl. dan. 3, 374.
 — — Schrader *Veronica* 1.
 — — Comm. Gott. 15, 3.
 — — Rchb. Pl. crit. 1, 35.
 † — *maxima* Stev. Mem. Mosc. 2, 11.
 — *media* Schrad. Schrader *Veronica* 1.
 — — Sv. Bot. 560.
 — *Michauxii* Lam. Jaubert Illustr. 424.
 — *micrantha* H. et Lk. Hoffm. et Link Fl. port. 57.
 — *montana* L. Hoffmann D. Fl. 1791, 1.
 — — Sturm Flora 14, 58.
 — — Fl. dan. 7, 1201.
 — — Curt. Lond. 3, 61.
 — — Engl. Bot. 11, 766.
 † — — Cosson Atlas 17.
 — *multifida* L. Jacq. Fl. austr. 4, 329.
 — — Bot. Mag. 40, 1679.
 — *neglecta* Vahl Sweet Fl. G. 55.
 — *nitida* Ehrh. Comm. Gott. 15, 2.
 — *nivea* Hook. fil. Hook. Ic. pl. 7, 640.
 — *nodiflora* L. Burmann Fl. ind. 6.
 — *numularia* Gouan. Gouan Illustr. 1.
 — *odora* Hook. Hook. Fl. ant. 41.
 † — *officinalis* L. Gaertn. Carp. 54.
 † — — Lam. Encycl. 13.
 — — Fl. dan. 2, 248.
 — — Woodv. Med. 2, 133.
 — — Curt. Lond. 3, 19.
 — — Engl. Bot. 11, 765.
 — — Sv. Bot. 159.
 † — — var. Mutel Fl. fr. 46.
 — — Cosson Atlas 17.
 — — Schk. Handb. 3.
 — — Sturm Flora 14, 58.
 — — Schrank Fl. monac. 4, 317.
 — — Hayne 4, 3.
 — — Nees Disseld. 157.
 — — Guimpel et Schl. 59.
 — — Wagner 217.
 — — var. *Tournefortii*, Rchb. Ic. crit. 8, 783.
 — — Dietr. Fl. bor. 4, 262.
 — *opaca* Fries. Sturm Flora 14, 58.
 — — Rchb. Ic. crit. 3, 278.
 † — — Flora 1851, 14.
 — *orchidea* Crantz. Bot. Mag. 48, 2210.
 — — Rochel Banat. 21.
 — *orientalis* Ait. Lodd. Cab. 419.
 — *Orsiniana* Ten. Tenore Fl. nap. 203.
 — *panormitana* Parl. Parl. Ic. pl. rar. pan. 1.
 — *pedunculata* Lab. Bill. Syr. 5, 5.
 — *peregrina* L. Fl. dan. 3, 407.
 — — Rchb. Pl. crit. 1, 36.
 † — — Mutel Fl. fr. 46.
 — — Cosson Atlas 16.
 — *perfoliata* R. Br. Bot. Reg. 23, 1930.
 — — Bot. Mag. 44, 1936.
 — — Lodd. Cab. 781.
 — *petraea* Baumg. Rochel Banat. 21.
 — *pinnata* Ait. Comm. Gott. 15, 10.
 — *plicata* Pohl. Pohl Tentamen Fl. boh. 1.
 — *polita* Fries. Sturm Flora 14, 58.
 — — Rchb. Ic. crit. 3, 246.
 † — — Flora 1851, 14.
 — *Ponae* Gouan. Gouan Illustr. 1.
 — *praecox* All. Allione Auct. 1.
 — — Sturm Flora 14, 58.
 — — Hagenbach Fl. basil. 1.
 — — Cosson Atlas 16.
 — — Dietr. Fl. bor. 11, 784.

- Veronica prostrata* L. Moench Enum. Hass. 1.
 — — Sturm Flora 14, 58.
 — — Dietr. Fl. bor. 4, 263.
 — — var. Bot. Mag. 65, 3683.
 † — — Nees Gen. 5, 38.
 — *pseudochamaedrys* Jacq. Jacq. Fl. austr. 1, 60.
 — *pulchella* Bastard. Gussone Fl. sic. 5.
 — *pumila* All. Allione Fl. ped. 3, 22.
 — *pygmaea* Schrank. Schrank Primit. sal. 1.
 — *pyrenaica* All. Allione Fl. ped. 3, 46.
 — — Rchb. Ic. crit. 8, 782.
 — *repens* DC. Loiseleur Fl. gall. 1.
 — *romana* All. Allione Fl. ped. 3, 83.
 — — Pohl Tentamen Fl. boh. 1.
 — *rotundifolia* Schrank. Schrank Primit. sal. 1.
 — *rubicunda* Led. Ledeb. Ic. 268.
 — *salicifolia* Forst. Annalen d. Wien. Mus. 1, 14.
 — — Bot. Reg. 32, 5.
 — *saturejoides* Vis. Visiani Dalm. 33.
 — *saxatilis* L. Engl. Bot. 15, 1027.
 — — Lodd. Cab. 704.
 — — Sv. Bot. 347.
 † — — Mutel Fl. fr. 46.
 — — Sturm Flora 13, 56.
 — — Rchb. Ic. crit. 10, 903.
 — — Zollik. Alpenflora 1.
 — *scutellata* L. Fl. dan. 2, 209.
 — — var. β . Fl. dan. 9, 1561.
 — — Curt. Lond. 3, 18.
 — — Engl. Bot. 11, 782.
 — — Sturm Flora 14, 58.
 — — Dietr. Fl. bor. 4, 265.
 † — — Cosson Atlas 17.
 — *serpyllifolia* L. Fl. dan. 3, 492.
 — — Curt. Lond. 2, 56.
 — — Engl. Bot. 15, 1075.
 — — Sturm Flora 14, 58.
 — — Dietr. Fl. bor. 6, 400.
 — — Cosson Atlas 16.
 — *sessiliflora* Led. Ledeb. 126.
 † — *simensis* Fresen. Flora 1851, 14.
 — *speciosa* Cunn. Bot. Mag. 70, 4075.
 — — Fl. d. serres 1, 17.
 — — Paxt. Mag. 10, 247.
 — — rubra Hort. Fl. d. serres 3, 197.
 — *spicata* L. Rivinus Opus ined. 76.
 — — Fl. dan. 1, 52.
 — — Engl. Bot. 1, 2.
 — — Schrank Fl. monac. 2, 193.
 — — Dietr. Fl. bor. 8, 515.
 † — — Cosson Atlas 17.
 — *spuria* L. Gmelin Reise 1, 39.
 — — Schrader *Veronica* 2.
 — — Sprengel Fl. hal. 1.
 — *subincana* Hoffm. Comm. Gott. 15, 7.
 — *succulenta* All. Allione Fl. ped. 3, 22.
 — *taurica* Willd. Lodd. Cab. 911.
 — *tenella* All. Allione Fl. ped. 3, 22.
 — *tenuifolia* Asso. Asso Aragon. 1.
 — *tenuis* Led. Ledeb. Ic. 217.
 — *tetragona* Hook. Hook. Ic. pl. 6, 580.
 — *Teucrium* L. Schrank Fl. monac. 1, 83.
 — — Lodd. Cab. 425.
 † — — Cosson Atlas 17.
 — *thymifolia* Sibth. Sibth. Fl. gr. 6.
 — *triphyllus* L. Fl. dan. 4, 627.
 — — Sibth. Fl. gr. 10.
 — — Curt. Lond. 2, 111.
 — — Engl. Bot. 1, 26.
 — — Sturm Flora 2, 8.
 — — Dietr. Fl. bor. 2, 99.
 — — Cosson Atlas 16.

- Veronica umbrosa* *M. v. B.* Marschall Cent. 7.
 — *urticaefolia* *L.* Jacq. Fl. austr. 1, 59.
 — — — Schrank Fl. monac. 1, 11.
 — — — Sturm Flora 14, 58.
 — *Verbenae* *Hort.* Linné Amoenit. 3, 2.
 — *verna* *L.* Fl. dan. 2, 232.
 — — — Engl. Bot. 1, 25.
 — — — Sturm Flora 5, 13.
 — — — Dietr. Fl. bor. 6, 401.
 — — — Cosson Atlas 16.
 — *villosa* *Schrad.* Schrader Veronica 1.
 — *virginica* *L.* Rivinus Opus ined. 76.
 — — — Comm. Gott. 15, 1.
 † — — — Hoffmann Phyt. Bl. 5.
 † *Verrucularia glaucophylla* *Juss.* Arch. Mus. 3, 7.
 † *Verticillaria Rz et P.* Ruiz et Pav. Prodr. 15.
 † *Verticordia DC.* Acta Leop. 19, Suppl. II. 4.
 — *grandiflora* *Endl.* Hook. Journ. 1840, 14.
 — *insignis* *Ldl.* Lindley Swan River 2.
 † *Vesicaria Lam.* Gray Genera 70.
 — *arctica* *Rich.* Bot. Mag. 56, 2882.
 — *didymocarpa* *Hook.* Bot. Bor. Am. 16.
 — *Engelmanni* *Gray.* Gray Genera 70.
 — *Geyeri* *Hook.* Hook. Journal 1847, 5.
 — *gracilis* *Hook.* Bot. Mag. 63, 3833.
 — *grandiflora* *Hook.* Bot. Mag. 63, 3464.
 — — — Sweet Fl. G. II. 404.
 — *microcarpa* *Vis.* Visiani Dalm. 32.
 † *reticulata Lam.* Lam. Encycl. 559.
 — *sinuata* *Poir.* Sturm Flora 12, 48.
 † *utriculata Lam.* Lam. Encycl. 559.
 — — — Sturm Flora 12, 48.
 — — — Sibth. Fl. gr. 627.
 — — — Rechb. Fl. germ. 2, 22.
 — *vestita* *Desv.* Delessert Ic. 2, 35.
Vestia lycioides *Willd.* Bot. Mag. 50, 2412.
 — — — Bot. Reg. 4, 299.
 — — — Miers Illustr. 21.
Viborgia fusca *Thunb.* Delessert Ic. 3, 64.
Viburnum acerifolium L. Vent. Cels 72.
 — — — Guimpel Fr. Holzgew. 104.
 — — — Watson Dendr. 2, 118.
 — *acuminatum Wall.* Wight Spicil. 89.
 — — — Wight Ic. pl. Ind. or. 3, 1021.
 — *capitellatum W. et A.* Wight Ic. pl. Ind. or. 3, 1022.
 — *cotinifolium Don.* Bot. Reg. 19, 1650.
 † — — — Wight Illustr. 121.
 — *dentatum L.* Guimpel Fr. Holzgew. 103.
 — — — Watson Dendr. 1, 25.
 — — — Jacq. Vind. 36.
 — *erubescens Wall.* Wall. Pl. asiat. 134.
 — *foetens Decne.* Jacquemont Ind. 84.
 — *foetidum Wall.* Wall. Pl. asiat. 61.
 — *hebanthum W. et A.* Wight Ic. pl. Ind. or. 3, 1023.
 — *lanceolatum Hill.* Hill Hort. Kew. 19.
 — *Lantana L.* Jacq. Fl. austr. 4, 341.
 † — — — Schk. Handb. 81.
 — — — Guimpel Holzgew. 32.
 — — — Engl. Bot. 5, 331.
 — — — Baxter Brit. Bot. 2, 128.
 — — — Schrank Fl. monac. 2, 106.
 — *lantanoide Michx.* Lodd. Cab. 1570.
 — *Lentago L.* Moench Weissenstein 8.
 — — — Guimpel Fr. Holzgew. 102.
 — — — Watson Dendr. 1, 21.
 — *macrocephalum Fortune.* Bot. Reg. 33, 43.
 — — — Fl. d. serres 3, 263. 264.
 — *nudum L.* Watson Dendr. 1, 20.
 — — — Bot. Mag. 49, 2281.
 — *obovatum Wall.* Lodd. Cab. 1476.
 — *odoratissimum Ker.* Bot. Reg. 6, 456.
 † — *Opulus L.* Gaertn. Carp. 27.

- † *Viburnum Opulus L.* Lam. Encycl. 211.
 — — — Fl. dan. 4, 661.
 — — — Schk. Handb. 81.
 — — — Nouveau Duhamel 2, 39.
 — — — Engl. Bot. 5, 332.
 — — — Schrank Fl. monac. 1, 68.
 — — — Sv. Bot. 337.
 — — — Guimpel Holzgew. 31.
 — — — Sturm Flora 7, 27.
 † — — — Nees Gen. X, x.
 — *Oxycoccus Pursh.* Guimpel Fr. Holzgew. 20.
 — — — Lodd. Cab. 1123.
 — *plicatum Thunb.* Sieb. Fl. Japon. 37.
 — — — Bot. Reg. 33, 51.
 — — — Paxt. Fl. G. 29.
 — — — Lem. Jard. fl. 88.
 — — — Fl. d. serres 3, 278.
 — *prunifolium L.* Nouveau Duhamel 2, 38.
 — — — Guimpel Fr. Holzgew. 101.
 — — — Watson Dendr. 1, 23.
 — *pubescens Pursh.* Torrey New York 43.
 — *pyrifolium Lam.* Watson Dendr. 1, 22.
 — *rigidum Vent.* Vent. Malm. 98.
 — *rugosum Pers.* Lodd. Cab. 859.
 — — — Bot. Reg. 5, 376.
 — — — Bot. Mag. 46, 2082.
 — *sinense Colla.* Mem. Tur. 31, 16.
 — *squamatum Muhlénb.* Watson Dendr. 1, 24.
 — *stellulatum Wall.* Wall. Pl. asiat. 169.
 — *Tinus L.* Bot. Mag. 2, 38.
 † — — — Schk. Handb. 81.
 — — — Nouveau Duhamel 2, 37.
 — *tomentosum Thunb.* Sieb. Fl. Japon. 38.
 — *Wightianum Wall.* Wight Spicil. 90.
 — — — Wight Ic. pl. Ind. or. 3, 1024.
Vicentia acuminata Allemão. Allemão Diss. 1844, x.
Vicia amoena DC. Ledeb. Ic. 481.
 — *andicola H. B. K.* H. B. K. Nov. Gen. 6, 582.
 — *angustifolia Roth.* Schk. Handb. 201.
 — — — *α. β.* Sturm Flora 8, 31. 32.
 — — — Dietr. Fl. bor. 12, 814.
 — — — Sibth. Engl. Bot. 2614.
 — *argentea Lapeyr.* Bot. Mag. 56, 2946.
 — *atropurpurea Desf.* Vent. Cels 84.
 — — — Bot. Reg. 11, 871.
 — *Aucherii Jaub.* Jaubert Illustr. 41.
 † *biennis L.* Gaertn. Carp. 151.
 † — — — Lam. Encycl. 634.
 — *biflora Desf.* Desf. Fl. atl. 197.
 — — — Webb Canar. 65 B.
 — *bithynica L.* Allione Fl. ped. 3, 26.
 — — — Jacq. Vind. 147.
 — — — Engl. Bot. 26, 1842.
 — — — Sturm Flora 8, 32.
 — *Bobartii Forst.* Engl. Bot. 2708.
 — *canescens Lab.* Bill. Syr. 1, 7.
 — *cassubica L.* Fl. dan. 1, 98.
 — — — Fl. dan. 8, 1395.
 — — — Sturm Flora 8, 31.
 — — — Dietr. Fl. bor. 9, 644.
 — *ciliaris Sibth.* Sibth. Fl. gr. 700.
 — *Clymenum Gm.* Gmelin Reise 3, 33.
 — *cordata Wulf.* Sturm Flora 8, 32.
 — *costata Led.* Ledeb. Ic. 108.
 — *Cracca L.* Fl. dan. 5, 804.
 — — — Curt. Lond. 1, 88.
 — — — Engl. Bot. 17, 1168.
 — — — Sv. Bot. 166.
 — — — Sturm Flora 8, 31.
 — — — Schrank Fl. monac. 3, 201.
 — — — Dietr. Fl. bor. 9, 646.
 † — — — Cosson Atlas 11.

- Vicia dasycarpa* Ten. Tenore Fl. nap. 244.
 — *dumetorum* L. Fl. dan. 9, 1464.
 — — — Sprengel Fl. hal. 7.
 — — — Sturm Flora 8, 31.
 — *Ervillea Willd.* Sturm Flora 8, 32.
 — *exstipulata* Gm. Gmelin Reise 3, 33.
 — *Faba* L. Sturm Flora 8, 32.
 — — — Hayne 11, 48.
 — *filicaulis Webb.* Webb Canar. 65 C.
 — *galegifolia Andr.* Andr. Rep. 5, 319.
 — *Gerardi Jacq.* Gerard Fl. gallopr. 19.
 — — — Jacq. Fl. austr. 2, 229.
 — *glauca Presl.* Moris Fl. sard. 69.
 — *gracilis Lois.* Loiseleur Fl. gall. 12.
 — — — Engl. Bot. 2904.
 — *grandiflora Scop.* Scopoli Fl. carn. 2, 42.
 — — — *a. β.* Sturm Flora 8, 31, 32.
 — *hirsuta Koch.* Sturm Flora 8, 32.
 — *humilis H. B. K.* H. B. K. Nov. Gen. 6, 581.
 — *hybrida* L. Jacq. Vind. 146.
 † — — — Gaertn. Carp. 151.
 † — — — Lam. Encycl. 634.
 — — — Engl. Bot. 7, 482.
 — — — Sturm Flora 8, 32.
 — *intermedia Viv.* Viviani Lib. 19.
 — *laevigata Sm.* Engl. Bot. 7, 483.
 — *lathyroides All.* Allione Fl. ped. 3, 59.
 — — — L. Jacq. Misc. 2, 18.
 — — — Pl. dan. 1, 58.
 — — — Engl. Bot. 1, 30.
 — — — Roemer Fl. europ. 3, 6.
 — — — Sturm Flora 8, 31.
 — — — Dietr. Fl. bor. 12, 813.
 — *laxiflora Brot.* Brotero Phytogr. 52.
 — *leucantha Biv.* Moris Fl. sard. 70.
 — *lilacina Led.* Ledeb. Ic. 366.
 — *lutea* L. Curt. Lond. 4, 74.
 — — — Engl. Bot. 7, 481.
 — — — Sturm Flora 8, 31.
 — *megalotropis Led.* Ledeb. Ic. 368.
 — *melanops Sibth.* Sibth. Fl. gr. 701.
 — *monantha Koch.* Sturm Flora 8, 32.
 — *multicaulis Led.* Ledeb. Ic. 50.
 † — *nodosa Gaertn.* Gaertn. Carp. 151.
 † — — — Lam. Encycl. 634.
 — *ochroleuca Ten.* Tenore Fl. nap. 174.
 — *onobrychioides L.* Allione Fl. ped. 3, 42.
 — — — Bot. Mag. 48, 2206.
 — — — Sturm Flora 8, 31.
 — *oroboides Wulf.* W. et Kit. 242.
 — — — Sturm Flora 8, 31.
 — *pannonica Jacq.* Jacq. Fl. austr. 1, 34.
 — — — Sturm Flora 8, 31.
 — *pellucida Jacq.* Jacq. Schoenbr. 2, 222.
 — *peregrina L.* Sturm Flora 8, 32.
 — *pimpinelloides Mauri.* Mauri Rom. pl. XIII. 1.
 † — *pisiformis L.* Gaertn. Carp. 151.
 — — — Jacq. Fl. austr. 4, 364.
 † — — — Lam. Encycl. 634.
 — — — Sv. Bot. 608.
 — — — Sturm Flora 8, 31.
 — — — Dietr. Fl. bor. 8, 517.
 — *platycarpus Roth.* Roth Abhandl. 1, 2.
 — *polyphylla Sibth.* Sibth. Fl. gr. 699.
 — — — Desf. W. et Kit. 254.
 — *polysperma Ten.* Tenore Fl. nap. 173.
 — — — Sweet Fl. G. II. 274.
 — *pulchella H. B. K.* H. B. K. Nov. Gen. 6, 583.
 — *pyrenaica Pourr.* DC. Icones Galliae 33.
 — *sativa L.* Fl. dan. 3, 522.
 † — — — Gaertn. Carp. 151.
 † — — — Lam. Encycl. 634.

- Vicia sativa* L. Engl. Bot. 5, 334.
 — — — Schrank Fl. monac. 3, 264.
 — — — Sv. Bot. 230.
 — — — Sturm Flora 8, 31.
 — *aegetalis Thuill.* Sturm Flora 8, 32.
 — *sepium L.* Fl. dan. 4, 699.
 — — — Engl. Bot. 22, 1515.
 — — — Sv. Bot. 326.
 — — — Sturm Flora 8, 31.
 — — — Schrank Fl. monac. 2, 162.
 — *serratifolia Jacq.* Jacq. Fl. austr. 5, 8.
 — — — Sturm Flora 8, 32.
 — *silvatica L.* Fl. dan. 2, 277.
 — — — Engl. Bot. 2, 79.
 — — — Baxter Brit. Bot. 3, 173.
 — — — Sv. Bot. 136.
 — — — Sturm Flora 8, 31.
 — — — Dietr. Fl. bor. 9, 643.
 — *sordida W. et K.* W. et Kit. 133.
 — — — Sturm Flora 8, 31.
 — *tenuifolia Roth.* Bot. Mag. 47, 2141.
 — — — Sturm Flora 8, 31.
 — — — Dietr. Fl. bor. 8, 518.
 — — — Fl. dan. 13, 2177.
 † — — — Cosson Atlas 11.
 — *tetrasperma Koch.* Sturm Flora 8, 32.
 — *tricolor Seb. M.* Sebastiani Fl. rom. 4.
 — *triflora Ten.* Tenore Fl. nap. 172.
 — *variegata Willd.* Desf. Choix 65.
 — — — Ann. Mus. 12, 12.
 — *vestita Boiss.* Boissier Esp. 57.
 — *villosa Roth.* Sturm Flora 8, 31.
 — — — Dietr. Fl. bor. 9, 645.
 † — — — Cosson Atlas 11.
 † *Vicieae DC.* (Germinatio.) DC. Legum. 15.
Vicia indica DC. Wight Ic. pl. Ind. or. 3, 1148.
Victoria regia Ldl. (regalis Schomb.) Jardine Magazine Nov. 1837, 12.
 — — — Lindley Victoria 1837, 1.
 — — — (regina Schomb.) Proceedings Bot. Soc. of London 1839, 5, 6.
 — — — (regalis Schomb.) Marnock Mag. 1839, 8.
 — — — Schomburgk Views of Guiana, 1841. Title.
 — — — Bot. Mag. 73, 4275—4278.
 — — — Hooker Description 1847, 1—4.
 — — — Flore des serres 3, 200—205.
 — — — London Illustr. News 1848 or 1849, x, x.
 — — — Flore des serres 5, 5215, 5214.
 — — — Flore des serres 6, 595—604.
 — — — 7, p. 50—52.
 — — — Van Houtte et Planchon Victoria 1—6.
 — — — Moore Magazine 1850, p. 225.
 — — — Hooker Victoria regia 1851, 1—4.
 — — — Lawson Water-Lily 1851, 1, 2.
 — — — Loescher Königl. Wasserlilie 1851, 1, 2, 3.
 — — — Kemp Parks of London 1851, x.
 — — — Otto Gartenzeitung 1851, p. 365.
 — — — Hochstetter Victoria regia 1852, 1.
 — — — Börsig und Dümmler Tab. sing. 1852, x.
 — — — Caspary Monographie x.
 † — — — Caspary Monographie 1—16.
Victoriperrea impavida Hombr. Richard Astrolabe 1.
Vieria laevigata Webb. Webb Canar. 84.
Vieusseuxia fugax Dela Roche. Dela Roche Descr. ined. x.
 — *glaucoptis DC.* Rod. Lil. 1, 42.
 — — — Ann. Mus. 2, 42.
 — — — Herb. amat. 1, 1.
 — — — Lodd. Cab. 1744.
 — — — Fl. d. serres 4, 423.
 — *iridioides DC.* Rod. Lil. 6, 349.

- Vieusseuxia spiralis* Dela Roche. Dela Roche Descr. 5.
Vigna hirta Hook. Hook. Ic. pl. 7, 637.
 — *tuberosa* Rich. Richard Abyssin. 42.
 † *Vigna acuta* Rehb. Nees Gen. 2, 2.
 — *arenaria* Rehb. Rehb. Fl. germ. 8, 209.
 — *argyroglochin* Rehb. Rehb. Fl. germ. 8, 211.
 — *axillaris* Rehb. Rehb. Fl. germ. 8, 219.
 — *Boenninghausiana* Weihe. Rehb. Fl. g. 8, 219.
 — *brizoides* Rehb. Rehb. Fl. germ. 8, 207.
 — *canescens* Rehb. Rehb. Fl. germ. 8, 206.
 — *chordorrhiza* Rehb. Rehb. Fl. germ. 8, 200.
 — *curvula* Rehb. Rehb. Fl. germ. 8, 201.
 † — *cyperoides* Rehb. Nees Gen. 2, 2.
 — *divisa* Rehb. Rehb. Fl. germ. 8, 203.
 — *foetida* Rehb. Rehb. Fl. germ. 8, 199.
 — *Gaudiniana* Rehb. Rehb. Fl. germ. 8, 202.
 — *Gebhardi* Rehb. Rehb. Fl. germ. 8, 206.
 — *Heleonastes* Rehb. Rehb. Fl. germ. 8, 204.
 — *incurva* Rehb. Rehb. Fl. germ. 8, 199.
 — *intermedia* Rehb. Rehb. Fl. germ. 8, 210.
 — *lagopina* Rehb. Rehb. Fl. germ. 8, 204.
 — *leiorrhyncha* Rehb. Rehb. Fl. germ. 8, 221.
 — *leporina* Rehb. Rehb. Fl. germ. 8, 211.
 — *loliacea* Rehb. Rehb. Fl. germ. 8, 214.
 — *microstachya* Rehb. Rehb. Fl. germ. 8, 202.
 — *mucronata* Rehb. Rehb. Fl. germ. 8, 201.
 — *muricata* Rehb. Rehb. Fl. germ. 8, 215.
 † — — Nees Gen. 2, 2.
 — *Ohmülleriana* Rehb. Rehb. Fl. germ. 8, 213.
 — *paniculata* Rehb. Rehb. Fl. germ. 8, 223.
 — *paradoxa* Rehb. Rehb. Fl. germ. 8, 222.
 — *pseudo-arenaria* Rehb. Rehb. Fl. germ. 8, 208.
 † — *pulicaris* Rehb. Nees Gen. 2, 2.
 — *remota* Rehb. Rehb. Fl. germ. 8, 212.
 — *Schreberi* Rehb. Rehb. Fl. germ. 8, 207.
 — *stellulata* Rehb. Rehb. Fl. germ. 8, 214.
 — *stenophylla* Rehb. Rehb. Fl. germ. 8, 200.
 — *teretiuscula* Rehb. Rehb. Fl. germ. 8, 222.
 — *tripartita* Rehb. Rehb. Fl. germ. 8, 203.
Viguiera helianthoides H. B. K. H. B. K. N. G. 4, 379.
Vilfa acuminata Tr. Trinius Sp. Gr. 3, 348.
 — *aenea* Tr. Trinius Sp. Gr. 1, 23.
 — *algida* Tr. Trinius Sp. Gr. 1, 83.
 — *arundinacea* Tr. Trinius Sp. Gr. 1, 55.
 — *atrorubens* H. B. K. H. B. K. Nov. Gen. 7, 685.
 — *capensis* Pal. B. Trinius Sp. Gr. 1, 56.
 — *commutata* Tr. Trinius Sp. Gr. 1, 10.
 — *coromandelina* Pal. B. Trinius Sp. Gr. 1, 11.
 — *depauperata* Torr. Hook. Bor. Am. 236.
 — *domingensis* Tr. Trinius Sp. Gr. 1, 24.
 — *junceae* Tr. Trinius Sp. Gr. 1, 57.
 — *monandra* Tr. Trinius Sp. Gr. 1, 84.
 — *pillifera* Tr. Trinius Sp. Gr. 1, 58.
 — *pungens* Pal. B. Trinius Sp. Gr. 1, 47.
 † — — Nees Gen. 1, 28.
 — *ramulosa* H. B. K. H. B. K. Nov. Gen. 7, 684.
 — *rigens* Tr. Trinius Sp. Gr. 3, 250.
 — *rupestris* Tr. Trinius Sp. Gr. 1, 59.
 — *serotina* Tr. Trinius Sp. Gr. 3, 251.
 — *spicata* Pal. B. Trinius Sp. Gr. 1, 12.
 — *tenacissima* Kth. Trinius Sp. Gr. 1, 59. 60.
 — *villosa* Rehb. Trinius Sp. Gr. 3, 252.
 — *virginica* Pal. B. Trinius Sp. Gr. 1, 48.
Villaresia mucronata R. & P. Ruiz et Pav. Fl. 231.
 † — — Ann. sc. nat. 25, 3.
Villarsia aquatica Bosc. Bull. philom. 1797. no. 16.
 — *chilensis* Lodd. Lodd. Cab. 1994.
 — *cristata* Spr. Rheed. Hort. mal. 11, 29.
 — — Hook. Journal 1834, 123.
 — *excelsa* Lois. Herb. amat. 5, 292.
 — *indica* Vent. Rheed. Hort. mal. 11, 28.
 — — Rumpf Amb. 6, 72. fig. 3.

- Villarsia indica* Vent. Wight Illustr. in Hook. 30.
 — *involutrata* Hook. Hook. Ic. pl. 8, 725.
 — *macrophylla* Roth. Wight Illustr. in Hook. 30.
 — *nymphaeoides* Vent. Curt. Lond. 5, 164.
 — — — Baxter Brit. Bot. 3, 161.
 — — — Sturm Flora 4, 13.
 — — — Dietr. Fl. bor. 9, 578.
 — *ovata* Vent. Vent. Choix 9.
 — — — Lam. Encycl. 929.
 — *pumila* Griseb. Hook. Bor. Am. 157.
 — *reniformis* R. Br. Bot. Reg. 18, 1533.
Villebrunea crenulata Gaudich. Gaudichaud Bonite 92.
 — *integrifolia* Gaudich. Gaudichaud Bonite 91.
 † *Villemetia lanata* Moq. T. Ann. sc. nat. II. 1, 9.
Villosagastria Aub. Aubert Orchid. 32.
Viminaria denudata Sm. Smith Exot. Bot. 27.
 — — — Bot. Mag. 29, 1190.
 — — — Rehb. Mag. 92.
 — — — Paxt. Mag. 14, 123.
Vinca *Bottae* Jaub. Jaubert Illustr. 186.
 — *Guilelmi Waldemarii* Klotzsch. Prinz Waldem. Him. 70.
 — *herbacea* Kit. Winterl Index 20.
 — — — W. et Kit. 9.
 — — — Bot. Mag. 45, 2002.
 — — — Bot. Reg. 4, 301.
 — *libanotica* Zucc. Münchn. Abh. 3, 8.
 † — *major* L. Lam. Encycl. 172.
 — — — Nouveau Duhamel 1, 14.
 — — — Curt. Lond. 3, 83.
 — — — Engl. Bot. 8, 514.
 — — — Baxter Brit. Bot. 2, 158.
 † — — — Nees Gen. X, x.
 — *media* Link et H. Hoffm. et Link Fl. port. 70.
 — *minor* L. Schk. Handb. 51.
 — — — Lam. Encycl. 172.
 — — — Curt. Lond. 3, 81.
 — — — Engl. Bot. 13, 917.
 — — — Guimpel Holzgew. 26.
 — — — Liboschitz Petersb. 15.
 — — — Schrank Fl. monac. 2, 121.
 — — — Fl. dan. 11, 1813.
 † — — — Nees Gen. X, x.
 † — — — Plée Types 28.
 — *pusilla* Murr. N. Comm. Gott. 3, 2.
 — *rosea* L. Bot. Mag. 7, 248.
 † — — — Gaertn. Carp. 117.
Vincentia triflora Bojer. Hook. Bot. Misc. 62.
Vincetoxicum Arnottianum Wight. Wight Ic. pl. 4, 1614.
 † — *officinale* Moench. Nees Gen. X, x.
 — *purpurascens* Morr. Journ. Hort. Soc. 7, 285.
Vinsonia drupacea Gaudich. Gaudichaud Bonite 31.
 † — *elegans* Gaudich. Gaudichaud Bonite 17.
 † — *humilis* Gaudich. Gaudichaud Bonite 17.
 † — *lucida* Gaudich. Gaudichaud Bonite 17.
 † — *palustris* Gaudich. Gaudichaud Bonite 17.
 — *Pervilleana* Gaudich. Gaudichaud Bonite 31.
 † — *purpurascens* Gaudich. Gaudichaud Bonite 17.
 — *stephanocarpa* Gaudich. Gaudichaud Bonite 23.
 † — *sylvestris* Gaudich. Gaudichaud Bonite 17.
 — *utilis* Gaudich. Gaudichaud Bonite 17. 23. 129.
 † *Viola* L. (Gingins.) Mem. Genev. 2, 1.
 † — — Jardine Annals 10, 7.
 † — — Gray Genera 80.
 — *acaulis* All. Allione Stirp. Descr. 5.
 — *agrestis* Jord. Jordan Observ. 2, 2.
 — *alba* Bess. Sturm Flora 20, 89.
 — *Allionii* Pio. Pio Monogr. 1.
 — — — Rehb. Pl. crit. 1, 72. 73.
 — — — Rehb. Fl. germ. 3, 9.
 — — — Mem. Strassb. 3, 1.
 † — — — Mutel Fl. fr. 7.

- Viola alpina* Jacq. Jacq. Observ. 11.
 — — — Jacq. Fl. austr. 3, 242.
 — — — Tratt. Archiv 142.
 — — — Sturm Flora 6, 22.
 — — — Rchb. Fl. germ. 3, 18.
 — — — altaica Ker. Bot. Mag. 43, 1776.
 — — — Bot. Reg. 1, 54.
 † — — — Payer Organogénie 37.
 — — — ambigua W. et K. W. et Kit. 190.
 — — — Rchb. Fl. germ. 3, 7.
 — — — Sturm Flora 20, 89.
 — — — angustifolia Roth. Fl. dan. 8, 1340.
 — — — arvensis Murr. Engl. Bot. 2712.
 — — — Fl. dan. 10, 1748.
 — — — Wagner 66.
 — — — Asterias Hook. Hook. Bot. Misc. 99.
 — — — balsaminoides Gardn. Hook. Ic. pl. 3, 217.
 — — — bannatica Kit. Rchb. Fl. germ. 3, 22.
 — — — biflora L. Fl. dan. 1, 46.
 — — — Bot. Mag. 46, 2089.
 — — — Sv. Bot. 753.
 — — — Rchb. Fl. germ. 3, 1.
 — — — blanda Willd. Willdenow Hortus 24.
 — — — Rchb. Pl. crit. 1, 51.
 — — — calcarata L. Villars Cat. Strassb. 5.
 — — — β. flava, Sturm Flora 6, 22.
 — — — Rchb. Ic. crit. 3, 269.
 — — — Rchb. Fl. germ. 3, 18.
 — — — Calceolaria L. Desc. Ant. 2, 213.
 — — — campestris M. v. B. Rchb. Pl. crit. 1, 43.
 — — — canadensis L. Rchb. Pl. crit. 1, 54.
 — — — Sweet Fl. G. II. 62.
 — — — canina L. Curt. Lond. 3, 30.
 — — — Engl. Bot. 9, 620.
 — — — Hayne 3, 3.
 — — — Fl. dan. 9, 1453.
 — — — Sv. Bot. 290.
 — — — Sturm Flora 3, 11.
 — — — Schrank Fl. monac. 2, 176.
 — — — Rchb. Pl. crit. 1, 74. 75.
 — — — Rchb. Pl. crit. 7, 601.
 † — — — Rchb. Fl. germ. 3, 10. 11.
 — — — Baxter Brit. Bot. 1, 4.
 † — — — Mutel Fl. fr. 7.
 † — — — var. lucorum, Mutel Fl. fr. 7.
 — — — cenisia All. Allione Fl. ped. 3, 22.
 — — — Rchb. Fl. germ. 3, 19.
 — — — cheiranthifolia H. B. Humb. Pl. aeq. 32.
 — — — chrysantha Schrad. Rchb. Hortus 114.
 — — — Rchb. Fl. germ. 3, 20.
 — — — Hook. Hook. Ic. pl. 1, 49.
 — — — collina Bess. Rchb. Pl. crit. 1, 44.
 — — — Rchb. Fl. germ. 3, 7.
 — — — Sturm Flora 20, 89.
 — — — Comollia Massara. Cesati Stirpes ital. x.
 — — — concolor Forst. Linn. Transact. 6, 26.
 — — — congesta Gill. Hook. Bot. Misc. 97.
 — — — conspersa Rchb. Rchb. Pl. crit. 1, 52.
 — — — cordata Walt. Rchb. Pl. crit. 1, 45.
 — — — cornuta L. Villars Cat. Strassb. 5.
 — — — Bot. Mag. 21, 791.
 — — — Rchb. Ic. crit. 3, 267.
 — — — Rchb. Fl. germ. 3, 20.
 † — — — Mutel Fl. fr. 9.
 — — — Cotyledon Ging. Poepp. et Endl. 166.
 — — — Hook. Ic. pl. 1, 13.
 — — — crassifolia Fenzl. Russegger Reise 14.
 — — — cucullata Soland. Bot. Mag. 43, 1795.
 — — — Sweet Fl. G. II. 298.
 — — — Curtisi E. F. Engl. Bot. 2693.
 — — — debilis Pursh. Lodd. Cab. 1378.
 — — — declinata W. et K. W. et Kit. 223.

- Viola declinata* W. et K. Rchb. Fl. germ. 3, 20.
 — — — Dehnhardtii Ten. Tenore Fl. nap. 219.
 — — — dentata Pursh. Lodd. Cab. 1485.
 — — — dissecta Led. Ledeb. Ic. 232.
 — — — elatior Fries. Mem. Strassb. 3, 2. 3.
 — — — epipsila Ledeb. Rchb. Pl. crit. 1, 51.
 — — — Sturm Flora 20, 89.
 — — — ericetorum Schrad. Hayne 3, 3.
 — — — var. Mem. Strassb. 3, 1.
 — — — eriocarpa Lewis. Sweet Fl. G. 102.
 — — — flabellifolia Lodd. Lodd. Cab. 777.
 — — — flavicornis Sm. Engl. Bot. 2736.
 — — — fragrans Sieb. Sieber Creta 8.
 — — — glacialis P. et E. Poepp. et Endl. 165.
 — — — glandulifera Hook. Hook. Ic. pl. 1, 67.
 — — — gracilescens Jord. Jordan Observ. 2, 2.
 — — — gracilis Sibth. Sibth. Fl. gr. 222.
 — — — gracillima St. Hil. Mem. Mus. 11, 22.
 — — — St. Hil. Pl. remarq. 26.
 — — — grandiflora L. Villars Cat. Strassb. 5.
 — — — hederacea Lab. Bill. Nov. Holl. 91.
 — — — Hook. Exot. Fl. 225.
 — — — Lodd. Cab. 1133.
 — — — Rchb. Hortus 110.
 — — — hirta L. Fl. dan. 4, 618.
 — — — Curt. Lond. 3, 95.
 — — — Engl. Bot. 13, 894.
 — — — Sv. Bot. 543.
 — — — Hayne 3, 1.
 — — — Sturm Flora 3, 11. 20, 89.
 — — — Schrank Fl. monac. 1, 45.
 — — — var. fraterna, Rchb. Pl. crit. 1, 44.
 — — — Rchb. Fl. germ. 3, 3—6.
 — — — Dietr. Fl. bor. 5, 358.
 † — — — Mutel Fl. fr. 7.
 — — — Hookeriana H. B. K. H. B. K. Nov. Gen. 5, 492.
 — — — humilis H. B. K. H. B. K. Nov. Gen. 5, 492.
 — — — Hybanthus Aubl. Aublet Guiana 319.
 — — — imberbis Led. Ledeb. Ic. 236.
 — — — intermedia Kirschl. Mem. Strassb. 3, 1.
 — — — Ipecacuanha L. Roemer Scriptores 3.
 — — — Desc. Ant. 2, 121.
 — — — Itouhou Aubl. Aublet Guiana 318.
 — — — Kochii Kirschl. Mem. Strassb. 3, 2.
 — — — kunawurensis Royle. Royle Illustr. 18.
 — — — lactea Sm. Engl. Bot. 7, 445.
 — — — Rchb. Pl. crit. 1, 99.
 — — — Rchb. Fl. germ. 3, 16.
 † — — — Mutel Fl. fr. 9.
 — — — Dietr. Fl. bor. 5, 356.
 — — — lamiifolia Thore. Mem. Strassb. 3, 3.
 — — — lanceolata L. Lodd. Cab. 211.
 — — — Sweet Fl. G. 174.
 — — — Rchb. Pl. crit. 1, 52.
 † — — — lancifolia Thore. Mutel Fl. fr. 9.
 — — — Rchb. Pl. crit. 1, 96.
 — — — Rchb. Fl. germ. 3, 15.
 † — — — livida Kit. Mutel Fl. fr. 7.
 — — — lusitana Brot. Brotero Phytogr. 17.
 — — — lutea Sm. Engl. Bot. 11, 721.
 — — — Tratt. Archiv 1.
 † — — — Mutel Fl. fr. 10.
 — — — Rchb. Ic. crit. 2, 171.
 — — — Rchb. Fl. germ. 3, 23.
 — — — macroceras Led. Ledeb. Ic. 219.
 — — — maculata Cav. Cav. Ic. 530.
 — — — Hook. Ic. pl. 5, 499.
 — — — madonia Presl. Rchb. Ic. crit. 3, 269.
 — — — magellanica Forst. Comm. Gott. 9, 8.
 — — — microceras Rupr. Ruprecht Fl. Samoed. 1.
 — — — mirabilis L. Fl. dan. 6, 1045.
 — — — Krockner Fl. sil. 4, 3.

- Viola mirabilis* L. Rchb. Fl. germ. 3, 13.
 — — — Schrank Fl. monac. 3, 274.
 — — — Dietr. Fl. bor. 11, 725.
 — — — *montana* L. Fl. dan. 8, 1329.
 — — — Sv. Bot. 682.
 — — — Bot. Mag. 39, 1595.
 — — — Rchb. Pl. crit. 1, 98.
 † — — — Mutel Fl. fr. 8.
 — — — *nemausensis* Jord. Jordan Observ. 2, 1.
 — — — *nemoralis* Kütz. Linnaea 7, 4.
 — — — *nevadensis* Boiss. Boissier Esp. 18.
 — — — *nummulariaefolia* All. Allione Fl. ped. 3, 9.
 — — — Rchb. Pl. crit. 1, 71.
 — — — Rchb. Fl. germ. 3, 18.
 † — — — Mutel Fl. fr. 9.
 — — — *Nuttallii* Pursh. Hook. Bor. Am. 26.
 — — — *obliqua* Hill. Hill Hortus Kew. 12.
 — — — *odorata* L. Fl. dan. 2, 309.
 — — — Woodv. Med. 2, 89.
 — — — Curt. Lond. 1, 3.
 — — — Engl. Bot. 9, 619.
 — — — Sv. Bot. 8.
 — — — Dreves 1, 7.
 — — — Hayne 3, 2.
 — — — Sturm Flora 3, 11. 20, 89.
 — — — Schrank Fl. monac. 4, 362.
 — — — Nees Düsseld. 384.
 — — — Guimpel et Schl. 28.
 — — — Wagner 55.
 — — — Dietr. Fl. bor. 2, 96.
 — — — Rchb. Fl. germ. 3, 6. 8.
 — — — var. *Stevani* Bess. Sturm Flora 20, 89.
 † — — — Plée Types 8.
 † — — — Payer Organogénie 37.
 † — — — Schweizer Denkschr. 5, 1.
 — — — *odorato-hirta* Rchb. Rchb. Fl. germ. 3, 7.
 — — — *orchidiflora* Rudge. Rudge Pl. Guianae 10.
 — — — *pallens* Jord. Jordan Observ. 2, 1.
 — — — *palmaensis* Maund. Knowles et Westcott 86.
 — — — *palmata* L. Bot. Mag. 15, 535.
 — — — Tratt. Archiv 302.
 — — — Rchb. Pl. crit. 1, 41. 42.
 — — — *palustris* L. Fl. dan. 1, 83.
 — — — Curt. Lond. 1, 46.
 — — — Engl. Bot. 7, 444.
 — — — Abbot Fl. bedf. 3.
 — — — Sturm Flora 3, 11.
 — — — Dietr. Fl. bor. 5, 389.
 — — — Rchb. Fl. germ. 3, 2.
 — — — *pedata* L. Bot. Mag. 3, 89.
 — — — Andr. Rep. 3, 153.
 — — — Lodd. Cab. 536.
 — — — var. Tratt. Archiv 365. 366.
 — — — Dict. sc. nat. 188.
 — — — Sweet Fl. G. 69.
 — — — var. *flabellata*, Sweet Fl. G. II. 247.
 — — — *pentadactyla* Fx. Russegger Reise 14.
 — — — *persicifolia* Roth. Schk. Handb. 269.
 — — — Rchb. Pl. crit. 1, 100.
 — — — Rchb. Fl. germ. 3, 17.
 — — — Dietr. Fl. bor. 5, 357.
 † — — — Mutel Fl. fr. 9.
 — — — *philippica* Cav. Cav. Ic. 529.
 † — — — *pinnata* L. Mutel Fl. fr. 7.
 — — — Rchb. Pl. crit. 1, 41.
 — — — Rchb. Fl. germ. 3, 1.
 — — — Sturm Flora 20, 89.
 — — — Ledeb. Ic. 220.
 — — — *pinnatifida* All. Miscellanea Taur. 3, 5.
 — — — *polygalaeifolia* Poir. Desc. Ant. 2, 122.
 — — — *Portalesia* Gay. Gay Chile 6.
 — — — *praemorsa* Dougl. Bot. Reg. 15, 1254. •

- Viola pratensis* M. et K. Rchb. Fl. germ. 3, 17.
 — — — Mutel Fl. fr. Suppl. 1.
 — — — var. Mem. Strassb. 3, 3.
 — — — *primulifolia* L. Rchb. Pl. crit. 1, 45.
 — — — *pubescens* Ait. Sweet Fl. G. 223.
 — — — Lodd. Cab. 1249.
 — — — β. *eriocarpa*, Bot. Reg. 5, 390.
 — — — Rchb. Pl. crit. 1, 53.
 — — — *pumila* Vill. var. Villars Cat. Strassb. 5.
 — — — Mutel Fl. fr. Suppl. 1.
 — — — *pyrenaica* Ram. Rchb. Fl. germ. 3, 2.
 — — — *pyrolaeifolia* Poir. Fl. d. serres 7, 665.
 — — — *Reichenbachii* Kirschl. var. Mem. Strassb. 3, 2.
 — — — *reniformis* Wall. Royle Illustr. 18.
 — — — *Riviniana* Rchb. Rchb. Pl. crit. 1, 95. 7, 601.
 — — — Rchb. Fl. germ. 3, 12.
 † — — — Mutel Fl. fr. 8.
 — — — *rostrata* Nutt. Rchb. Hortus 131.
 — — — *rosulata* P. et E. Poepp. et Endl. 166.
 — — — *rothomagensis* Thuill. Bot. Mag. 36, 1498.
 — — — Sweet Brit. Bot. 1, 2.
 — — — Rchb. Fl. germ. 3, 22.
 — — — *rotundifolia* Michx. Rchb. Hortus 124.
 — — — *rubella* Cav. Cav. Ic. 531.
 — — — *rupestris* Schm. Rchb. Pl. crit. 1, 71.
 — — — Rchb. Fl. germ. 3, 9.
 — — — *Ruppilii* All. Allione Fl. ped. 3, 26.
 — — — Lodd. Cab. 686.
 — — — Rchb. Pl. crit. 1, 97.
 — — — Rchb. Fl. germ. 3, 14.
 † — — — Mutel Fl. fr. 9.
 — — — *sagittata* Ait. Rchb. Pl. crit. 1, 42.
 — — — Lodd. Cab. 1471.
 — — — Gray Genera 80.
 — — — *scandens* H. B. K. H. B. K. Nov. Gen. 5, 493.
 — — — *sciaphila* Koch. Sturm Flora 20, 89.
 — — — *segetalis* Jord. Jordan Observ. 2, 1.
 — — — *serpens* Wall. Royle Illustr. 18.
 — — — *silvatica* Kirschl. var. Mem. Strassb. 3, 1.
 — — — *silvestris* Lam. Sturm Flora 3, 11.
 — — — Rchb. Pl. crit. 1, 94.
 — — — Rchb. Pl. crit. 7, 601.
 — — — Rchb. Fl. germ. 3, 12.
 † — — — Mutel Fl. fr. 8.
 — — — *sororia* Willd. Willdenow Hortus 72.
 — — — Rchb. Pl. crit. 1, 44.
 — — — *stagnina* Kit. Gmelin Fl. bad. 4, 10.
 — — — Mem. Strassb. 3, 2. 3.
 — — — *stipularis* Cav. Cav. Ic. 531.
 — — — *striata* Ait. Rchb. Pl. crit. 1, 54.
 — — — Torrey New York 8.
 — — — *stricta* Hornem. Fl. dan. 11, 1812.
 — — — *suavis* M. v. B. Rchb. Ic. crit. 5, 465.
 — — — Rchb. Fl. germ. 3, 8.
 — — — Dietr. Fl. bor. 6, 397.
 — — — Sturm Flora 20, 89.
 — — — Sweet Fl. G. II. 126.
 — — — *Teydea* Berth. Mem. soc. Linn. Par. 5, 7.
 — — — *tricolor* L. Fl. dan. 4, 623.
 † — — — Gaertn. Carp. 112.
 † — — — Lam. Encycl. 725.
 — — — Woodv. Med. 2, 90.
 — — — Curt. Lond. 1, 100.
 — — — Engl. Bot. 18, 1287.
 — — — Sv. Bot. 44.
 — — — α. β. Hayne 3, 4. 5.
 — — — Sturm Flora 3, 11.
 — — — Schrank Fl. monac. 1, 51.
 — — — Nees Düsseld. 385.
 — — — Guimpel et Schl. 29.
 — — — Wagner 66.
 — — — Rchb. Fl. germ. 3, 21.

- Viola tricolor* L. Dietr. Fl. bor. 2, 95.
 — — — var. *Annales de Gand* 1845, 11. 12.
 — — — var. Fl. d. serres 7, 727.
 — — — *uliginosa* Schrad. Rechb. Fl. crit. 1, 52.
 — — — Rechb. Fl. germ. 3, 2.
 — — — Sturm Flora 20, 89.
 — — — Dietr. Fl. bor. 11, 788.
 — — — *umbrosa* Hartm. Rechb. Fl. germ. 3, 3.
 — — — *uniflora* L. Rechb. Fl. crit. 1, 53.
 — — — *Valderia* All. Allione Fl. ped. 3, 24.
 — — — Rechb. Fl. germ. 3, 19.
 — — — *variegata* Fisch. Regel Gartenflora 1852, 20.
 — — — *verticillata* Ort. Schrader Journal 1800, 2, 6.
 — — — *vivariensis* Jord. Jordan Observ. 1, 2.
 — — — *volcanica* Gill. Hook. Bot. Misc. 98.
 — — — *Walkerii* Wight. Wight Illustr. 18.
 — — — *Wightiana* Wall. Wight Spicil. 11.
 — — — Wight Ic. pl. Ind. or. 3, 943.
 — — — *Zoysii* Jacq. Jacq. Collect. 4, 11.
 — — — Sturm Flora 6, 22.
 † *Violariaceae* DC. Mem. Genev. 2, 1. 2.
 † — — Payer Organogénie 37.
 † *Viraya podolepis* Gaudich. Freycinet Voyage 89.
 † *Virea hastilis* Gaertn. Gaertn. Carp. 159.
 † *Virecta virens* Gaertn. Gaertn. Carp. 184.
 † *Virga aurea marylandica* Mart. Martyn Hist. 11.
 † *Virgilia aurea* Lam. Lam. Encycl. 326.
 — — — Wight Illustr. 81.
 — — — *capensis* Lam. Lam. Encycl. 326.
 — — — Bot. Mag. 38, 1590.
 — — — *helioides* L'her. L'heritier Monogr. 1. 2.
 — — — Smith Exot. Bot. 37.
 — — — *intrusa* Dryand. Bot. Mag. 53, 2617.
 — — — *lutea* Michx. Michaux Arb. 3, 3.
 — — — Herb. amat. 3, 197.
 — — — *secundiflora* Cav. Cav. Ic. 401.
 — — — *silvatica* DC. Delessert Ic. 3, 59.
 † *Virgularia* Rz et P. Ruiz et Pav. Prodr. 19.
 — — — *alpestris* Mart. Mart. Bras. 205.
 — — — *campestris* Mart. Mart. Bras. 203.
 — — — *montana* Mart. Mart. Bras. 204.
 — — — *sebifera* Aubl. Anblat Guiana 345.
 † *Viscago stellata* Rechb. Rechb. Mag. 27.
 † *Viscaria oculata* Ldl. Bot. Reg. 29, 53.
 — — — Bot. Mag. 70, 4078.
 — — — Paxt. Mag. 11, 269.
 — — — Lem. Jard. fl. 4, 419.
 † *Viscoides pendulum* Jacq. Jacq. Hist. stirp. am. 73.
 † *Viscum album* L. Woodv. Med. 1, 34.
 — — — Engl. Bot. 21, 1470.
 — — — Baxter Brit. Bot. 1, 40.
 — — — Nouveau Duhamel 1, 26.
 — — — Fl. dan. 10, 1657.
 — — — Schk. Handb. 320.
 — — — Hayne 4, 24.
 — — — Sturm Flora 2, 8.
 — — — Guimpel Holzgew. 198.
 — — — Schrank Fl. monac. 4, 357.
 — — — Nees Düsseld. 266.
 — — — Guimpel et Schl. 60.
 — — — Gaertn. Carp. 27.
 — — — Lam. Encycl. 807.
 — — — (Jussieu.) Ann. Mus. 12, 27.
 — — — (Decaisne.) Acad. Brux. 13, 1. 2. 3.
 — — — (Griffith.) Ann. sc. nat. II. 11, 3.
 — — — (Griffith.) Linn. Transact. 18, 10. 11.
 — — — Linn. Transact. 19, 21.
 — — — (Decaisne.) Ann. sc. nat. II. 13, 11.
 — — — Nees Gen. X, x.
 — — — Schnizl. Iconogr. 166.
 — — — Schacht Beiträge p. 174.
 — — — *compressum* Poir. Blume Java 8, 26.

- Viscum falcatum* Cham. et Schl. Hook. Ic. pl. 4, 368.
 — — — *incanum* Hook. Hook. Ic. pl. 1, 73.
 — — — *macrostachyon* Jacq. Jacq. Collect. 2, 5.
 — — — *moniliforme* Bl. Blume Java 8, 25.
 — — — Wight Spicil. 87.
 — — — Wight Ic. pl. Ind. or. 3, 1018.
 — — — var. *coralloides*, Wight Ic. pl. 3, 1019.
 — — — *opuntioides* L. Desc. Ant. 5, 358.
 — — — *orbiculatum* Wight. Wight Spicil. 86.
 — — — Wight Ic. pl. Ind. or. 3, 1016.
 — — — *orientale* Willd. Blume Java 8, 24. 25.
 † — — — Wight Illustr. 122.
 — — — *ramosissimum* Wall. Wight Ic. pl. Ind. or. 3, 1017.
 † *Visenia umbellata* Bl. Wight Ic. pl. Ind. or. 2, 509.
 † *Visiania robusta* DC. Delessert Ic. 5, 44.
 — — — Wight Spicil. 147.
 — — — Wight Ic. pl. Ind. or. 4, 1242.
 † *Vismia* Vand. Ruiz et Pav. Prodr. 22.
 † — — Roemer Scriptores 7.
 — — — *brasiliensis* Choisy. Choisy Hyperic. 2.
 — — — *dealbata* H. B. K. H. B. K. Nov. Gen. 5, 454.
 — — — *glabra* Rz et P. Lodd. Cab. 1752.
 — — — *guineensis* Choisy. Guillemin Seneg. 23.
 — — — *longifolia* St. Hil. St. Hil. Fl. Bras. 68.
 — — — *rufescens* Pers. Choisy Hyperic. 1.
 † *Visnaga daucoides* Gaertn. Gaertn. Carp. 21.
 † *Visnea Mocanera* L. fil. Bory lles fortunées 7.
 — — — Annales générales 1, 5.
 — — — Colla Hort. Rip. 32.
 † — — — Webb Canar. 69^B.
 — — — Hook. Ic. pl. 3, 253.
 † *Vitellaria paradoxa* Gaertn. Gaertn. Carp. 205.
 † *Vitex Agnus Castus* L. Woodv. Med. 2, 137.
 — — — Schk. Handb. 177.
 — — — Sibth. Fl. gr. 609.
 † — — — Gaertn. Carp. 56.
 † — — — Lam. Encycl. 541.
 † — — — Nees Gen. 6, 51.
 — — — *alata* Roxb. Rheede Hort. mal. 5, 1.
 — — — *altissima* L. fil. Wight Ic. pl. Ind. or. 4, 1466.
 — — — *capitata* Vahl. Vahl Eclogae 18.
 — — — *Cofassus* Bl. Rumpf Amb. 3, 14.
 — — — *heterophylla* Roxb. Wall. Pl. asiat. 226.
 — — — *ilicifolia* A. Rich. Ramon Cuba 64.
 — — — *incisa* Lam. Lam. Encycl. 541.
 — — — *latifolia* Lam. Rheede Hort. mal. 5, 2.
 — — — *leucoxydon* Roxb. Rheede Hort. mal. 4, 36.
 — — — Wight Ic. pl. Ind. or. 4, 1467.
 — — — *littoralis* Cunn. Hook. Ic. pl. 5, 419. 420.
 — — — *Loureiri* H. et Arn. Hook. Beechey 48.
 — — — *Negundo* L. Rheede Hort. mal. 2, 12.
 — — — Rumpf Amb. 4, 19.
 — — — Bot. Mag. 11, 364.
 — — — Wight Ic. pl. Ind. or. 2, 519.
 — — — *ovata* Thunb. Hook. Beechey 47.
 — — — *pinnata* L. Burmann Fl. ind. 43.
 — — — *pubescens* Roxb. Wight Ic. pl. Ind. or. 4, 1465.
 — — — *sinuata* Med. Acta palatina 4, 8.
 — — — *triflora* Vahl. Endl. Bras. 10, 49.
 — — — *trifolia* L. Rheede Hort. mal. 2, 11.
 — — — Rumpf Amb. 4, 18.
 — — — Bot. Mag. 47, 2187.
 † *Vitis* L. Gray Genera 161.
 — — — *angustifolia* Wall. Wight Ic. pl. Ind. or. 1, 176.
 — — — *arborescens* Mill. Jacq. Schoenbr. 4, 428.
 — — — *carnosa* Wall. Rheede Hort. mal. 7, 9.
 — — — Hook. Companion 8.
 — — — Wight Ic. pl. Ind. or. 1, 171.
 — — — *eritoclada* W. et A. Rheede Hort. mal. 7, 7.
 — — — *incisa* Jacq. Jacq. Schoenbr. 4, 427.
 — — — *indica* L. Rheede Hort. mal. 7, 6.
 — — — Rumpf Amb. 5, 167.

- Vitis Labrusca* L. Jacq. Schoenbr. 4, 426.
 — — — Desc. Ant. 5, 310.
 — — — Gray Genera 161.
 — — — *laciniosa* L. Schmidel Ic. 8.
 — — — *lanata* Roxb. Jacquemont Ind. 36.
 — — — *lanceolaria* Wall. Wight Ic. pl. Ind. or. 1, 28, 177.
 — — — *latifolia* Dennst. Rheede Hort. mal. 7, 11.
 — — — *muricata* Wall. Rheede Hort. mal. 7, 8.
 — — — Wight Ic. pl. Ind. or. 3, 740.
 — — — *neilgherrensis* Wight. Wight Spicil. 36.
 — — — Wight Ic. pl. Ind. or. 3, 985.
 — — — *pallida* W. et A. Wight Ic. pl. Ind. or. 1, 50.
 — — — *pedata* W. et A. Rheede Hort. mal. 7, 10.
 — — — *pentaphylla* Guill. Guillemin Seneg. 33.
 — — — *quadrangularis* W. et A. Rheede Hort. mal. 7, 41.
 — — — Wight Ic. pl. Ind. or. 1, 51.
 — — — *repens* W. et A. Rheede Hort. mal. 7, 48.
 — — — *Rheedi* W. et A. Rheede Hort. mal. 7, 45.
 — — — *riparia* Michx. Bot. Mag. 50, 2429.
 — — — Watson Dendr. 1, 13.
 — — — *setosa* Wall. Wight Ic. pl. Ind. or. 1, 170.
 — — — *tomentosa* Heyne. Wight Illustr. 57.
 — — — *trifolia* L. Rumpf Amb. 5, 166.
 — — — — — Burmann Fl. ind. 24.
 † — — — *vinifera* L. Gaertn. Carp. 106.
 — — — Schmidel Ic. 7.
 — — — Jacq. Ic. 50.
 — — — Woodv. Med. 1, 57.
 — — — Lam. Encycl. 145.
 — — — Sibth. Fl. gr. 242.
 — — — Dict. sc. nat. 160.
 — — — Schk. Handb. 49.
 — — — Hayne 10, 40.
 — — — Nees Düsseld. 367, 368.
 — — — Guimpel et Schl. 140, 141.
 — — — Wagner 153, 154.
 — — — Babo und Metzger 1 — 54.
 † — — — Morren Dodonaea 2, 3, 4.
 † — — — Payer Organogénie 34.
 — — — *vulpina* L. Jacq. Schoenbr. 4, 425.
Vitmannia africana W. et A. Wight Ic. pl. Ind. or. 2, 490.
 — — — *elliptica* Vahl. Vahl Symbolae 60.
Vittaria acrostichoides Hook. Hook. Ic. Fil. 2, 186.
 — — — *amboinensis* Fée. Fée Fil. 3, 1.
 — — — *angustifolia* Bl. Fée Fil. 3, 1.
 — — — *anodontolepis* Fée. Fée Fil. 3, 4.
 † — — — *bisulcata* Kze. Fée Fil. 5, 8.
 — — — *costata* Kze. Kunze Analecta 18.
 † — — — *curvidentata* C. Müll. Bot. Zeitung 1854, 13.
 † — — — *Deppeana* C. Müll. Bot. Zeitung 1854, 13.
 † — — — *dimorpha* C. Müll. Bot. Zeitung 1854, 13.
 — — — *ensiformis* Sw. N. Schr. naturf. Fr. 2, 7.
 — — — — — Schk. Fil. 101⁶.
 — — — *falcata* Fée. Fée Fil. 3, 4.
 — — — *filifolia* Fée. Fée Fil. 3, 3.
 † — — — Bot. Zeitung 1854, 13.
 — — — *Gardneriana* Fée. Fée Fil. 3, 3.
 — — — *isoetifolia* Bory. Fée Fil. 3, 2.
 — — — *lanceolata* Sw. N. Schr. naturf. Fr. 2, 7.
 — — — — — Schk. Fil. 101⁶.
 — — — *lineata* Sm. Schk. Fil. 101⁶.
 — — — — — Calcutta Journal 1844, 33.
 † — — — var. Fée Fil. 3, 3.
 † — — — *longidentata* C. Müll. Bot. Zeitung 1854, 13.
 — — — *loricea* Fée. Fée Fil. 3, 1.
 — — — *minor* Fée. Fée Fil. 3, 4.
 — — — *owariensis* Fée. Fée Fil. 3, 3.
 † — — — *pachydietyon* C. Müll. Bot. Zeitung 1854, 13.
 — — — *plantaginea* Bory. Hook. Ic. Fil. 2, 187.
 † — — — Fée Fil. 3, 3.
 † — — — *rigida* Kaulf. Hook. Gen. Fil. 68.
 † — — — Fée Fil. 3, 3.

- † *Vittaria Ruiziana* Fée. Fée Fil. 3, 3.
 — — — *stipitata* Kze. Kunze Analecta 18.
 † — — — Fée Fil. 3, 3.
 — — — *tenera* Fée. Fée Fil. 3, 2.
 — — — *zeylanica* Fée. Fée Fil. 3, 1.
 — — — *zosteracfolia* Bory. Fée Fil. 3, 2.
Viviania crenata Hook. Delessert Ic. 3, 41.
 — — — *marifolia* Cav. Annales de hist. nat. 7, 49.
 — — — *psychotrioides* Colla. Mem. soc. Linn. Par. 4, 2.
 — — — *spinescens* Presl. Presl Symbolae 55.
 — — — *tenuicaulis* Barn. Gay Chile 11.
 † *Vochya* Vand. Roemer Scriptorae 6.
Vochysia acuminata Bong. Acad. Petersb. 5, 3.
 — — — *alpestris* Mart. Mart. Bras. 87.
 — — — *cinnamomea* Pohl. Pohl Bras. 120.
 — — — *cuneata* Pohl. Pohl Bras. 117.
 — — — *divergens* Pohl. Pohl Bras. 111.
 — — — *elliptica* Mart. Mart. Bras. 84.
 — — — *elongata* Pohl. Pohl Bras. 116.
 — — — *ferruginea* DC. Mart. Bras. 92.
 — — — *floribunda* Mart. Mart. Bras. 91.
 — — — *grandis* Mart. Mart. Bras. 88.
 — — — *guianensis* Aubl. Aublet Guiana 6.
 — — — — — Lam. Encycl. 11.
 — — — *Haenkeana* Mart. Mart. Bras. 89.
 — — — *herbacea* Pohl. Pohl Bras. 118.
 — — — *lucida* Presl. Presl Symbolae 59.
 — — — *micrantha* Pohl. Pohl Bras. 112.
 — — — *pruinosa* Pohl. Pohl Bras. 114.
 — — — *pumilla* Pohl. Pohl Bras. 113.
 — — — *pygmaea* Bong. Acad. Petersb. 5, 4.
 — — — *pyramidalis* Mart. Mart. Bras. 90.
 — — — *rotundifolia* Mart. Mart. Bras. 83.
 — — — — — Spach Suites 33.
 — — — *rufa* Mart. Mart. Bras. 86.
 — — — *sericea* Pohl. Pohl Bras. 119.
 — — — — — Rchb. Exot. 331.
 — — — *thyrsoides* Pohl. Pohl Bras. 115.
 — — — *Tucanorum* Mart. Mart. Bras. 85.
Vogelia africana Lam. Lam. Encycl. 149.
 — — — *indica* Gibson. Wight Ic. pl. Ind. or. 3, 1075.
 † — — — *sagittata* Med. Medikus Gattungen 1.
Vohiria aphylla Pers. Hook. Bot. Misc. 25.
 — — — *rosea* Aubl. Lam. Encycl. 109.
 — — — *tenera* Gill. Hook. Bot. Misc. 25.
Volkameria Acerbiana Vis. Visiani Aeg. 4.
 † — — — *aculeata* L. Houstoun Reliq. 13.
 † — — — — — Gaertn. Carp. 56.
 — — — — — Jacq. Hist. stirp. am. 177.
 — — — — — Lam. Encycl. 544.
 — — — *alternifolia* Burm. Burmann Fl. ind. 44.
 — — — *angustifolia* Andr. Andr. Rep. 9, 554.
 — — — — — Lam. Lam. Encycl. 544.
 — — — *fragrans* Vent. Vent. Malm. 70.
 — — — — — Kerner Hort. 196.
 — — — *japonica* Thunb. Kaempfer Amoenit. p. 860.
 — — — *inermis* L. Rumpf Amb. 5, 46.
 — — — — — Jacq. Collect. 5, 4.
 — — — — — Kerner Hort. 111.
 — — — *Kaempferi* Jacq. Kaempfer Japon. 58.
 — — — — — Jacq. Ic. 500.
 — — — — — Kerner Hort. 112.
 — — — *ligustrina* Jacq. Jacq. Collect. 5, 5, 15.
 — — — — — Herb. amat. 5, 341.
 — — — *multiflora* Burm. Burmann Fl. ind. 45.
 — — — *tomentosa* Vent. Vent. Malm. 84.
Volkmannia japonica Jacq. Jacq. Schoenbr. 3, 338.
Volucrepis Aubl. Aubert Orchid. 80.
Votomita guianensis Aubl. Aublet Guiana 35.
Vouacapoua americana Aubl. Aublet Guiana 373.
Vouapa bifolia Aubl. Aublet Guiana 7.
 — — — — — Lam. Encycl. 26.

- † *Vouapa bifolia* Aubl. Abh. Acad. Berl. 1832, 2.
 — *phaseolocarpa* Hayne 11, 20.
 — — Nees Dusseld. Suppl. 114.
 — *Simira* Aubl. Aublet Guiana 8.
Vouarana guianensis Aubl. Aublet Guiana 374.
Voyara montana Aubl. Aublet Guiana 383.
Voyra coerulea Aubl. Aublet Guiana 83.
 — *rosea* Aubl. Aublet Guiana 83.
Voyria aurantiaca Splitg. Hoeven Tijdschr. 7, 1.
 — *clavata* Splitg. Hoeven Tijdschr. 7, 1.
 — *corymbosa* Splitg. Hoeven Tijdschr. 7, 2.
 — *nuda* Splitg. Hoeven Tijdschr. 7, 1.
 — *spathacea* Griseb. Hoeven Tijdschr. 7, 2.
Vriesia conferta Gaudich. Gaudichaud Bonite 65.
 — *gigantea* Gaudich. Gaudichaud Bonite 70.
 — *glaucophylla* Hook. Bot. Mag. 74, 4415.
 — — Fl. d. serres 5, 432.
 — *gracilis* Gaudich. Gaudichaud Bonite 67.
 — *incurvata* Gaudich. Gaudichaud Bonite 68.
 — *platynema* Gaudich. Gaudichaud Bonite 66.
 — *psittacina* Ldl. Bot. Reg. 29, 10.
 — — Annales d'hortic. 1852, x.
 — *recurvata* Gaudich. Gaudichaud Bonite 69.
 — *speciosa* Hook. Bot. Mag. 74, 4382.
 — — Moore Mag. 1850, p. 217.
Vucinia brevicaulis Aub. Aubert Thouars Mel. 6.
 — *gracilis* Aub. Aubert Thouars Mel. 8.
† *Vulpia* Gmel. Dumortier Gramin. 3.
 — *bromoides* Link. Rchb. Fl. germ. 1, 60.
 — *ligustica* Rchb. Rchb. Fl. germ. 1, 60.
† — *Myurus* Gm. Nees Gen. 1, 71.
 — — Rchb. Fl. germ. 1, 60.
 — *pseudomyurus* Rchb. Rchb. Fl. germ. 1, 60.
 — *uniglumis* Rchb. Rchb. Fl. germ. 1, 60.
Wachendorfia brevifolia Sol. Bot. Mag. 29, 1166.
 — *hirsuta* Thunb. Bot. Mag. 17, 614.
 — *orinocensis* H. B. K. H. B. K. Nov. Gen. 7, 698.
 — *paniculata* L. Burmann Wachendorfia 1.
 — — Smith Ic. pict. 5.
† — — Lam. Encycl. 34.
 — — Bot. Mag. 17, 616. 53, 2610.
 — — Kerner Hort. 43.
 — *thyrsiflora* L. Burmann Wachendorfia 1.
† — — Gaertn. Carp. 15.
† — — Lam. Encycl. 34.
 — — Red. Lil. 2, 93.
 — — Bot. Mag. 27, 1060.
 — — Dict. sc.-nat. 59.
 — — Herb. amat. 2, 93.
 — *villosa* Andr. Andr. Rep. 6, 398.
Wagatea spicata Dalz. Wight Ic. pl. Ind. or. 6, 1998.
Wahlbomia indica Thunb. Svensk Acad. 1790, 9.
 — — Lam. Encycl. 495.
Wahlenbergia agrestis DC. Wight Spicil. 123.
 — — Wight Ic. pl. Ind. or. 4, 1175.
 — *albomarginata* Hook. Hook. Ic. pl. 9, 818.
 — *androsacea* DC. DC. Campanulacées 19.
 — *Berteroi* Hook. Hook. Journal 1834, 137.
 — *capensis* DC. DC. Campanulacées 18.
 — *denticulata* DC. DC. Campanulacées 16.
 — *exilis* DC. DC. Campanulacées 16.
 — *flaccida* Presl. Presl Symbolae 18.
 — *foliosa* DC. DC. Campanulacées 14.
 — *hederacea* DC. Rchb. Ic. crit. 5, 480.
† — — Nees Gen. X, x.
 — *indica* DC. Wight Spicil. 124.
 — — Wight Ic. pl. Ind. or. 4, 1176.
 — *lobelioides* DC. DC. Campanulacées 17.
 — *perotifolia* W. et A. Wight Ic. pl. Ind. or. 3, 842.
 — *procumbens* DC. DC. Campanulacées 15.
 — *repens* Schrad. Rchb. Hortus 165.
Wailesia picta Ldl. Paxt. Mag. 16, 321.

- Waitzia corymbosa* Wendl. Wendland Coll. 42.
Waldemaria argentea Klotzsch. Prinz Wald. Him. 54, 55.
Waldheimia tridactylites Kar. et Kir. Jubilaeum Fischer 1.
Waldschmidtia nymphoides Wigg. Drevs 3, 78.
† *Waldsteinia* Willd. Nestler Potentilla 1.
 — *geoides* Willd. N. Schr. naturf. Fr. 2, 4.
 — — W. et Kit. 77.
 — — Tratt. Archiv 14.
 — — Lodd. Cab. 492.
 — — Bot. Mag. 52, 2595.
 — *trifolia* Rochel. Linnaea 13, 6.
† *Wallenia* Sw. Swartz Fl. ind. occ. 6.
 — *angularis* Jacq. Jacq. Schoenbr. 1, 30.
 — *laxiflora* Mart. Mart. Bras. 237.
Wallichia caryotoides Roxb. Roxb. Corom. 295.
 — *densiflora* Mart. Bot. Mag. 77, 4584.
 — — Lem. Jard. fl. 233—234.
 — — Fl. d. serres 7, 687.
 — *spectabilis* DC. Mem. Mus. 10, 6.
† *Wallrothia tenuifolia* DC. DC. Umbelliferae 1.
Walsura Piscidia Roxb. Wight Illustr. 55.
Waltheria arborescens Cav. Cav. Diss. 170.
 — — Lam. Encycl. 570.
 — *Douradinha* St. Hil. St. Hil. Pl. usuelles 36.
 — *elliptica* Cav. Cav. Diss. 171.
 — *ferruginea* St. Hil. St. Hil. Fl. Bras. 30.
 — *laevis* Wolf. Schrank Hort. monac. 55.
 — *longifolia* DC. Delessert Ic. 3, 24.
 — *microphylla* Cav. Cav. Diss. 170.
 — *ovata* Cav. Cav. Diss. 171.
 — — Lam. Encycl. 570.
† *Wal-tiedde* Gaertn. Gaertn. Carp. 180.
† *Warea* Nutt. Gray Genera 66.
 — *cuneifolia* Nutt. Gray Genera 66.
Waria zeylanica Aubl. Aublet Guiana 243.
Warrea cyanea Ldl. Bot. Reg. 31, 28.
 — — Fl. d. serres 1, 51.
 — *Lindeniana* Hort. Moore Mag. 1850, p. 177.
 — *quadrata* Ldl. Bot. Mag. 80, 4766.
† — *tricolor* Ldl. Rchb. Xenia 1, 24.
Warscevicella marginata Rchb. Pescatorea 1, 5.
† — — Rchb. Xenia 1, 23.
 — *velata* Rchb. Rchb. Xenia 1, 23.
Watsonia aletroides Gawl. Bot. Mag. 15, 533.
 — *brevifolia* Gawl. Bot. Mag. 17, 601.
 — *compacta* Lodd. Lodd. Cab. 1577.
 — *humilis* Mill. Bot. Mag. 17, 631. 30, 1195.
 — *iridifolia* Gawl. var. *fulgens*, Bot. Mag. 17, 600.
 — — var. *fulgens*, Kerner Hort. 419.
 — *marginata* Gawl. Bot. Mag. 17, 608. 37, 1530.
 — — Rchb. Exot. 75.
 — *Meriana* Gawl. Bot. Mag. 30, 1194.
 — — Kerner Hort. 193.
 — *plantaginea* Gawl. Bot. Mag. 16, 553.
 — *praecox* Pers. Kerner Hort. 256.
 — *rosea* Gawl. Bot. Mag. 27, 1072.
 — *roseo-alba* Gawl. Bot. Mag. 15, 537. 30, 1193.
 — — Kerner Hort. 168.
 — *strictiflora* Gawl. Bot. Mag. 34, 1406.
 — *tubulosa* Pers. Kerner Hort. 218.
Webbia aristata DC. Delessert Ic. 4, 3.
 — *canariensis* Webb. Webb Canar. 4^c.
 — *floribunda* Spach. Webb Canar. 4^b.
 — *platysepala* Spach. Webb Canar. 4^d.
† *Webera corymbosa* Willd. Gaertn. Carp. 192.
 — — Bot. Reg. 2, 119.
 — — Wight Ic. pl. Ind. or. 2, 584.
Weddellina squamulosa Tul. Arch. Mus. 6, 13.
Wedelia africana Pal. B. Pal. B. Fl. d'Oware 69.
 — ? *aurea* Don. Bot. Mag. 62, 3384.
 — *calendulacea* Less. Rheede Hort. mal. 10, 42.
 — — Hook. Companion 5.

- Wedelia calendulacea* Less. Wight Ic. pl. Ind. or. 3, 1107.
 — *helianthoides* H. B. K. H. B. K. Nov. Gen. 4, 372.
 — *hispida* H. B. K. H. B. K. Nov. Gen. 4, 371.
 — — Bot. Reg. 7, 543.
 — *radiosa* Ker. Bot. Reg. 8, 610.
 — *urticaefolia* DC. Wight Ic. pl. Ind. or. 3, 1106.
Weigelia amabilis Planch. Fl. d. serres 8, 855.
 — *japonica* Thunb. Thunberg Fl. jap. 16.
 — — Svensk Acad. 1780, 5.
 — — Latn. Encycl. 105.
 — *rosea* Ldl. Journal Hort. Soc. 1, 6.
 — — Paxt. Mag. 14, 247.
 — — Bot. Mag. 74, 4396.
 — — Fl. d. serres 3, 211.
Weinmannia Balbisiana H. B. K. H. B. K. Nov. Gen. 6, 520.
 — *biglandulosa* Cunn. Hook. Ic. pl. 4, 301.
 — *fagaroides* H. B. K. H. B. K. Nov. Gen. 6, 524.
 † *glabra* L. fl. Gaertn. Carp. 225.
 — — Lam. Encycl. 313.
 — *heterophylla* H. B. K. H. B. K. Nov. Gen. 6, 522.
 — *macrophylla* H. B. K. H. B. K. Nov. Gen. 6, 521.
 — *microphylla* H. B. K. H. B. K. Nov. Gen. 6, 523.
 — *ovata* Cav. Cav. Ic. 566.
 — *paniculata* Cav. Cav. Ic. 565.
 — *pubescens* Kth. Dict. sc. nat. 198.
 — *tomentosa* H. B. K. H. B. K. Nov. Gen. 6, 525.
 — *trichosperma* Cav. Cav. Ic. 567.
 — *trifoliata* Lam. Lam. Encycl. 313.
 — *venosa* Kn. et W. Knowles et Westcott 65.
Weldenia candida Schult. Flora 1829, 1.
Wellingtonia gigantea Ldl. Veitch Tab. sing. x.
 — — Fl. d. serres 9, 892—893. 903.
 — — Bot. Mag. 80, 4777. 4778.
Wendlandia Kotschy Boiss. Jaubert Illustr. 202.
 — *Notoniana* Wall. ? Rheede Hort. mal. 4, 28.
 — — Wight Spicil. 95.
 — — Wight Ic. pl. Ind. or. 3, 1033.
 — *populifolia* Willd. Wendland Hort. herrenh. 16.
Wensea pyramidata Wendl. Wendland Coll. 84.
 † *Werneria* H. B. K. Kerner Genera 78.
 — *disticha* H. B. K. H. B. K. Nov. Gen. 4, 369.
 — *graminifolia* H. B. K. H. B. K. Nov. Gen. 4, 368.
 — *pinnatifida* J. Remy. Gay Chile 47.
 — *pumila* H. B. K. H. B. K. Nov. Gen. 4, 368.
 — *rhizoma* J. Remy. Gay Chile 47.
Westringia cinerea R. Br. Bot. Mag. 61, 3307.
 — *Dampieri* R. Br. Bot. Mag. 61, 3308.
 — *eremicola* Cunn. Bot. Reg. 18, 1481.
 — — Bot. Mag. 62, 3438.
 — *longifolia* R. Br. Bot. Reg. 18, 1481.
 — — Lodd. Cab. 1890.
 — *rosmariniformis* Sm. Svensk Acad. 1797, 8.
 — — Smith Tracts 3.
 — — Roemer Archiv III. 2.
 — — Andr. Rep. 3, 214.
Wettinia augusta P. et E. Poepp. et Endl. 153. 154.
 † — — Gaudichaud Bonite 15.
Whitfieldia lateritia Hook. Bot. Mag. 71, 4155.
 — — Paxt. Mag. 12, 147.
 — — Annales de Gand 1846, 55.
 — — Fl. d. serres 1, 32.
Whitlavia grandiflora Harv. Bot. Mag. 80, 4813.
Whideya stramonifolia Sweet. Sweet Fl. G. 125.
 † *Wibelia pinnata* Bernh. Fée Fil. 5, 27⁶.
Wiborgia fusca Thunb. Delessert Ic. 3, 64.
 — *urticaefolia* H. B. K. H. B. K. Nov. Gen. 4, 389.
Wiedemannia multifida Benth. Jaubert Illustr. 272.
 — *orientalis* Fisch. et M. Jard. Petersb. 4.
 — — Sertum petropol. 9.
 — — Jaubert Illustr. 271.
Wiegmannia glauca M. et E. Acta Leop. 19. Suppl. 9.

- Wierzbickia laricifolia* Rchb. Rchb. Fl. germ. 5, 212.
 — *macrocarpa* Rchb. Rchb. Fl. germ. 5, 211.
 — *striata* Rchb. Rchb. Fl. germ. 5, 211.
Wigandia californica Hook. Hook. Beechey 88.
 — *caracasana* H. B. K. Bot. Reg. 23, 1966.
 — — Bot. Mag. 77, 4575.
 — — Lem. Jard. fl. 132.
 — — Fl. d. serres 8, 755.
Wightia gigantea Wall. Wall. Pl. asiat. 81.
Wikstroemia australis Endl. Endl. Iconogr. 22.
 — *glandulosa* Spr. Svensk Acad. 1821, 3.
 — *salicifolia* Decne. Jacquemont Ind. 149.
Willdenowia compressa Thunb. Svensk Acad. 1790, 2.
 — *glandulosa* Cav. Cav. Ic. 89.
 † — — Lam. Encycl. 685.
 — *striata* Thunb. Svensk Acad. 1790, 2.
 — *teres* Thunb. Svensk Acad. 1790, 2.
 † *Willemetia africana* Ad. Br. Ann. sc. nat. 10, 16.
 † — *hieracioides* Neck. Monnier Essai 3.
 † — *lanata* Moq. Ann. sc. nat. II. 1, 9.
Willughbeia edulis Roxb. Roxb. Corom. 280.
 — *martabanica* Wall. Wall. Pl. asiat. 272.
Wilsonia glaberrima Gill. Hook. Bot. Misc. 49.
 — *rotundifolia* Hook. Hook. Ic. pl. 5, 410.
Wimmeria concolor Cham. et Schl. Hook. Ic. pl. 4, 356.
Winchia calophylla DC. Delessert Ic. 5, 46.
Winterana aromatica Sol. Med. Observ. 5, 1.
 — — Woodv. Med. 4, 226.
 — — Comm. Gott. 9, 7.
 — — Nees Disseld. 370.
 — *Canella* L. Lam. Encycl. 399.
 — — Desc. Ant. 8, 568.
 — *granatensis* H. B. Humb. Pl. acq. 58.
Winteria aromatica Dennst. Rheede Hort. mal. 2, 9.
Wislizenia refracta Gray. Smiths. Contrib. 3, 2.
Wissadula scabra Presl. Presl Reliq. 69.
Wistaria brachybotrys S. et Z. Sieb. Fl. Japon. 45.
 — — Annales de Gand 1847, 111.
 — — Fl. d. serres 9, 880.
 — *chinensis* DC. Sieb. Fl. Japon. 44.
 — — Bot. Reg. 8, 650.
 — — Sweet Fl. G. 211.
 — — Rchb. Exot. 227.
 — *consequana* Loud. Paxt. Mag. 7, 127.
 — *frutescens* Sweet. Sweet Fl. G. II. 104.
 — *japonica* S. et Z. Sieb. Fl. Japon. 43.
Withania aristata Pauq. Webb Canar. 175.
Witheringia diploconos Mart. Mart. Bras. 229.
 — *divaricata* Mart. Mart. Bras. 228.
 — *montana* Dun. Lodd. Cab. 1292.
 — — Bot. Mag. 54, 2768.
 — *picta* Mart. Mart. Bras. 227.
 — *purpurea* Lodd. Lodd. Cab. 1892.
 — *solanacea* L'her. L'heritier Sertum 1.
 — — Lam. Encycl. 82.
Witsenia corymbosa Gawler. Smith Exot. Bot. 68.
 — — Bot. Mag. 23, 895.
 — — Lodd. Cab. 254.
 — — Red. Lil. 8, 453.
 — — Herb. amat. 4, 235.
 — — Rchb. Exot. 24.
 — — Maund Bot. 5, 202.
 — — Paxt. Mag. 3, 269.
 — *maura* Thunb. Thunberg Diss. 1, 2.
 — — Lam. Encycl. 30.
 — — Red. Lil. 5, 245. 8, 463.
 — — Bot. Reg. 1, 5.
 — — Maund Bot. 3, 125.
 — — Fl. d. serres 2, 72.
 — — Paxt. Mag. 8, 221.
 — — Rchb. Exot. 23.
Wittelsbachia insignis Mart. Mart. Bras. 55.

- Wittelsbachia insignis* Mart. Rchb. Exot. 352.
Wolffia spectabilis Dennst. Rheede Hort. mal. 11, 36.
Wolffia brasiliensis Wedd. Ann. sc. nat. III. 12, 8.
Wollastonia biflora DC. Rheede Hort. mal. 10, 40.
 — — — Wight Ic. pl. Ind. or. 3, 1108.
Wollastonia Forsteriana DC. Endl. Iconogr. 88.
 — glabrata DC. DC. Composées 7.
Woodfordia floribunda Salisb. Salisbury Parad. 42.
Woodsia alpina Newm. Newman p. 143. 147.
 — elongata Hook. Hook. Sp. Fil. 21.
 — glabella R. Br. Hook. Bor. Am. 237.
 — guatemalensis Hook. Hook. Sp. Fil. 21.
 † — hyperborea R. Br. Linn. Transact. 11, 11.
 — — — Hook. Gen. Fil. 119.
 — — — Kunze Analecta 27.
 — — — Newman p. 143. 147.
 — — — Johnson Ferns 6.
 — ilvensis R. Br. Engl. Bot. 2616.
 — — — Newman p. 136. 137.
 — — — Johnson Ferns 5.
 — — — var. *γ*. Bab. Newman p. 143. 147.
 — incisa Gill. Hook. Ic. Fil. 2, 191.
 — Perriniana H. et Gr. Hook. Ic. Fil. 1, 68.
 — peruviana Hook. Hook. Sp. Fil. 21.
 — pubescens Spr. Acta Leop. 10, 1, 16.
Woodwardia floridana Sw. Schk. Fil. 111.
 † — lunulata Fée. Fée Fil. 5, 17.
 — prolifera Hook. Hook. Beechey 57.
 — radicans Sw. Schk. Fil. 112.
 † — — — Hook. Gen. Fil. 17.
 † — — — Fée Fil. 5, 17.
 — stans Sw. Schk. Fil. 113.
Wormia apetalia Gaudich. Freycinet Voyage 99.
 — madagascariensis DC. Delessert Ic. 1, 82.
Wormskioidia glandulifera Klotzsch. Peters Mossamb. 26.
 — heterophylla Thom. Guillemin Seneg. 11.
Wrightia coalita Ham. Rheede Hort. mal. 9, 3. 4.
 — coccinea Sims. Bot. Mag. 53, 2696.
 — — — Rchb. Exot. 125.
 — — — Wight Ic. pl. Ind. or. 2, 442.
 — mollissima Wall. Wall. Pl. asiat. 146.
 — — — Wight Illustr. 154.
 — pubescens R. Br. Lodd. Cab. 1929.
 — Rothii G. Don. Wight Ic. pl. Ind. or. 4, 1319.
 — tinctoria R. Br. Bot. Reg. 11, 933.
 — — — Wight Ic. pl. Ind. or. 2, 444.
 † — — — Wight Illustr. 154^b.
 — tomentosa G. Don. Wight Ic. pl. Ind. or. 2, 443.
 — Wallichii DC. Wight Ic. pl. Ind. or. 4, 1296.
Wuerthia elegans Regel. Regel Gartenflora 2, 46.
Wulfenia carinthiaca Jacq. Jacq. Ic. 2.
 † — — — Jacq. Misc. 2, 8.
 — — — Reiner Reisen 1, 1. 2.
 — — — Sturm Flora 14, 59.
 — — — Bot. Mag. 51, 2500.
 — — — Sweet Fl. G. 66.
 † — — — Nees Gen. 5, 40.
 — obliqua Wall. Wallich Tentamen 35.
 — reniformis Benth. Hook. Bor. Am. 161.
Wulffia maculata DC. Bot. Reg. 8, 662.
Wurmbea bullata Willd. Willdenow Hortus 8.
 — campanulata Willd. Lam. Encycl. 270.
 — capensis Thunb. Thunberg Diss. 1, 1.
 — — — var. *β*. Andr. Rep. 4, 221.
 — longiflora Willd. Lam. Encycl. 270.
Wyderia portoricensis DC. DC. Ombellifères 7.
Wylia radians Schult. Hoffmann Genera Umb. 2.
Xanthisma texana Torr. Marcy Exploration 10.
 † *Xanthium* L. Hook. et Arnott Brit. Fl. 5.
 — echinatum Murr. Comm. Gott. 6, 4.
 — — — Nocca et Balb. Fl. tic. 17.
 — indicum Roxb. Wight Ic. pl. Ind. or. 3, 1104.

- Xanthium italicum* Moretti. Rchb. Ic. crit. 4, 323.
 — orientale L. Linné Hort. ups. 2, 17.
 — — — Cav. Ic. 221.
 † — — — Gaertn. Carp. 164.
 † — — — Lam. Encycl. 765.
 — — — Schk. Handb. 291.
 † — spinosum L. Gaertn. Carp. 164.
 † — — — Lam. Encycl. 765.
 † — strumarium L. Gaertn. Carp. 164.
 † — — — Lam. Encycl. 765.
 — — — Fl. dan. 6, 970.
 — — — Engl. Bot. 36, 2544.
 — — — Baxter Brit. Bot. 6, 461.
 — — — Schk. Handb. 291.
 — — — Dietr. Fl. bor. 11, 764.
 † — — — Nees Gen. X, x.
Xanthochrysum filifolium Turcz. Bull. Mosc. 1851, 4.
Xanthochymus dulcis Roxb. Roxb. Corom. 270.
 — — — Bot. Mag. 58, 3088.
 † — — — Kerner Genera 177.
 — — — Wight Ic. pl. Ind. or. 1, 192.
 — pictorius Roxb. Roxb. Corom. 196.
 — — — Preuss. Garten-Verein 14, 3.
Xanthocoma humilis H. B. K. H. B. K. Nov. Gen. 4, 412.
Xantholinum campanulatum Rchb. Rchb. Fl. germ. 6, 340.
 — capitatum Rchb. Rchb. Fl. germ. 6, 341.
 — flavum Rchb. Rchb. Fl. germ. 6, 341.
 — nodiflorum Rchb. Rchb. Fl. germ. 6, 340.
Xanthophyllum angustifolium Wight. Wight Illustr. 23.
 — flavescens Roxb. Rheede Hort. mal. 4, 23.
 — — — Roxb. Corom. 284.
 — virens Roxb. Roxb. Corom. 284.
 † *Xanthorrhiza* L'her. Gray Genera 17.
 — apiifolia L'her. L'heritier Stirp. 38.
 — — — Bot. Mag. 42, 1736.
 — — — Nouveau Duhamel 3, 37.
 — — — Guimpel Fr. Holzgew. 129.
 — — — Barton Med. 46.
 — — — Lam. Encycl. 854.
 — — — Gray Genera 17.
 † *Xanthorrhoea hastilis* R. Br. Schnizl. Iconogr. 1, 55^d.
 — — — Bot. Mag. 79, 4722.
 — — — Belgique hortic. 1853, 14.
 — — — Fl. d. serres 9, 868.
Xanthosia ciliata Hook. Hook. Ic. pl. 8, 726.
 — dissecta J. Hook. Hook. Ic. pl. 4, 302.
 — pilosa Rudge. Linn. Transact. 10, 22.
 — — — Lam. Encycl. 933.
 — rotundifolia DC. Bot. Mag. 64, 3582.
Xanthosoma pubescens P. et E. Poepp. et Endl. 299.
 † *Xanthoxylea* N. v. E. Payer Organogénie 24.
 † *Xanthoxylum* L. Gray Genera 156.
 † — album Vahl. Vahl Eclogae 27.
 — americanum Mill. Gray Genera 156.
 — armatum DC. Rumpf Amb. 2, 42.
 — aromaticum Willd. Jacq. Ecl. pl. 70.
 — bombacifolium A. Rich. Ramon Cuba 35.
 † — caribaeum Gaertn. Gaertn. Carp. 68.
 † — — — Lam. Encycl. 811.
 — — — Desc. Ant. 2, 98.
 † — carolinianum Gaertn. Gaertn. Carp. 68.
 † — — — Lam. Encycl. 811.
 † — Clava Herculis L. Lam. Encycl. 811.
 — coriaceum A. Rich. Ramon Cuba 34.
 — floribundum Wall. Wall. Pl. asiat. 232.
 — fraxineum Willd. Schk. Handb. 323^e.
 † — — — Mem. Mus. 12, 25.
 — — — Bigelow Med. 59.
 † — — — Spach Suites 13.
 † — heterophyllum DC. Mem. Mus. 12, 25.
 — hiemale St. Hil. St. Hil. Pl. usuelles 37.

- Xanthoxylum* Mayu Colla. Mem. Tur. 37, 8.
 † — monogynum St. Hil. Mem. Mus. 10, 24.
 † — — St. Hil. Pl. rem. 19.
 — nitidum DC. Bot. Mag. 52, 2558.
 — Rhetsa DC. Rheede Hort. mal. 5, 34.
 — sorbifolium St. Hil. St. Hil. Fl. Bras. 15.
 † — tricarpum Michx. Mem. Mus. 12, 25.
 — triphyllum Juss. Wight Ic. pl. Ind. or. 1, 204.
Xenopoma obovatum Willd. Colla Hort. Rip. 25.
 † *Xeranthemum* L. Gay. Mem. Mosc. 10, 12.
 — annuum L. Gmelin Reise 1, 20.
 — — — Jacq. Fl. austr. 4, 388.
 — — — Schk. Handb. 243.
 — — — Rchb. Ic. crit. 7, 641.
 † — — — Gaertn. Carp. 165.
 † — — — Mem. hist. nat. Par. 3, 7.
 † — — — Lam. Encycl. 692.
 † — — — Mutel Fl. fr. 30.
 — argenteum Thunb. Andr. Rep. 5, 327.
 — bracteatum Vent. Vent. Malm. 2.
 — — — Andr. Rep. 6, 378.
 — caespitosum Aub. Aubert Thouars Mel. 8.
 — canescens L. Bot. Mag. 12, 420.
 † — cylindraceum Sm. Mem. hist. nat. Par. 3, 7.
 † — — — Mutel Fl. fr. 31.
 — — — Rchb. Ic. crit. 7, 639.
 — — — Rchb. Fl. germ. 15, 738.
 — erectum Presl. Rchb. Fl. germ. 12, 737.
 — fasciculatum Andr. Andr. Rep. 4, 242, 279.
 — — — 10, 650.
 — fragrans Andr. Andr. Rep. 9, 561.
 — frigidum Lab. Bill. Syr. 2, 4.
 — fulgidum L. Jacq. Ic. 173.
 — — — Bot. Mag. 12, 414.
 — — — Savi Fl. ital. 1, 40.
 — herbaceum Andr. Andr. Rep. 7, 487.
 — humile Andr. Andr. Rep. 10, 652.
 † — inapertum Willd. Mem. hist. nat. Par. 3, 7.
 — — — Rchb. Ic. crit. 7, 640.
 † — — — Mutel Fl. fr. 31.
 — proliferum L. Andr. Rep. 6, 374.
 — pungens Lam. Lam. Encycl. 692.
 — radiatum Lam. Rchb. Fl. germ. 15, 737.
 — rigidum Andr. Andr. Rep. 6, 387.
 — sesamoides L. Bot. Mag. 12, 425.
 — — — var. sulphureum, Bot. Mag. 20, 763.
 — speciosissimum L. Andr. Rep. 1, 51.
 — spirale Andr. Andr. Rep. 4, 262.
 — squamosum Thunb. Jacq. Collect. 3, 20.
 — variegatum Andr. Andr. Rep. 6, 384.
 — — — Bot. Mag. 20, 776.
Xerocarpus hirsutus Guill. Guillemin Seneg. 44.
Xeropetalum multiflorum Endl. Endl. Iconogr. 118.
Xerophyllum setifolium Michx. Bot. Reg. 19, 1613.
Xerophyta pinifolia Lam. Lam. Encycl. 225.
Xerotes arenaria R. Br. Schnizl. Iconogr. 1, 51^b.
 — filamentosa Brongn. Brongniart Coquille 35.
 — glauca R. Br. Schnizl. Iconogr. 1, 51^b.
 — longifolia R. Br. Bot. Reg. 25, 3.
 — rigida R. Br. Lodd. Cab. 798.
 † *Xerotideae* Endl. Schnizl. Iconogr. 1, 51^b.
Ximenesia encelioides Cav. Cav. Ic. 178.
 — heterophylla H. B. K. H. B. K. Nov. Gen. 4, 380.
Ximения aculeata Tuss. Tussac Ant. 3, 30.
 — americana L. Jacq. Hist. stirp. am. 107.
 — — — Lam. Encycl. 297.
 — — — Desc. Ant. 2, 132.
 — elliptica Forst. Bill. Sertum 37.
 — parviflora Benth. Hook. Ic. pl. 4, 350.
 † *Xiphidium* Aubl. Swartz Fl. Ind. occ. 2.
 — coeruleum Aubl. Aublet Guiana 11.
 — — — Lam. Encycl. 36.

- Xiphium pseudo-Acorus* Schrk. Schrank Fl. monac. 1, 99.
Xiphocarpus martinicensis Presl. Presl Symbolae 7.
Xiphochaeta aquatica P. et E. Poepp. et Endl. 280.
Xiphocoma dasycarpa Stev. Bull. Mosc. 1852, 1, 7.
Xiphocoma heterophylla Stev. Bull. Mosc. 1852, 1, 7.
 † — leptalea Stev. Bull. Mosc. 1852, 1, 7.
 † — orientalis Stev. Bull. Mosc. 1852, 1, 7.
 — tenuifolia Stev. Bull. Mosc. 1852, 1, 7.
 † *Xiphopteris serrulata* Kaulf. Fée Fil. 5, 10.
 † *Xiphosium acuminatum* Griff. Calcutta Journ. 1845, 25.
Xolantha racemosa Rafin. Rafinesque Caratteri 18.
 † *Xuarezia* R. et P. Ruiz et Pav. Prodr. 4.
 — biflora R. et P. Ruiz et Pav. Fl. 123.
 — — — Lam. Encycl. 524.
Xylobium squalens Ldl. Bot. Reg. 9, 732.
 † *Xylocarpus Granatum* Koen. Mem. Mus. 19, 20.
Xylomelum occidentale R. Br. Hook. Ic. pl. 5, 446.
 — pyriforme R. Br. Rchb. Hort. 90.
 — — — Endl. Iconogr. 47, 48.
 † *Xylophylla* L. Swartz Observ. 10.
 — angustifolia Sw. Lodd. Cab. 577.
 — elongata Jacq. Jacq. Schoenbr. 3, 348.
 — — — Lodd. Cab. 1091.
 — falcata Ait. Andr. Rep. 5, 331.
 — — — Herb. amat. 4, 280.
 — — — Bot. Reg. 5, 373.
 † — latifolia L. Gaertn. Carp. 108.
 † — — — Lam. Encycl. 835.
 — — — Bot. Mag. 26, 1021.
 † — — — Jussieu Euphorb. 5.
 — longifolia L. Rumpf Amb. Auct. 12.
 — montana Sw. Bot. Mag. 53, 2652.
Xylopia acuminata Dunal. Dunal Anon. 16.
 — barbata Mart. Endl. Bras. 2, 13.
 — cubensis A. Rich. Ramon Cuba 6.
 — frutescens Aubl. Aublet Guiana 242.
 — — — Lam. Encycl. 495.
 † — — — Endl. Bras. 2, 13.
 † — — — Gaertn. Gaertn. Carp. 69.
 — glabra L. Dunal Auon. 19.
 — grandiflora St. Hil. St. Hil. Fl. Bras. 8.
 — ligustrifolia Dun. Dunal Anon. 18.
 † — muricata L. Lam. Encycl. 495.
 — nitida Dun. Dunal Anon. 20.
 — obtusifolia A. Rich. Ramon Cuba 7.
 — prinoides Dun. Dunal Anon. 15.
 — salicifolia H. B. Dunal Anon. 17.
 — sericea St. Hil. St. Hil. Pl. usuelles 33.
 — undulata Pal. B. Pal. B. Fl. d'Oware 16.
 — — — Rchb. Exot. 167.
 † *Xylosma suaveolens* Forst. Lam. Encycl. 827.
Xylosteum asperifolium Decne. Jacquemont Ind. 85.
 — campaniflorum Lodd. Lodd. Cab. 1361.
 — mexicanum H. B. K. H. B. K. Nov. Gen. 3, 297.
 — — — Kerner Hort. 608.
 — purpurascens Decne. Jacquemont Ind. 87.
 — spinosum Decne. Jacquemont Ind. 86.
 † *Xyrideae* Kth. Schnizl. Iconogr. 1, 47.
Xyris altissima Lodd. Lodd. Cab. 1900.
 — americana Aubl. Aublet Guiana 14.
 — canadensis Schnizl. Iconogr. 1, 47.
 — coerulea Lam. Lam. Encycl. 36.
 — elongata Rudge. Linn. Transact. 10, 15.
 — indica L. Rheede Hort. mal. 9, 71.
 † — — — Gaertn. Carp. 15.
 — — — Lam. Encycl. 36.
 — operculata Lab. Bill. Nov. Holl. 10.
 — — — Bot. Mag. 29, 1158.
 — — — Lodd. Cab. 205.
 — — — Endl. Iconogr. 13.
 — — — Dict. sc. nat. 60.

- Xyris pauciflora* Willd. Willdenow Phytogr. 1.
 — *subulata* R. et P. Ruiz et Pav. Fl. 71.
 † *Xystidium maritimum* Trin. Trinius Fund. 2.
Yermoloffia hispida Bel. Belanger Ind. or. x.
 — *insignis* Bel. Belanger Ind. or. x.
Youngia napifolia DC. Wight Ic. pl. Ind. or. 3, 1147.
Yucca acuminata Sweet. Sweet Fl. G. 195.
 — *aloifolia* L. DC. Plantae grasses 20.
 — — — Red. Lil. 7, 401. 402.
 — — — Tussac Ant. 2, 29.
 — — — Bot. Mag. 41, 1700.
 — — — Kerner Hort. 145.
 — — — Paxt. Mag. 3, 25.
 — *angustifolia* Pursh. Bot. Mag. 48, 2236.
 † *Draconis* L. Gaertn. Carp. 85.
 † — — — Lam. Encycl. 243.
 — — — Bot. Reg. 22, 1894.
 — *filamentosa* L. Bot. Mag. 23, 900.
 — — — Red. Lil. 5, 277. 278.
 — — — Herb. amat. 4, 258.
 — *flaccida* Haw. Bot. Reg. 22, 1895.
 — *glauca* Noisette. Bot. Mag. 53, 2662.
 — *glaucescens* Haw. Sweet Fl. G. 53.
 — *gloriosa* L. Bot. Mag. 31, 1260.
 — — — Andr. Rep. 7, 473.
 — — — Red. Lil. 6, 326. 327.
 — — — Nouveau Duhamel 3, 35.
 — *puberula* Haw. Sweet Fl. G. 251.
 — *recurvifolia* Salisb. Salisbury Parad. 31.
 — *stricta* Sims. Bot. Mag. 48, 2222.
 — — — Rchb. Exot. 201.
 — *superba* Haw. Bot. Reg. 20, 1690.
 † *Zacintha verrucosa* Gaertn. Gaertn. Carp. 157.
 — — — Sibth. Fl. gr. 820.
Zahlbrucknera paradoxa Rchb. Sturm Flora 9, 33.
Zalacca affinis Griff. Griffith Palms 176^{a, b, c}.
 † — — — Mart. Palm. Z²¹.
 — *Blumeana* Mart. Mart. Palm. 123.
 — *conferta* Griff. Griffith Palms 180^{a, b, c}.
 — — — Mart. Palm. 173. 174.
 — *edulis* Bl. Blume Rumphia 161.
 — — — Griffith Palms 175.
 — *glabrescens* Griff. Griffith Palms 179.
 — *macrostachya* Griff. Griffith Palms 178^{a, b, c}.
 † — — — Mart. Palm. Z²¹.
 — *Rumphii* Wall. Wall. Pl. asiat. 222—224.
 — *secunda* Griff. Griffith Palms 177.
 — *Wallichiana* Mart. Mart. Palm. 118. 119. 136.
Zaleja decandra Burm. Burmann Fl. ind. 31.
 † *Zamia* L. Richard Conf. 27. 28.
 — *angustifolia* Jacq. Jacq. Ic. 636.
 — *Beeldsnijderiana* Beeldschn. Beeldschnijder Catalogue 1.
 — *Brongniartii* Wedd. Ann. sc. nat. III. 13, 4.
 — *cycadifolia* Jacq. Jacq. Fragm. 25. 26.
 — — — Kerner Hort. 169.
 — — — Flora 1825, 2.
 — *debilis* Ait. Lodd. Cab. 155.
 — — — Miquel Monogr. Cycad. 8.
 † *Fischeri* Miq. Linnaea 19, 7.
 — *furfuracea* Ait. Bot. Mag. 45, 1969.
 — *horrida* Jacq. Jacq. Fragm. 27. 28.
 — — — Kerner Hort. 734. 735.
 — *integrifolia* Ait. Jacq. Ic. 635.
 — — — Bot. Mag. 43, 1851.
 — — — Kerner Hort. 113.
 † — — — Lam. Encycl. 892.
 † — — — Arch. Mus. 1, 34.
 — *Kickxii* Miq. Miquel Monogr. Cycad. 8.
 — *lanuginosa* Jacq. Jacq. Fragm. 30. 31.
 † *latifolia* Lodd. Linnaea 19, 7.
 — *Lindleyi* Warsz. Otto Garten-Zeitung 1851, 1.

- † *Zamia Loddigesii* Miq. Linnaea 19, 7.
 — *longifolia* Jacq. Jacq. Fragm. 29.
 — — — Kerner Hort. 385.
 — *media* Jacq. Jacq. Schoenbr. 3, 397. 398.
 — — — Bot. Mag. 43, 1838.
 — *media* Jacq. Rchb. Exot. 253.
 — *muricata* Willd. Miquel Monogr. Cycad. 7.
 — — — Vriese Descriptions 4. 5.
 † *pumila* L. Annales de Fromont 1829, 2.
 — — — (mas.) Bot. Mag. 45, 2006.
 — *pygmaea* Sims. Lodd. Cab. 113.
 — — — Bot. Mag. 42, 1741.
 — *Skinneri* Warsz. Otto Garten-Zeitung 1851, 1.
 † *tenuis* Willd. Linnaea 19, 6.
 † *villosa* Gaertn. Gaertn. Carp. 3.
 † *Zannichellia* L. Ann. sc. nat. II. 3, 1.
 † *dentata* Willd. Ann. sc. nat. II. 9, 3.
 — *gibberosa* Rchb. Rchb. Ic. crit. 8, 759.
 — — — Rchb. Fl. germ. 7, 16.
 — *major* Bönn. Rchb. Ic. crit. 8, 758.
 — — — Rchb. Fl. germ. 7, 16.
 † — — — Nees Gen. 3, x.
 — *palustris* L. Fl. dan. 1, 67.
 — — — Engl. Bot. 26, 1844.
 — — — Sv. Bot. 630.
 — — — Schk. Handb. 280.
 — — — Baxter Brit. Bot. 3, 164.
 † — — — Gaertn. Carp. 19.
 † — — — Lam. Encycl. 741.
 † — — — Mutel Fl. fr. 63.
 † — — — Ann. sc. nat. II. 9, 3. 4.
 — *pedunculata* Rchb. Rchb. Ic. crit. 8, 760.
 — — — Rchb. Fl. germ. 7, 16.
 † — — — Mutel Fl. fr. 63.
 — *polycarpa* Nolte. Rchb. Ic. crit. 8, 757.
 — — — Rchb. Fl. germ. 7, 16.
 † — — — Mutel Fl. fr. 63.
 — *repens* Bönn. Rchb. Ic. crit. 8, 756.
 — — — Rchb. Fl. germ. 7, 16.
 † — — — Nees Gen. 3, x.
 † *vaginalis* Del. Treviranus Symbolae 45—47.
Zanonia indica L. Rheede Hort. mal. 8, 47—49.
 † — — — Gaertn. Carp. 15.
 † — — — Lam. Encycl. 816.
 — — — Wight Illustr. 103.
 — *sarcophylla* Wall. Wall. Pl. asiat. 123.
 † — — — Schnitzl. Iconogr. 201.
Zapania Echinus N. v. E. Acta Leop. II. 1, 5.
 † — *javanica* Poir. Lam. Encycl. 17.
 — — — Desc. Ant. 6, 392.
 † — *mexicana* Poir. Lam. Encycl. 17.
 — *nodiflora* Poir. Rheede Hort. mal. 10, 47.
 † — — — Lam. Encycl. 17.
 — — — var. *rosea*, Sweet Fl. G. II. 225.
Zauschneria californica Presl. Presl Reliq. 52.
 — — — Bot. Mag. 76, 4493.
 — — — Annales de Gand 1848, 224.
 — — — Fl. d. serres 4, 404.
 — — — Paxt. Mag. 15, 193.
Zea hirta Bonaf. Ann. sc. nat. 17, 8.
 — *Mays* L. Schk. Handb. 283.
 — — — Burger Abhandlung 1—4.
 — — — Cobbet Cobbets Corn 1. 2.
 — — — Nees Düssel. Suppl. 73. 74.
 — — — Duchesne Traité du Mais 1—3.
 — — — Bonafous Traité 1—19.
 — — — Dict. sc. nat. 23. 24.
 — — — Desc. Ant. 8, 544.
 — — — Browne Indian Corn 1.
 † — — — Linné Amoenit. 7, 2.
 † — — — Lam. Encycl. 749.
 † — — — Ann. Mus. 17, 6.

- †Zea Mays L. Ann. sc. nat. II. 11, 9.
 † — — — Spach Suites 128.
 † — — — Nees Gen. 1, 3. 4.
 † — — — Hofmeister Embryo 11.
 † — — — Imhof Morbus 1.
 Zehneria Baueriana ♂ ♀ Endl. Endl. Iconogr. 116. 117.
 † — Hookeriana Wight. Wight Illustr. 105 bis.
 Zenkeria elegans Trin. Linnæa 11, 3.
 Zenobia speciosa Don. Sweet Fl. G. II. 330.
 †Zephyranthes Herb. Herbert Amar. 34. 36.
 — Atamasco Herb. Lodd. Cab. 1899.
 † — candida Herb. Herbert Amar. 24.
 — — — Bury Hexandr. plants 28.
 — — — Bot. Mag. 53, 2607.
 — — — Lodd. Cab. 1419.
 — carinata Herb. Bury Hexandr. plants 13.
 — — — Bot. Reg. 11, 902.
 — — — Bot. Mag. 52, 2594.
 — — — Sweet Fl. G. II. 4.
 † — Commersoniana Herb. Herbert Amar. 29.
 — Drummondii Don. Sweet Fl. G. II. 328.
 † — gracilis Herb. Herbert Amar. 29.
 † — Grahamiana Herb. Herbert Amar. 29.
 — grandiflora Ldl. Bot. Reg. 11, 902.
 — Lindleyana Herb. Herbert Amar. 35.
 — mesochloa Herb. Bot. Reg. 16, 1361.
 — minima Herb. Herbert Amar. 24.
 — rosea Ldl. Bury Hexandr. plants 13.
 — — — Bot. Reg. 10, 821.
 — — — Bot. Mag. 52, 2537.
 — Spofforthiana Herb. Bot. Reg. 21, 1746.
 — striata Herb. Bot. Mag. 52, 2593.
 — tubispatha Herb. Bury Hexandr. plants 25.
 — verecunda Herb. Bot. Mag. 52, 2583.
 †Zerna sterilis Panz. Münchn. Denkschr. 4, 11.
 Zerumbet speciosum Schrad. et W. Jacq. Fragm. 68.
 — — — Wendland Sert. hannov. 19.
 † — Zingiber Schrad. et W. Ann. sc. nat. II. 15, 21.
 Zetocapnia geminiflora Link. Link Iconogr. II. 18.
 Zeuxine bracteata Wight. Wight Ic. pl. Ind. or. 5, 1724 bis.
 — brevifolia Wight. Wight Ic. pl. Ind. or. 5, 1725.
 — robusta Wight. Wight Ic. pl. Ind. or. 5, 1726.
 Zeyheria montana Mart. Mart. Bras. 139.
 Zichya coccinea Mar. Maund Bot. 3, 120.
 — dilatata Benth. Bot. Reg. 18, 1526.
 — glabrata Benth. Bot. Reg. 22, 1838.
 — — — Bot. Mag. 68, 3956.
 — inophylla Benth. Bot. Reg. 17, 1421.
 — Molly Hügel. Hügel Archiv 1.
 — pannosa Paxt. Paxt. Mag. 8, 147.
 — tricolor Ldl. Bot. Reg. 25, 52.
 — villosa Ldl. Bot. Reg. 28, 68.
 — — — Lem. Jard. fl. 4, 417.
 Zieria hirsuta DC. Delessert Ic. 3, 50.
 — laevigata Sm. Delessert Ic. 3, 49.
 — — — Maund Bot. 4, 185.
 — — — Paxt. Mag. 9, 77.
 † — — — Mem. Mus. 12, 22.
 † — — — Spach Suites 13.
 — lanceolata R. Br. Lodd. Cab. 878.
 — macrophylla Bonpl. Delessert Ic. 3, 48.
 — — — Bot. Mag. 75, 4451.
 — pilosa Rudge. Linn. Transact. 10, 17.
 — — — Lam. Encycl. 915.
 — Smithii Andr. Andr. Rep. 9, 606.
 — — — Bot. Mag. 34, 1395.
 — — — Bonpland Malm. 24.
 — trifoliata Bonpl. Herb. amat. 3, 190.
 Zietenia orientalis Gled. Mem. Acad. Berl. 1766, 1. 2.
 — — — Jaubert Illustr. 399.
 Zigadenus glaberrimus Michx. Michaux Fl. 22.
 — — — Red. Lil. 8, 461.

- Zigadenus glaucus Gray. Bot. Reg. 24, 67.
 Zingiber barbatum Wall. Wall. Pl. asiat. 55.
 — capitatum Roxb. Roscoe Scitam. 90.
 — Cassumunar Roxb. Rumpf Amb. 5, 65. fig. 2.
 — — — Roscoe Scitam. 85.
 — — — Bot. Mag. 35, 1426.
 — — — Rchb. Exot. 70.
 — — — Nees Düsseld. 63.
 — chrysanthum Rosc. Roscoe Scitam. 86.
 — Cliffordiæ Andr. Andr. Rep. 9, 555.
 — elatum Roxb. Roscoe Scitam. 91.
 † — Ensai Gaertn. Gaertn. Carp. 12.
 — gramineum Bl. Rumpf Amb. 5, 66. fig. 2.
 — ligulatum Roxb. Roxb. Corom. 253.
 † — — — Ann. sc. nat. II. 15, 19.
 † — Melegueta Gaertn. Gaertn. Carp. 12.
 † — minus Gaertn. Gaertn. Carp. 12.
 † — nigrum Gaertn. Gaertn. Carp. 12.
 — officinale Roscoe. Rheede Hort. mal. 11, 12.
 — — — Roscoe Scitam. 83.
 — — — Guimpel et Schl. 257.
 — — — Wagner 119. 120.
 — roscœum Roscoe. Roscoe Scitam. 87.
 — rubens Roxb. Roscoe Scitam. 88.
 † — silvestre Gaertn. Gaertn. Carp. 12.
 — squarrosus Roxb. Roscoe Scitam. 89.
 — ? — Wight Ic. pl. Ind. or. 6, 2004.
 — Zerumbel Roscoe. Rheede Hort. mal. 11, 13.
 — — — Roscoe Scitam. 84.
 — — — Smith Exot. Bot. 112.
 — — — Bot. Mag. 45, 2000.
 — — — Wight Ic. pl. Ind. or. 6, 2003.
 Zinnia anomala Gray. Smiths. Contrib. 3, 10.
 — elegans Jacq. Jacq. Ic. 589.
 — — — Zinn Catal. Gott. 1.
 † — — — Schk. Handb. 252.
 — — — Bot. Mag. 15, 527.
 — — — Kerner Hort. 34.
 — — — Herb. amat. 1, 15.
 — hybrida Sims. Bot. Mag. 47, 2123.
 † — lutea Gaertn. Gaertn. Carp. 172.
 — multiflora L. Linné Hort. ups. 2, 12.
 — — — Jacq. Observ. 40.
 — — — Bot. Mag. 5, 149.
 † — — — Lam. Encycl. 685.
 † — pauciflora L. Lam. Encycl. 685.
 — revoluta Cav. Cav. Ic. 251.
 — — — Herb. amat. 1, 34.
 — tenuiflora Jacq. Jacq. Ic. 590.
 — — — Bot. Mag. 16, 555.
 — verticillata Andr. Andr. Rep. 3, 189.
 — — — Schk. Handb. 252.
 — violacea Cav. Cav. Ic. 81.
 — — — Andr. Rep. 1, 55.
 — — — Bot. Reg. 15, 1294.
 — — — Paxt. Mag. 1, 223.
 †Zippelia begoniaefolia Bl. Miquel Illustr. Pip. 92.
 — lappacea R. Br. Bennett Java 16.
 †Zizania L. Linné Gramin. 1.
 † — — — Linné Amoenit. 7, 2.
 — aquatica L. Linn. Transact. 7, 13.
 † — palustris L. Gaertn. Carp. 82.
 — — — Schreber Gräser 29.
 — — — Schk. Handb. 295.
 — — — Lam. Encycl. 768.
 — — — terrestris L. Rheede Hort. mal. 12, 60.
 Zizia cordata Koch. Torrey New York 33.
 Ziziphora capitata L. Rivinus Opus ined. 21.
 † — — — Gaertn. Carp. 66.
 — — — Lam. Encycl. 18.
 — — — Sibth. Fl. gr. 13.
 — — — Petersb. 2, 10.

- Ziziphora clinopodioides* *M. v. B.* Petersb. 2, 11.
 — *compacta* *Friv.* Acta Acad. hung. 1840, 4.
 — *hispanica* *L.* Lam. Encycl. 18.
 — *pungens* *Bunge.* Ledeb. Ic. 124.
 — *Puschkini* *Adams.* Bot. Mag. 27, 1093.
 — *serpyllacea* *M. v. B.* Bot. Mag. 23, 906.
 — — Petersb. 2, 12.
 — *tenuior* *L.* Lam. Encycl. 18.
 † *Zizyphus* *L.* Gray Genera 163.
 — *Baclei* *DC.* Guillemin Seneg. 37.
 — *glabrata* *Heyne.* Wight Ic. pl. Ind. or. 1, 282.
 — *Iguanea* *Lam.* Desc. Ant. 7, 492.
 — *Jujuba* *Lam.* Rheede Hort. mal. 4, 41.
 — — Hook. Journal 1834, 140.
 — — Wight Ic. pl. Ind. or. 1, 99.
 † *Lotus* *Lam.* Lam. Encycl. 185.
 — — Sprengel Geschichte d. Bot. 3.
 — *obtusifolia* *Gray.* Gray Genera 163.
 — *Paliurus* *Willd.* Bot. Mag. 44, 1893.
 — *rugosa* *Lam.* Wight Ic. pl. Ind. or. 2, 339.
 † *sativa* *Gaertn.* Gaertn. Carp. 43.
 — — Nouveau Duhamel 3, 16.
 † *vulgaris* *Lam.* Lam. Encycl. 185.
 — — Sibth. Fl. gr. 241.
 — — Guimpel Fr. Holzgew. 118.
 — — Hayne 10, 43.
 — — Nees Düsseldorf. 369.
 — — Gallesio Pomona 2, x.
 — — Desc. Ant. 4, 276.
 † — — Spach Suites 15.
 † — — Ann. sc. nat. 10, 12.
Zoegea aleppica *Jacq.* Jacq. Ic. 177.
 — *Leptaurea* *L.* L'heritier Stirp. 29.
Zollernia falcata *N. et M.* Acta Leop. 13. 2. D. x.
 — — Schnizl. Iconogr. 276.
 — *splendens* *N. et M.* Acta Leop. 13. 2. C.
Zollikoferia chondrilloides *DC.* DC. Composées 18.
Zornia diphylla *Pers.* Rheede Hort. mal. 9, 82.
 — *flemmingioides* *Moric.* Moricand Pl. Am. 76.
 — *Gardneriana* *Moric.* Moricand Pl. Am. 77.
 — *sericea* *Moric.* Moricand Pl. Am. 75.
 — *tenuifolia* *Moric.* Moricand Pl. Am. 79.
 — *tetraphylla* *Michx.* Michaux Fl. 41.
 — *virgata* *Moric.* Moricand Pl. Am. 78.
 — *zeylonensis* *Pers.* Rheede Hort. mal. 9, 83.
Zosima orientalis *Hoffm.* Hoffmann Genera Umb. 4.
Zostera bullata *Delile.* Delile Egypte 53.
 — — Ehrenberg Symbolae 5.
 — *ciliata* *Forsk.* Ehrenberg Symbolae 6.
 — *marina* *L.* Linné Westgothische Reise 4.
 — — Fl. dan. 1, 15.
 — — var. β . Fl. dan. 9, 1501.
 — — Curt. Lond. 4, 35.
 — — Engl. Bot. 7, 467.
 — — Sv. Bot. 186.
 — — Baxter Brit. Bot. 6, 456.
 † — — Lam. Encycl. 737.
 — — Dict. sc. nat. 4.
 — — Schk. Handb. 279.
 — — Rchb. Fl. germ. 7, 3. 4.

- † *Zostera marina* *L.* Nees Gen. 3, x.
 † — *maritima* *Gaertn.* Gaertn. Carp. 19.
 — *nana* *Roth.* Rchb. Fl. germ. 7, 2.
 — — Engl. Bot. 2931.
 — *Noltii* *Hornem.* Fl. dan. 12, 2041.
 † — — Nees Gen. 3, x.
 — *oceanica* *L.* Cavolini Monographie 1.
 — — Usteri Annalen 7, 4.
 — — König Annals 2, 6.
 † *Zosterostylis Arachnites* *Bl.* Blume Tabellen 32.
 — *Walkeræ* *Wight.* Wight Ic. pl. Ind. or. 5, 1748.
Zozimia anethifolia *DC.* Jaubert Illustr. 238.
Zuccagnia punctata *Cav.* Cav. Ic. 403.
Zuelia laetioides *A. Rich.* Ramon Cuba 12.
Zurloa splendens *Ten.* Acad. Neap. 6, (1852.) x.
Zygia Petersiana *Bolle.* Peters Mossamb. 1.
Zygopetalum africanum *Hook.* Bot. Mag. 67, 3812.
 — *cochleare* *Ldl.* Bot. Reg. 22, 1857.
 — — Bot. Mag. 64, 3585.
 — *crinitum* *Lodd.* Lodd. Cab. 1687.
 — *Mackaii* *Hook.* Bot. Mag. 54, 2748.
 — — Lodd. Cab. 1664.
 — — Paxt. Mag. 3, 97.
 — — var. *crinitum*, Bot. Mag. 62, 3402.
 — — β . *crinitum*, Hart. Parad. 1, 3.
 — *maxillare* *Rorb.* Bot. Mag. 65, 3686.
 — — Maund Bot. 3, 111.
 — — Paxt. Mag. 4, 271.
 — — Lodd. Cab. 1776.
 — — Hart. Parad. 1, 2.
 — *Murrayanum* *Gardn.* Bot. Mag. 65, 3674.
 — *rostratum* *Hook.* Bot. Mag. 55, 2819.
 — *stenochilum* *Lindl.* Lodd. Cab. 1923.
 † *Zygophylleae Rchb.* Payer Organogénie 14. 22. 23.
Zygophyllum album *L.* Linné Hort. ups. 1, 6.
 — — Sibth. Fl. gr. 371.
 — — DC. Plantes grasses 154.
 — *arboreum* *Jacq.* Jacq. Hist. stirp. am. 124.
 — *decumbens* *Delile.* Delile Egypte 27.
 — *Eichwaldii* *C. A. M.* Eichwald Caucasus 14.
 — *Fabago* *L.* Gmelin Reise 2, 28.
 † — — Gaertn. Carp. 112.
 — — Lam. Encycl. 345.
 † — — Mem. Mus. 12, 95.
 † — — Spach Suites 13.
 — *foetidum* *Schrad.* Schrader Sertum hannov. 9.
 † — — Payer Organogénie 14.
 — *Fontanesii* *Webb.* Webb Canar. 1.
 — *fruticosum* *DC.* Delessert Ic. 2, 42.
 — *furcatum* *C. A. M.* Ledeb. Ic. 373.
 — *insuave* *Curt.* Bot. Mag. 11, 372.
 — *Lehmanni* *Bge.* Bunge Reliq. Lehmann. 10.
 — *macropterum* *C. A. M.* Ledeb. Ic. 149.
 — *Melongena* *Bge.* Ledeb. Ic. 218.
 — *pterocarpum* *Bge.* Ledeb. Ic. 382.
 — *retrofractum* *Thunb.* Jacq. Schoenbr. 3, 354.
 — *sessilifolium* *L.* Bot. Mag. 47, 2184.
 — *simplex* *L.* Lam. Encycl. 345.
 — *subtrijugum* *C. A. M.* Ledeb. Ic. 383.
Zymum tristellatum *Noronha.* Aubert Iles d'Afrique 23.

11

11

11

11

3 2044 103 110 896

PRITZEL c.1	
Iconum botanicarum Index	
Locupletissimus. 1861	
DATE	ISSUED TO

Return this book on or before the last
date stamped below

Library Bureau Cat. no. 1174

3 2044 103 110 89

PRITZEL c.1
Iconum botanicarum Index
Locupletissimus. 1861

DATE

ISSUED TO

Return this book on or before the last
date stamped below